Submit 3 Copies To Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources			Form C-103 Revised March 25, 1999
<u>District I</u> 1625 N. French Dr., Hobbs, NM 87240	**			WELL API NO. 30-007-20185
District II 811 South First, Artesia, NM 87210	rtesia, NM 87210 OIL CONSERVATION DIVISION			5. Indicate Type of Lease
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	d. Artes, NM 87410			STATE FEE
District IV 2040 South Pacheco, Santa Fe, NM 87505	Santa Fe, NM 8/505			6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS				7. Lease Name or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				VPR B
1. Type of Well:				
2. Name of Operator				8. Well No. 5
EL PASO ENERGY RATON, L.L.C. 3. Address of Operator			9. Pool name or Wildcat	
3. Address of Operator P.O. BOX 190; RATON, NM 87740			9. Pool name or wildcat	
4. Well Location				
Unit LetterK_:_1615_ feet from theSouth line and1403 feet from theWestline				
Section 35 Township 30N Range 18E NMPM COLFAX County 10. Elevation (Show whether DR, RKB, RT, GR, etc.)				
8290' (GR)				
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK ☐ ALTERING CASING ☐				
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRI	LLING OPNS. PLUG AND
PULL OR ALTER CASING			CASING TEST AND ABANDONMENT CEMENT JOB	
OTHER:			OTHER: COMPL	ETION
12.				
5/12/00 Ran CBL (Patterson). TOC 50'.				
7/20/00 Perforate: 2666'-2678', 2654'-2659', 2639'-2643'. All 4spf.				
7/21/00 Stimulate: 35000# 20/40 & 125000# 12/20 Sand with 1200000 sef N2 & foamed 30# linear gel.				
Perforate: 2584' – 2591' (4 spf).				
Stimulate: 5000# 20/40 & 25000# 12/20 Sand with 410000 scf N2 & foamed 30# linear gel.				
Perforate: 2475' – 2479', 2465' – 2469'. All 4 spf.				
Stimulate: 5000# 20/40	Stimulate: 5000# 20/40 & 35000# 12/20 Sand with 410000 sef N2 & foamed 30# linear gel.			
7/22/00 Perforate: 2407.5' – 2414' (4 spf). Acidized with 500 gals 15% HCl acid.				
7/24-27/00 Clean out to 2710.				
8/16/00 Run tubing & rods. Well ready for production.				
	,			
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE for J. Oetti TITLE WELL SITE SUPERVISOR DATE 08/21/00				
Type or print name: JOEL L. PETTIT Telephone No: (505) 445-4620				
(This space for State use)				
APPPROVED BY TITLE DISTRICT SUPERVISOR DATE 8/25/00 Conditions of approval, if any:				
$oldsymbol{v}$				