

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-007-20206
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: VPR A
8. Well No. 56
9. Pool name or Wildcat
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 7674' (GR)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other ☒ Coalbed Methane

2. Name of Operator
EL PASO ENERGY RATON, L.L.C.

3. Address of Operator
PO BOX 190 RATON, NM 87740

4. Well Location
Unit Letter **P** : **646'** feet from the **South** line and **1151'** feet from the **East** line
Section **23** Township **32N** Range **20E** NMPM **Colfax** County

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/> OTHER: <input type="checkbox"/>	SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input checked="" type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>

12. Work Performed 4/16/02 thru 4/19/02 for P & A:
- 1) Fished tubing and rods from well.
RIH open-ended with 2 7/8" tubing. Spot balanced cement plug 1825'-1995'. SION.
 - 2) Tag cement plug at 1700'. RU wireline. Perforated squeeze holes @ 1580'.
TIH and set cement retainer @ 1520'. Attempt to fill annulus. Would not test. Apparent casing leak
Above 1520'. Mixed and pumped 182 sx. Cement below retainer. Stung out and left 70 sx. Cement above retainer.
SION.
 - 3) Tagged TOC @ 1380'. Attempt to fill casing. POOH with 2 7/8" tubing.
 - 4) Tie on to 5 1/2" casing. Mix and pump 525 sx. (23.5 bbls) 13 ppg. Cement down casing. Pressure to 500 psi.
 - 5) Cut off casing below ground level. Welded on 1/2" plate cap. Welded dry hole marker on cap inscribed:
 - 6) El Paso, VPRA56, 646'FSL, 1151'FEL, Sec. 23-32N-20E

API No. 30-007-20206

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE DR Lankford TITLE Engineer DATE 04/22/02

Type or print name Donald R. Lankford Telephone No. (505) 445-6721

(This space for State use)

APPROVED BY _____ TITLE _____ DATE _____
Conditions of approval, if any:

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-007-20206
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: VPR A
8. Well No. 56
9. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other ☒ Coalbed Methane

2. Name of Operator
EL PASO ENERGY RATON, L.L.C.

3. Address of Operator
PO BOX 190 RATON, NM 87740

4. Well Location
Unit Letter **P** : **646'** feet from the **South** line and **1151'** feet from the **East** line

Section **23** Township **32N** Range **20E** NMPM **Colfax** County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
7674' (GR)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Work Performed 4/16/02 thru 4/19/02 for P & A:

- 1) Fished tubing and rods from well.
RIH open-ended with 2 7/8" tubing. Spot balanced cement plug 1825'-1995'. SION.
- 2) Tag cement plug at 1700'. RU wireline. Perforated squeeze holes @ 1580'.
TIH and set cement retainer @ 1520'. Attempt to fill annulus. Would not test. Apparent casing leak
Above 1520'. Mixed and pumped 182 sx. Cement below retainer. Stung out and left 70 sx. Cement above retainer.
SION.
- 3) Tagged TOC @ 1380'. Attempt to fill casing. POOH with 2 7/8" tubing.
- 4) Tie on to 5 1/2" casing. Mix and pump 525 sx. (23.5 bbls) 13 ppg. Cement down casing. Pressure to 500 psi.
- 5) Cut off casing below ground level. Welded on 1/2" plate cap. Welded dry hole marker on cap inscribed:
- 6) El Paso, VPRA56, 646'FSL, 1151'FEL, Sec. 23-32N-20E

API No. 30-007-20206

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Engineer DATE 04/22/02

Type or print name Donald R. Lankford Telephone No. (505) 445-6721

(This space for State use)

APPROVED BY _____ TITLE _____ DATE _____
Conditions of approval, if any:

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-007-20206
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: VPR A
8. Well No. 56
9. Pool name or Wildcat
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 7674' (GR)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other ☒ Coalbed Methane

2. Name of Operator
EL PASO ENERGY RATON, L.L.C.

3. Address of Operator
PO BOX 190 RATON, NM 87740

4. Well Location
Unit Letter **P** : **646'** feet from the **South** line and **1151'** feet from the **East** line
Section **23** Township **32N** Range **20E** NMPM **Colfax** County

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Work Performed 4/16/02 thru 4/19/02 for P & A:

- 1) Fished tubing and rods from well.
RIH open-ended with 2 7/8" tubing. Spot balanced cement plug 1825'-1995'. SION.
- 2) Tag cement plug at 1700'. RU wireline. Perforated squeeze holes @ 1580'.
TIH and set cement retainer @ 1520'. Attempt to fill annulus. Would not test. Apparent casing leak
Above 1520'. Mixed and pumped 182 sx. Cement below retainer. Stung out and left 70 sx. Cement above retainer.
SION.
- 3) Tagged TOC @ 1380'. Attempt to fill casing. POOH with 2 7/8" tubing.
- 4) Tie on to 5 1/2" casing. Mix and pump 525 sx. (23.5 bbls) 13 ppg. Cement down casing. Pressure to 500 psi.
- 5) Cut off casing below ground level. Welded on 1/2" plate cap. Welded dry hole marker on cap inscribed:
- 6) EI Paso, VPRA56, 646'FSL, 1151'FEL, Sec. 23-32N-20E

API No. 30-007-20206

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE DR Lankford TITLE Engineer DATE 04/22/02

Type or print name Donald R. Lankford Telephone No. (505) 445-6721

(This space for State use)

APPROVED BY _____ TITLE _____ DATE _____

Conditions of approval, if any:

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-007-20206
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: VPR A
8. Well No. 56
9. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other ☒ Coalbed Methane

2. Name of Operator
EL PASO ENERGY RATON, L.L.C.

3. Address of Operator
PO BOX 190 RATON, NM 87740

4. Well Location
Unit Letter **P** **646'** feet from the **South** line and **1151'** feet from the **East** line
Section **23** Township **32N** Range **20E** NMPM Colfax County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
7674' (GR)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Work Performed 4/16/02 thru 4/19/02 for P & A:

- 1) Fished tubing and rods from well.
RIH open-ended with 2 7/8" tubing. Spot balanced cement plug 1825'-1995'. SION.
- 2) Tag cement plug at 1700'. RU wireline. Perforated squeeze holes @ 1580'.
TIH and set cement retainer @ 1520'. Attempt to fill annulus. Would not test. Apparent casing leak
Above 1520'. Mixed and pumped 182 sx. Cement below retainer. Stung out and left 70 sx. Cement above retainer.
SION.
- 3) Tagged TOC @ 1380'. Attempt to fill casing. POOH with 2 7/8" tubing.
- 4) Tie on to 5 1/2" casing. Mix and pump 525 sx. (23.5 bbls) 13 ppg. Cement down casing. Pressure to 500 psi.
- 5) Cut off casing below ground level. Welded on 1/2" plate cap. Welded dry hole marker on cap inscribed:
- 6) El Paso, VPRA56, 646'FSL, 1151'FEL, Sec. 23-32N-20E

API No. 30-007-20206

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Engineer DATE 04/22/02

Type or print name Donald R. Lankford Telephone No. (505) 445-6721
(This space for State use)

APPROVED BY _____ TITLE _____ DATE _____
Conditions of approval, if any: