Office Office	State of New Mexico				Form C-10	
District I 1625 N. French Dr., Hobbs, NM 87240	Energy, Mineral	ls and Nat	ural Resources			
District II			WELL API NO.	20.00= 000 0		
District III			5. Indicate Type			
1000 Rio Brazos Rd. Aztec NM 87410			1			
District IV Santa Fe, NM 87505 1220 South St. Frances, Santa Fe, NM						
87505					Gus 170050 170,	
DIFFERENT RESERVOIR. USE "APPLIC. PROPOSALS.)  1. Type of Well:	ALS TO DRILL OR TO DE ATION FOR PERMIT" (FO	EPEN OR PI RM C-101) F	LUG BACK TO A OR SUCH	7. Lease Name of	or Unit Agreement Name  VPR D	
2. Name of Operator			ic	9 Wall No	£1	
3. Address of Operator	State O'NEW MEXICO Energy, Minerals and Natural Resources Energy, Minerals and Natural Resources MM 87240  OIL CONSERVATION DIVISION 1220 South St. Frances Santa Fe, NM 87505  IMDRY NOTICES AND REPORTS ON WELLS EN FOR PROPOSALS TO DRILL OR TO DEFERN OR PLUG BACK TO A IR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  VPR D  Gas Well					
P.O. Box 190, Raton, NM 87740				9. Pool name or	9. Pool name or Wildcat	
4. Well Location						
Unit Letter <u>D</u> :	689.5 feet from the	North_	line and 87	7.6 feet from the	West line	
Section 01	Township 30N	Rang	e 17E	NMPM COLEAN	Country	
	10. Elevation (Show	whether D	R, RKB, RT, GR,	etc.)	County	
11 61		8222' (0	3L)			
II. Check Ap	propriate Box to In	idicate N	ature of Notice	e, Report or Other	Data	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	N 🗆	REMEDIAL WO	BSEQUENT REI		
TEMPORARILY ABANDON				RILLING OPNS.	PLUG AND -	
			CASING TEST	<del></del>		
OTHER:		Г	OTUED.			
12. Describe proposed or completed operation SEE RULE 1103. For Multiple Complete	ons. (Clearly state all pertine	ent details, an	d aire partinant data-	, including estimated date or	f starting any proposed work).	
					C casing to 324'.	
01/09/02 Halliburton mixed a 5#/sx gilsonite, and 500 psi for 30 minut	.5% versaset. Circulate	lcon II PP, e 1 bbls of	14 ppg, yield 1.60 cement to surface	6 at 3 bpm with 25 psi woc 8 hrs. Test su	with 6% salt, rface 8 5/8"csg to	
01/10/02 Drill 7 7/8" hole fro	om 230' – 1815'. Rea	ched TD 1	815' at 4:00 p.m			
01/10/02 MIRU Leed. Ran 4	12 jts. of 5 ½", M-50, 1	15.5 ppf L	T&C casing to 1	740'.		
6% salt, 2 lb/sx Gran	nulite, 5 lb/sx Gilsonite	umped 2. 2, .2% Ver	10 sx Midcon II I saset and .1% Su	PP, 13 ppg, yield 2.03 per CBL Plug down	ot 2 hours soldle 15	
I hereby certify that the information ab	ove is true and comple	ete to the be	est of my knowled	dge and belief		
SIGNATURE William M	C 1				TE <u>02-05-02</u>	
Type or print name William M. Or	rdemann			Telephone No. (5		
(This space for State use)		<u>-</u>		receptione No. (3	03) 443-0724	
APPPROVED BY Conditions of approval, if any:	<u></u>	TITLE	STRICT SI	JPERVISOR	DATE 2/7/02	