

Submit To Appropriate District Office  
State Lease - 6 copies  
Fee Lease - 5 copies  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-105  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

WELL API NO. 30-007-20290

5. Indicate Type of Lease

STATE FEE X

State Oil & Gas ☐ se No. ☒

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:  
OIL WELL ☐ GAS WELL ☐ DRY ☐ OTHER X COALBED METHANE

b. Type of Completion:  
NEW WORK PLUG DIFF. RESVR. OTHER  
WELL ☒ OVER ☐ DEEPEEN ☐ BACK ☐

7. Lease Name or Unit Agreement Name

VPR D

8. Well No.

46

9. Pool name or Wildcat

Castle Rock Park - Vermejo Gas

2. Name of Operator

EL PASO ENERGY RATON, L.L.C.

3. Address of Operator

PO BOX 190  
RATON, NEW MEXICO 87740

4. Well Location

Unit Letter G Feet From The North Line and 1737.9 Feet From The East Line

Section 03 Township 30N Range 18E NMPM COLFAX County

10. Date Spudded

01/21/02

11. Date T.D. Reached

01/22/02

12. Date Compl. (Ready to Prod.)

03/18/02

13. Elevations (DF&R (B RT, GR, etc.)

8491' GR

14. Elev. Casinghead

8491'

15. Total Depth

1490'

16. Plug Back T.D.

1455'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By Rotary Tools

0 - TD

Cable Tools

None

19. Producing Interval(s), of this completion - Top, Bottom, Name  
972' - 1172' VERMEJO COALS

20. Was Directional Survey Made  
No

21. Type Electric and Other Logs Run

Array Induction, Epithermal Neutron Litho Density, and Cement Bond Log.

21. Was Well Cored  
No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	23 lb.	319'	11"	85 sx.	None
5 1/2"	15.5 lb.	1463'	7 7/8"	169 sx.	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	1245'	N/A

26. Perforation record (interval, size, and number)

1170' - 1172', 1154' - 1156' Shot 4 SPF, 16 Holes  
1064' - 1066', 1074' - 1076', 1107' - 1109', 1119' - 1121' Shot 4 SPF, 32 Holes  
972' - 974', 976' - 983', 990' - 993', 996' - 999' Shot 4 SPF, 60 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED  
972' - 1156' 142,220 lbs 16/30 mesh sand

28. PRODUCTION

Date First Production 04/06/02		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping water up 2 7/8" tubing w 30-N-95 pump. Flowing gas up 5 1/2" casing.				Well Status (Prod. or Shut-in) Production	
Date of Test 04/06/02	Hours Tested 24 Hours	Choke Size Full 2"	Prod'n For Test Period	Oil - Bbl N/A	Gas - MCF 0	Water - Bbl 130	Gas - Oil Ratio N/A
Flow Tubing Press.	Casing Pressure 0 psi	Calculated 24-Hour Rate	Oil - Bbl N/A	Gas - MCF 0	Water - Bbl 130	Oil Gravity - API - (Corr.) N/A	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold, used for fuel.

Test Witnessed By:

Danny Whitaker

30. List Attachments

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature: Shirley A. Mitchell Printed Name: Shirley A. Mitchell Title: Field Adm. Specialist Date: 05/03/02

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon
T. Salt	T. Strawn
B. Salt	T. Atoka
T. Yates	T. Miss
T. 7 Rivers	T. Devonian
T. Queen	T. Silurian
T. Grayburg	T. Montoya
T. San Andres	T. Simpson
T. Glorieta	T. McKee
T. Paddock	T. Ellenburger
T. Blinebry	T. Gr. Wash
T. Tubb	T. Delaware Sand
T. Drinkard	T. Bone Springs
T. Abo	T. _____
T. Wolfcamp	T. _____
T. Penn	T. _____
T. Cisco (Bough C)	T. _____

T. Ojo Alamo	T. Penn. "B"
T. Kirtland-Fruitland	T. Penn. "C"
T. Pictured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
Base Greenhorn	T. Granite
T. Dakota	T. Raton – Surface 0'
T. Morrison	T. Vermejo 948'
T. Todilto	T. Trinidad 1,241'
T. Entrada	T. _____
T. Wingate	T. _____
T. Chinle	T. _____
T. Permian	T. _____
T. Penn "A"	T. _____

OIL OR GAS SANDS  
OR ZONES

No. 1, from.....to.....  
No. 2, from.....to.....

No. 3. from.....to.....  
No. 4. from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1. from.....to.....feet.....  
No. 2. from.....to.....feet.....  
No. 3. from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology