Submit 3 Copies To Appropriate District Office District I	State of New Energy, Minerals and N		Form C-103 Revised March 25, 1999	
1625 N. French Dr., Hobbs, NM 87240			WELL API NO.	30-007-20340
District II 811 South First, Artesia, NM 87210	OIL CONSERVATION DIVISION		5 Indicate Type	of Lease
District III	1220 South St Francis		5. Indicate Type of Lease STATE □ FEE ■	
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u>	Santa Fe, NM 87505		6. State Oil & Gas Lease No.	
2040 South Pacheco, Santa Fe, NM 87505				
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or	Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			VPR A	
Type of Well: Oil Well				
2. Name of Operator			8. Well No. 8	32
EL PASO ENERGY RATON, L.L.C.			8. Well No.) <u>/</u>
3. Address of Operator			9. Pool name or Wildcat	
P.O. BOX 19	90 RATON, NM 87740			
4. Well Location Unit Letter K: 1441.3 feet from the South line and 1512.1 feet from the West line				
Section 33 Township 32N Range 20E NMPM COLFAX County				
	10. Elevation (Show whether		· · · · · · · · · · · · · · · · · · ·	e in the property and the
8090' (GR)				
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF INT		1	SEQUENT RE	
PERFORM REMEDIAL WORK	PLUG AND ABANDON L	REMEDIAL WOR	.r. Ш	ALTERING CASING L
			ILLING OPNS.	PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST A CEMENT JOB	ND	
OTHER:		OTHER:		COMPLETION
12 Describe proposed or completed operation	ons. (Clearly state all pertinent detai	ls, and give pertinent dates, ir	icluding estimated date o	f starting any proposed work).
SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.				
05/16/02 HES ran cement bond log. TOC at 20'.				
06/25/02 HES perf'd 1 st stage: 2221'-2223' 3 SPF 15 Holes HES frac'd 1 st stage: Pumped 2.4 bbls HCL acid with 1,000 lbs of 16/30 Brady sand at 5.1 bpm, ATP 2685 psi, ISIP 3250 psi.				
HES perf'd 2 nd stage: 2169'-2171', 2176'-2178' 3 SPF 10 Holes				
HES perf'd 3 rd stage: 2062'-2064' 3 SPF 5 Holes				
HES frac'd 3 rd stage: Pumped 2.4 bbls HCL acid with 11,500 lbs of 16/30 Brady sand at 7.1 bpm, ATP 2087 psi, ISIP 300 psi.				
HES perf'd 4 th stage: 1997'-1999' 3 SPF 5 Holes HES frac'd 4 th stage: Pumped 2.4 bbls HCL acid with 2,100 lbs of 16/30 Brady sand at 5.1 bpm, ATP 3852 psi. ISIP 2600 psi.				
HES perf d 5th stage: 1265'-1267' 3 SPF 5 Holes				
HES frac'd 5th stage: Pumped 2.4 bbls HCL acid with 11,600 lbs of 16/30 Brady sand at 8.8 bpm, ATP 3215 psi, ISIP 815 psi. 06/29/02 Installed rods, tubing, and pump. Well is ready to be put on production.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE Shirly A Mitchell TITLE Field Adm. Specialist DATE 08/15/02				
Type or print name: Sharley A) Mitchell Telephone No.: (505) 445-6785				
MITHOUGH I.				
Conditions of approval, if any.	,			