Submit 3 Copies To Appropriate District Office State of New Mexico	Form C-103
District I Energy, Minerals and Natural Resources 1625 N. French Dr., Hobbs, NM 87240	Revised March 25, 1999 WELL API NO. 30-007-20345
District II	23243
811 South First, Artesia, NM 87210 District III 1220 South St Francis	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe, NM 87505	STATE FEE
2040 South Pacheco, Santa Fe, NM 87505	6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	VPR A
1. Type of Well:	
Oil Well Gas Well Other COALBED METHANE	
2. Name of Operator	8. Well No. 85
3. Address of Operator	9. Pool name or Wildcat
P.O. BOX 190 RATON, NM 87740	2. I doi hame of Whatat
4. Well Location	
Unit Letter 1: 1356.4 feet from the South line and 1153.8 feet from the East line Section 34 Township 32N Range 20E NMPM COLFAX County	
Section 34 Township 32N Range 20E NMPM COL 10. Elevation (Show whether DR, RKB, RT, GR, etc.)	
7971' (GR)	
11. Check Appropriate Box to Indicate Nature of Notice, Re	port or Other Data
	SEQUENT <u>R</u> EPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK	
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRII	LLING OPNS. PLUG AND ABANDONMENT
PULL OR ALTER CASING	
OTHER: OTHER:	COMPLETION
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, inc	cluding estimated date of starting any proposed work).
SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.	
05/14/02 HES ran cement bond log. TOC at surface.	
06/21/02 HES perf'd 1stage: 2094'-2096', 2102'-2104', 2108'-2110' 3 SPF 15 Holes HES frac'd 1stage: Pumped 7.10 bbls HCL acid with 61,280 lbs of 16/30 Brady sand at 12.1 bpm, ATP 612 psi, ISIP 612 psi.	
HES perf'd 2 nd stage: 2034'-2036', 2052'-2054' 3 SPF 10 Holes	
HES frac'd 2 nd stage: Pumped 3.6 bbls HCL acid with 29,770 lbs of 16/30 Brady sand at 10.1 bpm, ATP 3385 psi, ISIP 692 psi. HES perf'd 3 rd stage: 1216'-1218' 3 SPF 5 Holes	
HES frac'd 3 rd stage: Pumped 2.4 bbls HCL acid. Zones communicated.	
HES perf'd 4 th stage: 1196'-1198' 3 SPF 5 Holes HES frac'd 4 th stage: Pumped 17,930 lbs of 16/30 Brady sand at 7.6 bpm, ATP 3989 psi, ISIP 1842 psi.	
HES perf'd 5 th stage: 1163'-1165' 3 SPF 5 Holes HES frac'd 5 th stage: Pumped 2.4 bbls HCL acid with 10,870 lbs of 16/30 Brady sand at 8 bpm, ATP 4150 psi, ISIP 1494 psi.	
06/20/02 Installed rods, tubing, and pump. Well is ready to be put on production.	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE SIGNATURE SIGNATURE SIGNATURE DATE 08/15/02	
Type or print name: Shirley A. Mitchell Telephone No.: (505) 445-6785	
(This space for State use) The Control of the Contr	
Conditions of approval, if any:	