Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office Energy, Minerals and Natural Resources Revised March 25, 1999 District I 1625 N. French Dr., Hobbs, NM 87240 WELL API NO. 30-007-20354 District II OIL CONSERVATION DIVISION 811 South First, Artesia, NM 87210 5. Indicate Type of Lease District III 1220 South St Francis 1000 Rio Brazos Rd., Aztec, NM 87410 STATE FEE Santa Fe. NM 87505 District IV State Oil & Gas Lease No. 2040 South Pacheco, Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH VPR A PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other COALBED METHANE Name of Operator 8. Well No. 95 EL PASO ENERGY RATON, L.L.C. Address of Operator 9. Pool name or Wildcat P.O. BOX 190 **RATON, NM 87740** Well Location Unit Letter D <u>1305.5</u> feet from the North line and 928.3 feet from the West Township 32N Range **20E** NMPM COLFAX County 10. Elevation (Show whether DR, RKB, RT, GR, etc.) 7692' (GR) 11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING □ **TEMPORARILY ABANDON CHANGE PLANS** COMMENCE DRILLING OPNS. PLUG AND **ABANDONMENT** PULL OR ALTER CASING **MULTIPLE** CASING TEST AND COMPLETION **CEMENT JOB** OTHER: OTHER: COMPLETION Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. 05/13/02 HES ran cement bond log. TOC at surface. 06/19/02 HES perf'd 1stage: 1804'-1806', 1813'-1815', 1818'-1820' 3 SPF 15 Holes HES frac'd 1stage: Pumped 8.3 bbls HCL acid with 69,837 lbs of 16/30 mesh s Pumped 8.3 bbls HCL acid with 69,837 lbs of 16/30 mesh sand at 11.8 bpm, ATP 3373 psi, ISIP 93 psi. HES perf'd 2nd stage: 1752'-1754' 3 SPF 5 Holes HES frac'd 2nd stage: Pumped 2.4 bbls HCL acid with 9,720 lbs of 16/30 mesh sand at 7.8 bpm, ATP 3124 psi, ISIP 800 psi. HES perf'd 3rd stage: 1636'-1638', 1642'-1644' 3 SPF 10 Holes HES frac'd 3rd stage: Pumped 2.4 bbls HCL acid. Maxed out pressure. HES perf'd 4th stage: 1413'- 1415' 3 SPF 5 Holes HES frac'd 4th stage: Pumped 2.4 bbls HCL acid with 20,450 lbs of 16/30 mesh sand at 8.2 bpm, ATP 3562 psi, ISIP 436 psi. 966'-968' 3 SPF 5 Holes HES perf'd 5th stage: HES frac'd 5th stage: Pumped 2.4 bbls HCL acid with 10,620 lbs of 16/30 mesh sand at 7.8 bpm, ATP 2537 psi, ISIP 560 psi, 06/21/02 Installed rods, tubing, and pump. Well is ready to be put on production. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

TITLE

Field Adm. Specialist DATE

Telephone No.: (505) 445-6785

08/08/02

SIGNATURE

Type or print name:

(This space for State use APPPROVED BY

Conditions of approval, if an