

A 10x10 grid with a horizontal line across the middle. The number '26' is written in the center, and the letter 'x' is in the bottom-left corner.

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Continental Oil Company
(Company or Operator)

St. Louis Rocky Mountain Pacific
(Lease)

Well No. 2, in SW $\frac{1}{4}$ of SW $\frac{1}{4}$, of Sec. 26, T. 31N, R. 21E, NMPM.

Raton Basin - Exploratory

Pool, Colfax

...County.

Well is 1090 feet from South line and 630 feet from West line

of Section 26..... If State Land the Oil and Gas Lease No. is.....

Drilling Commenced.....5-29....., 1954..... Drilling was Completed.....10-2....., 1954.....

Name of Drilling Contractor.....Carmack Drilling Company.....

Address..... Mile-Hi Center, Denver Colorado

Elevation above sea level at Top of ~~Tide~~ ^{Ground} ~~Head~~ ^{Water}..... 7751 The information given is to be kept confidential until

....., 19.....

OIL SANDS OR ZONES

No. 1, from.....None.....to..... No. 4, from.....to.....

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13 3/8"	36	New	280	Guide			
7"	20	New	4000		1050		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/4"	13 3/8"	293	260	Henco		
8 3/4"	7"	460	65	Henco		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Well plugged and abandoned.

Result of Production Stimulation.....

...Depth Cleaned Out

TABLE 5
1995

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

Rotary tools were used from 0 feet to 7267 feet, and from _____ feet to _____ feet.
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Put to Producing.....Dry....., 19.....

Gravity.....

Length of Time Shut in.....

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Moutoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
2550	2592	42	Greenhorn ls				
2592	2760	168	Graneros sh				
2760	2978	218	Dakota ss				
2978	3280	302	Morrison				
3280	3318	38	Toditto				
3318	3354	36	Entrada				
3354	3600	246	Chinle				
3600	3737	137	San Andreas				
3737	3841	204	Glorietta				
3841	4248	407	Sangre de Cristo				
4248	4550	302	Madera				
4550			Pre-Combrian				

ILLEGIBLE

December 23, 1954 (Date)

Company or Operator: Continental Oil Co. Address: 1734 Glenora Place

Name: J. W. (J. W.) (J. W.) Position or Title: District Superintendent