Rudget Ruman 42 RASEL Approval expures 13-31-32.

ILLEGIBLE

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office	<u></u>
Lease No	0973
Unit	PERFINED

NOV 27 1951

U. S. GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLSON MEXICO

SUNDKI NOTICES AN	
NOTICE OF INTENTION TO DRILL X	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO CHARGE I ENGLISHED	SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY.
	SOFT CEMENTAL WELL
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MARK N	TURE OF REPORT, NOTICE, OR OTHER DATA)
· · · ·	10.53
	November 26 , 1951
	${\begin{Bmatrix} \mathbf{M} \\ S \end{Bmatrix}}$ line and 1978. ft. from ${\begin{Bmatrix} \mathbf{E} \\ \mathbf{M} \end{Bmatrix}}$ line of sec. 26
W SE 20 26 2. 5 R . C (Twp.)	5 E. Redeilens
(W Sec. and Sec. No.) (Twp.)	(Range) (Menduar)
Wilcat Guadalupe	Subdivision) (State or Territory)
(Field) (County of	Subdivision) (State or Territory)
The elevation of the derrick floor above sea leve	113
	S OF WORK
	S OF WORK
State names of and expected depths to objective sands; show sixes ing points, and all other sands; show all ot	S OF WORK a, weights, and lengths of preposed casings; indicate mudding jobs, seemen her important proposed work) of the shove location with rotary to an
State names of and expected depths to objective sands; show sixes ing points, and all other sands; show all ot	S OF WORK a, weights, and lengths of preposed casings; indicate mudding jobs, seemen her important proposed work) of the above location with rotary to an otest the Pennsylvanian formation.
It is intended to drill a well approximate depth of 4,500 feet or the Proposed casin, program is as	S OF WORK weights, and lengths of preposed easings; indicate mudding jobs, comen ther important proposed work) of the above location with rotary to an oftent the Pennsylvanian formation. follows: 100 feet minimum depth cemented
It is intended to drill a well approximate depth of 4,500 feet or to proceed easing program is as throughout its entire lend to 5/4" surface casing at throughout its entire lend 5/5" sesion if assesser	S OF WORK weights, and lengths of preposed easings; indicate mudding jobs, sementher important proposed work) of the above location with rotary to an outsit the Pennsylvanian formation. follows: 100 feet minimum depth cemented with. y at approximately 1,300 feet cemented
State names of and expected depths to objective sands; show size ing points, and all oil is intended to drill rewell approximate depth of 4,500 feet or to Proposed casin, program is as throughout its entire land to E/3" design if madessar	S OF WORK In weights, and lengths of prepased easings; indicate mudding jobs, seemen her important proposed work) of the above location with rotary to an of test the Pennsylvanian formation. follows: 100 feet minimum depth cemented
From the depth of 4,500 feet or to approximate depth of 5/4" surface desing at throughout its entire lend of 5/6" desing if necessar with 80 sacks of dement. 52" production desing on dement.	S OF WORK weights, and lengths of preposed easings; indicate mudding Jobs, sementher important proposed work) of the above location with rotary to an outsit the Pennsylvanian formation. follows: 100 feet minimum depth cemented with. y at approximately 1,300 feet cemented
It is intended to drill a well approximate depth of 4,500 feet or to Fronced casin, program is as throughout its entire lend to 5/3" casing if macessar with Eu sacks of dement. Sign production desing on dement.	S OF WORK In weights, and lengths of preposed easings; indicate mudding jobs, semen her important proposed work) of the above location with rotary to an obst the Pennsylvanian formation. follows: 100 feet minimum depth cemented with at approximately 1,300 feet cemented to a possible proposed with 100 sacks of writing by the Geological Survey before operations may be commenced.
It is intended to drill a well approximate depth of 4,500 feet or to Proposed casin, program is as throughout its entire length to sacks of dement. Element. I understand that this plan of work must receive approval in Company Fort Stemmen Cilliand Cas Company	S OF WORK In weights, and lengths of preposed easings; indicate mudding jobs, seemen her important proposed work) of the above location with rotary to an obst the Pennsylvanian formation. follows: 100 feet minimum depth cemented with at approximately 1,300 feet cemented with a approximately 1,300 feet cemented with soppositions with 100 sacks of writing by the Geological Survey before operations may be commenced.
It is intended to drill a well approximate depth of 4,500 feet or to Frequency casing points, and all of approximate depth of 4,500 feet or to Frequency casing at throughout its entire lend of 5/8" basing if macessar with 80 sacks of cament. Sign production casing on dement.	S OF WORK In weights, and lengths of preposed easings; indicate mudding Jobs, seemen her important proposed work) of the above location with rotary to an obst the Pennsylvanian formation. follows: 100 feet minimum depth cemented with at approximately 1,300 feet cemented to a popular approximately 1,300 feet cemented to open of pay demented with 100 sacks of writing by the Geological Survey before operations may be commenced.

U. S. GOVERNMENT PRINTING CERNS 16 85%, 4