


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



AREA 640 ACRES  
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Baker & Taylor Drilling Company Dale Smith  
Company or Operator Lease  
Well No. 1 in SW  $\frac{1}{4}$  NE  $\frac{1}{4}$  of Sec. 15, T. 7-N  
R. 22-E, N. M. P. M., Wildcat Field, Guadalupe County.  
Well is 1980 feet south of the North line and 1980 feet west of the East line of Section 15  
If State land the oil and gas lease is No. Assignment No.  
If patented land the owner is O. Dale Smith, Address Amarillo, Texas  
If Government land the permittee is, Address  
The Lessee is Baker & Taylor Drilling Company, Address Amarillo, Texas  
Drilling commenced April 10, 1952 Drilling was completed May 28, 1952  
Name of drilling contractor Baker & Taylor Drilling Co., Address Amarillo, Texas  
Elevation above sea level at top of casing. 4743 feet.  
The information given is to be kept confidential until September 1, 1952

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
13-3/8	48	8rd.	Nat'l	330	HOWCO			Surface

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2	13 3/8	330	350	HOWCO		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	NONE					

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from NONE feet to feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to producing DRY HOLE, 19  
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be.  
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas.  
Rock pressure, lbs. per sq. in.

EMPLOYEES

D. B. Young Driller W. L. Cook Driller  
Everett Webb Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Amarillo, Texas 6-10-52  
Place Date

Name Roy L. Bulls  
Position

Representing Baker & Taylor Drilling Co.  
Company or Operator.

Address First National Bank Bldg.  
Amarillo, Texas

