	ž.ā s	NEW MEX	ICO OIL CON	SERVATION C	OMMISSION		
MBER OF COPIES F	ECEIVED	ll do fici	OC Santa Fc,	New Mexico			
DISTR	BUTION		* VUL				
.E	C64 MAR	EG PM				 	
ND OFFICE	OIL	PM	1 WELL	RECORD			┈┤┈┤┈┤
ANSPORTER	GAS		WELL.	Moore			
ORATION OFFICE							
		·					
later than	twenty days	after completi	ation Commission, on of well. Follow TUPLICATE	to which Form (instructions in Ru If State Land a	ICS WING MCD	A 19	EA 640 ACRES WELL, CORRECTIVE
	(Co	mnany or Opera	tor)			,	***************************************
ell No1	<u>-A</u> ,	in NE	.1/4 of NW	4, of Sec23	, т]	l North, R	25 Fast, NMPM
W	ildcet		*******************************	Pool,	Guadalur	A	Count
ell is620		feet from	North	line and	2020	leet from	Westlir
Section2	3-11-25	If St	ate Land the Oil an	d Gas Lesse No. i			19 4.
rilling Comr	nenced2	-26		1964 Drilling	was Completed	<u>3-22</u>	, 1964
ame of Drill	ing Contractor	Ki.	ncaid & Watso	n Drilling	Company	***************************************	
ddress	***************************************	Box 498	, Artesia, Ne	w Mexico			he kent confidential unt
levation abov	e sea level at	Top of Tubing	Head		The info	ermation given is to	be kept confidential unt
	ie23			L SANDS OR ZO	NES		
o. 1. from		to		No. 4,	from	to	***************************************
o 2 from		to	**************************	No. 5,	from	to	***************************************
o. 3. from		to		No. 6,	from	to	
	an make of wat	ar inflow and	IMPOI	RTANT WATER			
			to			feet	
lo. 1, 110111			to			feet.	
. 2 from			to	***************************************		feet	
.o. 3, 110111		***************************************	to			fcet	
lo. 4, from		***************************************		••••			
				CASING RECOI	RD		<u> </u>
SIZE	WEIGHT PER FOO			KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
711	20	Use	950	Texas Pat	None-		Water string
							1.
MUDDING AND CEMENTING RECORD NO. SACKES METHOD MUD AM							AMOUNT OF
SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	NO. SACKS METHOD F CEMENT USED		PRAVITY	MUD USED
gII	7"	9501	75	Denton			
					DYD CARREST A	TION	
				PRODUCTION A			
		(Record	the Process used, N	lo. of Qts. or Gal	s. used, interval	treated or shot.)	
	. 33 . 433	•					wner

Result of Production Stimulation.

Depth Cleaned Cut.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

	toots wet	e used from		feet to	0	······································	and from	n	feet tofeet to	
						DUCTION			rect to	••••
Put to	Producin	ıg	•••••	••••••						
							,	L. 1 69	iquid of which	
		was oil:		Was er	mulgion :		~	carreis of i	iquid of which	%
							% wa	ter; and	% was sediment	:. A
CASIA										
GAS W							M.C.F.	plus	ba	irre
			ocarbon. Shut in Pro							
PL	EASE II	NDICATE	BELOW FORMA	TION 1	rops (in co	NFORMA	CE WI	гн сеос	RAPHICAL SECTION OF STA	TE
			Southeastern 1	New Me	exico				Northwestern New Mexico	
					Devonian				Ojo Alamo	
			***************************************		Silurian				Kirtland-Fruitland	
			***************************************		Montoya Simpson				Farmington	
					Simpson McKee				Pictured Cliffs	
					Ellenburger				Menefee	
					Gr. Wash				Point Lookout	
. San	Andres				Granite				Dakota	
			•••		•				Morrison	
				Т	•			т.	Penn	
			•••••••••••	T				т.	***************************************	
					•					
					FORMATIC			Т.		
From	То	Thickness	_			THE RECE	———	7711 1		
	1 10		l For	mation		From	To	Thickness	ſ	
	1	in Feet					10	in Feet	Formation	
0 60	60 70	60	Gray sand			-		in Feet	Formation	
0 60 70	60 70 75	60 10 5	Gray sand Lime Blue shale					in Feet	Formation	
0 60 70 75	60 70 75 90	60 10 5 15	Gray sand Lime Blue shale Red rock		,			in Feet	Formation	
0 60 70 75 90	60 70 75	60 10 5 15 125	Gray sand Lime Blue shale Red rock Red rock &	gray nale	sand			in Feet	Formation	
0 60 70 75 90 215	60 70 75 90 215 285 355	60 10 5 15 125 70 70	Gray sand Lime Blue shale Red rock Red rock & g Red bed & si Red rock & g	nale sand				in Feet	Formation	
0 60 70 75 90 215 285	60 70 75 90 215 285 355 420	60 10 5 15 125 70 70 65	Gray sand Lime Blue shale Red rock & g Red bed & si Red rock & g Shale & red	nale sand rock				in Feet	Formation	
0 60 70 75 90 215 285 255 20	60 70 75 90 215 285 355 420 435	60 10 5 15 125 70 70 65 15	Gray sand Lime Blue shale Red rock & g Red bed & si Red rock & g Shale & red Red rock & g	nale sand rock				in Feet	Formation	
0 60 70 75 90 215 285 255 20 35	60 70 75 90 215 285 355 420 435 450 490	60 10 5 15 125 70 70 65	Gray sand Lime Blue shale Red rock & g Red bed & si Red rock & g Shale & red Red rock & g Red rock & g	nale sand rock				in Feet	Formation	
0 60 70 75 90 215 285 255 20 35 50	60 70 75 90 215 285 355 420 435 450 490 517	60 10 5 15 125 70 70 65 15 15 40 27	Gray sand Lime Blue shale Red rock & g Red bed & si Red rock & g Shale & red Red rock & g Red rock & g Red rock Sandy lime Blue shale	nale sand rock sand				in Feet	Formation	
0 60 70 75 90 215 285 255 20 35 50 90	60 70 75 90 215 285 355 420 435 450 490 517 570	60 10 5 15 125 70 70 65 15 15 40 27 53	Gray sand Lime Blue shale Red rock & g Red bed & si Red rock & g Shale & red Red rock & g Red ro	nale sand rock sand				in Feet	Formation	
0 60 70 75 90 215 285 255 20 35 50	60 70 75 90 215 285 355 420 435 450 490 517 570 780	60 10 5 15 125 70 70 65 15 15 40 27 53 210	Gray sand Lime Blue shale Red rock & g Red bed & si Red rock & g Shale & red Red rock & g	nale sand rock sand				in Feet	Formation	
0 60 70 75 90 215 285 20 35 50 90 17 70 80	60 70 75 90 215 285 355 420 435 450 490 517 570 780 805 885	60 10 5 15 125 70 70 65 15 15 40 27 53	Gray sand Lime Blue shale Red rock & g Red bed & si Red rock & g Shale & red Red rock & g Red ro	nale sand rock sand				in Feet	Formation	
0 60 70 75 90 215 285 20 35 50 90 17 70 80 05 85	60 70 75 90 215 285 355 420 435 450 490 517 570 780 805 885 920	60 10 5 15 125 70 70 65 15 15 40 27 53 210 25 80 35	Gray sand Lime Blue shale Red rock & g Red rock & g Red rock & g Shale & red Red rock & g Red rock Sandy lime Blue shale Red rock Blue shale Sand Blue shale	nale sand rock sand				in Feet	Formation	
0 60 70 75 90 215 285 20 35 20 37 70 80 05 85 20	60 70 75 90 215 285 355 420 435 450 490 517 570 780 805 885 920 940	60 10 5 15 125 70 70 65 15 15 40 27 53 210 25 80 35 20	Gray sand Lime Blue shale Red rock & g Red rock & g Red rock & g Shale & red Red rock & g Red rock Sandy lime Blue shale Red rock Blue shale Sand Blue shale Sand stone	nale sand rock sand red l				in Feet	Formation	
0 60 70 75 90 215 285 20 35 50 90 17 70 80 05 85	60 70 75 90 215 285 355 420 435 450 490 517 570 780 885 885 920 940 955	60 10 5 15 125 70 70 65 15 40 27 53 210 25 80 35 20 15	Gray sand Lime Blue shale Red rock & g Red rock & g Red rock & g Shale & red Red rock & g Red rock & g Red rock & g Red rock & g Red rock Sandy lime Blue shale Red rock Blue shale Sand Blue shale Sand Sand stone Sandy WMAXX	nale sand rock sand red l				in Feet	Formation	
0 60 70 75 90 215 285 20 35 20 35 70 80 85 85 85 85 85 85 85 89 89	60 70 75 90 215 285 355 420 435 450 490 517 570 780 805 885 920 940 955 990 1006	60 10 5 15 125 70 70 65 15 15 40 27 53 210 25 80 35 20	Gray sand Lime Blue shale Red rock & g Red rock & g Red rock & g Shale & red Red rock & g Red rock Sandy lime Blue shale Red rock Blue shale Sand Blue shale Sand stone	nale sand rock sand red l				in Feet	Formation	
0 60 70 75 90 215 285 20 35 20 35 70 80 85 85 85 85 85 80 80 80 80 80 80 80 80 80 80 80 80 80	70 75 90 215 285 355 420 435 450 490 517 570 780 805 885 920 940 955 990 1006 1015	60 10 5 15 125 70 70 65 15 15 40 27 53 210 25 80 35 20 16 9	Gray sand Lime Blue shale Red rock Red rock & g Red bed & si Red rock & g Shale & red Red rock Sandy lime Blue shale Red rock Blue shale Sand Blue shale Sand stone Sandy shale Blue shale Sandy shale Sandy shale Blue shale	nale sand rock sand red l				in Feet	Formation	
0 60 70 75 90 215 285 20 35 20 35 80 80 80 80 80 80 80 80 80 80 80 80 80	60 70 75 90 215 285 355 420 435 450 490 517 570 780 805 885 920 940 955 990 1006 1015	60 10 5 15 125 70 70 65 15 15 40 27 53 210 25 80 35 20 16 9 60	Gray sand Lime Blue shale Red rock Red rock & shale & red Red rock & shale & red Red rock Sandy lime Blue shale Red rock Blue shale Sand Blue shale Sand Blue shale Sand stone Sandy MMXXX Sandy lime Blue shale Sandy MMXXX Sandy shale Sandy lime Sandy shale Sandy shale	nale sand rock sand red l				in Feet	Formation	
0 60 70 75 90 215 285 20 35 20 35 70 80 80 80 80 80 80 80 80 80 80 80 80 80	70 75 90 215 285 355 420 435 450 490 517 570 780 805 885 920 940 955 990 1006 1015	60 10 5 15 125 70 70 65 15 15 40 27 53 210 25 80 35 20 16 9	Gray sand Lime Blue shale Red rock Red rock & g Red bed & si Red rock & g Shale & red Red rock Sandy lime Blue shale Red rock Blue shale Sand Blue shale Sand stone Sandy shale Blue shale Sandy shale Sandy shale Blue shale	nale sand rock sand red l				in Feet	Formation	

ATTACH SEPARATE SHEET IF ADDITION AL SPACE IS NEEDED

as can be determined from evalights are a	ll and all work do	ne on it so far
as can be determined from available records.	March 25,	
Company or Operator. Kincaid & Watson Drilling Company Box 498, Artesia,	New Mexico	(Date)
Name Position of Title President		