. OF COPICS RECEIVED			•				
MOITEBUTION		W 1157155 AM AGUAS				••	
SANTA FE					Form C-101 Revised 14-65		
FILE 30(14					SA. indicate Type of Lease		
U.S.G.S. API 021-0				STATE	7 —		
OPERATOR 30					.5. Store Off 6	Gus Lesse No.	
GPERATOR		<i>)</i>					
APPLICATION	CN EGO DESINT TO	COUL DEEDE			Millill	minni	
APPLICATION FOR PERMIT TO DRILL, DEEFEN, OR PLUG BACK					<u> </u>		
DRILL X DEEPEN DEEPEN PLUG BACK PLUG BACK PLUG BACK SINGLE X AULTIPLE 2 Note of Operator					7. Unit Agree		
					BDCDC		
					8. Farm or Le		
2742						BDCDGU	
Amoco Production Company						'271'C	
P 0 20v 60 U.L. N					1933 271G		
. Lecation of well					Und. Tubb		
UMIT LETY	- LO	LOSU FI	EET PROM THE	CII_LINE	Tille		
440 1650 FEET FROM	· Twe East	NE DE 355 27	19-N	33_F			
	THE PROPERTY OF THE PARTY OF TH	1 0 3 3 CC. 2 /		33-E			
	X MANAGERY				Harding	iiiiiii	
		THITTIME	Hiritiki	iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	TTTTTT		
	1/VACOSIVIAGO	(1111111111111111111111111111111111111					
	What do his had be	HATTI 111111	. Proposed Depin	19A formution	12	10. notal ct c. C	
4845	LONGENATION D	M260/////	2900'	Tubb		Rotary	
4845 '	Blank	ket on File			22. Approx. I	Jate Work will start	
3.			N/A		1 4th Qu	arter-1983	
		PROPOSED CASING AND	CEMENT PROGRAM				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPT	H ISACKS OF	COURS I		
8-3/4"	9-5/8"	32.30#	700	Cir		EST. TOP	
0-3/4	/"	15.#-20.#	2900 *		to 9-5/8	Surface " Surface	
•	l				3000	our ruce	
_	•	•		1	į l	•	
Propose to drill and evaluated.	l_and equip wel	l in the Tubb fo	rmation. Aft	er reachin	a TD loas	will be min	
and evaluated.	Perforate and s	stimulate as nec	essary in att	empting co	mmercial	Droduction	
4.4 1 55			·	,		production.	
	0-700' Native 00'-TD KCL-Sal	Spud Mud					
70	NO -ID KUL-Sal	t Water Gel-Sta	rch	ADDDOVA		- O5 ·	
BOP program atta	ched		•	DEDIVIT	L VALID FO	R 70 DAYS	
Gas is not dedic	ated			FERIVITE	EXPIRES	11-29-83	
				OTAMECS	o DRILLING	UÑDERWAY	
0.0.0							
0+2-NMOCD, SF; 1	-HOU R. E. Ogde	n Rm 21.150; 1-	SUSP; 1-PJS: 1	-Amerada:	1-Ameria	ac•	
2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		UZ IN ACTION• I.		Sun. Tex.	: 1-Exxon		
1-Jim Russell, C	layton; 1-F. J.	Nash, HOU Rm 4	. 206		,	•	
AROVE SPACE DESCRIBE OF	apaten una				•	•	
C LONE. GIVE BLOWDER PREVENTE	P PHOGRAM, IF ANY,	ROPOSA'S IS TO DEEPEN ON I	PLUE BACK, GIVE DATA O	M PRESENT PROD	UCTIVE ZONE AND	PROPOSED NEW PRODUC.	
reby certify that the Intermetion	n above is true and cumpi	ete to the best of my know	viedge and bellat.				
and hotel	. \ •				^ , ,	(00/0-	
O'hie amazii		Tite_Assistant A	<u>ldministrative</u>	<u>Analys</u> to	ue8/	24185	
The south ly s	A A						
CIL AND GAS INSPECTOR						·. ,	
HOITIGHS OF APPUDYATE	100000000000000000000000000000000000000	TITLE	- HOLLOK		0 /	2 / / 5 -	
	A 2 4 .			DA	TE0 (31183	
	AHY:			OA	. TE	3(183	

OIL CONSERVATION COMMISSION TO BE NOTIFIED WITHIN 24 HOURS OF BEGINNING OPERATIONS

Form C-101 Supersedes C-124 Effective 1-1-11

All distances must be from the outer boundaries of the Section Well No _percto 1933271G Township T19N County Ř33E HARDING Actual Footage Location of Well: ieet irom the EAST 1650 1650 NORTH ieet from the line and Dedicated Acreage: Producing Formation Ground Level Elev. Und. Tubb 160 4845 Tubb Acres 3. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation __ If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit. eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. OIL CONSERVATION DIVISION SANTA FE 1650 Assist. Admin. Analyst Amoco Production Company August 29, 1983 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my AUG Certificate No.

STANDARD 2000 PSI W.P. BOP STACK

- 1. Blow-out preventers may be manually operated.
- All equipment must be in good condition, 2,000 psi W.P. (4,000 psi test) minimum.
- Bell nipple above blow-out preventer shall be same size as casing being drilled through.
- 4. Kelly cock to be installed on kelly.
- Full opening safety valve 2,000 psi w.p. (4,000 psi test) minimum must be available on rig floor at all times with proper connection or subs to fit any tool joint in string.
- Spool or cross may be eliminated if connections are available in the lower part of the blow-out preventer body.
- Double or space saver type preventers may be used in lieu of two single preventers.
- 8. BOP rams to be installed as follows:*

Top preventer - Drill pipe or casing rams Bottom preventer - Blind rams

*Amoco District Superintendent may reverse location of rams.

- 9. Extensions and hand wheels to be installed and braced at all times.
- 10. Manifold valves may be gate or plug metal to metal seal 2" minimum.

