

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-73

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Carbon Dioxide	7. Unit Agreement Name
2. Name of Operator Etheldred T. Ross	8. Farm or Lease Name Garcia
3. Address of Operator P.O. Box 476, Panhandle, Texas 79068	9. Well No. #1
4. Location of well UNIT LETTER <u>H</u> <u>1098</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>3</u> TOWNSHIP <u>20 North</u> RANGE <u>30 East</u> N.M.P.M.	10. Field and Pool, or Wildcat Wildcat
11. Elevation (Show whether DF, RT, GR, etc.) 4635 MSL	12. County Harding

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <u>Casing report and Cement job</u> <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled 12 $\frac{1}{4}$ hole to depth of 515 feet. Set 501 feet of 9 5/8, 36 lb. surface pipe. Cemented with 350 sacks of 2% Cal. Seal Cement. Circulated approx. 15 bbl. cement into pit. Drilled 8 3/4 hole to 2340 feet. Set 7 inch casing, weight 26 lb. to a depth of 2126.36 feet. Cemented with 500 sacks type F cement. Cement circulated approx. 91 sacks into pit. Ran Schlumberger Logs- Compensated Neutron Dual Lateralog.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>E. J. Ross</u>	TITLE <u>Operator</u>	DATE <u>1-18-86</u>
APPROVED BY <u>[Signature]</u>	TITLE <u>DISTRICT SUPERVISOR</u>	DATE <u>1-27-86</u>
CONDITIONS OF APPROVAL, IF ANY:		