

NM1 - ____11____

APPROVALS

YEAR(S):

____2011 - 2012____

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



July 17, 2012

Kendra Runung
Envirotech, Inc.
5796 US Highway 64
Farmington, New Mexico 87401

RE: Request for Approval to Apply a Successive Lift
Envirotech, Inc.
Commercial Landfarm #2: Permit NM-1-0011
Location: NW/4 Section 6, Township 26 North, Range 10 West, NMPM
San Juan County, New Mexico

Dear Ms. Runung:

The Oil Conservation Division (OCD) has reviewed Envirotech, Inc.'s (Envirotech) request, dated July 12, 2012, to grant approval to apply an additional six-inch lift to the following cell(s): **Cells 1, 2, and 3.**

Based upon the analytical results provided, OCD hereby grants Envirotech approval to apply an additional six-inch lift of contaminated soils to the above referenced landfarm cell(s). Also, please note that with the addition of successive lifts Envirotech must initiate treatment zone monitoring and resume vadose zone monitoring. The vadose zone monitoring depth must be adjusted to reach the 2-3 foot zone below the original native ground surface.

Please be advised that approval of this request does not relieve Envirotech of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve Envirotech of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec



July 12, 2012

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: ENVIROTECH'S REQUEST FOR AN ADDITIONAL LIFT FOR:
CELLS 3, 2, AND 1 IN LANDFARM #2

Dear Mr. Jones:

Attached please find analytical documentation supporting our request for the application of successive lifts at Envirotech's Land Farm #2 for cells 3, 2, AND 1 located at #43 Road 7175, South of Bloomfield, New Mexico. The area being submitted is shown on the attached map, marked by a green crosshatch design. As per Envirotech's OCD Rule 711 Permit Approval NM 01-0011 dated April 8, 2002, all cells must pass laboratory analysis with results of less than 100 ppm TPH, 50 ppm BTEX and 10 ppm benzene prior to the application of successive lifts. As stated in the treatment zone monitoring portion of Envirotech's permit, no cell sampled was larger than five acres. Additionally, per Envirotech's standard operating procedures for sampling, each sample was comprised of a five-point composite.

The green cells (3, 2, AND 1) have passed analysis for total petroleum hydrocarbons, benzene, toluene, ethylbenzene and total xylenes (see attached Laboratory Results). The BTEX and benzene results are reported in parts per billion (ug/Kg) and TPH is in parts per million (mg/Kg). Envirotech hereby requests these cells be approved for an additional lift.

In regards to the parameters found in our permit, we are happy to provide the following cubic yard amounts and depth of the treatment zone for each five acre cell up to this time:

Cell 3: 9962 cy (15") Cell 2: 11207 cy (17") Cell 1: 9765 cy (14")

Due to the unusually large amounts of contaminated soil Envirotech has accepted recently, our Land Farm #2 suffers limited space constraints. Envirotech respectfully requests expedition of this matter to be able to serve the Four Corners region without interruption.

Thank you for your consideration in this matter. If you have any questions or require additional information, please do not hesitate to contact our office at (505) 632-0615.


Respectfully submitted,
Envirotech, Inc.

A handwritten signature in black ink, appearing to read 'Keith Johnson', written over a horizontal line.

Keith Johnson
General Manager
kjohnson@envirotech-inc.com

A handwritten signature in black ink, appearing to read 'Kendra Runung', written over a horizontal line.

Kendra Runung
Waste Coordinator
krunung@envirotech-inc.com



5 ACRE CELLS
REQUESTING LIFT

LANDFARM 2 CELL LIFT REQUEST ENVIROTECH INC. CELLS 1, 2 ,3

SCALE: NTS

PROJECT NO.

FIGURE NO.

REV

REVISIONS

NO. DATE BY

DESCRIPTION

MAP DRWN BWW

7-12-12

BASE DRWN



envirotech



Report Summary

Client: Envirotech

Chain of Custody Number: 14919

Samples Received: 06-21-12

Job Number: '03037-0006

Sample Number(s): 62433-442

Project Name/Location: Landfarm 2 Closure Sampling

Entire Report Reviewed By: Dene Zazzu Date: 06/29/12

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 3	Date Reported:	06-26-12
Laboratory Number:	62435	Date Sampled:	06-21-12
Chain of Custody No:	14919	Date Received:	06-21-12
Sample Matrix:	Soil	Date Extracted:	06-22-12
Preservative:	Cool	Date Analyzed:	06-25-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	59.2	0.1
Total Petroleum Hydrocarbons	59.2	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Closure Sampling**



EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 2	Date Reported:	06-26-12
Laboratory Number:	62436	Date Sampled:	06-21-12
Chain of Custody No:	14919	Date Received:	06-21-12
Sample Matrix:	Soil	Date Extracted:	06-22-12
Preservative:	Cool	Date Analyzed:	06-25-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	33.2	0.1
Total Petroleum Hydrocarbons	33.2	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Closure Sampling**



EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 1	Date Reported:	06-26-12
Laboratory Number:	62442	Date Sampled:	06-21-12
Chain of Custody No:	14919	Date Received:	06-21-12
Sample Matrix:	Soil	Date Extracted:	06-22-12
Preservative:	Cool	Date Analyzed:	06-25-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	64.7	0.1
Total Petroleum Hydrocarbons	64.7	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Closure Sampling**



EPA METHOD 8015 MODIFIED
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	0625TCAL QA/QC	Date Reported:	06-26-12
Laboratory Number:	62428	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	06-25-12
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	06-25-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	06-25-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	259	104%	75 - 125%
Diesel Range C10 - C28	ND	250	290	116%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Wastewater, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 62428, 62430 and 62433-62442

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 3	Date Reported:	06-28-12
Laboratory Number:	62435	Date Sampled:	06-21-12
Chain of Custody:	14919	Date Received:	06-21-12
Sample Matrix:	Soil	Date Analyzed:	06-28-12
Preservative:	Cool	Date Extracted:	06-22-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	65.6	10.0
Ethylbenzene	22.8	10.0
p,m-Xylene	143	10.0
o-Xylene	35.4	10.0
Total BTEX	266	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	94.8 %
	1,4-difluorobenzene	94.6 %
	Bromochlorobenzene	88.8 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846 USEPA, December 1996.

Comments: Landfarm 2 Closure Sampling

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 2	Date Reported:	06-28-12
Laboratory Number:	62436	Date Sampled:	06-21-12
Chain of Custody:	14919	Date Received:	06-21-12
Sample Matrix:	Soil	Date Analyzed:	06-28-12
Preservative:	Cool	Date Extracted:	06-22-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	70.6	10.0
Ethylbenzene	23.0	10.0
p,m-Xylene	170	10.0
o-Xylene	44.5	10.0
Total BTEX	308	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.3 %
	1,4-difluorobenzene	96.5 %
	Bromochlorobenzene	94.5 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Closure Sampling

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 1	Date Reported:	06-28-12
Laboratory Number:	62442	Date Sampled:	06-21-12
Chain of Custody:	14919	Date Received:	06-21-12
Sample Matrix:	Soil	Date Analyzed:	06-28-12
Preservative:	Cool	Date Extracted:	06-22-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	11.4	10.0
Toluene	61.7	10.0
Ethylbenzene	19.5	10.0
p,m-Xylene	46.4	10.0
o-Xylene	20.6	10.0
Total BTEX	160	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.4 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	91.6 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846 USEPA, December 1996.

Comments: Landfarm 2 Closure Sampling

Client:	N/A	Project #:	N/A
Sample ID:	0628BCAL QA/QC	Date Reported:	03-06-12
Laboratory Number:	62433	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-06-12
Condition:	N/A	Analysis:	BTEX
		Dilution:	50

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
	Accept. Range 0-15%				
Benzene	3.5271E-05	3.5271E-05	0.000	ND	0.2
Toluene	4.0971E-05	4.0971E-05	0.000	ND	0.2
Ethylbenzene	4.5220E-05	4.5220E-05	0.000	ND	0.2
p,m-Xylene	3.9532E-05	3.9532E-05	0.000	ND	0.2
o-Xylene	4.8161E-05	4.8161E-05	0.000	ND	0.2

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	10.7	10.4	0.03	0 - 30%	10
Toluene	91.2	102	0.12	0 - 30%	10
Ethylbenzene	35.6	32.8	0.08	0 - 30%	10
p,m-Xylene	203	184	0.10	0 - 30%	10
o-Xylene	66.8	58.0	0.13	0 - 30%	10

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	10.7	2500	2450	97.6	39 - 150
Toluene	91.2	2500	2440	94.2	46 - 148
Ethylbenzene	35.6	2500	2460	97.0	32 - 160
p,m-Xylene	203	5000	5070	97.4	46 - 148
o-Xylene	66.8	2500	2520	98.2	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
 Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 62433-62442.

14919

CHAIN OF CUSTODY RECORD

Client: Envirotech		Project Name / Location: Landfarm 2 Closure Sampling		ANALYSIS / PARAMETERS															
Email results to: Kendra Runna		Sampler Name: K. Peine																	
Client Phone No.: _____		Client No.: 03037-0006																	
Sample No./ Identification	Sample Date	Sample Time	Lab No.	No./Volume of Containers	Preservative			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact
Cell 5	6-21-12	11:15	002433	1 4oz Jar	HgCl ₂	HCl	G3	X	X								X	X	
Cell 4	6-21-12	11:45	002434	1 4oz Jar				X	X								X	X	
Cell 3	6-21-12	12:00	002435	1 4oz Jar				X	X								X	X	
Cell 2	6-21-12	12:15	002436	1 4oz Jar				X	X								X	X	
Cell 9	6-21-12	12:30	002437	1 4oz Jar				X	X								X	X	
Cell 11	6-21-12	13:15	002438	1 4oz Jar				X	X								X	X	
Cell 6	6-21-12	13:30	002439	1 4oz Jar				X	X								X	X	
Cell 16	6-21-12	13:45	002440	1 4oz Jar				X	X								X	X	
Cell 19	6-21-12	14:15	002441	1 4oz Jar				X	X								X	X	
Cell 1	6-21-12	13:00	002442	1 4oz Jar				X	X								X	X	
Relinquished by: (Signature) <i>Kay Peine</i>		Date	Time	Received by: (Signature) <i>Manan</i>		Date		Time											
Relinquished by: (Signature)				Received by: (Signature)															
Sample Matrix																			
Soil ☒ Solid ☐ Sludge ☐ Aqueous ☐ Other ☐																			
☐ Sample(s) dropped off after hours to secure drop off area.																			



ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: _____
PAGE No: _____ of _____

FACILITY LOCATION: Land Farm 2
SOURCE LOCATION: _____
SOURCE LOCATION: cell #1 Closure
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 7-12-12
DATE FINISHED: _____
ENVIRONMENTAL SPECIALIST: K. Peirre

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMOC: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE:



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
Cell 1 8015		
Cell 1 8021		
Cell 1 Closure		

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: _____
PAGE No: _____ of _____

FACILITY LOCATION: Land Farm 2
SOURCE LOCATION: _____
SOURCE LOCATION: Cell # 2 Closure
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 7-12-12
DATE FINISHED: _____
ENVIRONMENTAL SPECIALIST: K. Peire

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE:



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
Cell 2 8015		
Cell 2 8021		
Cell 2 Closure		

NORTH

WELLHEAD

SURFACE FLOW DIR.

ESTIMATED GROUNDWATER FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No. _____
PAGE No. _____ of _____

FACILITY LOCATION: Land Farm 2
SOURCE LOCATION: _____
SOURCE LOCATION: cell # 3 Closure
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 7-12-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: K. Peire

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMCD:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE -- #
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE:



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
cell 3	8015	
cell 3	8021	
cell 3	Chlor	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



July 16, 2012

Kendra Runung
Envirotech, Inc.
5796 US Highway 64
Farmington, New Mexico 87401

RE: Request for Approval to Apply a Successive Lift
Envirotech, Inc.
Commercial Landfarm #2: Permit NM-1-0011
Location: NW/4 Section 6, Township 26 North, Range 10 West, NMPM
San Juan County, New Mexico

Dear Ms. Runung:

The Oil Conservation Division (OCD) has reviewed Envirotech, Inc.'s (Envirotech) request, dated July 12, 2012, to grant approval to apply an additional six-inch lift to the following cell(s): **Cell 48**.

Based upon the analytical results provided, OCD hereby grants Envirotech approval to apply an additional six-inch lift of contaminated soils to the above referenced landfarm cell(s). Also, please note that with the addition of successive lifts Envirotech must initiate treatment zone monitoring and resume vadose zone monitoring. The vadose zone monitoring depth must be adjusted to reach the 2-3 foot zone below the original native ground surface.

Please be advised that approval of this request does not relieve Envirotech of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve Envirotech of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec



July 12, 2012

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: ENVIROTECH'S REQUEST FOR AN ADDITIONAL LIFT FOR:
CELLS 48 IN LANDFARM #2 UNIT 5

Dear Mr. Jones:

Attached please find analytical documentation supporting our request for the application of a successive lift at Envirotech's Land Farm #2 Unit 5 for cell 48 located at #43 Road 7175, South of Bloomfield, New Mexico. The area being submitted is shown on the attached map, marked by a blue crosshatch design. As per Envirotech's OCD Rule 711 Permit Approval NM 01-0011 dated April 8, 2002, all cells must pass laboratory analysis with results of less than 100 ppm TPH, 50 ppm BTEX and 10 ppm benzene prior to the application of successive lifts. As stated in the treatment zone monitoring portion of Envirotech's permit, no cell sampled was larger than five acres. Additionally, per Envirotech's standard operating procedures for sampling, the sample was comprised of a five-point composite.

The blue cell (48) has passed analysis for total petroleum hydrocarbons, benzene, toluene, ethylbenzene and total xylenes (see attached Laboratory Results). The BTEX and benzene results are reported in parts per billion (ug/Kg) and TPH is in parts per million (mg/Kg). Envirotech hereby requests that this cell be approved for an additional lift.


In regards to the parameters found in our permit, we are happy to provide the following cubic yard amounts and depth of the treatment zone for the five acre cell up to this time:

Cell 48: 9195 cy (14")


Due to the unusually large amounts of contaminated soil Envirotech has accepted recently, our Land Farm #2 suffers limited space constraints. Envirotech respectfully requests expedition of this matter to be able to serve the Four Corners region without interruption.

Thank you for your consideration in this matter. If you have any questions or require additional information, please do not hesitate to contact our office at (505) 632-0615.


Respectfully submitted,
Envirotech, Inc.



Keith Johnson
General Manager
kjohnson@envirotech-inc.com



Kendra Runung
Waste Coordinator
krunung@envirotech-inc.com



ENVIROTECH NMOC D PERMITTED LANDFARM # 2 UNIT 5 CELL 48					
SCALE: 1=100'		FIGURE NO.		REV	
PROJECT NO.					
REVISIONS					
NO. DATE BY DESCRIPTION					
MAP DRWN		BWW		9-17-10 BASE DRWN	
 envirotech					
5796 U.S. HIGHWAY 64, FARMINGTON, NM 87401 505-632-0615					



Report Summary

Client: Envirotech

Chain of Custody Number: 13990

Samples Received: 05-21-12

Job Number: 03037-0007

Sample Number(s): 62118-62125

Project Name/Location: Closure Samples/ Landfarm 2 Unit 5

Entire Report Reviewed By:

A handwritten signature in black ink, appearing to be 'L. B.', is written over a horizontal line.

Date:

5/29/12

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	Envirotech	Project #:	03037-0007
Sample ID:	Cell 48	Date Reported:	05-23-12
Laboratory Number:	62119	Date Sampled:	05-21-12
Chain of Custody No:	13990	Date Received:	05-21-12
Sample Matrix:	Soil	Date Extracted:	05-22-12
Preservative:	Cool	Date Analyzed:	05-23-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	21.4	0.1
Total Petroleum Hydrocarbons	21.4	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Closure Samples/ Landfarm 2 Unit 5**

Client:	Envirotech	Project #:	03037-0007
Sample ID:	Cell 48	Date Reported:	05-25-12
Laboratory Number:	62119	Date Sampled:	05-21-12
Chain of Custody:	13990	Date Received:	05-21-12
Sample Matrix:	Soil	Date Analyzed:	05-24-12
Preservative:	Cool	Date Extracted:	05-23-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	80.6 %
	1,4-difluorobenzene	91.6 %
	Bromochlorobenzene	95.6 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Closure Samples/ landfarm 2 Unit 5

Client:	N/A	Project #:	N/A
Sample ID:	0524BCAL QA/QC	Date Reported:	05-25-12
Laboratory Number:	62118	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-24-12
Condition:	N/A	Analysis:	BTEX
		Dilution:	50

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
	Accept. Range 0-15%				
Benzene	3.9824E-06	3.9824E-06	0.000	ND	0.2
Toluene	3.9107E-06	3.9107E-06	0.000	ND	0.2
Ethylbenzene	4.3705E-06	4.3705E-06	0.000	ND	0.2
p,m-Xylene	3.2202E-06	3.2262E-06	0.002	ND	0.2
o-Xylene	4.4570E-06	4.4570E-06	0.000	ND	0.2

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.00	0 - 30%	10
Toluene	27.3	27.6	0.01	0 - 30%	10
Ethylbenzene	11.3	11.7	0.04	0 - 30%	10
p,m-Xylene	63.1	63.5	0.01	0 - 30%	10
o-Xylene	27.1	28.4	0.05	0 - 30%	10

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	2500	2640	106	39 - 150
Toluene	27.3	2500	2700	107	46 - 148
Ethylbenzene	11.3	2500	2610	104	32 - 160
p,m-Xylene	63.1	5000	5290	104	46 - 148
o-Xylene	27.1	2500	2630	104	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 62118-62125, 62130 and 62182

CHAIN OF CUSTODY RECORD

13990

Client: Envirotech		Project Name / Location: Chesapeake Samples/Lockport Units 5		ANALYSIS / PARAMETERS															
Email results to: Kendrey		Sampler Name: F. Aragon C. Arago																	
Client Phone No.: 03037-0007		Client No.: 03037-0007																	
Sample No. / Identification	Sample Date	Sample Time	Lab No.	No. Volume of Containers	Preservative		TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact	
Cell 416	5-21-12	14:45	602118	1-462	HgCl ₂	HCl	X	X								X		X	X
Cell 418		14:50	602119				X	X								X		X	X
Cell 50		14:55	602120				X	X								X		X	X
Cell 51		15:00	602121				X	X								X		X	X
Cell 53		15:10	602122				X	X								X		X	X
Cell 56		15:15	602123				X	X								X		X	X
Cell 60		15:20	602124				X	X								X		X	X
Cell 61		15:30	602125				X	X								X		X	X
Relinquished by: (Signature) <i>F. Aragon</i>		Date	Time	Received by: (Signature) <i>Arriana</i>		Date	Time												
Relinquished by: (Signature) <i>F. Aragon</i>		Date	Time	Received by: (Signature)		Date	Time												
Sample Matrix																			
Soil ☒ Solid ☐ Sludge ☐ Aqueous ☐ Other ☐																			
☒ Sample(s) dropped off after hours to secure drop off area.																			



ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13990

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 63032-0006
PAGE No: 2 of 8

FACILITY LOCATION: Landfill Unit 5
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 48
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 5-21-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE:



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE FID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
<u>Cell 48</u>	<u>8015</u>	<u>8021</u>

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



July 16, 2012

Kendra Runung
Envirotech, Inc.
5796 US Highway 64
Farmington, New Mexico 87401

RE: Request for Approval to Apply a Successive Lift
Envirotech, Inc.
Commercial Landfarm #2: Permit NM-1-0011
Location: NW/4 Section 6, Township 26 North, Range 10 West, NMPM
San Juan County, New Mexico

Dear Ms. Runung:

The Oil Conservation Division (OCD) has reviewed Envirotech, Inc.'s (Envirotech) request, dated July 12, 2012, to grant approval to apply an additional six-inch lift to the following cell(s): **Cells 21, 22, 23, 25, and 27.**

Based upon the analytical results provided, OCD hereby grants Envirotech approval to apply an additional six-inch lift of contaminated soils to the above referenced landfarm cell(s). Also, please note that with the addition of successive lifts Envirotech must initiate treatment zone monitoring and resume vadose zone monitoring. The vadose zone monitoring depth must be adjusted to reach the 2-3 foot zone below the original native ground surface.

Please be advised that approval of this request does not relieve Envirotech of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve Envirotech of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec



July 12, 2012

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: ENVIROTECH'S REQUEST FOR AN ADDITIONAL LIFT FOR:
CELLS 21, 22, 23, 25, AND 27 IN LANDFARM #2 UNIT 4

Dear Mr. Jones:

Attached please find analytical documentation supporting our request for the application of successive lifts at Envirotech's Land Farm #2 Unit 4 for cells 21, 22, 23, 25 AND 27 located at #43 Road 7175, South of Bloomfield, New Mexico. The area being submitted is shown on the attached map, marked by a green crosshatch design. As per Envirotech's OCD Rule 711 Permit Approval NM 01-0011 dated April 8, 2002, all cells must pass laboratory analysis with results of less than 100 ppm TPH, 50 ppm BTEX and 10 ppm benzene prior to the application of successive lifts. As stated in the treatment zone monitoring portion of Envirotech's permit, no cell sampled was larger than five acres. Additionally, per Envirotech's standard operating procedures for sampling, each sample was comprised of a five-point composite.

The green cells (21, 22, 23, 25 AND 27) have passed analysis for total petroleum hydrocarbons, benzene, toluene, ethylbenzene and total xylenes (see attached Laboratory Results). The BTEX and benzene results are reported in parts per billion (ug/Kg) and TPH is in parts per million (mg/Kg). Envirotech hereby requests these cells be approved for an additional lift.

In regards to the parameters found in our permit, we are happy to provide the following cubic yard amounts and depth of the treatment zone for each five acre cell up to this time:

Cell 21: 11333 cy (18")	Cell 22: 8942 cy (14")	Cell 23: 10833 cy (17")
Cell 25: 11054 cy (17")	Cell 27: 9671 cy (14")	

Due to the unusually large amounts of contaminated soil Envirotech has accepted recently, our Land Farm #2 suffers limited space constraints. Envirotech respectfully requests expedition of this matter to be able to serve the Four Corners region without interruption.

Thank you for your consideration in this matter. If you have any questions or require additional information, please do not hesitate to contact our office at (505) 632-0615.

Respectfully submitted,
Envirotech, Inc.

A handwritten signature in black ink, appearing to read 'Keith Johnson'.


Keith Johnson
General Manager
kjohnson@envirotech-inc.com

A handwritten signature in black ink, appearing to read 'Kendra Runung'.

Kendra Runung
Waste Coordinator
krunung@envirotech-inc.com

ANGEL PEAK ROAD

PIPELINE



KEY

A₈ CELL LABELS

27 5 ACRE CELL

ENVIROTECH NMOC D PERMITTED LANDFARM # 2 UNIT 4 REQUEST CELL CLOSURE

SCALE: 1 = 100'

PROJECT NO.

FIGURE NO.

REV

REVISIONS

NO.	DATE	BY	DESCRIPTION

MAP DRWN

12-7-09

BASE DRWN



envirotech

5796 U.S. HIGHWAY 64, FARMINGTON, NM 87401 505-632-0615



Report Summary

Client: Envirotech

Chain of Custody Number: 14886

Samples Received: 06-07-12

Job Number: 03037-0006

Sample Number(s): 62314-62318

Project Name/Location: Land Farm 2 Unit 4 Closure Sampling

Entire Report Reviewed By: *Dane Zajac* Date: 06-13-12

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 21	Date Reported:	06-11-12
Laboratory Number:	62314	Date Sampled:	06-07-12
Chain of Custody No:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Extracted:	06-08-12
Preservative:	Cool	Date Analyzed:	06-11-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 4 Closure Sampling**



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 22	Date Reported:	06-11-12
Laboratory Number:	62315	Date Sampled:	06-07-12
Chain of Custody No:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Extracted:	06-08-12
Preservative:	Cool	Date Analyzed:	06-11-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	6.7	0.1
Total Petroleum Hydrocarbons	6.7	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 4 Closure Sampling**

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 23	Date Reported:	06-11-12
Laboratory Number:	62316	Date Sampled:	06-07-12
Chain of Custody No:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Extracted:	06-08-12
Preservative:	Cool	Date Analyzed:	06-11-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	8.5	0.1
Total Petroleum Hydrocarbons	8.5	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 4 Closure Sampling**

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 25	Date Reported:	06-11-12
Laboratory Number:	62317	Date Sampled:	06-07-12
Chain of Custody No:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Extracted:	06-08-12
Preservative:	Cool	Date Analyzed:	06-11-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 4 Closure Sampling**



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 27	Date Reported:	06-11-12
Laboratory Number:	62318	Date Sampled:	06-07-12
Chain of Custody No:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Extracted:	06-08-12
Preservative:	Cool	Date Analyzed:	06-11-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 4 Closure Sampling**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	0611TCAL QA/QC	Date Reported:	06-11-12
Laboratory Number:	62335	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	06-11-12
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	06-11-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	06-11-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	253	101%	75 - 125%
Diesel Range C10 - C28	ND	250	289	116%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Wastewater, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 62314-62324 and 62335

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 21	Date Reported:	06-12-12
Laboratory Number:	62314	Date Sampled:	06-07-12
Chain of Custody:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Analyzed:	06-11-12
Preservative:	Cool	Date Extracted:	06-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	85.2 %
	1,4-difluorobenzene	88.6 %
	Bromochlorobenzene	85.7 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 4 Closure Sampling

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 22	Date Reported:	06-12-12
Laboratory Number:	62315	Date Sampled:	06-07-12
Chain of Custody:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Analyzed:	06-11-12
Preservative:	Cool	Date Extracted:	06-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	81.2 %
	1,4-difluorobenzene	86.7 %
	Bromochlorobenzene	85.6 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846 USEPA, December 1996.

Comments: Landfarm 2 Unit 4 Closure Sampling

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 23	Date Reported:	06-12-12
Laboratory Number:	62316	Date Sampled:	06-07-12
Chain of Custody:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Analyzed:	06-11-12
Preservative:	Cool	Date Extracted:	06-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	85.0 %
	1,4-difluorobenzene	87.0 %
	Bromochlorobenzene	86.4 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 4 Closure Sampling

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 25	Date Reported:	06-12-12
Laboratory Number:	62317	Date Sampled:	06-07-12
Chain of Custody:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Analyzed:	06-11-12
Preservative:	Cool	Date Extracted:	06-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	85.0 %
	1,4-difluorobenzene	88.9 %
	Bromochlorobenzene	81.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 4 Closure Sampling

Client:	Envirotech	Project #:	03037-0006
Sample ID:	Cell 27	Date Reported:	06-12-12
Laboratory Number:	62318	Date Sampled:	06-07-12
Chain of Custody:	14886	Date Received:	06-07-12
Sample Matrix:	Soil	Date Analyzed:	06-11-12
Preservative:	Cool	Date Extracted:	06-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	82.3 %
	1,4-difluorobenzene	87.9 %
	Bromochlorobenzene	87.2 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 4 Closure Sampling

Client:	N/A	Project #:	N/A
Sample ID:	0611BCAL QA/QC	Date Reported:	06-12-12
Laboratory Number:	62335	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	06-11-12
Condition:	N/A	Analysis:	BTEX
		Dilution:	50

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
	Accept. Range 0-15%				
Benzene	7.1867E-06	7.1867E-06	0.000	ND	0.2
Toluene	7.0133E-06	7.0133E-06	0.000	ND	0.2
Ethylbenzene	7.7974E-06	7.7974E-06	0.000	ND	0.2
p,m-Xylene	5.7679E-06	5.7679E-06	0.000	ND	0.2
o-Xylene	8.3643E-06	8.3643E-06	0.000	ND	0.2

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.00	0 - 30%	10
Toluene	ND	ND	0.00	0 - 30%	10
Ethylbenzene	ND	ND	0.00	0 - 30%	10
p,m-Xylene	ND	ND	0.00	0 - 30%	10
o-Xylene	ND	ND	0.00	0 - 30%	10

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	2500	2790	112	39 - 150
Toluene	ND	2500	2760	110	46 - 148
Ethylbenzene	ND	2500	2730	109	32 - 160
p,m-Xylene	ND	5000	5420	108	46 - 148
o-Xylene	ND	2500	2740	110	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
 Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 662314-62318, 62290-62292 and 62335

14886

☐ Sample(s) dropped off after hours to secure drop off area.



ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 141886

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: _____
PAGE No: 1 of _____

FACILITY LOCATION: Landfarm 2 unit 4
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 21 Closure
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____

DATE STARTED: 6-7-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: K. Peine

PIT TYPE: _____

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMOC:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE:



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
Cell 21	8015	
Cell 21	8021	
Cell 21	Chlor	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 14886

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: _____
PAGE No: _____ of _____

FACILITY LOCATION: Landfarm 2 unit 4

SOURCE LOCATION: _____

SOURCE LOCATION: Cell 22 Closure

SOURCE LOCATION: _____

FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 6-7-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: K. Peire

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMDCD:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE:



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 14886

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: _____
PAGE No: _____ of _____

FACILITY LOCATION: Landfarm 2 unit 4

SOURCE LOCATION: _____

SOURCE LOCATION: cell 23

SOURCE LOCATION: _____

FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 6-7-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: K. Peire

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMCD:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE:



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
Cell 23	8015	
Cell 23	8021	
Cell 23	chlos	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW D.P.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 14886

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: _____
PAGE No: _____ of _____

FACILITY LOCATION: Land Farm 2 unit 4

DATE STARTED: 6-7-12

SOURCE LOCATION: _____

DATE FINISHED: _____

SOURCE LOCATION: Cell 25

SOURCE LOCATION: _____

ENVIRONMENTAL
SPECIALIST: K. Reine

FACILITY CLASSIFICATION: _____ PIT TYPE: _____

SOIL REMEDIATION. QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____

NEAREST WATER SOURCE/TYPE: _____


NEAREST SURFACE WATER: _____

MAX TPH PER NMOC: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: _____



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
Cell 25	8015	
Cell 25	8021	
Cell 25	Chlor	

NORTH
WELLHEAD
SURFACE FLOW DIR.
ESTIMATED GROUNDWATER FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C # 14886

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: _____
PAGE No: _____ of _____

FACILITY LOCATION: Land Farm 2 unit 4

SOURCE LOCATION: _____

SOURCE LOCATION: Cell 27

SOURCE LOCATION: _____

FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 6-7-12
DATE FINISHED: _____

ENVIRONMENTAL SPECIALIST: K. Reine

SOIL REMEDIATION. QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMOC:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE:



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
Cell 27 805		
Cell 27 802		
Cell 27 Chvs		

NORTH
WELLHEAD
SURFACE FLOW DIR.
ESTIMATED GROUNDWATER FLOW DIR.

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



March 22, 2012

Kendra Runung
Envirotech, Inc.
5796 US Highway 64
Farmington, New Mexico 87401

RE: Request for Approval to Apply a Successive Lift
Envirotech, Inc.
Commercial Landfarm #2: Permit NM-1-0011
Location: NW/4 Section 6, Township 26 North, Range 10 West, NMPM
San Juan County, New Mexico

Dear Ms. Runung:

The Oil Conservation Division (OCD) has reviewed Envirotech, Inc.'s (Envirotech) request, dated March 19, 2012, to grant approval to apply an additional six-inch lift to the following cell(s): **Cells 31, 47, 49, 52, 54, 55, 58, 59, 62, 63, 64, and 65.**

Based upon the analytical results provided, OCD hereby grants Envirotech approval to apply an additional six-inch lift of contaminated soils to the above referenced landfarm cell(s). Also, please note that with the addition of successive lifts Envirotech must initiate treatment zone monitoring and resume vadose zone monitoring. The vadose zone monitoring depth must be adjusted to reach the 2-3 foot zone below the original native ground surface.

Please be advised that approval of this request does not relieve Envirotech of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve Envirotech of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec



March 19, 2012

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: ENVIROTECH'S DISCONTINUED MAINTENANCE AND ADDITIONAL LIFT FOR:
CELLS 31, 47, 49, 52, 54, 55, 58, 59, 62, 63, 64, AND 65 IN LANDFARM 2 UNIT 5

Dear Mr. Jones:

Attached please find analytical documentation supporting our request for discontinued maintenance at Envirotech's Land Farm #2 Unit 5 for cells 31, 47, 49, 52, 54, 55, 58, 59, 62, 63, 64, AND 65 in Landfarm 2 located at #43 Road 7175, South of Bloomfield, New Mexico. The area being submitted is shown on the attached map, marked by green crosshatch design. As per Envirotech's OCD Rule 711 Permit Approval NM 01-0011 dated April 8, 2002, all cells being requested for discontinued maintenance have passed laboratory analysis with results of less than 100 ppm TPH, 50 ppm BTEX and 10 ppm benzene. In addition, Envirotech has sampled for chlorides. As stated in the treatment zone monitoring portion of Envirotech's permit, no cell sampled was larger than five acres. Samples were five-point composites. Vadose zone sampling maps with depth measurements are included.

The green cells (31, 47, 49, 52, 54, 55, 58, 59, 62, 63, 64, AND 65) have passed analysis for total petroleum hydrocarbons, benzene, toluene, ethylbenzene and total xylenes as well as chlorides (see attached laboratory results). The BTEX and benzene results are reported in parts per billion (ug/Kg), TPH is in parts per million (mg/Kg). Envirotech hereby requests these cells be granted discontinued maintenance status and approval to apply an additional lift of qualifying material to these cells.


Given the parameter for cubic yardages of 15,000 or less to be applied in each five (5) acre cell, we are happy to provide the following cubic yard amounts and depth of the treatment zone in a unit in each cell up to this time:


Cell 31: 10294 cy (15")	Cell 47: 10829 cy (16")	Cell 49: 9645 cy (14")
Cell 52: 11065 cy (16")	Cell 54: 7962 cy (12")	Cell 55: 9331 cy (14")
Cell 58: 8656 cy (13")	Cell 59: 8820 cy (13")	Cell 62: 8280 cy (12")
Cell 63: 9406 cy (14")	Cell 64: 8401 cy (13")	Cell 65: 9162 cy (14")

Due to the unusually large amounts of contaminated soil Envirotech has accepted recently, our Land Farm #2 suffers limited space constraints. Envirotech respectfully requests expedition of this matter to be able to serve the Four Corners region without interruption.

Thank you for your consideration in this matter. If you have any questions or require additional information, please do not hesitate to contact our office at (505) 632-0615.

Respectfully submitted,
Envirotech, Inc.


Keith Johnson
General Manager
kjohnson@envirotech-inc.com


Kendra Runung
Waste Coordinator
krunung@envirotech-inc.com


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 31	Date Reported:	02-07-12
Laboratory Number:	61029	Date Sampled:	02-01-12
Chain of Custody No:	13346	Date Received:	02-01-12
Sample Matrix:	Soil	Date Extracted:	02-02-12
Preservative:	Cool	Date Analyzed:	02-06-12
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	30.3	0.1
Total Petroleum Hydrocarbons	30.3	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Closure Samples/ Landfarm 2 Unit 5**


Analyst


Review


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 47	Date Reported:	02-07-12
Laboratory Number:	61026	Date Sampled:	02-01-12
Chain of Custody No:	13346	Date Received:	02-01-12
Sample Matrix:	Soil	Date Extracted:	02-02-12
Preservative:	Cool	Date Analyzed:	02-06-12
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Closure Samples/ Landfarm 2 Unit 5**


Analyst


Review

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 49	Date Reported:	02-07-12
Laboratory Number:	61028	Date Sampled:	02-01-12
Chain of Custody No:	13346	Date Received:	02-01-12
Sample Matrix:	Soil	Date Extracted:	02-02-12
Preservative:	Cool	Date Analyzed:	02-06-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	31.3	0.1
Total Petroleum Hydrocarbons	31.3	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Closure Samples/ Landfarm 2 Unit 5**


Analyst


Review



EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	02-06-12 QA/QC	Date Reported:	02-07-12
Laboratory Number:	61034	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-06-12
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	40945	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	40945	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	3.9	0.2
Diesel Range C10 - C28	4.2	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range
Gasoline Range C5 - C10	ND	ND	0.00%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.00%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	293	117%	75 - 125%
Diesel Range C10 - C28	ND	250	291	116%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,
SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 61019-61034 and 61051-61052

Analyst 

Review 

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 31	Date Reported:	02-07-12
Laboratory Number:	61029	Date Sampled:	02-01-12
Chain of Custody:	13346	Date Received:	02-01-12
Sample Matrix:	Soil	Date Analyzed:	02-07-12
Preservative:	Cool	Date Extracted:	02-02-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	102 %
	1,4-difluorobenzene	113 %
	Bromochlorobenzene	105 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Closure Samples/ Landfarm 2 Unit 5

Analyst



Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 47	Date Reported:	02-07-12
Laboratory Number:	61026	Date Sampled:	02-01-12
Chain of Custody:	13346	Date Received:	02-01-12
Sample Matrix:	Soil	Date Analyzed:	02-07-12
Preservative:	Cool	Date Extracted:	02-02-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	30.8	10.0
p,m-Xylene	145	10.0
o-Xylene	32.7	10.0
Total BTEX	209	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	105 %
	1,4-difluorobenzene	117 %
	Bromochlorobenzene	119 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Closure Samples/ Landfarm 2 Unit 5

Analyst



Review



Client: Envirotech
Sample ID: Cell 49
Laboratory Number: 61028
Chain of Custody: 13346
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Project #: 1-02-60002
Date Reported: 02-07-12
Date Sampled: 02-01-12
Date Received: 02-01-12
Date Analyzed: 02-07-12
Date Extracted: 02-02-12
Analysis Requested: BTEX
Dilution: 10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	12.9	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	12.9	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	105 %
	1,4-difluorobenzene	115 %
	Bromochlorobenzene	104 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.


Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Closure Samples/ Landfarm 2 Unit 5

Analyst



Review



Client:	N/A	Project #:	N/A
Sample ID:	0207BBLK QA/QC	Date Reported:	02-07-12
Laboratory Number:	61025	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-07-12
Condition:	N/A	Analysis:	BTEX
		Dilution:	10

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
		Accept Range 0 - 15%			
Benzene	1.6731E+007	1.6764E+007	0.2%	ND	1.0
Toluene	1.7140E+007	1.7174E+007	0.2%	ND	1.0
Ethylbenzene	1.5047E+007	1.5077E+007	0.2%	ND	1.0
p,m-Xylene	3.8895E+007	3.8973E+007	0.2%	ND	1.0
o-Xylene	1.3995E+007	1.4023E+007	0.2%	ND	1.0

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	10.0
Toluene	10.4	10.3	1.0%	0 - 30%	10.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	10.0
p,m-Xylene	16.7	14.4	13.8%	0 - 30%	10.0
o-Xylene	ND	ND	0.0%	0 - 30%	10.0

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	500	528	106%	39 - 150
Toluene	10.4	500	537	105%	46 - 148
Ethylbenzene	ND	500	518	104%	32 - 160
p,m-Xylene	16.7	1000	1,040	102%	46 - 148
o-Xylene	ND	500	512	102%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 61025-61034

Analyst 

Review 


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 31	Date Reported:	02-07-12
Lab ID#:	61029	Date Sampled:	02-01-12
Sample Matrix:	Soil	Date Received:	02-01-12
Preservative:	Cool	Date Analyzed:	02-03-12
Condition:	Intact	Chain of Custody:	13346

Parameter	Concentration (mg/Kg)
Total Chloride	100


Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Closure Samples/ Landfarm 2 Unit 5**

Analyst



Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 47	Date Reported:	02-07-12
Lab ID#:	61026	Date Sampled:	02-01-12
Sample Matrix:	Soil	Date Received:	02-01-12
Preservative:	Cool	Date Analyzed:	02-03-12
Condition:	Intact	Chain of Custody:	13346

Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride**40**


Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Closure Samples/ Landfarm 2 Unit 5**

Analyst



Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 49	Date Reported:	02-07-12
Lab ID#:	61028	Date Sampled:	02-01-12
Sample Matrix:	Soil	Date Received:	02-01-12
Preservative:	Cool	Date Analyzed:	02-03-12
Condition:	Intact	Chain of Custody:	13346

Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride**20**


Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Closure Samples/ Landfarm 2 Unit 5**

Analyst



Review



CHAIN OF CUSTODY RECORD

13346

Client: Envirotech		Project Name / Location: Closter Samples Lindholm Unit 15		ANALYSIS / PARAMETERS																	
Email results to: Kendler		Sampler Name: F. Heger																			
Client Phone No.:		Client No.: 1-02-60002																			
Sample No. / Identification	Sample Date	Sample Time	Lab No.	No./Volume of Containers	Preservative			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
					H ₂ O ₂	HCl	As														
Cell 46	2-1-12	10:13	601025	1-402				X	X	X										X	
Cell 47		10:18	601026					X	X	X											
Cell 48		10:27	601027					X	X	X											
Cell 49		10:35	601028					X	X	X											
Cell 31		10:40	601029					X	X	X										X	
Relinquished by: (Signature) <i>[Signature]</i>		Date		Time		Received by: (Signature) <i>[Signature]</i>		Date		Time											
Relinquished by: (Signature) <i>[Signature]</i>		4-1-12		15:40		<i>[Signature]</i>		2-1-12		3:52											
Sample Matrix		Soil ☒ Solid ☐ Sludge ☐ Aqueous ☐ Other ☐																			
Sample(s) dropped off after hours to secure drop off area.																					





envirotech

Analytical Laboratory

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 52	Date Reported:	03-13-12
Laboratory Number:	61328	Date Sampled:	03-07-12
Chain of Custody No:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-12-12
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	38.8	0.1
Total Petroleum Hydrocarbons	38.8	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**


Analyst


Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 54	Date Reported:	03-13-12
Laboratory Number:	61330	Date Sampled:	03-07-12
Chain of Custody No:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-12-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	16.1	0.1
Total Petroleum Hydrocarbons	16.1	


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**



Analyst



Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 55	Date Reported:	03-13-12
Laboratory Number:	61331	Date Sampled:	03-07-12
Chain of Custody No:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-12-12
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	65.9	0.1
Total Petroleum Hydrocarbons	65.9	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**


Analyst


Review


Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 58	Date Reported:	03-13-12
Laboratory Number:	61334	Date Sampled:	03-07-12
Chain of Custody No:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-12-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	73.6	0.1
Total Petroleum Hydrocarbons	73.6	


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**



Analyst



Review


Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #59	Date Reported:	03-13-12
Laboratory Number:	61335	Date Sampled:	03-07-12
Chain of Custody No:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-12-12
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	2.8	0.1
Total Petroleum Hydrocarbons	2.8	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**


Analyst


Review

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	0312TCAL QA/QC	Date Reported:	03-13-12
Laboratory Number:	61335	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-12-12
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	03-12-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	03-12-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	2.8	2.8	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	288	115%	75 - 125%
Diesel Range C10 - C28	2.8	250	266	105%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Ws
 SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 61326-61335


 Analyst


 Review



envirotech

Analytical Laboratory

EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 52	Date Reported:	03-14-12
Laboratory Number:	61328	Date Sampled:	03-07-12
Chain of Custody:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-14-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	26.5	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	52.9	10.0
o-Xylene	18.6	10.0
Total BTEX	98.0	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	88.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.1 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure



Analyst



Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 54	Date Reported:	03-14-12
Laboratory Number:	61330	Date Sampled:	03-07-12
Chain of Custody:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-14-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	12.3	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	13.9	10.0
o-Xylene	ND	10.0
Total BTEX	26.2	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	91.8 %
	1,4-difluorobenzene	102 %
	Bromochlorobenzene	110 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure



Analyst



Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 55	Date Reported:	03-14-12
Laboratory Number:	61331	Date Sampled:	03-07-12
Chain of Custody:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-14-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50


Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	87.6 %
	1,4-difluorobenzene	98.1 %
	Bromochlorobenzene	109 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure
Analyst
Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 58	Date Reported:	03-14-12
Laboratory Number:	61334	Date Sampled:	03-07-12
Chain of Custody:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-14-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	11.8	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	10.9	10.0
o-Xylene	ND	10.0
Total BTEX	22.6	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.7 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	109 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure

Analyst

Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 59	Date Reported:	03-14-12
Laboratory Number:	61335	Date Sampled:	03-07-12
Chain of Custody:	13521	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-14-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	10.9	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	13.3	10.0
o-Xylene	10.2	10.0
Total BTEX	34.4	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	105 %
	Bromochlorobenzene	104 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure


 Analyst


 Review

Client:	N/A	Project #:	N/A
Sample ID:	0314BCAL QA/QC	Date Reported:	03-14-12
Laboratory Number:	61326	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-14-12
Condition:	N/A	Analysis:	BTEX
		Dilution:	50

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
Accept Range 0-15%					
Benzene	4.9064E-06	4.9064E-06	0.000	ND	0.2
Toluene	4.8411E-06	4.8411E-06	0.000	ND	0.2
Ethylbenzene	5.5298E-06	5.5298E-06	0.000	ND	0.2
p,m-Xylene	4.1330E-06	4.1330E-06	0.000	ND	0.2
o-Xylene	5.9837E-06	5.9837E-06	0.000	ND	0.2

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	ND	ND	0.00	0 - 30%	10
Toluene	ND	ND	0.00	0 - 30%	10
Ethylbenzene	ND	ND	0.00	0 - 30%	10
p,m-Xylene	15.0	15.7	0.05	0 - 30%	10
o-Xylene	10.1	10.4	0.03	0 - 30%	10

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	2500	2320	93	39 - 150
Toluene	ND	2500	2290	92	46 - 148
Ethylbenzene	ND	2500	2250	90	32 - 160
p,m-Xylene	15.0	5000	4510	90	46 - 148
o-Xylene	10.1	2500	2250	90	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 61326-61335

[Signature]
Analyst

[Signature]
Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #52	Date Reported:	03-09-12
Lab ID#:	61328	Date Sampled:	03-07-12
Sample Matrix:	Soil	Date Received:	03-07-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Chain of Custody:	13521


Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride**360**


Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 Closure**

Analyst



Review




Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #54	Date Reported:	03-09-12
Lab ID#:	61330	Date Sampled:	03-07-12
Sample Matrix:	Soil	Date Received:	03-07-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Chain of Custody:	13521

Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride**80**

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 Closure**



Analyst



Review



envirotech

Analytical Laboratory

Chloride

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #55	Date Reported:	03-09-12
Lab ID#:	61331	Date Sampled:	03-07-12
Sample Matrix:	Soil	Date Received:	03-07-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Chain of Custody:	13521

Parameter

Concentration (mg/Kg)

Total Chloride

120

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Landfarm 2 Unit 5 Closure

Analyst

Review


Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #59	Date Reported:	03-09-12
Lab ID#:	61335	Date Sampled:	03-07-12
Sample Matrix:	Soil	Date Received:	03-07-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Chain of Custody:	13521

Parameter**Concentration (mg/Kg)****Total Chloride****70**


Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 Closure**

Analyst



Review



CHAIN OF CUSTODY RECORD

13521

Client: Envirotech			Project Name / Location: Landform 2 unit 5 closure			ANALYSIS / PARAMETERS															
Email results to: Kendra Running			Sampler Name: K. Reine																		
Client Phone No.: _____			Client No.: 1-02-600001																		
Sample No. / Identification	Sample Date	Sample Time	Lab No.	No./Volume of Containers	Preservative			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
					HgO ₂	HCl	Cool														
Cell # 50	3-7-12	10:44	61326	1 4oz Jar				X	X											X	X
Cell # 51	3-7-12	10:46	61327	1 4oz Jar				X	X											X	X
Cell # 52	3-7-12	10:48	61328	1 4oz Jar				X	X											X	X
Cell # 53	3-7-12	10:50	61329	1 4oz Jar				X	X											X	X
Cell # 54	3-7-12	10:53	61330	1 4oz Jar				X	X											X	X
Cell # 55	3-7-12	10:55	61331	1 4oz Jar				X	X											X	X
Cell # 56	3-7-12	11:00	61332	1 4oz Jar				X	X											X	X
Cell # 57	3-7-12	11:03	61333	1 4oz Jar				X	X											X	X
Cell # 58	3-7-12	11:07	61334	1 4oz Jar				X	X											X	X
Cell # 59	3-7-12	11:10	61335	1 4oz Jar				X	X											X	X
Relinquished by: (Signature) <i>K. Reine</i>			Date		Time	Received by: (Signature) <i>Marianne</i>			Date		Time										
Relinquished by: (Signature) _____			Date		Time	Received by: (Signature) _____			Date		Time										
Sample Matrix Soil ☒ Solid ☐ Sludge ☐ Aqueous ☐ Other ☐ _____ ☐ Sample(s) dropped off after hours to secure drop off area.																					



Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 62	Date Reported:	03-12-12
Laboratory Number:	61338	Date Sampled:	03-07-12
Chain of Custody No:	13522	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**


Analyst


Review


Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 63	Date Reported:	03-12-12
Laboratory Number:	61339	Date Sampled:	03-07-12
Chain of Custody No:	13522	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**



Analyst



Review


Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 64	Date Reported:	03-12-12
Laboratory Number:	61340	Date Sampled:	03-07-12
Chain of Custody No:	13522	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**



Analyst



Review


Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 65	Date Reported:	03-12-12
Laboratory Number:	61341	Date Sampled:	03-07-12
Chain of Custody No:	13522	Date Received:	03-07-12
Sample Matrix:	Soil	Date Extracted:	03-08-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 Closure**



Analyst



Review

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	0309TCAL QA/QC	Date Reported:	03-12-12
Laboratory Number:	61315	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-09-12
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	03-09-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	03-09-12	9.9960E+02	1.0000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	232	92.7%	75 - 125%
Diesel Range C10 - C28	ND	250	213	85.2%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Ws
SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 61315 and 61336-61341


 Analyst


 Review



envirotech

Analytical Laboratory

EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 62	Date Reported:	03-13-12
Laboratory Number:	61338	Date Sampled:	03-07-12
Chain of Custody:	13522	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-12-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	15.9	10.0
Ethylbenzene	14.5	10.0
p,m-Xylene	106	10.0
o-Xylene	31.9	10.0
Total BTEX	168	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	105 %
	1,4-difluorobenzene	105 %
	Bromochlorobenzene	109 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure



Analyst



Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 63	Date Reported:	03-13-12
Laboratory Number:	61339	Date Sampled:	03-07-12
Chain of Custody:	13522	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-12-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	17.4	10.0
Ethylbenzene	10.2	10.0
p,m-Xylene	19.0	10.0
o-Xylene	17.0	10.0
Total BTEX	63.5	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	116 %
	1,4-difluorobenzene	110 %
	Bromochlorobenzene	114 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure


Analyst


Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 64	Date Reported:	03-13-12
Laboratory Number:	61340	Date Sampled:	03-07-12
Chain of Custody:	13522	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-12-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50


Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	10.9	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	14.3	10.0
o-Xylene	13.9	10.0
Total BTEX	39.1	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	114 %
	1,4-difluorobenzene	111 %
	Bromochlorobenzene	119 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure

Analyst

Review

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell # 65	Date Reported:	03-13-12
Laboratory Number:	61341	Date Sampled:	03-07-12
Chain of Custody:	13522	Date Received:	03-07-12
Sample Matrix:	Soil	Date Analyzed:	03-12-12
Preservative:	Cool	Date Extracted:	03-08-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	12.6	10.0
Total BTEX	12.6	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	114 %
	1,4-difluorobenzene	116 %
	Bromochlorobenzene	117 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 Closure

Analyst

Review

Client:	N/A	Project #:	N/A
Sample ID:	0312BCAL QA/QC	Date Reported:	03-13-12
Laboratory Number:	61268	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-12-12
Condition:	N/A	Analysis:	BTEX
		Dilution:	50

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
	Accept Range 0-15%				
Benzene	4.6587E-06	4.6358E-06	0.005	ND	0.2
Toluene	4.5622E-06	4.5631E-06	0.000	ND	0.2
Ethylbenzene	5.2155E-06	5.1522E-06	0.012	ND	0.2
p,m-Xylene	3.8405E-06	3.8075E-06	0.009	ND	0.2
o-Xylene	5.4440E-06	5.4947E-06	0.009	ND	0.2

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	ND	ND	0.00	0 - 30%	10
Toluene	ND	ND	0.00	0 - 30%	10
Ethylbenzene	ND	ND	0.00	0 - 30%	10
p,m-Xylene	ND	ND	0.00	0 - 30%	10
o-Xylene	ND	ND	0.00	0 - 30%	10

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	2500	2580	103	39 - 150
Toluene	ND	2500	2570	103	46 - 148
Ethylbenzene	ND	2500	2580	103	32 - 160
p,m-Xylene	ND	5000	5140	103	46 - 148
o-Xylene	ND	2500	2530	101	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
 Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 61268-61269, 61315 and 61336-61341

Analyst

Review



envirotech

Analytical Laboratory

Chloride

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #62	Date Reported:	03-09-12
Lab ID#:	61338	Date Sampled:	03-07-12
Sample Matrix:	Soil	Date Received:	03-07-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Chain of Custody:	13522

Parameter

Concentration (mg/Kg)

Total Chloride

110

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 Closure**

Analyst

Review


Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #63	Date Reported:	03-09-12
Lab ID#:	61339	Date Sampled:	03-07-12
Sample Matrix:	Soil	Date Received:	03-07-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Chain of Custody:	13522

Parameter**Concentration (mg/Kg)****Total Chloride****200**

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 Closure**

Analyst



Review




Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #64	Date Reported:	03-09-12
Lab ID#:	61340	Date Sampled:	03-07-12
Sample Matrix:	Soil	Date Received:	03-07-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Chain of Custody:	13522

Parameter**Concentration (mg/Kg)****Total Chloride****ND**

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 Closure**



Analyst

Review



envirotech

Analytical Laboratory


Chloride

Client:	Envirotech	Project #:	1-02-60001
Sample ID:	Cell #65	Date Reported:	03-09-12
Lab ID#:	61341	Date Sampled:	03-07-12
Sample Matrix:	Soil	Date Received:	03-07-12
Preservative:	Cool	Date Analyzed:	03-09-12
Condition:	Intact	Chain of Custody:	13522

Parameter	Concentration (mg/Kg)
Total Chloride	ND

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 Closure**



Analyst



Review

CHAIN OF CUSTODY RECORD

13522

Client: Envirotech				Project Name / Location: LandFarm Unit 5 Closure				ANALYSIS / PARAMETERS													
Email results to: Kendra Runnung				Sampler Name: F. Asagon K. Peine																	
Client Phone No.:				Client No.: 1-02-60001																	
Sample No. / Identification	Sample Date	Sample Time	Lab No.	No./Volume of Containers	Preservative			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
					H ₂ O ₂	HCl	Cool														
Cell # 60	3-7-12	11:09	61336	1 402 Jars				X	X	X										X	X
Cell # 61	3-7-12	11:12	61337	1 402 Jars				X	X	X										X	X
Cell # 62	3-7-12	11:15	61338	1 402 Jars				X	X	X										X	X
Cell # 63	3-7-12	11:15	61339	1 402 Jars				X	X	X										X	X
Cell # 64	3-7-12	11:20	61340	1 402 Jars				X	X	X										X	X
Cell # 65	3-7-12	11:25	61341	1 402 Jars				X	X	X										X	X
Relinquished by: (Signature) <i>[Signature]</i>				Date	Time	Received by: (Signature) <i>[Signature]</i>				Date	Time										
Relinquished by: (Signature)				3-7-12	16:30					3-7-12	16:30										
Sample Matrix																					
Soil ☒ Solid ☐ Sludge ☐ Aqueous ☐ Other ☐																					
☐ Sample(s) dropped off after hours to secure drop off area.																					



ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13346

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0007
PAGE No: 1 of 12

FACILITY LOCATION: Landfill 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 31
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMDCD:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM
Cell 31	8015	
	8021	
	7500	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13346

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0004
PAGE No: 5 of 12

FACILITY LOCATION: Landfarm 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 47
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMOCB: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM
<u>Cell 47</u>	<u>8021</u>	<u>7500</u>

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13344

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0007
PAGE No: 9 of 12

FACILITY LOCATION: Landform 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 49
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____
ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMCD:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: B521

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0004
PAGE No: 2 of 12

FACILITY LOCATION: Landfarm 2 unit 5 Closure
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 52
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Arger

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMOC:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM:
<u>Cell 52</u>	<u>8021</u>	<u>9500</u>

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 18521

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0004
PAGE No: 6 of 12

FACILITY LOCATION: Landfarm 2 unit 5
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 54
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMOCB: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM
<u>Cell 54</u>	<u>8015</u>	
	<u>8021</u>	
	<u>9500</u>	

NORTH

WELLHEAD

SURFACE FLOW DIR.

ESTIMATED GROUNDWATER FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13521

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0007
PAGE No: 17 of 12

FACILITY LOCATION: Landform 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 55
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM
<u>Cell 55 8021</u>	<u>8021</u>	<u>7500</u>

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13521

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0007
PAGE No: 3 of 12

FACILITY LOCATION: Landfarm 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 58
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

PIT TYPE: _____

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM
<u>Cell 58</u>	<u>8015</u>	
	<u>8021</u>	
	<u>7500</u>	

NORTH

WELLHEAD

SURFACE FLOW DIR.

ESTIMATED GROUNDWATER FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13521

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0004
PAGE No: 7 of 12

FACILITY LOCATION: Landform 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 59
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMCD:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM
<u>Cell 59</u>	<u>8015</u>	
	<u>8021</u>	
	<u>7500</u>	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13522

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0004
PAGE No: 10 of 12

FACILITY LOCATION: Landfarm 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: cell 62
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: E. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMDCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
<u>Cell 62</u>	<u>8025</u>	
	<u>8021</u>	
	<u>7500</u>	

NORTH
WELLHEAD
SURFACE FLOW DIR.
ESTIMATED GROUNDWATER FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13522

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0007
PAGE No: 4 of 12

FACILITY LOCATION: Landfill 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: Cell 63
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMQCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13522

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0007
PAGE No: 8 of 12

FACILITY LOCATION: Landform 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: cell 64
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM
<u>cell 64</u>	<u>8015</u>	
	<u>8021</u>	
	<u>9500</u>	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 13522

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 03037-0004
PAGE No: 12 of 12

FACILITY LOCATION: Landfarm 2 unit 5 closure
SOURCE LOCATION: _____
SOURCE LOCATION: cell 65
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 2-1-12
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: E. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: 5

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____

NEAREST WATER SOURCE/TYPE: _____


NEAREST SURFACE WATER: _____

MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: NTS



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM:
<u>cell 65</u>	<u>8015</u>	
	<u>8021</u>	
	<u>9500</u>	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.



New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John H. Bemis
Cabinet Secretary-Designate

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



December 13, 2011

Keith Johnson
Envirotech, Inc.
5796 US Highway 64
Farmington, New Mexico 87401

RE: Request for Approval to Apply a Successive Lift
Envirotech, Inc.
Commercial Landfarm #2: Permit NM-1-0011
Location: NW/4 Section 6, Township 26 North, Range 10 West, NMPM
San Juan County, New Mexico

Dear Mr. Johnson:

The Oil Conservation Division (OCD) has reviewed Envirotech, Inc.'s (Envirotech) request, dated December 8, 2011 to grant approval to apply an additional six-inch lift to the following cell(s): **Cells 32, 35, 36, 42, 44, and 45.**

Based upon the analytical results provided, OCD hereby grants Envirotech approval to apply an additional six-inch lift of contaminated soils to the above referenced landfarm cell(s). Also, please note that with the addition of successive lifts Envirotech must initiate treatment zone monitoring and resume vadose zone monitoring. The vadose zone monitoring depth must be adjusted to reach the 2-3 foot zone below the original native ground surface.

Please be advised that approval of this request does not relieve Envirotech of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve Envirotech of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec



December 8, 2011

Mr. Brad Jones
New Mexico Oil Conservation District
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: ENVIROTECH'S DISCONTINUED MAINTENANCE AND ADDITIONAL LIFT FOR:
CELLS 32, 35, 36, 42, 44 AND 45 IN LANDFARM 2 UNIT 5.

Dear Mr. Jones:

Attached please find analytical documentation supporting our request for discontinued maintenance at Envirotech's Land Farm #2 Unit 5 for cells 32, 35, 36, 42, 44 AND 45 in Landfarm 2 located near Hilltop, New Mexico. The area being submitted is shown on the attached map, marked by blue crosshatch design. As per Envirotech's OCD Rule 711 Permit Approval NM 01-0011 dated April 8, 2000 all cells being requested for discontinued maintenance have passed laboratory analysis of less than 100 ppm TPH, 50 ppm BTEX and 10 ppm Benzene. In addition, Envirotech has sampled for chlorides. As stated in the treatment zone monitoring portion of Envirotech's permit, no cell sampled was larger than five acres. Samples were five-point composites. Vadose zone sampling maps with depth measurements are included.

The blue cells (32, 35, 36, 42, 44 AND 45) have passed analysis for total petroleum hydrocarbons, benzene, toluene, ethylbenzene and total xylenes as well as chlorides (see attached laboratory results). The BTEX and Benzene results are reported in parts per billion (ug/Kg), TPH is in parts per million (mg/Kg). Envirotech hereby requests these cells be granted discontinued maintenance status and approval to apply an additional lift of qualifying material to these cells.


Given the parameter for cubic yardages of 15,000 or less to be applied in each five (5) acre cell, we are happy to provide the following cubic yard amounts and depth of the treatment zone in a unit in each cell up to this time:


Cell 32: 7,065 cy (11")	Cell 35: 9,197 cy (14")	Cell 36: 10,054 cy (16")
Cell 42: 11,165 cy (18")	Cell 44: 11,031 cy (18")	Cell 45: 10,557 cy (17")

Due to the unusually large amounts of contaminated soil Envirotech has accepted recently, our Land Farm #2 suffers limited space constraints. Envirotech respectfully requests expedition of this matter to be able to serve the Four Corners region without interruption.

Thank you for your consideration in this matter. If you have any questions or require additional information, please do not hesitate to contact our office at (505) 632-0615.

Respectfully submitted,
Envirotech, Inc.


Keith Johnson
General Manager
kjohnson@envirotech-inc.com


April E. Pohl
Landfarm Administrator
apohl@envirotech-inc.com

AEP/Office/Corporate/LF/DCMaintenance-addedlift/12-8-11



envirotech
Analytical Laboratory

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 44	Date Reported:	11-07-11
Laboratory Number:	60138	Date Sampled:	10-28-11
Chain of Custody No:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Extracted:	11-01-11
Preservative:	Cool	Date Analyzed:	11-01-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.2	0.2
Diesel Range (C10 - C28)	73.1	0.1
Total Petroleum Hydrocarbons	74.3	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 4th Quarter Closures/ Landfarm 2 Unit


Analyst


Review

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 32	Date Reported:	11-07-11
Laboratory Number:	60139	Date Sampled:	10-28-11
Chain of Custody No:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Extracted:	11-01-11
Preservative:	Cool	Date Analyzed:	11-01-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.4	0.1
Total Petroleum Hydrocarbons	0.4	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**


Analyst
Review



envirotech
Analytical Laboratory

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 45	Date Reported:	11-07-11
Laboratory Number:	60140	Date Sampled:	10-28-11
Chain of Custody No:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Extracted:	11-01-11
Preservative:	Cool	Date Analyzed:	11-01-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.4	0.2
Diesel Range (C10 - C28)	4.5	0.1
Total Petroleum Hydrocarbons	4.9	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**


Analyst


Review

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 42	Date Reported:	11-07-11
Laboratory Number:	60141	Date Sampled:	10-28-11
Chain of Custody No:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Extracted:	11-01-11
Preservative:	Cool	Date Analyzed:	11-01-11
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	3.9	0.2
Diesel Range (C10 - C28)	55.4	0.1
Total Petroleum Hydrocarbons	59.3	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**


Analyst


Review

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 36	Date Reported:	11-07-11
Laboratory Number:	60144	Date Sampled:	10-28-11
Chain of Custody No:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Extracted:	11-01-11
Preservative:	Cool	Date Analyzed:	11-01-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.5	0.2
Diesel Range (C10 - C28)	1.9	0.1
Total Petroleum Hydrocarbons	2.4	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**


Analyst
Review

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 35	Date Reported:	11-07-11
Laboratory Number:	60146	Date Sampled:	10-28-11
Chain of Custody No:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Extracted:	11-01-11
Preservative:	Cool	Date Analyzed:	11-01-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.3	0.2
Diesel Range (C10 - C28)	60.9	0.1
Total Petroleum Hydrocarbons	61.2	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**


Analyst
Review

**EPA Method 8015 Modified
 Nonhalogenated Volatile Organics
 Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	11-01-11 QA/QC	Date Reported:	11-07-11
Laboratory Number:	60156	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	11-01-11
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	40848	1.005E+03	1.005E+03	0.04%	0 - 15%
Diesel Range C10 - C28	40848	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	2.9	0.2
Diesel Range C10 - C28	3.2	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range
Gasoline Range C5 - C10	20.4	21.0	3.1%	0 - 30%
Diesel Range C10 - C28	10.1	8.6	15.1%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	20.4	250	273	101%	75 - 125%
Diesel Range C10 - C28	10.1	250	262	101%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,
 SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 60156, 60137-60146.

Analyst 

Review 



envirotech
Analytical Laboratory

**EPA METHOD 8021
AROMATIC VOLATILE ORGANICS**

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 44	Date Reported:	11-07-11
Laboratory Number:	60138	Date Sampled:	10-28-11
Chain of Custody:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Analyzed:	11-02-11
Preservative:	Cool	Date Extracted:	11-02-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	84.8 %
	1,4-difluorobenzene	85.3 %
	Bromochlorobenzene	88.6 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5


Analyst


Review



**EPA METHOD 8021
AROMATIC VOLATILE ORGANICS**

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 32	Date Reported:	11-07-11
Laboratory Number:	60139	Date Sampled:	10-28-11
Chain of Custody:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Analyzed:	11-02-11
Preservative:	Cool	Date Extracted:	11-02-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	94.3 %
	1,4-difluorobenzene	92.3 %
	Bromochlorobenzene	102 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5


Analyst


Review

**EPA METHOD 8021
 AROMATIC VOLATILE ORGANICS**

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 45	Date Reported:	11-07-11
Laboratory Number:	60140	Date Sampled:	10-28-11
Chain of Custody:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Analyzed:	11-02-11
Preservative:	Cool	Date Extracted:	11-02-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	89.4 %
	1,4-difluorobenzene	93.8 %
	Bromochlorobenzene	102 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5


 Analyst


 Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 42	Date Reported:	11-07-11
Laboratory Number:	60141	Date Sampled:	10-28-11
Chain of Custody:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Analyzed:	11-02-11
Preservative:	Cool	Date Extracted:	11-02-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	87.1 %
	1,4-difluorobenzene	92.4 %
	Bromochlorobenzene	108 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 36	Date Reported:	11-07-11
Laboratory Number:	60144	Date Sampled:	10-28-11
Chain of Custody:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Analyzed:	11-02-11
Preservative:	Cool	Date Extracted:	11-02-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	92.6 %
	1,4-difluorobenzene	93.7 %
	Bromochlorobenzene	101 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5


Analyst


Review

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 35	Date Reported:	11-07-11
Laboratory Number:	60146	Date Sampled:	10-28-11
Chain of Custody:	12838	Date Received:	10-28-11
Sample Matrix:	Soil	Date Analyzed:	11-02-11
Preservative:	Cool	Date Extracted:	11-02-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	2.1	1.2
o-Xylene	ND	0.9
Total BTEX	2.1	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	91.5 %
	1,4-difluorobenzene	92.7 %
	Bromochlorobenzene	98.7 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5



Analyst



Review



envirotech

Analytical Laboratory

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	1101BBLK QA/QC	Date Reported:	11-02-11
Laboratory Number:	60156	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	11-01-11
Condition:	N/A	Analysis:	BTEX
		Dilution:	10'

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
		Accept Range 0 - 15%			
Benzene	2.4198E+006	2.4247E+006	0.2%	ND	0.1
Toluene	2.7138E+006	2.7192E+006	0.2%	ND	0.1
Ethylbenzene	2.5188E+006	2.5239E+006	0.2%	ND	0.1
p,m-Xylene	7.0404E+006	7.0545E+006	0.2%	ND	0.1
o-Xylene	2.4542E+006	2.4592E+006	0.2%	ND	0.1

Duplicate Conc: (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	230	241	5.1%	0 - 30%	0.9
Toluene	1,660	1,730	4.2%	0 - 30%	1.0
Ethylbenzene	348	373	7.1%	0 - 30%	1.0
p,m-Xylene	750	817	8.9%	0 - 30%	1.2
o-Xylene	303	331	9.0%	0 - 30%	0.9

Spike Conc: (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	230	500	784	107%	39 - 150
Toluene	1,660	500	2,180	101%	46 - 148
Ethylbenzene	348	500	877	103%	32 - 160
p,m-Xylene	750	1000	1,800	103%	46 - 148
o-Xylene	303	500	835	104%	46 - 148


ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Sample 60137-60146, 60156.

Analyst 

Review 



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 44	Date Reported:	10-31-11
Lab ID#:	60138	Date Sampled:	10-28-11
Sample Matrix:	Soil	Date Received:	10-28-11
Preservative:	Cool	Date Analyzed:	10-31-11
Condition:	Intact	Chain of Custody:	12838

Parameter

Concentration (mg/Kg)

Total Chloride

60

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**

Analyst

Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 32	Date Reported:	10-31-11
Lab ID#:	60139	Date Sampled:	10-28-11
Sample Matrix:	Soil	Date Received:	10-28-11
Preservative:	Cool	Date Analyzed:	10-31-11
Condition:	Intact	Chain of Custody:	12838

Parameter

Concentration (mg/Kg)

Total Chloride

20


Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 45	Date Reported:	10-31-11
Lab ID#:	60140	Date Sampled:	10-28-11
Sample Matrix:	Soil	Date Received:	10-28-11
Preservative:	Cool	Date Analyzed:	10-31-11
Condition:	Intact	Chain of Custody:	12838

Parameter

Concentration (mg/Kg)

Total Chloride

20

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**

Analyst

Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 42	Date Reported:	10-31-11
Lab ID#:	60141	Date Sampled:	10-28-11
Sample Matrix:	Soil	Date Received:	10-28-11
Preservative:	Cool	Date Analyzed:	10-31-11
Condition:	Intact	Chain of Custody:	12838

Parameter

Concentration (mg/Kg)


Total Chloride

240

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 36	Date Reported:	10-31-11
Lab ID#:	60144	Date Sampled:	10-28-11
Sample Matrix:	Soil	Date Received:	10-28-11
Preservative:	Cool	Date Analyzed:	10-31-11
Condition:	Intact	Chain of Custody:	12838

Parameter

Concentration (mg/Kg)


Total Chloride

130

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	Cell 35	Date Reported:	10-31-11
Lab ID#:	60146	Date Sampled:	10-28-11
Sample Matrix:	Soil	Date Received:	10-28-11
Preservative:	Cool	Date Analyzed:	10-31-11
Condition:	Intact	Chain of Custody:	12838

Parameter

Concentration (mg/Kg)

Total Chloride

250

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 4th Quarter Closures/ Landfarm 2 Unit 5**

Analyst

Review

CHAIN OF CUSTODY RECORD

12838

Client: E-tech		Project Name / Location: Chlorine		ANALYSIS / PARAMETERS																	
Client Address:		Sampler Name: F. Hooper		Landowner: 4th grade / Heather Luntz																	
Client Phone No.:		Client No.: 1-02-60002																			
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No./Volume of Containers	Preservative Hg ₂ , H ₂ , Pd	TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact			
Cell 10 B. P. 10	10-28-11	10:43	60137	Soil Sludge Aqueous	1-1/2		X	X								X					
Cell 44		12:22	60138	Soil Sludge Aqueous			X	X									X				
Cell 32		12:45	60139	Soil Sludge Aqueous			X	X									X				
Cell 45		12:30	60140	Soil Sludge Aqueous			X	X									X				
Cell 42		12:35	60141	Soil Sludge Aqueous			X	X									X				
Cell 29		10:52	60142	Soil Sludge Aqueous			X	X									X				
Cell 31		11:22	60143	Soil Sludge Aqueous			X	X									X				
Cell 30		11:49	60144	Soil Sludge Aqueous			X	X									X				
Cell 38		11:11	60145	Soil Sludge Aqueous			X	X									X				
Cell 35		12:01	60146	Soil Sludge Aqueous			X	X									X				
Relinquished by: (Signature) F. Hooper				Date	10-28-11	Time	14:10	Received by: (Signature) Jennifer Winters										Date	10-28-11	Time	2:10
Relinquished by: (Signature)								Received by: (Signature)													
Relinquished by: (Signature)								Received by: (Signature)													



envirotech
Analytical Laboratory

5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com

ENVIROTECH Inc.

5796 US HWY. 84, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 12838

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 16-02-60002
PAGE No: 7 of 15

FACILITY LOCATION: Landform 2 Unit 5

SOURCE LOCATION: Cell 35

SOURCE LOCATION: _____

SOURCE LOCATION: _____

FACILITY CLASSIFICATION: _____

PIT TYPE: _____

DATE STARTED: 10-28-11
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____

NEAREST WATER SOURCE/TYPE: _____


NEAREST SURFACE WATER: _____

MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE -- #
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: 1cm = 12 inches (1 foot)



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
35	8015	
I	8021	
	4500	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 12837

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1602-60002
PAGE No: 8 of 13

FACILITY LOCATION: Landfarm 2 Unit 5
SOURCE LOCATION: Cell 36
SOURCE LOCATION: _____
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____

DATE STARTED: 10-28-11
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

PIT TYPE: _____

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
• VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____


FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:
NEAREST WATER SOURCE/TYPE:
NEAREST SURFACE WATER:
MAX TPH PER NMOC:

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: 1cm = 12 inches (1 foot)



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
<u>30</u>	<u>8015</u>	
<u>1</u>	<u>8621</u>	
	<u>4500</u>	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 84, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 12838

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1402-60002
PAGE No: 10 of 13

FACILITY LOCATION: Landform 2 Unit 5

SOURCE LOCATION: Cell 44

SOURCE LOCATION: _____

SOURCE LOCATION: _____

FACILITY CLASSIFICATION: _____

PIT TYPE: _____

DATE STARTED: 10-27-11
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____

NEAREST WATER SOURCE/TYPE: _____


NEAREST SURFACE WATER: _____

MAX TPH PER NMOC: _____

No. OF 5-POINT COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: 1cm = 12 inches (1 foot)



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE P10 (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
<u>44</u>	<u>SO4S</u>	
<u>I</u>	<u>SO2I</u>	
	<u>4500</u>	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 84, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: 12838

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 16-02-60002
PAGE No: 4 of 13

FACILITY LOCATION: Landform 2 Unit 5

DATE STARTED: 10-27-11
DATE FINISHED: _____

SOURCE LOCATION: _____

SOURCE LOCATION: _____

SOURCE LOCATION: _____

FACILITY CLASSIFICATION: _____

PIT TYPE: _____

ENVIRONMENTAL
SPECIALIST: F. Arago

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____

NEAREST WATER SOURCE/TYPE: _____


NEAREST SURFACE WATER: _____

MAX TPH PER NMOC: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM

GRID SCALE: 1cm = 12 inches (1 foot)



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
<u>45</u>	<u>8015</u>	
<u>46</u>	<u>8021</u>	
<u>47</u>	<u>8026</u>	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 84, FARMINGTON, NM 87401
(505) 632-0615

PIT No: 12838
C.O.C #: 12838

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1602-60002
PAGE No: 12 of 15

FACILITY LOCATION: Landform 2 Unit 5

SOURCE LOCATION: Cell 42

SOURCE LOCATION: _____

SOURCE LOCATION: _____

FACILITY CLASSIFICATION: _____

PIT TYPE: _____

DATE STARTED: 10-27-11
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____

NEAREST WATER SOURCE/TYPE: _____

NEAREST SURFACE WATER: _____

MAX TPH PER NMOCB: _____

No. OF 5-POINT
COMPOSITE SAMPLES:

YARDAGE--#

0-200=1


201-400=2

401-1000=3

>1000=5

FACILITY DIAGRAM

GRID SCALE: 1cm = 12 inches (1 foot)



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM
42	8005	
I	8001	
I	4500	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 84, FARMINGTON, NM 87401
(505) 632-0615

PIT No: 12858
C.O.C #: 12858

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1602-60002
PAGE No: 13 of 13

FACILITY LOCATION: Landform 2 Unit 5

SOURCE LOCATION: cell 32

SOURCE LOCATION:

SOURCE LOCATION:

FACILITY CLASSIFICATION:

PIT TYPE:

DATE STARTED: 10-27-11
DATE FINISHED:

ENVIRONMENTAL
SPECIALIST: F. Aragon

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER:

NEAREST WATER SOURCE/TYPE:

NEAREST SURFACE WATER:

MAX TPH PER NMOC:

No. OF 5-POINT
COMPOSITE SAMPLES:

YARDAGE--#

0-200=1


201-400=2

401-1000=3

>1000=5

FACILITY DIAGRAM

GRID SCALE: 1cm = 12 inches (1 foot)



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS (PPM)
<u>B2</u>	<u>805</u>	
<u>1</u>	<u>8021</u>	
	<u>4506</u>	

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John H. Bemis
Cabinet Secretary-Designate

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



October 24, 2011

Keith Johnson
Envirotech, Inc.
5796 US Highway 64
Farmington, New Mexico 87401

**RE: Request for Approval to Apply a Successive Lift
Envirotech, Inc.
Commercial Landfarm #2: Permit NM-1-0011
Location: NW/4 Section 6, Township 26 North, Range 10 West, NMPM
San Juan County, New Mexico**

Dear Mr. Johnson:


The Oil Conservation Division (OCD) has reviewed Envirotech, Inc.'s (Envirotech) request, dated October 18, 2011 to grant approval to apply an additional six-inch lift to the following cell(s): **Cells 28, 33, 34, 39, 40, and 41.**

Based upon the analytical results provided, OCD hereby grants Envirotech approval to apply an additional six-inch lift of contaminated soils to the above referenced landfarm cell(s). Also, please note that with the addition of successive lifts Envirotech must initiate treatment zone monitoring and resume vadose zone monitoring. The vadose zone monitoring depth must be adjusted to reach the 2-3 foot zone below the original native ground surface.

Please be advised that approval of this request does not relieve Envirotech of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve Envirotech of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,


Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec



RECEIVED OCD

2011 OCT 20 A 12: 06

October 18, 2011

Mr. Brad Jones
New Mexico Oil Conservation District
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: ENVIROTECH'S DISCONTINUED MAINTENANCE AND ADDITIONAL LIFT FOR:
CELLS 28, 33, 34, 39, 40 AND 41 IN LANDFARM 2 UNIT 5.

Dear Mr. Jones:

Attached please find analytical documentation supporting our request for discontinued maintenance at Envirotech's Land Farm #2 Unit 5 for cells 28, 33, 34, 39, 40 AND 41 in Landfarm 2 located near Hilltop, New Mexico. The area being submitted is shown on the attached map, marked by blue crosshatch design. As per Envirotech's OCD Rule 711 Permit Approval NM 01-0011 dated April 8, 2000 all cells being requested for discontinued maintenance have passed laboratory analysis of less than 100 ppm TPH, 50 ppm BTEX and 10 ppm Benzene. In addition, Envirotech has sampled for chlorides. As stated in the treatment zone monitoring portion of Envirotech's permit, no cell sampled was larger than five acres. Samples were five-point composites. Vadose zone sampling maps with depth measurements are included.

The blue cells (28, 33, 34, 39, 40 AND 41) have passed analysis for total petroleum hydrocarbons, benzene, toluene, ethylbenzene and total xylenes as well as chlorides (see attached laboratory results). The BTEX and Benzene results are reported in parts per billion (ug/Kg), TPH is in parts per million (mg/Kg). Envirotech hereby requests these cells be granted discontinued maintenance status and approval to apply an additional lift of qualifying material to these cells.


Given the parameter for cubic yardages of 15,000 or less to be applied in each five (5) acre cell, we are happy to provide the following cubic yard amounts and depth of the treatment zone in a unit in each cell up to this time:

Cell 28: 4,919 cy (8")	Cell 33: 12,745 cy (18")	Cell 34: 10,883 cy (16")
Cell 39: 5,559 cy (16")	Cell 40: 8,439 cy (13")	Cell 41: 7,954 cy (13")

Due to the unusually large amounts of contaminated soil Envirotech has accepted recently, our Land Farm #2 suffers limited space constraints. Envirotech respectfully requests expedition of this matter to be able to serve the Four Corners region without interruption.

Thank you for your consideration in this matter. If you have any questions or require additional information, please do not hesitate to contact our office at (505) 632-0615.

Respectfully submitted,
Envirotech, Inc.


Keith Johnson
General Manager
kjohnson@envirotech-inc.com


April E. Pohl
Landfarm Administrator
apohl@envirotech-inc.com

AEP/Office/Corporate/LF/DCMaintenance-addedlift/10-18-11



envirotech
Analytical Laboratory

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	28	Date Reported:	09-15-11
Laboratory Number:	59475	Date Sampled:	08-31-11
Chain of Custody No:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Extracted:	09-09-11
Preservative:	Cool	Date Analyzed:	09-12-11
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	38.7	0.1
Total Petroleum Hydrocarbons	38.7	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst


Review



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	33	Date Reported:	09-15-11
Laboratory Number:	59478	Date Sampled:	08-31-11
Chain of Custody No:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Extracted:	09-09-11
Preservative:	Cool	Date Analyzed:	09-12-11
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	25.5	0.1
Total Petroleum Hydrocarbons	25.5	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst


Review



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Envirotech	Project #:	1-02-60002
Sample ID:	34	Date Reported:	09-15-11
Laboratory Number:	59479	Date Sampled:	08-31-11
Chain of Custody No:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Extracted:	09-09-11
Preservative:	Cool	Date Analyzed:	09-12-11
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	5.0	0.2
Diesel Range (C10 - C28)	77.6	0.1
Total Petroleum Hydrocarbons	82.6	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst


Review



envirotech
Analytical Laboratory

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	39	Date Reported:	09-15-11
Laboratory Number:	59481	Date Sampled:	08-31-11
Chain of Custody No:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Extracted:	09-09-11
Preservative:	Cool	Date Analyzed:	09-12-11
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	2.7	0.2
Diesel Range (C10 - C28)	6.2	0.1
Total Petroleum Hydrocarbons	8.9	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst


Review

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	40	Date Reported:	09-15-11
Laboratory Number:	59482	Date Sampled:	08-31-11
Chain of Custody No:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Extracted:	09-09-11
Preservative:	Cool	Date Analyzed:	09-12-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	2.5	0.1
Total Petroleum Hydrocarbons	2.5	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst
Review

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	41	Date Reported:	09-15-11
Laboratory Number:	59483	Date Sampled:	08-31-11
Chain of Custody No:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Extracted:	09-09-11
Preservative:	Cool	Date Analyzed:	09-12-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1.6	0.1
Total Petroleum Hydrocarbons	1.6	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst
Review



**EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	09-12-11 QA/QC	Date Reported:	09-12-11
Laboratory Number:	59474	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	09-12-11
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	40798	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	40798	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	1.77	0.2
Diesel Range C10 - C28	4.98	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range
Gasoline Range C5 - C10	2.47	2.91	17.7%	0 - 30%
Diesel Range C10 - C28	143	138	3.75%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	2.47	250	254	101%	75 - 125%
Diesel Range C10 - C28	143	250	386	98.2%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,
SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 59474-59483, 59453-59459, 59589-59593, 59603.


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	28	Date Reported:	09-19-11
Laboratory Number:	59475	Date Sampled:	08-31-11
Chain of Custody:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Analyzed:	09-12-11
Preservative:	Cool	Date Extracted:	09-09-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	3.2	1.0
Ethylbenzene	6.5	1.0
p,m-Xylene	55.2	1.2
o-Xylene	25.4	0.9
Total BTEX	90.1	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	87.9 %
	1,4-difluorobenzene	96.1 %
	Bromochlorobenzene	110 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 (5 Acre Cells) Closure.


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	33	Date Reported:	09-19-11
Laboratory Number:	59478	Date Sampled:	08-31-11
Chain of Custody:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Analyzed:	09-12-11
Preservative:	Cool	Date Extracted:	09-09-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	4.1	1.0
Ethylbenzene	6.1	1.0
p,m-Xylene	43.7	1.2
o-Xylene	19.7	0.9
Total BTEX	73.4	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	91.3 %
	1,4-difluorobenzene	98.7 %
	Bromochlorobenzene	115 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 (5 Acre Cells) Closure.

Analyst 


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	34	Date Reported:	09-19-11
Laboratory Number:	59479	Date Sampled:	08-31-11
Chain of Custody:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Analyzed:	09-12-11
Preservative:	Cool	Date Extracted:	09-09-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1.3	0.9
Toluene	7.3	1.0
Ethylbenzene	8.2	1.0
p,m-Xylene	61.6	1.2
o-Xylene	25.7	0.9
Total BTEX	104	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	103 %
	1,4-difluorobenzene	113 %
	Bromochlorobenzene	115 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 (5 Acre Cells) Closure.


Analyst


Review



envirotech

Analytical Laboratory

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	39	Date Reported:	09-19-11
Laboratory Number:	59481	Date Sampled:	08-31-11
Chain of Custody:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Analyzed:	09-12-11
Preservative:	Cool	Date Extracted:	09-09-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	4.6	1.0
Ethylbenzene	9.9	1.0
p,m-Xylene	70.6	1.2
o-Xylene	30.7	0.9
Total BTEX	115	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	105 %
	1,4-difluorobenzene	116 %
	Bromochlorobenzene	106 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 (5 Acre Cells) Closure.


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	40	Date Reported:	09-19-11
Laboratory Number:	59482	Date Sampled:	08-31-11
Chain of Custody:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Analyzed:	09-12-11
Preservative:	Cool	Date Extracted:	09-09-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1.5	0.9
Toluene	5.9	1.0
Ethylbenzene	3.8	1.0
p,m-Xylene	34.0	1.2
o-Xylene	16.0	0.9
Total BTEX	61.1	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95.4 %
	1,4-difluorobenzene	104 %
	Bromochlorobenzene	99.1 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 (5 Acre Cells) Closure.


Analyst


Review



envirotech

Analytical Laboratory

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	41	Date Reported:	09-19-11
Laboratory Number:	59483	Date Sampled:	08-31-11
Chain of Custody:	12476	Date Received:	08-31-11
Sample Matrix:	Soil	Date Analyzed:	09-12-11
Preservative:	Cool	Date Extracted:	09-09-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	6.9	1.0
Ethylbenzene	8.5	1.0
p,m-Xylene	66.6	1.2
o-Xylene	26.6	0.9
Total BTEX	109	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	90.4 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	92.1 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 (5 Acre Cells) Closure.

Analyst

Review



envirotech

Analytical Laboratory

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	0912BBLK QA/QC	Date Reported:	09-19-11
Laboratory Number:	59474	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	09-12-11
Condition:	N/A	Analysis:	BTEX
		Dilution:	10

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
		Accept Range 0 - 15%			
Benzene	2.0441E+006	2.0482E+006	0.2%	ND	0.1
Toluene	7.8655E+005	7.8813E+005	0.2%	ND	0.1
Ethylbenzene	5.6341E+005	5.6454E+005	0.2%	ND	0.1
p,m-Xylene	1.2480E+006	1.2505E+006	0.2%	ND	0.1
o-Xylene	4.4115E+005	4.4204E+005	0.2%	ND	0.1

Duplicate Conc: (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	7.1	7.3	2.8%	0 - 30%	1.0
Ethylbenzene	19.8	20.4	3.0%	0 - 30%	1.0
p,m-Xylene	132	132	0.6%	0 - 30%	1.2
o-Xylene	54.7	53.1	2.9%	0 - 30%	0.9

Spike Conc: (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	500	505	101%	39 - 150
Toluene	7.1	500	597	118%	46 - 148
Ethylbenzene	19.8	500	579	111%	32 - 160
p,m-Xylene	132	1000	1,300	115%	46 - 148
o-Xylene	54.7	500	510	91.9%	46 - 148


ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 59474-59483.

Analyst 

Review 



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	28	Date Reported:	09/16/11
Lab ID#:	59475	Date Sampled:	08/31/11
Sample Matrix:	Soil	Date Received:	08/31/11
Preservative:	Cool	Date Analyzed:	09/13/11
Condition:	Intact	Chain of Custody:	12476

Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

120

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	33	Date Reported:	09/16/11
Lab ID#:	59478	Date Sampled:	08/31/11
Sample Matrix:	Soil	Date Received:	08/31/11
Preservative:	Cool	Date Analyzed:	09/13/11
Condition:	Intact	Chain of Custody:	12476

Parameter

Concentration (mg/Kg)

Total Chloride

420

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Landfarm 2 Unit 5 (5 Acre Cells) Closure.


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	34	Date Reported:	09/16/11
Lab ID#:	59479	Date Sampled:	08/31/11
Sample Matrix:	Soil	Date Received:	08/31/11
Preservative:	Cool	Date Analyzed:	09/13/11
Condition:	Intact	Chain of Custody:	12476

Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

70

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst


Review



Client:	Envirotech	Project #:	1-02-60002
Sample ID:	39	Date Reported:	09/16/11
Lab ID#:	59481	Date Sampled:	08/31/11
Sample Matrix:	Soil	Date Received:	08/31/11
Preservative:	Cool	Date Analyzed:	09/13/11
Condition:	Intact	Chain of Custody:	12476

Parameter

Concentration (mg/Kg)

Total Chloride


310

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**



Analyst



Review



Chloride

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	40	Date Reported:	09/16/11
Lab ID#:	59482	Date Sampled:	08/31/11
Sample Matrix:	Soil	Date Received:	08/31/11
Preservative:	Cool	Date Analyzed:	09/13/11
Condition:	Intact	Chain of Custody:	12476

Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

10

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst


Review



Chloride

Client:	Envirotech	Project #:	1-02-60002
Sample ID:	41	Date Reported:	09/16/11
Lab ID#:	59483	Date Sampled:	08/31/11
Sample Matrix:	Soil	Date Received:	08/31/11
Preservative:	Cool	Date Analyzed:	09/13/11
Condition:	Intact	Chain of Custody:	12476

Parameter


Concentration (mg/Kg)

Total Chloride

120

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Landfarm 2 Unit 5 (5 Acre Cells) Closure.**


Analyst


Review

CHAIN OF CUSTODY RECORD

12476

Client: Envirotech		Project Name / Location: Land Farm Land 15 (Sacramento)		Closure (ap) ANALYSIS / PARAMETERS															
Client Address:		Sampler Name: F. Aragon																	
Client Phone No.:		Client No.: 1-02-60002																	
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No./Volume of Containers	Preservative Hg, HCl, Cd	TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact	
26	8-31-11	10:00	59474	Soil Sludge Aqueous	1/402	X	X	X								X		✓	✓
28		10:05	59475	Soil Sludge Aqueous														✓	✓
29		10:32	59476	Soil Sludge Aqueous														✓	✓
32		10:15	59477	Soil Sludge Aqueous														✓	✓
33		10:20	59478	Soil Sludge Aqueous														✓	✓
34		10:30	59479	Soil Sludge Aqueous														✓	✓
35		10:40	59480	Soil Sludge Aqueous														✓	✓
39		10:45	59481	Soil Sludge Aqueous														✓	✓
40		11:00	59482	Soil Sludge Aqueous														✓	✓
41		11:10	59483	Soil Sludge Aqueous														✓	✓
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time									
Relinquished by: (Signature)		8-31-11		15:10		Received by: (Signature)		8/31/11		15:10									
Relinquished by: (Signature)						Received by: (Signature)													



ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1-02-60002
PAGE No: 2 of 11

FACILITY LOCATION: Landform Zoned 5
SOURCE LOCATION: 28
SOURCE LOCATION: _____
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 9-1-11
DATE FINISHED: _____
ENVIRONMENTAL
SPECIALIST: FA

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD:


DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

Treatment Zone 8"

FACILITY DIAGRAM

GRID SCALE: 1cm = 6"



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED:	RESULTS PPM:

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1-02-60002
PAGE No: _____ of _____

FACILITY LOCATION: Landfill Unit 5
SOURCE LOCATION: 33
SOURCE LOCATION: _____
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 9-1-11
DATE FINISHED: _____
ENVIRONMENTAL SPECIALIST: F.A

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.


DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMOC: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

Treatment Zone 18"

FACILITY DIAGRAM

GRID SCALE: 1cm = 6"



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1-02-6002
PAGE No: 6 of 12

FACILITY LOCATION: Landfill Unit 5
SOURCE LOCATION: 34
SOURCE LOCATION: _____
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 9-1-11
DATE FINISHED: _____
ENVIRONMENTAL SPECIALIST: F.A.

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.


DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMDCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

Treatment zone 16"

FACILITY DIAGRAM

GRID SCALE: 1cm = 6"



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM:

NORTH
WELLHEAD
SURFACE FLOW DIR.
ESTIMATED GROUNDWATER FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1-02-6002
PAGE No: 7 of 12

FACILITY LOCATION: Land farm Unit 5
SOURCE LOCATION: 39
SOURCE LOCATION: _____
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 9-1-11
DATE FINISHED: _____
ENVIRONMENTAL SPECIALIST: F.A.

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____
DIMENSIONS: _____
VISIBLE OBSERVATIONS: _____
SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.


DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMCD: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

Treatment Zone 9"

FACILITY DIAGRAM

GRID SCALE: 1 in = 6"



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED:	RESULTS PPM:

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 1-02-60002
PAGE No: 8 of 12

FACILITY LOCATION: Land from Unit 5
SOURCE LOCATION: 40
SOURCE LOCATION: _____
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____

DATE STARTED: 9-1-11
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F.A.

PIT TYPE: _____

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.


DEPTH TO GROUNDWATER: _____
NEAREST WATER SOURCE/TYPE: _____
NEAREST SURFACE WATER: _____
MAX TPH PER NMOC: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

Treatment Zone 13"

FACILITY DIAGRAM

GRID SCALE: _____



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: _____
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 102-60002
PAGE No: 9 of 12

FACILITY LOCATION: Landfarm Unit 5
SOURCE LOCATION: 41
SOURCE LOCATION: _____
SOURCE LOCATION: _____
FACILITY CLASSIFICATION: _____ PIT TYPE: _____

DATE STARTED: 9-1-11
DATE FINISHED: _____

ENVIRONMENTAL
SPECIALIST: F.A.

SOIL REMEDIATION: QUANTITY: _____ # OF COMP. SAMPLES: _____

DIMENSIONS: _____

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: _____

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX _____ YARDS _____ FROM WELLHEAD.

DEPTH TO GROUNDWATER: _____

NEAREST WATER SOURCE/TYPE: _____

NEAREST SURFACE WATER: _____


MAX TPH PER NMOC: _____

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

Treatment zone 13"

FACILITY DIAGRAM

GRID SCALE: _____



OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM

NORTH

WELLHEAD

SURFACE
FLOW DIR.

ESTIMATED
GROUNDWATER
FLOW DIR.