

NM1-11

**Discontinued
Maintenance Status
Request**

**Date:
2001**

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

March 26, 2001

Mr. Denny Foust
State of New Mexico Oil Conservation Division
1000 Rio Brazos Rd
Aztec, New Mexico 87410

Dear Mr. Foust

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soil contained in the following cell located within the Envirotech Soil Remediation Facility (ESRF), Landfarm # 2 Unit 5, Hilltop, New Mexico.

Cells:

S-10, S-11, S-12

T-11, T-12, T-13

U-11, U-12, U-14

V-12

W-13, W-14

X-12, X-13

Y-11

Z-10, Z-11, Z-12, Z-13

AA-11, AA-12, AA-13, AA-14

BB-12, BB-13, BB-14


CC-12, CC-13, CC-14

DD-13 and DD-14



Should you have any questions or require additional information, please do not hesitate to contact me at (505) 632-0615.

Respectfully submitted,
Envirotech, Inc.


Christine M. Walters
Laboratory Coordinator / Environmental Scientist

CMW/cmw

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Date: 11/29/01

Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

DD	CC	BB
		13
	X	X
	X	X
		14

Landfarm # 2 Unit 5 Cell (s): CC - 13

Sample Date: 4/11/01 Sampler: R. Elliott

Type: 5 PT. COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell CC-13/ 19544	PASS	<0.0018	<0.0022	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell CC - 13	Date Reported:	04-16-01
Laboratory Number:	19544	Date Sampled:	04-11-01
Chain of Custody:	9208	Date Received:	04-11-01
Sample Matrix:	Soil	Date Analyzed:	04-13-01
Preservative:	Cool	Date Extracted:	04-12-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

Comments: LF #2, Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell CC - 13	Date Reported:	04-16-01
Laboratory Number:	19544	Date Sampled:	04-11-01
Chain of Custody No:	9208	Date Received:	04-11-01
Sample Matrix:	Soil	Date Extracted:	04-12-01
Preservative:	Cool	Date Analyzed:	04-13-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF #2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

09208

Client / Project Name Envirotech Inc			Project Location LFH2 unit 5		ANALYSIS / PARAMETERS								
Sampler: R Elliott			Client No. 91020-005		No. of Containers	8015 TOL	BTEX					Remarks 5 pt	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell T-15	4-11-01	7:45	19543	Soil	1	✓	✓					Composite	
Cell CC-13	I	9:00	19544	I	1	✓	✓					Closure	
Cell CC-14	I	8:15	19545	I	1	✓	✓					Sample	
Cell CC-15	I	7:30	19546	I	1	✓	✓						
Relinquished by: (Signature) R. Elliott			Date 4-11	Time 4:00 PM	Received by: (Signature) Christine Warten						Date 4-11-01	Time 4:06	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Date: 11/29/01



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Joseph E Saegram & Son 97077	12/04/1997		Tex Pac. Gallup Horseshoe Field	140
Joseph E Saegram & Son 97077	12/03/1997		Tex Pac. Gallup Horseshoe Field	140
Conoco 97070-01	12/16/1997		Farmington Com #1	280

Sampling Documentation:

EE	DD	CC	
			14
	X	X	
	X	X	15

Landfarm # 2 Unit 5 Cell (s): DD - 14

Sample Date: 11/01/01 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell DD-14/21374	PASS	<0.0018	<0.0022	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	DD 14	Date Reported:	11-08-01
Laboratory Number:	21374	Date Sampled:	11-01-01
Chain of Custody:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-08-01
Preservative:	Cool	Date Extracted:	11-06-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	DD 14	Date Reported:	11-08-01
Laboratory Number:	21374	Date Sampled:	11-01-01
Chain of Custody No:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Extracted:	11-06-01
Preservative:	Cool	Date Analyzed:	11-08-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Reviewer

CHAIN OF CUSTODY RECORD

09618


Client / Project Name EnviroTech, Inc.			Project Location Landfarm 2 unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015					Remarks 5 point closure samples	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
DD14	11/1/01	9:19	21374	Soil	1	✓	✓						
DD13	11/1/01	9:30	21375	Soil	1	✓	✓						
CC12	11/1/01	9:40	21376	Soil	1	✓	✓						
CC14	11/1/01	9:55	21377	Soil	1	✓	✓						
BB14	11/1/01	10:05	21378	Soil	1	✓	✓						
BB13	11/1/01	10:15	21379	Soil	1	✓	✓						
BB12	11/1/01	10:30	21380	Soil	1	✓	✓						
AA12	11/1/01	10:45	21381	Soil	1	✓	✓						
AA13	11/1/01	10:50	21382	Soil	1	✓	✓						
AA14	11/1/01	11:00	21383	Soil	1	✓	✓						
Relinquished by: (Signature) <i>[Signature]</i>			Date 11/1/01	Time 12:50	Received by: (Signature) <i>[Signature]</i>			Date 11-1-01	Time 12:50				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Date: 11/29/01




Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Joseph E Saegram & Son 97077	12/04/1997		Tex Pac. Gallup Horseshoe Field	140
Joseph E Saegram & Son 97077	12/03/1997		Tex Pac. Gallup Horseshoe Field	40
Conoco 97070-01	12/15/1997		Farmington Corn #1	160
Conoco 97070-01	12/16/1997		Farmington Corn #1	20
Apache Corp/MW Corp 95046-01	12/02/1997		Evap. Pond solids w/ Lindrith T.B.	18

Sampling Documentation:



Landfarm # 2 Unit 5 Cell (s): DD - 13

Sample Date: 11/01/01 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell DD-13/21375	PASS	<0.0018	0.143	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	DD 13	Date Reported:	11-08-01
Laboratory Number:	21375	Date Sampled:	11-01-01
Chain of Custody No:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Extracted:	11-06-01
Preservative:	Cool	Date Analyzed:	11-08-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Reviewer

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	DD 13	Date Reported:	11-08-01
Laboratory Number:	21375	Date Sampled:	11-01-01
Chain of Custody:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-08-01
Preservative:	Cool	Date Extracted:	11-06-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	42.5	1.7
Ethylbenzene	10.8	1.5
p,m-Xylene	71.4	2.2
o-Xylene	18.2	1.0
Total BTEX	143	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846
USEPA, December 1996

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

09618

Client / Project Name EnviroTech, Inc.			Project Location Landfarm 2 unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015					Remarks 5 point closure samples	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
DD14	11/1/01	9:19	21374	Soil	1	✓	✓						
DD13	11/1/01	9:30	21375	Soil	1	✓	✓						
CC12	11/1/01	9:40	21376	Soil	1	✓	✓						
CC14	11/1/01	9:55	21377	Soil	1	✓	✓						
BB14	11/1/01	10:05	21378	Soil	1	✓	✓						
BB13	11/1/01	10:15	21379	Soil	1	✓	✓						
BB12	11/1/01	10:30	21380	Soil	1	✓	✓						
AA12	11/1/01	10:45	21381	Soil	1	✓	✓						
AA13	11/1/01	10:50	21382	Soil	1	✓	✓						
AA14	11/1/01	11:00	21383	Soil	1	✓	✓						
Relinquished by: (Signature) <i>[Signature]</i>			Date 11/1/01	Time 12:50	Received by: (Signature) <i>Christ Walt</i>						Date 11-1-01	Time 12:50	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Date: 11/29/01




Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Conoco 97070-02	9/17/98		San Juan 28-7 #58	12

Sampling Documentation:



Landfarm # 2 Unit 5 Cell (s): CC - 12

Sample Date: 11/01/01 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell CC-12/21376	PASS	<0.0018	0.0032	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M Walters
Christine M Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Envirotech, Inc.
Sample ID: CC 12
Laboratory Number: 21376
Chain of Custody No: 9618
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact


Project #: 91020-005
Date Reported: 11-08-01
Date Sampled: 11-01-01
Date Received: 11-01-01
Date Extracted: 11-06-01
Date Analyzed: 11-08-01
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	CC 12	Date Reported:	11-08-01
Laboratory Number:	21376	Date Sampled:	11-01-01
Chain of Custody:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-08-01
Preservative:	Cool	Date Extracted:	11-06-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	3.2	2.2
o-Xylene	ND	1.0
Total BTEX	3.2	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW 846, USEPA, December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

09618

Client / Project Name EnviroTech, Inc.			Project Location Landfarm 2 unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015					Remarks Spot Closure Samples	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
DD14	11/1/01	9:19	21374	Soil	1	✓	✓						
DD13	11/1/01	9:30	21375	Soil	1	✓	✓						
CC12	11/1/01	9:40	21376	Soil	1	✓	✓						
CC14	11/1/01	9:55	21377	Soil	1	✓	✓						
BB14	11/1/01	10:05	21378	Soil	1	✓	✓						
BB13	11/1/01	10:15	21379	Soil	1	✓	✓						
BB12	11/1/01	10:30	21380	Soil	1	✓	✓						
AA12	11/1/01	10:45	21381	Soil	1	✓	✓						
AA13	11/1/01	10:50	21382	Soil	1	✓	✓						
AA14	11/1/01	11:00	21383	Soil	1	✓	✓						
Relinquished by: (Signature) <i>[Signature]</i>			Date 11/1/01	Time 12:50	Received by: (Signature) <i>Christ Walt</i>						Date 11-1-01	Time 12:50	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Joseph E. Saegram & Sons 97077	12/05/1997		Tex Pac. Gallup Horseshoe Field	60
Tidewater 95008	10/30/1997		Ute 32-U #151	63
Haliburton 92132	10/30/1997			20
Apache Corp/MW Corp 95046-01	12/01/1997		Evap. Pond Solids w/Lindrith T.B.	114
Apache Corp/MW Corp 95046-01	12/05/1997		Evap. Pond Solids w/Lindrith T.B.	40

Sampling Documentation:

DD	CC	BB	
			14
	X	X	
	X	X	15
	X	X	

Landfarm # 2 Unit 5 Cell (s): CC - 14


Sample Date: 11/01/01 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell CC-14/21377	PASS	0.0031	0.0031	<0.2

Respectfully submitted,
Envirotech, Inc.


Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	CC 14	Date Reported:	11-08-01
Laboratory Number:	21377	Date Sampled:	11-01-01
Chain of Custody No:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Extracted:	11-06-01
Preservative:	Cool	Date Analyzed:	11-08-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics. Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	CC 14	Date Reported:	11-08-01
Laboratory Number:	21377	Date Sampled:	11-01-01
Chain of Custody:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-08-01
Preservative:	Cool	Date Extracted:	11-06-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	3.1	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	3.1	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

09618

Client / Project Name EnviroTech, Inc.			Project Location Landfarm 2 unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								Spot Closure Samples	
DD14	11/1/01	9:19	21374	Soil	1	✓	✓						
DD13	11/1/01	9:30	21375	Soil	1	✓	✓						
CC12	11/1/01	9:40	21376	Soil	1	✓	✓						
CC14	11/1/01	9:55	21377	Soil	1	✓	✓						
BB14	11/1/01	10:05	21378	Soil	1	✓	✓						
BB13	11/1/01	10:15	21379	Soil	1	✓	✓						
BB12	11/1/01	10:30	21380	Soil	1	✓	✓						
AA12	11/1/01	10:45	21381	Soil	1	✓	✓						
AA13	11/1/01	10:50	21382	Soil	1	✓	✓						
AA14	11/1/01	11:00	21383	Soil	1	✓	✓						
Relinquished by: (Signature) 			Date 11/1/01	Time 12:50	Received by: (Signature) 						Date 11-1-01	Time 12:50	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504




Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Conoco 97070	09/25/1997		Farmington B Com #1E	96
Conoco 97070	09/26/2001		Farmington B Com #1E	67
Western Gas Resources 92187	10/09/1997		San Juan River Plant	10
Schlumberger POI 97033-04	05/19/2000			12

Sampling Documentation:



Landfarm # 2 Unit 5

Cell (s): BB - 14

Sample Date: 11/01/01

Sampler: KPK

Type: 5 PT COMPOSITE

Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell BB-14/21378	PASS	<0.0018	<0.0022	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	BB 14	Date Reported:	11-08-01
Laboratory Number:	21378	Date Sampled:	11-01-01
Chain of Custody No:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Extracted:	11-06-01
Preservative:	Cool	Date Analyzed:	11-08-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	BB 14	Date Reported:	11-08-01
Laboratory Number:	21378	Date Sampled:	11-01-01
Chain of Custody:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-08-01
Preservative:	Cool	Date Extracted:	11-06-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Reviewer

CHAIN OF CUSTODY RECORD

09618


Client / Project Name EnviroTech, Inc.			Project Location Landform 2 Unit 5		ANALYSIS / PARAMETERS									
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015					Remarks		
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								5 point Closure Samples		
DD14	11/1/01	9:19	21374	Soil	1	✓	✓							
DD13	11/1/01	9:30	21375	Soil	1	✓	✓							
CC12	11/1/01	9:40	21376	Soil	1	✓	✓							
CC14	11/1/01	9:55	21377	Soil	1	✓	✓							
BB14	11/1/01	10:05	21378	Soil	1	✓	✓							
BB13	11/1/01	10:15	21379	Soil	1	✓	✓							
BB12	11/1/01	10:30	21380	Soil	1	✓	✓							
AA12	11/1/01	10:45	21381	Soil	1	✓	✓							
AA13	11/1/01	10:50	21382	Soil	1	✓	✓							
AA14	11/1/01	11:00	21383	Soil	1	✓	✓							
Relinquished by: (Signature) <i>[Signature]</i>			Date 11/1/01	Time 12:50	Received by: (Signature) <i>Christ Walk</i>						Date 11-1-01	Time 12:50		
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615											Sample Receipt			
												Y	N	N/A
											Received Intact	✓		
											Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Conoco 97070	09/25/1997		Farmington B Com #1E	165
Apache Corp/ MW Corp 95046-01	11/26/1997		Evap. Pond Solids w/ Lindrith T.B.	54

Sampling Documentation:

CC	BB	AA	
			13
	X	X	
	X	X	14

Landfarm # 2 Unit 5 Cell(s): BB - 13

Sample Date: 11/01/01 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell BB-13/21379	PASS	<0.0018	<0.0022	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	BB 13	Date Reported:	11-08-01
Laboratory Number:	21379	Date Sampled:	11-01-01
Chain of Custody No:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Extracted:	11-06-01
Preservative:	Cool	Date Analyzed:	11-08-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,
SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	BB 13	Date Reported:	11-08-01
Laboratory Number:	21379	Date Sampled:	11-01-01
Chain of Custody:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-08-01
Preservative:	Cool	Date Extracted:	11-06-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

09618

Client / Project Name EnviroTech, Inc.			Project Location Landfarm 2 unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								5 point Closure Samples	
DD14	11/1/01	9:19	21374	Soil	1	✓	✓						
DD13	11/1/01	9:30	21375	Soil	1	✓	✓						
CC12	11/1/01	9:40	21376	Soil	1	✓	✓						
CC14	11/1/01	9:55	21377	Soil	1	✓	✓						
BB14	11/1/01	10:05	21378	Soil	1	✓	✓						
BB13	11/1/01	10:15	21379	Soil	1	✓	✓						
BB12	11/1/01	10:30	21380	Soil	1	✓	✓						
AA12	11/1/01	10:45	21381	Soil	1	✓	✓						
AA13	11/1/01	10:50	21382	Soil	1	✓	✓						
AA14	11/1/01	11:00	21383	Soil	1	✓	✓						
Relinquished by: (Signature)			Date	Time	Received by: (Signature)						Date	Time	
			11/1/01	12:50							11-1-01	12:50	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504




Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF), Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Apache Corp/ MW Corp 95046-01	11/25/1997		Evap. Pond Solids w/ Lindrith T.B.	72
Apache Corp/ MW Corp 95046-01	11/26/1997		Evap. Pond Solids w/ Lindrith T.B.	72

Sampling Documentation:



Landfarm # 2 Unit 5 Cell (s): BB - 12

Sample Date: 11/01/01 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell BB-12/21380	PASS	<0.0018	<0.0022	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	BB 12	Date Reported:	11-08-01
Laboratory Number:	21380	Date Sampled:	11-01-01
Chain of Custody No:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Extracted:	11-06-01
Preservative:	Cool	Date Analyzed:	11-08-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846. USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	BB 12	Date Reported:	11-08-01
Laboratory Number:	21380	Date Sampled:	11-01-01
Chain of Custody:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-08-01
Preservative:	Cool	Date Extracted:	11-06-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030E, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

09618

Client / Project Name EnviroTech, Inc.			Project Location Landfarm 2 unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								5 point closure samples	
DD14	11/1/01	9:19	21374	Soil	1	✓	✓						
DD13	11/1/01	9:30	21375	Soil	1	✓	✓						
CC12	11/1/01	9:40	21376	Soil	1	✓	✓						
CC14	11/1/01	9:55	21377	Soil	1	✓	✓						
BB14	11/1/01	10:05	21378	Soil	1	✓	✓						
BB13	11/1/01	10:15	21379	Soil	1	✓	✓						
BB12	11/1/01	10:30	21380	Soil	1	✓	✓						
AA12	11/1/01	10:45	21381	Soil	1	✓	✓						
AA13	11/1/01	10:50	21382	Soil	1	✓	✓						
AA14	11/1/01	11:00	21383	Soil	1	✓	✓						
Relinquished by: (Signature) <i>[Signature]</i>			Date 11/1/01	Time 12:50	Received by: (Signature) <i>Christ Walt</i>						Date 11-1-01	Time 12:50	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Date: 11/29/01



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Conoco	93115	09/05/1997	Farmington Com #1	99
Conoco	93115	09/05/1997	Farmington Com #1	30
Pesco	92142-01	11/01/2000	Tank Bottoms	80

Sampling Documentation:

BB	AA	Z
		14
	X	X
	X	X
	X	X
		15

Landfarm # 2 Unit 5 Cell (s): AA - 14

Sample Date: 11/01/01 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell AA-14/21383	PASS	<0.0018	<0.0022	39.9

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	AA 14	Date Reported:	11-08-01
Laboratory Number:	21383	Date Sampled:	11-01-01
Chain of Custody No:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Extracted:	11-06-01
Preservative:	Cool	Date Analyzed:	11-08-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	39.9	0.1
Total Petroleum Hydrocarbons	39.9	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRactical SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	AA 14	Date Reported:	11-08-01
Laboratory Number:	21383	Date Sampled:	11-01-01
Chain of Custody:	9618	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-08-01
Preservative:	Cool	Date Extracted:	11-06-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5-Point Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

09618

Client / Project Name EnviroTech, Inc.			Project Location Landfarm 2 unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								5 point Closure Samples	
DD14	11/1/01	9:19	21374	Soil	1	✓	✓						
DD13	11/1/01	9:30	21375	Soil	1	✓	✓						
CC12	11/1/01	9:40	21376	Soil	1	✓	✓						
CC14	11/1/01	9:55	21377	Soil	1	✓	✓						
BB14	11/1/01	10:05	21378	Soil	1	✓	✓						
BB13	11/1/01	10:15	21379	Soil	1	✓	✓						
BB12	11/1/01	10:30	21380	Soil	1	✓	✓						
AA12	11/1/01	10:45	21381	Soil	1	✓	✓						
AA13	11/1/01	10:50	21382	Soil	1	✓	✓						
AA14	11/1/01	11:00	21383	Soil	1	✓	✓						
Relinquished by: (Signature)			Date	Time	Received by: (Signature)						Date	Time	
			11/1/01	12:50							11-1-01	12:50	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

T	S	R	
			12
	X	X	
	X	X	13
	X	X	

Landfarm # 2 Unit 5

Cell (s): S - 12

Sample Date: 9/13/01

Sampler: KPK & JSL

Type: 5 PT COMPOSITE

Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell S-12/2088	PASS	0.0029	0.0997	28.3

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters

Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech Inc	Project #:	91020-005
Sample ID:	Cell S - 12	Date Reported:	09-14-01
Laboratory Number:	20883	Date Sampled:	09-13-01
Chain of Custody No:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Extracted:	09-13-01
Preservative:	Cool	Date Analyzed:	09-14-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.5	0.2
Diesel Range (C10 - C28)	27.8	0.1
Total Petroleum Hydrocarbons	28.3	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2, Unit 5 5 Pt. Composite Closure Sample.


Analyst


Reviewer

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech Inc.	Project #:	91020-005
Sample ID:	Cell S - 12	Date Reported:	09-14-01
Laboratory Number:	20883	Date Sampled:	09-13-01
Chain of Custody:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Analyzed:	09-14-01
Preservative:	Cool	Date Extracted:	09-13-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	2.9	1.8
Toluene	96.8	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	99.7	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08700


Client / Project Name Envirotech Inc			Project Location Landfarm 2-5		ANALYSIS / PARAMETERS								
Sampler: KPK + JSL			Client No. 91020-005		No. of Containers	8015 TPH	BTEX 8021					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell S-14	9-13-01	9:30	20881	Soil	1	✓	✓					Spt Closure Composite ↓	
Cell S-13	9-13-01	9:40	20882	Soil	1	✓	✓						
Cell S-12	9-13-01	9:52	20883	Soil	1	✓	✓						
Cell S-11	9-13-01	10:01	20884	Soil	1	✓	✓						
Cell S-10	9-13-01	10:09	20885	Soil	1	✓	✓						
Cell T-14	9-13-01	10:53	20886	Soil	1	✓	✓						
Cell T-13	9-13-01	10:45	20887	Soil	1	✓	✓						
Cell T-12	9-13-01	10:35	20888	Soil	1	✓	✓						
Cell T-11	9-13-01	10:25	20889	Soil	1	✓	✓						
Cell T-14	9-13-01	11:00	20890	Soil	1	✓	✓						
Relinquished by: (Signature) <i>Joel Saunders Lee</i>			Date 9-13-01	Time 1147	Received by: (Signature) <i>[Signature]</i>						Date 09-13-01	Time 1147	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF)-Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

T	S	R	
			11
	X	X	
	X	X	12

Landfarm # 2 Unit 5 Cell (s): S - 11

Sample Date: 9/13/01 Sampler: KPK & JSL

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell S-11/20884	PASS	<0.0018	<0.0022	10.4

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech Inc	Project #:	91020-005
Sample ID:	Cell S - 11	Date Reported:	09-14-01
Laboratory Number:	20884	Date Sampled:	09-13-01
Chain of Custody No:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Extracted:	09-13-01
Preservative:	Cool	Date Analyzed:	09-14-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	10.4	0.1
Total Petroleum Hydrocarbons	10.4	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2, Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech Inc.	Project #:	91020-005
Sample ID:	Cell S - 11	Date Reported:	09-14-01
Laboratory Number:	20884	Date Sampled:	09-13-01
Chain of Custody:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Analyzed:	09-14-01
Preservative:	Cool	Date Extracted:	09-13-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Reviewer

CHAIN OF CUSTODY RECORD

08700

Client / Project Name Envirotech Inc			Project Location Landfarm 2-5		ANALYSIS / PARAMETERS								
Sampler: KPK + JSL			Client No. 91020-005		No. of Containers	801 S TPH	BTEX 8021					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell S-14	9-13-01	9:30	20881	Soil	1	✓	✓					Spt Closure Composite ↓	
Cell S-13	9-13-01	9:40	20882	Soil	1	✓	✓						
Cell S-12	9-13-01	9:52	20883	Soil	1	✓	✓						
Cell S-11	9-13-01	10:01	20884	Soil	1	✓	✓						
Cell S-10	9-13-01	10:09	20885	Soil	1	✓	✓						
Cell T-14	9-13-01	10:53	20886	Soil	1	✓	✓						
Cell T-13	9-13-01	10:45	20887	Soil	1	✓	✓						
Cell T-12	9-13-01	10:35	20888	Soil	1	✓	✓						
Cell T-11	9-13-01	10:25	20889	Soil	1	✓	✓						
Cell T-14	9-13-01	11:00	20890	Soil	1	✓	✓						
Relinquished by: (Signature) <i>Josh Saunders Lee</i>			Date 9-13-01	Time 1147	Received by: (Signature) <i>[Signature]</i>						Date 09-13-01	Time 1147	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

T	S	R	
			10
	X	X	
	X		
	X	X	11

Landfarm # 2 Unit 5 Cell (s): S - 10

Sample Date: 9/13/01 Sampler: KPK & JSL

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell S-10/2088	PASS	<0.0018	<0.0022	3.9

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Envirotech Inc
Sample ID: Cell S - 10
Laboratory Number: 20885
Chain of Custody No: 8700
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact


Project #: 91020-005
Date Reported: 09-14-01
Date Sampled: 09-13-01
Date Received: 09-13-01
Date Extracted: 09-13-01
Date Analyzed: 09-14-01
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	3.9	0.1
Total Petroleum Hydrocarbons	3.9	0.2

ND - Parameter not detected at the stated detection limit

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2, Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech Inc.	Project #:	91020-005
Sample ID:	Cell S - 10	Date Reported:	09-14-01
Laboratory Number:	20885	Date Sampled:	09-13-01
Chain of Custody:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Analyzed:	09-14-01
Preservative:	Cool	Date Extracted:	09-13-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08700

Client / Project Name Envirotech Inc			Project Location Landfarm 2-5		ANALYSIS / PARAMETERS								
Sampler: KPK + JSL			Client No. 91020-005		No. of Containers	801 S TPH	BTEX 8021					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell S-14	9-13-01	9:30	20881	Soil	1	✓	✓					5pt Closure Composite ↓	
Cell S-13	9-13-01	9:40	20882	Soil	1	✓	✓						
Cell S-12	9-13-01	9:52	20883	Soil	1	✓	✓						
Cell S-11	9-13-01	10:01	20884	Soil	1	✓	✓						
Cell S-10	9-13-01	10:09	20885	Soil	1	✓	✓						
Cell T-14	9-13-01	10:53	20886	Soil	1	✓	✓						
Cell T-13	9-13-01	10:45	20887	Soil	1	✓	✓						
Cell T-12	9-13-01	10:35	20888	Soil	1	✓	✓						
Cell T-11	9-13-01	10:25	20889	Soil	1	✓	✓						
Cell T-14	9-13-01	11:00	20890	Soil	1	✓	✓						
Relinquished by: (Signature) <i>Joel Saunders Lee</i>			Date 9-13-01	Time 1147	Received by: (Signature) <i>[Signature]</i>						Date 09-13-01	Time 1147	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

U	T	S
	x	x
		x
	x	x

Landfarm # 2 Unit 5

Cell (s): T - 13

Sample Date: 9/13/01

Sampler: KPK & JSL

Type: 5 PT COMPOSITE

Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell T-13/20887	PASS	<0.0018	<0.0022	53.3

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech Inc	Project #:	91020-005
Sample ID:	Cell T - 13	Date Reported:	09-14-01
Laboratory Number:	20887	Date Sampled:	09-13-01
Chain of Custody No:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Extracted:	09-13-01
Preservative:	Cool	Date Analyzed:	09-14-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	53.3	0.1
Total Petroleum Hydrocarbons	53.3	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2, Unit 5 5 Pt. Composite Closure Sample.


Analyst


Reviewer

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech Inc.	Project #:	91020-005
Sample ID:	Cell T - 13	Date Reported:	09-14-01
Laboratory Number:	20887	Date Sampled:	09-13-01
Chain of Custody:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Analyzed:	09-14-01
Preservative:	Cool	Date Extracted:	09-13-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08700


Client / Project Name Envirotech Inc			Project Location Landfarm 2-5		ANALYSIS / PARAMETERS								
Sampler: KPK + JSL			Client No. 91020-005		No. of Containers	801 S TPH	BTEX 8021					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell S-14	9-13-01	9:30	20881	Soil	1	✓	✓					5pt Closure Composite ↓	
Cell S-13	9-13-01	9:40	20882	Soil	1	✓	✓						
Cell S-12	9-13-01	9:52	20883	Soil	1	✓	✓						
Cell S-11	9-13-01	10:01	20884	Soil	1	✓	✓						
Cell S-10	9-13-01	10:09	20885	Soil	1	✓	✓						
Cell T-14	9-13-01	10:53	20886	Soil	1	✓	✓						
Cell T-13	9-13-01	10:45	20887	Soil	1	✓	✓						
Cell T-12	9-13-01	10:35	20888	Soil	1	✓	✓						
Cell T-11	9-13-01	10:25	20889	Soil	1	✓	✓						
Cell U-14	9-13-01	11:00	20890	Soil	1	✓	✓						
Relinquished by: (Signature) <i>Josh Saunders Lee</i>			Date 9-13-01	Time 1147	Received by: (Signature) <i>[Signature]</i>						Date 09-13-01	Time 1147	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

U	T	S
	X	X
	X	
	X	X

Landfarm # 2 Unit 5

Cell (s): T - 12

Sample Date: 9/13/01

Sampler: KPK & JSL

Type: 5 PT COMPOSITE

Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell T-12/20888	PASS	<0.0018	0.104	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech Inc	Project #:	91020-005
Sample ID:	Cell T - 12	Date Reported:	09-14-01
Laboratory Number:	20888	Date Sampled:	09-13-01
Chain of Custody No:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Extracted:	09-13-01
Preservative:	Cool	Date Analyzed:	09-14-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B. Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2, Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech Inc.	Project #:	91020-005
Sample ID:	Cell T - 12	Date Reported:	09-14-01
Laboratory Number:	20888	Date Sampled:	09-13-01
Chain of Custody:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Analyzed:	09-14-01
Preservative:	Cool	Date Extracted:	09-13-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	98.7	1.7
Ethylbenzene	5.3	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	104	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	94 %
	1,4-difluorobenzene	94 %
	Bromochlorobenzene	94 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


David L. Caplan
Analyst


Christine M. Walters
Analyst

CHAIN OF CUSTODY RECORD

08700

Client / Project Name Envirotech Inc			Project Location Landfarm 2-5		ANALYSIS / PARAMETERS								
Sampler: KPK + JSL			Client No. 91020-005		No. of Containers	801S TPH	BTEX 8021					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell S-14	9-13-01	9:30	20881	Soil	1	✓	✓					5pt Closure Composite ↓	
Cell S-13	9-13-01	9:40	20882	Soil	1	✓	✓						
Cell S-12	9-13-01	9:52	20883	Soil	1	✓	✓						
Cell S-11	9-13-01	10:01	20884	Soil	1	✓	✓						
Cell S-10	9-13-01	10:09	20885	Soil	1	✓	✓						
Cell T-14	9-13-01	10:53	20886	Soil	1	✓	✓						
Cell T-13	9-13-01	10:45	20887	Soil	1	✓	✓						
Cell T-12	9-13-01	10:35	20888	Soil	1	✓	✓						
Cell T-11	9-13-01	10:25	20889	Soil	1	✓	✓						
Cell U-14	9-13-01	11:00	20890	Soil	1	✓	✓						
Relinquished by: (Signature) <i>Josh Saunders Lee</i>			Date 9-13-01	Time 1147	Received by: (Signature) <i>[Signature]</i>						Date 09-13-01	Time 1147	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

U	T	S
		11
	X	X
	X	
	X	X
		12

Landfarm # 2 Unit 5

Cell (s): T - 11

Sample Date: 9/13/01

Sampler: KPK & JSL

Type: 5 PT COMPOSITE

Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell T-11/20889	PASS	<0.0018	<0.0022	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech Inc	Project #:	91020-005
Sample ID:	Cell T - 11	Date Reported:	09-14-01
Laboratory Number:	20889	Date Sampled:	09-13-01
Chain of Custody No:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Extracted:	09-13-01
Preservative:	Cool	Date Analyzed:	09-14-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996

Comments: Landfarm 2, Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech Inc.	Project #:	91020-005
Sample ID:	Cell T - 11	Date Reported:	09-14-01
Laboratory Number:	20889	Date Sampled:	09-13-01
Chain of Custody:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Analyzed:	09-14-01
Preservative:	Cool	Date Extracted:	09-13-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08700

Client / Project Name Envirotech Inc			Project Location Landfarm 2-5		ANALYSIS / PARAMETERS								
Sampler: KPK + JSL			Client No. 91020-005		No. of Containers	801S TPH	BTEX 8021					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell S-14	9-13-01	9:30	20881	Soil	1	✓	✓					5pt Closure Composite ↓	
Cell S-13	9-13-01	9:40	20882	Soil	1	✓	✓						
Cell S-12	9-13-01	9:52	20883	Soil	1	✓	✓						
Cell S-11	9-13-01	10:01	20884	Soil	1	✓	✓						
Cell S-10	9-13-01	10:09	20885	Soil	1	✓	✓						
Cell T-14	9-13-01	10:53	20886	Soil	1	✓	✓						
Cell T-13	9-13-01	10:45	20887	Soil	1	✓	✓						
Cell T-12	9-13-01	10:35	20888	Soil	1	✓	✓						
Cell T-11	9-13-01	10:25	20889	Soil	1	✓	✓						
Cell U-14	9-13-01	11:00	20890	Soil	1	✓	✓						
Relinquished by: (Signature) <i>Josh Saunders Lee</i>			Date 9-13-01	Time 1147	Received by: (Signature) <i>[Signature]</i>						Date 09-13-01	Time 1147	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF), Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

V	U	T
	X	X
	X	X
	X	X

Landfarm # 2 Unit 5 Cell (s): U - 14

Sample Date: 9/13/01 Sampler: KPK & JSL

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell U-14/2089C	PASS	<0.0018	<0.0022	38.9

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech Inc	Project #:	91020-005
Sample ID:	- Cell U - 14	Date Reported:	09-14-01
Laboratory Number:	20890	Date Sampled:	09-13-01
Chain of Custody No:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Extracted:	09-13-01
Preservative:	Cool	Date Analyzed:	09-14-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	38.9	0.1
Total Petroleum Hydrocarbons	38.9	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste.
SW-846, USEPA, December 1996.

Comments: Landfarm 2, Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech Inc.	Project #:	91020-005
Sample ID:	Cell U - 14	Date Reported:	09-14-01
Laboratory Number:	20890	Date Sampled:	09-13-01
Chain of Custody:	8700	Date Received:	09-13-01
Sample Matrix:	Soil	Date Analyzed:	09-14-01
Preservative:	Cool	Date Extracted:	09-13-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	94 %
	1,4-difluorobenzene	94 %
	Bromochlorobenzene	94 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Reviewer

CHAIN OF CUSTODY RECORD

08700

Client / Project Name Envirotech Inc			Project Location Landfarm 2-5		ANALYSIS / PARAMETERS								
Sampler: KPK + JSL			Client No. 91020-005		No. of Containers	8015 TPH	BTEX 8021					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell S-14	9-13-01	9:30	20881	Soil	1	✓	✓					5pt Closure Composite ↓	
Cell S-13	9-13-01	9:40	20882	Soil	1	✓	✓						
Cell S-12	9-13-01	9:52	20883	Soil	1	✓	✓						
Cell S-11	9-13-01	10:01	20884	Soil	1	✓	✓						
Cell S-10	9-13-01	10:09	20885	Soil	1	✓	✓						
Cell T-14	9-13-01	10:53	20886	Soil	1	✓	✓						
Cell T-13	9-13-01	10:45	20887	Soil	1	✓	✓						
Cell T-12	9-13-01	10:35	20888	Soil	1	✓	✓						
Cell T-11	9-13-01	10:25	20889	Soil	1	✓	✓						
Cell U-14	9-13-01	11:00	20890	Soil	1	✓	✓						
Relinquished by: (Signature) <i>Josh Saunders Lee</i>			Date 9-13-01	Time 1147	Received by: (Signature) <i>[Signature]</i>						Date 09-13-01	Time 1147	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 11/29/01

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF), Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Conoco 93115	06/19/97		Salmon #1	216
Conoco 93115	06/20/97		Salmon #1	28

Sampling Documentation:

BB	AA	Z
12		
13		

Landfarm # 2 Unit 5 Cell (s): AA - 12

Sample Date: 11/01/01 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell AA-12/21381	PASS	<0.0018	<0.0022	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	AA - 12	Date Reported:	01-10-02
Laboratory Number:	21766	Date Sampled:	01-04-02
Chain of Custody No:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Extracted:	01-08-02
Preservative:	Cool	Date Analyzed:	01-10-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	AA - 12	Date Reported:	01-10-02
Laboratory Number:	21766	Date Sampled:	01-04-02
Chain of Custody:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Analyzed:	01-10-02
Preservative:	Cool	Date Extracted:	01-08-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	18.6	1.5
p,m-Xylene	29.7	2.2
o-Xylene	12.3	1.0
Total BTEX	60.6	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.


Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08877

Client / Project Name Envirotech			Project Location Unit 5 LF 2, Hilltop, NM		ANALYSIS / PARAMETERS										
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX	TPH						Remarks Spt Composite Closure Samples		
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix											
AA-13	1/4/02	9:30	21765	Soil	1	✓	✓								
AA-12	↓	9:45	21766	↓	1	✓	✓								
AA-11		10:00	21767		1	✓	✓								
Z-12		10:15	21768		1	✓	✓								
Z-13		10:30	21769		1	✓	✓								
Z-14		10:45	21770		1	✓	✓								
Y-13		11:00	21771		1	✓	✓								
Y-14		11:15	21772		1	✓	✓								
X-14		11:30	21773		1	✓	✓								
Relinquished by: (Signature) 			Date 1/4/02	Time 12:45	Received by: (Signature) 							Date 1-4-02	Time 12:45		
Relinquished by: (Signature)					Received by: (Signature)										
Relinquished by: (Signature)					Received by: (Signature)										
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt					
											Y	N	N/A		
										Received Intact			✓		
										Cool - Ice/Blue Ice			✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
BJ Services 95026	09/03/97		Wash Bay Solids	66
Conoco 93115	9/4-9/5/97		Farmington C Com #1	295
Apache Corp 95046-001	12/04/97	Evap Pond Solids	W. Lowproth T.B.	106
NMOCD 98110	03/31/99		Woosley Santa Fe Energy #1	2

Sampling Documentation:

BB	AA	Z
		13
	X X	
	X X	14

Landfarm # 2 Unit 5 Cell (s): AA - 13

Sample Date: 1/04/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell AA-13/21765	PASS	<0.0018	0.0092	13.1

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	AA - 13	Date Reported:	01-10-02
Laboratory Number:	21765	Date Sampled:	01-04-02
Chain of Custody No:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Extracted:	01-08-02
Preservative:	Cool	Date Analyzed:	01-10-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	13.1	0.1
Total Petroleum Hydrocarbons	13.1	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,
SW-846, USEPA, December 1996.

Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	AA - 13	Date Reported:	01-10-02
Laboratory Number:	21765	Date Sampled:	01-04-02
Chain of Custody:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Analyzed:	01-10-02
Preservative:	Cool	Date Extracted:	01-08-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	3.0	1.5
p,m-Xylene	ND	2.2
o-Xylene	6.2	1.0
Total BTEX	9.2	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.


Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst

Review

CHAIN OF CUSTODY RECORD

08877

Client / Project Name Envirotech			Project Location Unit 5 LF 2, Hilltop, NM		ANALYSIS / PARAMETERS									
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX	TPH						Remarks Spt Composite Closure Samples	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix										
AA-13	1/4/02	9:30	21765	Soil	1	✓	✓							
AA-12	↓	9:45	21766	↓	1	✓	✓							
AA-11		10:00	21767		1	✓	✓							
Z-12		10:15	21768		1	✓	✓							
Z-13		10:30	21769		1	✓	✓							
Z-14		10:45	21770		1	✓	✓							
Y-13		11:00	21771		1	✓	✓							
Y-14		11:15	21772		1	✓	✓							
X-14		11:30	21773		1	✓	✓							
Relinquished by: (Signature) 			Date 1/4/02	Time 12:45	Received by: (Signature) 							Date 1-4-02	Time 12:45	
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt				
											Y	N	N/A	
										Received Intact	✓			
										Cool - Ice/Blue Ice	✓			

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Date: 1/27/02




Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Conoco	93115	06/18/97	Salmon #1	180
Conoco	93115	06/19/97	Salmon #1	72

Sampling Documentation:



Landfarm # 2 Unit 5 Cell (s): AA - 11

Sample Date: 1/04/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell AA-11/21767	PASS	<0.0018	0.0619	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	AA - 11	Date Reported:	01-10-02
Laboratory Number:	21767	Date Sampled:	01-04-02
Chain of Custody No:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Extracted:	01-08-02
Preservative:	Cool	Date Analyzed:	01-10-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	AA - 11	Date Reported:	01-10-02
Laboratory Number:	21767	Date Sampled:	01-04-02
Chain of Custody:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Analyzed:	01-10-02
Preservative:	Cool	Date Extracted:	01-08-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	7.9	1.7
Ethylbenzene	16.2	1.5
p,m-Xylene	22.9	2.2
o-Xylene	14.9	1.0
Total BTEX	61.9	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B. Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B. Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.



Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08877


Client / Project Name Envirotech			Project Location Unit 5 LF 2, Hilltop, NM		ANALYSIS / PARAMETERS									
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX	TPH						Remarks Spt Composite Closure Samples	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix										
AA-13	1/4/02	9:30	21765	Soil	1	✓	✓							
AA-12	1	9:45	21766	1	1	✓	✓							
AA-11		10:00	21767	1	1	✓	✓							
Z-12		10:15	21768	1	1	✓	✓							
Z-13		10:30	21769	1	1	✓	✓							
Z-14		10:45	21770	1	1	✓	✓							
Y-13		11:00	21771	1	1	✓	✓							
Y-14		11:15	21772	1	1	✓	✓							
X-14	✓	11:30	21773	1	1	✓	✓							
Relinquished by: (Signature) 			Date 1/4/02	Time 12:45	Received by: (Signature) 							Date 1-4-02	Time 12:45	
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt				
											Y	N	N/A	
										Received Intact	✓			
										Cool - Ice/Blue Ice	✓			

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Date: 1/27/02



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Phillips Pet. 96052-002	05/14/97		SWD #301 T29 R6	70
Phillips Pet 96052-002	05/15/97		SWD #301 T29 R6	210
Universal Comp 98059-004	03/23/99	Motor Oil	Compressor	12

Sampling Documentation:

AA	Z	Y
	X	X
	X	X

Landfarm # 2 Unit 5 Cell (s): Z - 12

Sample Date: 1/04/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell Z-12/21768	PASS	<0.0018	0.027	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	Z - 12	Date Reported:	01-10-02
Laboratory Number:	21768	Date Sampled:	01-04-02
Chain of Custody No:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Extracted:	01-08-02
Preservative:	Cool	Date Analyzed:	01-10-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Envirotech
Sample ID: Z - 12
Laboratory Number: 21768
Chain of Custody: 8877
Sample Matrix: Soil
Preservative: Cool
Condition: Cool & Intact

Project #: 91020-005
Date Reported: 01-10-02
Date Sampled: 01-04-02
Date Received: 01-04-02
Date Analyzed: 01-10-02
Date Extracted: 01-08-02
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	11.4	1.5
p,m-Xylene	8.5	2.2
o-Xylene	7.1	1.0
Total BTEX	27.0	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.


Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08877

Client / Project Name Envirotech			Project Location Unit 5 LF 2, Hilltop, NM		ANALYSIS / PARAMETERS									
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX	TPH						Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix										
AA-13	1/4/02	9:30	21765	Soil	1	✓	✓						Spt	
AA-12	 	9:45	21766	 	1	✓	✓						Composite	
AA-11	 	10:00	21767	 	1	✓	✓						Closure	
Z-12	 	10:15	21768	 	1	✓	✓						Samples	
Z-13	 	10:30	21769	 	1	✓	✓							
Z-14	 	10:45	21770	 	1	✓	✓							
Y-13	 	11:00	21771	 	1	✓	✓							
Y-14	 	11:15	21772	 	1	✓	✓							
X-14	✓	11:30	21773	✓	1	✓	✓							
Relinquished by: (Signature) 			Date 1/4/02	Time 12:45	Received by: (Signature) 							Date 1-4-02	Time 12:45	
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt				
											Y	N	N/A	
										Received Intact	✓			
										Cool - Ice/Blue Ice	✓			

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF), Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

AA	Z	Y
		13
		14

Landfarm # 2 Unit 5 Cell (s): Z - 13

Sample Date: 1/04/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell Z-13/21769	PASS	<0.0018	0.0266	14.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	Z - 13	Date Reported:	01-10-02
Laboratory Number:	21769	Date Sampled:	01-04-02
Chain of Custody No:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Extracted:	01-08-02
Preservative:	Cool	Date Analyzed:	01-10-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.6	0.2
Diesel Range (C10 - C28)	13.6	0.1
Total Petroleum Hydrocarbons	14.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	Z - 13	Date Reported:	01-10-02
Laboratory Number:	21769	Date Sampled:	01-04-02
Chain of Custody:	8877	Date Received:	01-04-02
Sample Matrix:	Soil	Date Analyzed:	01-10-02
Preservative:	Cool	Date Extracted:	01-08-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	10.9	1.5
p,m-Xylene	9.7	2.2
o-Xylene	6.0	1.0
Total BTEX	26.6	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846 USEPA, December 1996



Comments: LF 2 Unit 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08877

Client / Project Name Envirotech			Project Location Unit 5 LF 2, Hilltop, NM		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	BTEX	TPH					Remarks	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								Spt	
AA-13	1/4/02	9:30	21765	Soil	1	✓	✓					Composite	
AA-12	↓	9:45	21766	↓	1	✓	✓					Closure	
AA-11		10:00	21767		1	✓	✓					Samples	
Z-12		10:15	21768		1	✓	✓						
Z-13		10:30	21769		1	✓	✓						
Z-14		10:45	21770		1	✓	✓						
Y-13		11:00	21771		1	✓	✓						
Y-14		11:15	21772		1	✓	✓						
X-14		11:30	21773		1	✓	✓						
Relinquished by: (Signature) 			Date 1/4/02	Time 12:45	Received by: (Signature) 						Date 1-4-02	Time 12:45	
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504




Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Bayless 92102-003	09/17/99		Tocito Dome	12
Halliburton 92132-002	10/08/99		Cereza Canyon	36

Sampling Documentation:



Landfarm # 2 Unit 5 Cell(s): W - 14


Sample Date: 1/02/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell W-14/21758	PASS	<0.0018	0.105	<0.2

Respectfully submitted,
Envirotech, Inc.


Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell W-14	Date Reported:	01-04-02
Laboratory Number:	21758	Date Sampled:	01-02-02
Chain of Custody No:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Extracted:	01-03-02
Preservative:	Cool	Date Analyzed:	01-04-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell W-14	Date Reported:	01-04-02
Laboratory Number:	21758	Date Sampled:	01-02-02
Chain of Custody:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Analyzed:	01-04-02
Preservative:	Cool	Date Extracted:	01-03-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	20.4	1.5
p,m-Xylene	67.5	2.2
o-Xylene	17.3	1.0
Total BTEX	105	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08876


Client / Project Name <i>Envirotech Inc</i>			Project Location <i>Landfarm 2 Unit 5</i>		ANALYSIS / PARAMETERS								
Sampler: <i>KPK</i>			Client No. <i>91020-005</i>		No. of Containers	<i>8015</i>	<i>Dex</i>					Remarks <i>5pt Composite Closure Samples</i>	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
<i>Cell W-13</i>	<i>1-2-02</i>	<i>14:15</i>	<i>21757</i>	<i>Soil</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
<i>Cell W-14</i>	<i>1</i>	<i>14:00</i>	<i>21758</i>	<i>1</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
<i>Cell Y-11</i>		<i>13:30</i>	<i>21759</i>	<i>1</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
<i>Cell Z-10</i>		<i>13:15</i>	<i>21760</i>	<i>1</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
<i>Cell Z-11</i>	<i>1</i>	<i>13:00</i>	<i>21761</i>	<i>1</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
Relinquished by: (Signature) <i>[Signature]</i>			Date <i>1/2/02</i>	Time <i>1530</i>	Received by: (Signature) <i>Christina Walter</i>			Date <i>1-2-02</i>	Time <i>15:30</i>				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	<i>✓</i>		
										Cool - Ice/Blue Ice	<i>✓</i>		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Phillips Pet. 96052-002	05/16/97		SWD #301 T29 R6	140
Phillips Pet. 96052-002	05/19/97		SWD #301 T29 R6	210

Sampling Documentation:

Z	Y	X	
			11
	X	X	
	X	X	12

Landfarm # 2 Unit 5

Cell (s): Y - 11

Sample Date: 1/02/02

Sampler: KPK

Type: 5 PT COMPOSITE

Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell Y-11/21759	PASS	<0.0018	0.0985	10.8

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell Y-11	Date Reported:	01-04-02
Laboratory Number:	21759	Date Sampled:	01-02-02
Chain of Custody No:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Extracted:	01-03-02
Preservative:	Cool	Date Analyzed:	01-04-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	10.8	0.1
Total Petroleum Hydrocarbons	10.8	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell Y-11	Date Reported:	01-04-02
Laboratory Number:	21759	Date Sampled:	01-02-02
Chain of Custody:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Analyzed:	01-04-02
Preservative:	Cool	Date Extracted:	01-03-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	19.1	1.5
p,m-Xylene	60.5	2.2
o-Xylene	18.9	1.0
Total BTEX	98.5	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.



Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08876


Client / Project Name Envirotech Inc			Project Location Landform 2 Unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	Soils	Diox					Remarks 5pt Composite Closure Samples	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell W-13	1-2-02	14:15	21757	Soil	1	✓	✓						
Cell W-14	1	14:00	21758	I	1	✓	✓						
Cell Y-11		13:30	21759		1	✓	✓						
Cell Z-10		13:15	21760		1	✓	✓						
Cell Z-11		13:00	21761		1	✓	✓						
Relinquished by: (Signature) 			Date 1/2/02	Time 1530	Received by: (Signature) 			Date 1-2-02	Time 15:30				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504




Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Conoco	02/13/97		Shepherd & Kalsey #1E	30
Phillips Pet 96052-002	05/13/97		SWD #301 T29 R6	280
Phillips Pet 96052-002	05/17/97		SWD #301 T29 R6	140

Sampling Documentation:



Landfarm # 2 Unit 5 Cell(s): Z - 10

Sample Date: 1/02/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell Z-10/21760	PASS	<0.0018	0.0128	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell Z-10	Date Reported:	01-04-02
Laboratory Number:	21760	Date Sampled:	01-02-02
Chain of Custody No:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Extracted:	01-03-02
Preservative:	Cool	Date Analyzed:	01-04-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell Z-10	Date Reported:	01-04-02
Laboratory Number:	21760	Date Sampled:	01-02-02
Chain of Custody:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Analyzed:	01-04-02
Preservative:	Cool	Date Extracted:	01-03-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	4.6	1.5
p,m-Xylene	8.2	2.2
o-Xylene	ND	1.0
Total BTEX	12.8	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.



Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08876


Client / Project Name Envirotech Inc			Project Location Landform 2 Unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	8015	Box					Remarks 5pt Composite Closure Samples	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell W-13	1-2-02	14:15	21757	Soil	1	✓	✓						
Cell W-14	1	14:00	21758	I	1	✓	✓						
Cell Y-11		13:30	21759		1	✓	✓						
Cell Z-10		13:15	21760		1	✓	✓						
Cell Z-11		13:00	21761		1	✓	✓						
Relinquished by: (Signature) 			Date 1/2/02	Time 1530	Received by: (Signature) 			Date 1-2-02	Time 15:30				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504




Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Phillips Pet. 96052-002	05/14/97		SWD #301 T29 R6	140

Sampling Documentation:



Landfarm # 2 Unit 5 Cell(s): Z - 11

Sample Date: 1/02/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell Z-11/21761	PASS	<0.0018	0.124	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell Z-11	Date Reported:	01-04-02
Laboratory Number:	21761	Date Sampled:	01-02-02
Chain of Custody No:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Extracted:	01-03-02
Preservative:	Cool	Date Analyzed:	01-04-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell Z-11	Date Reported:	01-04-02
Laboratory Number:	21761	Date Sampled:	01-02-02
Chain of Custody:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Analyzed:	01-04-02
Preservative:	Cool	Date Extracted:	01-03-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	24.9	1.5
p,m-Xylene	77.3	2.2
o-Xylene	21.4	1.0
Total BTEX	124	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.



Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08876


Client / Project Name Envirotech Inc			Project Location Landfarm 2 Unit 5		ANALYSIS / PARAMETERS								
Sampler: KPK			Client No. 91020-005		No. of Containers	8015	diox					Remarks 5pt Composite Closure Samples	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
Cell W-13	1-2-02	14:15	21757	Soil	1	✓	✓						
Cell W-14	1	14:00	21758	I	1	✓	✓						
Cell Y-11		13:30	21759		1	✓	✓						
Cell Z-10		13:15	21760		1	✓	✓						
Cell Z-11		13:00	21761		1	✓	✓						
Relinquished by: (Signature) 			Date 1/2/02	Time 1530	Received by: (Signature) 			Date 1-2-02	Time 15:30				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓		
										Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Phillips Pet 96052	01/28/99		SJ 29-5 32	96
Halliburton 92132	08/25/99		Wash Bay	153
BJ Services 92101	08/25/99		Wash Rack	12
Bayless 92102	09/17/99		Tocito Dome	12
NATCO 97018	08/31/99			8 bbl

Sampling Documentation:

X	W	V
		13
		14

Landfarm # 2 Unit 5 Cell (s): W - 13

Sample Date: 1/02/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell W-13/21757	PASS	<0.0018	0.0861	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Williams 97050-004	11/03/99		Horse Canyon	1 bbl
Western Gas 92187	08/19/99		SJ River Plant	19
PNM 93108-001	10/04/99		Councilors	20

Sampling Documentation:

X	W	V	
			13
	✖	✖	
	✖	✖	14

Landfarm # 2 Unit 5 Cell (s): W - 13 cont

Sample Date: 1/02/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell W-13/21757	PASS	<0.0018	0.0861	<0.2

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell W-13	Date Reported:	01-04-02
Laboratory Number:	21757	Date Sampled:	01-02-02
Chain of Custody No:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Extracted:	01-03-02
Preservative:	Cool	Date Analyzed:	01-04-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech, Inc.	Project #:	91020-005
Sample ID:	Cell W-13	Date Reported:	01-04-02
Laboratory Number:	21757	Date Sampled:	01-02-02
Chain of Custody:	8876	Date Received:	01-02-02
Sample Matrix:	Soil	Date Analyzed:	01-04-02
Preservative:	Cool	Date Extracted:	01-03-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	16.0	1.5
p,m-Xylene	50.4	2.2
o-Xylene	19.7	1.0
Total BTEX	86.1	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Landfarm 2 Unit 5 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08876

Client / Project Name <i>Envirotech Inc</i>			Project Location <i>Landfarm 2 Unit 5</i>		ANALYSIS / PARAMETERS								
Sampler: <i>KPK</i>			Client No. <i>91020-005</i>		No. of Containers	<i>8015</i>	<i>Dtex</i>					Remarks <i>5pt Composite Closure Samples</i>	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
<i>Cell W-13</i>	<i>1-2-02</i>	<i>14:15</i>	<i>21757</i>	<i>Soil</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
<i>Cell W-14</i>	<i>1</i>	<i>14:00</i>	<i>21758</i>	<i>I</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
<i>Cell Y-11</i>	<i>1</i>	<i>13:30</i>	<i>21759</i>	<i>I</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
<i>Cell Z-10</i>	<i>1</i>	<i>13:15</i>	<i>21760</i>	<i>I</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
<i>Cell Z-11</i>	<i>1</i>	<i>13:00</i>	<i>21761</i>	<i>I</i>	<i>1</i>	<i>✓</i>	<i>✓</i>						
Relinquished by: (Signature) <i>[Signature]</i>			Date <i>1/2/02</i>	Time <i>1530</i>	Received by: (Signature) <i>Christa Walter</i>			Date <i>1-2-02</i>	Time <i>15:30</i>				
Relinquished by: (Signature)					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	<i>✓</i>		
										Cool - Ice/Blue Ice	<i>✓</i>		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Phillips Pet. 96052-002	12/02/98		SJ 31-6 CDP #1	20
NATCO 97018	02/04/99	Scale & Btms	Production Equipment	11 drums
BJ Services	01/25/99		Truck accident clean up	12
J&N Exploration '98056-00	06/23/98		Miller B-1	142
J&N Exploration '98056-001	06/24/98		Miller B-1	20

Sampling Documentation:

Y	X	W
		12
		13

Landfarm # 2 Unit 5 Cell (s): X - 12

Sample Date: 1/11/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell X-12/21801	PASS	<0.0018	0.0507	27.7

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	X - 12	Date Reported:	01-22-02
Laboratory Number:	21801	Date Sampled:	01-11-02
Chain of Custody:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Analyzed:	01-21-02
Preservative:	Cool	Date Extracted:	01-15-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	8.3	1.7
Ethylbenzene	5.7	1.5
p,m-Xylene	35.0	2.2
o-Xylene	1.7	1.0
Total BTEX	50.7	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 - 5, Hilltop, NM 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	X -12	Date Reported:	01-22-02
Laboratory Number:	21801	Date Sampled:	01-11-02
Chain of Custody No:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Extracted:	01-15-02
Preservative:	Cool	Date Analyzed:	01-21-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	27.7	0.1
Total Petroleum Hydrocarbons	27.7	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.


Comments: LF 2 - 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08901


Client / Project Name Envirotech			Project Location LF2-5, Hilltop, NM		ANALYSIS / PARAMETERS									
Sampler: Envirotech KPK			Client No. 91020-005		No. of Containers	BTX 8021	TPH 8015						Remarks Spt Composite Closure Sample	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix										
X-13	1-11-02	9:00	21800	SOI	1	✓	✓							
X-12	↓	9:15	21801	↓	1	✓	✓							
V-13		9:45	21802		1	✓	✓							
V-12		10:00	21803		1	✓	✓							
U-13		10:15	21804		1	✓	✓							
U-12		10:30	21805		1	✓	✓							
U-11		11:00	21806		1	✓	✓							
T-14		11:15	21807		1	✓	✓							
Relinquished by: (Signature) 			Date 1-11-02	Time 11:30	Received by: (Signature) 							Date 1-11-02	Time 11:30	
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt				
											Y	N	N/A	
										Received Intact	✓			
										Cool - Ice/Blue Ice	✓			

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
BJ Service 92101	08/25/99		Wash Bay Solids	40
NATCO 97018	05/19/99			9.5bbl
Coastal Chem 95007-005	07/27/99		Blanco	36

Sampling Documentation:

Y	X	W	
			13
			14

Landfarm # 2 Unit 5 Cell (s): X - 13

Sample Date: 1/11/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell X-13/21800	PASS	0.0093	0.0691	29.3

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office
For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	X - 13	Date Reported:	01-22-02
Laboratory Number:	21800	Date Sampled:	01-11-02
Chain of Custody No:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Extracted:	01-15-02
Preservative:	Cool	Date Analyzed:	01-21-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	29.3	0.1
Total Petroleum Hydrocarbons	29.3	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 - 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	X - 13	Date Reported:	01-22-02
Laboratory Number:	21800	Date Sampled:	01-11-02
Chain of Custody:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Analyzed:	01-21-02
Preservative:	Cool	Date Extracted:	01-15-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	9.3	1.8
Toluene	33.5	1.7
Ethylbenzene	13.0	1.5
p,m-Xylene	13.3	2.2
o-Xylene	ND	1.0
Total BTEX	69.1	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.



Comments: LF 2 - 5, Hilltop, NM 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08901

Client / Project Name Enviro tech			Project Location LF2-5, Hilltop, NM		ANALYSIS / PARAMETERS									
Sampler: XXXX KPK			Client No. 91020-005		No. of Containers	BTEX 8021	TPH 8015						Remarks Spt Composite Closure Sample	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix										
X-13	1-11-02	9:00	21800	SO:1	1	✓	✓							
X-12	↓	9:15	21801	↓	1	✓	✓							
V-13		9:45	21802		1	✓	✓							
V-12		10:00	21803		1	✓	✓							
U-13		10:15	21804		1	✓	✓							
U-12		10:30	21805		1	✓	✓							
U-11		11:00	21806		1	✓	✓							
T-14		11:15	21807		1	✓	✓							
Relinquished by: (Signature) 			Date 1-11-02	Time 11:30	Received by: (Signature) 							Date 1-11-02	Time 11:30	
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt				
											Y	N	N/A	
										Received Intact	✓			
										Cool - Ice/Blue Ice	✓			

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF), Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd
Phillips Pet. 96052-002	11/03/98		SJ 29-6 #217	4
Phillips Pet 96052-002	11/03/98		SJ 31-6 #232	8
Western Gas Res 92187	06/25/98	Pigging Waste	San Juan River Pit	10
Animas Env 980301	12/20/99		Vastar T-5 7-B	84

Sampling Documentation:

W	V	U
	X	X
	X	X

Landfarm # 2 Unit 5 Cell (s): V - 12

Sample Date: 1/11/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell V-12/21803	PASS	<0.0018	0.204	2.1

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	V - 12	Date Reported:	01-22-02
Laboratory Number:	21803	Date Sampled:	01-11-02
Chain of Custody:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Analyzed:	01-21-02
Preservative:	Cool	Date Extracted:	01-15-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	204	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	204	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 - 5, Hilltop, NM 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	V - 12	Date Reported:	01-22-02
Laboratory Number:	21803	Date Sampled:	01-11-02
Chain of Custody No:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Extracted:	01-15-02
Preservative:	Cool	Date Analyzed:	01-21-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.6	0.2
Diesel Range (C10 - C28)	1.5	0.1
Total Petroleum Hydrocarbons	2.1	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.



Comments: LF 2 - 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08901


Client / Project Name Envirotech			Project Location LF2-5, Hilltop, NM		ANALYSIS / PARAMETERS							
Sampler: Envirotech KPK			Client No. 91020-005		No. of Containers	BTX 8021	TPH 8015					Remarks Spt Composite Closure Sample
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								
X-13	1-11-02	9:00	21800	SOI	1	✓	✓					
X-12	↓	9:15	21801	↓	1	✓	✓					
V-13		9:45	21802		1	✓	✓					
V-12		10:00	21803		1	✓	✓					
U-13		10:15	21804		1	✓	✓					
U-12		10:30	21805		1	✓	✓					
U-11		11:00	21806		1	✓	✓					
T-14		11:15	21807		1	✓	✓					
Relinquished by: (Signature) 			Date 1-11-02	Time 11:30	Received by: (Signature) 			Date 1-11-02	Time 11:30			
Relinquished by: (Signature)					Received by: (Signature)							
Relinquished by: (Signature)					Received by: (Signature)							
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615								Sample Receipt				
									Y	N	N/A	
								Received Intact	✓			
								Cool - Ice/Blue Ice	✓			

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

V	U	T
	X	12
	X	
	X	13

Landfarm # 2 Unit 5 Cell (s): U - 12


Sample Date: 1/11/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell U-12/21805	PASS	<0.0018	<0.0022	39.2

Respectfully submitted,
Envirotech, Inc.


Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	U - 12	Date Reported:	01-22-02
Laboratory Number:	21805	Date Sampled:	01-11-02
Chain of Custody:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Analyzed:	01-21-02
Preservative:	Cool	Date Extracted:	01-15-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 - 5, Hilltop, NM 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	U - 12	Date Reported:	01-22-02
Laboratory Number:	21805	Date Sampled:	01-11-02
Chain of Custody No:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Extracted:	01-15-02
Preservative:	Cool	Date Analyzed:	01-21-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.6	0.2
Diesel Range (C10 - C28)	38.6	0.1
Total Petroleum Hydrocarbons	39.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.



Comments: LF 2 - 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08901


Client / Project Name Envirotech			Project Location LF2-5, Hilltop, NM		ANALYSIS / PARAMETERS									
Sampler: XXXX KPK			Client No. 91020-005		No. of Containers	BTX 8021	TPH 8015						Remarks Spt Composite Closure Sample	
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix										
X-13	1-11-02	9:00	21800	SO:1	1	✓	✓							
X-12	↓	9:15	21801	↓	1	✓	✓							
V-13		9:45	21802		1	✓	✓							
V-12		10:00	21803		1	✓	✓							
U-13		10:15	21804		1	✓	✓							
U-12		10:30	21805		1	✓	✓							
U-11		11:00	21806		1	✓	✓							
T-14		11:15	21807		1	✓	✓							
Relinquished by: (Signature) 			Date 1-11-02	Time 11:30	Received by: (Signature) 							Date 1-11-02	Time 11:30	
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt				
											Y	N	N/A	
										Received Intact	✓			
										Cool - Ice/Blue Ice	✓			

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Date: 1/27/02



Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.

Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

V	U	T
	X	X
	X	
	X	

Landfarm # 2 Unit 5

Cell (s): U - 11

Sample Date: 1/11/02

Sampler: KPK

Type: 5 PT COMPOSITE

Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell U-11/21806	PASS	<0.0018	0.054	1.7

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	U - 11	Date Reported:	01-22-02
Laboratory Number:	21806	Date Sampled:	01-11-02
Chain of Custody:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Analyzed:	01-21-02
Preservative:	Cool	Date Extracted:	01-15-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	54.0	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	54.0	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 - 5, Hilltop, NM 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	U - 11	Date Reported:	01-22-02
Laboratory Number:	21806	Date Sampled:	01-11-02
Chain of Custody No:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Extracted:	01-15-02
Preservative:	Cool	Date Analyzed:	01-21-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.8	0.2
Diesel Range (C10 - C28)	0.9	0.1
Total Petroleum Hydrocarbons	1.7	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 - 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08901

Client / Project Name Envirotech			Project Location LF2-5, Hilltop, NM		ANALYSIS / PARAMETERS						
Sampler: Envirotech KPK			Client No. 91020-005		No. of Containers	BTX 8021	TPH 8015				Remarks Spt Composite Closure Sample
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix							
X-13	1-11-02	9:00	21800	SO:1	1	✓	✓				
X-12	↓	9:15	21801	↓	1	✓	✓				
V-13		9:45	21802		1	✓	✓				
V-12		10:00	21803		1	✓	✓				
U-13		10:15	21804		1	✓	✓				
U-12		10:30	21805		1	✓	✓				
U-11		11:00	21806		1	✓	✓				
T-14		11:15	21807		1	✓	✓				
Relinquished by: (Signature) 			Date 1-11-02	Time 11:30	Received by: (Signature) 			Date 1-11-02	Time 11:30		
Relinquished by: (Signature)					Received by: (Signature)						
Relinquished by: (Signature)					Received by: (Signature)						
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615								Sample Receipt			
									Y	N	N/A
								Received Intact	✓		
								Cool - Ice/Blue Ice	✓		

ENVIROTECH INC.

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Date: 1/27/02

Mr. Roger C. Anderson
State of New Mexico Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Dear Mr. Anderson:

Envirotech, Inc. respectfully requests "Discontinued Maintenance Status" (DMS) for the soils contained in the following cell(s) within the Envirotech Soil Remediation Facility (ESRF) Hilltop, New Mexico.



Generator Information:

Generator	Date	Description	Source Location	Vol cu yd

Sampling Documentation:

V	U	T	
			11
	X	X	
	X	X	12

Landfarm # 2 Unit 5 Cell(s): U - 11

Sample Date: 1/11/02 Sampler: KPK

Type: 5 PT COMPOSITE Analysis: TPH & BTEX

Results:

Sample ID	Pass/ Fail	Benzene, mg/Kg (ppm)	Total BTEX, mg/Kg (ppm)	TPH, mg/Kg (ppm)
Cell U-11/21806	PASS	<0.0018	0.054	1.7

Respectfully submitted,
Envirotech, Inc.

Christine M. Walters
Christine M. Walters
Lab Coordinator/Environmental Biologist

cc: Mr. Denny Foust, NMOCD Aztec, NM office

For State Use Only:

DMS has been granted for the cell or block of cells mentioned herein.

NMOCD Aztec _____ Date _____

NMOCD Santa Fe _____ Date _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Envirotech	Project #:	91020-005
Sample ID:	U - 11	Date Reported:	01-22-02
Laboratory Number:	21806	Date Sampled:	01-11-02
Chain of Custody:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Analyzed:	01-21-02
Preservative:	Cool	Date Extracted:	01-15-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	54.0	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	54.0	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: LF 2 - 5, Hilltop, NM 5 Pt. Composite Closure Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Envirotech	Project #:	91020-005
Sample ID:	U - 11	Date Reported:	01-22-02
Laboratory Number:	21806	Date Sampled:	01-11-02
Chain of Custody No:	8901	Date Received:	01-11-02
Sample Matrix:	Soil	Date Extracted:	01-15-02
Preservative:	Cool	Date Analyzed:	01-21-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.8	0.2
Diesel Range (C10 - C28)	0.9	0.1
Total Petroleum Hydrocarbons	1.7	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.


Comments: LF 2 - 5, Hilltop, NM. 5 Pt. Composite Closure Sample.


Analyst


Review

CHAIN OF CUSTODY RECORD

08901

Client / Project Name Envirotech			Project Location LF2-5, Hilltop, NM		ANALYSIS / PARAMETERS							
Sampler: Envirotech KPK			Client No. 91020-005		No. of Containers	BTX 8021	TPH 8015					Remarks Spt Composite Closure Sample
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								
X-13	1-11-02	9:00	21800	SO:1	1	✓	✓					
X-12	↓	9:15	21801	↓	1	✓	✓					
V-13		9:45	21802		1	✓	✓					
V-12		10:00	21803		1	✓	✓					
U-13		10:15	21804		1	✓	✓					
U-12		10:30	21805		1	✓	✓					
U-11		11:00	21806		1	✓	✓					
T-14		11:15	21807		1	✓	✓					
Relinquished by: (Signature) 			Date 1-11-02	Time 11:30	Received by: (Signature) 			Date 1-11-02	Time 11:30			
Relinquished by: (Signature)					Received by: (Signature)							
Relinquished by: (Signature)					Received by: (Signature)							
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615								Sample Receipt				
									Y	N	N/A	
								Received Intact	✓			
								Cool - Ice/Blue Ice	✓			

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	02-05-BTEX QA/QC	Date Reported:	02-05-02
Laboratory Number:	21997	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-05-02
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	1st Cal RF	2nd Cal RF	% Diff	Blank	Detect
	Accept Range 0.0 - 0.5%			Cont	Limit
Benzene	1.7143E-001	1.7195E-001	0.3%	ND	0.2
Toluene	9.4693E-002	9.4883E-002	0.2%	ND	0.2
Ethylbenzene	1.2284E-001	1.2321E-001	0.3%	ND	0.2
p,m-Xylene	1.0810E-001	1.0843E-001	0.3%	ND	0.2
o-Xylene	9.2106E-002	9.2290E-002	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	% Diff	Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	1.8
Toluene	ND	ND	0.0%	0 - 30%	1.7
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.5
p,m-Xylene	ND	ND	0.0%	0 - 30%	2.2
o-Xylene	ND	ND	0.0%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	49.9	99.8%	39 - 150
Toluene	ND	50.0	49.9	99.8%	46 - 148
Ethylbenzene	ND	50.0	49.9	99.8%	32 - 160
p,m-Xylene	ND	100	100	100.0%	46 - 148
o-Xylene	ND	50.0	49.9	99.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for samples 21997 - 21999 and 22001.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	02-05-TPH QA/QC	Date Reported:	02-05-02
Laboratory Number:	21997	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-05-02
Condition:	N/A	Analysis Requested:	TPH

	Lab Date	Lab IRF	C-Cal IRF	% Difference	Accept Range
Gasoline Range C5 - C10	01-07-02	2.5028E-002	2.5003E-002	0.10%	0 - 15%
Diesel Range C10 - C28	01-07-02	1.2696E-002	1.2671E-002	0.20%	0 - 15%

Blank Conc (mg/L, mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for samples 21997 - 22002.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	02-08-TPH QA/QC	Date Reported:	02-08-02
Laboratory Number:	22007	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-08-02
Condition:	N/A	Analysis Requested:	TPH

	Cal Date	Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	01-07-02	2.5028E-002	2.5003E-002	0.10%	0 - 15%
Diesel Range C10 - C28	01-07-02	1.2696E-002	1.2671E-002	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	174	174	0.0%	0 - 30%
Diesel Range C10 - C28	112	111	0.4%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	174	250	424	99.8%	75 - 125%
Diesel Range C10 - C28	112	250	361	99.8%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for samples 22007 - 22008.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	02-08-BTEX QA/QC	Date Reported:	02-08-02
Laboratory Number:	22007	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	02-08-02
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
			Accept Range 0 - 15%		
Benzene	1.7143E-001	1.7195E-001	0.3%	ND	0.2
Toluene	9.4693E-002	9.4883E-002	0.2%	ND	0.2
Ethylbenzene	1.2284E-001	1.2321E-001	0.3%	ND	0.2
p,m-Xylene	1.0810E-001	1.0843E-001	0.3%	ND	0.2
o-Xylene	9.2106E-002	9.2290E-002	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	470	453	3.6%	0 - 30%	1.8
Toluene	1,510	1,450	4.0%	0 - 30%	1.7
Ethylbenzene	523	502	4.0%	0 - 30%	1.5
p,m-Xylene	1,430	1,380	3.5%	0 - 30%	2.2
o-Xylene	750	725	3.3%	0 - 30%	1.0

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	%Recovery	Accept Range
Benzene	470	50.0	519	99.8%	39 - 150
Toluene	1,510	50.0	1,550	99.4%	46 - 148
Ethylbenzene	523	50.0	572	99.8%	32 - 160
p,m-Xylene	1,430	100	1,520	99.3%	46 - 148
o-Xylene	750	50.0	799	99.9%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for sample 22007.


Analyst


Review