#### BEFORE THE NEW MEXICO OIL CONSERVATION DIVISION

APPLICATION OF VISTA DISPOSAL SOLUTIONS LLC, FOR A SALT WATER DISPOSAL WELL, IN LEA COUNTY, NEW MEXICO.

Case No.

#### APPLICATION FOR SALT WATER DISPOSAL

Vista Disposal Solutions LLC, by and through its undersigned attorney, applies for an order approving a salt water disposal well, and in support thereof, states:

- 1. Applicant seeks an order proposing a salt water disposal well for its Button Federal SWD #1, (Pool Code 97869) to be drilled at a location 1,913' FNL and 351' FWL, Unit E, Section 14, Township 26 South, Range 34 East, N.M.P.M., Lea County, New Mexico.
- 2. Applicant proposes to set a packer at 18,530' feet below the surface of the earth and then inject into the Devonian-Silurian formation at depths between 18,550' through 20,010' open hole, as stated in the attached C-108.
  - 3. Attached hereto as Exhibit A is the C-108.
  - 4. The granting of this application will prevent waste and protect correlative rights.

**WHEREFORE**, Applicant requests that, after notice and hearing, the Division enter its order approving this application.

Respectfully submitted,

PADILLA LAW FIRM, P.A.

#### /s/ ERNEST L. PADILLA

ERNEST L. PADILLA, Attorney for Vista Disposal Solutions, LLC PO Box 2523 Santa Fe, New Mexico 87504 505-988-7577 padillalaw@gwestoffice.net STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

#### Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

#### **APPLICATION FOR AUTHORIZATION TO INJECT**

| I.    | PURPOSE: Secondary Recovery Pressure Maintenance X Disposal Storage Application qualifies for administrative approval? X Yes No   |
|-------|---|
| II.   | OPERATOR: Vista Disposal Solutions, LLC   |
|       | ADDRESS: 12444 NM 10th St., Building G, Suite 202-512, Yukon, OK 73099  |
|       | CONTACT PARTY Nate Alleman PHONE: 918-382-7581  |
| III   | WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.  Additional sheets may be attached if necessary.   |
| IV.   | Is this an expansion of an existing project? Yes X No  If yes, give the Division order number authorizing the project:  |
| V.    | Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.   |
| VI.   | Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Suc data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schemation of any plugged well illustrating all plugging detail.  |
| VII.  | Attach data on the proposed operation, including:   |
|       | <ol> <li>Proposed average and maximum daily rate and volume of fluids to be injected;</li> <li>Whether the system is open or closed;</li> <li>Proposed average and maximum injection pressure;</li> <li>Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,</li> <li>If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).</li> </ol> |
| *VI   | II. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.  |
| IX.   | Describe the proposed stimulation program, if any.  |
| *X.   | Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted)  |
| *XI.  | Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.   |
| XII.  | Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.  |
| XIII. | Applicants must complete the "Proof of Notice" section on the reverse side of this form.  |
| XIV.  | Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.  |
|       | NAME: Dan Arthur, P.E., SPEC TITLE: President/Chief Engineer  |
|       | SIGNATURE: 11/26/2019   |
| XV.   | E-MAIL ADDRESS: darthur@all-llc.com  If the information required under Sections VI, V  Please show the date and circumstances of the earlier submittal:   |
| Die   | FRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate District Office   |
| טוט.  | The orter of Standard one copy to same the wint one copy to the appropriate District Office   |

Side 2

#### III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
  - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
  - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
  - (3) A description of the tubing to be used including its size, lining material, and setting depth.
  - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
  - (1) The name of the injection formation and, if applicable, the field or pool name.
  - (2) The injection interval and whether it is perforated or open-hole.
  - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
  - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
  - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

#### XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Application for Authorization to Inject Well Name: Button Federal SWD #1

#### III - Well Data (The Wellbore Diagram is included as Attachment 1)

A.

#### (1) General Well Information:

Operator: Vista Disposal Solutions, LLC (OGRID No. 329051) Lease Name & Well Number: Button Federal SWD #1

Location Footage Calls: 1,913' FNL & 351' FWL Legal Location: Unit Letter E, S14 T26S R34E

Ground Elevation: 3,255'

Proposed Injection Interval: 18,550' - 20,010'

County: Lea

#### (2) Casing Information:

| Туре           | Hole Size | Casing<br>Size | Casing<br>Weight | Setting<br>Depth | Sacks of<br>Cement | Estimated<br>TOC | Method<br>Determined |
|----------------|-----------|----------------|------------------|------------------|--------------------|------------------|----------------------|
| Surface        | 24"       | 20"            | 133.0 lb/ft      | 1,010'           | 1,025              | Surface          | Circulation          |
| Intermediate 1 | 14-3/4"   | 13-3/8"        | 68.0 lb/ft       | 5,370'           | 1,410              | Surface          | Circulation          |
| Intermediate 2 | 12-1/4"   | 9-5/8"         | 53.5 lb/ft       | 14,405'          | 4,780              | Surface          | Circulation          |
| Liner          | 8-1/2"    | 7-5/8"         | 39.0 lb/ft       | 18,550'          | 355                | 14,205'          | CBL                  |

Note: A DV Tool will be set at 5,000'.

#### (3) Tubing Information:

4.5" (composite weight string) of fiberglass-coated tubing with setting depth of 18,530'

(4) Packer Information: Baker SC-2 or equivalent packer set at 18,530'

В.

(1) Injection Formation Name: Devonian and Silurian formations

Pool Name: SWD; DEVONIAN - SILURIAN

**Pool Code: 97869** 

(2) Injection Interval: Open-hole injection between 18,550' - 20,010'

(3) Drilling Purpose: New Drill for Salt Water Disposal

(4) Other Perforated Intervals: No other perforated intervals exist.

- (5) Overlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.
  - Permian Delaware Mountain Group (5,370')
  - Bone Springs (9,490')
  - Wolfcamp (12,565')
  - Atoka (15,135')
  - Morrow (16,500')

Underlying Oil and Gas Zones: No underlying oil and gas zones exist.

#### V - Well and Lease Maps

The following maps are included in Attachment 2:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Owernship Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map

#### VI - AOR Well List

There are no wells within the 1-mile AOR that penetrate the proposed injection zone.

A list of the wells within the 1-mile AOR is included in Attachment 2.

#### **VII – Proposed Operation**

- (1) Proposed Maximum Injection Rate: 40,000 bpd Proposed Average Injection Rate: 20,000 bpd
- (2) A closed system will be used.
- (3) Proposed Maximum Injection Pressure: 3,710 psi (based on 0.2 psi per foot) Proposed Average Injection Pressure: approximately 1,500 – 2,000 psi
- (4) Source Water Analysis: It is expected that the injectate will consist of produced water from production wells completed in the Wolfcamp and Bone Springs formations. Analysis of water from these formations is included in *Attachment 3*.
- (5) Injection Formation Water Analysis: The proposed SWD will be injecting water into the Devonian and Silurian formations which is a non-productive zone known to be compatible with formation water from the Wolfcamp and Bone Springs formations. Water analyses from the Devonian-Silurian formation in the area are included in **Attachment 4**.

#### VIII – Geologic Description

The proposed injection interval includes the Devonian and Silurian formations from 18,550 – 20,010 feet. These formations consist of carbonates including light colored dolomite and chert intervals interspersed with some tight limestone intervals. Several thick sections of porous dolomite capable of taking water are present within the subject formations in the area.

The base of the deepest Underground Source of Drinking Water (USDW) is at a depth of approximately 985 feet. Surface casing will be set at a depth of 1,010 feet, which is 25 feet below the top of the Rustler formation, which isolates the USDW. Geophysical log assessment was conducted to accurately determine the top of the Rustler formation, and the top and the base of the Salado formation in this area. Water well depths in the area range from approximately 125 - 250 feet below ground surface.

#### IX – Proposed Stimulation Program

A small cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

#### X – Logging and Test Data

Geophysical logs will be submitted to the Division upon completion of the well.

#### XI - Fresh Groundwater Samples

Based on a review of data from the New Mexico Office of the State Engineer, there are no groundwater well located within 1-mile of the proposed SWD location; therefore, no groundwater samples were collected in association with this application.

A water well map of the area is included in Attachment 5.

#### XII – No Hydrologic Connection Statement

ALL Consulting has examined available geologic and engineering data, and has found no evidence of faulting present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing and cementing program has been designed to further ensure there will be no hydrologic connection between the injection interval and overlying USDWs. A letter from a knowledgeable and qualified expert stating that there is a low risk of seismic activity from the proposed injection activities is included in *Attachment 6*.

#### XIII - Proof of Notice

A Public Notice was filed with the Hobbs News - Sun newspaper and an affidavit is included in **Attachment 7**.

A copy of the application was mailed to the OCD District Office, landowner, and leasehold operators within 1-mile of the proposed SWD location. A list of the recipients, as well as delivery confirmations, are included in *Attachment* 7.

#### Attachment 1:

- C-102
- Wellbore Diagram

#### Attachment 2: Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map

**Attachment 3:** Source Water Analyses

**Attachment 4: Injection Formation Water Analyses** 

Attachment 5: Water Well Map and Well Data

**Attachment 6:** Induced Seismicity Assessment Letter

Attachment 7: Public Notice Affidavit and Notice of Application Confirmations

- C-102
- Wellbore Diagram

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (305) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3466 Fax: (505) 476-3462

1API Number

13 Joint or Infill

14Consolidation Code

15Order No.

Dedicated Acres

## State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office


☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

|                     | .WLI MOTTION                   | sr.        |                    | -100     | or code       |                  | Pool Name     |                |                                |  |  |  |
|---------------------|--------------------------------|------------|--------------------|----------|---------------|------------------|---------------|----------------|--------------------------------|--|--|--|
|                     |                                |            |                    | 97869    |               | SWD; Devo        | nian – Siluri | an             |                                |  |  |  |
| <sup>4</sup> Proper | ty Code                        | В          | utton I            | edera    |               | perty Name       |               |                | *Well Number                   |  |  |  |
| 70GRI<br>32905      |                                | Vi         | sta Dispo          | osal Sol | utions, LLC   | rator Name       |               |                | <sup>6</sup> Elevation<br>3255 |  |  |  |
|                     | <sup>10</sup> Surface Location |            |                    |          |               |                  |               |                |                                |  |  |  |
| UL or lot no.       | Section                        | Township   | Range              | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County                         |  |  |  |
| E                   | 14                             | 14 26-S 34 |                    |          | 1913'         | North            | 351'          | West           | Lea                            |  |  |  |
|                     |                                |            | <sup>11</sup> Bott | om Ho    | le Location   | If Different F   | rom Surface   |                |                                |  |  |  |
| UL or lot no.       | Section                        | Township   | Range              | Lot Idn  | Feet from the | North/South line | Feet from the | East/West line | County                         |  |  |  |
|                     |                                |            |                    |          |               |                  |               |                |                                |  |  |  |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





TU 5632 Rev. M Effective Date: 11 Apr 2019

SC-2 Packer

#### 1 Introduction

The SC-2™ packer is Baker Hughes, a GE company (BHGE)' primary packer for cased hole gravel pack and frac pack applications where a high performance retrievable packer is required.

#### 2 Description

The SC-2 packer is a fully retrievable, highperformance retainer production packer. Although the packer was originally designed for premium gravel pack applications, it may also be used as a standard completion packer in wells where a premium retrievable production packer is required.

The SC-2 packer is fully compatible with standard BHGE sealing accessories, including retrievable and expendable plugs.

Refer to the specifications guide in the Packer Size/Model Availability Guide, Specification Guide, and Packer/Accessory Guide for SC™ and HP™ Packers (Product Family H48861), Unit 5750 under Sand Control Tools for packer/accessory size and packer size/model availability.

#### 3 Application


The SC-2 packer is primarily used in gravel pack or frac pack applications where a higher differential pressure production rating, treating pressure rating and temperature are required. The SC-2 may also be used as a production packer.



Drawing 662-476-1

Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map





#### Legend


- ★ Proposed SWD
- Gas, Active (1)
- Gas, New (7)
- Oil, Active (43)
- Oil, New (47)
- Oil, Plugged (11)
- Δ Salt Water Injection, Active (1)
- Salt Water Injection, Plugged (1)


Source Info: NMOCD O&G Wells updated 7/30/2019 (http://www.emvrd.state.nm.us/OCD/ocdgis html)


| O&G                     | Wells Ar | ea of R  | leview                       |  |  |  |
|-------------------------|----------|----------|------------------------------|--|--|--|
|                         | ton Fede |          |                              |  |  |  |
|                         | -        |          |                              |  |  |  |
| Proj Mgr:<br>Dan Arthur | November | 22, 2019 | Mapped by:<br>Ben Bockelmann |  |  |  |













| Well Name                 | API#         | Well Type | Operator   | Spud Date   | Location (Sec., Tn., Rng.) | Total<br>Vertical Depth<br>(feet) | Penetrate<br>Inj. Zone? |
|---------------------------|--------------|-----------|--|-------------|----------------------------|-----------------------------------|-------------------------|
| RATTLESNAKE FEDERAL #008H | 30-025-40067 | 0         | DEVON ENERGY PRODUCTION COMPANY, LP                    | Not Drilled | P-10-26S-34E               | Proposed (9649)                   | No                      |
| PRE-ONGARD WELL #001      | 30-025-27376 | Plugged   | PRE-ONGARD WELL OPERATOR<br>(Amoco Production Company) | 29818       | B-22-26S-34E               | 5580                              | No                      |



# Proposed SWD Ore Type - Measured Ore Type - Indicated KPLA SOPA Drill Islands Status Approved Nominated



Source Water Analyses



#### **Water Analysis**

Date: 23-Aug-11

2708 West County Road, Hobbs NM 88240
Phone (575) 392-5556 Fax (575) 392-7307

| Company                                      |                | Well Name       | C                    | lounty            | State       |
|--|----------------|-----------------|----------------------|-------------------|-------------|
|  |                | BD              |                      | F68-              | New Mexico  |
| Sample Source                                | Swab Sa        | ımple           | Sample #             | ddy               | 1-265-29    |
| Formation                                    |                |                 | Depth                |                   |             |
| Specific Gravity                             | 1.170          | <del></del>     | SG @                 | 60 °F             | 1.172       |
| ρН   | 6.30           |                 | s                    | ulfides           | Absent      |
| Temperature (*F)                             | 70             |                 | Reducing I           | Agents            |             |
| Cations                                      |                |                 |                      |                   |             |
| Sodium (Calc)                                |                | in Mg/L         | 77,962               | in <b>PPM</b>     | 66,520      |
| Celcium                                      |                | in Mg/L         | 4,000                | in PPM            | 3,413       |
| Magnesium                                    |                | in Mg/L         | 1,200                | in PPM            | 1,024       |
| Soluable from (FE2)                          |                | in Mg/L         | 10.0                 | in PPM            | 9           |
| Anions                                       |                |                 |                      |                   |             |
| Chlorides                                    |                | in Mg/L         | 130,000              | in PPM            | 110,922     |
| Sulfates                                     |                | in Mg/L         | 250                  | in PPM            | 213         |
| Bicarbonates                                 |                | in Mg/L         | 127                  | in PPM            | 108         |
| Total Hardness (as CaCO                      | 3)             | in Mg/L         | 15,000               | in PPM            | 12,799      |
| Total Dissolved Solida (Ci                   | NC)            | in Mg/L         | 213,549              | in PPM            | 182,209     |
| Equivalent NaCl Concenti                     | ation          | in Mg/L         | 182,868              | in PPM            | 155,031     |
| icaling Tendencies                           |                |                 |                      |                   |             |
| Calcium Carbonate Index                      | III S          |                 |                      |                   | 507,520     |
| Balow 800,000                                | Remate / 500,  | 000 - 1,000,000 | Possible / Above 1   | 000,000 Probable  | t(I         |
| Calcium Sulfete (Gyp) Ind                    |                |                 | 20. 0240             |                   | ,000,000    |
| 0 _ 50.00 Demin                              | distriction.   |                 | Passible / Altoyo 10 |                   |             |
| This Calculation is only an appi<br>estment. | roidmation and | is only velid b | efore treatment of   | a mail or saveis) | weaks after |

Report #

3188

### Sec 22, T25,5,R28E

Bone Spring

North Permian Basin Region P.O. Box 740 Sundown, TX 79372-0740 (806) 228-8121 Lab Teem Leader - Shella Hernandez (432) 495-7240

#### Water Analysis Report by Baker Petrolite

33514.1 Company: Sales RDT: Account Manager: TONY HERNANDEZ (575) 910-7135 PERMIAN BASIN Region: Агеа: ARTESIA, NM Sample #: 534665 PINOCHLE 'BPN' STATE COM Analysis ID #: 106795 Lease/Platform: Entity (or well #): 2 H Analysis Cost: \$90.00 UNKNOWN Formation: Sample Point: WELLHEAD

| Summary   |                         | A        | aziysis of Sar | mple 534665 @ 75 | f       |         |
|---|-------------------------|----------|----------------|------------------|---------|---------|
| Sampling Date: 03/10/11   | Anlens                  | mg/l     | Typem          | Cations          | mg/l    | meq/    |
| Analysis Date: 03/19/11   | Chlorida:               | 109618.0 | 3081.92        | Sodium:          | 70275,7 | 3050.82 |
| Analysi: SANDRA GOMEZ   | Bloarbonate:            | 2135.0   | 34.99          | Megneslum:       | 195.0   | 16.04   |
| TOO (made on almos)   | Carbonate:              | 0.0      | ۵.             | Calcium:         | 844.0   | 42.12   |
| DS (mg/t or g/m3): 184911.1<br>ensity (g/cm3, tonne/m3): 1.113<br>nice/Cation Flatic: 1 | Sulfate:                | 747.0    | 15.55          | Strontium:       | 220.0   | 5.02    |
|   | Phosphala:              |          | - 1            | Barlum:          | 0.8     | 0.01    |
| Amoni-Capon Rano:   | Borate:                 |          |                | Iron:            | 6.5     | 0.23    |
|   | Silicate:               |          | 1              | Polassium:       | 889.0   | 22.22   |
|   |                         |          |                | Aluminum:        |         |         |
| Carbon Dioxida: 0 50 PPM  | Hydrogen Sullide:       |          | 0 PPM          | Chromium:        |         |         |
| Oxygen:   | pH at time of sampling: |          | ,              | Соррас:          |         |         |
| Comments:   |                         | •        | ′1             | Lend:            |         |         |
|   | pH at time of analysis: |          | 1              | Manganase:       | 0.100   | 0.      |
|   | pH used in Calculation  | n:       | 7              | Nickei:          |         |         |

| Cond | itions                 |       | Values C                    | siculated                                     | at the Give | n Conditi                      | one - Amou | ints of Sc                     | ale in ib/10 | 144 00                      |        |                          |
|------|------------------------|-------|-----------------------------|---|-------------|--------------------------------|------------|--------------------------------|--------------|-----------------------------|--------|--------------------------|
| Lown | Gauge<br>Press.<br>psi |       | alcite<br>CaCO <sub>3</sub> | Gypnum<br>CaSO <sub>4</sub> 2H <sub>2</sub> 0 |             | Anhydrite<br>CaSO <sub>4</sub> |            | Celestite<br>8r80 <sub>4</sub> |              | Barile<br>BaSO <sub>4</sub> |        | CO <sub>2</sub><br>Press |
| Ŧ    |                        | Index | Amount                      | Index   | Amount      | Index                          | Amount     | Index                          | Amount       | Index                       | Amount | pel                      |
| 80   | 0                      | 1.05  | 188.52                      | -1.20   | 0.00        | -1.18                          | 0.00       | -0.11                          | 0.00         | 0.58                        | 0.29   | 1.72                     |
| 100  | 0                      | 1.10  | 206.05                      | -1.29   | 0.00        | -1.20                          | = 0.00     | -0.15                          | 0.00         | 0.35                        | 0.29   | 2.35                     |
| 120  | 0                      | 1.12  | 224.17                      | -1.38   | 0.00        | -1.10                          | 0.00       | -0.17                          | 0.00         | 0.16                        | 0.00   | 3,17                     |
| 140  | 0                      | 1.13  | 243.17                      | -1.42   | 0.00        | -1.18                          | 000        | -0.18                          | 00.0         | 0.00                        | 0.00   | 4,21                     |

Note 1: When assessing the severity of the scale problem, both the enturation Index (SI) and emount of scale must be considered.


Note 2 Precipitation of each scale is considered separately. Total scale will be less than the sum of the amounts of the five scales.

Note 3: The reported CO2 pressure is actually the calculated CO2 fugacity. It is usually nearly the same as the CO2 partial pressure.

Injection Formation Water Analyses

|                          | A STATE OF THE STATE OF |           |              |                  |        |             |              |           | n Water Ar   |             |             |                |           |         |              | Trong to the last |             |
|--------------------------|-------------------------|-----------|--------------|------------------|--------|-------------|--------------|-----------|--------------|-------------|-------------|----------------|-----------|---------|--------------|-------------------|-------------|
|                          |                         |           |              |                  | With D | Hisposal So | hatsomic LLC | - Devocia | in end Silur | on Finisaln | ien Formati |                |           |         |              |                   | - Tanana    |
| Weilname                 | API                     | Letitude  | Longitude    | Section Township | Range  | Unit        | Figns        | Figure    | County       | State       | Company     | Field          | Formation | Tds_mgt | Chloride_mg. | Bicarbonate mgt   | Suffate_mgt |
| STATE B COM #001         | 3002509716              | 32,179408 | -103.7712574 | 36 245           | 36E    | C           | GOON         | 1880W     | (EA)         | NM          |             | CUSTER         | DEVONIAN  | 176234  | 107400       | 128               | 1004        |
| FARNSWORTH FEDERAL #006  | 3002511950              | 12.077725 | -103.162468  | 4 765            | 37E    | A           | 650N         | 990€      | tEA.         | NM ·        |             | CILCISNY       | DEVONIAN  | 31931   | 20450        | 302               | 591         |
| ARNOTT RAMSAY NCT-B 8003 | 3002511863              | 32.092228 | -103.1784439 | 32 255           | 37E    | A           | 660N         | 6600      | LEA          | NM          |             | CKOSHY         | DEVONIAN  |         | 100382       | 476               |             |
| ARNOTT RAMSAY NCT-B 8003 | 3002511863              | 32 092228 | -103.1784439 | 32 255           | 3.7E   | A           | 660N         | 660E      | LEA          | NM          |             | CROSBY         | DEVONAN   | 158763  |              |                   |             |
| COPPER ROOT              | 3002511818              | 17.099484 | -103.1656723 | 28 255           | 37E    | 1           | 19805        | 1981E     | LEA          | NA          |             | CROSBY         | DEVONIAN  | 27500   | 15270        | 1089              | 1079        |
| STATE NI A 8001          | 3002511398              | 32.164749 | -103.1273346 | 2 255            | 37E    | A:          | 663N         | 660E      | LEA          | NM          |             | JUSTIS NORTH   | DEVONIAN  | 105350  | 59300        | 660               | 4950        |
| WESTATES FEDERAL #004    | 3002511389              | 37.161129 | -103.1241726 | 1 255            | 37E    | E           | 1980N        | 330W      | LEA          | NM          |             | JUSTIS NORTH   | FUSSELMAN | ACERC   | 46700        | 340               | 1050        |
| WESTATES FEDERAL #004    | 3002511389              | 32.161129 | -103.1241226 | 1 256            | 37E    | E           | 1980N        | 330W      | LEA          | NM          |             | DUSTIS FRONTIE | FUSSELMAN | 84900   | 48600        | K40               | 2650        |
| WESTATES FEDERAL BOOM    | 3002511389              | 33.361129 | -103.1241726 | 1 255            | 37E    | E.          | 1980N        | 330W      | LEA          | NA          |             | JUSTIS NORTH   | FUSSELMAN | 72200   | 41000        | 370               | 2960        |
| WESTATES FEDERAL 8004    | 3002511389              | 32.161129 | -103.1241226 | 1 255            | 17E    | E           | 1980N        | 330W      | LEA          | NM          |             | IUSTIS NORTH   | FUSSELMAN | 110900  | 46200        | 340               | 3050        |
| WESTATES FEDERAL MOOM    | 3002511389              | 32.161129 | -103.1241226 | 1 255            | 37E    | E .         | 1980N        | 330W      | LEA          | NM          |             | IUSTIS NORTH   | FUSSELMAN | 77600   | 44000        | 550               | 3240        |
| WESTATES FEDERAL MODE    | 3002511389              | 32.161129 | -103.1241226 | 1 255            | 376    | E           | 1980N        | 330W      | LEA          | NM.         |             | JUSTIS NORTH   | FUSSELMAN | 135000  | 77000        | 650               | 5810        |
| WESTATES FEDERAL 8004    | 3002511389              | 32.161129 | 103.1241226  | 1 255            | DE:    | £ .         | 15000        | How       | LEA          | NM          |             | JUSTIS NORTH   | FUSSELMAN | 114000  | 65000        | 280               | 5110        |
| WESTATES FEDERAL ROOF    | 3002511389              | 37.161129 | -103.1241226 | 1 255            | 370    | E .         | 1980N        | 330W      | (EA          | NM          |             | JUSTIS NORTH   | FUSSELMAN | 135000  | 77000        | - 500             | 5320        |
| WESTATES FEDERAL MOOR    | 3002511393              | 32.162121 | -103.1241226 | 1 255            | 33E    | E)          | 1620N        | 330W      | LEA          | NM          |             | JUSTIS NORTH   | FUSSELMAN | 91058   | 51020        | 376               | 4783        |
| WESTATES FEDERAL BOOM    | 3002511393              | 12.162121 | -101 1241226 | 1 255            | 37E    | E           | 1620N        | 330W      | LEA          | NA.         |             | JUSTIS NORTH   | FUSSELMAN | 86847   | 50450        | 363               | 2544        |
| STATE Y #D09             | 3007511777              | 32.10582  | -103.1113434 | 25 255           | 37E    | A           | 990N         | 990E      | LEA          | NM.         |             | JUSTIS:        | FUSSELMAN | 219570  | 129000       | 1960              | 4630        |
| STATE Y #009             | 3002511777              | 32.10582  | -103.1113434 | 25 255           | 37E    | A           | 990N         | 990E      | LEA          | NM.         |             | JUSTIS         | FUSSELMAN | 163430  | 96000        | 290               | 3780        |
| SOUTH JUSTIS UNIT MOZEC  | 3002511760              | 37.106728 | -103.1184616 | 75 255           | 376    | C           | 660N         | 2080W     | LEA          | NM          |             | JUSTIS         | FUSSELMAN | 63817   | 35870        | 360               | 3442        |
| CARLSON A 8002           | 3002511764              | 32,100384 | -103.1113434 | 25 255           | 37E    | 0)          | 23105        | 990E      | LEA          | NM          |             | JUSTIS         | FUSSELMAN | 208280  | 124000       | 510               | 3400        |
| CARLSON B 25 #004        | 3002511784              | 32.096756 | -103 1113434 | 25 253           | 371    | p           | 9905         | 990E      | LEA          | NA          |             | austis         | FUSSELMAN | 184030  | 112900       | 68                | 1806        |

Water Well Map and Well Data



#### Legend

★ Proposed SWD

#### **NMOSE PODs**

#### Status

- Active (0)
- Pending (0)
- O Change Location of Well (0)
- Capped (0)
- Plugged (0)
- Incomplete (0)
- Unknown (0)

#### Water Wells Area of Review **Button Federal SWD #1** Lea County, New Mexico November 25, 2019 Mapped by: Ben Bockelmann Preparation: WVISTA

**ALICONSULTING** 

| Water Well Sampling Rationale Vista Disposal Solutions, LLC - Button Federal SWD #1 |             |       |                               |     |                   |       |  |  |  |
|---|-------------|-------|-------------------------------|-----|-------------------|-------|--|--|--|
| SWD   | Water Wells | Owner | Available Contact Information | Use | Sampling Required | Notes |  |  |  |
|   |             |       | <del></del>                   |     |                   |       |  |  |  |
|   |             |       |                               |     |                   |       |  |  |  |

**Induced Seismicity Assessment Letter** 



November 26, 2019

Mr. Phillip Goetze, P.G. NM EMNRD – Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

Subject: Induced Seismicity Potential Statement for the Button Federal SWD #1

Dear Mr. Goetze,

This letter provides information regarding the seismic potential associated with injection operations associated with Vista Disposal Solutions, LLC (Vista), proposed Button Federal SWD #1, hereinafter referred to as the "Subject Well."

As outlined herein, based on my experience as an expert on the issue of induced seismicity, it is my opinion that the potential for the proposed injection well to cause injection-induced seismicity is expected to be minimal, at best. This conclusion is based on (1) the lack of historic seismic activity and faulting in the area, (2) the low fault slip potential (FSP) of Precambrian faults in the area, (3) the presence of confining layers, and (4) the overall vertical distance between the proposed injection zone and basement rock.

The Subject Well, is located 1,913' FNL & 351' FWL of Section 14, in T26-S and R34-E of Lea County, New Mexico. Historically, the Eddy and Lea Counties area has experienced very limited recorded seismic activity (per the U.S. Geological Survey [USGS] earthquake catalog database). There has been one known seismic event located within a 25-mile radius of the proposed Subject Well. The closest recorded seismic event was a M2.9 that occurred on December 4<sup>th</sup>, 1984 and was located approximately 16.5 miles northwest of the Subject Well (See Exhibit 1). The closest Class IID well injecting into the same formations (Devonian-Silurian) of the Subject Well is approximately 2.0 miles to the west (See Exhibit 1).

Vista does not own either 2D or 3D seismic reflection data in the area of the Subject Well. Publicly available fault data from USGS indicates that the closest known fault is approximately 5.7 miles northeast of the Subject Well (See Exhibit 1).

In a recent paper written by Snee and Zoback (2018) entitled "State of Stress in the Permian Basin, Texas and New Mexico: Implications for Induced Seismicity,", the authors found that large groups of mostly north-south striking Precambrian basement faults, predominantly located along the Central Basin Platform, the western Delaware Basin, and large parts of the Northwest Shelf (which includes Eddy and Lea counties, New Mexico) have low FSP at the modeled fluid-pressure

perturbation. The map in Exhibit 2 depicts the low probability risk of FSP for the Delaware Basin and Northwest Shelf areas (Snee and Zoback 2018).

Geologic analysis indicates that the proposed Devonian-Silurian injection zone is overlain by approximately 200 to 400 feet of Woodford Shale, which is the upper confining zone and will serve as a barrier for upward injection fluid migration. Additionally, the Simpson Group that lies directly below the Montoya Formation will act as a lower confining zone to prohibit fluids from migrating downward into the underlying Ellenberger Formation and Precambrian basement rock. See the stratigraphic column for the Delaware Basin included in Exhibit 3.

In the Eddy and Lea Counties area of New Mexico, the Simpson Group is comprised of a series of Middle to Upper Ordovician carbonates, several sandstones, and sandy shales that range from approximately 350 to 650 feet thick (Jones 2008). This group of rocks is capped by the limestones of the Bromide Formation, which is approximately 200 feet thick in this area (Jones 2008). The closest deep well drilled into the Precambrian basement was completed by the Skelly Oil Company in 1975. This well is located in Section 17, Range 36E, Township 25S of Lea County (API No.30-025-25046) and encountered 602 feet of Ellenburger Formation before reaching the top of the Precambrian granite at a depth of 18,920 feet. Based on the estimated thickness of the Simpson Group and Ellenburger Formation in this area, the Precambrian basement should be approximately 1,000 to 1,200 feet below the bottom of the proposed injection zones in the Subject Well.

#### Conclusion

As an expert on the issue of induced seismicity, it is my opinion that the potential for the proposed injection well to cause injection-induced seismicity is expected to be minimal, at best. This conclusion is based on (1) the lack of historic seismic activity and faulting in the area, (2) the low FSP of Precambrian faults in the area, (3) the presence of confining layers, and (4) the overall vertical distance between the proposed injection zone and basement rock.

Sincerely, ALL Consulting

J. Daniel Arthur, P.E., SPEC President and Chief Engineer

Enclosures References Exhibits

References

Ball, Mahlon M. 1995. "Permian Basin Province (044)." In *National Assessment of United States Oil and Gas Resources—Results, Methodology, and Supporting Data*. U.S. Geological Survey. <a href="https://certmapper.cr.usgs.gov/data/noga95/prov44/text/prov44.pdf">https://certmapper.cr.usgs.gov/data/noga95/prov44/text/prov44.pdf</a> (accessed June 18, 2018).

Green, G.N., and G.E. Jones. 1997. "The Digital Geologic Map of New Mexico in ARC/INFO Format." U.S. Geological Survey Open-File Report 97-0052. https://mrdata.usgs.gov/geology/state/state.php?state=NM (accessed June 14, 2018).

Jones, Rebecca H. 2008. "The Middle-Upper Ordovician Simpson Group of the Permian Basin: Deposition, Diagenesis, and Reservoir Development." <a href="http://www.beg.utexas.edu/resprog/permianbasin/PBGSP\_members/writ\_synth/Simpson.pdf">http://www.beg.utexas.edu/resprog/permianbasin/PBGSP\_members/writ\_synth/Simpson.pdf</a> (accessed June 19, 2018).

Snee, Jens-Erik Lund, and Mark D. Zoback. 2018. "State of Stress in the Permian Basin, Texas and New Mexico: Implications for Induced Seismicity." *The Leading Edge* 37, no. 2 (February 2018): 127-34.

U.S. Geological Survey (USGS). No date. Earthquakes Hazard Program: Earthquake Catalog. <a href="https://earthquake.usgs.gov/earthquakes/search/">https://earthquake.usgs.gov/earthquakes/search/</a> (accessed June 14, 2018).

#### **Exhibits**




Exhibit 1. Map Showing the Distances from Known and Inferred Faults, Seismic Event, and Closest Deep Injection Well




Exhibit 2. Results of the Snee and Zoback (2018) Probabilistic FSP Analysis Across the Permian Basin




Exhibit 3. Delaware Basin Stratigraphic Chart (Ball 1995)

Public Notice Affidavit and Notice of Application Confirmations

#### APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Vista Disposal Solutions, LLC, 12444 NW 10<sup>th</sup> St., Building G, Suite 202-512, Yukon, OK 73099, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Button Federal SWD #1

SW 1/4 NW 1/4, Section 14, Township 26S, Range 34E

1,913' FNL & 351' FWL

Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: Devonian – Silurian (18,550' – 20,010')

EXPECTED MAXIMUM INJECTION RATE: 40,000 Bbls/day

EXPECTED MAXIMUM INJECTION PRESSURE: 3,710 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581.

#### Affidavit of Publication

STATE OF NEW MEXICO COUNTY OF LEA

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> Beginning with the issue dated November 22, 2019 and ending with the issue dated November 22, 2019.

Sworn and subscribed to before me this 22nd day of November 2019.

Business Manager

My commission expires

January 29, 2023

OFFICIAL SEAL GUSSIE BLACK Notary Public State of New Mexico My Cummission Expires 1292

**同时,因此是国际中国的国际政策的国际政策等。 为政治的** This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said

LEGAL

LEGAL

LEGAL NOTICE NOVEMBER 22, 2019

#### **APPLICATION FOR AUTHORIZATION TO INJECT**

NOTICE IS HEREBY GIVEN: That Vista Disposal Solutions, LLC, 12444 NW 10th St., Building G., Sulte 202-512, Yukon, OK 73099, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Button Federal VD #1 V ¼ NW ¼, Section 14, Township 26S, Range 1.913' FNL & 351' FWL Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: Davonian - Silurian (18,550' - 20,010') EXPECTED MAXIMUM INJECTION RATE: 40,000 BDIS/day EXPECTED MAXIMUM INJECTION PRESSURE: 3.710 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oli Conservation Division within titteen (15) days. Any objection or request for hearing should be mailed to the Oli Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581, #34882

67115320

00236229

DANIEL ARTHUR ALL CONSULTING 1718 S. CHEYENNE AVE. TULSA, OK 74119

| Button  | Federal SWD #1 - Notice of Application R | Recipients    |       | 1 1 . 10 |  |
|---|--|---------------|-------|----------|--|
| Entity  | Address                                  | City          | State | Zip Code |  |
|   | Landowner & Mineral Owner                |               | 100   |          |  |
| New Mexico BLM  | 620 E Greene St.                         | Carlsbad      | NM    | 88220    |  |
|   | OCD District                             |               | 3-1-1 |          |  |
| NMOCD District 1  | 1625 N. French Drive                     | Hobbs         | NM    | 88240    |  |
|   | Leasehold Operators                      |               |       | ilas par |  |
| Chevron USA Inc. (Chevron USA INC)  | 6301 Deauville Blvd                      | Midland       | TX    | 79706    |  |
| Devon Energy Production Company, LP<br>(DEVON ENERGY PROD CO LP)          | 333 W. Sheridan Ave.                     | Oklahoma City | ОК    | 73102    |  |
| EOG Resources, Inc.<br>(EOG Y RES INC) (EOG A RES INC)<br>(EOG M RES INC) | 104 S. 4th Street                        | Artesia       | NM    | 88210    |  |
| MRC Permian Company (MRC PERMIAN)   | 5400 LBL Freeway, Suite 1500             | Dallas        | TX    | 75240    |  |
| OXY Y-1 Company (OXY Y-1 CO)  | P.O. Box 27570                           | Houston       | TX    | 77227    |  |

Notes: The table above shows the Entities who were identified as parties of interest requiring notification on either the 1-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2). The names listed above in parenthesis, are the abbreviated entity names used on either the 1-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2).

#### **Certified Mail® Labels**

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

**\$5.60**<sup>0</sup> US POSTAGE FRST-CLASS FROM 74119 NOV 26 2019 stamps

Top of the page

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

envelope and fold at dotted line.

Place label at top of the center of the

\$5.600 US POSTAGE FIRST-CLASS

Print postage using Stamps.com Template SDC-3610

JS POSTAGE FIRST-CLASS FROM 74119 NOV 26 2019 Stamps

©ERTIFIED MAIL® CERTIFIED MAIL®



CERTIFIED MAIL®

CERTIFIED MAIL®

Chevron USA Inc. 6301 Deauville Midland TX 79706-2964 Devon Energy Production Company, LP 333 W. Sheridan Ave. Oklahoma City OK 73102-5010

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.60<sup>0</sup> **FIRST-CLASS** NOV 26 2019

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.60<sup>0</sup> I US POSTAGE NOV 26 2019 stamps

CEBTIFIED MAIL® CERTIFIED MAIL®



©ERTIFIED MAIL®

CERTIFIED MAIL®

EOG Resources, Inc. 104 S. 4th Street Artesia NM 88210-2123



9414 8118 9956 1361 5715 28

MRC Permian Company 5400 LBJ Freeway, Suite 1500 Dallas TX 75240-1017

#### Certified Mail® Labels

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line,

\$5.600 US POSTAGE FIRST-CLASS FROM 74119 NOV 26 2019

**ALL Consulting** 

Top of the page

1718 S. Cheyenne Ave.

Place label at top of the center of the

Tulsa, OK 74119

envelope and fold at dotted line.

\$5.600 US POSTAGE FROM 74119 NOV 26 2019

Print postage using Stamps.com Template SDC-3610

©EBTIFIED MAIL® CERTIFIED MAIL®



CERTIFIED MAIL®

CERTIFIED MAIL®



New Mexico BLM 620 E Greene St. Carlsbad NM 88220-6292

NMOCD District 1 1625 N. French Drive Hobbs NM 88240-9273

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 US POSTAGE FIRST-CLASS FROM 74119 NOV 26 2019 stamps

®CERTIFIED MAIL® CERTIFIED MAIL®

Place label at top of the center of the envelope and fold at dotted line.

> CERTIFIED MAIL® CERTIFIED MAIL®



**OXY Y-1 Company** P.O. Box 27570 Houston TX 77227-7570