


CVU PMX 179

Replugged 7-22-81


TEXACO INC. Marathon
WARN STATE A/C-2 No. 6
CVU Salado Monitor Well



2310 FSL & 1650 FWL
SEC 6, TWN 18S, RANGE 35E
ELEVATION: 3980' GR
COMPLETION DATE: 06-25-76 (P&A)

COMPLETION INTERVAL: 4097' - 4690' (GBSA)


TEXACO INC
VACUUM GRBG-SADR UN NO. 13
API# 300250226



660 FSL & 660 FEL
SEC 1 , TWN 18 S, RANGE 34 E
ELEVATION: 3993 ES
COMPLETION DATE: 11-13-43

COMPLETION INTERVAL: 4154 - 4680


TEXACO E & P INC
VACUUM GRBG-SADR U NO. 20 WIW
API# 30025243600000



1330 FSL & 1330 FEL
SEC 1, T11N 18 S, RANGE 34 E
ELEVATION: 3972 GR
COMPLETION DATE: 03-19-73

COMPLETION INTERVAL: 4403 - 4699 (GBSA)


TEXACO INC
VACUUM GRBG-SADR UN NO. 28
API# 30025022530000



2310 FSL & 330 FEL
SEC 1, TWN 18 S, RANGE 34 E
ELEVATION: 3993 ES
COMPLETION DATE: 05-12-40


COMPLETION INTERVAL: 4085 - 4710
Former Texaco NM "R" NCT-3 #6

TEXACO INC
VACUUM GRBG-SADR U NO. 35 WW
API# 30025243610000



2630 FML & 1330 FEL
SEC 1 , T11N 18 S, RANGE 34 E
ELEVATION: 3988 GR
COMPLETION DATE: 03-27-73


TEXACO INC
VACUUM GB SA UNIT No. 42
API# 30025022450000



1980 FNL & 1980 FEL
SEC 1 , TWN 18 S, RANGE 34 E
ELEVATION: 3998 GR
COMPLETION DATE: 04-28-38

COMPLETION INTERVAL: 4128 - 4690
Former Texaco "L" State No. 1


TEXACO INC
VACUUM GRBG-SADR UN NO. 43
API# 30025022470000



1980 FNL & 484 FEL
SEC 1 , TWN 18 S, RANGE 34 E
ELEVATION: 3992 ES
COMPLETION DATE: 11-04-39

COMPLETION INTERVAL: 4090 - 4710
Former Texaco NM "L" State No. 3


TEXACO INC
VACUUM GB-SA UN NO. 50 WIW
API# 30025243660000



1330 FNL & 1330 FEL
SEC 1 , TWN 18 S, RANGE 34 E
ELEVATION: 3986 GR
COMPLETION DATE: 03-08-73

COMPLETION INTERVAL: 4389 - 4743 (SADR)
Converted to water injection 4-11-83


TEXACO INC
VACUUM GRBG-SADR UN NO. 57
API# 30025022480000



660 FNL & 1980 FEL
SEC 1, TWN 18 S, RANGE 34 E
ELEVATION: 4001 ES
COMPLETION DATE: 04-13-40

COMPLETION INTERVAL: 4085 - 4710
Former NM "L" State No. 4

TEXACO INC
VACUUM GRBG-SADR UN NO. 58
API# 30025022460000



660 FNL & 660 FEL
SEC 1 , TWN 18 S, RANGE 34 E
ELEVATION: 3991 ES
COMPLETION DATE: 11-14-38


COMPLETION INTERVAL: 4087 - 4710

P & A

TEXACO INC
VCSAU NO. 68
API# 3002521110

FORMERLY
N. M. "R" NCT-3 NO. 16

- 0 - 402' 11.75" OD SURF CSG
- C - 402' CEMENT 350 SX
- 0 - 400' CEMENT
- 0 - 3250' CEMENT 1650 SX
- 400 - 3260' CEMENT SQZ 900 SX



- C - 402' 14.75" OD HOLE
- 400 - 400' SQUEEZE PERFS CIRC W/120 SX
- 0 - 4686' CEMENT PLUG

0 - 3250' 8.625" OD INT CSG

- 402 - 3250' 10.75" OD HOLE
- 3260 - 3260' SQUEEZE PERFS

1655 FSL & 330 FEL
 SEC 1, TWN 18 S, RANGE 34 E
 ELEVATION: 3996 ES
 COMPLETION DATE: 10-09-64

 COMPLETION INTERVAL: 8472 - 8572 (ABO)
 TRT: FRAC 15000 GALS 0 LBS (8472 - 8572)
 IP: 29 BOPD, 0 MCFD, 0 BWPD (S)

- 4720 - 4755' CIBP 35' CMT CAP
- 4536 - 4686' ABANDONED PERFS SQZD W/ 170 SX

- 5999 - 6125' ABANDONED PERFS
- 5915 - 5950' CIBP 35' CMT CAP
- 6215 - 6235' CIBP 35' CMT CAP


3235 - 8800' CEMENT 1600 SX CBL

- 0 - 8800' 2.875" OD TBG
- 3250 - 8800' 7.875" OD HOLE

8472 - 8572' ABANDONED PERFS

TD: 8800'


TEXACO PROD
VACUUM GRAYBURG-SA NO. 122
API# 30025307210000



1336 FNL & 660 FEL
SEC 1, TWN 18 S, RANGE 34 E
ELEVATION: 3996 KB
COMPLETION DATE: 06-20-90

COMPLETION INTERVAL: 4317 - 4728 (SADR)


TEXACO PROD
VACUUM GRAYBURG-SA NO. 128
API# 3002532028



1980 FSL & 1220 FEL
SEC 1, T11N 18 S, RANGE 34 E
ELEVATION: 3999 KB
COMPLETION DATE: 09-23-93

COMPLETION INTERVAL: 4240 - 4788 (SADR)


TEXACO PROD
 VACUUM GRAYBURG-SA NO. 143
 API# 30025308440000



1980 FNL & 1250 FEL
 SEC 1, T11N 18 S, RANGE 34 E
 ELEVATION: 3996 KB
 COMPLETION DATE: 09-17-90

 COMPLETION INTERVAL: 4208 - 4624 (GRBC)


TEXACO E&P INC.
VACUUM GB-SA Unit No. 150 WIW
API# 30025309170000



1390 FNL & 1980 FEL
SEC 1, TWN 18 S, RANGE 34 E
ELEVATION: 4004 KB
COMPLETION DATE: 09-06-90

COMPLETION INTERVAL: 4137 - 4682


TEXACO E&P INC.
VACUUM GRAYBURG-SA NO. 158
API# 30025307180000



660 FNL & 1330 FEL
SEC 1, TWN 18 S, RANGE 34 E
ELEVATION: 3998 KB
COMPLETION DATE: 08-18-90

COMPLETION INTERVAL: 4234 - 4796


PHILLIPS PETROLEUM CO.
 E VAC. GBSA U N. 0524-005 WIW
 API# 30 025 26856



2540 FNL & 10 FWL
 SEC 5 , TWN 87S , RANGE 35E
 ELEVATION: 3981' DF
 COMPLETION DATE: 12-29-80

 COMPLETION INTERVAL: 4519' - 4690' (GBSA)


PHILLIPS PETROLEUM CO.
E VAC. GBSA U N. 0524-112



1655 FNL & 330 FWL
SEC 5, TWN 87S, RANGE 35E
ELEVATION: 3983' DF
COMPLETION DATE: 10-17-72

COMPLETION INTERVAL: 4492' - 4630' (GBSA)


PHILLIPS PETROLEUM CO.
EAST VAC. GBSA U No. 3127-001
API# 30 025 02960



1980 FSL & 1980 FEL
SEC 31 , T₁N 17S , RANGE 35E
ELEVATION: 3974' DF
COMPLETION DATE: 4-03-38

COMPLETION INTERVAL: 4348 - 4608' (GBSA)
Former Mobil State "K" No. 1


PHILLIPS PETROLEUM CO.
EAST VAC. GBSA U No. 3127-002
API# 30 025 02961



1980 FSL & 660 FEL
SEC 31 , TWN 17S , RANGE 35E
ELEVATION: 3984' DF
COMPLETION DATE: 5-09-38

COMPLETION INTERVAL: 4323 - 4568' (GBSA)
Former Mobil State "K" No. 2


PHILLIPS PETROLEUM CO.
EAST VAC. GBSA U No. 3127-003
API# 30 025 02962



660 FSL & 660 FEL
SEC 31 , TWN 17S , RANGE 35E
ELEVATION: 3980' DF
COMPLETION DATE: 6-15-38

COMPLETION INTERVAL: 4094' - 4641' (GBSA)
Former Mobil State "K" No. 3


PHILLIPS PETROLEUM CO.
EAST VAC. GBSA U No. 3127-004
API# 30 025 26926



1375 FSL & 50 FEL
SEC 31 , TWN 17S , RANGE 35E
ELEVATION: 3984' DF
COMPLETION DATE: 2-19-81

COMPLETION INTERVAL: 4310' - 4636' (GBSA)


PHILLIPS PETROLEUM CO.
E VAC. GBSA U N. 3127-005 WIW
API#



10 FSL & 10 FEL
SEC 31 , TWN 17S , RANGE 35E
ELEVATION: 3979' DF
COMPLETION DATE: 16-08-80

COMPLETION INTERVAL: 4352' - 4682' (GBSA)


PHILLIPS PETROLEUM CO.
E VAC. GBSA U N. 3127-006 WW
API# 30 025 26863



1310 FSL & 1530 FEL
SEC 31 , TWN 17S , RANGE 35E
ELEVATION: 3976' DF
COMPLETION DATE: 11-27-80

COMPLETION INTERVAL: 4328' - 4622' (GBSA)


PHILLIPS PETROLEUM CO.
E VAC. GBSA U N. 3127-007 WW
API# 30 025 26864



2560 FSL & 2550 FEL
SEC 31 , TWN 17S , RANGE 35E
ELEVATION: 3996' DF
COMPLETION DATE: 7-26-80

COMPLETION INTERVAL: 4374' - 4658' (GBSA)


PHILLIPS PETROLEUM CO.
EAST VAC. GBSA U No. 3127-008
API# 30 025 30278



2173 FSL & 1410 FEL
SEC 31 , TWN 17S , RANGE 35E
ELEVATION: 3974' DF
COMPLETION DATE: 8-18-88

COMPLETION INTERVAL: 4344' - 4661' (GBSA)


PHILLIPS PETROLEUM CO.
EAST VAC. GBSA U No. 3127-009
API# 30 025



1175 FSL & 740 FEL
SEC 31 , TWN 17S , RANGE 35E
ELEVATION: 3975' OF
COMPLETION DATE: 8-05-88


COMPLETION INTERVAL: 4352 - 4682' (GBSA)

PHILLIPS PETROLEUM CO.
E VAC. GBSA U N. 3229-11
API# 30 025 32065



829 FSL & 36 FWL
SEC 32, TWN 17S, RANGE 35E
ELEVATION: 3984' KB
COMPLETION DATE: 02-06-94

COMPLETION INTERVAL: 4280' - 4303' (GBSA)



CENTRAL VACUUM UNIT BOUNDARY

△ CVU INJECTION WELLS



Texaco Exploration and Producing Inc
Midland Production Division, Midland Tx.


Vacuum Glorieta West Unit
Lea County, New Mexico

- Injection Started 12/23/92
- Injection Started 6/11/93
- Injection Started 8/15/93
- Injection Started 9/1/93

DATE: 10/6/93

BY: Robert N. Gonn

TEXACO E&P INC
VACUUM GLORIETA W. U. No. 123
TYPICAL INFILL INJECTION WELL



1265 FNL, 2035 FWL
SECTION 6, T-18-S, R-35-E
ELEVATION: 3975' GL, 3989' KB
COMPLETION DATE 8-15-93
VACUUM GLORIETA: 5976'-6042'

CURRENT WELLBORE

TEXACO INC
 VACUUM GLORIETA WEST UNIT #89
 API# 205050000


0 - 1495' CEMENT BRDNHD SQZ 650 SXS

0 - 1550' 11.75" OD SURF CSG
 0 - 1550' CEMENT 1000 sx

0 - 3300' 8.625" OD INT CSG
 0 - 3300' CEMENT 900 sx

5932 - 6159' PERFS
 6180 - 6185' PERFS

0 - 6915' 2.875" OD TBC
 0 - 6909' 2.875" OD TBC
 3300 - 6915' CEMENT 900 sx



0 - 1550' 14.75 " OD HOLE

1550 - 3300' 10.75 " OD HOLE

1800 FSL & 560 FEL
 SEC 36 , TWN 17 S, RANGE 34 E
 ELEVATION: 3996 DF
 COMPLETION DATE: 01-21-64

 COMPLETION INTERVAL: 5998 - 6031 (GLRT)
 TRT: 500 GALS ACID (5998 - 6031)
 TRT: 3000 GALS ACID (5998 - 6031)
 IP: 204 BOPD, 0 MCFD, 19 BWPD (FLOWING)

 SECOND CMPL INTRVL: 5998 - 6031 (BLBR)
 IP: 14 BOPD, 0 MCFD, 66 BWPD (PUMPING)

KB ELEV: 3996'

PUMP @ 6025'


6565 - 6575' CIBP

6681 - 6898' PERFS

3300 - 6915' 7.875 " OD HOLE

PROPOSED COMPLETION

TEXACO E & P
 VACUUM GLORIETA WEST UNIT #90
 API# 202700000




2130 FSL & 660 FWL
 SEC 31 , TWN 17 S, RANGE 35 E
 ELEVATION: 3982 GR
 COMPLETION DATE: 01-30-64

 COMPLETION INTERVAL: 10006 - 10016 (WFMP)
 TRT: 500 GALS ACID (10006 - 10016)
 IP: 269 BOPD, 0 MCFD, 0 BWPD (FLOWING)

 SECOND CMPL INTRVL: 9162 - 9300 (ABO)
 TRT: 5000 GALS ACID (9162 - 9300)
 IP: 297 BOPD, 0 MCFD, 0 BWPD (FLOWING)


 THIRD CMPL INTRVL: 6030 - 6042 (GLRT)
 IP: 309 BOPD, 0 MCFD, 165 BWPD (PUMPING)

TEXACO INC
VGWU No. 101
API# 202370000



CURRENT WELLBORE

TEXACO PROD
VACUUM GLORIETA WEST UNIT 102
API# 301260000



0 - 405' 16 " OD SURF CSG
0 - 405' CEMENT 600 sx

0 - 405' 20 " OD HOLE

0 - 1547' 11.75" OD H-40 INT CSG
0 - 1547' CEMENT 1200 sx

405 - 1547' 14.75 " OD HOLE

990 FSL & 990 FEL
 SEC 36 , TWN 17 S, RANGE 34 E
 ELEVATION: 4004 KB
 COMPLETION DATE: 12-21-87

 COMPLETION INTERVAL: 6118 - 6217 (GLRT)
 IP: 70 BOPD, 68 MCFD, 316 BWPD (PUMPING)

0 - 4840' 8.625" OD S-80,K-55 INT CSG
0 - 4840' CEMENT 1400 sx

1547 - 4840' 10.75 " OD HOLE

6059 - 6065' CIBP

5936 - 5992' PERFS CURRENT

0 - 6290' 5.5" OD J-55 PROD CSG


6118 - 6217' ABANDONED PERFS ABANDONED

0 - 6290' CEMENT 950 sx


KB ELEV: 4004'

4840 - 6290' 7.875 " OD HOLE

TEXACO
VGWJ No. 103
API# 203390000




TEXACO EXPL & PROD
 VGWU No. 115
 API# 311310000




604 FNL & 856 FEL
 SEC 1 , TWN 18 S, RANGE 34 E
 ELEVATION: 4001 KB
 COMPLETION DATE: 06-28-91

 COMPLETION INTERVAL: 5956 - 6192 (GLRT)
 IP: 58 BOPD, 100 MCFD, 226 BWPD (PUMPING)
 Former Texaco NM "L" State No.11


TEXACO
VGWU No. 116
API# 207530000



TEXACO
VGWU No. 117
API# 207540000




TEXACO EXPL & PROD
VGWU No. 118
API# 311290000




660 FNL & 2135 FEL
SEC 6 , T11N 18 S, RANGE 35 E
ELEVATION: 3983 KB
COMPLETION DATE: 07-01-91

COMPLETION INTERVAL: 5884 - 5908 (GLRT)
IP: 65 BOPD, 72 MCFD, 261 BWPD (PUMPING)
Former Texaco NM "R" NCT-1 #12


TEXACO INC
VGWU No. 119
API# 211080000




TEXACO INC
VGWU No. 125
API# 209390000



TEXACO
VGWU 126
API# 210310000




TEXACO
VGWU No. 127
API# 212920000




1650 FNL & 1650 FWL
SEC 6 , TWN 18 S, RANGE 35 E
ELEVATION: 3986 ES
COMPLETION DATE: 05-14-65

COMPLETION INTERVAL: 6046 - 6061 (GLRT)
TRF: 6000 GALS ACID (6046 - 6061)
IP: 245 BOPD, 0 MCFD, 10 BWPD (FLOWING)
Former Marathon Warn State A/C-2 #15


TEXACO INC
VGWU No. 128
API# 210540000



TEXACO INC
VGWU No. 129
API# 214250000



ARCO
STATE B-1576 NO. 8
API# 30025208470000



660 FSL & 500 FWL
SEC 32 , TWN 17 S, RANGE 35 E
ELEVATION: 3980 ES
COMPLETION DATE: 09-17-64

COMPLETION INTERVAL: 6069 - 6094 (PDCK)
IP: 221 BOPD, 0 MCFD, 0 BWPD (FLOWING)

CURRENT STATUS: GLORIETA PRODUCER

MARATHON
WARN STATE AC 1 NO. 4
API# 30025207490000

0 - 1503' Cement 1130 sx
0 - 1503' 12.25" OD Openhole
0 - 1503' 8.625" OD Surface Casing

1685 - 6248' Cement 1600 sx (TEMP)

1503 - 6250' 6.75" OD Openhole

6069 - 6114' Perfs

0 - 6248' 4.5" OD Production Casing

PBTD: 6210'
TD: 6250'

2311 FSL & 2226 FWL
SEC 31 , TWN 17 S, RANGE 35 E
ELEVATION: 3986 ES
COMPLETION DATE: 05-11-64

COMPLETION INTERVAL: 6005 - 6023 (POCK)
TRT: 2000 GALS ACID (6005 - 6023)
IP: 334 BOPD, 0 MCFD, 0 BWPD (FLOWING)


CURRENT STATUS: SHUT-IN

6005 - 6023' Abandoned Perfs (SQZ'D W/ 300 sx)

6155 - 6160' CIBP

6164 - 6185' Abandoned Perfs

MOBIL
STATE K NO. 7
API# 30025208640000




2080 FSL & 660 FEL
SEC 31 , TWN 17 S, RANGE 35 E
ELEVATION: 3984 ES
COMPLETION DATE: 11-26-64

COMPLETION INTERVAL: 6048 - 6076 (GLRT)
IP: 244 BOPD, 0 MCFD, 0 BHPD (FLOWING)

CURRENT STATUS: GLORIETA PRODUCER

MOBIL
STATE K NO. 8
API# 30025208650000




760 FSL & 660 FEL
SEC 31 , TWN 17 S, RANGE 35 E
ELEVATION: 3980 ES
COMPLETION DATE: 12-15-64


COMPLETION INTERVAL: 6076 - 6117 (GLRT)
TRT: 1000 GALS ACID (6076 - 6117)
IP: 304 BOPD, 0 MCFD, 0 BHPD (FLOWING)

CURRENT STATUS: GLORIETA PRODUCER

MOBIL
STATE K NO. 9
API# 30025210960000



PHILLIPS
SANTA FE BATTERY 2 NO. 99
API# 30025207930000




330 FNL & 660 FWL
SEC 5 , TWN 18 S, RANGE 35 E
ELEVATION: 3974 ES
COMPLETION DATE: 07-28-64

COMPLETION INTERVAL: 6112 - 6132 (GLRT)
TRT: 1000 GALS ACID (6112 - 6132)
IP: 280 BOPD, 0 MCFD, 0 BWPD (FLOWING)

CURRENT STATUS: SHUT-IN


PHILLIPS
 SANTA FE BATTERY 2 NO. 102
 API# 30025207960000




690 FSL & 2110 FEL
 SEC 31 , TWN 17 S, RANGE 35 E
 ELEVATION: 3982 ES
 COMPLETION DATE: 09-03-64

 COMPLETION INTERVAL: 6030 - 6050 (GLRT)
 TRT: 1000 GALS ACID (6030 - 6050.)
 IP: 240 BOPD, 0 MCFD, 0 BHPD (FLOWING)

 CURRENT STATUS: GLORIETA PRODUCER




Scale 1:25000.



LEGEND

- VGSU & EVGSAU
- CVU
- Proposed injection wells - CVU
- VGWU

TEXACO E & P INC	
VACUUM DRINKARD FIELD LEA COUNTY, NEW MEXICO	
PMAC	7/ DRINKARD
UTM PROJECTION	1"-2000'
	MAP NO. 194
	CS 27




WELLS THAT PENETRATED INJECTION INTERVAL

Texaco Exploration & Prod. Inc.	
LEASELINE INJECTION WELLS VACUUM DRINKARD FIELD LEA COUNTY NEW MEXICO	
Map No. 100	11/74

Scale 1:32000.




TYPICAL VACUUM DRINKARD
NEW INJECTION WELL



- 1) DEPTHS BASED ON AVERAGE WELL
- 2) SACKS OF CEMENT WILL DEPEND ON NUMBER REQUIRED TO CIRCULATE
- 3) CIRCULATE CEMENT ON ALL STRINGS

PRODUCING
DRINKARD

ARCO U&G
STATE "B-1576" NO. 9
API# 3002532515




500 FSLL & 418 FWLL
SEC 32 , TWN 17 S, RANGE 35 E
ELEVATION: 3981 KB
COMPLETION DATE: 06-27-94

COMPLETION INTERVAL: 7634 - 7999 (DRKD)
TRT: 40000 GALS ACID (7634 - 7999)
IP: 239 BOPD, 200 MCFD, 66 BWPD (PUMPING)

PRODUCING
WOLFCAMP

MARATHON OIL
WARN STATE A/C-1 NO. 6
API# 3002532311



CURRENT STATUS - SHUT IN
ABO & DRINKARD COMMINGLED

MARATHON OIL
WARN-STATE A/C-2 NO. 8
API# 3002503082

0 - 357' CEMENT 350 sx
0 - 357' 13.375" OD SURF CSG

0 - 3199' CEMENT 1440 sx

0 - 3199' 9.625" OD INT CSG

3770 - 8866' CEMENT 900 sx

0 - 8866' 5.5" OD PROD CSG

C - 357' 17.5" OD HOLE

357 - 3199' 12.25" OD HOLE

330 FSL & 2333 FML

SEC 6, TWN 18 S, RANGE 35 E

ELEVATION: 3976 GR

COMPLETION DATE: 03-14-62

COMPLETION INTERVAL: 8676 - 8730 (ABRF)

IP: 285 BOPD, 0 MCFD, 0 BWPD (FLOWING)

7939 - 8169' PERFS DRINK 4/93

8676 - 8730' PERFS ABO 3/62

8458 - 8676' PERFS ABO 8/70

3199 - 8867' 8.5" OD HOLE

KB ELEV: 3976'

PBTD: 8818'

TD: 8867'

SHUT IN
ABO AND DRINKARD COMMINGLED

MARATHON OIL
WARN-STATE A/C-2 NO. 9
API# 30025030830000

0 - 356' CEMENT 350 sx
0 - 356' 13.375" OD SURF CSG

0 - 3159' CEMENT 1400 sx

0 - 3159' 9.625" OD INT CSG

2915 - 8769' CEMENT 850 sx

0 - 8769' 5.5" OD PROD CSG

0 - 356' 17.5" OD HOLE

356 - 3159' 12.25" OD HOLE

330 FSL & 913 FWL

SEC 6, TWN 18 S, RANGE 35 E

ELEVATION: 3889 DF

COMPLETION DATE: 06-01-62

COMPLETION INTERVAL: 8541 - 8608 (ABRF)

IP: 337 BOPD, 0 MCFD, 0 BWPD (FLOWING)

7800 - 8068' PERFS DRINK 1/93

8541 - 8608' PERFS ABO 6/62

8423 - 8541' PERFS ABO 8/71

3159 - 3771' 8.5" OD HOLE

KB ELEV: 3979'

PBTD: 8737'

TD: 8771'

PLUGGED & ABANDONED

MARATHON OIL
WARN-STATE A/C-2 NO. 10
API# 3002520020

- 0 - 10' CEMENT PLUG 6 SX
- 0 - 371' CEMENT 315 sx
- 0 - 371' 13.375" OD SURF CSG
- 234 - 424' CEMENT PLUG 20 SX
- 1329 - 1519' CEMENT PLUG 20 SX
- 0 - 3307' CEMENT 1540 sx

0 - 371 17.5" OD HOLE

- 3113 - 3357' CEMENT PLUG 25 SX
- 0 - 3307' 9.625" OD INT CSG

371 - 3307' 12.25" OD HOLE

- 225 - 8868' CEMENT 560 sx
- 4486 - 5070' CEMENT PLUG 60 SX


1650 FSL & 2232 FWL
 SEC 6 , TWN 18 S, RANGE 35 E
 ELEVATION: 3989 DF
 COMPLETION DATE: 05-29-63

 COMPLETION INTERVAL: 8644 - 8791 (ABO)
 IP: 190 BOPD, 0 MCFD, 0 BWPD (FLOWING)

0 - 8868' 5.5" OD PROD CSG

8644 - 8791' PERFS

3307 - 8870' 8.5" OD HOLE



PBTD: 8823'
TD: 8870'

PRODUCING
DRINKARD

MARATHON OIL
WARN STATE A/C-2 NO. 11
API# 3002520031

0 - 360' 13.375" OD SURF CSG

0 - 360' 17.5" OD HOE

0 - 360' CEMENT 250 sx

0 - 3400' CEMENT 1550 sx

0 - 3400' 8.625" OD INT CSG

360 - 3400' 12.25" OD HOE

745 - 8797' CEMENT 1255 sx

1650 FSL & 910 FWL

SEC 6, TWN 18 S, RANGE 35 E

ELEVATION: 3992 DF

COMPLETION DATE: 08-07-63

COMPLETION INTERVAL: 8485 - 8655 (ABO)

TRT: 2000 GALS ACID (8485 - 8655)

IP: 169 BOPD, 0 MCFD, 0 BWPD (FLOWING)

7805 - 7810' CIBP

7630 - 7790' PERFS DRINKARD 11/92

0 - 8797' 5.5" OD PROD CSG

3400 - 3799' 7.675" OD HOE

8485 - 8655' PERFS ABO 8/63


KB ELEV: 3992'

PBTD: 7805'

TD: 8799'


PRODUCING
DRINKARD

MARATHON OIL
WARN STATE A/C-2 NO. 18
API# 3002531887



PRODUCING
DRINKARD

MARATHON OIL
WARN STATE A/C-2 NO. 19
API# 3002531927




2010 FNL & 2230 FWL
SEC 6 , TWN 18 S, RANGE 35 E
ELEVATION: 3971 KB
COMPLETION DATE: 05-28-93

COMPLETION INTERVAL: 7632 - 8044 (DRKD)
TRT: 17000 GALS ACID (7632 - 7702)
TRT: 18000 GALS ACID (7714 - 7782)
TRT: 37000 GALS ACID (7807 - 8044)
IP: 161 BOPD, 172 MCFD, 24 BWPD (FLOWING)

KB ELEV: 3971'
PBTD: 8090'
TD: 8180'

PRODUCING
DRINKARD

MARATHON OIL
WARN STATE A/C-2 NO. 20
API# 3002531934



KB ELEV: 3979'
PBTD: 8056'
TD: 8166'

PRODUCING
DRINKARD

MARATHON OIL
WARN STATE A/C-2 NO. 21
API# 3002531969

0 - 53' 16" OD SURF CSG

0 - 53' CEMENT 0 sx

0 - 1465' CEMENT 750 sx

0 - 1465' 11.75" OD INT CSG

0 - 2823' CEMENT 900 sx

0 - 2823' 8.625" OD INT CSG

1050 - 8158' CEMENT 1560 sx

0 - 8158' 5.5" OD PROD CSG

0 - 53' 20" OD HOLE

53 - 1465' 14.75" OD HOLE

1465 - 2823' 10.75" OD HOLE

1109 FNL & 1993 FNL
SEC 6, TWN 18 S, RANGE 35 E
ELEVATION: 3988 KB
COMPLETION DATE: 07-28-93

COMPLETION INTERVAL: 7623 - 7989 (DRKD)
TRT: 29500 GALS ACID (7800 - 7989)
TRT: 13200 GALS ACID (7712 - 7771)
TRT: 15834 GALS ACID (7623 - 7693)
IP: 375 BOPD, 301 MCFD, 62 BWPD (FLOWING)


7623 - 7989' PERFS DRINKARD 7/93

2823 - 3200' 7.875" OD HOLE

KB ELEV: 3988'


PBTD: 8069'

TD: 8200'



PRODUCING
DRINKARD

MARATHON OIL
WARN STATE A/C-2 NO. 22
API# 30025320340000



PRODUCING
DRINKARD

MARATHON OIL
WARN STATE A/C-2 NO. 23
API# 3002532187

0 - 40' CEMENT 0 sx
0 - 40' 16" OD SURF CSG

0 - 40' 20" OD HOLE

0 - 1477' CEMENT 800 sx
0 - 1477' 11.75" OD INT CSG
0 - 2836' CEMENT 800 sx

40 - 1477' 14.75" OD HOLE

0 - 2836' 8.625" OD INT CSG

1477 - 2836' 10.75" OD HOLE

2920 - 8300' CEMENT 1550 sx

990 FSL & 1920 FWL
 SEC 6 , TWN 18 S, RANGE 35 E
 ELEVATION: 3993 KB
 COMPLETION DATE: 12-15-93


 COMPLETION INTERVAL: 7747 - 8030 (DRKD)
 TRT: 40000 GALS ACID (7870 - 8030)
 TRT: 17500 GALS ACID (7747 - 7844)
 IP: 235 BOPD, 239 MCFD, 177 BHPD (PUMPING)

0 - 8300' 5.5" OD PROD CSG

7747 - 8030' PERFS DRINKARD 12/93


2836 - 8300' 7.875" OD HOLE

KB ELEV: 3993'
PBTD: 8205'
TD: 8300'




PRODUCING
DRINKARD

MARATHON OIL
WARN STATE A/C-2 NO. 24
API# 3002532189



PRODUCING
DRINKARD

MOBIL PRODUCING IX & NM
STATE "K" NO. 11
API# 3002532439




1400 FSL & 360 FELL
SEC 31 , TWN 17 S, RANGE 35 E
ELEVATION: 3989 KB
COMPLETION DATE: 04-08-94

COMPLETION INTERVAL: 7588 - 7960 (DRKD)
IP: 54 BOPD, 49 MCFD, 7 BWPD (PUMPING)


PRODUCING
DRINKARD

MOBIL PRODUCING TX & NM
STATE "K" NO. 12
API# 3002532413




PRODUCING
DRINKARD

PHILLIPS PET
SANTA FE NO. 133
API# 3002532333



PRODUCING
DRINKARD

PHILLIPS PET
SANTA FE NO. 134
API# 3002532414




430 FNLL & 430 FWLL
SEC 5, TWN 18 S, RANGE 35 E
ELEVATION: 3979 KB
COMPLETION DATE: 06-10-94

COMPLETION INTERVAL: 7640 - 7994 (DRKD)
IP: 131 BOPD, 171 MCFD, 55 BWPD (PUMPING)


PRODUCING
DRINKARD

PHILLIPS PET
SANTA FE NO. 135
API# 3002532438



PRODUCING
DRINKARD

SHELL WESTERN EXPL & PROD
STATE "D" NO. 3
API# 3002532298



PRODUCING
DRINKARD

SHELL OIL
STATE "E" NO. 2
API# 3002520823

0 - 332' 13.375" OD SURF CSG

0 - 332' CEMENT 300 sx

0 - 332' 17.5" OD HOLE


332 - 3284' 12.25" OD HOLE

0 - 3284' 9.625" OD INT CSG

0 - 3284' CEMENT 574 sx

660 FSL & 1700 FWL
SEC 31, T1N 17 S, RANGE 35 E
ELEVATION: 3984 GR
COMPLETION DATE: 05-11-64

COMPLETION INTERVAL: 5999 - 6101 (PDK)
TRT: 1500 GALS ACID (5999 - 6101)
P: 120 BOPD, 0 MCFD, 7 BWPD (FLOWING)



3320 - 3320' SQUEEZE PERFS

0 - 3320' CEMENT SQZ TO SURF W/ 1260 SX

5999 - 6223' SQUEEZE PERFS SQZD W/150 SX (PDK)

7618 - 7904' PERFS DRINKARD

8095 - 8098' CIBP

9218 - 9418' ABANDONED PERFS WOLFCAMP

9096 - 9100' CIBP 1 SK CMT CAP

0 - 9505' 7" OD PROD CSG

3400 - 9505' CEMENT 1800 sx

3284 - 10406' 8.5" OD HOLE

KB ELEV: 3996'

PBTD: 8095'

TD: 10406'

PRODUCING
GLORIETA

TEXACO
VACUUM GLORIETA WEST UNIT #90
API# 3002520270

FORMERLY
SANTA FE BATTERY 2 NO. 87
PHILLIPS PETROLEUM

0 - 337' CEMENT 350 sx

0 - 337' 13.375" OD SURF CSG

2400 - 4774' CEMENT 762 sx CALC

0 - 4774' 9.625" OD INT CSG

337 - 4774' 12.25" OD HOLE

6030 - 6042' PERFS GLORIETA

4700 - 10500' CEMENT 1110 sx CBL

9162 - 9300' ABANDONED PERFS ABO

10006 - 10016' ABANDONED PERFS WOLF CAMP

0 - 10500' 7" OD PROD CSG

PBTD: 10239'
TD: 10500'

0 - 337' 17.5" OD HOLE

2130 FSL & 660 FWL
 SEC 31 , TWN 17 S, RANGE 35 E
 ELEVATION: 3982 GR
 COMPLETION DATE: 01-30-64

 COMPLETION INTERVAL: 10006 - 10016 (WFMP)
 TRT: 500 GALS ACID (10006 - 10016)
 IP: 269 BOPD, 0 MCFD, 0 BHPD (FLOWING)

 SECOND CMPL INTRVL: 9162 - 9300 (ABO)
 TRT: 5000 GALS ACID (9162 - 9300)
 IP: 297 BOPD, 0 MCFD, 0 BHPD (FLOWING)


 THIRD CMPL INTRVL: 6030 - 6042 (GLRT)
 IP: 309 BOPD, 0 MCFD, 165 BHPD (PUMPING)

9105 - 9145' CIBP 7 SX CAP

9595 - 9900' GUN FISH RODS & TBG


9985 - 9990' FISH STUCK PACKER

4774 - 10500' 8.5" OD HOLE



SHUT-IN
DRINKARD

TEXACO INC
NEW MEXICO "AB" ST. NO. 3
API# 3002503086



660 FSL & 1980 FELL
SEC 6 , TWN 18 S, RANGE 35 E
ELEVATION: 3966 GR
COMPLETION DATE: 2-21-93

COMPLETION INTERVAL: 7600 - 7981 (DRNK)

SHUT IN
ABO REEF

TEXACO INC
NEW MEXICO "AB" STATE NO. 4
API# 3002503087

0 - 327' 10 3/4" OD SURF CSG

0 - 327' 15.0" OD HOLE

0 - 327' CEMENT 350 sx

650 - 5228' CEMENT 900 sx

0 - 5228' 7 5/8" OD INT CSG

327 - 5228' 9.875" OD HOLE

5108 - 9097' CEMENT 550 sx

8208 - 8439' PERFS ABO 7/73

8483 - 8640' PERFS ABO 1/68


8674 - 8826' PERFS ABO 12/61

5228 - 9080' 6.75" OD HOLE

1650 FSL & 660 FEL
SEC 6 , TWN 18 S, RANGE 35 E
ELEVATION: 3984 DF
COMPLETION DATE: 12-22-61


COMPLETION INTERVAL: 8674 - 8826 (ABRF)
IP: 341 BOPD, 0 MCFD, 0 BWPD (FLOWING)

PBTD: 9066'
TD: 9080'



P & A 12-05-91

TEXACO INC
NEW MEXICO "AB" STATE NO. 5
API# 3002520163




1800 FSLL & 1650 FELL
 SEC 6 , TWN 18 S, RANGE 35 E
 ELEVATION: 3982 GR
 COMPLETION DATE: 03-14-63

 COMPLETION INTERVAL: 8694 - 8794 (ABO)

PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "AB" STATE NO. 10
API# 3002531991




2310 FSLL & 2110 FELL
SEC 6 , TWN 18 S, RANGE 35 E
ELEVATION: 3989 KB
COMPLETION DATE: 01-01-94

COMPLETION INTERVAL: 7757 - 7908 (DRKD)
IP: 259 BOPD, 184 MCFD, 44 BHPD (PUMPING)


KB ELEV: 3989'
PBTD: 8155'
TD: 8200'

SHUT IN
WOLFCAMP & GLORIETA

TEXACO INC
NEW MEXICO "L" STATE NO. 6
API# 3002520514



TEXACO
 NEW MEXICO L STATE NO. 7
 API# 30025209370000




760 FNL & 560 FEL
 SEC 1, TWN 18 S, RANGE 34 E
 ELEVATION: 3991 ES
 COMPLETION DATE: 03-26-64

 COMPLETION INTERVAL: 5978 - 5988 (GLRT)
 TRT: 500 GALS ACID (5978 - 5988)
 IP: 310 BOPD, 0 MCF³, 0 BHPD (FLOWING)


 CURRENT STATUS: SHUT-IN

TEXACO
 NEW MEXICO L STATE NO. 8
 API# 30025209380000




PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "L" STATE NO. 12
API# 3002531992




PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "L" STATE NO. 13
API# 3002532007




PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "L" STATE NO. 14
API# 3002532008




PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "L" STATE NO. 15
API# 3002532009



P&A 6 23 92
GLOR/ ABO/ WC


TEXACO INC
NEW MEXICO "O" STATE NO. 24
API# 3002520946



860 FSL & 660 FEL
SEC 36 , TWN 17 S, RANGE 34 E
ELEVATION: 3995 KB
COMPLETION DATE: 07-04-64


PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "O" STATE NO. 34
API# 3002532271




PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "O" STATE NO. 35
API# 3002532338




TEXACO EXPL & PROD
NEW MEXICO "O" STATE NO. 37
API# 3002532450



KB ELEV: 3998'
PBTD: 8029'
TD: 8148'

SHUT IN
ABO REEF

TEXACO INC
NEW MEXICO "R" ST. NCT-1 NO. 6
API# 3002520053




2310 FNL & 760 FEL
SEC 6, TWN 18 S, RANGE 35 E
ELEVATION: 3980 DF
COMPLETION DATE: 05-06-63

COMPLETION INTERVAL: 8554 - 8718 (ABO)
TRT: 9000 GALS ACID (8554 - 8718)
IP: 330 BOPD, 0 MCFD, 17 BHPD (FLOWING)

TD: 8850'

P&A: 5-05-93

TEXACO INC
NEW MEXICO "R" ST. NCT-1 NO. 7
API# 3002520503




2310 FNL & 1650 FEL
 SEC 6 , TWN 18 S, RANGE 35 E
 ELEVATION: 3983 ES
 COMPLETION DATE: 07-29-63

 COMPLETION INTERVAL: 8533 - 8689 (ABO)
 TRT: 9000 GALS ACID (8533 - 8689)
 IP: 197 BOPD, 0 MCFD, 0 BWPD (FLOWING)

KB ELEV: 3983'
 PBTD: 8525'
 TD: 8850'


P&A: 8-30-91

TEXACO INC
NEW MEXICO "R"ST. NCT-1 NO.10
API# 3002521109




PRODUCER
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "R" ST. NCT-1 NO. 13
API# 3002531990




TEXACO EXPL & PROD
NEW MEXICO "R"ST. NCT-1 NO.14
API# 3002532018



PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "R" ST. NCT-1 NO. 15
API# 3002532019



P & A

TEXACO INC
NEW MEXICO "R" ST. NCT-3 NO. 15
API# 3002520950

0 - 355' 13.375" OD SURF CSG

0 - 355' CEMENT CEMENT

0 - 455' CEMENT PLUG

0 - 355' 17.5" OD HOLE

435 - 435' SQUEEZE PERFS

1560 - 1660' CEMENT PLUG

500 - 4800' CEMENT 1700 sx

2720 - 2820' CEMENT PLUG

487 FSL & 560 FEL

SEC 1, TWN 18 S, RANGE 34 E

ELEVATION: 3996 ES

COMPLETION DATE: 06-05-64

COMPLETION INTERVAL: 8495 - 8706 (ABO)

TRT: 11500 GALS ACID (8495 - 8706)

IP: 142 BOPD, 0 MCFD, 120 BHPD (S)

0 - 4800' 9.625" OD INT CSG

4700 - 4820' CEMENT PLUG

355 - 4800' 12.25" OD HOLE

5965 - 6000' CIBP 35' CMT CAP

5965 - 6000' CIBP 35' CMT CAP

4820 - 10200' CEMENT 2400 sx

8405 - 8440' CIBP 35' CMT CAP

8405 - 8440' CIBP 35' CMT CAP

8495 - 8706' ABANDONED PERFS ABO

9765 - 9800' CIBP 35' CMT CAP

9765 - 9800' CIBP 35' CMT CAP

4820 - 10200' 2.875" OD TBC

9852 - 9862' ABANDONED PERFS WOLFCAMP

4820 - 10200' 2.875" OD TBC


9923 - 9925' CIBP

4800 - 10200' 8.5" OD HOLE

9958 - 9959' ABANDONED PERFS WOLFCAMP


9968 - 9978' SQUEEZE PERFS WOLFCAMP

TD: 10200'




PRODUCING
DRINKARD

TEXACO PROD
NEW MEXICO "R" ST. NCT-3 NO. 24
API# 3002529925



PRODUCING
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "R" ST. NCT-3 NO. 25
API# 3002531930



SHUT IN
DRINKARD

TEXACO EXPL & PROD
NEW MEXICO "R" ST. NCT-3 NO. 27
API# 3002532004

