

GW - 73

REPORTS

**Quarterly
Groundwater**

1st Quarter 2010

Deuell Environmental, LLC

February 22, 2010

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NM 87505

RE: First Quarter Monitoring Results - 2010
Schlumberger Technology Corporation Facility – Hobbs, New Mexico (GW-73)

Dear Mr. Hansen:

This letter reports the quarterly environmental monitoring results for the Schlumberger Technology Corporation (Dowell) facility in Hobbs, New Mexico. Deuell Environmental, LLC conducted quarterly monitoring activities at the facility on January 20, 2010. Site maps of the Dowell facility are shown on Figures 1 and 2.

Ground-water Elevation Data

Static water levels were measured in 6 ground-water monitoring wells located on, or adjacent to, the Dowell facility (see Figure 1). All wells were opened and allowed to equilibrate prior to measuring water levels with an oil-water interface probe. Ground-water elevation data (Table 1) were used to generate a potentiometric surface map of the facility as shown on Figure 1.

Ground-water elevation data are presented in Table 1. Water levels decreased 0.2 – 0.4 feet. Historically there has been an overall decline in water levels across the site with some temporary increases due to precipitation. This made it impracticable to sample wells MW-4 and MW-14.

Ground-water Quality Data

Ground-water samples were collected from 4 of the 6 facility wells. Samples were submitted to Energy Laboratories, Inc. (Energy) in Casper, Wyoming for analysis by EPA Method 8260 (volatile organics by gas chromatography/mass spectrometry, or “GCMS”).

In accordance with sampling plan revisions recommended in the 2009 First Quarterly Report and approved by NMOCD, Wells MW-2, MW-3, MW-5, MW-9, MW-10, MW-11, MW-13 and MW-15 were dropped from the sampling plan. These wells were plugged and abandoned on August 10-12.

A summary of ground-water quality analytical data is provided in Table 2. Total halocarbon concentrations in the vicinity of the Dowell facility are depicted graphically on Figure 2. No wells had any concentrations above MCL's. A duplicate sample was collected from MW-7 for quality control.

SVE System Operation

The three SVE systems have run continuously for the year. The air-sparge system is shut down due to the decline in water levels reducing injection well submergence. Air samples were collected from the waste pond, UST, and acid dock systems and analyzed by EPA Method 8260. The results of the analysis are presented in Table 3.

Future Sampling

The site has cleaned up to the point that most wells have not had any concentrations above MCL's for several quarters. In addition declining water levels has made it difficult or impossible to sample several wells. Considering these factors Schlumberger proposed revisions to the sampling plan that were approved by NMOCD. Currently two more wells have become dry with more expected to dry up in the near future. A summary of the monitoring well status is provided in the following table:

WELL	SAMPLING DIFFICULTY	COMMENT
MW-4	YES, now dry	One sample above MCL's since January 2007, that was PCE at 0.006 ug/l in January 2009
MW-7		No sample above MCL's since July 2006
MW-8		No sample above MCL's since October 2005
MW-12		No samples ever above MCL's, non-detect since April 2000
MW-14	YES, now dry	No samples ever above MCL's, non-detect since April 2009
MW-15		No samples ever above MCL's, non-detect since July 2004

These data indicate that the site is now clean. Falling water levels in the monitoring wells decreases the value of collecting samples from any of the monitoring wells in the future. Schlumberger would like to discuss with NMOCD the possibility of closing this site.

The next sampling event is scheduled for April 2010.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: Mr. Paul Scheely, NMOCD-Hobbs District Office
Du'Bois Ferguson, Schlumberger
Janice Barber, Dow

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-2	3637.26	10/25/96	85	70.03	3567.23	
		11/21/96		70.03	3567.23	0.00
		01/22/97		70.26	3567.00	-0.23
		05/21/97		70.53	3566.73	-0.27
		07/28/97		70.69	3566.57	-0.16
		10/15/97		70.80	3566.46	-0.11
		01/05/98		71.05	3566.21	-0.25
		04/16/98		71.27	3565.99	-0.22
		07/16/98		71.61	3565.65	-0.34
		10/25/98		71.84	3565.42	-0.23
		02/10/99		72.02	3565.24	-0.18
		04/21/99		72.25	3565.01	-0.23
		07/13/99		72.50	3564.76	-0.25
		10/21/99		72.76	3564.50	-0.26
		01/25/00		72.92	3564.34	-0.16
		04/17/00		73.35	3563.91	-0.43
		07/25/00		73.71	3563.55	-0.36
		10/16/00		74.04	3563.22	-0.33
		01/16/01		75.04	3562.22	-1.00
		04/10/01		74.73	3562.53	0.31
		07/17/01		75.65	3561.61	-0.92
		10/16/01		75.57	3561.69	0.08
		01/13/02		76.00	3561.26	-0.43
		04/21/02		76.32	3560.94	-0.32
		07/23/02		76.76	3560.50	-0.44
		10/17/02		77.00	3560.26	-0.24
		01/21/03		77.15	3560.11	-0.15
		04/22/03		77.38	3559.88	-0.23
		07/15/03		77.64	3559.62	-0.26
		10/14/03		77.83	3559.43	-0.19
		01/27/04		78.13	3559.13	-0.30
		04/20/04		78.26	3559.00	-0.13
		07/17/04		78.36	3558.90	-0.10
		10/29/04		77.67	3559.59	0.69
		01/15/05		77.23	3560.03	0.44
		04/16/05		77.49	3559.77	-0.26
		07/09/05		77.79	3559.47	-0.30
		10/09/05		78.03	3559.23	-0.24
		01/16/06		78.22	3559.04	-0.19
		04/18/06		78.53	3558.73	-0.31
		07/12/06		78.68	3558.58	-0.15
		10/11/06		78.70	3558.56	-0.02
		01/15/07		78.88	3558.38	-0.18
		04/18/07		79.00	3558.26	-0.12
		07/17/07		79.11	3558.15	-0.11
		10/16/07		78.43	3558.83	0.68
		01/15/08		77.96	3559.30	0.47
		04/29/08		77.73	3559.53	0.23
		07/16/08		78.40	3558.86	-0.67
		10/15/08		78.27	3558.99	0.13
		01/14/09		78.37	3558.89	-0.10
		04/07/09		79.07	3558.19	-0.70
		07/15/09		79.45	3557.81	-0.38
	Abandoned					
MW-3	3638.28	10/25/96	85	72.88	3565.40	
		11/21/96		72.89	3565.39	-0.01
		01/22/97		73.10	3565.18	-0.21
		05/21/97		73.40	3564.88	-0.30
		07/28/97		73.54	3564.74	-0.14
		10/15/97		73.67	3564.61	-0.13
		01/05/98		73.92	3564.36	-0.25
		04/16/98		74.13	3564.15	-0.21
		07/16/98		74.46	3563.82	-0.33
		10/25/98		74.74	3563.54	-0.28
		02/10/99		75.00	3563.28	-0.26
		04/21/99		75.21	3563.07	-0.21
		07/13/99		75.50	3562.78	-0.29
		10/20/99		75.67	3562.61	-0.17
		01/25/00		75.95	3562.33	-0.28
		04/17/00		76.26	3562.02	-0.31
		07/25/00		76.57	3561.71	-0.31
		10/16/00		76.88	3561.40	-0.31
		01/16/01		77.24	3561.04	-0.36
		04/10/01		77.59	3560.69	-0.35
		07/17/01		78.00	3560.28	-0.41
		10/16/01		78.39	3559.89	-0.39

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-3 (Cont.)		01/13/02	78.80	3559.48	-0.41	
		04/21/02	79.21	3559.07	-0.41	
		07/23/02	79.50	3558.78	-0.29	
		10/17/02	79.78	3558.50	-0.28	
		01/21/03	79.97	3558.31	-0.19	
		04/22/03	80.19	3558.09	-0.22	
		07/15/03	80.48	3557.80	-0.29	
		10/14/03	80.73	3557.55	-0.25	
		01/27/04	81.01	3557.27	-0.28	
		04/20/04	81.19	3557.09	-0.18	
		07/17/04	80.31	3557.97	0.88	
		10/29/04	80.64	3557.64	-0.33	
		01/15/05	80.14	3557.12	-0.52	
		04/16/05	80.35	3556.91	-0.21	
		07/09/05	80.66	3556.60	-0.31	
		10/09/05	80.90	3556.36	-0.24	
		01/16/06	81.11	3556.15	-0.21	
		04/18/06	81.38	3555.88	-0.27	
		07/12/06	81.57	3555.69	-0.19	
		10/11/06	81.57	3555.69	0.00	
		01/15/07	81.84	3555.42	-0.27	
		04/18/07	81.89	3555.37	-0.05	
		07/17/07	81.74	3555.52	0.15	
		10/16/07	81.03	3556.23	0.71	
		01/15/08	79.67	3557.59	1.36	
		04/29/08	79.97	3557.29	-0.30	
		07/16/08	80.70	3556.56	-0.73	
		10/15/08	80.18	3557.08	0.52	
		01/14/09	80.85	3556.41	-0.67	
		04/07/09	81.98	3555.28	-1.13	
		07/15/09	82.18	3555.08	-0.20	
		Abandoned				
MW-4	3639.20	10/25/96	85	72.41	3566.79	
		11/21/96		72.37	3566.83	0.04
		01/22/97		72.60	3566.60	-0.23
		05/21/97		72.87	3566.33	-0.27
		07/28/97		72.93	3566.27	-0.06
		10/15/97		73.03	3566.17	-0.10
		01/05/98		73.24	3565.96	-0.21
		04/16/98		73.67	3565.53	-0.43
		07/16/98		73.68	3565.52	-0.01
		10/25/98		74.21	3564.99	-0.53
		02/10/99		74.32	3564.88	-0.11
		04/21/99		74.58	3564.62	-0.26
		07/13/99		74.87	3564.33	-0.29
		10/21/99		75.08	3564.12	-0.21
		01/25/00		75.31	3563.89	-0.23
		04/17/00		75.75	3563.45	-0.44
		07/25/00		76.25	3562.95	-0.50
		10/16/00		76.52	3562.68	-0.27
		01/16/01		76.76	3562.44	-0.24
		04/10/01		77.27	3561.93	-0.51
		07/17/01		77.35	3561.85	-0.08
		10/16/01		77.71	3561.49	-0.36
		01/13/02		78.57	3560.63	-0.86
		04/21/02		78.89	3560.31	-0.32
		07/23/02		79.24	3559.96	-0.35
		10/17/02		79.54	3559.66	-0.30
		01/21/03		79.64	3559.56	-0.10
		04/22/03		79.77	3559.43	-0.13
		07/15/03		79.84	3559.36	-0.07
		10/14/03		80.24	3558.96	-0.40
		01/27/04		80.49	3558.71	-0.25
		04/20/04		80.66	3558.54	-0.17
		07/17/04		80.70	3558.50	-0.04
		10/29/04		79.96	3559.24	0.74
		01/15/05		79.59	3559.61	0.37
		04/16/05		79.71	3559.49	-0.12
		07/09/05		80.03	3559.17	-0.32
		10/09/05		80.26	3558.94	-0.23
		01/16/06		80.50	3558.70	-0.24
		04/18/06		80.82	3558.38	-0.32
		07/12/06		80.92	3558.28	-0.10
		10/11/06		81.00	3558.20	-0.08
		01/15/07		81.37	3557.83	-0.37
		04/18/07		81.17	3558.03	0.20
		07/17/07		81.45	3557.75	-0.28

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-4 (Cont.)		10/16/07		80.58	3558.62	0.87
		01/15/08		80.00	3559.20	0.58
		04/29/08		79.79	3559.41	0.21
		07/16/08		80.40	3558.80	-0.61
		10/15/08		80.08	3559.12	0.32
		01/14/09		80.59	3558.61	-0.51
		04/07/09		81.18	3558.02	-0.59
		07/15/09		81.50	3557.70	-0.32
		10/21/09		dry	---	---
		01/20/10		dry	---	---
MW-5	3637.70	01/22/97	85	71.90	3565.80	
		05/21/97		72.21	3565.49	-0.31
		07/28/97		72.36	3565.34	-0.15
		10/15/97		72.44	3565.26	-0.08
		01/05/98		72.71	3564.99	-0.27
		04/16/98		72.92	3564.78	-0.21
		07/16/98		73.25	3564.45	-0.33
		10/25/98		73.53	3564.17	-0.28
		02/10/99		73.77	3563.93	-0.24
		04/21/99		73.98	3563.72	-0.21
		07/13/99		74.15	3563.55	-0.17
		10/20/99		74.46	3563.24	-0.31
		01/25/00		74.72	3562.98	-0.26
		04/17/00		75.03	3562.67	-0.31
		07/25/00		75.35	3562.35	-0.32
		10/16/00		75.68	3562.02	-0.33
		01/16/01		76.04	3561.66	-0.36
		04/10/01		76.38	3561.32	-0.34
		07/17/01		76.82	3560.88	-0.44
		10/16/01		77.24	3560.46	-0.42
		01/13/02		77.62	3560.08	-0.38
		04/21/02		78.04	3559.66	-0.42
		07/23/02		78.30	3559.40	-0.26
		10/17/02		78.68	3559.02	-0.38
		01/21/03		78.85	3558.85	-0.17
		04/22/03		79.09	3558.61	-0.24
		07/15/03		79.30	3558.40	-0.21
		10/14/03		79.58	3558.12	-0.28
		01/27/04		79.82	3557.88	-0.24
		04/20/04		80.00	3557.70	-0.18
		07/17/04		80.11	3557.59	-0.11
		10/29/04		79.40	3558.30	0.71
		01/15/05		78.93	3558.77	0.47
		04/16/05		79.13	3558.57	-0.20
		07/09/05		79.50	3558.20	-0.37
		10/09/05		79.20	3558.50	0.30
		01/16/06		79.96	3557.74	-0.76
		04/18/06		80.22	3557.48	-0.26
		07/12/06		80.40	3557.30	-0.18
		10/11/06		80.40	3557.30	0.00
		01/15/07		80.71	3556.99	-0.31
		04/18/07		80.69	3557.01	0.02
		07/17/07		80.60	3557.10	0.09
		10/16/07		80.00	3557.70	0.60
		01/15/08		79.13	3558.57	0.87
		04/29/08		79.13	3558.57	0.00
		07/16/08		79.84	3557.86	-0.71
		10/15/08		79.45	3558.25	0.39
		01/14/09		79.84	3557.86	-0.39
		04/07/09		80.63	3557.07	-0.79
		07/15/09		81.03	3556.67	-0.40
		Abandoned				
MW-6	3637.52	01/22/97	85	72.88	3564.64	
		05/21/97		73.22	3564.30	-0.34
		07/28/97		73.44	3564.08	-0.22
		10/15/97		73.48	3564.04	-0.04
		01/05/98		73.72	3563.80	-0.24
		04/16/98		73.94	3563.58	-0.22
		07/16/98		74.26	3563.26	-0.32
		10/25/98		74.55	3562.97	-0.29
		02/10/99		74.78	3562.74	-0.23
		04/21/99		75.04	3562.48	-0.26
		07/13/99		75.22	3562.30	-0.18
		10/20/99		75.46	3562.06	-0.24
		01/25/00		75.80	3561.72	-0.34
		04/17/00		76.06	3561.46	-0.26

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-6 (Cont.)		07/25/00		76.36	3561.16	-0.30
		10/16/00		76.64	3560.88	-0.28
		01/16/01		77.00	3560.52	-0.36
		04/10/01		77.34	3560.18	-0.34
		07/17/01		77.77	3559.75	-0.43
		10/16/01		78.16	3559.36	-0.39
		01/13/02		78.56	3558.96	-0.40
		04/21/02		78.90	3558.62	-0.34
		07/23/02		79.23	3558.29	-0.33
		10/17/02		79.49	3558.03	-0.26
		01/21/03		79.69	3557.83	-0.20
		04/22/03		79.93	3557.59	-0.24
		07/15/03		80.18	3557.34	-0.25
		10/14/03		80.47	3557.05	-0.29
		01/27/04		80.77	3556.75	-0.30
		04/20/04		80.92	3556.60	-0.15
		07/17/04		81.05	3556.47	-0.13
		10/29/04		80.31	3557.21	0.74
		01/15/05		79.86	3557.66	0.45
		04/16/05		80.11	3557.41	-0.25
		07/09/05		80.40	3557.12	-0.29
		10/09/05		80.61	3556.91	-0.21
		01/16/06		80.97	3556.55	-0.36
		04/18/06		81.18	3556.34	-0.21
		07/12/06		81.35	3556.17	-0.17
		10/11/06		81.30	3556.22	0.05
		01/15/07		81.60	3555.92	-0.30
		04/18/07		81.67	3555.85	-0.07
		07/17/07		81.27	3556.25	0.40
		10/16/07		80.56	3556.96	0.71
		01/15/08		78.83	3558.69	1.73
		04/29/08		79.55	3557.97	-0.72
		07/16/08		80.22	3557.30	-0.67
		10/15/08		79.42	3558.10	0.80
		01/14/09		80.48	3557.04	-1.06
		04/07/09		81.38	3556.14	-0.90
		07/15/09		81.96	3555.56	-0.58
		Abandoned				
MW-7	3638.62	01/22/97	85	73.31	3565.31	
		05/21/97		73.63	3564.99	-0.32
		07/28/97		73.80	3564.82	-0.17
		10/15/97		73.93	3564.69	-0.13
		01/05/98		74.17	3564.45	-0.24
		04/16/98		74.39	3564.23	-0.22
		07/16/98		74.71	3563.91	-0.32
		10/25/98		74.98	3563.64	-0.27
		02/10/99		75.22	3563.40	-0.24
		04/21/99		75.47	3563.15	-0.25
		07/13/99		75.68	3562.94	-0.21
		10/20/99		75.94	3562.68	-0.26
		01/25/00		76.23	3562.39	-0.29
		04/17/00		76.53	3562.09	-0.30
		07/25/00		76.88	3561.74	-0.35
		10/16/00		77.16	3561.46	-0.28
		01/16/01		77.55	3561.07	-0.39
		04/10/01		77.88	3560.74	-0.33
		07/17/01		78.29	3560.33	-0.41
		10/16/01		78.68	3559.94	-0.39
		01/13/02		79.12	3559.50	-0.44
		04/21/02		79.48	3559.14	-0.36
		07/23/02		79.79	3558.83	-0.31
		10/17/02		80.08	3558.54	-0.29
		01/21/03		80.26	3558.36	-0.18
		04/22/03		80.49	3558.13	-0.23
		07/15/03		80.69	3557.93	-0.20
		10/14/03		80.96	3557.66	-0.27
		01/27/04		81.22	3557.40	-0.26
		04/20/04		81.45	3557.17	-0.23
		07/17/04		81.57	3557.05	-0.12
		10/29/04		80.98	3557.64	0.59
		01/15/05		80.47	3558.15	0.51
		04/16/05		80.62	3558.00	-0.15
		07/09/05		80.90	3557.72	-0.28
		10/09/05		81.18	3557.44	-0.28
		01/16/06		81.30	3557.32	-0.12
		04/18/06		81.66	3556.96	-0.36
		07/12/06		81.82	3556.80	-0.16

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-7 (Cont.)		10/11/06		81.88	3556.74	-0.06
		01/15/07		82.08	3556.54	-0.20
		04/18/07		82.16	3556.46	-0.08
		07/17/07		82.11	3556.51	0.05
		10/16/07		81.28	3557.34	0.83
		01/15/08		79.79	3558.83	1.49
		04/29/08		80.21	3558.41	-0.42
		07/16/08		80.86	3557.76	-0.65
		10/15/08		80.33	3558.29	0.53
		01/14/09		81.06	3557.56	-0.73
		04/07/09		81.85	3556.77	-0.79
		07/15/09		82.38	3556.24	-0.53
		10/21/09		82.73	3555.89	-0.35
		01/20/10		83.08	3555.54	-0.35
MW-8	3638.71	01/22/97	85	72.78	3565.93	
		05/21/97		73.12	3565.59	-0.34
		07/28/97		73.31	3565.40	-0.19
		10/15/97		73.44	3565.27	-0.13
		01/05/98		73.63	3565.08	-0.19
		04/16/98		74.00	3564.71	-0.37
		07/16/98		74.21	3564.50	-0.21
		10/25/98		74.48	3564.23	-0.27
		02/10/99		74.72	3563.99	-0.24
		04/21/99		74.95	3563.76	-0.23
		07/13/99		75.19	3563.52	-0.24
		10/21/99		75.48	3563.23	-0.29
		01/25/00		75.76	3562.95	-0.28
		04/17/00		76.09	3562.62	-0.33
		07/25/00		76.48	3562.23	-0.39
		10/16/00		76.80	3561.91	-0.32
		01/16/01		77.18	3561.53	-0.38
		04/10/01		77.49	3561.22	-0.31
		07/17/01		77.92	3560.79	-0.43
		10/16/01		78.26	3560.45	-0.34
		01/13/02		78.74	3559.97	-0.48
		04/21/02		79.11	3559.60	-0.37
		07/23/02		79.42	3559.29	-0.31
		10/17/02		79.67	3559.04	-0.25
		01/21/03		79.91	3558.80	-0.24
		04/22/03		80.12	3558.59	-0.21
		07/15/03		80.32	3558.39	-0.20
		10/14/03		80.57	3558.14	-0.25
		01/27/04		80.83	3557.88	-0.26
		04/20/04		81.02	3557.69	-0.19
		07/17/04		81.16	3557.55	-0.14
		10/29/04		80.54	3558.17	0.62
		01/15/05		80.05	3558.66	0.49
		04/16/05		80.19	3558.52	-0.14
		07/09/05		80.45	3558.26	-0.26
		10/09/05		80.75	3557.96	-0.30
		01/16/06		80.92	3557.79	-0.17
		04/18/06		81.19	3557.52	-0.27
		07/12/06		81.38	3557.33	-0.19
		10/11/06		81.51	3557.20	-0.13
		01/15/07		81.62	3557.09	-0.11
		04/18/07		81.7	3557.01	-0.08
		07/17/07		81.75	3556.96	-0.05
		10/16/07		80.96	3557.75	0.79
		01/15/08		79.97	3558.74	0.99
		04/29/08		79.99	3558.72	-0.02
		07/16/08		80.52	3558.19	-0.53
		10/15/08		80.14	3558.57	0.38
		01/14/09		80.76	3557.95	-0.62
		04/07/09		81.49	3557.22	-0.73
		07/15/09		81.98	3556.73	-0.49
		10/21/09		82.32	3556.39	-0.34
		01/20/10		82.62	3556.09	-0.30
MW-9	3638.76	01/22/97	85	72.57	3566.19	
		05/21/97		72.89	3565.87	-0.32
		07/28/97		73.08	3565.68	-0.19
		10/15/97		73.24	3565.52	-0.16
		01/05/98		73.47	3565.29	-0.23
		04/16/98		73.70	3565.06	-0.23
		07/16/98		73.99	3564.77	-0.29
		10/25/98		74.27	3564.49	-0.28
		02/10/99		74.52	3564.24	-0.25

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-9 (Cont.)						
	04/21/99		74.74	3564.02	-0.22	
	07/13/99		74.98	3563.78	-0.24	
	10/21/99		75.30	3563.46	-0.32	
	01/25/00		75.56	3563.20	-0.26	
	04/17/00		75.90	3562.86	-0.34	
	07/25/00		76.27	3562.49	-0.37	
	10/16/00		76.62	3562.14	-0.35	
	01/16/01		77.03	3561.73	-0.41	
	04/10/01		77.34	3561.42	-0.31	
	07/17/01		77.77	3560.99	-0.43	
	10/16/01		78.11	3560.65	-0.34	
	01/13/02		78.60	3560.16	-0.49	
	04/21/02		78.96	3559.80	-0.36	
	07/23/02		79.29	3559.47	-0.33	
	10/17/02		79.56	3559.20	-0.27	
	01/21/03		79.78	3558.98	-0.22	
	04/22/03		79.95	3558.81	-0.17	
	07/15/03		80.12	3558.64	-0.17	
	10/14/03		80.35	3558.41	-0.23	
	01/27/04		80.63	3558.13	-0.28	
	04/20/04		80.81	3557.95	-0.18	
	07/17/04		80.94	3557.82	-0.13	
	10/29/04		80.23	3558.53	0.71	
	01/15/05		79.89	3558.87	0.34	
	04/16/05		79.99	3558.77	-0.10	
	07/09/05		80.23	3558.53	-0.24	
	10/09/05		80.54	3558.22	-0.31	
	01/16/06		80.71	3558.05	-0.17	
	04/18/06		80.99	3557.77	-0.28	
	07/12/06		81.19	3557.57	-0.20	
	10/11/06		81.30	3557.46	-0.11	
	01/15/07		81.40	3557.36	-0.10	
	04/18/07		81.51	3557.25	-0.11	
	07/17/07		81.52	3557.24	-0.01	
	10/16/07		80.77	3557.99	0.75	
	01/15/08		79.84	3558.92	0.93	
	04/29/08		79.88	3558.88	-0.04	
	07/16/08		80.50	3558.26	-0.62	
	10/15/08		80.11	3558.65	0.39	
	01/14/09		80.70	3558.06	-0.59	
	04/07/09		81.39	3557.37	-0.69	
	07/15/09		81.82	3556.94	-0.43	
	Abandoned					
MW-10	3638.86	05/27/97	130.5	73.33	3565.53	
		07/28/97		73.49	3565.37	-0.16
		10/15/97		73.61	3565.25	-0.12
		01/05/98		73.83	3565.03	-0.22
		04/16/98		74.08	3564.78	-0.25
		07/16/98		74.38	3564.48	-0.30
		10/25/98		74.64	3564.22	-0.26
		02/10/99		74.92	3563.94	-0.28
		04/21/99		75.14	3563.72	-0.22
		07/13/99		75.31	3563.55	-0.17
		10/18/99		75.65	3563.21	-0.34
		01/25/00		75.93	3562.93	-0.28
		04/17/00		76.26	3562.60	-0.33
		07/25/00		76.63	3562.23	-0.37
		10/16/00		76.97	3561.89	-0.34
		01/16/01		77.34	3561.52	-0.37
		04/10/01		77.68	3561.18	-0.34
		07/17/01		78.06	3560.80	-0.38
		10/16/01		78.42	3560.44	-0.36
		01/13/02		78.88	3559.98	-0.46
		04/21/02		79.31	3559.55	-0.43
		07/23/02		79.64	3559.22	-0.33
		10/17/02		79.93	3558.93	-0.29
		01/21/03		80.06	3558.80	-0.13
		04/22/03		80.29	3558.57	-0.23
		07/15/03		80.44	3558.42	-0.15
		10/14/03		80.70	3558.16	-0.26
		01/27/04		80.94	3557.92	-0.24
		04/20/04		81.12	3557.66	-0.26
		07/17/04		81.31	3557.55	-0.11
		10/29/04		80.66	3558.20	0.65
		01/15/05		80.22	3558.64	0.44
		04/16/05		80.36	3558.50	-0.14
		07/09/05		80.64	3558.22	-0.28

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-10 (Cont.)		10/09/05		80.93	3557.93	-0.29
		01/16/06		81.08	3557.78	-0.15
		04/18/06		81.41	3557.45	-0.33
		07/12/06		81.58	3557.28	-0.17
		10/11/06		81.65	3557.21	-0.07
		01/15/07		81.82	3557.04	-0.17
		04/18/07		81.88	3556.98	-0.06
		07/17/07		81.93	3556.93	-0.05
		10/16/07		81.14	3557.72	0.79
		01/15/08		80.12	3558.74	1.02
		04/29/08		80.17	3558.69	-0.05
		07/16/08		80.70	3558.16	-0.53
		10/15/08		80.32	3558.54	0.38
		01/14/09		80.94	3557.92	-0.62
		04/07/09		81.67	3557.19	-0.73
		07/15/09		82.18	3556.68	-0.51
		Abandoned				
MW-11	3638.55	05/26/97	208	70.70	3567.85	
		07/28/97		70.89	3567.66	-0.19
		10/15/97		70.85	3567.70	0.04
		01/05/98		71.21	3567.34	-0.36
		04/16/98		71.45	3567.10	-0.24
		07/16/98		71.76	3566.79	-0.31
		10/25/98		71.95	3566.60	-0.19
		02/10/99		72.22	3566.33	-0.27
		04/21/99		72.47	3566.08	-0.25
		07/13/99		72.74	3565.81	-0.27
		10/18/99		73.03	3565.52	-0.29
		01/25/00		73.34	3565.21	-0.31
		04/17/00		73.65	3564.90	-0.31
		07/25/00		74.03	3564.52	-0.38
		10/16/00		74.44	3564.11	-0.41
		01/16/01		74.88	3563.67	-0.44
		04/10/01		75.25	3563.30	-0.37
		07/17/01		75.74	3562.81	-0.49
		10/16/01		76.14	3562.41	-0.40
		01/13/02		76.50	3562.05	-0.36
		04/21/02		76.88	3561.67	-0.38
		07/23/02		77.22	3561.33	-0.34
		10/17/02		77.48	3561.07	-0.26
		01/21/03		77.71	3560.84	-0.23
		04/22/03		77.88	3560.67	-0.17
		07/15/03		78.05	3560.50	-0.17
		10/14/03		78.28	3560.27	-0.23
		01/27/04		78.48	3560.07	-0.20
		04/20/04		78.62	3559.93	-0.14
		07/17/04		78.78	3559.77	-0.16
		10/29/04		77.93	3560.62	0.85
		01/15/05		77.54	3561.01	0.39
		04/16/05		77.77	3560.78	-0.23
		07/09/05		78.34	3560.21	-0.57
		10/09/05		78.96	3559.59	-0.62
		01/16/06		79.07	3559.48	-0.11
		04/18/06		78.89	3559.66	0.18
		07/12/06		78.96	3559.59	-0.07
		10/11/06		79.08	3559.47	-0.12
		01/15/07		79.22	3559.33	-0.14
		04/18/07		79.27	3559.28	-0.05
		07/17/07		79.73	3558.82	-0.46
		10/16/07		78.82	3559.73	0.91
		01/15/08		78.46	3560.09	0.36
		04/29/08		78.21	3560.34	0.25
		07/16/08		78.90	3559.65	-0.69
		10/15/08		79.02	3559.53	-0.12
		01/14/09		78.76	3559.79	0.26
		04/07/09		79.21	3559.34	-0.45
		07/15/09		79.86	3558.69	-0.65
		Abandoned				
MW-12	3636.15	05/26/97	85	68.05	3568.10	
		07/28/97		68.14	3568.01	-0.09
		10/15/97		68.24	3567.91	-0.10
		01/05/98		68.52	3567.63	-0.28
		04/16/98		68.78	3567.37	-0.26
		07/16/98		69.10	3567.05	-0.32
		10/25/98		69.26	3566.89	-0.16
		02/10/99		69.53	3566.62	-0.27

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-12 (Cont.)		04/21/99		69.76	3566.39	-0.23
		07/13/99		69.95	3566.20	-0.19
		10/18/99		70.29	3565.86	-0.34
		01/25/00		70.57	3565.58	-0.28
		04/17/00		70.87	3565.28	-0.30
		07/25/00		71.28	3564.87	-0.41
		10/16/00		71.46	3564.69	-0.18
		01/16/01		72.00	3564.15	-0.54
		04/10/01		72.93	3563.22	-0.93
		07/17/01		72.92	3563.23	0.01
		10/16/01		73.32	3562.83	-0.40
		01/13/02		73.72	3562.43	-0.40
		04/21/02		74.08	3562.07	-0.36
		07/23/02		74.42	3561.73	-0.34
		10/17/02		74.72	3561.43	-0.30
		01/21/03		74.90	3561.25	-0.18
		04/22/03		75.14	3561.01	-0.24
		07/15/03		75.35	3560.80	-0.21
		10/14/03		75.55	3560.60	-0.20
		01/27/04		75.76	3560.39	-0.21
		04/20/04		75.93	3560.22	-0.17
		07/17/04		76.02	3560.13	-0.09
		10/29/04		75.17	3560.98	0.85
		01/15/05		74.77	3561.38	0.40
		04/16/05		75.04	3561.11	-0.27
		07/09/05		75.39	3560.76	-0.35
		10/09/05		75.69	3560.46	-0.30
		01/16/06		75.8	3560.35	-0.11
		04/18/06		76.07	3560.08	-0.27
		07/12/06		76.25	3559.90	-0.18
		10/11/06		76.28	3559.87	-0.03
		01/15/07		76.48	3559.67	-0.20
		04/18/07		76.58	3559.57	-0.10
		07/17/07		76.71	3559.44	-0.13
		10/16/07		76.16	3559.99	0.55
		01/15/08		75.77	3560.38	0.39
		04/29/08		75.48	3560.67	0.29
		07/16/08		76.20	3559.95	-0.72
		10/15/08		76.10	3560.05	0.10
		01/14/09		76.07	3560.08	0.03
		04/07/09		76.70	3559.45	-0.63
		07/15/09		76.94	3559.21	-0.24
		10/21/09		77.22	3558.93	-0.28
		01/20/10		77.47	3558.68	-0.25
MW-13	3635.39	05/21/97	84	72.31	3563.08	
		07/28/97		72.39	3563.00	-0.08
		10/15/97		72.63	3562.76	-0.24
		01/05/98		72.79	3562.60	-0.16
		04/16/98		72.93	3562.46	-0.14
		07/16/98		73.32	3562.07	-0.39
		10/25/98		73.62	3561.77	-0.30
		02/10/99		73.88	3561.51	-0.26
		04/21/99		74.11	3561.28	-0.23
		07/12/99		74.17	3561.22	-0.06
		10/20/99		73.88	3561.51	0.29
		01/26/00		74.18	3560.58	-0.93
		04/17/00		74.43	3560.33	-0.25
		07/25/00		74.65	3560.11	-0.22
		10/16/00		74.95	3559.81	-0.30
		01/16/01		75.33	3559.43	-0.38
		04/10/01		75.65	3559.11	-0.32
		07/17/01		76.04	3558.72	-0.39
		10/16/01		76.42	3558.34	-0.38
		01/13/02		76.82	3557.94	-0.40
		04/21/02		77.11	3557.65	-0.29
		07/23/02		77.41	3557.35	-0.30
		10/17/02		77.72	3557.04	-0.31
		01/21/03		77.82	3556.94	-0.10
		04/22/03		78.07	3556.69	-0.25
		07/15/03		78.45	3556.31	-0.38
		10/14/03		78.74	3556.02	-0.29
		01/27/04		79.04	3555.72	-0.30
		04/20/04		78.96	3555.80	0.08
		07/17/04		79.28	3555.48	-0.32
		10/29/04		78.14	3556.62	1.14
		01/15/05		78.03	3556.73	0.11
		04/16/05		78.42	3556.34	-0.39

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-13 (Cont.)		07/09/05		78.75	3556.01	-0.33
		10/09/05		78.79	3555.97	-0.04
		01/16/06		79.19	3555.57	-0.40
		04/18/06		79.55	3555.21	-0.36
		07/12/06		79.79	3554.97	-0.24
		10/11/06		79.39	3555.37	0.40
		01/15/07		79.9	3554.86	-0.51
		04/18/07		80.03	3554.73	-0.13
		07/16/07		78.67	3556.09	1.36
		10/16/07		78.43	3556.33	0.24
		01/15/08		77.22	3557.54	1.21
		04/29/08		78.31	3556.45	-1.09
		07/16/08		78.58	3556.18	-0.27
		10/15/08		77.57	3557.19	1.01
		01/14/09		78.89	3555.87	-1.32
		04/07/09		79.84	3554.92	-0.95
		07/15/09		80.33	3554.43	-0.49
	Abandoned					
MW-14	3637.19	05/21/97	85	74.86	3562.33	
		07/28/97		75.06	3562.13	-0.20
		10/15/97		75.28	3561.91	-0.22
		01/05/98		75.44	3561.75	-0.16
		04/16/98		75.61	3561.58	-0.17
		07/16/98		75.98	3561.21	-0.37
		10/25/98		76.26	3560.93	-0.28
		02/10/99		76.57	3560.62	-0.31
		04/21/99		76.81	3560.38	-0.24
		07/12/99		77.08	3560.11	-0.27
		10/20/99		77.35	3559.84	-0.27
		01/26/00		77.67	3559.52	-0.32
		04/17/00		77.94	3559.25	-0.27
		07/25/00		78.26	3558.93	-0.32
		10/16/00		78.51	3558.68	-0.25
		01/16/01		78.91	3558.28	-0.40
		04/10/01		79.24	3557.95	-0.33
		07/17/01		79.66	3557.53	-0.42
		10/16/01		80.06	3557.13	-0.40
		01/13/02		80.40	3556.79	-0.34
		04/21/02		80.78	3556.41	-0.38
		07/23/02		81.05	3556.14	-0.27
		10/17/02		81.36	3555.83	-0.31
		01/21/03		81.59	3555.60	-0.23
		04/22/03		81.77	3555.42	-0.18
		07/15/03		82.03	3555.16	-0.26
		10/14/03		82.27	3554.92	-0.24
		01/27/04		82.57	3554.62	-0.30
		04/20/04		82.77	3554.42	-0.20
		07/16/04		82.92	3554.27	-0.15
		10/29/04		82.67	3554.52	0.25
		01/15/05		82.17	3555.02	0.50
		04/16/05		82.03	3555.16	0.14
		07/09/05		82.28	3554.91	-0.25
		10/09/05		82.47	3554.72	-0.19
		01/16/06		82.77	3554.42	-0.30
		04/18/06		82.92	3554.27	-0.15
		07/12/06		83.18	3554.01	-0.26
		10/11/06		83.28	3553.91	-0.10
		01/15/07		83.43	3553.76	-0.15
		04/18/07		83.49	3553.70	-0.06
		07/16/07		83.56	3553.63	-0.07
		10/16/07		83.23	3553.96	0.33
		01/15/08		82.83	3554.36	0.40
		04/29/08		82.58	3554.61	0.25
		07/16/08		83.19	3554.00	-0.61
		10/15/08		83.10	3554.09	0.09
		01/14/09		83.12	3554.07	-0.02
		04/07/09		83.61	3553.58	-0.49
		07/15/09		84.03	3553.16	-0.42
		10/21/09		84.31	3552.88	-0.28
		01/20/10		DRY	--	--

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-15	3636.57	05/21/97	85	72.09	3564.48	
		07/28/97		72.28	3564.29	-0.19
		10/15/97		72.52	3564.05	-0.24
		01/05/98		72.70	3563.87	-0.18
		04/16/98		72.87	3563.70	-0.17
		07/16/98		73.24	3563.33	-0.37
		10/25/98		73.47	3563.10	-0.23
		02/10/99		73.76	3562.81	-0.29
		04/21/99		74.00	3562.57	-0.24
		07/12/99		74.27	3562.30	-0.27
		10/20/99		74.58	3561.99	-0.31
		01/26/00		74.92	3561.65	-0.34
		04/17/00		75.19	3561.38	-0.27
		07/25/00		75.50	3561.07	-0.31
		10/16/00		75.85	3560.72	-0.35
		01/16/01		76.27	3560.30	-0.42
		04/10/01		76.58	3559.99	-0.31
		07/17/01		77.01	3559.56	-0.43
		10/16/01		77.44	3559.13	-0.43
		01/13/02		77.87	3558.70	-0.43
		04/21/02		78.18	3558.39	-0.31
		07/23/02		78.53	3558.04	-0.35
		10/17/02		78.72	3557.85	-0.19
		01/21/03		79.00	3557.57	-0.28
		04/22/03		79.16	3557.41	-0.16
		07/15/03		79.36	3557.21	-0.20
		10/14/03		79.60	3556.97	-0.24
		01/27/04		79.83	3556.74	-0.23
		04/20/04		80.03	3556.54	-0.20
		07/16/04		80.14	3556.43	-0.11
		10/29/04		79.55	3557.02	0.59
		01/15/05		79.20	3557.37	0.35
		04/16/05		79.18	3557.39	0.02
		07/09/05		79.43	3557.14	-0.25
		10/09/05		79.70	3556.87	-0.27
		01/16/06		79.92	3556.65	-0.22
		04/18/06		80.12	3556.45	-0.20
		07/12/06		80.38	3556.19	-0.26
		10/11/06		80.52	3556.05	-0.14
		01/15/07		80.64	3555.93	-0.12
		04/18/07		80.72	3555.85	-0.08
		07/16/07		80.78	3555.79	-0.06
		10/16/07		80.33	3556.24	0.45
		01/15/08		79.80	3556.77	0.53
		04/29/08		79.50	3557.07	0.30
		07/16/08		80.18	3556.39	-0.68
		10/15/08		80.04	3556.53	0.14
		01/14/09		80.16	3556.41	-0.12
		04/07/09		80.72	3555.85	-0.56
		07/15/09		81.07	3555.50	-0.35
		10/21/09		81.43	3555.14	-0.36
		01/20/10		81.71	3554.86	-0.28
Shell Station MW-4	3637.69	05/25/97	82.6	75.97	3561.72	
		07/28/97		76.15	3561.54	-0.18
		10/15/97		76.26	3561.43	-0.11
		01/05/98		76.52	3561.17	-0.26
		04/16/98		76.67	3561.02	-0.15
		07/16/98		78.03	3559.66	-1.36
		10/25/98		77.33	3560.36	0.70
		02/10/99		77.62	3560.07	-0.29
		04/21/99		77.48	3560.21	0.14
		07/12/99		78.08	3559.61	-0.60
		10/21/99		78.36	3559.33	-0.28
		01/26/00		78.65	3559.04	-0.29
		04/17/00		78.92	3558.77	-0.27
		07/25/00		79.18	3558.51	-0.26
		10/16/00		79.49	3558.20	-0.31
		01/16/01		79.83	3557.86	-0.34
		04/10/01		80.14	3557.55	-0.31
		07/17/01		80.53	3557.16	-0.39
		10/16/01		80.85	3556.84	-0.32
		01/13/02		81.27	3556.42	-0.42
		04/21/02		81.61	3556.08	-0.34
		07/23/02		81.63	3556.06	-0.02
		10/17/02		81.69	3556.00	-0.06
		01/21/03		81.71	3555.98	-0.02

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
Shell Station	04/22/03		81.77	3555.92	-0.06	
MW-4 (Cont.)	07/15/03		81.56	3556.13	0.21	
	10/14/03		79.94	3557.75	1.62	
	01/27/04		82.27	3555.42	-2.33	
	Abandoned					

Note: Top of casing survey elevations are based on the "City of Hobbs Control Datum" and the North American Vertical Datum

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	ETHYL-BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL XYLEMES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL ETEx (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-2 (Cont.)	07/06/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Abandoned															
MW-3	10/25/06	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.023	ND(0.002)	0.007	ND(0.002)	0.012	0.002	0.049	0.049	0.049
	11/2/06	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.017	ND(0.002)	0.007	ND(0.002)	0.019	0.000	0.071	0.071	0.071
	01/2/07	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.027	ND(0.002)	0.010	ND(0.002)	0.016	0.000	0.067	0.067	0.067
	05/22/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.026	0.001	0.015	0.015	0.016	0.002	0.073	0.073	0.073
	07/28/07	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.033	ND(0.002)	0.002	ND(0.002)	0.012	0.006	ND(0.002)	0.012	0.067
	10/16/07	0.007	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.022	ND(0.002)	0.008	ND(0.002)	0.011	0.002	ND(0.002)	0.022	0.063
	01/6/08	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.023	ND(0.002)	0.023	ND(0.002)	0.031	0.026	ND(0.002)	0.026	0.108
	04/16/08	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.030	ND(0.002)	0.014	ND(0.002)	0.012	0.003	ND(0.002)	0.025	0.084
	07/17/08	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.034	ND(0.002)	0.015	ND(0.002)	0.013	0.003	ND(0.002)	0.026	0.091
	10/27/08	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.035	ND(0.002)	0.015	ND(0.002)	0.005	0.002	ND(0.002)	0.016	0.070
	10/29/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.025	ND(0.001)	0.023	ND(0.001)	0.020	0.020	ND(0.001)	0.020	0.088
	10/16/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.026	ND(0.001)	0.014	0.003	ND(0.001)	0.017	0.077
	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.013	ND(0.001)	0.010	0.000	ND(0.001)	0.010	0.052
	10/17/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.007	ND(0.001)	0.002	0.004	ND(0.001)	0.004	0.038
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.001	ND(0.001)	0.001	0.000	ND(0.001)	0.002	0.026
	10/3/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.025	ND(0.001)	0.023	ND(0.001)	0.014	0.004	ND(0.001)	0.020	0.088
	10/1/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.026	ND(0.001)	0.005	0.003	ND(0.001)	0.017	0.077
	10/1/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.022	ND(0.001)	0.013	0.000	ND(0.001)	0.010	0.052
	07/1/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.019	ND(0.001)	0.007	0.001	ND(0.001)	0.004	0.038
	10/1/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.016	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.026
	10/1/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.009	ND(0.001)	0.003	0.001	ND(0.001)	0.002	0.016
	07/1/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.001	0.000	ND(0.001)	0.000	0.003
	10/1/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.001	0.000	ND(0.001)	0.000	0.002
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.001	0.000	ND(0.001)	0.000	0.002
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.001	0.000	ND(0.001)	0.000	0.000
	07/1/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.001	0.000	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.001	0.000	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.001	0.000	ND(0.001)	0.000	0.000
Abandoned															
MW-4	10/25/06	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.110	ND(0.05)	0.051	ND(0.05)	0.498	1.040	0.006	2.590	4.294
	11/2/06	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.041)	0.110	ND(0.05)	0.623	ND(0.05)	0.941	0.941	ND(0.05)	3.526	5.200
	11/2/06	ND(0.012)	ND(0.012)	ND(0.012)	ND(0.041)	ND(0.041)	0.106	ND(0.042)	0.042	ND(0.042)	0.894	1.080	ND(0.042)	3.980	5.902
	01/22/07	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.041)	0.089	ND(0.05)	0.509	ND(0.05)	0.557	ND(0.05)	ND(0.05)	4.292	4.292
	05/23/07	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.062	ND(0.02)	0.022	ND(0.02)	0.423	0.550	ND(0.01)	1.720	2.777
	06/25/07	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.01)	ND(0.04)	0.047	ND(0.01)	0.017	ND(0.01)	0.175	0.349	ND(0.02)	1.250	1.838
	06/25/07	ND(0.012)	ND(0.012)	ND(0.012)	ND(0.04)	ND(0.04)	0.044	ND(0.01)	0.017	ND(0.01)	0.167	0.332	ND(0.02)	1.190	1.750
	07/28/07	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.01)	ND(0.04)	0.037	ND(0.01)	0.015	ND(0.01)	0.124	0.267	ND(0.02)	1.060	1.503
	10/16/07	ND(0.012)	ND(0.012)	ND(0.012)	ND(0.04)	ND(0.04)	0.031	ND(0.02)	0.011	ND(0.02)	0.125	0.225	ND(0.02)	1.170	1.540
	01/6/08	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.01)	ND(0.04)	0.021	ND(0.02)	0.087	ND(0.02)	0.148	0.148	ND(0.02)	0.970	1.226
	02/1/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.01)	ND(0.02)	0.021	ND(0.01)	0.006	ND(0.01)	0.077	0.138	ND(0.01)	0.907	1.149
	04/16/08	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.04)	0.019	ND(0.05)	0.116	ND(0.05)	0.114	0.651	ND(0.05)	0.651	0.900
	07/17/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.01)	ND(0.02)	0.031	ND(0.01)	0.014	ND(0.01)	0.026	0.194	ND(0.01)	1.120	1.551
	07/17/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.01)	ND(0.02)	0.031	ND(0.01)	0.014	ND(0.01)	0.024	0.216	ND(0.02)	0.843	1.330
	07/17/08	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.05)	0.037	ND(0.05)	0.201	ND(0.05)	0.209	0.209	ND(0.05)	1.080	1.521
	10/27/08	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.01)	ND(0.04)	0.021	ND(0.02)	0.019	ND(0.02)	0.118	0.090	ND(0.01)	0.511	0.738
	02/1/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.01)	ND(0.02)	0.031	ND(0.01)	0.151	ND(0.01)	0.166	0.075	ND(0.01)	0.675	1.223
	04/2/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.01)	ND(0.02)	0.031	ND(0.01)	0.081	ND(0.01)	0.086	0.058	ND(0.01)	0.386	0.539
	07/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.01)	ND(0.02)	0.015	ND(0.01)	0.004	ND(0.01)	0.055	0.055	ND(0.01)	0.350	0.508
Duplicate	07/17/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.01)	ND(0.02)	0.031	ND(0.01)	0.019	ND(0.01)	0.024	0.077	ND(0.01)	0.977	1.367
Duplicate	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.01)	ND(0.02)	0.013	ND(0.01)	0.044	ND(0.01)	0.044	0.036	ND(0.01)	0.249	0.336
Duplicate	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.01)	0.015	ND(0.01)	0.013	ND(0.01)	0.021	0.021	ND(0.02)	0.282	0.387
Duplicate	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.013	ND(0.0025)	0.038	ND(0.0025)	0.025	0.025	ND(0.0025)	0.034	0.324

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLYLNE/S (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1,1-TCA (mg/L)	TOTAL 1,2-DCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)	
MW-5 (Cont.)	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.003	
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.003	
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.004	
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.004	
Abandoned														
MW-6	04/23/07	0.007	ND(0.001)	ND(0.001)	ND(0.002)	0.041	0.001	0.004	0.004	ND(0.001)	0.003	ND(0.001)	0.053	
	05/22/07	0.004	ND(0.002)	ND(0.004)	ND(0.002)	0.085	0.002	0.034	0.017	0.002	0.023	ND(0.001)	0.163	
	07/28/07	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.081	0.002	0.027	0.008	0.002	0.021	ND(0.001)	0.141	
	10/16/07	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.082	0.002	0.025	0.006	0.002	0.019	ND(0.001)	0.136	
	01/06/08	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.113	0.003	0.038	0.012	0.002	0.024	ND(0.001)	0.192	
	04/16/08	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.088	0.003	0.027	0.008	0.002	0.017	ND(0.001)	0.145	
	07/17/08	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.091	0.004	0.051	0.022	0.002	0.032	ND(0.001)	0.202	
	10/26/08	0.011	0.002	ND(0.001)	ND(0.002)	0.055	ND(0.001)	0.011	ND(0.001)	0.011	0.013	ND(0.001)	0.077	
	02/10/09	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.113	0.005	0.056	0.016	0.003	0.039	ND(0.001)	0.232	
	04/21/09	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.133	0.006	0.061	0.023	0.004	0.047	ND(0.001)	0.273	
	07/13/09	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.108	0.004	0.068	0.021	ND(0.0025)	0.062	ND(0.001)	0.263	
	10/20/09	ND(0.0025)	ND(0.0025)	0.002	ND(0.005)	0.066	0.003	0.058	0.032	ND(0.0025)	0.046	ND(0.001)	0.205	
	01/25/00	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	0.093	0.003	0.049	0.015	ND(0.0025)	0.048	ND(0.001)	0.208	
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.082	ND(0.0025)	0.036	ND(0.0025)	0.033	0.006	ND(0.001)	0.160	
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.057	ND(0.0025)	0.028	ND(0.0025)	0.010	ND(0.0025)	0.027	ND(0.001)	0.122
	10/16/00	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.003	0.015	ND(0.001)	0.014	ND(0.001)	0.090	
Duplicate	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.061	0.005	0.056	0.013	ND(0.001)	0.027	ND(0.001)	0.094	
	04/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.063	ND(0.0025)	0.035	0.004	ND(0.001)	0.032	ND(0.001)	0.146	
	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.030	ND(0.005)	0.006	ND(0.0025)	0.026	ND(0.001)	0.140
	07/17/01	ND(0.0025)	ND(0.0025)	ND(0.002)	ND(0.002)	0.063	ND(0.0025)	0.003	ND(0.002)	ND(0.002)	0.008	ND(0.005)	0.000	
	10/16/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.062	ND(0.0025)	0.039	0.005	ND(0.0025)	0.036	ND(0.001)	0.151	
	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.060	ND(0.0025)	0.030	0.005	ND(0.0025)	0.026	ND(0.001)	0.128	
	04/21/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	0.004	0.035	ND(0.001)	0.011	ND(0.0025)	0.026	ND(0.001)	0.144
	07/23/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.062	0.003	0.032	0.004	ND(0.001)	0.007	ND(0.001)	0.143	
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.056	0.002	0.024	0.005	ND(0.001)	0.026	ND(0.001)	0.122	
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	0.003	0.016	0.003	ND(0.001)	0.007	ND(0.001)	0.110	
	04/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.077	0.003	0.026	0.005	ND(0.001)	0.007	ND(0.001)	0.099	
	07/13/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.060	ND(0.0025)	0.030	0.005	ND(0.0025)	0.026	ND(0.001)	0.093	
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	0.004	0.035	ND(0.001)	0.011	ND(0.001)	0.034	ND(0.001)	0.159
	07/23/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.062	0.003	0.032	0.004	ND(0.001)	0.007	ND(0.001)	0.144	
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.004	0.038	0.005	ND(0.001)	0.011	ND(0.001)	0.143	
	04/20/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.058	0.002	0.014	0.006	ND(0.001)	0.002	ND(0.001)	0.119	
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.074	0.003	0.017	0.005	ND(0.001)	0.015	ND(0.001)	0.099	
	04/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.076	0.003	0.017	0.005	ND(0.001)	0.006	ND(0.001)	0.099	
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.003	0.021	0.005	ND(0.001)	0.006	ND(0.001)	0.099	
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.004	0.018	0.003	ND(0.001)	0.006	ND(0.001)	0.099	
	01/27/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.068	0.003	0.021	0.007	ND(0.001)	0.003	ND(0.001)	0.130	
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.058	0.002	0.014	0.006	ND(0.001)	0.002	ND(0.001)	0.099	
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.074	0.003	0.017	0.005	ND(0.001)	0.015	ND(0.001)	0.117	
	07/17/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.076	0.003	0.017	0.005	ND(0.001)	0.013	ND(0.001)	0.117	
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.003	0.021	0.005	ND(0.001)	0.006	ND(0.001)	0.117	
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.002	0.008	0.001	ND(0.001)	0.002	ND(0.001)	0.099	
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	0.002	0.009	0.003	ND(0.001)	0.003	ND(0.001)	0.099	
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.040	ND(0.001)	0.007	0.008	ND(0.001)	0.002	ND(0.001)	0.099	
Duplicate	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.056	0.001	0.009	0.005	ND(0.001)	0.004	ND(0.001)	0.091	
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.001	0.005	ND(0.001)	0.002	ND(0.001)	0.091	
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	0.006	0.006	ND(0.001)	0.002	ND(0.001)	0.091	
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.005	0.008	ND(0.001)	0.003	ND(0.001)	0.091	
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.005	ND(0.001)	0.001	ND(0.001)	0.091	
Duplicate	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.001	0.005	ND(0.001)	0.001	ND(0.001)	0.091	
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.005	ND(0.001)	0.001	ND(0.001)	0.091	
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.005	ND(0.001)	0.001	ND(0.001)	0.091	

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLYNES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-6 (Cont.)	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Duplicate	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001
Abandoned													
MW-7	01/23/97	0.001	ND(0.001)	ND(0.001)	0.001	0.047	0.001	0.009	ND(0.001)	0.004	0.014	0.116	0.075
	05/22/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.087	0.002	0.066	ND(0.002)	0.002	0.014	0.003	0.287
	07/28/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.073	0.002	0.061	ND(0.002)	0.021	0.110	0.004	0.267
	10/16/97	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.065	ND(0.005)	0.050	ND(0.005)	0.018	0.091	0.003	0.224
	01/06/98	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.076	ND(0.005)	0.054	ND(0.005)	0.018	0.111	0.003	0.259
	04/16/98	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.055	ND(0.005)	0.035	ND(0.005)	0.020	0.078	0.003	0.188
	07/17/98	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.065	ND(0.005)	0.038	ND(0.005)	0.024	0.073	0.003	0.200
	10/26/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	0.047	ND(0.005)	0.030	ND(0.005)	0.019	0.073	0.000	0.169
	02/01/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.050	ND(0.001)	0.032	ND(0.001)	0.002	0.014	0.006	0.164
	04/21/99	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	0.047	ND(0.001)	0.029	ND(0.001)	0.011	0.071	0.000	0.160
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.034	ND(0.001)	0.027	ND(0.001)	0.007	0.066	0.000	0.134
	10/20/99	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	0.046	ND(0.001)	0.035	ND(0.001)	0.006	0.081	0.002	0.168
	01/25/00	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.025	ND(0.0025)	0.020	ND(0.0025)	0.003	0.061	0.000	0.109
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.022	ND(0.0025)	0.020	ND(0.0025)	0.003	0.069	0.000	0.114
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0075)	ND(0.0075)	0.030	ND(0.0025)	0.026	ND(0.0025)	0.003	0.081	0.000	0.140
	10/16/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.036	ND(0.0025)	0.030	ND(0.0025)	0.008	0.090	0.000	0.159
	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.030	ND(0.0025)	0.021	ND(0.0025)	0.003	0.086	0.000	0.140
	04/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.025	ND(0.0025)	0.020	ND(0.0025)	0.004	0.086	0.000	0.125
	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.015	ND(0.005)	0.005	0.062	ND(0.005)	0.000
	10/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.047	ND(0.0025)	0.019	ND(0.0025)	0.006	0.064	ND(0.0025)	0.000
	01/13/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.036	ND(0.0025)	0.013	ND(0.0025)	0.004	0.042	ND(0.0025)	0.000
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.014	ND(0.001)	0.003	0.034	ND(0.001)	0.000
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.013	ND(0.001)	0.003	0.032	ND(0.001)	0.000
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.009	ND(0.001)	0.002	0.025	ND(0.001)	0.000
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.006	ND(0.001)	0.002	0.019	ND(0.001)	0.000
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	0.001	0.013	ND(0.001)	0.000
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	ND(0.001)	0.000	0.025	ND(0.001)	0.000
	04/22/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.003	ND(0.001)	0.001	0.007	ND(0.001)	0.000
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	0.002	0.019	ND(0.001)	0.000
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	0.002	0.019	ND(0.001)	0.000
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.009	ND(0.001)	0.001	0.013	ND(0.001)	0.000
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	0.002	0.023	ND(0.001)	0.000
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.004	ND(0.001)	0.002	0.021	ND(0.001)	0.000
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.009	ND(0.001)	0.002	0.017	ND(0.001)	0.000
	10/3/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.007	ND(0.001)	0.001	0.014	ND(0.001)	0.000
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.005	ND(0.001)	0.002	0.010	ND(0.001)	0.000
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.006	ND(0.001)	0.001	0.011	ND(0.001)	0.000
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	ND(0.001)	0.002	0.008	ND(0.001)	0.000
	04/20/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.004	ND(0.001)	0.001	0.010	ND(0.001)	0.000
	07/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.004	ND(0.001)	0.001	0.007	ND(0.001)	0.000
	10/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.005	ND(0.001)	0.002	0.008	ND(0.001)	0.000
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.004	ND(0.001)	0.002	0.006	ND(0.001)	0.000
	04/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	07/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	07/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	0.001	0.005	ND(0.001)	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	0.001	0.005	ND(0.001)	0.000
Duplicate	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	0.001	0.005	ND(0.001)	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENEs (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,4-DCA (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-7 (Cont.)	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.004
	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.003
	07/15/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.004
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.003
Duplicate	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.001
MW-8	01/23/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.068	ND(0.002)	0.005	0.280	0.460	ND(0.001)	0.810	ND(0.001)	0.000	1.623
	06/25/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.082	ND(0.001)	1.360	4.150	4.150	ND(0.001)	0.000	ND(0.001)	0.000	6.397
	07/28/97	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	0.077	ND(0.02)	0.975	0.774	ND(0.02)	3.900	ND(0.1)	0.000	5.426	
	10/16/97	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.120	ND(0.1)	1.120	0.798	ND(0.1)	4.520	ND(0.2)	0.000	6.438	
	01/06/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.056	ND(0.2)	0.656	0.596	ND(0.2)	4.570	ND(0.2)	0.000	6.024	
	04/16/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.024	ND(0.2)	1.230	0.798	ND(0.2)	4.650	ND(0.2)	0.000	6.678	
	07/17/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.050	ND(0.2)	1.050	0.658	ND(0.2)	4.620	ND(0.2)	0.000	6.328	
	10/27/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.060	ND(0.2)	1.200	0.740	ND(0.2)	5.090	ND(0.2)	0.000	7.030	
	02/01/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.083	ND(0.025)	0.936	0.569	ND(0.025)	3.870	ND(0.025)	0.000	5.468	
	04/21/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.050	ND(0.025)	0.806	0.600	ND(0.025)	3.900	ND(0.025)	0.000	5.388	
	07/13/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.050	ND(0.025)	0.634	0.341	ND(0.025)	2.970	ND(0.025)	0.000	4.003	
	10/21/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.081	ND(0.025)	0.657	0.447	ND(0.025)	3.610	ND(0.025)	0.000	4.995	
	01/25/00	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.076	ND(0.025)	0.687	0.349	ND(0.025)	3.190	ND(0.025)	0.000	4.302	
	04/18/00	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.053	ND(0.01)	0.412	0.219	ND(0.01)	2.420	ND(0.01)	0.000	3.104	
	07/25/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.031	ND(0.01)	0.350	0.238	ND(0.01)	2.600	ND(0.01)	0.000	2.800	
	07/25/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.025	ND(0.01)	0.700	0.300	ND(0.01)	2.500	ND(0.01)	0.000	3.500	
STL Duplicate	10/16/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.085	ND(0.01)	0.546	ND(0.01)	0.317	ND(0.01)	5.780	ND(0.01)	0.000	6.728
	01/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.094	ND(0.01)	0.512	ND(0.01)	0.353	ND(0.01)	3.340	ND(0.01)	0.000	4.299
	04/18/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.083	ND(0.01)	0.401	0.219	ND(0.01)	6.150	ND(0.01)	0.000	6.892	
	07/17/01	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.02)	0.076	ND(0.02)	0.350	0.240	ND(0.02)	2.600	ND(0.02)	0.000	3.266	
	10/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.048	ND(0.01)	0.200	0.120	ND(0.01)	1.700	ND(0.01)	0.000	2.085	
Duplicate	10/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.045	ND(0.01)	0.17	0.120	ND(0.01)	0.003	ND(0.01)	0.000	2.195	
	01/13/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.001)	0.110	0.060	ND(0.005)	0.990	ND(0.005)	0.000	1.190	
	04/21/02	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.032	ND(0.001)	0.013	0.005	ND(0.002)	0.659	ND(0.002)	0.000	0.634	
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	0.018	ND(0.001)	0.258	ND(0.001)	0.000	0.198	
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.014	0.010	ND(0.001)	0.150	ND(0.001)	0.000	0.183	
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.005	0.003	ND(0.001)	0.048	ND(0.001)	0.000	0.059	
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	0.003	ND(0.001)	0.029	ND(0.001)	0.000	0.037	
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	0.004	ND(0.001)	0.002	ND(0.001)	0.000	0.039	
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	0.005	ND(0.001)	0.029	ND(0.002)	0.000	0.044	
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.005	0.005	ND(0.001)	0.160	ND(0.001)	0.000	0.196	
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	0.004	ND(0.001)	0.024	ND(0.001)	0.000	0.034	
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	0.004	ND(0.001)	0.017	ND(0.001)	0.000	0.023	
	07/19/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	0.003	ND(0.001)	0.010	ND(0.001)	0.000	0.016	
	10/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	0.004	ND(0.001)	0.008	ND(0.001)	0.000	0.019	
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	0.005	ND(0.001)	0.013	ND(0.001)	0.000	0.020	
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.003	ND(0.001)	0.016	ND(0.001)	0.000	0.022	
Duplicate	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	0.005	ND(0.001)	0.015	ND(0.001)	0.000	0.022	
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.003	ND(0.001)	0.011	ND(0.001)	0.000	0.016	
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	0.002	ND(0.001)	0.008	ND(0.001)	0.000	0.016	
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.003	ND(0.001)	0.005	ND(0.001)	0.000	0.019	
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.003	ND(0.001)	0.006	ND(0.001)	0.000	0.020	
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	0.002	ND(0.001)	0.002	ND(0.001)	0.000	0.019	
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	0.001	ND(0.001)	0.001	ND(0.001)	0.000	0.016	
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	0.001	ND(0.001)	0.001	ND(0.001)	0.000	0.016	
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	0.001	ND(0.001)	0.001	ND(0.001)	0.000	0.016	

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENEs (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-8 (Cont.)	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	0.000	0.002
Duplicate	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	0.000	0.002
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	07/15/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
Duplicate	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	0.000	0.002
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
MW-9	01/23/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.063	0.046	ND(0.001)	0.050	0.000	0.209
	05/23/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.026	ND(0.001)	0.322	0.147	ND(0.001)	1.550	0.000	2.045
	06/25/07	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.033	ND(0.002)	0.326	ND(0.002)	ND(0.002)	1.30	0.000	1.489
	07/28/07	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.021	ND(0.002)	0.278	0.121	ND(0.002)	1.020	0.000	1.440
Duplicate	10/16/07	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.019	ND(0.002)	0.276	0.104	ND(0.002)	1.160	0.000	1.561
	10/16/07	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.023	ND(0.002)	0.321	0.141	ND(0.002)	1.160	0.000	1.645
	01/06/08	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	0.083	ND(0.1)	0.502	0.174	ND(0.1)	1.350	0.000	2.059
	04/16/08	ND(0.005)	ND(0.005)	ND(0.1)	ND(0.005)	0.029	ND(0.005)	0.444	0.144	ND(0.005)	1.290	0.000	1.907
	07/17/08	ND(0.1)	ND(0.1)	ND(0.2)	ND(0.2)	0.042	ND(0.1)	0.690	0.242	ND(0.1)	1.770	0.000	2.744
	10/27/08	ND(0.1)	ND(0.1)	ND(0.2)	ND(0.2)	0.030	ND(0.1)	0.507	0.193	ND(0.1)	1.740	0.000	2.470
	02/10/09	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.031	ND(0.01)	0.487	0.159	ND(0.01)	1.400	0.000	2.077
	04/21/09	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.026	ND(0.01)	0.368	0.161	ND(0.01)	1.320	0.000	1.875
	07/13/09	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.021	ND(0.01)	0.353	0.110	ND(0.01)	1.00	0.000	1.584
	10/21/09	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.018	ND(0.01)	0.261	0.085	ND(0.01)	0.900	0.000	1.454
	01/25/00	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.013	ND(0.01)	0.145	0.048	ND(0.01)	0.556	0.000	0.762
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	0.006	ND(0.0025)	0.046	0.015	ND(0.0025)	0.235	0.000	0.302
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	0.096	0.026	ND(0.0025)	0.228	0.000	0.246
	10/16/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.027	0.002	ND(0.001)	0.027	0.000	0.036
Duplicate	10/16/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.006	0.002	ND(0.001)	0.028	0.000	0.036
	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.005	0.001	ND(0.001)	0.022	0.000	0.028
	04/10/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	0.001	ND(0.001)	0.017	0.000	0.022
	07/17/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	0.002	0.002	ND(0.002)	0.009	0.000	0.009
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.011	0.000	0.014
	01/13/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	0.001	ND(0.001)	0.012	0.000	0.016
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.005	0.001	ND(0.001)	0.018	0.000	0.025
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.005	0.001	ND(0.001)	0.021	0.000	0.028
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.014	0.000	0.017
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	0.001	ND(0.001)	0.023	0.000	0.031
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	0.001	ND(0.001)	0.011	0.000	0.013
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	0.001	ND(0.001)	0.016	0.000	0.009
Duplicate	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	0.001	ND(0.001)	0.016	0.000	0.022
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	0.001	ND(0.001)	0.014	0.000	0.019
	04/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.012	0.000	0.017
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	0.001	ND(0.001)	0.010	0.000	0.013
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	0.001	ND(0.001)	0.006	0.000	0.009
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.002	0.000	0.002
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.001
	07/12/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	10/1/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	04/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	07/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	10/1/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	0.001	ND(0.001)	0.001	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	XYLENEs (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL ETEx (mg/L)	TOTAL HALOCARBONS (mg/L)	
MW-9 (Cont.)	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
Duplicate	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
Abandoned																
MW-10	05/26/97	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.004	ND(0.002)	0.007	ND(0.002)	0.007	ND(0.002)	0.026	0.004	0.038	
Duplicate	05/26/97	0.007	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.008	ND(0.002)	0.007	ND(0.002)	0.028	0.007	0.037	
	07/28/97	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.009	ND(0.002)	0.014	ND(0.002)	0.002	0.002	0.028	
10/16/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	0.002	ND(0.002)	0.008	ND(0.002)	0.008	0.001	0.010		
	04/16/98	0.007	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.001	0.010	
	07/17/98	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.002	
	10/26/98	0.007	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.003	0.003	
Duplicate	10/26/98	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.001	0.000	
	10/18/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.000	
Abandoned																
MW-11	05/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	0.002	ND(0.001)	0.003	0.010
	07/28/97	0.003	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.000	0.000	
10/16/97	0.002	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.000	0.000	
	01/06/98	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.000	0.000	
	04/16/98	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000	0.000	
	07/17/98	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.004)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	
	10/26/98	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.004)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	
Duplicate	10/18/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.000	0.000	
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.000	0.000	
Duplicate	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.008	0.000	0.000	
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.005	0.000	0.000	
Abandoned																
MW-12	05/25/97	ND(0.001)	0.006	0.005	0.005	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.014	0.001
	07/28/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
10/16/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	ND(0.001)	0.000	0.000
	01/06/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	04/16/98	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	07/17/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.002)	0.000	0.000
	10/26/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.002)	0.000	0.005
Duplicate	10/16/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	0.003
	10/16/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
Duplicate	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.006	0.000
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	0.000
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.007	0.000
Duplicate	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.005	0.000
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.005	0.000
Abandoned													0.005	ND(0.001)	0.005	

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	ETHYL-BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENE-S (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1,1-TCA (mg/L)	TOTAL 1,2-DCE (mg/L)	PCE (mg/L)	TCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-15 (Cont.)	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.000	0.000
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.000	0.000
*S04	05/25/97	ND(0.001)	0.469	0.470	1.936	0.021	ND(0.001)	0.024	0.005	ND(0.001)	ND(0.001)	ND(0.001)	2.875	0.050
	07/16/97	ND(0.002)	0.411	0.38	0.905	0.020	ND(0.002)	0.022	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	1.454	0.040
	10/16/97	ND(0.002)	0.322	0.039	0.713	0.018	ND(0.002)	0.022	0.075	ND(0.002)	ND(0.002)	ND(0.002)	1.074	0.040
	01/06/98	0.002	0.042	0.007	0.019	0.051	ND(0.002)	0.014	ND(0.002)	0.004	ND(0.002)	ND(0.002)	0.064	0.144
	04/16/98	0.002	0.008	ND(0.005)	ND(0.01)	0.049	ND(0.005)	0.087	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.010	0.156
	07/17/98	ND(0.005)	0.016	ND(0.005)	ND(0.01)	0.038	ND(0.005)	0.075	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.016	0.133
	10/26/98	ND(0.002)	0.003	ND(0.002)	ND(0.004)	0.010	ND(0.002)	0.024	0.005	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.041
	02/11/99	0.007	0.013	ND(0.001)	ND(0.002)	0.025	ND(0.001)	0.079	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.014	0.125
	04/21/99	ND(0.001)	0.006	ND(0.002)	ND(0.002)	0.025	ND(0.001)	0.089	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.006	0.146
	07/12/99	ND(0.0025)	ND(0.003)	ND(0.0025)	ND(0.005)	0.021	ND(0.0025)	0.096	ND(0.0025)	0.021	ND(0.0025)	ND(0.0025)	0.008	0.146
	10/21/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.025	ND(0.0025)	0.073	ND(0.0025)	0.012	ND(0.0025)	ND(0.0025)	0.005	0.115
	01/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.048	ND(0.0025)	0.096	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.007	0.164
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.057	ND(0.0025)	0.089	ND(0.0025)	0.017	ND(0.0025)	ND(0.0025)	0.006	0.160
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.057	ND(0.0025)	0.056	ND(0.0025)	0.008	ND(0.0025)	ND(0.0025)	0.000	0.116
	10/16/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.720	ND(0.005)	0.080	ND(0.005)	0.026	ND(0.005)	ND(0.005)	0.000	0.800
	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.102	ND(0.0025)	0.097	0.014	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.219
	04/19/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.085	ND(0.0025)	0.077	0.012	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.174
	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	ND(0.0025)	0.074	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.172
	10/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.049	ND(0.005)	0.027	ND(0.005)	0.005	ND(0.005)	ND(0.005)	0.000	0.076
	01/11/02	0.003	0.007	ND(0.0025)	ND(0.0025)	0.066	ND(0.0025)	0.055	0.013	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.134
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.040	0.010	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.010	0.105
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.018	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.052
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.005	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.041
	01/21/03	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.014
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.002
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/03	ND(0.0025)	0.003	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.000

Abandoned

Notes

Only commonly detected compounds are listed. Other compounds that have been detected infrequently are included in the laboratory reports
ND - Not Detected at detection limit shown in parentheses

Detailed value - is below the method detection limit

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

*SO4 = Shell Service Station monitoring well MW-4

1,1-DCA - 1,1-Dichloroethane

1,2-DCA - 1,2-Dichloroethane

1,1,1-TCA - 1,1,1-Trichloroethane

PCE - Tetrachloroethane

TCE - Trichloroethane

STL - Duplicate samples sent to STL, Corpus Christi, Texas

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m ³)	Toluene (mg/m ³)	Ethyl-Benzene (mg/m ³)	Total Xylene (mg/m ³)	1,1-DCE (mg/m ³)	1,1-DCA (mg/m ³)	Chloromethane (mg/m ³)	Vinyl Chloride (mg/m ³)	PCE (mg/m ³)	Input BTEX (mg/m ³)	Output BTEX (mg/m ³)	Input Halocarbons (mg/m ³)	Output Halocarbons (mg/m ³)
93007-WP.7/06	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.7	1.6	1.7	
93007-WP.10/06	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	
93007-WP.10/07	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.3	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.9	2.3	1.9
93007-WP.4/07	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.8	2.6	1.8
93007-WP.7/07	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.9	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.5	1.9	1.5
93007-WP.10/07	10/16/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.1	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.7	2.1	1.7
93007-WP.1/08	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.8	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	1.8	1.4
93007-WP.4/08	04/29/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	1.7	1.1
93007-WP.7/08	07/16/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.7	0	
93007-WP.10/08	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.3	1.7	1.3
93007-WP.1/09	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.0	1.6	1
93007-WP.4/09	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.4	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.9	1.4	0.9
93007-WP.7/09	07/15/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.0	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.8	1	0.8
93007-WP.10/09	10/21/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.0	1.5	1
93007-WP.1/10	01/20/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.7	1.5	0.7

ACID PLANT

007-AREA 2	11/02/94	Pilot	4.5	23.2	11.4	4.4	12.2		88.5			30.5			
Unit 2 (7/95) Input	07/13/95	Input	3.13	27.2	12.9	46.18	1.52	1.53	ND(0.2)	3.39	ND(0.2)	6.91	89.41		
Unit 2 (7/95) Exhaust		Exhaust	ND(0.2)	0.26	ND(0.2)	1.5	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	1.76		
Unit 2 (8/95) Input	08/12/95	Input	1.42	24.8	10.4	48.5	5.1	1.6	ND(0.2)	7	ND(0.2)	ND(0.2)	8.9	85.12	22.6
Unit 2 (8/95) Exhaust		Exhaust	ND(0.2)	0.5	ND(0.2)	0.5									
Unit 2 Output 9/95	09/07/95	Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0		
93007-ACDKINT 4/96	04/11/96	Input	0.7	17.7	5.6	30.3	1.9	0.6	ND(0.2)	5.5	ND(0.2)	ND(0.2)	19	54.3	27.3
93007-ACDKExh.4/96		Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0		
93007-ADINPUT.7/96	07/23/96	Input	ND(0.3)	1	ND(0.3)	1.1	0.8	ND(0.3)	ND(0.5)	0.9	ND(0.5)	ND(0.5)	1.6	2.1	3.3
93007ADEXHST.7/96		Exhaust	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	0		
AD-INPUT-10/96	10/24/96	Input	0.61	4.51	0.88	5.62	1.69	0.55	ND(0.2)	1.48	ND(0.2)	ND(0.2)	3.33	11.62	7.05
AD-OUTPUT-10/96		Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.3		
93007-AD-INP-1/97	01/21/97	Input	ND(1.0)	5.67	ND(1.0)	2.38	ND(1.0)	ND(1.0)	ND(1.0)	1.34	ND(1.0)	ND(1.0)	8.86	8.05	0
93007-AD-EXH-1/97		Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		
93-007-AD-NP/87	05/13/97	Input	ND(1.0)	4.06	ND(1.0)	3.88	2.19	ND(1.0)	ND(1.0)	2.09	ND(1.0)	ND(1.0)	10.3	7.94	14.58
93007-AD-10/97	10/14/97	Input	ND(1.0)	1.31	ND(1.0)	1.74									
93007-AD 1/98	01/06/98	Input	ND(1.0)	6.4	2.46	16.36	ND(1.0)	ND(1.0)	ND(1.0)	3.98	ND(1.0)	ND(1.0)	7.29	25.22	11.27
93007-AD 4/98	04/28/98	Input	ND(1.0)	ND(1.0)	ND(1.0)	0.75	ND(1.0)	ND(1.0)	ND(1.0)	0.56J	ND(1.0)	ND(1.0)	1.4	0	1.4
93007-AD 7/98	07/16/98	Input	ND(1.0)	2.08	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.69J	ND(1.0)	ND(1.0)	2.26	2.08	2.26
93007-AD 11/98	11/12/98	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.77J	ND(1.0)	ND(1.0)	0		
93007-AD 2/99	02/10/99	Input	ND(0.5)	2.38	ND(0.5)	0.63	2.38	0.63							
93007-AD 4/99	04/21/99	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	0		
93007-AD 7/99	07/12/99	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0		
93007-AD 10/99	10/21/99	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(2.0)	ND(2.0)	ND(2.0)	0		
93007-AD 1/00	01/25/00	Input	ND(1.0)	ND(0.5)	0										
93007-AD 4/00	04/17/00	Input	ND(1.0)	ND(1.00)	0										
93007-AD 7/00	07/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.00)	ND(1.00)	ND(1.00)	0		
93007-AD 10/00	10/16/00	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0		
93007-AD 1/01	01/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		
93007-AD 4/01	04/10/01	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0		
93007-AD 7/01	04/17/01	Input	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	0		
93007-AD 10/01	10/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		
93007-AD 01/02	01/14/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		
93007-AD 04/02	04/22/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		
93007-AD .07/02	07/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		
93007-AD 10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		

Sample damaged during shipment.

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m ³)	Toluene (mg/m ³)	Ethy- lbenzene (mg/m ³)	Total Xylene (mg/m ³)	1,1-DCE (mg/m ³)	Chloromethane (mg/m ³)	1,1-TCA (mg/m ³)	Vinyl Chloride (mg/m ³)	PCE (mg/m ³)	Input BTEX (mg/m ³)	Output BTEX (mg/m ³)	Input Halocarbons (mg/m ³)	Output Halocarbons (mg/m ³)
93007-AD-0103	01/21/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-0703	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1003	10/14/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-0104	01/27/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-404	04/20/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-704	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1004	11/01/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1005	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-405	04/19/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-705	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1005	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1006	01/17/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-406	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-7116	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1016	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1007	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-407	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-707	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1007	10/16/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1008	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-408	04/29/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-708	07/16/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1008	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1009	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-409	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-709	07/15/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1009	10/21/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0
93007-AD-1110	01/20/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0

FORMER UST

007-AREA 3	11/02/94	Pilot	1.2	5.7	5.5	ND(0.1)	ND(0.1)	ND(0.2)	215	ND(0.2)	2.68	870	15.84	0.49	
Unit 3 (795) Input	7/13/95	Input	2.08	5.95	1.17	ND(1.0)	ND(1.0)	ND(1.0)	ND(2)	ND(0.2)	2.76			1379.58	
Unit 3 (795) Exhaust		Exhaust	2.89	1.41	0.72	7.88	0.27	ND(0.2)	172	ND(0.2)	0.87	ND(0.2)	12.9	21.1	
Unit 3 (895) Input	8/17/95	Input	0.4	1.9	0.9	4.9	506	15.6	ND(0.2)	578	ND(0.2)	2.1	636	8.1	
Unit 3 (895) Exhaust		Exhaust	4.9	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	4.9	ND(0.2)	48	ND(0.2)	35	ND(1.0)	1738.7	
Unit 3 Input 995-1	09/07/95	Input	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	593.4	13.3	ND(0.2)	492	ND(0.2)	2	444.4	0
Unit 3 Output 995-1		Exhaust	1.1	0.5	ND(0.2)	ND(0.2)	ND(0.2)	56.2	ND(0.2)	31.9	ND(0.2)	0.9	81.4	1.6	1545.1
Unit 3 Int	11/29/95	Before Cat	1.01	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	13	ND(0.2)	35.6	ND(0.2)	9.7	1.01	58.3	170.4
Unit 3 Output	04/11/96	After Cat	1.01	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	13	ND(0.2)	10.5	ND(0.2)	14.5	ND(1.0)	1.01	41.21
93007-TKShpExh.4/96	04/11/96	Input	0.9	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	99.4	ND(0.2)	254	ND(0.2)	1	611	4.8	965.4
93007-TKS INPUT 7/96	07/23/96	Input	0.6	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.9	ND(0.2)	10.1	ND(0.2)	6.8	8.5	0.6	26.7
93007-TSEXHST-.7/96		Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	47.1	4.8	ND(0.5)	ND(0.5)	0.5	46.2	0	98.6
93007-TINPUT-10/96	10/24/96	Input	0.35	0.24	1.01	57.6	4.37	ND(0.2)	97.7	ND(0.2)	179	ND(0.2)	2.8	0.4	12.9
93007-US-10/96		Exhaust	4.83	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	4.66	ND(0.2)	2.59	ND(0.2)	1.62		4.83	8.87
93007-US-10/97	1/21/1997	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	30	2.8	ND(1.0)	63.3	ND(1.0)	205	0	301.1
93007-US-EXH-1/97		Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.5	ND(1.0)	ND(1.0)	6.19		121
93007-US-INP 5/97	05/13/97	Input	ND(25.0)	ND(25.0)	ND(25.0)	ND(25.0)	ND(25.0)	21.3J	ND(25.0)	41.8	ND(25.0)	155	ND(25.0)	0	196.8
93007-US-10/98	01/06/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	3.85J	ND(5.0)	8.25	ND(5.0)	102	ND(5.0)	0	110.25
93007-US-10/98	04/28/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	2.15J	ND(5.0)	4.15J	ND(5.0)	121	ND(5.0)	0	104
93007-US-10/98	10/28/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	2.80J	ND(5.0)	104	ND(5.0)	0	46.8
93007-US-UST-2/99	02/11/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0	37.9
93007-US-UST-4/99	04/21/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0	37.9

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m ³)	Toluene (mg/m ³)	Ethyl-Benzene (mg/m ³)	Total Xylene (mg/m ³)	1,1-DCE (mg/m ³)	1,1-DCA (mg/m ³)	Chloromethane (mg/m ³)	Vinyl Chloride (mg/m ³)	PCE (mg/m ³)	Input BTEX (mg/m ³)	Output BTEX (mg/m ³)	Input Halocarbons (mg/m ³)	Output Halocarbons (mg/m ³)
93007-UST-7.99	07/12/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(6.0)	ND(2.5)	36.6	0	36.6	
93007-UST-10/99	10/21/99	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	37	0	37	
93007-UST-1/00	01/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	27.6	0	27.6	
93007-UST-4/00	04/17/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	36.2	0	36.2	
93007-UST-7/00	07/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	41.9	0	41.9	
93007-UST-10/00	10/16/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	29.4	0	29.4	
93007-UST-1/01	01/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	48.4	0	48.4	
93007-UST-7/01	07/17/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	21	0	21	
93007-UST-10/01	10/16/01	Input	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	2.6	0	2.6	
93007-UST-01/02	01/14/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	17	0	17	
93007-UST-10/02	04/22/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	26	0	26	
93007-UST-01/02	07/12/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	23	0	23	
93007-UST-10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	13.8	0	13.8	
93007-UST-01/03	01/21/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	15.2	0	15.2	
93007-UST-04/03	04/22/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	9.3	0	9.3	
93007-UST-07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	12.6	0	12.6	
93007-UST-10/03	10/14/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	10.5	0	10.5	
93007-UST-01/04	01/27/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	8.3	0	8.3	
93007-UST-4/04	04/20/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	13.5	0	13.5	
93007-UST-7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	15.8	0	15.8	
93007-UST-10/04	11/01/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7	0	7	
93007-UST-1/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	11.6	0	11.6	
93007-UST-4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.1	0	3.1	
93007-UST-7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.5	0	3.5	
93007-UST-10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.4	0	2.4	
93007-UST-1/06	01/17/16	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	0	1.4	
93007-UST-4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.9	0	1.9	
93007-UST-7/06	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	0	1.4	
93007-UST-10/06	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	0	1.1	
93007-UST-1/07	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-4/07	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	0	1.1	
93007-UST-7/07	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-10/07	10/16/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-1/08	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-4/08	04/29/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-7/08	07/16/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-10/08	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-1/09	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-4/09	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-7/09	07/15/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-10/09	10/21/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	
93007-UST-1/10	01/20/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0	0	0	

Notes: mg/m³ = milligrams per cubic meter
ND=Not Detected at detection limit shown in parentheses.

TCE = Trichloroethene
DCA=Dichloroethane
DCE = Dichloroethene

EXPLANATION

SHALLOW MONITORING WELL LOCATION,
IDENTIFICATION, AND POTENTIOMETRIC
SURFACE ELEVATION
MW-14 3552.8B
MW-1 3554.86
ABANDONED DEEP MONITORING WELL
MW-11 3553.09
POTENTIOMETRIC SURFACE CONTOURS
AND ELEVATION (DASHED WHERE
INFERRED)
3553.09
GROUND-WATER FLOW DIRECTION

0 300 ft.
SCALE

FIGURE 1
POTENTIOMETRIC SURFACE MAP
(01/20/10)

SCHLUMBERGER TECHNOLOGY CORPORATION
HOBBS, NM





FIGURE 2
TOTAL HALOCARBONS
CONCENTRATION MAP
(01/20/10)

SCHLUMBERGER TECHNOLOGY CORPORATION
HOBBS, NM





ENERGY LABORATORIES, INC. • 2393 Salt Creek Highway (82601) • P.O. Box 3258 • Casper, WY 82602
Toll Free 888.235.0515 307.235.0515 • Fax 307.234.1639 • casper@energylab.com • www.energylab.com

ANALYTICAL SUMMARY REPORT

February 03, 2010

Rick Deuell
Deuell Environmental LLC
1653 Diamond Head Ct
Laramie WY 82072

Workorder No. C10010708

Project Name: 93307 Hobbs

Energy Laboratories, Inc. received the following 5 samples for Deuell Environmental LLC on 1/21/2010 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C10010708-001	93007-7.1/10	01/20/10 7:00	01/21/10	Aqueous	SW8260B VCCs, Standard List
C10010708-002	93007-8.1/10	01/20/10 7:30	01/21/10	Aqueous	Same As Above
C10010708-003	93007-12.1/10	01/20/10 8:00	01/21/10	Aqueous	Same As Above
C10010708-004	93007-15.1/10	01/20/10 8:30	01/21/10	Aqueous	Same As Above
C10010708-005	93007-A.1/10	01/20/10 6:30	01/21/10	Aqueous	Same As Above

As appropriate, any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

If you have any questions regarding these test results, please call:

Report Approved By:



Randy Horton
Organics Supervisor



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-001
Client Sample ID: 93007-7.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 07:00
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Benzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Bromobenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Bromo(chloromethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Bromoform	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Bromomethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Chlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Chloroethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Chloroform	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Chloromethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Dibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Ethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Isopropylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.

ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-001
Client Sample ID: 93007-7.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 07:00
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	01/29/10 13:55 / wen	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	01/29/10 13:55 / wen	
Methylene chloride	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Naphthalene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
o-Xylene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Styrene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Toluene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Trichloroethene	1.0	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Vinyl chloride	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Xylenes, Total	ND	ug/L		1.0	SW8260B	01/29/10 13:55 / wen	
Surr: Dibromofluoromethane	98.0	%REC		70-130	SW8260B	01/29/10 13:55 / wen	
Surr: p-Bromofluorobenzene	107	%REC		80-120	SW8260B	01/29/10 13:55 / wen	
Surr: Toluene-d8	99.0	%REC		80-120	SW8260B	01/29/10 13:55 / wen	
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120	SW8260B	01/29/10 13:55 / wen	

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-002
Client Sample ID: 93007-8.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 07:30
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Benzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Bromobenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Bromoform	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Bromomethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Chlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Chloroethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Chloroform	1.1	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Chloromethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Dibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Ethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Isopropylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-002
Client Sample ID: 93007-8.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 07:30
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	01/29/10 14:30 / wen	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	01/29/10 14:30 / wen	
Methylene chloride	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Naphthalene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
o-Xylene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Styrene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Tetrachloroethene	1.6	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Toluene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Trichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Vinyl chloride	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Xylenes, Total	ND	ug/L		1.0	SW8260B	01/29/10 14:30 / wen	
Surr: Dibromofluoromethane	97.0	%REC		70-130	SW8260B	01/29/10 14:30 / wen	
Surr: p-Bromofluorobenzene	108	%REC		80-120	SW8260B	01/29/10 14:30 / wen	
Surr: Toluene-d8	98.0	%REC		80-120	SW8260B	01/29/10 14:30 / wen	
Surr: 1,2-Dichlorobenzene-d4	101	%REC		80-120	SW8260B	01/29/10 14:30 / wen	

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-003
Client Sample ID: 93007-12.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 08:00
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Benzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Bromobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Bromochloromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Bromoform	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Bromomethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Chlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Chloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Chloroform	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Chloromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Dibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Ethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Isopropylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.

ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-003
Client Sample ID: 93007-12.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 08:00
DateReceived: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	01/29/10 15:05 / wen	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	01/29/10 15:05 / wen	
Methylene chloride	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Naphthalene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
o-Xylene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Styrene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Toluene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Trichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Vinyl chloride	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Xylenes, Total	ND	ug/L		1.0	SW8260B	01/29/10 15:05 / wen	
Surr: Dibromofluoromethane	96.0	%REC		70-130	SW8260B	01/29/10 15:05 / wen	
Surr: p-Bromofluorobenzene	108	%REC		80-120	SW8260B	01/29/10 15:05 / wen	
Surr: Toluene-d8	98.0	%REC		80-120	SW8260B	01/29/10 15:05 / wen	
Surr: 1,2-Dichlorobenzene-d4	101	%REC		80-120	SW8260B	01/29/10 15:05 / wen	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-004
Client Sample ID: 93007-15.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 08:30
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2-Dibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Benzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Bromobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Bromochloromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Bromoform	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Bromomethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Chlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Chloroethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Chloroform	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Chloromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Dibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Ethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Isopropylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.

ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-004
Client Sample ID: 93007-15.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 08:30
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	01/29/10 15:40 / wen	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	01/29/10 15:40 / wen	
Methylene chloride	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Naphthalene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
o-Xylene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Styrene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Toluene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Trichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Vinyl chloride	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Xylenes, Total	ND	ug/L		1.0	SW8260B	01/29/10 15:40 / wen	
Surr: Dibromofluoromethane	99.0	%REC		70-130	SW8260B	01/29/10 15:40 / wen	
Surr: p-Bromofluorobenzene	106	%REC		80-120	SW8260B	01/29/10 15:40 / wen	
Surr: Toluene-d8	98.0	%REC		80-120	SW8260B	01/29/10 15:40 / wen	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	01/29/10 15:40 / wen	

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-005
Client Sample ID: 93007-A.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 06:30
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Benzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Bromobenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Bromochloromethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Bromoform	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Bromomethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Chlorobenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Chloroethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Chloroform	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Chloromethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Dibromomethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Ethylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Isopropylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	

Report RL Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.

ND Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93307 Hobbs
Lab ID: C10010708-005
Client Sample ID: 93007-A.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 06:30
Date Received: 01/21/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	01/29/10 16:15 / wen	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	01/29/10 16:15 / wen	
Methylene chloride	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Naphthalene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
o-Xylene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Styrene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Toluene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Trichloroethene	1.0	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Vinyl chloride	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Xylenes, Total	ND	ug/L		1.0	SW8260B	01/29/10 16:15 / wen	
Surr: Dibromofluoromethane	100	%REC		70-130	SW8260B	01/29/10 16:15 / wen	
Surr: p-Bromofluorobenzene	106	%REC		80-120	SW8260B	01/29/10 16:15 / wen	
Surr: Toluene-d8	98.0	%REC		80-120	SW8260B	01/29/10 16:15 / wen	
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120	SW8260B	01/29/10 16:15 / wen	

Report Definitions: RL Analyte reporting limit.
QCL Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 93307 Hobbs

Work Order: C10010708

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129135
Sample ID: 29-Jan-10_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100129A				01/29/10 11:36
1,1,1,2-Tetrachloroethane	10.0	ug/L		1.0	100	70	130			
1,1,1-Trichloroethane	10	ug/L		1.0	101	70	130			
1,1,2,2-Tetrachloroethane	11	ug/L		1.0	109	70	130			
1,1,2-Trichloroethane	10	ug/L		1.0	105	70	130			
1,1-Dichloroethane	10	ug/L		1.0	102	70	130			
1,1-Dichloroethene	11	ug/L		1.0	106	70	130			
1,1-Dichloropropene	10	ug/L		1.0	104	70	130			
1,2,3-Trichlorobenzene	9.0	ug/L		1.0	90	70	130			
1,2,3-Trichloropropane	12	ug/L		1.0	119	70	130			
1,2,4-Trichlorobenzene	10	ug/L		1.0	101	70	130			
1,2,4-Trimethylbenzene	11	ug/L		1.0	106	70	130			
1,2-Dibromo-3-chloropropane	9.2	ug/L		1.0	92	70	130			
1,2-Dibromoethane	10	ug/L		1.0	103	70	130			
1,2-Dichlorobenzene	10	ug/L		1.0	103	70	130			
1,2-Dichloroethane	9.9	ug/L		1.0	98	70	130			
1,2-Dichloropropane	10	ug/L		1.0	103	70	130			
1,3,5-Trimethylbenzene	11	ug/L		1.0	107	70	130			
1,3-Dichlorobenzene	11	ug/L		1.0	106	70	130			
1,3-Dichloropropane	11	ug/L		1.0	106	70	130			
1,4-Dichlorobenzene	11	ug/L		1.0	106	70	130			
2,2-Dichloropropane	11	ug/L		1.0	113	60	140			
2-Chloroethyl vinyl ether	9.7	ug/L		1.0	97	70	130			
2-Chlorotoluene	11	ug/L		1.0	106	70	130			
4-Chlrotoluene	11	ug/L		1.0	109	70	130			
Benzene	10	ug/L		1.0	103	70	130			
Bromobenzene	10	ug/L		1.0	103	70	130			
Bromo(chloromethane)	9.7	ug/L		1.0	97	70	130			
Bromodichromomethane	9.8	ug/L		1.0	98	70	130			
Bromoform	10	ug/L		1.0	103	70	130			
Bromomethane	9.0	ug/L		1.0	90	70	130			
Carbon tetrachloride	10	ug/L		1.0	100	70	130			
Chlorobenzene	11	ug/L		1.0	102	70	130			
Chlorodibromomethane	10	ug/L		1.0	104	70	130			
Chloroethane	9.7	ug/L		1.0	97	70	130			
Chloroform	10	ug/L		1.0	101	70	130			
Chloromethane	10	ug/L		1.0	104	70	130			
cis-1,2-Dichloroethene	10	ug/L		1.0	101	70	130			
cis-1,3-Dichloropropene	10	ug/L		1.0	104	70	130			
Dibromomethane	11	ug/L		1.0	108	70	130			
Dichlorodifluoromethane	9.3	ug/L		1.0	93	70	130			
Ethylbenzene	10	ug/L		1.0	105	70	130			
Hexachlorobutadiene	9.6	ug/L		1.0	96	70	130			
Isopropylbenzene	12	ug/L		1.0	122	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 93307 Hobbs

Work Order: C10010708

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129135
Sample ID: 29-Jan-10_LCS_3	67	Laboratory Control Sample								Run: GCMS2_100129A
m+p-Xylenes		22	ug/L	1.0	108	70	130			01/29/10 11:36
Methyl ethyl ketone		91	ug/L	20	91	70	130			
Methyl tert-butyl ether (MTBE)		9.8	ug/L	2.0	98	70	130			
Methylene chloride		11	ug/L	1.0	107	70	130			
Naphthalene		9.1	ug/L	1.0	91	70	130			
n-Butylbenzene		11	ug/L	1.0	107	70	130			
n-Propylbenzene		11	ug/L	1.0	108	70	130			
o-Xylene		11	ug/L	1.0	108	70	130			
p-Isopropyltoluene		11	ug/L	1.0	108	70	130			
sec-Butylbenzene		11	ug/L	1.0	108	70	130			
Styrene		10	ug/L	1.0	104	70	130			
tert-Butylbenzene		11	ug/L	1.0	106	70	130			
Tetrachloroethene		11	ug/L	1.0	111	70	130			
Toluene		10	ug/L	1.0	100	70	130			
trans-1,2-Dichloroethene		10	ug/L	1.0	100	70	130			
trans-1,3-Dichloropropene		11	ug/L	1.0	109	70	130			
Trichloroethene		10	ug/L	1.0	105	70	130			
Trichlorofluoromethane		10	ug/L	1.0	102	70	130			
Vinyl chloride		9.9	ug/L	1.0	99	70	130			
Xylenes, Total		32	ug/L	1.0	108	70	130			
Surrogate: Dibromofluoromethane				1.0	97	70	130			
Surrogate: p-Bromofluorobenzene				1.0	104	80	130			
Surrogate: Toluene-d8				1.0	101	80	120			
Surrogate: 1,2-Dichlorobenzene-d4				1.0	102	80	120			
Sample ID: 29-Jan-10_MBLK_6	67	Method Blank								Run: GCMS2_100129A
										01/29/10 13:21
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 93307 Hobbs

Report Date: 02/03/10
Work Order: C10010708

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129135
Sample ID: 29-Jan-10_MBLK_6	67	Method Blank						Run: GCMS2_100129A		01/29/10 13:21
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 93307 Hobbs

Report Date: 02/03/10
Work Order: C10010708

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129135
Sample ID: 29-Jan-10_MBLK_6	67	Method Blank								Run: GCMS2_100129A 01/29/10 13:21
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: Dibromofluoromethane				1.0	99	70	130			
Surr: p-Bromofluorobenzene				1.0	113	80	120			
Surr: Toluene-d8				1.0	98	80	120			
Surr: 1,2-Dichlorobenzene-d4				1.0	102	80	120			
Sample ID: C10010826-001EMS	32	Sample Matrix Spike								Run: GCMS2_100129A 01/29/10 20:57
1,1,1-Trichloroethane		230	ug/L	20	114	70	130			
1,1-Dichloroethene		230	ug/L	20	116	70	130			
1,2-Dichlorobenzene		210	ug/L	20	105	70	130			
1,2-Dichloroethane		210	ug/L	20	104	70	130			
1,2-Dichloropropane		220	ug/L	20	108	70	130			
1,4-Dichlorobenzene		220	ug/L	20	108	70	130			
Benzene		220	ug/L	20	108	70	130			
Bromodichloromethane		190	ug/L	20	96	70	130			
Bromoform		200	ug/L	20	102	70	130			
Carbon tetrachloride		220	ug/L	20	109	70	130			
Chlorobenzene		220	ug/L	20	110	70	130			
Chlorodibromomethane		210	ug/L	20	104	70	130			
Chloroform		220	ug/L	20	109	70	130			
Chloromethane		220	ug/L	20	112	70	130			
cis-1,2-Dichloroethene		220	ug/L	20	111	70	130			
Ethylbenzene		220	ug/L	20	108	70	130			
m+p-Xylenes		440	ug/L	20	109	70	130			
Methyl ethyl ketone		2200	ug/L	400	108	70	130			
Methylene chloride		230	ug/L	20	113	70	130			
Naphthalene		180	ug/L	20	88	70	130			
o-Xylene		220	ug/L	20	112	70	130			
Styrene		220	ug/L	20	108	70	130			
Tetrachloroethene		210	ug/L	20	107	70	130			
Toluene		210	ug/L	20	106	70	130			
trans-1,2-Dichloroethene		220	ug/L	20	111	70	130			
Trichloroethene		210	ug/L	20	106	70	130			
Vinyl chloride		220	ug/L	20	111	70	130			
Xylenes, Total		660	ug/L	20	110	70	130			
Surr: Dibromofluoromethane				20	104	70	130			
Surr: p-Bromofluorobenzene				20	102	80	120			
Surr: Toluene-d8				20	100	80	120			
Surr: 1,2-Dichlorobenzene-d4				20	104	80	120			
Sample ID: C10010826-001EMSD	32	Sample Matrix Spike Duplicate								Run: GCMS2_100129A 01/29/10 21:33
1,1,1-Trichloroethane		230	ug/L	20	116	70	130	1.7	20	
1,1-Dichloroethene		240	ug/L	20	122	70	130	5.7	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 93307 Hobbs

Report Date: 02/03/10
Work Order: C10010708

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129135
Sample ID: C10010826-001EMSD	32	Sample Matrix Spike Duplicate				Run: GCMS2_100129A				01/29/10 21:33
1,2-Dichlorobenzene	210	ug/L		20	104	70	130	0.8	20	
1,2-Dichloroethane	220	ug/L		20	112	70	130	6.7	20	
1,2-Dichloropropane	220	ug/L		20	109	70	130	0.4	20	
1,4-Dichlorobenzene	210	ug/L		20	104	70	130	4.2	20	
Benzene	220	ug/L		20	108	70	130	0.4	20	
Bromodichloromethane	200	ug/L		20	101	70	130	5.3	20	
Bromoform	220	ug/L		20	108	70	130	5	20	
Carbon tetrachloride	230	ug/L		20	113	70	130	4	20	
Chlorobenzene	220	ug/L		20	110	70	130	0.4	20	
Chlorodibromomethane	220	ug/L		20	108	70	130	3.8	20	
Chloroform	230	ug/L		20	114	70	130	3.9	20	
Chloromethane	240	ug/L		20	118	70	130	5.2	20	
cis-1,2-Dichloroethene	220	ug/L		20	111	70	130	0	20	
Ethylbenzene	210	ug/L		20	107	70	130	0.4	20	
m+p-Xylenes	420	ug/L		20	104	70	130	4.1	20	
Methyl ethyl ketone	2100	ug/L		400	106	70	130	1.5	20	
Methylene chloride	230	ug/L		20	114	70	130	0.7	20	
Naphthalene	190	ug/L		20	94	70	130	6.2	20	
o-Xylene	220	ug/L		20	108	70	130	4	20	
Styrene	210	ug/L		20	106	70	130	2.2	20	
Tetrachloroethene	210	ug/L		20	105	70	130	2.3	20	
Toluene	210	ug/L		20	106	70	130	0.4	20	
trans-1,2-Dichloroethene	230	ug/L		20	113	70	130	1.4	20	
Trichloroethene	210	ug/L		20	106	70	130	0.8	20	
Vinyl chloride	230	ug/L		20	114	70	130	2.8	20	
Xylenes, Total	630	ug/L		20	106	70	130	4.1	20	
Surr: Dibromofluoromethane				20	106	70	130	0	10	
Surr: p-Bromofluorobenzene				20	105	80	120	0	10	
Surr: Toluene-d8				20	101	80	120	0	10	
Surr: 1,2-Dichlorobenzene-d4				20	102	80	120	0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Chain of Custody and Analytical Request Record

PLEASE PRINT (Provide as much information as possible)		Sample Origin	EPA/State Compliance:
Project Name, PVS, Permit, Etc	Contact Name:	State: NY	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Report Mail Address: 1053 DIAMOND HEAD CT LAZARUS, NY 12072	Phone/Fax: 93007-160335	Email: R.K.Dawes 307-740-3277	Sampler: (Please Print):
Invoice Address:	Invoice Contact & Phone: R.K.Dawes 307-740-3277	Purchase Order: # 3007-1	Quote/Bottle Order:
ANALYSIS REQUESTED <input type="checkbox"/> DW <input type="checkbox"/> POTWWTP <input type="checkbox"/> Format: LEVEL IV <input type="checkbox"/> State: NELAC <input type="checkbox"/> Other: SEE ATTACHED Sample Type: A W 3 V B O DW Number of Contaminers: Vessel/Filter/Solids/Other Air/Water/Glassware/Water DW - Drinking Water Vessel/Filter/Solids/Other DW - Drinking Water Sample Origin: Bioassay/Other			
Standard Turnaround (TAT) R U S H			
Contact EU prior to RUSH sample submittal for charges and scheduling - See Instruction Page Comments: RPK 626d			
Shipped by: C-12 d/d Carrier(s): C On Ice: N Custody Seal: C On Bottle: N On Cooler: N Intact: C Signature Match: N			
LABORATORY USE ONLY			
Received by Labatory: Signature: Date/TIME: Received by Client: Signature: Date/TIME: Received by PDR: Signature: Date/TIME: Received by Lab Disposal: Signature: Date/TIME: Custody Record MUST be Signed: Sample Disposal: Return to Client: Lab Disposal: (Initial by print)			

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report. Visit our web site at www.enrgylab.com for additional information, downloadable fee schedule, forms, and links.

Energy Laboratories Inc

Workorder Receipt Checklist



Deuell Environmental LLC

C10010708

Login completed by: Edith McPike

Date and Time Received: 1/21/2010 9:25 AM

Reviewed by:

Received by: al

Reviewed Date:

Carrier name: NDA

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature.	3°C On Ice		
Water - VOA vials have zero headspace?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input type="checkbox"/>

Contact and Corrective Action Comments:

None



CLIENT: Deuell Environmental LLC
Project: 93307 Hobbs
Sample Delivery Group: C10010708

Date: 03-Feb-10

CASE NARRATIVE

ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package.

SAMPLE TEMPERATURE COMPLIANCE: 4°C ($\pm 2^{\circ}\text{C}$)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

GROSS ALPHA ANALYSIS

Method 900.0 for gross alpha and gross beta is intended as a drinking water method for low TDS waters. Data provided by this method for non potable waters should be viewed as inconsistent.

RADON IN AIR ANALYSIS

The desired exposure time is 48 hours (2 days). The time delay in returning the canister to the laboratory for processing should be as short as possible to avoid excessive decay. Maximum recommended delay between end of exposure to beginning of counting should not exceed 8 days.

SOIL/SOLID SAMPLES

All samples reported on an as received basis unless otherwise indicated.

ATRAZINE, SIMAZINE AND PCB ANALYSIS

Data for PCBs, Atrazine and Simazine are reported from EPA 525.2. PCB data reported by ELI reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT
eli-g - Energy Laboratories, Inc. - Gillette, WY
eli-h - Energy Laboratories, Inc. - Helena, MT
eli-r - Energy Laboratories, Inc. - Rapid City, SD
eli-t - Energy Laboratories, Inc. - College Station, TX

CERTIFICATIONS:

USEPA: WY00002, Radiochemical WY00937; FL-DOH NELAC: E87641, Radiochemical E871017; California: 02118CA;
Oregon: WY200001, Utah: 3072350515; Virginia: 00057; Washington: C1903

ISO 17025 DISCLAIMER:

The results of this Analytical Report relate only to the items submitted for analysis.

ENERGY LABORATORIES, INC. - CASPER,WY certifies that certain method selections contained in this report meet requirements as set forth by the above accrediting authorities. Some results requested by the client may not be covered under these certifications. All analysis data to be submitted for regulatory enforcement should be certified in the sample state of origin. Please verify ELI's certification coverage by visiting www.energylab.com

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page www.energylab.com.

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT



ENERGY LABORATORIES, INC. * 2393 Salt Creek Hwy (82601) * PO Box 3258 * Casper, WY 82602
Toll Free 888.235.0515 * 307.235.0515 * FAX 307.234.1639 * casper@energylab.com * www.energylab.com

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10010693-001
Client Sample ID: 93007-WP.1/10

Report Date: 01/26/10
Collection Date: 01/20/10 14:00
DateReceived: 01/21/10
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,1,1-Trichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,1,2-Trichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,1-Dichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,1-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,1-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2,3-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2,3-Trichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2,4-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2,4-Trimethylbenzene	2.3	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2-Dibromoethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2-Dichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,3,5-Trimethylbenzene	2.0	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,3-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,3-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
1,4-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
2,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
2-Chlorotoluene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
4-Chlorotoluene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Benzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Bromobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Bromochloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Bromodichloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Bromoform	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Bromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Carbon tetrachloride	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Chlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Chlorodibromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Chloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Chloroform	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Chloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
cis-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
cis-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Dibromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Dichlorodifluoromethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Ethylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Hexachlorobutadiene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Isopropylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
m+p-Xylenes	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10010693-001
Client Sample ID: 93007-WP.1/10

Report Date: 01/26/10
Collection Date: 01/20/10 14:00
DateReceived: 01/21/10
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20	SW8260B	01/22/10 16:44 / jlr	
Methylene chloride	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Naphthalene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
n-Butylbenzene	0.5	mg/m3	J	1.0	SW8260B	01/22/10 16:44 / jlr	
n-Propylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
o-Xylene	1.5	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
p-Isopropyltoluene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
sec-Butylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Styrene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
tert-Butylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Tetrachloroethene	0.7	mg/m3	J	1.0	SW8260B	01/22/10 16:44 / jlr	
Toluene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
trans-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
trans-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Trichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Trichlorofluoromethane	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Vinyl chloride	ND	mg/m3		1.0	SW8260B	01/22/10 16:44 / jlr	
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120	SW8260B	01/22/10 16:44 / jlr	
Surr: Dibromofluoromethane	95.0	%REC		80-120	SW8260B	01/22/10 16:44 / jlr	
Surr: p-Bromofluorobenzene	105	%REC		80-120	SW8260B	01/22/10 16:44 / jlr	
Surr: Toluene-d8	105	%REC		80-120	SW8260B	01/22/10 16:44 / jlr	

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10010693-002
Client Sample ID: 93007-AD.1/10

Report Date: 01/26/10
Collection Date: 01/20/10 14:15
DateReceived: 01/21/10
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,1,1-Trichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,1,2-Trichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,1-Dichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,1-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,1-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2,3-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2,3-Trichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2,4-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2,4-Trimethylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2-Dibromoethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2-Dichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,3,5-Trimethylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,3-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,3-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
1,4-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
2,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
2-Chlorotoluene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
4-Chlorotoluene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Benzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Bromobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Bromochloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Bromodichloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Bromoform	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Bromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Carbon tetrachloride	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Chlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Chlorodibromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Chloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Chloroform	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Chloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
cis-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
cis-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Dibromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Dichlorodifluoromethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Ethylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Hexachlorobutadiene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Isopropylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
m+p-Xylenes	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



ENERGY LABORATORIES, INC. * 2393 Salt Creek Hwy (82601) * PO Box 3258 * Casper, WY 82602
Toll Free 888.235.0515 * 307.235.0515 * FAX 307.234.1639 * casper@energylab.com * www.energylab.com

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10010693-002
Client Sample ID: 93007-AD.1/10

Report Date: 01/26/10
Collection Date: 01/20/10 14:15
DateReceived: 01/21/10
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20	SW8260B	01/22/10 13:26 / jlr	
Methylene chloride	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Naphthalene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
n-Butylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
n-Propylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
o-Xylene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
p-Isopropyltoluene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
sec-Butylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Styrene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
tert-Butylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Tetrachloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Toluene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
trans-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
trans-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Trichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Trichlorofluoromethane	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Vinyl chloride	ND	mg/m3		1.0	SW8260B	01/22/10 13:26 / jlr	
Surr: 1,2-Dichlorobenzene-d4	121	%REC	S	80-120	SW8260B	01/22/10 13:26 / jlr	
Surr: Dibromofluoromethane	94.0	%REC		80-120	SW8260B	01/22/10 13:26 / jlr	
Surr: p-Bromofluorobenzene	111	%REC		80-120	SW8260B	01/22/10 13:26 / jlr	
Surr: Toluene-d8	102	%REC		80-120	SW8260B	01/22/10 13:26 / jlr	

Report Definitions: RL - Analyte reporting limit.

MCL - Maximum contaminant level.

QCL - Quality control limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



ENERGY LABORATORIES, INC. * 2393 Salt Creek Hwy (82601) * PO Box 3258 * Casper, WY 82602
Toll Free 888.235.0515 * 307.235.0515 * FAX 307.234.1639 * casper@energylab.com * www.energylab.com

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10010693-003
Client Sample ID: 93007-UST.1/10

Report Date: 01/26/10
Collection Date: 01/20/10 14:30
DateReceived: 01/21/10
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,1,1-Trichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,1,2-Trichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,1-Dichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,1-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,1-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2,3-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2,3-Trichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2,4-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2,4-Trimethylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2-Dibromoethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2-Dichloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,3,5-Trimethylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,3-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,3-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
1,4-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
2,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
2-Chlorotoluene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
4-Chlorotoluene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Benzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Bromobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Bromochloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Bromodichloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Bromoform	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Bromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Carbon tetrachloride	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Chlorobenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Chlorodibromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Chloroethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Chloroform	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Chloromethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
cis-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
cis-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Dibromomethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Dichlorodifluoromethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Ethylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Hexachlorobutadiene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Isopropylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
m+p-Xylenes	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



ENERGY LABORATORIES, INC. * 2393 Salt Creek Hwy (82601) * PO Box 3258 * Casper, WY 82602
Toll Free 888.235.0515 * 307.235.0515 * FAX 307.234.1639 * casper@energylab.com * www.energylab.com

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10010693-003
Client Sample ID: 93007-UST.1/10

Report Date: 01/26/10
Collection Date: 01/20/10 14:30
DateReceived: 01/21/10
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20	SW8260B	01/22/10 14:03 / jlr	
Methylene chloride	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Naphthalene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
n-Butylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
n-Propylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
o-Xylene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
p-Isopropyltoluene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
sec-Butylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Styrene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
tert-Butylbenzene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Tetrachloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Toluene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
trans-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
trans-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Trichloroethene	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Trichlorofluoromethane	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Vinyl chloride	ND	mg/m3		1.0	SW8260B	01/22/10 14:03 / jlr	
Surr: 1,2-Dichlorobenzene-d4	118	%REC		80-120	SW8260B	01/22/10 14:03 / jlr	
Surr: Dibromofluoromethane	98.0	%REC		80-120	SW8260B	01/22/10 14:03 / jlr	
Surr: p-Bromofluorobenzene	110	%REC		80-120	SW8260B	01/22/10 14:03 / jlr	
Surr: Toluene-d8	103	%REC		80-120	SW8260B	01/22/10 14:03 / jlr	

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



ENERGY LABORATORIES, INC. * 2393 Salt Creek Hwy (82601) * PO Box 3258 * Casper, WY 82602
Toll Free 888.235.0515 * 307.235.0515 * FAX 307.234.1639 * casper@energylab.com * www.energylab.com

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10010693-004
Client Sample ID: Supplies

Report Date: 01/26/10
Collection Date: Not Provided
DateReceived: 01/21/10
Matrix:

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
----------	--------	-------	-----------	----	-------------	--------	--------------------

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.