

GW - 114

REPORTS

**Quarterly
Groundwater**

1st Quarter 2010

Deuell Environmental, LLC

February 22, 2010

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NM 87505

RE: First Quarter Monitoring Results - 2010
Schlumberger Technology Corporation Facility – Artesia, New Mexico (GW-114)

Dear Mr. Hansen:

Deuell Environmental, LLC conducted quarterly monitoring activities at the Schlumberger Technology Corporation (Dowell) facility in Artesia, New Mexico on January 20-21, 2010.

The environmental data results are enclosed for your review.

Static water elevation data, measured in the 33 wells located in the vicinity of the Dowell facility are summarized in Table 1. The data were used to generate a potentiometric surface map as shown on Figure 1. Water levels across the site were higher, reversing a declining trend throughout 2009. There were increases up to 2.1 feet in the western portion of the site. In the eastern portion of the site there were decreases in water elevations due to the pump containment system. This has increased the gradient across the site, with the overall gradient to the becoming more northeast. The zone of capture from the pumped wells evident.

The laboratory analytical results for water quality monitoring are summarized in Table 2. The laboratory reports will be provided in hard copy with the annual report. Since the first three quarters are only partial sampling events, it is not possible to construct iso-concentration map. This will be constructed for the annual report. All down gradient wells have shown improvement or are stable for this quarter. Wells in the source areas were stable and are near or below MCL's.

At this time the effects of the groundwater containment system are being noticed. The potentiometric surface shows a depression in the ground water surface at the pumped wells with a zone of capture. Wells MW-18, MW-22, and MW-25 within the center of the area of concern, have all decreased in concentrations after system startup. MW-30, at the pumped wells, has stabilized in concentrations. MW-26, at the property boundary, continues to decrease in concentrations so that all compounds are at or below MCL's. This indicates very good

hydraulic control to the south. MW-29 remains non-detect and provides northern control. Concentrations in the surge tank are lower than those measured at MW-30 indicating some removal of chlorinated compounds through aeration. Also, MW-31 directly down gradient of the infiltration trench, has shown a decrease in concentrations since the system was started indicating an improvement in groundwater quality.

Since drawdown at the pumped wells is less than five feet since the pump rate will be increased to 12 gpm. The limiting factor may be the infiltration trench.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: D. Renee Romero, NMPST Bureau
Du'Bois Ferguson, Schlumberger Technology Corporation
Janice Barber, Dow

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1	01/23/91	30.00	Protective Casing	100.56	17.41	83.15	
	09/13/91				16.04	84.52	1.37
	11/22/91				14.50	86.06	1.54
	03/16/93				13.72	86.84	0.78
	01/09/94				14.62	85.94	-0.90
	04/19/94				14.48	86.08	0.14
	07/20/94				14.38	86.18	0.10
	10/24/94				14.73	85.83	-0.35
	01/24/95				14.20	86.36	0.53
	04/02/95				14.37	86.19	-0.17
	07/31/95				14.76	85.80	-0.39
	10/16/95				14.64	85.92	0.12
	01/10/96				14.59	85.97	0.05
	04/09/96				14.77	85.79	-0.18
	07/20/96				15.84	84.72	-1.07
	10/21/96				14.07	86.49	1.77
	01/21/97				13.24	87.32	0.83
	04/08/97				12.97	87.59	0.27
	07/29/97				13.87	86.69	-0.90
	10/16/97				12.26	88.30	1.61
	02/09/99				14.34	86.22	-2.08
	04/21/99				13.91	86.65	0.43
	07/13/99				11.70	88.86	2.21
	10/19/99				13.22	87.34	-1.52
	01/26/00				13.50	87.06	-0.28
	04/18/00				13.74	86.82	-0.24
	07/26/00				14.04	86.52	-0.30
	10/19/00				12.48	88.08	1.56
	01/18/01				9.72	90.84	2.76
	04/12/01				9.58	90.98	0.14
	07/19/01				12.02	88.54	-2.44
	10/17/01				10.70	89.86	1.32
	01/12/02				9.19	91.37	1.51
	04/20/02				9.37	91.19	-0.18
	07/24/02				12.13	88.43	-2.76
	10/15/02				10.86	89.70	1.27
	01/22/03				11.79	88.77	-0.93
	04/24/03				12.32	88.24	-0.53
	07/16/03				13.60	86.96	-1.28
	10/15/03				11.15	89.41	2.45
	01/29/04				11.07	89.49	0.08
	04/19/04				9.49	91.07	1.58
	07/16/04				10.69	89.87	-1.20
	10/29/04				8.44	92.12	2.25
	01/14/05				7.74	92.82	0.70
	04/15/05				7.25	93.31	0.49
	07/08/05				7.76	92.80	-0.51
	10/08/05				10.32	90.24	-2.56
	01/18/06				9.47	91.09	0.85
	04/18/06				10.88	89.68	-1.41
	07/11/06				11.50	89.06	-0.62
	10/10/06				10.91	89.65	0.59
	01/16/07				10.19	90.37	0.72
	04/17/07				9.27	91.29	0.92
	07/18/07				10.30	90.26	-1.03
	10/17/07				10.55	90.01	-0.25
	01/16/08				11.96	88.60	-1.41
	04/28/08				10.41	90.15	1.55
	07/15/08				9.66	90.90	0.75
	10/14/08				8.33	92.23	1.33
	01/13/09				8.64	91.92	-0.31
	04/06/09				10.78	89.78	-2.14
	07/14/09				12.02	88.54	-1.24
	10/20/09				13.58	86.98	-1.56
	01/20/10				11.94	88.62	1.64

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2	01/23/91	30.00	Protective Casing	99.56	16.95	82.61	
	09/13/91				15.01	84.55	1.94
	11/22/91				13.76	85.80	1.25
	03/16/93				13.16	86.40	0.60
	01/09/94				13.91	85.65	-0.75
	04/19/94				13.80	85.76	0.11
	07/20/94				13.65	85.91	0.15
	10/24/94				13.88	85.68	-0.23
	01/24/95				13.41	86.15	0.47
	04/02/95				13.67	85.89	-0.26
	07/31/95				13.81	85.75	-0.14
	10/16/95				13.78	85.78	0.03
	01/10/96				13.80	85.76	-0.02
	04/09/96				13.98	85.58	-0.18
	07/20/96				14.92	84.64	-0.94
	10/21/96				13.15	86.41	1.77
	01/21/97				12.41	87.15	0.74
	04/08/97				12.21	87.35	0.20
	07/29/97				13.15	86.41	-0.94
	10/16/97				11.63	87.93	1.52
	01/06/98				10.92	88.64	0.71
	04/14/98				11.02	88.54	-0.10
	07/17/98				13.03	86.53	-2.01
	10/27/98				13.61	85.95	-0.58
	02/09/99				13.69	85.87	-0.08
	04/21/99				13.24	86.32	0.45
	07/13/99				11.05	88.51	2.19
	10/20/99				12.59	86.97	-1.54
	01/26/00				12.83	86.73	-0.24
	04/18/00				13.00	86.56	-0.17
	07/26/00				13.36	86.20	-0.36
	10/19/00				11.42	88.14	1.94
	01/18/01				8.41	91.15	3.01
	04/12/01				8.60	90.96	-0.19
	07/19/01				11.23	88.33	-2.63
	10/17/01				9.60	89.96	1.63
	01/12/02				7.80	91.76	1.80
	04/20/02				8.67	90.89	-0.87
	07/24/02				11.38	88.18	-2.71
	10/15/02				10.02	89.54	1.36
	01/22/03				11.08	88.48	-1.06
	04/24/03				11.61	87.95	-0.53
	07/16/03				12.93	86.63	-1.32
	10/15/03				9.90	89.66	3.03
	01/29/04				10.25	89.31	-0.35
	04/19/04				8.64	90.92	1.61
	07/16/04				9.76	89.80	-1.12
	10/29/04				7.33	92.23	2.43
	01/14/05				6.97	92.59	0.36
	04/15/05				6.21	93.35	0.76
	07/08/05				9.17	90.39	-2.96
	10/08/05				9.70	89.86	-0.53
	01/18/06				8.69	90.87	1.01
	04/18/06				10.22	89.34	-1.53
	07/11/06				10.94	88.62	-0.72
	10/10/06				10.12	89.44	0.82
	01/16/07				9.44	90.12	0.68
	04/17/07				8.22	91.34	1.22
	07/18/07				9.57	89.99	-1.35
	10/17/07				9.69	89.87	-0.12
	01/16/08				11.39	88.17	-1.70
	04/28/08				9.54	90.02	1.85
	07/15/08				8.51	91.05	1.03
	10/14/08				7.07	92.49	1.44

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2 (Cont)	01/13/09				7 61	91 95	-0 54
	04/06/09				9 96	89 60	-2 35
	07/14/09				11 19	88 37	-1 23
	10/20/09				12 88	86 68	-1 69
	01/20/10				10 91	88 65	1 97
MW-3	01/23/91	30 00	Protective Casing	98 33	17 28	81 05	
	09/13/91				14 66	83 67	2 62
	11/22/91				13 63	84 70	1 03
	03/16/93				12 89	85 44	0 74
	01/09/94				13 66	84 67	-0 77
	04/19/94			Not Measured			NM
	07/20/94				13 18	85 15	na
	10/24/94				13 27	85 06	-0 09
	01/24/95				13 23	85 10	0 04
	04/02/95				13 60	84 73	-0 37
	07/31/95				13 34	84 99	0 26
	10/16/95				13 38	84 95	-0 04
	01/10/96				13 85	84 48	-0 47
	04/09/96				13 91	84 42	-0 06
	07/20/96				14 55	83 78	-0 64
	10/21/96				12 90	85 43	1 65
	01/21/97				12 42	85 91	0 48
	04/08/97				12 43	85 90	-0 01
	07/29/97				13 18	85 15	-0 75
	10/16/97				11 83	86 50	1 35
	01/06/98				11 45	86 88	0 38
	04/14/98				11 44	86 89	0 01
	07/17/98				12 81	85 52	-1 37
	10/27/98				12 60	85 73	0 21
	02/09/99				13 44	84 89	-0 84
	04/21/99				12 75	85 58	0 69
	07/13/99				10 57	87 76	2 18
	10/20/99				12 15	86 18	-1 58
	01/26/00				12 64	85 69	-0 49
	04/18/00				12 70	85 63	-0 06
	07/26/00				12 88	85 45	-0 18
	10/19/00				11 53	86 80	1 35
	01/18/01				9 21	89 12	2 32
	04/12/01				9 22	89 11	-0 01
	07/19/01				11 22	87 11	-2 00
MW-4	01/23/91	50 00	Protective Casing	103 18	20 17	83 01	
	09/13/91				18 54	84 64	1 63
	11/22/91				17 15	86 03	1 39
	03/16/93				16 49	86 69	0 66
	01/09/94				17 28	85 90	-0 79
	04/19/94				17 15	86 03	0 13
	07/20/94				16 99	86 19	0 16
	10/24/94				17 25	85 93	-0 26
	01/24/95				16 78	86 40	0 47
	04/02/95				16 98	86 20	-0 20
	07/31/95				17 26	85 92	-0 28
	10/16/95				17 01	86 17	0 25
	01/10/96				16 95	86 23	0 06
	04/09/96				17 15	86 03	-0 20
	07/20/96				18 08	85 10	-0 93
	10/21/96				16 28	86 90	1 80
	01/21/97				15 37	87 81	0 91
	04/08/97				15 14	88 04	0 23
	07/29/97				16 05	87 13	-0 91
	10/16/97				14 44	88 74	1 61
	01/06/98				13 59	89 59	0 85
	04/14/98				13 91	89 27	-0 32
	07/17/98				16 40	86 78	-2 49
	10/27/98				17 05	86 13	-0 65
	02/09/99				17 08	86 10	-0 03

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-4 (Cont)	04/21/99				16 67	86 51	0 41
	07/13/99				14 49	88 69	2 18
	10/20/99				15 98	87 20	-1 49
	01/26/00				16 27	86 91	-0 29
	04/18/00				16 47	86 71	-0 20
	07/26/00				16 81	86 37	-0 34
	10/19/00				15 01	88 17	1 80
	01/18/01				12 08	91 10	2 93
	04/12/01				12 12	91 06	-0 04
	07/19/01				14 68	88 50	-2 56
	10/17/01			99 66	9 65	90 01	1 51
	01/12/02				7 97	91 69	1 68
	04/20/02				8 63	91 03	-0 66
	07/24/02				11 33	88 33	-2 70
	10/15/02				9 97	89 69	1 36
	01/22/03				10 98	88 68	-1 01
	04/24/03				11 53	88 13	-0 55
	07/16/03				12 63	87 03	-1 10
	10/15/03				10 01	89 65	2 62
	01/29/04			99 71	10 15	89 56	-0 09
	04/19/04				8 56	91 15	1 59
	07/16/04				9 70	90 01	-1 14
	10/29/04				7 32	92 39	2 38
	01/14/05				6 83	92 88	0 49
	04/15/05				6 23	93 48	0 60
	07/08/05				7 98	91 73	-1 75
	10/08/05				9 50	90 21	-1 52
	01/18/06				8 54	91 17	0 96
	04/18/06				10 04	89 67	-1 50
	07/11/06				10 68	89 03	-0 64
	10/10/06				9 97	89 74	0 71
	01/16/07				9 27	90 44	0 70
	04/17/07				8 19	91 52	1 08
	07/18/07				9 47	90 24	-1 28
	10/17/07				9 58	90 13	-0 11
	01/16/08				10 15	89 56	-0 57
	04/28/08				9 42	90 29	0 73
	07/15/08				8 53	91 18	0 89
	10/14/08				7 05	92 66	1 48
	01/13/09				7 61	92 10	-0 56
	04/06/09				9 84	89 87	-2 23
	07/14/09				11 09	88 62	-1 25
	10/20/09				12 73	86 98	-1 64
	01/20/10				10 87	88 84	1 86
MW-5	01/23/91	30 00	Protective Casing	99 87	17 20	82 67	
	09/13/91				15 52	84 35	1 68
	11/22/91				14 19	85 68	1 33
	03/16/93				13 47	86 40	0 72
	01/09/94				14 31	85 56	-0 84
	04/19/94				14 17	85 70	0 14
	07/20/94				13 97	85 90	0 20
	10/24/94				14 21	85 66	-0 24
	01/24/95				13 78	86 09	0 43
	04/02/95				14 05	85 82	-0 27
	07/31/95				14 17	85 70	-0 12
	10/16/95				14 07	85 80	0 10
	01/10/96				14 11	85 76	-0 04
	04/09/96				14 31	85 56	-0 20
	07/20/96				15 20	84 67	-0 89
	10/21/96				13 44	86 43	1 76
	01/21/97				12 69	87 18	0 75
	04/08/97				12 52	87 35	0 17
	07/29/97				13 37	86 50	-0 85
	10/16/97				11 82	88 05	1 55
	01/06/98				11 09	88 78	0 73
	04/14/98				12 30	87 57	-1 21

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-5 (Cont)	07/17/98				13 32	86 55	-1 02
	10/27/98				13 93	85 94	-0 61
	02/09/99				14 04	85 83	-0 11
	04/21/99				13 54	86 33	0 50
	07/13/99				11 37	88 50	2 17
	10/20/99				12 89	86 98	-1 52
	01/26/00				13 18	86 69	-0 29
	04/18/00				13 35	86 52	-0 17
	07/26/00				13 65	86 22	-0 30
	10/19/00				11 96	87 91	1 69
	01/18/01				9 22	90 65	2 74
	04/12/01				9 16	90 71	0 06
	07/19/01				11 63	88 24	-2 47
	10/17/01				10 26	89 61	1 37
	01/12/02				8 58	91 29	1 68
	04/20/02				9 19	90 68	-0 61
	07/24/02				11 75	88 12	-2 56
	10/15/02				10 56	89 31	1 19
	01/22/03				11 51	88 36	-0 95
	04/24/03				12 07	87 80	-0 56
	07/16/03				13 27	86 60	-1 20
	10/15/03				10 64	89 23	2 63
	01/29/04			99 50	10 95	88 55	-0 68
	04/19/04				8 88	90 62	2 07
	07/16/04				10 04	89 46	-1 16
	10/29/04				7 75	91 75	2 29
	01/14/05				7 18	92 32	0 57
	04/15/05				6 53	92 97	0 65
	07/08/05				9 23	90 27	-2 70
	10/08/05				9 84	89 66	-0 61
	01/18/06				8 95	90 55	0 89
	04/18/06				10 36	89 14	-1 41
	07/11/06				11 11	88 39	-0 75
	10/10/06				10 48	89 02	0 63
	01/16/07				9 72	89 78	0 76
	04/17/07				8 62	90 88	1 10
	07/18/07				9 88	89 62	-1 26
	10/17/07				10 04	89 46	-0 16
	01/16/08				11 57	87 93	-1 53
	04/28/08				9 93	89 57	1 64
	07/15/08				9 09	90 41	0 84
	10/14/08				7 73	91 77	1 36
	01/13/09				8 01	91 49	-0 28
	04/06/09				10 18	89 32	-2 17
	07/14/09				11 48	88 02	-1 30
	10/20/09				13 09	86 41	-1 61
	01/20/10				11 28	88 22	1 81
MW-6	01/23/91	35 00	Protective Casing	100 84	19 59	81 25	
	09/13/91				17 43	83 41	2 16
	11/21/91				16 30	84 54	1 13
	03/16/93				15 57	85 27	0 73
	01/09/94				16 42	84 42	-0 85
	04/19/94				16 29	84 55	0 13
	07/19/94				15 79	85 05	0 50
	10/24/94				15 83	85 01	-0 04
	01/24/95				15 94	84 90	-0 11
	04/02/95				16 38	84 46	-0 44
	07/31/95				15 88	84 96	0 50
	10/16/95				16 01	84 83	-0 13
	01/10/96				16 52	84 32	-0 51
	04/09/96				16 70	84 14	-0 18
	07/21/96				17 26	83 58	-0 56
	10/21/96				15 62	85 22	1 64
	01/21/97				15 21	85 63	0 41
	04/08/97				15 30	85 54	-0 09
	07/29/97				16 01	84 83	-0 71

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6 (Cont)	10/16/97				15 01	85 83	1 00
	01/06/98				14 69	86 15	0 32
	04/14/98				14 45	86 39	0 24
	07/17/98				15 62	85 22	-1 17
	10/27/98				15 77	85 07	-0 15
	02/09/99				16 34	84 50	-0 57
	04/21/99				15 57	85 27	0 77
	07/13/99				13 66	87 18	1 91
	10/19/99				15 04	85 80	-1 38
	01/26/00				15 51	85 33	-0 47
	04/18/00				15 46	85 38	0 05
	07/26/00				15 68	85 16	-0 22
	10/19/00				14 32	86 52	1 36
	01/18/01				11 78	89 06	2 54
	04/12/01				12 03	88 81	-0 25
	07/19/01				14 13	86 71	-2 10
	10/17/01				13 21	87 63	0 92
	01/12/02				11 74	89 10	1 47
	04/20/02				12 02	88 82	-0 28
	07/24/02				13 92	86 92	-1 90
	10/15/02				13 23	87 61	0 69
	01/22/03				13 94	86 90	-0 71
	04/23/03				14 28	86 56	-0 34
	07/16/03				15 60	85 24	-1 32
	10/15/03				13 01	87 83	2 59
	01/28/04				13 58	87 26	-0 57
	04/19/04				11 79	89 05	1 79
	07/16/04				13 76	87 08	-1 97
	10/29/04				11 30	89 54	2 46
	01/14/05				10 43	90 41	0 87
	05/16/05				9 95	90 89	0 48
	07/08/05				12 62	88 22	-2 67
	10/08/05				13 23	87 61	-0 61
	01/19/06				12 52	88 32	0 71
	04/18/06				13 59	87 25	-1 07
	07/11/06				14 92	85 92	-1 33
	10/10/06				14 36	86 48	0 56
	01/16/07				13 50	87 34	0 86
	04/17/07				12 27	88 57	1 23
	07/17/07				13 71	87 13	-1 44
	10/17/07				14 04	86 80	-0 33
	01/16/08				15 16	85 68	-1 12
	04/28/08				14 03	86 81	1 13
	07/15/08				12 58	88 26	1 45
	10/14/08				11 65	89 19	0 93
	01/13/09				11 86	88 98	-0 21
	07/14/09				14 79	86 05	-2 93
	10/20/09				16 09	84 75	-1 30
	01/20/10				14 54	86 30	1 55
MW-7	01/23/91	35 00	Protective Casing	100 23	19 01	81 22	
	09/13/91				17 43	82 80	1 58
	11/21/91				16 00	84 23	1 43
	03/16/93				14 91	85 32	1 09
	01/09/94				15 99	84 24	-1 08
	04/19/94				15 83	84 40	0 16
	07/19/94				15 24	84 99	0 59
	10/24/94				15 32	84 91	-0 08
	01/24/95				15 54	84 69	-0 22
	04/02/95				16 00	84 23	-0 46
	07/31/95				15 57	84 66	0 43
	10/16/95				15 61	84 62	-0 04
	01/10/96				16 13	84 10	-0 52
	04/09/96				16 30	83 93	-0 17
	07/21/96				16 81	83 42	-0 51
	10/21/96				15 15	85 08	1 66
	01/21/97				14 81	85 42	0 34

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-7 (Cont)	04/08/97				14 91	85 32	-0 10
	07/29/97				15 48	84 75	-0 57
	10/16/97				14 52	85 71	0 96
	01/06/98				13 27	86 96	1 25
	04/14/98				14 02	86 21	-0 75
	07/17/98				15 10	85 13	-1 08
	10/27/98				15 21	85 02	-0 11
	02/09/99				15 86	84 37	-0 65
	04/21/99				14 96	85 27	0 90
	07/13/99				13 03	87 20	1 93
	10/19/99				14 43	85 80	-1 40
	01/26/00				15 02	85 21	-0 59
	04/18/00				14 99	85 24	0 03
	07/26/00				15 12	85 11	-0 13
	10/19/00				14 22	86 01	0 90
	01/18/01				12 12	88 11	2 10
	04/12/01				12 10	88 13	0 02
	07/19/01				13 74	86 49	-1 64
	10/17/01				13 24	86 99	0 50
	01/12/02				12 22	88 01	1 02
	04/20/02				11 93	88 30	0 29
	07/24/02				13 48	86 75	-1 55
	10/15/02				13 00	87 23	0 48
	01/22/03				13 58	86 65	-0 58
	04/23/03				13 88	86 35	-0 30
	07/16/03				15 08	85 15	-1 20
	10/15/03				13 32	86 91	1 76
	01/28/04				13 52	86 71	-0 20
	04/19/04				11 85	88 38	1 67
	07/16/04				13 90	86 33	-2 05
	10/29/04				11 74	88 49	2 16
	01/14/05				10 50	89 73	1 24
	04/15/05				10 13	90 10	0 37
	07/08/05				12 31	87 92	-2 18
	10/08/05				13 03	87 20	-0 72
	01/19/06				12 50	87 73	0 53
	04/18/06				13 37	86 86	-0 87
	07/11/06				14 81	85 42	-1 44
	10/10/06				14 56	85 67	0 25
	01/16/07				13 68	86 55	0 88
	04/17/07				12 69	87 54	0 99
	07/17/07				13 96	86 27	-1 27
	10/17/07				14 39	85 84	-0 43
	01/16/08				15 11	85 12	-0 72
	04/28/08				14 40	85 83	0 71
	07/15/08				13 45	86 78	0 95
	10/14/08				12 73	87 50	0 72
	01/13/09				12 32	87 91	0 41
	04/06/09				13 24	86 99	-0 92
	07/14/09				14 82	85 41	-1 58
	10/20/09				15 92	84 31	-1 10
	01/20/10				14 61	85 62	1 31
MW-8	01/23/91	35 00	Protective Casing	101 47	20 16	81 31	
	09/13/91				18 80	82 67	1 36
	11/21/91				17 29	84 18	1 51
	03/16/93				16 03	85 44	1 26
	01/09/94				17 23	84 24	-1 20
	04/19/94				17 05	84 42	0 18
	07/19/94				16 50	84 97	0 55
	10/24/94				16 56	84 91	-0 06
	01/24/95				16 79	84 68	-0 23
	04/02/95				17 24	84 23	-0 45
	07/31/95				16 94	84 53	0 30
	10/16/95				16 88	84 59	0 06
	01/10/96				17 38	84 09	-0 50
	04/09/96				17 54	83 93	-0 16

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-8 (Cont)	07/21/96				18 10	83 37	-0 56
	10/21/96				16 40	85 07	1 70
	11/22/96				16 42	85 05	-0 02
	01/21/97				16 05	85 42	0 37
	04/08/97				16 11	85 36	-0 06
	07/29/97				16 69	84 78	-0 58
	10/16/97				15 69	85 78	1 00
	01/06/98				15 38	86 09	0 31
	04/14/98				15 15	86 32	0 23
	07/17/98				16 29	85 18	-1 14
	10/27/98				16 39	85 08	-0 10
	02/09/99				17 02	84 45	-0 63
	04/21/99				16 08	85 39	0 94
	07/13/99				14 13	87 34	1 95
	10/19/99				15 56	85 91	-1 43
	01/26/00				16 19	85 28	-0 63
	04/18/00				16 19	85 28	0 00
	07/26/00				16 30	85 17	-0 11
	10/19/00				15 55	85 92	0 75
	01/18/01				13 54	87 93	2 01
	04/12/01				13 42	88 05	0 12
	07/19/01				14 98	86 49	-1 56
	10/17/01				14 58	86 89	0 40
	01/12/02				13 67	87 80	0 91
	04/20/02				13 22	88 25	0 45
	07/24/02				14 72	86 75	-1 50
	10/15/02				14 23	87 24	0 49
	01/22/03				14 80	86 67	-0 57
	04/23/03				15 08	86 39	-0 28
	07/16/03				16 28	85 19	-1 20
	10/15/03				14 03	87 44	2 25
	01/28/04				14 84	86 63	-0 81
	04/19/04				13 25	88 22	1 59
	07/16/04				15 30	86 17	-2 05
	10/29/04				13 15	88 32	2 15
	01/14/05				11 81	89 66	1 34
	04/15/05				11 42	90 05	0 39
	07/08/05				13 53	87 94	-2 11
	10/08/05				14 26	87 21	-0 73
	01/19/06				13 83	87 64	0 43
	04/18/06				14 67	86 80	-0 84
	07/11/06				16 40	85 07	-1 73
	10/10/06				15 92	85 55	0 48
	01/16/07				15 03	86 44	0 89
	04/17/07				14 12	87 35	0 91
	07/17/07				15 33	86 14	-1 21
	10/17/07				15 79	85 68	-0 46
	01/16/08				16 38	85 09	-0 59
	04/28/08				15 79	85 68	0 59
	07/15/08				15 07	86 40	0 72
	10/14/08				14 35	87 12	0 72
	01/13/09				13 79	87 68	0 56
	04/06/09				14 62	86 85	-0 83
	07/14/09				16 29	85 18	-1 67
	10/20/09				17 34	84 13	-1 05
	01/20/10				16 10	85 37	1 24
MW-9	01/26/91	30 00	Protective Casing	102 18	20 08	82 10	
	09/13/91				18 93	83 25	1 15
	11/21/91				17 35	84 83	1 58
	03/16/93				16 19	85 99	1 16
	01/09/94				17 31	84 87	-1 12
	04/19/94				17 33	84 85	-0 02
	07/19/94				16 85	85 33	0 48
	10/24/94				17 05	85 13	-0 20
	01/24/95				16 92	85 26	0 13
	04/02/95				17 23	84 95	-0 31

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-9 (Cont)	07/31/95				17 30	84 88	-0 07
	10/16/95				17 16	85 02	0 14
	01/10/96				17 39	84 79	-0 23
	04/09/96				17 58	84 60	-0 19
	07/21/96				18 38	83 80	-0 80
	10/21/96				16 65	85 53	1 73
	01/21/97				16 12	86 06	0 53
	04/08/97				16 04	86 14	0 08
	07/29/97				16 67	85 51	-0 63
	10/16/97				15 29	86 89	1 38
	01/06/98				14 78	87 40	0 51
	04/14/98				14 89	87 29	-0 11
	07/17/98				16 30	85 88	-1 41
	10/27/98				16 62	85 56	-0 32
	02/09/99				17 14	85 04	-0 52
	04/21/99				16 38	85 80	0 76
	07/13/99				14 27	87 91	2 11
	10/19/99				15 75	86 43	-1 48
	01/26/00				16 30	85 88	-0 55
	04/18/00				16 40	85 78	-0 10
	07/26/00				16 53	85 65	-0 13
	10/19/00				15 70	86 48	0 83
	01/18/01			99 59	10 82	88 77	2 29
	04/12/01				10 49	89 10	0 33
	07/19/01				12 36	87 23	-1 87
	10/17/01				11 70	87 89	0 66
	01/12/02				10 50	89 09	1 20
	04/20/02				10 33	89 26	0 17
	07/24/02				12 14	87 45	-1 81
	10/15/02				11 49	88 10	0 65
	01/22/03				12 18	87 41	-0 69
	04/24/03				12 58	87 01	-0 40
	07/16/03				13 67	85 92	-1 09
	10/15/03				12 20	87 39	1 47
	01/29/04			99 33	11 65	87 68	0 29
	04/19/04				10 09	89 24	1 56
	07/16/04				11 69	87 64	-1 60
	10/29/04				9 57	89 76	2 12
	01/14/05				8 47	90 86	1 10
	04/15/05				7 94	91 39	0 53
	07/08/05				10 07	89 26	-2 13
	10/08/05				10 88	88 45	-0 81
	01/18/06				10 32	89 01	0 56
	04/18/06				11 31	88 02	-0 99
	07/11/06				12 47	86 86	-1 16
	10/10/06				12 18	87 15	0 29
	01/16/07				11 36	87 97	0 82
	04/17/07				10 48	88 85	0 88
	07/18/07				11 58	87 75	-1 10
	10/17/07				11 91	87 42	-0 33
	01/16/08				12 80	86 53	-0 89
	04/28/08				11 96	87 37	0 84
	07/15/08				11 36	87 97	0 60
	10/14/08				10 43	88 90	0 93
	01/13/09				10 02	89 31	0 41
	04/06/09				11 41	87 92	-1 39
	07/14/09				12 94	86 39	-1 53
	10/20/09				14 24	85 09	-1 30
	01/20/10				12 84	86 49	1 40
MW-10	01/26/91	30 00	Protective Casing	101 34	19 68	81 66	
	09/13/91				18 56	82 78	1 12
	11/21/91				16 96	84 38	1 60
	03/16/93				15 64	85 70	1 32
	01/09/94				16 89	84 45	-1 25
	04/19/94				16 73	84 61	0 16
	07/19/94				16 29	85 05	0 44

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-10 (Cont)	10/24/94				16 39	84 95	-0 10
	01/24/95				16 48	84 86	-0 09
	04/02/95				16 88	84 46	-0 40
	07/31/95				16 82	84 52	0 06
	10/16/95				16 65	84 69	0 17
	01/10/96				17 01	84 33	-0 36
	04/09/96				17 20	84 14	-0 19
	07/21/96				17 85	83 49	-0 65
	10/21/96				16 13	85 21	1 72
	01/21/97				15 73	85 61	0 40
	04/08/97				15 70	85 64	0 03
	07/29/97				16 28	85 06	-0 58
	10/16/97				15 16	86 18	1 12
	01/06/98				14 74	86 60	0 42
	04/14/98				14 65	86 69	0 09
	07/17/98				15 90	85 44	-1 25
	10/27/98				16 04	85 30	-0 14
	02/09/99				16 61	84 73	-0 57
	04/21/99				15 68	85 66	0 93
	07/13/99				13 68	87 66	2 00
	10/19/99				15 15	86 19	-1 47
	01/26/00				15 76	85 58	-0 61
	04/18/00				15 82	85 52	-0 06
	07/26/00				15 92	85 42	-0 10
	10/19/00				15 30	86 04	0 62
	01/18/01			99 84	10 80	89 04	3 00
	04/12/01				10 58	89 26	0 22
	07/19/01				12 08	87 76	-1 50
	10/17/01				11 75	88 09	0 33
	01/12/02				10 75	89 09	1 00
	04/20/02				10 31	89 53	0 44
	07/24/02				11 81	88 03	-1 50
	10/15/02				11 33	88 51	0 48
	01/22/03				11 93	87 91	-0 60
	04/24/03				12 21	87 63	-0 28
	07/16/03				13 29	86 55	-1 08
	10/15/03				12 18	87 66	1 11
	01/29/04				11 95	87 89	0 23
	04/19/04				10 39	89 45	1 56
	07/16/04				12 32	87 52	-1 93
	10/29/04				10 24	89 60	2 08
	01/14/05				8 88	90 96	1 36
	04/15/05				8 43	91 41	0 45
	07/08/05				10 45	89 39	-2 02
	10/08/05				11 26	88 58	-0 81
	01/18/06				10 79	89 05	0 47
	04/18/06				11 64	88 20	-0 85
	07/11/06				13 02	86 82	-1 38
	10/10/06				12 89	86 95	0 13
	01/16/07				11 78	88 06	1 11
	04/17/07				11 17	88 67	0 61
	07/18/07				12 89	86 95	-1 72
	10/17/07				12 76	87 08	0 13
	01/16/08				13 30	86 54	-0 54
	04/28/08				12 79	87 05	0 51
	07/15/08				12 28	87 56	0 51
	10/14/08				11 51	88 33	0 77
	01/13/09				10 82	89 02	0 69
	04/06/09				11 84	88 00	-1 02
	07/14/09				13 50	86 34	-1 66
	10/20/09				14 59	85 25	-1 09
	01/20/10				13 33	86 51	1 26
MW-11	01/26/91	30 00	Protective Casing	100 60	19 27	81 33	
	09/13/91				17 81	82 79	1 46
	11/21/91				16 35	84 25	1 46
	03/16/93				15 20	85 40	1 15

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-11 (Cont)	01/09/94				16 31	84 29	-1 11
	04/19/94				16 17	84 43	0 14
	07/19/94				15 63	84 97	0 54
	10/24/94				15 72	84 88	-0 09
	01/24/95				15 89	84 71	-0 17
	04/02/95				16 33	84 27	-0 44
	07/31/95				16 03	84 57	0 30
	10/16/95				16 00	84 60	0 03
	01/10/96				16 45	84 15	-0 45
	04/09/96				16 62	83 98	-0 17
	07/21/96				17 21	83 39	-0 59
	10/21/96				15 52	85 08	1 69
	01/21/97				15 15	85 45	0 37
	04/08/97				15 19	85 41	-0 04
	07/29/97				15 78	84 82	-0 59
	10/16/97				14 75	85 85	1 03
	01/06/98				14 44	86 16	0 31
	04/14/98				14 22	86 38	0 22
	07/17/98				15 41	85 19	-1 19
	10/27/98				15 50	85 10	-0 09
	02/09/99				16 11	84 49	-0 61
	04/21/99				15 21	85 39	0 90
	07/13/99				13 25	87 35	1 96
	10/19/99				14 68	85 92	-1 43
	01/26/00				15 28	85 32	-0 60
	04/18/00				15 29	85 31	-0 01
	07/26/00				15 42	85 18	-0 13
	10/19/00				14 58	86 02	0 84
	01/18/01			98 20	10 08	88 12	2 10
	04/12/01				10 07	88 13	0 01
	07/19/01				11 67	86 53	-1 60
	10/17/01				11 15	87 05	0 52
	01/12/02				10 14	88 06	1 01
	04/20/02				9 83	88 37	0 31
	07/24/02				11 39	86 81	-1 56
	10/15/02				10 87	87 33	0 52
	01/22/03				11 47	86 73	-0 60
	04/23/03				11 77	86 43	-0 30
	07/16/03				12 97	85 23	-1 20
	10/15/03				11 37	86 83	1 60
	01/28/04				11 43	86 77	-0 06
	04/19/04				9 77	88 43	1 66
	07/16/04				11 79	86 41	-2 02
	10/29/04				9 60	88 60	2 19
	01/14/05				8 34	89 86	1 26
	04/15/05				7 93	90 27	0 41
	07/08/05				10 12	88 08	-2 19
	10/08/05				10 84	87 36	-0 72
	01/19/06				10 36	87 84	0 48
	04/18/06				11 21	86 99	-0 85
	07/11/06				12 63	85 57	-1 42
	10/10/06				12 39	85 81	0 24
	01/16/07				11 53	86 67	0 86
	04/17/07				10 20	88 00	1 33
	07/17/07				11 08	87 12	-0 88
	10/17/07				12 22	85 98	-1 14
	01/16/08				12 91	85 29	-0 69
	04/28/08				12 22	85 98	0 69
	07/15/08				11 38	86 82	0 84
	10/14/08				10 63	87 57	0 75
	01/13/09				10 21	87 99	0 42
	04/06/09				11 18	87 02	-0 97
	07/14/09				12 79	85 41	-1 61
	10/20/09				13 92	84 28	-1 13
	01/20/10				12 60	85 60	1 32

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-12	01/26/91	34.00	Protective Casing	100.69	19.24	81.45	
	09/13/91				17.59	83.10	1.65
	11/21/91				16.21	84.48	1.38
	03/16/93				15.22	85.47	0.99
	01/09/94				16.25	84.44	-1.03
	04/19/94				16.13	84.56	0.12
	07/19/94				15.63	85.06	0.50
	10/24/94				15.73	84.96	-0.10
	01/24/95				15.80	84.89	-0.07
	04/02/95				16.23	84.46	-0.43
	07/31/95				15.96	84.73	0.27
	10/16/95				15.93	84.76	0.03
	01/10/96				16.35	84.34	-0.42
	04/09/96				16.52	84.17	-0.17
	07/21/96				17.15	83.54	-0.63
	10/21/96				15.48	85.21	1.67
	01/21/97				15.04	85.65	0.44
	04/08/97				15.10	85.59	-0.06
	07/29/97				15.73	84.96	-0.63
	10/16/97				14.57	86.12	1.16
	01/06/98				14.22	86.47	0.35
	04/14/98				14.09	86.60	0.13
	07/17/98				15.35	85.34	-1.26
	10/27/98				15.36	85.33	-0.01
	02/09/99				16.00	84.69	-0.64
	04/21/99				15.19	85.50	0.81
	07/13/99				13.12	87.57	2.07
	10/19/99				14.63	86.06	-1.51
	01/26/00				15.18	85.51	-0.55
	04/18/00				15.22	85.47	-0.04
	07/26/00				15.38	85.31	-0.16
	10/19/00				14.35	86.34	1.03
	01/18/01			99.21	10.62	88.59	2.25
	04/12/01				10.61	88.60	0.01
	07/19/01				12.41	86.80	-1.80
	10/17/01				10.95	88.26	1.46
	04/20/02				9.88	89.33	1.07
	07/24/02				11.57	87.64	-1.69
	10/15/02				10.94	88.27	0.63
	01/22/03				11.70	87.51	-0.76
	04/24/03				12.04	87.17	-0.34
	07/16/03				13.19	86.02	-1.15
	10/15/03				11.40	87.81	1.79
	01/29/04			98.49	11.33	87.16	-0.65
	04/19/04				9.62	88.87	1.71
	07/16/04				11.51	86.98	-1.89
	10/29/04				9.26	89.23	2.25
	01/14/05				8.16	90.33	1.10
	04/15/05				7.68	90.81	0.48
	07/08/05				9.98	88.51	-2.30
	10/08/05				10.74	87.75	-0.76
	01/18/06				10.09	88.40	0.65
	04/18/06				11.15	87.34	-1.06
	07/11/06				12.39	86.10	-1.24
	10/10/06				12.03	86.46	0.36
	01/16/07				11.20	87.29	0.83
	04/17/07				10.57	87.92	0.63
	07/18/07				11.52	86.97	-0.95
	10/17/07				11.82	86.67	-0.30
	01/16/08				12.71	85.78	-0.89
	04/28/08				11.82	86.67	0.89
	07/15/08				10.96	87.53	0.86
	10/14/08				10.10	88.39	0.86
	01/13/09				9.78	88.71	0.32
	04/06/09				11.03	87.46	-1.25

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-12 (Cont)	07/14/09				12 59	85 90	-1 56
	10/20/09				13 85	84 64	-1 26
	01/20/10				12 38	86 11	1 47
MW-13	09/13/91	45 00	Protective Casing	99 25	15 10	84 15	
	11/21/91				13 95	85 30	1 15
	03/16/93				13 22	86 03	0 73
	01/09/94				14 03	85 22	-0 81
	04/19/94				13 90	85 35	0 13
	07/20/94				13 70	85 55	0 20
	10/24/94				13 86	85 39	-0 16
	01/24/95				13 56	85 69	0 30
	04/02/95				13 87	85 38	-0 31
	07/31/95				13 84	85 41	0 03
	10/16/95				13 83	85 42	0 01
	01/10/96				14 02	85 23	-0 19
	04/09/96				14 20	85 05	-0 18
	07/20/96				15 04	84 21	-0 84
	10/21/96				13 31	85 94	1 73
	01/21/97				12 70	86 55	0 61
	04/08/97				12 48	86 77	0 22
	07/29/97				13 43	85 82	-0 95
	10/16/97				12 02	87 23	1 41
	01/06/98				11 44	87 81	0 58
	04/14/98				11 50	87 75	-0 06
	07/17/98				13 10	86 15	-1 60
	10/27/98				13 58	85 67	-0 48
	02/09/99				13 81	85 44	-0 23
	04/21/99				13 22	86 03	0 59
	07/13/99				11 08	88 17	2 14
	10/20/99				12 64	86 61	-1 56
	01/26/00				12 96	86 29	-0 32
	04/18/00				13 08	86 17	-0 12
	07/26/00				12 88	86 37	0 20
	10/19/00				11 68	87 57	1 20
	01/18/01				8 88	90 37	2 80
	04/12/01				9 09	90 16	-0 21
	07/19/01				11 47	87 78	-2 38
	10/17/01				10 15	89 10	1 32
	01/12/02				8 48	90 77	1 67
	04/20/02				9 07	90 18	-0 59
	07/24/02				11 42	87 83	-2 35
	10/15/02				10 38	88 87	1 04
	01/22/03				11 28	87 97	-0 90
	04/24/03				11 80	87 45	-0 52
	07/16/03				12 98	86 27	-1 18
	10/15/03				10 48	88 77	2 50
	01/29/04			99 25	10 68	88 57	-0 20
	04/19/04				9 06	90 19	1 62
	07/16/04				10 40	88 85	-1 34
	10/29/04				8 03	91 22	2 37
	01/14/05				7 44	91 81	0 59
	04/15/05				6 76	92 49	0 68
	07/08/05				9 47	89 78	-2 71
	10/08/05				10 13	89 12	-0 66
	01/18/06				9 28	89 97	0 85
	04/18/06				10 63	88 62	-1 35
	07/11/06				11 55	87 70	-0 92
	10/10/06				10 97	88 28	0 58
	01/16/07				10 16	89 09	0 81
	04/17/07				8 98	90 27	1 18
	07/18/07				10 31	88 94	-1 33
	10/17/07				10 47	88 78	-0 16
	01/16/08				11 97	87 28	-1 50
	04/28/08				10 42	88 83	1 55
	07/15/08				9 44	89 81	0 98
	10/14/08				8 26	90 99	1 18

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-13 (Cont)	01/13/09				8 44	90 81	-0 18
	04/06/09				10 44	88 81	-2 00
	07/14/09				11 76	87 49	-1 32
	10/20/09				13 36	85 89	-1 60
	01/20/10				11 28	87 97	2 08
MW-14	09/13/91	35 00	Protective Casing	98 74	14 60	84 14	
	11/21/91				13 61	85 13	0 99
	03/16/93				13 00	85 74	0 61
	01/09/94				13 71	85 03	-0 71
	04/19/94				13 63	85 11	0 08
	07/20/94				13 39	85 35	0 24
	10/24/94				13 48	85 26	-0 09
	01/25/95				13 26	85 48	0 22
	04/02/95				13 61	85 13	-0 35
	07/31/95				13 44	85 30	0 17
	10/16/95				13 52	85 22	-0 08
	01/10/96				13 76	84 98	-0 24
	04/09/96				13 96	84 78	-0 20
	07/20/96				14 74	84 00	-0 78
	10/21/96				13 03	85 71	1 71
	01/21/97				12 47	86 27	0 56
	04/08/97				12 44	86 30	0 03
	07/29/97				13 30	85 44	-0 86
	10/16/97				11 93	86 81	1 37
	01/06/98				11 46	87 28	0 47
	04/14/98				11 48	87 26	-0 02
	07/17/98				12 94	85 80	-1 46
	10/27/98				13 25	85 49	-0 31
	02/09/99				13 59	85 15	-0 34
	04/21/99				12 96	85 78	0 63
	07/13/99				10 85	87 89	2 11
	10/20/99				12 42	86 32	-1 57
	01/26/00				12 73	86 01	-0 31
	04/18/00				12 82	85 92	-0 09
	07/26/00				13 08	85 66	-0 26
	10/19/00				11 32	87 42	1 76
	01/18/01				8 48	90 26	2 84
	04/12/01				8 83	89 91	-0 35
	04/20/02				8 84	89 90	-0 01
	07/24/02				11 21	87 53	-2 37
	10/15/02				10 12	88 62	1 09
	04/24/03				11 54	87 20	-1 42
	07/16/03				12 74	86 00	-1 20
	10/15/03				10 07	88 67	2 67
	01/29/04				10 45	88 29	-0 38
	04/19/04				8 76	89 98	1 69
	07/16/04				10 20	88 54	-1 44
	10/29/04				7 69	91 05	2 51
	01/14/05				7 23	91 51	0 46
	04/15/05				6 46	92 28	0 77
	07/08/05				9 37	89 37	-2 91
	10/08/05				9 99	88 75	-0 62
	01/18/06				9 09	89 65	0 90
	04/18/06				10 42	88 32	-1 33
	07/11/06				11 44	87 30	-1 02
	10/10/06				10 70	88 04	0 74
	01/16/07				9 95	88 79	0 75
	04/17/07				8 70	90 04	1 25
	07/18/07				10 18	88 56	-1 48
	10/17/07				10 30	88 44	-0 12
	01/16/08				11 83	86 91	-1 53
	04/28/08				10 26	88 48	1 57
	07/15/08				9 11	89 63	1 15
	10/15/08				7 96	90 78	1 15
	01/13/09				8 20	90 54	-0 24
	04/06/09				10 19	88 55	-1 99

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-14 (Cont)	07/14/09				11 53	87 21	-1 34
	10/20/09				13 07	85 67	-1 54
	01/20/10				11 21	87 53	1 86
MW-15	09/13/91	34 00	Protective Casing	100 05	16 30	83 75	
	11/21/91				15 01	85 04	1 29
	03/16/93				13 95	86 10	1 06
	01/09/94				14 91	85 14	-0 96
	04/19/94				14 80	85 25	0 11
	07/20/94				14 56	85 49	0 24
	10/24/94				14 73	85 32	-0 17
**	01/24/95				16 00	84 05	-1 27
	04/02/95				14 80	85 25	1 20
	07/31/95				14 82	85 23	-0 02
	10/16/95				14 74	85 31	0 08
	01/10/96				14 95	85 10	-0 21
	04/09/96				15 11	84 94	-0 16
	07/20/96				15 96	84 09	-0 85
	10/21/96				14 22	85 83	1 74
	01/21/97				13 64	86 41	0 58
	04/08/97				13 53	86 52	0 11
	07/29/97				14 32	85 73	-0 79
	10/16/97				12 90	87 15	1 42
	01/06/98				12 30	87 75	0 60
	04/14/98				12 38	87 67	-0 08
	07/17/98				13 93	86 12	-1 55
	10/27/98				14 38	85 67	-0 45
	02/09/99				14 68	85 37	-0 30
	04/21/99				14 03	86 02	0 65
	07/13/99				11 90	88 15	2 13
	10/20/99				13 42	86 63	-1 52
	01/26/00				13 83	86 22	-0 41
	04/18/00				13 96	86 09	-0 13
	07/26/00				14 14	85 91	-0 18
	10/19/00				12 90	87 15	1 24
	01/18/01				9 39	90 66	3 51
	04/12/01				12 38	87 67	-2 99
	07/19/01				12 44	87 61	-0 06
	01/12/02				10 10	89 95	2 34
	07/24/02				12 38	87 67	-2 28
	10/15/02				11 52	88 53	0 86
	01/22/03				12 30	87 75	-0 78
	04/24/03				12 74	87 31	-0 44
	07/16/03				13 89	86 16	-1 15
	10/15/03				11 96	88 09	1 93
	01/29/04			99 69	11 50	88 19	0 10
	04/19/04				9 92	89 77	1 58
	07/16/04				11 37	88 32	-1 45
	10/29/04				9 19	90 50	2 18
	01/14/05				8 30	91 39	0 89
	04/15/05				7 73	91 96	0 57
	07/08/05				10 08	89 61	-2 35
	10/08/05				10 82	88 87	-0 74
	01/18/06				10 13	89 56	0 69
	04/18/06				11 30	88 39	-1 17
	07/11/06				12 32	87 37	-1 02
	10/10/06				11 87	87 82	0 45
	01/16/07				11 11	88 58	0 76
	04/17/07				10 11	89 58	1 00
	07/18/07				11 28	88 41	-1 17
	10/17/07				11 52	88 17	-0 24
	01/16/08				12 72	86 97	-1 20
	04/28/08				11 55	88 14	1 17
	07/15/08				10 85	88 84	0 70
	10/14/08				9 78	89 91	1 07
	01/13/09				9 60	90 09	0 18
	04/06/09				11 27	88 42	-1 67

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-15 (Cont)	07/14/09				12 69	87 00	-1 42
	10/20/09				14 18	85 51	-1 49
	01/20/10				12 56	87 13	1 62
MW-16	01/13/09				8 27		
	04/06/09				10 50		
	07/14/09				11 75		
	10/20/09				13 37		
	01/20/10				11 51		
MW-17D	04/02/95	19 00	Protective Casing	101 29	16 80	84 49	
	07/31/95				16 48	84 81	0 32
	10/16/95				16 51	84 78	-0 03
	01/10/96				16 90	84 39	-0 39
	04/09/96				17 10	84 19	-0 20
	07/21/96				17 70	83 59	-0 60
	10/21/96				16 02	85 27	1 68
	01/21/97				15 60	85 69	0 42
	04/08/97				15 64	85 65	-0 04
	07/29/97				16 32	84 97	-0 68
	10/16/97				15 11	86 18	1 21
	01/06/98				14 80	86 49	0 31
	04/14/98				14 68	86 61	0 12
	07/17/98				15 92	85 37	-1 24
	10/27/98				15 95	85 34	-0 03
	02/09/99				16 63	84 66	-0 68
	04/21/99				15 82	85 47	0 81
	07/13/99				13 77	87 52	2 05
	10/19/99				15 32	85 97	-1 55
	01/26/00				15 79	85 50	-0 47
	04/18/00				15 80	85 49	-0 01
	07/26/00				15 98	85 31	-0 18
	10/19/00				14 89	86 40	1 09
	01/18/01			99 00	10 33	88 67	2 27
	04/12/01				10 35	88 65	-0 02
	07/19/01				12 22	86 78	-1 87
	10/17/01				11 48	87 52	0 74
	01/12/02				10 19	88 81	1 29
	04/20/02				10 25	88 75	-0 06
	07/24/02				11 98	87 02	-1 73
	10/15/02				11 33	87 67	0 65
	01/22/03				12 09	86 91	-0 76
	04/24/03				12 43	86 57	-0 34
	07/16/03				13 59	85 41	-1 16
	10/15/03				11 74	87 26	1 85
	01/29/04			98 46	11 30	87 16	-0 10
	04/19/04				9 55	88 91	1 75
	07/16/04				11 45	87 29	-1 62
	10/29/04				9 19	89 55	2 26
	01/14/05				8 16	90 58	1 03
	04/15/05				7 66	91 08	0 50
	07/08/05				10 01	88 73	-2 35
	10/08/05				10 76	87 98	-0 75
	01/18/06				10 10	88 64	0 66
	04/18/06				11 13	87 61	-1 03
	07/11/06				12 40	86 34	-1 27
	10/10/06				12 02	86 72	0 38
	01/16/07				11 17	87 57	0 85
	04/17/07				10 14	88 60	1 03
	07/18/07				11 50	87 24	-1 36
	10/17/07				11 79	86 95	-0 29
	01/16/08				12 08	86 66	-0 29
	04/28/08				11 79	86 95	0 29
	07/15/08				10 84	87 90	0 95
	10/15/08				10 10	88 64	0 74
	01/13/09				9 72	89 02	0 38
	04/06/09				11 03	87 71	-1 31

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17D (Cont)	07/14/09				12 54	86 20	-1 51
	10/20/09				13 82	84 92	-1 28
	01/20/10				12 33	86 41	1 49
MW-17A	04/02/95	26 00	Protective Casing	100 57	16 05	84 52	
	07/31/95				15 75	84 82	0 30
	10/16/95				15 77	84 80	-0 02
	01/10/96				16 18	84 39	-0 41
	04/09/96				16 37	84 20	-0 19
	07/21/96				16 98	83 59	-0 61
	10/21/96				15 30	85 27	1 68
	01/21/97				14 88	85 69	0 42
	04/08/97				14 92	85 65	-0 04
	07/29/97				15 59	84 98	-0 67
	10/16/97				14 41	86 16	1 18
	01/06/98				14 09	86 48	0 32
	04/14/98				13 95	86 62	0 14
	07/17/98				15 20	85 37	-1 25
	10/27/98				15 23	85 34	-0 03
	02/09/99				15 88	84 69	-0 65
	04/21/99				15 10	85 47	0 78
	07/13/99				13 02	87 55	2 08
	10/19/99				14 54	86 03	-1 52
	01/26/00				15 05	85 52	-0 51
	04/18/00				15 08	85 49	-0 03
	07/26/00				15 25	85 32	-0 17
	10/19/00				14 17	86 40	1 08
	01/18/01			98 77	10 09	88 68	2 28
	04/12/01				10 11	88 66	-0 02
	07/19/01				11 98	86 79	-1 87
	10/17/01				11 24	87 53	0 74
	01/12/02				9 94	88 83	1 30
	04/20/02				10 00	88 77	-0 06
	07/24/02				11 75	87 02	-1 75
	10/15/02				11 22	87 55	0 53
	01/22/03				11 85	86 92	-0 63
	04/24/03				12 18	86 59	-0 33
	07/16/03				13 36	85 41	-1 18
	10/15/03				11 49	87 28	1 87
	01/29/04			98 29	11 13	87 16	-0 12
	04/19/04				9 38	88 91	1 75
	07/16/04				11 30	86 99	-1 92
	10/29/04				9 06	89 23	2 24
	01/14/05				7 98	90 31	1 08
	04/15/05				7 50	90 79	0 48
	07/08/05				9 84	88 45	-2 34
	10/08/05				10 57	87 72	-0 73
	01/18/06				9 93	88 36	0 64
	04/18/06				10 98	87 31	-1 05
	07/11/06				12 22	86 07	-1 24
	10/10/06				11 85	86 44	0 37
	01/16/07				11 00	87 29	0 85
	04/17/07				9 95	88 34	1 05
	07/18/07				11 30	86 99	-1 35
	10/17/07				11 61	86 68	-0 31
	01/16/08				12 52	85 77	-0 91
	04/28/08				11 62	86 67	0 90
	07/15/08				10 66	87 63	0 96
	10/15/08				9 89	88 40	0 77
	01/13/09				9 52	88 77	0 37
	04/06/09				10 85	87 44	-1 33
	07/14/09				12 33	85 96	-1 48
	10/20/09				13 64	84 65	-1 31
	01/20/10				12 15	86 14	1 49

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17B	04/02/95	34 00	Protective Casing	101 28	16 79	84 49	
	07/31/95				16 50	84 78	0 29
	10/16/95				16 51	84 77	-0 01
	01/10/96				16 92	84 36	-0 41
	04/09/96				17 10	84 18	-0 18
	07/21/96				17 71	83 57	-0 61
	10/21/96				16 02	85 26	1 69
	01/21/97				15 64	85 64	0 38
	04/08/97				15 67	85 61	-0 03
	07/29/97				16 30	84 98	-0 63
	10/16/97				15 16	86 12	1 14
	01/06/98				14 84	86 44	0 32
	04/14/98				14 70	86 58	0 14
	07/17/98				15 92	85 36	-1 22
	10/27/98				16 00	85 28	-0 08
	02/09/99				16 62	84 66	-0 62
	04/21/99				15 79	85 49	0 83
	07/13/99				13 77	87 51	2 02
	10/19/99				15 26	86 02	-1 49
	01/26/00				15 81	85 47	-0 55
	04/18/00				15 81	85 47	0 00
	07/26/00				15 98	85 30	-0 17
	10/19/00				14 94	86 34	1 04
	01/18/01			99 04	10 44	88 60	2 26
	04/12/01				10 44	88 60	0 00
	07/19/01				12 27	86 77	-1 83
	10/17/01				11 62	87 42	0 65
	01/12/02				10 32	88 72	1 30
	04/20/02				10 33	88 71	-0 01
	07/24/02				12 04	87 00	-1 71
	10/15/02				11 40	87 64	0 64
	01/22/03				12 17	86 87	-0 77
	04/24/03				12 48	86 56	-0 31
	07/16/03				13 64	85 40	-1 16
	10/15/03				11 83	87 21	1 81
	01/29/04			98 54	11 43	87 11	-0 10
	04/19/04				9 69	88 85	1 74
	07/16/04				11 62	86 92	-1 93
	10/29/04				9 37	89 17	2 25
	01/14/05				8 29	90 25	1 08
	04/15/05				7 80	90 74	0 49
	07/08/05				10 11	88 43	-2 31
	10/08/05				10 89	87 65	-0 78
	01/18/06				10 22	88 32	0 67
	04/18/06				11 26	87 28	-1 04
	07/11/06				12 56	85 98	-1 30
	10/10/06				12 18	86 36	0 38
	01/16/07				11 31	87 23	0 87
	04/17/07				10 28	88 26	1 03
	07/18/07				11 67	86 87	-1 39
	10/17/07				11 95	86 59	-0 28
	01/16/08				12 83	85 71	-0 88
	04/28/08				11 77	86 77	1 06
	07/15/08				11 03	87 51	0 74
	10/15/08				10 23	88 31	0 80
	01/13/09				9 89	88 65	0 34
	04/06/09				11 16	87 38	-1 27
	07/14/09				12 67	85 87	-1 51
	10/20/09				13 94	84 60	-1 27
	01/20/10				12 48	86 06	1 46
MW-17C	04/02/95	61 00	Protective Casing	101 33	16 93	84 40	
	07/31/95				16 66	84 67	0 27
	10/16/95				16 64	84 69	0 02
	01/10/96				17 08	84 25	-0 44
	04/09/96				17 25	84 08	-0 17
	07/21/96				17 85	83 48	-0 60

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17C (Cont)	10/21/96				16 17	85 16	1 68
	01/21/97				15 75	85 58	0 42
	04/08/97				15 80	85 53	-0 05
	07/29/97				16 46	84 87	-0 66
	10/16/97				15 33	86 00	1 13
	01/06/98				15 00	86 33	0 33
	04/14/98				14 85	86 48	0 15
	07/17/98				16 09	85 24	-1 24
	10/27/98				16 17	85 16	-0 08
	02/09/99				16 77	84 56	-0 60
	04/21/99				15 95	85 38	0 82
	07/13/99				13 94	87 39	2 01
	10/19/99				15 43	85 90	-1 49
	01/26/00				15 94	85 39	-0 51
	04/18/00				15 95	85 38	-0 01
	07/26/00				16 11	85 22	-0 16
	10/19/00				15 03	86 30	1 08
	01/18/01			99 01	10 37	88 64	2 34
	04/12/01				10 37	88 64	0 00
	07/19/01				12 22	86 79	-1 85
	10/17/01				11 46	87 55	0 76
	01/12/02				10 22	88 79	1 24
	04/20/02				10 25	88 76	-0 03
	07/24/02				11 98	87 03	-1 73
	10/15/02				11 33	87 68	0 65
	01/22/03				12 09	86 92	-0 76
	04/24/03				12 43	86 58	-0 34
	07/16/03				13 59	85 42	-1 16
	10/15/03				11 70	87 31	1 89
	01/29/04			98 53	11 37	87 16	-0 15
	04/19/04				9 61	88 92	1 76
	07/16/04				11 55	86 98	-1 94
	10/29/04				9 27	89 26	2 28
	01/14/05				8 19	90 34	1 08
	04/15/05				7 71	90 82	0 48
	07/08/05				10 08	88 45	-2 37
	10/08/05				10 84	87 69	-0 76
	01/18/06				10 16	88 37	0 68
	04/18/06				11 21	87 32	-1 05
	07/11/06				12 50	86 03	-1 29
	10/10/06				12 12	86 41	0 38
	01/16/07				11 21	87 32	0 91
	04/17/07				10 19	88 34	1 02
	07/18/07				11 57	86 96	-1 38
	10/17/07				11 87	86 66	-0 30
	01/16/08				12 77	85 76	-0 90
	04/28/08				11 88	86 65	0 89
	07/15/08				10 91	87 62	0 97
	10/15/08				10 12	88 41	0 79
	01/13/09				9 79	88 74	0 33
	04/06/09				11 08	87 45	-1 29
	07/14/09				12 59	85 94	-1 51
	10/20/09				13 86	84 67	-1 27
	01/20/10				12 39	86 14	1 47
MW-18	04/02/95	28 00	Protective Casing	98 72	14 77	83 95	
	07/31/95				14 21	84 51	0 56
	10/16/95				14 25	84 47	-0 04
	01/10/96				14 90	83 82	-0 65
	04/09/96				15 05	83 67	-0 15
	07/21/96				15 44	83 28	-0 39
	10/21/96				13 78	84 94	1 66
	11/22/96				13 84	84 88	-0 06
	01/21/97				13 54	85 18	0 30
	04/08/97				13 66	85 06	-0 12
	07/29/97				14 13	84 59	-0 47
	10/16/97				13 34	85 38	0 79

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-18 (Cont)	01/06/98				13 13	85 59	0 21
	04/14/98				12 79	85 93	0 34
	07/17/98				13 75	84 97	-0 96
	10/27/98				13 82	84 90	-0 07
	02/09/99				14 58	84 14	-0 76
	04/21/99				13 58	85 14	1 00
	07/13/99				11 66	87 06	1 92
	10/19/99				13 01	85 71	-1 35
	01/26/00				13 73	84 99	-0 72
	04/18/00				13 65	85 07	0 08
	07/26/00				13 71	85 01	-0 06
	10/19/00				13 03	85 69	0 68
	01/18/01				11 23	87 49	1 80
	04/12/01				11 18	87 54	0 05
	07/19/01				12 43	86 29	-1 25
	10/17/01				12 17	86 55	0 26
	01/12/02				11 44	87 28	0 73
	04/20/02				10 59	88 13	0 85
	07/24/02				12 22	86 50	-1 63
	10/15/02				11 88	86 84	0 34
	01/22/03				12 40	86 32	-0 52
	04/23/04				12 64	86 08	-0 24
	07/16/03				13 79	84 93	-1 15
	10/15/03				12 38	86 34	1 41
	01/28/04				12 52	86 20	-0 14
	04/19/04				10 88	87 84	1 64
	07/16/04				13 03	85 69	-2 15
	10/29/04				10 95	87 77	2 08
	01/14/05				9 55	89 17	1 40
	04/15/05				9 21	89 51	0 34
	07/08/05				11 22	87 50	-2 01
	10/08/05				11 94	86 78	-0 72
	01/19/06				11 57	87 15	0 37
	04/18/06				12 33	86 39	-0 76
	07/11/06				13 82	84 90	-1 49
	10/10/06				13 71	85 01	0 11
	01/16/07				12 85	85 87	0 86
	04/17/07				11 96	86 76	0 89
	07/17/07				13 18	85 54	-1 22
	10/17/07				13 63	85 09	-0 45
	01/16/08				14 17	84 55	-0 54
	04/28/08				13 68	85 04	0 49
	07/15/08				12 97	85 75	0 71
	10/14/08				12 36	86 36	0 61
	01/13/09				11 65	87 07	0 71
	04/06/09				12 07	86 65	-0 42
	07/14/09				13 65	85 07	-1 58
	10/20/09				14 60	84 12	-0 95
	01/20/10				13 49	85 23	1 11
MW-19	04/02/95	28 00	Protective Casing	99 08	14 86	84 22	
	07/31/95				14 29	84 79	0 57
	10/16/95				14 39	84 69	-0 10
	01/10/96				14 98	84 10	-0 59
	04/09/96				15 14	83 94	-0 16
	07/21/96				15 62	83 46	-0 48
	10/21/96				14 00	85 08	1 62
	11/22/96				14 03	85 05	-0 03
	01/21/97				13 69	85 39	0 34
	04/08/97				13 76	85 32	-0 07
	07/29/97				14 37	84 71	-0 61
	10/16/97				13 47	85 61	0 90
	01/06/98				13 21	85 87	0 26
	04/14/98				12 90	86 18	0 31
	07/17/98				13 96	85 12	-1 06
	10/27/98				14 11	84 97	-0 15
	02/09/99				14 74	84 34	-0 63

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-19 (Cont)	04/21/99				13 91	85 17	0 83
	07/13/99				11 99	87 09	1 92
	10/19/99				13 35	85 73	-1 36
	01/26/00				13 92	85 16	-0 57
	04/18/00				13 84	85 24	0 08
	07/26/00				14 00	85 08	-0 16
	10/19/00				12 92	86 16	1 08
	01/18/01				10 66	88 42	2 26
	04/12/01				10 75	88 33	-0 09
	07/19/01				12 59	86 49	-1 84
	10/17/01				11 93	87 15	0 66
	01/12/02				10 78	88 30	1 15
	04/20/02				10 70	88 38	0 08
	07/24/02				12 35	86 73	-1 65
	10/15/02				11 82	87 26	0 53
	01/22/03				12 43	86 65	-0 61
	04/23/03				12 73	86 35	-0 30
	07/16/03				13 99	85 09	-1 26
	10/15/03				11 89	87 19	2 10
	01/28/04				12 29	86 79	-0 40
	04/19/04				10 50	88 58	1 79
	07/16/04				12 59	86 49	-2 09
	10/29/04				10 28	88 80	2 31
	01/14/05				9 20	89 88	1 08
	04/15/05				8 85	90 23	0 35
	07/08/05				11 23	87 85	-2 38
	10/08/05				11 90	87 18	-0 67
	01/19/06				11 30	87 78	0 60
	04/18/06				12 27	86 81	-0 97
	07/11/06				13 69	85 39	-1 42
	10/10/06				13 29	85 79	0 40
	01/16/07				12 36	86 72	0 93
	04/17/07				11 28	87 80	1 08
	07/17/07				12 64	86 44	-1 36
	10/17/07				13 00	86 08	-0 36
	01/16/08				13 87	85 21	-0 87
	04/28/08				12 99	86 09	0 88
	07/15/08				11 92	87 16	1 07
	10/14/08				11 12	87 96	0 80
	01/13/09				10 85	88 23	0 27
	04/06/09				11 95	87 13	-1 10
	07/14/09				13 50	85 58	-1 55
	10/20/09				14 65	84 43	-1 15
	01/20/10				13 30	85 78	1 35
MW-20	11/22/96	28 00	Protective Casing	101 09	16 28	84 81	
	01/21/97				16 08	85 01	0 20
	04/08/97				16 04	85 05	0 04
	07/29/97				16 46	84 63	-0 42
	10/16/97				15 76	85 33	0 70
	01/06/98				15 61	85 48	0 15
	04/14/98				15 13	85 96	0 48
	07/17/98				16 15	84 94	-1 02
	10/27/98				16 07	85 02	0 08
	02/09/99				16 94	84 15	-0 87
	04/21/99				15 48	85 61	1 46
	07/13/99				13 50	87 59	1 98
	10/19/99				15 25	85 84	-1 75
	01/26/00				16 08	85 01	-0 83
	04/18/00				15 97	85 12	0 11
	07/26/00				15 84	85 25	0 13
	10/19/00				15 80	85 29	0 04
	01/18/01				14 37	86 72	1 43
	04/12/01				14 16	86 93	0 21
	07/19/01				14 66	86 43	-0 50
	10/17/01				15 07	86 02	-0 41
	01/12/02				14 70	86 39	0 37

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-20 (Cont)	04/20/02				13 54	87 55	1 16
	07/24/02				14 59	86 50	-1 05
	10/15/02				14 42	86 67	0 17
	01/22/03				14 91	86 18	-0 49
	04/23/03				14 87	86 22	0 04
	07/16/03				15 93	85 16	-1 06
	10/15/03				15 69	85 40	0 24
	01/28/04				15 38	85 71	0 31
	04/19/04				14 20	86 89	1 18
	07/16/04				16 25	84 84	-2 05
	10/29/04				14 25	86 84	2 00
	01/14/05				12 57	88 52	1 68
	04/15/05				12 14	88 95	0 43
	07/08/05				13 85	87 24	-1 71
	10/08/05				14 59	86 50	-0 74
	01/18/06				14 40	86 69	0 19
	04/18/06				15 08	86 01	-0 68
	07/11/06				16 73	84 36	-1 65
	10/10/06				16 97	84 12	-0 24
	01/16/07				16 08	85 01	0 89
	04/17/07				15 39	85 70	0 69
	07/17/07				16 68	84 41	-1 29
	10/17/07				17 19	83 90	-0 51
	01/16/08				17 26	83 83	-0 07
	04/28/08				17 21	83 88	0 05
	07/15/08				17 22	83 87	-0 01
	10/14/08				16 49	84 60	0 73
	01/13/09				15 38	85 71	1 11
	04/06/09				15 73	85 36	-0 35
	07/14/09				17 72	83 37	-1 99
	10/20/09				18 48	82 61	-0 76
	01/20/10				17 93	83 16	0 55
MW-21	11/22/96	25 00	Protective Casing	98 88	14 36	84 52	
	01/21/97				14 26	84 62	0 10
	04/08/97			98 89	14 41	84 48	-0 14
	07/29/97				14 54	84 35	-0 13
	10/16/97				14 18	84 71	0 36
	01/06/98				14 17	84 72	0 01
	04/14/98				13 60	85 29	0 57
	07/17/98				14 21	84 68	-0 61
	10/27/98				14 22	84 67	-0 01
	02/09/99				15 29	83 60	-1 07
	04/21/99				13 94	84 95	1 35
	07/13/99				12 03	86 86	1 91
	10/19/99				13 41	85 48	-1 38
	01/26/00				14 42	84 47	-1 01
	04/18/00				14 21	84 68	0 21
	07/26/00				13 97	84 92	0 24
	10/19/00				13 77	85 12	0 20
	01/18/01				12 62	86 27	1 15
	04/12/01				12 53	86 36	0 09
	07/19/01				12 89	86 00	-0 36
	10/17/01				13 23	85 66	-0 34
	01/12/02				13 10	85 79	0 13
	04/20/02				12 09	86 80	1 01
	07/24/02				12 83	86 06	-0 74
	10/15/02				12 82	86 07	0 01
	01/22/03				13 30	85 59	-0 48
	04/23/03				13 28	85 61	0 02
	07/16/03				14 27	84 62	-0 99
	10/15/03				13 73	85 16	0 54
	01/28/04				13 78	85 11	-0 05
	04/19/04				12 39	86 50	1 39
	07/16/04				14 54	84 35	-2 15
	10/29/04				12 70	86 19	1 84
	01/14/05				11 02	87 87	1 68

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-21 (Cont)	04/15/05				10 62	88 27	0 40
	07/08/05				12 30	86 59	-1 68
	10/08/05				13 00	85 89	-0 70
	01/19/06				12 96	85 93	0 04
	04/18/06				13 50	85 39	-0 54
	07/11/06				14 98	83 91	-1 48
	10/10/06				15 22	83 67	-0 24
	01/16/07				14 52	84 37	0 70
	04/17/07				13 78	85 11	0 74
	07/17/07				14 94	83 95	-1 16
	10/17/07				15 42	83 47	-0 48
	01/16/08				15 71	83 18	-0 29
	04/28/08				15 59	83 30	0 12
	07/15/08				15 50	83 39	0 09
	10/14/08				14 80	84 09	0 70
	01/13/09				13 70	85 19	1 10
	04/06/09				13 91	84 98	-0 21
	07/14/09				15 59	83 30	-1 68
	10/20/09				16 17	82 72	-0 58
	01/20/10				15 42	83 47	0 75
MW-22	11/22/96	24 50	Protective Casing	97 16	12 88	84 28	
	01/21/97				12 94	84 22	-0 06
	04/08/97			97 14	13 42	83 72	-0 50
	07/29/97				13 16	83 98	0 26
	10/16/97				13 23	83 91	-0 07
	01/06/98				13 46	83 68	-0 23
	04/14/98				12 80	84 34	0 66
	07/17/98				12 65	84 49	0 15
	10/27/98				12 90	84 24	-0 25
	02/09/99				14 35	82 79	-1 45
	04/21/99				13 15	83 99	1 20
	07/13/99				11 45	85 69	1 70
	10/19/99				12 22	84 92	-0 77
	01/26/00				13 52	83 62	-1 30
	04/18/00				12 99	84 15	0 53
	07/26/00				12 63	84 51	0 36
	10/19/00				12 10	85 04	0 53
	01/18/01				11 19	85 95	0 91
	04/12/01				11 35	85 79	-0 16
	07/19/01				11 69	85 45	-0 34
	10/17/01				11 77	85 37	-0 08
	01/12/02				12 14	85 00	-0 37
	04/20/02				11 16	85 98	0 98
	07/24/02				11 53	85 61	-0 37
	10/15/02				11 83	85 31	-0 30
	01/22/03				12 36	84 78	-0 53
	04/23/03				12 35	84 79	0 01
	07/16/03				13 14	84 00	-0 79
	10/15/03				11 78	85 36	1 36
	01/28/04				12 74	84 40	-0 96
	04/19/04				11 01	86 13	1 73
	07/16/04				13 09	84 05	-2 08
	10/29/04				11 52	85 62	1 57
	01/14/05				9 97	87 17	1 55
	04/15/05				9 72	87 42	0 25
	07/08/05				11 39	85 75	-1 67
	10/08/05				12 00	85 14	-0 61
	01/19/06				12 15	84 99	-0 15
	04/18/06				12 52	84 62	-0 37
	07/11/06				13 59	83 55	-1 07
	10/10/06				13 72	83 42	-0 13
	01/16/07				13 32	83 82	0 40
	04/17/07				12 39	84 75	0 93
	07/17/07				13 25	83 89	-0 86
	10/17/07				13 61	83 53	-0 36
	01/16/08				14 56	82 58	-0 95

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-22 (Cont)	04/28/08				14 17	82 97	0 39
	07/15/08				14 11	83 03	0 06
	10/14/08				13 12	84 02	0 99
	01/13/09				12 15	84 99	0 97
	04/06/09				12 80	84 34	-0 65
	07/14/09				14 05	83 09	-1 25
	10/20/09				14 24	82 90	-0 19
	01/20/10				14 18	82 96	0 06
MW-23	11/22/96	25 00	Protective Casing	97 33	12 72	84 61	
	01/21/97				12 59	84 74	0 13
	04/08/97			97 30	13 07	84 23	-0 51
	07/29/97				13 14	84 16	-0 07
	10/16/97				13 06	84 24	0 08
	01/06/98				13 13	84 17	-0 07
	04/14/98				12 52	84 78	0 61
	07/17/98				12 64	84 66	-0 12
	10/27/98				12 84	84 46	-0 20
	02/09/99				14 16	83 14	-1 32
	04/21/99				13 25	84 05	0 91
	07/13/99				11 55	85 75	1 70
	10/19/99				12 39	84 91	-0 84
	01/26/00				13 33	83 97	-0 94
	04/18/00				12 81	84 49	0 52
	07/26/00				12 70	84 60	0 11
	10/19/00				11 54	85 76	1 16
	01/18/01				9 86	87 44	1 68
	04/12/01				10 19	87 11	-0 33
	07/19/01				11 54	85 76	-1 35
	10/17/01				11 24	86 06	0 30
	01/12/02				10 72	86 58	0 52
	04/20/02				10 30	87 00	0 42
	07/24/02				11 24	86 06	-0 94
	10/15/02				11 42	85 88	-0 18
	01/22/03				11 89	85 41	-0 47
	04/23/03				12 01	85 29	-0 12
	07/16/03				12 97	84 33	-0 96
	10/15/03				10 96	86 34	2 01
	01/28/04				12 82	84 48	-1 86
	04/19/04				10 06	87 24	2 76
	07/16/04				12 04	85 26	-1 98
	10/29/04				9 97	87 33	2 07
	01/14/05				8 69	88 61	1 28
	04/15/05				8 45	88 85	0 24
	07/08/05				10 89	86 41	-2 44
	10/08/05				11 50	85 80	-0 61
	01/18/06				11 09	86 21	0 41
	04/18/06				11 85	85 45	-0 76
	07/11/06				13 00	84 30	-1 15
	10/10/06				12 68	84 62	0 32
	01/16/07				11 43	85 87	1 25
	04/17/07				10 77	86 53	0 66
	07/17/07				12 06	85 24	-1 29
	10/17/07				12 16	85 14	-0 10
	01/16/08				13 49	83 81	-1 33
	04/28/08				12 56	84 74	0 93
	07/15/08				12 48	84 82	0 08
	10/14/08				10 89	86 41	1 59
	01/13/09				10 19	87 11	0 70
	04/06/09				11 39	85 91	-1 20
	07/14/09				12 73	84 57	-1 34
	10/20/09				13 21	84 09	-0 48
	01/20/10				12 71	84 59	0 50
MW-24	11/22/96	27 00	Protective Casing	103 42	17 91	85 51	
	01/21/97				17 56	85 86	0 35
	04/08/97			103 41	17 40	86 01	0 15

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-24 (Cont)	07/29/97				17 72	85 69	-0 32
	10/16/97				16 58	86 83	1 14
	01/06/98				16 01	87 40	0 57
	04/14/98				16 17	87 24	-0 16
	07/17/98				17 49	85 92	-1 32
	10/27/98				17 40	86 01	0 09
	02/09/99				18 09	85 32	-0 69
	04/21/99				16 98	86 43	1 11
	07/13/99				14 88	88 53	2 10
	10/19/99				16 51	86 90	-1 63
	01/26/00				17 27	86 14	-0 76
	04/18/00				17 37	86 04	-0 10
	07/26/00				17 40	86 01	-0 03
	10/19/00				17 61	85 80	-0 21
	01/18/01				15 88	87 53	1 73
	04/12/01				15 42	87 99	0 46
	07/19/01				16 38	87 03	-0 96
	10/17/01				16 64	86 77	-0 26
	01/12/02				15 99	87 42	0 65
	04/20/02				14 81	88 60	1 18
	07/24/02				16 14	87 27	-1 33
	10/15/02				15 75	87 66	0 39
	01/22/03				16 13	87 28	-0 38
	04/23/03				16 53	86 88	-0 40
	07/16/03				17 24	86 17	-0 71
	10/15/03				17 31	86 10	-0 07
	01/28/04				16 57	86 84	0 74
	04/19/04				15 52	87 89	1 05
	07/16/04				17 16	86 25	-1 64
	10/29/04				15 30	88 11	1 86
	01/14/05				13 68	89 73	1 62
	04/15/05				13 25	90 16	0 43
	07/08/05				14 73	88 68	-1 48
	10/08/05				15 60	87 81	-0 87
	01/18/06				15 47	87 94	0 13
	04/18/06				16 12	87 29	-0 65
	07/11/06				17 67	85 74	-1 55
	10/10/06				17 76	85 65	-0 09
	01/16/07				16 88	86 53	0 88
	04/17/07				16 37	87 04	0 51
	07/17/07				17 28	86 13	-0 91
	10/17/07				17 83	85 58	-0 55
	01/16/08				17 78	85 63	0 05
	04/28/08				17 93	85 48	-0 15
	07/15/08				17 98	85 43	-0 05
	10/14/08				17 26	86 15	0 72
	01/13/09				16 29	87 12	0 97
	04/06/09				16 90	86 51	-0 61
	07/14/09				18 99	84 42	-2 09
	10/20/09				19 93	83 48	-0 94
	01/20/10				18 73	84 68	1 20
MW-25	04/08/97	25 00	Protective Casing	97 64	14 23	83 41	-
	07/29/97				13 77	83 87	0 46
	10/16/97				13 99	83 65	-0 22
	01/06/98				14 37	83 27	-0 38
	04/14/98				13 65	83 99	0 72
	07/17/98				13 26	84 38	0 39
	10/27/98				13 57	84 07	-0 31
	02/09/99				15 17	82 47	-1 60
	04/21/99				13 75	83 89	1 42
	07/13/99				12 16	85 48	1 59
	10/19/99				12 81	84 83	-0 65
	01/26/00				14 33	83 31	-1 52
	04/18/00				13 69	83 95	0 64
	07/26/00				13 25	84 39	0 44
	10/19/00				12 83	84 81	0 42

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-25 (Cont)	01/18/01				12 26	85 38	0 57
	04/12/01				12 44	85 20	-0 18
	07/19/01				12 36	85 28	0 08
	10/17/01				12 60	85 04	-0 24
	01/12/02				13 26	84 38	-0 66
	04/20/02				12 12	85 52	1 14
	07/24/02				12 28	85 36	-0 16
	10/15/02				12 66	84 98	-0 38
	01/22/03				13 22	84 42	-0 56
	04/23/03				13 10	84 54	0 12
	07/16/03				13 82	83 82	-0 72
	10/15/03				12 72	84 92	1 10
	01/28/04				13 72	83 92	-1 00
	04/19/04				12 11	85 53	1 61
	07/16/04				14 08	83 56	-1 97
	10/29/04				12 64	85 00	1 44
	01/14/05				11 07	86 57	1 57
	04/15/05				10 75	86 89	0 32
	07/08/05				12 31	85 33	-1 56
	10/08/05				12 82	84 82	-0 51
	01/19/06				13 17	84 47	-0 35
	04/18/06				13 43	84 21	-0 26
	07/11/06				14 40	83 24	-0 97
	10/10/06				14 67	82 97	-0 27
	01/16/07				14 44	83 20	0 23
	04/17/07				13 52	84 12	0 92
	07/17/07				14 23	83 41	-0 71
	10/17/07				14 65	82 99	-0 42
	01/16/08				15 62	82 02	-0 97
	04/28/08				15 33	82 31	0 29
	07/15/08				16 35	81 29	-1 02
	10/14/08				14 41	83 23	1 94
	01/13/09				13 40	84 24	1 01
	04/06/09				14 24	83 40	-0 84
	07/14/09				15 49	82 15	-1 25
	10/20/09				15 43	82 21	0 06
	01/20/10				15 68	81 96	-0 25
MW-26	04/08/97	25 00	Protective Casing	96 11	13 06	83 05	-
	07/29/97				12 23	83 88	0 83
	10/16/97				12 75	83 36	-0 52
	01/06/98				13 40	82 71	-0 65
	04/14/98				12 61	83 50	0 79
	07/17/98				11 64	84 47	0 97
	10/27/98				12 16	83 95	-0 52
	02/09/99				14 13	81 98	-1 97
	04/21/99				12 41	83 70	1 72
	07/13/99				11 11	85 00	1 30
	10/19/99				11 40	84 71	-0 29
	01/26/00				13 29	82 82	-1 89
	04/18/00				12 27	83 84	1 02
	07/26/00				11 75	84 36	0 52
	10/19/00				11 30	84 81	0 45
	01/18/01				11 12	84 99	0 18
	04/12/01				11 44	84 67	-0 32
	07/19/01				10 98	85 13	0 46
	10/17/01				11 12	84 99	-0 14
	01/12/02				12 42	83 69	-1 30
	04/20/02				11 04	85 07	1 38
	07/24/02				11 03	85 08	0 01
	10/15/02				11 59	84 52	-0 56
	01/22/03				12 26	83 85	-0 67
	04/23/03				12 01	84 10	0 25
	07/16/03				12 53	83 58	-0 52
	10/15/03				11 19	84 92	1 34
	01/28/04				12 79	83 32	-1 60
	04/19/04				11 08	85 03	1 71

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-26 (Cont)	07/16/04				12 63	83 48	-1 55
	10/29/04				11 64	84 47	0 99
	01/14/05				10 15	85 96	1 49
	04/15/05				9 92	86 19	0 23
	07/08/05				11 35	84 76	-1 43
	10/08/05				11 66	84 45	-0 31
	01/18/06				12 35	83 76	-0 69
	04/18/06				12 48	83 63	-0 13
	07/11/06				13 14	82 97	-0 66
	10/10/06				13 33	82 78	-0 19
	01/16/07				13 44	82 67	-0 11
	04/17/07				12 42	83 69	1 02
	07/17/07				12 79	83 32	-0 37
	10/17/07				13 17	82 94	-0 38
	01/16/08				14 64	81 47	-1 47
	04/28/08				14 26	81 85	0 38
	07/15/08				14 22	81 89	0 04
	10/14/08				13 18	82 93	1 04
	01/13/09				12 25	83 86	0 93
	04/06/09				13 39	82 72	-1 14
	07/14/09				14 29	81 82	-0 90
	10/20/09				13 79	82 32	0 50
	01/20/10				14 75	81 36	-0 96
MW-27	04/08/97	25 00	Protective Casing	96 17	13 06	83 11	-
	07/29/97				12 21	83 96	0 85
	10/16/97				12 79	83 38	-0 58
	01/06/98				13 56	82 61	-0 77
	04/14/98				12 75	83 42	0 81
	07/17/98				11 53	84 64	1 22
	10/27/98				12 09	84 08	-0 56
	02/09/99				14 29	81 88	-2 20
	04/21/99				12 53	83 64	1 76
	07/13/99				11 41	84 76	1 12
	10/19/99				11 48	84 69	-0 07
	01/26/00				13 52	82 65	-2 04
	04/18/00				12 25	83 92	1 27
	07/26/00				11 75	84 42	0 50
	10/19/00				11 06	85 11	0 69
	01/18/01				10 83	85 34	0 23
	04/12/01				11 34	84 83	-0 51
	07/19/01				11 00	85 17	0 34
	10/17/01				11 03	85 14	-0 03
	01/12/02				12 33	83 84	-1 30
	04/20/02				10 85	85 32	1 48
	07/24/02				10 91	85 26	-0 06
	10/15/02				11 64	84 53	-0 73
	01/22/03				12 30	83 87	-0 66
	04/23/03				11 94	84 23	0 36
	07/16/03				12 50	83 67	-0 56
	10/15/03				10 73	85 44	1 77
	01/28/04				12 69	83 48	-1 96
	04/19/04				10 87	85 30	1 82
	07/16/04				12 73	83 44	-1 86
	10/29/04				11 30	84 87	1 43
	01/14/05				9 93	86 24	1 37
	04/15/05				9 73	86 44	0 20
	07/08/05				11 34	84 83	-1 61
	10/08/05				11 51	84 66	-0 17
	01/18/06				12 29	83 88	-0 78
	04/18/06				12 37	83 80	-0 08
	07/11/06				12 84	83 33	-0 47
	10/10/06				12 85	83 32	-0 01
	01/16/07				13 14	83 03	-0 29
	04/17/07				11 94	84 23	1 20
	07/17/07				12 22	83 95	-0 28
	10/17/07				12 48	83 69	-0 26

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-27 (Cont)	01/16/08				14 45	81 72	-1 97
	04/28/08				13 79	82 38	0 66
	07/15/08				13 69	82 48	0 10
	10/14/08				12 39	83 78	1 30
	01/13/09				11 58	84 59	0 81
	04/06/09				12 77	83 40	-1 19
	07/14/09				13 39	82 78	-0 62
	10/20/09				12 74	83 43	0 65
	01/20/10				13 98	82 19	-1 24
MW-28	07/17/98	25 00	Protective Casing	97 93	14 32	83 61	-
	10/27/98				14 43	83 50	-0 11
	02/09/99				15 71	82 22	-1 28
	04/21/99				14 28	83 65	1 43
	07/13/99				12 41	85 52	1 87
	10/19/99				13 48	84 45	-1 07
	01/26/00				14 78	83 15	-1 30
	04/18/00				14 49	83 44	0 29
	07/26/00				13 98	83 95	0 51
	10/19/00				13 92	84 01	0 06
	01/18/01				13 49	84 44	0 43
	04/12/01				13 57	84 36	-0 08
	07/19/01				13 16	84 77	0 41
	10/17/01				13 72	84 21	-0 56
	01/12/02				14 32	83 61	-0 60
	04/20/02				13 27	84 66	1 05
	07/24/02				13 18	84 75	0 09
	10/15/02				13 40	84 53	-0 22
	01/22/03				13 95	83 98	-0 55
	04/23/03				13 79	84 14	0 16
	07/16/03				14 36	83 57	-0 57
	10/15/03				14 20	83 73	0 16
	01/28/04				14 68	83 25	-0 48
	04/19/04				13 63	84 30	1 05
	07/16/04				15 26	82 67	-1 63
	10/29/04				13 87	84 06	1 39
	01/14/05				12 17	85 76	1 70
	04/15/05				11 72	86 21	0 45
	07/08/05				13 04	84 89	-1 32
	10/08/05				13 68	84 25	-0 64
	01/18/06				14 06	83 87	-0 38
	04/18/06				14 36	83 57	-0 30
	07/11/06				15 56	82 37	-1 20
	10/10/06				16 03	81 90	-0 47
	01/16/07				15 80	82 13	0 23
	04/17/07				15 10	82 83	0 70
	07/17/07				15 92	82 01	-0 82
	10/17/07				16 52	81 41	-0 60
	01/16/08				16 92	81 01	-0 40
	04/28/08				16 94	80 99	-0 02
	07/15/08				17 35	80 58	-0 41
	10/14/08				16 66	81 27	0 69
	01/13/09				15 50	82 43	1 16
	04/06/09				16 11	81 82	-0 61
	07/14/09				17 73	80 20	-1 62
	10/20/09				17 85	80 08	-0 12
	01/20/10				17 72	80 21	0 13
MW-29	07/17/98	25 00	Protective Casing	97 04	14 07	82 97	-
	10/27/98				14 36	82 68	-0 29
	02/09/99				15 83	81 21	-1 47
	04/21/99				14 48	82 56	1 35
	07/13/99				12 84	84 20	1 64
	10/19/99				13 35	83 69	-0 51
	01/26/00				14 87	82 17	-1 52
	04/18/00				14 37	82 67	0 50
	07/26/00				13 72	83 32	0 65

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-29 (Cont)	10/19/00				13 61	83 43	0 11
	01/18/01				13 51	83 53	0 10
	04/12/01				13 75	83 29	-0 24
	07/19/01				13 14	83 90	0 61
	10/17/01				13 48	83 56	-0 34
	01/12/02				14 52	82 52	-1 04
	04/20/02				13 58	83 46	0 94
	07/24/02				13 18	83 86	0 40
	10/15/02				13 52	83 52	-0 34
	01/22/03				14 14	82 90	-0 62
	04/23/03				14 00	83 04	0 14
	07/16/03				14 44	82 60	-0 44
	10/15/03				13 93	83 11	0 51
	01/28/04				14 84	82 20	-0 91
	04/19/04				13 72	83 32	1 12
	07/16/04				15 19	81 85	-1 47
	10/29/04				14 13	82 91	1 06
	01/14/05				12 43	84 61	1 70
	04/15/05				11 99	85 05	0 44
	07/08/05				13 20	83 84	-1 21
	10/08/05				13 78	83 26	-0 58
	01/18/06				14 37	82 67	-0 59
	04/18/06				14 56	82 48	-0 19
	07/11/06				15 11	81 93	-0 55
	10/10/06				15 87	81 17	-0 76
	01/16/07				15 98	81 06	-0 11
	04/17/07				15 19	81 85	0 79
	07/17/07				15 76	81 28	-0 57
	10/17/07				16 24	80 80	-0 48
	01/16/08				17 06	79 98	-0 82
	04/28/08				17 00	80 04	0 06
	07/15/08				17 34	79 70	-0 34
	10/14/08				16 63	80 41	0 71
	01/13/09				15 60	81 44	1 03
	04/06/09				16 49	80 55	-0 89
	07/14/09				17 85	79 19	-1 36
	10/20/09				17 61	79 43	0 24
	01/20/10				18 00	79 04	-0 39
MW-30	07/17/98	25 00	Protective Casing	96 58	12 68	83 90	-
	10/27/98				13 12	83 46	-0 44
	02/09/99				14 88	81 70	-1 76
	04/21/99				13 38	83 20	1 50
	07/13/99				11 85	84 73	1 53
	10/19/99				12 28	84 30	-0 43
	01/26/00				14 00	82 58	-1 72
	04/18/00				13 21	83 37	0 79
	07/26/00				12 62	83 96	0 59
	10/19/00				12 32	84 26	0 30
	01/18/01				12 18	84 40	0 14
	04/12/01				12 44	84 14	-0 26
	07/19/01				11 91	84 67	0 53
	10/17/01				12 09	84 49	-0 18
	01/12/02				13 32	83 26	-1 23
	04/20/02				12 15	84 43	1 17
	07/24/02				11 92	84 66	0 23
	10/15/02				12 40	84 18	-0 48
	01/22/03				13 05	83 53	-0 65
	04/23/03				12 84	83 74	0 21
	07/16/03				13 35	83 23	-0 51
	10/15/03				12 40	84 18	0 95
	01/28/04				13 69	82 89	-1 29
	04/19/04				12 14	84 44	1 55
	07/16/04				14 42	82 16	-2 28
	10/29/04				12 77	83 81	1 65
	01/14/05				11 15	85 43	1 62
	04/15/05				10 83	85 75	0 32

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-30 (Cont)	07/08/05				12 13	84 45	-1 30
	10/08/05				12 61	83 97	-0 48
	01/18/06				13 25	83 33	-0 64
	04/18/06				13 35	83 23	-0 10
	07/11/06				14 08	82 50	-0 73
	10/10/06				14 43	82 15	-0 35
	01/16/07				14 56	82 02	-0 13
	04/17/07				13 63	82 95	0 93
	07/17/07				14 04	82 54	-0 41
	10/17/07				14 52	82 06	-0 48
	01/16/08				15 69	80 89	-1 17
	04/28/08				15 47	81 11	0 22
	07/15/08				15 62	80 96	-0 15
	10/14/08				14 69	81 89	0 93
	01/13/09				13 73	82 85	0 96
	04/06/09				16 39	80 19	-2 66
	07/14/09				17 79	78 79	-1 40
	10/20/09				17 34	79 24	0 45
	01/20/10				18 28	78 30	-0 94
MW-31	10/14/08				13 24		
	01/13/09				12 32		
	04/06/09				11 70		
	07/14/09				13 02		
	10/20/09				13 82		
	01/20/10				12 84		

NOTES

NM = not measured

* = measured from a temporary benchmark of arbitrary elevation = 100 00 feet
Benchmark is located on the concrete right up against the east shop wall,
at the northeast corner of the shop

** = water level measurement may be in error

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	TOTAL				TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)
						1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)					
MW-1	01/26/91	0.033	ND(0.005)	0.029	0.130	ND(0.005)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.192	0.000
	09/15/91	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.000
	11/22/91	0.026	ND(0.001)	0.007	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.047	0.000
	03/16/93	0.016	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.000
	01/10/94	0.006	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	04/19/94	0.035	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	07/20/94	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	10/25/94	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/25/95	0.025	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.000
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	08/01/95	0.082	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	0.000
	10/18/95	0.064	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.068	0.000
	01/10/96	0.076	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	0.000
	04/13/96	0.048	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000
	07/21/96	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	0.000
	10/22/96	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/24/97	0.002	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	04/09/97	0.006	0.002	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000
	07/30/97	0.018	0.004	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.000
10/17/97	0.026	0.003	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.000	
10/19/99	ND(0.001)	0.002	0.004	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	
10/19/00	0.001	0.017	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000	
10/18/01	ND(0.001)	0.021	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.000	
10/16/02	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	
10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
MW-2	01/26/91	0.210	0.590	0.071	1.700	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	2.571	0.158
	01/26/91	0.190	0.450	0.062	1.300	0.043	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	2.002	0.121
	09/15/91	0.120	0.050	0.006	0.690	0.100	ND(0.005)	0.005	ND(0.005)	0.005	ND(0.005)	0.150	0.866	0.278
	11/22/91	0.033	0.001	0.001	0.088	0.110	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	0.064	0.123	0.197
	03/16/93	0.019	ND(0.001)	ND(0.001)	ND(0.005)	0.060	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.028	0.019	0.093
	01/10/94	0.024	ND(0.001)	0.001	ND(0.005)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.025	0.119

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			PCE (mg/L)	TCE (mg/L)	1,1,1-TCA (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)						
MW-2 (Cont.) Dup.	04/19/94	0.045	0.004	ND(0.005)	ND(0.005)	0.028	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.001	ND(0.005)	ND(0.001)	0.049	0.077
	04/19/94	0.043	0.005	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	0.001	ND(0.005)	ND(0.001)	0.048	0.083
	07/20/94	0.022	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.001)	0.022	0.047
	10/25/94	0.045	0.008	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.037	0.001	ND(0.005)	ND(0.001)	0.053	0.068
*	01/25/95	0.057	0.022	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	ND(0.005)	ND(0.001)	0.079	0.103
	04/03/95	0.050	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.005)	ND(0.005)	ND(0.001)	0.050	0.061
	08/01/95	0.032	0.021	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	ND(0.005)	ND(0.001)	0.053	0.060
	10/18/95	0.078	0.040	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.088	0.002	ND(0.005)	ND(0.001)	0.118	0.105
Dup. *	10/18/95	0.081	0.045	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.097	0.003	ND(0.005)	ND(0.001)	0.126	0.117
*	01/11/96	0.220	0.200	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.260	ND(0.005)	ND(0.005)	ND(0.001)	0.420	0.270
*	04/13/96	0.095	0.130	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.140	ND(0.005)	ND(0.005)	ND(0.001)	0.335	0.140
#	07/21/96	0.092	0.079	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	ND(0.005)	ND(0.005)	ND(0.001)	0.171	0.061
	10/22/96	0.014	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	ND(0.005)	ND(0.001)	0.026	0.018
	01/24/97	0.012	0.018	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.003	ND(0.001)	ND(0.001)	0.030	0.029
	04/09/97	0.015	0.029	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.034	0.007	ND(0.002)	ND(0.001)	0.044	0.043
Dup.	07/30/97	0.010	0.045	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.050	0.009	ND(0.002)	ND(0.001)	0.055	0.061
	10/17/97	0.004	0.024	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.031	0.008	ND(0.002)	ND(0.001)	0.028	0.040
	10/28/98	0.002	0.035	ND(0.002)	0.031	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.054	0.011	ND(0.002)	ND(0.001)	0.068	0.065
	10/28/98	ND(0.005)	0.043	ND(0.005)	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.012	ND(0.005)	ND(0.001)	0.043	0.073
Dup.	04/22/99	0.001	0.026	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	0.012	ND(0.001)	ND(0.001)	0.027	0.048
	10/20/99	ND(0.0025)	0.038	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.054	ND(0.0025)	ND(0.0025)	ND(0.001)	0.040	0.054
	10/20/99	ND(0.005)	0.035	0.002	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.054	0.015	ND(0.005)	ND(0.001)	0.037	0.069
	10/19/00	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.002	ND(0.001)	ND(0.001)	0.002	0.015
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	ND(0.001)	ND(0.001)	0.000	0.018
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.002	ND(0.001)	ND(0.001)	0.000	0.021
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.016
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.006
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.009
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.089	0.018	ND(0.001)	ND(0.001)	0.000	0.107
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.072	0.015	ND(0.001)	ND(0.001)	0.000	0.087
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.003	ND(0.001)	ND(0.001)	0.000	0.020
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.003	ND(0.001)	ND(0.001)	0.000	0.020
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.003	ND(0.001)	ND(0.001)	0.000	0.020
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.002	ND(0.001)	ND(0.001)	0.000	0.011
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.002	ND(0.001)	ND(0.001)	0.000	0.008
MW-3	01/26/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000
	09/15/91	0.200	1.200	1.200	14.000	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.330	ND(0.2)	ND(0.2)	0.330	16.600	0.330	0.330
	11/22/91	0.110	0.680	0.530	6.800	0.094	0.004	0.190	0.110	0.110	0.057	0.150	0.110	8.120	0.605	0.605

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				TOLUENE (mg/L)	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)										
MW-4	01/26/91	0.098	0.011	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.134	0.000
	09/15/91	0.260	ND(0.002)	ND(0.002)	0.015	0.006	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.275	0.006
	11/22/91	0.180	0.100	0.001	0.037	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.318	0.019
	03/16/93	0.072	0.051	ND(0.001)	ND(0.005)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.123	0.001
	01/10/94	0.064	0.074	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.138	0.000
	04/19/94	0.074	0.085	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.162	0.000
	07/20/94	0.100	0.053	ND(0.005)	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.158	0.000
	10/25/94	0.140	0.260	ND(0.005)	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.404	0.005	0.005
	01/25/95	0.150	0.400	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.550	0.000
	04/03/95	0.100	0.190	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.290	0.000	0.000
	08/01/95	0.069	0.570	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	0.639	0.005	0.005
	10/18/95	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.000
	01/11/96	ND(0.005)	0.036	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	04/13/96	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	04/13/96	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.000
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
Dup. #	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	MW-5	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000
10/17/07		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/14/08		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/21/09		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
01/26/91		0.014	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.010	0.014	0.017	
09/15/91	ND(0.001)	0.001	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.023	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-5 (Cont.)	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.000	0.023
	03/16/93	0.078	0.007	ND(0.001)	ND(0.005)	0.013	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.026	ND(0.001)	0.085	0.043
	01/10/94	0.025	ND(0.001)	ND(0.001)	ND(0.005)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.025	0.034
	04/19/94	0.070	0.011	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.015	ND(0.005)	0.081	0.025
	07/20/94	0.220	0.041	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.025	ND(0.005)	0.261	0.040
	07/20/94	0.320	0.076	ND(0.005)	0.001	0.026	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.039	ND(0.005)	0.397	0.073
	10/25/94	0.240	0.059	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.043	ND(0.005)	0.299	0.073
	01/25/95	0.460	0.130	ND(0.005)	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.093	ND(0.005)	0.590	0.136
	04/03/95	0.390	0.087	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.062	ND(0.005)	0.477	0.077
	08/01/95	0.170	0.082	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.049	ND(0.005)	0.252	0.080
Dup.	10/18/95	0.200	0.093	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.025	ND(0.005)	0.293	0.086
	01/11/96	0.078	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.025	ND(0.005)	0.090	0.033
	04/13/96	0.068	0.037	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	ND(0.005)	0.132	0.025
	07/21/96	0.092	0.057	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	ND(0.005)	0.149	0.025
	10/22/96	0.066	0.023	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.089	0.020
	01/24/97	0.031	0.025	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.019	ND(0.001)	0.056	0.024
	04/09/97	0.040	0.040	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.028	ND(0.002)	0.080	0.035
	07/30/97	0.018	0.044	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.029	ND(0.002)	0.062	0.034
	10/17/97	0.016	0.048	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.027	ND(0.002)	0.064	0.038
	10/28/98	0.006	0.009	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.027	ND(0.002)	0.015	0.033
MW-6	10/20/99	0.012	0.008	0.002	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.034	ND(0.001)	0.022	0.044
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.008
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.014
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-6	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.083	ND(0.001)	0.000	0.267
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.006	ND(0.001)	ND(0.001)	0.084	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.043	ND(0.001)	0.000	0.133
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	0.000	0.104
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.056	ND(0.001)	0.000	0.162
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.120	ND(0.001)	0.000	0.279
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.070	ND(0.005)	ND(0.005)	0.002	ND(0.005)	0.072	ND(0.005)	0.000	0.157

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
					BENZENE (mg/L)	TOLUENE (mg/L)										
MW-6 (Cont.) Dup.	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.098	ND(0.005)	0.001	ND(0.005)	0.065	0.000	0.000	0.173
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.110	ND(0.005)	0.001	ND(0.005)	0.073	0.000	0.000	0.197
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.079	ND(0.005)	ND(0.005)	ND(0.005)	0.059	0.000	0.000	0.150
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.065	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.134
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.074	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.137
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.060	ND(0.005)	ND(0.005)	ND(0.005)	0.030	0.000	0.000	0.103
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.051	ND(0.005)	ND(0.005)	ND(0.005)	0.029	0.000	0.000	0.093
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.000	0.075
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.047	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.000	0.000	0.080
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.037	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.064
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.041	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.070
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.000	0.041
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.010	ND(0.002)	0.025	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.000	0.000	0.044
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	ND(0.002)	0.016	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.000	0.000	0.030
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	ND(0.002)	0.023	ND(0.002)	ND(0.002)	ND(0.002)	0.007	0.000	0.000	0.041
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.002)	0.016	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.000	0.000	0.031
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.024	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.000	0.000	0.044
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.031
10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003	
10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
MW-7	01/26/91	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.021	ND(0.001)	0.260	ND(0.001)	0.010	0.068	0.200	0.006	0.559	
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.038	ND(0.001)	0.320	ND(0.001)	0.005	0.069	0.270	0.009	0.702	
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.034	ND(0.001)	0.310	ND(0.001)	0.006	0.069	0.280	0.009	0.699	
	11/22/91	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.025)	0.035	ND(0.005)	0.360	ND(0.005)	ND(0.005)	0.053	0.310	0.009	0.758	
	03/16/93	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.027	ND(0.001)	0.280	ND(0.001)	0.002	0.050	0.160	0.007	0.519	
Dup.	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.023	ND(0.001)	0.210	ND(0.001)	0.004	0.046	0.160	0.005	0.443	
	04/19/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.120	ND(0.005)	0.003	0.038	0.120	0.007	0.302	
	07/20/94	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.220	ND(0.005)	0.003	0.040	0.160	0.006	0.441	
	10/25/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	ND(0.005)	ND(0.005)	0.050	0.240	0.007	0.553	
	10/25/94	0.006	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	0.200	ND(0.025)	ND(0.025)	0.045	0.230	0.006	0.501	
Dup.	01/25/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.210	ND(0.005)	0.002	0.041	0.330	0.005	0.610	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	TOTAL					PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)	
			(mg/L)	(mg/L)			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)					TCE (mg/L)
MW-7 (Cont.)	04/03/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.290	ND(0.005)	ND(0.005)	0.038	0.260	0.006	0.617	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.038	ND(0.005)	0.300	ND(0.005)	ND(0.005)	0.051	0.250	0.000	0.639		
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.300	ND(0.005)	0.002	0.045	0.300	0.005	0.671		
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.260	ND(0.005)	ND(0.005)	0.035	0.250	0.006	0.572		
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.370	ND(0.005)	ND(0.005)	0.030	0.260	0.006	0.687		
	07/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.280	ND(0.005)	ND(0.005)	0.026	0.220	0.006	0.555		
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.028	ND(0.010)	0.350	ND(0.010)	ND(0.010)	0.023	0.260	0.000	0.661		
	01/24/97	0.005	ND(0.001)	ND(0.001)	ND(0.002)	0.021	0.001	0.244	0.002	0.019	0.203	0.005	0.490			
	04/09/97	0.005	ND(0.002)	ND(0.002)	ND(0.004)	0.022	ND(0.002)	0.186	ND(0.002)	ND(0.002)	0.017	0.148	0.005	0.373		
	07/30/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.023	ND(0.010)	0.236	ND(0.010)	ND(0.010)	0.019	0.255	0.005	0.533		
dup.	10/17/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.029	ND(0.010)	0.255	ND(0.010)	ND(0.010)	0.020	0.153	0.005	0.457		
	10/28/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.024	ND(0.010)	0.193	ND(0.010)	ND(0.010)	0.031	0.251	0.004	0.499		
	04/22/99	0.005	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.255	ND(0.005)	ND(0.005)	0.043	0.275	0.005	0.607		
	10/19/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.184	ND(0.005)	ND(0.005)	0.045	0.198	0.000	0.461		
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.036	ND(0.0025)	0.208	ND(0.0025)	ND(0.0025)	0.034	0.209	ND(0.0025)	0.003	0.487	
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.033	ND(0.0025)	0.204	ND(0.0025)	ND(0.0025)	0.032	0.237	ND(0.0025)	0.003	0.506	
	10/18/01	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.009	0.170	ND(0.0025)	0.003	0.373	
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.025	ND(0.0025)	0.140	ND(0.0025)	ND(0.0025)	0.010	0.120	ND(0.0025)	0.000	0.295	
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.018	ND(0.0025)	0.098	ND(0.0025)	0.006	ND(0.0025)	0.074	ND(0.0025)	0.000	0.196	
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	0.120	ND(0.001)	0.001	0.264	
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.008	0.071	ND(0.001)	0.000	0.185	
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.001	0.025	ND(0.001)	0.000	0.058	
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.034	
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.047	
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039	
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.013	
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009	
	MW-8	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.004	0.001	0.003	0.003	0.005	0.023
		09/15/91	0.007	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	0.101	ND(0.001)	0.007	0.039	0.050	0.007	0.214	
		11/22/91	0.004	ND(0.001)	ND(0.001)	ND(0.005)	0.020	ND(0.001)	0.087	ND(0.001)	0.003	0.045	0.063	0.004	0.218	
03/16/93		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054	ND(0.001)	0.005	0.006	0.009	0.000	0.078		
Dup.	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054	ND(0.001)	0.004	0.006	0.006	0.000	0.074		
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	0.073	ND(0.001)	0.004	0.008	0.010	0.000	0.100		
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.039	ND(0.005)	0.004	0.004	0.007	0.000	0.058		
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.069	ND(0.005)	0.005	0.006	0.011	0.000	0.095		
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.082	ND(0.005)	ND(0.005)	0.010	0.019	0.000	0.119		
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.076	ND(0.005)	0.006	0.011	0.022	0.000	0.122		
04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.074	ND(0.005)	ND(0.005)	0.008	0.017	0.000	0.105			

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			PCE (mg/L)	TCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)						
MW-8 (Cont.)	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.110	ND(0.005)	ND(0.005)	0.053	0.023	ND(0.005)	ND(0.005)	0.000	0.201
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.081	ND(0.005)	0.002	0.044	0.015	0.002	0.000	0.000	0.151
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	ND(0.005)	0.019	0.006	ND(0.005)	ND(0.005)	0.000	0.094
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.099	ND(0.005)	ND(0.005)	0.036	0.011	ND(0.005)	ND(0.005)	0.000	0.153
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.087	ND(0.005)	ND(0.005)	0.035	0.010	ND(0.005)	ND(0.005)	0.000	0.138
Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.089	0.035	ND(0.005)	ND(0.005)	0.000	0.296
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.140	ND(0.005)	ND(0.005)	0.072	0.030	ND(0.005)	ND(0.005)	0.000	0.262
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.019	0.001	0.081	0.002	0.002	0.018	0.017	0.002	0.001	0.001	0.138
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.017	0.001	0.088	0.002	0.002	0.017	0.014	0.002	0.001	0.001	0.139
Dup.	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.015	ND(0.002)	0.097	ND(0.002)	ND(0.002)	0.028	0.019	ND(0.002)	ND(0.002)	0.001	0.158
	07/30/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.105	ND(0.002)	ND(0.002)	0.048	0.015	ND(0.002)	ND(0.002)	0.001	0.180
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	0.106	ND(0.002)	0.002	0.055	0.015	0.002	0.000	0.000	0.189
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	0.104	ND(0.002)	ND(0.002)	0.026	0.010	ND(0.002)	ND(0.002)	0.001	0.150
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.003	ND(0.005)	0.111	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.124
Dup.	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.003	ND(0.01)	0.128	ND(0.01)	ND(0.01)	0.009	ND(0.01)	ND(0.01)	ND(0.01)	0.000	0.140
	04/22/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.003	ND(0.0025)	0.152	ND(0.0025)	ND(0.0025)	0.007	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.164
	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.0025)	0.135	ND(0.0025)	ND(0.0025)	0.002	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.137
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.006	ND(0.001)	0.104	ND(0.001)	ND(0.001)	0.008	0.004	ND(0.001)	ND(0.001)	0.000	0.122
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.018	0.012	ND(0.001)	ND(0.001)	0.000	0.070
Dup.	10/16/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.045	0.005	ND(0.001)	0.041	0.025	ND(0.001)	ND(0.001)	0.001	0.161
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.034	0.015	ND(0.001)	ND(0.001)	0.000	0.117
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.046	0.017	ND(0.001)	ND(0.001)	0.000	0.132
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.038	0.014	ND(0.001)	ND(0.001)	0.000	0.116
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.023	0.015	ND(0.001)	ND(0.001)	0.000	0.092
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.031	0.016	ND(0.001)	ND(0.001)	0.000	0.106
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.028	0.016	ND(0.001)	ND(0.001)	0.000	0.101
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.019	0.014	ND(0.001)	ND(0.001)	0.000	0.076
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.024	0.013	ND(0.001)	ND(0.001)	0.000	0.082
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.011	0.011	ND(0.001)	ND(0.001)	0.000	0.054
Dup.	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.008	0.010	ND(0.001)	ND(0.001)	0.000	0.050
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.008	0.010	ND(0.001)	ND(0.001)	0.000	0.052
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.007	0.011	ND(0.001)	ND(0.001)	0.000	0.054
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.005	0.008	ND(0.001)	ND(0.001)	0.000	0.039
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.005	0.007	ND(0.001)	ND(0.001)	0.000	0.034
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.004	0.006	ND(0.001)	ND(0.001)	0.000	0.037
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.004	0.006	ND(0.001)	ND(0.001)	0.000	0.038
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	ND(0.001)	0.000	0.024
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.004	0.005	ND(0.001)	ND(0.001)	0.000	0.025
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.019

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-8 (Cont.)	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.001	ND(0.001)	0.004	0.003	ND(0.001)	0.000	0.019
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.005	0.001	ND(0.001)	0.003	0.002	ND(0.001)	0.000	0.016
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.015
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.012
MW-9	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.022	ND(0.001)	ND(0.001)	0.002		ND(0.001)	ND(0.001)	0.001		0.000	0.025
	09/15/91	0.002	0.032	ND(0.001)	ND(0.005)	ND(0.005)	0.035	ND(0.001)	ND(0.001)	0.002		ND(0.001)	ND(0.001)	ND(0.001)		0.034	0.037
	11/22/91	0.004	0.170	ND(0.001)	ND(0.005)	ND(0.005)	0.029	ND(0.001)	ND(0.001)	0.002		ND(0.001)	ND(0.001)	0.001		0.174	0.032
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.012	ND(0.001)	ND(0.001)	0.001		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.013
	01/10/94	ND(0.001)	ND(0.001)	0.002	ND(0.005)	ND(0.005)	0.012	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.002	0.012
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.010
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.001	0.017	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.001	0.017
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.014
#	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.014
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.015
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.022
	10/18/95	ND(0.005)	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.016	0.017
	01/10/96	ND(0.005)	0.032	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.032	0.020
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.020
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.021
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.024
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.019	ND(0.001)	ND(0.001)	0.002		ND(0.001)	0.002	0.001		0.001	0.024
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.022	ND(0.001)	ND(0.001)	0.002		ND(0.001)	0.002	0.001		0.001	0.027
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	ND(0.002)	0.001		ND(0.002)	0.001	ND(0.002)		0.000	0.022
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.018	ND(0.001)	ND(0.001)	0.001		ND(0.001)	0.001	ND(0.001)		0.000	0.020
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.005	ND(0.002)	ND(0.002)	ND(0.002)		ND(0.002)	ND(0.002)	ND(0.002)		0.000	0.005
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	0.001		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.005
	10/19/00	ND(0.001)	0.001	ND(0.001)	ND(0.002)	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.008
	10/18/01	0.009	0.290	ND(0.001)	0.173	0.173	0.030	ND(0.001)	ND(0.001)	0.003	0.001	ND(0.001)	0.003	0.004	ND(0.001)	0.472	0.041
	04/20/02	0.002	0.059	0.003	0.070	0.070	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.134	0.024
	07/24/02	0.001	0.034	0.001	0.044	0.044	0.011	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.009	0.011	ND(0.001)	0.080	0.034
	10/16/02	0.002	0.050	0.002	0.069	0.069	0.012	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.008	0.010	ND(0.001)	0.123	0.034
	01/23/03	0.001	0.047	0.003	0.072	0.072	0.013	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.007	0.011	ND(0.001)	0.123	0.035
Dup.	04/24/03	0.002	0.120	0.006	0.250	0.250	0.012	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.005	0.010	ND(0.001)	0.378	0.031
	07/18/03	0.008	0.360	0.028	0.550	0.550	0.026	ND(0.0025)	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.008	ND(0.0025)	0.946	0.041
	10/16/03	0.003	0.240	0.015	0.630	0.630	0.018	ND(0.0025)	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.012	ND(0.0025)	0.888	0.037
	10/16/03	0.003	0.260	0.015	0.650	0.650	0.018	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.011	ND(0.0025)	0.928	0.033
	01/29/04	ND(0.0025)	0.110	0.004	0.240	0.240	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.013	ND(0.0025)	0.354	0.028
	04/19/04	ND(0.0025)	0.051	ND(0.0025)	0.070	0.070	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.012	ND(0.0025)	0.121	0.027

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-9 (Cont.) Dup.	10/29/04	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	0.002	0.017
	10/29/04	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.007	0.007	ND(0.001)	0.003	0.019
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.005	ND(0.001)	0.000	0.016
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.010	0.005	ND(0.001)	0.002	0.020
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.010	0.004	ND(0.001)	0.000	0.021
	10/08/05	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	0.014
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.010	0.003	ND(0.001)	0.000	0.022
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.009	0.003	ND(0.001)	0.000	0.020
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.013	0.003	ND(0.001)	0.000	0.025
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.007	0.002	ND(0.001)	0.000	0.019
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.006	0.002	ND(0.001)	0.000	0.016
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.008	0.002	ND(0.001)	0.000	0.016
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.018	0.002	ND(0.001)	0.000	0.025
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	0.003	ND(0.001)	0.000	0.027
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.018	0.003	ND(0.001)	0.000	0.026
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.017	0.003	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.016	0.002	ND(0.001)	0.000	0.022
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.000	0.015
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.000	0.020
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.000	0.018
Dup.	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.019	0.001	ND(0.001)	0.000	0.023
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.021	0.001	ND(0.001)	0.000	0.025
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.021	0.001	ND(0.001)	0.000	0.024
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.022	0.001	ND(0.001)	0.000	0.026
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.000	0.020
	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.014
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.034
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.026
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.021
Dup.	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.023
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.056
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.051
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.042
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.062
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.070
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.137
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.136

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)					
MW-10 (Cont.)	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.063
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.170
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.170
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.250	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.250
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.181	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.187
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	0.158	ND(0.002)	0.004	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.163
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.005)	0.156	ND(0.005)	0.004	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.160
	10/17/97	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.010)	ND(0.010)	0.196	ND(0.010)	0.004	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.200
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.010)	ND(0.010)	0.111	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.111
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.098	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.099
	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.080
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.005)	0.082	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.082
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.068	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.068
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.038
Dup.	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.037
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.037
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.018
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.012
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.000	0.015
	01/26/91	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.025)	0.045	ND(0.005)	0.310	ND(0.005)	ND(0.005)	0.140	0.360	0.010	0.855	
	09/15/91	0.056	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.088	ND(0.001)	0.470	ND(0.001)	0.017	0.120	0.330	0.056	1.005	
MW-11	11/22/91	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.052	ND(0.001)	0.390	ND(0.001)	0.018	0.110	0.320	0.048	0.890	
	03/16/93	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.040	ND(0.001)	0.220	ND(0.001)	0.004	0.074	0.160	0.005	0.498	
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.042	ND(0.001)	0.250	ND(0.001)	ND(0.001)	0.083	0.320	0.005	0.695	
	04/19/94	0.009	ND(0.005)	ND(0.005)	0.002	ND(0.005)	0.042	ND(0.005)	0.170	ND(0.005)	0.006	0.079	0.170	0.011	0.467	
	07/20/94	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.057	ND(0.025)	0.460	ND(0.025)	0.010	0.120	0.360	0.000	1.007	
	10/25/94	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.067	0.001	0.220	ND(0.005)	ND(0.005)	0.110	0.300	0.009	0.698	
	01/25/95	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.240	ND(0.005)	0.014	0.120	0.360	0.012	0.806	
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.410	ND(0.005)	0.013	0.100	0.430	0.009	1.015	
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.360	ND(0.005)	0.014	0.063	0.330	0.007	0.817	
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.310	ND(0.005)	0.015	0.071	0.340	0.007	0.787	
Dup.	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.043	ND(0.005)	0.270	ND(0.005)	0.010	0.057	0.330	0.005	0.710	
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	ND(0.005)	0.011	0.043	0.310	0.000	0.627	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.240	ND(0.005)	ND(0.005)	0.020	0.230	0.000	0.490	
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.005)	0.200	ND(0.005)	0.008	0.036	0.260	0.000	0.539	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-11 (Cont.)	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.034	ND(0.010)	ND(0.010)	0.230	ND(0.010)	ND(0.010)	0.029	0.260			0.000	0.553
	01/24/97	0.002	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.029	0.001	0.157	0.157	0.008	0.008	0.026	0.212			0.002	0.433
	04/09/97	0.002	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.033	ND(0.002)	0.128	0.128	0.006	0.006	0.027	0.180			0.002	0.375
	07/30/97	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	0.102	0.102	0.005	0.005	0.032	0.170			0.000	0.342
	10/17/97	0.003	ND(0.010)	ND(0.020)	ND(0.020)	ND(0.020)	0.048	ND(0.010)	0.142	0.142	0.005	0.005	0.031	0.063			0.003	0.289
Dup.	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.054	ND(0.010)	0.145	0.145	0.005	0.005	0.049	0.176			0.004	0.429
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.061	ND(0.010)	0.155	0.155	0.006	0.006	0.053	0.200			0.004	0.475
	04/15/98	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	ND(0.020)	0.059	ND(0.010)	0.130	0.130	ND(0.010)	ND(0.010)	0.057	0.151			0.000	0.397
	07/18/98	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	ND(0.020)	0.071	ND(0.010)	0.120	0.120	ND(0.010)	ND(0.010)	0.064	0.143			0.000	0.398
	10/28/98	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	ND(0.020)	0.072	ND(0.010)	0.110	0.110	ND(0.010)	ND(0.010)	0.065	0.129			0.000	0.376
Dup.	02/09/99	0.004	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.070	0.001	0.130	0.130	0.002	0.002	0.070	0.157			0.004	0.430
	02/09/99	0.004	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.083	0.001	0.143	0.143	0.002	0.002	0.071	0.149			0.004	0.449
	04/22/99	0.004	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	ND(0.0025)	0.123	0.123	ND(0.0025)	ND(0.0025)	0.067	0.117			0.004	0.397
	07/13/99	0.004	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.0025)	0.116	0.116	ND(0.0025)	ND(0.0025)	0.058	0.130			0.004	0.373
	10/19/99	0.003	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.059	ND(0.0025)	0.094	0.094	ND(0.0025)	ND(0.0025)	0.047	0.112			0.003	0.312
Dup.	01/26/00	0.003	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.068	ND(0.005)	0.121	0.121	ND(0.005)	ND(0.005)	0.058	0.127			0.003	0.374
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.081	ND(0.005)	0.123	0.123	ND(0.005)	ND(0.005)	0.065	0.145			0.000	0.414
	07/27/00	0.002	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.067	ND(0.005)	0.093	0.093	ND(0.005)	ND(0.005)	0.054	0.104	ND(0.005)		0.000	0.326
	07/27/00	0.004	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.096	0.096	ND(0.005)	ND(0.005)	0.055	0.096	ND(0.001)		0.002	0.329
	10/19/00	0.004	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	0.143	0.143	0.003	0.003	0.061	0.117	ND(0.0025)		0.004	0.406
Dup.	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.066	0.066	ND(0.005)	ND(0.005)	0.040	0.099	ND(0.005)		0.000	0.277
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.066	0.066	ND(0.005)	ND(0.005)	0.040	0.097	ND(0.005)		0.000	0.276
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	ND(0.005)	0.047	0.047	ND(0.005)	ND(0.005)	0.038	0.076	ND(0.005)		0.000	0.222
	07/19/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.068	ND(0.001)	0.037	0.037	ND(0.001)	ND(0.001)	0.027	0.047	ND(0.001)		0.000	0.179
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.073	ND(0.0025)	0.036	0.036	ND(0.0025)	ND(0.0025)	0.037	0.048	ND(0.0025)		0.000	0.194
Dup.	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.038	0.038	ND(0.005)	ND(0.005)	0.036	0.050	ND(0.005)		0.000	0.200
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.069	ND(0.001)	0.039	0.039	ND(0.001)	ND(0.001)	0.030	0.054	ND(0.001)		0.000	0.192
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.030	0.030	ND(0.001)	0.001	0.026	0.043	ND(0.001)		0.001	0.162
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.075	ND(0.0025)	0.029	0.029	ND(0.0025)	ND(0.0025)	0.031	0.041	ND(0.0025)		0.000	0.176
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.066	ND(0.001)	0.037	0.037	ND(0.001)	ND(0.001)	0.031	0.044	ND(0.001)		0.001	0.178
Dup.	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.053	ND(0.001)	0.032	0.032	ND(0.001)	ND(0.001)	0.030	0.038	ND(0.001)		0.001	0.153
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	ND(0.001)	0.030	0.030	ND(0.001)	ND(0.001)	0.021	0.041	ND(0.001)		0.000	0.140
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	0.032	0.032	ND(0.001)	ND(0.001)	0.021	0.041	ND(0.001)		0.000	0.143
	10/15/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.065	ND(0.001)	0.041	0.041	ND(0.001)	ND(0.001)	0.039	0.034	ND(0.001)		0.002	0.179
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.022	0.022	ND(0.001)	ND(0.001)	0.022	0.042	ND(0.001)		0.000	0.141
Dup.	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.044	ND(0.001)	0.027	0.027	ND(0.001)	ND(0.001)	0.032	0.029	ND(0.001)		0.000	0.132
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.051	ND(0.001)	0.025	0.025	ND(0.001)	ND(0.001)	0.031	0.026	ND(0.001)		0.001	0.133
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.021	0.021	ND(0.001)	ND(0.001)	0.027	0.030	ND(0.001)		0.000	0.128
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	ND(0.001)	0.019	0.019	ND(0.001)	ND(0.001)	0.021	0.013	ND(0.001)		0.000	0.087

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)			(mg/L)	(mg/L)		
MW-11 (Cont.)	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	ND(0.001)	0.000	0.017
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	ND(0.001)	0.000	0.039
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	ND(0.001)	0.000	0.040
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	ND(0.001)	0.000	0.044
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	ND(0.001)	0.000	0.036
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.011	ND(0.001)	ND(0.001)	0.000	0.045
Dup.	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.007	0.012	ND(0.001)	ND(0.001)	0.000	0.046
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	ND(0.001)	0.000	0.042
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.009	0.006	ND(0.001)	ND(0.001)	0.000	0.033
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	ND(0.001)	0.000	0.041
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.009	0.009	ND(0.001)	ND(0.001)	0.000	0.045
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	ND(0.001)	0.000	0.028
Dup.	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.006	ND(0.001)	ND(0.001)	0.000	0.026
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	ND(0.001)	0.000	0.030
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.007	ND(0.001)	ND(0.001)	0.000	0.028
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	ND(0.001)	0.000	0.018
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	ND(0.001)	0.000	0.014
MW-12	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.000	0.013
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.000	0.012
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.009
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.009
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.008
	01/26/91	0.260	0.950	0.230	4.500	0.140	ND(0.025)	ND(0.025)	0.057	0.073	0.042	0.042	0.042	0.042	5.940	0.312
*	09/15/91	0.150	0.620	0.630	2.200	0.120	ND(0.001)	0.300	0.110	0.200	0.061	0.061	0.061	0.061	3.600	0.791
	11/22/91	0.110	0.430	0.034	0.810	0.110	0.002	0.240	0.100	0.260	0.051	0.051	0.051	0.051	1.384	0.763
	03/16/93	0.160	0.800	0.014	1.000	0.120	ND(0.001)	0.039	0.055	0.036	0.018	0.018	0.018	0.018	1.974	0.268
	01/10/94	0.160	0.870	0.026	0.990	0.150	ND(0.01)	0.075	0.053	0.070	0.024	0.024	0.024	0.024	2.046	0.372
	04/19/94	0.110	0.110	0.049	0.250	0.110	0.002	0.064	0.065	0.073	0.033	0.033	0.033	0.033	0.519	0.347
	07/20/94	0.160	0.720	0.071	0.610	0.150	ND(0.025)	0.073	0.075	0.086	0.022	0.022	0.022	0.022	1.561	0.406
*	10/25/94	0.096	0.660	ND(0.025)	0.100	0.160	ND(0.025)	0.085	ND(0.025)	0.120	0.015	0.015	0.015	0.015	0.856	0.380
	01/25/95	0.160	0.680	0.089	0.660	0.190	ND(0.005)	0.120	0.095	0.076	0.069	0.069	0.069	0.069	1.589	0.550
	01/25/95	0.140	0.850	0.075	0.860	0.150	ND(0.005)	0.090	0.075	0.062	0.053	0.053	0.053	0.053	1.925	0.430
	04/03/95	0.150	0.790	0.200	1.100	0.160	ND(0.005)	0.110	0.096	0.043	0.056	0.056	0.056	0.056	2.240	0.465
	08/01/95	0.130	0.700	0.280	1.400	0.170	ND(0.025)	0.150	0.079	0.098	0.059	0.059	0.059	0.059	2.510	0.556
	10/18/95	0.140	0.990	0.360	2.030	0.170	ND(0.005)	0.100	0.100	0.058	0.050	0.050	0.050	0.050	3.520	0.478

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)	TOTAL
MW-12 (Cont.) *	01/11/96	0.100	0.680	0.180	1.840	0.140	ND(0.005)	0.097	ND(0.005)	0.059	0.060	0.048		2.800	0.404	
	04/13/96	0.098	0.620	0.180	0.690	0.150	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023		1.588	0.173	
	07/22/96	0.130	0.920	0.310	1.790	0.160	ND(0.005)	0.087	ND(0.005)	0.170	0.045	0.046		3.150	0.508	
	10/22/96	ND(0.1)	0.830	0.190	1.800	0.190	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	2.820	0.190	
Dup.	01/24/97	0.093	0.822	0.133	1.738	0.162	ND(0.010)	0.046	ND(0.010)	0.060	0.037	0.039		2.786	0.344	
	04/09/97	0.086	0.920	0.138	1.869	0.159	ND(0.020)	0.040	ND(0.020)	0.051	0.046	0.039		3.013	0.334	
	04/09/97	0.079	0.855	0.129	1.837	0.159	ND(0.010)	0.040	ND(0.010)	0.054	0.047	0.039		2.900	0.339	
	07/30/97	0.090	0.969	0.127	2.294	0.136	ND(0.020)	0.035	ND(0.020)	0.062	0.036	0.043		3.480	0.312	
	10/17/97	0.178	1.290	0.853	5.540	0.185	ND(0.050)	0.061	ND(0.050)	0.186	ND(0.050)	0.045		7.861	0.477	
Dup.	10/28/98	0.064	1.150	ND(0.1)	0.745	0.141	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)		1.959	0.141	
	04/22/99	0.075	1.150	ND(0.025)	0.612	0.171	ND(0.025)	0.031	ND(0.025)	0.040	0.034	0.034		1.837	0.310	
	04/22/99	0.063	0.953	0.008	0.546	0.140	ND(0.005)	0.017	ND(0.005)	0.039	0.022	0.017		1.570	0.235	
	10/19/99	0.051	1.090	ND(0.025)	0.176	0.207	ND(0.025)	0.017	ND(0.025)	ND(0.025)	0.027	ND(0.025)		1.317	0.251	
Dup.	10/19/99	0.049	1.100	ND(0.025)	0.151	0.208	ND(0.025)	0.017	ND(0.025)	ND(0.025)	0.026	ND(0.025)		1.300	0.251	
	10/19/00	0.035	0.863	ND(0.025)	0.107	0.192	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.027	ND(0.025)		1.005	0.219	
	10/19/00	0.034	0.835	ND(0.025)	0.103	0.184	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)		0.972	0.184	
	10/18/01	0.019	0.130	ND(0.005)	0.295	0.080	ND(0.005)	0.011	ND(0.005)	0.018	0.017	0.028		0.444	0.154	
Dup.	04/20/02	0.029	0.160	ND(0.005)	0.308	0.083	ND(0.005)	0.020	ND(0.005)	0.024	0.021	0.037		0.497	0.185	
	04/20/02	0.027	0.140	ND(0.005)	0.295	0.080	ND(0.005)	0.017	ND(0.005)	0.022	0.020	0.034		0.462	0.173	
	07/24/02	0.043	0.280	ND(0.005)	0.213	0.100	ND(0.005)	0.017	ND(0.005)	0.021	0.018	0.033		0.536	0.189	
	10/16/02	0.018	0.130	ND(0.005)	0.603	0.068	ND(0.005)	0.013	ND(0.005)	0.011	0.016	0.020		0.751	0.128	
Dup.	01/23/03	0.032	0.230	ND(0.005)	0.129	0.110	ND(0.005)	0.013	ND(0.005)	0.011	0.017	0.032		0.391	0.183	
	04/24/03	0.020	0.170	ND(0.025)	0.065	0.070	ND(0.025)	0.005	ND(0.025)	0.006	0.012	0.023		0.255	0.116	
	04/24/03	0.018	0.012	ND(0.001)	0.051	0.068	ND(0.001)	0.005	ND(0.001)	0.006	0.012	0.021		0.081	0.112	
	07/17/03	0.044	0.400	ND(0.0025)	0.270	0.130	ND(0.0025)	0.009	ND(0.0025)	0.009	0.014	0.034		0.714	0.196	
Dup.	10/16/03	0.003	0.036	ND(0.0025)	0.063	0.046	ND(0.0025)	0.005	ND(0.0025)	ND(0.0025)	0.011	0.018		0.102	0.080	
	01/29/04	0.024	0.230	ND(0.001)	0.600	0.080	ND(0.001)	0.010	ND(0.001)	0.005	0.011	0.025		0.854	0.131	
	04/19/04	0.020	0.170	ND(0.001)	0.230	0.071	ND(0.001)	0.010	ND(0.001)	0.002	0.015	0.023		0.420	0.121	
	07/16/04	0.043	0.420	ND(0.0025)	0.530	0.130	ND(0.0025)	0.016	ND(0.0025)	0.005	0.020	0.034		0.993	0.205	
	10/29/04	0.015	0.140	ND(0.0025)	0.016	0.088	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.017	0.019		0.171	0.134	
	01/14/05	0.029	0.270	ND(0.0025)	0.181	0.110	ND(0.0025)	0.011	ND(0.0025)	ND(0.0025)	0.012	0.024		0.480	0.157	
	04/16/05	0.028	0.280	ND(0.0025)	0.153	0.110	ND(0.0025)	0.004	ND(0.0025)	ND(0.0025)	0.013	0.026		0.461	0.153	
	07/08/05	0.039	0.430	ND(0.0025)	0.123	0.120	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.013	0.044		0.592	0.180	
	10/08/05	0.057	0.660	ND(0.0025)	0.349	0.190	ND(0.0025)	0.007	ND(0.0025)	ND(0.0025)	0.014	0.052		1.066	0.263	
	01/18/06	0.010	0.094	ND(0.005)	ND(0.005)	0.041	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.011	0.016		0.104	0.074	
Dup.	04/18/06	0.021	0.320	ND(0.0025)	0.176	0.069	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.010	0.026		0.517	0.110	
	04/18/06	0.014	0.210	ND(0.001)	0.109	0.047	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.009	0.022		0.333	0.084	
	07/11/06	0.030	0.470	ND(0.0025)	0.284	0.096	ND(0.0025)	0.009	ND(0.0025)	ND(0.0025)	0.010	0.031		0.784	0.145	
	10/10/06	0.028	0.400	ND(0.0025)	0.180	0.094	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.028		0.608	0.131	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)	TOTAL
			BENZENE (mg/L)	TOLUENE (mg/L)													
MW-12 (Cont.)	01/16/07	0.028	0.320	ND(0.0025)	0.077	0.086	ND(0.0025)	0.010	0.003	ND(0.0025)	0.015	0.033	ND(0.0025)	0.425	0.146		
	04/17/07	0.019	0.240	ND(0.0025)	0.110	0.068	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.014	0.026	ND(0.0025)	0.369	0.114		
	07/17/07	0.010	0.130	ND(0.001)	0.067	0.059	ND(0.001)	0.008	0.003	ND(0.001)	0.012	0.017	ND(0.001)	0.207	0.099		
	10/17/07	0.016	0.220	ND(0.001)	0.079	0.060	ND(0.001)	0.007	0.009	ND(0.001)	0.010	0.020	ND(0.001)	0.315	0.106		
	10/17/07	0.013	0.170	ND(0.0025)	0.062	0.047	ND(0.0025)	0.005	0.008	ND(0.0025)	0.008	0.015	ND(0.0025)	0.245	0.083		
	01/16/08	0.029	0.400	ND(0.001)	0.150	0.095	ND(0.001)	0.008	0.025	ND(0.001)	0.012	0.029	ND(0.001)	0.579	0.169		
	04/28/08	0.022	ND(0.001)	ND(0.001)	0.180	0.088	ND(0.001)	0.002	0.061	ND(0.001)	0.011	0.050	ND(0.001)	0.202	0.212		
	07/15/08	0.004	0.120	ND(0.001)	0.027	0.023	ND(0.001)	0.003	0.008	ND(0.001)	0.009	0.014	ND(0.001)	0.151	0.058		
	10/14/08	0.003	0.110	ND(0.001)	0.018	0.024	ND(0.001)	0.004	0.012	ND(0.001)	0.012	0.014	ND(0.001)	0.131	0.066		
	01/13/09	0.017	0.280	ND(0.001)	0.085	0.046	ND(0.001)	0.006	0.059	ND(0.001)	0.010	0.023	ND(0.001)	0.382	0.143		
Dup.	04/06/09	0.025	0.350	ND(0.004)	0.120	0.083	ND(0.004)	0.007	0.100	ND(0.004)	0.010	0.021	ND(0.004)	0.495	0.221		
	07/14/09	0.031	0.520	ND(0.0025)	0.160	0.094	ND(0.0025)	0.008	0.170	ND(0.0025)	0.008	0.014	ND(0.0025)	0.711	0.294		
	10/21/09	0.027	0.430	ND(0.002)	0.040	0.079	ND(0.002)	0.007	0.210	ND(0.002)	0.009	0.010	ND(0.002)	0.497	0.315		
	01/20/10	0.016	0.190	ND(0.001)	0.015	0.053	ND(0.001)	0.005	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.221	0.249		
	01/20/10	0.013	0.150	ND(0.001)	0.014	0.045	ND(0.001)	0.004	0.130	ND(0.001)	0.007	0.005	ND(0.001)	0.177	0.191		
	MW-13	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.030	0.002	0.038	0.005	0.005	0.004	0.240	0.000	0.319		
		11/22/91	0.430	ND(0.001)	ND(0.001)	ND(0.005)	0.016	0.001	0.025	0.002	0.002	0.002	0.110	0.430	0.156		
		03/16/93	0.033	ND(0.001)	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.062	0.033	0.091		
		03/16/93	0.034	ND(0.001)	ND(0.001)	ND(0.005)	0.013	0.001	0.015	ND(0.001)	ND(0.001)	0.002	0.066	0.034	0.097		
		01/10/94	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.055	0.022	0.081		
04/19/94		0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.001	0.003	ND(0.005)	ND(0.005)	0.003	0.032	0.013	0.050			
07/20/94		0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.001	0.005	ND(0.005)	ND(0.005)	0.004	0.034	0.016	0.060			
10/25/94		0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.004	ND(0.005)	ND(0.005)	0.004	0.040	0.011	0.061			
01/22/95		0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.005	0.029	0.008	0.051			
04/03/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.035			
Dup.	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.025	0.000	0.049			
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.020	0.003	0.043			
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.015	0.000	0.031			
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.000	0.011			
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.013	0.000	0.029			
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.010	0.000	0.023			
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	0.001	0.001	ND(0.001)	ND(0.001)	0.003	0.003	0.001	0.013			
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	0.005	0.001	0.015			
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.006	0.005	0.002	0.017			
	07/30/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.020			
Dup.	10/17/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.001	0.018			
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.007	0.000	0.016			
Dup.	01/07/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.011	0.001	0.023			

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			TOTAL 1,1-DCE			TOTAL 1,1,1-TCA			PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)				
MW-13 (Cont.)	04/15/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.001	0.019
	07/16/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.001	0.031
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.001	0.027
	02/09/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.002	0.053
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.000	0.020
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.000	0.017
	10/20/99	ND(0.001)	ND(0.001)	0.001	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	0.014
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.000	0.014
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.000	0.015
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	07/19/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.000	0.006
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
Dup.	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.007
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009
Dup.	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.009
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.011
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.004
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
Dup.	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.006
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.006
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.004
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.007
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.008
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.004
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.005
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.004

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			BENZENE (mg/L)	BENZENE (mg/L)		TOLUENE (mg/L)	TOLUENE (mg/L)										
MW-13 (Cont.)	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.003
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.001
MW-14	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	09/15/91	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.130	0.002	0.300	0.002	0.014	0.002	0.460	0.022	0.022	0.908
	11/22/91	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.140	0.002	0.310	0.002	0.009	0.002	0.400	0.002	0.002	0.863
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.110	0.002	0.320	0.002	0.010	ND(0.001)	0.440	0.000	0.000	0.882
Dup.	03/16/93	0.020	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.080	0.001	0.180	0.001	0.004	0.002	0.210	0.020	0.020	0.477
	01/10/94	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.057	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.002	0.300	0.011	0.011	0.459
	04/19/94	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.056	ND(0.005)	0.001	ND(0.005)	0.160	0.005	0.005	0.275
	07/20/94	0.010	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.072	ND(0.025)	0.110	ND(0.025)	ND(0.025)	ND(0.025)	0.210	0.010	0.010	0.392
	10/25/94	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.001	0.094	0.001	ND(0.005)	ND(0.005)	0.230	0.010	0.010	0.404
Dup.	01/25/95	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.004	0.004	0.175
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	0.058	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.000	0.000	0.251
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.074	ND(0.005)	0.072	ND(0.005)	ND(0.005)	ND(0.005)	0.098	0.000	0.000	0.244
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.044	ND(0.005)	ND(0.005)	ND(0.005)	0.087	0.000	0.000	0.193
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.038	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.000	0.000	0.150
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.053	ND(0.005)	0.040	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.157
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.045	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.153
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	ND(0.005)	0.037	ND(0.005)	ND(0.005)	ND(0.005)	0.055	0.000	0.000	0.140
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	ND(0.005)	0.043	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.159
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.049	ND(0.005)	ND(0.005)	ND(0.005)	0.062	0.000	0.000	0.167
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.040	0.001	0.023	0.001	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.078
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	0.001	0.027	0.001	ND(0.001)	ND(0.001)	0.010	0.001	0.001	0.083
	04/09/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.039	ND(0.005)	0.023	ND(0.005)	ND(0.005)	ND(0.005)	0.024	0.000	0.000	0.086
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)	0.043	0.000	0.000	0.100
	10/17/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.039	ND(0.005)	0.019	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.106
Dup.	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.045	ND(0.005)	0.019	ND(0.005)	ND(0.005)	ND(0.005)	0.074	0.000	0.000	0.138
	10/20/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.054	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080	0.002	0.002	0.153
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.041	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	0.000	0.080

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)			(mg/L)	(mg/L)		
MW-14 (Cont.)	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.000	0.009
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.009
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-15	09/15/91	0.002	0.010	ND(0.001)	0.006	0.026	0.001	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.018	0.036
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.033	0.001	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.000	0.052
	03/16/93	0.001	0.002	ND(0.001)	ND(0.005)	0.082	0.001	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.003	0.111
	01/10/94	ND(0.001)	0.008	ND(0.001)	ND(0.005)	0.048	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.008	0.074
	01/10/94	0.001	0.009	0.002	ND(0.005)	0.054	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.012	0.083
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	0.000	0.043
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	0.001	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	ND(0.005)	0.000	0.065
	10/25/94	0.001	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.001	0.045
Dup.	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	0.000	0.046
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.028
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.001	ND(0.005)	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.000	0.022
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.016
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.009
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.011
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010
Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.001	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.016
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.006
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014
	10/20/99	0.002	0.004	0.003	0.147	0.040	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.156	0.049
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.014	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.000	0.025
Dup.	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.000	0.031
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.000	0.046
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.034

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE				TOTAL XYLENES				TOTAL				CHLORO- ETHANE		TOTAL BTX		TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	
MW-15 (Cont.) Dup.	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.000	0.039
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.000	0.036
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.000	0.034
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.000	0.031
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000	0.027
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.059
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.038
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.026
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.030
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.026
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.020
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000	0.033
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.043
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.040
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000	0.036
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.044
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.046
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.021
Dup.	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000	0.041
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.045
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.041
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.053
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.052
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.043
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.035
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	0.000	0.125
	08/01/95	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.028	0.013	0.253
	10/18/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.054	0.007	0.227
Dup. * #	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.043	0.006	0.203
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.039	0.006	0.166
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.032	0.000	0.200
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.037	0.000	0.236
	10/22/96	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	0.007	0.199
	01/24/97	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.004	0.141
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.003	0.101
	07/30/97	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.018	0.003	0.090

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)			(mg/L)	(mg/L)		
MW-17D (Cont.)	10/17/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.056	ND(0.002)	0.015	ND(0.0025)	0.001	0.038	0.011	ND(0.0025)	0.000	0.004	0.121
	10/28/98	0.006	ND(0.005)	ND(0.005)	ND(0.01)	0.050	ND(0.005)	0.009	ND(0.0025)	ND(0.005)	0.045	0.012	ND(0.0025)	0.000	0.006	0.116
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	0.091	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.038	0.012	ND(0.0025)	0.000	0.005	0.151
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.084	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.035	0.017	ND(0.0025)	0.000	0.000	0.146
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.059	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	0.024	0.029	ND(0.0025)	0.000	0.000	0.131
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.012	0.026	ND(0.001)	0.000	0.000	0.090
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.054	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.014	0.016	ND(0.001)	0.000	0.000	0.097
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.000	0.053
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.006	0.010	ND(0.001)	0.000	0.000	0.043
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.005	ND(0.001)	0.000	0.000	0.035
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.000	0.018
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.000	0.009
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.000	0.018
MW-17A	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	0.061	ND(0.005)	0.029	0.025	0.066	ND(0.005)	0.009	0.009	0.260
	08/01/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	0.085	ND(0.005)	0.075	ND(0.005)	0.025	0.037	0.064	ND(0.005)	0.010	0.010	0.286
	10/18/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.059	ND(0.005)	0.019	0.041	0.090	ND(0.005)	0.009	0.009	0.282
	10/18/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	0.078	ND(0.005)	0.059	ND(0.005)	0.019	0.042	0.086	ND(0.005)	0.010	0.010	0.284
	01/11/96	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	0.068	ND(0.005)	0.019	0.042	0.076	ND(0.005)	0.009	0.009	0.282
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.075	ND(0.005)	0.069	ND(0.005)	ND(0.005)	0.043	0.065	ND(0.005)	0.006	0.006	0.252
	07/22/96	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.069	ND(0.005)	0.012	0.051	0.077	ND(0.005)	0.008	0.008	0.285
	10/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	0.058	ND(0.005)	ND(0.005)	0.050	0.054	ND(0.005)	0.006	0.006	0.231
	01/24/97	0.006	ND(0.001)	ND(0.001)	0.001	0.058	ND(0.001)	0.044	ND(0.001)	0.007	0.045	0.049	ND(0.001)	0.007	0.007	0.203
	04/09/97	0.007	ND(0.001)	ND(0.001)	ND(0.002)	0.065	0.001	0.051	0.001	0.008	0.051	0.051	ND(0.001)	0.007	0.007	0.226
	07/30/97	0.004	ND(0.005)	ND(0.005)	ND(0.010)	0.051	ND(0.005)	0.045	ND(0.005)	0.004	0.045	0.062	ND(0.005)	0.004	0.004	0.207
	10/17/97	0.006	ND(0.005)	ND(0.005)	ND(0.010)	0.079	ND(0.005)	0.050	ND(0.005)	0.003	0.052	0.053	ND(0.005)	0.006	0.006	0.237
	10/28/98	0.009	ND(0.005)	ND(0.005)	ND(0.010)	0.075	ND(0.005)	0.018	ND(0.005)	ND(0.005)	0.044	0.033	ND(0.005)	0.009	0.009	0.170
#	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	0.134	ND(0.0025)	0.018	ND(0.0025)	ND(0.0025)	0.032	0.030	ND(0.0025)	0.005	0.005	0.214
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.144	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.038	0.035	ND(0.0025)	0.000	0.000	0.243
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.079	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.026	0.044	ND(0.0025)	0.000	0.000	0.177
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.007	0.031	ND(0.001)	0.000	0.000	0.088
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.007	0.025	ND(0.001)	0.000	0.000	0.085
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.005	0.014	ND(0.001)	0.000	0.000	0.053
	10/08/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.000	0.021
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.000	0.013
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.000	0.010
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.000	0.009
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.000	0.009

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)												
MW-17B	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	0.180	ND(0.005)	0.019	ND(0.005)	0.180	0.000	0.000	0.415
	08/01/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	ND(0.005)	0.190	ND(0.005)	0.020	0.026	0.180	0.006	0.456	
	08/01/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.250	ND(0.005)	0.023	0.030	0.320	0.008	0.672	
	10/18/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.210	ND(0.005)	0.024	0.034	0.370	0.006	0.684	
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.005)	0.170	ND(0.005)	0.014	0.022	0.190	0.000	0.430	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.160	ND(0.005)	ND(0.005)	0.013	0.270	0.000	0.473	
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.016	0.250	0.000	0.446	
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150	ND(0.005)	0.015	0.016	0.280	0.000	0.491	
	10/22/96	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.038	ND(0.01)	0.190	ND(0.01)	ND(0.01)	0.030	0.250	0.000	0.508	
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.038	0.001	0.110	0.115	0.008	0.019	0.070	0.002	0.246	
Dup. *	04/09/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.035	0.001	0.115	0.115	0.005	0.021	0.132	0.004	0.310	
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.026	ND(0.005)	0.080	0.080	0.004	0.017	0.141	0.000	0.268	
	10/17/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.053	ND(0.01)	0.103	ND(0.01)	ND(0.01)	0.027	0.149	0.000	0.332	
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.073	ND(0.01)	0.072	ND(0.01)	ND(0.01)	0.045	0.178	0.000	0.368	
	10/19/99	0.005	0.012	ND(0.0025)	ND(0.005)	ND(0.005)	0.143	ND(0.0025)	0.053	ND(0.005)	0.005	0.051	0.059	0.017	0.311	
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.047	ND(0.005)	0.043	ND(0.005)	ND(0.005)	0.017	0.093	ND(0.005)	0.000	0.200
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.035	ND(0.0025)	0.031	ND(0.0025)	ND(0.0025)	0.005	0.055	ND(0.0025)	0.000	0.126
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.017	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.000	0.040
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.015
MW-17C 2nd * * * * #	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.007
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/03/95	0.032	0.060	0.005	0.054	0.058	ND(0.005)	0.099	ND(0.005)	ND(0.005)	ND(0.005)	0.091	0.013	0.151	0.261	
	04/03/95	0.034	0.057	ND(0.005)	0.045	0.063	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	0.095	0.017	0.136	0.285	
	08/01/95	0.022	0.047	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.140	ND(0.005)	ND(0.005)	ND(0.005)	0.120	0.012	0.069	0.345	
	10/18/95	0.019	0.026	ND(0.005)	ND(0.005)	0.063	0.003	0.120	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.024	0.045	0.350	
	01/11/96	0.020	0.035	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.120	ND(0.005)	ND(0.005)	ND(0.005)	0.120	0.015	0.055	0.313	
04/13/96	0.011	0.009	ND(0.005)	ND(0.005)	0.057	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	0.100	0.013	0.020	0.300		
07/22/96	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	0.120	0.014	0.016	0.322		
10/22/96	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.045	ND(0.005)	0.120	ND(0.005)	ND(0.005)	ND(0.005)	0.100	0.012	0.015	0.277		
01/24/97	0.009	ND(0.001)	ND(0.001)	ND(0.002)	0.051	0.003	0.099	0.099	ND(0.001)	ND(0.001)	0.078	0.005	0.009	0.236		
04/09/97	0.011	ND(0.002)	ND(0.002)	ND(0.004)	0.049	0.002	0.105	0.105	ND(0.002)	ND(0.002)	0.100	0.008	0.011	0.265		
07/30/97	0.010	ND(0.005)	ND(0.005)	ND(0.010)	0.043	0.003	0.093	0.093	ND(0.005)	ND(0.005)	0.097	0.010	0.010	0.246		
10/17/97	0.031	ND(0.01)	ND(0.01)	ND(0.02)	0.066	0.003	0.115	0.115	ND(0.01)	ND(0.01)	0.086	0.013	0.031	0.283		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	BENZENE (mg/L)	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				BENZENE (mg/L)	TOLUENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)										
MW-17C (Cont.)	10/28/98	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.105	ND(0.001)	ND(0.001)	0.110	0.018		0.011	0.283
	10/19/99	0.023	ND(0.0025)	ND(0.0025)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.080	0.003		0.160	ND(0.0025)	ND(0.0025)	0.119	0.040		0.025	0.402
	10/19/00	0.005	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.041	ND(0.0025)	ND(0.0025)	0.073	ND(0.0025)	ND(0.0025)	0.071	0.007	ND(0.0025)	0.005	0.202
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	ND(0.0025)	0.020	0.007	ND(0.0025)	0.000	0.063
	10/18/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.019	0.006	ND(0.001)	0.001	0.063
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.012	0.004	ND(0.001)	0.000	0.046
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.009	0.005	ND(0.001)	0.000	0.035
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.019
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	0.002	ND(0.001)	0.000	0.017
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.010
MW-18	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.003
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	0.093	ND(0.005)	ND(0.005)	0.034	0.071		0.000	0.215
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.039	0.087		0.000	0.320
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.042	0.130		0.003	0.340
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	0.130	ND(0.005)	ND(0.005)	0.037	0.097		0.000	0.281
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.034	0.120		0.000	0.340
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.043	0.110		0.000	0.371
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.043	0.120		0.000	0.333
Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.190	ND(0.005)	ND(0.005)	0.042	0.120		0.000	0.372
	01/24/97	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.024	0.001		0.180		0.002	0.047	0.097		0.003	0.351
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.001		0.155		0.002	0.044	0.116		0.003	0.340
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	ND(0.002)	0.140		0.001	0.044	0.121		0.002	0.326
	10/17/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.028	ND(0.001)	ND(0.001)	0.157		ND(0.001)	0.044	0.071		0.002	0.300
	01/07/98	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.029	ND(0.001)	ND(0.001)	0.163		ND(0.001)	0.054	0.133		0.002	0.379
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.029	ND(0.001)	ND(0.001)	0.155		ND(0.001)	0.053	0.145		0.000	0.382
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.030	ND(0.001)	ND(0.001)	0.146		ND(0.001)	0.052	0.151		0.000	0.379
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.028	ND(0.001)	ND(0.001)	0.142		ND(0.001)	0.052	0.149		0.000	0.371
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.143		ND(0.005)	0.052	0.148		0.000	0.373
Dup.	04/22/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.031	ND(0.0025)	ND(0.0025)	0.135		ND(0.0025)	0.045	0.121		0.002	0.332
	07/14/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.028	ND(0.0025)	ND(0.0025)	0.127		ND(0.0025)	0.042	0.120		0.002	0.317
	10/19/99	0.002	ND(0.0025)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.0025)	ND(0.0025)	0.149		ND(0.0025)	0.049	0.128		0.004	0.360
	01/26/00	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	ND(0.005)	0.153		ND(0.005)	0.054	0.137		0.002	0.380
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	0.102		ND(0.005)	0.032	0.095		0.000	0.251
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.029	ND(0.005)	ND(0.005)	0.128		ND(0.005)	0.046	0.140	ND(0.005)	0.000	0.343
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	ND(0.005)	0.140		ND(0.005)	0.044	0.123	ND(0.005)	0.000	0.339
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.092		ND(0.005)	0.030	0.084	ND(0.005)	0.000	0.229

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE				TOLUENE				XYLENES				TOTAL				CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)			
MW-18 (Cont.)	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.073	ND(0.005)	ND(0.005)	0.027	0.072	ND(0.005)	0.000	0.192	
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.021	ND(0.002)	0.081	ND(0.002)	ND(0.002)	0.023	0.046	ND(0.002)	0.000	0.171	
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.091	ND(0.0025)	ND(0.0025)	0.029	0.081	ND(0.0025)	0.000	0.224	
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.094	ND(0.005)	ND(0.005)	0.028	0.079	ND(0.005)	0.000	0.225	
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.025	0.089	ND(0.001)	0.000	0.262	
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.025	0.080	ND(0.001)	0.001	0.231	
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.022	0.085	ND(0.0025)	0.000	0.235	
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.022	0.096	ND(0.001)	0.001	0.266	
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.092	ND(0.001)	ND(0.001)	0.018	0.087	ND(0.001)	0.000	0.224	
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.095	ND(0.001)	ND(0.001)	0.021	0.087	ND(0.001)	0.000	0.234	
Dup.	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.018	0.090	ND(0.001)	0.001	0.241	
	10/15/03	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.017	0.087	ND(0.0025)	0.000	0.235	
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.079	ND(0.001)	ND(0.001)	0.018	0.087	ND(0.001)	0.000	0.215	
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.071	ND(0.001)	ND(0.001)	0.020	0.071	ND(0.001)	0.000	0.182	
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.021	0.100	ND(0.001)	0.001	0.251	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.015	0.063	ND(0.001)	0.000	0.177	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.000	0.036		
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.079	ND(0.001)	ND(0.001)	0.012	0.078	ND(0.001)	0.000	0.188	
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.013	0.090	ND(0.001)	0.000	0.197	
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.013	0.094	ND(0.001)	0.001	0.222	
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.011	0.073	ND(0.001)	0.000	0.156	
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.011	0.056	ND(0.001)	0.000	0.136	
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.010	0.078	ND(0.001)	0.000	0.146	
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.010	0.063	ND(0.001)	0.000	0.126	
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.010	0.057	ND(0.001)	0.000	0.124	
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.010	0.032	ND(0.001)	0.000	0.085	
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.009	0.041	ND(0.001)	0.000	0.095	
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.012	0.047	ND(0.001)	0.000	0.125	
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.008	0.049	ND(0.001)	0.000	0.109	
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.005	0.039	ND(0.001)	0.000	0.089	
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.038	ND(0.001)	0.000	0.083	
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.036	ND(0.001)	0.000	0.071	
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.003	0.023	ND(0.001)	0.000	0.047	
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.023	ND(0.001)	0.000	0.047	
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039	
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.032	
04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.001	0.010	ND(0.001)	0.000	0.026		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			PCE (mg/L)	TCE (mg/L)	1,1,1-TCA (mg/L)	TOTAL		CHLORO- ETHANE (mg/L)	TOTAL		TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)				1,2-DCE (mg/L)	1,1,1-TCA (mg/L)		BTEX (mg/L)		
MW-18 (Cont.)	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.011	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.027
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.013	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.032
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.012	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.031
MW-19	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.271
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.140	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.324
	10/18/95	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.100	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.002	0.334
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.110	ND(0.005)	ND(0.005)	0.100	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.220
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.100	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.250
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.269
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.130	ND(0.005)	ND(0.005)	0.094	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.232
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.009	ND(0.001)	0.122	ND(0.001)	0.001	0.093	0.003	0.001	0.001	0.001	0.001	0.001	0.001	0.228
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.116	ND(0.001)	0.001	0.087	0.004	0.001	0.001	0.001	0.001	0.002	0.002	0.218
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.009	ND(0.002)	0.116	ND(0.002)	ND(0.002)	0.096	0.005	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	0.002	0.226
	10/17/97	0.003	ND(0.01)	ND(0.01)	ND(0.02)	0.010	ND(0.01)	0.124	ND(0.01)	ND(0.01)	0.066	0.007	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.003	0.003	0.207
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.017	ND(0.01)	0.167	ND(0.01)	ND(0.01)	0.150	0.009	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.000	0.000	0.343
	04/22/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.023	ND(0.0025)	0.212	ND(0.0025)	ND(0.0025)	0.182	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.003	0.003	0.426
	10/19/99	0.004	ND(0.005)	ND(0.005)	ND(0.01)	0.020	ND(0.005)	0.236	ND(0.005)	ND(0.005)	0.203	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.004	0.469
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.033	ND(0.0025)	0.199	ND(0.0025)	ND(0.0025)	0.176	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.000	0.408
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	0.038	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.000	0.133
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	0.058	ND(0.0025)	ND(0.0025)	0.034	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.000	0.104
MW-20	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.059
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.037
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.028
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.011
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.006
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.004
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.002
	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-20 (Cont.)	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.019
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.017
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	ND(0.001)	0.000	0.016
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.017
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	ND(0.001)	0.000	0.012
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.011
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	ND(0.001)	0.000	0.013
	11/20/96	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.003	0.006	ND(0.001)	ND(0.001)	0.002	0.023
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.006	ND(0.001)	ND(0.001)	0.002	0.032
MW-21	03/04/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.011	ND(0.001)	ND(0.001)	0.002	0.047
	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.005	0.008	ND(0.002)	ND(0.002)	0.001	0.038
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.011	ND(0.002)	ND(0.002)	0.003	0.007	ND(0.002)	ND(0.002)	0.000	0.022
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.007	ND(0.002)	ND(0.002)	0.001	0.004	ND(0.002)	ND(0.002)	0.001	0.013
	01/07/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.003	0.005	ND(0.002)	ND(0.002)	0.001	0.031
	04/15/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.003	0.006	ND(0.002)	ND(0.002)	0.001	0.039
	07/18/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.022	ND(0.002)	ND(0.002)	0.002	0.005	ND(0.002)	ND(0.002)	0.001	0.031
	10/28/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.015	ND(0.002)	ND(0.002)	0.001	0.004	ND(0.002)	ND(0.002)	0.001	0.021
	02/09/99	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.005	ND(0.001)	ND(0.001)	0.001	0.040
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.030
	07/14/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.011
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.007
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	ND(0.001)	0.000	0.029
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.011
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.012
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.022
MW-22	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.004	0.008	ND(0.001)	ND(0.001)	0.000	0.044
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.005	0.008	ND(0.002)	ND(0.002)	0.000	0.017
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.005	0.010	ND(0.001)	ND(0.001)	0.002	0.076
	01/12/02	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.010	0.018	ND(0.001)	ND(0.001)	0.003	0.102
	04/20/02	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.015	0.029	ND(0.001)	ND(0.001)	0.004	0.154
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.014	0.020	ND(0.001)	ND(0.001)	0.002	0.128
	10/15/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.089	ND(0.0025)	ND(0.0025)	0.012	0.022	ND(0.0025)	ND(0.0025)	0.000	0.136
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.099	0.001	ND(0.001)	0.016	0.027	ND(0.001)	ND(0.001)	0.002	0.160
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.079	0.001	ND(0.001)	0.013	0.024	ND(0.001)	ND(0.001)	0.002	0.131
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	ND(0.001)	0.000	0.077
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.007	0.013	ND(0.001)	ND(0.001)	0.000	0.091

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)				1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MWL-21 (Cont.)	01/28/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.013	ND(0.001)	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.012	0.026	ND(0.001)	ND(0.001)	0.002	0.111
	04/19/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.009	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.013	0.026	ND(0.001)	ND(0.001)	0.002	0.118
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.022	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.023	0.047	ND(0.001)	ND(0.001)	0.003	0.183
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.029	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.026	0.055	ND(0.001)	ND(0.001)	0.003	0.221
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.027	ND(0.001)	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.024	0.062	ND(0.001)	ND(0.001)	0.002	0.204
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.030	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.027	0.057	ND(0.001)	ND(0.001)	0.003	0.213
	05/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.030	ND(0.001)	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.027	0.059	ND(0.001)	ND(0.001)	0.002	0.207
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	0.033	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.024	0.050	ND(0.001)	ND(0.001)	0.002	0.184
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.029	ND(0.001)	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.021	0.052	ND(0.001)	ND(0.001)	0.002	0.161
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.026	ND(0.001)	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.021	0.036	ND(0.001)	ND(0.001)	0.002	0.137
Dup.	04/18/06	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.026	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.019	0.058	ND(0.001)	ND(0.001)	0.001	0.155
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.032	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.018	0.066	ND(0.001)	ND(0.001)	0.002	0.175
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.024	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.022	0.042	ND(0.001)	ND(0.001)	0.002	0.139
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.026	ND(0.001)	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.020	0.059	ND(0.001)	ND(0.001)	0.002	0.168
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.032	ND(0.001)	ND(0.001)	0.080	ND(0.001)	ND(0.001)	0.026	0.070	ND(0.001)	ND(0.001)	0.002	0.211
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	0.033	ND(0.001)	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.029	0.076	ND(0.001)	ND(0.001)	0.002	0.227
	07/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.030	ND(0.001)	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.026	0.081	ND(0.001)	ND(0.001)	0.001	0.238
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.028	ND(0.001)	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.018	0.054	ND(0.001)	ND(0.001)	0.001	0.163
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.030	ND(0.001)	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.020	0.063	ND(0.001)	ND(0.001)	0.001	0.179
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	0.031	ND(0.001)	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.020	0.070	ND(0.001)	ND(0.001)	0.001	0.185
Dup.	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.025	ND(0.001)	ND(0.001)	0.052	ND(0.001)	ND(0.001)	0.013	0.044	ND(0.001)	ND(0.001)	0.000	0.136
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.021	ND(0.001)	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.016	0.044	ND(0.001)	ND(0.001)	0.001	0.125
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.021	ND(0.001)	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.016	0.048	ND(0.001)	ND(0.001)	0.001	0.132
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.019	ND(0.001)	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.010	0.040	ND(0.001)	ND(0.001)	0.000	0.105
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.018	ND(0.001)	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.009	0.033	ND(0.001)	ND(0.001)	0.001	0.106
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.007	0.029	ND(0.001)	ND(0.001)	0.000	0.078
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.011	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.008	0.028	ND(0.001)	ND(0.001)	0.000	0.078
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.009	0.035	ND(0.001)	ND(0.001)	0.000	0.093
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.008	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	ND(0.001)	0.000	0.063
	11/20/06	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.010	ND(0.001)	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.012	0.053	ND(0.001)	ND(0.001)	0.014	0.138
Dup.	01/24/97	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.009	ND(0.001)	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.013	0.050	ND(0.001)	ND(0.001)	0.010	0.137
	01/24/97	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.011	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.013	0.065	ND(0.001)	ND(0.001)	0.011	0.188
	04/09/97	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.014	0.001	0.001	0.084	ND(0.001)	ND(0.001)	0.021	0.080	ND(0.001)	ND(0.001)	0.013	0.200
	07/30/97	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	ND(0.001)	0.092	ND(0.001)	ND(0.001)	0.024	0.104	ND(0.001)	ND(0.001)	0.014	0.232
	10/17/97	0.016	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.014	ND(0.001)	ND(0.001)	0.107	ND(0.001)	ND(0.001)	0.028	0.117	ND(0.001)	ND(0.001)	0.016	0.266
	10/28/98	0.016	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.017	ND(0.001)	ND(0.001)	0.129	ND(0.001)	ND(0.001)	0.037	0.150	ND(0.001)	ND(0.001)	0.016	0.333
	04/22/99	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.024	ND(0.001)	ND(0.001)	0.185	ND(0.001)	ND(0.001)	0.053	0.184	ND(0.001)	ND(0.001)	0.017	0.446
	10/19/99	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.026	ND(0.001)	ND(0.001)	0.200	ND(0.001)	ND(0.001)	0.056	0.207	ND(0.001)	ND(0.001)	0.021	0.489
	10/19/99	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.026	ND(0.001)	ND(0.001)	0.200	ND(0.001)	ND(0.001)	0.056	0.207	ND(0.001)	ND(0.001)	0.021	0.489
	10/19/99	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.026	ND(0.001)	ND(0.001)	0.200	ND(0.001)	ND(0.001)	0.056	0.207	ND(0.001)	ND(0.001)	0.021	0.489

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MWL-22 (Cont.)	10/19/00	0.018	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.025	ND(0.005)	ND(0.005)	0.201	ND(0.005)	ND(0.005)	0.055	0.188	ND(0.005)	0.018	0.469
	04/12/01	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	0.156	ND(0.005)	ND(0.005)	0.052	0.161	ND(0.005)	0.015	0.391
	07/18/01	0.011	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.020	ND(0.01)	ND(0.01)	0.180	ND(0.01)	ND(0.01)	0.044	0.130	ND(0.01)	0.011	0.374
	10/18/01	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.052	0.160	ND(0.005)	0.014	0.403
	01/12/02	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.057	0.180	ND(0.005)	0.014	0.461
	04/20/02	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.054	0.150	ND(0.0025)	0.009	0.437
	07/24/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.120	ND(0.001)	0.005	0.346
	10/15/02	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	ND(0.0025)	0.180	ND(0.0025)	ND(0.0025)	0.050	0.130	ND(0.0025)	0.004	0.383
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.210	ND(0.001)	ND(0.001)	0.053	0.150	ND(0.001)	0.004	0.438
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.052	0.150	ND(0.001)	0.004	0.412
	04/23/03	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.037	0.110	ND(0.001)	0.006	0.339
	07/17/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.130	ND(0.001)	0.003	0.357
	10/15/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.034	0.100	ND(0.001)	0.004	0.304
	01/28/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.035	0.110	ND(0.001)	0.004	0.294
	04/19/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.005	0.306
Dup.	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.044	0.110	ND(0.001)	0.004	0.322
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.003	0.295
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.090	ND(0.001)	0.003	0.279
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.035	0.084	ND(0.001)	0.002	0.245
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.098	ND(0.001)	0.002	0.293
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.100	ND(0.001)	0.002	0.268
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.029	0.071	ND(0.001)	0.002	0.215
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.026	0.075	ND(0.001)	0.002	0.215
	07/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.092	ND(0.001)	ND(0.001)	0.024	0.078	ND(0.001)	0.003	0.207
	10/10/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.059	ND(0.001)	0.003	0.176
	10/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.022	0.067	ND(0.001)	0.003	0.198
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.021	0.077	ND(0.001)	0.003	0.208
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.081	ND(0.001)	0.003	0.245
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.024	0.081	ND(0.001)	0.003	0.269
	10/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.019	0.066	ND(0.001)	0.003	0.198
Dup.	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.017	0.069	ND(0.001)	0.002	0.198
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.080	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.153
	07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.010	0.041	ND(0.001)	0.002	0.137
	10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.013	0.042	ND(0.001)	0.003	0.124
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	0.002	0.100
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.008	0.039	ND(0.001)	0.002	0.124

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE		1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)				(mg/L)	(mg/L)				(mg/L)	(mg/L)		
MW-22 (Cont.)	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.044	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	0.002	0.097	
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.033	ND(0.001)	0.001	0.096	
	10/20/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.002	0.078	
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.038	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.001	0.078	
MW-22A	01/12/02	0.015	0.021	ND(0.005)	0.088	0.023	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.037	0.110	0.110	ND(0.005)	0.124	0.340	
	04/20/02	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.026	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.044	0.100	0.100	ND(0.0025)	0.015	0.380	
	07/24/02	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.074	0.074	ND(0.001)	0.009	0.271	
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.022	ND(0.0025)	0.022	ND(0.0025)	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.031	0.080	0.080	ND(0.0025)	0.011	0.303	
	01/22/03	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.230	ND(0.001)	ND(0.001)	0.044	0.130	0.130	ND(0.001)	0.013	0.432	
	04/24/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.047	0.140	0.140	ND(0.001)	0.003	0.367	
	07/17/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.042	0.120	0.120	ND(0.001)	0.009	0.376	
	10/15/03	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.140	0.140	ND(0.001)	0.007	0.369	
	01/28/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.034	0.120	0.120	ND(0.001)	0.005	0.347	
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.110	0.110	ND(0.001)	0.003	0.341	
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.044	0.120	0.120	ND(0.001)	0.004	0.378	
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.028	0.059	0.059	ND(0.001)	0.003	0.208	
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.082	0.082	ND(0.001)	0.003	0.305	
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.072	0.072	ND(0.001)	0.002	0.243	
	07/08/05	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.200	ND(0.001)	ND(0.001)	0.037	0.120	0.120	ND(0.001)	0.005	0.384	
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.031	0.090	0.090	ND(0.001)	0.002	0.273	
	01/18/06	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.096	0.096	ND(0.001)	0.004	0.289	
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.100	0.100	ND(0.001)	0.002	0.223	
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.024	0.079	0.079	ND(0.001)	0.002	0.220	
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.026	0.062	0.062	ND(0.001)	0.002	0.188	
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.026	0.110	0.110	ND(0.001)	0.003	0.287	
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.026	0.098	0.098	ND(0.001)	0.003	0.275	
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.240	ND(0.001)	ND(0.001)	0.028	0.140	0.140	ND(0.001)	0.003	0.430	
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.021	0.081	0.081	ND(0.001)	0.002	0.220	
	01/16/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.022	0.110	0.110	ND(0.001)	0.003	0.252	
	04/28/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.016	0.096	0.096	ND(0.001)	0.002	0.224	
	07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.014	0.065	0.065	ND(0.001)	0.002	0.192	
	10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.019	0.068	0.068	ND(0.001)	0.003	0.198	
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.014	0.087	0.087	ND(0.001)	0.002	0.203	
	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.016	0.061	0.061	ND(0.001)	0.002	0.163	
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.012	0.062	0.062	ND(0.001)	0.000	0.149	
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.013	0.062	0.062	ND(0.001)	0.001	0.141	
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.010	0.054	0.054	ND(0.001)	0.000	0.110	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-25	03/04/97	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.030			0.021	0.080
Dup.	04/09/97	0.015	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.015	0.001	0.001	0.035	ND(0.001)	ND(0.001)	0.006	0.020			0.015	0.077
	04/09/97	0.014	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.015	0.001	0.001	0.034	ND(0.001)	ND(0.001)	0.005	0.019			0.014	0.074
	07/30/97	0.023	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	0.001	0.001	0.031	ND(0.002)	ND(0.002)	0.005	0.035			0.023	0.083
Dup.	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	0.001	0.001	0.027	ND(0.002)	ND(0.002)	0.004	0.035			0.026	0.078
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.013	0.001	0.001	0.028	ND(0.002)	ND(0.002)	0.004	0.028			0.026	0.074
	01/07/98	0.027	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.014	0.001	0.001	0.030	ND(0.002)	ND(0.002)	0.004	0.033			0.027	0.082
	04/15/98	0.025	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.013	ND(0.002)	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.004	0.034			0.025	0.079
	07/18/98	0.022	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.024	ND(0.002)	ND(0.002)	0.004	0.026			0.022	0.066
	10/28/98	0.030	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.030	ND(0.002)	ND(0.002)	0.005	0.038			0.030	0.085
	02/09/99	0.027	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.003	0.039			0.027	0.086
	04/22/99	0.030	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.032			0.030	0.078
	07/14/99	0.022	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.012	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028			0.022	0.071
	10/19/99	0.025	ND(0.001)	0.002	ND(0.002)	ND(0.002)	0.012	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.027			0.027	0.070
	01/26/00	0.025	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.026			0.025	0.072
	04/12/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.011	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.025			0.022	0.063
	07/27/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.004	0.027	ND(0.001)		0.022	0.065
	10/19/00	0.030	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	0.001	0.001	0.036	ND(0.001)	ND(0.001)	0.007	0.032	ND(0.001)		0.030	0.089
	01/18/01	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.010	0.053	ND(0.001)		0.022	0.126
	04/12/01	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)		0.017	0.127
	07/18/01	0.015	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.002)	ND(0.002)	0.050	ND(0.002)	ND(0.002)	0.009	0.037	ND(0.002)		0.015	0.108
	10/18/01	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.054	ND(0.0025)	ND(0.0025)	0.013	0.052	ND(0.0025)		0.015	0.132
	01/12/02	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	0.059	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)		0.012	0.138
	07/24/02	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.017	0.048	ND(0.001)		0.010	0.141
Dup.	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	ND(0.0025)	0.063	ND(0.0025)	ND(0.0025)	0.015	0.047	ND(0.0025)		0.011	0.140
	01/22/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.017	0.110	ND(0.001)		0.011	0.292
	04/23/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.015	0.054	ND(0.001)		0.009	0.146
	07/17/03	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)		0.010	0.147
	10/15/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.023	0.076	ND(0.001)		0.011	0.218
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)		0.009	0.169
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)		0.009	0.156
	04/19/04	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.024	0.072	ND(0.001)		0.010	0.201
Dup.	07/16/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.030	0.090	ND(0.001)		0.009	0.249
	10/29/04	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.027	0.074	ND(0.001)		0.008	0.242
	01/14/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.023	0.078	ND(0.001)		0.007	0.229
	04/16/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.091	ND(0.001)	ND(0.001)	0.029	0.090	ND(0.001)		0.007	0.228
	04/16/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.032	0.071	ND(0.001)		0.008	0.216
Dup.	07/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.030	0.087	ND(0.001)		0.008	0.257
	10/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.095	ND(0.001)		0.008	0.251

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			BENZENE (mg/L)	BENZENE (mg/L)		TOLUENE (mg/L)	XYLENES (mg/L)										
MW-25 (Cont.)	01/19/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.071	ND(0.001)	0.007	0.204
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.075	ND(0.001)	0.007	0.208
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.093	ND(0.001)	ND(0.001)	0.027	0.079	ND(0.001)	0.007	0.216
	07/11/06	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.028	0.086	ND(0.001)	0.008	0.232
	10/10/06	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.030	0.082	ND(0.001)	0.006	0.226
Dup.	01/16/07	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.029	0.100	ND(0.001)	0.006	0.269
	04/17/07	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.040	0.150	ND(0.001)	0.007	0.378
	07/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.220	ND(0.001)	ND(0.001)	0.037	0.150	ND(0.001)	0.005	0.432
	10/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.180	ND(0.001)	ND(0.001)	0.031	0.130	ND(0.001)	0.005	0.367
	01/16/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.032	0.150	ND(0.001)	0.005	0.378
Dup.	04/28/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.025	0.110	ND(0.001)	0.003	0.311
	04/28/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.150	ND(0.001)	0.005	0.379
	07/15/08	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.025	0.120	ND(0.001)	0.004	0.308
	10/14/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.030	0.140	ND(0.001)	0.005	0.344
	01/13/09	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.023	0.120	ND(0.001)	0.003	0.320
Dup.	04/06/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.001	0.130	0.001	ND(0.001)	0.025	0.100	ND(0.001)	0.004	0.284
	07/14/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.024	0.120	ND(0.001)	0.004	0.286
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.012	0.120	ND(0.001)	0.002	0.295
	10/20/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.001	0.130	ND(0.001)	ND(0.001)	0.021	0.100	ND(0.001)	0.004	0.277
	01/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.021	0.110	ND(0.001)	0.003	0.262
MW-26 Dup.	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.007
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	0.000	0.000	0.010
Dup.	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	0.000	0.000	0.010
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.006	0.000	0.000	0.015
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.011	0.000	0.000	0.030
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.013	0.000	0.000	0.030
	10/27/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.010	ND(0.002)	ND(0.002)	0.002	0.014	0.000	0.000	0.029
Dup.	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.001)	0.003	ND(0.0005)	0.008	ND(0.0005)	ND(0.0005)	0.002	0.011	0.000	0.000	0.024
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.010	0.000	0.000	0.025
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.014	0.000	0.000	0.033
	10/19/99	0.001	ND(0.001)	0.003	ND(0.002)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.003	0.018	0.004	0.004	0.045
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.003	0.002	0.000	0.000	0.031
Dup.	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.041
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.023	ND(0.001)	0.002	0.052
	10/19/00	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.021	ND(0.001)	0.003	0.055

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-26 (Cont.)	01/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.019	ND(0.001)	0.002	0.044
Dup.	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.022	ND(0.001)	0.001	0.050
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.004	0.024	ND(0.001)	0.001	0.055
	07/18/01	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.002)	ND(0.002)	0.026	ND(0.002)	ND(0.002)	0.004	0.022	ND(0.002)	0.003	0.059
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.005	0.024	ND(0.001)	0.002	0.057
Dup.	01/12/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.007	0.030	ND(0.001)	0.002	0.060
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.030	ND(0.001)	0.002	0.078
	04/20/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.029	ND(0.001)	0.001	0.077
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.046	ND(0.001)	ND(0.001)	0.012	0.090	ND(0.001)	0.002	0.158
Dup.	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	0.002	0.114
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.052	ND(0.001)	0.002	0.140
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.052	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.002	0.124
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.013	0.049	ND(0.001)	0.002	0.122
Dup.	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.002	0.124
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.016	0.060	ND(0.001)	0.001	0.142
	01/28/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.053	ND(0.001)	0.001	0.121
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.053	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.001	0.119
Dup.	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.048	ND(0.001)	0.001	0.151
	10/29/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.019	0.057	ND(0.001)	0.001	0.171
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.018	0.068	ND(0.001)	0.000	0.180
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.020	0.061	ND(0.001)	0.000	0.180
Dup.	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.019	0.069	ND(0.001)	0.000	0.173
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.072	ND(0.001)	0.001	0.172
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.081	ND(0.001)	ND(0.001)	0.022	0.073	ND(0.001)	0.000	0.189
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.021	0.063	ND(0.001)	0.000	0.172
Dup.	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.110	ND(0.001)	0.000	0.214
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.087	ND(0.001)	ND(0.001)	0.024	0.068	ND(0.001)	0.000	0.195
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.022	0.056	ND(0.001)	0.000	0.156
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.022	0.070	ND(0.001)	0.000	0.176
Dup.	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.002	0.263
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.034	0.099	ND(0.001)	0.002	0.267
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.026	0.084	ND(0.001)	0.000	0.220
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.040	ND(0.001)	0.000	0.106
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.014	0.040	ND(0.001)	0.000	0.109
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.047	ND(0.001)	0.000	0.130
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.054	ND(0.001)	0.001	0.148
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.000	0.114
Dup.	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.019	ND(0.001)	0.000	0.053
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.006	0.018	ND(0.001)	0.000	0.052

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-26 (Cont.)	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.014	ND(0.001)	0.000	0.045
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.000	0.021
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.019
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.005	ND(0.001)	0.000	0.012
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.014
Dup.																	
MW-26A	01/12/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.018	ND(0.001)	0.005	0.052
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.004	0.012	ND(0.001)	0.002	0.051
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.013	ND(0.001)	0.002	0.053
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.005	0.015	ND(0.001)	0.002	0.061
	01/22/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.006	0.021	ND(0.001)	0.003	0.077
Dup.	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.001	0.079
	07/16/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.003	0.083
	10/15/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.003	0.085
	01/28/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.008	0.034	ND(0.001)	0.003	0.096
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.003	0.100
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.010	0.030	ND(0.001)	0.003	0.097
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.003	0.126
	10/29/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.030	ND(0.001)	0.002	0.110
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.031	ND(0.001)	0.002	0.110
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.014	0.038	ND(0.001)	0.002	0.124
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.013	0.046	ND(0.001)	0.002	0.132
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.002	0.151
	01/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.045	ND(0.001)	0.002	0.144
	04/18/06	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.018	0.085	ND(0.001)	0.004	0.188
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.017	0.100	ND(0.001)	0.002	0.196
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.047	ND(0.001)	0.002	0.143
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.018	0.067	ND(0.001)	0.002	0.171
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	0.003	0.228
	07/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.021	0.071	ND(0.001)	0.002	0.198
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.018	0.062	ND(0.001)	0.002	0.176
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.018	0.075	ND(0.001)	0.002	0.181
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.058	ND(0.001)	0.000	0.145
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.137
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.001	0.139
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	0.000	0.113
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.012	0.045	ND(0.001)	0.001	0.115
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.013	0.050	ND(0.001)	0.001	0.117
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	0.000	0.080

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA	1,2-DCA	1,1-DCE	1,2-DCE	TOTAL			TCE	PCE	CHLORO- ETHANE	TOTAL BTEX	TOTAL HALO- CARBONS
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-29 (Cont.)	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
Dup.	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-30	04/15/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	0.002	0.000	0.006
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.000	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.000	0.003
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.005
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.006
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.005
	02/09/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.007
Dup.	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.007
Dup.	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.005
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.008
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.003	0.008
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.003	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.008
Dup.	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.006
Dup.	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	0.000	0.008
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	0.000	0.010
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	0.000	0.009
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	0.000	0.010
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	0.000	0.010
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.003	0.000	0.006
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.007
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	0.000	0.013
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	0.000	0.012
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	0.000	0.013
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	0.000	0.015
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	0.000	0.017
Dup.	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	0.000	0.016
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.007	0.000	0.017
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.007	0.000	0.017
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.007	0.000	0.017

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-30 (Cont.)	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.025
Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.027
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.029
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.029
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.034
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.040
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.009	ND(0.001)	0.000	0.039
	01/16/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.001	0.045
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.000	0.045
Dup.	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.006	0.014	ND(0.001)	0.000	0.064
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	0.013	ND(0.001)	0.000	0.062
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.006	0.015	ND(0.001)	0.001	0.073
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.008	0.020	ND(0.001)	0.001	0.084
Dup.	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.007	0.018	ND(0.001)	0.001	0.076
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.006	0.017	ND(0.001)	0.000	0.072
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.007	0.019	ND(0.001)	0.001	0.079
	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.011	0.023	ND(0.001)	0.002	0.087
Dup.	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.012	0.030	ND(0.001)	0.002	0.101
	01/13/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.069	ND(0.001)	ND(0.001)	0.010	0.040	ND(0.001)	0.001	0.129
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.039	ND(0.001)	0.001	0.127
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.015	0.040	ND(0.001)	0.001	0.122
Dup.	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.096	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.000	0.182
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.000	0.170
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.019	0.059	ND(0.001)	0.001	0.169
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.018	0.066	ND(0.001)	0.000	0.180
MW-31	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	0.039	ND(0.001)	0.001	0.095
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.003	0.028	ND(0.001)	0.000	0.067
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.021	ND(0.001)	0.001	0.060
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.008	0.028	ND(0.001)	0.001	0.077
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.001	0.072
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.007	0.023	ND(0.001)	0.000	0.062

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE		1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)		(mg/L)	(mg/L)				(mg/L)	(mg/L)				(mg/L)	(mg/L)		
Tank	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.002	0.092		
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.011	0.039	ND(0.001)	0.002	0.092		
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	0.001	0.088		
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.046	ND(0.001)	ND(0.001)	0.010	0.003	ND(0.001)	0.001	0.067		

Analytical method used prior to 10/95 = EPA Method 8240
Analytical method used during and after 10/95 = EPA Method 8260

NOTES:

mg/L = milligrams per liter (equivalent to parts per million)

dup. = duplicate sample

ND(0.001) = chemical not detected at concentration above detection limit shown in parentheses

J = chemical detected at concentration above instrument detection limit but below method detection limit

* = other chemicals also detected (see previous laboratory reports)

= other chemicals also detected (see laboratory analytical reports - Appendix A)

italicized value - is below the method detection limit.

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

CHEMICAL ABBREVIATIONS:

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1-TCA (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-COMP (cont.)	01/23/03	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/16/03	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/16/03	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/29/04	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/19/04	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/19/04	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	11/01/04	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/17/05	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/11/05	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/10/05	ND(10)	ND(10)	ND(10)	3.00	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	3.00	ND(10)
	01/18/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/18/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/11/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/10/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/16/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/17/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/18/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/16/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/29/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/15/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/15/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/13/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/07/09	ND(10)	ND(10)	ND(10)	1.50	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	0.90	ND(10)
	07/14/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/21/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/20/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)

Prior to January 1995, the laboratory analytical method used was EPA Method 8240
During and after January 1995, the laboratory analytical method used was EPA Method 8260
See laboratory reports for concentrations of additional analytes

In April 1995, the wash bay SVE system was expanded. Each of the three zones now consists of an old south (S) and a new north (N) zone

NOTES

mg/m3 = milligrams per cubic meter

* = units reported as "ppm" or "mg/L" Detection limit may be incorrect

**Laboratory results may not be an accurate representation of the emissions

J = chemical present above instrument detection limit but below method detection limit

NA = not analyzed

MS = Maintenance Shop SVE system

WB = Wash Bay SVE system

WB-N1 = north subzone of Wash Bay Zone 1

WB-N2 = north subzone of Wash Bay Zone 2

WB-N3 = north subzone of Wash Bay Zone 3

WB-COMP = composite sample from Wash Bay zones 1, 2, and 3

MS-COMP = composite sample from Maintenance Shop zones 1 and 2

CHEMICAL ABBREVIATIONS

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane


1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane


TCE = trichloroethene

PCE = tetrachloroethene



EXPLANATION

- MW-9 87.64
- ★ MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE
- 86.00 POTENTIOMETRIC SURFACE CONTOUR (DASHED WHERE INFERRED)
- TEMPORARY BENCH MARK
- AIR PIPING
- SVE EXTRACTION WELL
- ▲ EXTRACTION WELL
- DISCHARGE PIPING



BASE MAP MODIFIED FROM REED & ASSOCIATES

FIGURE 1
SITE MAP WITH
POTENTIOMETRIC SURFACE
(01/20/10)
SCHLUMBERGER TECHNOLOGY CORPORATION
ARTESIA, NEW MEXICO



ANALYTICAL SUMMARY REPORT

February 03, 2010

Rick Deuell

Deuell Environmental LLC

1653 Diamond Head Ct

Laramie, WY 82072

Workorder No., C10010830

Project Name: 90125 Artesia


Energy Laboratories, Inc. received the following 22 samples for Deuell Environmental LLC on 1/26/2010 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C10010830-001	90125-13.1/10	01/20/10 13:00	01/26/10	Aqueous	SW8260B VOCs, Standard List
C10010830-002	90125-15.1/10	01/20/10 13:15	01/26/10	Aqueous	Same As Above
C10010830-003	90125-9.1/10	01/20/10 13:30	01/26/10	Aqueous	Same As Above
C10010830-004	90125-12.1/10	01/20/10 13:45	01/26/10	Aqueous	Same As Above
C10010830-005	90125-20.1/10	01/20/10 14:30	01/26/10	Aqueous	Same As Above
C10010830-006	90125-28.1/10	01/20/10 14:45	01/26/10	Aqueous	Same As Above
C10010830-007	90125-29.1/10	01/20/10 15:00	01/26/10	Aqueous	Same As Above
C10010830-008	90125-30.1/10	01/20/10 15:15	01/26/10	Aqueous	Same As Above
C10010830-009	90125-Tank.1/10	01/20/10 15:30	01/26/10	Aqueous	Same As Above
C10010830-010	90125-25.1/10	01/20/10 15:45	01/26/10	Aqueous	Same As Above
C10010830-011	90125-26A.1/10	01/20/10 16:00	01/26/10	Aqueous	Same As Above
C10010830-012	90125-27.1/10	01/20/10 16:15	01/26/10	Aqueous	Same As Above
C10010830-013	90125-22A1/10	01/20/10 16:30	01/26/10	Aqueous	Same As Above
C10010830-014	90125-22.1/10	01/20/10 16:45	01/26/10	Aqueous	Same As Above
C10010830-015	90125-25.1/10	01/20/10 17:00	01/26/10	Aqueous	Same As Above
C10010830-016	90125-21.1/10	01/20/10 17:15	01/26/10	Aqueous	Same As Above
C10010830-017	90125-31.1/10	01/20/10 17:30	01/26/10	Aqueous	Same As Above
C10010830-018	90125-18.1/10	01/20/10 17:45	01/26/10	Aqueous	Same As Above
C10010830-019	90125-11.1/10	01/20/10 18:00	01/26/10	Aqueous	Same As Above
C10010830-020	90125-8.1/10	01/20/10 18:15	01/26/10	Aqueous	Same As Above
C10010830-021	90125-A.1/10	01/20/10 11:30	01/26/10	Aqueous	Same As Above
C10010830-022	90125-B.1/10	01/20/10 11:00	01/26/10	Aqueous	Same As Above

As appropriate, any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

If you have any questions regarding these tests results, please call.

Report Approved By:


Randy Horton
Organics Supervisor



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-001
Client Sample ID: 90125-13.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 13:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Benzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Bromoform	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Chloroform	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuel Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-001
Client Sample ID: 90125-13.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 13:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/30/10 05:45 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/30/10 05:45 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Styrene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Toluene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/30/10 05:45 / wen
Surr: Dibromofluoromethane	110	%REC		70-130		SW8260B	01/30/10 05:45 / wen
Surr: p-Bromofluorobenzene	105	%REC		80-120		SW8260B	01/30/10 05:45 / wen
Surr: Toluene-d8	100	%REC		80-120		SW8260B	01/30/10 05:45 / wen
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	01/30/10 05:45 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-002
Client Sample ID: 90125-15.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 13:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Benzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Bromoform	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Chloroform	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
cis-1,2-Dichloroethene	3.4	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen

Report RL Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-002
Client Sample ID: 90125-15.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 13:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/30/10 06:20 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/30/10 06:20 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Styrene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Tetrachloroethene	1.4	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Toluene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Trichloroethene	30	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/30/10 06:20 / wen
Surr: Dibromofluoromethane	124	%REC		70-130		SW8260B	01/30/10 06:20 / wen
Surr: p-Bromofluorobenzene	104	%REC		80-120		SW8260B	01/30/10 06:20 / wen
Surr: Toluene-d8	98.0	%REC		80-120		SW8260B	01/30/10 06:20 / wen
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	01/30/10 06:20 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-003
Client Sample ID: 90125-9.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 13:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Benzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Bromoform	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Chloroform	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
cis-1,2-Dichloroethene	2.0	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-003
Client Sample ID: 90125-9.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 13:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/30/10 06:55 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/30/10 06:55 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Styrene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Toluene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Trichloroethene	18	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/30/10 06:55 / wen
Surr: Dibromofluoromethane	122	%REC		70-130		SW8260B	01/30/10 06:55 / wen
Surr: p-Bromofluorobenzene	105	%REC		80-120		SW8260B	01/30/10 06:55 / wen
Surr: Toluene-d8	100	%REC		80-120		SW8260B	01/30/10 06:55 / wen
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	01/30/10 06:55 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-004
Client Sample ID: 90125-12.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 13:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,1-Dichloroethane	53	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,1-Dichloroethane	4.7	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2,4-Trimethylbenzene	34	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Benzene	16	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
cis-1,2-Dichloroethene	180	ug/L		20		SW8260B	01/30/10 07:30 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Ethylbenzene	190	ug/L		20		SW8260B	01/30/10 07:30 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Isopropylbenzene	180	ug/L		20		SW8260B	01/30/10 07:30 / wen

Report RL Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-004
Client Sample ID: 90125-12.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 13:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	14	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/02/10 01:55 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/02/10 01:55 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Naphthalene	32	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
n-Butylbenzene	6.2	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
n-Propylbenzene	150	ug/L		20		SW8260B	01/30/10 07:30 / wen
o-Xylene	1.2	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
sec-Butylbenzene	16	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Tetrachloroethene	4.9	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Trichloroethene	6.4	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Xylenes, Total	15	ug/L		1.0		SW8260B	02/02/10 01:55 / wen
Surr: Dibromofluoromethane	101	%REC		70-130		SW8260B	02/02/10 01:55 / wen
Surr: p-Bromofluorobenzene	102	%REC		80-120		SW8260B	02/02/10 01:55 / wen
Surr: Toluene-d8	99.0	%REC		80-120		SW8260B	02/02/10 01:55 / wen
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	02/02/10 01:55 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-005
Client Sample ID: 90125-20.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 14:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,1-Dichloroethane	4.1	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,1-Dichloroethene	3.9	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Benzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Bromoform	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Chloroform	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-005
Client Sample ID: 90125-20.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 14:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/30/10 08:05 / wen
Methyl tert-butyl ether (MTBE)	27	ug/L		2.0		SW8260B	01/30/10 08:05 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
p-isopropyltoluene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Styrene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Tetrachloroethene	3.5	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Toluene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Trichloroethene	1.9	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/30/10 08:05 / wen
Surr: Dibromofluoromethane	118	%REC		70-130		SW8260B	01/30/10 08:05 / wen
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	01/30/10 08:05 / wen
Surr: Toluene-d8	98.0	%REC		80-120		SW8260B	01/30/10 08:05 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	01/30/10 08:05 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-006
Client Sample ID: 90125-28.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 14:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,1-Dichloroethane	2.6	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,1-Dichloroethene	8.7	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Benzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Bromoform	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Chloroform	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen

Report RL - Analyte reporting limit.
Definitions: QCL Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-006
Client Sample ID: 90125-28.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 14:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/30/10 08:40 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/30/10 08:40 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Styrene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Tetrachloroethene	3.8	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Toluene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Trichloroethene	2.0	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/30/10 08:40 / wen
Surr: Dibromofluoromethane	122	%REC		70-130		SW8260B	01/30/10 08:40 / wen
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	01/30/10 08:40 / wen
Surr: Toluene-d8	96.0	%REC		80-120		SW8260B	01/30/10 08:40 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	01/30/10 08:40 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-007
Client Sample ID: 90125-29.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 15:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Benzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Bromoform	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Chloroform	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-007
Client Sample ID: 90125-29.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 15:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/30/10 10:26 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/30/10 10:26 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Styrene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Toluene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/30/10 10:26 / wen
Surr: Dibromofluoromethane	118	%REC		70-130		SW8260B	01/30/10 10:26 / wen
Surr: p-Bromofluorobenzene	105	%REC		80-120		SW8260B	01/30/10 10:26 / wen
Surr: Toluene-d8	95.0	%REC		80-120		SW8260B	01/30/10 10:26 / wen
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	01/30/10 10:26 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-008
Client Sample ID: 90125-30.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 15:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,1-Dichloroethane	14	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,1-Dichloroethene	82	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL Maximum contaminant level.
ND Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-008
Client Sample ID: 90125-30.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 15:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Methyl ethyl ketone	ND	ug/L		2.0		SW8260B	02/02/10 01:19 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/02/10 01:19 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Tetrachloroethene	66	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Trichloroethene	18	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/02/10 01:19 / wen
Surr: Dibromofluoromethane	103	%REC		70-130		SW8260B	02/02/10 01:19 / wen
Surr: p-Bromofluorobenzene	108	%REC		80-120		SW8260B	02/02/10 01:19 / wen
Surr: Toluene-d8	98.0	%REC		80-120		SW8260B	02/02/10 01:19 / wen
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	02/02/10 01:19 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-009
Client Sample ID: 90125-Tank.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 15:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,1-Dichloroethane	8.4	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,1-Dichloroethene	46	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Benzene	1.3	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Bromoform	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Chloroform	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-009
Client Sample ID: 90125-Tank.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 15:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/30/10 11:36 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/30/10 11:36 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
p-isopropyltoluene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Styrene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Tetrachloroethene	32	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Toluene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Trichloroethene	9.7	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/30/10 11:36 / wen
Surr: Dibromofluoromethane	123	%REC		70-130		SW8260B	01/30/10 11:36 / wen
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	01/30/10 11:36 / wen
Surr: Toluene-d8	96.0	%REC		80-120		SW8260B	01/30/10 11:36 / wen
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	01/30/10 11:36 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-010
Client Sample ID: 90125-26.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 15:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,1-Dichloroethene	5.3	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-010
Client Sample ID: 90125-26.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 15:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 14:41 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 14:41 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Tetrachloroethene	4.8	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Trichloroethene	2.1	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 14:41 / wen
Surr: Dibromofluoromethane	97.0	%REC		70-130		SW8260B	02/01/10 14:41 / wen
Surr: p-Bromofluorobenzene	110	%REC		80-120		SW8260B	02/01/10 14:41 / wen
Surr: Toluene-d8	96.0	%REC		80-120		SW8260B	02/01/10 14:41 / wen
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	02/01/10 14:41 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-011
Client Sample ID: 90125-26A.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,1-Dichloroethane	3.9	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,1-Dichloroethene	30	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-011
Client Sample ID: 90125-26A.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 15:16 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 15:16 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
p-isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Tetrachloroethene	37	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Trichloroethene	9.1	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 15:16 / wen
Surr: Dibromofluoromethane	98.0	%REC		70-130		SW8260B	02/01/10 15:16 / wen
Surr: p-Bromofluorobenzene	109	%REC		80-120		SW8260B	02/01/10 15:16 / wen
Surr: Toluene-d8	96.0	%REC		80-120		SW8260B	02/01/10 15:16 / wen
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120		SW8260B	02/01/10 15:16 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-012
Client Sample ID: 90125-27.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-012
Client Sample ID: 90125-27.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 15:51 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 15:51 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 15:51 / wen
Surr: Dibromofluoromethane	102	%REC		70-130		SW8260B	02/01/10 15:51 / wen
Surr: p-Bromofluorobenzene	110	%REC		80-120		SW8260B	02/01/10 15:51 / wen
Surr: Toluene-d8	94.0	%REC		80-120		SW8260B	02/01/10 15:51 / wen
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	02/01/10 15:51 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-013
Client Sample ID: 90125-22A1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,1-Dichloroethane	7.3	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,1-Dichloroethene	39	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-013
Client Sample ID: 90125-22A1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 21:12 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 21:12 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Tetrachloroethene	54	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Trichloroethene	10	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 21:12 / wen
Surr: Dibromofluoromethane	99.0	%REC		70-130		SW8260B	02/01/10 21:12 / wen
Surr: p-Bromofluorobenzene	105	%REC		80-120		SW8260B	02/01/10 21:12 / wen
Surr: Toluene-d8	97.0	%REC		80-120		SW8260B	02/01/10 21:12 / wen
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120		SW8260B	02/01/10 21:12 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-014
Client Sample ID: 90125-22.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,1-Dichloroethane	5.2	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,1-Dichloroethene	38	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Benzene	1.3	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-014
Client Sample ID: 90125-22.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 17:02 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 17:02 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Tetrachloroethene	27	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Trichloroethene	7.5	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 17:02 / wen
Surr: Dibromofluoromethane	95.0	%REC		70-130		SW8260B	02/01/10 17:02 / wen
Surr: p-Bromofluorobenzene	105	%REC		80-120		SW8260B	02/01/10 17:02 / wen
Surr: Toluene-d8	96.0	%REC		80-120		SW8260B	02/01/10 17:02 / wen
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120		SW8260B	02/01/10 17:02 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-015
Client Sample ID: 90125-25.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 17:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,1-Dichloroethane	21	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,1-Dichloroethene	110	ug/L		20		SW8260B	02/02/10 00:44 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Benzene	3.2	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-015
Client Sample ID: 90125-25.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 17:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 20:36 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 20:36 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Tetrachloroethene	110	ug/L		20		SW8260B	02/02/10 00:44 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Trichloroethene	21	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 20:36 / wen
Surr: Dibromofluoromethane	98.0	%REC		70-130		SW8260B	02/01/10 20:36 / wen
Surr: p-Bromofluorobenzene	103	%REC		80-120		SW8260B	02/01/10 20:36 / wen
Surr: Toluene-d8	96.0	%REC		80-120		SW8260B	02/01/10 20:36 / wen
Surr: 1,2-Dichlorobenzene-d4	105	%REC		80-120		SW8260B	02/01/10 20:36 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-016
Client Sample ID: 90125-21.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 17:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,1-Dichloroethane	8.0	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,1-Dichloroethene	24	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen

Report: RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-016
Client Sample ID: 90125-21.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 17:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 18:13 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 18:13 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Tetrachloroethene	24	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Trichloroethene	7.2	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 18:13 / wen
Surr: Dibromofluoromethane	99.0	%REC		70-130		SW8260B	02/01/10 18:13 / wen
Surr: p-Bromofluorobenzene	107	%REC		80-120		SW8260B	02/01/10 18:13 / wen
Surr: Toluene-d8	97.0	%REC		80-120		SW8260B	02/01/10 18:13 / wen
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120		SW8260B	02/01/10 18:13 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-017
Client Sample ID: 90125-31.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 17:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,1-Dichloroethane	6.0	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,1-Dichloroethene	26	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen

Report RL - Analyte reporting limit.
Definitions: QCL Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-017
Client Sample ID: 90125-31.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 17:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 18:49 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 18:49 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Tetrachloroethene	23	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Trichloroethene	7.4	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 18:49 / wen
Surr: Dibromofluoromethane	104	%REC		70-130		SW8260B	02/01/10 18:49 / wen
Surr: p-Bromofluorobenzene	110	%REC		80-120		SW8260B	02/01/10 18:49 / wen
Surr: Toluene-d8	96.0	%REC		80-120		SW8260B	02/01/10 18:49 / wen
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	02/01/10 18:49 / wen

Report Definitions: RL - Analyte reporting limit
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-018
Client Sample ID: 90125-18.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 17:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,1-Dichloroethane	3.6	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,1-Dichloroethene	14	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-018
Client Sample ID: 90125-18.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 17:45
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 19:24 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 19:24 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Tetrachloroethene	12	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Trichloroethene	1.6	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 19:24 / wen
Surr: Dibromofluoromethane	107	%REC		70-130		SW8260B	02/01/10 19:24 / wen
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	02/01/10 19:24 / wen
Surr: Toluene-d8	99.0	%REC		80-120		SW8260B	02/01/10 19:24 / wen
Surr: 1,2-Dichlorobenzene-d4	105	%REC		80-120		SW8260B	02/01/10 19:24 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-019
Client Sample ID: 90125-11.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 18:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,1-Dichloroethane	2.7	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,1-Dichloroethene	1.2	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-019
Client Sample ID: 90125-11 1/10

Report Date: 02/03/10
Collection Date: 01/20/10 18:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 17:38 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 17:38 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Tetrachloroethene	2.9	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Trichloroethene	1.1	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 17:38 / wen
Surr: Dibromofluoromethane	102	%REC		70-130		SW8260B	02/01/10 17:38 / wen
Surr: p-Bromofluorobenzene	109	%REC		80-120		SW8260B	02/01/10 17:38 / wen
Surr: Toluene-d8	98.0	%REC		80-120		SW8260B	02/01/10 17:38 / wen
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	02/01/10 17:38 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-020
Client Sample ID: 90125-8.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 18.15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,1-Dichloroethane	3.3	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,1-Dichloroethene	3.9	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Benzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen

Report: RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuel Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-020
Client Sample ID: 90125-8.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 16:15
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/01/10 20:01 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/01/10 20:01 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Tetrachloroethene	2.9	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Trichloroethene	2.2	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	02/01/10 20:01 / wen
Surr: Dibromofluoromethane	107	%REC		70-130		SW8260B	02/01/10 20:01 / wen
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	02/01/10 20:01 / wen
Surr: Toluene-d8	98.0	%REC		80-120		SW8260B	02/01/10 20:01 / wen
Surr: 1,2-Dichlorobenzene-d4	105	%REC		80-120		SW8260B	02/01/10 20:01 / wen

Report: RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-021
Client Sample ID: 90125-A.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 11:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,1-Dichloroethane	45	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,1-Dichloroethene	4.2	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2,4-Trimethylbenzene	33	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Benzene	13	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Bromoform	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Chloroform	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
cis-1,2-Dichloroethene	130	ug/L		20		SW8260B	02/02/10 00:09 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Ethylbenzene	150	ug/L		20		SW8260B	02/02/10 00:09 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Isopropylbenzene	150	ug/L		20		SW8260B	02/02/10 00:09 / wen

Report: RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-021
Client Sample ID: 90125-A.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 11:30
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	13	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	02/02/10 02:30 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	02/02/10 02:30 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Naphthalene	30	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
n-Butylbenzene	5.5	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
n-Propylbenzene	140	ug/L		20		SW8260B	02/02/10 00:09 / wen
o-Xylene	1.2	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
sec-Butylbenzene	15	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Styrene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Tetrachloroethene	4.9	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Toluene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Trichloroethene	6.9	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Xylenes, Total	14	ug/L		1.0		SW8260B	02/02/10 02:30 / wen
Surr: Dibromofluoromethane	101	%REC		70-130		SW8260B	02/02/10 02:30 / wen
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	02/02/10 02:30 / wen
Surr: Toluene-d8	100	%REC		80-120		SW8260B	02/02/10 02:30 / wen
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	02/02/10 02:30 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-022
Client Sample ID: 90125-B.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 11:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,1 1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,1-Dichloroethene	5.6	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuel Environmental LLC
Project: 90125 Artesia
Lab ID: C10010830-022
Client Sample ID: 90125-B.1/10

Report Date: 02/03/10
Collection Date: 01/20/10 11:00
Date Received: 01/26/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/29/10 21:41 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/29/10 21:41 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Tetrachloroethene	5.8	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Trichloroethene	2.4	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/29/10 21:41 / jlr
Surr: Dibromofluoromethane	101	%REC		70-130		SW8260B	01/29/10 21:41 / jlr
Surr: p-Bromofluorobenzene	90.0	%REC		80-120		SW8260B	01/29/10 21:41 / jlr
Surr: Toluene-d8	93.0	%REC		80-120		SW8260B	01/29/10 21:41 / jlr
Surr: 1,2-Dichlorobenzene-d4	93.0	%REC		80-120		SW8260B	01/29/10 21:41 / jlr

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R129121	
Sample ID: 012910_MBLK_7		67 Method Blank			Run: SATURNCA_100129A				01/29/10 17:12	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129121
Sample ID: 012910_MBLK_7	<u>57</u>	Method Blank		Run: SATURNCA_100129A				01/29/10 17:12		
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: Dibromofluoromethane				1.0	97	70	130			
Surr: p-Bromofluorobenzene				1.0	97	80	120			
Surr: Toluene-d8				1.0	100	80	120			
Surr: 1,2-Dichlorobenzene-d4				1.0	101	80	120			
Sample ID: C10010830-022AMS										01/29/10 22:19
<u>28</u>	Sample Matrix Spike		Run: SATURNCA_100129A							
1,1,1-Trichloroethane		94	ug/L	10	94	70	130			
1,1-Dichloroethene		100	ug/L	10	94	70	130			
1,2-Dichlorobenzene		91	ug/L	10	91	70	130			
1,2-Dichloroethane		91	ug/L	10	91	70	130			
1,2-Dichloropropane		90	ug/L	10	90	70	130			
1,4-Dichlorobenzene		86	ug/L	10	86	70	130			
Benzene		95	ug/L	10	95	70	130			
Bromodichloromethane		95	ug/L	10	95	70	130			
Bromoform		80	ug/L	10	80	70	130			
Carbon tetrachloride		97	ug/L	10	97	70	130			
Chlorobenzene		130	ug/L	10	133	70	130			S
Chlorodibromomethane		120	ug/L	10	125	70	130			
Chloroform		96	ug/L	10	96	70	130			
cis-1,2-Dichloroethene		93	ug/L	10	93	70	130			
Ethylbenzene		130	ug/L	10	126	70	130			
m+p-Xylenes		120	ug/L	10	115	70	130			
o-Xylene		130	ug/L	10	126	70	130			
Styrene		120	ug/L	10	119	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129121
Sample ID: C10010830-022AMS	28	Sample Matrix Spike			Run: SATURNCA_100129A			01/29/10 22:19		
Tetrachloroethene		140	ug/L	10	137	70	130			S
Toluene		97	ug/L	10	97	70	130			
trans-1,2-Dichloroethene		90	ug/L	10	90	70	130			
Trichloroethene		98	ug/L	10	98	70	130			
Vinyl chloride		88	ug/L	10	88	70	130			
Xylenes, Total		240	ug/L	10	120	70	130			
Surr: Dibromofluoromethane				10	96	70	130			
Surr: p-Bromofluorobenzene				10	91	80	120			
Surr: Toluene-d8				10	95	80	120			
Surr: 1,2-Dichlorobenzene-d4				10	94	80	120			
Sample ID: C10010830-022AMSD	28	Sample Matrix Spike Duplicate			Run: SATURNCA_100129A			01/29/10 22:57		
1,1,1-Trichloroethane		100	ug/L	10	104	70	130	11	20	
1,1-Dichloroethene		110	ug/L	10	103	70	130	8.8	20	
1,2-Dichlorobenzene		95	ug/L	10	95	70	130	4.3	20	
1,2-Dichloroethane		100	ug/L	10	101	70	130	10	20	
1,2-Dichloropropane		90	ug/L	10	90	70	130	0	20	
1,4-Dichlorobenzene		95	ug/L	10	95	70	130	9.3	20	
Benzene		97	ug/L	10	97	70	130	2.5	20	
Bromodichloromethane		96	ug/L	10	96	70	130	1.3	20	
Bromoform		86	ug/L	10	86	70	130	6.7	20	
Carbon tetrachloride		110	ug/L	10	106	70	130	9.1	20	
Chlorobenzene		130	ug/L	10	134	70	130	0.9	20	S
Chlorodibromomethane		130	ug/L	10	126	70	130	1.3	20	
Chloroform		100	ug/L	10	103	70	130	7.3	20	
cis-1,2-Dichloroethene		100	ug/L	10	103	70	130	11	20	
Ethylbenzene		120	ug/L	10	122	70	130	3.9	20	
m+p-Xylenes		110	ug/L	10	108	70	130	6.1	20	
o-Xylene		120	ug/L	10	124	70	130	1	20	
Styrene		130	ug/L	10	126	70	130	5.5	20	
Tetrachloroethene		130	ug/L	10	127	70	130	6.7	20	
Toluene		98	ug/L	10	98	70	130	1.6	20	
trans-1,2-Dichloroethene		95	ug/L	10	95	70	130	5.6	20	
Trichloroethene		98	ug/L	10	98	70	130	0.4	20	
Vinyl chloride		97	ug/L	10	97	70	130	9.5	20	
Xylenes, Total		230	ug/L	10	116	70	130	3.4	20	
Surr: Dibromofluoromethane				10	103	70	130	0	10	
Surr: p-Bromofluorobenzene				10	92	80	120	0	10	
Surr: Toluene-d8				10	95	80	120	0	10	
Surr: 1,2-Dichlorobenzene-d4				10	93	80	120	0	10	
Sample ID: 012910_LCS_2	67	Laboratory Control Sample			Run: SATURNCA_100129A			01/29/10 14:01		
1,1,1,2-Tetrachloroethane		10	ug/L	1.0	104	70	130			
1,1,1-Trichloroethane		9.2	ug/L	1.0	92	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B								Batch: R129121		
Sample ID: 012910_LCS_2		67 Laboratory Control Sample				Run: SATURNCA_100129A			01/29/10 14:01	
1,1,2,2-Tetrachloroethane		8.9	ug/L	1.0	89	70	130			
1,1,2-Trichloroethane		11	ug/L	1.0	107	70	130			
1,1-Dichloroethane		8.3	ug/L	1.0	83	70	130			
1,1-Dichloroethene		9.0	ug/L	1.0	90	70	130			
1,1-Dichloropropene		9.1	ug/L	1.0	91	70	130			
1,2,3-Trichlorobenzene		8.8	ug/L	1.0	88	70	130			
1,2,3-Trichloropropane		8.7	ug/L	1.0	87	70	130			
1,2,4-Trichlorobenzene		9.0	ug/L	1.0	90	70	130			
1,2,4-Trimethylbenzene		10	ug/L	1.0	100	70	130			
1,2-Dibromo-3-chloropropane		8.8	ug/L	1.0	88	70	130			
1,2-Dibromoethane		9.9	ug/L	1.0	99	70	130			
1,2-Dichlorobenzene		8.9	ug/L	1.0	89	70	130			
1,2-Dichloroethane		8.1	ug/L	1.0	81	70	130			
1,2-Dichloropropane		11	ug/L	1.0	108	70	130			
1,3,5-Trimethylbenzene		10	ug/L	1.0	102	70	130			
1,3-Dichlorobenzene		9.5	ug/L	1.0	95	70	130			
1,3-Dichloropropane		9.0	ug/L	1.0	90	70	130			
1,4-Dichlorobenzene		9.1	ug/L	1.0	91	70	130			
2,2-Dichloropropane		9.6	ug/L	1.0	96	60	140			
2-Chloroethyl vinyl ether		9.8	ug/L	1.0	98	70	130			
2-Chlorotoluene		9.7	ug/L	1.0	97	70	130			
4-Chlorotoluene		8.8	ug/L	1.0	88	70	130			
Benzene		9.4	ug/L	1.0	94	70	130			
Bromobenzene		8.4	ug/L	1.0	84	70	130			
Bromochloromethane		8.4	ug/L	1.0	84	70	130			
Bromodichloromethane		9.0	ug/L	1.0	90	70	130			
Bromoform		9.0	ug/L	1.0	90	70	130			
Bromomethane		6.9	ug/L	1.0	69	70	130			S
Carbon tetrachloride		8.7	ug/L	1.0	87	70	130			
Chlorobenzene		11	ug/L	1.0	105	70	130			
Chlorodibromomethane		10	ug/L	1.0	101	70	130			
Chloroethane		8.8	ug/L	1.0	88	70	130			
Chloroform		8.2	ug/L	1.0	82	70	130			
Chloromethane		8.4	ug/L	1.0	84	70	130			
cis-1,2-Dichloroethene		8.2	ug/L	1.0	82	70	130			
cis-1,3-Dichloropropene		8.4	ug/L	1.0	84	70	130			
Dibromomethane		9.5	ug/L	1.0	95	70	130			
Dichlorodifluoromethane		8.6	ug/L	1.0	86	70	130			
Ethylbenzene		10	ug/L	1.0	105	70	130			
Hexachlorobutadiene		10	ug/L	1.0	104	70	130			
Isopropylbenzene		11	ug/L	1.0	105	70	130			
m+p-Xylenes		22	ug/L	1.0	109	70	130			
Methyl ethyl ketone		84	ug/L	20	84	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129121
Sample ID: 012910_LCS_2	67	Laboratory Control Sample				Run: SATURNCA_100129A				01/29/10 14:01
Methyl tert-butyl ether (MTBE)		9.6	ug/L	2.0	96	70	130			
Methylene chloride		8.6	ug/L	1.0	86	70	130			
Naphthalene		8.6	ug/L	1.0	86	70	130			
n-Butylbenzene		9.8	ug/L	1.0	98	70	130			
n-Propylbenzene		10	ug/L	1.0	101	70	130			
o-Xylene		11	ug/L	1.0	105	70	130			
p-Isopropyltoluene		11	ug/L	1.0	108	70	130			
sec-Butylbenzene		10	ug/L	1.0	102	70	130			
Styrene		9.4	ug/L	1.0	94	70	130			
tert-Butylbenzene		9.5	ug/L	1.0	95	70	130			
Tetrachloroethene		11	ug/L	1.0	112	70	130			
Toluene		9.9	ug/L	1.0	99	70	130			
trans-1,2-Dichloroethene		8.3	ug/L	1.0	83	70	130			
trans-1,3-Dichloropropene		10	ug/L	1.0	100	70	130			
Trichloroethene		9.2	ug/L	1.0	92	70	130			
Trichlorofluoromethane		9.1	ug/L	1.0	91	70	130			
Vinyl chloride		8.2	ug/L	1.0	82	70	130			
Xylenes, Total		32	ug/L	1.0	108	70	130			
Surr: Dibromofluoromethane				1.0	91	70	130			
Surr: p-Bromofluorobenzene				1.0	100	80	130			
Surr: Toluene-d8				1.0	100	80	120			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B								Batch: R129136		
Sample ID: 29-Jan-10_LCS_3	57	Laboratory Control Sample				Run: GCMS2_100129B		01/29/10 11:36		
1,1,1,2-Tetrachloroethane		10.0	ug/L	1.0	100	70	130			
1,1,1-Trichloroethane		10	ug/L	1.0	101	70	130			
1,1,1,2,2-Tetrachloroethane		11	ug/L	1.0	109	70	130			
1,1,1,2-Trichloroethane		10	ug/L	1.0	105	70	130			
1,1-Dichloroethane		10	ug/L	1.0	102	70	130			
1,1-Dichloroethene		11	ug/L	1.0	106	70	130			
1,1-Dichloropropene		10	ug/L	1.0	104	70	130			
1,2,3-Trichlorobenzene		9.0	ug/L	1.0	99	70	130			
1,2,3-Trichloropropane		12	ug/L	1.0	119	70	130			
1,2,4-Trichlorobenzene		10	ug/L	1.0	101	70	130			
1,2,4-Trimethylbenzene		11	ug/L	1.0	106	70	130			
1,2-Dibromo-3-chloropropane		9.2	ug/L	1.0	92	70	130			
1,2-Dibromoethane		10	ug/L	1.0	103	70	130			
1,2-Dichlorobenzene		10	ug/L	1.0	103	70	130			
1,2-Dichloroethane		9.8	ug/L	1.0	98	70	130			
1,2-Dichloropropane		10	ug/L	1.0	105	70	130			
1,3,5-Trimethylbenzene		11	ug/L	1.0	107	70	130			
1,3-Dichlorobenzene		11	ug/L	1.0	106	70	130			
1,3-Dichloropropane		11	ug/L	1.0	105	70	130			
1,4-Dichlorobenzene		11	ug/L	1.0	106	70	130			
2,2-Dichloropropane		11	ug/L	1.0	113	60	140			
2-Chloroethyl vinyl ether		9.7	ug/L	1.0	97	70	130			
2-Chlorotoluene		11	ug/L	1.0	106	70	130			
4-Chlorotoluene		11	ug/L	1.0	109	70	130			
Benzene		10	ug/L	1.0	103	70	130			
Bromobenzene		10	ug/L	1.0	103	70	130			
Bromochloromethane		9.7	ug/L	1.0	97	70	130			
Bromodichloromethane		9.8	ug/L	1.0	98	70	130			
Bromoform		10	ug/L	1.0	103	70	130			
Bromomethane		9.0	ug/L	1.0	90	70	130			
Carbon tetrachloride		10	ug/L	1.0	100	70	130			
Chlorobenzene		11	ug/L	1.0	108	70	130			
Chlorodibromomethane		10	ug/L	1.0	104	70	130			
Chloroethane		9.7	ug/L	1.0	97	70	130			
Chloroform		10	ug/L	1.0	101	70	130			
Chloromethane		10	ug/L	1.0	104	70	130			
cis-1,2-Dichloroethene		10	ug/L	1.0	101	70	130			
cis-1,3-Dichloropropene		10	ug/L	1.0	104	70	130			
Dibromomethane		11	ug/L	1.0	108	70	130			
Dichlorodifluoromethane		9.3	ug/L	1.0	93	70	130			
Ethylbenzene		10	ug/L	1.0	105	70	130			
Hexachlorobutadiene		9.6	ug/L	1.0	96	70	130			
Isopropylbenzene		12	ug/L	1.0	122	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129136
Sample ID: 29-Jan-10_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100129B				01/29/10 11:36
m+p-Xylenes	22	ug/L	1.0	108	70	130				
Methyl ethyl ketone	91	ug/L	20	91	70	130				
Methyl tert-butyl ether (MTBE)	9.8	ug/L	2.0	98	70	130				
Methylene chloride	11	ug/L	1.0	107	70	130				
Naphthalene	9.1	ug/L	1.0	91	70	130				
n-Butylbenzene	11	ug/L	1.0	107	70	130				
n-Propylbenzene	11	ug/L	1.0	108	70	130				
o-Xylene	11	ug/L	1.0	108	70	130				
p-Isopropyltoluene	11	ug/L	1.0	108	70	130				
sec-Butylbenzene	11	ug/L	1.0	108	70	130				
Styrene	10	ug/L	1.0	104	70	130				
tert-Butylbenzene	11	ug/L	1.0	106	70	130				
Tetrachloroethene	11	ug/L	1.0	111	70	130				
Toluene	10	ug/L	1.0	100	70	130				
trans-1,2-Dichloroethene	10	ug/L	1.0	100	70	130				
trans-1,3-Dichloropropene	11	ug/L	1.0	109	70	130				
Trichloroethene	10	ug/L	1.0	105	70	130				
Trichlorofluoromethane	10	ug/L	1.0	102	70	130				
Vinyl chloride	9.9	ug/L	1.0	99	70	130				
Xylenes, Total	32	ug/L	1.0	108	70	130				
Surr: Dibromofluoromethane			1.0	97	70	130				
Surr: p-Bromofluorobenzene			1.0	104	80	130				
Surr: Toluene-d8			1.0	101	80	120				
Surr: 1,2-Dichlorobenzene-d4			1.0	102	80	120				
Sample ID: 29-Jan-10_MBLK_6	67	Method Blank				Run: GCMS2_100129B				01/29/10 13:21
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0							
1,1,1-Trichloroethane	ND	ug/L	1.0							
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0							
1,1,2-Trichloroethane	ND	ug/L	1.0							
1,1-Dichloroethane	ND	ug/L	1.0							
1,1-Dichloroethene	ND	ug/L	1.0							
1,1-Dichloropropene	ND	ug/L	1.0							
1,2,3-Trichlorobenzene	ND	ug/L	1.0							
1,2,3-Trichloropropane	ND	ug/L	1.0							
1,2,4-Trichlorobenzene	ND	ug/L	1.0							
1,2,4-Trimethylbenzene	ND	ug/L	1.0							
1,2-Dibromo-3-chloropropane	ND	ug/L	1.0							
1,2-Dibromoethane	ND	ug/L	1.0							
1,2-Dichlorobenzene	ND	ug/L	1.0							
1,2-Dichloroethane	ND	ug/L	1.0							
1,2-Dichloropropane	ND	ug/L	1.0							
1,3,5-Trimethylbenzene	ND	ug/L	1.0							
1,3-Dichlorobenzene	ND	ug/L	1.0							

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129136
Sample ID: 29-Jan-10_MBLK_6	67	Method Blank		Run: GCMS2_100129B				01/29/10 13:21		
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	2.0						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B								Batch: R129136		
Sample ID: 29-Jan-10_MBLK_6	67	Method Blank				Run: GCMS2_100129B			01/29/10 13:21	
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: Dibromofluoromethane				1.0	99	70	130			
Surr: p-Bromofluorobenzene				1.0	113	80	120			
Surr: Toluene-d8				1.0	96	80	120			
Surr: 1,2-Dichlorobenzene-d4				1.0	102	80	120			
Sample ID: 29-Jan-10_LCS_32	d7	Laboratory Control Sample				Run: GCMS2_100129B			01/30/10 04:35	
1,1,1,2-Tetrachloroethane		9.8	ug/L	1.0	98	70	130			
1,1,1-Trichloroethane		12	ug/L	1.0	116	70	130			
1,1,2,2-Tetrachloroethane		11	ug/L	1.0	106	70	130			
1,1,2-Trichloroethane		10	ug/L	1.0	105	70	130			
1,1-Dichloroethane		12	ug/L	1.0	119	70	130			
1,1-Dichloroethene		12	ug/L	1.0	122	70	130			
1,1-Dichloropropene		11	ug/L	1.0	113	70	130			
1,2,3-Trichlorobenzene		8.8	ug/L	1.0	88	70	130			
1,2,3-Trichloropropane		12	ug/L	1.0	115	70	130			
1,2,4-Trichlorobenzene		9.4	ug/L	1.0	94	70	130			
1,2,4-Trimethylbenzene		10.0	ug/L	1.0	100	70	130			
1,2-Dibromo-3-chloropropane		10	ug/L	1.0	101	70	130			
1,2-Dibromoethane		10	ug/L	1.0	100	70	130			
1,2-Dichlorobenzene		10	ug/L	1.0	102	70	130			
1,2-Dichloroethane		11	ug/L	1.0	111	70	130			
1,2-Dichloropropane		11	ug/L	1.0	109	70	130			
1,3,5-Trimethylbenzene		10	ug/L	1.0	101	70	130			
1,3-Dichlorobenzene		10	ug/L	1.0	104	70	130			
1,3-Dichloropropane		10	ug/L	1.0	105	70	130			
1,4-Dichlorobenzene		10	ug/L	1.0	104	70	130			
2,2-Dichloropropane		11	ug/L	1.0	108	60	140			
2-Chloroethyl vinyl ether		11	ug/L	1.0	106	70	130			
2-Chlorotoluene		10	ug/L	1.0	105	70	130			
4-Chlorotoluene		11	ug/L	1.0	106	70	130			
Benzene		11	ug/L	1.0	108	70	130			
Bromobenzene		10	ug/L	1.0	102	70	130			
Bromochloromethane		11	ug/L	1.0	113	70	130			
Bromodichloromethane		9.8	ug/L	1.0	98	70	130			
Bromoforn		9.7	ug/L	1.0	97	70	130			
Bromomethane		8.4	ug/L	1.0	84	70	130			
Carbon tetrachloride		11	ug/L	1.0	112	70	130			
Chlorobenzene		11	ug/L	1.0	108	70	130			
Chlorodibromomethane		9.8	ug/L	1.0	98	70	130			
Chloroethane		11	ug/L	1.0	114	70	130			
Chloroform		12	ug/L	1.0	116	70	130			
Chloromethane		12	ug/L	1.0	116	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129136
Sample ID: 29-Jan-10_LCS_32	67	Laboratory Control Sample				Run: GCMS2_100129B			01/30/10 04:35	
cis-1,2-Dichloroethene		12	ug/L	1.0	118	70	130			
cis-1,3-Dichloropropene		10	ug/L	1.0	100	70	130			
Dibromomethane		11	ug/L	1.0	108	70	130			
Dichlorodifluoromethane		9.9	ug/L	1.0	99	70	130			
Ethylbenzene		10	ug/L	1.0	101	70	130			
Hexachlorobutadiene		6.6	ug/L	1.0	66	70	130			S
Isopropylbenzene		11	ug/L	1.0	113	70	130			
m+p-Xylenes		21	ug/L	1.0	106	70	130			
Methyl ethyl ketone		120	ug/L	20	116	70	130			
Methyl tert-butyl ether (MTBE)		11	ug/L	2.0	111	70	130			
Methylene chloride		12	ug/L	1.0	120	70	130			
Naphthalene		9.0	ug/L	1.0	90	70	130			
n-Butylbenzene		8.5	ug/L	1.0	85	70	130			
n-Propylbenzene		9.8	ug/L	1.0	98	70	130			
o-Xylene		11	ug/L	1.0	106	70	130			
p-Isopropyltoluene		9.4	ug/L	1.0	94	70	130			
sec-Butylbenzene		9.0	ug/L	1.0	90	70	130			
Styrene		10	ug/L	1.0	102	70	130			
tert-Butylbenzene		9.5	ug/L	1.0	95	70	130			
Tetrachloroethene		10	ug/L	1.0	101	70	130			
Toluene		11	ug/L	1.0	106	70	130			
trans-1,2-Dichloroethene		12	ug/L	1.0	116	70	130			
trans-1,3-Dichloropropene		10	ug/L	1.0	103	70	130			
Trichloroethene		10	ug/L	1.0	105	70	130			
Trichlorofluoromethane		12	ug/L	1.0	116	70	130			
Vinyl chloride		12	ug/L	1.0	116	70	130			
Xylenes, Total		32	ug/L	1.0	106	70	130			
Surr: Dibromofluoromethane				1.0	112	70	130			
Surr: p-Bromofluorobenzene				1.0	97	80	130			
Surr: Toluene-d8				1.0	103	80	120			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Sample ID: C10010830-015AMS	28	Sample Matrix Spike				Run: GCMS2_100129B			01/30/10 18:35	
1,1,1-Trichloroethane		210	ug/L	20	106	70	130			
1,1-Dichloroethene		340	ug/L	20	109	70	130			
1,2-Dichlorobenzene		210	ug/L	20	103	70	130			
1,2-Dichloroethane		230	ug/L	20	116	70	130			
1,2-Dichloropropane		200	ug/L	20	102	70	130			
1,4-Dichlorobenzene		200	ug/L	20	102	70	130			
Benzene		200	ug/L	20	101	70	130			
Bromodichloromethane		190	ug/L	20	96	70	130			
Bromoform		210	ug/L	20	105	70	130			
Carbon tetrachloride		210	ug/L	20	103	70	130			
Chlorobenzene		210	ug/L	20	106	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129136
Sample ID: C10010830-015AMS	28	Sample Matrix Spike		Run: GCMS2_100129B				01/30/10 18:35		
Chlorodibromomethane		190	ug/L	20	96	70	130			
Chloroform		230	ug/L	20	116	70	130			
cis-1,2-Dichloroethane		230	ug/L	20	114	70	130			
Ethylbenzene		200	ug/L	20	99	70	130			
m+p-Xylenes		200	ug/L	20	100	70	130			
o-Xylene		210	ug/L	20	106	70	130			
Styrene		110	ug/L	20	55	70	130			S
Tetrachloroethene		270	ug/L	20	86	70	130			
Toluene		190	ug/L	20	96	70	130			
trans-1,2-Dichloroethene		220	ug/L	20	110	70	130			
Trichloroethene		210	ug/L	20	96	70	130			
Vinyl chloride		220	ug/L	20	111	70	130			
Xylenes, Total		410	ug/L	20	103	70	130			
Surr: Dibromofluoromethane				20	115	70	130			
Surr: p-Bromofluorobenzene				20	104	80	120			
Surr: Toluene-d8				20	95	80	120			
Surr: 1,2-Dichlorobenzene-d4				20	103	80	120			
Sample ID: C10010830-015AMSD	28	Sample Matrix Spike Duplicate		Run: GCMS2_100129B				01/30/10 19:10		
1,1,1-Trichloroethane		230	ug/L	20	116	70	130	8.3	20	
1,1-Dichloroethene		380	ug/L	20	129	70	130	11	20	
1,2-Dichlorobenzene		220	ug/L	20	108	70	130	4.9	20	
1,2-Dichloroethane		250	ug/L	20	126	70	130	8.2	20	
1,2-Dichloropropane		210	ug/L	20	107	70	130	5	20	
1,4-Dichlorobenzene		220	ug/L	20	108	70	130	6.5	20	
Benzene		210	ug/L	20	107	70	130	5.8	20	
Bromodichloromethane		210	ug/L	20	103	70	130	6.8	20	
Bromoform		220	ug/L	20	110	70	130	4.8	20	
Carbon tetrachloride		220	ug/L	20	112	70	130	8.6	20	
Chlorobenzene		220	ug/L	20	110	70	130	4.4	20	
Chlorodibromomethane		200	ug/L	20	102	70	130	6.1	20	
Chloroform		250	ug/L	20	124	70	130	6.7	20	
cis-1,2-Dichloroethene		250	ug/L	20	124	70	130	8.4	20	
Ethylbenzene		200	ug/L	20	101	70	130	2.4	20	
m+p-Xylenes		200	ug/L	20	102	70	130	2.4	20	
o-Xylene		210	ug/L	20	107	70	130	1.1	20	
Styrene		120	ug/L	20	60	70	130	9	20	S
Tetrachloroethene		280	ug/L	20	92	70	130	3.7	20	
Toluene		200	ug/L	20	100	70	130	4.5	20	
trans-1,2-Dichloroethene		240	ug/L	20	119	70	130	7.7	20	
Trichloroethene		220	ug/L	20	102	70	130	5.6	20	
Vinyl chloride		240	ug/L	20	121	70	130	8.6	20	
Xylenes, Total		420	ug/L	20	105	70	130	1.7	20	
Surr: Dibromofluoromethane				20	121	70	130	0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129136
Sample ID: C10010830-015AMSD 28 Sample Matrix Spike Duplicate										Run: GCMS2_100129B 01/30/10 19:10
Surr: p-Bromofluorobenzene				20	109	80	120	C	10	
Surr: Toluene-d8				20	96	80	120	0	10	
Surr: 1,2-Dichlorobenzene-d4				20	108	80	120	0	10	
Sample ID: 01-Feb_LCS_3 57 Laboratory Control Sample										Run: GCMS2_100129B 02/01/10 12:18
1,1,1,2-Tetrachloroethane		9.6	ug/L	1.0	96	70	130			
1,1,1-Trichloroethane		10	ug/L	1.0	101	70	130			
1,1,2,2-Tetrachloroethane		11	ug/L	1.0	106	70	130			
1,1,2-Trichloroethane		10	ug/L	1.0	104	70	130			
1,1-Dichloroethane		11	ug/L	1.0	108	70	130			
1,1-Dichloroethene		11	ug/L	1.0	109	70	130			
1,1-Dichloropropene		11	ug/L	1.0	106	70	130			
1,2,3-Trichlorobenzene		9.4	ug/L	1.0	94	70	130			
1,2,3-Trichloropropane		12	ug/L	1.0	119	70	130			
1,2,4-Trichlorobenzene		10	ug/L	1.0	101	70	130			
1,2,4-Trimethylbenzene		10	ug/L	1.0	102	70	130			
1,2-Dibromo-3-chloropropane		10	ug/L	1.0	101	70	130			
1,2-Dibromoethane		9.9	ug/L	1.0	99	70	130			
1,2-Dichlorobenzene		10	ug/L	1.0	104	70	130			
1,2-Dichloroethane		10	ug/L	1.0	101	70	130			
1,2-Dichloropropane		11	ug/L	1.0	106	70	130			
1,3,5-Trimethylbenzene		10	ug/L	1.0	102	70	130			
1,3-Dichlorobenzene		10	ug/L	1.0	104	70	130			
1,3-Dichloropropane		10	ug/L	1.0	103	70	130			
1,4-Dichlorobenzene		10	ug/L	1.0	102	70	130			
2,2-Dichloropropane		12	ug/L	1.0	118	60	140			
2-Chloroethyl vinyl ether		10	ug/L	1.0	101	70	130			
2-Chlorotoluene		11	ug/L	1.0	106	70	130			
4-Chlorotoluene		11	ug/L	1.0	108	70	130			
Benzene		11	ug/L	1.0	107	70	130			
Bromobenzene		10	ug/L	1.0	104	70	130			
Bromochloromethane		10	ug/L	1.0	101	70	130			
Bromodichloromethane		9.4	ug/L	1.0	94	70	130			
Bromoform		9.9	ug/L	1.0	99	70	130			
Bromomethane		7.8	ug/L	1.0	78	70	130			
Carbon tetrachloride		10	ug/L	1.0	103	70	130			
Chlorobenzene		11	ug/L	1.0	106	70	130			
Chlorodibromomethane		10	ug/L	1.0	100	70	130			
Chloroethane		10	ug/L	1.0	104	70	130			
Chloroform		11	ug/L	1.0	108	70	130			
Chloromethane		11	ug/L	1.0	111	70	130			
cis-1,2-Dichloroethene		11	ug/L	1.0	107	70	130			
cis-1,3-Dichloropropene		10	ug/L	1.0	101	70	130			
Dibromomethane		11	ug/L	1.0	107	70	130			

Qualifiers:

RL = Analyte reporting limit.

ND = Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B								Batch: R129136		
Sample ID: 01-Feb_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100129B			02/01/10 12:18	
Dichlorodifluoromethane		9.4	ug/L	1.0	94	70	130			
Ethylbenzene		10	ug/L	1.0	104	70	130			
Hexachlorobutadiene		9.6	ug/L	1.0	96	70	130			
Isopropylbenzene		12	ug/L	1.0	116	70	130			
m+p-Xylenes		21	ug/L	1.0	105	70	130			
Methyl ethyl ketone		100	ug/L	20	104	70	130			
Methyl tert-butyl ether (MTBE)		9.4	ug/L	2.0	94	70	130			
Methylene chloride		11	ug/L	1.0	114	70	130			
Naphthalene		9.8	ug/L	1.0	98	70	130			
n-Butylbenzene		11	ug/L	1.0	107	70	130			
n-Propylbenzene		11	ug/L	1.0	106	70	130			
o-Xylene		11	ug/L	1.0	107	70	130			
p-Isopropyltoluene		11	ug/L	1.0	106	70	130			
sec-Butylbenzene		10	ug/L	1.0	104	70	130			
Styrene		10	ug/L	1.0	104	70	130			
tert-Butylbenzene		10	ug/L	1.0	104	70	130			
Tetrachloroethane		11	ug/L	1.0	109	70	130			
Toluene		11	ug/L	1.0	106	70	130			
trans-1,2-Dichloroethene		11	ug/L	1.0	106	70	130			
trans-1,3-Dichloropropene		11	ug/L	1.0	108	70	130			
Trichloroethene		11	ug/L	1.0	107	70	130			
Trichlorofluoromethane		10	ug/L	1.0	104	70	130			
Vinyl chloride		11	ug/L	1.0	106	70	130			
Xylenes, Total		32	ug/L	1.0	106	70	130			
Surr: Dibromofluoromethane				1.0	102	70	130			
Surr: p-Bromofluorobenzene				1.0	100	80	130			
Surr: Toluene-d8				1.0	101	80	120			
Surr: 1,2-Dichlorobenzene-d4				1.0	104	80	120			
Sample ID: 01-Feb_MBLK_6	67	Method Blank				Run: GCMS2_100129B			02/01/10 14:04	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129136
Sample ID: 01-Feb_MBLK_6	67	Method Blank		Run: GCMS2_100129B				02/01/10 14:04		
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	2.0						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129136
Sample ID: 01-Feb_MBLK_6	<u>67</u>	Method Blank				Run: GCMS2_100129B				02/01/10 14:04
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: Dibromofluoromethane				1.0	97	70	130			
Surr: p-Bromofluorobenzene				1.0	111	80	120			
Surr: Toluene-d8				1.0	96	80	120			
Surr: 1,2-Dichlorobenzene-d4				1.0	102	80	120			
Sample ID: C10010830-013AMS										02/01/10 21:47
<u>28</u>	Sample Matrix Spike					Run: GCMS2_100129B				
1,1,1-Trichloroethane		200	ug/L	20	102	70	130			
1,1-Dichloroethene		260	ug/L	20	109	70	130			
1,2-Dichlorobenzene		200	ug/L	20	101	70	130			
1,2-Dichloroethane		200	ug/L	20	100	70	130			
1,2-Dichloropropane		200	ug/L	20	98	70	130			
1,4-Dichlorobenzene		210	ug/L	20	103	70	130			
Benzene		210	ug/L	20	106	70	130			
Bromodichloromethane		190	ug/L	20	97	70	130			
Bromoform		200	ug/L	20	101	70	130			
Carbon tetrachloride		200	ug/L	20	101	70	130			
Chlorobenzene		210	ug/L	20	106	70	130			
Chlorodibromomethane		190	ug/L	20	96	70	130			
Chloroform		210	ug/L	20	104	70	130			
cis-1,2-Dichloroethene		200	ug/L	20	102	70	130			
Ethylbenzene		210	ug/L	20	105	70	130			
m+p-Xylenes		200	ug/L	20	102	70	130			
o-Xylene		210	ug/L	20	104	70	130			
Styrene		200	ug/L	20	101	70	130			
Tetrachloroethene		260	ug/L	20	100	70	130			
Toluene		200	ug/L	20	98	70	130			
trans-1,2-Dichloroethene		200	ug/L	20	102	70	130			
Trichloroethene		220	ug/L	20	109	70	130			
Vinyl chloride		220	ug/L	20	108	70	130			
Xylenes, Total		410	ug/L	20	103	70	130			
Surr: Dibromofluoromethane				20	100	70	130			
Surr: p-Bromofluorobenzene				20	107	80	120			
Surr: Toluene-d8				20	96	80	120			
Surr: 1,2-Dichlorobenzene-d4				20	103	80	120			
Sample ID: C10010830-013AMSD										02/01/10 22:23
<u>28</u>	Sample Matrix Spike Duplicate					Run: GCMS2_100129B				
1,1,1-Trichloroethane		210	ug/L	20	104	70	130	1.9	20	
1,1-Dichloroethene		260	ug/L	20	110	70	130	1.2	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuel Environmental LLC

Report Date: 02/03/10

Project: 90125 Artesia

Work Order: C10010830

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R129136
Sample ID: C10010830-013AMSD 28 Sample Matrix Spike Duplicate										Run: GCMS2_100129B 02/01/10 22:23
1,2-Dichlorobenzene		210	ug/L	20	105	70	130	3.9	20	
1,2-Dichloroethane		200	ug/L	20	101	70	130	1.2	20	
1,2-Dichloropropane		200	ug/L	20	102	70	130	4	20	
1,4-Dichlorobenzene		210	ug/L	20	105	70	130	1.9	20	
Benzene		210	ug/L	20	106	70	130	0	20	
Bromodichloromethane		200	ug/L	20	98	70	130	0.4	20	
Bromoform		200	ug/L	20	102	70	130	1.2	20	
Carbon tetrachloride		200	ug/L	20	102	70	130	0.4	20	
Chlorobenzene		220	ug/L	20	108	70	130	1.9	20	
Chlorodibromomethane		190	ug/L	20	96	70	130	0.8	20	
Chloroform		210	ug/L	20	105	70	130	0.4	20	
cis-1,2-Dichloroethene		220	ug/L	20	108	70	130	5.3	20	
Ethylbenzene		210	ug/L	20	105	70	130	0.4	20	
m+p-Xylenes		210	ug/L	20	107	70	130	4.6	20	
o-Xylene		210	ug/L	20	106	70	130	1.9	20	
Styrene		210	ug/L	20	104	70	130	2.3	20	
Tetrachloroethene		270	ug/L	20	105	70	130	3.6	20	
Toluene		200	ug/L	20	100	70	130	2	20	
trans-1,2-Dichloroethene		210	ug/L	20	107	70	130	5	20	
Trichloroethene		220	ug/L	20	110	70	130	0.7	20	
Vinyl chloride		210	ug/L	20	106	70	130	2.6	20	
Xylenes, Total		430	ug/L	20	107	70	130	3.2	20	
Surr: Dibromofluoromethane				20	102	70	130	0	10	
Surr: p-Bromofluorobenzene				20	105	80	120	0	10	
Surr: Toluene-d8				20	95	80	120	0	10	
Surr: 1,2-Dichlorobenzene-d4				20	104	80	120	0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.




Chain of Custody and Analytical Request Record

Page 1 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: DIAG ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 70125 ARTESIA		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT LAREDO, TX 77132		Contact Name: RICK DEWELL		State: NM	
Invoice Address: SAME		Phone/Fax: 307 760 3277		Email: 701251	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: ☐ Other:		Purchase Order: 701251		Quote/Bottle Order:	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		ANALYSIS REQUESTED		Contact ELI prior to RUSH sample submittal for charges and scheduling - See Instruction Page	
1 70125-13:10 12/10 13:15		SEE ATTACHED		Standard Turnaround (TAT) R U S H	
2 70125-15:10 13:15		MATRIX 300		Comments:	
3 70125-17:10 13:30		Sample Type: A W S V B O DW Vegetation Bioassay Other DW - Drinking Water		Receipt Temp 34.80	
4 70125-12:10 13:45		Number of Containers		On Ice: ☒ N	
5 70125-20:10 14:30		Collection Date		Custody Seal On Bottle ☒ N On Cooler ☒ N	
6 70125-25:10 14:45		Collection Time		Intact ☒ N	
7 70125-27:10 15:00		Relinquished by (print): Rick Dewell		Signature Match ☒ N	
8 70125-30:10 15:15		Date/Time: 12/10/09		LABORATORY USE ONLY	
9 70125-30:10 15:30		Relinquished by (print): Rick Dewell		Signature	
10 70125-26:10 15:45		Date/Time: 12/10/09		Signature	
Custody Record MUST be Signed		Received by (print): Rick Dewell		Signature	
Sample Disposal: Return to Client:		Received by Laboratory: Rick Dewell		Signature	
Lab Disposal:		Date/Time: 12/10/09		Signature	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.



Chain of Custody and Analytical Request Record

Page 2 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: <u>ENERGY LABORATORIES</u>		Project Name: PWS, Permit, Etc. <u>70125 AR 7014</u>		Sample Origin: <u>NM</u>		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: <u>1653 DIAMOND HEIGHT</u>		Contact Name: <u>Rick Deane</u>		Phone/Fax: <u>307 760 3277</u>		Sampler: (Please Print)	
Invoice Address: <u>SAME</u>		Invoice Contact & Phone:		Purchase Order: <u>70125.1</u>		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: ☐ Other:		☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED			
SAMPLE IDENTIFICATION (Name, Location, In/Out etc.)		Collection Date	Collection Time	Matrix		Number of Containers	
1 70125-26-110		1/24/07	16:00	3-0		Sample Type: A W S V B O DW Vegetation Bioassay Other DW - Drinking Water	
2 70125-27-110			16:15	1		X EPA 620	
3 70125-22-110			16:30	1			
4 70125-22-110			16:45	1			
5 70125-22-110			17:00	1			
6 70125-22-110			17:15	1			
7 70125-31-110			17:30	1			
8 70125-15-110			17:45	1			
9 70125-11-110			18:00	1			
10 70125-8-110			18:15	1			
Requisitioned by (print): <u>Rick Deane</u>		Date/Time: <u>1/25/07 09:00</u>		Signature: <u>[Signature]</u>		Received by (print):	
Requisitioned by (print):		Date/Time:		Signature:		Received by (print):	
Custody Record MUST be Signed		Sample Disposal:		Return to Client:		Lab Disposal:	

Shipped by: <u>FEA</u>	Standard Turnaround (TA): <u>SEE ATTACHED</u>	Standard Turnaround (AT): <u>R U S H</u>	Contact ELI prior to RUSH sample submittal for charges and scheduling - See Instruction Page	Comments:
Cooler ID(s):				
Receipt Temp: <u>6 °C</u>				
On Ice: <u>Y</u>				
Custody Seal: <u>Y</u>				
On Bottle: <u>N</u>				
On Cooler: <u>N</u>				
Intact: <u>N</u>				
Signature Match: <u>N</u>				

LABORATORY USE ONLY		Signature: <u>[Signature]</u>	
Date/Time: <u>1/25/07 09:00</u>		Date/Time: <u>1/25/07 09:00</u>	
Received by Laboratory:		Received by Laboratory:	
Signature: <u>[Signature]</u>		Signature: <u>[Signature]</u>	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.

Energy Laboratories Inc

Workorder Receipt Checklist



Deuell Environmental LLC

C10010830

Login completed by: Halley Ackerman

Date and Time Received: 1/26/2010 9:20 AM

Reviewed by:

Received by: al

Reviewed Date:

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	6°C On Ice		
Water - VOA vials have zero headspace?	Yes ☒	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



CLIENT: Deuell Environmental LLC
Project: 90125 Artesia
Sample Delivery Group: C10010830

Date: 03-Feb-10

CASE NARRATIVE

ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package.

SAMPLE TEMPERATURE COMPLIANCE: 4°C (±2°C)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

GROSS ALPHA ANALYSIS

Method 900.0 for gross alpha and gross beta is intended as a drinking water method for low TDS waters. Data provided by this method for non potable waters should be viewed as inconsistent.

RADON IN AIR ANALYSIS

The desired exposure time is 48 hours (2 days). The time delay in returning the canister to the laboratory for processing should be as short as possible to avoid excessive decay. Maximum recommended delay between end of exposure to beginning of counting should not exceed 8 days.

SOIL/SOLID SAMPLES

All samples reported on an as received basis unless otherwise indicated.

ATRAZINE, SIMAZINE AND PCB ANALYSIS

Data for PCBs, Atrazine and Simazine are reported from EPA 525.2. PCB data reported by ELI reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT
eli-g - Energy Laboratories, Inc. - Gillette, WY
eli-h - Energy Laboratories, Inc. - Helena, MT
eli-r - Energy Laboratories, Inc. - Rapid City, SD
eli-t - Energy Laboratories, Inc. - College Station, TX

CERTIFICATIONS:

USEPA: WY00002, Radiochemical WY00937; FL-DOH NELAC: E87641 Radiochemical E871017; California: 02118CA; Oregon: WY200001 Utah: 3072350515; Virginia: 00057; Washington: C1903

ISO 17025 DISCLAIMER:

The results of this Analytical Report relate only to the items submitted for analysis.

ENERGY LABORATORIES, INC. - CASPER, WY certifies that certain method selections contained in this report meet requirements as set forth by the above accrediting authorities. Some results requested by the client may not be covered under these certifications. All analysis data to be submitted for regulatory enforcement should be certified in the sample state of origin. Please verify ELI's certification coverage by visiting www.energylab.com

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page www.energylab.com.

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010691-001
Client Sample ID: 90125-WB.1/10

Report Date: 01/26/10
Collection Date: 01/20/10 15:00
Date Received: 01/21/10
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Bromoforn	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010691-001
Client Sample ID: 90125-WB.1/10

Report Date: 01/26/10
Collection Date: 01/20/10 15:00
Date Received: 01/21/10
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	01/22/10 17:20 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
o-Xylene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	01/22/10 17:20 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	01/22/10 17:20 / jlr
Surr: Dibromofluoromethane	91.0	%REC		80-120		SW8260B	01/22/10 17:20 / jlr
Surr: p-Bromofluorobenzene	97.0	%REC		80-120		SW8260B	01/22/10 17:20 / jlr
Surr: Toluene-d8	102	%REC		80-120		SW8260B	01/22/10 17:20 / jlr

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



ENERGY LABORATORIES, INC. * 2393 Salt Creek Hwy (82601) * PO Box 3258 * Casper, WY 82602
Toll Free 888.235.0515 * 307.235.0515 * FAX 307.234.1639 * casper@energylab.com * www.energylab.com

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10010691-002
Client Sample ID: Supplies

Report Date: 01/26/10
Collection Date: Not Provided
Date Received: 01/21/10
Matrix:

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
----------	--------	-------	-----------	----	-------------	--------	--------------------

Report
Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.