

GW - 73

REPORTS

**Quarterly
Groundwater**

3rd Quarter 2010

Deuell Environmental, LLC

August 18, 2010

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NN 87505

RE: Third Quarter Monitoring Results - 2010
Schlumberger Technology Corporation Facility – Hobbs, New Mexico (GW-73)

Dear Mr. Hansen:

This letter reports the quarterly environmental monitoring results for the Schlumberger Technology Corporation (Dowell) facility in Hobbs, New Mexico. Deuell Environmental, LLC conducted quarterly monitoring activities at the facility on July 27, 2010. Site maps of the Dowell facility are shown on Figures 1 and 2.

Ground-water Elevation Data

Static water levels were measured in 6 ground-water monitoring wells located on, or adjacent to, the Dowell facility (see Figure 1). All wells were opened and allowed to equilibrate prior to measuring water levels with an oil-water interface probe. Ground-water elevation data (Table 1) were used to generate a potentiometric surface map of the facility as shown on Figure 1.

Ground-water elevation data are presented in Table 1. Water levels were essentially unchanged for this quarter. Historically there has been an overall decline in water levels across the site with some temporary increases due to precipitation. This made it impracticable to sample wells MW-4 and MW-14.

Ground-water Quality Data

Ground-water samples were collected from 4 of the 6 facility wells. Samples were submitted to Energy Laboratories, Inc. (Energy) in Casper, Wyoming for analysis by EPA Method 8260 (volatile organics by gas chromatography/mass spectrometry, or “GCMS”).

In accordance with sampling plan revisions recommended in the 2009 First Quarterly Report and approved by NMOCD, Wells MW-2, MW-3, MW-5, MW-9, MW-10,

MW-11, MW-13 and MW-15 were dropped from the sampling plan. These wells were plugged and abandoned on August 10-12.

A summary of ground-water quality analytical data is provided in Table 2. Total halocarbon concentrations in the vicinity of the Dowell facility are depicted graphically on Figure 2. All wells were non-detect for all compounds. A duplicate sample was collected from MW-12 for quality control.

SVE System Operation

The three SVE systems have run continuously for the year. The air-sparge system is shut down due to the decline in water levels reducing injection well submergence. Air samples were collected from the waste pond, UST, and acid dock systems and analyzed by EPA Method 8260. The results of the analysis are presented in Table 3. The three systems were non-detect for all compounds.

Future Sampling

The site has cleaned up to the point that most wells have not had any concentrations above MCL's for several quarters. In addition declining water levels has made it difficult or impossible to sample several wells. Considering these factors Schlumberger proposed revisions to the sampling plan that were approved by NMOCD. Currently two more wells have become dry with more expected to dry up in the near future. A summary of the monitoring well status is provided in the following table:

WELL	SAMPLING DIFFICULTY	COMMENT
MW-4	YES, now dry	One sample above MCL's since January 2007, that was PCE at 0.006 ug/l in January 2009
MW-7		No sample above MCL's since July 2006
MW-8		No sample above MCL's since October 2005
MW-12		No samples ever above MCL's, non-detect since April 2000
MW-14	YES, now dry	No samples ever above MCL's, non-detect since April 2009
MW-15		No samples ever above MCL's, non-detect since July 2004

These data indicate that the site is now clean. Falling water levels in the monitoring wells decreases the value of collecting samples from any of the monitoring wells in the future. Schlumberger would like to discuss with NMOCD the possibility of closing this site.

The next sampling event is scheduled for October 2010.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: Mr. Paul Scheely, NMOCD-Hobbs District Office
Du'Bois Ferguson, Schlumberger
Janice Barber, Dow

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-2	3637.26	10/25/96	85	70.03	3567.23	
		11/21/96		70.03	3567.23	0.00
		01/22/97		70.26	3567.00	-0.23
		05/21/97		70.53	3566.73	-0.27
		07/28/97		70.69	3566.57	-0.16
		10/15/97		70.80	3566.46	-0.11
		01/05/98		71.05	3566.21	-0.25
		04/16/98		71.27	3565.99	-0.22
		07/16/98		71.61	3565.65	-0.34
		10/25/98		71.84	3565.42	-0.23
		02/10/99		72.02	3565.24	-0.18
		04/21/99		72.25	3565.01	-0.23
		07/13/99		72.50	3564.76	-0.25
		10/21/99		72.76	3564.50	-0.26
		01/25/00		72.92	3564.34	-0.16
		04/17/00		73.35	3563.91	-0.43
		07/25/00		73.71	3563.55	-0.36
		10/16/00		74.04	3563.22	-0.33
		01/16/01		75.04	3562.22	-1.00
		04/10/01		74.73	3562.53	0.31
		07/17/01		75.65	3561.61	-0.92
		10/16/01		75.57	3561.69	0.08
		01/13/02		76.00	3561.26	-0.43
		04/21/02		76.32	3560.94	-0.32
		07/23/02		76.76	3560.50	-0.44
		10/17/02		77.00	3560.26	-0.24
		01/21/03		77.15	3560.11	-0.15
		04/22/03		77.38	3559.88	-0.23
		07/15/03		77.64	3559.62	-0.26
		10/14/03		77.83	3559.43	-0.19
		01/27/04		78.13	3559.13	-0.30
		04/20/04		78.26	3559.00	-0.13
		07/17/04		78.36	3558.90	-0.10
		10/29/04		77.67	3559.59	0.69
		01/15/05		77.23	3560.03	0.44
		04/16/05		77.49	3559.77	-0.26
		07/09/05		77.79	3559.47	-0.30
		10/09/05		78.03	3559.23	-0.24
		01/16/06		78.22	3559.04	-0.19
		04/18/06		78.53	3558.73	-0.31
		07/12/06		78.68	3558.58	-0.15
		10/11/06		78.70	3558.56	-0.02
		01/15/07		78.88	3558.38	-0.18
		04/18/07		79.00	3558.26	-0.12
		07/17/07		79.11	3558.15	-0.11
		10/16/07		78.43	3558.83	0.68
		01/15/08		77.96	3559.30	0.47
		04/29/08		77.73	3559.53	0.23
		07/16/08		78.40	3558.86	-0.67
		10/15/08		78.27	3558.99	0.13
		01/14/09		78.37	3558.89	-0.10
		04/07/09		79.07	3558.19	-0.70
		07/15/09		79.45	3557.81	-0.38
		Abandoned				
MW-3	3638.28	10/25/96	85	72.88	3565.40	
		11/21/96		72.89	3565.39	-0.01
		01/22/97		73.10	3565.18	-0.21
		05/21/97		73.40	3564.88	-0.30
		07/28/97		73.54	3564.74	-0.14
		10/15/97		73.67	3564.61	-0.13
		01/05/98		73.92	3564.36	-0.25
		04/16/98		74.13	3564.15	-0.21
		07/16/98		74.46	3563.82	-0.33
		10/25/98		74.74	3563.54	-0.28
		02/10/99		75.00	3563.28	-0.26
		04/21/99		75.21	3563.07	-0.21
		07/13/99		75.50	3562.78	-0.29
		10/20/99		75.67	3562.61	-0.17
		01/25/00		75.95	3562.33	-0.28
		04/17/00		76.26	3562.02	-0.31
		07/25/00		76.57	3561.71	-0.31
		10/16/00		76.88	3561.40	-0.31
		01/16/01		77.24	3561.04	-0.36
		04/10/01		77.59	3560.69	-0.35
		07/17/01		78.00	3560.28	-0.41
		10/16/01		78.39	3559.89	-0.39

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-3 (Cont.)		01/13/02		78.80	3559.48	-0.41
		04/21/02		79.21	3559.07	-0.41
		07/23/02		79.50	3558.78	-0.29
		10/17/02		79.78	3558.50	-0.28
		01/21/03		79.97	3558.31	-0.19
		04/22/03		80.19	3558.09	-0.22
		07/15/03		80.48	3557.80	-0.29
		10/14/03		80.73	3557.55	-0.25
		01/27/04		81.01	3557.27	-0.28
		04/20/04		81.19	3557.09	-0.18
		07/17/04		80.31	3557.97	0.88
		10/29/04		80.64	3557.64	-0.33
		01/15/05		80.14	3557.12	-0.52
		04/16/05		80.35	3556.91	-0.21
		07/09/05		80.66	3556.60	-0.31
		10/09/05		80.90	3556.36	-0.24
		01/16/06		81.11	3556.15	-0.21
		04/18/06		81.38	3555.88	-0.27
		07/12/06		81.57	3555.69	-0.19
		10/11/06		81.57	3555.69	0.00
		01/15/07		81.84	3555.42	-0.27
		04/18/07		81.89	3555.37	-0.05
		07/17/07		81.74	3555.52	0.15
		10/16/07		81.03	3556.23	0.71
		01/15/08		79.67	3557.59	1.36
		04/29/08		79.97	3557.29	-0.30
		07/16/08		80.70	3556.56	-0.73
		10/15/08		80.18	3557.08	0.52
		01/14/09		80.85	3556.41	-0.67
		04/07/09		81.98	3555.28	-1.13
		07/15/09		82.18	3555.08	-0.20
		Abandoned				
MW-4	3639.20	10/25/96	85	72.41	3566.79	
		11/21/96		72.37	3566.83	0.04
		01/22/97		72.60	3566.60	-0.23
		05/21/97		72.87	3566.33	-0.27
		07/28/97		72.93	3566.27	-0.06
		10/15/97		73.03	3566.17	-0.10
		01/05/98		73.24	3565.96	-0.21
		04/16/98		73.67	3565.53	-0.43
		07/16/98		73.68	3565.52	-0.01
		10/25/98		74.21	3564.99	-0.53
		02/10/99		74.32	3564.88	-0.11
		04/21/99		74.58	3564.62	-0.26
		07/13/99		74.87	3564.33	-0.29
		10/21/99		75.08	3564.12	-0.21
		01/25/00		75.31	3563.89	-0.23
		04/17/00		75.75	3563.45	-0.44
		07/25/00		76.25	3562.95	-0.50
		10/16/00		76.52	3562.68	-0.27
		01/16/01		76.76	3562.44	-0.24
		04/10/01		77.27	3561.93	-0.51
		07/17/01		77.35	3561.85	-0.08
		10/16/01		77.71	3561.49	-0.36
		01/13/02		78.57	3560.63	-0.86
		04/21/02		78.89	3560.31	-0.32
		07/23/02		79.24	3559.96	-0.35
		10/17/02		79.54	3559.66	-0.30
		01/21/03		79.64	3559.56	-0.10
		04/22/03		79.77	3559.43	-0.13
		07/15/03		79.84	3559.36	-0.07
		10/14/03		80.24	3558.96	-0.40
		01/27/04		80.49	3558.71	-0.25
		04/20/04		80.66	3558.54	-0.17
		07/17/04		80.70	3558.50	-0.04
		10/29/04		79.96	3559.24	0.74
		01/15/05		79.59	3559.61	0.37
		04/16/05		79.71	3559.49	-0.12
		07/09/05		80.03	3559.17	-0.32
		10/09/05		80.26	3558.94	-0.23
		01/16/06		80.50	3558.70	-0.24
		04/18/06		80.82	3558.38	-0.32
		07/12/06		80.92	3558.28	-0.10
		10/11/06		81.00	3558.20	-0.08
		01/15/07		81.37	3557.83	-0.37
		04/18/07		81.17	3558.03	0.20
		07/17/07		81.45	3557.75	-0.28

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-4 (Cont.)		10/16/07		80.58	3558.62	0.87
		01/15/08		80.00	3559.20	0.58
		04/29/08		79.79	3559.41	0.21
		07/16/08		80.40	3558.80	-0.61
		10/15/08		80.08	3559.12	0.32
		01/14/09		80.59	3558.61	-0.51
		04/07/09		81.18	3558.02	-0.59
		07/15/09		81.50	3557.70	-0.32
		10/21/09		dry	---	---
		01/20/10		dry	---	---
		04/20/10		dry	---	---
		07/27/10		dry	---	---
MW-5	3637.70	01/22/97	85	71.90	3565.80	
		05/21/97		72.21	3565.49	-0.31
		07/28/97		72.36	3565.34	-0.15
		10/15/97		72.44	3565.26	-0.08
		01/05/98		72.71	3564.99	-0.27
		04/16/98		72.92	3564.78	-0.21
		07/16/98		73.25	3564.45	-0.33
		10/25/98		73.53	3564.17	-0.28
		02/10/99		73.77	3563.93	-0.24
		04/21/99		73.98	3563.72	-0.21
		07/13/99		74.15	3563.55	-0.17
		10/20/99		74.46	3563.24	-0.31
		01/25/00		74.72	3562.98	-0.26
		04/17/00		75.03	3562.67	-0.31
		07/25/00		75.35	3562.35	-0.32
		10/16/00		75.68	3562.02	-0.33
		01/16/01		76.04	3561.66	-0.36
		04/10/01		76.38	3561.32	-0.34
		07/17/01		76.82	3560.88	-0.44
		10/16/01		77.24	3560.46	-0.42
		01/13/02		77.62	3560.08	-0.38
		04/21/02		78.04	3559.66	-0.42
		07/23/02		78.30	3559.40	-0.26
		10/17/02		78.68	3559.02	-0.38
		01/21/03		78.85	3558.85	-0.17
		04/22/03		79.09	3558.61	-0.24
		07/15/03		79.30	3558.40	-0.21
		10/14/03		79.58	3558.12	-0.28
		01/27/04		79.82	3557.88	-0.24
		04/20/04		80.00	3557.70	-0.18
		07/17/04		80.11	3557.59	-0.11
		10/29/04		79.40	3558.30	0.71
		01/15/05		78.93	3558.77	0.47
		04/16/05		79.13	3558.57	-0.20
		07/09/05		79.50	3558.20	-0.37
		10/09/05		79.20	3558.50	0.30
		01/16/06		79.96	3557.74	-0.76
		04/18/06		80.22	3557.48	-0.26
		07/12/06		80.40	3557.30	-0.18
		10/11/06		80.40	3557.30	0.00
		01/15/07		80.71	3556.99	-0.31
		04/18/07		80.69	3557.01	0.02
		07/17/07		80.60	3557.10	0.09
		10/16/07		80.00	3557.70	0.60
		01/15/08		79.13	3558.57	0.87
		04/29/08		79.13	3558.57	0.00
		07/16/08		79.84	3557.86	-0.71
		10/15/08		79.45	3558.25	0.39
		01/14/09		79.84	3557.86	-0.39
		04/07/09		80.63	3557.07	-0.79
		07/15/09		81.03	3556.67	-0.40
		Abandoned				
MW-6	3637.52	01/22/97	85	72.88	3564.64	
		05/21/97		73.22	3564.30	-0.34
		07/28/97		73.44	3564.08	-0.22
		10/15/97		73.48	3564.04	-0.04
		01/05/98		73.72	3563.80	-0.24
		04/16/98		73.94	3563.58	-0.22
		07/16/98		74.26	3563.26	-0.32
		10/25/98		74.55	3562.97	-0.29
		02/10/99		74.78	3562.74	-0.23
		04/21/99		75.04	3562.48	-0.26
		07/13/99		75.22	3562.30	-0.18
		10/20/99		75.46	3562.06	-0.24

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-6 (Cont.)		01/25/00		75.80	3561.72	-0.34
		04/17/00		76.06	3561.46	-0.26
		07/25/00		76.36	3561.16	-0.30
		10/16/00		76.64	3560.88	-0.28
		01/16/01		77.00	3560.52	-0.36
		04/10/01		77.34	3560.18	-0.34
		07/17/01		77.77	3559.75	-0.43
		10/16/01		78.16	3559.36	-0.39
		01/13/02		78.56	3558.96	-0.40
		04/21/02		78.90	3558.62	-0.34
		07/23/02		79.23	3558.29	-0.33
		10/17/02		79.49	3558.03	-0.26
		01/21/03		79.69	3557.83	-0.20
		04/22/03		79.93	3557.59	-0.24
		07/15/03		80.18	3557.34	-0.25
		10/14/03		80.47	3557.05	-0.29
		01/27/04		80.77	3556.75	-0.30
		04/20/04		80.92	3556.60	-0.15
		07/17/04		81.05	3556.47	-0.13
		10/29/04		80.31	3557.21	0.74
		01/15/05		79.86	3557.66	0.45
		04/16/05		80.11	3557.41	-0.25
		07/09/05		80.40	3557.12	-0.29
		10/09/05		80.61	3556.91	-0.21
		01/16/06		80.97	3556.55	-0.36
		04/18/06		81.18	3556.34	-0.21
		07/12/06		81.35	3556.17	-0.17
		10/11/06		81.30	3556.22	0.05
		01/15/07		81.60	3555.92	-0.30
		04/18/07		81.67	3555.85	-0.07
		07/17/07		81.27	3556.25	0.40
		10/16/07		80.56	3556.96	0.71
		01/15/08		78.83	3558.69	1.73
		04/29/08		79.55	3557.97	-0.72
		07/16/08		80.22	3557.30	-0.67
		10/15/08		79.42	3558.10	0.80
		01/14/09		80.48	3557.04	-1.06
		04/07/09		81.38	3556.14	-0.90
		07/15/09		81.96	3555.56	-0.58
		Abandoned				
MW-7	3638.62	01/22/97	85	73.31	3565.31	
		05/21/97		73.63	3564.99	-0.32
		07/28/97		73.80	3564.82	-0.17
		10/15/97		73.93	3564.69	-0.13
		01/05/98		74.17	3564.45	-0.24
		04/16/98		74.39	3564.23	-0.22
		07/16/98		74.71	3563.91	-0.32
		10/25/98		74.98	3563.64	-0.27
		02/10/99		75.22	3563.40	-0.24
		04/21/99		75.47	3563.15	-0.25
		07/13/99		75.68	3562.94	-0.21
		10/20/99		75.94	3562.68	-0.26
		01/25/00		76.23	3562.39	-0.29
		04/17/00		76.53	3562.09	-0.30
		07/25/00		76.88	3561.74	-0.35
		10/16/00		77.16	3561.46	-0.28
		01/16/01		77.55	3561.07	-0.39
		04/10/01		77.88	3560.74	-0.33
		07/17/01		78.29	3560.33	-0.41
		10/16/01		78.68	3559.94	-0.39
		01/13/02		79.12	3559.50	-0.44
		04/21/02		79.48	3559.14	-0.36
		07/23/02		79.79	3558.83	-0.31
		10/17/02		80.08	3558.54	-0.29
		01/21/03		80.26	3558.36	-0.18
		04/22/03		80.49	3558.13	-0.23
		07/15/03		80.69	3557.93	-0.20
		10/14/03		80.96	3557.66	-0.27
		01/27/04		81.22	3557.40	-0.26
		04/20/04		81.45	3557.17	-0.23
		07/17/04		81.57	3557.05	-0.12
		10/29/04		80.98	3557.64	0.59
		01/15/05		80.47	3558.15	0.51
		04/16/05		80.62	3558.00	-0.15
		07/09/05		80.90	3557.72	-0.28
		10/09/05		81.18	3557.44	-0.28
		01/16/06		81.30	3557.32	-0.12

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-7 (Cont.)		04/18/06		81.66	3556.96	-0.36
		07/12/06		81.82	3556.80	-0.16
		10/11/06		81.88	3556.74	-0.06
		01/15/07		82.08	3556.54	-0.20
		04/18/07		82.16	3556.46	-0.08
		07/17/07		82.11	3556.51	0.05
		10/16/07		81.28	3557.34	0.83
		01/15/08		79.79	3558.83	1.49
		04/29/08		80.21	3558.41	-0.42
		07/16/08		80.86	3557.76	-0.65
		10/15/08		80.33	3558.29	0.53
		01/14/09		81.06	3557.56	-0.73
		04/07/09		81.85	3556.77	-0.79
		07/15/09		82.38	3556.24	-0.53
		10/21/09		82.73	3555.89	-0.35
		01/20/10		83.08	3555.54	-0.35
MW-8	3638.71	04/20/10	85	83.31	3555.31	-0.23
		07/27/10		83.31	3555.31	0.00
		01/22/97		72.78	3565.93	
		05/21/97		73.12	3565.59	-0.34
		07/28/97		73.31	3565.40	-0.19
		10/15/97		73.44	3565.27	-0.13
		01/05/98		73.63	3565.08	-0.19
		04/16/98		74.00	3564.71	-0.37
		07/16/98		74.21	3564.50	-0.21
		10/25/98		74.48	3564.23	-0.27
		02/10/99		74.72	3563.99	-0.24
		04/21/99		74.95	3563.76	-0.23
		07/13/99		75.19	3563.52	-0.24
		10/21/99		75.48	3563.23	-0.29
		01/25/00		75.76	3562.95	-0.28
		04/17/00		76.09	3562.62	-0.33
		07/25/00		76.48	3562.23	-0.39
		10/16/00		76.80	3561.91	-0.32
		01/16/01		77.18	3561.53	-0.38
		04/10/01		77.49	3561.22	-0.31
		07/17/01		77.92	3560.79	-0.43
		10/16/01		78.26	3560.45	-0.34
		01/13/02		78.74	3559.97	-0.48
		04/21/02		79.11	3559.60	-0.37
		07/23/02		79.42	3559.29	-0.31
		10/17/02		79.67	3559.04	-0.25
		01/21/03		79.91	3558.80	-0.24
		04/22/03		80.12	3558.59	-0.21
		07/15/03		80.32	3558.39	-0.20
		10/14/03		80.57	3558.14	-0.25
		01/27/04		80.83	3557.88	-0.26
		04/20/04		81.02	3557.69	-0.19
		07/17/04		81.16	3557.55	-0.14
		10/29/04		80.54	3558.17	0.62
		01/15/05		80.05	3558.66	0.49
		04/16/05		80.19	3558.52	-0.14
		07/09/05		80.45	3558.26	-0.26
		10/09/05		80.75	3557.96	-0.30
		01/16/06		80.92	3557.79	-0.17
		04/18/06		81.19	3557.52	-0.27
		07/12/06		81.38	3557.33	-0.19
		10/11/06		81.51	3557.20	-0.13
		01/15/07		81.62	3557.09	-0.11
		04/18/07		81.7	3557.01	-0.08
		07/17/07		81.75	3556.96	-0.05
		10/16/07		80.96	3557.75	0.79
		01/15/08		79.97	3558.74	0.99
		04/29/08		79.99	3558.72	-0.02
		07/16/08		80.52	3558.19	-0.53
		10/15/08		80.14	3558.57	0.38
		01/14/09		80.76	3557.95	-0.62
		04/07/09		81.49	3557.22	-0.73
		07/15/09		81.98	3556.73	-0.49
		10/21/09		82.32	3556.39	-0.34
		01/20/10		82.62	3556.09	-0.30
		04/20/10		82.83	3555.88	-0.21
		07/27/10		82.79	3555.92	0.04
MW-9	3638.76	01/22/97	85	72.57	3566.19	
		05/21/97		72.89	3565.87	-0.32
		07/28/97		73.08	3565.68	-0.19

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-9 (Cont.)		10/15/97		73.24	3565.52	-0.16
		01/05/98		73.47	3565.29	-0.23
		04/16/98		73.70	3565.06	-0.23
		07/16/98		73.99	3564.77	-0.29
		10/25/98		74.27	3564.49	-0.28
		02/10/99		74.52	3564.24	-0.25
		04/21/99		74.74	3564.02	-0.22
		07/13/99		74.98	3563.78	-0.24
		10/21/99		75.30	3563.46	-0.32
		01/25/00		75.56	3563.20	-0.26
		04/17/00		75.90	3562.86	-0.34
		07/25/00		76.27	3562.49	-0.37
		10/16/00		76.62	3562.14	-0.35
		01/16/01		77.03	3561.73	-0.41
		04/10/01		77.34	3561.42	-0.31
		07/17/01		77.77	3560.99	-0.43
		10/16/01		78.11	3560.65	-0.34
		01/13/02		78.60	3560.16	-0.49
		04/21/02		78.96	3559.80	-0.36
		07/23/02		79.29	3559.47	-0.33
		10/17/02		79.56	3559.20	-0.27
		01/21/03		79.78	3558.98	-0.22
		04/22/03		79.95	3558.81	-0.17
		07/15/03		80.12	3558.64	-0.17
		10/14/03		80.35	3558.41	-0.23
		01/27/04		80.63	3558.13	-0.28
		04/20/04		80.81	3557.95	-0.18
		07/17/04		80.94	3557.82	-0.13
		10/29/04		80.23	3558.53	0.71
		01/15/05		79.89	3558.87	0.34
		04/16/05		79.99	3558.77	-0.10
		07/09/05		80.23	3558.53	-0.24
		10/09/05		80.54	3558.22	-0.31
		01/16/06		80.71	3558.05	-0.17
		04/18/06		80.99	3557.77	-0.28
		07/12/06		81.19	3557.57	-0.20
		10/11/06		81.30	3557.46	-0.11
		01/15/07		81.40	3557.36	-0.10
		04/18/07		81.51	3557.25	-0.11
		07/17/07		81.52	3557.24	-0.01
		10/16/07		80.77	3557.99	0.75
		01/15/08		79.84	3558.92	0.93
		04/29/08		79.88	3558.88	-0.04
		07/16/08		80.50	3558.26	-0.62
		10/15/08		80.11	3558.65	0.39
		01/14/09		80.70	3558.06	-0.59
		04/07/09		81.39	3557.37	-0.69
		07/15/09		81.82	3556.94	-0.43
		Abandoned				
MW-10	3638.86	05/27/97	130.5	73.33	3565.53	
		07/28/97		73.49	3565.37	-0.16
		10/15/97		73.61	3565.25	-0.12
		01/05/98		73.83	3565.03	-0.22
		04/16/98		74.08	3564.78	-0.25
		07/16/98		74.38	3564.48	-0.30
		10/25/98		74.64	3564.22	-0.26
		02/10/99		74.92	3563.94	-0.28
		04/21/99		75.14	3563.72	-0.22
		07/13/99		75.31	3563.55	-0.17
		10/18/99		75.65	3563.21	-0.34
		01/25/00		75.93	3562.93	-0.28
		04/17/00		76.26	3562.60	-0.33
		07/25/00		76.63	3562.23	-0.37
		10/16/00		76.97	3561.89	-0.34
		01/16/01		77.34	3561.52	-0.37
		04/10/01		77.68	3561.18	-0.34
		07/17/01		78.06	3560.80	-0.38
		10/16/01		78.42	3560.44	-0.36
		01/13/02		78.88	3559.98	-0.46
		04/21/02		79.31	3559.55	-0.43
		07/23/02		79.64	3559.22	-0.33
		10/17/02		79.93	3558.93	-0.29
		01/21/03		80.06	3558.80	-0.13
		04/22/03		80.29	3558.57	-0.23
		07/15/03		80.44	3558.42	-0.15
		10/14/03		80.70	3558.16	-0.26
		01/27/04		80.94	3557.92	-0.24

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MVV-10 (Cont.)		04/20/04		81.2	3557.66	-0.26
		07/17/04		81.31	3557.55	-0.11
		10/29/04		80.66	3558.20	0.65
		01/15/05		80.22	3558.64	0.44
		04/16/05		80.36	3558.50	-0.14
		07/09/05		80.64	3558.22	-0.28
		10/09/05		80.93	3557.93	-0.29
		01/16/06		81.08	3557.78	-0.15
		04/18/06		81.41	3557.45	-0.33
		07/12/06		81.58	3557.28	-0.17
		10/11/06		81.65	3557.21	-0.07
		01/15/07		81.82	3557.04	-0.17
		04/18/07		81.88	3556.98	-0.06
		07/17/07		81.93	3556.93	-0.05
		10/16/07		81.14	3557.72	0.79
		01/15/08		80.12	3558.74	1.02
		04/29/08		80.17	3558.69	-0.05
		07/16/08		80.70	3558.16	-0.53
		10/15/08		80.32	3558.54	0.38
		01/14/09		80.94	3557.92	-0.62
		04/07/09		81.67	3557.19	-0.73
		07/15/09		82.18	3556.68	-0.51
		Abandoned				
MWV-11	3638.55	05/26/97	208	70.70	3567.85	
		07/28/97		70.89	3567.66	-0.19
		10/15/97		70.85	3567.70	0.04
		01/05/98		71.21	3567.34	-0.36
		04/16/98		71.45	3567.10	-0.24
		07/16/98		71.76	3566.79	-0.31
		10/25/98		71.95	3566.60	-0.19
		02/10/99		72.22	3566.33	-0.27
		04/21/99		72.47	3566.08	-0.25
		07/13/99		72.74	3565.81	-0.27
		10/18/99		73.03	3565.52	-0.29
		01/25/00		73.34	3565.21	-0.31
		04/17/00		73.65	3564.90	-0.31
		07/25/00		74.03	3564.52	-0.38
		10/16/00		74.44	3564.11	-0.41
		01/16/01		74.88	3563.67	-0.44
		04/10/01		75.25	3563.30	-0.37
		07/17/01		75.74	3562.81	-0.49
		10/16/01		76.14	3562.41	-0.40
		01/13/02		76.50	3562.05	-0.36
		04/21/02		76.88	3561.67	-0.38
		07/23/02		77.22	3561.33	-0.34
		10/17/02		77.48	3561.07	-0.26
		01/21/03		77.71	3560.84	-0.23
		04/22/03		77.88	3560.67	-0.17
		07/15/03		78.05	3560.50	-0.17
		10/14/03		78.28	3560.27	-0.23
		01/27/04		78.48	3560.07	-0.20
		04/20/04		78.62	3559.93	-0.14
		07/17/04		78.78	3559.77	-0.16
		10/29/04		77.93	3560.62	0.85
		01/15/05		77.54	3561.01	0.39
		04/16/05		77.77	3560.78	-0.23
		07/09/05		78.34	3560.21	-0.57
		10/09/05		78.96	3559.59	-0.62
		01/16/06		79.07	3559.48	-0.11
		04/18/06		78.89	3559.66	0.18
		07/12/06		78.96	3559.59	-0.07
		10/11/06		79.08	3559.47	-0.12
		01/15/07		79.22	3559.33	-0.14
		04/18/07		79.27	3559.28	-0.05
		07/17/07		79.73	3558.82	-0.46
		10/16/07		78.82	3559.73	0.91
		01/15/08		78.46	3560.09	0.36
		04/29/08		78.21	3560.34	0.25
		07/16/08		78.90	3559.65	-0.69
		10/15/08		79.02	3559.53	-0.12
		01/14/09		78.76	3559.79	0.26
		04/07/09		79.21	3559.34	-0.45
		07/15/09		79.86	3558.69	-0.65
		Abandoned				
MWV-12	3636.15	05/26/97	85	68.05	3568.10	
		07/28/97		68.14	3568.01	-0.09

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MVV-12 (Cont.)		10/15/97		68.24	3567.91	-0.10
		01/05/98		68.52	3567.63	-0.28
		04/16/98		68.78	3567.37	-0.26
		07/16/98		69.10	3567.05	-0.32
		10/25/98		69.26	3566.89	-0.16
		02/10/99		69.53	3566.62	-0.27
		04/21/99		69.76	3566.39	-0.23
		07/13/99		69.95	3566.20	-0.19
		10/18/99		70.29	3565.86	-0.34
		01/25/00		70.57	3565.58	-0.28
		04/17/00		70.87	3565.28	-0.30
		07/25/00		71.28	3564.87	-0.41
		10/16/00		71.46	3564.69	-0.18
		01/16/01		72.00	3564.15	-0.54
		04/10/01		72.93	3563.22	-0.93
		07/17/01		72.92	3563.23	0.01
		10/16/01		73.32	3562.83	-0.40
		01/13/02		73.72	3562.43	-0.40
		04/21/02		74.08	3562.07	-0.36
		07/23/02		74.42	3561.73	-0.34
		10/17/02		74.72	3561.43	-0.30
		01/21/03		74.90	3561.25	-0.18
		04/22/03		75.14	3561.01	-0.24
		07/15/03		75.35	3560.80	-0.21
		10/14/03		75.55	3560.60	-0.20
		01/27/04		75.76	3560.39	-0.21
		04/20/04		75.93	3560.22	-0.17
		07/17/04		76.02	3560.13	-0.09
		10/29/04		75.17	3560.98	0.85
		01/15/05		74.77	3561.38	0.40
		04/16/05		75.04	3561.11	-0.27
		07/09/05		75.39	3560.76	-0.35
		10/09/05		75.69	3560.46	-0.30
		01/16/06		75.8	3560.35	-0.11
		04/18/06		76.07	3560.08	-0.27
		07/12/06		76.25	3559.90	-0.18
		10/11/06		76.28	3559.87	-0.03
		01/15/07		76.48	3559.67	-0.20
		04/18/07		76.58	3559.57	-0.10
		07/17/07		76.71	3559.44	-0.13
		10/16/07		76.16	3559.99	0.55
		01/15/08		75.77	3560.38	0.39
		04/29/08		75.48	3560.67	0.29
		07/16/08		76.20	3559.95	-0.72
		10/15/08		76.10	3560.05	0.10
		01/14/09		76.07	3560.08	0.03
		04/07/09		76.70	3559.45	-0.63
		07/15/09		76.94	3559.21	-0.24
		10/21/09		77.22	3558.93	-0.28
		01/20/10		77.47	3558.68	-0.25
		04/20/10		77.68	3558.47	-0.21
		07/27/10		77.57	3558.58	0.11
MVV-13	3635.39	05/21/97	84	72.31	3563.08	
		07/28/97		72.39	3563.00	-0.08
		10/15/97		72.63	3562.76	-0.24
		01/05/98		72.79	3562.60	-0.16
		04/16/98		72.93	3562.46	-0.14
		07/16/98		73.32	3562.07	-0.39
		10/25/98		73.62	3561.77	-0.30
		02/10/99		73.88	3561.51	-0.26
		04/21/99		74.11	3561.28	-0.23
		07/12/99		74.17	3561.22	-0.06
		10/20/99		73.88	3561.51	0.29
	3634.76	01/26/00		74.18	3560.58	-0.93
		04/17/00		74.43	3560.33	-0.25
		07/25/00		74.65	3560.11	-0.22
		10/16/00		74.95	3559.81	-0.30
		01/16/01		75.33	3559.43	-0.38
		04/10/01		75.65	3559.11	-0.32
		07/17/01		76.04	3558.72	-0.39
		10/16/01		76.42	3558.34	-0.38
		01/13/02		76.82	3557.94	-0.40
		04/21/02		77.11	3557.65	-0.29
		07/23/02		77.41	3557.35	-0.30
		10/17/02		77.72	3557.04	-0.31
		01/21/03		77.82	3556.94	-0.10
		04/22/03		78.07	3556.69	-0.25

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MVV-13 (Cont.)		07/15/03		78.45	3556.31	-0.38
		10/14/03		78.74	3556.02	-0.29
		01/27/04		79.04	3555.72	-0.30
		04/20/04		78.96	3555.80	0.08
		07/17/04		79.28	3555.48	-0.32
		10/29/04		78.14	3556.62	1.14
		01/15/05		78.03	3556.73	0.11
		04/16/05		78.42	3556.34	-0.39
		07/09/05		78.75	3556.01	-0.33
		10/09/05		78.79	3555.97	-0.04
		01/16/06		79.19	3555.57	-0.40
		04/18/06		79.55	3555.21	-0.36
		07/12/06		79.79	3554.97	-0.24
		10/11/06		79.39	3555.37	0.40
		01/15/07		79.9	3554.86	-0.51
		04/18/07		80.03	3554.73	-0.13
		07/16/07		78.67	3556.09	1.36
		10/16/07		78.43	3556.33	0.24
		01/15/08		77.22	3557.54	1.21
		04/29/08		78.31	3556.45	-1.09
		07/16/08		78.58	3556.18	-0.27
		10/15/08		77.57	3557.19	1.01
		01/14/09		78.89	3555.87	-1.32
		04/07/09		79.84	3554.92	-0.95
		07/15/09		80.33	3554.43	-0.49
		Abandoned				
MWV-14	3637.19	05/21/97	85	74.86	3562.33	
		07/28/97		75.06	3562.13	-0.20
		10/15/97		75.28	3561.91	-0.22
		01/05/98		75.44	3561.75	-0.16
		04/16/98		75.61	3561.58	-0.17
		07/16/98		75.98	3561.21	-0.37
		10/25/98		76.26	3560.93	-0.28
		02/10/99		76.57	3560.62	-0.31
		04/21/99		76.81	3560.38	-0.24
		07/12/99		77.08	3560.11	-0.27
		10/20/99		77.35	3559.84	-0.27
		01/26/00		77.67	3559.52	-0.32
		04/17/00		77.94	3559.25	-0.27
		07/25/00		78.26	3558.93	-0.32
		10/16/00		78.51	3558.68	-0.25
		01/16/01		78.91	3558.28	-0.40
		04/10/01		79.24	3557.95	-0.33
		07/17/01		79.66	3557.53	-0.42
		10/16/01		80.06	3557.13	-0.40
		01/13/02		80.40	3556.79	-0.34
		04/21/02		80.78	3556.41	-0.38
		07/23/02		81.05	3556.14	-0.27
		10/17/02		81.36	3555.83	-0.31
		01/21/03		81.59	3555.60	-0.23
		04/22/03		81.77	3555.42	-0.18
		07/15/03		82.03	3555.16	-0.26
		10/14/03		82.27	3554.92	-0.24
		01/27/04		82.57	3554.62	-0.30
		04/20/04		82.77	3554.42	-0.20
		07/16/04		82.92	3554.27	-0.15
		10/29/04		82.67	3554.52	0.25
		01/15/05		82.17	3555.02	0.50
		04/16/05		82.03	3555.16	0.14
		07/09/05		82.28	3554.91	-0.25
		10/09/05		82.47	3554.72	-0.19
		01/16/06		82.77	3554.42	-0.30
		04/18/06		82.92	3554.27	-0.15
		07/12/06		83.18	3554.01	-0.26
		10/11/06		83.28	3553.91	-0.10
		01/15/07		83.43	3553.76	-0.15
		04/18/07		83.49	3553.70	-0.06
		07/16/07		83.56	3553.63	-0.07
		10/16/07		83.23	3553.96	0.33
		01/15/08		82.83	3554.36	0.40
		04/29/08		82.58	3554.61	0.25
		07/16/08		83.19	3554.00	-0.61
		10/15/08		83.10	3554.09	0.09
		01/14/09		83.12	3554.07	-0.02
		04/07/09		83.61	3553.58	-0.49
		07/15/09		84.03	3553.16	-0.42
		10/21/09		84.31	3552.88	-0.28

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-14 (Cont.)		01/20/10		DRY	--	--
		07/27/10		DRY	--	--
MW-15	3636.57	05/21/97	85	72.09	3564.48	
		07/28/97		72.28	3564.29	-0.19
		10/15/97		72.52	3564.05	-0.24
		01/05/98		72.70	3563.87	-0.18
		04/16/98		72.87	3563.70	-0.17
		07/16/98		73.24	3563.33	-0.37
		10/25/98		73.47	3563.10	-0.23
		02/10/99		73.76	3562.81	-0.29
		04/21/99		74.00	3562.57	-0.24
		07/12/99		74.27	3562.30	-0.27
		10/20/99		74.58	3561.99	-0.31
		01/26/00		74.92	3561.65	-0.34
		04/17/00		75.19	3561.38	-0.27
		07/25/00		75.50	3561.07	-0.31
		10/16/00		75.85	3560.72	-0.35
		01/16/01		76.27	3560.30	-0.42
		04/10/01		76.58	3559.99	-0.31
		07/17/01		77.01	3559.56	-0.43
		10/16/01		77.44	3559.13	-0.43
		01/13/02		77.87	3558.70	-0.43
		04/21/02		78.18	3558.39	-0.31
		07/23/02		78.53	3558.04	-0.35
		10/17/02		78.72	3557.85	-0.19
		01/21/03		79.00	3557.57	-0.28
		04/22/03		79.16	3557.41	-0.16
		07/15/03		79.36	3557.21	-0.20
		10/14/03		79.60	3556.97	-0.24
		01/27/04		79.83	3556.74	-0.23
		04/20/04		80.03	3556.54	-0.20
		07/16/04		80.14	3556.43	-0.11
		10/29/04		79.55	3557.02	0.59
		01/15/05		79.20	3557.37	0.35
		04/16/05		79.18	3557.39	0.02
		07/09/05		79.43	3557.14	-0.25
		10/09/05		79.70	3556.87	-0.27
		01/16/06		79.92	3556.65	-0.22
		04/18/06		80.12	3556.45	-0.20
		07/12/06		80.38	3556.19	-0.26
		10/11/06		80.52	3556.05	-0.14
		01/15/07		80.64	3555.93	-0.12
		04/18/07		80.72	3555.85	-0.08
		07/16/07		80.78	3555.79	-0.06
		10/16/07		80.33	3556.24	0.45
		01/15/08		79.80	3556.77	0.53
		04/29/08		79.50	3557.07	0.30
		07/16/08		80.18	3556.39	-0.68
		10/15/08		80.04	3556.53	0.14
		01/14/09		80.16	3556.41	-0.12
		04/07/09		80.72	3555.85	-0.56
		07/15/09		81.07	3555.50	-0.35
		10/21/09		81.43	3555.14	-0.36
		01/20/10		81.71	3554.86	-0.28
		04/20/10		81.95	3554.62	-0.24
		07/27/10		81.93	3554.64	0.02
Shell Station MW-4	3637.69	05/25/97	82.6	75.97	3561.72	
		07/28/97		76.15	3561.54	-0.18
		10/15/97		76.26	3561.43	-0.11
		01/05/98		76.52	3561.17	-0.26
		04/16/98		76.67	3561.02	-0.15
		07/16/98		78.03	3559.66	-1.36
		10/25/98		77.33	3560.36	0.70
		02/10/99		77.62	3560.07	-0.29
		04/21/99		77.48	3560.21	0.14
		07/12/99		78.08	3559.61	-0.60
		10/21/99		78.36	3559.33	-0.28
		01/26/00		78.65	3559.04	-0.29
		04/17/00		78.92	3558.77	-0.27
		07/25/00		79.18	3558.51	-0.26
		10/16/00		79.49	3558.20	-0.31
		01/16/01		79.83	3557.86	-0.34
		04/10/01		80.14	3557.55	-0.31
		07/17/01		80.53	3557.16	-0.39
		10/16/01		80.85	3556.84	-0.32
		01/13/02		81.27	3556.42	-0.42

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
Shell Station		04/21/02		81.61	3556.08	-0.34
MVV-4 (Cont.)		07/23/02		81.63	3556.06	-0.02
		10/17/02		81.69	3556.00	-0.06
		01/21/03		81.71	3555.98	-0.02
		04/22/03		81.77	3555.92	-0.06
		07/15/03		81.56	3556.13	0.21
		10/14/03		79.94	3557.75	1.62
		01/27/04		82.27	3555.42	-2.33
		Abandoned				

Note: Top of casing survey elevations are based on the "City of Hobbs Control Datum" and the North American Vertical Datum

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-1	10/25/96	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	11/21/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	0.000	0.015
Abandoned	01/22/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.008
MW-2	10/25/96	0.042	0.016	0.049	0.027	0.259	0.002	0.012	0.012	0.044	ND(0.002)	0.014	ND(0.002)	0.134	0.331
	10/25/96	0.044	0.016	0.049	0.026	0.268	0.002	0.015	0.015	0.044	ND(0.002)	0.024	ND(0.002)	0.135	0.353
Duplicate	11/21/96	0.070	0.027	0.050	0.046	0.322	ND(0.005)	0.030	0.030	0.247	ND(0.005)	0.049	ND(0.005)	0.193	0.648
	01/22/97	0.019	0.009	0.014	0.016	0.082	ND(0.005)	0.011	0.011	0.083	ND(0.005)	0.017	ND(0.005)	0.058	0.193
	05/23/97	0.009	0.004	0.003	0.005	0.039	ND(0.001)	0.007	0.007	0.057	ND(0.001)	0.014	ND(0.001)	0.021	0.117
	06/25/97	0.011	0.005	0.007	0.007	0.050	ND(0.002)	0.009	0.009	0.180	ND(0.002)	0.027	ND(0.002)	0.030	0.806
	07/28/97	0.004	0.001	0.001	0.001	0.031	ND(0.002)	0.004	0.004	0.097	ND(0.002)	0.011	ND(0.002)	0.007	0.143
	10/19/97	0.002	0.001	0.001	0.001	0.012	ND(0.002)	0.002	0.002	0.023	ND(0.002)	0.012	ND(0.002)	0.005	0.049
	01/06/98	0.004	0.002	0.001	0.001	0.023	ND(0.002)	0.002	0.002	0.043	ND(0.002)	0.007	ND(0.002)	0.008	0.075
	04/16/98	0.010	ND(0.002)	0.002	0.001	0.053	ND(0.002)	0.008	0.008	0.130	ND(0.002)	0.058	ND(0.002)	0.013	0.249
Duplicate	04/16/98	0.010	ND(0.001)	ND(0.001)	ND(0.002)	0.058	ND(0.001)	0.008	0.008	0.142	ND(0.001)	0.064	ND(0.001)	0.010	0.272
	07/17/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.006	ND(0.002)	0.001	0.001	0.013	ND(0.002)	0.034	ND(0.002)	0.001	0.054
	10/27/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.020	ND(0.002)	0.003	0.003	0.011	ND(0.002)	0.018	ND(0.002)	0.002	0.052
	02/10/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.018	ND(0.001)	0.003	0.003	0.004	ND(0.001)	0.035	ND(0.001)	0.000	0.060
	02/10/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.003	0.003	0.004	ND(0.001)	0.034	ND(0.001)	0.000	0.057
	04/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.037	ND(0.001)	0.005	0.005	0.007	0.001	0.094	ND(0.001)	0.000	0.144
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.000	0.034
	10/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.000	0.028
	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.041	ND(0.001)	0.000	0.057
	04/18/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.008	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.000	0.032
	07/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.003)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.000	0.011
	10/19/00	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	0.008
	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.004
	04/1/001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	07/17/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	0.000	0.002
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	01/13/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.002
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.002
Duplicate	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.002
Duplicate	01/21/03	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	0.000
	04/22/03	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.009	0.001
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	04/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.002
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.002
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	10/10/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	04/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
Duplicate	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-2 (Cont.)	07/06/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Abandoned	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-3	10/25/96	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.023	ND(0.002)	0.007	ND(0.002)	0.007	ND(0.002)	0.012	ND(0.001)	0.002	0.049
	11/21/96	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.017	ND(0.002)	0.007	ND(0.002)	0.028	ND(0.002)	0.019	ND(0.001)	0.000	0.071
	01/22/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.027	ND(0.002)	0.010	ND(0.002)	0.014	ND(0.002)	0.016	ND(0.001)	0.000	0.067
	05/22/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.026	0.001	0.015	0.001	0.015	ND(0.001)	0.016	ND(0.001)	0.002	0.073
	07/28/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.033	0.002	0.012	0.002	0.008	ND(0.002)	0.012	ND(0.001)	0.003	0.067
	10/16/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.022	ND(0.002)	0.008	0.011	0.011	ND(0.002)	0.022	ND(0.001)	0.001	0.063
	01/06/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.023	ND(0.002)	0.023	ND(0.002)	0.031	ND(0.002)	0.026	ND(0.001)	0.000	0.103
	04/16/98	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.030	ND(0.002)	0.014	0.003	0.012	0.003	0.025	ND(0.001)	0.003	0.084
	07/17/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.034	ND(0.002)	0.015	0.013	0.013	0.003	0.026	ND(0.001)	0.002	0.091
	10/27/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.035	ND(0.002)	0.012	0.005	0.002	0.002	0.016	ND(0.001)	0.002	0.070
	10/20/99	0.002	ND(0.001)	0.002	ND(0.002)	0.025	ND(0.001)	0.023	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.004	0.068
	10/16/00	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.026	ND(0.001)	0.020	ND(0.001)	0.014	ND(0.001)	0.017	ND(0.001)	0.003	0.077
duplicate	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.013	0.002	0.005	ND(0.001)	0.010	ND(0.001)	0.000	0.052
	10/17/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.007	0.001	0.002	ND(0.001)	0.004	ND(0.001)	0.002	0.033
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.001	0.005	0.001	0.001	ND(0.001)	0.002	ND(0.001)	0.000	0.026
	10/30/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	0.016
	10/10/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/10/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
duplicate	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/19/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/23/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
duplicate	04/23/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Abandoned	10/25/96	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.110	0.051	0.498	0.051	1.040	0.005	2.590	ND(0.001)	0.000	4.294
	11/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.110	ND(0.005)	0.623	ND(0.005)	0.941	ND(0.005)	3.526	ND(0.005)	0.000	5.200
Duplicate	01/22/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.106	0.042	0.694	0.042	1.080	ND(0.005)	3.980	ND(0.005)	0.000	5.902
	05/22/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.089	0.037	0.509	0.037	0.557	ND(0.005)	3.100	ND(0.005)	0.000	4.292
	06/25/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.062	0.022	0.423	0.022	0.550	ND(0.001)	1.720	ND(0.001)	0.000	2.777
	06/25/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.047	0.017	0.175	0.017	0.349	ND(0.002)	1.250	ND(0.002)	0.000	1.838
	06/25/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.044	0.017	0.167	0.017	0.332	ND(0.002)	1.190	ND(0.002)	0.000	1.750
	07/28/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.037	0.015	0.124	0.015	0.267	ND(0.002)	1.060	ND(0.002)	0.000	1.503
	10/16/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.031	0.011	0.103	0.011	0.225	ND(0.002)	1.170	ND(0.002)	0.000	1.540
	01/06/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.021	ND(0.002)	0.087	ND(0.002)	0.148	ND(0.002)	0.970	ND(0.002)	0.000	1.226
	01/06/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.021	0.006	0.077	0.006	0.138	ND(0.001)	0.907	ND(0.001)	0.000	1.149
	04/16/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.019	ND(0.005)	0.116	ND(0.005)	0.114	ND(0.005)	0.651	ND(0.005)	0.000	0.900
Duplicate	07/17/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.031	ND(0.001)	0.206	ND(0.001)	0.194	ND(0.001)	1.120	ND(0.001)	0.000	1.551
	07/17/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.031	ND(0.002)	0.240	ND(0.002)	0.216	ND(0.002)	0.843	ND(0.002)	0.000	1.330
	10/27/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.031	ND(0.005)	0.201	ND(0.005)	0.209	ND(0.005)	1.080	ND(0.005)	0.000	1.521
	02/10/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.019	ND(0.001)	0.118	ND(0.001)	0.090	ND(0.001)	0.511	ND(0.001)	0.000	0.788
	04/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.031	ND(0.001)	0.151	ND(0.001)	0.166	ND(0.001)	0.875	ND(0.001)	0.000	1.223
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.014	ND(0.001)	0.081	ND(0.001)	0.058	ND(0.001)	0.386	ND(0.001)	0.000	0.539
Duplicate	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.015	0.004	0.084	0.004	0.055	ND(0.001)	0.350	ND(0.001)	0.000	0.508
	10/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.059	0.027	0.149	0.027	0.155	ND(0.001)	0.977	ND(0.001)	0.000	1.367
	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.044	ND(0.001)	0.030	ND(0.001)	0.249	ND(0.001)	0.000	0.396
	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.015	ND(0.001)	0.054	ND(0.001)	0.036	ND(0.001)	0.282	ND(0.001)	0.000	0.387
	04/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.013	ND(0.0025)	0.038	ND(0.0025)	0.021	ND(0.0025)	0.252	ND(0.0025)	0.000	0.324

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-4 (Cont.) STL Duplicate	07/25/00	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND(0.0075)	0.011	0.005	0.028	ND (0.0025)	0.021	ND (0.0025)	0.170		0.000	0.235
	07/25/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.10)	0.016	0.007	0.041	ND (0.0025)	0.026	ND(0.005)	0.140		0.000	0.229
	10/16/00	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.011	0.005	0.021	ND (0.0025)	0.013	ND (0.0025)	0.107	ND (0.0025)	0.000	0.157
	01/16/01	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.005	ND (0.0025)	0.008	ND (0.0025)	0.004	ND (0.0025)	0.063	ND (0.0025)	0.000	0.070
Duplicate	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.008	ND(0.001)	0.004	ND(0.001)	0.049	ND(0.001)	0.000	0.066
	04/10/01	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.007	ND (0.0025)	0.010	ND (0.0025)	0.004	ND (0.0025)	0.047	ND (0.0025)	0.000	0.068
	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.041	ND(0.005)	0.000	0.055
	10/16/01	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.014	0.005	0.013	ND (0.0025)	0.011	ND (0.0025)	0.085	ND (0.0025)	0.000	0.128
Duplicate	01/13/02	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.009	ND (0.0025)	0.009	ND (0.0025)	0.005	ND (0.0025)	0.060	ND (0.0025)	0.000	0.073
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.006	ND(0.001)	0.003	ND(0.001)	0.028	ND(0.001)	0.000	0.043
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.021	ND(0.001)	0.000	0.031
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	0.024	ND(0.001)	0.000	0.035
Duplicate	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.019
	04/22/03	ND(0.001)	ND(0.001)	0.073	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.020
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.020
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.020
Duplicate	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000	0.018
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.019
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000	0.017
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	0.015
Duplicate	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.000	0.012
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.000	0.010
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.000	0.010
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.008
Duplicate	10/10/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	0.015
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	0.000	0.035
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.000	0.062
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.000	0.028
Duplicate	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	0.014
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.006
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
Duplicate	04/23/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.004
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.004
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.006
Duplicate	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/15/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-5 Duplicate	01/23/97	0.018	0.004	ND(0.001)	0.007	0.180	0.002	0.020	0.036	0.036	0.007	0.012		0.023	0.251
	01/23/97	0.018	0.004	ND(0.001)	0.001	0.190	0.002	0.018	0.034	0.034	0.007	0.009		0.023	0.254
	05/23/97	0.029	ND(0.002)	ND(0.002)	ND(0.004)	0.191	0.003	0.065	0.059	0.059	0.002	0.079		0.029	0.389
	07/28/97	0.051	0.023	ND(0.002)	0.007	0.241	0.004	0.072	0.051	0.051	0.002	0.066		0.061	0.428
Duplicate	07/28/97	0.052	0.023	ND(0.005)	0.007	0.258	0.004	0.069	0.050	0.050	ND(0.005)	0.062		0.062	0.433
	10/16/97	0.059	0.027	ND(0.011)	0.008	0.214	0.004	0.066	0.039	0.039	ND(0.011)	0.070		0.094	0.393
	01/06/98	0.048	0.016	ND(0.011)	0.006	0.215	0.004	0.060	0.029	0.029	ND(0.011)	0.055		0.070	0.363
	04/16/98	0.034	0.011	ND(0.005)	ND(0.011)	0.136	0.002	0.033	0.008	0.008	ND(0.005)	0.031		0.045	0.210
Duplicate	07/17/98	0.025	0.007	ND(0.002)	0.007	0.106	0.002	0.023	0.007	0.007	ND(0.002)	0.029		0.033	0.169
	10/27/98	ND(0.011)	ND(0.011)	ND(0.011)	ND(0.02)	0.080	ND(0.011)	0.042	0.016	0.016	ND(0.011)	0.033		0.000	0.171
	10/27/98	0.011	0.002	ND(0.002)	ND(0.004)	0.053	ND(0.002)	0.011	0.002	0.002	ND(0.002)	0.011		0.077	0.140
	10/20/99	0.027	0.009	ND(0.0025)	ND(0.006)	0.113	ND(0.0025)	0.022	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.005		0.036	0.140
Duplicate	10/16/00	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.011
	10/16/01	0.006	0.001	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.006	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.039
	10/17/02	0.017	0.003	ND(0.001)	ND(0.001)	0.074	0.001	0.020	0.016	ND(0.001)	0.006	0.010	0.001	0.020	0.128
	10/14/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.071	0.002	0.010	0.002	ND(0.001)	0.005	0.028	ND(0.001)	0.004	0.118
Duplicate	10/30/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.006	0.004	ND(0.001)	0.004	0.021	ND(0.001)	0.001	0.090
	10/30/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.000	0.049
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.013
	10/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.008

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-5 (Cont.)	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.005
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.005
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	Abandoned														
MW-6	01/23/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.041	0.001	0.004	0.004	0.004	ND(0.001)	0.003	ND(0.001)	0.001	0.053
	05/22/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.085	0.002	0.034	0.004	0.017	0.002	0.023	ND(0.001)	0.004	0.163
	07/28/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.081	0.002	0.027	0.008	0.008	0.002	0.021	ND(0.001)	0.003	0.141
	10/16/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.082	0.002	0.025	0.006	0.006	0.002	0.019	ND(0.001)	0.003	0.136
	01/06/98	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.113	0.003	0.038	0.012	0.002	0.002	0.024	ND(0.001)	0.003	0.192
	04/16/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.088	0.003	0.027	0.008	0.008	0.002	0.017	ND(0.001)	0.002	0.145
	07/17/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.091	0.004	0.051	0.022	0.022	0.002	0.032	ND(0.001)	0.002	0.202
	10/28/98	0.011	0.002	ND(0.01)	ND(0.02)	0.055	ND(0.01)	0.011	ND(0.01)	ND(0.01)	ND(0.01)	0.011	ND(0.001)	0.013	0.077
	02/10/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.113	0.005	0.056	0.016	0.016	0.003	0.039	ND(0.001)	0.003	0.232
	04/21/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.133	0.006	0.061	0.023	0.023	0.003	0.047	ND(0.001)	0.003	0.273
Duplicate	07/13/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.108	0.004	0.068	0.021	0.021	ND(0.0025)	0.062	ND(0.0025)	0.003	0.263
	10/20/99	ND(0.0025)	ND(0.0025)	0.002	ND(0.005)	0.066	0.003	0.058	0.032	0.032	ND(0.0025)	0.046	ND(0.0025)	0.002	0.205
	01/25/00	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	0.093	0.003	0.049	0.015	0.015	ND(0.0025)	0.048	ND(0.0025)	0.002	0.208
	04/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.082	ND(0.0025)	0.036	0.009	0.009	ND(0.0025)	0.033	ND(0.0025)	0.000	0.160
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0075)	0.057	ND(0.0025)	0.028	0.010	0.010	ND(0.0025)	0.027	ND(0.0025)	0.000	0.122
	10/16/00	0.002	ND(0.001)	0.002	ND(0.001)	0.024	0.003	0.015	0.004	0.014	ND(0.001)	0.030	ND(0.001)	0.004	0.090
	10/16/00	0.002	ND(0.001)	0.002	ND(0.001)	0.061	0.005	0.035	0.004	0.013	ND(0.001)	0.027	ND(0.001)	0.004	0.145
	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.063	ND(0.0025)	0.035	0.004	0.011	ND(0.0025)	0.033	ND(0.0025)	0.000	0.146
	04/1/001	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.069	ND(0.0025)	0.033	0.006	0.006	ND(0.0025)	0.026	ND(0.0025)	0.003	0.140
	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.030	ND(0.005)	0.008	ND(0.005)	0.028	ND(0.005)	0.000	0.122
Duplicate	07/17/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.063	0.003	0.033	0.003	0.008	ND(0.002)	0.036	ND(0.002)	0.000	0.110
	10/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.062	ND(0.0025)	0.039	0.005	0.009	ND(0.0025)	0.036	ND(0.0025)	0.000	0.151
	01/13/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.060	ND(0.0025)	0.030	0.005	0.007	ND(0.0025)	0.026	ND(0.0025)	0.000	0.128
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	0.004	0.035	0.005	0.007	ND(0.001)	0.031	ND(0.001)	0.000	0.144
	07/23/02	0.001	ND(0.001)	0.001	ND(0.001)	0.062	0.003	0.032	0.004	0.007	ND(0.001)	0.034	0.001	0.002	0.143
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.056	0.002	0.024	0.005	0.005	ND(0.001)	0.026	0.001	0.000	0.119
	01/21/03	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.041	0.003	0.016	0.003	0.003	ND(0.001)	0.023	ND(0.001)	0.005	0.093
	04/22/03	0.001	ND(0.001)	0.006	ND(0.001)	0.077	0.003	0.026	0.005	0.006	0.002	0.034	ND(0.001)	0.007	0.153
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.003	0.021	0.002	0.006	ND(0.001)	0.029	ND(0.001)	0.000	0.124
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.004	0.018	0.003	0.006	0.001	0.032	ND(0.001)	0.000	0.127
Duplicate	01/27/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.068	0.003	0.021	0.007	0.003	0.002	0.026	ND(0.001)	0.001	0.130
	04/20/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.058	0.002	0.014	0.006	0.002	0.002	0.015	ND(0.001)	0.001	0.099
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.074	0.003	0.015	0.006	0.002	0.002	0.015	ND(0.001)	0.000	0.117
	10/17/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.076	0.003	0.017	0.008	0.001	0.002	0.013	ND(0.001)	0.001	0.120
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.007
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.002	0.008	0.003	0.002	ND(0.001)	0.014	ND(0.001)	0.000	0.062
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	0.002	0.009	0.003	0.002	0.002	0.017	ND(0.001)	0.000	0.083
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.001	0.005	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	0.000	0.036
Duplicate	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	0.001	0.010	0.004	ND(0.001)	0.003	0.013	ND(0.001)	0.000	0.082
	04/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.046	0.001	0.008	0.003	ND(0.001)	0.003	0.014	ND(0.001)	0.000	0.075
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.040	ND(0.001)	0.007	0.003	ND(0.001)	0.002	0.012	ND(0.001)	0.012	0.064
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.056	0.001	0.009	0.005	ND(0.001)	0.004	0.017	ND(0.001)	0.000	0.091
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.047
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.005	0.001	ND(0.001)	0.003	0.012	ND(0.001)	0.000	0.057
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.006
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-6 (Cont.)	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/19/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
Duplicate															
Abandoned															
MW-7	01/23/97	0.001	ND(0.001)	ND(0.001)	0.001	0.047	0.001	0.009	0.009	ND(0.001)	0.004	0.014		0.002	0.075
	05/22/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.087	0.002	0.066	0.066	0.002	0.014	0.116		0.003	0.287
	07/28/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.073	0.002	0.061	0.061	ND(0.002)	0.021	0.110		0.004	0.267
	10/16/97	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.065	ND(0.005)	0.050	0.050	ND(0.005)	0.018	0.091		0.003	0.224
	01/06/98	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.076	ND(0.005)	0.054	0.054	ND(0.005)	0.018	0.111		0.003	0.259
	04/16/98	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.055	ND(0.005)	0.035	0.035	ND(0.005)	0.020	0.078		0.003	0.188
	07/17/98	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.065	ND(0.005)	0.038	0.038	ND(0.005)	0.024	0.073		0.003	0.200
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	0.047	ND(0.005)	0.030	0.030	ND(0.005)	0.019	0.073		0.000	0.169
	02/10/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.050	ND(0.001)	0.032	0.002	0.002	0.014	0.066		0.002	0.164
	04/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.047	ND(0.001)	0.029	0.002	0.002	0.011	0.071		0.000	0.160
Duplicate	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.034	ND(0.001)	0.027	0.027	ND(0.001)	0.007	0.066		0.000	0.134
	10/20/99	ND(0.001)	ND(0.001)	0.002	ND(0.002)	0.046	ND(0.001)	0.035	0.035	ND(0.001)	0.006	0.081		0.002	0.168
	01/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.025	ND(0.0025)	0.020	0.020	ND(0.0025)	0.003	0.061		0.000	0.109
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.022	ND(0.0025)	0.020	0.020	ND(0.0025)	0.003	0.069		0.000	0.114
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0075)	0.030	ND(0.0025)	0.026	0.026	ND(0.0025)	0.003	0.081		0.000	0.140
	10/16/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.036	ND(0.0025)	0.030	0.030	ND(0.0025)	0.003	0.090	ND(0.0025)	0.000	0.159
	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.030	ND(0.0025)	0.021	0.021	ND(0.0025)	0.003	0.086	ND(0.0025)	0.000	0.140
	04/10/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.035	ND(0.0025)	0.020	0.020	ND(0.0025)	0.004	0.066	ND(0.0025)	0.000	0.125
	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.015	0.015	ND(0.005)	0.006	0.062	ND(0.005)	0.000	0.113
	10/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.047	ND(0.0025)	0.019	0.019	ND(0.0025)	0.006	0.064	ND(0.0025)	0.000	0.136
Duplicate	01/13/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.036	ND(0.0025)	0.013	0.013	ND(0.0025)	0.004	0.042	ND(0.0025)	0.000	0.095
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.014	0.001	ND(0.001)	0.003	0.034	ND(0.001)	0.000	0.079
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.013	0.013	ND(0.001)	0.003	0.032	ND(0.001)	0.000	0.073
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.006	0.006	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.058
	01/21/03	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.012	ND(0.001)	0.004	0.004	ND(0.001)	0.001	0.013	ND(0.001)	0.003	0.030
	04/22/03	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.007	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.025	0.017
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.008	0.008	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	0.008	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.053
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	0.008	ND(0.001)	0.002	0.021	ND(0.001)	0.000	0.055
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.009	0.009	ND(0.001)	0.002	0.023	ND(0.001)	0.000	0.064
Duplicate	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.009	0.009	ND(0.001)	0.002	0.017	ND(0.001)	0.000	0.057
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.007	0.007	ND(0.001)	0.002	0.014	ND(0.001)	0.000	0.041
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.005	0.005	ND(0.001)	0.002	0.010	ND(0.001)	0.000	0.033
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.006	0.006	ND(0.001)	0.002	0.011	ND(0.001)	0.000	0.034
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	0.005	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.029
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.004	0.004	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.027
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.005	0.005	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.025
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.004	0.004	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.019
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	0.001	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.008
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	0.001	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.008
Duplicate	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.001	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.008
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	0.001	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.006
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.005
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.003
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.005
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.005

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-7 (Cont.)	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.003
	07/15/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.004
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.003
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.001
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.001
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000	ND(0.001)	0.000	0.000	ND(0.001)	0.000	0.002
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	01/23/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.068	0.005	0.280	0.005	0.460	ND(0.01)	0.810	ND(0.01)	0.000	1.623
	05/23/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.082	ND(0.01)	1.360	ND(0.01)	0.805	ND(0.01)	4.150	ND(0.01)	0.000	6.397
MW-8	06/25/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.077	ND(0.02)	0.975	ND(0.02)	0.774	ND(0.02)	3.600	ND(0.02)	0.000	5.426
	07/28/97	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	ND(0.1)	ND(0.1)	1.120	ND(0.1)	0.798	ND(0.1)	4.520	ND(0.1)	0.000	6.438
	10/16/97	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	0.858	ND(0.2)	0.596	ND(0.2)	4.570	ND(0.2)	0.000	6.024
	01/06/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.230	ND(0.2)	0.798	ND(0.2)	4.650	ND(0.2)	0.000	6.678
	04/16/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.050	ND(0.2)	0.658	ND(0.2)	4.620	ND(0.2)	0.000	6.328
	07/17/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.200	ND(0.2)	0.740	ND(0.2)	5.090	ND(0.2)	0.000	7.030
	10/23/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	0.060	ND(0.2)	0.780	ND(0.2)	0.522	ND(0.2)	4.160	ND(0.2)	0.000	5.522
	02/10/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.083	ND(0.025)	0.936	ND(0.025)	0.569	ND(0.025)	3.870	ND(0.025)	0.000	5.456
	04/21/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.080	ND(0.025)	0.808	ND(0.025)	0.600	ND(0.025)	3.900	ND(0.025)	0.000	5.388
	07/13/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.058	ND(0.025)	0.634	ND(0.025)	0.341	ND(0.025)	2.970	ND(0.025)	0.000	4.003
STL Duplicate	10/21/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.081	ND(0.025)	0.887	ND(0.025)	0.447	ND(0.025)	3.610	ND(0.025)	0.000	4.995
	01/25/00	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.076	ND(0.025)	0.687	ND(0.025)	0.349	ND(0.025)	3.190	ND(0.025)	0.000	4.302
	04/18/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.053	ND(0.01)	0.412	ND(0.01)	0.219	ND(0.01)	2.420	ND(0.01)	0.000	3.104
	07/25/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.03)	ND(0.01)	ND(0.01)	0.422	ND(0.01)	0.238	ND(0.01)	2.140	ND(0.01)	0.000	2.800
	07/25/00	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	ND(0.1)	ND(0.1)	0.700	ND(0.1)	0.300	ND(0.1)	2.500	ND(0.1)	0.000	3.500
	10/16/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.085	ND(0.01)	0.546	ND(0.01)	0.317	ND(0.01)	5.780	ND(0.01)	0.000	6.728
	01/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.084	ND(0.01)	0.512	ND(0.01)	0.353	ND(0.01)	3.340	ND(0.01)	0.000	4.299
	04/10/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.083	ND(0.01)	0.401	ND(0.01)	0.258	ND(0.01)	6.190	ND(0.01)	0.000	6.892
	07/17/01	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.02)	0.076	ND(0.02)	0.350	ND(0.02)	0.240	ND(0.02)	2.600	ND(0.02)	0.000	3.266
	10/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.048	0.017	0.200	ND(0.01)	0.120	ND(0.01)	1.700	ND(0.01)	0.000	2.085
Duplicate	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	0.017	0.210	ND(0.001)	0.120	0.003	1.800	ND(0.001)	0.000	2.195
	01/13/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	0.011	0.100	ND(0.005)	0.060	ND(0.005)	0.990	ND(0.005)	0.000	1.190
	04/21/02	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.032	0.013	0.110	ND(0.002)	0.059	ND(0.002)	0.420	ND(0.002)	0.000	0.634
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.003	0.018	ND(0.001)	0.010	ND(0.001)	0.160	ND(0.001)	0.000	0.198
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.003	0.014	ND(0.001)	0.010	ND(0.001)	0.150	ND(0.001)	0.000	0.183
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.005	ND(0.001)	0.003	ND(0.001)	0.048	ND(0.001)	0.000	0.059
	04/22/03	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	0.029	ND(0.001)	0.004	0.037
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	0.029	ND(0.001)	0.000	0.039
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.001	0.005	ND(0.001)	0.003	ND(0.001)	0.030	ND(0.001)	0.000	0.044
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.024	ND(0.001)	0.000	0.034
	04/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.000	0.023
Duplicate	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	0.016
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.019
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.020
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.000	0.022
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.022
	10/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000	0.016
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.000	0.010
	04/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.007
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.006
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
Duplicate	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-8 (Cont.)	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
Duplicate	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	07/15/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
Duplicate	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-9	01/23/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.063	ND(0.001)	0.045	ND(0.001)	0.090	ND(0.001)	0.000	0.209
	05/23/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.026	ND(0.01)	0.322	ND(0.01)	0.147	ND(0.01)	1.550	ND(0.01)	0.000	2.045
	06/25/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.033	ND(0.02)	0.326	ND(0.02)	ND(0.02)	ND(0.02)	1.130	ND(0.02)	0.000	1.489
	07/28/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.021	ND(0.02)	0.278	ND(0.02)	0.121	ND(0.02)	1.020	ND(0.02)	0.000	1.440
Duplicate	10/16/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.019	ND(0.02)	0.278	ND(0.02)	0.104	ND(0.02)	1.160	ND(0.02)	0.000	1.561
	10/16/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.023	ND(0.02)	0.321	ND(0.02)	0.141	ND(0.02)	1.160	ND(0.02)	0.000	1.645
	01/06/98	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	0.033	ND(0.1)	0.502	ND(0.1)	0.174	ND(0.1)	1.350	ND(0.1)	0.000	2.059
	04/16/98	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.029	ND(0.05)	0.444	ND(0.05)	0.144	ND(0.05)	1.290	ND(0.05)	0.000	1.907
Duplicate	07/17/98	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	0.042	ND(0.1)	0.690	ND(0.1)	0.242	ND(0.1)	1.770	ND(0.1)	0.000	2.744
	10/27/98	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	0.030	ND(0.1)	0.507	ND(0.1)	0.193	ND(0.1)	1.740	ND(0.1)	0.000	2.470
	02/10/99	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.031	ND(0.01)	0.487	ND(0.01)	0.159	ND(0.01)	1.400	ND(0.01)	0.000	2.077
	04/21/99	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.026	ND(0.01)	0.368	ND(0.01)	0.161	ND(0.01)	1.320	ND(0.01)	0.000	1.875
Duplicate	07/13/99	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.021	ND(0.01)	0.353	ND(0.01)	0.110	ND(0.01)	1.100	ND(0.01)	0.000	1.584
	10/13/99	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.018	ND(0.01)	0.261	ND(0.01)	0.085	ND(0.01)	1.090	ND(0.01)	0.000	1.454
	01/25/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.013	ND(0.01)	0.145	ND(0.01)	0.048	ND(0.01)	0.556	ND(0.01)	0.000	0.762
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.006	ND(0.0025)	0.046	ND(0.0025)	0.015	ND(0.0025)	0.235	ND(0.0025)	0.000	0.302
Duplicate	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0075)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	0.006	ND(0.0025)	0.228	ND(0.0025)	0.000	0.246
	10/16/00	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	0.001	0.036
	10/16/00	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	0.028	ND(0.001)	0.001	0.036
	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.022	ND(0.001)	0.000	0.028
Duplicate	04/10/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	0.017	ND(0.001)	0.000	0.022
	07/17/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	ND(0.002)	0.000	0.009
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000	0.014
	01/13/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.016
Duplicate	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.018	ND(0.001)	0.000	0.025
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.021	ND(0.001)	0.000	0.028
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	0.017
	01/21/03	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.023	ND(0.001)	0.002	0.031
Duplicate	04/22/03	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.020	ND(0.001)	0.011	0.028
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.000	0.022
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.000	0.022
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	0.019
Duplicate	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.017
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	0.013
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.009
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
Duplicate	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	10/10/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
Duplicate	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	04/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
Duplicate	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-9 (Cont.)	10/1607	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/1508	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/2908	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/1608	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1508	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/1409	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/1409	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	Abandoned														
MW-10	05/2897	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.004	ND(0.002)	0.007	ND(0.002)	ND(0.002)	0.001	0.026	ND(0.001)	0.004	0.038
	05/2897	0.007	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.008	ND(0.002)	ND(0.002)	0.001	0.028	ND(0.001)	0.007	0.037
	07/2897	0.022	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.009	ND(0.002)	0.002	ND(0.002)	0.014	ND(0.001)	0.002	0.028
	10/1697	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	ND(0.002)	0.008	0.001	ND(0.001)	0.001	0.010
	04/1698	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	ND(0.002)	0.008	0.001	ND(0.001)	0.001	0.010
	07/1798	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	0.002	ND(0.001)	0.002	0.002
	10/2898	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	0.003	ND(0.001)	0.003	0.002
	10/2898	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	0.001	ND(0.001)	0.001	0.000
Duplicate	10/1899	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1600	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1601	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.005	0.005
	10/1702	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1403	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/3004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/0905	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1106	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Duplicate	10/1607	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1607	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1608	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	Abandoned														
MW-11	05/2497	0.002	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	0.010
	07/2897	0.003	0.001	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.000
	10/1697	0.002	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	01/0898	0.002	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.001)	0.005	0.000
	04/1698	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000
	07/1798	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	10/2898	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.001)	0.002	0.000
	10/1899	0.002	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
Duplicate	10/1899	0.001	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000
	10/1600	0.001	0.001	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.000
	10/1601	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000
	10/1702	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000
	10/1403	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.000
	10/3004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000
	10/0905	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	10/1106	0.001	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000
Duplicate	10/1607	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.000
	10/1607	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.000
	10/1608	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.000
	Abandoned														
MW-12	05/2597	ND(0.001)	0.006	0.005	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.014	0.001
	07/2897	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1697	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/0698	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/1698	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/1798	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001
	10/2898	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/1899	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.005

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-12 (Cort.)	10/1600	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	0.003
	10/1601	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1702	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1702	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Duplicate	10/1403	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1403	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/3004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/3005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Duplicate	10/1005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1106	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1607	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1608	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Duplicate	04/0709	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/1509	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/2109	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/2010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Duplicate	04/2010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/2210	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/2210	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-13	05/2497	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.001	ND(0.001)	0.010	ND(0.001)	0.000	0.023
	07/2897	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	0.000	0.022
	10/1697	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.001	ND(0.001)	0.013	ND(0.001)	0.000	0.029
	10/1697	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.011	ND(0.002)	0.001	ND(0.002)	0.013	ND(0.002)	0.000	0.025
Duplicate	01/0698	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.017	ND(0.002)	0.002	ND(0.002)	0.011	ND(0.002)	0.000	0.030
	04/1698	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.003	ND(0.001)	0.010	ND(0.001)	0.000	0.029
	07/1798	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.019	ND(0.002)	0.002	ND(0.002)	0.016	ND(0.002)	0.000	0.037
	10/2698	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.019	ND(0.002)	0.002	ND(0.002)	0.020	ND(0.002)	0.000	0.041
Duplicate	02/1099	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.016	ND(0.001)	0.002	ND(0.001)	0.014	ND(0.001)	0.000	0.033
	04/2199	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.002	ND(0.001)	0.018	ND(0.001)	0.000	0.037
	07/1299	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.001	ND(0.001)	0.012	ND(0.001)	0.000	0.025
	10/2099	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.002	ND(0.001)	0.015	ND(0.001)	0.000	0.035
Duplicate	01/2600	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.022	ND(0.001)	0.002	ND(0.001)	0.021	ND(0.001)	0.000	0.047
	04/1800	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.025	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	0.000	0.055
	07/2500	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.003)	0.002	ND(0.001)	0.023	ND(0.001)	0.002	ND(0.001)	0.026	ND(0.001)	0.000	0.052
	10/1600	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.027	ND(0.001)	0.002	ND(0.001)	0.019	ND(0.001)	0.000	0.050
Duplicate	01/1601	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.024	ND(0.001)	0.002	ND(0.001)	0.055	ND(0.001)	0.001	0.083
	04/1001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.019	ND(0.001)	0.002	ND(0.001)	0.020	ND(0.001)	0.000	0.042
	04/1001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.014	ND(0.001)	0.001	ND(0.001)	0.015	ND(0.001)	0.000	0.031
	04/1001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.015	ND(0.001)	0.001	ND(0.001)	0.016	ND(0.001)	0.000	0.032
Duplicate	07/1701	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.005	ND(0.002)	ND(0.002)	ND(0.002)	0.008	ND(0.002)	0.000	0.013
	10/1601	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.024
	01/1302	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.023
	04/2102	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.024
Duplicate	07/2302	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.024
	10/1702	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	0.026
	01/2103	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.015	ND(0.001)	0.001	ND(0.001)	0.020	ND(0.001)	0.001	0.037
	01/2103	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.019	ND(0.001)	0.001	ND(0.001)	0.020	ND(0.001)	0.002	0.041
Duplicate	04/2203	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	0.018	ND(0.001)	0.001	ND(0.001)	0.021	ND(0.001)	0.003	0.042
	07/1503	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.020	ND(0.001)	0.001	ND(0.001)	0.020	ND(0.001)	0.000	0.041
	10/1403	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.021	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	0.000	0.052
	01/2704	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.020	ND(0.001)	0.001	ND(0.001)	0.024	ND(0.001)	0.000	0.047
Duplicate	01/2704	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.020	ND(0.001)	0.001	ND(0.001)	0.024	ND(0.001)	0.000	0.047
	04/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.000	0.036
	07/1704	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.028
	10/2904	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
Duplicate	01/1505	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/1505	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-15 (Cont.)	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/19/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
*SQ4 (Cont.)	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	05/25/97	ND(0.01)	0.469	0.470	1.936	0.021	ND(0.01)	0.024	ND(0.01)	0.005	ND(0.01)	ND(0.01)	ND(0.01)	2.875	0.050
	07/28/97	ND(0.02)	0.411	0.138	0.905	0.020	ND(0.02)	0.020	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.02)	1.454	0.040
	10/16/97	ND(0.02)	0.322	0.039	0.713	0.018	ND(0.02)	0.022	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.02)	1.074	0.040
	01/06/98	0.002	0.042	0.007	0.019	0.051	ND(0.002)	0.075	ND(0.002)	0.014	ND(0.002)	0.004	ND(0.002)	0.064	0.144
	04/16/98	0.002	0.008	ND(0.005)	ND(0.01)	0.049	ND(0.005)	0.087	ND(0.005)	0.015	ND(0.005)	0.005	ND(0.005)	0.010	0.156
	07/17/98	ND(0.005)	0.016	ND(0.005)	ND(0.01)	0.038	ND(0.005)	0.075	ND(0.005)	0.015	ND(0.005)	0.005	ND(0.005)	0.016	0.133
*SQ4 (Cont.)	10/26/98	ND(0.002)	0.003	ND(0.002)	ND(0.004)	0.010	ND(0.002)	0.024	ND(0.002)	0.005	ND(0.002)	0.002	ND(0.002)	0.003	0.041
	02/10/99	0.007	0.013	ND(0.001)	ND(0.002)	0.025	ND(0.001)	0.079	ND(0.001)	0.016	ND(0.001)	0.005	ND(0.001)	0.014	0.125
	04/21/99	ND(0.001)	0.006	ND(0.001)	ND(0.002)	0.025	ND(0.001)	0.089	ND(0.001)	0.026	ND(0.001)	0.006	ND(0.001)	0.006	0.146
	07/12/99	ND(0.0025)	0.003	ND(0.0025)	ND(0.005)	0.021	ND(0.0025)	0.096	ND(0.0025)	0.021	ND(0.0025)	0.008	ND(0.0025)	0.003	0.146
	10/21/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.025	ND(0.0025)	0.073	ND(0.0025)	0.012	ND(0.0025)	0.005	ND(0.0025)	0.000	0.115
	01/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.048	ND(0.0025)	0.096	ND(0.0025)	0.013	ND(0.0025)	0.007	ND(0.0025)	0.000	0.164
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.057	ND(0.0025)	0.088	ND(0.0025)	0.008	ND(0.0025)	0.006	ND(0.0025)	0.000	0.160
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.057	ND(0.0025)	0.066	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.116
	07/25/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.720	ND(0.005)	0.080	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.800
	10/16/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.102	ND(0.0025)	0.097	ND(0.0025)	0.003	ND(0.0025)	0.003	ND(0.0025)	0.000	0.219
STL Duplicate	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.085	ND(0.0025)	0.077	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.174
	04/10/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.083	ND(0.0025)	0.074	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.172
	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.076
	10/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.066	ND(0.0025)	0.065	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.134
	01/13/02	0.003	0.007	ND(0.0025)	ND(0.0025)	0.055	ND(0.0025)	0.040	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.010	0.105
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.052
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.041
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.014
	01/21/03	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.002
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Abandoned	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/03	ND(0.0025)	0.003	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.000

Notes

Only commonly detected compounds are listed. Other compounds that have been detected infrequently are included in the laboratory reports.

ND - Not Detected at detection limit shown in parentheses

Italicized value - is below the method detection limit

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

*SQ4 = Shell Service Station monitoring well MW-4

1,1-DCA - 1,1-Dichloroethane

1,2-DCA - 1,2-Dichloroethane

1,1-DCE - 1,1-Dichloroethene

PCE - Tetrachloroethane

TCA - 1,1,1-Trichloroethane

TCE - Trichloroethene

STL - Duplicate samples sent to STL Corpus Christi, Texas

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m3)	Toluene (mg/m3)	Ethyl-Benzene (mg/m3)	Total Xylene (mg/m3)	1,1-DCE (mg/m3)	1,1-DCA (mg/m3)	Chloromethane (mg/m3)	1,1,1-TCA (mg/m3)	Vinyl Chloride (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	Input BTEX (mg/m3)	Output BTEX (mg/m3)	Input Halocarbons (mg/m3)	Output Halocarbons (mg/m3)
FORMER LAGOON																	
007-AREA 1	11/02/94	Pilot	ND(0.1)	1	0.35		29.80	0.487		20.7			36.5				
Unit 1 (7/95) Input	07/13/95	Input	28	256	30.6	111.2	46.2	48.3	ND(0.2)	450	ND(0.2)	1.23	135	425.8		680.73	
Unit 1 (7/95) Exhaust		Exhaust	0.83	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0.83		0
Unit 1 (8/95) Input	08/12/95	Input	18.3	46.4	20	51.4	23.9	35.2	ND(0.2)	216.6	ND(0.2)	1.3	19	136.1		296	
Unit 1 (8/95) Exhaust		Exhaust	1.9	ND(0.2)	ND(0.2)	ND(0.2)	5	ND(0.2)	12.8	ND(0.2)	35.7	ND(0.2)	3.7		1.9		57.2
Unit 1 Input 9/95-1	09/07/95	Input	19.1	118.3	16.6	91.2	56.7	34.8	ND(0.2)	283	ND(0.2)	2.73	111.8	245.2		489.03	
Unit 1 Output 9/95-1		Exhaust	6.5	2.9	0.6	3.4	ND(0.2)	ND(0.2)	6.8	ND(0.2)	8.6	ND(0.2)	6		13.4		21.4
Unit 1 Output 9/95-2		Exhaust 2	1.3	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		1.3		0
Unit 1 Int	11/29/95	Before Cat	1.01	ND(0.43)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	1.01		0	
Unit 1 Output		After Cat	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	15.3	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0		15.3
93007-WatPDEh.4/96	04/11/96	Input	ND(0.2)	114	19.1	81.5	9.7	11.4	ND(0.2)	116	ND(0.2)	ND(0.2)	120	214.6		257.1	
93007-WatPDEh.4/96		Exhaust	1	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	4.1	ND(0.2)	1.2	ND(0.2)	0.5		1		5.8
93007-WPINPUT.7/96	07/23/96	Input	2.8	49.5	2.6	11.2	6.9	6.1	ND(0.5)	64.6	ND(0.5)	0.4	17.9	66.1		95.9	
93007-WPEXHST.7/96		Exhaust	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	2.4	ND(0.3)	0.7	ND(0.3)	0.6		0		3.7
WP-INPUT-10/96	10/24/96	Input	2.07	44	12.1	77.1	4.9	ND(0.2)	3.02	ND(0.2)	2.97	ND(0.2)	0.832	135.27		132.22	
WP-INPUT-10/96		Exhaust	1.02	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)		ND(0.2)				1.02			6.822
93-007-WP-INP.5/97	05/13/97	Input	5.7	95.5	19.7	109.4	9.1	10.2	ND(5.0)	74.1	ND(5.0)	ND(5.0)	66.3	230.3		159.7	
93007-WP.10/97	10/14/97	Input	10.6	90.2	26.4	150.4	5.4	9.05	ND(5.0)	125	ND(5.0)	ND(5.0)	81	277.6		220.45	
93007-WP.1/98	01/06/98	Input	8.92	58	19.2	103.3	4.86	8.54	ND(2.0)	125	ND(2.0)	ND(2.0)	68.4	189.42		206.8	
93007-WP.4/98	04/28/98	Input	10.9	73.6	20.7	114.6	7.2	12.6	ND(5.0)	228	ND(5.0)	ND(5.0)	117	219.8		364.8	
93007-WP.7/98	07/16/98	Input	8.40J	66.5	19.5	116.3	ND(0.10)	7.80J	ND(0.10)	175	ND(0.10)	ND(0.10)	105	202.3		280	
93007-WP.10/98	10/28/98	Input	6.38	62.8	18	80.1	ND(2.5)	4.35	ND(2.5)	78.1	ND(2.5)	ND(2.5)	50.5	167.28		132.95	
93007-WP.11/98	11/12/98	Input	7.0J	80.9	34.6	249	ND(10.0)	ND(10.0)	ND(10.0)	72.7	ND(10.0)	ND(10.0)	121	364.5		193.7	
93007-WP.2/99	02/10/99	Input	4.35	68.8	42.8	270	ND(2.5)	ND(2.5)	ND(2.5)	43.9	ND(2.5)	ND(2.5)	87.3	385.95		131.2	
93007-WP.4/99	04/21/99	Input	2.2J	39.2	19.2	114.3	ND(2.5)	ND(2.5)	ND(2.5)	28.1	ND(2.5)	ND(2.5)	51.6	172.7		79.7	
93007-WP.7/99	07/12/99	Input	ND(2.5)	33.1	14.8	88.2	ND(2.5)	ND(2.5)	ND(2.5)	14.5	ND(2.5)	ND(2.5)	40	136.1		54.5	
93007-WP.10/99	10/21/99	Input	ND(2.5)	22.9	11.7	67.3	ND(2.5)	ND(2.5)	ND(2.5)	9.35	ND(2.5)	ND(2.5)	34.9	101.9		44.25	
93007-WP.1/00	01/25/00	Input	ND(2.5)	20.3	10.2	61.1	ND(2.5)	ND(2.5)	ND(2.5)	6.9	ND(2.5)	ND(2.5)	34.6	91.6		41.5	
93007-WP.4/00	04/17/00	Input	ND(5.0)	14.1	7.45	41.1	ND(5.0)	ND(5.0)	ND(5.0)	5	ND(5.0)	ND(5.0)	26.2	62.65		31.2	
93007-WP.7/00	07/25/00	Input	ND(2.5)	8.2	3.75	22.7	ND(2.5)	ND(2.5)	ND(2.5)	3.25	ND(2.5)	ND(2.5)	18.1	34.65		21.35	
93007-WP.10/00	10/16/00	Input	ND(2.5)	9.3	5.75	67.3	ND(2.5)	ND(2.5)	ND(2.5)	2.85	ND(2.5)	ND(2.5)	22	82.35		24.85	
93007-WP.1/01	01/16/01	Input	ND(1.0)	8.08	5.94	36.7	ND(1.0)	ND(1.0)	ND(1.0)	2.36	ND(1.0)	ND(1.0)	31.33	50.72		33.69	
93007-WP.4/01	04/10/01	Input	ND(5.0)	63.5	51.1	278	ND(5.0)	ND(5.0)	ND(5.0)	21.9	ND(5.0)	ND(5.0)	215	392.6		236.9	
93007-WP.7/01	07/17/01	Input	ND(2.0)	2.9	2.8	15.5	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	14	21.2		14	
93007-WP.10/01	10/16/01	Input	ND(5.0)	ND(5.0)	ND(5.0)	7.6	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	22	7.6		22	
93007-WP.01/02	01/14/02	Input	ND(1.5)	ND(1.5)	1.8	9.8	ND(1.5)	ND(1.5)	ND(1.5)	ND(1.5)	ND(1.5)	ND(1.5)	10	11.6		10	
93007-WP.04/02	04/22/02	Input	ND(1.2)	1.3	1.9	9.8	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	11	13		11	
93007-WP.07/02	07/23/02	Input	ND(1.0)	ND(1.0)	1.9	11.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	9.2	13.4		9.2	
93007-WP.10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	6.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	4.6	6.6		4.6	
93007-WP.01/03	01/21/03	Input	ND(1.0)	ND(1.0)	1.5	9.2	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7.7	10.7		7.7	
93007-WP.04/03	04/22/03	Input	ND(1.0)	ND(1.0)	1.4	9.2	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	6.5	10.6		6.5	
93007-WP.07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-WP.10/03	10/14/03	Input	ND(1.0)	ND(1.0)	1.2	8.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	5.6	9.9		5.6	
93007-WP.01/04	01/27/04	Input	ND(1.0)	ND(1.0)	1.1	8	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	5.8	9.1		5.8	
93007-WP.4/04	04/20/04	Input	ND(1.0)	ND(1.0)	1	8.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	5.5	9.6		5.5	
93007-WP.7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	4.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.7	4.6		3.7	
93007-WP.10/04	10/10/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	6.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	4.2	6.5		4.2	
93007-WP.1/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	9	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7	9		7	
93007-WP.4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	3.3	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.1	3.3		3.1	
93007-WP.7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	3.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.1	3.6		3.1	
93007-WP.10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	3.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.7	3.7		2.7	
93007-WP.1/06	01/17/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.0	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	1		1.1	
93007-WP.4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.1	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.1	2.1		2.1	

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m3)	Toluene (mg/m3)	Ethyl-Benzene (mg/m3)	Total Xylene (mg/m3)	1,1-DCE (mg/m3)	1,1-DCA (mg/m3)	Chloromethane (mg/m3)	1,1,1-TCA (mg/m3)	Vinyl Chloride (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	Input BTEX (mg/m3)	Output BTEX (mg/m3)	Input Halocarbons (mg/m3)	Output Halocarbons (mg/m3)
93007-WP.7/06	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.7	1.6		1.7	
93007-WP.10/06	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.3	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.9	2.3		1.9	
93007-WP.1/07	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.8	2.6		1.8	
93007-WP.4/07	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.9	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.5	1.9		1.5	
93007-WP.7/07	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.1	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.7	2.1		1.7	
93007-WP.10/07	10/16/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.8	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	1.8		1.4	
93007-WP.1/08	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	1.7		1.1	
93007-WP.4/08	04/29/08	Input	ND(1.0)	1.1	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.7		0	
93007-WP.7/08	07/16/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.3	1.7		1.3	
93007-WP.10/08	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.0	1.6		1	
93007-WP.1/09	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.4	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.9	1.4		0.9	
93007-WP.4/09	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.0	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.8	1		0.8	
93007-WP.7/09	07/15/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.0	1.5		1	
93007-WP.10/09	10/21/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.7	1.5		0.7	
93007-WP.1/10	01/15/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	0.9	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.8	0.9		0.8	
93007-WP.4/10	04/21/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-WP.7/10	07/27/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	

ACID PLANT

007-AREA 2	11/02/94	Pilot	4.5	23.2	11.4	46.18	4.4	12.2		88.5			30.5				
Unit 2 (7/95) Input	07/13/95	Input	3.13	27.2	12.9	ND(0.2)	1.52	1.53	ND(0.2)	3.39	ND(0.2)	ND(0.2)	6.91	89.41		13.35	
Unit 2 (7/95) Exhaust		Exhaust	ND(0.2)	0.26	ND(0.2)	1.5	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		1.76		0
Unit 2 (8/95) Input	08/12/95	Input	1.42	24.8	10.4	48.5	5.1	1.6	ND(0.2)	7	ND(0.2)	ND(0.2)	8.9	85.12		22.6	
Unit 2 (8/95) Exhaust		Exhaust	ND(0.2)	0.5	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0.5		0
Unit 2 Output 9/95	09/07/95	Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0		0
93007-ACDKINPT.4/96	04/11/96	Input	0.7	17.7	5.6	30.3	1.9	0.6	ND(0.2)	5.5	ND(0.2)	0.3	19	54.3		27.3	
93007-ACDKExh.4/96		Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0		0
93007-ADINPT.7/96	07/23/96	Input	ND(0.3)	1	ND(0.3)	1.1	0.8	ND(0.3)	ND(0.5)	0.9	ND(0.5)	ND(0.3)	1.6	2.1		3.3	
93007-ADExHST.7/96		Exhaust	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.3)	ND(0.5)	ND(0.3)	ND(0.3)		0		0
AD-INPUT-10/96	10/24/96	Input	0.61	4.51	0.88	5.62	1.69	0.55	ND(0.2)	1.48	ND(0.2)	ND(0.2)	3.33	11.62		7.05	
93007-AD-INP-1/97		Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	0.477	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0		0.477
93007-AD-EXH-1/97	01/21/97	Input	ND(1.0)	5.67	ND(1.0)	2.38	ND(1.0)	ND(1.0)	ND(1.0)	1.34	ND(1.0)	ND(1.0)	8.86	8.05		10.2	
93-007-AD-INP.5/97		Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)		0		0
93007-AD.10/97	05/13/97	Input	ND(1.0)	4.06	ND(1.0)	3.88	2.19	ND(1.0)	ND(1.0)	2.09	ND(1.0)	ND(1.0)	10.3	7.94		14.58	
93007-AD.1/98	01/06/98	Input	ND(1.0)	6.4	2.46	16.36	ND(1.0)	ND(1.0)	ND(1.0)	3.98	ND(1.0)	ND(1.0)	7.29	25.22		11.27	
93007-AD.4/98	04/28/98	Input	ND(1.0)	ND(1.0)	ND(1.0)	0.75J	ND(1.0)	ND(1.0)	ND(1.0)	0.56J	ND(1.0)	ND(1.0)	1.4	0		1.4	
93007-AD.7/98	07/16/98	Input	ND(1.0)	2.08	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.68J	ND(1.0)	ND(1.0)	2.26	2.08		2.26	
93007-AD.11/98	11/12/98	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.77J	0		0	
93007-AD.2/99	02/10/99	Input	ND(0.5)	2.38	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	0.63	2.38		0.63	
93007-AD.4/99	04/21/99	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/99	07/12/99	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	0		0	
93007-AD.10/99	10/21/99	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	0		0	
93007-AD.1/00	01/25/00	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	0		0	
93007-AD.4/00	04/17/00	Input	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	0		0	
93007-AD.7/00	07/25/00	Input	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	0		0	
93007-AD.10/00	10/16/00	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	0		0	
93007-AD.1/01	01/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/01	04/10/01	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0		0	
93007-AD.7/01	07/17/01	Input	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	0		0	
93007-AD.10/01	10/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.01/02	01/14/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.04/02	04/22/02	Input	Sample damaged during shipment														

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m3)	Toluene (mg/m3)	Ethyl-Benzene (mg/m3)	Total Xylene (mg/m3)	1,1-DCE (mg/m3)	1,1-DCA (mg/m3)	Chloromethane (mg/m3)	1,1,1-TCA (mg/m3)	Vinyl Chloride (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	Input BTEX (mg/m3)	Output BTEX (mg/m3)	Input Halocarbons (mg/m3)	Output Halocarbons (mg/m3)
93007-AD.07/02	07/23/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.01/03	01/21/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/03	10/14/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.01/04	01/27/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/04	04/20/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/04	11/01/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/06	01/17/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/16	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/16	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/07	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/07	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/07	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/07	10/16/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/08	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/08	04/29/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/08	07/16/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/08	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/09	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/09	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/09	07/15/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/09	10/21/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/10	01/20/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/10	04/21/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/10	07/27/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	

FORMER UST

007-AREA 3	11/02/94	Pilot	1.2	5.7	5.5	6.84	281	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	2.68	870	15.84		1379.58	
Unit 3 (7/95) Input	7/13/95	Exhaust	2.89	1.41	0.72	7.88	0.27	ND(0.2)	17.2	ND(0.2)	0.87	ND(0.2)	2.76	8.1	12.9		21.1
Unit 3 (8/95) Exhaust	8/12/95	Exhaust	0.4	1.9	0.9	4.9	506	15.6	ND(0.2)	48	35	0.8	21.5	0	4.9	1738.7	108.1
Unit 3 (8/95) Exhaust	09/07/95	Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	593.4	13.3	ND(0.2)	ND(0.2)	492	ND(0.2)	2	444.4	0	1545.1	170.4
Unit 3 Input 9/95-1		Exhaust	1.1	0.5	ND(0.2)	ND(0.2)	56.2	ND(0.2)	ND(0.2)	31.9	ND(0.2)	0.9	81.4		1.6	58.3	
Unit 3 Int	11/29/95	Before Cat	1.01	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	13	ND(0.2)	35.6	ND(0.2)	9.7	1.01	1.01		41.21
Unit 3 Output		After Cat	1.01	ND(0.2)	ND(0.2)	ND(0.2)	3.21	ND(0.2)	13	ND(0.2)	10.5	ND(0.2)	14.5	4.8	1.01	965.4	
93007-TKShpmt	04/11/96	Input	ND(0.2)	0.9	0.5	3.4	99.4	ND(0.2)	ND(0.2)	254	ND(0.2)	1	611	4.8	0.6	26.7	
93007-TKShpExh.4/96		Exhaust	0.6	ND(0.2)	ND(0.2)	ND(0.2)	0.9	ND(0.2)	10.1	ND(0.2)	6.8	0.4	8.5	0	0.4	98.6	
93007TSINPUT.7/96	07/23/96	Input	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	47.1	4.8	ND(0.5)	ND(0.3)	ND(0.5)	0.5	46.2	0	0.4		12.9
93007TSEXHST.7/96		Exhaust	0.4	ND(0.3)	ND(0.3)	ND(0.3)	1.3	ND(0.3)	6.6	ND(0.3)	2.2	ND(0.3)	2.8	1.95		338.67	
UST-INPUT-10/96	10/24/96	Input	0.35	0.35	0.24	1.01	57.6	4.37	ND(0.2)	97.7	ND(0.2)	1.62	205	0	4.83		8.87
UST-OUTPUT-10/96		Exhaust	4.83	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	4.86	ND(0.2)	2.59	ND(0.2)	1.62				
93007-UST-INP-1/97	1/21/1997	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	30	2.8	ND(1.0)	63.3	ND(1.0)	0.58J	6.19	0	0	301.1	
93007-UST-EXH-1/97		Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.5	ND(1.0)	ND(1.0)	ND(1.0)	6.19	0		8.69	
93-007 UST-INP.5/97	05/13/97	Input	ND(25.0)	ND(25.0)	ND(25.0)	ND(25.0)	21.3J	ND(25.0)	ND(25.0)	41.8	ND(25.0)	ND(25.0)	155	0		196.8	
93007-UST.1/98	01/06/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	3.85J	ND(5.0)	ND(5.0)	8.25	ND(5.0)	ND(5.0)	102	0		110.25	

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m3)	Toluene (mg/m3)	Ethyl-Benzene (mg/m3)	Total Xylene (mg/m3)	1,1-DCE (mg/m3)	1,1-DCA (mg/m3)	Chloromethane (mg/m3)	1,1,1-TCA (mg/m3)	Vinyl Chloride (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	Input BTEX (mg/m3)	Output BTEX (mg/m3)	Input Halocarbons (mg/m3)	Output Halocarbons (mg/m3)
93007-UST.4/98	04/28/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	2.15J	ND(5.0)	ND(5.0)	4.15J	ND(5.0)	ND(5.0)	121	0		121	
93007-UST.10/98	10/28/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	2.80J	ND(5.0)	ND(5.0)	104	0		104	
93007-UST.2/99	02/11/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(5.0)	ND(2.5)	ND(2.5)	46.8	0		46.8	
93007-UST.4/99	04/21/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(5.0)	ND(2.5)	ND(2.5)	37.9	0		37.9	
93007-UST.7/99	07/12/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(5.0)	ND(2.5)	ND(2.5)	36.6	0		36.6	
93007-UST.10/99	10/21/99	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	37	0		37	
93007-UST.1/00	01/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	27.6	0		27.6	
93007-UST.4/00	04/17/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	36.2	0		36.2	
93007-UST.7/00	07/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	41.9	0		41.9	
93007-UST.10/00	10/16/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	29.4	0		29.4	
93007-UST.1/01	01/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	48.4	0		48.4	
93007-UST.7/01	07/17/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	21	0		21	
93007-UST.10/01	10/16/01	Input	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	2.6	0		2.6	
93007-UST.01/02	01/14/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	17	0		17	
93007-UST.04/02	04/22/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	26	0		26	
93007-UST.07/02	07/23/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	23	0		23	
93007-UST.10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	13.8	0		13.8	
93007-UST.01/03	01/21/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	15.2	0		15.2	
93007-UST.04/03	04/22/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	9.3	0		9.3	
93007-UST.07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	12.6	0		12.6	
93007-UST.10/03	10/14/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	10.5	0		10.5	
93007-UST.01/04	01/27/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	8.3	0		8.3	
93007-UST.4/04	04/20/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	13.5	0		13.5	
93007-UST.7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	15.8	0		15.8	
93007-UST.10/04	11/01/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7	0		7	
93007-UST.1/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	11.6	0		11.6	
93007-UST.4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.1	0		3.1	
93007-UST.7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.5	0		3.5	
93007-UST.10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.4	0		2.4	
93007-UST.1/06	01/17/16	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	0		1.4	
93007-UST.4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.9	0		1.9	
93007-UST.7/06	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	0		1.4	
93007-UST.10/06	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	0		1.1	
93007-UST.1/07	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.4/07	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	0		1.1	
93007-UST.7/07	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.10/07	10/16/07	Input	NO DATA DUE TO LOW SAMPLE VOLUME										ND(1.0)	0		0	
93007-UST.1/08	01/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.1/08	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.4/08	04/29/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.7/08	07/16/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.10/08	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.1/09	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.4/09	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.7/09	07/15/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.10/09	10/21/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.1/10	01/20/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.4/10	04/21/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.4	0		0.4	
93007-UST.7/10	07/27/10	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	

Notes: mg/m3 = milligrams per cubic meter

ND=Not Detected at detection limit shown in parentheses.

DCA=Dichloroethane
DCE= DichloroethaneTCE = Trichloroethene
PCE = Tetachloroethene

EXPLANATION


- MW-14
3552.65
SHALLOW MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE ELEVATION
- MW-1
ABANDONED DEEP MONITORING WELL
- MW-11
POTENTIOMETRIC SURFACE CONTOURS AND ELEVATION (DASHED WHERE INFERRED)
- GROUND-WATER FLOW DIRECTION




0 300 ft.
SCALE

FIGURE 1
POTENTIOMETRIC SURFACE MAP
(07/27/10)

SCHLUMBERGER TECHNOLOGY CORPORATION
HOBBBS, NM





EXPLANATION

- MW-8
0.001
SHALLOW MONITORING WELL LOCATION, IDENTIFICATION AND TOTAL HALOCARBONS CONCENTRATIONS
- MW-1
0.001
ABANDONED MONITORING WELL
- MW-10
0.001
ABANDONED DEEP MONITORING WELL
- NS
TOTAL HALOCARBONS CONTOURS
- NS
NOT SAMPLED

FIGURE 2
 TOTAL HALOCARBONS
 CONCENTRATION MAP
 (07/27/10)

SCHLUMBERGER TECHNOLOGY CORPORATION
 HOBBS, NM



ANALYTICAL SUMMARY REPORT

August 08, 2010

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C10071064

Project Name: 93007 Hobbs

Energy Laboratories, Inc. received the following 6 samples for Deuell Environmental LLC on 7/29/2010 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C10071064-001	93007-7.7/10	07/27/10 10:00	07/29/10	Aqueous	SW8260B VOCs, Standard List
C10071064-002	93007-8.7/10	07/27/10 10:30	07/29/10	Aqueous	Same As Above
C10071064-003	93007-12.7/10	07/27/10 11:00	07/29/10	Aqueous	Same As Above
C10071064-004	93007-15.7/10	07/27/10 12:00	07/29/10	Aqueous	Same As Above
C10071064-005	93007-A.7/10	07/27/10 09:30	07/29/10	Aqueous	Same As Above
C10071064-006	Trip Blank	07/27/10 12:00	07/29/10	Aqueous	Same As Above

This report was prepared by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing.

If you have any questions regarding these test results, please call.

Report Approved By:



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-001
Client Sample ID: 93007-7.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 10:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-001
Client Sample ID: 93007-7.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 10:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 16:28 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 16:28 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 16:28 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	08/03/10 16:28 / wen
Surr: Dibromofluoromethane	106	%REC		70-130		SW8260B	08/03/10 16:28 / wen
Surr: p-Bromofluorobenzene	122	%REC	S	80-120		SW8260B	08/03/10 16:28 / wen
Surr: Toluene-d8	102	%REC		80-120		SW8260B	08/03/10 16:28 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-002
Client Sample ID: 93007-8.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 10:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-002
Client Sample ID: 93007-8.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 10:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 17:03 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 17:03 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 17:03 / wen
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	08/03/10 17:03 / wen
Surr: Dibromofluoromethane	109	%REC		70-130		SW8260B	08/03/10 17:03 / wen
Surr: p-Bromofluorobenzene	120	%REC		80-120		SW8260B	08/03/10 17:03 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	08/03/10 17:03 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-003
Client Sample ID: 93007-12.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 11:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-003
Client Sample ID: 93007-12.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 11:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 17:38 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 17:38 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 17:38 / wen
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	08/03/10 17:38 / wen
Surr: Dibromofluoromethane	106	%REC		70-130		SW8260B	08/03/10 17:38 / wen
Surr: p-Bromofluorobenzene	120	%REC		80-120		SW8260B	08/03/10 17:38 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	08/03/10 17:38 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-004
Client Sample ID: 93007-15.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 12:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-004
Client Sample ID: 93007-15.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 12:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 18:13 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 18:13 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 18:13 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	08/03/10 18:13 / wen
Surr: Dibromofluoromethane	106	%REC		70-130		SW8260B	08/03/10 18:13 / wen
Surr: p-Bromofluorobenzene	121	%REC	S	80-120		SW8260B	08/03/10 18:13 / wen
Surr: Toluene-d8	103	%REC		80-120		SW8260B	08/03/10 18:13 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-005
Client Sample ID: 93007-A.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 09:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-005
Client Sample ID: 93007-A.7/10

Report Date: 08/08/10
Collection Date: 07/27/10 09:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 18:49 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 18:49 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 18:49 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	08/03/10 18:49 / wen
Surr: Dibromofluoromethane	101	%REC		70-130		SW8260B	08/03/10 18:49 / wen
Surr: p-Bromofluorobenzene	123	%REC	S	80-120		SW8260B	08/03/10 18:49 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	08/03/10 18:49 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-006
Client Sample ID: Trip Blank

Report Date: 08/08/10
Collection Date: 07/27/10 12:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10071064-006
Client Sample ID: Trip Blank

Report Date: 08/08/10
Collection Date: 07/27/10 12:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 19:24 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 19:24 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 19:24 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	08/03/10 19:24 / wen
Surr: Dibromofluoromethane	106	%REC		70-130		SW8260B	08/03/10 19:24 / wen
Surr: p-Bromofluorobenzene	118	%REC		80-120		SW8260B	08/03/10 19:24 / wen
Surr: Toluene-d8	103	%REC		80-120		SW8260B	08/03/10 19:24 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/08/10

Project: 93007 Hobbs

Work Order: C10071064

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135750	
Sample ID: 03-Aug-10_LCS_3 67 Laboratory Control Sample									Run: GCMS2_100803A	
									08/03/10 13:24	
1,1,1,2-Tetrachloroethane		9.7	ug/L	1.0	97	70	130			
1,1,1-Trichloroethane		11	ug/L	1.0	114	70	130			
1,1,2,2-Tetrachloroethane		10	ug/L	1.0	100	70	130			
1,1,2-Trichloroethane		11	ug/L	1.0	107	70	130			
1,1-Dichloroethane		11	ug/L	1.0	109	70	130			
1,1-Dichloroethene		11	ug/L	1.0	114	70	130			
1,1-Dichloropropene		11	ug/L	1.0	113	70	130			
1,2,3-Trichlorobenzene		9.7	ug/L	1.0	97	70	130			
1,2,3-Trichloropropane		9.7	ug/L	1.0	97	70	130			
1,2,4-Trichlorobenzene		9.7	ug/L	1.0	97	70	130			
1,2,4-Trimethylbenzene		11	ug/L	1.0	108	70	130			
1,2-Dibromo-3-chloropropane		10	ug/L	1.0	102	70	130			
1,2-Dibromoethane		10	ug/L	1.0	102	70	130			
1,2-Dichlorobenzene		10	ug/L	1.0	102	70	130			
1,2-Dichloroethane		10	ug/L	1.0	105	70	130			
1,2-Dichloropropane		9.9	ug/L	1.0	99	70	130			
1,3,5-Trimethylbenzene		11	ug/L	1.0	111	70	130			
1,3-Dichlorobenzene		10	ug/L	1.0	104	70	130			
1,3-Dichloropropane		11	ug/L	1.0	107	70	130			
1,4-Dichlorobenzene		10	ug/L	1.0	104	70	130			
2,2-Dichloropropane		11	ug/L	1.0	110	60	140			
2-Chloroethyl vinyl ether		2.6	ug/L	1.0	26	70	130			S
2-Chlorotoluene		10	ug/L	1.0	103	70	130			
4-Chlorotoluene		10	ug/L	1.0	104	70	130			
Benzene		11	ug/L	1.0	109	70	130			
Bromobenzene		10	ug/L	1.0	103	70	130			
Bromochloromethane		12	ug/L	1.0	121	70	130			
Bromodichloromethane		10	ug/L	1.0	102	70	130			
Bromoform		10	ug/L	1.0	101	70	130			
Bromomethane		12	ug/L	1.0	123	70	130			
Carbon tetrachloride		11	ug/L	1.0	115	70	130			
Chlorobenzene		10	ug/L	1.0	103	70	130			
Chlorodibromomethane		9.4	ug/L	1.0	94	70	130			
Chloroethane		11	ug/L	1.0	114	70	130			
Chloroform		11	ug/L	1.0	112	70	130			
Chloromethane		10	ug/L	1.0	103	70	130			
cis-1,2-Dichloroethene		11	ug/L	1.0	107	70	130			
cis-1,3-Dichloropropene		10	ug/L	1.0	100	70	130			
Dibromomethane		11	ug/L	1.0	107	70	130			
Dichlorodifluoromethane		11	ug/L	1.0	110	70	130			
Ethylbenzene		10	ug/L	1.0	101	70	130			
Hexachlorobutadiene		12	ug/L	1.0	120	70	130			
Isopropylbenzene		13	ug/L	1.0	126	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/08/10

Project: 93007 Hobbs

Work Order: C10071064

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135750
Sample ID: 03-Aug-10_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100803A			08/03/10 13:24	
m+p-Xylenes		20	ug/L	1.0	101	70	130			
Methyl ethyl ketone		87	ug/L	20	87	70	130			
Methyl tert-butyl ether (MTBE)		11	ug/L	2.0	110	70	130			
Methylene chloride		11	ug/L	1.0	106	70	130			
n-Butylbenzene		11	ug/L	1.0	112	70	130			
n-Propylbenzene		11	ug/L	1.0	111	70	130			
Naphthalene		9.1	ug/L	1.0	91	70	130			
o-Xylene		10.0	ug/L	1.0	100	70	130			
p-Isopropyltoluene		11	ug/L	1.0	109	70	130			
sec-Butylbenzene		11	ug/L	1.0	107	70	130			
Styrene		9.7	ug/L	1.0	97	70	130			
tert-Butylbenzene		11	ug/L	1.0	108	70	130			
Tetrachloroethene		11	ug/L	1.0	114	70	130			
Toluene		11	ug/L	1.0	106	70	130			
trans-1,2-Dichloroethene		12	ug/L	1.0	124	70	130			
trans-1,3-Dichloropropene		9.6	ug/L	1.0	96	70	130			
Trichloroethene		10	ug/L	1.0	102	70	130			
Trichlorofluoromethane		12	ug/L	1.0	118	70	130			
Vinyl chloride		12	ug/L	1.0	116	70	130			
Xylenes, Total		30	ug/L	1.0	101	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	106	80	120			
Surr: Dibromofluoromethane				1.0	110	70	130			
Surr: p-Bromofluorobenzene				1.0	110	80	130			
Surr: Toluene-d8				1.0	105	80	120			
Sample ID: 03-Aug-10_MBLK_6	67	Method Blank				Run: GCMS2_100803A			08/03/10 15:18	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/08/10

Project: 93007 Hobbs

Work Order: C10071064

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135750
Sample ID: 03-Aug-10_MBLK_6	67	Method Blank				Run: GCMS2_100803A				08/03/10 15:18
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/08/10

Project: 93007 Hobbs

Work Order: C10071064

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135750
Sample ID: 03-Aug-10_MBLK_6	67	Method Blank				Run: GCMS2_100803A				08/03/10 15:18
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	110	80	120			
Surr: Dibromofluoromethane				1.0	109	70	130			
Surr: p-Bromofluorobenzene				1.0	125	80	120			S
Surr: Toluene-d8				1.0	102	80	120			
Sample ID: C10071146-005BMS	28	Sample Matrix Spike				Run: GCMS2_100803A				08/03/10 22:55
1,1,1-Trichloroethane		140	ug/L	10	138	70	130			S
1,1-Dichloroethene		130	ug/L	10	130	70	130			
1,2-Dichlorobenzene		100	ug/L	10	103	70	130			
1,2-Dichloroethane		140	ug/L	10	136	70	130			S
1,2-Dichloropropane		100	ug/L	10	102	70	130			
1,4-Dichlorobenzene		100	ug/L	10	101	70	130			
Benzene		110	ug/L	10	114	70	130			
Bromodichloromethane		120	ug/L	10	116	70	130			
Bromoform		98	ug/L	10	98	70	130			
Carbon tetrachloride		140	ug/L	10	140	70	130			S
Chlorobenzene		110	ug/L	10	106	70	130			
Chlorodibromomethane		100	ug/L	10	103	70	130			
Chloroform		130	ug/L	10	131	70	130			S
cis-1,2-Dichloroethene		120	ug/L	10	116	70	130			
Ethylbenzene		110	ug/L	10	107	70	130			
m+p-Xylenes		220	ug/L	10	108	70	130			
o-Xylene		110	ug/L	10	111	70	130			
Styrene		110	ug/L	10	106	70	130			
Tetrachloroethene		110	ug/L	10	111	70	130			
Toluene		120	ug/L	10	116	70	130			
trans-1,2-Dichloroethene		130	ug/L	10	134	70	130			S
Trichloroethene		110	ug/L	10	105	70	130			
Vinyl chloride		140	ug/L	10	139	70	130			S
Xylenes, Total		330	ug/L	10	109	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	106	80	120			
Surr: Dibromofluoromethane				1.0	120	70	130			
Surr: p-Bromofluorobenzene				1.0	100	80	120			
Surr: Toluene-d8				1.0	109	80	120			
- Spike recovery is high for several analytes. This is a matrix related bias since the MS MSD pair both exhibit this same behavior yet have an acceptable RPD.										
Sample ID: C10071146-005BMSD	28	Sample Matrix Spike Duplicate				Run: GCMS2_100803A				08/03/10 23:31
1,1,1-Trichloroethane		140	ug/L	10	138	70	130	0.6	20	S
1,1-Dichloroethene		130	ug/L	10	131	70	130	1.2	20	S
1,2-Dichlorobenzene		110	ug/L	10	108	70	130	4.5	20	
1,2-Dichloroethane		130	ug/L	10	131	70	130	4.2	20	S
1,2-Dichloropropane		100	ug/L	10	104	70	130	2.7	20	
1,4-Dichlorobenzene		110	ug/L	10	106	70	130	5	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/08/10

Project: 93007 Hobbs

Work Order: C10071064

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135750	
Sample ID: C10071146-005BMSD 28		Sample Matrix Spike Duplicate			Run: GCMS2_100803A				08/03/10 23:31	
Benzene		120	ug/L	10	115	70	130	0.7	20	
Bromodichloromethane		120	ug/L	10	116	70	130	0	20	
Bromoform		110	ug/L	10	105	70	130	6.7	20	
Carbon tetrachloride		140	ug/L	10	138	70	130	1.4	20	S
Chlorobenzene		110	ug/L	10	107	70	130	0.7	20	
Chlorodibromomethane		100	ug/L	10	102	70	130	0.4	20	
Chloroform		130	ug/L	10	130	70	130	0.3	20	
cis-1,2-Dichloroethene		120	ug/L	10	116	70	130	0	20	
Ethylbenzene		110	ug/L	10	108	70	130	0.4	20	
m+p-Xylenes		210	ug/L	10	107	70	130	1.1	20	
o-Xylene		110	ug/L	10	109	70	130	1.8	20	
Styrene		110	ug/L	10	106	70	130	0.8	20	
Tetrachloroethene		110	ug/L	10	112	70	130	1.4	20	
Toluene		110	ug/L	10	114	70	130	1.7	20	
trans-1,2-Dichloroethene		140	ug/L	10	137	70	130	1.8	20	S
Trichloroethene		110	ug/L	10	107	70	130	1.5	20	
Vinyl chloride		140	ug/L	10	140	70	130	0.9	20	S
Xylenes, Total		320	ug/L	10	107	70	130	1.4	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120	0	10	
Surr: Dibromofluoromethane				1.0	116	70	130	0	10	
Surr: p-Bromofluorobenzene				1.0	105	80	120	0	10	
Surr: Toluene-d8				1.0	108	80	120	0	10	

- Spike recovery is high for several analytes. This is a matrix related bias since the MS MSD pair both exhibit this same behavior yet have an acceptable RPD.

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.

Workorder Receipt Checklist



Deuell Environmental LLC

C10071064

Login completed by: Halley Ackerman

Date Received: 7/29/2010

Reviewed by: BL2000\tedwards

Received by: ha

Reviewed Date: 8/2/2010

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	9°C On Ice		
Water - VOA vials have zero headspace?	Yes ☒	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 1 of 1

PLEASE PRINT (Provide as much information as possible.)

Company Name: Devel Environmental		Project Name, PWS, Permit, Etc. 93007 HOBBS		Sample Origin NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT LARAMIE, WY 82072		Contact Name: Rich Devere		Phone/Fax: 307 760 8277		Email: rich@devel.com	
Invoice Address: Same		Invoice Contact & Phone:		Purchase Order: 73007.3		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: ☐ Other: ☐ EDD/EDT (Electronic Data) Format: LEVEL IV ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED		Standard Turnaround (TAT) R U S H		Shipped by: Edix Devern Cooler ID(s): 3719 Receipt Temp: 9 °C On Ice: N Custody Seal: Y On Bottle: N On Cooler: N Intact: N Signature Match: N	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date		Collection Time		MATRIX	
1 93007-7.7/10		7/27/10		10:00		3W	
2 93007-7.7/10		7/27/10		10:30		3W	
3 93007-8.7/10		7/27/10		11:00		3W	
4 93007-12.7/10		7/27/10		12:00		3W	
5 93007-15.7/10		7/27/10		09:30		3W	
6 93007-A.7/10		7/27/10		09:30		3W	
7 TRIP BLANK		7/27/10		09:30		3W	
8							
9							
10							
Custody Record MUST be Signed		Relinquished by (print): Rich Devere		Date/Time: 7/28/10 11:00		Signature: [Signature]	
Sample Disposal:		Return to Client:		Date/Time:		Signature:	
Lab Disposal:		Date/Time:		Signature:		Signature:	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.



ANALYTICAL SUMMARY REPORT

August 06, 2010

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C10070999

Project Name: 93007 Hobbs

Energy Laboratories, Inc. received the following 3 samples for Deuell Environmental LLC on 7/28/2010 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C10070999-001	93007-WP.7/10	07/27/10 14:00	07/28/10	Air	Supplies SW8260B VOCs, Standard List
C10070999-002	93007-AD.7/10	07/27/10 14:15	07/28/10	Air	Same As Above
C10070999-003	93007-UST.7/10	07/27/10 14:30	07/28/10	Air	Same As Above

This report was prepared by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing.

If you have any questions regarding these test results, please call.

Report Approved By:



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10070999-001
Client Sample ID: 93007-WP.7/10

Report Date: 08/06/10
Collection Date: 07/27/10 14:00
Date Received: 07/28/10
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Benzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Bromobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Bromochloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Bromoform	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Bromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Chlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Chloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Chloroform	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Chloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Dibromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Ethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	07/29/10 07:54 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10070999-001
Client Sample ID: 93007-WP.7/10

Report Date: 08/06/10
Collection Date: 07/27/10 14:00
Date Received: 07/28/10
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methylene chloride	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Naphthalene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
o-Xylene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Styrene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Toluene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Trichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Vinyl chloride	ND	mg/m3		1.0		SW8260B	07/29/10 07:54 / wen
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	07/29/10 07:54 / wen
Surr: Dibromofluoromethane	111	%REC		80-120		SW8260B	07/29/10 07:54 / wen
Surr: p-Bromofluorobenzene	105	%REC		80-120		SW8260B	07/29/10 07:54 / wen
Surr: Toluene-d8	102	%REC		80-120		SW8260B	07/29/10 07:54 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10070999-002
Client Sample ID: 93007-AD.7/10

Report Date: 08/06/10
Collection Date: 07/27/10 14:15
Date Received: 07/28/10
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Benzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Bromobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Bromochloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Bromoform	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Bromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Chlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Chloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Chloroform	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Chloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Dibromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Ethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	07/29/10 08:29 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10070999-002
Client Sample ID: 93007-AD.7/10

Report Date: 08/06/10
Collection Date: 07/27/10 14:15
Date Received: 07/28/10
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methylene chloride	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Naphthalene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
o-Xylene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Styrene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Toluene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Trichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Vinyl chloride	ND	mg/m3		1.0		SW8260B	07/29/10 08:29 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	07/29/10 08:29 / wen
Surr: Dibromofluoromethane	107	%REC		80-120		SW8260B	07/29/10 08:29 / wen
Surr: p-Bromofluorobenzene	119	%REC		80-120		SW8260B	07/29/10 08:29 / wen
Surr: Toluene-d8	103	%REC		80-120		SW8260B	07/29/10 08:29 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10070999-003
Client Sample ID: 93007-UST.7/10

Report Date: 08/06/10
Collection Date: 07/27/10 14:30
Date Received: 07/28/10
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Benzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Bromobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Bromochloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Bromoform	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Bromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Chlorobenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Chloroethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Chloroform	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Chloromethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Dibromomethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Ethylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	07/29/10 09:04 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C10070999-003
Client Sample ID: 93007-UST.7/10

Report Date: 08/06/10
Collection Date: 07/27/10 14:30
Date Received: 07/28/10
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methylene chloride	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Naphthalene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
o-Xylene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Styrene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Toluene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Trichloroethene	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Vinyl chloride	ND	mg/m3		1.0		SW8260B	07/29/10 09:04 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	07/29/10 09:04 / wen
Surr: Dibromofluoromethane	108	%REC		80-120		SW8260B	07/29/10 09:04 / wen
Surr: p-Bromofluorobenzene	118	%REC		80-120		SW8260B	07/29/10 09:04 / wen
Surr: Toluene-d8	100	%REC		80-120		SW8260B	07/29/10 09:04 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/06/10

Project: 93007 Hobbs

Work Order: C10070999

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135474
Sample ID: 28-Jul-10_LCS_3	64	Laboratory Control Sample				Run: GCMS2_100728A				07/28/10 13:00
1,1,1,2-Tetrachloroethane		10.1	mg/m3	1.0	101	70	130			
1,1,1-Trichloroethane		12.1	mg/m3	1.0	121	70	130			
1,1,2,2-Tetrachloroethane		10.7	mg/m3	1.0	107	70	130			
1,1,2-Trichloroethane		11.2	mg/m3	1.0	112	70	130			
1,1-Dichloroethane		11.8	mg/m3	1.0	118	70	130			
1,1-Dichloroethene		12.0	mg/m3	1.0	120	70	130			
1,1-Dichloropropene		12.0	mg/m3	1.0	120	70	130			
1,2,3-Trichlorobenzene		10.0	mg/m3	1.0	100	70	130			
1,2,3-Trichloropropane		10.3	mg/m3	1.0	103	70	130			
1,2,4-Trichlorobenzene		10.4	mg/m3	1.0	104	70	130			
1,2,4-Trimethylbenzene		10.9	mg/m3	1.0	109	70	130			
1,2-Dibromo-3-chloropropane		10.2	mg/m3	1.0	102	70	130			
1,2-Dibromoethane		10.8	mg/m3	1.0	108	70	130			
1,2-Dichlorobenzene		11.0	mg/m3	1.0	110	70	130			
1,2-Dichloroethane		11.0	mg/m3	1.0	110	70	130			
1,2-Dichloropropane		10.2	mg/m3	1.0	102	70	130			
1,3,5-Trimethylbenzene		11.3	mg/m3	1.0	113	70	130			
1,3-Dichlorobenzene		10.7	mg/m3	1.0	107	70	130			
1,3-Dichloropropane		11.2	mg/m3	1.0	112	70	130			
1,4-Dichlorobenzene		10.8	mg/m3	1.0	108	70	130			
2,2-Dichloropropane		13.0	mg/m3	1.0	130	70	130			
2-Chlorotoluene		10.6	mg/m3	1.0	106	70	130			
4-Chlorotoluene		10.8	mg/m3	1.0	108	70	130			
Benzene		11.6	mg/m3	1.0	116	70	130			
Bromobenzene		10.7	mg/m3	1.0	107	70	130			
Bromochloromethane		12.5	mg/m3	1.0	125	70	130			
Bromodichloromethane		10.8	mg/m3	1.0	108	70	130			
Bromoform		11.0	mg/m3	1.0	110	70	130			
Bromomethane		13.0	mg/m3	1.0	130	70	130			
Carbon tetrachloride		11.8	mg/m3	1.0	118	70	130			
Chlorobenzene		11.0	mg/m3	1.0	110	70	130			
Chlorodibromomethane		9.96	mg/m3	1.0	100	70	130			
Chloroethane		12.4	mg/m3	1.0	124	70	130			
Chloroform		11.6	mg/m3	1.0	116	70	130			
Chloromethane		11.7	mg/m3	1.0	117	70	130			
cis-1,2-Dichloroethene		11.2	mg/m3	1.0	112	70	130			
cis-1,3-Dichloropropene		10.5	mg/m3	1.0	105	70	130			
Dibromomethane		11.4	mg/m3	1.0	114	70	130			
Dichlorodifluoromethane		11.6	mg/m3	1.0	116	70	130			
Ethylbenzene		11.0	mg/m3	1.0	110	70	130			
Hexachlorobutadiene		10.4	mg/m3	1.0	104	70	130			
Isopropylbenzene		13.6	mg/m3	1.0	136	70	130			S
m+p-Xylenes		21.6	mg/m3	1.0	108	70	130			
Methyl ethyl ketone		101	mg/m3	20	101	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/06/10

Project: 93007 Hobbs

Work Order: C10070999

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135474
Sample ID: 28-Jul-10_LCS_3	64	Laboratory Control Sample				Run: GCMS2_100728A			07/28/10 13:00	
Methylene chloride		11.2	mg/m3	1.0	112	70	130			
Naphthalene		9.76	mg/m3	1.0	98	70	130			
n-Butylbenzene		11.0	mg/m3	1.0	110	70	130			
n-Propylbenzene		11.2	mg/m3	1.0	112	70	130			
o-Xylene		10.7	mg/m3	1.0	107	70	130			
p-Isopropyltoluene		11.0	mg/m3	1.0	110	70	130			
sec-Butylbenzene		10.8	mg/m3	1.0	108	70	130			
Styrene		10.6	mg/m3	1.0	106	70	130			
tert-Butylbenzene		11.0	mg/m3	1.0	110	70	130			
Tetrachloroethene		11.7	mg/m3	1.0	117	70	130			
Toluene		11.5	mg/m3	1.0	115	70	130			
trans-1,2-Dichloroethene		13.5	mg/m3	1.0	135	70	130			S
trans-1,3-Dichloropropene		10.4	mg/m3	1.0	104	70	130			
Trichloroethene		10.8	mg/m3	1.0	108	70	130			
Trichlorofluoromethane		12.3	mg/m3	1.0	123	70	130			
Vinyl chloride		12.1	mg/m3	1.0	121	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120			
Surr: Dibromofluoromethane				1.0	102	80	120			
Surr: p-Bromofluorobenzene				1.0	108	80	120			
Surr: Toluene-d8				1.0	106	80	120			
Sample ID: 28-Jul-10_MBLK_6	64	Method Blank				Run: GCMS2_100728A			07/28/10 14:47	
1,1,1,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,1-Trichloroethane		ND	mg/m3	1.0						
1,1,2,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,2-Trichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethene		ND	mg/m3	1.0						
1,1-Dichloropropene		ND	mg/m3	1.0						
1,2,3-Trichlorobenzene		ND	mg/m3	1.0						
1,2,3-Trichloropropane		ND	mg/m3	1.0						
1,2,4-Trichlorobenzene		ND	mg/m3	1.0						
1,2,4-Trimethylbenzene		ND	mg/m3	1.0						
1,2-Dibromo-3-chloropropane		ND	mg/m3	1.0						
1,2-Dibromoethane		ND	mg/m3	1.0						
1,2-Dichlorobenzene		ND	mg/m3	1.0						
1,2-Dichloroethane		ND	mg/m3	1.0						
1,2-Dichloropropane		ND	mg/m3	1.0						
1,3,5-Trimethylbenzene		ND	mg/m3	1.0						
1,3-Dichlorobenzene		ND	mg/m3	1.0						
1,3-Dichloropropane		ND	mg/m3	1.0						
1,4-Dichlorobenzene		ND	mg/m3	1.0						
2,2-Dichloropropane		ND	mg/m3	1.0						
2-Chlorotoluene		ND	mg/m3	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Project: 93007 Hobbs

Report Date: 08/06/10

Work Order: C10070999

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135474
Sample ID: 28-Jul-10_MBLK_6	64	Method Blank		Run: GCMS2_100728A				07/28/10 14:47		
4-Chlorotoluene		ND	mg/m3	1.0						
Benzene		ND	mg/m3	1.0						
Bromobenzene		ND	mg/m3	1.0						
Bromochloromethane		ND	mg/m3	1.0						
Bromodichloromethane		ND	mg/m3	1.0						
Bromoform		ND	mg/m3	1.0						
Bromomethane		ND	mg/m3	1.0						
Carbon tetrachloride		ND	mg/m3	1.0						
Chlorobenzene		ND	mg/m3	1.0						
Chlorodibromomethane		ND	mg/m3	1.0						
Chloroethane		ND	mg/m3	1.0						
Chloroform		ND	mg/m3	1.0						
Chloromethane		ND	mg/m3	1.0						
cis-1,2-Dichloroethene		ND	mg/m3	1.0						
cis-1,3-Dichloropropene		ND	mg/m3	1.0						
Dibromomethane		ND	mg/m3	1.0						
Dichlorodifluoromethane		ND	mg/m3	1.0						
Ethylbenzene		ND	mg/m3	1.0						
Hexachlorobutadiene		ND	mg/m3	1.0						
Isopropylbenzene		ND	mg/m3	1.0						
m+p-Xylenes		ND	mg/m3	1.0						
Methyl ethyl ketone		ND	mg/m3	20						
Methylene chloride		ND	mg/m3	1.0						
Naphthalene		ND	mg/m3	1.0						
n-Butylbenzene		ND	mg/m3	1.0						
n-Propylbenzene		ND	mg/m3	1.0						
o-Xylene		ND	mg/m3	1.0						
p-Isopropyltoluene		ND	mg/m3	1.0						
sec-Butylbenzene		ND	mg/m3	1.0						
Styrene		ND	mg/m3	1.0						
tert-Butylbenzene		ND	mg/m3	1.0						
Tetrachloroethene		ND	mg/m3	1.0						
Toluene		ND	mg/m3	1.0						
trans-1,2-Dichloroethene		ND	mg/m3	1.0						
trans-1,3-Dichloropropene		ND	mg/m3	1.0						
Trichloroethene		ND	mg/m3	1.0						
Trichlorofluoromethane		ND	mg/m3	1.0						
Vinyl chloride		ND	mg/m3	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120			
Surr: Dibromofluoromethane				1.0	100	80	120			
Surr: p-Bromofluorobenzene				1.0	117	80	120			
Surr: Toluene-d8				1.0	103	80	120			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Project: 93007 Hobbs

Report Date: 08/06/10

Work Order: C10070999

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135474
Sample ID: C10070999-003AMS	27	Sample Matrix Spike				Run: GCMS2_100728A				07/29/10 09:40
1,1,1-Trichloroethane		12.4	mg/m3	1.0	124	70	130			
1,1-Dichloroethene		12.6	mg/m3	1.0	126	70	130			
1,2-Dichlorobenzene		11.2	mg/m3	1.0	112	70	130			
1,2-Dichloroethane		12.1	mg/m3	1.0	121	70	130			
1,2-Dichloropropane		10.5	mg/m3	1.0	105	70	130			
1,4-Dichlorobenzene		10.5	mg/m3	1.0	105	70	130			
Benzene		11.7	mg/m3	1.0	117	70	130			
Bromodichloromethane		11.4	mg/m3	1.0	114	70	130			
Bromoform		11.2	mg/m3	1.0	112	70	130			
Carbon tetrachloride		12.2	mg/m3	1.0	122	70	130			
Chlorobenzene		10.8	mg/m3	1.0	108	70	130			
Chlorodibromomethane		10.6	mg/m3	1.0	106	70	130			
Chloroform		12.5	mg/m3	1.0	125	70	130			
cis-1,2-Dichloroethene		11.7	mg/m3	1.0	117	70	130			
Ethylbenzene		10.7	mg/m3	1.0	107	70	130			
m+p-Xylenes		20.8	mg/m3	1.0	104	70	130			
o-Xylene		10.8	mg/m3	1.0	108	70	130			
Styrene		10.7	mg/m3	1.0	107	70	130			
Tetrachloroethene		11.1	mg/m3	1.0	109	70	130			
Toluene		11.5	mg/m3	1.0	115	70	130			
trans-1,2-Dichloroethene		13.4	mg/m3	1.0	134	70	130			S
Trichloroethene		10.6	mg/m3	1.0	106	70	130			
Vinyl chloride		13.2	mg/m3	1.0	132	70	130			S
Surr: 1,2-Dichlorobenzene-d4				1.0	114	80	120			
Surr: Dibromofluoromethane				1.0	110	80	120			
Surr: p-Bromofluorobenzene				1.0	105	80	120			
Surr: Toluene-d8				1.0	109	80	120			
Sample ID: C10070999-003AMSD	27	Sample Matrix Spike Duplicate				Run: GCMS2_100728A				07/29/10 10:14
1,1,1-Trichloroethane		12.1	mg/m3	1.0	121	70	130	2.3	20	
1,1-Dichloroethene		12.4	mg/m3	1.0	124	70	130	1.3	20	
1,2-Dichlorobenzene		11.0	mg/m3	1.0	110	70	130	1.1	20	
1,2-Dichloroethane		11.4	mg/m3	1.0	114	70	130	6.1	20	
1,2-Dichloropropane		10.4	mg/m3	1.0	104	70	130	1.5	20	
1,4-Dichlorobenzene		10.8	mg/m3	1.0	108	70	130	3	20	
Benzene		11.6	mg/m3	1.0	116	70	130	1	20	
Bromodichloromethane		11.0	mg/m3	1.0	110	70	130	4.3	20	
Bromoform		10.7	mg/m3	1.0	107	70	130	4	20	
Carbon tetrachloride		12.0	mg/m3	1.0	120	70	130	1.7	20	
Chlorobenzene		11.1	mg/m3	1.0	111	70	130	2.9	20	
Chlorodibromomethane		10.4	mg/m3	1.0	104	70	130	2.3	20	
Chloroform		12.0	mg/m3	1.0	120	70	130	4.2	20	
cis-1,2-Dichloroethene		11.5	mg/m3	1.0	115	70	130	1.7	20	
Ethylbenzene		11.1	mg/m3	1.0	111	70	130	3.3	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Project: 93007 Hobbs

Report Date: 08/06/10

Work Order: C10070999

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135474
Sample ID: C10070999-003AMSD 27 Sample Matrix Spike Duplicate										Run: GCMS2_100728A 07/29/10 10:14
m+p-Xylenes		21.6	mg/m3	1.0	108	70	130	3.6	20	
o-Xylene		10.7	mg/m3	1.0	107	70	130	1.1	20	
Styrene		10.6	mg/m3	1.0	106	70	130	1.1	20	
Tetrachloroethene		11.8	mg/m3	1.0	116	70	130	5.6	20	
Toluene		11.0	mg/m3	1.0	110	70	130	5	20	
trans-1,2-Dichloroethene		13.9	mg/m3	1.0	139	70	130	3.5	20	S
Trichloroethene		10.9	mg/m3	1.0	109	70	130	3	20	
Vinyl chloride		11.2	mg/m3	1.0	112	70	130	17	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120	0	10	
Surr: Dibromofluoromethane				1.0	109	80	120	0	10	
Surr: p-Bromofluorobenzene				1.0	103	80	120	0	10	
Surr: Toluene-d8				1.0	104	80	120	0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.

Workorder Receipt Checklist



Deuell Environmental LLC

C10070999

Login completed by: Halley Ackerman

Date Received: 7/28/2010

Reviewed by: BL2000\tedwards

Received by: ha

Reviewed Date: 8/2/2010

Carrier name: Next Day Air

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	°C		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 1 of 1

PLEASE PRINT (Provide as much information as possible.)

Company Name: DEVEL ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 93007 HO325		Sample Origin State: NH		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT CARSONIE WY 02072		Contact Name: Rick Deveau		Phone/Fax: 307 760 3277		Email: 307 760 3277	
Invoice Address:		Invoice Contact & Phone:		Purchase Order: 93007-5		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: _____ ☐ Other: _____ ☐ EDD/EDT (Electronic Data) Format: _____ ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED		Contact ELL prior to RUSH sample submittal for charges and scheduling - See Instruction Page		Shipped by: NDA Cooler ID(s): C3454 Receipt Temp: 11A °C On Ice: ☒ Custody Seal: ☒ On Bottle: ☒ On Cooler: ☒ Intact: ☒ Signature Match: ☒	
Matrix: Number of Containers: 8260 Sample Type: AWSVBODW Vegetation Bioassay Other DW - Drinking Water		MATRIX		Standard Turnaround (TAT) R U S H		LABORATORY USE ONLY 93007-5	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date		Collection Time			
1 93007-WP. 7/10		7/27/10		14:00			
2 93007-AD. 7/10		7/27/10		14:15			
3 93007-UST. 7/10		7/27/10		14:30			
4							
5							
6							
7							
8							
9							
10							
Custody Record MUST be Signed		Relinquished by (print): Rick Deveau		Date/Time: 7/27/10 15:00		Signature: [Signature]	
Relinquished by (print):		Date/Time:		Received by (print):		Date/Time:	
Sample Disposal:		Return to Client:		Received by Laboratory: [Signature]		Date/Time: 7/28/10	
Lab Disposal:		Signature:		Date/Time:		Signature:	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.