

GW - 114

REPORTS

**Quarterly
Groundwater**

3rd Quarter 2010

Deuell Environmental, LLC

September 7, 2010

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NM 87505

RE: Third Quarter Monitoring Results - 2010
Schlumberger Technology Corporation Facility – Artesia, New Mexico (GW-114)

Dear Mr. Hansen:

Deuell Environmental, LLC conducted quarterly monitoring activities at the Schlumberger Technology Corporation (Dowell) facility in Artesia, New Mexico on July 25 - 26, 2010.

The environmental data results are enclosed for your review.

Static water elevation data, measured in the 33 wells located in the vicinity of the Dowell facility are summarized in Table 1. The data were used to generate a potentiometric surface map as shown on Figure 1. Water levels across the site decreased up to 2.2 feet from those measured in April, which reverses an increasing trend noticed for the first two quarters. In the eastern portion of the site water elevations were more stable due to control by the pump containment system. This has decreased the gradient across the site, with the overall gradient becoming more northerly. The zone of capture from the pumped wells evident.

The laboratory analytical results for water quality monitoring are summarized in Table 2. The laboratory reports will be provided in hard copy with the annual report. Since the first three quarters are only partial sampling events, it is not possible to construct iso-concentration map. This will be constructed for the annual report. All down gradient wells have shown improvement or are stable for this quarter. The only exception is well MW-28 which has shown a slight increase in concentrations. Wells in the source areas were stable and are near or below MCL's.

At this time the effects of the groundwater containment system are being noticed. The potentiometric surface shows a depression in the ground water surface at the pumped wells with a zone of capture. Wells MW-18, MW-22, and MW-25 within the center of the area of concern, have all decreased in concentrations after system startup. MW-30, at the pumped wells, has stabilized in concentrations. MW-26, at the property boundary, continues to decrease

in concentrations so that all compounds are below MCL's. This indicates very good hydraulic control to the south. MW-29 remains non-detect and provides northern control. Concentrations in the surge tank are lower than those measured at MW-30 indicating some removal of chlorinated compounds through aeration. Also, MW-31 directly down gradient of the infiltration trench, has shown a decrease in concentrations since the system was started indicating an improvement in groundwater quality.

Since drawdown at the pumped wells is less than five feet since the start of pumping, rate was increased to 12 gpm. The limiting factor may be the infiltration trench.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: D. Renee Romero, NMPST Bureau
Du'Bois Ferguson, Schlumberger Technology Corporation
Janice Barber, Dow

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1	01/23/91	30.00	Protective Casing	100.56	17.41	83.15	
	09/13/91				16.04	84.52	1.37
	11/22/91				14.50	86.06	1.54
	03/16/93				13.72	86.84	0.78
	01/09/94				14.62	85.94	-0.90
	04/19/94				14.48	86.08	0.14
	07/20/94				14.38	86.18	0.10
	10/24/94				14.73	85.83	-0.35
	01/24/95				14.20	86.36	0.53
	04/02/95				14.37	86.19	-0.17
	07/31/95				14.76	85.80	-0.39
	10/16/95				14.64	85.92	0.12
	01/10/96				14.59	85.97	0.05
	04/09/96				14.77	85.79	-0.18
	07/20/96				15.84	84.72	-1.07
	10/21/96				14.07	86.49	1.77
	01/21/97				13.24	87.32	0.83
	04/08/97				12.97	87.59	0.27
	07/29/97				13.87	86.69	-0.90
	10/16/97				12.26	88.30	1.61
	02/09/99				14.34	86.22	-2.08
	04/21/99				13.91	86.65	0.43
	07/13/99				11.70	88.86	2.21
	10/19/99				13.22	87.34	-1.52
	01/26/00				13.50	87.06	-0.28
	04/18/00				13.74	86.82	-0.24
	07/26/00				14.04	86.52	-0.30
	10/19/00				12.48	88.08	1.56
	01/18/01				9.72	90.84	2.76
	04/12/01				9.58	90.98	0.14
	07/19/01				12.02	88.54	-2.44
	10/17/01				10.70	89.86	1.32
	01/12/02				9.19	91.37	1.51
	04/20/02				9.37	91.19	-0.18
	07/24/02				12.13	88.43	-2.76
	10/15/02				10.86	89.70	1.27
	01/22/03				11.79	88.77	-0.93
	04/24/03				12.32	88.24	-0.53
	07/16/03				13.60	86.96	-1.28
	10/15/03				11.15	89.41	2.45
	01/29/04				11.07	89.49	0.08
	04/19/04				9.49	91.07	1.58
	07/16/04				10.69	89.87	-1.20
	10/29/04				8.44	92.12	2.25
	01/14/05				7.74	92.82	0.70
	04/15/05				7.25	93.31	0.49
	07/08/05				7.76	92.80	-0.51
	10/08/05				10.32	90.24	-2.56
	01/18/06				9.47	91.09	0.85
	04/18/06				10.88	89.68	-1.41
	07/11/06				11.50	89.06	-0.62
	10/10/06				10.91	89.65	0.59
	01/16/07				10.19	90.37	0.72
	04/17/07				9.27	91.29	0.92
	07/18/07				10.30	90.26	-1.03
	10/17/07				10.55	90.01	-0.25
	01/16/08				11.96	88.60	-1.41
	04/28/08				10.41	90.15	1.55
	07/15/08				9.66	90.90	0.75
	10/14/08				8.33	92.23	1.33
	01/13/09				8.64	91.92	-0.31
	04/06/09				10.78	89.78	-2.14
	07/14/09				12.02	88.54	-1.24
	10/20/09				13.58	86.98	-1.56
	01/20/10				11.94	88.62	1.64
	04/20/10				10.00	90.56	1.94
	07/26/10				11.98	88.58	-1.98

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2	01/23/91	30 00	Protective Casing	99 56	16 95	82 61	
	09/13/91				15 01	84 55	1 94
	11/22/91				13 76	85 80	1 25
	03/16/93				13 16	86 40	0 60
	01/09/94				13 91	85 65	-0 75
	04/19/94				13 80	85 76	0 11
	07/20/94				13 65	85 91	0 15
	10/24/94				13 88	85 68	-0 23
	01/24/95				13 41	86 15	0 47
	04/02/95				13 67	85 89	-0 26
	07/31/95				13 81	85 75	-0 14
	10/16/95				13 78	85 78	0 03
	01/10/96				13 80	85 76	-0 02
	04/09/96				13 98	85 58	-0 18
	07/20/96				14 92	84 64	-0 94
	10/21/96				13 15	86 41	1 77
	01/21/97				12 41	87 15	0 74
	04/08/97				12 21	87 35	0 20
	07/29/97				13 15	86 41	-0 94
	10/16/97				11 63	87 93	1 52
	01/06/98				10 92	88 64	0 71
	04/14/98				11 02	88 54	-0 10
	07/17/98				13 03	86 53	-2 01
	10/27/98				13 61	85 95	-0 58
	02/09/99				13 69	85 87	-0 08
	04/21/99				13 24	86 32	0 45
	07/13/99				11 05	88 51	2 19
	10/20/99				12 59	86 97	-1 54
	01/26/00				12 83	86 73	-0 24
	04/18/00				13 00	86 56	-0 17
	07/26/00				13 36	86 20	-0 36
	10/19/00				11 42	88 14	1 94
	01/18/01				8 41	91 15	3 01
	04/12/01				8 60	90 96	-0 19
	07/19/01				11 23	88 33	-2 63
	10/17/01				9 60	89 96	1 63
	01/12/02				7 80	91 76	1 80
	04/20/02				8 67	90 89	-0 87
	07/24/02				11 38	88 18	-2 71
	10/15/02				10 02	89 54	1 36
	01/22/03				11 08	88 48	-1 06
	04/24/03				11 61	87 95	-0 53
	07/16/03				12 93	86 63	-1 32
	10/15/03				9 90	89 66	3 03
	01/29/04				10 25	89 31	-0 35
	04/19/04				8 64	90 92	1 61
	07/16/04				9 76	89 80	-1 12
	10/29/04				7 33	92 23	2 43
	01/14/05				6 97	92 59	0 36
	04/15/05				6 21	93 35	0 76
	07/08/05				9 17	90 39	-2 96
	10/08/05				9 70	89 86	-0 53
	01/18/06				8 69	90 87	1 01
	04/18/06				10 22	89 34	-1 53
	07/11/06				10 94	88 62	-0 72
	10/10/06				10 12	89 44	0 82
	01/16/07				9 44	90 12	0 68
	04/17/07				8 22	91 34	1 22
	07/18/07				9 57	89 99	-1 35
	10/17/07				9 69	89 87	-0 12
	01/16/08				11 39	88 17	-1 70
	04/28/08				9 54	90 02	1 85
	07/15/08				8 51	91 05	1 03
	10/14/08				7 07	92 49	1 44
	01/13/09				7 61	91 95	-0 54
	04/06/09				9 96	89 60	-2 35

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2 (Cont)	07/14/09				11 19	88 37	-1 23
	10/20/09				12 88	86 68	-1 69
	01/20/10				10 91	88 65	1 97
	04/20/10				9 02	90 54	1 89
	07/26/10				11 25	88 31	-2 23
MW-3	01/23/91	30 00	Protective Casing	98 33	17 28	81 05	
	09/13/91				14 66	83 67	2 62
	11/22/91				13 63	84 70	1 03
	03/16/93				12 89	85 44	0 74
	01/09/94				13 66	84 67	-0 77
	04/19/94			Not Measured			NM
	07/20/94				13 18	85 15	na
	10/24/94				13 27	85 06	-0 09
	01/24/95				13 23	85 10	0 04
	04/02/95				13 60	84 73	-0 37
	07/31/95				13 34	84 99	0 26
	10/16/95				13 38	84 95	-0 04
	01/10/96				13 85	84 48	-0 47
	04/09/96				13 91	84 42	-0 06
	07/20/96				14 55	83 78	-0 64
	10/21/96				12 90	85 43	1 65
	01/21/97				12 42	85 91	0 48
	04/08/97				12 43	85 90	-0 01
	07/29/97				13 18	85 15	-0 75
	10/16/97				11 83	86 50	1 35
	01/06/98				11 45	86 88	0 38
	04/14/98				11 44	86 89	0 01
	07/17/98				12 81	85 52	-1 37
	10/27/98				12 60	85 73	0 21
	02/09/99				13 44	84 89	-0 84
	04/21/99				12 75	85 58	0 69
	07/13/99				10 57	87 76	2 18
	10/20/99				12 15	86 18	-1 58
	01/26/00				12 64	85 69	-0 49
	04/18/00				12 70	85 63	-0 06
	07/26/00				12 88	85 45	-0 18
	10/19/00				11 53	86 80	1 35
	01/18/01				9 21	89 12	2 32
	04/12/01				9 22	89 11	-0 01
	07/19/01				11 22	87 11	-2 00
MW-4	01/23/91	50 00	Protective Casing	103 18	20 17	83 01	
	09/13/91				18 54	84 64	1 63
	11/22/91				17 15	86 03	1 39
	03/16/93				16 49	86 69	0 66
	01/09/94				17 28	85 90	-0 79
	04/19/94				17 15	86 03	0 13
	07/20/94				16 99	86 19	0 16
	10/24/94				17 25	85 93	-0 26
	01/24/95				16 78	86 40	0 47
	04/02/95				16 98	86 20	-0 20
	07/31/95				17 26	85 92	-0 28
	10/16/95				17 01	86 17	0 25
	01/10/96				16 95	86 23	0 06
	04/09/96				17 15	86 03	-0 20
	07/20/96				18 08	85 10	-0 93
	10/21/96				16 28	86 90	1 80
	01/21/97				15 37	87 81	0 91
	04/08/97				15 14	88 04	0 23
	07/29/97				16 05	87 13	-0 91
	10/16/97				14 44	88 74	1 61
	01/06/98				13 59	89 59	0 85
	04/14/98				13 91	89 27	-0 32
	07/17/98				16 40	86 78	-2 49
	10/27/98				17 05	86 13	-0 65
	02/09/99				17 08	86 10	-0 03

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-4 (Cont)	04/21/99				16 67	86 51	0 41
	07/13/99				14 49	88 69	2 18
	10/20/99				15 98	87 20	-1 49
	01/26/00				16 27	86 91	-0 29
	04/18/00				16 47	86 71	-0 20
	07/26/00				16 81	86 37	-0 34
	10/19/00				15 01	88 17	1 80
	01/18/01				12 08	91 10	2 93
	04/12/01				12 12	91 06	-0 04
	07/19/01				14 68	88 50	-2 56
	10/17/01			99 66	9 65	90 01	1 51
	01/12/02				7 97	91 69	1 68
	04/20/02				8 63	91 03	-0 66
	07/24/02				11 33	88 33	-2 70
	10/15/02				9 97	89 69	1 36
	01/22/03				10 98	88 68	-1 01
	04/24/03				11 53	88 13	-0 55
	07/16/03				12 63	87 03	-1 10
	10/15/03				10 01	89 65	2 62
	01/29/04			99 71	10 15	89 56	-0 09
	04/19/04				8 56	91 15	1 59
	07/16/04				9 70	90 01	-1 14
	10/29/04				7 32	92 39	2 38
	01/14/05				6 83	92 88	0 49
	04/15/05				6 23	93 48	0 60
	07/08/05				7 98	91 73	-1 75
	10/08/05				9 50	90 21	-1 52
	01/18/06				8 54	91 17	0 96
	04/18/06				10 04	89 67	-1 50
	07/11/06				10 68	89 03	-0 64
	10/10/06				9 97	89 74	0 71
	01/16/07				9 27	90 44	0 70
	04/17/07				8 19	91 52	1 08
	07/18/07				9 47	90 24	-1 28
	10/17/07				9 58	90 13	-0 11
	01/16/08				10 15	89 56	-0 57
	04/28/08				9 42	90 29	0 73
	07/15/08				8 53	91 18	0 89
	10/14/08				7 05	92 66	1 48
	01/13/09				7 61	92 10	-0 56
	04/06/09				9 84	89 87	-2 23
	07/14/09				11 09	88 62	-1 25
	10/20/09				12 73	86 98	-1 64
	01/20/10				10 87	88 84	1 86
	04/20/10				8 96	90 75	1 91
	07/26/10				11 11	88 60	-2 15
MW-5	01/23/91	30 00	Protective Casing	99 87	17 20	82 67	
	09/13/91				15 52	84 35	1 68
	11/22/91				14 19	85 68	1 33
	03/16/93				13 47	86 40	0 72
	01/09/94				14 31	85 56	-0 84
	04/19/94				14 17	85 70	0 14
	07/20/94				13 97	85 90	0 20
	10/24/94				14 21	85 66	-0 24
	01/24/95				13 78	86 09	0 43
	04/02/95				14 05	85 82	-0 27
	07/31/95				14 17	85 70	-0 12
	10/16/95				14 07	85 80	0 10
	01/10/96				14 11	85 76	-0 04
	04/09/96				14 31	85 56	-0 20
	07/20/96				15 20	84 67	-0 89
	10/21/96				13 44	86 43	1 76
	01/21/97				12 69	87 18	0 75
	04/08/97				12 52	87 35	0 17
	07/29/97				13 37	86 50	-0 85
	10/16/97				11 82	88 05	1 55

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-5 (Cont)	01/06/98				11 09	88 78	0 73
	04/14/98				12 30	87 57	-1 21
	07/17/98				13 32	86 55	-1 02
	10/27/98				13 93	85 94	-0 61
	02/09/99				14 04	85 83	-0 11
	04/21/99				13 54	86 33	0 50
	07/13/99				11 37	88 50	2 17
	10/20/99				12 89	86 98	-1 52
	01/26/00				13 18	86 69	-0 29
	04/18/00				13 35	86 52	-0 17
	07/26/00				13 65	86 22	-0 30
	10/19/00				11 96	87 91	1 69
	01/18/01				9 22	90 65	2 74
	04/12/01				9 16	90 71	0 06
	07/19/01				11 63	88 24	-2 47
	10/17/01				10 26	89 61	1 37
	01/12/02				8 58	91 29	1 68
	04/20/02				9 19	90 68	-0 61
	07/24/02				11 75	88 12	-2 56
	10/15/02				10 56	89 31	1 19
	01/22/03				11 51	88 36	-0 95
	04/24/03				12 07	87 80	-0 56
	07/16/03				13 27	86 60	-1 20
	10/15/03				10 64	89 23	2 63
	01/29/04			99 50	10 95	88 55	-0 68
	04/19/04				8 88	90 62	2 07
	07/16/04				10 04	89 46	-1 16
	10/29/04				7 75	91 75	2 29
	01/14/05				7 18	92 32	0 57
	04/15/05				6 53	92 97	0 65
	07/08/05				9 23	90 27	-2 70
	10/08/05				9 84	89 66	-0 61
	01/18/06				8 95	90 55	0 89
	04/18/06				10 36	89 14	-1 41
	07/11/06				11 11	88 39	-0 75
	10/10/06				10 48	89 02	0 63
	01/16/07				9 72	89 78	0 76
	04/17/07				8 62	90 88	1 10
	07/18/07				9 88	89 62	-1 26
	10/17/07				10 04	89 46	-0 16
	01/16/08				11 57	87 93	-1 53
	04/28/08				9 93	89 57	1 64
	07/15/08				9 09	90 41	0 84
	10/14/08				7 73	91 77	1 36
	01/13/09				8 01	91 49	-0 28
	04/06/09				10 18	89 32	-2 17
	07/14/09				11 48	88 02	-1 30
	10/20/09				13 09	86 41	-1 61
	01/20/10				11 28	88 22	1 81
	04/20/10				9 32	90 18	1 96
	07/26/10				11 44	88 06	-2 12
MW-6	01/23/91	35 00	Protective Casing	100 84	19 59	81 25	
	09/13/91				17 43	83 41	2 16
	11/21/91				16 30	84 54	1 13
	03/16/93				15 57	85 27	0 73
	01/09/94				16 42	84 42	-0 85
	04/19/94				16 29	84 55	0 13
	07/19/94				15 79	85 05	0 50
	10/24/94				15 83	85 01	-0 04
	01/24/95				15 94	84 90	-0 11
	04/02/95				16 38	84 46	-0 44
	07/31/95				15 88	84 96	0 50
	10/16/95				16 01	84 83	-0 13
	01/10/96				16 52	84 32	-0 51
	04/09/96				16 70	84 14	-0 18
	07/21/96				17 26	83 58	-0 56

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6 (Cont)	10/21/96				15 62	85 22	1 64
	01/21/97				15 21	85 63	0 41
	04/08/97				15 30	85 54	-0 09
	07/29/97				16 01	84 83	-0 71
	10/16/97				15 01	85 83	1 00
	01/06/98				14 69	86 15	0 32
	04/14/98				14 45	86 39	0 24
	07/17/98				15 62	85 22	-1 17
	10/27/98				15 77	85 07	-0 15
	02/09/99				16 34	84 50	-0 57
	04/21/99				15 57	85 27	0 77
	07/13/99				13 66	87 18	1 91
	10/19/99				15 04	85 80	-1 38
	01/26/00				15 51	85 33	-0 47
	04/18/00				15 46	85 38	0 05
	07/26/00				15 68	85 16	-0 22
	10/19/00				14 32	86 52	1 36
	01/18/01				11 78	89 06	2 54
	04/12/01				12 03	88 81	-0 25
	07/19/01				14 13	86 71	-2 10
	10/17/01				13 21	87 63	0 92
	01/12/02				11 74	89 10	1 47
	04/20/02				12 02	88 82	-0 28
	07/24/02				13 92	86 92	-1 90
	10/15/02				13 23	87 61	0 69
	01/22/03				13 94	86 90	-0 71
	04/23/03				14 28	86 56	-0 34
	07/16/03				15 60	85 24	-1 32
	10/15/03				13 01	87 83	2 59
	01/28/04				13 58	87 26	-0 57
	04/19/04				11 79	89 05	1 79
	07/16/04				13 76	87 08	-1 97
	10/29/04				11 30	89 54	2 46
	01/14/05				10 43	90 41	0 87
	05/16/05				9 95	90 89	0 48
	07/08/05				12 62	88 22	-2 67
	10/08/05				13 23	87 61	-0 61
	01/19/06				12 52	88 32	0 71
	04/18/06				13 59	87 25	-1 07
	07/11/06				14 92	85 92	-1 33
	10/10/06				14 36	86 48	0 56
	01/16/07				13 50	87 34	0 86
	04/17/07				12 27	88 57	1 23
	07/17/07				13 71	87 13	-1 44
	10/17/07				14 04	86 80	-0 33
	01/16/08				15 16	85 68	-1 12
	04/28/08				14 03	86 81	1 13
	07/15/08				12 58	88 26	1 45
	10/14/08				11 65	89 19	0 93
	01/13/09				11 86	88 98	-0 21
	07/14/09				14 79	86 05	-2 93
	10/20/09				16 09	84 75	-1 30
	01/20/10				14 54	86 30	1 55
	04/20/10				12 69	88 15	1 85
	07/26/10				14 62	86 22	-1 93
MW-7	01/23/91	35 00	Protective Casing	100 23	19 01	81 22	
	09/13/91				17 43	82 80	1 58
	11/21/91				16 00	84 23	1 43
	03/16/93				14 91	85 32	1 09
	01/09/94				15 99	84 24	-1 08
	04/19/94				15 83	84 40	0 16
	07/19/94				15 24	84 99	0 59
	10/24/94				15 32	84 91	-0 08
	01/24/95				15 54	84 69	-0 22
	04/02/95				16 00	84 23	-0 46
	07/31/95				15 57	84 66	0 43

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-7 (Cont)	10/16/95				15 61	84 62	-0 04
	01/10/96				16 13	84 10	-0 52
	04/09/96				16 30	83 93	-0 17
	07/21/96				16 81	83 42	-0 51
	10/21/96				15 15	85 08	1 66
	01/21/97				14 81	85 42	0 34
	04/08/97				14 91	85 32	-0 10
	07/29/97				15 48	84 75	-0 57
	10/16/97				14 52	85 71	0 96
	01/06/98				13 27	86 96	1 25
	04/14/98				14 02	86 21	-0 75
	07/17/98				15 10	85 13	-1 08
	10/27/98				15 21	85 02	-0 11
	02/09/99				15 86	84 37	-0 65
	04/21/99				14 96	85 27	0 90
	07/13/99				13 03	87 20	1 93
	10/19/99				14 43	85 80	-1 40
	01/26/00				15 02	85 21	-0 59
	04/18/00				14 99	85 24	0 03
	07/26/00				15 12	85 11	-0 13
	10/19/00				14 22	86 01	0 90
	01/18/01				12 12	88 11	2 10
	04/12/01				12 10	88 13	0 02
	07/19/01				13 74	86 49	-1 64
	10/17/01				13 24	86 99	0 50
	01/12/02				12 22	88 01	1 02
	04/20/02				11 93	88 30	0 29
	07/24/02				13 48	86 75	-1 55
	10/15/02				13 00	87 23	0 48
	01/22/03				13 58	86 65	-0 58
	04/23/03				13 88	86 35	-0 30
	07/16/03				15 08	85 15	-1 20
	10/15/03				13 32	86 91	1 76
	01/28/04				13 52	86 71	-0 20
	04/19/04				11 85	88 38	1 67
	07/16/04				13 90	86 33	-2 05
	10/29/04				11 74	88 49	2 16
	01/14/05				10 50	89 73	1 24
	04/15/05				10 13	90 10	0 37
	07/08/05				12 31	87 92	-2 18
	10/08/05				13 03	87 20	-0 72
	01/19/06				12 50	87 73	0 53
	04/18/06				13 37	86 86	-0 87
	07/11/06				14 81	85 42	-1 44
	10/10/06				14 56	85 67	0 25
	01/16/07				13 68	86 55	0 88
	04/17/07				12 69	87 54	0 99
	07/17/07				13 96	86 27	-1 27
	10/17/07				14 39	85 84	-0 43
	01/16/08				15 11	85 12	-0 72
	04/28/08				14 40	85 83	0 71
	07/15/08				13 45	86 78	0 95
	10/14/08				12 73	87 50	0 72
	01/13/09				12 32	87 91	0 41
	04/06/09				13 24	86 99	-0 92
	07/14/09				14 82	85 41	-1 58
	10/20/09				15 92	84 31	-1 10
	01/20/10				14 61	85 62	1 31
	04/20/10				12 78	87 45	1 83
	07/26/10				14 59	85 64	-1 81
MW-8	01/23/91	35 00	Protective Casing	101 47	20 16	81 31	
	09/13/91				18 80	82 67	1 36
	11/21/91				17 29	84 18	1 51
	03/16/93				16 03	85 44	1 26
	01/09/94				17 23	84 24	-1 20
	04/19/94				17 05	84 42	0 18

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-8 (Cont)	07/19/94				16 50	84 97	0 55
	10/24/94				16 56	84 91	-0 06
	01/24/95				16 79	84 68	-0 23
	04/02/95				17 24	84 23	-0 45
	07/31/95				16 94	84 53	0 30
	10/16/95				16 88	84 59	0 06
	01/10/96				17 38	84 09	-0 50
	04/09/96				17 54	83 93	-0 16
	07/21/96				18 10	83 37	-0 56
	10/21/96				16 40	85 07	1 70
	11/22/96				16 42	85 05	-0 02
	01/21/97				16 05	85 42	0 37
	04/08/97				16 11	85 36	-0 06
	07/29/97				16 69	84 78	-0 58
	10/16/97				15 69	85 78	1 00
	01/06/98				15 38	86 09	0 31
	04/14/98				15 15	86 32	0 23
	07/17/98				16 29	85 18	-1 14
	10/27/98				16 39	85 08	-0 10
	02/09/99				17 02	84 45	-0 63
	04/21/99				16 08	85 39	0 94
	07/13/99				14 13	87 34	1 95
	10/19/99				15 56	85 91	-1 43
	01/26/00				16 19	85 28	-0 63
	04/18/00				16 19	85 28	0 00
	07/26/00				16 30	85 17	-0 11
	10/19/00				15 55	85 92	0 75
	01/18/01				13 54	87 93	2 01
	04/12/01				13 42	88 05	0 12
	07/19/01				14 98	86 49	-1 56
	10/17/01				14 58	86 89	0 40
	01/12/02				13 67	87 80	0 91
	04/20/02				13 22	88 25	0 45
	07/24/02				14 72	86 75	-1 50
	10/15/02				14 23	87 24	0 49
	01/22/03				14 80	86 67	-0 57
	04/23/03				15 08	86 39	-0 28
	07/16/03				16 28	85 19	-1 20
	10/15/03				14 03	87 44	2 25
	01/28/04				14 84	86 63	-0 81
	04/19/04				13 25	88 22	1 59
	07/16/04				15 30	86 17	-2 05
	10/29/04				13 15	88 32	2 15
	01/14/05				11 81	89 66	1 34
	04/15/05				11 42	90 05	0 39
	07/08/05				13 53	87 94	-2 11
	10/08/05				14 26	87 21	-0 73
	01/19/06				13 83	87 64	0 43
	04/18/06				14 67	86 80	-0 84
	07/11/06				16 40	85 07	-1 73
	10/10/06				15 92	85 55	0 48
	01/16/07				15 03	86 44	0 89
	04/17/07				14 12	87 35	0 91
	07/17/07				15 33	86 14	-1 21
	10/17/07				15 79	85 68	-0 46
	01/16/08				16 38	85 09	-0 59
	04/28/08				15 79	85 68	0 59
	07/15/08				15 07	86 40	0 72
	10/14/08				14 35	87 12	0 72
	01/13/09				13 79	87 68	0 56
	04/06/09				14 62	86 85	-0 83
	07/14/09				16 29	85 18	-1 67
	10/20/09				17 34	84 13	-1 05
	01/20/10				16 10	85 37	1 24
	04/20/10				14 24	87 23	1 86
	07/26/10				16 06	85 41	-1 82

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-9	01/26/91	30 00	Protective Casing	102 18	20 08	82 10	
	09/13/91				18 93	83 25	1 15
	11/21/91				17 35	84 83	1 58
	03/16/93				16 19	85 99	1 16
	01/09/94				17 31	84 87	-1 12
	04/19/94				17 33	84 85	-0 02
	07/19/94				16 85	85 33	0 48
	10/24/94				17 05	85 13	-0 20
	01/24/95				16 92	85 26	0 13
	04/02/95				17 23	84 95	-0 31
	07/31/95				17 30	84 88	-0 07
	10/16/95				17 16	85 02	0 14
	01/10/96				17 39	84 79	-0 23
	04/09/96				17 58	84 60	-0 19
	07/21/96				18 38	83 80	-0 80
	10/21/96				16 65	85 53	1 73
	01/21/97				16 12	86 06	0 53
	04/08/97				16 04	86 14	0 08
	07/29/97				16 67	85 51	-0 63
	10/16/97				15 29	86 89	1 38
	01/06/98				14 78	87 40	0 51
	04/14/98				14 89	87 29	-0 11
	07/17/98				16 30	85 88	-1 41
	10/27/98				16 62	85 56	-0 32
	02/09/99				17 14	85 04	-0 52
	04/21/99				16 38	85 80	0 76
	07/13/99				14 27	87 91	2 11
	10/19/99				15 75	86 43	-1 48
	01/26/00				16 30	85 88	-0 55
	04/18/00				16 40	85 78	-0 10
	07/26/00				16 53	85 65	-0 13
	10/19/00				15 70	86 48	0 83
	01/18/01			99 59	10 82	88 77	2 29
	04/12/01				10 49	89 10	0 33
	07/19/01				12 36	87 23	-1 87
	10/17/01				11 70	87 89	0 66
	01/12/02				10 50	89 09	1 20
	04/20/02				10 33	89 26	0 17
	07/24/02				12 14	87 45	-1 81
	10/15/02				11 49	88 10	0 65
	01/22/03				12 18	87 41	-0 69
	04/24/03				12 58	87 01	-0 40
	07/16/03				13 67	85 92	-1 09
	10/15/03				12 20	87 39	1 47
	01/29/04			99 33	11 65	87 68	0 29
	04/19/04				10 09	89 24	1 56
	07/16/04				11 69	87 64	-1 60
	10/29/04				9 57	89 76	2 12
	01/14/05				8 47	90 86	1 10
	04/15/05				7 94	91 39	0 53
	07/08/05				10 07	89 26	-2 13
	10/08/05				10 88	88 45	-0 81
	01/18/06				10 32	89 01	0 56
	04/18/06				11 31	88 02	-0 99
	07/11/06				12 47	86 86	-1 16
	10/10/06				12 18	87 15	0 29
	01/16/07				11 36	87 97	0 82
	04/17/07				10 48	88 85	0 88
	07/18/07				11 58	87 75	-1 10
	10/17/07				11 91	87 42	-0 33
	01/16/08				12 80	86 53	-0 89
	04/28/08				11 96	87 37	0 84
	07/15/08				11 36	87 97	0 60
	10/14/08				10 43	88 90	0 93
	01/13/09				10 02	89 31	0 41
	04/06/09				11 41	87 92	-1 39
	07/14/09				12 94	86 39	-1 53

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-9 (Cont)	10/20/09				14 24	85 09	-1 30
	01/20/10				12 84	86 49	1 40
	04/20/10				10 90	88 43	1 94
	07/26/10				12 77	86 56	-1 87
MW-10	01/26/91	30 00	Protective Casing	101 34	19 68	81 66	
	09/13/91				18 56	82 78	1 12
	11/21/91				16 96	84 38	1 60
	03/16/93				15 64	85 70	1 32
	01/09/94				16 89	84 45	-1 25
	04/19/94				16 73	84 61	0 16
	07/19/94				16 29	85 05	0 44
	10/24/94				16 39	84 95	-0 10
	01/24/95				16 48	84 86	-0 09
	04/02/95				16 88	84 46	-0 40
	07/31/95				16 82	84 52	0 06
	10/16/95				16 65	84 69	0 17
	01/10/96				17 01	84 33	-0 36
	04/09/96				17 20	84 14	-0 19
	07/21/96				17 85	83 49	-0 65
	10/21/96				16 13	85 21	1 72
	01/21/97				15 73	85 61	0 40
	04/08/97				15 70	85 64	0 03
	07/29/97				16 28	85 06	-0 58
	10/16/97				15 16	86 18	1 12
	01/06/98				14 74	86 60	0 42
	04/14/98				14 65	86 69	0 09
	07/17/98				15 90	85 44	-1 25
	10/27/98				16 04	85 30	-0 14
	02/09/99				16 61	84 73	-0 57
	04/21/99				15 68	85 66	0 93
	07/13/99				13 68	87 66	2 00
	10/19/99				15 15	86 19	-1 47
	01/26/00				15 76	85 58	-0 61
	04/18/00				15 82	85 52	-0 06
	07/26/00				15 92	85 42	-0 10
	10/19/00				15 30	86 04	0 62
	01/18/01			99 84	10 80	89 04	3 00
	04/12/01				10 58	89 26	0 22
	07/19/01				12 08	87 76	-1 50
	10/17/01				11 75	88 09	0 33
	01/12/02				10 75	89 09	1 00
	04/20/02				10 31	89 53	0 44
	07/24/02				11 81	88 03	-1 50
	10/15/02				11 33	88 51	0 48
	01/22/03				11 93	87 91	-0 60
	04/24/03				12 21	87 63	-0 28
	07/16/03				13 29	86 55	-1 08
	10/15/03				12 18	87 66	1 11
	01/29/04				11 95	87 89	0 23
	04/19/04				10 39	89 45	1 56
	07/16/04				12 32	87 52	-1 93
	10/29/04				10 24	89 60	2 08
	01/14/05				8 88	90 96	1 36
	04/15/05				8 43	91 41	0 45
	07/08/05				10 45	89 39	-2 02
	10/08/05				11 26	88 58	-0 81
	01/18/06				10 79	89 05	0 47
	04/18/06				11 64	88 20	-0 85
	07/11/06				13 02	86 82	-1 38
	10/10/06				12 89	86 95	0 13
	01/16/07				11 78	88 06	1 11
	04/17/07				11 17	88 67	0 61
	07/18/07				12 89	86 95	-1 72
	10/17/07				12 76	87 08	0 13
	01/16/08				13 30	86 54	-0 54
	04/28/08				12 79	87 05	0 51

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-10 (Cont)	07/15/08				12 28	87 56	0 51
	10/14/08				11 51	88 33	0 77
	01/13/09				10 82	89 02	0 69
	04/06/09				11 84	88 00	-1 02
	07/14/09				13 50	86 34	-1 66
	10/20/09				14 59	85 25	-1 09
	01/20/10				13 33	86 51	1 26
	04/20/10				11 48	88 36	1 85
	07/26/10				13 30	86 54	-1 82
MW-11	01/26/91	30 00	Protective Casing	100 60	19 27	81 33	
	09/13/91				17 81	82 79	1 46
	11/21/91				16 35	84 25	1 46
	03/16/93				15 20	85 40	1 15
	01/09/94				16 31	84 29	-1 11
	04/19/94				16 17	84 43	0 14
	07/19/94				15 63	84 97	0 54
	10/24/94				15 72	84 88	-0 09
	01/24/95				15 89	84 71	-0 17
	04/02/95				16 33	84 27	-0 44
	07/31/95				16 03	84 57	0 30
	10/16/95				16 00	84 60	0 03
	01/10/96				16 45	84 15	-0 45
	04/09/96				16 62	83 98	-0 17
	07/21/96				17 21	83 39	-0 59
	10/21/96				15 52	85 08	1 69
	01/21/97				15 15	85 45	0 37
	04/08/97				15 19	85 41	-0 04
	07/29/97				15 78	84 82	-0 59
	10/16/97				14 75	85 85	1 03
	01/06/98				14 44	86 16	0 31
	04/14/98				14 22	86 38	0 22
	07/17/98				15 41	85 19	-1 19
	10/27/98				15 50	85 10	-0 09
	02/09/99				16 11	84 49	-0 61
	04/21/99				15 21	85 39	0 90
	07/13/99				13 25	87 35	1 96
	10/19/99				14 68	85 92	-1 43
	01/26/00				15 28	85 32	-0 60
	04/18/00				15 29	85 31	-0 01
	07/26/00				15 42	85 18	-0 13
	10/19/00				14 58	86 02	0 84
	01/18/01			98 20	10 08	88 12	2 10
	04/12/01				10 07	88 13	0 01
	07/19/01				11 67	86 53	-1 60
	10/17/01				11 15	87 05	0 52
	01/12/02				10 14	88 06	1 01
	04/20/02				9 83	88 37	0 31
	07/24/02				11 39	86 81	-1 56
	10/15/02				10 87	87 33	0 52
	01/22/03				11 47	86 73	-0 60
	04/23/03				11 77	86 43	-0 30
	07/16/03				12 97	85 23	-1 20
	10/15/03				11 37	86 83	1 60
	01/28/04				11 43	86 77	-0 06
	04/19/04				9 77	88 43	1 66
	07/16/04				11 79	86 41	-2 02
	10/29/04				9 60	88 60	2 19
	01/14/05				8 34	89 86	1 26
	04/15/05				7 93	90 27	0 41
	07/08/05				10 12	88 08	-2 19
	10/08/05				10 84	87 36	-0 72
	01/19/06				10 36	87 84	0 48
	04/18/06				11 21	86 99	-0 85
	07/11/06				12 63	85 57	-1 42
	10/10/06				12 39	85 81	0 24
	01/16/07				11 53	86 67	0 86

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-11 (Cont)	04/17/07				10 20	88 00	1 33
	07/17/07				11 08	87 12	-0 88
	10/17/07				12 22	85 98	-1 14
	01/16/08				12 91	85 29	-0 69
	04/28/08				12 22	85 98	0 69
	07/15/08				11 38	86 82	0 84
	10/14/08				10 63	87 57	0 75
	01/13/09				10 21	87 99	0 42
	04/06/09				11 18	87 02	-0 97
	07/14/09				12 79	85 41	-1 61
	10/20/09				13 92	84 28	-1 13
	01/20/10				12 60	85 60	1 32
	04/20/10				10 78	87 42	1 82
	07/26/10				12 58	85 62	-1 80
MW-12	01/26/91	34 00	Protective Casing	100 69	19 24	81 45	
	09/13/91				17 59	83 10	1 65
	11/21/91				16 21	84 48	1 38
	03/16/93				15 22	85 47	0 99
	01/09/94				16 25	84 44	-1 03
	04/19/94				16 13	84 56	0 12
	07/19/94				15 63	85 06	0 50
	10/24/94				15 73	84 96	-0 10
	01/24/95				15 80	84 89	-0 07
	04/02/95				16 23	84 46	-0 43
	07/31/95				15 96	84 73	0 27
	10/16/95				15 93	84 76	0 03
	01/10/96				16 35	84 34	-0 42
	04/09/96				16 52	84 17	-0 17
	07/21/96				17 15	83 54	-0 63
	10/21/96				15 48	85 21	1 67
	01/21/97				15 04	85 65	0 44
	04/08/97				15 10	85 59	-0 06
	07/29/97				15 73	84 96	-0 63
	10/16/97				14 57	86 12	1 16
	01/06/98				14 22	86 47	0 35
	04/14/98				14 09	86 60	0 13
	07/17/98				15 35	85 34	-1 26
	10/27/98				15 36	85 33	-0 01
	02/09/99				16 00	84 69	-0 64
	04/21/99				15 19	85 50	0 81
	07/13/99				13 12	87 57	2 07
	10/19/99				14 63	86 06	-1 51
	01/26/00				15 18	85 51	-0 55
	04/18/00				15 22	85 47	-0 04
	07/26/00				15 38	85 31	-0 16
	10/19/00				14 35	86 34	1 03
	01/18/01			99 21	10 62	88 59	2 25
	04/12/01				10 61	88 60	0 01
	07/19/01				12 41	86 80	-1 80
	10/17/01				10 95	88 26	1 46
	04/20/02				9 88	89 33	1 07
	07/24/02				11 57	87 64	-1 69
	10/15/02				10 94	88 27	0 63
	01/22/03				11 70	87 51	-0 76
	04/24/03				12 04	87 17	-0 34
	07/16/03				13 19	86 02	-1 15
	10/15/03				11 40	87 81	1 79
	01/29/04			98 49	11 33	87 16	-0 65
	04/19/04				9 62	88 87	1 71
	07/16/04				11 51	86 98	-1 89
	10/29/04				9 26	89 23	2 25
	01/14/05				8 16	90 33	1 10
	04/15/05				7 68	90 81	0 48
	07/08/05				9 98	88 51	-2 30
	10/08/05				10 74	87 75	-0 76
	01/18/06				10 09	88 40	0 65

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-12 (Cont)	04/18/06				11 15	87 34	-1 06
	07/11/06				12 39	86 10	-1 24
	10/10/06				12 03	86 46	0 36
	01/16/07				11 20	87 29	0 83
	04/17/07				10 57	87 92	0 63
	07/18/07				11 52	86 97	-0 95
	10/17/07				11 82	86 67	-0 30
	01/16/08				12 71	85 78	-0 89
	04/28/08				11 82	86 67	0 89
	07/15/08				10 96	87 53	0 86
	10/14/08				10 10	88 39	0 86
	01/13/09				9 78	88 71	0 32
	04/06/09				11 03	87 46	-1 25
	07/14/09				12 59	85 90	-1 56
	10/20/09				13 85	84 64	-1 26
	01/20/10				12 38	86 11	1 47
	04/20/10				10 50	87 99	1 88
	07/26/10				12 38	86 11	-1 88
MW-13	09/13/91	45 00	Protective Casing	99 25	15 10	84 15	
	11/21/91				13 95	85 30	1 15
	03/16/93				13 22	86 03	0 73
	01/09/94				14 03	85 22	-0 81
	04/19/94				13 90	85 35	0 13
	07/20/94				13 70	85 55	0 20
	10/24/94				13 86	85 39	-0 16
	01/24/95				13 56	85 69	0 30
	04/02/95				13 87	85 38	-0 31
	07/31/95				13 84	85 41	0 03
	10/16/95				13 83	85 42	0 01
	01/10/96				14 02	85 23	-0 19
	04/09/96				14 20	85 05	-0 18
	07/20/96				15 04	84 21	-0 84
	10/21/96				13 31	85 94	1 73
	01/21/97				12 70	86 55	0 61
	04/08/97				12 48	86 77	0 22
	07/29/97				13 43	85 82	-0 95
	10/16/97				12 02	87 23	1 41
	01/06/98				11 44	87 81	0 58
	04/14/98				11 50	87 75	-0 06
	07/17/98				13 10	86 15	-1 60
	10/27/98				13 58	85 67	-0 48
	02/09/99				13 81	85 44	-0 23
	04/21/99				13 22	86 03	0 59
	07/13/99				11 08	88 17	2 14
	10/20/99				12 64	86 61	-1 56
	01/26/00				12 96	86 29	-0 32
	04/18/00				13 08	86 17	-0 12
	07/26/00				12 88	86 37	0 20
	10/19/00				11 68	87 57	1 20
	01/18/01				8 88	90 37	2 80
	04/12/01				9 09	90 16	-0 21
	07/19/01				11 47	87 78	-2 38
	10/17/01				10 15	89 10	1 32
	01/12/02				8 48	90 77	1 67
	04/20/02				9 07	90 18	-0 59
	07/24/02				11 42	87 83	-2 35
	10/15/02				10 38	88 87	1 04
	01/22/03				11 28	87 97	-0 90
	04/24/03				11 80	87 45	-0 52
	07/16/03				12 98	86 27	-1 18
	10/15/03				10 48	88 77	2 50
	01/29/04			99 25	10 68	88 57	-0 20
	04/19/04				9 06	90 19	1 62
	07/16/04				10 40	88 85	-1 34
	10/29/04				8 03	91 22	2 37
	01/14/05				7 44	91 81	0 59

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-13 (Cont)	04/15/05				6 76	92 49	0 68
	07/08/05				9 47	89 78	-2 71
	10/08/05				10 13	89 12	-0 66
	01/18/06				9 28	89 97	0 85
	04/18/06				10 63	88 62	-1 35
	07/11/06				11 55	87 70	-0 92
	10/10/06				10 97	88 28	0 58
	01/16/07				10 16	89 09	0 81
	04/17/07				8 98	90 27	1 18
	07/18/07				10 31	88 94	-1 33
	10/17/07				10 47	88 78	-0 16
	01/16/08				11 97	87 28	-1 50
	04/28/08				10 42	88 83	1 55
	07/15/08				9 44	89 81	0 98
	10/14/08				8 26	90 99	1 18
	01/13/09				8 44	90 81	-0 18
	04/06/09				10 44	88 81	-2 00
	07/14/09				11 76	87 49	-1 32
	10/20/09				13 36	85 89	-1 60
	01/20/10				11 28	87 97	2 08
	04/20/10				9 59	89 66	1 69
	07/26/10				11 73	87 52	-2 14
MW-14	09/13/91	35 00	Protective Casing	98 74	14 60	84 14	
	11/21/91				13 61	85 13	0 99
	03/16/93				13 00	85 74	0 61
	01/09/94				13 71	85 03	-0 71
	04/19/94				13 63	85 11	0 08
	07/20/94				13 39	85 35	0 24
	10/24/94				13 48	85 26	-0 09
	01/25/95				13 26	85 48	0 22
	04/02/95				13 61	85 13	-0 35
	07/31/95				13 44	85 30	0 17
	10/16/95				13 52	85 22	-0 08
	01/10/96				13 76	84 98	-0 24
	04/09/96				13 96	84 78	-0 20
	07/20/96				14 74	84 00	-0 78
	10/21/96				13 03	85 71	1 71
	01/21/97				12 47	86 27	0 56
	04/08/97				12 44	86 30	0 03
	07/29/97				13 30	85 44	-0 86
	10/16/97				11 93	86 81	1 37
	01/06/98				11 46	87 28	0 47
	04/14/98				11 48	87 26	-0 02
	07/17/98				12 94	85 80	-1 46
	10/27/98				13 25	85 49	-0 31
	02/09/99				13 59	85 15	-0 34
	04/21/99				12 96	85 78	0 63
	07/13/99				10 85	87 89	2 11
	10/20/99				12 42	86 32	-1 57
	01/26/00				12 73	86 01	-0 31
	04/18/00				12 82	85 92	-0 09
	07/26/00				13 08	85 66	-0 26
	10/19/00				11 32	87 42	1 76
	01/18/01				8 48	90 26	2 84
	04/12/01				8 83	89 91	-0 35
	04/20/02				8 84	89 90	-0 01
	07/24/02				11 21	87 53	-2 37
	10/15/02				10 12	88 62	1 09
	04/24/03				11 54	87 20	-1 42
	07/16/03				12 74	86 00	-1 20
	10/15/03				10 07	88 67	2 67
	01/29/04				10 45	88 29	-0 38
	04/19/04				8 76	89 98	1 69
	07/16/04				10 20	88 54	-1 44
	10/29/04				7 69	91 05	2 51
	01/14/05				7 23	91 51	0 46

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-14 (Cont)	04/15/05				6 46	92 28	0 77
	07/08/05				9 37	89 37	-2 91
	10/08/05				9 99	88 75	-0 62
	01/18/06				9 09	89 65	0 90
	04/18/06				10 42	88 32	-1 33
	07/11/06				11 44	87 30	-1 02
	10/10/06				10 70	88 04	0 74
	01/16/07				9 95	88 79	0 75
	04/17/07				8 70	90 04	1 25
	07/18/07				10 18	88 56	-1 48
	10/17/07				10 30	88 44	-0 12
	01/16/08				11 83	86 91	-1 53
	04/28/08				10 26	88 48	1 57
	07/15/08				9 11	89 63	1 15
	10/15/08				7 96	90 78	1 15
	01/13/09				8 20	90 54	-0 24
	04/06/09				10 19	88 55	-1 99
	07/14/09				11 53	87 21	-1 34
	10/20/09				13 07	85 67	-1 54
	01/20/10				11 21	87 53	1 86
	04/20/10				9 41	89 33	1 80
	07/26/10				11 50	87 24	-2 09
MW-15	09/13/91	34 00	Protective Casing	100 05	16 30	83 75	
	11/21/91				15 01	85 04	1 29
	03/16/93				13 95	86 10	1 06
	01/09/94				14 91	85 14	-0 96
	04/19/94				14 80	85 25	0 11
	07/20/94				14 56	85 49	0 24
	10/24/94				14 73	85 32	-0 17
	01/24/95				16 00	84 05	-1 27
	04/02/95				14 80	85 25	1 20
	07/31/95				14 82	85 23	-0 02
	10/16/95				14 74	85 31	0 08
	01/10/96				14 95	85 10	-0 21
	04/09/96				15 11	84 94	-0 16
	07/20/96				15 96	84 09	-0 85
	10/21/96				14 22	85 83	1 74
	01/21/97				13 64	86 41	0 58
	04/08/97				13 53	86 52	0 11
	07/29/97				14 32	85 73	-0 79
	10/16/97				12 90	87 15	1 42
	01/06/98				12 30	87 75	0 60
**	04/14/98				12 38	87 67	-0 08
	07/17/98				13 93	86 12	-1 55
	10/27/98				14 38	85 67	-0 45
	02/09/99				14 68	85 37	-0 30
	04/21/99				14 03	86 02	0 65
	07/13/99				11 90	88 15	2 13
	10/20/99				13 42	86 63	-1 52
	01/26/00				13 83	86 22	-0 41
	04/18/00				13 96	86 09	-0 13
	07/26/00				14 14	85 91	-0 18
	10/19/00				12 90	87 15	1 24
	01/18/01				9 39	90 66	3 51
	04/12/01				12 38	87 67	-2 99
	07/19/01				12 44	87 61	-0 06
	01/12/02				10 10	89 95	2 34
	07/24/02				12 38	87 67	-2 28
	10/15/02				11 52	88 53	0 86
	01/22/03				12 30	87 75	-0 78
	04/24/03				12 74	87 31	-0 44
	07/16/03				13 89	86 16	-1 15
	10/15/03				11 96	88 09	1 93
	01/29/04			99 69	11 50	88 19	0 10
	04/19/04				9 92	89 77	1 58
	07/16/04				11 37	88 32	-1 45

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-15 (Cont)	10/29/04				9 19	90 50	2 18
	01/14/05				8 30	91 39	0 89
	04/15/05				7 73	91 96	0 57
	07/08/05				10 08	89 61	-2 35
	10/08/05				10 82	88 87	-0 74
	01/18/06				10 13	89 56	0 69
	04/18/06				11 30	88 39	-1 17
	07/11/06				12 32	87 37	-1 02
	10/10/06				11 87	87 82	0 45
	01/16/07				11 11	88 58	0 76
	04/17/07				10 11	89 58	1 00
	07/18/07				11 28	88 41	-1 17
	10/17/07				11 52	88 17	-0 24
	01/16/08				12 72	86 97	-1 20
	04/28/08				11 55	88 14	1 17
	07/15/08				10 85	88 84	0 70
	10/14/08				9 78	89 91	1 07
	01/13/09				9 60	90 09	0 18
	04/06/09				11 27	88 42	-1 67
	07/14/09				12 69	87 00	-1 42
	10/20/09				14 18	85 51	-1 49
	01/20/10				12 56	87 13	1 62
	04/20/10				10 60	89 09	1 96
	07/26/10				12 57	87 12	-1 97
MW-16	01/13/09				8 27		
	04/06/09				10 50		
	07/14/09				11 75		
	10/20/09				13 37		
	01/20/10				11 51		
	04/20/10				9 60		
MW-17D	04/02/95	19 00	Protective Casing	101 29	16 80	84 49	
	07/31/95				16 48	84 81	0 32
	10/16/95				16 51	84 78	-0 03
	01/10/96				16 90	84 39	-0 39
	04/09/96				17 10	84 19	-0 20
	07/21/96				17 70	83 59	-0 60
	10/21/96				16 02	85 27	1 68
	01/21/97				15 60	85 69	0 42
	04/08/97				15 64	85 65	-0 04
	07/29/97				16 32	84 97	-0 68
	10/16/97				15 11	86 18	1 21
	01/06/98				14 80	86 49	0 31
	04/14/98				14 68	86 61	0 12
	07/17/98				15 92	85 37	-1 24
	10/27/98				15 95	85 34	-0 03
	02/09/99				16 63	84 66	-0 68
	04/21/99				15 82	85 47	0 81
	07/13/99				13 77	87 52	2 05
	10/19/99				15 32	85 97	-1 55
	01/26/00				15 79	85 50	-0 47
	04/18/00				15 80	85 49	-0 01
	07/26/00				15 98	85 31	-0 18
	10/19/00				14 89	86 40	1 09
	01/18/01			99 00	10 33	88 67	2 27
	04/12/01				10 35	88 65	-0 02
	07/19/01				12 22	86 78	-1 87
	10/17/01				11 48	87 52	0 74
	01/12/02				10 19	88 81	1 29
	04/20/02				10 25	88 75	-0 06
	07/24/02				11 98	87 02	-1 73
	10/15/02				11 33	87 67	0 65
	01/22/03				12 09	86 91	-0 76
	04/24/03				12 43	86 57	-0 34
	07/16/03				13 59	85 41	-1 16

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17D (Cont)	10/15/03				11 74	87 26	1 85
	01/29/04			98 46	11 30	87 16	-0 10
	04/19/04				9 55	88 91	1 75
	07/16/04				11 45	87 29	-1 62
	10/29/04				9 19	89 55	2 26
	01/14/05				8 16	90 58	1 03
	04/15/05				7 66	91 08	0 50
	07/08/05				10 01	88 73	-2 35
	10/08/05				10 76	87 98	-0 75
	01/18/06				10 10	88 64	0 66
	04/18/06				11 13	87 61	-1 03
	07/11/06				12 40	86 34	-1 27
	10/10/06				12 02	86 72	0 38
	01/16/07				11 17	87 57	0 85
	04/17/07				10 14	88 60	1 03
	07/18/07				11 50	87 24	-1 36
	10/17/07				11 79	86 95	-0 29
	01/16/08				12 08	86 66	-0 29
	04/28/08				11 79	86 95	0 29
	07/15/08				10 84	87 90	0 95
	10/15/08				10 10	88 64	0 74
	01/13/09				9 72	89 02	0 38
	04/06/09				11 03	87 71	-1 31
	07/14/09				12 54	86 20	-1 51
	10/20/09				13 82	84 92	-1 28
	01/20/10				12 33	86 41	1 49
	04/20/10				10 47	88 27	1 86
	07/26/10				12 17	86 57	-1 70
MW-17A	04/02/95	26 00	Protective Casing	100 57	16 05	84 52	
	07/31/95				15 75	84 82	0 30
	10/16/95				15 77	84 80	-0 02
	01/10/96				16 18	84 39	-0 41
	04/09/96				16 37	84 20	-0 19
	07/21/96				16 98	83 59	-0 61
	10/21/96				15 30	85 27	1 68
	01/21/97				14 88	85 69	0 42
	04/08/97				14 92	85 65	-0 04
	07/29/97				15 59	84 98	-0 67
	10/16/97				14 41	86 16	1 18
	01/06/98				14 09	86 48	0 32
	04/14/98				13 95	86 62	0 14
	07/17/98				15 20	85 37	-1 25
	10/27/98				15 23	85 34	-0 03
	02/09/99				15 88	84 69	-0 65
	04/21/99				15 10	85 47	0 78
	07/13/99				13 02	87 55	2 08
	10/19/99				14 54	86 03	-1 52
	01/26/00				15 05	85 52	-0 51
	04/18/00				15 08	85 49	-0 03
	07/26/00				15 25	85 32	-0 17
	10/19/00				14 17	86 40	1 08
	01/18/01			98 77	10 09	88 68	2 28
	04/12/01				10 11	88 66	-0 02
	07/19/01				11 98	86 79	-1 87
	10/17/01				11 24	87 53	0 74
	01/12/02				9 94	88 83	1 30
	04/20/02				10 00	88 77	-0 06
	07/24/02				11 75	87 02	-1 75
	10/15/02				11 22	87 55	0 53
	01/22/03				11 85	86 92	-0 63
	04/24/03				12 18	86 59	-0 33
	07/16/03				13 36	85 41	-1 18
	10/15/03				11 49	87 28	1 87
	01/29/04			98 29	11 13	87 16	-0 12
	04/19/04				9 38	88 91	1 75
	07/16/04				11 30	86 99	-1 92

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17A (Cont)	10/29/04				9 06	89 23	2 24
	01/14/05				7 98	90 31	1 08
	04/15/05				7 50	90 79	0 48
	07/08/05				9 84	88 45	-2 34
	10/08/05				10 57	87 72	-0 73
	01/18/06				9 93	88 36	0 64
	04/18/06				10 98	87 31	-1 05
	07/11/06				12 22	86 07	-1 24
	10/10/06				11 85	86 44	0 37
	01/16/07				11 00	87 29	0 85
	04/17/07				9 95	88 34	1 05
	07/18/07				11 30	86 99	-1 35
	10/17/07				11 61	86 68	-0 31
	01/16/08				12 52	85 77	-0 91
	04/28/08				11 62	86 67	0 90
	07/15/08				10 66	87 63	0 96
	10/15/08				9 89	88 40	0 77
	01/13/09				9 52	88 77	0 37
	04/06/09				10 85	87 44	-1 33
	07/14/09				12 33	85 96	-1 48
	10/20/09				13 64	84 65	-1 31
	01/20/10				12 15	86 14	1 49
	04/20/10				10 28	88 01	1 87
	07/26/10				12 35	85 94	-2 07
MW-17B	04/02/95	34 00	Protective Casing	101 28	16 79	84 49	
	07/31/95				16 50	84 78	0 29
	10/16/95				16 51	84 77	-0 01
	01/10/96				16 92	84 36	-0 41
	04/09/96				17 10	84 18	-0 18
	07/21/96				17 71	83 57	-0 61
	10/21/96				16 02	85 26	1 69
	01/21/97				15 64	85 64	0 38
	04/08/97				15 67	85 61	-0 03
	07/29/97				16 30	84 98	-0 63
	10/16/97				15 16	86 12	1 14
	01/06/98				14 84	86 44	0 32
	04/14/98				14 70	86 58	0 14
	07/17/98				15 92	85 36	-1 22
	10/27/98				16 00	85 28	-0 08
	02/09/99				16 62	84 66	-0 62
	04/21/99				15 79	85 49	0 83
	07/13/99				13 77	87 51	2 02
	10/19/99				15 26	86 02	-1 49
	01/26/00				15 81	85 47	-0 55
	04/18/00				15 81	85 47	0 00
	07/26/00				15 98	85 30	-0 17
	10/19/00				14 94	86 34	1 04
	01/18/01			99 04	10 44	88 60	2 26
	04/12/01				10 44	88 60	0 00
	07/19/01				12 27	86 77	-1 83
	10/17/01				11 62	87 42	0 65
	01/12/02				10 32	88 72	1 30
	04/20/02				10 33	88 71	-0 01
	07/24/02				12 04	87 00	-1 71
	10/15/02				11 40	87 64	0 64
	01/22/03				12 17	86 87	-0 77
	04/24/03				12 48	86 56	-0 31
	07/16/03				13 64	85 40	-1 16
	10/15/03				11 83	87 21	1 81
	01/29/04			98 54	11 43	87 11	-0 10
	04/19/04				9 69	88 85	1 74
	07/16/04				11 62	86 92	-1 93
	10/29/04				9 37	89 17	2 25
	01/14/05				8 29	90 25	1 08
	04/15/05				7 80	90 74	0 49
	07/08/05				10 11	88 43	-2 31

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17B (Cont)	10/08/05				10 89	87 65	-0 78
	01/18/06				10 22	88 32	0 67
	04/18/06				11 26	87 28	-1 04
	07/11/06				12 56	85 98	-1 30
	10/10/06				12 18	86 36	0 38
	01/16/07				11 31	87 23	0 87
	04/17/07				10 28	88 26	1 03
	07/18/07				11 67	86 87	-1 39
	10/17/07				11 95	86 59	-0 28
	01/16/08				12 83	85 71	-0 88
	04/28/08				11 77	86 77	1 06
	07/15/08				11 03	87 51	0 74
	10/15/08				10 23	88 31	0 80
	01/13/09				9 89	88 65	0 34
	04/06/09				11 16	87 38	-1 27
	07/14/09				12 67	85 87	-1 51
	10/20/09				13 94	84 60	-1 27
	01/20/10				12 48	86 06	1 46
	04/20/10				10 59	87 95	1 89
	07/26/10				12 48	86 06	-1 89
MW-17C	04/02/95	61 00	Protective Casing	101 33	16 93	84 40	
	07/31/95				16 66	84 67	0 27
	10/16/95				16 64	84 69	0 02
	01/10/96				17 08	84 25	-0 44
	04/09/96				17 25	84 08	-0 17
	07/21/96				17 85	83 48	-0 60
	10/21/96				16 17	85 16	1 68
	01/21/97				15 75	85 58	0 42
	04/08/97				15 80	85 53	-0 05
	07/29/97				16 46	84 87	-0 66
	10/16/97				15 33	86 00	1 13
	01/06/98				15 00	86 33	0 33
	04/14/98				14 85	86 48	0 15
	07/17/98				16 09	85 24	-1 24
	10/27/98				16 17	85 16	-0 08
	02/09/99				16 77	84 56	-0 60
	04/21/99				15 95	85 38	0 82
	07/13/99				13 94	87 39	2 01
	10/19/99				15 43	85 90	-1 49
	01/26/00				15 94	85 39	-0 51
	04/18/00				15 95	85 38	-0 01
	07/26/00				16 11	85 22	-0 16
	10/19/00				15 03	86 30	1 08
	01/18/01			99 01	10 37	88 64	2 34
	04/12/01				10 37	88 64	0 00
	07/19/01				12 22	86 79	-1 85
	10/17/01				11 46	87 55	0 76
	01/12/02				10 22	88 79	1 24
	04/20/02				10 25	88 76	-0 03
	07/24/02				11 98	87 03	-1 73
	10/15/02				11 33	87 68	0 65
	01/22/03				12 09	86 92	-0 76
	04/24/03				12 43	86 58	-0 34
	07/16/03				13 59	85 42	-1 16
	10/15/03				11 70	87 31	1 89
	01/29/04			98 53	11 37	87 16	-0 15
	04/19/04				9 61	88 92	1 76
	07/16/04				11 55	86 98	-1 94
	10/29/04				9 27	89 26	2 28
	01/14/05				8 19	90 34	1 08
	04/15/05				7 71	90 82	0 48
	07/08/05				10 08	88 45	-2 37
	10/08/05				10 84	87 69	-0 76
	01/18/06				10 16	88 37	0 68
	04/18/06				11 21	87 32	-1 05
	07/11/06				12 50	86 03	-1 29

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17C (Cont)	10/10/06				12 12	86 41	0 38
	01/16/07				11 21	87 32	0 91
	04/17/07				10 19	88 34	1 02
	07/18/07				11 57	86 96	-1 38
	10/17/07				11 87	86 66	-0 30
	01/16/08				12 77	85 76	-0 90
	04/28/08				11 88	86 65	0 89
	07/15/08				10 91	87 62	0 97
	10/15/08				10 12	88 41	0 79
	01/13/09				9 79	88 74	0 33
	04/06/09				11 08	87 45	-1 29
	07/14/09				12 59	85 94	-1 51
	10/20/09				13 86	84 67	-1 27
	01/20/10				12 39	86 14	1 47
	04/20/10				10 53	88 00	1 86
	07/26/10				12 41	86 12	-1 88
MW-18	04/02/95	28 00	Protective Casing	98 72	14 77	83 95	
	07/31/95				14 21	84 51	0 56
	10/16/95				14 25	84 47	-0 04
	01/10/96				14 90	83 82	-0 65
	04/09/96				15 05	83 67	-0 15
	07/21/96				15 44	83 28	-0 39
	10/21/96				13 78	84 94	1 66
	11/22/96				13 84	84 88	-0 06
	01/21/97				13 54	85 18	0 30
	04/08/97				13 66	85 06	-0 12
	07/29/97				14 13	84 59	-0 47
	10/16/97				13 34	85 38	0 79
	01/06/98				13 13	85 59	0 21
	04/14/98				12 79	85 93	0 34
	07/17/98				13 75	84 97	-0 96
	10/27/98				13 82	84 90	-0 07
	02/09/99				14 58	84 14	-0 76
	04/21/99				13 58	85 14	1 00
	07/13/99				11 66	87 06	1 92
	10/19/99				13 01	85 71	-1 35
	01/26/00				13 73	84 99	-0 72
	04/18/00				13 65	85 07	0 08
	07/26/00				13 71	85 01	-0 06
	10/19/00				13 03	85 69	0 68
	01/18/01				11 23	87 49	1 80
	04/12/01				11 18	87 54	0 05
	07/19/01				12 43	86 29	-1 25
	10/17/01				12 17	86 55	0 26
	01/12/02				11 44	87 28	0 73
	04/20/02				10 59	88 13	0 85
	07/24/02				12 22	86 50	-1 63
	10/15/02				11 88	86 84	0 34
	01/22/03				12 40	86 32	-0 52
	04/23/04				12 64	86 08	-0 24
	07/16/03				13 79	84 93	-1 15
	10/15/03				12 38	86 34	1 41
	01/28/04				12 52	86 20	-0 14
	04/19/04				10 88	87 84	1 64
	07/16/04				13 03	85 69	-2 15
	10/29/04				10 95	87 77	2 08
	01/14/05				9 55	89 17	1 40
	04/15/05				9 21	89 51	0 34
	07/08/05				11 22	87 50	-2 01
	10/08/05				11 94	86 78	-0 72
	01/19/06				11 57	87 15	0 37
	04/18/06				12 33	86 39	-0 76
	07/11/06				13 82	84 90	-1 49
	10/10/06				13 71	85 01	0 11
	01/16/07				12 85	85 87	0 86
	04/17/07				11 96	86 76	0 89

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-18 (Cont)	07/17/07				13 18	85 54	-1 22
	10/17/07				13 63	85 09	-0 45
	01/16/08				14 17	84 55	-0 54
	04/28/08				13 68	85 04	0 49
	07/15/08				12 97	85 75	0 71
	10/14/08				12 36	86 36	0 61
	01/13/09				11 65	87 07	0 71
	04/06/09				12 07	86 65	-0 42
	07/14/09				13 65	85 07	-1 58
	10/20/09				14 60	84 12	-0 95
	01/20/10				13 49	85 23	1 11
	04/20/10				11 60	87 12	1 89
	07/26/10				13 34	85 38	-1 74
MW-19	04/02/95	28 00	Protective Casing	99 08	14 86	84 22	
	07/31/95				14 29	84 79	0 57
	10/16/95				14 39	84 69	-0 10
	01/10/96				14 98	84 10	-0 59
	04/09/96				15 14	83 94	-0 16
	07/21/96				15 62	83 46	-0 48
	10/21/96				14 00	85 08	1 62
	11/22/96				14 03	85 05	-0 03
	01/21/97				13 69	85 39	0 34
	04/08/97				13 76	85 32	-0 07
	07/29/97				14 37	84 71	-0 61
	10/16/97				13 47	85 61	0 90
	01/06/98				13 21	85 87	0 26
	04/14/98				12 90	86 18	0 31
	07/17/98				13 96	85 12	-1 06
	10/27/98				14 11	84 97	-0 15
	02/09/99				14 74	84 34	-0 63
	04/21/99				13 91	85 17	0 83
	07/13/99				11 99	87 09	1 92
	10/19/99				13 35	85 73	-1 36
	01/26/00				13 92	85 16	-0 57
	04/18/00				13 84	85 24	0 08
	07/26/00				14 00	85 08	-0 16
	10/19/00				12 92	86 16	1 08
	01/18/01				10 66	88 42	2 26
	04/12/01				10 75	88 33	-0 09
	07/19/01				12 59	86 49	-1 84
	10/17/01				11 93	87 15	0 66
	01/12/02				10 78	88 30	1 15
	04/20/02				10 70	88 38	0 08
	07/24/02				12 35	86 73	-1 65
	10/15/02				11 82	87 26	0 53
	01/22/03				12 43	86 65	-0 61
	04/23/03				12 73	86 35	-0 30
	07/16/03				13 99	85 09	-1 26
	10/15/03				11 89	87 19	2 10
	01/28/04				12 29	86 79	-0 40
	04/19/04				10 50	88 58	1 79
	07/16/04				12 59	86 49	-2 09
	10/29/04				10 28	88 80	2 31
	01/14/05				9 20	89 88	1 08
	04/15/05				8 85	90 23	0 35
	07/08/05				11 23	87 85	-2 38
	10/08/05				11 90	87 18	-0 67
	01/19/06				11 30	87 78	0 60
	04/18/06				12 27	86 81	-0 97
	07/11/06				13 69	85 39	-1 42
	10/10/06				13 29	85 79	0 40
	01/16/07				12 36	86 72	0 93
	04/17/07				11 28	87 80	1 08
	07/17/07				12 64	86 44	-1 36
	10/17/07				13 00	86 08	-0 36
	01/16/08				13 87	85 21	-0 87

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-19 (Cont)	04/28/08				12 99	86 09	0 88
	07/15/08				11 92	87 16	1 07
	10/14/08				11 12	87 96	0 80
	01/13/09				10 85	88 23	0 27
	04/06/09				11 95	87 13	-1 10
	07/14/09				13 50	85 58	-1 55
	10/20/09				14 65	84 43	-1 15
	01/20/10				13 30	85 78	1 35
MW-20	04/20/10				11 41	87 67	1 89
	07/26/10				13 27	85 81	-1 86
	11/22/96	28 00	Protective Casing	101 09	16 28	84 81	
	01/21/97				16 08	85 01	0 20
	04/08/97				16 04	85 05	0 04
	07/29/97				16 46	84 63	-0 42
	10/16/97				15 76	85 33	0 70
	01/06/98				15 61	85 48	0 15
	04/14/98				15 13	85 96	0 48
	07/17/98				16 15	84 94	-1 02
	10/27/98				16 07	85 02	0 08
	02/09/99				16 94	84 15	-0 87
	04/21/99				15 48	85 61	1 46
	07/13/99				13 50	87 59	1 98
	10/19/99				15 25	85 84	-1 75
	01/26/00				16 08	85 01	-0 83
	04/18/00				15 97	85 12	0 11
	07/26/00				15 84	85 25	0 13
	10/19/00				15 80	85 29	0 04
	01/18/01				14 37	86 72	1 43
	04/12/01				14 16	86 93	0 21
	07/19/01				14 66	86 43	-0 50
	10/17/01				15 07	86 02	-0 41
	01/12/02				14 70	86 39	0 37
	04/20/02				13 54	87 55	1 16
	07/24/02				14 59	86 50	-1 05
	10/15/02				14 42	86 67	0 17
	01/22/03				14 91	86 18	-0 49
	04/23/03				14 87	86 22	0 04
	07/16/03				15 93	85 16	-1 06
	10/15/03				15 69	85 40	0 24
	01/28/04				15 38	85 71	0 31
	04/19/04				14 20	86 89	1 18
	07/16/04				16 25	84 84	-2 05
	10/29/04				14 25	86 84	2 00
	01/14/05				12 57	88 52	1 68
	04/15/05				12 14	88 95	0 43
	07/08/05				13 85	87 24	-1 71
	10/08/05				14 59	86 50	-0 74
	01/18/06				14 40	86 69	0 19
	04/18/06				15 08	86 01	-0 68
	07/11/06				16 73	84 36	-1 65
	10/10/06				16 97	84 12	-0 24
	01/16/07				16 08	85 01	0 89
	04/17/07				15 39	85 70	0 69
	07/17/07				16 68	84 41	-1 29
	10/17/07				17 19	83 90	-0 51
	01/16/08				17 26	83 83	-0 07
	04/28/08				17 21	83 88	0 05
	07/15/08				17 22	83 87	-0 01
	10/14/08				16 49	84 60	0 73
	01/13/09				15 38	85 71	1 11
	04/06/09				15 73	85 36	-0 35
	07/14/09				17 72	83 37	-1 99
	10/20/09				18 48	82 61	-0 76
	01/20/10				17 93	83 16	0 55
	04/20/10				15 82	85 27	2 11
	07/26/10				17 68	83 41	-1 86

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-21	11/22/96	25 00	Protective Casing	98 88	14 36	84 52	
	01/21/97				14 26	84 62	0 10
	04/08/97			98 89	14 41	84 48	-0 14
	07/29/97				14 54	84 35	-0 13
	10/16/97				14 18	84 71	0 36
	01/06/98				14 17	84 72	0 01
	04/14/98				13 60	85 29	0 57
	07/17/98				14 21	84 68	-0 61
	10/27/98				14 22	84 67	-0 01
	02/09/99				15 29	83 60	-1 07
	04/21/99				13 94	84 95	1 35
	07/13/99				12 03	86 86	1 91
	10/19/99				13 41	85 48	-1 38
	01/26/00				14 42	84 47	-1 01
	04/18/00				14 21	84 68	0 21
	07/26/00				13 97	84 92	0 24
	10/19/00				13 77	85 12	0 20
	01/18/01				12 62	86 27	1 15
	04/12/01				12 53	86 36	0 09
	07/19/01				12 89	86 00	-0 36
	10/17/01				13 23	85 66	-0 34
	01/12/02				13 10	85 79	0 13
	04/20/02				12 09	86 80	1 01
	07/24/02				12 83	86 06	-0 74
	10/15/02				12 82	86 07	0 01
	01/22/03				13 30	85 59	-0 48
	04/23/03				13 28	85 61	0 02
	07/16/03				14 27	84 62	-0 99
	10/15/03				13 73	85 16	0 54
	01/28/04				13 78	85 11	-0 05
	04/19/04				12 39	86 50	1 39
	07/16/04				14 54	84 35	-2 15
	10/29/04				12 70	86 19	1 84
	01/14/05				11 02	87 87	1 68
	04/15/05				10 62	88 27	0 40
	07/08/05				12 30	86 59	-1 68
	10/08/05				13 00	85 89	-0 70
	01/19/06				12 96	85 93	0 04
	04/18/06				13 50	85 39	-0 54
	07/11/06				14 98	83 91	-1 48
	10/10/06				15 22	83 67	-0 24
	01/16/07				14 52	84 37	0 70
	04/17/07				13 78	85 11	0 74
	07/17/07				14 94	83 95	-1 16
	10/17/07				15 42	83 47	-0 48
	01/16/08				15 71	83 18	-0 29
	04/28/08				15 59	83 30	0 12
	07/15/08				15 50	83 39	0 09
	10/14/08				14 80	84 09	0 70
	01/13/09				13 70	85 19	1 10
	04/06/09				13 91	84 98	-0 21
	07/14/09				15 59	83 30	-1 68
	10/20/09				16 17	82 72	-0 58
	01/20/10				15 42	83 47	0 75
	04/20/10				13 88	85 01	1 54
	07/26/10				15 51	83 38	-1 63
MW-22	11/22/96	24 50	Protective Casing	97 16	12 88	84 28	
	01/21/97				12 94	84 22	-0 06
	04/08/97			97 14	13 42	83 72	-0 50
	07/29/97				13 16	83 98	0 26
	10/16/97				13 23	83 91	-0 07
	01/06/98				13 46	83 68	-0 23
	04/14/98				12 80	84 34	0 66
	07/17/98				12 65	84 49	0 15
	10/27/98				12 90	84 24	-0 25

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-22 (Cont)	02/09/99				14 35	82 79	-1 45
	04/21/99				13 15	83 99	1 20
	07/13/99				11 45	85 69	1 70
	10/19/99				12 22	84 92	-0 77
	01/26/00				13 52	83 62	-1 30
	04/18/00				12 99	84 15	0 53
	07/26/00				12 63	84 51	0 36
	10/19/00				12 10	85 04	0 53
	01/18/01				11 19	85 95	0 91
	04/12/01				11 35	85 79	-0 16
	07/19/01				11 69	85 45	-0 34
	10/17/01				11 77	85 37	-0 08
	01/12/02				12 14	85 00	-0 37
	04/20/02				11 16	85 98	0 98
	07/24/02				11 53	85 61	-0 37
	10/15/02				11 83	85 31	-0 30
	01/22/03				12 36	84 78	-0 53
	04/23/03				12 35	84 79	0 01
	07/16/03				13 14	84 00	-0 79
	10/15/03				11 78	85 36	1 36
	01/28/04				12 74	84 40	-0 96
	04/19/04				11 01	86 13	1 73
	07/16/04				13 09	84 05	-2 08
	10/29/04				11 52	85 62	1 57
	01/14/05				9 97	87 17	1 55
	04/15/05				9 72	87 42	0 25
	07/08/05				11 39	85 75	-1 67
	10/08/05				12 00	85 14	-0 61
	01/19/06				12 15	84 99	-0 15
	04/18/06				12 52	84 62	-0 37
	07/11/06				13 59	83 55	-1 07
	10/10/06				13 72	83 42	-0 13
	01/16/07				13 32	83 82	0 40
	04/17/07				12 39	84 75	0 93
	07/17/07				13 25	83 89	-0 86
	10/17/07				13 61	83 53	-0 36
	01/16/08				14 56	82 58	-0 95
	04/28/08				14 17	82 97	0 39
	07/15/08				14 11	83 03	0 06
	10/14/08				13 12	84 02	0 99
	01/13/09				12 15	84 99	0 97
	04/06/09				12 80	84 34	-0 65
	07/14/09				14 05	83 09	-1 25
	10/20/09				14 24	82 90	-0 19
	01/20/10				14 18	82 96	0 06
	04/20/10				12 85	84 29	1 33
	07/26/10				14 12	83 02	-1 27
MW-23	11/22/96	25 00	Protective Casing	97 33	12 72	84 61	
	01/21/97				12 59	84 74	0 13
	04/08/97			97 30	13 07	84 23	-0 51
	07/29/97				13 14	84 16	-0 07
	10/16/97				13 06	84 24	0 08
	01/06/98				13 13	84 17	-0 07
	04/14/98				12 52	84 78	0 61
	07/17/98				12 64	84 66	-0 12
	10/27/98				12 84	84 46	-0 20
	02/09/99				14 16	83 14	-1 32
	04/21/99				13 25	84 05	0 91
	07/13/99				11 55	85 75	1 70
	10/19/99				12 39	84 91	-0 84
	01/26/00				13 33	83 97	-0 94
	04/18/00				12 81	84 49	0 52
	07/26/00				12 70	84 60	0 11
	10/19/00				11 54	85 76	1 16
	01/18/01				9 86	87 44	1 68
	04/12/01				10 19	87 11	-0 33

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-23 (Cont)	07/19/01				11 54	85 76	-1 35
	10/17/01				11 24	86 06	0 30
	01/12/02				10 72	86 58	0 52
	04/20/02				10 30	87 00	0 42
	07/24/02				11 24	86 06	-0 94
	10/15/02				11 42	85 88	-0 18
	01/22/03				11 89	85 41	-0 47
	04/23/03				12 01	85 29	-0 12
	07/16/03				12 97	84 33	-0 96
	10/15/03				10 96	86 34	2 01
	01/28/04				12 82	84 48	-1 86
	04/19/04				10 06	87 24	2 76
	07/16/04				12 04	85 26	-1 98
	10/29/04				9 97	87 33	2 07
	01/14/05				8 69	88 61	1 28
	04/15/05				8 45	88 85	0 24
	07/08/05				10 89	86 41	-2 44
	10/08/05				11 50	85 80	-0 61
	01/18/06				11 09	86 21	0 41
	04/18/06				11 85	85 45	-0 76
	07/11/06				13 00	84 30	-1 15
	10/10/06				12 68	84 62	0 32
	01/16/07				11 43	85 87	1 25
	04/17/07				10 77	86 53	0 66
	07/17/07				12 06	85 24	-1 29
	10/17/07				12 16	85 14	-0 10
	01/16/08				13 49	83 81	-1 33
	04/28/08				12 56	84 74	0 93
	07/15/08				12 48	84 82	0 08
	10/14/08				10 89	86 41	1 59
	01/13/09				10 19	87 11	0 70
	04/06/09				11 39	85 91	-1 20
	07/14/09				12 73	84 57	-1 34
	10/20/09				13 21	84 09	-0 48
	01/20/10				12 71	84 59	0 50
	04/20/10				11 11	86 19	1 60
	07/26/10				12 73	84 57	-1 62
MW-24	11/22/96	27 00	Protective Casing	103 42	17 91	85 51	
	01/21/97				17 56	85 86	0 35
	04/08/97			103 41	17 40	86 01	0 15
	07/29/97				17 72	85 69	-0 32
	10/16/97				16 58	86 83	1 14
	01/06/98				16 01	87 40	0 57
	04/14/98				16 17	87 24	-0 16
	07/17/98				17 49	85 92	-1 32
	10/27/98				17 40	86 01	0 09
	02/09/99				18 09	85 32	-0 69
	04/21/99				16 98	86 43	1 11
	07/13/99				14 88	88 53	2 10
	10/19/99				16 51	86 90	-1 63
	01/26/00				17 27	86 14	-0 76
	04/18/00				17 37	86 04	-0 10
	07/26/00				17 40	86 01	-0 03
	10/19/00				17 61	85 80	-0 21
	01/18/01				15 88	87 53	1 73
	04/12/01				15 42	87 99	0 46
	07/19/01				16 38	87 03	-0 96
	10/17/01				16 64	86 77	-0 26
	01/12/02				15 99	87 42	0 65
	04/20/02				14 81	88 60	1 18
	07/24/02				16 14	87 27	-1 33
	10/15/02				15 75	87 66	0 39
	01/22/03				16 13	87 28	-0 38
	04/23/03				16 53	86 88	-0 40
	07/16/03				17 24	86 17	-0 71
	10/15/03				17 31	86 10	-0 07

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-24 (Cont)	01/28/04				16 57	86 84	0 74
	04/19/04				15 52	87 89	1 05
	07/16/04				17 16	86 25	-1 64
	10/29/04				15 30	88 11	1 86
	01/14/05				13 68	89 73	1 62
	04/15/05				13 25	90 16	0 43
	07/08/05				14 73	88 68	-1 48
	10/08/05				15 60	87 81	-0 87
	01/18/06				15 47	87 94	0 13
	04/18/06				16 12	87 29	-0 65
	07/11/06				17 67	85 74	-1 55
	10/10/06				17 76	85 65	-0 09
	01/16/07				16 88	86 53	0 88
	04/17/07				16 37	87 04	0 51
	07/17/07				17 28	86 13	-0 91
	10/17/07				17 83	85 58	-0 55
	01/16/08				17 78	85 63	0 05
	04/28/08				17 93	85 48	-0 15
	07/15/08				17 98	85 43	-0 05
	10/14/08				17 26	86 15	0 72
	01/13/09				16 29	87 12	0 97
	04/06/09				16 90	86 51	-0 61
	07/14/09				18 99	84 42	-2 09
	10/20/09				19 93	83 48	-0 94
	01/20/10				18 73	84 68	1 20
	04/20/10				17 14	86 27	1 59
	07/26/10				18 80	84 61	-1 66
MW-25	04/08/97	25 00	Protective Casing	97 64	14 23	83 41	-
	07/29/97				13 77	83 87	0 46
	10/16/97				13 99	83 65	-0 22
	01/06/98				14 37	83 27	-0 38
	04/14/98				13 65	83 99	0 72
	07/17/98				13 26	84 38	0 39
	10/27/98				13 57	84 07	-0 31
	02/09/99				15 17	82 47	-1 60
	04/21/99				13 75	83 89	1 42
	07/13/99				12 16	85 48	1 59
	10/19/99				12 81	84 83	-0 65
	01/26/00				14 33	83 31	-1 52
	04/18/00				13 69	83 95	0 64
	07/26/00				13 25	84 39	0 44
	10/19/00				12 83	84 81	0 42
	01/18/01				12 26	85 38	0 57
	04/12/01				12 44	85 20	-0 18
	07/19/01				12 36	85 28	0 08
	10/17/01				12 60	85 04	-0 24
	01/12/02				13 26	84 38	-0 66
	04/20/02				12 12	85 52	1 14
	07/24/02				12 28	85 36	-0 16
	10/15/02				12 66	84 98	-0 38
	01/22/03				13 22	84 42	-0 56
	04/23/03				13 10	84 54	0 12
	07/16/03				13 82	83 82	-0 72
	10/15/03				12 72	84 92	1 10
	01/28/04				13 72	83 92	-1 00
	04/19/04				12 11	85 53	1 61
	07/16/04				14 08	83 56	-1 97
	10/29/04				12 64	85 00	1 44
	01/14/05				11 07	86 57	1 57
	04/15/05				10 75	86 89	0 32
	07/08/05				12 31	85 33	-1 56
	10/08/05				12 82	84 82	-0 51
	01/19/06				13 17	84 47	-0 35
	04/18/06				13 43	84 21	-0 26
	07/11/06				14 40	83 24	-0 97
	10/10/06				14 67	82 97	-0 27

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-25 (Cont)	01/16/07				14 44	83 20	0 23
	04/17/07				13 52	84 12	0 92
	07/17/07				14 23	83 41	-0 71
	10/17/07				14 65	82 99	-0 42
	01/16/08				15 62	82 02	-0 97
	04/28/08				15 33	82 31	0 29
	07/15/08				16 35	81 29	-1 02
	10/14/08				14 41	83 23	1 94
	01/13/09				13 40	84 24	1 01
	04/06/09				14 24	83 40	-0 84
	07/14/09				15 49	82 15	-1 25
	10/20/09				15 43	82 21	0 06
	01/20/10				15 68	81 96	-0 25
	04/20/10				14 64	83 00	1 04
	07/26/10				15 78	81 86	-1 14
MW-26	04/08/97	25 00	Protective Casing	96 11	13 06	83 05	-
	07/29/97				12 23	83 88	0 83
	10/16/97				12 75	83 36	-0 52
	01/06/98				13 40	82 71	-0 65
	04/14/98				12 61	83 50	0 79
	07/17/98				11 64	84 47	0 97
	10/27/98				12 16	83 95	-0 52
	02/09/99				14 13	81 98	-1 97
	04/21/99				12 41	83 70	1 72
	07/13/99				11 11	85 00	1 30
	10/19/99				11 40	84 71	-0 29
	01/26/00				13 29	82 82	-1 89
	04/18/00				12 27	83 84	1 02
	07/26/00				11 75	84 36	0 52
	10/19/00				11 30	84 81	0 45
	01/18/01				11 12	84 99	0 18
	04/12/01				11 44	84 67	-0 32
	07/19/01				10 98	85 13	0 46
	10/17/01				11 12	84 99	-0 14
	01/12/02				12 42	83 69	-1 30
	04/20/02				11 04	85 07	1 38
	07/24/02				11 03	85 08	0 01
	10/15/02				11 59	84 52	-0 56
	01/22/03				12 26	83 85	-0 67
	04/23/03				12 01	84 10	0 25
	07/16/03				12 53	83 58	-0 52
	10/15/03				11 19	84 92	1 34
	01/28/04				12 79	83 32	-1 60
	04/19/04				11 08	85 03	1 71
	07/16/04				12 63	83 48	-1 55
	10/29/04				11 64	84 47	0 99
	01/14/05				10 15	85 96	1 49
	04/15/05				9 92	86 19	0 23
	07/08/05				11 35	84 76	-1 43
	10/08/05				11 66	84 45	-0 31
	01/18/06				12 35	83 76	-0 69
	04/18/06				12 48	83 63	-0 13
	07/11/06				13 14	82 97	-0 66
	10/10/06				13 33	82 78	-0 19
	01/16/07				13 44	82 67	-0 11
	04/17/07				12 42	83 69	1 02
	07/17/07				12 79	83 32	-0 37
	10/17/07				13 17	82 94	-0 38
	01/16/08				14 64	81 47	-1 47
	04/28/08				14 26	81 85	0 38
	07/15/08				14 22	81 89	0 04
	10/14/08				13 18	82 93	1 04
	01/13/09				12 25	83 86	0 93
	04/06/09				13 39	82 72	-1 14
	07/14/09				14 29	81 82	-0 90
	10/20/09				13 79	82 32	0 50

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-26 (Cont)	01/20/10				14 75	81 36	-0 96
	04/20/10				13 99	82 12	0 76
	07/26/10				14 80	81 31	-0 81
MW-27	04/08/97	25 00	Protective Casing	96 17	13 06	83 11	-
	07/29/97				12 21	83 96	0 85
	10/16/97				12 79	83 38	-0 58
	01/06/98				13 56	82 61	-0 77
	04/14/98				12 75	83 42	0 81
	07/17/98				11 53	84 64	1 22
	10/27/98				12 09	84 08	-0 56
	02/09/99				14 29	81 88	-2 20
	04/21/99				12 53	83 64	1 76
	07/13/99				11 41	84 76	1 12
	10/19/99				11 48	84 69	-0 07
	01/26/00				13 52	82 65	-2 04
	04/18/00				12 25	83 92	1 27
	07/26/00				11 75	84 42	0 50
	10/19/00				11 06	85 11	0 69
	01/18/01				10 83	85 34	0 23
	04/12/01				11 34	84 83	-0 51
	07/19/01				11 00	85 17	0 34
	10/17/01				11 03	85 14	-0 03
	01/12/02				12 33	83 84	-1 30
	04/20/02				10 85	85 32	1 48
	07/24/02				10 91	85 26	-0 06
	10/15/02				11 64	84 53	-0 73
	01/22/03				12 30	83 87	-0 66
	04/23/03				11 94	84 23	0 36
	07/16/03				12 50	83 67	-0 56
	10/15/03				10 73	85 44	1 77
	01/28/04				12 69	83 48	-1 96
	04/19/04				10 87	85 30	1 82
	07/16/04				12 73	83 44	-1 86
	10/29/04				11 30	84 87	1 43
	01/14/05				9 93	86 24	1 37
	04/15/05				9 73	86 44	0 20
	07/08/05				11 34	84 83	-1 61
	10/08/05				11 51	84 66	-0 17
	01/18/06				12 29	83 88	-0 78
	04/18/06				12 37	83 80	-0 08
	07/11/06				12 84	83 33	-0 47
	10/10/06				12 85	83 32	-0 01
	01/16/07				13 14	83 03	-0 29
	04/17/07				11 94	84 23	1 20
	07/17/07				12 22	83 95	-0 28
	10/17/07				12 48	83 69	-0 26
	01/16/08				14 45	81 72	-1 97
	04/28/08				13 79	82 38	0 66
	07/15/08				13 69	82 48	0 10
	10/14/08				12 39	83 78	1 30
	01/13/09				11 58	84 59	0 81
	04/06/09				12 77	83 40	-1 19
	07/14/09				13 39	82 78	-0 62
	10/20/09				12 74	83 43	0 65
	01/20/10				13 98	82 19	-1 24
	04/20/10				13 12	83 05	0 86
	07/26/10				13 80	82 37	-0 68
MW-28	07/17/98	25 00	Protective Casing	97 93	14 32	83 61	-
	10/27/98				14 43	83 50	-0 11
	02/09/99				15 71	82 22	-1 28
	04/21/99				14 28	83 65	1 43
	07/13/99				12 41	85 52	1 87
	10/19/99				13 48	84 45	-1 07
	01/26/00				14 78	83 15	-1 30
	04/18/00				14 49	83 44	0 29

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-28 (Cont)	07/26/00				13 98	83 95	0 51
	10/19/00				13 92	84 01	0 06
	01/18/01				13 49	84 44	0 43
	04/12/01				13 57	84 36	-0 08
	07/19/01				13 16	84 77	0 41
	10/17/01				13 72	84 21	-0 56
	01/12/02				14 32	83 61	-0 60
	04/20/02				13 27	84 66	1 05
	07/24/02				13 18	84 75	0 09
	10/15/02				13 40	84 53	-0 22
	01/22/03				13 95	83 98	-0 55
	04/23/03				13 79	84 14	0 16
	07/16/03				14 36	83 57	-0 57
	10/15/03				14 20	83 73	0 16
	01/28/04				14 68	83 25	-0 48
	04/19/04				13 63	84 30	1 05
	07/16/04				15 26	82 67	-1 63
	10/29/04				13 87	84 06	1 39
	01/14/05				12 17	85 76	1 70
	04/15/05				11 72	86 21	0 45
	07/08/05				13 04	84 89	-1 32
	10/08/05				13 68	84 25	-0 64
	01/18/06				14 06	83 87	-0 38
	04/18/06				14 36	83 57	-0 30
	07/11/06				15 56	82 37	-1 20
	10/10/06				16 03	81 90	-0 47
	01/16/07				15 80	82 13	0 23
	04/17/07				15 10	82 83	0 70
	07/17/07				15 92	82 01	-0 82
	10/17/07				16 52	81 41	-0 60
	01/16/08				16 92	81 01	-0 40
	04/28/08				16 94	80 99	-0 02
	07/15/08				17 35	80 58	-0 41
	10/14/08				16 66	81 27	0 69
	01/13/09				15 50	82 43	1 16
	04/06/09				16 11	81 82	-0 61
	07/14/09				17 73	80 20	-1 62
	10/20/09				17 85	80 08	-0 12
	01/20/10				17 72	80 21	0 13
	04/20/10				12 92	85 01	4 80
	07/26/10				18 22	79 71	-5 30
MW-29	07/17/98	25 00	Protective Casing	97 04	14 07	82 97	-
	10/27/98				14 36	82 68	-0 29
	02/09/99				15 83	81 21	-1 47
	04/21/99				14 48	82 56	1 35
	07/13/99				12 84	84 20	1 64
	10/19/99				13 35	83 69	-0 51
	01/26/00				14 87	82 17	-1 52
	04/18/00				14 37	82 67	0 50
	07/26/00				13 72	83 32	0 65
	10/19/00				13 61	83 43	0 11
	01/18/01				13 51	83 53	0 10
	04/12/01				13 75	83 29	-0 24
	07/19/01				13 14	83 90	0 61
	10/17/01				13 48	83 56	-0 34
	01/12/02				14 52	82 52	-1 04
	04/20/02				13 58	83 46	0 94
	07/24/02				13 18	83 86	0 40
	10/15/02				13 52	83 52	-0 34
	01/22/03				14 14	82 90	-0 62
	04/23/03				14 00	83 04	0 14
	07/16/03				14 44	82 60	-0 44
	10/15/03				13 93	83 11	0 51
	01/28/04				14 84	82 20	-0 91
	04/19/04				13 72	83 32	1 12
	07/16/04				15 19	81 85	-1 47

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-29 (Cont)	10/29/04				14 13	82 91	1 06
	01/14/05				12 43	84 61	1 70
	04/15/05				11 99	85 05	0 44
	07/08/05				13 20	83 84	-1 21
	10/08/05				13 78	83 26	-0 58
	01/18/06				14 37	82 67	-0 59
	04/18/06				14 56	82 48	-0 19
	07/11/06				15 11	81 93	-0 55
	10/10/06				15 87	81 17	-0 76
	01/16/07				15 98	81 06	-0 11
	04/17/07				15 19	81 85	0 79
	07/17/07				15 76	81 28	-0 57
	10/17/07				16 24	80 80	-0 48
	01/16/08				17 06	79 98	-0 82
	04/28/08				17 00	80 04	0 06
	07/15/08				17 34	79 70	-0 34
	10/14/08				16 63	80 41	0 71
	01/13/09				15 60	81 44	1 03
	04/06/09				16 49	80 55	-0 89
	07/14/09				17 85	79 19	-1 36
	10/20/09				17 61	79 43	0 24
	01/20/10				18 00	79 04	-0 39
	04/20/10				17 52	79 52	0 48
	07/26/10				18 53	78 51	-1 01
MW-30	07/17/98	25 00	Protective Casing	96 58	12 68	83 90	-
	10/27/98				13 12	83 46	-0 44
	02/09/99				14 88	81 70	-1 76
	04/21/99				13 38	83 20	1 50
	07/13/99				11 85	84 73	1 53
	10/19/99				12 28	84 30	-0 43
	01/26/00				14 00	82 58	-1 72
	04/18/00				13 21	83 37	0 79
	07/26/00				12 62	83 96	0 59
	10/19/00				12 32	84 26	0 30
	01/18/01				12 18	84 40	0 14
	04/12/01				12 44	84 14	-0 26
	07/19/01				11 91	84 67	0 53
	10/17/01				12 09	84 49	-0 18
	01/12/02				13 32	83 26	-1 23
	04/20/02				12 15	84 43	1 17
	07/24/02				11 92	84 66	0 23
	10/15/02				12 40	84 18	-0 48
	01/22/03				13 05	83 53	-0 65
	04/23/03				12 84	83 74	0 21
	07/16/03				13 35	83 23	-0 51
	10/15/03				12 40	84 18	0 95
	01/28/04				13 69	82 89	-1 29
	04/19/04				12 14	84 44	1 55
	07/16/04				14 42	82 16	-2 28
	10/29/04				12 77	83 81	1 65
	01/14/05				11 15	85 43	1 62
	04/15/05				10 83	85 75	0 32
	07/08/05				12 13	84 45	-1 30
	10/08/05				12 61	83 97	-0 48
	01/18/06				13 25	83 33	-0 64
	04/18/06				13 35	83 23	-0 10
	07/11/06				14 08	82 50	-0 73
	10/10/06				14 43	82 15	-0 35
	01/16/07				14 56	82 02	-0 13
	04/17/07				13 63	82 95	0 93
	07/17/07				14 04	82 54	-0 41
	10/17/07				14 52	82 06	-0 48
	01/16/08				15 69	80 89	-1 17
	04/28/08				15 47	81 11	0 22
	07/15/08				15 62	80 96	-0 15
	10/14/08				14 69	81 89	0 93

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-30 (Cont)	01/13/09				13 73	82 85	0 96
	04/06/09				16 39	80 19	-2 66
	07/14/09				17 79	78 79	-1 40
	10/20/09				17 34	79 24	0 45
	01/20/10				18 28	78 30	-0 94
	04/20/10				18 08	78 50	0 20
	07/26/10				18 80	77 78	-0 72
MW-31	10/14/08				13 24		
	01/13/09				12 32		
	04/06/09				11 70		
	07/14/09				13 02		
	10/20/09				13 82		
	01/20/10				12 84		
	04/20/10				10 78		
	07/26/10				12 47		

NOTES

NM = not measured

* = measured from a temporary benchmark of arbitrary elevation = 100 00 feet
Benchmark is located on the concrete right up against the east shop wall,
at the northeast corner of the shop

** = water level measurement may be in error

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-1	01/26/91	0.033	ND(0.005)	0.029	0.130	ND(0.005)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.192	0.000	
	09/15/91	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.000	
	11/22/91	0.026	ND(0.001)	0.007	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.047	0.000	
	03/16/93	0.016	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.000	
	01/10/94	0.006	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	
	04/19/94	0.035	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000	
	07/20/94	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000	
	10/25/94	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000	
	01/25/95	0.025	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.000	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	
	08/01/95	0.082	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	0.000	
	10/18/95	0.064	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.068	0.000	
	01/10/96	0.076	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	0.000	
	04/13/96	0.048	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000	
	07/21/96	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	0.000	
	10/22/96	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000	
	01/24/97	0.002	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	
	04/09/97	0.006	0.002	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000	
	07/30/97	0.018	0.004	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.000	
10/17/97	0.026	0.003	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.000		
10/19/99	ND(0.001)	0.002	0.004	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000		
10/19/00	0.001	0.017	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000		
10/18/01	ND(0.001)	0.021	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.000		
10/16/02	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000		
10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000		
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000		
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000		
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000		
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000		
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000		
10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000		
MW-2	01/26/91	0.210	0.590	0.071	1.700	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.110	2.571	0.158	
Dup.	01/26/91	0.190	0.450	0.062	1.300	0.043	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.078	2.002	0.121	
*	09/15/91	0.120	0.050	0.006	0.690	0.100	ND(0.005)	0.005	ND(0.005)	0.005	ND(0.005)	0.023	ND(0.005)	0.150	0.866	0.278		
	11/22/91	0.033	0.001	0.001	0.088	0.110	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	0.016	ND(0.001)	0.064	0.123	0.197		
	03/16/93	0.019	ND(0.001)	ND(0.001)	ND(0.005)	0.060	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	0.028	0.019	0.093		
	01/10/94	0.024	ND(0.001)	0.001	ND(0.005)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.079	0.025	0.119		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)										
MW-2 (Cont.) Dup.	04/19/94	0.045	0.004	ND(0.005)	ND(0.005)	ND(0.005)	0.028	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.048	0.049	0.049	0.077
	04/19/94	0.043	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.052	0.048	0.048	0.083
	07/20/94	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.022	0.022	0.047
	10/25/94	0.045	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.037	0.053	0.053	0.068
*	01/25/95	0.057	0.022	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.079	0.079	0.103
	04/03/95	0.050	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	0.050	0.050	0.061
	08/01/95	0.032	0.021	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	0.053	0.053	0.060
	10/18/95	0.078	0.040	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.088	0.118	0.118	0.105
Dup. *	10/18/95	0.081	0.045	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.003	0.097	0.126	0.126	0.117
*	01/11/96	0.220	0.200	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.260	0.420	0.420	0.270
*	04/13/96	0.095	0.130	ND(0.005)	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.335	0.335	0.140
#	07/21/96	0.092	0.079	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.171	0.171	0.061
	10/22/96	0.014	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.026	0.026	0.018
	01/24/97	0.012	0.018	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.024	0.030	0.030	0.029
	04/09/97	0.015	0.029	ND(0.002)	ND(0.004)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	0.034	0.044	0.044	0.043
Dup.	07/30/97	0.010	0.045	ND(0.002)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.050	0.055	0.055	0.061
	10/17/97	0.004	0.024	ND(0.002)	ND(0.004)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.031	0.028	0.028	0.040
	10/28/98	0.002	0.035	ND(0.002)	ND(0.002)	0.031	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	0.054	0.068	0.068	0.065
	10/28/98	ND(0.005)	0.043	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	0.061	0.043	0.043	0.073
Dup.	04/22/99	0.001	0.026	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.036	0.027	0.027	0.048
	10/20/99	ND(0.0025)	0.038	0.002	ND(0.005)	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.054	0.040	0.040	0.054
	10/20/99	ND(0.005)	0.035	0.002	ND(0.01)	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.054	0.037	0.037	0.069
	10/19/00	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.013	0.002	0.015	0.015
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014	0.000	0.018	0.018
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.016	0.000	0.021	0.021
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.000	0.016	0.016
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.006	0.006
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.000	0.009	0.009
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.089	0.000	0.107	0.107
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.072	0.000	0.087	0.087
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020	0.020
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020	0.020
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020	0.020
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.009	0.000	0.011	0.011
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	0.000	0.008	0.008
MW-3	01/26/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000	0.000
	09/15/91	0.200	1.200	1.200	1.200	14.000	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.330	ND(0.2)	ND(0.2)	16.600	0.330	0.330
	11/22/91	0.110	0.680	0.530	0.530	6.800	0.094	0.004	0.004	0.190	0.110	0.110	0.150	0.057	8.120	0.605	0.605

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-4	01/26/91	0.098	0.011	ND(0.002)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.134	0.000
	09/15/91	0.260	ND(0.002)	ND(0.002)	ND(0.002)	0.015	0.006	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.275	0.006
	11/22/91	0.180	0.100	0.001	0.037	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.318	0.019
	03/16/93	0.072	0.051	ND(0.001)	ND(0.005)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.123	0.001
	01/10/94	0.064	0.074	ND(0.001)	ND(0.005)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.138	0.000
	04/19/94	0.074	0.085	ND(0.005)	0.003	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.162	0.000
	07/20/94	0.100	0.053	ND(0.005)	0.005	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.158	0.000
	10/25/94	0.140	0.260	ND(0.005)	0.004	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.404	0.404	0.404	0.005
	01/25/95	0.150	0.400	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.550	0.000
	04/03/95	0.100	0.190	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.290	0.000
	08/01/95	0.069	0.570	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	0.639	0.639	0.639	0.005
	10/18/95	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.000
	01/11/96	ND(0.005)	0.036	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	04/13/96	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	04/13/96	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.000
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
dup.	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-5	01/26/91	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.010	0.014	0.014	0.017	0.017
	09/15/91	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.001	0.001	0.023	0.023

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-5 (Cont.)	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.000	0.023
	03/16/93	0.078	0.007	ND(0.001)	ND(0.005)	0.013	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.026	ND(0.001)	0.085	0.043
	01/10/94	0.025	ND(0.001)	ND(0.001)	ND(0.005)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.025	0.034
	04/19/94	0.070	0.011	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.015	ND(0.005)	0.081	0.025
	07/20/94	0.220	0.041	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.025	ND(0.005)	0.261	0.040
	07/20/94	0.320	0.076	ND(0.005)	0.001	0.026	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.039	ND(0.005)	0.397	0.073
	10/25/94	0.240	0.059	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.043	ND(0.005)	0.299	0.073
	01/25/95	0.460	0.130	ND(0.005)	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.093	ND(0.005)	0.590	0.136
	04/03/95	0.390	0.087	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.062	ND(0.005)	0.477	0.077
	08/01/95	0.170	0.082	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.049	ND(0.005)	0.252	0.080
Dup.	10/18/95	0.200	0.093	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.025	ND(0.005)	0.293	0.086
	01/11/96	0.078	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.025	ND(0.005)	0.090	0.033
	04/13/96	0.068	0.037	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	ND(0.005)	0.132	0.025
	07/21/96	0.092	0.057	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	ND(0.005)	0.149	0.025
	10/22/96	0.066	0.023	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.089	0.020
	01/24/97	0.031	0.025	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.019	ND(0.001)	0.056	0.024
	04/09/97	0.040	0.040	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.028	ND(0.002)	0.080	0.035
	07/30/97	0.018	0.044	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.029	ND(0.002)	0.062	0.034
	10/17/97	0.016	0.048	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.027	ND(0.002)	0.064	0.038
	10/28/98	0.006	0.009	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.027	ND(0.002)	0.015	0.033
MW-6	10/20/99	0.012	0.008	0.002	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.034	ND(0.001)	0.022	0.044
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.008
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.014
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-6	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.083	ND(0.001)	0.000	0.267
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.006	ND(0.001)	ND(0.001)	0.084	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.043	ND(0.001)	0.000	0.133
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	0.000	0.104
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.056	ND(0.001)	0.000	0.162
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.120	ND(0.001)	0.000	0.279
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.070	ND(0.005)	ND(0.005)	0.002	ND(0.005)	0.072	ND(0.005)	0.000	0.157

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE	ETHYL- BENZENE	TOLUENE	TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-6 (Cont.) Dup.	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.098	0.001	ND(0.005)	0.065	0.000	0.000	0.000	0.173
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.110	0.001	ND(0.005)	0.073	0.000	0.000	0.000	0.197
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.079	ND(0.005)	ND(0.005)	0.059	0.000	0.000	0.000	0.150
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.065	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.000	0.134
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.074	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.000	0.137
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.060	ND(0.005)	ND(0.005)	0.030	0.000	0.000	0.000	0.103
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.051	ND(0.005)	ND(0.005)	0.029	0.000	0.000	0.000	0.093
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.042	ND(0.005)	ND(0.005)	0.022	0.000	0.000	0.000	0.075
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.047	ND(0.005)	ND(0.005)	0.021	0.000	0.000	0.000	0.080
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.037	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.000	0.064
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.041	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.000	0.070
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.010	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.006	0.000	0.000	0.000	0.041
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.010	ND(0.002)	0.025	ND(0.002)	ND(0.002)	0.009	0.000	0.000	0.000	0.044
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.006	ND(0.002)	0.016	ND(0.002)	ND(0.002)	0.008	0.000	0.000	0.000	0.030
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	ND(0.002)	0.023	ND(0.002)	ND(0.002)	0.007	0.000	0.000	0.000	0.041
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.007	ND(0.002)	0.016	ND(0.002)	ND(0.002)	0.008	0.000	0.000	0.000	0.031
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.010	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.010	0.000	0.000	0.000	0.044
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.000	0.031
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.003
10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000	
10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000	
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000	
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000	
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000	
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000	
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000	
10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000	
MW-7	01/26/91	0.006	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.021	ND(0.001)	0.260	0.010	0.068	0.200	0.006	0.006	0.559	
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.038	ND(0.001)	0.320	0.005	0.069	0.270	0.009	0.009	0.702	
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.034	ND(0.001)	0.310	0.006	0.069	0.280	0.009	0.009	0.699	
	11/22/91	0.009	ND(0.005)	ND(0.005)	ND(0.025)	ND(0.025)	0.035	ND(0.005)	0.360	ND(0.005)	0.053	0.310	0.009	0.009	0.758	
Dup.	03/16/93	0.007	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.027	ND(0.001)	0.280	0.002	0.050	0.160	0.007	0.007	0.519	
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.023	ND(0.001)	0.210	0.004	0.046	0.160	0.005	0.005	0.443	
	04/19/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.120	0.003	0.038	0.120	0.007	0.007	0.302	
	07/20/94	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.220	0.003	0.040	0.160	0.006	0.006	0.441	
	10/25/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	ND(0.005)	0.050	0.240	0.007	0.007	0.553	
	10/25/94	0.006	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	0.200	ND(0.025)	0.045	0.230	0.006	0.006	0.501	
	01/25/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.210	0.002	0.041	0.330	0.005	0.005	0.610	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)	
			BENZENE (mg/L)	TOLUENE (mg/L)													
MW-7 (Cont.)	04/03/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.290	ND(0.005)	ND(0.005)	0.038	0.260	0.006	0.006	0.617	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.038	ND(0.005)	0.300	ND(0.005)	ND(0.005)	ND(0.005)	0.051	0.250	0.000	0.000	0.639	
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.300	0.002	0.045	0.002	0.045	0.300	0.005	0.005	0.671	
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.260	ND(0.005)	ND(0.005)	ND(0.005)	0.035	0.250	0.006	0.006	0.572	
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.370	ND(0.005)	ND(0.005)	ND(0.005)	0.030	0.260	0.006	0.006	0.687	
	07/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.280	ND(0.005)	ND(0.005)	ND(0.005)	0.026	0.220	0.006	0.006	0.555	
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.028	ND(0.010)	0.350	ND(0.010)	ND(0.010)	ND(0.010)	0.023	0.260	0.000	0.000	0.661	
	01/24/97	0.005	ND(0.001)	ND(0.001)	ND(0.002)	0.021	0.001	0.244	0.002	0.019	0.002	0.019	0.203	0.005	0.005	0.490	
	04/09/97	0.005	ND(0.002)	ND(0.002)	ND(0.004)	0.022	ND(0.002)	0.186	ND(0.002)	ND(0.002)	ND(0.002)	0.017	0.148	0.005	0.005	0.373	
	07/30/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.023	ND(0.010)	0.236	ND(0.010)	ND(0.010)	ND(0.010)	0.019	0.255	0.005	0.005	0.533	
dup.	10/17/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.029	ND(0.010)	0.255	ND(0.010)	ND(0.010)	ND(0.010)	0.020	0.153	0.005	0.005	0.457	
	10/28/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.024	ND(0.010)	0.193	ND(0.010)	ND(0.010)	ND(0.010)	0.031	0.251	0.004	0.004	0.499	
	04/22/99	0.005	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.255	ND(0.005)	ND(0.005)	ND(0.005)	0.043	0.275	0.005	0.005	0.607	
	10/19/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.184	ND(0.005)	ND(0.005)	ND(0.005)	0.045	0.198	0.000	0.000	0.461	
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.036	ND(0.0025)	0.208	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.034	0.209	ND(0.0025)	0.003	0.487	
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.033	ND(0.0025)	0.204	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.032	0.237	ND(0.0025)	0.003	0.506	
	10/18/01	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.170	ND(0.0025)	0.003	0.373	
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.025	ND(0.0025)	0.140	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.010	0.120	ND(0.0025)	0.000	0.295	
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.018	ND(0.0025)	0.098	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.074	ND(0.0025)	0.000	0.196	
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.120	ND(0.001)	0.001	0.264	
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.089	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.071	ND(0.001)	0.000	0.185	
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.025	ND(0.001)	0.000	0.058	
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.034	
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.047	
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039	
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.013	
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009	
	MW-8	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.004	0.001	0.003	0.005	0.005	0.023
		09/15/91	0.007	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	0.101	ND(0.001)	ND(0.001)	0.007	0.039	0.050	0.007	0.007	0.214
		11/22/91	0.004	ND(0.001)	ND(0.001)	ND(0.005)	0.020	ND(0.001)	0.087	ND(0.001)	ND(0.001)	0.003	0.045	0.063	0.004	0.004	0.218
03/16/93		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.005	0.006	0.009	0.000	0.000	0.078	
Dup.	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.004	0.006	0.006	0.000	0.000	0.074	
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.004	0.008	0.010	0.000	0.000	0.100	
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.039	ND(0.005)	ND(0.005)	0.004	0.004	0.007	0.000	0.000	0.058	
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.069	ND(0.005)	ND(0.005)	0.005	0.006	0.011	0.000	0.000	0.095	
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.082	ND(0.005)	ND(0.005)	ND(0.005)	0.010	0.019	0.000	0.000	0.119	
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.076	ND(0.005)	ND(0.005)	0.006	0.011	0.022	0.000	0.000	0.122	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.074	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.017	0.000	0.000	0.105	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			PCE (mg/L)	TCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)						
MW-8 (Cont.)	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.110	ND(0.005)	ND(0.005)	0.053	0.023			0.000	0.201
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.081	ND(0.005)	0.002	0.044	0.015			0.000	0.151
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	ND(0.005)	0.019	0.006			0.000	0.094
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.099	ND(0.005)	ND(0.005)	0.036	0.011			0.000	0.153
Dup.	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.087	ND(0.005)	ND(0.005)	0.035	0.010			0.000	0.138
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.089	0.035			0.000	0.296
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.140	ND(0.005)	ND(0.005)	0.072	0.030			0.000	0.262
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.019	0.001	0.081	0.002	0.002	0.018	0.017			0.001	0.138
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.017	0.001	0.088	0.002	0.002	0.017	0.014			0.001	0.139
	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.015	ND(0.002)	0.097	ND(0.002)	ND(0.002)	0.028	0.019			0.001	0.158
	07/30/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.105	ND(0.002)	ND(0.002)	0.048	0.015			0.001	0.180
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	0.106	0.002	0.002	0.055	0.015			0.000	0.189
Dup.	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	0.104	ND(0.002)	ND(0.002)	0.026	0.010			0.001	0.150
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.003	ND(0.005)	0.111	ND(0.005)	ND(0.005)	0.010	ND(0.005)			0.000	0.124
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.003	ND(0.01)	0.128	ND(0.01)	ND(0.01)	0.009	ND(0.01)			0.000	0.140
	04/22/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.003	ND(0.0025)	0.152	ND(0.0025)	ND(0.0025)	0.007	ND(0.0025)			0.000	0.164
Dup.	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.0025)	0.135	ND(0.0025)	ND(0.0025)	0.002	ND(0.0025)			0.000	0.137
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.006	ND(0.0025)	0.104	ND(0.0025)	ND(0.0025)	0.008	0.004	ND(0.0025)		0.000	0.122
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.018	0.012	ND(0.001)		0.000	0.070
	10/16/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.045	0.005	ND(0.001)	0.025	0.025	ND(0.001)		0.001	0.161
Dup.	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.036	0.004	ND(0.001)	0.034	0.015	ND(0.001)		0.000	0.117
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.039	0.003	ND(0.001)	0.046	0.017	ND(0.001)		0.000	0.132
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.038	0.002	ND(0.001)	0.038	0.014	ND(0.001)		0.000	0.116
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.025	0.003	ND(0.001)	0.023	0.015	ND(0.001)		0.000	0.092
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.024	0.006	ND(0.001)	0.031	0.016	ND(0.001)		0.000	0.106
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.024	0.006	ND(0.001)	0.028	0.016	ND(0.001)		0.000	0.101
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020	0.005	ND(0.001)	0.019	0.014	ND(0.001)		0.000	0.076
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.019	0.005	ND(0.001)	0.024	0.013	ND(0.001)		0.000	0.082
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.013	0.004	ND(0.001)	0.011	0.011	ND(0.001)		0.000	0.054
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.012	0.005	ND(0.001)	0.008	0.010	ND(0.001)		0.000	0.050
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.012	0.005	ND(0.001)	0.008	0.010	ND(0.001)		0.000	0.052
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.014	0.004	ND(0.001)	0.007	0.011	ND(0.001)		0.000	0.054
Dup.	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.013	0.002	ND(0.001)	0.005	0.008	ND(0.001)		0.000	0.039
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.011	0.002	ND(0.001)	0.005	0.007	ND(0.001)		0.000	0.034
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.010	0.003	ND(0.001)	0.004	0.006	ND(0.001)		0.000	0.037
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.009	0.004	ND(0.001)	0.004	0.006	ND(0.001)		0.000	0.038
Dup.	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.007	0.002	ND(0.001)	0.003	0.004	ND(0.001)		0.000	0.024
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.007	0.002	ND(0.001)	0.004	0.005	ND(0.001)		0.000	0.025
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)		0.000	0.019

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MWL-8 (Cont.)	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.006	0.001	ND(0.001)	0.004	0.003	ND(0.001)	0.000	0.019	
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.005	0.001	ND(0.001)	0.003	0.002	ND(0.001)	0.000	0.016	
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.015	
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.012	
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.015	
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.010	
MWL-9	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.025	
	09/15/91	0.002	0.032	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	0.037	
	11/22/91	0.004	0.170	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.174	0.032	
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.013	
	01/10/94	ND(0.001)	ND(0.001)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.012	
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010	
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.017	
*	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.014	
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.014	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.015	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.022	
	10/18/95	ND(0.005)	0.016	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.017	
	01/10/96	ND(0.005)	0.032	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.032	0.020	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020	
#	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.021	
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.024	
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.019	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.001	0.024	
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.022	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.001	0.027	
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	0.001	ND(0.002)	ND(0.001)	0.001	ND(0.002)	ND(0.002)	0.000	0.022	
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.018	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.020	
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.005	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.005	
Dup.	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.005	
	10/19/00	ND(0.001)	0.001	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.008	
	10/18/01	0.009	0.290	ND(0.001)	0.173	0.173	0.030	0.030	ND(0.001)	0.003	0.001	ND(0.001)	0.003	0.004	ND(0.001)	0.472	0.041	
	04/20/02	0.002	0.059	0.003	0.070	0.070	0.013	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.134	0.024	
	07/24/02	0.001	0.034	0.001	0.044	0.044	0.011	0.011	ND(0.001)	0.002	0.001	ND(0.001)	0.009	0.011	ND(0.001)	0.080	0.034	
	10/16/02	0.002	0.050	0.002	0.069	0.069	0.012	0.012	ND(0.001)	0.002	0.002	ND(0.001)	0.008	0.010	ND(0.001)	0.123	0.034	
	01/23/03	0.001	0.047	0.003	0.072	0.072	0.013	0.013	ND(0.001)	0.002	0.002	ND(0.001)	0.007	0.011	ND(0.001)	0.123	0.035	
Dup.	04/24/03	0.002	0.120	0.006	0.250	0.250	0.012	0.012	ND(0.001)	0.002	0.002	ND(0.001)	0.005	0.010	ND(0.001)	0.378	0.031	
	07/18/03	0.008	0.360	0.028	0.550	0.550	0.026	0.026	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.008	ND(0.0025)	0.946	0.041	
	10/16/03	0.003	0.240	0.015	0.630	0.630	0.018	0.018	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.012	ND(0.0025)	0.888	0.037	
	10/16/03	0.003	0.260	0.015	0.650	0.650	0.018	0.018	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.011	ND(0.0025)	0.928	0.033	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOLUENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-10 (Cont.) Dup.	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.042
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.062
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.070
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.137
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.136
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.063
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.170
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.170
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.250	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.000	0.250
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.181	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.187
Dup.	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.158	0.004	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000	0.163
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.156	0.004	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.160
	10/17/97	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.196	0.004	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.000	0.200
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.111	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.000	0.111
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.098	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.099
	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.002	0.080
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.082	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.082
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.068	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.000	0.068
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.038
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.037
MW-11	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.037
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.018
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.010
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.012
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.010
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.015
	01/26/91	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.045	ND(0.005)	0.310	ND(0.005)	ND(0.005)	0.140	0.360	0.010	0.010	0.855
	09/15/91	0.056	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.068	ND(0.001)	0.470	0.017	0.120	0.120	0.330	0.056	0.056	1.005
	11/22/91	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.052	ND(0.001)	0.390	0.018	0.110	0.110	0.320	0.048	0.048	0.890
	03/16/93	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.040	ND(0.001)	0.220	0.004	0.074	0.074	0.160	0.005	0.005	0.498
*	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.042	ND(0.001)	0.250	ND(0.001)	ND(0.001)	0.083	0.320	0.005	0.005	0.695
	04/19/94	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.005)	0.170	0.006	0.079	0.079	0.170	0.011	0.011	0.467
	07/20/94	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.057	ND(0.025)	0.460	0.010	0.120	0.120	0.360	0.000	0.000	1.007
	10/25/94	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.067	ND(0.005)	0.220	ND(0.005)	0.110	0.110	0.300	0.009	0.009	0.698
	01/25/95	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.240	0.014	0.120	0.120	0.360	0.012	0.012	0.806
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.410	0.013	0.100	0.100	0.430	0.009	0.009	1.015

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)												
MW-11 (Cont.) Dup. * *	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.360	0.014	0.063	0.330	0.007	0.817		
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.310	0.015	0.071	0.340	0.007	0.787		
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.043	ND(0.005)	0.270	0.010	0.057	0.330	0.005	0.710		
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	0.011	0.043	0.310	0.000	0.627		
*	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.240	ND(0.005)	0.020	0.230	0.000	0.490		
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.005)	0.200	0.008	0.036	0.260	0.000	0.539		
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.034	ND(0.010)	0.230	ND(0.010)	0.029	0.260	0.000	0.553		
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.029	0.001	0.157	0.008	0.026	0.212	0.002	0.433		
Dup.	04/09/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.033	ND(0.002)	0.128	0.008	0.027	0.180	0.002	0.375		
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	0.102	0.006	0.032	0.170	0.000	0.342		
	10/17/97	0.003	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.048	ND(0.010)	0.142	0.005	0.031	0.063	0.003	0.289		
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.054	ND(0.010)	0.145	0.005	0.049	0.176	0.004	0.429		
Dup.	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.061	ND(0.010)	0.155	0.006	0.053	0.200	0.004	0.475		
	04/15/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.059	ND(0.010)	0.130	ND(0.010)	0.057	0.151	0.000	0.397		
	07/18/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.071	ND(0.010)	0.120	ND(0.010)	0.064	0.143	0.000	0.398		
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.072	ND(0.010)	0.110	ND(0.010)	0.065	0.129	0.000	0.376		
Dup.	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.070	0.001	0.130	0.002	0.070	0.157	0.004	0.430		
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.083	0.001	0.143	0.002	0.071	0.149	0.004	0.449		
	04/22/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.090	ND(0.0025)	0.123	ND(0.0025)	0.067	0.117	0.004	0.397		
	07/13/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.069	ND(0.0025)	0.116	ND(0.0025)	0.058	0.130	0.004	0.373		
Dup.	10/19/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.059	ND(0.0025)	0.094	ND(0.0025)	0.047	0.112	0.003	0.312		
	01/26/00	0.003	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.068	ND(0.005)	0.121	ND(0.005)	0.058	0.127	0.003	0.374		
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.081	ND(0.005)	0.123	ND(0.005)	0.065	0.145	0.000	0.414		
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.067	ND(0.005)	0.093	ND(0.005)	0.054	0.104	ND(0.005)	0.326		
Dup.	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.073	ND(0.005)	0.096	ND(0.001)	0.055	0.096	ND(0.001)	0.329		
	10/19/00	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.079	ND(0.0025)	0.143	0.003	0.061	0.117	ND(0.0025)	0.406		
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.066	ND(0.005)	0.040	0.099	ND(0.005)	0.277		
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.066	ND(0.005)	0.040	0.097	ND(0.005)	0.276		
Dup.	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	ND(0.005)	0.047	ND(0.005)	0.038	0.076	ND(0.005)	0.222		
	07/19/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.068	ND(0.001)	0.037	ND(0.001)	0.027	0.047	ND(0.001)	0.179		
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.073	ND(0.0025)	0.036	ND(0.0025)	0.037	0.048	ND(0.0025)	0.194		
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.038	ND(0.005)	0.036	0.050	ND(0.005)	0.200		
Dup.	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.069	ND(0.001)	0.039	ND(0.001)	0.030	0.054	ND(0.001)	0.192		
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.030	ND(0.001)	0.026	0.043	ND(0.001)	0.162		
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.075	ND(0.0025)	0.029	ND(0.0025)	0.031	0.041	ND(0.0025)	0.176		
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.066	ND(0.001)	0.037	ND(0.001)	0.031	0.044	ND(0.001)	0.178		
Dup.	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.053	ND(0.001)	0.032	ND(0.001)	0.030	0.038	ND(0.001)	0.153		
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	ND(0.001)	0.030	ND(0.001)	0.021	0.041	ND(0.001)	0.140		
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	0.032	ND(0.001)	0.021	0.041	ND(0.001)	0.143		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	TOTAL XYLENES (mg/L)										
MW-11 (Cont.)	10/15/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.065	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.039	0.034	ND(0.001)	0.002	0.179
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.022	0.042	ND(0.001)	0.000	0.141
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.044	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.032	0.029	ND(0.001)	0.000	0.132
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.051	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.031	0.026	ND(0.001)	0.001	0.133
Dup.	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.027	0.030	ND(0.001)	0.000	0.128
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.021	0.013	ND(0.001)	0.000	0.087
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.017
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	0.000	0.039
Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.040
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	0.000	0.044
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.036
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.011	ND(0.001)	0.000	0.045
Dup.	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.007	0.012	ND(0.001)	0.000	0.046
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	0.000	0.042
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.009	0.006	ND(0.001)	0.000	0.033
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	0.000	0.041
Dup.	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.009	0.009	ND(0.001)	0.000	0.045
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	0.000	0.028
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.006	ND(0.001)	0.000	0.026
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	0.000	0.030
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.007	ND(0.001)	0.000	0.028
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.018
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.014
Dup.	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.000	0.013
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.000	0.012
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.009
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.009
MW-12	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.011
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.010
	01/26/91	0.260	0.950	0.230	0.630	4.500	0.140	ND(0.025)	0.140	ND(0.025)	ND(0.025)	ND(0.025)	0.057	0.073	0.042		5.940	0.312
*	09/15/91	0.150	0.620	0.630	0.630	2.200	0.120	ND(0.001)	0.120	ND(0.001)	0.300	ND(0.001)	0.110	0.200	0.061		3.600	0.791
	11/22/91	0.110	0.430	0.034	0.034	0.810	0.110	0.002	0.110	0.002	0.240	0.002	0.100	0.260	0.051		1.384	0.763
	03/16/93	0.160	0.800	0.014	0.014	1.000	0.120	ND(0.001)	0.120	ND(0.001)	0.039	ND(0.001)	0.055	0.036	0.018		1.974	0.268
	01/10/94	0.160	0.870	0.026	0.026	0.990	0.150	ND(0.01)	0.150	ND(0.01)	0.075	ND(0.01)	0.053	0.070	0.024		2.046	0.372
MW-12	04/19/94	0.110	0.110	0.049	0.049	0.250	0.110	0.002	0.110	0.002	0.064	0.002	0.065	0.073	0.033		0.519	0.347
	07/20/94	0.160	0.720	0.071	0.071	0.610	0.150	ND(0.025)	0.150	ND(0.025)	0.073	ND(0.025)	0.075	0.086	0.022		1.561	0.406

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES		TOTAL				PCE (mg/L)	TCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	BENZENE (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)						
MW-12 (Cont.) *	10/25/94	0.096	0.660	ND(0.025)	0.100	0.160	ND(0.025)	0.085	ND(0.025)	ND(0.025)	0.015	0.120	ND(0.025)	0.856	0.380	
	01/25/95	0.160	0.680	0.089	0.660	0.190	ND(0.005)	0.120	ND(0.005)	0.095	0.069	0.076	0.095	1.589	0.550	
	01/25/95	0.140	0.850	0.075	0.860	0.150	ND(0.005)	0.090	ND(0.005)	0.075	0.053	0.062	0.075	1.925	0.430	
	04/03/95	0.150	0.790	0.200	1.100	0.160	ND(0.005)	0.110	ND(0.005)	0.096	0.056	0.043	0.096	2.240	0.465	
*	08/01/95	0.130	0.700	0.280	1.400	0.170	ND(0.025)	0.150	ND(0.025)	0.079	0.059	0.098	0.079	2.510	0.556	
	10/18/95	0.140	0.990	0.360	2.030	0.170	ND(0.005)	0.100	ND(0.005)	0.100	0.050	0.058	0.100	3.520	0.478	
*	01/11/96	0.100	0.680	0.180	1.840	0.140	ND(0.005)	0.097	ND(0.005)	0.059	0.048	0.060	0.059	2.800	0.404	
#	04/13/96	0.098	0.620	0.180	0.690	0.150	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	ND(0.005)	1.588	0.173	
	07/22/96	0.130	0.920	0.310	1.790	0.160	ND(0.005)	0.087	ND(0.005)	0.170	0.046	0.045	0.170	3.150	0.508	
	10/22/96	ND(0.1)	0.830	0.190	1.800	0.190	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	2.820	0.190	
	01/24/97	0.093	0.822	0.133	1.738	0.162	ND(0.010)	0.046	ND(0.010)	0.060	0.039	0.037	0.060	2.786	0.344	
Dup.	04/09/97	0.086	0.920	0.138	1.869	0.159	ND(0.020)	0.040	ND(0.020)	0.051	0.039	0.046	0.051	3.013	0.334	
	04/09/97	0.079	0.855	0.129	1.837	0.159	ND(0.010)	0.040	ND(0.010)	0.054	0.039	0.047	0.054	2.900	0.339	
	07/30/97	0.090	0.969	0.127	2.294	0.136	ND(0.020)	0.035	ND(0.020)	0.062	0.043	0.036	0.062	3.480	0.312	
	10/17/97	0.178	1.290	0.853	5.540	0.185	ND(0.050)	0.061	ND(0.050)	0.186	0.045	ND(0.050)	0.186	7.861	0.477	
Dup.	10/28/98	0.064	1.150	ND(0.1)	0.745	0.141	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	1.959	0.141	
	04/22/99	0.075	1.150	ND(0.025)	0.612	0.171	ND(0.025)	0.031	ND(0.025)	0.040	0.034	0.034	0.040	1.837	0.310	
	04/22/99	0.063	0.953	0.008	0.546	0.140	ND(0.005)	0.017	ND(0.005)	0.039	0.017	0.022	0.039	1.570	0.235	
	10/19/99	0.051	1.090	ND(0.025)	0.176	0.207	ND(0.025)	0.017	ND(0.025)	ND(0.025)	ND(0.025)	0.027	ND(0.025)	1.317	0.251	
Dup.	10/19/99	0.049	1.100	ND(0.025)	0.151	0.208	ND(0.025)	0.017	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	1.300	0.251	
	10/19/00	0.035	0.863	ND(0.025)	0.107	0.192	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.027	ND(0.025)	1.005	0.219	
	10/19/00	0.034	0.835	ND(0.025)	0.103	0.184	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.972	0.184	
	10/18/01	0.019	0.130	ND(0.005)	0.295	0.080	ND(0.005)	0.011	ND(0.005)	0.018	0.028	0.017	0.018	0.444	0.154	
Dup.	04/20/02	0.029	0.160	ND(0.005)	0.308	0.083	ND(0.005)	0.020	ND(0.005)	0.024	0.037	0.021	0.024	0.497	0.185	
	04/20/02	0.027	0.140	ND(0.005)	0.295	0.080	ND(0.005)	0.017	ND(0.005)	0.022	0.034	0.020	0.022	0.462	0.173	
	07/24/02	0.043	0.280	ND(0.005)	0.213	0.100	ND(0.005)	0.017	ND(0.005)	0.021	0.033	0.018	0.021	0.536	0.189	
	10/16/02	0.018	0.130	ND(0.005)	0.603	0.068	ND(0.005)	0.013	ND(0.005)	0.011	0.020	0.016	0.011	0.751	0.128	
Dup.	01/23/03	0.032	0.230	ND(0.005)	0.129	0.110	ND(0.005)	0.013	ND(0.005)	0.011	0.032	0.017	0.011	0.391	0.183	
	04/24/03	0.020	0.170	ND(0.025)	0.065	0.070	ND(0.025)	0.005	ND(0.025)	0.006	0.023	0.012	0.006	0.255	0.116	
	04/24/03	0.018	0.012	ND(0.001)	0.051	0.068	ND(0.001)	0.005	ND(0.001)	0.006	0.021	0.012	0.006	0.081	0.112	
	07/17/03	0.044	0.400	ND(0.0025)	0.270	0.130	ND(0.0025)	0.009	ND(0.0025)	0.009	0.034	0.014	0.009	0.714	0.196	
Dup.	10/16/03	0.003	0.036	ND(0.0025)	0.063	0.046	ND(0.0025)	0.005	ND(0.0025)	ND(0.0025)	0.018	0.011	ND(0.0025)	0.102	0.080	
	01/29/04	0.024	0.230	ND(0.001)	0.600	0.080	ND(0.001)	0.010	ND(0.001)	0.005	0.025	0.011	0.005	0.854	0.131	
	04/19/04	0.020	0.170	ND(0.001)	0.230	0.071	ND(0.001)	0.010	ND(0.001)	0.002	0.023	0.015	0.002	0.420	0.121	
	07/16/04	0.043	0.420	ND(0.0025)	0.530	0.130	ND(0.0025)	0.016	ND(0.0025)	0.005	0.034	0.020	0.005	0.993	0.205	
Dup.	10/29/04	0.015	0.140	ND(0.0025)	0.016	0.088	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.019	0.017	ND(0.0025)	0.171	0.134	
	01/14/05	0.029	0.270	ND(0.0025)	0.181	0.110	ND(0.0025)	0.011	ND(0.0025)	ND(0.0025)	0.024	0.012	ND(0.0025)	0.480	0.157	
	04/16/05	0.028	0.280	ND(0.0025)	0.153	0.110	ND(0.0025)	0.004	ND(0.0025)	ND(0.0025)	0.026	0.013	ND(0.0025)	0.461	0.153	
	07/08/05	0.039	0.430	ND(0.0025)	0.123	0.120	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.044	0.013	ND(0.0025)	0.592	0.180	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)	TOTAL
MW-12 (Cont.)	10/08/05	0.057	0.660	ND(0.0025)	0.349	0.190	ND(0.0025)	0.007	ND(0.0025)	ND(0.0025)	0.014	0.052	ND(0.0025)	1.066	0.263	
	01/18/06	0.010	0.094	ND(0.005)	ND(0.005)	0.041	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.011	0.016	ND(0.005)	0.104	0.074	
	04/18/06	0.021	0.320	ND(0.0025)	0.176	0.069	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.010	0.026	ND(0.0025)	0.517	0.110	
	04/18/06	0.014	0.210	ND(0.001)	0.109	0.047	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.009	0.022	ND(0.001)	0.333	0.084	
Dup.	07/11/06	0.030	0.470	ND(0.0025)	0.284	0.096	ND(0.0025)	0.009	ND(0.0025)	ND(0.0025)	0.010	0.031	ND(0.0025)	0.784	0.145	
	10/10/06	0.028	0.400	ND(0.0025)	0.180	0.094	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.028	ND(0.0025)	0.608	0.131	
	01/16/07	0.028	0.320	ND(0.0025)	0.077	0.086	ND(0.0025)	0.010	0.003	ND(0.0025)	0.015	0.033	ND(0.0025)	0.425	0.146	
	04/17/07	0.019	0.240	ND(0.0025)	0.110	0.068	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.014	0.026	ND(0.0025)	0.369	0.114	
Dup.	07/17/07	0.010	0.130	ND(0.001)	0.067	0.059	ND(0.001)	0.008	0.003	ND(0.001)	0.012	0.017	ND(0.001)	0.207	0.099	
	10/17/07	0.016	0.220	ND(0.001)	0.079	0.060	ND(0.001)	0.007	0.009	ND(0.001)	0.010	0.020	ND(0.001)	0.315	0.106	
	10/17/07	0.013	0.170	ND(0.0025)	0.062	0.047	ND(0.0025)	0.005	0.008	ND(0.0025)	0.008	0.015	ND(0.0025)	0.245	0.083	
	01/16/08	0.029	0.400	ND(0.001)	0.150	0.095	ND(0.001)	0.008	0.025	ND(0.001)	0.012	0.029	ND(0.001)	0.579	0.169	
Dup.	04/28/08	0.022	ND(0.001)	ND(0.001)	0.180	0.088	ND(0.001)	0.002	0.061	ND(0.001)	0.011	0.050	ND(0.001)	0.202	0.212	
	07/15/08	0.004	0.120	ND(0.001)	0.027	0.023	ND(0.001)	0.003	0.008	ND(0.001)	0.009	0.014	ND(0.001)	0.151	0.058	
	10/14/08	0.003	0.110	ND(0.001)	0.018	0.024	ND(0.001)	0.004	0.012	ND(0.001)	0.012	0.014	ND(0.001)	0.131	0.066	
	01/13/09	0.017	0.280	ND(0.001)	0.085	0.046	ND(0.001)	0.006	0.059	ND(0.001)	0.010	0.023	ND(0.001)	0.382	0.143	
Dup.	04/06/09	0.025	0.350	ND(0.004)	0.120	0.083	ND(0.004)	0.007	0.100	ND(0.004)	0.010	0.021	ND(0.004)	0.495	0.221	
	07/14/09	0.031	0.520	ND(0.0025)	0.160	0.094	ND(0.0025)	0.008	0.170	ND(0.0025)	0.008	0.014	ND(0.0025)	0.711	0.294	
	10/21/09	0.027	0.430	ND(0.002)	0.040	0.079	ND(0.002)	0.007	0.210	ND(0.002)	0.009	0.010	ND(0.002)	0.497	0.315	
	01/20/10	0.016	0.190	ND(0.001)	0.015	0.053	ND(0.001)	0.005	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.221	0.249	
Dup.	01/20/10	0.013	0.150	ND(0.001)	0.014	0.045	ND(0.001)	0.004	0.130	ND(0.001)	0.007	0.005	ND(0.001)	0.177	0.191	
	04/20/10	0.018	0.280	ND(0.001)	0.064	0.048	ND(0.001)	0.004	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.362	0.243	
	07/26/10	0.036	0.520	ND(0.001)	0.250	0.094	ND(0.001)	0.010	0.170	ND(0.001)	0.007	0.007	ND(0.001)	0.806	0.288	
MW-13	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.030	0.002	0.038	0.005		0.004	0.240		0.000	0.319	
	11/22/91	0.430	ND(0.001)	ND(0.001)	ND(0.005)	0.016	0.001	0.025	0.002		0.002	0.110		0.430	0.156	
	03/16/93	0.033	ND(0.001)	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.062		0.033	0.091	
	03/16/93	0.034	ND(0.001)	ND(0.001)	ND(0.005)	0.013	0.001	0.015	ND(0.001)	ND(0.001)	0.002	0.066		0.034	0.097	
Dup.	01/10/94	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.055		0.022	0.081	
	04/19/94	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.001	0.003	ND(0.005)	ND(0.005)	0.003	0.032		0.013	0.050	
	07/20/94	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.001	0.005	ND(0.005)	ND(0.005)	0.004	0.034		0.016	0.060	
	10/25/94	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.004	ND(0.005)	ND(0.005)	0.004	0.040		0.011	0.061	
Dup.	01/22/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.005	0.029		0.008	0.051	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022		0.000	0.035	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.025		0.000	0.049	
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.020		0.003	0.043	
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.015		0.000	0.031	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011		0.000	0.011	
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.013		0.000	0.029	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-13 (Cont.)	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.010	0.000	0.000	0.023
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	0.001	0.001	0.001	0.001	ND(0.001)	0.003	0.003	0.001	0.001	0.013
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.005	0.005	0.001	0.001	0.015
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.006	0.005	0.002	0.002	0.017
Dup.	07/30/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.001	0.001	0.020
	10/17/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.001	0.001	0.018
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.007	0.000	0.000	0.016
	01/07/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.011	0.001	0.001	0.023
Dup.	04/15/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.001	0.019
	07/18/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.016	0.001	0.001	0.031
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.015	0.001	0.001	0.027
	02/09/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.007	ND(0.001)	0.001	0.001	0.001	ND(0.001)	0.019	0.026	0.002	0.002	0.053
Dup.	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.009	0.000	0.000	0.020
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.008	0.000	0.000	0.017
	10/20/99	ND(0.001)	ND(0.001)	0.001	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.005	0.001	0.001	0.014
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.008	0.000	0.000	0.018
Dup.	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.007	0.000	0.000	0.014
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.008	ND(0.001)	0.000	0.015
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
Dup.	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.010
	07/19/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.003	ND(0.002)	0.000	0.006
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.002	ND(0.001)	0.000	0.006
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.007
Dup.	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.009
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.009
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.009
Dup.	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.010
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.011
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
Dup.	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
Dup.	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOLUENE			TOTAL XYLENES			TOTAL 1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								
MW-13 (Cont.)	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006	
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006	
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004	
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.007	
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.008	
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004	
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.005	
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004	
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.003	
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.002
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004	
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004	
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
Dup.	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001	
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001	
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002	
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.001	
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002	
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002	
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.002	
	MW-14	09/15/91	0.022	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.130	0.002	0.002	0.300	0.014	0.002	0.002	0.460	0.022	0.908	
		11/22/91	0.002	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.140	0.002	0.002	0.310	0.009	0.002	0.002	0.400	0.002	0.863	
11/22/91		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.110	0.002	0.002	0.320	0.010	ND(0.001)	ND(0.001)	0.440	0.000	0.882		
03/16/93		0.020	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.080	0.001	0.001	0.180	0.004	0.002	0.002	0.210	0.020	0.477		
01/10/94		0.011	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.057	ND(0.001)	ND(0.001)	0.100	ND(0.001)	0.002	0.002	0.300	0.011	0.459		
04/19/94		0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	ND(0.005)	0.056	0.001	ND(0.005)	ND(0.005)	0.160	0.005	0.275		
07/20/94		0.010	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.072	ND(0.025)	ND(0.025)	0.110	ND(0.025)	ND(0.025)	ND(0.025)	0.210	0.010	0.392		
10/25/94		0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.001	0.001	0.094	ND(0.005)	ND(0.005)	ND(0.005)	0.230	0.010	0.404		
01/25/95		0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	ND(0.005)	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.004	0.175		
04/03/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	ND(0.005)	0.058	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.000	0.251		
08/01/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.074	ND(0.005)	ND(0.005)	0.072	ND(0.005)	ND(0.005)	ND(0.005)	0.098	0.000	0.244		
10/18/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	ND(0.005)	0.044	ND(0.005)	ND(0.005)	ND(0.005)	0.087	0.000	0.193		
01/11/96		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	ND(0.005)	0.038	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.000	0.150		
01/11/96		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.053	ND(0.005)	ND(0.005)	0.040	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.157		
04/13/96		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	ND(0.005)	0.045	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.000	0.153		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)					
MW-14 (Cont.) Dup.	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	ND(0.005)	0.037	ND(0.005)	ND(0.005)	0.055	ND(0.005)	ND(0.005)	0.000	0.140
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	ND(0.005)	0.043	ND(0.005)	ND(0.005)	0.064	ND(0.005)	ND(0.005)	0.000	0.159
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.062	ND(0.005)	ND(0.005)	0.000	0.167
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.040	0.001	0.023	0.001	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.001	0.078
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.045	0.001	0.027	0.001	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.001	0.083
	04/09/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.039	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	0.000	0.086
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.036	ND(0.005)	0.021	ND(0.005)	ND(0.005)	0.043	ND(0.005)	ND(0.005)	0.000	0.100
	10/17/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.039	ND(0.005)	0.019	ND(0.005)	ND(0.005)	0.048	ND(0.005)	ND(0.005)	0.000	0.106
Dup.	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.045	ND(0.005)	0.019	ND(0.005)	ND(0.005)	0.074	ND(0.005)	ND(0.005)	0.000	0.138
	10/20/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.054	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	0.002	0.153
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	ND(0.0025)	0.000	0.080
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.000	0.009
Dup.	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.009
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-15	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	09/15/91	0.002	0.010	ND(0.001)	ND(0.001)	0.006	0.026	0.001	0.005	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.018	0.036
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.033	0.001	0.009	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.000	0.052
	03/16/93	0.001	0.002	ND(0.001)	ND(0.001)	ND(0.005)	0.082	0.001	0.013	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.003	0.111
Dup.	01/10/94	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.005)	0.048	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.008	0.074
	01/10/94	0.001	0.009	0.002	ND(0.005)	ND(0.005)	0.054	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.012	0.083
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.005	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	0.000	0.043
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	0.001	0.006	ND(0.005)	ND(0.005)	0.005	ND(0.005)	ND(0.005)	0.000	0.065
Dup.	10/25/94	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.001	0.045
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	0.000	0.046
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.028
Dup.	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.001	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.000	0.022
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.016
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.009
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.011

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	TOLUENE (mg/L)	TOLUENE (mg/L)										
MW-15 (Cont.) Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	0.000	0.010
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	0.000	0.010
	01/24/97	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014
	04/09/97	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.001	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.016
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.006
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/28/98	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014
	10/20/99	0.002	0.004	0.003	0.003	0.147	0.040	0.040	ND(0.001)	0.005	0.005	ND(0.001)	0.002	0.002	0.156	0.000	0.049
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.014	ND(0.001)	0.003	0.002	ND(0.001)	0.005	0.001	ND(0.001)	0.000	0.025
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.011	0.016	ND(0.001)	0.000	0.031
Dup.	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.026	0.013	ND(0.001)	0.000	0.046
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.029	0.013	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.015	ND(0.001)	0.000	0.034
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.014	ND(0.001)	0.000	0.039
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.014	ND(0.001)	0.000	0.036
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.016	ND(0.001)	0.000	0.034
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.018	ND(0.001)	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.010	ND(0.001)	0.000	0.031
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.008	ND(0.001)	0.000	0.027
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.001	0.001	ND(0.001)	0.052	0.002	ND(0.001)	0.000	0.059
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.003	ND(0.001)	0.000	0.038
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.003	ND(0.001)	0.000	0.026
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.003	ND(0.001)	0.000	0.030
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.010	ND(0.001)	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.008	ND(0.001)	0.000	0.026
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.002	ND(0.001)	0.000	0.020
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.004	ND(0.001)	0.000	0.033
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.039	0.002	ND(0.001)	0.000	0.043
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	0.002	ND(0.001)	0.000	0.040
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.004	ND(0.001)	0.000	0.036
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.039	0.002	ND(0.001)	0.000	0.044
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.040	0.002	ND(0.001)	0.000	0.046
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.006	ND(0.001)	0.000	0.021
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	0.008	ND(0.001)	0.000	0.041
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.042	0.003	ND(0.001)	0.000	0.045
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.003	ND(0.001)	0.000	0.041
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.000	0.053
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.000	0.052
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.000	0.043

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-15 (Cont.)	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.030	0.001	ND(0.001)	0.000	0.035
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.036	0.002	ND(0.001)	0.000	0.041
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.050	0.003	ND(0.001)	0.000	0.058
MW-17D	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.012	0.019	0.014	0.014	0.000	0.000	0.125
	08/01/95	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.095	ND(0.005)	ND(0.005)	ND(0.005)	0.058	0.020	0.052	0.028	0.028	0.013	0.013	0.253
	10/18/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.067	ND(0.005)	ND(0.005)	ND(0.005)	0.044	0.015	0.047	0.054	0.054	0.007	0.007	0.227
Dup. *	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.012	0.046	0.043	0.043	0.006	0.006	0.203
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	ND(0.005)	ND(0.005)	0.032	0.009	0.036	0.039	0.039	0.006	0.006	0.166
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.064	ND(0.005)	ND(0.005)	ND(0.005)	0.046	0.009	0.049	0.032	0.032	0.000	0.000	0.200
MW-17D (Cont.)	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	ND(0.005)	ND(0.005)	0.053	0.009	0.060	0.037	0.037	0.000	0.000	0.236
	10/22/96	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	ND(0.005)	ND(0.005)	0.041	ND(0.005)	0.059	0.033	0.033	0.007	0.007	0.199
	01/24/97	0.004	ND(0.001)	ND(0.001)	ND(0.002)	0.052	0.001	0.023	0.004	0.004	0.004	0.039	0.022	0.022	0.004	0.004	0.141
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.003	0.026	0.022	0.022	0.003	0.003	0.101
	07/30/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.029	ND(0.002)	ND(0.002)	ND(0.002)	0.013	0.002	0.028	0.018	0.018	0.003	0.003	0.090
	10/17/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.056	ND(0.002)	ND(0.002)	ND(0.002)	0.015	0.001	0.038	0.011	0.011	0.004	0.004	0.121
	10/28/98	0.006	ND(0.005)	ND(0.005)	ND(0.01)	0.050	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.045	0.012	0.012	0.006	0.006	0.116
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	0.091	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.010	ND(0.0025)	0.038	0.012	0.012	0.005	0.005	0.151
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.084	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.010	ND(0.0025)	0.035	0.017	0.017	ND(0.0025)	0.000	0.146
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.059	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.019	ND(0.0025)	0.024	0.029	0.029	ND(0.0025)	0.000	0.131
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.012	0.026	0.026	ND(0.001)	0.000	0.090
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.054	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.014	0.016	0.016	ND(0.001)	0.000	0.097
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.006	0.011	0.011	ND(0.001)	0.000	0.053
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.006	0.010	0.010	ND(0.001)	0.000	0.043
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.006	0.005	0.005	ND(0.001)	0.000	0.035
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	0.004	0.004	ND(0.001)	0.000	0.018
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	0.002	0.002	ND(0.001)	0.000	0.009
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	0.002	0.002	ND(0.001)	0.000	0.018
MW-17A	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.029	0.025	0.066	0.066	0.009	0.009	0.260
	08/01/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	0.085	ND(0.005)	ND(0.005)	ND(0.005)	0.075	0.025	0.037	0.064	0.064	0.010	0.010	0.286
	10/18/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	ND(0.005)	ND(0.005)	0.059	0.019	0.041	0.090	0.090	0.009	0.009	0.282
Dup. *	10/18/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	0.078	ND(0.005)	ND(0.005)	ND(0.005)	0.059	0.019	0.042	0.086	0.086	0.010	0.010	0.284
	01/11/96	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	ND(0.005)	ND(0.005)	0.068	0.019	0.042	0.076	0.076	0.009	0.009	0.282
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.075	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	0.043	0.065	0.065	0.006	0.006	0.252
#	07/22/96	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	ND(0.005)	ND(0.005)	0.069	0.012	0.051	0.077	0.077	0.008	0.008	0.285
	10/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.050	0.054	0.054	0.006	0.006	0.231
	01/24/97	0.006	ND(0.001)	ND(0.001)	0.001	0.058	ND(0.001)	ND(0.001)	ND(0.001)	0.044	0.007	0.045	0.049	0.049	0.007	0.007	0.203
	04/09/97	0.007	ND(0.001)	ND(0.001)	ND(0.002)	0.065	0.001	0.051	0.001	0.051	0.008	0.051	0.051	0.051	0.007	0.007	0.226

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE				TOTAL XYLENES				1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-17A (Cont.)	07/30/97	0.004	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.051	ND(0.005)	0.051	ND(0.005)	ND(0.005)	0.045	ND(0.0025)	0.004	0.045	0.062	ND(0.0025)	0.004	0.207
	10/17/97	0.006	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.079	ND(0.005)	0.079	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.003	0.052	0.053	ND(0.005)	0.006	0.237
	10/28/98	0.009	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.075	ND(0.005)	0.075	ND(0.005)	ND(0.005)	0.018	ND(0.0025)	ND(0.005)	0.044	0.033	ND(0.005)	0.009	0.170
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.134	ND(0.0025)	0.134	ND(0.0025)	ND(0.0025)	0.018	ND(0.0025)	ND(0.0025)	0.032	0.030	ND(0.0025)	0.005	0.214
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.144	ND(0.0025)	0.144	ND(0.0025)	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.038	0.035	ND(0.0025)	0.000	0.243
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.079	ND(0.0025)	0.079	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.026	0.044	ND(0.0025)	0.000	0.177
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.007	0.031	ND(0.001)	0.000	0.088
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.007	0.025	ND(0.001)	0.000	0.085
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.005	0.014	ND(0.001)	0.000	0.053
	10/08/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.031
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.021
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.013
MW-17B	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.009
Dup.	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.009
MW-17B	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	0.036	ND(0.005)	ND(0.005)	0.180	ND(0.005)	0.019	ND(0.005)	0.180	ND(0.005)	0.000	0.415
	08/01/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	ND(0.005)	0.040	ND(0.005)	ND(0.005)	0.190	ND(0.005)	0.020	0.026	0.180	ND(0.005)	0.006	0.456
Dup. *	08/01/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.250	ND(0.005)	0.023	0.030	0.320	ND(0.005)	0.008	0.672
	10/18/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.046	ND(0.005)	ND(0.005)	0.210	ND(0.005)	0.024	0.034	0.370	ND(0.005)	0.006	0.684
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.005)	0.034	ND(0.005)	ND(0.005)	0.170	ND(0.005)	0.014	0.022	0.190	ND(0.005)	0.000	0.430
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.160	ND(0.005)	ND(0.005)	0.013	0.270	ND(0.005)	0.000	0.473
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.016	0.250	ND(0.005)	0.000	0.446
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.150	ND(0.005)	0.015	0.016	0.280	ND(0.005)	0.000	0.491
	10/22/96	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.038	ND(0.01)	0.038	ND(0.01)	ND(0.01)	0.190	ND(0.01)	ND(0.01)	0.030	0.250	ND(0.01)	0.000	0.508
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.038	0.001	0.038	0.001	ND(0.001)	0.110	ND(0.001)	0.008	0.019	0.070	ND(0.001)	0.002	0.246
	04/09/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.035	0.001	0.035	0.001	ND(0.001)	0.115	ND(0.001)	0.005	0.021	0.132	ND(0.001)	0.004	0.310
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.026	ND(0.005)	0.026	ND(0.005)	ND(0.005)	0.080	ND(0.005)	0.004	0.017	0.141	ND(0.005)	0.000	0.268
	10/17/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.053	ND(0.01)	0.053	ND(0.01)	ND(0.01)	0.103	ND(0.01)	ND(0.01)	0.027	0.149	ND(0.01)	0.000	0.332
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.073	ND(0.01)	0.073	ND(0.01)	ND(0.01)	0.072	ND(0.01)	ND(0.01)	0.045	0.178	ND(0.01)	0.000	0.368
Dup.	10/19/99	0.005	0.012	ND(0.0025)	ND(0.005)	ND(0.005)	0.143	ND(0.0025)	0.143	ND(0.0025)	ND(0.0025)	0.053	ND(0.0025)	0.005	0.051	0.059	ND(0.0025)	0.017	0.311
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.047	ND(0.005)	0.047	ND(0.005)	ND(0.005)	0.043	ND(0.005)	ND(0.0025)	0.017	0.093	ND(0.005)	0.000	0.200
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.035	ND(0.0025)	0.035	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	ND(0.0025)	0.005	0.055	ND(0.0025)	0.000	0.126
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.017	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.000	0.040
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.015
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.007
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA	1,2-DCA	1,1-DCE	1,2-DCE	TOTAL	1,1,1-TCA	TCE	PCE	CHLORO- ETHANE	TOTAL BTEX	TOTAL HALO- CARBONS
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-17B (Cont.)	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-17C *	04/03/95	0.032	0.060	0.005	0.054	0.058	0.058	0.058	0.058	0.099	0.099	0.099	ND(0.005)	0.091	0.013	0.013	0.151	0.261
2nd *	04/03/95	0.034	0.057	ND(0.005)	0.045	0.063	0.063	0.063	0.063	0.110	0.110	0.110	ND(0.005)	0.095	0.017	0.017	0.136	0.285
*	08/01/95	0.022	0.047	ND(0.005)	ND(0.005)	0.073	0.073	0.073	0.073	0.140	0.140	0.140	ND(0.005)	0.120	0.012	0.012	0.069	0.345
*	10/18/95	0.019	0.026	ND(0.005)	ND(0.005)	0.063	0.063	0.063	0.063	0.120	0.120	0.120	ND(0.005)	0.140	0.024	0.024	0.045	0.350
*	01/11/96	0.020	0.035	ND(0.005)	ND(0.005)	0.058	0.058	0.058	0.058	0.120	0.120	0.120	ND(0.005)	0.120	0.015	0.015	0.055	0.313
*	04/13/96	0.011	0.009	ND(0.005)	ND(0.005)	0.057	0.057	0.057	0.057	0.130	0.130	0.130	ND(0.005)	0.100	0.013	0.013	0.020	0.300
#	07/22/96	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.058	0.058	0.058	0.058	0.130	0.130	0.130	ND(0.005)	0.120	0.014	0.014	0.016	0.322
	10/22/96	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.045	0.045	0.045	0.045	0.120	0.120	0.120	ND(0.005)	0.100	0.012	0.012	0.015	0.277
	01/24/97	0.009	ND(0.001)	ND(0.001)	ND(0.002)	0.051	0.051	0.051	0.051	0.099	0.099	0.099	ND(0.001)	0.078	0.005	0.005	0.009	0.236
	04/09/97	0.011	ND(0.002)	ND(0.002)	ND(0.004)	0.049	0.049	0.049	0.049	0.105	0.105	0.105	ND(0.002)	0.100	0.008	0.008	0.011	0.265
	07/30/97	0.010	ND(0.005)	ND(0.005)	ND(0.010)	0.043	0.043	0.043	0.043	0.093	0.093	0.093	ND(0.005)	0.097	0.010	0.010	0.010	0.246
	10/17/97	0.031	ND(0.01)	ND(0.01)	ND(0.02)	0.066	0.066	0.066	0.066	0.115	0.115	0.115	ND(0.01)	0.086	0.013	0.013	0.031	0.283
	10/28/98	0.011	ND(0.01)	ND(0.01)	ND(0.02)	0.050	0.050	0.050	0.050	0.105	0.105	0.105	ND(0.01)	0.110	0.018	0.018	0.011	0.283
	10/19/99	0.023	ND(0.0025)	0.002	ND(0.005)	0.080	0.080	0.080	0.080	0.160	0.160	0.160	ND(0.0025)	0.119	0.040	0.040	0.025	0.402
	10/19/00	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	0.041	0.041	0.041	0.073	0.073	0.073	ND(0.0025)	0.071	0.007	0.007	0.005	0.202
Dup.	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	0.012	0.012	0.012	0.024	0.024	0.024	ND(0.0025)	0.020	0.007	0.007	0.000	0.063
	10/18/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.013	0.013	0.013	0.023	0.023	0.023	ND(0.001)	0.019	0.006	0.006	0.001	0.063
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.011	0.011	0.011	0.018	0.018	0.018	ND(0.001)	0.012	0.004	0.004	0.000	0.046
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.008	0.008	0.008	0.013	0.013	0.013	ND(0.001)	0.009	0.005	0.005	0.000	0.035
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	0.005	0.005	0.008	0.008	0.008	ND(0.001)	0.003	0.003	0.003	0.000	0.019
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	0.005	0.005	0.006	0.006	0.006	ND(0.001)	0.004	0.002	0.002	0.000	0.017
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	0.004	0.004	0.004	0.004	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.001	0.001	0.002	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.001	0.001	0.001	0.001	0.001	ND(0.001)	0.001	0.001	0.001	0.000	0.003
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.001	0.001	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
MW-18	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	0.017	0.017	0.017	0.093	0.093	0.093	ND(0.005)	0.034	0.071	0.071	0.000	0.215
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	0.024	0.024	0.024	0.170	0.170	0.170	ND(0.005)	0.039	0.087	0.087	0.000	0.320
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.018	0.018	0.018	0.150	0.150	0.150	ND(0.005)	0.042	0.130	0.130	0.003	0.340
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	0.017	0.017	0.017	0.130	0.130	0.130	ND(0.005)	0.037	0.097	0.097	0.000	0.281
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.016	0.016	0.016	0.170	0.170	0.170	ND(0.005)	0.034	0.120	0.120	0.000	0.340
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.018	0.018	0.018	0.200	0.200	0.200	ND(0.005)	0.043	0.110	0.110	0.000	0.371
Dup.	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	0.170	0.170	ND(0.005)	0.043	0.120	0.120	0.000	0.333
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.020	0.020	0.020	0.190	0.190	0.190	ND(0.005)	0.042	0.120	0.120	0.000	0.372
	01/24/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.024	0.024	0.024	0.024	0.180	0.180	0.180	0.002	0.047	0.097	0.097	0.003	0.351
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.022	0.022	0.022	0.022	0.155	0.155	0.155	0.002	0.044	0.116	0.116	0.003	0.340

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-18 (Cont.)	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	ND(0.002)	0.140		0.001	0.044	0.121		0.002	0.326
	10/17/97	0.002	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.028	ND(0.01)	ND(0.01)	0.157		ND(0.01)	0.044	0.071		0.002	0.300
	01/07/98	0.002	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.029	ND(0.01)	ND(0.01)	0.163		ND(0.01)	0.054	0.133		0.002	0.379
	04/15/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.029	ND(0.01)	ND(0.01)	0.155		ND(0.01)	0.053	0.145		0.000	0.382
	07/18/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.030	ND(0.01)	ND(0.01)	0.146		ND(0.01)	0.052	0.151		0.000	0.379
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.028	ND(0.01)	ND(0.01)	0.142		ND(0.01)	0.052	0.149		0.000	0.371
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.030	ND(0.005)	ND(0.005)	0.143		ND(0.005)	0.052	0.148		0.000	0.373
	04/22/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.031	ND(0.0025)	ND(0.0025)	0.135		ND(0.0025)	0.045	0.121		0.002	0.332
	07/14/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.028	ND(0.0025)	ND(0.0025)	0.127		ND(0.0025)	0.042	0.120		0.002	0.317
	10/19/99	0.002	ND(0.0025)	0.002	ND(0.005)	ND(0.005)	0.034	ND(0.0025)	ND(0.0025)	0.149		ND(0.0025)	0.049	0.128		0.004	0.360
	01/26/00	0.002	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.036	ND(0.005)	ND(0.005)	0.153		ND(0.005)	0.054	0.137		0.002	0.380
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.022	ND(0.005)	ND(0.005)	0.102		ND(0.005)	0.032	0.095		0.000	0.251
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.029	ND(0.005)	ND(0.005)	0.128	ND(0.005)	ND(0.005)	0.046	0.140	ND(0.005)	0.000	0.343
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	ND(0.005)	0.140	ND(0.005)	ND(0.005)	0.044	0.123	ND(0.005)	0.000	0.339
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.092	ND(0.005)	ND(0.005)	0.030	0.084	ND(0.005)	0.000	0.229
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.073	ND(0.005)	ND(0.005)	0.027	0.072	ND(0.005)	0.000	0.192
Dup.	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.081	ND(0.002)	ND(0.002)	0.023	0.046	ND(0.002)	0.000	0.171
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	ND(0.0025)	0.091	ND(0.0025)	ND(0.0025)	0.029	0.081	ND(0.0025)	0.000	0.224
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	0.094	ND(0.005)	ND(0.005)	0.028	0.079	ND(0.005)	0.000	0.225
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.120	0.002	ND(0.001)	0.025	0.089	ND(0.001)	0.000	0.262
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.100	0.002	ND(0.001)	0.025	0.080	ND(0.001)	0.001	0.231
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.022	0.085	ND(0.0025)	0.000	0.235
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.120	0.002	ND(0.001)	0.022	0.096	ND(0.001)	0.001	0.266
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.092	0.001	ND(0.001)	0.018	0.087	ND(0.001)	0.000	0.224
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.095	0.002	ND(0.001)	0.021	0.087	ND(0.001)	0.000	0.234
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.100	0.002	ND(0.001)	0.018	0.090	ND(0.001)	0.001	0.241
Dup.	10/15/03	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.017	0.087	ND(0.0025)	0.000	0.235
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.079	0.002	ND(0.001)	0.018	0.087	ND(0.001)	0.000	0.215
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.071	0.002	ND(0.001)	0.020	0.071	ND(0.001)	0.000	0.182
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.098	0.002	ND(0.001)	0.021	0.100	ND(0.001)	0.001	0.251
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.077	0.001	ND(0.001)	0.015	0.063	ND(0.001)	0.000	0.177
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.079	ND(0.001)	ND(0.001)	0.012	0.078	ND(0.001)	0.000	0.188
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.013	0.090	ND(0.001)	0.000	0.197
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.013	0.094	ND(0.001)	0.001	0.222
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.011	0.073	ND(0.001)	0.000	0.156
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.050	0.001	ND(0.001)	0.011	0.056	ND(0.001)	0.000	0.136
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.039	0.002	ND(0.001)	0.010	0.078	ND(0.001)	0.000	0.146

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOLUENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-18 (Cont.) Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.033	0.002	ND(0.001)	0.010	0.063	ND(0.001)	0.000	0.126
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.036	0.002	ND(0.001)	0.010	0.057	ND(0.001)	0.000	0.124
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.027	0.002	ND(0.001)	0.010	0.032	ND(0.001)	0.000	0.085
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.029	0.002	ND(0.001)	0.009	0.041	ND(0.001)	0.000	0.085
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.045	0.002	ND(0.001)	0.012	0.047	ND(0.001)	0.000	0.125
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.008	0.049	ND(0.001)	0.000	0.109
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.005	0.039	ND(0.001)	0.000	0.089
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.038	ND(0.001)	0.000	0.083
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.036	ND(0.001)	0.000	0.071
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.003	0.023	ND(0.001)	0.000	0.047
Dup.	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.023	ND(0.001)	0.000	0.047
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.032
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.001	0.010	ND(0.001)	0.000	0.026
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.011	ND(0.001)	0.000	0.027
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.000	0.032
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.012	ND(0.001)	0.000	0.031
	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.002	0.014	ND(0.001)	0.000	0.037
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.000	0.035
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.000	0.000	0.271
MW-19	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.000	0.000	0.324
	10/18/95	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.004	0.150	0.002	0.002	0.334
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	0.100	0.000	0.000	0.220
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.100	0.000	0.000	0.250
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.000	0.000	0.269
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	0.094	0.000	0.000	0.232
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.122	0.001	0.001	0.003	0.093	0.001	0.001	0.228
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.116	0.001	0.001	0.004	0.087	0.002	0.002	0.218
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	ND(0.002)	ND(0.002)	0.116	ND(0.002)	ND(0.002)	0.005	0.096	0.002	0.002	0.226
	10/17/97	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.124	ND(0.001)	ND(0.001)	0.007	0.086	0.003	0.003	0.207
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.167	ND(0.001)	ND(0.001)	0.009	0.180	0.000	0.000	0.343
	04/22/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	ND(0.0025)	0.212	ND(0.0025)	ND(0.0025)	0.009	0.182	0.003	0.003	0.426
	10/19/99	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.236	ND(0.005)	ND(0.005)	0.010	0.203	0.004	0.004	0.469
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	ND(0.0025)	0.199	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.176	ND(0.0025)	0.000	0.408
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.038	ND(0.0025)	0.000	0.133
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	ND(0.0025)	0.058	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.034	ND(0.0025)	0.000	0.104
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.000	0.059
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.037

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			TCE	PCE	CHLORO- ETHANE		TOTAL BTEX	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)			(mg/L)	(mg/L)		
MWL-19 (Cont.)	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.000	0.028
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.000	0.011
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.006
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.004
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.002
MWL-20	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	0.002	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-21 (Cont.)	07/14/89	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.011
	10/19/89	ND(0.001)	ND(0.001)	0.002	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	0.007
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.029
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.011
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.012
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.022
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.000	0.044
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	ND(0.002)	0.000	0.017
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.058	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.002	0.076
	01/12/02	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.068	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.003	0.102
	04/20/02	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.004	0.154
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.082	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.002	0.128
	10/15/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	0.089	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.022	ND(0.0025)	0.000	0.136
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.099	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.002	0.160
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.079	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.002	0.131
Dup.	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.054	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000	0.077
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.062	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.091
	01/28/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.060	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.002	0.111
	04/19/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.070	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.002	0.118
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.090	ND(0.001)	ND(0.001)	ND(0.001)	0.047	ND(0.001)	0.003	0.183
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.110	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.003	0.221
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.089	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.002	0.204
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.097	ND(0.001)	ND(0.001)	ND(0.001)	0.057	ND(0.001)	0.003	0.213
	05/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.089	ND(0.001)	ND(0.001)	ND(0.001)	0.059	ND(0.001)	0.002	0.207
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.074	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.002	0.184
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.056	ND(0.001)	ND(0.001)	ND(0.001)	0.052	ND(0.001)	0.002	0.161
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.051	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.002	0.137
	04/18/06	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.049	ND(0.001)	ND(0.001)	ND(0.001)	0.058	ND(0.001)	0.001	0.155
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.055	ND(0.001)	ND(0.001)	ND(0.001)	0.066	ND(0.001)	0.002	0.175
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.049	ND(0.001)	ND(0.001)	ND(0.001)	0.042	ND(0.001)	0.002	0.139
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.060	ND(0.001)	ND(0.001)	ND(0.001)	0.059	ND(0.001)	0.002	0.168
Dup.	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.080	ND(0.001)	ND(0.001)	ND(0.001)	0.070	ND(0.001)	0.002	0.211
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.086	ND(0.001)	ND(0.001)	ND(0.001)	0.076	ND(0.001)	0.002	0.227
	07/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.098	ND(0.001)	ND(0.001)	ND(0.001)	0.081	ND(0.001)	0.001	0.238
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.060	ND(0.001)	ND(0.001)	ND(0.001)	0.054	ND(0.001)	0.001	0.163
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.063	ND(0.001)	ND(0.001)	ND(0.001)	0.063	ND(0.001)	0.001	0.179
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.061	ND(0.001)	ND(0.001)	ND(0.001)	0.070	ND(0.001)	0.001	0.185
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.052	ND(0.001)	ND(0.001)	ND(0.001)	0.044	ND(0.001)	0.000	0.136

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-21 (Cont.) Dup.	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.042	0.002	ND(0.001)	0.016	0.044	ND(0.001)	0.001	0.125
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.045	0.002	ND(0.001)	0.016	0.048	ND(0.001)	0.001	0.132
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.035	0.001	ND(0.001)	0.010	0.040	ND(0.001)	0.000	0.105
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.044	0.001	ND(0.001)	0.009	0.033	ND(0.001)	0.001	0.106
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.029	0.001	ND(0.001)	0.007	0.029	ND(0.001)	0.000	0.078
Dup.	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.030	0.001	ND(0.001)	0.008	0.028	ND(0.001)	0.000	0.078
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.037	0.001	ND(0.001)	0.009	0.035	ND(0.001)	0.000	0.093
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.000	0.063
	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.033	0.000	ND(0.001)	0.009	0.029	ND(0.001)	0.000	0.081
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.000	0.070
MW-22	11/20/96	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.063		ND(0.001)	0.012	0.053		0.014	0.138
	01/24/97	0.010	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.009	ND(0.001)	ND(0.001)	0.065		ND(0.001)	0.013	0.050		0.010	0.137
	01/24/97	0.011	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.011	ND(0.001)	ND(0.001)	0.099		ND(0.001)	0.013	0.065		0.011	0.188
	04/09/97	0.013	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.014	0.001	0.001	0.084		ND(0.001)	0.021	0.080		0.013	0.200
	07/30/97	0.014	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.092		ND(0.002)	0.024	0.104		0.014	0.232
Dup.	10/17/97	0.016	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.014	ND(0.005)	ND(0.005)	0.107		ND(0.005)	0.028	0.117		0.016	0.266
	10/28/98	0.016	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.017	ND(0.01)	ND(0.01)	0.129		ND(0.01)	0.037	0.150		0.016	0.333
	04/22/99	0.017	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.024	ND(0.0025)	ND(0.0025)	0.185		ND(0.0025)	0.053	0.184		0.017	0.446
	10/19/99	0.019	ND(0.005)	0.002	ND(0.01)	ND(0.01)	0.026	ND(0.005)	ND(0.005)	0.200		ND(0.005)	0.056	0.207		0.021	0.489
	10/19/00	0.018	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.025	ND(0.005)	ND(0.005)	0.201	ND(0.005)	ND(0.005)	0.055	0.188	ND(0.005)	0.018	0.469
	04/12/01	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	0.156	ND(0.005)	ND(0.005)	0.052	0.161	ND(0.005)	0.015	0.391
	07/18/01	0.011	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.020	ND(0.01)	ND(0.01)	0.180	ND(0.01)	ND(0.01)	0.044	0.130	ND(0.01)	0.011	0.374
	10/18/01	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.052	0.160	ND(0.005)	0.014	0.403
	01/12/02	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.057	0.180	ND(0.005)	0.014	0.461
	04/20/02	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.054	0.150	ND(0.0025)	0.009	0.437
	07/24/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.120	ND(0.001)	0.005	0.346
	10/15/02	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	ND(0.0025)	0.180	ND(0.0025)	ND(0.0025)	0.050	0.130	ND(0.0025)	0.004	0.383
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.210	ND(0.001)	ND(0.001)	0.053	0.150	ND(0.001)	0.004	0.438
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.052	0.150	ND(0.001)	0.004	0.412
	04/23/03	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.037	0.110	ND(0.001)	0.006	0.339
Dup.	07/17/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.130	ND(0.001)	0.003	0.357
	10/15/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.034	0.100	ND(0.001)	0.004	0.304
	01/28/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.035	0.110	ND(0.001)	0.004	0.294
	04/19/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.005	0.306
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.044	0.110	ND(0.001)	0.004	0.322
Dup.	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.003	0.295
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.090	ND(0.001)	0.003	0.279
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.035	0.084	ND(0.001)	0.002	0.245

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-22 (Cont.)	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.098	ND(0.001)	0.002	0.293
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.100	ND(0.001)	0.002	0.288
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.029	0.071	ND(0.001)	0.002	0.215
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.026	0.075	ND(0.001)	0.002	0.215
	07/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.092	ND(0.001)	ND(0.001)	0.024	0.078	ND(0.001)	0.003	0.207
	10/10/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.059	ND(0.001)	0.003	0.176
	10/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.022	0.067	ND(0.001)	0.003	0.198
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.021	0.077	ND(0.001)	0.003	0.208
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.081	ND(0.001)	0.003	0.245
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.024	0.081	ND(0.001)	0.003	0.269
Dup.	10/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.019	0.066	ND(0.001)	0.003	0.198
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.017	0.069	ND(0.001)	0.002	0.198
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.080	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.153
	07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.010	0.041	ND(0.001)	0.002	0.137
	10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.013	0.042	ND(0.001)	0.003	0.124
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	0.002	0.100
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.008	0.039	ND(0.001)	0.002	0.124
	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	0.002	0.097
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.033	ND(0.001)	0.001	0.096
	10/20/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.002	0.078
Dup.	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.001	0.078
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.025	ND(0.001)	0.001	0.079
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.022	ND(0.001)	0.000	0.077
	01/12/02	0.015	0.021	ND(0.005)	0.088	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.037	0.110	ND(0.005)	0.124	0.340
	04/20/02	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.044	0.100	ND(0.0025)	0.015	0.380
	07/24/02	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.074	ND(0.001)	0.009	0.271
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.022	ND(0.0025)	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.031	0.080	ND(0.0025)	0.011	0.303
	01/22/03	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.230	ND(0.001)	ND(0.001)	0.044	0.130	ND(0.001)	0.013	0.432
	04/24/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.047	0.140	ND(0.001)	0.003	0.367
	07/17/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.042	0.120	ND(0.001)	0.009	0.376
	10/15/03	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.140	ND(0.001)	0.007	0.369
MW-22A	01/28/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.034	0.120	ND(0.001)	0.005	0.347
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.003	0.341
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.044	0.120	ND(0.001)	0.004	0.378
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.028	0.059	ND(0.001)	0.003	0.208
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.082	ND(0.001)	0.003	0.305

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-22A (Cont.)	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.072	ND(0.001)	0.002	0.243
	07/06/05	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.200	ND(0.001)	ND(0.001)	0.037	0.120	ND(0.001)	0.005	0.384
	10/06/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.031	0.090	ND(0.001)	0.002	0.273
	01/18/06	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.096	ND(0.001)	0.004	0.289
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.100	ND(0.001)	0.002	0.223
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	0.002	0.220
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.026	0.062	ND(0.001)	0.002	0.188
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.026	0.110	ND(0.001)	0.003	0.287
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.026	0.098	ND(0.001)	0.003	0.275
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.240	ND(0.001)	ND(0.001)	0.028	0.140	ND(0.001)	0.003	0.430
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.021	0.081	ND(0.001)	0.002	0.220
	01/16/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.022	0.110	ND(0.001)	0.003	0.252
	04/28/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.016	0.096	ND(0.001)	0.002	0.224
	07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.014	0.065	ND(0.001)	0.002	0.192
	10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.019	0.068	ND(0.001)	0.003	0.198
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.014	0.087	ND(0.001)	0.002	0.203
	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.016	0.061	ND(0.001)	0.002	0.163
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.012	0.062	ND(0.001)	0.000	0.149
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.013	0.062	ND(0.001)	0.001	0.141
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.010	0.054	ND(0.001)	0.000	0.110
	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.038	0.000	ND(0.001)	0.009	0.054	ND(0.001)	0.000	0.108
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.008	0.042	ND(0.001)	0.000	0.100
MW-23	11/20/96	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.005
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
										0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-23 (Cont.)	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.003
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-24	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-25	03/04/97	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.021	0.080
	04/09/97	0.015	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.015	0.001	0.001	0.035	ND(0.001)	ND(0.001)	0.006	0.020	ND(0.001)	ND(0.001)	0.015	0.077
	04/09/97	0.014	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.015	0.001	0.001	0.034	ND(0.001)	ND(0.001)	0.005	0.019	ND(0.001)	ND(0.001)	0.014	0.074
	07/30/97	0.023	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	0.001	0.001	0.031	ND(0.002)	ND(0.002)	0.005	0.035	ND(0.002)	ND(0.002)	0.023	0.083
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	0.001	0.001	0.027	ND(0.002)	ND(0.002)	0.004	0.035	ND(0.002)	ND(0.002)	0.026	0.078
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.013	0.001	0.001	0.028	ND(0.002)	ND(0.002)	0.004	0.028	ND(0.002)	ND(0.002)	0.026	0.074
	01/07/98	0.027	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.014	0.001	0.001	0.030	ND(0.002)	ND(0.002)	0.004	0.033	ND(0.002)	ND(0.002)	0.027	0.082
	04/15/98	0.025	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.013	ND(0.002)	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.004	0.034	ND(0.002)	ND(0.002)	0.025	0.079
	07/18/98	0.022	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.024	ND(0.002)	ND(0.002)	0.004	0.026	ND(0.002)	ND(0.002)	0.022	0.066
	10/28/98	0.030	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.030	ND(0.002)	ND(0.002)	0.005	0.038	ND(0.002)	ND(0.002)	0.030	0.085
	02/09/99	0.027	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.003	0.039	ND(0.001)	ND(0.001)	0.027	0.086
	04/22/99	0.030	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.032	ND(0.001)	ND(0.001)	0.030	0.078
	07/14/99	0.022	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.012	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028	ND(0.001)	ND(0.001)	0.022	0.071
	10/19/99	0.025	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.012	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.027	ND(0.001)	ND(0.001)	0.027	0.070
	01/26/00	0.025	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.026	ND(0.001)	ND(0.001)	0.025	0.072
	04/21/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.011	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.025	ND(0.001)	ND(0.001)	0.022	0.063

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-25 (Cont.)	07/27/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.024	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.027	ND(0.001)	0.022	0.065
	10/19/00	0.030	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.001	0.036	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.032	ND(0.001)	0.030	0.089
	01/18/01	0.022	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.049	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.053	ND(0.001)	0.022	0.126
	04/12/01	0.017	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.049	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)	0.017	0.127
	07/18/01	0.015	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.002)	0.050	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.037	ND(0.002)	0.015	0.108
	10/18/01	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	0.054	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	0.052	ND(0.0025)	0.015	0.132
	01/12/02	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	0.059	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)	0.012	0.138
	07/24/02	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.061	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.048	ND(0.001)	0.010	0.141
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	0.063	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	0.047	ND(0.0025)	0.011	0.140
	01/22/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.150	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.110	ND(0.001)	0.011	0.292
Dup.	04/23/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.064	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.054	ND(0.001)	0.009	0.146
	07/17/03	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.062	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.010	0.147
	10/15/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.076	ND(0.001)	0.011	0.218
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.072	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.169
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.072	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.156
	04/19/04	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.094	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.072	ND(0.001)	0.010	0.201
	07/16/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.110	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.090	ND(0.001)	0.009	0.249
	10/29/04	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.074	ND(0.001)	0.008	0.242
	01/14/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.110	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.078	ND(0.001)	0.007	0.229
	04/16/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.091	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.090	ND(0.001)	0.007	0.228
Dup.	04/16/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.094	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.071	ND(0.001)	0.008	0.216
	07/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.087	ND(0.001)	0.008	0.257
	10/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.110	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.095	ND(0.001)	0.008	0.251
	01/19/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.071	ND(0.001)	0.007	0.204
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.075	ND(0.001)	0.007	0.208
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.093	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.079	ND(0.001)	0.007	0.216
	07/11/06	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.099	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.086	ND(0.001)	0.008	0.232
	10/10/06	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.097	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.082	ND(0.001)	0.006	0.226
	01/16/07	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.100	ND(0.001)	0.006	0.269
	04/17/07	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.160	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.040	0.150	ND(0.001)	0.007	0.378
Dup.	07/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.220	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.037	0.150	ND(0.001)	0.005	0.432
	10/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.180	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	0.130	ND(0.001)	0.005	0.367
	01/16/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.170	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.150	ND(0.001)	0.005	0.378
	04/28/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.150	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.110	ND(0.001)	0.003	0.311
	04/28/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.170	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	0.150	ND(0.001)	0.005	0.379
	07/15/08	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.160	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.120	ND(0.001)	0.004	0.308
	10/14/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.150	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.140	ND(0.001)	0.005	0.344
	01/13/09	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.150	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.120	ND(0.001)	0.003	0.320
	04/06/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.001	0.130	0.001	0.001	0.001	ND(0.001)	0.025	0.100	ND(0.001)	0.004	0.284

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)			(mg/L)	(mg/L)		
MW-25 (Cont.) Dup.	07/14/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.024	0.120	ND(0.001)	ND(0.001)	0.004	0.286
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.012	0.120	ND(0.001)	ND(0.001)	0.002	0.295
	10/20/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.001	0.130	ND(0.001)	ND(0.001)	0.021	0.100	ND(0.001)	ND(0.001)	0.004	0.277
	01/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.021	0.110	ND(0.001)	ND(0.001)	0.003	0.262
	04/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.000	0.092	0.000	ND(0.001)	0.018	0.089	ND(0.001)	ND(0.001)	0.003	0.220
Dup.	04/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.001	0.092	0.000	ND(0.001)	0.018	0.089	ND(0.001)	ND(0.001)	0.003	0.221
	07/27/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.014	0.069	ND(0.001)	ND(0.001)	0.002	0.184
Dup.	07/27/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.013	0.066	ND(0.001)	ND(0.001)	0.002	0.173
MW-26 Dup.	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	ND(0.001)	0.000	0.007
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.000	0.010
Dup.	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.000	0.010
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	ND(0.001)	0.000	0.015
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.011	ND(0.001)	ND(0.001)	0.000	0.030
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	ND(0.001)	0.000	0.030
	10/27/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.010	ND(0.002)	ND(0.002)	0.002	0.014	ND(0.002)	ND(0.002)	0.000	0.029
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	0.003	ND(0.0005)	0.008	ND(0.0005)	ND(0.0005)	0.002	0.011	ND(0.0005)	ND(0.0005)	0.000	0.024
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.010	ND(0.001)	ND(0.001)	0.000	0.025
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.014	ND(0.001)	ND(0.001)	0.000	0.033
	10/19/99	0.001	ND(0.001)	0.003	ND(0.002)	0.006	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.003	0.018	ND(0.001)	ND(0.001)	0.004	0.045
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.003	0.002	ND(0.001)	ND(0.001)	0.000	0.031
Dup.	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.003	0.017	ND(0.001)	ND(0.001)	0.000	0.041
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.023	ND(0.001)	ND(0.001)	0.002	0.052
	10/19/00	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.021	ND(0.001)	ND(0.001)	0.003	0.055
	01/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.019	ND(0.001)	ND(0.001)	0.002	0.044
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.022	ND(0.001)	ND(0.001)	0.001	0.050
Dup.	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.004	0.024	ND(0.001)	ND(0.001)	0.001	0.055
	07/18/01	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.002)	0.026	ND(0.002)	ND(0.002)	0.004	0.022	ND(0.002)	ND(0.002)	0.003	0.059
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.005	0.024	ND(0.001)	ND(0.001)	0.002	0.067
	01/12/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.005	0.025	ND(0.001)	ND(0.001)	0.002	0.060
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.030	ND(0.001)	ND(0.001)	0.002	0.078
Dup.	04/20/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.029	ND(0.001)	ND(0.001)	0.001	0.077
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.046	ND(0.001)	ND(0.001)	0.012	0.090	ND(0.001)	ND(0.001)	0.002	0.158
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	ND(0.001)	0.002	0.114
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.052	ND(0.001)	ND(0.001)	0.002	0.140
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.052	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	ND(0.001)	0.002	0.124

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-26 (Cont.) Dup.	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.013	0.049	ND(0.001)	0.002	0.122
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.002	0.124
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.016	0.060	ND(0.001)	0.001	0.142
	01/28/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.053	ND(0.001)	0.001	0.121
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.053	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.001	0.119
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.048	ND(0.001)	0.001	0.151
	10/29/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.019	0.057	ND(0.001)	0.001	0.171
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.018	0.068	ND(0.001)	0.000	0.180
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.020	0.061	ND(0.001)	0.000	0.180
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.019	0.069	ND(0.001)	0.000	0.173
Dup.	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.072	ND(0.001)	0.001	0.172
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.081	ND(0.001)	ND(0.001)	0.022	0.073	ND(0.001)	0.000	0.189
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.021	0.063	ND(0.001)	0.000	0.172
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.110	ND(0.001)	0.000	0.214
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.087	ND(0.001)	ND(0.001)	0.024	0.068	ND(0.001)	0.000	0.195
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.022	0.056	ND(0.001)	0.000	0.156
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.022	0.070	ND(0.001)	0.000	0.176
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.002	0.263
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.034	0.099	ND(0.001)	0.002	0.267
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.026	0.084	ND(0.001)	0.000	0.220
Dup.	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.040	ND(0.001)	0.000	0.106
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.014	0.040	ND(0.001)	0.000	0.109
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.047	ND(0.001)	0.000	0.130
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.054	ND(0.001)	0.001	0.148
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.000	0.114
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.019	ND(0.001)	0.000	0.053
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.006	0.018	ND(0.001)	0.000	0.052
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.014	ND(0.001)	0.000	0.045
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.000	0.021
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.019
Dup.	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.005	ND(0.001)	0.000	0.012
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.014
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.016
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	01/12/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.018	ND(0.001)	0.005	0.052
MW-26A	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.004	0.012	ND(0.001)	0.002	0.051
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.013	ND(0.001)	0.002	0.053
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.005	0.015	ND(0.001)	0.002	0.061

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-26A (Cont.)	01/22/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.006	0.021	ND(0.001)	0.003	0.077
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.001	0.079
	07/16/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.003	0.083
	10/15/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.003	0.085
	01/28/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.008	0.034	ND(0.001)	0.003	0.096
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.003	0.100
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.010	0.030	ND(0.001)	0.003	0.097
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.003	0.126
	10/29/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.030	ND(0.001)	0.002	0.110
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.031	ND(0.001)	0.002	0.110
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.014	0.038	ND(0.001)	0.002	0.124
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.013	0.046	ND(0.001)	0.002	0.132
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.002	0.151
	01/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.045	ND(0.001)	0.002	0.144
	04/18/06	0.002	ND(0.001)	0.002	ND(0.001)	0.002	0.012	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.018	0.085	ND(0.001)	0.004	0.188
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.017	0.100	ND(0.001)	0.002	0.196
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.047	ND(0.001)	0.002	0.143
MW-27	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.018	0.067	ND(0.001)	0.002	0.171
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	0.003	0.228
	07/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.084	ND(0.001)	ND(0.001)	0.021	0.071	ND(0.001)	0.002	0.198
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.018	0.062	ND(0.001)	0.002	0.176
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.018	0.075	ND(0.001)	0.002	0.181
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.058	ND(0.001)	0.000	0.145
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.137
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.001	0.139
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	0.000	0.113
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.012	0.045	ND(0.001)	0.001	0.115
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.013	0.050	ND(0.001)	0.001	0.117
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	0.000	0.080
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.029	0.000	ND(0.001)	0.009	0.038	ND(0.001)	0.001	0.080
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.008	0.033	ND(0.001)	0.000	0.075
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/07/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-29 (Cont.)	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
MW-30	04/15/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	0.002		0.000	0.006
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001		0.000	0.003
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002		0.000	0.005
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003		0.000	0.006
Dup.	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.001)	0.001	ND(0.0005)	0.002	ND(0.0005)	ND(0.0005)	<0.001	0.002		0.000	0.005
	02/09/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003		0.000	0.007
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003		0.000	0.007
Dup.	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002		0.000	0.005
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003		0.000	0.008
Dup.	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.003	0.008
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.003	0.008
Dup.	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002		0.000	0.006
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.008
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
Dup.	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.000	0.006
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
Dup.	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.012
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.015
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
Dup.	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		XYLENES		TOTAL				TOTAL				PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)						
MW-30 (Cont.)	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016		
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017		
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021		
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020		
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021		
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021		
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021		
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.025		
Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.027		
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.029		
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.029		
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.034		
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.022	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.040		
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.023	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.009	ND(0.001)	0.000	0.039		
	01/16/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.027	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.001	0.045		
Dup.	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.026	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.000	0.045		
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.040	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.014	ND(0.001)	0.000	0.064		
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.013	ND(0.001)	0.000	0.062		
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.045	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.015	ND(0.001)	0.001	0.073		
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.050	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.020	ND(0.001)	0.001	0.084		
Dup.	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.044	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.018	ND(0.001)	0.001	0.076		
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.042	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.017	ND(0.001)	0.000	0.072		
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.019	ND(0.001)	0.001	0.079		
	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.045	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.023	ND(0.001)	0.002	0.087		
Dup.	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.051	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.030	ND(0.001)	0.002	0.101		
	01/13/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.069	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.040	ND(0.001)	0.001	0.129		
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.039	ND(0.001)	0.001	0.127		
Dup.	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.055	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.040	ND(0.001)	0.001	0.122		
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.096	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.000	0.182		
Dup.	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.086	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.000	0.170		
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.077	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.059	ND(0.001)	0.001	0.169		
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.082	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.066	ND(0.001)	0.000	0.180		
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.058	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.056	ND(0.001)	0.001	0.149		
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.067	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.055	ND(0.001)	0.000	0.154		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	TOLUENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)										
MW-31	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.011	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.039	ND(0.001)	0.001	0.095
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.028	ND(0.001)	0.000	0.067
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.021	ND(0.001)	0.001	0.060
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.033	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.028	ND(0.001)	0.001	0.077
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.001	0.072
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.023	ND(0.001)	0.000	0.062
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.041	0.000	ND(0.001)	ND(0.001)	0.010	0.032	ND(0.001)	0.001	0.092
Tank	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.034	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.000	0.076
	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.042	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.002	0.092
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.039	ND(0.001)	0.002	0.092
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.036	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	0.001	0.088
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.046	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.003	ND(0.001)	0.001	0.067
	04/20/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.041	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.002	0.091
	07/26/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.042	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.035	ND(0.001)	0.001	0.093

Analytical method used prior to 10/95 = EPA Method 8240

Analytical method used during and after 10/95 = EPA Method 8260

NOTES:

mg/L = milligrams per liter (equivalent to parts per million)

dup. = duplicate sample

ND(0.001) = chemical not detected at concentration above detection limit shown in parentheses

J = chemical detected at concentration above instrument detection limit but below method detection limit

* = other chemicals also detected (see previous laboratory reports)

= other chemicals also detected (see laboratory analytical reports - Appendix A)

italicized value - is below the method detection limit.

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

CHEMICAL ABBREVIATIONS:

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1-TCA (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-COMP (cont.)	01/23/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/16/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/16/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/29/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/19/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/19/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	11/01/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/17/05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/11/05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/10/05	ND(1.0)	ND(1.0)	ND(1.0)	3.00	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.00	ND(1.0)
	01/18/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/18/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/11/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/10/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/16/07	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/17/07	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/18/07	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/16/08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/29/08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/15/08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/15/08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/13/09	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/07/09	ND(1.0)	ND(1.0)	ND(1.0)	1.50	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.90	ND(1.0)
	07/14/09	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/21/09	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/20/10	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/20/10	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/26/10	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)

Prior to January 1995, the laboratory analytical method used was EPA Method 8240
During and after January 1995, the laboratory analytical method used was EPA Method 8260
See laboratory reports for concentrations of additional analytes

In April 1995, the wash bay SVE system was expanded. Each of the three zones now consists of an old south (S) and a new north (N) zone

NOTES

mg/m3 = milligrams per cubic meter

* = units reported as "ppm" or "mg/L" Detection limit may be incorrect

**=Laboratory results may not be an accurate representation of the emissions

J = chemical present above instrument detection limit but below method detection limit

NA = not analyzed

MS = Maintenance Shop SVE system

WB = Wash Bay SVE system

WB-N1 = north subzone of Wash Bay Zone 1

WB-N2 = north subzone of Wash Bay Zone 2

WB-N3 = north subzone of Wash Bay Zone 3

WB-COMP = composite sample from Wash Bay zones 1, 2, and 3

MS-COMP = composite sample from Maintenance Shop zones 1 and 2

CHEMICAL ABBREVIATIONS

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene


1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

BECA
ORCHARD



EXPLANATION

- MW-9 87.64 WMC MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE
- ★ MONITORING WELLS TO BE SAMPLED QUARTERLY
- 86.00 POTENTIOMETRIC SURFACE CONTOUR (DASHED WHERE INFERRED)
- TEMPORARY BENCH MARK
- AIR PIPING
- SVE EXTRACTION WELL
- ▲ EXTRACTION WELL
- DISCHARGE PIPING

FIGURE 1
SITE MAP WITH
POTENTIOMETRIC SURFACE
(07/26/10)
SCHLUMBERGER TECHNOLOGY CORPORATION
ARTESIA, NEW MEXICO

BASE MAP MODIFIED FROM REED & ASSOCIATES



ANALYTICAL SUMMARY REPORT

August 09, 2010

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C10071063

Project Name: 90125 Artesia

Energy Laboratories, Inc. received the following 23 samples for Deuell Environmental LLC on 7/29/2010 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C10071063-001	90125-27.7/10	07/26/10 12:15	07/29/10	Aqueous	SW8260B VOCs, Standard List
C10071063-002	90125-21.7/10	07/26/10 13:15	07/29/10	Aqueous	Same As Above
C10071063-003	90125-31.7/10	07/26/10 13:30	07/29/10	Aqueous	Same As Above
C10071063-004	90125-13.7/10	07/26/10 14:30	07/29/10	Aqueous	Same As Above
C10071063-005	90125-15.7/10	07/26/10 15:00	07/29/10	Aqueous	Same As Above
C10071063-006	90125-9.7/10	07/26/10 15:15	07/29/10	Aqueous	Same As Above
C10071063-007	90125-12.7/10	07/26/10 15:30	07/29/10	Aqueous	Same As Above
C10071063-008	90125-18.7/10	07/26/10 16:30	07/29/10	Aqueous	Same As Above
C10071063-009	90125-11.7/10	07/26/10 16:45	07/29/10	Aqueous	Same As Above
C10071063-010	90125-8.7/10	07/26/10 17:00	07/29/10	Aqueous	Same As Above
C10071063-011	90125-20.7/10	07/26/10 10:30	07/29/10	Aqueous	Same As Above
C10071063-012	90125-28.7/10	07/26/10 10:45	07/29/10	Aqueous	Same As Above
C10071063-013	90125-29.7/10	07/26/10 11:00	07/29/10	Aqueous	Same As Above
C10071063-014	90125-30.7/10	07/26/10 11:15	07/29/10	Aqueous	Same As Above
C10071063-015	90125-Tank.7/10	07/26/10 11:30	07/29/10	Aqueous	Same As Above
C10071063-016	90125-26.7/10	07/26/10 11:45	07/29/10	Aqueous	Same As Above
C10071063-017	90125-26A.7/10	07/26/10 12:00	07/29/10	Aqueous	Same As Above
C10071063-018	90125-22A.7/10	07/26/10 12:30	07/29/10	Aqueous	Same As Above
C10071063-019	90125-22.7/10	07/26/10 12:45	07/29/10	Aqueous	Same As Above
C10071063-020	90125-25.7/10	07/26/10 13:00	07/29/10	Aqueous	Same As Above
C10071063-021	90125-A.7/10	07/26/10 10:00	07/29/10	Aqueous	Same As Above
C10071063-022	90125-B.7/10	07/26/10 09:30	07/29/10	Aqueous	Same As Above
C10071063-023	Trip Blank	07/26/10 00:00	07/29/10	Aqueous	Same As Above



ANALYTICAL SUMMARY REPORT

This report was prepared by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing.

If you have any questions regarding these test results, please call.

Report Approved By:



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-001
Client Sample ID: 90125-27.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 12:15
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-001
Client Sample ID: 90125-27.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 12:15
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/30/10 18:21 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/30/10 18:21 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/30/10 18:21 / wen
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	07/30/10 18:21 / wen
Surr: Dibromofluoromethane	105	%REC		70-130		SW8260B	07/30/10 18:21 / wen
Surr: p-Bromofluorobenzene	117	%REC		80-120		SW8260B	07/30/10 18:21 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	07/30/10 18:21 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-002
Client Sample ID: 90125-21.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 13:15
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,1-Dichloroethane	6.7	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,1-Dichloroethene	29	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-002
Client Sample ID: 90125-21.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 13:15
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/30/10 18:56 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/30/10 18:56 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Tetrachloroethene	27	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Trichloroethene	7.7	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/30/10 18:56 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	07/30/10 18:56 / wen
Surr: Dibromofluoromethane	100	%REC		70-130		SW8260B	07/30/10 18:56 / wen
Surr: p-Bromofluorobenzene	118	%REC		80-120		SW8260B	07/30/10 18:56 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	07/30/10 18:56 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-003
Client Sample ID: 90125-31.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 13:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,1-Dichloroethane	7.6	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,1-Dichloroethene	34	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-003
Client Sample ID: 90125-31.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 13:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/30/10 19:31 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/30/10 19:31 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Tetrachloroethene	26	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Trichloroethene	8.2	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/30/10 19:31 / wen
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	07/30/10 19:31 / wen
Surr: Dibromofluoromethane	116	%REC		70-130		SW8260B	07/30/10 19:31 / wen
Surr: p-Bromofluorobenzene	118	%REC		80-120		SW8260B	07/30/10 19:31 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	07/30/10 19:31 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-004
Client Sample ID: 90125-13.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 14:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-004
Client Sample ID: 90125-13.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 14:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/30/10 20:06 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/30/10 20:06 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Trichloroethene	1.5	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/30/10 20:06 / wen
Surr: 1,2-Dichlorobenzene-d4	113	%REC		80-120		SW8260B	07/30/10 20:06 / wen
Surr: Dibromofluoromethane	128	%REC		70-130		SW8260B	07/30/10 20:06 / wen
Surr: p-Bromofluorobenzene	119	%REC		80-120		SW8260B	07/30/10 20:06 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	07/30/10 20:06 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-005
Client Sample ID: 90125-15.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 15:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,1-Dichloroethane	1.0	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
cis-1,2-Dichloroethene	3.8	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-005
Client Sample ID: 90125-15.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 15:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/30/10 20:41 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/30/10 20:41 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Tetrachloroethene	2.7	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Trichloroethene	50	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/30/10 20:41 / wen
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	07/30/10 20:41 / wen
Surr: Dibromofluoromethane	126	%REC		70-130		SW8260B	07/30/10 20:41 / wen
Surr: p-Bromofluorobenzene	115	%REC		80-120		SW8260B	07/30/10 20:41 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	07/30/10 20:41 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-006
Client Sample ID: 90125-9.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 15:15
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
cis-1,2-Dichloroethene	1.5	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-006
Client Sample ID: 90125-9.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 15:15
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/31/10 00:14 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/31/10 00:14 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Trichloroethene	15	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/31/10 00:14 / wen
Surr: 1,2-Dichlorobenzene-d4	117	%REC		80-120		SW8260B	07/31/10 00:14 / wen
Surr: Dibromofluoromethane	125	%REC		70-130		SW8260B	07/31/10 00:14 / wen
Surr: p-Bromofluorobenzene	121	%REC	S	80-120		SW8260B	07/31/10 00:14 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	07/31/10 00:14 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-007
Client Sample ID: 90125-12.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 15:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,1-Dichloroethane	94	ug/L		20		SW8260B	07/30/10 21:16 / wen
1,1-Dichloroethene	9.9	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,2,3-Trichlorobenzene	2.7	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,2,4-Trimethylbenzene	1800	ug/L		100		SW8260B	08/02/10 20:13 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Benzene	36	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
cis-1,2-Dichloroethene	170	ug/L		20		SW8260B	07/30/10 21:16 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Ethylbenzene	520	ug/L		20		SW8260B	07/30/10 21:16 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Isopropylbenzene	340	ug/L		20		SW8260B	07/30/10 21:16 / wen
m+p-Xylenes	240	ug/L		20		SW8260B	07/30/10 21:16 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-007
Client Sample ID: 90125-12.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 15:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/31/10 00:50 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/31/10 00:50 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
n-Butylbenzene	16	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
n-Propylbenzene	410	ug/L		20		SW8260B	07/30/10 21:16 / wen
Naphthalene	190	ug/L		20		SW8260B	07/30/10 21:16 / wen
o-Xylene	10	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
p-Isopropyltoluene	3.2	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
sec-Butylbenzene	17	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Tetrachloroethene	7.0	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Trichloroethene	6.6	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Xylenes, Total	10	ug/L		1.0		SW8260B	07/31/10 00:50 / wen
Surr: 1,2-Dichlorobenzene-d4	127	%REC	S	80-120		SW8260B	07/31/10 00:50 / wen
Surr: Dibromofluoromethane	125	%REC		70-130		SW8260B	07/31/10 00:50 / wen
Surr: p-Bromofluorobenzene	92.0	%REC		80-120		SW8260B	07/31/10 00:50 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	07/31/10 00:50 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-008
Client Sample ID: 90125-18.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 16:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,1-Dichloroethane	3.8	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,1-Dichloroethene	16	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-008
Client Sample ID: 90125-18.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 16:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/04/10 01:15 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/04/10 01:15 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Tetrachloroethene	13	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Trichloroethene	1.7	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/04/10 01:15 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	08/04/10 01:15 / wen
Surr: Dibromofluoromethane	118	%REC		70-130		SW8260B	08/04/10 01:15 / wen
Surr: p-Bromofluorobenzene	123	%REC	S	80-120		SW8260B	08/04/10 01:15 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	08/04/10 01:15 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-009
Client Sample ID: 90125-11.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 16:45
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,1-Dichloroethane	4.2	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,1-Dichloroethene	1.6	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-009
Client Sample ID: 90125-11.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 16:45
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/31/10 02:01 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/31/10 02:01 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Naphthalene	1.9	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Tetrachloroethene	2.3	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Trichloroethene	1.4	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/31/10 02:01 / wen
Surr: 1,2-Dichlorobenzene-d4	116	%REC		80-120		SW8260B	07/31/10 02:01 / wen
Surr: Dibromofluoromethane	144	%REC	S	70-130		SW8260B	07/31/10 02:01 / wen
Surr: p-Bromofluorobenzene	117	%REC		80-120		SW8260B	07/31/10 02:01 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	07/31/10 02:01 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-010
Client Sample ID: 90125-8.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 17:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,1-Dichloroethane	3.1	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,1-Dichloroethene	3.4	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-010
Client Sample ID: 90125-8.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 17:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/31/10 02:37 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/31/10 02:37 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Naphthalene	1.0	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Tetrachloroethene	2.1	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Trichloroethene	1.7	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/31/10 02:37 / wen
Surr: 1,2-Dichlorobenzene-d4	113	%REC		80-120		SW8260B	07/31/10 02:37 / wen
Surr: Dibromofluoromethane	129	%REC		70-130		SW8260B	07/31/10 02:37 / wen
Surr: p-Bromofluorobenzene	117	%REC		80-120		SW8260B	07/31/10 02:37 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	07/31/10 02:37 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-011
Client Sample ID: 90125-20.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 10:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,1-Dichloroethane	5.5	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,1-Dichloroethene	4.2	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-011
Client Sample ID: 90125-20.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 10:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/31/10 03:13 / wen
Methyl tert-butyl ether (MTBE)	27	ug/L		2.0		SW8260B	07/31/10 03:13 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Tetrachloroethene	4.5	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Trichloroethene	2.6	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/31/10 03:13 / wen
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	07/31/10 03:13 / wen
Surr: Dibromofluoromethane	126	%REC		70-130		SW8260B	07/31/10 03:13 / wen
Surr: p-Bromofluorobenzene	114	%REC		80-120		SW8260B	07/31/10 03:13 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	07/31/10 03:13 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-012
Client Sample ID: 90125-28.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 10:45
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,1-Dichloroethane	6.2	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,1-Dichloroethene	15	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-012
Client Sample ID: 90125-28.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 10:45
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/31/10 03:49 / wen
Methyl tert-butyl ether (MTBE)	3.4	ug/L		2.0		SW8260B	07/31/10 03:49 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Tetrachloroethene	6.8	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Trichloroethene	4.2	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/31/10 03:49 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	07/31/10 03:49 / wen
Surr: Dibromofluoromethane	124	%REC		70-130		SW8260B	07/31/10 03:49 / wen
Surr: p-Bromofluorobenzene	117	%REC		80-120		SW8260B	07/31/10 03:49 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	07/31/10 03:49 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-013
Client Sample ID: 90125-29.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 11:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,1-Dichloroethene	1.4	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-013
Client Sample ID: 90125-29.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 11:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/31/10 04:25 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/31/10 04:25 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/31/10 04:25 / wen
Surr: 1,2-Dichlorobenzene-d4	116	%REC		80-120		SW8260B	07/31/10 04:25 / wen
Surr: Dibromofluoromethane	131	%REC	S	70-130		SW8260B	07/31/10 04:25 / wen
Surr: p-Bromofluorobenzene	120	%REC		80-120		SW8260B	07/31/10 04:25 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	07/31/10 04:25 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-014
Client Sample ID: 90125-30.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 11:15
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,1-Dichloroethane	16	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,1-Dichloroethene	67	ug/L		10		SW8260B	08/02/10 19:38 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Benzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Bromoform	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Chloroform	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-014
Client Sample ID: 90125-30.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 11:15
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/31/10 05:00 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/31/10 05:00 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Styrene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Tetrachloroethene	55	ug/L		10		SW8260B	08/02/10 19:38 / wen
Toluene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Trichloroethene	16	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/31/10 05:00 / wen
Surr: 1,2-Dichlorobenzene-d4	114	%REC		80-120		SW8260B	07/31/10 05:00 / wen
Surr: Dibromofluoromethane	138	%REC	S	70-130		SW8260B	07/31/10 05:00 / wen
Surr: p-Bromofluorobenzene	115	%REC		80-120		SW8260B	07/31/10 05:00 / wen
Surr: Toluene-d8	110	%REC		80-120		SW8260B	07/31/10 05:00 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-015
Client Sample ID: 90125-Tank.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 11:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,1-Dichloroethane	7.2	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,1-Dichloroethene	42	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Benzene	1.2	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-015
Client Sample ID: 90125-Tank.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 11:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/02/10 20:49 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/02/10 20:49 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Tetrachloroethene	35	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Trichloroethene	9.2	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/02/10 20:49 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	08/02/10 20:49 / wen
Surr: Dibromofluoromethane	108	%REC		70-130		SW8260B	08/02/10 20:49 / wen
Surr: p-Bromofluorobenzene	118	%REC		80-120		SW8260B	08/02/10 20:49 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	08/02/10 20:49 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-016
Client Sample ID: 90125-26.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 11:45
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,1-Dichloroethene	3.7	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-016
Client Sample ID: 90125-26.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 11:45
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 00:23 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 00:23 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Tetrachloroethene	2.8	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Trichloroethene	1.3	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 00:23 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	08/03/10 00:23 / wen
Surr: Dibromofluoromethane	106	%REC		70-130		SW8260B	08/03/10 00:23 / wen
Surr: p-Bromofluorobenzene	118	%REC		80-120		SW8260B	08/03/10 00:23 / wen
Surr: Toluene-d8	103	%REC		80-120		SW8260B	08/03/10 00:23 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-017
Client Sample ID: 90125-26A.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 12:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,1-Dichloroethane	4.2	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,1-Dichloroethene	30	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-017
Client Sample ID: 90125-26A.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 12:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 00:59 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 00:59 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Tetrachloroethene	33	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Trichloroethene	7.6	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 00:59 / wen
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	08/03/10 00:59 / wen
Surr: Dibromofluoromethane	115	%REC		70-130		SW8260B	08/03/10 00:59 / wen
Surr: p-Bromofluorobenzene	118	%REC		80-120		SW8260B	08/03/10 00:59 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	08/03/10 00:59 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-018
Client Sample ID: 90125-22A.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 12:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,1-Dichloroethane	8.8	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,1-Dichloroethene	41	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-018
Client Sample ID: 90125-22A.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 12:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 01:34 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 01:34 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Tetrachloroethene	42	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Trichloroethene	8.1	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 01:34 / wen
Surr: 1,2-Dichlorobenzene-d4	116	%REC		80-120		SW8260B	08/03/10 01:34 / wen
Surr: Dibromofluoromethane	147	%REC	S	70-130		SW8260B	08/03/10 01:34 / wen
Surr: p-Bromofluorobenzene	122	%REC	S	80-120		SW8260B	08/03/10 01:34 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	08/03/10 01:34 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-019
Client Sample ID: 90125-22.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 12:45
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,1-Dichloroethane	7.3	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,1-Dichloroethene	40	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-019
Client Sample ID: 90125-22.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 12:45
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 02:10 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 02:10 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Tetrachloroethene	22	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Trichloroethene	8.0	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 02:10 / wen
Surr: 1,2-Dichlorobenzene-d4	113	%REC		80-120		SW8260B	08/03/10 02:10 / wen
Surr: Dibromofluoromethane	121	%REC		70-130		SW8260B	08/03/10 02:10 / wen
Surr: p-Bromofluorobenzene	120	%REC		80-120		SW8260B	08/03/10 02:10 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	08/03/10 02:10 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-020
Client Sample ID: 90125-25.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 13:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,1-Dichloroethane	18	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,1-Dichloroethene	83	ug/L		10		SW8260B	08/05/10 16:34 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Benzene	2.3	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-020
Client Sample ID: 90125-25.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 13:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 02:46 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 02:46 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Tetrachloroethene	69	ug/L		10		SW8260B	08/05/10 16:34 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Trichloroethene	14	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 02:46 / wen
Surr: 1,2-Dichlorobenzene-d4	114	%REC		80-120		SW8260B	08/03/10 02:46 / wen
Surr: Dibromofluoromethane	128	%REC		70-130		SW8260B	08/03/10 02:46 / wen
Surr: p-Bromofluorobenzene	117	%REC		80-120		SW8260B	08/03/10 02:46 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	08/03/10 02:46 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-021
Client Sample ID: 90125-A.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 10:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,1-Dichloroethane	6.4	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,1-Dichloroethene	15	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-021
Client Sample ID: 90125-A.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 10:00
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 03:56 / wen
Methyl tert-butyl ether (MTBE)	3.3	ug/L		2.0		SW8260B	08/03/10 03:56 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Tetrachloroethene	6.6	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Trichloroethene	3.9	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 03:56 / wen
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	08/03/10 03:56 / wen
Surr: Dibromofluoromethane	130	%REC		70-130		SW8260B	08/03/10 03:56 / wen
Surr: p-Bromofluorobenzene	122	%REC	S	80-120		SW8260B	08/03/10 03:56 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	08/03/10 03:56 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-022
Client Sample ID: 90125-B.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 09:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,1-Dichloroethane	19	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,1-Dichloroethene	75	ug/L		10		SW8260B	08/03/10 08:05 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Benzene	2.3	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-022
Client Sample ID: 90125-B.7/10

Report Date: 08/09/10
Collection Date: 07/26/10 09:30
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 04:32 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 04:32 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Tetrachloroethene	66	ug/L		10		SW8260B	08/03/10 08:05 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Trichloroethene	13	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 04:32 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	08/03/10 04:32 / wen
Surr: Dibromofluoromethane	139	%REC	S	70-130		SW8260B	08/03/10 04:32 / wen
Surr: p-Bromofluorobenzene	120	%REC		80-120		SW8260B	08/03/10 04:32 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	08/03/10 04:32 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-023
Client Sample ID: Trip Blank

Report Date: 08/09/10
Collection Date: 07/26/10
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Benzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Bromoform	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Chloroform	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
m+p-Xylenes	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10071063-023
Client Sample ID: Trip Blank

Report Date: 08/09/10
Collection Date: 07/26/10
Date Received: 07/29/10
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	ug/L		20		SW8260B	08/03/10 03:21 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	08/03/10 03:21 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Styrene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Toluene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	08/03/10 03:21 / wen
Surr: 1,2-Dichlorobenzene-d4	118	%REC		80-120		SW8260B	08/03/10 03:21 / wen
Surr: Dibromofluoromethane	136	%REC	S	70-130		SW8260B	08/03/10 03:21 / wen
Surr: p-Bromofluorobenzene	123	%REC	S	80-120		SW8260B	08/03/10 03:21 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	08/03/10 03:21 / wen

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135586	
Sample ID: 30-Jul-10_LCS_3									07/30/10 11:30	
67 Laboratory Control Sample									Run: GCMS2_100730A	
1,1,1,2-Tetrachloroethane	10	ug/L	1.0	100	70	130				
1,1,1-Trichloroethane	11	ug/L	1.0	110	70	130				
1,1,2,2-Tetrachloroethane	11	ug/L	1.0	106	70	130				
1,1,2-Trichloroethane	11	ug/L	1.0	110	70	130				
1,1-Dichloroethane	11	ug/L	1.0	105	70	130				
1,1-Dichloroethene	11	ug/L	1.0	107	70	130				
1,1-Dichloropropene	11	ug/L	1.0	114	70	130				
1,2,3-Trichlorobenzene	9.5	ug/L	1.0	95	70	130				
1,2,3-Trichloropropane	10	ug/L	1.0	100	70	130				
1,2,4-Trichlorobenzene	9.8	ug/L	1.0	98	70	130				
1,2,4-Trimethylbenzene	11	ug/L	1.0	107	70	130				
1,2-Dibromo-3-chloropropane	9.7	ug/L	1.0	97	70	130				
1,2-Dibromoethane	11	ug/L	1.0	105	70	130				
1,2-Dichlorobenzene	10	ug/L	1.0	105	70	130				
1,2-Dichloroethane	10	ug/L	1.0	102	70	130				
1,2-Dichloropropane	10	ug/L	1.0	104	70	130				
1,3,5-Trimethylbenzene	11	ug/L	1.0	108	70	130				
1,3-Dichlorobenzene	10	ug/L	1.0	103	70	130				
1,3-Dichloropropane	11	ug/L	1.0	108	70	130				
1,4-Dichlorobenzene	10	ug/L	1.0	103	70	130				
2,2-Dichloropropane	10	ug/L	1.0	104	60	140				
2-Chloroethyl vinyl ether	2.5	ug/L	1.0	25	70	130				S
2-Chlorotoluene	10	ug/L	1.0	102	70	130				
4-Chlorotoluene	10	ug/L	1.0	105	70	130				
Benzene	11	ug/L	1.0	112	70	130				
Bromobenzene	10	ug/L	1.0	104	70	130				
Bromochloromethane	12	ug/L	1.0	120	70	130				
Bromodichloromethane	11	ug/L	1.0	108	70	130				
Bromoform	11	ug/L	1.0	110	70	130				
Bromomethane	9.9	ug/L	1.0	99	70	130				
Carbon tetrachloride	11	ug/L	1.0	111	70	130				
Chlorobenzene	11	ug/L	1.0	108	70	130				
Chlorodibromomethane	9.9	ug/L	1.0	99	70	130				
Chloroethane	10	ug/L	1.0	103	70	130				
Chloroform	11	ug/L	1.0	110	70	130				
Chloromethane	11	ug/L	1.0	107	70	130				
cis-1,2-Dichloroethene	11	ug/L	1.0	106	70	130				
cis-1,3-Dichloropropene	11	ug/L	1.0	108	70	130				
Dibromomethane	11	ug/L	1.0	114	70	130				
Dichlorodifluoromethane	10	ug/L	1.0	102	70	130				
Ethylbenzene	10	ug/L	1.0	105	70	130				
Hexachlorobutadiene	11	ug/L	1.0	107	70	130				
Isopropylbenzene	13	ug/L	1.0	126	70	130				

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135586
Sample ID: 30-Jul-10_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100730A			07/30/10 11:30	
m+p-Xylenes		21	ug/L	1.0	104	70	130			
Methyl ethyl ketone		94	ug/L	20	94	70	130			
Methyl tert-butyl ether (MTBE)		12	ug/L	2.0	123	70	130			
Methylene chloride		10	ug/L	1.0	103	70	130			
n-Butylbenzene		11	ug/L	1.0	109	70	130			
n-Propylbenzene		11	ug/L	1.0	106	70	130			
Naphthalene		9.3	ug/L	1.0	93	70	130			
o-Xylene		10	ug/L	1.0	103	70	130			
p-Isopropyltoluene		11	ug/L	1.0	105	70	130			
sec-Butylbenzene		10	ug/L	1.0	105	70	130			
Styrene		10	ug/L	1.0	103	70	130			
tert-Butylbenzene		10	ug/L	1.0	105	70	130			
Tetrachloroethene		11	ug/L	1.0	110	70	130			
Toluene		11	ug/L	1.0	113	70	130			
trans-1,2-Dichloroethene		12	ug/L	1.0	124	70	130			
trans-1,3-Dichloropropene		10	ug/L	1.0	104	70	130			
Trichloroethene		11	ug/L	1.0	107	70	130			
Trichlorofluoromethane		11	ug/L	1.0	109	70	130			
Vinyl chloride		12	ug/L	1.0	116	70	130			
Xylenes, Total		31	ug/L	1.0	103	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120			
Surr: Dibromofluoromethane				1.0	106	70	130			
Surr: p-Bromofluorobenzene				1.0	108	80	130			
Surr: Toluene-d8				1.0	108	80	120			
Sample ID: 30-Jul-10_MBLK_6	67	Method Blank				Run: GCMS2_100730A			07/30/10 13:58	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135586	
Sample ID: 30-Jul-10_MBLK_6				67	Method Blank			Run: GCMS2_100730A		07/30/10 13:58
1,3-Dichloropropane		ND	ug/L			1.0				
1,4-Dichlorobenzene		ND	ug/L			1.0				
2,2-Dichloropropane		ND	ug/L			1.0				
2-Chloroethyl vinyl ether		ND	ug/L			1.0				
2-Chlorotoluene		ND	ug/L			1.0				
4-Chlorotoluene		ND	ug/L			1.0				
Benzene		ND	ug/L			1.0				
Bromobenzene		ND	ug/L			1.0				
Bromochloromethane		ND	ug/L			1.0				
Bromodichloromethane		ND	ug/L			1.0				
Bromoform		ND	ug/L			1.0				
Bromomethane		ND	ug/L			1.0				
Carbon tetrachloride		ND	ug/L			1.0				
Chlorobenzene		ND	ug/L			1.0				
Chlorodibromomethane		ND	ug/L			1.0				
Chloroethane		ND	ug/L			1.0				
Chloroform		ND	ug/L			1.0				
Chloromethane		ND	ug/L			1.0				
cis-1,2-Dichloroethene		ND	ug/L			1.0				
cis-1,3-Dichloropropene		ND	ug/L			1.0				
Dibromomethane		ND	ug/L			1.0				
Dichlorodifluoromethane		ND	ug/L			1.0				
Ethylbenzene		ND	ug/L			1.0				
Hexachlorobutadiene		ND	ug/L			1.0				
Isopropylbenzene		ND	ug/L			1.0				
m+p-Xylenes		ND	ug/L			1.0				
Methyl ethyl ketone		ND	ug/L			20				
Methyl tert-butyl ether (MTBE)		ND	ug/L			2.0				
Methylene chloride		ND	ug/L			1.0				
n-Butylbenzene		ND	ug/L			1.0				
n-Propylbenzene		ND	ug/L			1.0				
Naphthalene		ND	ug/L			1.0				
o-Xylene		ND	ug/L			1.0				
p-Isopropyltoluene		ND	ug/L			1.0				
sec-Butylbenzene		ND	ug/L			1.0				
Styrene		ND	ug/L			1.0				
tert-Butylbenzene		ND	ug/L			1.0				
Tetrachloroethene		ND	ug/L			1.0				
Toluene		ND	ug/L			1.0				
trans-1,2-Dichloroethene		ND	ug/L			1.0				
trans-1,3-Dichloropropene		ND	ug/L			1.0				
Trichloroethene		ND	ug/L			1.0				
Trichlorofluoromethane		ND	ug/L			1.0				

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135586
Sample ID: 30-Jul-10_MBLK_6	67	Method Blank				Run: GCMS2_100730A				07/30/10 13:58
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	110	80	120			
Surr: Dibromofluoromethane				1.0	102	70	130			
Surr: p-Bromofluorobenzene				1.0	118	80	120			
Surr: Toluene-d8				1.0	104	80	120			
Sample ID: C10071063-007AMS	28	Sample Matrix Spike				Run: GCMS2_100730A				07/30/10 21:51
1,1,1-Trichloroethane		270	ug/L	20	134	70	130			S
1,1-Dichloroethene		270	ug/L	20	132	70	130			S
1,2-Dichlorobenzene		220	ug/L	20	111	70	130			
1,2-Dichloroethane		260	ug/L	20	129	70	130			
1,2-Dichloropropane		210	ug/L	20	105	70	130			
1,4-Dichlorobenzene		210	ug/L	20	106	70	130			
Benzene		260	ug/L	20	116	70	130			
Bromodichloromethane		220	ug/L	20	110	70	130			
Bromoform		200	ug/L	20	102	70	130			
Carbon tetrachloride		270	ug/L	20	133	70	130			S
Chlorobenzene		210	ug/L	20	107	70	130			
Chlorodibromomethane		200	ug/L	20	102	70	130			
Chloroform		260	ug/L	20	131	70	130			S
cis-1,2-Dichloroethene		450	ug/L	20	141	70	130			S
Ethylbenzene		820	ug/L	20	150	70	130			S
m+p-Xylenes		710	ug/L	20	117	70	130			
o-Xylene		220	ug/L	20	107	70	130			
Styrene		210	ug/L	20	104	70	130			
Tetrachloroethene		220	ug/L	20	107	70	130			
Toluene		220	ug/L	20	112	70	130			
trans-1,2-Dichloroethene		290	ug/L	20	145	70	130			S
Trichloroethene		220	ug/L	20	105	70	130			
Vinyl chloride		290	ug/L	20	145	70	130			S
Xylenes, Total		930	ug/L	20	113	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	112	80	120			
Surr: Dibromofluoromethane				1.0	122	70	130			
Surr: p-Bromofluorobenzene				1.0	101	80	120			
Surr: Toluene-d8				1.0	106	80	120			
Sample ID: C10071063-007AMSD	28	Sample Matrix Spike Duplicate				Run: GCMS2_100730A				07/30/10 22:27
1,1,1-Trichloroethane		250	ug/L	20	127	70	130	5.2	20	
1,1-Dichloroethene		260	ug/L	20	125	70	130	5.1	20	
1,2-Dichlorobenzene		220	ug/L	20	110	70	130	0.4	20	
1,2-Dichloroethane		220	ug/L	20	108	70	130	18	20	
1,2-Dichloropropane		200	ug/L	20	100	70	130	5.1	20	
1,4-Dichlorobenzene		210	ug/L	20	105	70	130	0.8	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135586	
Sample ID: C10071063-007AMSD		28 Sample Matrix Spike Duplicate			Run: GCMS2_100730A				07/30/10 22:27	
Benzene		260	ug/L	20	117	70	130	0.6	20	
Bromodichloromethane		210	ug/L	20	103	70	130	6.4	20	
Bromoform		200	ug/L	20	102	70	130	0	20	
Carbon tetrachloride		250	ug/L	20	126	70	130	4.9	20	
Chlorobenzene		220	ug/L	20	108	70	130	0.7	20	
Chlorodibromomethane		200	ug/L	20	99	70	130	2.8	20	
Chloroform		230	ug/L	20	115	70	130	13	20	
cis-1,2-Dichloroethene		410	ug/L	20	120	70	130	9.8	20	
Ethylbenzene		900	ug/L	20	190	70	130	9.3	20	S
m+p-Xylenes		740	ug/L	20	124	70	130	3.8	20	
o-Xylene		220	ug/L	20	106	70	130	0.7	20	
Styrene		210	ug/L	20	103	70	130	0.8	20	
Tetrachloroethene		230	ug/L	20	113	70	130	5.3	20	
Toluene		220	ug/L	20	110	70	130	1.8	20	
trans-1,2-Dichloroethene		260	ug/L	20	132	70	130	9.2	20	S
Trichloroethene		220	ug/L	20	106	70	130	1.5	20	
Vinyl chloride		270	ug/L	20	135	70	130	7.1	20	S
Xylenes, Total		960	ug/L	20	118	70	130	2.7	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	111	80	120	0	10	
Surr: Dibromofluoromethane				1.0	109	70	130	0	10	
Surr: p-Bromofluorobenzene				1.0	101	80	120	0	10	
Surr: Toluene-d8				1.0	107	80	120	0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135750
Sample ID: 03-Aug-10_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100803A				08/03/10 13:24
1,1,1,2-Tetrachloroethane		9.7	ug/L	1.0	97	70	130			
1,1,1-Trichloroethane		11	ug/L	1.0	114	70	130			
1,1,2,2-Tetrachloroethane		10	ug/L	1.0	100	70	130			
1,1,2-Trichloroethane		11	ug/L	1.0	107	70	130			
1,1-Dichloroethane		11	ug/L	1.0	109	70	130			
1,1-Dichloroethene		11	ug/L	1.0	114	70	130			
1,1-Dichloropropene		11	ug/L	1.0	113	70	130			
1,2,3-Trichlorobenzene		9.7	ug/L	1.0	97	70	130			
1,2,3-Trichloropropane		9.7	ug/L	1.0	97	70	130			
1,2,4-Trichlorobenzene		9.7	ug/L	1.0	97	70	130			
1,2,4-Trimethylbenzene		11	ug/L	1.0	108	70	130			
1,2-Dibromo-3-chloropropane		10	ug/L	1.0	102	70	130			
1,2-Dibromoethane		10	ug/L	1.0	102	70	130			
1,2-Dichlorobenzene		10	ug/L	1.0	102	70	130			
1,2-Dichloroethane		10	ug/L	1.0	105	70	130			
1,2-Dichloropropane		9.9	ug/L	1.0	99	70	130			
1,3,5-Trimethylbenzene		11	ug/L	1.0	111	70	130			
1,3-Dichlorobenzene		10	ug/L	1.0	104	70	130			
1,3-Dichloropropane		11	ug/L	1.0	107	70	130			
1,4-Dichlorobenzene		10	ug/L	1.0	104	70	130			
2,2-Dichloropropane		11	ug/L	1.0	110	60	140			
2-Chloroethyl vinyl ether		2.6	ug/L	1.0	26	70	130			S
2-Chlorotoluene		10	ug/L	1.0	103	70	130			
4-Chlorotoluene		10	ug/L	1.0	104	70	130			
Benzene		11	ug/L	1.0	109	70	130			
Bromobenzene		10	ug/L	1.0	103	70	130			
Bromochloromethane		12	ug/L	1.0	121	70	130			
Bromodichloromethane		10	ug/L	1.0	102	70	130			
Bromoform		10	ug/L	1.0	101	70	130			
Bromomethane		12	ug/L	1.0	123	70	130			
Carbon tetrachloride		11	ug/L	1.0	115	70	130			
Chlorobenzene		10	ug/L	1.0	103	70	130			
Chlorodibromomethane		9.4	ug/L	1.0	94	70	130			
Chloroethane		11	ug/L	1.0	114	70	130			
Chloroform		11	ug/L	1.0	112	70	130			
Chloromethane		10	ug/L	1.0	103	70	130			
cis-1,2-Dichloroethene		11	ug/L	1.0	107	70	130			
cis-1,3-Dichloropropene		10	ug/L	1.0	100	70	130			
Dibromomethane		11	ug/L	1.0	107	70	130			
Dichlorodifluoromethane		11	ug/L	1.0	110	70	130			
Ethylbenzene		10	ug/L	1.0	101	70	130			
Hexachlorobutadiene		12	ug/L	1.0	120	70	130			
Isopropylbenzene		13	ug/L	1.0	126	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135750
Sample ID: 03-Aug-10_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100803A			08/03/10 13:24	
m+p-Xylenes		20	ug/L	1.0	101	70	130			
Methyl ethyl ketone		87	ug/L	20	87	70	130			
Methyl tert-butyl ether (MTBE)		11	ug/L	2.0	110	70	130			
Methylene chloride		11	ug/L	1.0	106	70	130			
n-Butylbenzene		11	ug/L	1.0	112	70	130			
n-Propylbenzene		11	ug/L	1.0	111	70	130			
Naphthalene		9.1	ug/L	1.0	91	70	130			
o-Xylene		10.0	ug/L	1.0	100	70	130			
p-Isopropyltoluene		11	ug/L	1.0	109	70	130			
sec-Butylbenzene		11	ug/L	1.0	107	70	130			
Styrene		9.7	ug/L	1.0	97	70	130			
tert-Butylbenzene		11	ug/L	1.0	108	70	130			
Tetrachloroethene		11	ug/L	1.0	114	70	130			
Toluene		11	ug/L	1.0	106	70	130			
trans-1,2-Dichloroethene		12	ug/L	1.0	124	70	130			
trans-1,3-Dichloropropene		9.6	ug/L	1.0	96	70	130			
Trichloroethene		10	ug/L	1.0	102	70	130			
Trichlorofluoromethane		12	ug/L	1.0	118	70	130			
Vinyl chloride		12	ug/L	1.0	116	70	130			
Xylenes, Total		30	ug/L	1.0	101	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	106	80	120			
Surr: Dibromofluoromethane				1.0	110	70	130			
Surr: p-Bromofluorobenzene				1.0	110	80	130			
Surr: Toluene-d8				1.0	105	80	120			
Sample ID: 03-Aug-10_MBLK_6	67	Method Blank				Run: GCMS2_100803A			08/03/10 15:18	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135750	
Sample ID: 03-Aug-10_MBLK_6 67 Method Blank									Run: GCMS2_100803A 08/03/10 15:18	
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135750
Sample ID: 03-Aug-10_MBLK_6	67	Method Blank				Run: GCMS2_100803A				08/03/10 15:18
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	110	80	120			
Surr: Dibromofluoromethane				1.0	109	70	130			
Surr: p-Bromofluorobenzene				1.0	125	80	120			S
Surr: Toluene-d8				1.0	102	80	120			
Sample ID: C10071146-005BMS	28	Sample Matrix Spike				Run: GCMS2_100803A				08/03/10 22:55
1,1,1-Trichloroethane		140	ug/L	10	138	70	130			S
1,1-Dichloroethene		130	ug/L	10	130	70	130			
1,2-Dichlorobenzene		100	ug/L	10	103	70	130			
1,2-Dichloroethane		140	ug/L	10	136	70	130			S
1,2-Dichloropropane		100	ug/L	10	102	70	130			
1,4-Dichlorobenzene		100	ug/L	10	101	70	130			
Benzene		110	ug/L	10	114	70	130			
Bromodichloromethane		120	ug/L	10	116	70	130			
Bromoform		98	ug/L	10	98	70	130			
Carbon tetrachloride		140	ug/L	10	140	70	130			S
Chlorobenzene		110	ug/L	10	106	70	130			
Chlorodibromomethane		100	ug/L	10	103	70	130			
Chloroform		130	ug/L	10	131	70	130			S
cis-1,2-Dichloroethene		120	ug/L	10	116	70	130			
Ethylbenzene		110	ug/L	10	107	70	130			
m+p-Xylenes		220	ug/L	10	108	70	130			
o-Xylene		110	ug/L	10	111	70	130			
Styrene		110	ug/L	10	106	70	130			
Tetrachloroethene		110	ug/L	10	111	70	130			
Toluene		120	ug/L	10	116	70	130			
trans-1,2-Dichloroethene		130	ug/L	10	134	70	130			S
Trichloroethene		110	ug/L	10	105	70	130			
Vinyl chloride		140	ug/L	10	139	70	130			S
Xylenes, Total		330	ug/L	10	109	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	106	80	120			
Surr: Dibromofluoromethane				1.0	120	70	130			
Surr: p-Bromofluorobenzene				1.0	100	80	120			
Surr: Toluene-d8				1.0	109	80	120			
- Spike recovery is high for several analytes. This is a matrix related bias since the MS MSD pair both exhibit this same behavior yet have an acceptable RPD.										
Sample ID: C10071146-005BMSD	28	Sample Matrix Spike Duplicate				Run: GCMS2_100803A				08/03/10 23:31
1,1,1-Trichloroethane		140	ug/L	10	138	70	130	0.6	20	S
1,1-Dichloroethene		130	ug/L	10	131	70	130	1.2	20	S
1,2-Dichlorobenzene		110	ug/L	10	108	70	130	4.5	20	
1,2-Dichloroethane		130	ug/L	10	131	70	130	4.2	20	S
1,2-Dichloropropane		100	ug/L	10	104	70	130	2.7	20	
1,4-Dichlorobenzene		110	ug/L	10	106	70	130	5	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135750	
Sample ID: C10071146-005BMSD 28 Sample Matrix Spike Duplicate				Run: GCMS2_100803A				08/03/10 23:31		
Benzene		120	ug/L	10	115	70	130	0.7	20	
Bromodichloromethane		120	ug/L	10	116	70	130	0	20	
Bromoform		110	ug/L	10	105	70	130	6.7	20	
Carbon tetrachloride		140	ug/L	10	138	70	130	1.4	20	S
Chlorobenzene		110	ug/L	10	107	70	130	0.7	20	
Chlorodibromomethane		100	ug/L	10	102	70	130	0.4	20	
Chloroform		130	ug/L	10	130	70	130	0.3	20	
cis-1,2-Dichloroethene		120	ug/L	10	116	70	130	0	20	
Ethylbenzene		110	ug/L	10	108	70	130	0.4	20	
m+p-Xylenes		210	ug/L	10	107	70	130	1.1	20	
o-Xylene		110	ug/L	10	109	70	130	1.8	20	
Styrene		110	ug/L	10	106	70	130	0.8	20	
Tetrachloroethene		110	ug/L	10	112	70	130	1.4	20	
Toluene		110	ug/L	10	114	70	130	1.7	20	
trans-1,2-Dichloroethene		140	ug/L	10	137	70	130	1.8	20	S
Trichloroethene		110	ug/L	10	107	70	130	1.5	20	
Vinyl chloride		140	ug/L	10	140	70	130	0.9	20	S
Xylenes, Total		320	ug/L	10	107	70	130	1.4	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120	0	10	
Surr: Dibromofluoromethane				1.0	116	70	130	0	10	
Surr: p-Bromofluorobenzene				1.0	105	80	120	0	10	
Surr: Toluene-d8				1.0	108	80	120	0	10	

- Spike recovery is high for several analytes. This is a matrix related bias since the MS MSD pair both exhibit this same behavior yet have an acceptable RPD.

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135751
Sample ID: 02-Aug-10_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100802A				08/02/10 11:36
1,1,1,2-Tetrachloroethane		9.4	ug/L	1.0	94	70	130			
1,1,1-Trichloroethane		11	ug/L	1.0	107	70	130			
1,1,2,2-Tetrachloroethane		9.8	ug/L	1.0	98	70	130			
1,1,2-Trichloroethane		11	ug/L	1.0	106	70	130			
1,1-Dichloroethane		11	ug/L	1.0	108	70	130			
1,1-Dichloroethene		11	ug/L	1.0	107	70	130			
1,1-Dichloropropene		11	ug/L	1.0	111	70	130			
1,2,3-Trichlorobenzene		9.4	ug/L	1.0	94	70	130			
1,2,3-Trichloropropane		9.4	ug/L	1.0	94	70	130			
1,2,4-Trichlorobenzene		9.6	ug/L	1.0	96	70	130			
1,2,4-Trimethylbenzene		10	ug/L	1.0	102	70	130			
1,2-Dibromo-3-chloropropane		9.7	ug/L	1.0	97	70	130			
1,2-Dibromoethane		10	ug/L	1.0	101	70	130			
1,2-Dichlorobenzene		10	ug/L	1.0	102	70	130			
1,2-Dichloroethane		10	ug/L	1.0	102	70	130			
1,2-Dichloropropane		11	ug/L	1.0	106	70	130			
1,3,5-Trimethylbenzene		10	ug/L	1.0	101	70	130			
1,3-Dichlorobenzene		9.9	ug/L	1.0	99	70	130			
1,3-Dichloropropane		11	ug/L	1.0	106	70	130			
1,4-Dichlorobenzene		10.0	ug/L	1.0	100	70	130			
2,2-Dichloropropane		12	ug/L	1.0	116	60	140			
2-Chloroethyl vinyl ether		8.7	ug/L	1.0	87	70	130			
2-Chlorotoluene		9.4	ug/L	1.0	94	70	130			
4-Chlorotoluene		9.7	ug/L	1.0	97	70	130			
Benzene		11	ug/L	1.0	111	70	130			
Bromobenzene		9.7	ug/L	1.0	97	70	130			
Bromochloromethane		12	ug/L	1.0	118	70	130			
Bromodichloromethane		11	ug/L	1.0	106	70	130			
Bromoform		9.8	ug/L	1.0	98	70	130			
Bromomethane		9.6	ug/L	1.0	96	70	130			
Carbon tetrachloride		11	ug/L	1.0	108	70	130			
Chlorobenzene		10	ug/L	1.0	103	70	130			
Chlorodibromomethane		9.5	ug/L	1.0	95	70	130			
Chloroethane		11	ug/L	1.0	108	70	130			
Chloroform		11	ug/L	1.0	109	70	130			
Chloromethane		10	ug/L	1.0	100	70	130			
cis-1,2-Dichloroethene		11	ug/L	1.0	105	70	130			
cis-1,3-Dichloropropene		11	ug/L	1.0	106	70	130			
Dibromomethane		11	ug/L	1.0	110	70	130			
Dichlorodifluoromethane		9.9	ug/L	1.0	99	70	130			
Ethylbenzene		10	ug/L	1.0	101	70	130			
Hexachlorobutadiene		11	ug/L	1.0	115	70	130			
Isopropylbenzene		13	ug/L	1.0	126	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135751
Sample ID: 02-Aug-10_LCS_3	67	Laboratory Control Sample				Run: GCMS2_100802A			08/02/10 11:36	
m+p-Xylenes		20	ug/L	1.0	100	70	130			
Methyl ethyl ketone		100	ug/L	20	103	70	130			
Methyl tert-butyl ether (MTBE)		11	ug/L	2.0	107	70	130			
Methylene chloride		11	ug/L	1.0	107	70	130			
n-Butylbenzene		11	ug/L	1.0	108	70	130			
n-Propylbenzene		10	ug/L	1.0	102	70	130			
Naphthalene		9.0	ug/L	1.0	90	70	130			
o-Xylene		10	ug/L	1.0	101	70	130			
p-Isopropyltoluene		10	ug/L	1.0	105	70	130			
sec-Butylbenzene		10	ug/L	1.0	102	70	130			
Styrene		10	ug/L	1.0	100	70	130			
tert-Butylbenzene		9.8	ug/L	1.0	98	70	130			
Tetrachloroethene		11	ug/L	1.0	107	70	130			
Toluene		11	ug/L	1.0	108	70	130			
trans-1,2-Dichloroethene		12	ug/L	1.0	120	70	130			
trans-1,3-Dichloropropene		10	ug/L	1.0	105	70	130			
Trichloroethene		10	ug/L	1.0	105	70	130			
Trichlorofluoromethane		11	ug/L	1.0	107	70	130			
Vinyl chloride		11	ug/L	1.0	110	70	130			
Xylenes, Total		30	ug/L	1.0	101	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	109	80	120			
Surr: Dibromofluoromethane				1.0	104	70	130			
Surr: p-Bromofluorobenzene				1.0	103	80	130			
Surr: Toluene-d8				1.0	108	80	120			
Sample ID: 02-Aug-10_MBLK_6	67	Method Blank				Run: GCMS2_100802A			08/02/10 14:22	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135751
Sample ID: 02-Aug-10_MBLK_6	67	Method Blank				Run: GCMS2_100802A				08/02/10 14:22
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135751
Sample ID: 02-Aug-10_MBLK_6	67	Method Blank				Run: GCMS2_100802A				08/02/10 14:22
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120			
Surr: Dibromofluoromethane				1.0	104	70	130			
Surr: p-Bromofluorobenzene				1.0	122	80	120			S
Surr: Toluene-d8				1.0	104	80	120			
Sample ID: C10071072-001GMS	28	Sample Matrix Spike				Run: GCMS2_100802A				08/02/10 22:00
1,1,1-Trichloroethane		120	ug/L	10	116	70	130			
1,1-Dichloroethene		110	ug/L	10	110	70	130			
1,2-Dichlorobenzene		93	ug/L	10	93	70	130			
1,2-Dichloroethane		110	ug/L	10	111	70	130			
1,2-Dichloropropane		92	ug/L	10	92	70	130			
1,4-Dichlorobenzene		92	ug/L	10	92	70	130			
Benzene		100	ug/L	10	100	70	130			
Bromodichloromethane		100	ug/L	10	100	70	130			
Bromoform		90	ug/L	10	90	70	130			
Carbon tetrachloride		110	ug/L	10	115	70	130			
Chlorobenzene		96	ug/L	10	96	70	130			
Chlorodibromomethane		92	ug/L	10	92	70	130			
Chloroform		110	ug/L	10	112	70	130			
cis-1,2-Dichloroethene		100	ug/L	10	101	70	130			
Ethylbenzene		94	ug/L	10	94	70	130			
m+p-Xylenes		190	ug/L	10	93	70	130			
o-Xylene		98	ug/L	10	98	70	130			
Styrene		94	ug/L	10	94	70	130			
Tetrachloroethene		100	ug/L	10	100	70	130			
Toluene		100	ug/L	10	103	70	130			
trans-1,2-Dichloroethene		120	ug/L	10	120	70	130			
Trichloroethene		95	ug/L	10	95	70	130			
Vinyl chloride		120	ug/L	10	121	70	130			
Xylenes, Total		280	ug/L	10	95	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	110	80	120			
Surr: Dibromofluoromethane				1.0	113	70	130			
Surr: p-Bromofluorobenzene				1.0	103	80	120			
Surr: Toluene-d8				1.0	109	80	120			
Sample ID: C10071072-001GMSD	28	Sample Matrix Spike Duplicate				Run: GCMS2_100802A				08/02/10 22:36
1,1,1-Trichloroethane		130	ug/L	10	126	70	130	7.7	20	
1,1-Dichloroethene		120	ug/L	10	122	70	130	11	20	
1,2-Dichlorobenzene		100	ug/L	10	101	70	130	8.2	20	
1,2-Dichloroethane		110	ug/L	10	114	70	130	2.8	20	
1,2-Dichloropropane		98	ug/L	10	98	70	130	5.5	20	
1,4-Dichlorobenzene		99	ug/L	10	99	70	130	6.7	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135751	
Sample ID: C10071072-001GMSD 28 Sample Matrix Spike Duplicate									Run: GCMS2_100802A 08/02/10 22:36	
Benzene		110	ug/L	10	108	70	130	7.7	20	
Bromodichloromethane		110	ug/L	10	106	70	130	5	20	
Bromoform		98	ug/L	10	98	70	130	9.4	20	
Carbon tetrachloride		120	ug/L	10	123	70	130	7.1	20	
Chlorobenzene		100	ug/L	10	103	70	130	6.8	20	
Chlorodibromomethane		96	ug/L	10	96	70	130	5.1	20	
Chloroform		120	ug/L	10	118	70	130	5.9	20	
cis-1,2-Dichloroethene		110	ug/L	10	109	70	130	7.6	20	
Ethylbenzene		100	ug/L	10	104	70	130	10	20	
m+p-Xylenes		210	ug/L	10	104	70	130	11	20	
o-Xylene		100	ug/L	10	104	70	130	5.6	20	
Styrene		100	ug/L	10	101	70	130	6.6	20	
Tetrachloroethene		110	ug/L	10	112	70	130	11	20	
Toluene		110	ug/L	10	108	70	130	4.2	20	
trans-1,2-Dichloroethene		130	ug/L	10	131	70	130	8.9	20	S
Trichloroethene		100	ug/L	10	104	70	130	8.5	20	
Vinyl chloride		130	ug/L	10	134	70	130	11	20	S
Xylenes, Total		310	ug/L	10	104	70	130	8.9	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120	0	10	
Surr: Dibromofluoromethane				1.0	111	70	130	0	10	
Surr: p-Bromofluorobenzene				1.0	102	80	120	0	10	
Surr: Toluene-d8				1.0	107	80	120	0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 08/09/10

Project: 90125 Artesia

Work Order: C10071063

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135799
Sample ID: 05-Aug-10_LCS_4	6	Laboratory Control Sample				Run: GCMS2_100805B				08/05/10 11:04
1,1-Dichloroethene		11	ug/L	1.0	115	70	130			
Tetrachloroethene		12	ug/L	1.0	115	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	107	80	120			
Surr: Dibromofluoromethane				1.0	103	70	130			
Surr: p-Bromofluorobenzene				1.0	102	80	130			
Surr: Toluene-d8				1.0	105	80	120			
Sample ID: 05-Aug-10_MBLK_7	6	Method Blank				Run: GCMS2_100805B				08/05/10 12:52
1,1-Dichloroethene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120			
Surr: Dibromofluoromethane				1.0	107	70	130			
Surr: p-Bromofluorobenzene				1.0	119	80	120			
Surr: Toluene-d8				1.0	103	80	120			
Sample ID: C10080153-001AMS	6	Sample Matrix Spike				Run: GCMS2_100805B				08/05/10 18:55
1,1-Dichloroethene		120	ug/L	10	123	70	130			
Tetrachloroethene		130	ug/L	10	114	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120			
Surr: Dibromofluoromethane				1.0	104	70	130			
Surr: p-Bromofluorobenzene				1.0	99	80	120			
Surr: Toluene-d8				1.0	105	80	120			
Sample ID: C10080153-001AMSD	6	Sample Matrix Spike Duplicate				Run: GCMS2_100805B				08/05/10 19:30
1,1-Dichloroethene		130	ug/L	10	129	70	130	4.8	20	
Tetrachloroethene		130	ug/L	10	120	70	130	4.6	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120	0	10	
Surr: Dibromofluoromethane				1.0	107	70	130	0	10	
Surr: p-Bromofluorobenzene				1.0	98	80	120	0	10	
Surr: Toluene-d8				1.0	106	80	120	0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

Workorder Receipt Checklist



Deuell Environmental LLC

C10071063

Login completed by: Diane Downing

Date Received: 7/29/2010

Reviewed by: BL2000\tedwards

Received by: dd

Reviewed Date: 8/2/2010

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	9°C On Ice		
Water - VOA vials have zero headspace?	Yes ☒	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 2 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: DEVEL ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 70125 DOTESA		Sample Origin NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT		Contact Name: Phone/Fax: 307 760 3277		Email: 307 760 3277		Sampler: (Please Print)	
Invoice Address: ARMING WY 00722		Invoice Contact & Phone: 307 760 3277		Purchase Order: 90125.3		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/MWTP ☐ State: ☐ Other: ☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED		Contact ELI prior to RUSH sample submittal for charges and scheduling - See instruction page		Shipped by: Red X Return Mail Cooler ID(s): 3491 Receipt Temp: 9 °C On Ice: N Custody Seal: N On Bottle: N On Cooler: N Intact: N Signature Match: N	
Number of Containers: 30 Sample Type: AWS VBQ DW Air Water Soils/Solids Vegetation Bioassay Other DW - Drinking Water		MATRIX: 30		Standard Turnaround (TAT): RUSH		LABORATORY USE ONLY	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date		Collection Time		Date/Time	
1 90125-27.7.7/10		7/26/10		12:15		7/26/10 12:15	
2 90125-21.7.7/10		7/26/10		13:30		7/26/10 13:30	
3 90125-31.7.7/10		7/26/10		14:30		7/26/10 14:30	
4 90125-13.7.7/10		7/26/10		18:00		7/26/10 18:00	
5 90125-15.7.7/10		7/26/10		15:15		7/26/10 15:15	
6 90125-9.7.7/10		7/26/10		15:30		7/26/10 15:30	
7 90125-12.7.7/10		7/26/10		16:30		7/26/10 16:30	
8 90125-10.7.7/10		7/26/10		16:45		7/26/10 16:45	
9 90125-11.7.7/10		7/26/10		17:00		7/26/10 17:00	
10 90125-8.7.7/10		7/26/10		17:00		7/26/10 17:00	
Custody Record MUST be Signed		Relinquished by (print): Rick Deuel		Relinquished by (print): Rick Deuel		Signature: Rick Deuel	
Sample Disposal: Return to Client		Date/Time: 7/26/10 16:00		Date/Time: 7/26/10 16:00		Signature: Rick Deuel	
Lab Disposal:		Date/Time: 7/26/10 16:00		Date/Time: 7/26/10 16:00		Signature: Rick Deuel	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.



Chain of Custody and Analytical Request Record

Page 1 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: Devel Environmental		Project Name, PWS, Permit, Etc. 90125 ARTESH		Sample Origin State: NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 Diamond Head Ct Laramie, WY		Contact Name: Rick Devel		Phone/Fax: 307 760 3277		Sampler: (Please Print)	
Invoice Address: same		Invoice Contact & Phone:		Purchase Order: 90125.3		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/MWTP ☐ State: ☐ Other: ☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED		Contact ELI prior to RUSH sample submittal for charges and scheduling - See instruction page		Shipped by: Devel Return Cooler ID(s): 3491	
Number of Containers Sample Type: A W S V B O DW Vegetation Bioassay Other DW - Drinking Water		MATRIX		Standard Turnaround (TAT) R U S H		Receiving Temp 9 °C On Ice: ☒ N Custody Seal On Bottle: ☒ N On Cooler: ☒ N Intact: ☒ N Signature Match: ☒ N	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date		Collection Time		LABORATORY USE ONLY	
1 90125-20.7/10		7/26/10		10:30			
2 90125-28.7/10				10:45			
3 90125-29.7/10				11:00			
4 90125-30.7/10				11:15			
5 90125-TANK.7/10				11:30			
6 90125-26.7/10				11:45			
7 90125-26A.7/10				12:00			
8 90125-22A.7/10				12:30			
9 90125-22.7/10				12:45			
10 90125-23.7/10		7/28/10		13:00		440071063	
Relinquished by (print): Rick Devel		Date/Time: 7/28/10 10:00		Received by (print): Devel		Date/Time: 7/29/10 9:10	
Relinquished by (print):		Date/Time:		Received by (print):		Date/Time:	
Sample Disposal:		Return to Client:		Lab Disposal:		Signature:	
Custody Record MUST be Signed							

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.



Chain of Custody and Analytical Request Record

Page 3 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: DEVELL ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 90125 ABTESA		Sample Origin NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT LABRANIS, WY 82092		Contact Name: Rick Decker		Phone/Fax: 307 760 3677		Email: 	
Invoice Address: same		Invoice Contact & Phone: 		Purchase Order: 90125.3		Quote/Bottle Order: 	
Special Report/Formats: ☐ DW ☐ POTW/MWTP ☐ State: ☐ Other: ☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED		Contact ELI prior to RUSH sample submittal for charges and scheduling - See Instruction Page R U S H		Shipped by: Devel Cooler ID(s): 3491 Receipt Temp: 4 °C On Ice: Y Custody Seal On Bottle: Y On Cooler: Y Intact: Y Signature Match: Y	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date		Collection Time		MATRIX	
1 90125-A.7/10		7/24/10		10:00		300	
2 90125-B.7/10		↓		9:30		↓	
3 TRIP BACK							
4							
5							
6							
7							
8							
9							
10							
Relinquished by (print): Rick Decker		Date/Time: 7/28/10 10:00		Signature: [Signature]		Received by (print): DI	
Relinquished by (print): 		Date/Time: 		Signature: 		Received by (print): 	
Sample Disposal: 		Return to Client: 		Lab Disposal: 		Received by Laboratory: 7/29/10 9:17	
Custody Record MUST be Signed		Date/Time: 7/29/10 9:17		Signature: [Signature]		Signature: 	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.



ANALYTICAL SUMMARY REPORT

July 29, 2010

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C10070945

Project Name: 90125 Artesia

Energy Laboratories, Inc. received the following 1 sample for Deuell Environmental LLC on 7/27/2010 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C10070945-001	90125-WB.7/10	07/26/10 14:00	07/27/10	Air	Supplies SW8260B VOCs, Standard List

This report was prepared by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing.

If you have any questions regarding these test results, please call.

Report Approved By:



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10070945-001
Client Sample ID: 90125-WB.7/10

Report Date: 07/29/10
Collection Date: 07/26/10 14:00
Date Received: 07/27/10
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Benzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Bromobenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Bromochloromethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Bromoform	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Bromomethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Chlorobenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Chloroethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Chloroform	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Chloromethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Dibromomethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Ethylbenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	07/28/10 09:48 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C10070945-001
Client Sample ID: 90125-WB.7/10

Report Date: 07/29/10
Collection Date: 07/26/10 14:00
Date Received: 07/27/10
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methylene chloride	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Naphthalene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
o-Xylene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Styrene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Toluene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Trichloroethene	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Vinyl chloride	ND	mg/m3		1.0		SW8260B	07/28/10 09:48 / wen
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	07/28/10 09:48 / wen
Surr: Dibromofluoromethane	111	%REC		80-120		SW8260B	07/28/10 09:48 / wen
Surr: p-Bromofluorobenzene	116	%REC		80-120		SW8260B	07/28/10 09:48 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	07/28/10 09:48 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 90125 Artesia

Report Date: 07/29/10
Work Order: C10070945

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135408
Sample ID: 27-Jul-10_LCS_3	64	Laboratory Control Sample				Run: GCMS2_100727B				07/27/10 12:12
1,1,1,2-Tetrachloroethane		9.44	mg/m3	1.0	94	70	130			
1,1,1-Trichloroethane		11.6	mg/m3	1.0	116	70	130			
1,1,2,2-Tetrachloroethane		9.80	mg/m3	1.0	98	70	130			
1,1,2-Trichloroethane		9.96	mg/m3	1.0	100	70	130			
1,1-Dichloroethane		10.8	mg/m3	1.0	108	70	130			
1,1-Dichloroethene		11.4	mg/m3	1.0	114	70	130			
1,1-Dichloropropene		11.3	mg/m3	1.0	113	70	130			
1,2,3-Trichlorobenzene		6.92	mg/m3	1.0	69	70	130			S
1,2,3-Trichloropropane		9.68	mg/m3	1.0	97	70	130			
1,2,4-Trichlorobenzene		7.52	mg/m3	1.0	75	70	130			
1,2,4-Trimethylbenzene		10.3	mg/m3	1.0	103	70	130			
1,2-Dibromo-3-chloropropane		10.2	mg/m3	1.0	102	70	130			
1,2-Dibromoethane		9.40	mg/m3	1.0	94	70	130			
1,2-Dichlorobenzene		9.80	mg/m3	1.0	98	70	130			
1,2-Dichloroethane		11.0	mg/m3	1.0	110	70	130			
1,2-Dichloropropane		8.92	mg/m3	1.0	89	70	130			
1,3,5-Trimethylbenzene		10.6	mg/m3	1.0	106	70	130			
1,3-Dichlorobenzene		9.68	mg/m3	1.0	97	70	130			
1,3-Dichloropropane		10.2	mg/m3	1.0	102	70	130			
1,4-Dichlorobenzene		9.72	mg/m3	1.0	97	70	130			
2,2-Dichloropropane		5.56	mg/m3	1.0	56	70	130			S
2-Chlorotoluene		9.48	mg/m3	1.0	95	70	130			
4-Chlorotoluene		9.64	mg/m3	1.0	96	70	130			
Benzene		10.1	mg/m3	1.0	101	70	130			
Bromobenzene		9.56	mg/m3	1.0	96	70	130			
Bromochloromethane		11.4	mg/m3	1.0	114	70	130			
Bromodichloromethane		10.2	mg/m3	1.0	102	70	130			
Bromoform		10.6	mg/m3	1.0	106	70	130			
Bromomethane		9.12	mg/m3	1.0	91	70	130			
Carbon tetrachloride		12.2	mg/m3	1.0	122	70	130			
Chlorobenzene		9.84	mg/m3	1.0	98	70	130			
Chlorodibromomethane		9.36	mg/m3	1.0	94	70	130			
Chloroethane		11.8	mg/m3	1.0	118	70	130			
Chloroform		11.2	mg/m3	1.0	112	70	130			
Chloromethane		10.2	mg/m3	1.0	102	70	130			
cis-1,2-Dichloroethene		9.56	mg/m3	1.0	96	70	130			
cis-1,3-Dichloropropene		9.56	mg/m3	1.0	96	70	130			
Dibromomethane		9.48	mg/m3	1.0	95	70	130			
Dichlorodifluoromethane		11.8	mg/m3	1.0	118	70	130			
Ethylbenzene		10.0	mg/m3	1.0	100	70	130			
Hexachlorobutadiene		10.3	mg/m3	1.0	103	70	130			
Isopropylbenzene		12.7	mg/m3	1.0	127	70	130			
m+p-Xylenes		19.8	mg/m3	1.0	99	70	130			
Methyl ethyl ketone		78.8	mg/m3	20	79	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 90125 Artesia

Report Date: 07/29/10
Work Order: C10070945

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135408
Sample ID: 27-Jul-10_LCS_3	64	Laboratory Control Sample				Run: GCMS2_100727B				07/27/10 12:12
Methylene chloride		10.1	mg/m3	1.0	101	70	130			
Naphthalene		6.12	mg/m3	1.0	61	70	130			S
n-Butylbenzene		10.3	mg/m3	1.0	103	70	130			
n-Propylbenzene		10.5	mg/m3	1.0	105	70	130			
o-Xylene		9.76	mg/m3	1.0	98	70	130			
p-Isopropyltoluene		10.2	mg/m3	1.0	102	70	130			
sec-Butylbenzene		10.3	mg/m3	1.0	103	70	130			
Styrene		9.52	mg/m3	1.0	95	70	130			
tert-Butylbenzene		10.4	mg/m3	1.0	104	70	130			
Tetrachloroethene		10.6	mg/m3	1.0	106	70	130			
Toluene		10.2	mg/m3	1.0	102	70	130			
trans-1,2-Dichloroethene		11.8	mg/m3	1.0	118	70	130			
trans-1,3-Dichloropropene		9.88	mg/m3	1.0	99	70	130			
Trichloroethene		9.72	mg/m3	1.0	97	70	130			
Trichlorofluoromethane		12.5	mg/m3	1.0	125	70	130			
Vinyl chloride		12.0	mg/m3	1.0	120	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	107	80	120			
Surr: Dibromofluoromethane				1.0	108	80	120			
Surr: p-Bromofluorobenzene				1.0	110	80	120			
Surr: Toluene-d8				1.0	110	80	120			
Sample ID: 27-Jul-10_MBLK_7	64	Method Blank				Run: GCMS2_100727B				07/27/10 16:33
1,1,1,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,1-Trichloroethane		ND	mg/m3	1.0						
1,1,2,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,2-Trichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethene		ND	mg/m3	1.0						
1,1-Dichloropropene		ND	mg/m3	1.0						
1,2,3-Trichlorobenzene		ND	mg/m3	1.0						
1,2,3-Trichloropropane		ND	mg/m3	1.0						
1,2,4-Trichlorobenzene		ND	mg/m3	1.0						
1,2,4-Trimethylbenzene		ND	mg/m3	1.0						
1,2-Dibromo-3-chloropropane		ND	mg/m3	1.0						
1,2-Dibromoethane		ND	mg/m3	1.0						
1,2-Dichlorobenzene		ND	mg/m3	1.0						
1,2-Dichloroethane		ND	mg/m3	1.0						
1,2-Dichloropropane		ND	mg/m3	1.0						
1,3,5-Trimethylbenzene		ND	mg/m3	1.0						
1,3-Dichlorobenzene		ND	mg/m3	1.0						
1,3-Dichloropropane		ND	mg/m3	1.0						
1,4-Dichlorobenzene		ND	mg/m3	1.0						
2,2-Dichloropropane		ND	mg/m3	1.0						
2-Chlorotoluene		ND	mg/m3	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 90125 Artesia

Report Date: 07/29/10
Work Order: C10070945

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R135408	
Sample ID: 27-Jul-10_MBLK_7	64	Method Blank				Run: GCMS2_100727B			07/27/10 16:33	
4-Chlorotoluene		ND	mg/m3	1.0						
Benzene		ND	mg/m3	1.0						
Bromobenzene		ND	mg/m3	1.0						
Bromochloromethane		ND	mg/m3	1.0						
Bromodichloromethane		ND	mg/m3	1.0						
Bromoform		ND	mg/m3	1.0						
Bromomethane		ND	mg/m3	1.0						
Carbon tetrachloride		ND	mg/m3	1.0						
Chlorobenzene		ND	mg/m3	1.0						
Chlorodibromomethane		ND	mg/m3	1.0						
Chloroethane		ND	mg/m3	1.0						
Chloroform		ND	mg/m3	1.0						
Chloromethane		ND	mg/m3	1.0						
cis-1,2-Dichloroethene		ND	mg/m3	1.0						
cis-1,3-Dichloropropene		ND	mg/m3	1.0						
Dibromomethane		ND	mg/m3	1.0						
Dichlorodifluoromethane		ND	mg/m3	1.0						
Ethylbenzene		ND	mg/m3	1.0						
Hexachlorobutadiene		ND	mg/m3	1.0						
Isopropylbenzene		ND	mg/m3	1.0						
m+p-Xylenes		ND	mg/m3	1.0						
Methyl ethyl ketone		ND	mg/m3	20						
Methylene chloride		ND	mg/m3	1.0						
Naphthalene		ND	mg/m3	1.0						
n-Butylbenzene		ND	mg/m3	1.0						
n-Propylbenzene		ND	mg/m3	1.0						
o-Xylene		ND	mg/m3	1.0						
p-Isopropyltoluene		ND	mg/m3	1.0						
sec-Butylbenzene		ND	mg/m3	1.0						
Styrene		ND	mg/m3	1.0						
tert-Butylbenzene		ND	mg/m3	1.0						
Tetrachloroethene		ND	mg/m3	1.0						
Toluene		ND	mg/m3	1.0						
trans-1,2-Dichloroethene		ND	mg/m3	1.0						
trans-1,3-Dichloropropene		ND	mg/m3	1.0						
Trichloroethene		ND	mg/m3	1.0						
Trichlorofluoromethane		ND	mg/m3	1.0						
Vinyl chloride		ND	mg/m3	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	109	80	120			
Surr: Dibromofluoromethane				1.0	104	80	120			
Surr: p-Bromofluorobenzene				1.0	132	80	120			S
Surr: Toluene-d8				1.0	104	80	120			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 90125 Artesia

Report Date: 07/29/10
Work Order: C10070945

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135408
Sample ID: C10070945-001AMS	27	Sample Matrix Spike				Run: GCMS2_100727B				07/28/10 10:23
1,1,1-Trichloroethane		11.6	mg/m3	1.0	116	70	130			
1,1-Dichloroethene		11.1	mg/m3	1.0	111	70	130			
1,2-Dichlorobenzene		9.64	mg/m3	1.0	96	70	130			
1,2-Dichloroethane		10.5	mg/m3	1.0	105	70	130			
1,2-Dichloropropane		9.08	mg/m3	1.0	91	70	130			
1,4-Dichlorobenzene		9.64	mg/m3	1.0	96	70	130			
Benzene		10.1	mg/m3	1.0	101	70	130			
Bromodichloromethane		9.84	mg/m3	1.0	98	70	130			
Bromoform		9.88	mg/m3	1.0	99	70	130			
Carbon tetrachloride		11.5	mg/m3	1.0	115	70	130			
Chlorobenzene		9.64	mg/m3	1.0	96	70	130			
Chlorodibromomethane		9.32	mg/m3	1.0	93	70	130			
Chloroform		10.6	mg/m3	1.0	106	70	130			
cis-1,2-Dichloroethene		9.68	mg/m3	1.0	97	70	130			
Ethylbenzene		9.92	mg/m3	1.0	99	70	130			
m+p-Xylenes		19.4	mg/m3	1.0	97	70	130			
o-Xylene		9.44	mg/m3	1.0	94	70	130			
Styrene		9.56	mg/m3	1.0	96	70	130			
Tetrachloroethene		10.5	mg/m3	1.0	105	70	130			
Toluene		9.84	mg/m3	1.0	98	70	130			
trans-1,2-Dichloroethene		11.8	mg/m3	1.0	118	70	130			
Trichloroethene		9.56	mg/m3	1.0	96	70	130			
Vinyl chloride		11.0	mg/m3	1.0	110	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	107	80	120			
Surr: Dibromofluoromethane				1.0	108	80	120			
Surr: p-Bromofluorobenzene				1.0	106	80	120			
Surr: Toluene-d8				1.0	106	80	120			
Sample ID: C10070945-001AMSD	27	Sample Matrix Spike Duplicate				Run: GCMS2_100727B				07/28/10 10:59
1,1,1-Trichloroethane		11.7	mg/m3	1.0	117	70	130	0.7	20	
1,1-Dichloroethene		11.4	mg/m3	1.0	114	70	130	2.5	20	
1,2-Dichlorobenzene		10.2	mg/m3	1.0	102	70	130	6	20	
1,2-Dichloroethane		10.5	mg/m3	1.0	105	70	130	0.4	20	
1,2-Dichloropropane		9.56	mg/m3	1.0	96	70	130	5.2	20	
1,4-Dichlorobenzene		10.0	mg/m3	1.0	100	70	130	4.1	20	
Benzene		10.8	mg/m3	1.0	108	70	130	6.9	20	
Bromodichloromethane		10.2	mg/m3	1.0	102	70	130	4	20	
Bromoform		11.0	mg/m3	1.0	110	70	130	10	20	
Carbon tetrachloride		11.6	mg/m3	1.0	116	70	130	1	20	
Chlorobenzene		10.2	mg/m3	1.0	102	70	130	5.3	20	
Chlorodibromomethane		9.72	mg/m3	1.0	97	70	130	4.2	20	
Chloroform		10.8	mg/m3	1.0	108	70	130	1.9	20	
cis-1,2-Dichloroethene		10.1	mg/m3	1.0	101	70	130	4.4	20	
Ethylbenzene		10.2	mg/m3	1.0	102	70	130	3.2	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 90125 Artesia

Report Date: 07/29/10
Work Order: C10070945

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R135408
Sample ID: C10070945-001AMSD 27 Sample Matrix Spike Duplicate										Run: GCMS2_100727B 07/28/10 10:59
m+p-Xylenes		20.2	mg/m3	1.0	101	70	130	4	20	
o-Xylene		10.2	mg/m3	1.0	102	70	130	8.1	20	
Styrene		9.88	mg/m3	1.0	99	70	130	3.3	20	
Tetrachloroethene		11.0	mg/m3	1.0	110	70	130	4.1	20	
Toluene		10.4	mg/m3	1.0	104	70	130	5.9	20	
trans-1,2-Dichloroethene		12.4	mg/m3	1.0	124	70	130	5.3	20	
Trichloroethene		10.2	mg/m3	1.0	102	70	130	6.5	20	
Vinyl chloride		11.4	mg/m3	1.0	114	70	130	2.9	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	106	80	120	0	10	
Surr: Dibromofluoromethane				1.0	102	80	120	0	10	
Surr: p-Bromofluorobenzene				1.0	107	80	120	0	10	
Surr: Toluene-d8				1.0	104	80	120	0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Workorder Receipt Checklist



Deuell Environmental LLC

C10070945

Login completed by: Halley Ackerman

Date Received: 7/27/2010

Reviewed by: BL2000\tedwards

Received by: ha

Reviewed Date: 7/27/2010

Carrier name: Next Day Air

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	°C NA		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 1 of 1

PLEASE PRINT (Provide as much information as possible.)

Company Name: Devel Environmental		Project Name, PWS, Permit, Etc. 90125 ARTESIA		Sample Origin NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DINOUD HEAD CT		Contact Name: Rick Devere		State: NM		Sampler: (Please Print)	
Invoice Address: LADANIE, WY 82072		Phone/Fax: 307 760 3277		Email:		Purchase Order: 90125.5	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: _____ ☐ Other: _____		Number of Containers Sample Type: A W S V B O DW Vegetation Bioassay Other DW - Drinking Water		ANALYSIS REQUESTED SEE ATTACHED		Contact ELI prior to RUSH sample submittal for charges and scheduling - See instruction page	
Matrix		Collection Date		Collection Time		Shipped by: NDA	
1 90125-WB-7110		7/26/10		11:00		Cooler ID(s): C1034	
2						Receipt Temp: 12°C	
3						On Ice: Y N	
4						Custody Seal On Bottle On Cooler Intact Signature Match	
5						LABORATORY USE ONLY	
6						C1034945	
7							
8							
9							
10							
Custody Record MUST be Signed		Relinquished by (print): Rick Devere		Date/Time: 7/26/10 11:30		Signature: [Signature]	
Sample Disposal:		Return to Client:		Date/Time: 7/27/10 9:30		Signature: [Signature]	
Lab Disposal:		Return to Client:		Date/Time: 7/27/10 9:30		Signature: [Signature]	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.