

GW - 114

REPORTS

**Quarterly
Groundwater**

2nd Quarter 2011

Deuell Environmental, LLC

May 27, 2011

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NM 87505

RE: Second Quarter Monitoring Results - 2011
Schlumberger Technology Corporation Facility – Artesia, New Mexico (GW-114)

Dear Mr. Hansen:

Deuell Environmental, LLC conducted quarterly monitoring activities at the Schlumberger Technology Corporation (Dowell) facility in Artesia, New Mexico on April 5-6, 2011.

The environmental data results are enclosed for your review.

Static water elevation data, measured in the 33 wells located in the vicinity of the Dowell facility are summarized in Table 1. The data were used to generate a potentiometric surface map as shown on Figure 1. Water levels across the site decreased up to 1.3 feet from those measured in January, typical of fluctuations related to occurrence and timing of precipitation. In the eastern portion of the site water elevations were more stable due to control by the pump containment system. The zone of capture from the pumped wells evident.

The laboratory analytical results for water quality monitoring are summarized in Table 2. The laboratory reports will be provided in hard copy with the annual report. Since the first three quarters are only partial sampling events, it is not possible to construct iso-concentration map. This will be constructed for the annual report. All down gradient wells are generally stable for this quarter. The highest concentration on the site are at MW-25 and MW-30. Both of these wells decreased in concentration for this quarter. Wells in the source areas were stable and are near or below MCL's.

At this time the effects of the groundwater containment system are being noticed. The potentiometric surface shows a depression in the ground water surface at the pumped wells with a zone of capture. Wells MW-18, MW-22, and MW-25 within the center of the area of concern, have all decreased in concentrations after system startup. MW-26, at the property boundary, continues to decrease in concentrations so that all compounds are below MCL's. This indicates very good hydraulic control to the south. MW-29 remains below MCL's and

provides northern control. Concentrations in the surge tank are lower than those measured at MW-30 indicating some removal of chlorinated compounds through aeration. Also, MW-31 directly down gradient of the infiltration trench, has shown a decrease in concentrations since the system was started indicating an improvement in groundwater quality.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: D. Renee Romero, NMPST Bureau
Du'Bois Ferguson, Schlumberger Technology Corporation
Janice Barber, Dow

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1	01/23/91	30 00	Protective Casing	100 56	17 41	83 15	
	09/13/91				16 04	84 52	1 37
	11/22/91				14 50	86 06	1 54
	03/16/93				13 72	86 84	0 78
	01/09/94				14 62	85 94	-0 90
	04/19/94				14 48	86 08	0 14
	07/20/94				14 38	86 18	0 10
	10/24/94				14 73	85 83	-0 35
	01/24/95				14 20	86 36	0 53
	04/02/95				14 37	86 19	-0 17
	07/31/95				14 76	85 80	-0 39
	10/16/95				14 64	85 92	0 12
	01/10/96				14 59	85 97	0 05
	04/09/96				14 77	85 79	-0 18
	07/20/96				15 84	84 72	-1 07
	10/21/96				14 07	86 49	1 77
	01/21/97				13 24	87 32	0 83
	04/08/97				12 97	87 59	0 27
	07/29/97				13 87	86 69	-0 90
	10/16/97				12 26	88 30	1 61
	02/09/99				14 34	86 22	-2 08
	04/21/99				13 91	86 65	0 43
	07/13/99				11 70	88 86	2 21
	10/19/99				13 22	87 34	-1 52
	01/26/00				13 50	87 06	-0 28
	04/18/00				13 74	86 82	-0 24
	07/26/00				14 04	86 52	-0 30
	10/19/00				12 48	88 08	1 56
	01/18/01				9 72	90 84	2 76
	04/12/01				9 58	90 98	0 14
	07/19/01				12 02	88 54	-2 44
	10/17/01				10 70	89 86	1 32
	01/12/02				9 19	91 37	1 51
	04/20/02				9 37	91 19	-0 18
	07/24/02				12 13	88 43	-2 76
	10/15/02				10 86	89 70	1 27
	01/22/03				11 79	88 77	-0 93
	04/24/03				12 32	88 24	-0 53
	07/16/03				13 60	86 96	-1 28
	10/15/03				11 15	89 41	2 45
	01/29/04				11 07	89 49	0 08
	04/19/04				9 49	91 07	1 58
	07/16/04				10 69	89 87	-1 20
	10/29/04				8 44	92 12	2 25
	01/14/05				7 74	92 82	0 70
	04/15/05				7 25	93 31	0 49
	07/08/05				7 76	92 80	-0 51
	10/08/05				10 32	90 24	-2 56
	01/18/06				9 47	91 09	0 85
	04/18/06				10 88	89 68	-1 41
	07/11/06				11 50	89 06	-0 62
	10/10/06				10 91	89 65	0 59
	01/16/07				10 19	90 37	0 72
	04/17/07				9 27	91 29	0 92
	07/18/07				10 30	90 26	-1 03
	10/17/07				10 55	90 01	-0 25
	01/16/08				11 96	88 60	-1 41
	04/28/08				10 41	90 15	1 55
	07/15/08				9 66	90 90	0 75
	10/14/08				8 33	92 23	1 33
	01/13/09				8 64	91 92	-0 31
	04/06/09				10 78	89 78	-2 14
	07/14/09				12 02	88 54	-1 24
	10/20/09				13 58	86 98	-1 56
	01/20/10				11 94	88 62	1 64
	04/20/10				10 00	90 56	1 94
	07/26/10				11 98	88 58	-1 98

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1 (Cont)	10/19/10				13 03	87 53	-1 05
	01/19/11				12 37	88 19	0 66
	04/05/11				13 51	87 05	-1 14
MW-2	01/23/91	30 00	Protective Casing	99 56	16 95	82 61	
	09/13/91				15 01	84 55	1 94
	11/22/91				13 76	85 80	1 25
	03/16/93				13 16	86 40	0 60
	01/09/94				13 91	85 65	-0 75
	04/19/94				13 80	85 76	0 11
	07/20/94				13 65	85 91	0 15
	10/24/94				13 88	85 68	-0 23
	01/24/95				13 41	86 15	0 47
	04/02/95				13 67	85 89	-0 26
	07/31/95				13 81	85 75	-0 14
	10/16/95				13 78	85 78	0 03
	01/10/96				13 80	85 76	-0 02
	04/09/96				13 98	85 58	-0 18
	07/20/96				14 92	84 64	-0 94
	10/21/96				13 15	86 41	1 77
	01/21/97				12 41	87 15	0 74
	04/08/97				12 21	87 35	0 20
	07/29/97				13 15	86 41	-0 94
	10/16/97				11 63	87 93	1 52
	01/06/98				10 92	88 64	0 71
	04/14/98				11 02	88 54	-0 10
	07/17/98				13 03	86 53	-2 01
	10/27/98				13 61	85 95	-0 58
	02/09/99				13 69	85 87	-0 08
	04/21/99				13 24	86 32	0 45
	07/13/99				11 05	88 51	2 19
	10/20/99				12 59	86 97	-1 54
	01/26/00				12 83	86 73	-0 24
	04/18/00				13 00	86 56	-0 17
	07/26/00				13 36	86 20	-0 36
	10/19/00				11 42	88 14	1 94
	01/18/01				8 41	91 15	3 01
	04/12/01				8 60	90 96	-0 19
	07/19/01				11 23	88 33	-2 63
	10/17/01				9 60	89 96	1 63
	01/12/02				7 80	91 76	1 80
	04/20/02				8 67	90 89	-0 87
	07/24/02				11 38	88 18	-2 71
	10/15/02				10 02	89 54	1 36
	01/22/03				11 08	88 48	-1 06
	04/24/03				11 61	87 95	-0 53
	07/16/03				12 93	86 63	-1 32
	10/15/03				9 90	89 66	3 03
	01/29/04				10 25	89 31	-0 35
	04/19/04				8 64	90 92	1 61
	07/16/04				9 76	89 80	-1 12
	10/29/04				7 33	92 23	2 43
	01/14/05				6 97	92 59	0 36
	04/15/05				6 21	93 35	0 76
	07/08/05				9 17	90 39	-2 96
	10/08/05				9 70	89 86	-0 53
	01/18/06				8 69	90 87	1 01
	04/18/06				10 22	89 34	-1 53
	07/11/06				10 94	88 62	-0 72
	10/10/06				10 12	89 44	0 82
	01/16/07				9 44	90 12	0 68
	04/17/07				8 22	91 34	1 22
	07/18/07				9 57	89 99	-1 35
	10/17/07				9 69	89 87	-0 12
	01/16/08				11 39	88 17	-1 70
	04/28/08				9 54	90 02	1 85
	07/15/08				8 51	91 05	1 03

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2 (Cont)	10/14/08				7 07	92 49	1 44
	01/13/09				7 61	91 95	-0 54
	04/06/09				9 96	89 60	-2 35
	07/14/09				11 19	88 37	-1 23
	10/20/09				12 88	86 68	-1 69
	01/20/10				10 91	88 65	1 97
	04/20/10				9 02	90 54	1 89
	07/26/10				11 25	88 31	-2 23
	10/19/10				12 32	87 24	-1 07
	01/19/11				11 62	87 94	0 70
	04/05/11				12 79	86 77	-1 17
MW-3	01/23/91	30 00	Protective Casing	98 33	17 28	81 05	
	09/13/91				14 66	83 67	2 62
	11/22/91				13 63	84 70	1 03
	03/16/93				12 89	85 44	0 74
	01/09/94				13 66	84 67	-0 77
	04/19/94			Not Measured			NM
	07/20/94				13 18	85 15	na
	10/24/94				13 27	85 06	-0 09
	01/24/95				13 23	85 10	0 04
	04/02/95				13 60	84 73	-0 37
	07/31/95				13 34	84 99	0 26
	10/16/95				13 38	84 95	-0 04
	01/10/96				13 85	84 48	-0 47
	04/09/96				13 91	84 42	-0 06
	07/20/96				14 55	83 78	-0 64
	10/21/96				12 90	85 43	1 65
	01/21/97				12 42	85 91	0 48
	04/08/97				12 43	85 90	-0 01
	07/29/97				13 18	85 15	-0 75
	10/16/97				11 83	86 50	1 35
	01/06/98				11 45	86 88	0 38
	04/14/98				11 44	86 89	0 01
	07/17/98				12 81	85 52	-1 37
	10/27/98				12 60	85 73	0 21
	02/09/99				13 44	84 89	-0 84
	04/21/99				12 75	85 58	0 69
	07/13/99				10 57	87 76	2 18
	10/20/99				12 15	86 18	-1 58
	01/26/00				12 64	85 69	-0 49
	04/18/00				12 70	85 63	-0 06
	07/26/00				12 88	85 45	-0 18
	10/19/00				11 53	86 80	1 35
	01/18/01				9 21	89 12	2 32
	04/12/01				9 22	89 11	-0 01
	07/19/01				11 22	87 11	-2 00
MW-4	01/23/91	50 00	Protective Casing	103 18	20 17	83 01	
	09/13/91				18 54	84 64	1 63
	11/22/91				17 15	86 03	1 39
	03/16/93				16 49	86 69	0 66
	01/09/94				17 28	85 90	-0 79
	04/19/94				17 15	86 03	0 13
	07/20/94				16 99	86 19	0 16
	10/24/94				17 25	85 93	-0 26
	01/24/95				16 78	86 40	0 47
	04/02/95				16 98	86 20	-0 20
	07/31/95				17 26	85 92	-0 28
	10/16/95				17 01	86 17	0 25
	01/10/96				16 95	86 23	0 06
	04/09/96				17 15	86 03	-0 20
	07/20/96				18 08	85 10	-0 93
	10/21/96				16 28	86 90	1 80
	01/21/97				15 37	87 81	0 91
	04/08/97				15 14	88 04	0 23
	07/29/97				16 05	87 13	-0 91

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-4 (Cont)	10/16/97				14.44	88.74	1.61
	01/06/98				13.59	89.59	0.85
	04/14/98				13.91	89.27	-0.32
	07/17/98				16.40	86.78	-2.49
	10/27/98				17.05	86.13	-0.65
	02/09/99				17.08	86.10	-0.03
	04/21/99				16.67	86.51	0.41
	07/13/99				14.49	88.69	2.18
	10/20/99				15.98	87.20	-1.49
	01/26/00				16.27	86.91	-0.29
	04/18/00				16.47	86.71	-0.20
	07/26/00				16.81	86.37	-0.34
	10/19/00				15.01	88.17	1.80
	01/18/01				12.08	91.10	2.93
	04/12/01				12.12	91.06	-0.04
	07/19/01				14.68	88.50	-2.56
	10/17/01			99.66	9.65	90.01	1.51
	01/12/02				7.97	91.69	1.68
	04/20/02				8.63	91.03	-0.66
	07/24/02				11.33	88.33	-2.70
	10/15/02				9.97	89.69	1.36
	01/22/03				10.98	88.68	-1.01
	04/24/03				11.53	88.13	-0.55
	07/16/03				12.63	87.03	-1.10
	10/15/03				10.01	89.65	2.62
	01/29/04			99.71	10.15	89.56	-0.09
	04/19/04				8.56	91.15	1.59
	07/16/04				9.70	90.01	-1.14
	10/29/04				7.32	92.39	2.38
	01/14/05				6.83	92.88	0.49
	04/15/05				6.23	93.48	0.60
	07/08/05				7.98	91.73	-1.75
	10/08/05				9.50	90.21	-1.52
	01/18/06				8.54	91.17	0.96
	04/18/06				10.04	89.67	-1.50
	07/11/06				10.68	89.03	-0.64
	10/10/06				9.97	89.74	0.71
	01/16/07				9.27	90.44	0.70
	04/17/07				8.19	91.52	1.08
	07/18/07				9.47	90.24	-1.28
	10/17/07				9.58	90.13	-0.11
	01/16/08				10.15	89.56	-0.57
	04/28/08				9.42	90.29	0.73
	07/15/08				8.53	91.18	0.89
	10/14/08				7.05	92.66	1.48
	01/13/09				7.61	92.10	-0.56
	04/06/09				9.84	89.87	-2.23
	07/14/09				11.09	88.62	-1.25
	10/20/09				12.73	86.98	-1.64
	01/20/10				10.87	88.84	1.86
	04/20/10				8.96	90.75	1.91
	07/26/10				11.11	88.60	-2.15
	10/19/10				12.12	87.59	-1.01
	01/19/11				11.48	88.23	0.64
	04/05/11				12.64	87.07	-1.16
MW-5	01/23/91	30.00	Protective Casing	99.87	17.20	82.67	
	09/13/91				15.52	84.35	1.68
	11/22/91				14.19	85.68	1.33
	03/16/93				13.47	86.40	0.72
	01/09/94				14.31	85.56	-0.84
	04/19/94				14.17	85.70	0.14
	07/20/94				13.97	85.90	0.20
	10/24/94				14.21	85.66	-0.24
	01/24/95				13.78	86.09	0.43
	04/02/95				14.05	85.82	-0.27
	07/31/95				14.17	85.70	-0.12

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-5 (Cont)	10/16/95				14 07	85 80	0 10
	01/10/96				14 11	85 76	-0 04
	04/09/96				14 31	85 56	-0 20
	07/20/96				15 20	84 67	-0 89
	10/21/96				13 44	86 43	1 76
	01/21/97				12 69	87 18	0 75
	04/08/97				12 52	87 35	0 17
	07/29/97				13 37	86 50	-0 85
	10/16/97				11 82	88 05	1 55
	01/06/98				11 09	88 78	0 73
	04/14/98				12 30	87 57	-1 21
	07/17/98				13 32	86 55	-1 02
	10/27/98				13 93	85 94	-0 61
	02/09/99				14 04	85 83	-0 11
	04/21/99				13 54	86 33	0 50
	07/13/99				11 37	88 50	2 17
	10/20/99				12 89	86 98	-1 52
	01/26/00				13 18	86 69	-0 29
	04/18/00				13 35	86 52	-0 17
	07/26/00				13 65	86 22	-0 30
	10/19/00				11 96	87 91	1 69
	01/18/01				9 22	90 65	2 74
	04/12/01				9 16	90 71	0 06
	07/19/01				11 63	88 24	-2 47
	10/17/01				10 26	89 61	1 37
	01/12/02				8 58	91 29	1 68
	04/20/02				9 19	90 68	-0 61
	07/24/02				11 75	88 12	-2 56
	10/15/02				10 56	89 31	1 19
	01/22/03				11 51	88 36	-0 95
	04/24/03				12 07	87 80	-0 56
	07/16/03				13 27	86 60	-1 20
	10/15/03				10 64	89 23	2 63
	01/29/04			99 50	10 95	88 55	-0 68
	04/19/04				8 88	90 62	2 07
	07/16/04				10 04	89 46	-1 16
	10/29/04				7 75	91 75	2 29
	01/14/05				7 18	92 32	0 57
	04/15/05				6 53	92 97	0 65
	07/08/05				9 23	90 27	-2 70
	10/08/05				9 84	89 66	-0 61
	01/18/06				8 95	90 55	0 89
	04/18/06				10 36	89 14	-1 41
	07/11/06				11 11	88 39	-0 75
	10/10/06				10 48	89 02	0 63
	01/16/07				9 72	89 78	0 76
	04/17/07				8 62	90 88	1 10
	07/18/07				9 88	89 62	-1 26
	10/17/07				10 04	89 46	-0 16
	01/16/08				11 57	87 93	-1 53
	04/28/08				9 93	89 57	1 64
	07/15/08				9 09	90 41	0 84
	10/14/08				7 73	91 77	1 36
	01/13/09				8 01	91 49	-0 28
	04/06/09				10 18	89 32	-2 17
	07/14/09				11 48	88 02	-1 30
	10/20/09				13 09	86 41	-1 61
	01/20/10				11 28	88 22	1 81
	04/20/10				9 32	90 18	1 96
	07/26/10				11 44	88 06	-2 12
	10/19/10				12 54	86 96	-1 10
	01/19/11				11 85	87 65	0 69
	04/05/11				12 97	86 53	-1 12
MW-6	01/23/91	35 00	Protective Casing	100 84	19 59	81 25	
	09/13/91				17 43	83 41	2 16
	11/21/91				16 30	84 54	1 13

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6 (Cont)	03/16/93				15 57	85 27	0 73
	01/09/94				16 42	84 42	-0 85
	04/19/94				16 29	84 55	0 13
	07/19/94				15 79	85 05	0 50
	10/24/94				15 83	85 01	-0 04
	01/24/95				15 94	84 90	-0 11
	04/02/95				16 38	84 46	-0 44
	07/31/95				15 88	84 96	0 50
	10/16/95				16 01	84 83	-0 13
	01/10/96				16 52	84 32	-0 51
	04/09/96				16 70	84 14	-0 18
	07/21/96				17 26	83 58	-0 56
	10/21/96				15 62	85 22	1 64
	01/21/97				15 21	85 63	0 41
	04/08/97				15 30	85 54	-0 09
	07/29/97				16 01	84 83	-0 71
	10/16/97				15 01	85 83	1 00
	01/06/98				14 69	86 15	0 32
	04/14/98				14 45	86 39	0 24
	07/17/98				15 62	85 22	-1 17
	10/27/98				15 77	85 07	-0 15
	02/09/99				16 34	84 50	-0 57
	04/21/99				15 57	85 27	0 77
	07/13/99				13 66	87 18	1 91
	10/19/99				15 04	85 80	-1 38
	01/26/00				15 51	85 33	-0 47
	04/18/00				15 46	85 38	0 05
	07/26/00				15 68	85 16	-0 22
	10/19/00				14 32	86 52	1 36
	01/18/01				11 78	89 06	2 54
	04/12/01				12 03	88 81	-0 25
	07/19/01				14 13	86 71	-2 10
	10/17/01				13 21	87 63	0 92
	01/12/02				11 74	89 10	1 47
	04/20/02				12 02	88 82	-0 28
	07/24/02				13 92	86 92	-1 90
	10/15/02				13 23	87 61	0 69
	01/22/03				13 94	86 90	-0 71
	04/23/03				14 28	86 56	-0 34
	07/16/03				15 60	85 24	-1 32
	10/15/03				13 01	87 83	2 59
	01/28/04				13 58	87 26	-0 57
	04/19/04				11 79	89 05	1 79
	07/16/04				13 76	87 08	-1 97
	10/29/04				11 30	89 54	2 46
	01/14/05				10 43	90 41	0 87
	05/16/05				9 95	90 89	0 48
	07/08/05				12 62	88 22	-2 67
	10/08/05				13 23	87 61	-0 61
	01/19/06				12 52	88 32	0 71
	04/18/06				13 59	87 25	-1 07
	07/11/06				14 92	85 92	-1 33
	10/10/06				14 36	86 48	0 56
	01/16/07				13 50	87 34	0 86
	04/17/07				12 27	88 57	1 23
	07/17/07				13 71	87 13	-1 44
	10/17/07				14 04	86 80	-0 33
	01/16/08				15 16	85 68	-1 12
	04/28/08				14 03	86 81	1 13
	07/15/08				12 58	88 26	1 45
	10/14/08				11 65	89 19	0 93
	01/13/09				11 86	88 98	-0 21
	07/14/09				14 79	86 05	-2 93
	10/20/09				16 09	84 75	-1 30
	01/20/10				14 54	86 30	1 55
	04/20/10				12 69	88 15	1 85
	07/26/10				14 62	86 22	-1 93

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6 (Cont)	10/19/10				15 90	84 94	-1 28
	01/19/11				15 14	85 70	0 76
	04/05/11				16 00	84 84	-0 86
MW-7	01/23/91	35 00	Protective Casing	100 23	19 01	81 22	
	09/13/91				17 43	82 80	1 58
	11/21/91				16 00	84 23	1 43
	03/16/93				14 91	85 32	1 09
	01/09/94				15 99	84 24	-1 08
	04/19/94				15 83	84 40	0 16
	07/19/94				15 24	84 99	0 59
	10/24/94				15 32	84 91	-0 08
	01/24/95				15 54	84 69	-0 22
	04/02/95				16 00	84 23	-0 46
	07/31/95				15 57	84 66	0 43
	10/16/95				15 61	84 62	-0 04
	01/10/96				16 13	84 10	-0 52
	04/09/96				16 30	83 93	-0 17
	07/21/96				16 81	83 42	-0 51
	10/21/96				15 15	85 08	1 66
	01/21/97				14 81	85 42	0 34
	04/08/97				14 91	85 32	-0 10
	07/29/97				15 48	84 75	-0 57
	10/16/97				14 52	85 71	0 96
	01/06/98				13 27	86 96	1 25
	04/14/98				14 02	86 21	-0 75
	07/17/98				15 10	85 13	-1 08
	10/27/98				15 21	85 02	-0 11
	02/09/99				15 86	84 37	-0 65
	04/21/99				14 96	85 27	0 90
	07/13/99				13 03	87 20	1 93
	10/19/99				14 43	85 80	-1 40
	01/26/00				15 02	85 21	-0 59
	04/18/00				14 99	85 24	0 03
	07/26/00				15 12	85 11	-0 13
	10/19/00				14 22	86 01	0 90
	01/18/01				12 12	88 11	2 10
	04/12/01				12 10	88 13	0 02
	07/19/01				13 74	86 49	-1 64
	10/17/01				13 24	86 99	0 50
	01/12/02				12 22	88 01	1 02
	04/20/02				11 93	88 30	0 29
	07/24/02				13 48	86 75	-1 55
	10/15/02				13 00	87 23	0 48
	01/22/03				13 58	86 65	-0 58
	04/23/03				13 88	86 35	-0 30
	07/16/03				15 08	85 15	-1 20
	10/15/03				13 32	86 91	1 76
	01/28/04				13 52	86 71	-0 20
	04/19/04				11 85	88 38	1 67
	07/16/04				13 90	86 33	-2 05
	10/29/04				11 74	88 49	2 16
	01/14/05				10 50	89 73	1 24
	04/15/05				10 13	90 10	0 37
	07/08/05				12 31	87 92	-2 18
	10/08/05				13 03	87 20	-0 72
	01/19/06				12 50	87 73	0 53
	04/18/06				13 37	86 86	-0 87
	07/11/06				14 81	85 42	-1 44
	10/10/06				14 56	85 67	0 25
	01/16/07				13 68	86 55	0 88
	04/17/07				12 69	87 54	0 99
	07/17/07				13 96	86 27	-1 27
	10/17/07				14 39	85 84	-0 43
	01/16/08				15 11	85 12	-0 72
	04/28/08				14 40	85 83	0 71
	07/15/08				13 45	86 78	0 95

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-7 (Cont)	10/14/08				12 73	87 50	0 72
	01/13/09				12 32	87 91	0 41
	04/06/09				13 24	86 99	-0 92
	07/14/09				14 82	85 41	-1 58
	10/20/09				15 92	84 31	-1 10
	01/20/10				14 61	85 62	1 31
	04/20/10				12 78	87 45	1 83
	07/26/10				14 59	85 64	-1 81
	10/19/10				15 85	84 38	-1 26
	01/19/11				15 09	85 14	0 76
	04/05/11				15 79	84 44	-0 70
MW-8	01/23/91	35 00	Protective Casing	101 47	20 16	81 31	
	09/13/91				18 80	82 67	1 36
	11/21/91				17 29	84 18	1 51
	03/16/93				16 03	85 44	1 26
	01/09/94				17 23	84 24	-1 20
	04/19/94				17 05	84 42	0 18
	07/19/94				16 50	84 97	0 55
	10/24/94				16 56	84 91	-0 06
	01/24/95				16 79	84 68	-0 23
	04/02/95				17 24	84 23	-0 45
	07/31/95				16 94	84 53	0 30
	10/16/95				16 88	84 59	0 06
	01/10/96				17 38	84 09	-0 50
	04/09/96				17 54	83 93	-0 16
	07/21/96				18 10	83 37	-0 56
	10/21/96				16 40	85 07	1 70
	11/22/96				16 42	85 05	-0 02
	01/21/97				16 05	85 42	0 37
	04/08/97				16 11	85 36	-0 06
	07/29/97				16 69	84 78	-0 58
	10/16/97				15 69	85 78	1 00
	01/06/98				15 38	86 09	0 31
	04/14/98				15 15	86 32	0 23
	07/17/98				16 29	85 18	-1 14
	10/27/98				16 39	85 08	-0 10
	02/09/99				17 02	84 45	-0 63
	04/21/99				16 08	85 39	0 94
	07/13/99				14 13	87 34	1 95
	10/19/99				15 56	85 91	-1 43
	01/26/00				16 19	85 28	-0 63
	04/18/00				16 19	85 28	0 00
	07/26/00				16 30	85 17	-0 11
	10/19/00				15 55	85 92	0 75
	01/18/01				13 54	87 93	2 01
	04/12/01				13 42	88 05	0 12
	07/19/01				14 98	86 49	-1 56
	10/17/01				14 58	86 89	0 40
	01/12/02				13 67	87 80	0 91
	04/20/02				13 22	88 25	0 45
	07/24/02				14 72	86 75	-1 50
	10/15/02				14 23	87 24	0 49
	01/22/03				14 80	86 67	-0 57
	04/23/03				15 08	86 39	-0 28
	07/16/03				16 28	85 19	-1 20
	10/15/03				14 03	87 44	2 25
	01/28/04				14 84	86 63	-0 81
	04/19/04				13 25	88 22	1 59
	07/16/04				15 30	86 17	-2 05
	10/29/04				13 15	88 32	2 15
	01/14/05				11 81	89 66	1 34
	04/15/05				11 42	90 05	0 39
	07/08/05				13 53	87 94	-2 11
	10/08/05				14 26	87 21	-0 73
	01/19/06				13 83	87 64	0 43
	04/18/06				14 67	86 80	-0 84

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-8 (Cont)	07/11/06				16 40	85 07	-1 73
	10/10/06				15 92	85 55	0 48
	01/16/07				15 03	86 44	0 89
	04/17/07				14 12	87 35	0 91
	07/17/07				15 33	86 14	-1 21
	10/17/07				15 79	85 68	-0 46
	01/16/08				16 38	85 09	-0 59
	04/28/08				15 79	85 68	0 59
	07/15/08				15 07	86 40	0 72
	10/14/08				14 35	87 12	0 72
	01/13/09				13 79	87 68	0 56
	04/06/09				14 62	86 85	-0 83
	07/14/09				16 29	85 18	-1 67
	10/20/09				17 34	84 13	-1 05
	01/20/10				16 10	85 37	1 24
	04/20/10				14 24	87 23	1 86
	07/26/10				16 06	85 41	-1 82
	10/19/10				17 34	84 13	-1 28
	01/19/11				16 55	84 92	0 79
	04/05/11				17 22	84 25	-0 67
MW-9	01/26/91	30 00	Protective Casing	102 18	20 08	82 10	
	09/13/91				18 93	83 25	1 15
	11/21/91				17 35	84 83	1 58
	03/16/93				16 19	85 99	1 16
	01/09/94				17 31	84 87	-1 12
	04/19/94				17 33	84 85	-0 02
	07/19/94				16 85	85 33	0 48
	10/24/94				17 05	85 13	-0 20
	01/24/95				16 92	85 26	0 13
	04/02/95				17 23	84 95	-0 31
	07/31/95				17 30	84 88	-0 07
	10/16/95				17 16	85 02	0 14
	01/10/96				17 39	84 79	-0 23
	04/09/96				17 58	84 60	-0 19
	07/21/96				18 38	83 80	-0 80
	10/21/96				16 65	85 53	1 73
	01/21/97				16 12	86 06	0 53
	04/08/97				16 04	86 14	0 08
	07/29/97				16 67	85 51	-0 63
	10/16/97				15 29	86 89	1 38
	01/06/98				14 78	87 40	0 51
	04/14/98				14 89	87 29	-0 11
	07/17/98				16 30	85 88	-1 41
	10/27/98				16 62	85 56	-0 32
	02/09/99				17 14	85 04	-0 52
	04/21/99				16 38	85 80	0 76
	07/13/99				14 27	87 91	2 11
	10/19/99				15 75	86 43	-1 48
	01/26/00				16 30	85 88	-0 55
	04/18/00				16 40	85 78	-0 10
	07/26/00				16 53	85 65	-0 13
	10/19/00				15 70	86 48	0 83
	01/18/01			99 59	10 82	88 77	2 29
	04/12/01				10 49	89 10	0 33
	07/19/01				12 36	87 23	-1 87
	10/17/01				11 70	87 89	0 66
	01/12/02				10 50	89 09	1 20
	04/20/02				10 33	89 26	0 17
	07/24/02				12 14	87 45	-1 81
	10/15/02				11 49	88 10	0 65
	01/22/03				12 18	87 41	-0 69
	04/24/03				12 58	87 01	-0 40
	07/16/03				13 67	85 92	-1 09
	10/15/03				12 20	87 39	1 47
	01/29/04			99 33	11 65	87 68	0 29
	04/19/04				10 09	89 24	1 56

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-9 (Cont)	07/16/04				11 69	87 64	-1 60
	10/29/04				9 57	89 76	2 12
	01/14/05				8 47	90 86	1 10
	04/15/05				7 94	91 39	0 53
	07/08/05				10 07	89 26	-2 13
	10/08/05				10 88	88 45	-0 81
	01/18/06				10 32	89 01	0 56
	04/18/06				11 31	88 02	-0 99
	07/11/06				12 47	86 86	-1 16
	10/10/06				12 18	87 15	0 29
	01/16/07				11 36	87 97	0 82
	04/17/07				10 48	88 85	0 88
	07/18/07				11 58	87 75	-1 10
	10/17/07				11 91	87 42	-0 33
	01/16/08				12 80	86 53	-0 89
	04/28/08				11 96	87 37	0 84
	07/15/08				11 36	87 97	0 60
	10/14/08				10 43	88 90	0 93
	01/13/09				10 02	89 31	0 41
	04/06/09				11 41	87 92	-1 39
	07/14/09				12 94	86 39	-1 53
	10/20/09				14 24	85 09	-1 30
	01/20/10				12 84	86 49	1 40
	04/20/10				10 90	88 43	1 94
	07/26/10				12 77	86 56	-1 87
	10/19/10				13 97	85 36	-1 20
	01/19/11				13 27	86 06	0 70
	04/05/11				14 11	85 22	-0 84
MW-10	01/26/91	30 00	Protective Casing	101 34	19 68	81 66	
	09/13/91				18 56	82 78	1 12
	11/21/91				16 96	84 38	1 60
	03/16/93				15 64	85 70	1 32
	01/09/94				16 89	84 45	-1 25
	04/19/94				16 73	84 61	0 16
	07/19/94				16 29	85 05	0 44
	10/24/94				16 39	84 95	-0 10
	01/24/95				16 48	84 86	-0 09
	04/02/95				16 88	84 46	-0 40
	07/31/95				16 82	84 52	0 06
	10/16/95				16 65	84 69	0 17
	01/10/96				17 01	84 33	-0 36
	04/09/96				17 20	84 14	-0 19
	07/21/96				17 85	83 49	-0 65
	10/21/96				16 13	85 21	1 72
	01/21/97				15 73	85 61	0 40
	04/08/97				15 70	85 64	0 03
	07/29/97				16 28	85 06	-0 58
	10/16/97				15 16	86 18	1 12
	01/06/98				14 74	86 60	0 42
	04/14/98				14 65	86 69	0 09
	07/17/98				15 90	85 44	-1 25
	10/27/98				16 04	85 30	-0 14
	02/09/99				16 61	84 73	-0 57
	04/21/99				15 68	85 66	0 93
	07/13/99				13 68	87 66	2 00
	10/19/99				15 15	86 19	-1 47
	01/26/00				15 76	85 58	-0 61
	04/18/00				15 82	85 52	-0 06
	07/26/00				15 92	85 42	-0 10
	10/19/00				15 30	86 04	0 62
	01/18/01			99 84	10 80	89 04	3 00
	04/12/01				10 58	89 26	0 22
	07/19/01				12 08	87 76	-1 50
	10/17/01				11 75	88 09	0 33
	01/12/02				10 75	89 09	1 00
	04/20/02				10 31	89 53	0 44

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-10 (Cont.)	07/24/02				11 81	88 03	-1 50
	10/15/02				11 33	88 51	0 48
	01/22/03				11 93	87 91	-0 60
	04/24/03				12 21	87 63	-0 28
	07/16/03				13 29	86 55	-1 08
	10/15/03				12 18	87 66	1 11
	01/29/04				11 95	87 89	0 23
	04/19/04				10 39	89 45	1 56
	07/16/04				12 32	87 52	-1 93
	10/29/04				10 24	89 60	2 08
	01/14/05				8 88	90 96	1 36
	04/15/05				8 43	91 41	0 45
	07/08/05				10 45	89 39	-2 02
	10/08/05				11 26	88 58	-0 81
	01/18/06				10 79	89 05	0 47
	04/18/06				11 64	88 20	-0 85
	07/11/06				13 02	86 82	-1 38
	10/10/06				12 89	86 95	0 13
	01/16/07				11 78	88 06	1 11
	04/17/07				11 17	88 67	0 61
	07/18/07				12 89	86 95	-1 72
	10/17/07				12 76	87 08	0 13
	01/16/08				13 30	86 54	-0 54
	04/28/08				12 79	87 05	0 51
	07/15/08				12 28	87 56	0 51
	10/14/08				11 51	88 33	0 77
	01/13/09				10 82	89 02	0 69
	04/06/09				11 84	88 00	-1 02
	07/14/09				13 50	86 34	-1 66
	10/20/09				14 59	85 25	-1 09
	01/20/10				13 33	86 51	1 26
	04/20/10				11 48	88 36	1 85
	07/26/10				13 30	86 54	-1 82
	10/19/10				14 54	85 30	-1 24
	01/19/11				13 74	86 10	0 80
	04/05/11				14 47	85 37	-0 73
MW-11	01/26/91	30 00	Protective Casing	100 60	19 27	81 33	
	09/13/91				17 81	82 79	1 46
	11/21/91				16 35	84 25	1 46
	03/16/93				15 20	85 40	1 15
	01/09/94				16 31	84 29	-1 11
	04/19/94				16 17	84 43	0 14
	07/19/94				15 63	84 97	0 54
	10/24/94				15 72	84 88	-0 09
	01/24/95				15 89	84 71	-0 17
	04/02/95				16 33	84 27	-0 44
	07/31/95				16 03	84 57	0 30
	10/16/95				16 00	84 60	0 03
	01/10/96				16 45	84 15	-0 45
	04/09/96				16 62	83 98	-0 17
	07/21/96				17 21	83 39	-0 59
	10/21/96				15 52	85 08	1 69
	01/21/97				15 15	85 45	0 37
	04/08/97				15 19	85 41	-0 04
	07/29/97				15 78	84 82	-0 59
	10/16/97				14 75	85 85	1 03
	01/06/98				14 44	86 16	0 31
	04/14/98				14 22	86 38	0 22
	07/17/98				15 41	85 19	-1 19
	10/27/98				15 50	85 10	-0 09
	02/09/99				16 11	84 49	-0 61
	04/21/99				15 21	85 39	0 90
	07/13/99				13 25	87 35	1 96
	10/19/99				14 68	85 92	-1 43
	01/26/00				15 28	85 32	-0 60
	04/18/00				15 29	85 31	-0 01

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-11 (Cont.)	07/26/00				15.42	85.18	-0.13
	10/19/00				14.58	86.02	0.84
	01/18/01			98.20	10.08	88.12	2.10
	04/12/01				10.07	88.13	0.01
	07/19/01				11.67	86.53	-1.60
	10/17/01				11.15	87.05	0.52
	01/12/02				10.14	88.06	1.01
	04/20/02				9.83	88.37	0.31
	07/24/02				11.39	86.81	-1.56
	10/15/02				10.87	87.33	0.52
	01/22/03				11.47	86.73	-0.60
	04/23/03				11.77	86.43	-0.30
	07/16/03				12.97	85.23	-1.20
	10/15/03				11.37	86.83	1.60
	01/28/04				11.43	86.77	-0.06
	04/19/04				9.77	88.43	1.66
	07/16/04				11.79	86.41	-2.02
	10/29/04				9.60	88.60	2.19
	01/14/05				8.34	89.86	1.26
	04/15/05				7.93	90.27	0.41
	07/08/05				10.12	88.08	-2.19
	10/08/05				10.84	87.36	-0.72
	01/19/06				10.36	87.84	0.48
	04/18/06				11.21	86.99	-0.85
	07/11/06				12.63	85.57	-1.42
	10/10/06				12.39	85.81	0.24
	01/16/07				11.53	86.67	0.86
	04/17/07				10.20	88.00	1.33
	07/17/07				11.08	87.12	-0.88
	10/17/07				12.22	85.98	-1.14
	01/16/08				12.91	85.29	-0.69
	04/28/08				12.22	85.98	0.69
	07/15/08				11.38	86.82	0.84
	10/14/08				10.63	87.57	0.75
	01/13/09				10.21	87.99	0.42
	04/06/09				11.18	87.02	-0.97
	07/14/09				12.79	85.41	-1.61
	10/20/09				13.92	84.28	-1.13
	01/20/10				12.60	85.60	1.32
	04/20/10				10.78	87.42	1.82
	07/26/10				12.58	85.62	-1.80
	10/19/10				13.87	84.33	-1.29
	01/19/11				13.09	85.11	0.78
	04/05/11				13.79	84.41	-0.70
MW-12	01/26/91	34.00	Protective Casing	100.69	19.24	81.45	
	09/13/91				17.59	83.10	1.65
	11/21/91				16.21	84.48	1.38
	03/16/93				15.22	85.47	0.99
	01/09/94				16.25	84.44	-1.03
	04/19/94				16.13	84.56	0.12
	07/19/94				15.63	85.06	0.50
	10/24/94				15.73	84.96	-0.10
	01/24/95				15.80	84.89	-0.07
	04/02/95				16.23	84.46	-0.43
	07/31/95				15.96	84.73	0.27
	10/16/95				15.93	84.76	0.03
	01/10/96				16.35	84.34	-0.42
	04/09/96				16.52	84.17	-0.17
	07/21/96				17.15	83.54	-0.63
	10/21/96				15.48	85.21	1.67
	01/21/97				15.04	85.65	0.44
	04/08/97				15.10	85.59	-0.06
	07/29/97				15.73	84.96	-0.63
	10/16/97				14.57	86.12	1.16
	01/06/98				14.22	86.47	0.35
	04/14/98				14.09	86.60	0.13

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-12 (Cont.)	07/17/98				15 35	85 34	-1 26
	10/27/98				15 36	85 33	-0 01
	02/09/99				16 00	84 69	-0 64
	04/21/99				15 19	85 50	0 81
	07/13/99				13 12	87 57	2 07
	10/19/99				14 63	86 06	-1 51
	01/26/00				15 18	85 51	-0 55
	04/18/00				15 22	85 47	-0 04
	07/26/00				15 38	85 31	-0 16
	10/19/00				14 35	86 34	1 03
	01/18/01			99 21	10 62	88 59	2 25
	04/12/01				10 61	88 60	0 01
	07/19/01				12 41	86 80	-1 80
	10/17/01				10 95	88 26	1 46
	04/20/02				9 88	89 33	1 07
	07/24/02				11 57	87 64	-1 69
	10/15/02				10 94	88 27	0 63
	01/22/03				11 70	87 51	-0 76
	04/24/03				12 04	87 17	-0 34
	07/16/03				13 19	86 02	-1 15
	10/15/03				11 40	87 81	1 79
	01/29/04			98 49	11 33	87 16	-0 65
	04/19/04				9 62	88 87	1 71
	07/16/04				11 51	86 98	-1 89
	10/29/04				9 26	89 23	2 25
	01/14/05				8 16	90 33	1 10
	04/15/05				7 68	90 81	0 48
	07/08/05				9 98	88 51	-2 30
	10/08/05				10 74	87 75	-0 76
	01/18/06				10 09	88 40	0 65
	04/18/06				11 15	87 34	-1 06
	07/11/06				12 39	86 10	-1 24
	10/10/06				12 03	86 46	0 36
	01/16/07				11 20	87 29	0 83
	04/17/07				10 57	87 92	0 63
	07/18/07				11 52	86 97	-0 95
	10/17/07				11 82	86 67	-0 30
	01/16/08				12 71	85 78	-0 89
	04/28/08				11 82	86 67	0 89
	07/15/08				10 96	87 53	0 86
	10/14/08				10 10	88 39	0 86
	01/13/09				9 78	88 71	0 32
	04/06/09				11 03	87 46	-1 25
	07/14/09				12 59	85 90	-1 56
	10/20/09				13 85	84 64	-1 26
	01/20/10				12 38	86 11	1 47
	04/20/10				10 50	87 99	1 88
	07/26/10				12 38	86 11	-1 88
	10/19/10				13 60	84 89	-1 22
	01/19/11				12 30	86 19	1 30
	04/05/11				13 73	84 76	-1 43
MW-13	09/13/91	45 00	Protective Casing	99 25	15 10	84 15	
	11/21/91				13 95	85 30	1 15
	03/16/93				13 22	86 03	0 73
	01/09/94				14 03	85 22	-0 81
	04/19/94				13 90	85 35	0 13
	07/20/94				13 70	85 55	0 20
	10/24/94				13 86	85 39	-0 16
	01/24/95				13 56	85 69	0 30
	04/02/95				13 87	85 38	-0 31
	07/31/95				13 84	85 41	0 03
	10/16/95				13 83	85 42	0 01
	01/10/96				14 02	85 23	-0 19
	04/09/96				14 20	85 05	-0 18
	07/20/96				15 04	84 21	-0 84
	10/21/96				13 31	85 94	1 73

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-13 (Cont.)	01/21/97				12.70	86.55	0.61
	04/08/97				12.48	86.77	0.22
	07/29/97				13.43	85.82	-0.95
	10/16/97				12.02	87.23	1.41
	01/06/98				11.44	87.81	0.58
	04/14/98				11.50	87.75	-0.06
	07/17/98				13.10	86.15	-1.60
	10/27/98				13.58	85.67	-0.48
	02/09/99				13.81	85.44	-0.23
	04/21/99				13.22	86.03	0.59
	07/13/99				11.08	88.17	2.14
	10/20/99				12.64	86.61	-1.56
	01/26/00				12.96	86.29	-0.32
	04/18/00				13.08	86.17	-0.12
	07/26/00				12.88	86.37	0.20
	10/19/00				11.68	87.57	1.20
	01/18/01				8.88	90.37	2.80
	04/12/01				9.09	90.16	-0.21
	07/19/01				11.47	87.78	-2.38
	10/17/01				10.15	89.10	1.32
	01/12/02				8.48	90.77	1.67
	04/20/02				9.07	90.18	-0.59
	07/24/02				11.42	87.83	-2.35
	10/15/02				10.38	88.87	1.04
	01/22/03				11.28	87.97	-0.90
	04/24/03				11.80	87.45	-0.52
	07/16/03				12.98	86.27	-1.18
	10/15/03				10.48	88.77	2.50
	01/29/04			99.25	10.68	88.57	-0.20
	04/19/04				9.06	90.19	1.62
	07/16/04				10.40	88.85	-1.34
	10/29/04				8.03	91.22	2.37
	01/14/05				7.44	91.81	0.59
	04/15/05				6.76	92.49	0.68
	07/08/05				9.47	89.78	-2.71
	10/08/05				10.13	89.12	-0.66
	01/18/06				9.28	89.97	0.85
	04/18/06				10.63	88.62	-1.35
	07/11/06				11.55	87.70	-0.92
	10/10/06				10.97	88.28	0.58
	01/16/07				10.16	89.09	0.81
	04/17/07				8.98	90.27	1.18
	07/18/07				10.31	88.94	-1.33
	10/17/07				10.47	88.78	-0.16
	01/16/08				11.97	87.28	-1.50
	04/28/08				10.42	88.83	1.55
	07/15/08				9.44	89.81	0.98
	10/14/08				8.26	90.99	1.18
	01/13/09				8.44	90.81	-0.18
	04/06/09				10.44	88.81	-2.00
	07/14/09				11.76	87.49	-1.32
	10/20/09				13.36	85.89	-1.60
	01/20/10				11.28	87.97	2.08
	04/20/10				9.59	89.66	1.69
	07/26/10				11.73	87.52	-2.14
	10/19/10				12.89	86.36	-1.16
	01/19/11				12.18	87.07	0.71
	04/05/11				13.24	86.01	-1.06
MW-14	09/13/91	35.00	Protective Casing	98.74	14.60	84.14	
	11/21/91				13.61	85.13	0.99
	03/16/93				13.00	85.74	0.61
	01/09/94				13.71	85.03	-0.71
	04/19/94				13.63	85.11	0.08
	07/20/94				13.39	85.35	0.24
	10/24/94				13.48	85.26	-0.09
	01/25/95				13.26	85.48	0.22

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-14 (Cont)	04/02/95				13 61	85 13	-0 35
	07/31/95				13 44	85 30	0 17
	10/16/95				13 52	85 22	-0 08
	01/10/96				13 76	84 98	-0 24
	04/09/96				13 96	84 78	-0 20
	07/20/96				14 74	84 00	-0 78
	10/21/96				13 03	85 71	1 71
	01/21/97				12 47	86 27	0 56
	04/08/97				12 44	86 30	0 03
	07/29/97				13 30	85 44	-0 86
	10/16/97				11 93	86 81	1 37
	01/06/98				11 46	87 28	0 47
	04/14/98				11 48	87 26	-0 02
	07/17/98				12 94	85 80	-1 46
	10/27/98				13 25	85 49	-0 31
	02/09/99				13 59	85 15	-0 34
	04/21/99				12 96	85 78	0 63
	07/13/99				10 85	87 89	2 11
	10/20/99				12 42	86 32	-1 57
	01/26/00				12 73	86 01	-0 31
	04/18/00				12 82	85 92	-0 09
	07/26/00				13 08	85 66	-0 26
	10/19/00				11 32	87 42	1 76
	01/18/01				8 48	90 26	2 84
	04/12/01				8 83	89 91	-0 35
	04/20/02				8 84	89 90	-0 01
	07/24/02				11 21	87 53	-2 37
	10/15/02				10 12	88 62	1 09
	04/24/03				11 54	87 20	-1 42
	07/16/03				12 74	86 00	-1 20
	10/15/03				10 07	88 67	2 67
	01/29/04				10 45	88 29	-0 38
	04/19/04				8 76	89 98	1 69
	07/16/04				10 20	88 54	-1 44
	10/29/04				7 69	91 05	2 51
	01/14/05				7 23	91 51	0 46
	04/15/05				6 46	92 28	0 77
	07/08/05				9 37	89 37	-2 91
	10/08/05				9 99	88 75	-0 62
	01/18/06				9 09	89 65	0 90
	04/18/06				10 42	88 32	-1 33
	07/11/06				11 44	87 30	-1 02
	10/10/06				10 70	88 04	0 74
	01/16/07				9 95	88 79	0 75
	04/17/07				8 70	90 04	1 25
	07/18/07				10 18	88 56	-1 48
	10/17/07				10 30	88 44	-0 12
	01/16/08				11 83	86 91	-1 53
	04/28/08				10 26	88 48	1 57
	07/15/08				9 11	89 63	1 15
	10/15/08				7 96	90 78	1 15
	01/13/09				8 20	90 54	-0 24
	04/06/09				10 19	88 55	-1 99
	07/14/09				11 53	87 21	-1 34
	10/20/09				13 07	85 67	-1 54
	01/20/10				11 21	87 53	1 86
	04/20/10				9 41	89 33	1 80
	07/26/10				11 50	87 24	-2 09
	10/19/10				12 63	86 11	-1 13
	01/19/11				11 93	86 81	0 70
	04/05/11				13 00	85 74	-1 07
MW-15	09/13/91	34 00	Protective Casing	100 05	16 30	83 75	
	11/21/91				15 01	85 04	1 29
	03/16/93				13 95	86 10	1 06
	01/09/94				14 91	85 14	-0 96
	04/19/94				14 80	85 25	0 11

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-15 (Cont)	07/20/94				14 56	85 49	0 24
	10/24/94				14 73	85 32	-0 17
**	01/24/95				16 00	84 05	-1 27
	04/02/95				14 80	85 25	1 20
	07/31/95				14 82	85 23	-0 02
	10/16/95				14 74	85 31	0 08
	01/10/96				14 95	85 10	-0 21
	04/09/96				15 11	84 94	-0 16
	07/20/96				15 96	84 09	-0 85
	10/21/96				14 22	85 83	1 74
	01/21/97				13 64	86 41	0 58
	04/08/97				13 53	86 52	0 11
	07/29/97				14 32	85 73	-0 79
	10/16/97				12 90	87 15	1 42
	01/06/98				12 30	87 75	0 60
	04/14/98				12 38	87 67	-0 08
	07/17/98				13 93	86 12	-1 55
	10/27/98				14 38	85 67	-0 45
	02/09/99				14 68	85 37	-0 30
	04/21/99				14 03	86 02	0 65
	07/13/99				11 90	88 15	2 13
	10/20/99				13 42	86 63	-1 52
	01/26/00				13 83	86 22	-0 41
	04/18/00				13 96	86 09	-0 13
	07/26/00				14 14	85 91	-0 18
	10/19/00				12 90	87 15	1 24
	01/18/01				9 39	90 66	3 51
	04/12/01				12 38	87 67	-2 99
	07/19/01				12 44	87 61	-0 06
	01/12/02				10 10	89 95	2 34
	07/24/02				12 38	87 67	-2 28
	10/15/02				11 52	88 53	0 86
	01/22/03				12 30	87 75	-0 78
	04/24/03				12 74	87 31	-0 44
	07/16/03				13 89	86 16	-1 15
	10/15/03				11 96	88 09	1 93
	01/29/04			99 69	11 50	88 19	0 10
	04/19/04				9 92	89 77	1 58
	07/16/04				11 37	88 32	-1 45
	10/29/04				9 19	90 50	2 18
	01/14/05				8 30	91 39	0 89
	04/15/05				7 73	91 96	0 57
	07/08/05				10 08	89 61	-2 35
	10/08/05				10 82	88 87	-0 74
	01/18/06				10 13	89 56	0 69
	04/18/06				11 30	88 39	-1 17
	07/11/06				12 32	87 37	-1 02
	10/10/06				11 87	87 82	0 45
	01/16/07				11 11	88 58	0 76
	04/17/07				10 11	89 58	1 00
	07/18/07				11 28	88 41	-1 17
	10/17/07				11 52	88 17	-0 24
	01/16/08				12 72	86 97	-1 20
	04/28/08				11 55	88 14	1 17
	07/15/08				10 85	88 84	0 70
	10/14/08				9 78	89 91	1 07
	01/13/09				9 60	90 09	0 18
	04/06/09				11 27	88 42	-1 67
	07/14/09				12 69	87 00	-1 42
	10/20/09				14 18	85 51	-1 49
	01/20/10				12 56	87 13	1 62
	04/20/10				10 60	89 09	1 96
	07/26/10				12 57	87 12	-1 97
	10/19/10				13 73	85 96	-1 16
	01/19/11				13 08	86 61	0 65
	04/05/11				14 04	85 65	-0 96

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-16	01/13/09				8 27		
	04/06/09				10 50		
	07/14/09				11 75		
	10/20/09				13 37		
	01/20/10				11 51		
	04/20/10				9 60		
	07/26/10				11 75		
	10/19/10				12 76		
	01/19/11				12 12		
	04/05/11				13 28		
MW-17D	04/02/95	19 00	Protective Casing	101 29	16 80	84 49	
	07/31/95				16 48	84 81	0 32
	10/16/95				16 51	84 78	-0 03
	01/10/96				16 90	84 39	-0 39
	04/09/96				17 10	84 19	-0 20
	07/21/96				17 70	83 59	-0 60
	10/21/96				16 02	85 27	1 68
	01/21/97				15 60	85 69	0 42
	04/08/97				15 64	85 65	-0 04
	07/29/97				16 32	84 97	-0 68
	10/16/97				15 11	86 18	1 21
	01/06/98				14 80	86 49	0 31
	04/14/98				14 68	86 61	0 12
	07/17/98				15 92	85 37	-1 24
	10/27/98				15 95	85 34	-0 03
	02/09/99				16 63	84 66	-0 68
	04/21/99				15 82	85 47	0 81
	07/13/99				13 77	87 52	2 05
	10/19/99				15 32	85 97	-1 55
	01/26/00				15 79	85 50	-0 47
	04/18/00				15 80	85 49	-0 01
	07/26/00				15 98	85 31	-0 18
	10/19/00				14 89	86 40	1 09
	01/18/01			99 00	10 33	88 67	2 27
	04/12/01				10 35	88 65	-0 02
	07/19/01				12 22	86 78	-1 87
	10/17/01				11 48	87 52	0 74
	01/12/02				10 19	88 81	1 29
	04/20/02				10 25	88 75	-0 06
	07/24/02				11 98	87 02	-1 73
	10/15/02				11 33	87 67	0 65
	01/22/03				12 09	86 91	-0 76
	04/24/03				12 43	86 57	-0 34
	07/16/03				13 59	85 41	-1 16
	10/15/03				11 74	87 26	1 85
	01/29/04			98 46	11 30	87 16	-0 10
	04/19/04				9 55	88 91	1 75
	07/16/04				11 45	87 29	-1 62
	10/29/04				9 19	89 55	2 26
	01/14/05				8 16	90 58	1 03
	04/15/05				7 66	91 08	0 50
	07/08/05				10 01	88 73	-2 35
	10/08/05				10 76	87 98	-0 75
	01/18/06				10 10	88 64	0 66
	04/18/06				11 13	87 61	-1 03
	07/11/06				12 40	86 34	-1 27
	10/10/06				12 02	86 72	0 38
	01/16/07				11 17	87 57	0 85
	04/17/07				10 14	88 60	1 03
	07/18/07				11 50	87 24	-1 36
	10/17/07				11 79	86 95	-0 29
	01/16/08				12 08	86 66	-0 29
	04/28/08				11 79	86 95	0 29
	07/15/08				10 84	87 90	0 95
	10/15/08				10 10	88 64	0 74
	01/13/09				9 72	89 02	0 38

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17D (Cont)	04/06/09				11 03	87 71	-1 31
	07/14/09				12 54	86 20	-1 51
	10/20/09				13 82	84 92	-1 28
	01/20/10				12 33	86 41	1 49
	04/20/10				10 47	88 27	1 86
	07/26/10				12 17	86 57	-1 70
	10/19/10				13 62	85 12	-1 45
	01/19/11				12 89	85 85	0 73
	04/05/11				13 73	85 01	-0 84
MW-17A	04/02/95	26 00	Protective Casing	100 57	16 05	84 52	
	07/31/95				15 75	84 82	0 30
	10/16/95				15 77	84 80	-0 02
	01/10/96				16 18	84 39	-0 41
	04/09/96				16 37	84 20	-0 19
	07/21/96				16 98	83 59	-0 61
	10/21/96				15 30	85 27	1 68
	01/21/97				14 88	85 69	0 42
	04/08/97				14 92	85 65	-0 04
	07/29/97				15 59	84 98	-0 67
	10/16/97				14 41	86 16	1 18
	01/06/98				14 09	86 48	0 32
	04/14/98				13 95	86 62	0 14
	07/17/98				15 20	85 37	-1 25
	10/27/98				15 23	85 34	-0 03
	02/09/99				15 88	84 69	-0 65
	04/21/99				15 10	85 47	0 78
	07/13/99				13 02	87 55	2 08
	10/19/99				14 54	86 03	-1 52
	01/26/00				15 05	85 52	-0 51
	04/18/00				15 08	85 49	-0 03
	07/26/00				15 25	85 32	-0 17
	10/19/00				14 17	86 40	1 08
	01/18/01			98 77	10 09	88 68	2 28
	04/12/01				10 11	88 66	-0 02
	07/19/01				11 98	86 79	-1 87
	10/17/01				11 24	87 53	0 74
	01/12/02				9 94	88 83	1 30
	04/20/02				10 00	88 77	-0 06
	07/24/02				11 75	87 02	-1 75
	10/15/02				11 22	87 55	0 53
	01/22/03				11 85	86 92	-0 63
	04/24/03				12 18	86 59	-0 33
	07/16/03				13 36	85 41	-1 18
	10/15/03				11 49	87 28	1 87
	01/29/04			98 29	11 13	87 16	-0 12
	04/19/04				9 38	88 91	1 75
	07/16/04				11 30	86 99	-1 92
	10/29/04				9 06	89 23	2 24
	01/14/05				7 98	90 31	1 08
	04/15/05				7 50	90 79	0 48
	07/08/05				9 84	88 45	-2 34
	10/08/05				10 57	87 72	-0 73
	01/18/06				9 93	88 36	0 64
	04/18/06				10 98	87 31	-1 05
	07/11/06				12 22	86 07	-1 24
	10/10/06				11 85	86 44	0 37
	01/16/07				11 00	87 29	0 85
	04/17/07				9 95	88 34	1 05
	07/18/07				11 30	86 99	-1 35
	10/17/07				11 61	86 68	-0 31
	01/16/08				12 52	85 77	-0 91
	04/28/08				11 62	86 67	0 90
	07/15/08				10 66	87 63	0 96
	10/15/08				9 89	88 40	0 77
	01/13/09				9 52	88 77	0 37
	04/06/09				10 85	87 44	-1 33

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17A (Cont)	07/14/09				12 33	85 96	-1 48
	10/20/09				13 64	84 65	-1 31
	01/20/10				12 15	86 14	1 49
	04/20/10				10 28	88 01	1 87
	07/26/10				12 35	85 94	-2 07
	10/19/10				13 42	84 87	-1 07
	01/19/11				12 68	85 61	0 74
	04/05/11				13 52	84 77	-0 84
MW-17B	04/02/95	34 00	Protective Casing	101 28	16 79	84 49	
	07/31/95				16 50	84 78	0 29
	10/16/95				16 51	84 77	-0 01
	01/10/96				16 92	84 36	-0 41
	04/09/96				17 10	84 18	-0 18
	07/21/96				17 71	83 57	-0 61
	10/21/96				16 02	85 26	1 69
	01/21/97				15 64	85 64	0 38
	04/08/97				15 67	85 61	-0 03
	07/29/97				16 30	84 98	-0 63
	10/16/97				15 16	86 12	1 14
	01/06/98				14 84	86 44	0 32
	04/14/98				14 70	86 58	0 14
	07/17/98				15 92	85 36	-1 22
	10/27/98				16 00	85 28	-0 08
	02/09/99				16 62	84 66	-0 62
	04/21/99				15 79	85 49	0 83
	07/13/99				13 77	87 51	2 02
	10/19/99				15 26	86 02	-1 49
	01/26/00				15 81	85 47	-0 55
	04/18/00				15 81	85 47	0 00
	07/26/00				15 98	85 30	-0 17
	10/19/00				14 94	86 34	1 04
	01/18/01			99 04	10 44	88 60	2 26
	04/12/01				10 44	88 60	0 00
	07/19/01				12 27	86 77	-1 83
	10/17/01				11 62	87 42	0 65
	01/12/02				10 32	88 72	1 30
	04/20/02				10 33	88 71	-0 01
	07/24/02				12 04	87 00	-1 71
	10/15/02				11 40	87 64	0 64
	01/22/03				12 17	86 87	-0 77
	04/24/03				12 48	86 56	-0 31
	07/16/03				13 64	85 40	-1 16
	10/15/03				11 83	87 21	1 81
	01/29/04			98 54	11 43	87 11	-0 10
	04/19/04				9 69	88 85	1 74
	07/16/04				11 62	86 92	-1 93
	10/29/04				9 37	89 17	2 25
	01/14/05				8 29	90 25	1 08
	04/15/05				7 80	90 74	0 49
	07/08/05				10 11	88 43	-2 31
	10/08/05				10 89	87 65	-0 78
	01/18/06				10 22	88 32	0 67
	04/18/06				11 26	87 28	-1 04
	07/11/06				12 56	85 98	-1 30
	10/10/06				12 18	86 36	0 38
	01/16/07				11 31	87 23	0 87
	04/17/07				10 28	88 26	1 03
	07/18/07				11 67	86 87	-1 39
	10/17/07				11 95	86 59	-0 28
	01/16/08				12 83	85 71	-0 88
	04/28/08				11 77	86 77	1 06
	07/15/08				11 03	87 51	0 74
	10/15/08				10 23	88 31	0 80
	01/13/09				9 89	88 65	0 34
	04/06/09				11 16	87 38	-1 27
	07/14/09				12 67	85 87	-1 51

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17B (Cont)	10/20/09				13 94	84 60	-1 27
	01/20/10				12 48	86 06	1 46
	04/20/10				10 59	87 95	1 89
	07/26/10				12 48	86 06	-1 89
	10/19/10				13 76	84 78	-1 28
	01/19/11				13 00	85 54	0 76
	04/05/11				13 86	84 68	-0 86
MW-17C	04/02/95	61 00	Protective Casing	101 33	16 93	84 40	
	07/31/95				16 66	84 67	0 27
	10/16/95				16 64	84 69	0 02
	01/10/96				17 08	84 25	-0 44
	04/09/96				17 25	84 08	-0 17
	07/21/96				17 85	83 48	-0 60
	10/21/96				16 17	85 16	1 68
	01/21/97				15 75	85 58	0 42
	04/08/97				15 80	85 53	-0 05
	07/29/97				16 46	84 87	-0 66
	10/16/97				15 33	86 00	1 13
	01/06/98				15 00	86 33	0 33
	04/14/98				14 85	86 48	0 15
	07/17/98				16 09	85 24	-1 24
	10/27/98				16 17	85 16	-0 08
	02/09/99				16 77	84 56	-0 60
	04/21/99				15 95	85 38	0 82
	07/13/99				13 94	87 39	2 01
	10/19/99				15 43	85 90	-1 49
	01/26/00				15 94	85 39	-0 51
	04/18/00				15 95	85 38	-0 01
	07/26/00				16 11	85 22	-0 16
	10/19/00				15 03	86 30	1 08
	01/18/01			99 01	10 37	88 64	2 34
	04/12/01				10 37	88 64	0 00
	07/19/01				12 22	86 79	-1 85
	10/17/01				11 46	87 55	0 76
	01/12/02				10 22	88 79	1 24
	04/20/02				10 25	88 76	-0 03
	07/24/02				11 98	87 03	-1 73
	10/15/02				11 33	87 68	0 65
	01/22/03				12 09	86 92	-0 76
	04/24/03				12 43	86 58	-0 34
	07/16/03				13 59	85 42	-1 16
	10/15/03				11 70	87 31	1 89
	01/29/04			98 53	11 37	87 16	-0 15
	04/19/04				9 61	88 92	1 76
	07/16/04				11 55	86 98	-1 94
	10/29/04				9 27	89 26	2 28
	01/14/05				8 19	90 34	1 08
	04/15/05				7 71	90 82	0 48
	07/08/05				10 08	88 45	-2 37
	10/08/05				10 84	87 69	-0 76
	01/18/06				10 16	88 37	0 68
	04/18/06				11 21	87 32	-1 05
	07/11/06				12 50	86 03	-1 29
	10/10/06				12 12	86 41	0 38
	01/16/07				11 21	87 32	0 91
	04/17/07				10 19	88 34	1 02
	07/18/07				11 57	86 96	-1 38
	10/17/07				11 87	86 66	-0 30
	01/16/08				12 77	85 76	-0 90
	04/28/08				11 88	86 65	0 89
	07/15/08				10 91	87 62	0 97
	10/15/08				10 12	88 41	0 79
	01/13/09				9 79	88 74	0 33
	04/06/09				11 08	87 45	-1 29
	07/14/09				12 59	85 94	-1 51
	10/20/09				13 86	84 67	-1 27

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17C (Cont)	01/20/10				12 39	86 14	1 47
	04/20/10				10 53	88 00	1 86
	07/26/10				12 41	86 12	-1 88
	10/19/10				13 68	84 85	-1 27
	01/19/11				12 92	85 61	0 76
	04/05/11				13 78	84 75	-0 86
MW-18	04/02/95	28 00	Protective Casing	98 72	14 77	83 95	
	07/31/95				14 21	84 51	0 56
	10/16/95				14 25	84 47	-0 04
	01/10/96				14 90	83 82	-0 65
	04/09/96				15 05	83 67	-0 15
	07/21/96				15 44	83 28	-0 39
	10/21/96				13 78	84 94	1 66
	11/22/96				13 84	84 88	-0 06
	01/21/97				13 54	85 18	0 30
	04/08/97				13 66	85 06	-0 12
	07/29/97				14 13	84 59	-0 47
	10/16/97				13 34	85 38	0 79
	01/06/98				13 13	85 59	0 21
	04/14/98				12 79	85 93	0 34
	07/17/98				13 75	84 97	-0 96
	10/27/98				13 82	84 90	-0 07
	02/09/99				14 58	84 14	-0 76
	04/21/99				13 58	85 14	1 00
	07/13/99				11 66	87 06	1 92
	10/19/99				13 01	85 71	-1 35
	01/26/00				13 73	84 99	-0 72
	04/18/00				13 65	85 07	0 08
	07/26/00				13 71	85 01	-0 06
	10/19/00				13 03	85 69	0 68
	01/18/01				11 23	87 49	1 80
	04/12/01				11 18	87 54	0 05
	07/19/01				12 43	86 29	-1 25
	10/17/01				12 17	86 55	0 26
	01/12/02				11 44	87 28	0 73
	04/20/02				10 59	88 13	0 85
	07/24/02				12 22	86 50	-1 63
	10/15/02				11 88	86 84	0 34
	01/22/03				12 40	86 32	-0 52
	04/23/04				12 64	86 08	-0 24
	07/16/03				13 79	84 93	-1 15
	10/15/03				12 38	86 34	1 41
	01/28/04				12 52	86 20	-0 14
	04/19/04				10 88	87 84	1 64
	07/16/04				13 03	85 69	-2 15
	10/29/04				10 95	87 77	2 08
	01/14/05				9 55	89 17	1 40
	04/15/05				9 21	89 51	0 34
	07/08/05				11 22	87 50	-2 01
	10/08/05				11 94	86 78	-0 72
	01/19/06				11 57	87 15	0 37
	04/18/06				12 33	86 39	-0 76
	07/11/06				13 82	84 90	-1 49
	10/10/06				13 71	85 01	0 11
	01/16/07				12 85	85 87	0 86
	04/17/07				11 96	86 76	0 89
	07/17/07				13 18	85 54	-1 22
	10/17/07				13 63	85 09	-0 45
	01/16/08				14 17	84 55	-0 54
	04/28/08				13 68	85 04	0 49
	07/15/08				12 97	85 75	0 71
	10/14/08				12 36	86 36	0 61
	01/13/09				11 65	87 07	0 71
	04/06/09				12 07	86 65	-0 42
	07/14/09				13 65	85 07	-1 58
	10/20/09				14 60	84 12	-0 95

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-18 (Cont)	01/20/10				13 49	85 23	1 11
	04/20/10				11 60	87 12	1 89
	07/26/10				13 34	85 38	-1 74
	10/19/10				14 63	84 09	-1 29
	01/19/11				13 89	84 83	0 74
	04/05/11				14 49	84 23	-0 60
MW-19	04/02/95	28 00	Protective Casing	99 08	14 86	84 22	
	07/31/95				14 29	84 79	0 57
	10/16/95				14 39	84 69	-0 10
	01/10/96				14 98	84 10	-0 59
	04/09/96				15 14	83 94	-0 16
	07/21/96				15 62	83 46	-0 48
	10/21/96				14 00	85 08	1 62
	11/22/96				14 03	85 05	-0 03
	01/21/97				13 69	85 39	0 34
	04/08/97				13 76	85 32	-0 07
	07/29/97				14 37	84 71	-0 61
	10/16/97				13 47	85 61	0 90
	01/06/98				13 21	85 87	0 26
	04/14/98				12 90	86 18	0 31
	07/17/98				13 96	85 12	-1 06
	10/27/98				14 11	84 97	-0 15
	02/09/99				14 74	84 34	-0 63
	04/21/99				13 91	85 17	0 83
	07/13/99				11 99	87 09	1 92
	10/19/99				13 35	85 73	-1 36
	01/26/00				13 92	85 16	-0 57
	04/18/00				13 84	85 24	0 08
	07/26/00				14 00	85 08	-0 16
	10/19/00				12 92	86 16	1 08
	01/18/01				10 66	88 42	2 26
	04/12/01				10 75	88 33	-0 09
	07/19/01				12 59	86 49	-1 84
	10/17/01				11 93	87 15	0 66
	01/12/02				10 78	88 30	1 15
	04/20/02				10 70	88 38	0 08
	07/24/02				12 35	86 73	-1 65
	10/15/02				11 82	87 26	0 53
	01/22/03				12 43	86 65	-0 61
	04/23/03				12 73	86 35	-0 30
	07/16/03				13 99	85 09	-1 26
	10/15/03				11 89	87 19	2 10
	01/28/04				12 29	86 79	-0 40
	04/19/04				10 50	88 58	1 79
	07/16/04				12 59	86 49	-2 09
	10/29/04				10 28	88 80	2 31
	01/14/05				9 20	89 88	1 08
	04/15/05				8 85	90 23	0 35
	07/08/05				11 23	87 85	-2 38
	10/08/05				11 90	87 18	-0 67
	01/19/06				11 30	87 78	0 60
	04/18/06				12 27	86 81	-0 97
	07/11/06				13 69	85 39	-1 42
	10/10/06				13 29	85 79	0 40
	01/16/07				12 36	86 72	0 93
	04/17/07				11 28	87 80	1 08
	07/17/07				12 64	86 44	-1 36
	10/17/07				13 00	86 08	-0 36
	01/16/08				13 87	85 21	-0 87
	04/28/08				12 99	86 09	0 88
	07/15/08				11 92	87 16	1 07
	10/14/08				11 12	87 96	0 80
	01/13/09				10 85	88 23	0 27
	04/06/09				11 95	87 13	-1 10
	07/14/09				13 50	85 58	-1 55
	10/20/09				14 65	84 43	-1 15

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-19 (Cont.)	01/20/10				13.30	85.78	1.35
	04/20/10				11.41	87.67	1.89
	07/26/10				13.27	85.81	-1.86
	10/19/10				14.53	84.55	-1.26
	01/19/11				13.78	85.30	0.75
	04/05/11				14.52	84.56	-0.74
MW-20	11/22/96	28.00	Protective Casing	101.09	16.28	84.81	
	01/21/97				16.08	85.01	0.20
	04/08/97				16.04	85.05	0.04
	07/29/97				16.46	84.63	-0.42
	10/16/97				15.76	85.33	0.70
	01/06/98				15.61	85.48	0.15
	04/14/98				15.13	85.96	0.48
	07/17/98				16.15	84.94	-1.02
	10/27/98				16.07	85.02	0.08
	02/09/99				16.94	84.15	-0.87
	04/21/99				15.48	85.61	1.46
	07/13/99				13.50	87.59	1.98
	10/19/99				15.25	85.84	-1.75
	01/26/00				16.08	85.01	-0.83
	04/18/00				15.97	85.12	0.11
	07/26/00				15.84	85.25	0.13
	10/19/00				15.80	85.29	0.04
	01/18/01				14.37	86.72	1.43
	04/12/01				14.16	86.93	0.21
	07/19/01				14.66	86.43	-0.50
	10/17/01				15.07	86.02	-0.41
	01/12/02				14.70	86.39	0.37
	04/20/02				13.54	87.55	1.16
	07/24/02				14.59	86.50	-1.05
	10/15/02				14.42	86.67	0.17
	01/22/03				14.91	86.18	-0.49
	04/23/03				14.87	86.22	0.04
	07/16/03				15.93	85.16	-1.06
	10/15/03				15.69	85.40	0.24
	01/28/04				15.38	85.71	0.31
	04/19/04				14.20	86.89	1.18
	07/16/04				16.25	84.84	-2.05
	10/29/04				14.25	86.84	2.00
	01/14/05				12.57	88.52	1.68
	04/15/05				12.14	88.95	0.43
	07/08/05				13.85	87.24	-1.71
	10/08/05				14.59	86.50	-0.74
	01/18/06				14.40	86.69	0.19
	04/18/06				15.08	86.01	-0.68
	07/11/06				16.73	84.36	-1.65
	10/10/06				16.97	84.12	-0.24
	01/16/07				16.08	85.01	0.89
	04/17/07				15.39	85.70	0.69
	07/17/07				16.68	84.41	-1.29
	10/17/07				17.19	83.90	-0.51
	01/16/08				17.26	83.83	-0.07
	04/28/08				17.21	83.88	0.05
	07/15/08				17.22	83.87	-0.01
	10/14/08				16.49	84.60	0.73
	01/13/09				15.38	85.71	1.11
	04/06/09				15.73	85.36	-0.35
	07/14/09				17.72	83.37	-1.99
	10/20/09				18.48	82.61	-0.76
	01/20/10				17.93	83.16	0.55
	04/20/10				15.82	85.27	2.11
	07/26/10				17.68	83.41	-1.86
	10/19/10				18.91	82.18	-1.23
	01/19/11				17.97	83.12	0.94
	04/05/11				18.44	82.65	-0.47

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-21	11/22/96	25 00	Protective Casing	98 88	14 36	84 52	
	01/21/97				14 26	84 62	0 10
	04/08/97			98 89	14 41	84 48	-0 14
	07/29/97				14 54	84 35	-0 13
	10/16/97				14 18	84 71	0 36
	01/06/98				14 17	84 72	0 01
	04/14/98				13 60	85 29	0 57
	07/17/98				14 21	84 68	-0 61
	10/27/98				14 22	84 67	-0 01
	02/09/99				15 29	83 60	-1 07
	04/21/99				13 94	84 95	1 35
	07/13/99				12 03	86 86	1 91
	10/19/99				13 41	85 48	-1 38
	01/26/00				14 42	84 47	-1 01
	04/18/00				14 21	84 68	0 21
	07/26/00				13 97	84 92	0 24
	10/19/00				13 77	85 12	0 20
	01/18/01				12 62	86 27	1 15
	04/12/01				12 53	86 36	0 09
	07/19/01				12 89	86 00	-0 36
	10/17/01				13 23	85 66	-0 34
	01/12/02				13 10	85 79	0 13
	04/20/02				12 09	86 80	1 01
	07/24/02				12 83	86 06	-0 74
	10/15/02				12 82	86 07	0 01
	01/22/03				13 30	85 59	-0 48
	04/23/03				13 28	85 61	0 02
	07/16/03				14 27	84 62	-0 99
	10/15/03				13 73	85 16	0 54
	01/28/04				13 78	85 11	-0 05
	04/19/04				12 39	86 50	1 39
	07/16/04				14 54	84 35	-2 15
	10/29/04				12 70	86 19	1 84
	01/14/05				11 02	87 87	1 68
	04/15/05				10 62	88 27	0 40
	07/08/05				12 30	86 59	-1 68
	10/08/05				13 00	85 89	-0 70
	01/19/06				12 96	85 93	0 04
	04/18/06				13 50	85 39	-0 54
	07/11/06				14 98	83 91	-1 48
	10/10/06				15 22	83 67	-0 24
	01/16/07				14 52	84 37	0 70
	04/17/07				13 78	85 11	0 74
	07/17/07				14 94	83 95	-1 16
	10/17/07				15 42	83 47	-0 48
	01/16/08				15 71	83 18	-0 29
	04/28/08				15 59	83 30	0 12
	07/15/08				15 50	83 39	0 09
	10/14/08				14 80	84 09	0 70
	01/13/09				13 70	85 19	1 10
	04/06/09				13 91	84 98	-0 21
	07/14/09				15 59	83 30	-1 68
	10/20/09				16 17	82 72	-0 58
	01/20/10				15 42	83 47	0 75
	04/20/10				13 88	85 01	1 54
	07/26/10				15 51	83 38	-1 63
	10/19/10				16 76	82 13	-1 25
	01/19/11				16 07	82 82	0 69
	04/05/11				16 51	82 38	-0 44
MW-22	11/22/96	24 50	Protective Casing	97 16	12 88	84 28	
	01/21/97				12 94	84 22	-0 06
	04/08/97			97 14	13 42	83 72	-0 50
	07/29/97				13 16	83 98	0 26
	10/16/97				13 23	83 91	-0 07
	01/06/98				13 46	83 68	-0 23
	04/14/98				12 80	84 34	0 66

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-22 (Cont.)	07/17/98				12 65	84 49	0 15
	10/27/98				12 90	84 24	-0 25
	02/09/99				14 35	82 79	-1 45
	04/21/99				13 15	83 99	1 20
	07/13/99				11 45	85 69	1 70
	10/19/99				12 22	84 92	-0 77
	01/26/00				13 52	83 62	-1 30
	04/18/00				12 99	84 15	0 53
	07/26/00				12 63	84 51	0 36
	10/19/00				12 10	85 04	0 53
	01/18/01				11 19	85 95	0 91
	04/12/01				11 35	85 79	-0 16
	07/19/01				11 69	85 45	-0 34
	10/17/01				11 77	85 37	-0 08
	01/12/02				12 14	85 00	-0 37
	04/20/02				11 16	85 98	0 98
	07/24/02				11 53	85 61	-0 37
	10/15/02				11 83	85 31	-0 30
	01/22/03				12 36	84 78	-0 53
	04/23/03				12 35	84 79	0 01
	07/16/03				13 14	84 00	-0 79
	10/15/03				11 78	85 36	1 36
	01/28/04				12 74	84 40	-0 96
	04/19/04				11 01	86 13	1 73
	07/16/04				13 09	84 05	-2 08
	10/29/04				11 52	85 62	1 57
	01/14/05				9 97	87 17	1 55
	04/15/05				9 72	87 42	0 25
	07/08/05				11 39	85 75	-1 67
	10/08/05				12 00	85 14	-0 61
	01/19/06				12 15	84 99	-0 15
	04/18/06				12 52	84 62	-0 37
	07/11/06				13 59	83 55	-1 07
	10/10/06				13 72	83 42	-0 13
	01/16/07				13 32	83 82	0 40
	04/17/07				12 39	84 75	0 93
	07/17/07				13 25	83 89	-0 86
	10/17/07				13 61	83 53	-0 36
	01/16/08				14 56	82 58	-0 95
	04/28/08				14 17	82 97	0 39
	07/15/08				14 11	83 03	0 06
	10/14/08				13 12	84 02	0 99
	01/13/09				12 15	84 99	0 97
	04/06/09				12 80	84 34	-0 65
	07/14/09				14 05	83 09	-1 25
	10/20/09				14 24	82 90	-0 19
	01/20/10				14 18	82 96	0 06
	04/20/10				12 85	84 29	1 33
	07/26/10				14 12	83 02	-1 27
	10/19/10				15 35	81 79	-1 23
	01/19/11				15 10	82 04	0 25
	04/05/11				15 55	81 59	-0 45
MW-23	11/22/96	25 00	Protective Casing	97 33	12 72	84 61	
	01/21/97				12 59	84 74	0 13
	04/08/97			97 30	13 07	84 23	-0 51
	07/29/97				13 14	84 16	-0 07
	10/16/97				13 06	84 24	0 08
	01/06/98				13 13	84 17	-0 07
	04/14/98				12 52	84 78	0 61
	07/17/98				12 64	84 66	-0 12
	10/27/98				12 84	84 46	-0 20
	02/09/99				14 16	83 14	-1 32
	04/21/99				13 25	84 05	0 91
	07/13/99				11 55	85 75	1 70
	10/19/99				12 39	84 91	-0 84
	01/26/00				13 33	83 97	-0 94

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-23 (Cont.)	04/18/00				12 81	84 49	0 52
	07/26/00				12 70	84 60	0 11
	10/19/00				11 54	85 76	1 16
	01/18/01				9 86	87 44	1 68
	04/12/01				10 19	87 11	-0 33
	07/19/01				11 54	85 76	-1 35
	10/17/01				11 24	86 06	0 30
	01/12/02				10 72	86 58	0 52
	04/20/02				10 30	87 00	0 42
	07/24/02				11 24	86 06	-0 94
	10/15/02				11 42	85 88	-0 18
	01/22/03				11 89	85 41	-0 47
	04/23/03				12 01	85 29	-0 12
	07/16/03				12 97	84 33	-0 96
	10/15/03				10 96	86 34	2 01
	01/28/04				12 82	84 48	-1 86
	04/19/04				10 06	87 24	2 76
	07/16/04				12 04	85 26	-1 98
	10/29/04				9 97	87 33	2 07
	01/14/05				8 69	88 61	1 28
	04/15/05				8 45	88 85	0 24
	07/08/05				10 89	86 41	-2 44
	10/08/05				11 50	85 80	-0 61
	01/18/06				11 09	86 21	0 41
	04/18/06				11 85	85 45	-0 76
	07/11/06				13 00	84 30	-1 15
	10/10/06				12 68	84 62	0 32
	01/16/07				11 43	85 87	1 25
	04/17/07				10 77	86 53	0 66
	07/17/07				12 06	85 24	-1 29
	10/17/07				12 16	85 14	-0 10
	01/16/08				13 49	83 81	-1 33
	04/28/08				12 56	84 74	0 93
	07/15/08				12 48	84 82	0 08
	10/14/08				10 89	86 41	1 59
	01/13/09				10 19	87 11	0 70
	04/06/09				11 39	85 91	-1 20
	07/14/09				12 73	84 57	-1 34
	10/20/09				13 21	84 09	-0 48
	01/20/10				12 71	84 59	0 50
	04/20/10				11 11	86 19	1 60
	07/26/10				12 73	84 57	-1 62
	10/19/10				13 92	83 38	-1 19
	01/19/11				13 58	83 72	0 34
	04/05/11				14 24	83 06	-0 66
MW-24	11/22/96	27 00	Protective Casing	103 42	17 91	85 51	
	01/21/97				17 56	85 86	0 35
	04/08/97			103 41	17 40	86 01	0 15
	07/29/97				17 72	85 69	-0 32
	10/16/97				16 58	86 83	1 14
	01/06/98				16 01	87 40	0 57
	04/14/98				16 17	87 24	-0 16
	07/17/98				17 49	85 92	-1 32
	10/27/98				17 40	86 01	0 09
	02/09/99				18 09	85 32	-0 69
	04/21/99				16 98	86 43	1 11
	07/13/99				14 88	88 53	2 10
	10/19/99				16 51	86 90	-1 63
	01/26/00				17 27	86 14	-0 76
	04/18/00				17 37	86 04	-0 10
	07/26/00				17 40	86 01	-0 03
	10/19/00				17 61	85 80	-0 21
	01/18/01				15 88	87 53	1 73
	04/12/01				15 42	87 99	0 46
	07/19/01				16 38	87 03	-0 96
	10/17/01				16 64	86 77	-0 26

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-24 (Cont)	01/12/02				15 99	87 42	0 65
	04/20/02				14 81	88 60	1 18
	07/24/02				16 14	87 27	-1 33
	10/15/02				15 75	87 66	0 39
	01/22/03				16 13	87 28	-0 38
	04/23/03				16 53	86 88	-0 40
	07/16/03				17 24	86 17	-0 71
	10/15/03				17 31	86 10	-0 07
	01/28/04				16 57	86 84	0 74
	04/19/04				15 52	87 89	1 05
	07/16/04				17 16	86 25	-1 64
	10/29/04				15 30	88 11	1 86
	01/14/05				13 68	89 73	1 62
	04/15/05				13 25	90 16	0 43
	07/08/05				14 73	88 68	-1 48
	10/08/05				15 60	87 81	-0 87
	01/18/06				15 47	87 94	0 13
	04/18/06				16 12	87 29	-0 65
	07/11/06				17 67	85 74	-1 55
	10/10/06				17 76	85 65	-0 09
	01/16/07				16 88	86 53	0 88
	04/17/07				16 37	87 04	0 51
	07/17/07				17 28	86 13	-0 91
	10/17/07				17 83	85 58	-0 55
	01/16/08				17 78	85 63	0 05
	04/28/08				17 93	85 48	-0 15
	07/15/08				17 98	85 43	-0 05
	10/14/08				17 26	86 15	0 72
	01/13/09				16 29	87 12	0 97
	04/06/09				16 90	86 51	-0 61
	07/14/09				18 99	84 42	-2 09
	10/20/09				19 93	83 48	-0 94
	01/20/10				18 73	84 68	1 20
	04/20/10				17 14	86 27	1 59
	07/26/10				18 80	84 61	-1 66
	10/19/10				19 94	83 47	-1 14
	01/19/11				18 94	84 47	1 00
	04/05/11				19 56	83 85	-0 62
MW-25	04/08/97	25 00	Protective Casing	97 64	14 23	83 41	-
	07/29/97				13 77	83 87	0 46
	10/16/97				13 99	83 65	-0 22
	01/06/98				14 37	83 27	-0 38
	04/14/98				13 65	83 99	0 72
	07/17/98				13 26	84 38	0 39
	10/27/98				13 57	84 07	-0 31
	02/09/99				15 17	82 47	-1 60
	04/21/99				13 75	83 89	1 42
	07/13/99				12 16	85 48	1 59
	10/19/99				12 81	84 83	-0 65
	01/26/00				14 33	83 31	-1 52
	04/18/00				13 69	83 95	0 64
	07/26/00				13 25	84 39	0 44
	10/19/00				12 83	84 81	0 42
	01/18/01				12 26	85 38	0 57
	04/12/01				12 44	85 20	-0 18
	07/19/01				12 36	85 28	0 08
	10/17/01				12 60	85 04	-0 24
	01/12/02				13 26	84 38	-0 66
	04/20/02				12 12	85 52	1 14
	07/24/02				12 28	85 36	-0 16
	10/15/02				12 66	84 98	-0 38
	01/22/03				13 22	84 42	-0 56
	04/23/03				13 10	84 54	0 12
	07/16/03				13 82	83 82	-0 72
	10/15/03				12 72	84 92	1 10
	01/28/04				13 72	83 92	-1 00

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-25 (Cont.)	04/19/04				12 11	85 53	1 61
	07/16/04				14 08	83 56	-1 97
	10/29/04				12 64	85 00	1 44
	01/14/05				11 07	86 57	1 57
	04/15/05				10 75	86 89	0 32
	07/08/05				12 31	85 33	-1 56
	10/08/05				12 82	84 82	-0 51
	01/19/06				13 17	84 47	-0 35
	04/18/06				13 43	84 21	-0 26
	07/11/06				14 40	83 24	-0 97
	10/10/06				14 67	82 97	-0 27
	01/16/07				14 44	83 20	0 23
	04/17/07				13 52	84 12	0 92
	07/17/07				14 23	83 41	-0 71
	10/17/07				14 65	82 99	-0 42
	01/16/08				15 62	82 02	-0 97
	04/28/08				15 33	82 31	0 29
	07/15/08				16 35	81 29	-1 02
	10/14/08				14 41	83 23	1 94
	01/13/09				13 40	84 24	1 01
	04/06/09				14 24	83 40	-0 84
	07/14/09				15 49	82 15	-1 25
	10/20/09				15 43	82 21	0 06
	01/20/10				15 68	81 96	-0 25
	04/20/10				14 64	83 00	1 04
	07/26/10				15 78	81 86	-1 14
	10/19/10				16 97	80 67	-1 19
	01/19/11				16 87	80 77	0 10
	04/05/11				17 19	80 45	-0 32
MW-26	04/08/97	25 00	Protective Casing	96 11	13 06	83 05	-
	07/29/97				12 23	83 88	0 83
	10/16/97				12 75	83 36	-0 52
	01/06/98				13 40	82 71	-0 65
	04/14/98				12 61	83 50	0 79
	07/17/98				11 64	84 47	0 97
	10/27/98				12 16	83 95	-0 52
	02/09/99				14 13	81 98	-1 97
	04/21/99				12 41	83 70	1 72
	07/13/99				11 11	85 00	1 30
	10/19/99				11 40	84 71	-0 29
	01/26/00				13 29	82 82	-1 89
	04/18/00				12 27	83 84	1 02
	07/26/00				11 75	84 36	0 52
	10/19/00				11 30	84 81	0 45
	01/18/01				11 12	84 99	0 18
	04/12/01				11 44	84 67	-0 32
	07/19/01				10 98	85 13	0 46
	10/17/01				11 12	84 99	-0 14
	01/12/02				12 42	83 69	-1 30
	04/20/02				11 04	85 07	1 38
	07/24/02				11 03	85 08	0 01
	10/15/02				11 59	84 52	-0 56
	01/22/03				12 26	83 85	-0 67
	04/23/03				12 01	84 10	0 25
	07/16/03				12 53	83 58	-0 52
	10/15/03				11 19	84 92	1 34
	01/28/04				12 79	83 32	-1 60
	04/19/04				11 08	85 03	1 71
	07/16/04				12 63	83 48	-1 55
	10/29/04				11 64	84 47	0 99
	01/14/05				10 15	85 96	1 49
	04/15/05				9 92	86 19	0 23
	07/08/05				11 35	84 76	-1 43
	10/08/05				11 66	84 45	-0 31
	01/18/06				12 35	83 76	-0 69
	04/18/06				12 48	83 63	-0 13

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-26 (Cont)	07/11/06				13 14	82 97	-0 66
	10/10/06				13 33	82 78	-0 19
	01/16/07				13 44	82 67	-0 11
	04/17/07				12 42	83 69	1 02
	07/17/07				12 79	83 32	-0 37
	10/17/07				13 17	82 94	-0 38
	01/16/08				14 64	81 47	-1 47
	04/28/08				14 26	81 85	0 38
	07/15/08				14 22	81 89	0 04
	10/14/08				13 18	82 93	1 04
	01/13/09				12 25	83 86	0 93
	04/06/09				13 39	82 72	-1 14
	07/14/09				14 29	81 82	-0 90
	10/20/09				13 79	82 32	0 50
	01/20/10				14 75	81 36	-0 96
	04/20/10				13 99	82 12	0 76
	07/26/10				14 80	81 31	-0 81
	10/19/10				15 92	80 19	-1 12
	01/19/11				16 28	79 83	-0 36
	04/05/11				16 58	79 53	-0 30
MW-27	04/08/97	25 00	Protective Casing	96 17	13 06	83 11	-
	07/29/97				12 21	83 96	0 85
	10/16/97				12 79	83 38	-0 58
	01/06/98				13 56	82 61	-0 77
	04/14/98				12 75	83 42	0 81
	07/17/98				11 53	84 64	1 22
	10/27/98				12 09	84 08	-0 56
	02/09/99				14 29	81 88	-2 20
	04/21/99				12 53	83 64	1 76
	07/13/99				11 41	84 76	1 12
	10/19/99				11 48	84 69	-0 07
	01/26/00				13 52	82 65	-2 04
	04/18/00				12 25	83 92	1 27
	07/26/00				11 75	84 42	0 50
	10/19/00				11 06	85 11	0 69
	01/18/01				10 83	85 34	0 23
	04/12/01				11 34	84 83	-0 51
	07/19/01				11 00	85 17	0 34
	10/17/01				11 03	85 14	-0 03
	01/12/02				12 33	83 84	-1 30
	04/20/02				10 85	85 32	1 48
	07/24/02				10 91	85 26	-0 06
	10/15/02				11 64	84 53	-0 73
	01/22/03				12 30	83 87	-0 66
	04/23/03				11 94	84 23	0 36
	07/16/03				12 50	83 67	-0 56
	10/15/03				10 73	85 44	1 77
	01/28/04				12 69	83 48	-1 96
	04/19/04				10 87	85 30	1 82
	07/16/04				12 73	83 44	-1 86
	10/29/04				11 30	84 87	1 43
	01/14/05				9 93	86 24	1 37
	04/15/05				9 73	86 44	0 20
	07/08/05				11 34	84 83	-1 61
	10/08/05				11 51	84 66	-0 17
	01/18/06				12 29	83 88	-0 78
	04/18/06				12 37	83 80	-0 08
	07/11/06				12 84	83 33	-0 47
	10/10/06				12 85	83 32	-0 01
	01/16/07				13 14	83 03	-0 29
	04/17/07				11 94	84 23	1 20
	07/17/07				12 22	83 95	-0 28
	10/17/07				12 48	83 69	-0 26
	01/16/08				14 45	81 72	-1 97
	04/28/08				13 79	82 38	0 66
	07/15/08				13 69	82 48	0 10

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-27 (Cont)	10/14/08				12 39	83 78	1 30
	01/13/09				11 58	84 59	0 81
	04/06/09				12 77	83 40	-1 19
	07/14/09				13 39	82 78	-0 62
	10/20/09				12 74	83 43	0 65
	01/20/10				13 98	82 19	-1 24
	04/20/10				13 12	83 05	0 86
	07/26/10				13 80	82 37	-0 68
	10/19/10				14 90	81 27	-1 10
	01/19/11				15 47	80 70	-0 57
	04/05/11				15 70	80 47	-0 23
MW-28	07/17/98	25 00	Protective Casing	97 93	14 32	83 61	-
	10/27/98				14 43	83 50	-0 11
	02/09/99				15 71	82 22	-1 28
	04/21/99				14 28	83 65	1 43
	07/13/99				12 41	85 52	1 87
	10/19/99				13 48	84 45	-1 07
	01/26/00				14 78	83 15	-1 30
	04/18/00				14 49	83 44	0 29
	07/26/00				13 98	83 95	0 51
	10/19/00				13 92	84 01	0 06
	01/18/01				13 49	84 44	0 43
	04/12/01				13 57	84 36	-0 08
	07/19/01				13 16	84 77	0 41
	10/17/01				13 72	84 21	-0 56
	01/12/02				14 32	83 61	-0 60
	04/20/02				13 27	84 66	1 05
	07/24/02				13 18	84 75	0 09
	10/15/02				13 40	84 53	-0 22
	01/22/03				13 95	83 98	-0 55
	04/23/03				13 79	84 14	0 16
	07/16/03				14 36	83 57	-0 57
	10/15/03				14 20	83 73	0 16
	01/28/04				14 68	83 25	-0 48
	04/19/04				13 63	84 30	1 05
	07/16/04				15 26	82 67	-1 63
	10/29/04				13 87	84 06	1 39
	01/14/05				12 17	85 76	1 70
	04/15/05				11 72	86 21	0 45
	07/08/05				13 04	84 89	-1 32
	10/08/05				13 68	84 25	-0 64
	01/18/06				14 06	83 87	-0 38
	04/18/06				14 36	83 57	-0 30
	07/11/06				15 56	82 37	-1 20
	10/10/06				16 03	81 90	-0 47
	01/16/07				15 80	82 13	0 23
	04/17/07				15 10	82 83	0 70
	07/17/07				15 92	82 01	-0 82
	10/17/07				16 52	81 41	-0 60
	01/16/08				16 92	81 01	-0 40
	04/28/08				16 94	80 99	-0 02
	07/15/08				17 35	80 58	-0 41
	10/14/08				16 66	81 27	0 69
	01/13/09				15 50	82 43	1 16
	04/06/09				16 11	81 82	-0 61
	07/14/09				17 73	80 20	-1 62
	10/20/09				17 85	80 08	-0 12
	01/20/10				17 72	80 21	0 13
	04/20/10				12 92	85 01	4 80
	07/26/10				18 22	79 71	-5 30
	10/19/10				19 36	78 57	-1 14
	01/19/11				19 01	78 92	0 35
	04/05/11				19 26	78 67	-0 25
MW-29	07/17/98	25 00	Protective Casing	97 04	14 07	82 97	-
	10/27/98				14 36	82 68	-0 29

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-29 (Cont.)	02/09/99				15 83	81 21	-1 47
	04/21/99				14 48	82 56	1 35
	07/13/99				12 84	84 20	1 64
	10/19/99				13 35	83 69	-0 51
	01/26/00				14 87	82 17	-1 52
	04/18/00				14 37	82 67	0 50
	07/26/00				13 72	83 32	0 65
	10/19/00				13 61	83 43	0 11
	01/18/01				13 51	83 53	0 10
	04/12/01				13 75	83 29	-0 24
	07/19/01				13 14	83 90	0 61
	10/17/01				13 48	83 56	-0 34
	01/12/02				14 52	82 52	-1 04
	04/20/02				13 58	83 46	0 94
	07/24/02				13 18	83 86	0 40
	10/15/02				13 52	83 52	-0 34
	01/22/03				14 14	82 90	-0 62
	04/23/03				14 00	83 04	0 14
	07/16/03				14 44	82 60	-0 44
	10/15/03				13 93	83 11	0 51
	01/28/04				14 84	82 20	-0 91
	04/19/04				13 72	83 32	1 12
	07/16/04				15 19	81 85	-1 47
	10/29/04				14 13	82 91	1 06
	01/14/05				12 43	84 61	1 70
	04/15/05				11 99	85 05	0 44
	07/08/05				13 20	83 84	-1 21
	10/08/05				13 78	83 26	-0 58
	01/18/06				14 37	82 67	-0 59
	04/18/06				14 56	82 48	-0 19
	07/11/06				15 11	81 93	-0 55
	10/10/06				15 87	81 17	-0 76
	01/16/07				15 98	81 06	-0 11
	04/17/07				15 19	81 85	0 79
	07/17/07				15 76	81 28	-0 57
	10/17/07				16 24	80 80	-0 48
	01/16/08				17 06	79 98	-0 82
	04/28/08				17 00	80 04	0 06
	07/15/08				17 34	79 70	-0 34
	10/14/08				16 63	80 41	0 71
	01/13/09				15 60	81 44	1 03
	04/06/09				16 49	80 55	-0 89
	07/14/09				17 85	79 19	-1 36
	10/20/09				17 61	79 43	0 24
	01/20/10				18 00	79 04	-0 39
	04/20/10				17 52	79 52	0 48
	07/26/10				18 53	78 51	-1 01
	10/19/10				19 64	77 40	-1 11
	01/19/11				19 72	77 32	-0 08
	04/05/11				19 92	77 12	-0 20
MW-30	07/17/98	25 00	Protective Casing	96 58	12 68	83 90	-
	10/27/98				13 12	83 46	-0 44
	02/09/99				14 88	81 70	-1 76
	04/21/99				13 38	83 20	1 50
	07/13/99				11 85	84 73	1 53
	10/19/99				12 28	84 30	-0 43
	01/26/00				14 00	82 58	-1 72
	04/18/00				13 21	83 37	0 79
	07/26/00				12 62	83 96	0 59
	10/19/00				12 32	84 26	0 30
	01/18/01				12 18	84 40	0 14
	04/12/01				12 44	84 14	-0 26
	07/19/01				11 91	84 67	0 53
	10/17/01				12 09	84 49	-0 18
	01/12/02				13 32	83 26	-1 23
	04/20/02				12 15	84 43	1 17

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-30 (Cont)	07/24/02				11 92	84 66	0 23
	10/15/02				12 40	84 18	-0 48
	01/22/03				13 05	83 53	-0 65
	04/23/03				12 84	83 74	0 21
	07/16/03				13 35	83 23	-0 51
	10/15/03				12 40	84 18	0 95
	01/28/04				13 69	82 89	-1 29
	04/19/04				12 14	84 44	1 55
	07/16/04				14 42	82 16	-2 28
	10/29/04				12 77	83 81	1 65
	01/14/05				11 15	85 43	1 62
	04/15/05				10 83	85 75	0 32
	07/08/05				12 13	84 45	-1 30
	10/08/05				12 61	83 97	-0 48
	01/18/06				13 25	83 33	-0 64
	04/18/06				13 35	83 23	-0 10
	07/11/06				14 08	82 50	-0 73
	10/10/06				14 43	82 15	-0 35
	01/16/07				14 56	82 02	-0 13
	04/17/07				13 63	82 95	0 93
	07/17/07				14 04	82 54	-0 41
	10/17/07				14 52	82 06	-0 48
	01/16/08				15 69	80 89	-1 17
	04/28/08				15 47	81 11	0 22
	07/15/08				15 62	80 96	-0 15
	10/14/08				14 69	81 89	0 93
	01/13/09				13 73	82 85	0 96
	04/06/09				16 39	80 19	-2 66
	07/14/09				17 79	78 79	-1 40
	10/20/09				17 34	79 24	0 45
	01/20/10				18 28	78 30	-0 94
	04/20/10				18 08	78 50	0 20
	07/26/10				18 80	77 78	-0 72
	10/19/10				19 91	76 67	-1 11
	01/19/11				20 01	76 57	-0 10
	04/05/11				20 20	76 38	-0 19
MW-31	10/14/08			98 37	13 24	85 13	
	01/13/09				12 32	86 05	0 92
	04/06/09				11 70	86 67	0 62
	07/14/09				13 02	85 35	-1 32
	10/20/09				13 82	84 55	-0 80
	01/20/10				12 84	85 53	0 98
	04/20/10				10 78	87 59	2 06
	07/26/10				12 47	85 90	-1 69
MW-32	01/19/11				13 12	85 25	-0 65
	04/05/11				13 62	84 75	-0 50
	10/19/10			96 51	17 70	78 81	
	01/19/11				18 14	78 37	-0 44
	04/05/11				18 50	78 01	-0 36

NOTES

NM = not measured

* = measured from a temporary benchmark of arbitrary elevation = 100 00 feet
Benchmark is located on the concrete right up against the east shop wall,
at the northeast corner of the shop

** = water level measurement may be in error

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-1	01/26/91	0.033	ND(0.005)	0.029	0.130	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.192	0.000
	09/15/91	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.000
	11/22/91	0.026	ND(0.001)	0.007	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.047	0.000
	03/16/93	0.016	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.000
	01/10/94	0.006	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	04/19/94	0.035	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	07/20/94	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	10/25/94	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/25/95	0.025	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.000
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	08/01/95	0.082	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	0.000
	10/18/95	0.064	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.088	0.000
	01/10/96	0.076	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	0.000
	04/13/96	0.048	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000
	07/21/96	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	0.000
	10/22/96	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/24/97	0.002	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	04/09/97	0.006	0.002	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000
	07/30/97	0.018	0.004	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.000
MW-2	10/17/97	0.026	0.003	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.000
	10/19/99	ND(0.001)	0.002	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	10/19/00	0.001	0.017	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000
	10/18/01	ND(0.001)	0.021	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.000
	10/16/02	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/26/91	0.210	0.590	0.071	1.700	0.048	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	2.571	0.158
	01/26/91	0.190	0.450	0.062	1.300	0.043	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	2.002	0.121
	09/15/91	0.120	0.050	0.006	0.690	0.100	ND(0.005)	0.005	ND(0.005)	0.005	0.023	ND(0.005)	0.150	0.866	0.278		
	11/22/91	0.033	0.001	0.001	0.088	0.110	ND(0.001)	0.007	ND(0.001)	0.007	0.016	ND(0.001)	0.064	0.123	0.197		
	03/16/93	0.019	ND(0.001)	ND(0.001)	ND(0.005)	0.060	ND(0.001)	0.002	ND(0.001)	0.002	0.003	ND(0.001)	0.028	0.019	0.093		
	01/10/94	0.024	ND(0.001)	0.001	ND(0.005)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.079	0.025		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-2 (Cont.) Dup.	04/19/94	0.045	0.004	ND(0.005)	ND(0.005)	ND(0.005)	0.028	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.048	0.049	0.049	0.077
	04/19/94	0.043	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.052	0.048	0.048	0.083
	07/20/94	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.022	0.022	0.047
	10/25/94	0.045	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.037	0.053	0.053	0.068
	01/25/95	0.057	0.022	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.079	0.079	0.103
	04/03/95	0.050	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	0.050	0.050	0.061
	08/01/95	0.032	0.021	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.033	0.053	0.053	0.060
	10/18/95	0.078	0.040	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.088	0.118	0.118	0.105
	10/18/95	0.081	0.045	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.003	0.097	0.126	0.126	0.117
	01/11/96	0.220	0.200	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.260	0.420	0.420	0.270
#	04/13/96	0.095	0.130	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.335	0.335	0.140
	07/21/96	0.092	0.079	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.171	0.171	0.061
	10/22/96	0.014	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.026	0.026	0.018
	01/24/97	0.012	0.018	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.024	0.030	0.030	0.029
	04/09/97	0.015	0.029	ND(0.002)	ND(0.004)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	0.034	0.044	0.044	0.043
	07/30/97	0.010	0.045	ND(0.002)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.050	0.055	0.055	0.061
	10/17/97	0.004	0.024	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.031	0.028	0.028	0.040
	10/28/98	0.002	0.035	ND(0.002)	0.031	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	0.054	0.068	0.068	0.065
	10/28/98	ND(0.005)	0.043	ND(0.005)	ND(0.01)	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	0.061	0.043	0.043	0.073
	04/22/99	0.001	0.026	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.036	0.027	0.027	0.048
Dup.	10/20/99	ND(0.0025)	0.038	0.002	ND(0.005)	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	0.054	0.037	0.037	0.054
	10/20/99	ND(0.005)	0.035	0.002	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	0.002	0.013	0.002	0.002	0.069
	10/19/00	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014	0.000	0.000	0.015
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.016	0.000	0.000	0.018
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.016	0.000	0.000	0.021
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.000	0.000	0.016
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.000	0.006
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.000	0.000	0.009
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.089	0.000	0.000	0.107
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.072	0.000	0.000	0.087
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.009	0.000	0.000	0.011
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	0.000	0.000	0.008
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.005	0.000	0.000	0.006
MW-3	01/26/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000	0.000
	09/15/91	0.200	1.200	14.000	1.200	14.000	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	16.600	16.600	0.330
	11/22/91	0.110	0.680	6.800	0.530	6.800	0.094	0.004	0.190	0.110	0.110	0.150	0.057	8.120	8.120	0.605
	03/16/93	ND(0.001)	1.000	8.600	0.650	8.600	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	10.250	10.250	0.260
Dup.	03/16/93	0.130	0.780	9.000	0.540	9.000	ND(0.001)	ND(0.001)	0.044	0.260	0.260	0.037	0.330	10.450	10.450	0.671

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)
Dup.	07/01/93	0.140	1.000	0.520	9.100	0.140	ND(0.05)	ND(0.05)	ND(0.05)	0.160	ND(0.05)	ND(0.05)	ND(0.05)	10.760	0.300
	01/1/94	0.140	1.000	0.700	11.000	0.190	ND(0.1)	ND(0.1)	ND(0.1)	0.210	ND(0.1)	ND(0.1)	ND(0.1)	12.840	0.400
	04/1/94	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000
	07/20/94	0.092	0.460	0.160	3.000	0.077	0.002	0.036	0.069	0.069	0.064	0.011	0.011	3.712	0.259
	10/25/94	0.130	0.960	0.250	4.200	0.200	ND(0.05)	0.064	ND(0.05)	ND(0.05)	0.130	0.210	0.210	5.540	0.604
	10/25/94	0.110	0.830	0.300	4.700	0.180	ND(0.05)	0.051	ND(0.05)	ND(0.05)	0.100	0.024	0.024	5.940	0.355
Dup.	01/25/95	ND(1)	0.810	ND(1)	7.100	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	7.910	0.000
	04/03/95	0.047	0.450	ND(0.025)	1.300	0.100	ND(0.025)	0.110	ND(0.025)	ND(0.025)	0.150	ND(0.025)	ND(0.025)	1.797	0.360
	04/03/95	0.047	0.450	ND(0.025)	1.200	0.100	ND(0.025)	0.120	ND(0.025)	ND(0.025)	0.150	ND(0.025)	ND(0.025)	1.697	0.370
	08/01/95	0.088	0.950	0.190	6.500	0.230	ND(0.05)	0.089	ND(0.05)	ND(0.05)	0.081	ND(0.05)	ND(0.05)	7.728	0.400
	10/18/95	0.100	1.100	0.240	8.200	0.280	ND(0.05)	0.066	ND(0.05)	0.049	0.089	0.042	0.042	9.640	0.526
	01/1/96	0.054	0.620	0.081	4.990	0.150	ND(0.05)	0.076	ND(0.05)	ND(0.05)	0.100	ND(0.05)	ND(0.05)	5.745	0.326
#	04/13/96	0.039	0.480	ND(0.005)	3.900	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	4.419	0.051
	07/22/96	0.060	0.190	0.056	0.890	0.130	ND(0.005)	0.009	0.009	0.009	0.054	0.014	0.014	1.196	0.216
	10/22/96	ND(0.1)	0.580	ND(0.1)	3.500	0.150	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	4.080	0.150
	01/24/97	0.048	0.269	0.012	0.886	0.077	0.004	0.043	0.043	ND(0.010)	0.070	0.007	0.007	1.215	0.201
	04/09/97	0.034	0.137	ND(0.010)	0.146	0.065	ND(0.010)	0.064	ND(0.010)	ND(0.010)	0.107	0.013	0.013	0.318	0.249
	07/30/97	0.019	0.177	ND(0.010)	0.644	0.057	ND(0.010)	0.043	ND(0.010)	ND(0.010)	0.103	0.035	0.035	0.840	0.238
Dup.	10/17/97	0.044	0.464	0.041	3.300	0.069	ND(0.020)	0.016	ND(0.020)	ND(0.020)	0.018	0.016	0.016	3.849	0.119
	01/07/98	0.042	0.503	0.051	3.720	0.086	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	4.316	0.086
	04/15/98	0.018	0.078	ND(0.020)	0.431	0.055	ND(0.020)	0.044	ND(0.020)	ND(0.020)	0.080	ND(0.020)	ND(0.020)	0.527	0.179
	04/15/98	0.018	0.077	ND(0.020)	0.416	0.052	ND(0.020)	0.044	ND(0.020)	ND(0.020)	0.079	ND(0.020)	ND(0.020)	0.511	0.175
	07/18/98	0.009	0.036	ND(0.005)	0.027	0.050	ND(0.005)	0.052	ND(0.005)	0.083	0.022	0.022	0.022	0.072	0.207
	10/28/98	0.016	0.187	ND(0.020)	1.239	0.053	ND(0.020)	0.029	ND(0.020)	ND(0.020)	0.056	0.029	0.029	1.442	0.167
Dup.	02/09/99	0.016	0.117	0.012	0.763	0.051	0.002	0.036	0.036	ND(0.001)	0.051	0.024	0.024	0.908	0.164
	04/22/99	0.009	0.054	ND(0.0025)	0.084	0.049	ND(0.0025)	0.040	ND(0.0025)	ND(0.0025)	0.061	0.026	0.026	0.147	0.176
	07/13/99	0.038	0.406	0.026	2.147	0.042	ND(0.0025)	0.009	ND(0.0025)	ND(0.0025)	0.005	0.014	0.014	2.617	0.070
	10/20/99	0.013	0.576	0.024	4.460	0.044	ND(0.0025)	0.005	ND(0.0025)	ND(0.0025)	0.007	0.027	0.027	5.073	0.083
	01/26/00	0.013	0.153	ND(0.010)	0.365	0.052	ND(0.010)	0.023	ND(0.010)	ND(0.010)	0.041	0.025	0.025	0.531	0.141
	04/21/00	0.005	0.027	ND(0.0025)	0.024	0.046	ND(0.0025)	0.027	ND(0.0025)	ND(0.0025)	0.046	0.030	0.030	0.056	0.149
Dup.	04/21/00	0.005	0.027	ND(0.0025)	0.021	0.046	ND(0.0025)	0.027	ND(0.0025)	ND(0.0025)	0.046	0.030	0.030	0.053	0.149
	07/27/00	0.019	0.549	0.014	2.720	0.040	ND(0.005)	0.007	ND(0.005)	ND(0.005)	0.009	0.026	0.026	3.302	0.088
	10/19/00	0.003	0.012	ND(0.0025)	0.024	0.031	ND(0.0025)	0.018	ND(0.0025)	ND(0.0025)	0.021	0.020	0.020	0.039	0.095
	01/18/01	0.010	0.020	ND(0.005)	0.016	0.046	ND(0.005)	0.017	ND(0.005)	ND(0.005)	0.022	0.044	0.044	0.046	0.129
	04/12/01	0.013	ND(0.005)	ND(0.005)	0.019	0.050	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.017	0.023	0.023	0.032	0.101
	04/12/01	0.016	0.005	ND(0.005)	0.022	0.019	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.018	0.024	0.024	0.043	0.074
MW-4	07/19/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.042	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.011	0.012	ND(0.01)	0.000	0.065
	01/26/91	0.098	0.011	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.134	0.000
	09/15/91	0.260	ND(0.002)	ND(0.002)	0.015	0.006	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.275	0.006
	11/22/91	0.180	0.100	0.001	0.037	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.318	0.019
	03/16/93	0.072	0.051	ND(0.001)	ND(0.005)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.123	0.001

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)										
*	01/10/94	0.064	0.074	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.138	0.000
	04/19/94	0.074	0.085	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.162	0.000
	07/20/94	0.100	0.053	ND(0.005)	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.158	0.000
	10/25/94	0.140	0.260	ND(0.005)	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.005	0.404	0.005
	01/25/95	0.150	0.400	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.550	0.000
	04/03/95	0.100	0.190	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.290	0.000
	08/01/95	0.069	0.570	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	0.639	0.005	
	10/18/95	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.000	
	01/11/96	ND(0.005)	0.036	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000	
	04/13/96	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000	
Dup. * #	04/13/96	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.000
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MWV-5 MWV-5 (Cont.)	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/26/91	0.014	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.010	0.014	0.017	0.017
	09/15/91	ND(0.001)	0.001	ND(0.001)	ND(0.005)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.001	0.023	0.023
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000	0.023	0.023
	03/16/93	0.078	0.007	ND(0.001)	ND(0.005)	ND(0.005)	0.013	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.026	0.085	0.085	0.043	0.043
	01/10/94	0.025	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.025	0.034	0.034
	04/19/94	0.070	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.015	0.081	0.025	0.025
	07/20/94	0.220	0.041	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.025	0.261	0.040	0.040
	07/20/94	0.320	0.076	ND(0.005)	0.001	0.026	0.026	ND(0.005)	ND(0.005)	0.002	ND(0.005)	0.006	0.039	0.397	0.397	0.073	0.073
Dup.	10/25/94	0.240	0.059	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.002	ND(0.005)	0.008	0.043	0.299	0.299	0.073	0.073

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOTAL		TOTAL		TOTAL		PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)				
Dup.	01/25/95	0.460	0.130	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.002	ND(0.005)	0.018	0.093	0.590	0.136
	04/03/95	0.390	0.087	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.062	0.477	0.077
	08/01/95	0.170	0.082	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.049	0.252	0.080
	10/18/95	0.200	0.093	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.054	0.293	0.086
	01/11/96	0.078	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.025	0.090	0.033
	04/13/96	0.068	0.037	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.132	0.025
	07/21/96	0.092	0.057	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.149	0.025
	10/22/96	0.066	0.023	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.089	0.020
	01/24/97	0.031	0.025	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.019	0.056	0.024
	04/09/97	0.040	0.040	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.028	0.080	0.035
MW-6	07/30/97	0.018	0.044	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.029	0.062	0.034
	10/17/97	0.016	0.048	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.033	0.064	0.038
	10/28/98	0.006	0.009	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.027	0.015	0.033
	10/20/99	0.012	0.008	0.002	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.034	0.022	0.044
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	0.000	0.008
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	0.000	0.006
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.011	0.000	0.014
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.003
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.003
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.002
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	0.170	0.007	ND(0.001)	0.083	0.000	0.267
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.006	ND(0.001)	0.084	ND(0.001)	ND(0.001)	0.043	0.000	0.133
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	0.084	ND(0.001)	ND(0.001)	0.035	0.000	0.104
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	0.098	0.001	ND(0.001)	0.056	0.000	0.162
MW-6	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	0.140	0.002	ND(0.001)	0.120	0.000	0.279
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.070	0.002	ND(0.005)	0.072	0.000	0.157

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)										
MW-6 (Cont.) Dup.	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	0.098	0.110	0.001	ND(0.005)	0.065	0.000	0.000	0.173
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.110	0.110	0.001	ND(0.005)	0.073	0.000	0.000	0.197
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	0.079	0.079	ND(0.005)	ND(0.005)	0.059	0.000	0.000	0.150
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	0.065	0.065	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.134
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.074	0.074	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.137
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.060	0.060	ND(0.005)	ND(0.005)	0.030	0.000	0.000	0.103
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.051	0.051	ND(0.005)	ND(0.005)	0.029	0.000	0.000	0.093
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.042	0.042	ND(0.005)	ND(0.005)	0.022	0.000	0.000	0.075
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	0.047	0.047	ND(0.005)	ND(0.005)	0.021	0.000	0.000	0.080
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.037	0.037	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.064
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.041	0.041	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.070
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.025	0.025	ND(0.001)	ND(0.001)	0.008	0.000	0.000	0.041
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	ND(0.002)	0.025	0.025	ND(0.002)	ND(0.002)	0.009	0.000	0.000	0.044
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.006	ND(0.002)	ND(0.002)	0.016	0.016	ND(0.002)	ND(0.002)	0.008	0.000	0.000	0.030
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	ND(0.002)	0.023	0.023	ND(0.002)	ND(0.002)	0.007	0.000	0.000	0.041
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.007	ND(0.002)	ND(0.002)	0.016	0.016	ND(0.002)	ND(0.002)	0.008	0.000	0.000	0.031
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.024	0.024	ND(0.001)	ND(0.001)	0.010	0.000	0.000	0.044
MW-7 Dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.016	0.016	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.031
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/26/91	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.021	ND(0.001)	ND(0.001)	0.260	0.260	0.010	0.068	0.200	0.006	0.006	0.559
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.038	ND(0.001)	ND(0.001)	0.320	0.320	0.005	0.069	0.270	0.009	0.009	0.702
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.034	ND(0.001)	ND(0.001)	0.310	0.310	0.006	0.069	0.280	0.009	0.009	0.699
	11/22/91	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.025)	0.035	ND(0.005)	ND(0.005)	0.360	0.360	ND(0.005)	0.053	0.310	0.009	0.009	0.758
	03/16/93	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.027	ND(0.001)	ND(0.001)	0.280	0.280	0.002	0.050	0.160	0.007	0.007	0.519
	01/11/94	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.023	ND(0.001)	ND(0.001)	0.210	0.210	0.004	0.046	0.160	0.005	0.005	0.443
	04/19/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	0.120	0.120	0.003	0.038	0.120	0.007	0.007	0.302
	07/20/94	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	ND(0.005)	0.220	0.220	0.003	0.040	0.160	0.006	0.006	0.441
MW-7 (Cont.)	10/25/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	ND(0.005)	0.230	0.230	ND(0.005)	0.050	0.240	0.007	0.007	0.553
	10/25/94	0.006	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	ND(0.025)	0.200	0.200	ND(0.025)	0.045	0.230	0.006	0.006	0.501
	10/25/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	0.210	0.210	0.002	0.041	0.330	0.005	0.005	0.610
	04/03/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	ND(0.005)	0.290	0.290	ND(0.005)	0.038	0.260	0.006	0.006	0.617
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.038	ND(0.005)	ND(0.005)	0.300	0.300	ND(0.005)	0.051	0.250	0.000	0.000	0.639

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
dup.	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.300		0.002	0.045	0.300		0.005	0.671
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.260		ND(0.005)	0.035	0.250		0.006	0.572
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.370		ND(0.005)	0.030	0.280		0.006	0.687
	07/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.280		ND(0.005)	0.026	0.220		0.006	0.555
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.028	ND(0.010)	0.350		ND(0.010)	0.023	0.260		0.000	0.661
	01/24/97	0.005	ND(0.001)	ND(0.001)	ND(0.002)	0.021	0.001	0.244		0.002	0.019	0.203		0.005	0.490
	04/09/97	0.005	ND(0.002)	ND(0.002)	ND(0.004)	0.022	ND(0.002)	0.186		ND(0.002)	0.017	0.148		0.005	0.373
	07/30/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.023	ND(0.010)	0.236		ND(0.010)	0.019	0.255		0.005	0.533
	10/17/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.029	ND(0.010)	0.255		ND(0.010)	0.020	0.153		0.005	0.457
	10/28/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.024	ND(0.010)	0.193		ND(0.010)	0.031	0.251		0.004	0.499
Dup.	04/22/99	0.005	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.255		ND(0.005)	0.043	0.275		0.005	0.607
	10/19/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.184		ND(0.005)	0.045	0.198		0.000	0.461
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.036	ND(0.0025)	0.208	ND(0.0025)	ND(0.0025)	0.034	0.209	ND(0.0025)	0.003	0.487
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.033	ND(0.0025)	0.204	ND(0.0025)	ND(0.0025)	0.032	0.237	ND(0.0025)	0.003	0.506
	10/18/01	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.009	0.170	ND(0.0025)	0.003	0.373
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.025	ND(0.0025)	0.140	ND(0.0025)	ND(0.0025)	0.010	0.120	ND(0.0025)	0.000	0.295
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.018	ND(0.0025)	0.098	ND(0.0025)	0.006	ND(0.0025)	0.074	ND(0.0025)	0.000	0.196
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	0.120	ND(0.001)	0.001	0.264
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.008	0.071	ND(0.001)	0.000	0.185
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.001	0.025	ND(0.001)	0.000	0.058
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.034
Dup.	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.047
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.013
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.005
	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.015		0.004	0.001	0.003		0.005	0.023
	09/15/91	0.007	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	0.101		0.007	0.039	0.050		0.007	0.214
	11/22/91	0.004	ND(0.001)	ND(0.001)	ND(0.005)	0.020	ND(0.001)	0.087		0.003	0.045	0.063		0.004	0.218
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054		0.005	0.006	0.009		0.000	0.078
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054		0.004	0.006	0.006		0.000	0.074
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	0.073		0.004	0.008	0.010		0.000	0.100
Dup.	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.039		0.004	0.004	0.007		0.000	0.058
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.069		0.005	0.006	0.011		0.000	0.095
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.082		ND(0.005)	0.010	0.019		0.000	0.119
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.076		0.006	0.011	0.022		0.000	0.122
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.074		ND(0.005)	0.008	0.017		0.000	0.105
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.110		ND(0.005)	0.023	0.053		0.000	0.201
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.081		0.002	0.015	0.044		0.000	0.151
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069		ND(0.005)	0.006	0.019		0.000	0.094
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.099		ND(0.005)	0.011	0.036		0.000	0.153
MW-8 (Cont.)															

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)											
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.087	ND(0.005)	ND(0.005)	0.010	0.035	0.000	0.000	0.138
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.035	0.089	0.000	0.000	0.296
Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.140	ND(0.005)	ND(0.005)	0.030	0.072	0.000	0.000	0.262
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.001	0.001	0.081	0.002	0.002	0.017	0.018	0.001	0.001	0.138
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.001	0.001	0.088	0.002	0.002	0.014	0.017	0.001	0.001	0.139
	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.015	ND(0.002)	ND(0.002)	0.097	ND(0.002)	ND(0.002)	0.019	0.028	0.001	0.001	0.158
	07/30/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.002)	ND(0.002)	0.105	ND(0.002)	ND(0.002)	0.015	0.048	0.001	0.001	0.180
Dup.	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	ND(0.002)	ND(0.002)	0.106	0.002	0.002	0.015	0.055	0.000	0.000	0.189
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.010	ND(0.002)	ND(0.002)	0.104	ND(0.002)	ND(0.002)	0.010	0.026	0.001	0.001	0.150
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.003	ND(0.005)	ND(0.005)	0.111	ND(0.005)	ND(0.005)	ND(0.005)	0.010	0.000	0.000	0.124
Dup.	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.003	ND(0.01)	ND(0.01)	0.128	ND(0.01)	ND(0.01)	ND(0.01)	0.009	0.000	0.000	0.140
	04/22/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.003	ND(0.0025)	ND(0.0025)	0.152	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.007	0.000	0.000	0.164
	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.006	ND(0.0025)	ND(0.0025)	0.135	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.000	0.000	0.137
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.006	ND(0.0025)	ND(0.0025)	0.104	ND(0.0025)	ND(0.0025)	0.004	0.008	ND(0.0025)	0.000	0.122
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.012	0.018	ND(0.001)	0.000	0.070
	10/16/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.045	0.005	ND(0.001)	0.025	0.041	ND(0.001)	0.001	0.161
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.036	0.004	ND(0.001)	0.015	0.034	ND(0.001)	0.000	0.117
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.039	0.003	ND(0.001)	0.017	0.046	ND(0.001)	0.000	0.132
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.038	0.002	ND(0.001)	0.014	0.038	ND(0.001)	0.000	0.116
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.025	0.003	ND(0.001)	0.015	0.023	ND(0.001)	0.000	0.092
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.024	0.006	ND(0.001)	0.016	0.031	ND(0.001)	0.000	0.106
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.024	0.006	ND(0.001)	0.016	0.028	ND(0.001)	0.000	0.101
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.020	0.005	ND(0.001)	0.014	0.019	ND(0.001)	0.000	0.076
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.019	0.005	ND(0.001)	0.013	0.024	ND(0.001)	0.000	0.082
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.013	0.004	ND(0.001)	0.011	0.011	ND(0.001)	0.000	0.054
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.012	0.005	ND(0.001)	0.010	0.008	ND(0.001)	0.000	0.050
Dup.	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.012	0.005	ND(0.001)	0.010	0.008	ND(0.001)	0.000	0.052
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.014	0.004	ND(0.001)	0.011	0.007	ND(0.001)	0.000	0.054
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.013	0.002	ND(0.001)	0.008	0.005	ND(0.001)	0.000	0.039
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.011	0.002	ND(0.001)	0.007	0.005	ND(0.001)	0.000	0.034
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.010	0.003	ND(0.001)	0.006	0.004	ND(0.001)	0.000	0.037
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.009	0.004	ND(0.001)	0.006	0.004	ND(0.001)	0.000	0.038
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.007	0.002	ND(0.001)	0.004	0.003	ND(0.001)	0.000	0.024
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.007	0.002	ND(0.001)	0.005	0.004	ND(0.001)	0.000	0.025
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.019
04/06/09	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.001	ND(0.001)	0.004	0.003	ND(0.001)	0.000	0.019
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.001	ND(0.001)	0.003	0.002	ND(0.001)	0.000	0.016
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.015
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.012
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.015
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010
																	0.012

MW-8 (Cont.)

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)										
Dup.	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.012
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.010
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.010
MW-9	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.022	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.000	0.025
	09/15/91	0.002	0.032	ND(0.001)	ND(0.005)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	0.037	0.037
	11/22/91	0.004	0.170	ND(0.001)	ND(0.005)	0.029	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.174	0.032	0.032
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.013	0.013
	01/10/94	ND(0.001)	ND(0.001)	0.002	ND(0.005)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.012	0.012
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010	0.010
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.017	0.017
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.014	0.014
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.014	0.014
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.015	0.015
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.022	0.022
	10/18/95	ND(0.005)	0.016	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.017	0.017
	01/10/96	ND(0.005)	0.032	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.032	0.020	0.020
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020	0.020
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.021	0.021
#	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.024	0.024
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.001	0.001	0.001	0.024
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.022	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.001	0.001	0.001	0.027
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.020	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.002)	ND(0.002)	0.001	ND(0.002)	0.000	0.022	0.022
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.020	0.020
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.005	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.005	0.005
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.005	0.005
	10/19/00	ND(0.001)	0.001	ND(0.001)	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.008	0.008
	10/18/01	0.009	0.290	ND(0.001)	0.173	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.001	ND(0.001)	0.003	0.004	ND(0.001)	0.472	0.041
	04/20/02	0.002	0.059	0.003	0.070	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.134	0.024
	07/24/02	0.001	0.034	0.001	0.044	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.009	0.011	ND(0.001)	0.080	0.034
	10/16/02	0.002	0.050	0.002	0.069	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.008	0.010	ND(0.001)	0.123	0.034
	01/23/03	0.001	0.047	0.003	0.072	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.007	0.011	ND(0.001)	0.123	0.035
	04/24/03	0.002	0.120	0.006	0.250	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.005	0.010	ND(0.001)	0.378	0.031
	07/18/03	0.008	0.360	0.028	0.550	0.026	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.008	ND(0.0025)	0.946	0.041
	10/16/03	0.003	0.240	0.015	0.630	0.018	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.012	ND(0.0025)	0.888	0.037
	10/16/03	0.003	0.260	0.015	0.650	0.018	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.011	ND(0.0025)	0.928	0.033
MW-9 (Cont.)	01/29/04	ND(0.0025)	0.110	0.004	0.240	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.013	ND(0.0025)	0.354	0.028
	04/19/04	ND(0.0025)	0.051	ND(0.0025)	0.070	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.012	ND(0.0025)	0.121	0.027
	10/29/04	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	0.002	0.017
Dup.	10/29/04	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.007	0.007	ND(0.001)	0.003	0.019
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.005	ND(0.001)	0.000	0.016
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.005	ND(0.001)	0.002	0.020

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)												
Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.010	0.004	ND(0.001)	0.000	0.021
	10/08/05	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.001	0.004	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	0.014
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.010	0.003	ND(0.001)	0.000	0.022
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.009	0.003	ND(0.001)	0.000	0.020
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.013	0.003	ND(0.001)	0.000	0.025
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.007	0.002	ND(0.001)	0.000	0.019
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.006	0.002	ND(0.001)	0.000	0.016
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.008	0.002	ND(0.001)	0.000	0.016
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.018	0.002	ND(0.001)	0.000	0.025
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.019	0.003	ND(0.001)	0.000	0.027
Dup.	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.018	0.003	ND(0.001)	0.000	0.026
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.017	0.003	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.016	0.002	ND(0.001)	0.000	0.022
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.000	0.015
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.000	0.020
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.000	0.018
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.019	0.001	ND(0.001)	0.000	0.023
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.021	0.001	ND(0.001)	0.000	0.025
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.021	0.001	ND(0.001)	0.000	0.024
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.022	0.001	ND(0.001)	0.000	0.026
Dup.	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.000	0.020
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.011	0.000	ND(0.001)	0.000	0.013
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.000	0.017
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.018
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.018
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.000	0.022
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.000	0.022
	04/06/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.000	0.019
	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.014
MW-10 (Cont.)	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.034
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.026
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.021
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.023
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.056
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.051
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.042
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.062
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.070
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.137
Dup.	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.136
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.063

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
Dup.	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.170
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.170
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.250		ND(0.010)	ND(0.010)	ND(0.010)		0.000	0.250
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.181		0.005	ND(0.001)	ND(0.001)		0.000	0.187
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.001	ND(0.002)	0.158		0.004	ND(0.002)	ND(0.002)		0.000	0.163
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.005)	ND(0.005)	0.156		0.004	ND(0.005)	ND(0.005)		0.000	0.160
	10/17/97	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	ND(0.020)	ND(0.010)	ND(0.010)	0.196		0.004	ND(0.010)	ND(0.010)		0.000	0.200
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	ND(0.020)	ND(0.010)	ND(0.010)	0.111		ND(0.010)	ND(0.010)	ND(0.010)		0.000	0.111
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	0.098		0.001	ND(0.001)	ND(0.001)		0.000	0.099
	10/19/99	ND(0.0025)	ND(0.0025)	0.002	ND(0.005)	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	0.080		ND(0.0025)	ND(0.0025)	ND(0.0025)		0.002	0.080
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.005)	ND(0.005)	0.082		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.082
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.068		ND(0.0025)	ND(0.0025)	ND(0.0025)		0.000	0.068
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.035		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.038
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.035		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.037
	10/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.035		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.037
MW-11	01/26/91	0.010	ND(0.005)	ND(0.005)	ND(0.025)	ND(0.025)	ND(0.025)	0.045	ND(0.005)	0.310		ND(0.005)	0.140	0.360		0.010	0.855
	09/15/91	0.056	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.068	ND(0.001)	0.470		0.017	0.120	0.330		0.056	1.005
	11/22/91	0.048	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	ND(0.001)	0.390		0.018	0.110	0.320		0.048	0.890
	03/16/93	0.005	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	ND(0.001)	0.220		0.004	0.074	0.160		0.005	0.498
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.001)	0.250		ND(0.001)	0.083	0.320		0.005	0.695
	04/19/94	0.009	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.005)	0.170		0.006	0.079	0.170		0.011	0.467
	07/20/94	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.057	ND(0.025)	0.460		0.010	0.120	0.360		0.000	1.007
	10/25/94	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.067	0.001	0.220		ND(0.005)	0.110	0.300		0.009	0.698
	01/25/95	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.240		0.014	0.120	0.360		0.012	0.806
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.410		0.013	0.100	0.430		0.009	1.015
MW-11 (Cont.)	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.360		0.014	0.063	0.330		0.007	0.817
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.310		0.015	0.071	0.340		0.007	0.787
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.043	ND(0.005)	0.270		0.010	0.057	0.330		0.005	0.710
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230		0.011	0.043	0.310		0.000	0.627
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.240		ND(0.005)	0.020	0.230		0.000	0.490
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.005)	0.200		0.008	0.036	0.260		0.000	0.539
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.034	ND(0.010)	0.230		ND(0.010)	0.029	0.260		0.000	0.553
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.001	0.157		0.008	0.026	0.212		0.002	0.433
	04/09/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.033	ND(0.002)	0.128		0.008	0.027	0.180		0.002	0.375

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	XYLENES (mg/L)										
Dup.	07/30/97	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	0.102	ND(0.005)	0.006	0.032	0.170	0.000	0.000	0.342
	10/17/97	0.003	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.048	ND(0.010)	0.142	ND(0.010)	0.005	0.031	0.063	0.003	0.003	0.289
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.054	ND(0.010)	0.145	ND(0.010)	0.005	0.049	0.176	0.004	0.004	0.429
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.061	ND(0.010)	0.155	ND(0.010)	0.006	0.053	0.200	0.004	0.004	0.475
	04/15/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.059	ND(0.010)	0.130	ND(0.010)	ND(0.010)	0.057	0.151	0.000	0.000	0.397
Dup.	07/18/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.071	ND(0.010)	0.120	ND(0.010)	ND(0.010)	0.064	0.143	0.000	0.000	0.398
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.072	ND(0.010)	0.110	ND(0.010)	ND(0.010)	0.065	0.129	0.000	0.000	0.376
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.070	0.001	0.130	0.001	0.002	0.070	0.157	0.004	0.004	0.430
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.083	0.001	0.143	0.001	0.002	0.071	0.149	0.004	0.004	0.449
	04/22/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.090	ND(0.0025)	0.123	ND(0.0025)	ND(0.0025)	0.067	0.117	0.004	0.004	0.397
Dup.	07/13/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.069	ND(0.0025)	0.116	ND(0.0025)	ND(0.0025)	0.058	0.130	0.004	0.004	0.373
	10/19/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.059	ND(0.0025)	0.094	ND(0.0025)	ND(0.0025)	0.047	0.112	0.003	0.003	0.312
	01/26/00	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.068	ND(0.005)	0.121	ND(0.005)	ND(0.005)	0.058	0.127	0.003	0.003	0.374
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.081	ND(0.005)	0.123	ND(0.005)	ND(0.005)	0.065	0.145	0.000	0.000	0.414
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.067	ND(0.005)	0.093	ND(0.005)	0.008	0.054	0.104	ND(0.005)	0.000	0.326
Dup.	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.073	ND(0.005)	0.096	ND(0.005)	0.009	0.055	0.096	ND(0.001)	0.002	0.329
	10/19/00	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.079	ND(0.0025)	0.143	ND(0.0025)	0.003	0.061	0.117	ND(0.0025)	0.004	0.406
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.066	ND(0.005)	ND(0.005)	0.040	0.099	ND(0.005)	0.000	0.277
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.066	ND(0.005)	ND(0.005)	0.040	0.097	ND(0.005)	0.000	0.276
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	ND(0.005)	0.047	ND(0.005)	ND(0.005)	0.038	0.076	ND(0.005)	0.000	0.222
Dup.	07/19/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.068	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.027	0.047	ND(0.001)	0.000	0.179
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.073	ND(0.0025)	0.036	ND(0.0025)	ND(0.0025)	0.037	0.048	ND(0.0025)	0.000	0.194
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.038	ND(0.005)	ND(0.005)	0.036	0.050	ND(0.005)	0.000	0.200
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.069	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.030	0.054	ND(0.001)	0.000	0.192
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.030	ND(0.001)	0.001	0.026	0.043	ND(0.001)	0.001	0.162
MW-11 (Cont.)	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.075	ND(0.0025)	0.029	ND(0.0025)	ND(0.0025)	0.031	0.041	ND(0.0025)	0.000	0.176
Dup.	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.066	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.031	0.044	ND(0.001)	0.001	0.178
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.053	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.030	0.038	ND(0.001)	0.001	0.153
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.140
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.143
	10/15/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.065	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.039	0.034	ND(0.001)	0.002	0.179
Dup.	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.022	0.042	ND(0.001)	0.000	0.141
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.044	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.032	0.029	ND(0.001)	0.000	0.132
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.051	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.031	0.026	ND(0.001)	0.001	0.133
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.027	0.030	ND(0.001)	0.000	0.128
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.021	0.013	ND(0.001)	0.000	0.087
Dup.	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.017
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	0.000	0.039
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.040
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	0.000	0.044
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.036
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.011	ND(0.001)	0.000	0.045

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)										
Dup.	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.007	0.012	ND(0.001)	0.000	0.046
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	0.000	0.042
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.009	0.006	ND(0.001)	0.000	0.033
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	0.000	0.041
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.009	0.009	ND(0.001)	0.000	0.045
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	0.000	0.028
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.006	ND(0.001)	0.000	0.026
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	0.000	0.030
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.007	ND(0.001)	0.000	0.028
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.018
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.014
MW-12	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.000	0.013
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.000	0.012
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.009
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.009
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.011
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.010
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.009
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010
	01/26/91	0.260	0.950	0.230	4.500	0.140	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.057	0.057	0.073	0.042		5.940	0.312
MW-12 (Cont.)	09/15/91	0.150	0.620	0.630	2.200	0.120	ND(0.001)	ND(0.001)	ND(0.001)	0.300	0.110	0.110	0.200	0.061		3.600	0.791
	11/22/91	0.110	0.430	0.034	0.810	0.110	0.002	0.002	0.002	0.240	0.100	0.100	0.260	0.051		1.384	0.763
	03/16/93	0.160	0.800	0.014	1.000	0.120	ND(0.001)	ND(0.001)	ND(0.001)	0.039	0.055	0.055	0.036	0.018		1.974	0.268
	01/10/94	0.160	0.870	0.026	0.990	0.150	ND(0.01)	ND(0.01)	ND(0.01)	0.075	0.053	0.053	0.070	0.024		2.046	0.372
	04/19/94	0.110	0.110	0.049	0.250	0.110	0.002	0.002	0.002	0.064	0.065	0.065	0.073	0.033		0.519	0.347
	07/20/94	0.160	0.720	0.071	0.610	0.150	ND(0.025)	ND(0.025)	ND(0.025)	0.073	0.075	0.075	0.086	0.022		1.561	0.406
	10/25/94	0.096	0.660	ND(0.025)	0.100	0.160	ND(0.025)	ND(0.025)	ND(0.025)	0.085	ND(0.025)	ND(0.025)	0.120	0.015		0.856	0.380
	01/25/95	0.160	0.680	0.089	0.660	0.190	ND(0.005)	ND(0.005)	ND(0.005)	0.120	0.095	0.095	0.076	0.069		1.589	0.550
	01/25/95	0.140	0.850	0.075	0.860	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.090	0.075	0.075	0.062	0.053		1.925	0.430
	04/03/95	0.150	0.790	0.200	1.100	0.160	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.096	0.096	0.043	0.056		2.240	0.465
	08/01/95	0.130	0.700	0.280	1.400	0.170	ND(0.025)	ND(0.025)	ND(0.025)	0.150	0.079	0.079	0.098	0.059		2.510	0.556
	10/18/95	0.140	0.990	0.360	2.030	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.100	0.100	0.100	0.058	0.050		3.520	0.478
#	01/11/96	0.100	0.680	0.180	1.840	0.140	ND(0.005)	ND(0.005)	ND(0.005)	0.097	0.059	0.059	0.060	0.048		2.800	0.404
	04/13/96	0.098	0.620	0.180	0.690	0.150	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	0.023		1.588	0.173
	07/22/96	0.130	0.920	0.310	1.790	0.160	ND(0.005)	ND(0.005)	ND(0.005)	0.087	0.170	0.170	0.045	0.046		3.150	0.508
	10/22/96	ND(0.1)	0.830	0.190	1.800	0.190	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)		2.820	0.190
	01/24/97	0.093	0.822	0.133	1.738	0.162	ND(0.010)	ND(0.010)	ND(0.010)	0.046	0.060	0.060	0.037	0.039		2.786	0.344
	04/09/97	0.086	0.920	0.138	1.869	0.159	ND(0.020)	ND(0.020)	ND(0.020)	0.040	0.051	0.051	0.046	0.039		3.013	0.334

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL		1,1-DCA (mg/L)	1,1-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)								
Dup.	04/09/97	0.079	0.855	0.129	1.837	0.159	ND(0.010)	0.040	0.054	0.047	0.039		2.900	0.339
	07/30/97	0.090	0.969	0.127	2.294	0.136	ND(0.020)	0.035	0.062	0.036	0.043		3.480	0.312
	10/17/97	0.178	1.290	0.853	5.540	0.185	ND(0.050)	0.061	0.186	ND(0.050)	0.045		7.861	0.477
	10/28/98	0.064	1.150	ND(0.1)	0.745	0.141	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)		1.959	0.141
	04/22/99	0.075	1.150	ND(0.025)	0.612	0.171	ND(0.025)	0.031	0.040	0.034	0.034		1.837	0.310
Dup.	04/22/99	0.063	0.953	0.008	0.546	0.140	ND(0.005)	0.017	0.039	0.022	0.017		1.570	0.235
	10/19/99	0.051	1.090	ND(0.025)	0.176	0.207	ND(0.025)	0.017	ND(0.025)	0.027	ND(0.025)		1.317	0.251
	10/19/99	0.049	1.100	ND(0.025)	0.151	0.208	ND(0.025)	0.017	ND(0.025)	0.026	ND(0.025)		1.300	0.251
	10/19/00	0.035	0.863	ND(0.025)	0.107	0.192	ND(0.025)	ND(0.025)	ND(0.025)	0.027	ND(0.025)		1.005	0.219
	10/19/00	0.034	0.835	ND(0.025)	0.103	0.184	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)		0.972	0.184
Dup.	10/18/01	0.019	0.130	ND(0.005)	0.295	0.080	ND(0.005)	0.011	0.018	0.017	0.028		0.444	0.154
	04/20/02	0.029	0.160	ND(0.005)	0.308	0.083	ND(0.005)	0.020	0.024	0.021	0.037		0.497	0.185
	04/20/02	0.027	0.140	ND(0.005)	0.295	0.080	ND(0.005)	0.017	0.022	0.020	0.034		0.462	0.173
	07/24/02	0.043	0.280	ND(0.005)	0.213	0.100	ND(0.005)	0.017	0.021	0.018	0.033		0.536	0.189
	10/16/02	0.018	0.130	ND(0.005)	0.603	0.068	ND(0.005)	0.013	0.011	0.016	0.020		0.751	0.128
Dup.	01/23/03	0.032	0.230	ND(0.005)	0.129	0.110	ND(0.005)	0.013	0.011	0.017	0.032		0.391	0.183
	04/24/03	0.020	0.170	ND(0.025)	0.065	0.070	ND(0.025)	0.005	0.006	0.012	0.023		0.255	0.116
	04/24/03	0.018	0.012	ND(0.001)	0.051	0.068	ND(0.001)	0.005	0.006	0.012	0.021		0.081	0.112
	07/17/03	0.044	0.400	ND(0.0025)	0.270	0.130	ND(0.0025)	0.009	0.009	0.014	0.034		0.714	0.196
	10/16/03	0.003	0.036	ND(0.0025)	0.063	0.046	ND(0.0025)	0.005	ND(0.0025)	0.011	0.018		0.102	0.080
MW-12 (Cont.)	01/29/04	0.024	0.230	ND(0.001)	0.600	0.080	ND(0.001)	0.010	0.005	0.011	0.025		0.854	0.131
	04/19/04	0.020	0.170	ND(0.001)	0.230	0.071	ND(0.001)	0.010	0.002	0.015	0.023		0.420	0.121
	07/16/04	0.043	0.420	ND(0.0025)	0.530	0.130	ND(0.0025)	0.016	0.005	0.020	0.034		0.993	0.205
	10/29/04	0.015	0.140	ND(0.0025)	0.016	0.088	ND(0.0025)	0.010	ND(0.0025)	0.017	0.019		0.171	0.134
	01/14/05	0.029	0.270	ND(0.0025)	0.181	0.110	ND(0.0025)	0.011	ND(0.0025)	0.012	0.024		0.480	0.157
Dup.	04/16/05	0.028	0.280	ND(0.0025)	0.153	0.110	ND(0.0025)	0.004	ND(0.0025)	0.013	0.026		0.461	0.153
	07/08/05	0.039	0.430	ND(0.0025)	0.123	0.120	ND(0.0025)	0.003	ND(0.0025)	0.013	0.044		0.592	0.180
	10/08/05	0.057	0.660	ND(0.0025)	0.349	0.190	ND(0.0025)	0.007	ND(0.0025)	0.014	0.052		1.066	0.263
	01/18/06	0.010	0.094	ND(0.005)	ND(0.005)	0.041	ND(0.005)	0.006	ND(0.005)	0.011	0.016		0.104	0.074
	04/18/06	0.021	0.320	ND(0.0025)	0.176	0.069	ND(0.0025)	0.006	ND(0.0025)	0.010	0.026		0.517	0.110
Dup.	04/18/06	0.014	0.210	ND(0.001)	0.109	0.047	ND(0.001)	0.006	ND(0.001)	0.009	0.022		0.333	0.084
	07/11/06	0.030	0.470	ND(0.0025)	0.284	0.096	ND(0.0025)	0.009	ND(0.0025)	0.010	0.031		0.784	0.145
	10/10/06	0.028	0.400	ND(0.0025)	0.180	0.094	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.028		0.608	0.131
	01/16/07	0.028	0.320	ND(0.0025)	0.077	0.086	ND(0.0025)	0.010	0.003	0.015	0.033		0.425	0.146
	04/17/07	0.019	0.240	ND(0.0025)	0.110	0.068	ND(0.0025)	0.006	ND(0.0025)	0.014	0.026		0.369	0.114
Dup.	07/17/07	0.010	0.130	ND(0.001)	0.067	0.059	ND(0.001)	0.008	ND(0.001)	0.012	0.017		0.207	0.099
	10/17/07	0.016	0.220	ND(0.001)	0.079	0.060	ND(0.001)	0.007	ND(0.001)	0.010	0.020		0.315	0.106
	10/17/07	0.013	0.170	ND(0.0025)	0.062	0.047	ND(0.0025)	0.005	ND(0.0025)	0.008	0.015		0.245	0.083
	01/16/08	0.029	0.400	ND(0.001)	0.150	0.095	ND(0.001)	0.008	ND(0.001)	0.012	0.029		0.579	0.169
	04/28/08	0.022	ND(0.001)	ND(0.001)	0.180	0.088	ND(0.001)	0.002	ND(0.001)	0.011	0.050		0.202	0.212
Dup.	07/15/08	0.004	0.120	ND(0.001)	0.027	0.023	ND(0.001)	0.003	ND(0.001)	0.009	0.014		0.151	0.058
	10/14/08	0.003	0.110	ND(0.001)	0.018	0.024	ND(0.001)	0.004	ND(0.001)	0.012	0.014		0.131	0.066

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)	TOTAL	
Dup.	01/13/09	0.017	0.280	ND(0.001)	0.085	0.046	ND(0.001)	0.006	0.059	ND(0.001)	0.010	0.023	ND(0.001)	0.382	0.143		
	04/06/09	0.025	0.350	ND(0.004)	0.120	0.083	ND(0.004)	0.007	0.100	ND(0.004)	0.010	0.021	ND(0.004)	0.495	0.221		
	07/14/09	0.031	0.520	ND(0.0025)	0.160	0.094	ND(0.0025)	0.008	0.170	ND(0.0025)	0.008	0.014	ND(0.0025)	0.711	0.294		
	10/21/09	0.027	0.430	ND(0.002)	0.040	0.079	ND(0.002)	0.007	0.210	ND(0.002)	0.009	0.010	ND(0.002)	0.497	0.315		
	01/20/10	0.016	0.190	ND(0.001)	0.015	0.053	ND(0.001)	0.005	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.221	0.249		
	01/20/10	0.013	0.150	ND(0.001)	0.014	0.045	ND(0.001)	0.004	0.130	ND(0.001)	0.007	0.005	ND(0.001)	0.177	0.191		
	04/20/10	0.018	0.280	ND(0.001)	0.064	0.048	ND(0.001)	0.004	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.362	0.243		
	07/26/10	0.036	0.520	ND(0.001)	0.250	0.094	ND(0.001)	0.010	0.170	ND(0.001)	0.007	0.007	ND(0.001)	0.806	0.288		
MW-13	10/19/10	0.029	0.450	ND(0.002)	0.150	0.091	ND(0.002)	0.008	0.160	ND(0.002)	0.006	0.006	ND(0.002)	0.629	0.271		
	01/20/11	0.017	0.250	ND(0.001)	0.077	0.054	ND(0.001)	0.005	0.100	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.344	0.162		
	04/06/11	0.020	0.200	ND(0.001)	0.052	0.061	ND(0.001)	0.005	0.140	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.272	0.210		
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.030	0.002	0.038	0.005	0.004	0.004	0.240	0.000	0.000	0.319		
	11/22/91	0.430	ND(0.001)	ND(0.001)	ND(0.005)	0.016	0.001	0.025	0.002	0.002	0.002	0.110	0.430	0.156	0.156		
	03/16/93	0.033	ND(0.001)	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.014	ND(0.001)	0.014	0.002	0.062	0.033	0.033	0.091	0.091	
	03/16/93	0.034	ND(0.001)	ND(0.001)	ND(0.005)	0.013	0.001	0.015	ND(0.001)	0.015	0.002	0.066	0.034	0.034	0.097	0.097	
	01/1/094	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.016	ND(0.001)	0.007	ND(0.001)	0.007	0.003	0.055	0.022	0.022	0.081	0.081	
MW-13 (Cont.)	04/19/94	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.001	0.003	ND(0.005)	0.003	0.003	0.032	0.013	0.013	0.050	0.050	
	07/20/94	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.001	0.005	ND(0.005)	0.004	0.004	0.034	0.016	0.016	0.060	0.060	
	10/25/94	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.004	ND(0.005)	0.004	0.004	0.040	0.011	0.011	0.061	0.061	
	01/22/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.002	ND(0.005)	0.005	0.005	0.029	0.008	0.008	0.051	0.051	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.000	0.035	0.035	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.025	0.000	0.000	0.049	0.049	
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.020	0.003	0.003	0.043	0.043	
	01/1/196	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.000	0.000	0.031	0.031	
Dup.	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.000	0.000	0.011	0.011	
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.013	0.000	0.000	0.029	0.029	
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.010	0.000	0.000	0.023	0.023	
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	0.001	0.001	ND(0.001)	0.001	0.003	0.003	0.001	0.001	0.013	0.013	
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.001	ND(0.001)	0.001	0.005	0.005	0.001	0.001	0.015	0.015	
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	ND(0.001)	0.001	0.006	0.005	0.002	0.002	0.017	0.017	
	07/30/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.001	0.020	0.020	
	10/17/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.001	0.001	0.018	0.018	
Dup.	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.007	0.000	0.000	0.016	0.016	
	01/07/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.011	0.001	0.001	0.023	0.023	
	04/15/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.001	0.019	0.019	
	07/18/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.016	0.001	0.001	0.031	0.031	
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.015	0.001	0.001	0.027	0.027	
	02/09/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.001	ND(0.001)	0.001	0.019	0.026	0.002	0.002	0.053	0.053	
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.009	0.000	0.000	0.020	0.020	
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.008	0.000	0.000	0.017	0.017	
10/20/99	ND(0.001)	ND(0.001)	0.001	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.005	0.001	0.001	0.014	0.014		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
Dup.	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.008		0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.007		0.000	0.014
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.008	ND(0.001)	0.000	0.015
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.010
	07/19/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.003	ND(0.002)	0.000	0.006
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.007
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
Dup.	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.009
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.009
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.009
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.010
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.011
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
MW-13 (Cont.)	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.007
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.008
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
Dup.	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.005
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.003
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.002
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.000
	01/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.000
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.001
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.001

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MWL-14	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.002
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/06/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.000	0.004
	09/15/91	0.022	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.005)	0.130	0.002	0.300	0.002	0.014	0.002	0.460	0.022	0.000	0.908
	11/22/91	0.002	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.005)	0.140	0.002	0.310	0.002	0.009	0.002	0.400	0.002	0.000	0.863
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.005)	0.110	0.002	0.320	0.002	0.010	ND(0.001)	0.440	0.000	0.000	0.882
	03/16/93	0.020	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.005)	0.080	0.001	0.180	0.001	0.004	0.002	0.210	0.020	0.000	0.477
MWL-14 (Cont.)	01/1/94	0.011	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.005)	0.057	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.002	0.300	0.011	0.005	0.459
	04/1/94	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.056	ND(0.005)	ND(0.025)	0.160	0.210	0.005	0.005	0.275
	07/20/94	0.010	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.072	ND(0.025)	0.110	ND(0.025)	ND(0.025)	0.210	0.010	0.010	0.010	0.392
	10/25/94	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.001	0.094	ND(0.005)	ND(0.005)	0.230	0.010	0.010	0.010	0.404
	01/25/95	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	ND(0.005)	0.070	ND(0.005)	ND(0.005)	0.022	0.004	0.004	0.004	0.175
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	0.058	ND(0.005)	ND(0.005)	0.130	0.000	0.000	0.000	0.251
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.074	ND(0.005)	0.072	ND(0.005)	ND(0.005)	0.098	0.000	0.000	0.000	0.244
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.044	ND(0.005)	ND(0.005)	0.087	0.000	0.000	0.000	0.193
	01/1/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.038	ND(0.005)	ND(0.005)	0.061	0.000	0.000	0.000	0.150
	01/1/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.053	ND(0.005)	0.040	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.000	0.157
	04/1/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.045	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.000	0.153
Dup.	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	ND(0.005)	0.037	ND(0.005)	ND(0.005)	0.055	0.000	0.000	0.000	0.140
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	ND(0.005)	0.043	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.000	0.159
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.062	0.000	0.000	0.000	0.167
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.040	0.001	0.023	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.001	0.078
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.045	0.001	0.027	ND(0.001)	ND(0.001)	0.010	0.001	0.001	0.001	0.083
	04/09/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.010)	0.039	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.024	0.000	0.000	0.000	0.086
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.010)	0.036	ND(0.005)	0.021	ND(0.005)	ND(0.005)	0.043	0.000	0.000	0.000	0.100
	10/17/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.010)	0.039	ND(0.005)	0.019	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.000	0.106
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.010)	0.045	ND(0.005)	0.019	ND(0.005)	ND(0.005)	0.074	0.000	0.000	0.000	0.138
	10/20/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	ND(0.0025)	0.002	0.054	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	0.080	0.002	0.002	0.002	0.153
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.005)	0.041	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	ND(0.0025)	0.000	0.080
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.009
Dup.	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.009
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)										
MW-15	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	09/15/91	0.002	0.010	ND(0.001)	0.006	0.026	0.001	0.001	0.001	0.005	0.005	ND(0.001)	ND(0.001)	0.004	0.018	0.036	0.036
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.033	0.001	0.001	0.009	0.009	0.009	ND(0.001)	0.003	0.006	0.000	0.052	0.052
	03/16/93	0.001	0.002	ND(0.001)	ND(0.005)	0.082	0.001	0.001	0.013	0.013	0.013	ND(0.001)	0.006	0.009	0.003	0.111	0.111
	01/1/094	ND(0.001)	0.008	ND(0.001)	ND(0.005)	0.048	ND(0.001)	ND(0.001)	0.009	0.009	0.009	ND(0.001)	0.004	0.013	0.008	0.074	0.074
	01/1/094	0.001	0.009	0.002	ND(0.005)	0.054	ND(0.001)	ND(0.001)	0.010	0.010	0.010	ND(0.001)	0.004	0.015	0.012	0.083	0.083
	04/1/994	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	0.005	0.005	0.005	ND(0.005)	0.003	0.008	0.000	0.043	0.043
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	0.001	0.001	0.006	0.006	0.006	ND(0.005)	0.004	0.005	0.000	0.065	0.065
Dup.	10/25/94	0.001	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	ND(0.005)	0.006	0.006	0.006	ND(0.005)	0.004	0.006	0.001	0.045	0.045
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	0.006	0.006	0.006	ND(0.005)	0.005	0.008	0.000	0.046	0.046
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020	0.020
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	0.006	0.006	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.028	0.028
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.001	0.001	0.001	ND(0.005)	0.004	0.002	0.000	0.022	0.022
	01/1/096	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.003	0.003	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.016	0.016
	04/1/396	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.009	0.009
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.011	0.011
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010	0.010
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010	0.010
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.001	0.001	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014	0.014
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.001	0.001	0.002	0.002	0.002	ND(0.001)	0.001	ND(0.001)	0.001	0.016	0.016
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.006	0.006
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.001	0.001	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015	0.015
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014	0.014
	10/20/99	0.002	0.004	0.003	0.147	0.040	ND(0.001)	ND(0.001)	0.005	0.005	0.005	ND(0.001)	0.002	0.002	0.156	0.049	0.049
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.014	ND(0.001)	ND(0.001)	0.003	0.003	0.002	ND(0.001)	0.005	0.001	ND(0.001)	0.000	0.025
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.001	0.001	ND(0.001)	0.011	0.016	ND(0.001)	0.000	0.031
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.002	0.002	ND(0.001)	0.026	0.013	ND(0.001)	0.000	0.046
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.002	0.002	ND(0.001)	0.029	0.013	ND(0.001)	0.000	0.049
Dup.	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.015	ND(0.001)	0.000	0.034
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.014	ND(0.001)	0.000	0.039
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.014	ND(0.001)	0.000	0.036
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.016	ND(0.001)	0.000	0.034
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.018	ND(0.001)	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.010	ND(0.001)	0.000	0.031
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.008	ND(0.001)	0.000	0.027
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.001	0.001	ND(0.001)	0.052	0.002	ND(0.001)	0.000	0.059
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.003	ND(0.001)	0.000	0.038
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.003	ND(0.001)	0.000	0.026
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.000	0.030

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.000	0.026
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.017	0.002	ND(0.001)	0.000	0.020
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.026	0.004	ND(0.001)	0.000	0.033
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.039	0.002	ND(0.001)	0.000	0.043
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.036	0.002	ND(0.001)	0.000	0.040
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.030	0.004	ND(0.001)	0.000	0.036
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.039	0.002	ND(0.001)	0.000	0.044
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.040	0.002	ND(0.001)	0.000	0.046
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.006	ND(0.001)	0.000	0.021
Dup.	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	0.008	ND(0.001)	0.000	0.041
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.042	0.003	ND(0.001)	0.000	0.045
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.003	ND(0.001)	0.000	0.041
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.000	0.053
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.000	0.052
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.000	0.043
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.030	0.001	ND(0.001)	0.000	0.035
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.036	0.002	ND(0.001)	0.000	0.041
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.050	0.003	ND(0.001)	0.000	0.058
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.041	0.003	ND(0.001)	0.012	0.052
MW-15 (Cont.)	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.000	0.035
	04/06/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.000	0.030
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.018	0.012	0.012	0.019	0.014	0.000	0.000	0.125
	08/01/95	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.095	ND(0.005)	0.058	0.020	0.020	0.052	0.028	0.013	0.000	0.253
	10/18/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.067	ND(0.005)	0.044	0.015	0.015	0.047	0.054	0.007	0.007	0.227
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	0.036	0.012	0.012	0.046	0.043	0.006	0.006	0.203
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.032	0.009	0.009	0.036	0.039	0.006	0.006	0.166
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.064	ND(0.005)	0.046	0.009	0.009	0.049	0.032	0.000	0.000	0.200
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	0.053	0.009	0.009	0.060	0.037	0.000	0.000	0.236
	10/22/96	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	0.041	ND(0.005)	ND(0.005)	0.059	0.033	0.007	0.007	0.199
#	01/24/97	0.004	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.052	0.001	0.023	0.004	0.004	0.039	0.022	0.004	0.004	0.141
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.030	ND(0.001)	0.020	0.003	0.003	0.026	0.022	0.003	0.003	0.101
	07/30/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.029	ND(0.002)	0.013	0.002	0.002	0.028	0.018	0.003	0.003	0.090
	10/17/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.056	ND(0.002)	0.015	0.001	0.001	0.038	0.011	0.004	0.004	0.121
	10/28/98	0.006	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	ND(0.01)	0.050	ND(0.005)	0.009	ND(0.005)	ND(0.005)	0.045	0.012	0.006	0.006	0.116
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.091	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.038	0.012	0.005	0.005	0.151
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.084	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.035	0.017	ND(0.0025)	0.000	0.146
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.059	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	0.024	0.029	ND(0.0025)	0.000	0.131
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.012	0.026	ND(0.001)	0.000	0.090
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.054	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.014	0.016	ND(0.001)	0.000	0.097
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.053

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-17A	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.006	0.010	ND(0.001)	0.000	0.043
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.005	ND(0.001)	0.000	0.035
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.018
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.009
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.018
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.003	0.002	ND(0.001)	0.000	0.016
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	0.061	ND(0.005)	0.029	0.025	0.066	0.009	0.009	0.260
	08/01/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.085	ND(0.005)	0.075	ND(0.005)	0.025	0.037	0.064	0.010	0.010	0.266
	10/18/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.059	ND(0.005)	0.019	0.041	0.090	0.009	0.009	0.282
	10/18/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.078	ND(0.005)	0.059	ND(0.005)	0.019	0.042	0.086	0.010	0.010	0.284
MW-17A (Cont.)	04/11/96	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	0.068	ND(0.005)	0.019	0.042	0.076	0.009	0.009	0.282
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.075	ND(0.005)	0.069	ND(0.005)	ND(0.005)	0.043	0.065	0.006	0.006	0.252
	07/22/96	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.069	ND(0.005)	0.012	0.051	0.077	0.008	0.008	0.285
	10/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	0.058	ND(0.005)	ND(0.005)	0.050	0.054	0.006	0.006	0.231
	01/24/97	0.006	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	0.058	ND(0.001)	0.044	ND(0.001)	0.007	0.045	0.049	0.007	0.007	0.203
	04/09/97	0.007	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.065	0.001	0.051	0.051	0.008	0.051	0.051	0.007	0.007	0.226
	07/30/97	0.004	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.010)	0.051	ND(0.005)	0.045	ND(0.005)	0.004	0.045	0.062	0.004	0.004	0.207
	10/17/97	0.006	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.010)	0.079	ND(0.005)	0.050	ND(0.005)	0.003	0.052	0.053	0.006	0.006	0.237
	10/28/98	0.009	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.010)	0.075	ND(0.005)	0.018	ND(0.005)	ND(0.005)	0.044	0.033	0.009	0.009	0.170
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.005)	0.134	ND(0.0025)	0.018	ND(0.0025)	ND(0.0025)	0.032	0.030	0.005	0.005	0.214
Dup.	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.005)	0.144	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.038	0.035	ND(0.0025)	0.000	0.243
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.079	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.026	0.044	ND(0.0025)	0.000	0.177
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.007	0.031	ND(0.001)	0.000	0.088
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.007	0.025	ND(0.001)	0.000	0.085
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.005	0.014	ND(0.001)	0.000	0.053
	10/08/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.021
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.013
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.009
MW-17B	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.009
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.010
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	0.180	ND(0.005)	0.019	ND(0.005)	0.180	0.000	0.000	0.415
	08/01/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	ND(0.005)	0.190	ND(0.005)	0.020	0.026	0.180	0.006	0.006	0.456
	08/01/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.250	ND(0.005)	0.023	0.030	0.320	0.008	0.008	0.672
	10/18/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.210	ND(0.005)	0.024	0.034	0.370	0.006	0.006	0.684
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.005)	0.170	ND(0.005)	0.014	0.022	0.190	0.000	0.000	0.430
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.160	ND(0.005)	ND(0.005)	0.013	0.270	0.000	0.000	0.473
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.016	0.250	0.000	0.000	0.446
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150	ND(0.005)	0.015	0.016	0.280	0.000	0.000	0.491

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)										
MW-17B (Cont.)	10/22/96	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.038	ND(0.01)	ND(0.01)	0.190	ND(0.01)	ND(0.01)	0.030	0.250		0.000	0.508
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.038	0.001	0.110	0.110	0.008	0.008	0.019	0.070		0.002	0.246
	04/09/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.035	0.001	0.115	0.115	0.005	0.005	0.021	0.132		0.004	0.310
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.026	ND(0.005)	0.080	0.080	0.004	0.004	0.017	0.141		0.000	0.268
	10/17/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.053	ND(0.01)	0.103	0.103	ND(0.01)	ND(0.01)	0.027	0.149		0.000	0.332
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.073	ND(0.01)	0.072	0.072	ND(0.01)	ND(0.01)	0.045	0.178		0.000	0.368
	10/19/99	0.005	0.012	ND(0.0025)	ND(0.005)	ND(0.005)	0.143	ND(0.0025)	0.053	0.053	0.005	0.005	0.051	0.059		0.017	0.311
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.047	ND(0.005)	0.043	0.043	ND(0.005)	ND(0.005)	0.017	0.093	ND(0.005)	0.000	0.200
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.035	ND(0.0025)	0.031	0.031	ND(0.0025)	ND(0.0025)	0.005	0.055	ND(0.0025)	0.000	0.126
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.012	0.012	ND(0.001)	ND(0.001)	0.001	0.017	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.008	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.000	0.040
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.015
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.007
MW-17C *	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/03/95	0.032	0.060	0.005	0.054	0.058	0.058	ND(0.005)	0.099	0.099	ND(0.005)	ND(0.005)	0.091	0.013		0.151	0.261
	04/03/95	0.034	0.057	ND(0.005)	0.045	0.063	0.063	ND(0.005)	0.110	0.110	ND(0.005)	ND(0.005)	0.095	0.017		0.136	0.285
	08/01/95	0.022	0.047	ND(0.005)	ND(0.005)	0.073	0.073	ND(0.005)	0.140	0.140	ND(0.005)	ND(0.005)	0.120	0.012		0.069	0.345
	10/18/95	0.019	0.026	ND(0.005)	ND(0.005)	0.063	0.063	0.003	0.120	0.120	ND(0.005)	ND(0.005)	0.140	0.024		0.045	0.350
	01/11/96	0.020	0.035	ND(0.005)	ND(0.005)	0.058	0.058	ND(0.005)	0.120	0.120	ND(0.005)	ND(0.005)	0.120	0.015		0.055	0.313
#	04/13/96	0.011	0.009	ND(0.005)	ND(0.005)	0.057	0.057	ND(0.005)	0.130	0.130	ND(0.005)	ND(0.005)	0.100	0.013		0.020	0.300
	07/22/96	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.058	0.058	ND(0.005)	0.130	0.130	ND(0.005)	ND(0.005)	0.120	0.014		0.016	0.322
	10/22/96	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.045	0.045	ND(0.005)	0.120	0.120	ND(0.005)	ND(0.005)	0.100	0.012		0.015	0.277
	01/24/97	0.009	ND(0.001)	ND(0.001)	ND(0.002)	0.051	0.051	0.003	0.099	0.099	ND(0.001)	ND(0.001)	0.078	0.005		0.009	0.236
	04/09/97	0.011	ND(0.002)	ND(0.002)	ND(0.004)	0.049	0.049	0.002	0.105	0.105	ND(0.002)	ND(0.002)	0.100	0.008		0.011	0.265
	07/30/97	0.010	ND(0.005)	ND(0.005)	ND(0.010)	0.043	0.043	0.003	0.093	0.093	ND(0.005)	ND(0.005)	0.097	0.010		0.010	0.246
	10/17/97	0.031	ND(0.01)	ND(0.01)	ND(0.02)	0.066	0.066	0.003	0.115	0.115	ND(0.01)	ND(0.01)	0.086	0.013		0.031	0.283
	10/28/98	0.011	ND(0.01)	ND(0.01)	ND(0.02)	0.050	0.050	ND(0.01)	0.105	0.105	ND(0.01)	ND(0.01)	0.110	0.018		0.011	0.283
	10/19/99	0.023	ND(0.0025)	0.002	ND(0.005)	0.080	0.080	0.003	0.160	0.160	ND(0.0025)	ND(0.0025)	0.119	0.040		0.025	0.402
	10/19/00	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	0.041	ND(0.0025)	0.073	0.073	0.010	ND(0.0025)	0.071	0.007	ND(0.0025)	0.005	0.202
Dup.	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	0.012	ND(0.0025)	0.024	0.024	ND(0.0025)	ND(0.0025)	0.020	0.007	ND(0.0025)	0.000	0.063
	10/18/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.013	ND(0.001)	0.023	0.023	0.002	ND(0.001)	0.019	0.006	ND(0.001)	0.001	0.063
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.011	ND(0.001)	0.018	0.018	0.001	ND(0.001)	0.012	0.004	ND(0.001)	0.000	0.046
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.008	ND(0.001)	0.013	0.013	ND(0.001)	ND(0.001)	0.009	0.005	ND(0.001)	0.000	0.035
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.008	0.008	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.019
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.006	0.006	ND(0.001)	ND(0.001)	0.004	0.002	ND(0.001)	0.000	0.017
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-18	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.003
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	0.093	ND(0.005)	ND(0.005)	0.034	0.071	0.000	0.000	0.215
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.039	0.087	0.000	0.000	0.320
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.042	0.130	0.003	0.003	0.340
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	0.130	ND(0.005)	ND(0.005)	0.037	0.097	0.000	0.000	0.281
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.034	0.120	0.000	0.000	0.340
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.043	0.110	0.000	0.000	0.371
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.043	0.120	0.000	0.000	0.333
MW-18 (Cont.) Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.190	ND(0.005)	ND(0.005)	0.042	0.120	0.000	0.000	0.372
	01/24/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.024	0.001	0.180	0.002	0.002	0.047	0.097	0.003	0.003	0.351
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.001	0.155	0.002	0.002	0.044	0.116	0.003	0.003	0.340
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	0.140	0.001	0.001	0.044	0.121	0.002	0.002	0.326
	10/17/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.028	ND(0.001)	0.157	ND(0.001)	ND(0.001)	0.044	0.071	0.002	0.002	0.300
	01/07/98	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.029	ND(0.001)	0.163	ND(0.001)	ND(0.001)	0.054	0.133	0.002	0.002	0.379
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.029	ND(0.001)	0.155	ND(0.001)	ND(0.001)	0.053	0.145	0.000	0.000	0.382
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.030	ND(0.001)	0.146	ND(0.001)	ND(0.001)	0.052	0.151	0.000	0.000	0.379
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.028	ND(0.001)	0.142	ND(0.001)	ND(0.001)	0.052	0.149	0.000	0.000	0.371
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.143	ND(0.005)	ND(0.005)	0.052	0.148	0.000	0.000	0.373
Dup.	04/22/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.031	ND(0.0025)	0.135	ND(0.0025)	ND(0.0025)	0.045	0.121	0.002	0.002	0.332
	07/14/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.028	ND(0.0025)	0.127	ND(0.0025)	ND(0.0025)	0.042	0.120	0.002	0.002	0.317
	10/19/99	0.002	ND(0.0025)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.0025)	0.149	ND(0.0025)	ND(0.0025)	0.049	0.128	0.004	0.004	0.360
	01/26/00	0.002	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.005)	0.153	ND(0.005)	ND(0.005)	0.054	0.137	0.002	0.002	0.380
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.005)	0.102	ND(0.005)	ND(0.005)	0.032	0.095	0.000	0.000	0.251
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.029	ND(0.005)	0.128	ND(0.005)	ND(0.005)	0.046	0.140	ND(0.005)	0.000	0.343
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	0.140	ND(0.005)	ND(0.005)	0.044	0.123	ND(0.005)	0.000	0.339
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.092	ND(0.005)	ND(0.005)	0.030	0.084	ND(0.005)	0.000	0.229
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.073	ND(0.005)	ND(0.005)	0.027	0.072	ND(0.005)	0.000	0.192
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.021	ND(0.002)	0.081	ND(0.002)	ND(0.002)	0.023	0.046	ND(0.002)	0.000	0.171
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.091	ND(0.0025)	ND(0.0025)	0.029	0.081	ND(0.0025)	0.000	0.224
Dup.	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.094	ND(0.005)	ND(0.005)	0.028	0.079	ND(0.005)	0.000	0.225
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	0.002	ND(0.001)	0.025	0.089	ND(0.001)	0.000	0.262
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.100	0.002	ND(0.001)	0.025	0.080	ND(0.001)	0.001	0.231
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.022	0.085	ND(0.0025)	0.000	0.235
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	0.002	ND(0.001)	0.022	0.096	ND(0.001)	0.001	0.266
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.092	0.001	ND(0.001)	0.018	0.087	ND(0.001)	0.000	0.224
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.095	0.002	ND(0.001)	0.021	0.087	ND(0.001)	0.000	0.234
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.100	0.002	ND(0.001)	0.018	0.090	ND(0.001)	0.001	0.241
	10/15/03	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.017	0.087	ND(0.0025)	0.000	0.235
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.079	0.002	ND(0.001)	0.018	0.087	ND(0.001)	0.000	0.215

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)										
Dup.	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.071	0.002	ND(0.001)	0.020	0.071	ND(0.001)	0.000	0.182
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.098	0.002	ND(0.001)	0.021	0.100	ND(0.001)	0.001	0.251
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.077	0.001	ND(0.001)	0.015	0.063	ND(0.001)	0.000	0.177
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.079	ND(0.001)	ND(0.001)	0.012	0.078	ND(0.001)	0.000	0.188
MW-18 (Cont.)	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.013	0.090	ND(0.001)	0.000	0.197
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.013	0.094	ND(0.001)	0.001	0.222
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.011	0.073	ND(0.001)	0.000	0.156
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.050	0.001	ND(0.001)	0.011	0.056	ND(0.001)	0.000	0.136
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.039	0.002	ND(0.001)	0.010	0.078	ND(0.001)	0.000	0.146
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.033	0.002	ND(0.001)	0.010	0.063	ND(0.001)	0.000	0.126
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.036	0.002	ND(0.001)	0.010	0.057	ND(0.001)	0.000	0.124
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.027	0.002	ND(0.001)	0.010	0.032	ND(0.001)	0.000	0.085
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.029	0.002	ND(0.001)	0.009	0.041	ND(0.001)	0.000	0.095
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.045	0.002	ND(0.001)	0.012	0.047	ND(0.001)	0.000	0.125
Dup.	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.008	0.049	ND(0.001)	0.000	0.109
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.005	0.039	ND(0.001)	0.000	0.089
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.038	ND(0.001)	0.000	0.083
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.036	ND(0.001)	0.000	0.071
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.003	0.023	ND(0.001)	0.000	0.047
Dup.	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.023	ND(0.001)	0.000	0.047
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.032
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.001	0.010	ND(0.001)	0.000	0.026
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.011	ND(0.001)	0.000	0.027
Dup.	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.000	0.032
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.012	ND(0.001)	0.000	0.031
	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.002	0.014	ND(0.001)	0.000	0.037
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.000	0.035
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.018	ND(0.001)	0.000	0.045
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.003	0.018	ND(0.001)	0.000	0.046
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.002	0.015	ND(0.001)	0.000	0.042
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028	ND(0.001)	0.000	0.065
MW-19	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110	ND(0.005)	0.000	0.271
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.140	ND(0.005)	0.000	0.324
	10/18/95	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.004	0.150	ND(0.005)	0.002	0.334
	04/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	0.100	ND(0.005)	0.000	0.220
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.100	ND(0.005)	0.000	0.250
Dup.	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110	ND(0.005)	0.000	0.269
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	0.094	ND(0.005)	0.000	0.232
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.009	ND(0.001)	ND(0.001)	0.122	ND(0.001)	ND(0.001)	0.003	0.093	ND(0.001)	0.001	0.228

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)										
MW-19 (Cont.)	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.116	0.001	0.004	0.004	0.087	0.002	0.002	0.218
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.009	ND(0.002)	ND(0.002)	0.116	ND(0.002)	0.005	0.005	0.096	0.002	0.002	0.226
	10/17/97	0.003	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.010	ND(0.01)	ND(0.01)	0.124	ND(0.01)	0.007	0.007	0.086	0.003	0.003	0.207
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.017	ND(0.01)	ND(0.01)	0.167	ND(0.01)	0.009	0.009	0.150	0.000	0.000	0.343
	04/22/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.023	ND(0.0025)	ND(0.0025)	0.212	ND(0.0025)	0.009	0.009	0.182	0.003	0.003	0.426
	10/19/99	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	0.020	ND(0.005)	ND(0.005)	0.236	ND(0.005)	0.010	0.010	0.203	0.004	0.004	0.469
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.033	ND(0.0025)	ND(0.0025)	0.199	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.176	ND(0.0025)	0.000	0.408
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.038	ND(0.0025)	0.000	0.133
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	ND(0.0025)	0.058	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.034	ND(0.0025)	0.000	0.104
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.000	0.059
MW-20	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.037
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.028
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.011
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.004
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-20 (Cont.)	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.009
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.011
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
Dup.	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.020
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.032
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.026	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.028
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.020
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.022
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.023	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.019
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.017
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.016
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.017
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.012
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.010
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.011
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.013
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	0.001	ND(0.001)	0.002	0.005	ND(0.001)	0.000	0.015
MW-21	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.017
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.018
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.020
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.020
	11/20/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.003	0.006	0.002	0.002	0.023
	01/24/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.006	0.002	0.002	0.032
	03/04/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.011	0.002	0.002	0.047

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)										
MW-21 (Cont.)	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.005	0.008	0.001	0.001	0.038
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.011	ND(0.002)	ND(0.002)	0.003	0.007	0.000	0.000	0.022
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.007	ND(0.002)	ND(0.002)	0.001	0.004	0.001	0.001	0.013
	01/07/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.003	0.005	0.001	0.001	0.031
	04/15/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.003	0.006	0.001	0.001	0.039
	07/18/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.022	ND(0.002)	ND(0.002)	0.002	0.005	0.001	0.001	0.031
	10/28/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.015	ND(0.002)	ND(0.002)	0.001	0.004	0.001	0.001	0.021
	02/09/99	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.005	0.001	0.001	0.040
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.001	0.003	0.000	0.000	0.030
	07/14/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.011
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	0.002	0.007
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.001	0.002	0.000	0.000	0.029
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.000	0.011
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.000	0.012
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.001	0.003	0.000	0.000	0.022
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.004	0.008	0.000	0.000	0.044
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.005	0.008	0.000	0.000	0.017
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.005	0.010	0.002	0.002	0.076
Dup.	01/12/02	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.010	0.018	0.003	0.003	0.102
	04/20/02	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.015	0.029	0.004	0.004	0.154
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.014	0.020	0.001	0.002	0.128
	10/15/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.089	ND(0.0025)	ND(0.0025)	0.012	0.022	0.000	0.000	0.136
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.016	0.027	0.002	0.002	0.160
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.079	ND(0.001)	ND(0.001)	0.013	0.024	0.002	0.002	0.131
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.006	0.011	0.000	0.000	0.077
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.007	0.013	0.000	0.000	0.091
	01/28/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.012	0.026	0.002	0.002	0.111
	04/19/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.013	0.026	0.002	0.002	0.118
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.023	0.047	0.003	0.003	0.183
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.026	0.055	0.003	0.003	0.221
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.024	0.062	0.002	0.002	0.204
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.027	0.057	0.003	0.003	0.213
	05/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.027	0.059	0.002	0.002	0.207
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.024	0.050	0.002	0.002	0.184
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.021	0.052	0.002	0.002	0.161
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.021	0.036	0.002	0.002	0.137
	04/18/06	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.019	0.058	0.001	0.001	0.155
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.018	0.066	0.002	0.002	0.175
MW-21 (Cont.)	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.022	0.042	0.002	0.002	0.139
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.020	0.059	0.002	0.002	0.168
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.080	ND(0.001)	ND(0.001)	0.026	0.070	0.002	0.002	0.211

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
Dup.	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.086	0.003	ND(0.001)	0.029	0.076	ND(0.001)	0.002	0.227
	07/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.098	0.003	ND(0.001)	0.026	0.081	ND(0.001)	0.001	0.238
	01/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.060	0.003	ND(0.001)	0.018	0.054	ND(0.001)	0.001	0.163
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.063	0.003	ND(0.001)	0.020	0.063	ND(0.001)	0.001	0.179
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.061	0.003	ND(0.001)	0.020	0.070	ND(0.001)	0.001	0.185
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.052	0.002	ND(0.001)	0.013	0.044	ND(0.001)	0.000	0.136
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.042	0.002	ND(0.001)	0.016	0.044	ND(0.001)	0.001	0.125
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.045	0.002	ND(0.001)	0.016	0.048	ND(0.001)	0.001	0.132
Dup.	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.035	0.001	ND(0.001)	0.010	0.040	ND(0.001)	0.000	0.105
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.044	0.001	ND(0.001)	0.009	0.033	ND(0.001)	0.001	0.106
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.029	0.001	ND(0.001)	0.007	0.029	ND(0.001)	0.000	0.078
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.030	0.001	ND(0.001)	0.008	0.028	ND(0.001)	0.000	0.078
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.037	0.001	ND(0.001)	0.009	0.035	ND(0.001)	0.000	0.093
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.000	0.063
	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.033	0.000	ND(0.001)	0.009	0.029	ND(0.001)	0.000	0.081
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.000	0.070
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.009	0.027	ND(0.001)	0.000	0.071
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.000	0.079
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.000	0.063
MW-22	11/20/06	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.012	0.053	ND(0.001)	0.014	0.138
	01/24/07	0.010	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.013	0.050	ND(0.001)	0.010	0.137
	01/24/07	0.011	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.013	0.065	ND(0.001)	0.011	0.188
	04/09/07	0.013	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.014	0.001	0.084	ND(0.002)	ND(0.002)	0.021	0.080	ND(0.001)	0.013	0.200
	07/30/07	0.014	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	0.092	ND(0.002)	ND(0.002)	0.024	0.104	ND(0.002)	0.014	0.232
	10/17/07	0.016	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	ND(0.01)	0.014	ND(0.005)	0.107	ND(0.005)	ND(0.005)	0.028	0.117	ND(0.005)	0.016	0.266
	10/28/08	0.016	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	ND(0.02)	0.017	ND(0.01)	0.129	ND(0.01)	ND(0.01)	0.037	0.150	ND(0.01)	0.016	0.333
	04/22/09	0.017	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.0025)	0.185	ND(0.0025)	ND(0.0025)	0.053	0.184	ND(0.0025)	0.017	0.446
Dup.	10/19/09	0.019	ND(0.005)	0.002	ND(0.01)	ND(0.01)	ND(0.01)	0.026	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.056	0.207	ND(0.005)	0.021	0.489
	10/19/00	0.018	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.025	ND(0.005)	0.201	ND(0.005)	ND(0.005)	0.055	0.188	ND(0.005)	0.018	0.469
	04/12/01	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.156	ND(0.005)	ND(0.005)	0.052	0.161	ND(0.005)	0.015	0.391
	07/18/01	0.011	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.020	ND(0.01)	0.180	ND(0.01)	ND(0.01)	0.044	0.130	ND(0.01)	0.011	0.374
	10/18/01	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.052	0.160	ND(0.005)	0.014	0.403
	01/12/02	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.057	0.180	ND(0.005)	0.014	0.461
	04/20/02	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.054	0.150	ND(0.0025)	0.009	0.437
	07/24/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.120	ND(0.001)	0.005	0.346
	10/15/02	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.180	ND(0.0025)	ND(0.0025)	0.050	0.130	ND(0.0025)	0.004	0.383

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-22 (Cont.) Dup.	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.210	ND(0.001)	ND(0.001)	0.053	0.150	ND(0.001)	0.004	0.438
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.052	0.150	ND(0.001)	0.004	0.412
	04/23/03	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.037	0.110	ND(0.001)	0.006	0.339
	07/17/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.130	ND(0.001)	0.003	0.357
	10/15/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.034	0.100	ND(0.001)	0.004	0.304
	01/28/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.035	0.110	ND(0.001)	0.004	0.294
	04/19/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.005	0.306
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.044	0.110	ND(0.001)	0.004	0.322
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.003	0.295
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.090	ND(0.001)	0.003	0.279
Dup.	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.035	0.084	ND(0.001)	0.002	0.245
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.098	ND(0.001)	0.002	0.293
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.100	ND(0.001)	0.002	0.268
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.029	0.071	ND(0.001)	0.002	0.215
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.026	0.075	ND(0.001)	0.002	0.215
	07/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.092	ND(0.001)	ND(0.001)	0.024	0.078	ND(0.001)	0.003	0.207
	10/10/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.059	ND(0.001)	0.003	0.176
	10/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.022	0.067	ND(0.001)	0.003	0.198
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.021	0.077	ND(0.001)	0.003	0.208
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.091	ND(0.001)	0.003	0.245
Dup.	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.024	0.081	ND(0.001)	0.003	0.269
	10/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.019	0.066	ND(0.001)	0.003	0.198
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.017	0.069	ND(0.001)	0.002	0.198
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.080	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.153
	07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.010	0.041	ND(0.001)	0.002	0.137
	10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.013	0.042	ND(0.001)	0.003	0.124
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	0.002	0.100
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.008	0.039	ND(0.001)	0.002	0.124
	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	0.002	0.097
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.033	ND(0.001)	0.001	0.096
Dup.	10/20/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.002	0.078
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.001	0.078
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.025	ND(0.001)	0.001	0.079
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.022	ND(0.001)	0.000	0.077
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.009	0.026	ND(0.001)	0.000	0.071
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.000	0.067
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.008	0.029	ND(0.001)	0.000	0.080
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.009	0.028	ND(0.001)	0.000	0.069

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
Dup.	04/09/97	0.015	ND(0.001)	ND(0.001)	ND(0.002)	0.015	ND(0.002)	0.001	0.001	0.035	ND(0.001)	ND(0.001)	0.006	0.020	0.015	0.015	0.077
	04/09/97	0.014	ND(0.001)	ND(0.001)	ND(0.002)	0.015	ND(0.002)	0.001	0.001	0.034	ND(0.001)	ND(0.001)	0.005	0.019	0.014	0.014	0.074
	07/30/97	0.023	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.004)	0.001	0.001	0.031	ND(0.002)	ND(0.002)	0.005	0.035	0.023	0.023	0.083
Dup.	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.004)	0.001	0.001	0.027	ND(0.002)	ND(0.002)	0.004	0.035	0.026	0.026	0.078
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	0.013	ND(0.004)	0.001	0.001	0.028	ND(0.002)	ND(0.002)	0.004	0.028	0.026	0.026	0.074
	01/07/98	0.027	ND(0.002)	ND(0.002)	ND(0.004)	0.014	ND(0.004)	0.001	0.001	0.030	ND(0.002)	ND(0.002)	0.004	0.033	0.027	0.027	0.082
	04/15/98	0.025	ND(0.002)	ND(0.002)	ND(0.004)	0.013	ND(0.004)	ND(0.002)	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.004	0.034	0.025	0.025	0.079
	07/18/98	0.022	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.004)	ND(0.002)	ND(0.002)	0.024	ND(0.002)	ND(0.002)	0.004	0.026	0.022	0.022	0.066
	10/28/98	0.030	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.004)	ND(0.002)	ND(0.002)	0.030	ND(0.002)	ND(0.002)	0.005	0.038	0.030	0.030	0.085
	02/09/99	0.027	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.002)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.003	0.039	0.027	0.027	0.086
	04/22/99	0.030	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.002)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.032	0.030	0.030	0.078
	07/14/99	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.012	ND(0.002)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028	0.022	0.022	0.071
	10/19/99	0.025	ND(0.001)	0.002	ND(0.002)	0.012	ND(0.002)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.027	0.027	0.027	0.070
	01/26/00	0.025	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.002)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.026	0.025	0.025	0.072
	04/21/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.002)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.025	0.022	0.022	0.063
	07/27/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.002)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.004	0.027	0.022	0.022	0.065
	10/19/00	0.030	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.002)	0.001	0.001	0.036	ND(0.001)	ND(0.001)	0.007	0.032	0.030	0.030	0.089
	01/18/01	0.022	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.010	0.053	0.022	0.022	0.126
	04/12/01	0.017	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.013	0.052	0.017	0.017	0.127
	07/18/01	0.015	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.002)	ND(0.002)	ND(0.002)	0.050	ND(0.002)	ND(0.002)	0.009	0.037	0.015	0.015	0.108
	10/18/01	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.054	ND(0.0025)	ND(0.0025)	0.013	0.052	0.015	0.015	0.132
	01/12/02	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	0.059	ND(0.005)	ND(0.005)	0.013	0.052	0.012	0.012	0.138
	07/24/02	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.017	0.048	0.010	0.010	0.141
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.063	ND(0.0025)	ND(0.0025)	0.015	0.047	0.011	0.011	0.140
	01/22/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.017	0.110	0.011	0.011	0.292
	04/23/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.015	0.054	0.009	0.009	0.146
	07/17/03	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.017	0.054	0.010	0.010	0.147
	10/15/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.023	0.076	0.011	0.011	0.218
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	0.009	0.009	0.169
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	0.009	0.009	0.156
	04/19/04	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.024	0.072	0.010	0.010	0.201
	07/16/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.030	0.090	0.009	0.009	0.249
	10/29/04	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.027	0.074	0.008	0.008	0.242
Dup.	01/14/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.023	0.078	0.007	0.007	0.229
	04/16/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.091	ND(0.001)	ND(0.001)	0.029	0.090	0.007	0.007	0.228
	04/16/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.032	0.071	0.008	0.008	0.216
	07/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.030	0.087	0.008	0.008	0.257
	10/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.095	0.008	0.008	0.251
MW-25 (Cont.)	01/19/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.071	0.007	0.007	0.204
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.075	0.007	0.007	0.208
Dup.	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	0.093	ND(0.001)	ND(0.001)	0.027	0.079	0.007	0.007	0.216
	07/11/06	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.028	0.086	0.008	0.008	0.232

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL (mg/L)										
Dup.	10/10/06	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.030	0.082	ND(0.001)	0.006	0.226
	01/16/07	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.029	0.100	ND(0.001)	0.006	0.269
	04/17/07	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.040	0.150	ND(0.001)	0.007	0.378
	07/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.220	ND(0.001)	ND(0.001)	0.037	0.150	ND(0.001)	0.005	0.432
	10/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.180	ND(0.001)	ND(0.001)	0.031	0.130	ND(0.001)	0.005	0.367
	01/16/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.032	0.150	ND(0.001)	0.005	0.378
	04/28/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.025	0.110	ND(0.001)	0.003	0.311
	04/28/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.150	ND(0.001)	0.005	0.379
	07/15/08	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.025	0.120	ND(0.001)	0.004	0.308
	10/14/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.030	0.140	ND(0.001)	0.005	0.344
Dup.	01/13/09	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.023	0.120	ND(0.001)	0.003	0.320
	04/06/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.001	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.025	0.100	ND(0.001)	0.004	0.284
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.024	0.120	ND(0.001)	0.004	0.286
	10/20/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.001	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.021	0.100	ND(0.001)	0.004	0.295
	01/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.021	0.110	ND(0.001)	0.003	0.262
	04/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.000	ND(0.001)	0.092	0.000	ND(0.001)	0.018	0.089	ND(0.001)	0.003	0.220
	04/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.001	ND(0.001)	0.092	0.000	ND(0.001)	0.018	0.089	ND(0.001)	0.003	0.221
	07/27/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.014	0.069	ND(0.001)	0.002	0.184
	07/27/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.013	0.066	ND(0.001)	0.002	0.173
	10/19/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.013	0.064	ND(0.001)	0.002	0.157
Dup.	01/20/11	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.012	0.052	ND(0.001)	0.002	0.131
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.012	0.054	ND(0.001)	0.000	0.124
MW-26 Dup.	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.000	0.007
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	0.000	0.000	0.010
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	0.000	0.000	0.010
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.006	0.000	0.000	0.015
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.011	0.000	0.000	0.030
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.013	0.000	0.000	0.030
	10/27/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	0.010	ND(0.002)	ND(0.002)	0.002	0.014	0.000	0.000	0.029
Dup.	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	0.003	ND(0.0005)	ND(0.0005)	0.008	ND(0.0005)	ND(0.0005)	0.002	0.011	0.000	0.000	0.024
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.010	0.000	0.000	0.025
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.014	0.000	0.000	0.033
	10/19/99	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.002)	0.006	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.003	0.018	0.004	0.004	0.045
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.003	0.002	0.000	0.000	0.031
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.041
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.023	ND(0.001)	0.002	0.052
	10/19/00	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.021	ND(0.001)	0.003	0.055
MW-26 (Cont.)																	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
Dup.	01/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.019	ND(0.001)	0.002	0.044
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.022	ND(0.001)	0.001	0.050
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.004	0.024	ND(0.001)	0.001	0.055
	07/18/01	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.002)	0.026	ND(0.002)	ND(0.002)	0.004	0.022	ND(0.002)	0.003	0.059
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.005	0.024	ND(0.001)	0.002	0.057
	01/12/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.005	0.025	ND(0.001)	0.002	0.060
Dup.	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.030	ND(0.001)	0.002	0.078
	04/20/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.029	ND(0.001)	0.001	0.077
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.046	ND(0.001)	ND(0.001)	0.012	0.090	ND(0.001)	0.002	0.158
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	0.002	0.114
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.052	ND(0.001)	0.002	0.140
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.052	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.002	0.124
Dup.	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.013	0.049	ND(0.001)	0.002	0.122
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.002	0.124
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.016	0.060	ND(0.001)	0.001	0.142
	01/28/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.053	ND(0.001)	0.001	0.121
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.053	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.001	0.119
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.048	ND(0.001)	0.001	0.151
Dup.	10/29/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.019	0.057	ND(0.001)	0.001	0.171
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.018	0.068	ND(0.001)	0.000	0.180
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.020	0.061	ND(0.001)	0.000	0.180
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.019	0.069	ND(0.001)	0.000	0.173
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.072	ND(0.001)	0.001	0.172
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.081	ND(0.001)	ND(0.001)	0.022	0.073	ND(0.001)	0.000	0.189
Dup.	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.021	0.063	ND(0.001)	0.000	0.172
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.110	ND(0.001)	0.000	0.214
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.087	ND(0.001)	ND(0.001)	0.024	0.068	ND(0.001)	0.000	0.195
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.022	0.056	ND(0.001)	0.000	0.156
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.022	0.070	ND(0.001)	0.000	0.176
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.002	0.263
Dup.	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.034	0.099	ND(0.001)	0.002	0.267
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.026	0.084	ND(0.001)	0.000	0.220
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.040	ND(0.001)	0.000	0.106
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.014	0.040	ND(0.001)	0.000	0.109
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.047	ND(0.001)	0.000	0.130
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.054	ND(0.001)	0.001	0.148
MW-26 (Cont.) Dup.	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.019	ND(0.001)	0.000	0.053
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.006	0.018	ND(0.001)	0.000	0.052
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.014	ND(0.001)	0.000	0.045
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.000	0.021
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.019

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
Dup.	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.005	ND(0.001)	0.000	0.012
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.014
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.016
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.007
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.007
MW-26A	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.014
	01/12/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.018	ND(0.001)	0.005	0.052
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.004	0.012	ND(0.001)	0.002	0.051
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.013	ND(0.001)	0.002	0.053
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.005	0.015	ND(0.001)	0.002	0.061
	01/22/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.006	0.021	ND(0.001)	0.003	0.077
Dup.	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.001	0.079
	07/16/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.003	0.083
	10/15/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.003	0.085
	01/28/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.008	0.034	ND(0.001)	0.003	0.096
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.003	0.100
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.010	0.030	ND(0.001)	0.003	0.097
MW-26A (Cont.)	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.003	0.126
	10/29/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.030	ND(0.001)	0.002	0.110
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.031	ND(0.001)	0.002	0.110
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.014	0.038	ND(0.001)	0.002	0.124
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.013	0.046	ND(0.001)	0.002	0.132
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.002	0.151
MW-26A (Cont.)	01/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.045	ND(0.001)	0.002	0.144
	04/18/06	0.002	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.018	0.085	ND(0.001)	0.004	0.188
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.017	0.100	ND(0.001)	0.002	0.196
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.047	ND(0.001)	0.002	0.143
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.018	0.067	ND(0.001)	0.002	0.171
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	0.003	0.228
MW-26A (Cont.)	07/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.021	0.071	ND(0.001)	0.002	0.198
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.018	0.062	ND(0.001)	0.002	0.176
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.018	0.075	ND(0.001)	0.002	0.181
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.058	ND(0.001)	0.000	0.145
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.137
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.001	0.139
MW-26A (Cont.)	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	0.000	0.113
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.012	0.045	ND(0.001)	0.001	0.115
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.013	0.050	ND(0.001)	0.001	0.117
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	0.000	0.080
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.029	0.000	ND(0.001)	0.009	0.038	ND(0.001)	0.001	0.080

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)											
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.000	0.000
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-28	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)		ND(0.0005)	ND(0.0005)	ND(0.0005)		ND(0.0005)	ND(0.0005)	ND(0.0005)		0.000	0.000
MW-28 (Cont.)	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	0.002	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.002	0.000
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)		ND(0.002)	ND(0.002)	ND(0.002)		ND(0.002)	ND(0.002)	ND(0.002)		0.000	0.000
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
Dup.	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
MW-30	04/15/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	0.000	0.006
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.000	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.005
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.006
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.001)	0.001	ND(0.0005)	0.002	ND(0.0005)	<0.001	0.002	0.003	ND(0.0005)	0.000	0.005
Dup.	02/09/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.005
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.008
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	0.008
Dup.	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.008
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.008
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.008
Dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.000	0.006
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.012
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
Dup.	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.015
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.025
Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.027
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.029
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.029
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.034
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.040
MW-30 (Cont.)	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.009	ND(0.001)	0.000	0.039
	01/16/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.000	0.045
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.000	0.045
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.006	0.014	ND(0.001)	0.000	0.064
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	0.013	ND(0.001)	0.000	0.062
Dup.	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.006	0.015	ND(0.001)	0.001	0.073
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.008	0.020	ND(0.001)	0.001	0.084
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.007	0.018	ND(0.001)	0.001	0.076
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.006	0.017	ND(0.001)	0.000	0.072
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.007	0.019	ND(0.001)	0.001	0.079
Dup.	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.011	0.023	ND(0.001)	0.002	0.087
	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.012	0.030	ND(0.001)	0.002	0.101
	01/13/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.069	ND(0.001)	ND(0.001)	0.010	0.040	ND(0.001)	0.001	0.129
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.039	ND(0.001)	0.001	0.127
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.015	0.040	ND(0.001)	0.001	0.122
Dup.	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.096	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.000	0.182
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.000	0.170
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.019	0.059	ND(0.001)	0.001	0.169
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.018	0.066	ND(0.001)	0.000	0.180
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.019	0.056	ND(0.001)	0.001	0.149
Dup.	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.016	0.055	ND(0.001)	0.000	0.154
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.016	0.058	ND(0.001)	0.000	0.147

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			TOTAL			PCE (mg/L)	TCE (mg/L)	1,1,1-TCA (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)						
MW-31	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.100	ND(0.001)	0.018	0.091	ND(0.001)	ND(0.001)	0.000	0.226
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.063	ND(0.001)	0.016	0.064	ND(0.001)	ND(0.001)	0.000	0.157
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.011	ND(0.001)	0.039	ND(0.001)	0.006	0.039	ND(0.001)	ND(0.001)	0.001	0.095
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.027	ND(0.001)	0.003	0.028	ND(0.001)	ND(0.001)	0.000	0.067
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.025	ND(0.001)	0.007	0.021	ND(0.001)	ND(0.001)	0.001	0.060
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.033	ND(0.001)	0.008	0.028	ND(0.001)	ND(0.001)	0.001	0.077
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.030	ND(0.001)	0.008	0.026	ND(0.001)	ND(0.001)	0.001	0.072
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.026	ND(0.001)	0.007	0.023	ND(0.001)	ND(0.001)	0.000	0.062
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.041	0.000	0.010	0.032	ND(0.001)	ND(0.001)	0.001	0.092
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.034	ND(0.001)	0.008	0.026	ND(0.001)	ND(0.001)	0.000	0.076
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.023	ND(0.001)	0.009	0.024	ND(0.001)	ND(0.001)	0.000	0.063
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.027	ND(0.001)	0.008	0.028	ND(0.001)	ND(0.001)	0.000	0.069
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.027	ND(0.001)	0.009	0.029	ND(0.001)	ND(0.001)	0.000	0.072

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	XYLENES (mg/L)	XYLENES (mg/L)										
MW-32	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.007	0.022	ND(0.001)	0.000	0.060
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.000	0.079
Dup.	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.009	0.050	ND(0.001)	0.000	0.105
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.010	0.037	ND(0.001)	0.000	0.085
Dup.	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.009	0.030	ND(0.001)	0.000	0.084
Tank	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.002	0.092
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.011	0.039	ND(0.001)	0.002	0.092
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	0.001	0.088
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.046	ND(0.001)	ND(0.001)	0.010	0.003	ND(0.001)	0.001	0.067
	04/20/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.002	0.091
	07/26/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.009	0.035	ND(0.001)	0.001	0.093
	10/19/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.009	0.029	ND(0.001)	0.001	0.075
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.038	ND(0.001)	0.000	0.094
	04/05/11	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.010	0.037	ND(0.001)	0.001	0.087

Analytical method used prior to 10/95 = EPA Method 8240

Analytical method used during and after 10/95 = EPA Method 8260

NOTES:

mg/L = milligrams per liter (equivalent to parts per million)

dup. = duplicate sample

ND(0.001) = chemical not detected at concentration above detection limit shown in parentheses

J = chemical detected at concentration above instrument detection limit but below method detection limit

* = other chemicals also detected (see previous laboratory reports)

= other chemicals also detected (see laboratory analytical reports - Appendix A)

italicized value - is below the method detection limit.

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

CHEMICAL ABBREVIATIONS:

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1-TCA (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-1	02/10/94	ND(1)	3.57	2.98	12.60	ND(2)	ND(2)	ND(2)	4.07	ND(2)	ND(2)	ND(1)	ND(2)
	02/16/94	ND(1)	1.20	1.10	10.40	ND(2)	ND(2)	ND(2)	3.70	ND(2)	ND(2)	14.50	9.10
	02/23/94	ND(0.5)	2.20	2.40	18.30	ND(1)	ND(1)	ND(1)	6.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/04/94	ND(0.5)	2.60	2.50	21.20	ND(1)	ND(1)	ND(1)	6.60	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	2.60	2.90	16.10	ND(1)	ND(1)	ND(1)	9.30	ND(1)	ND(1)	17.80	4.10
	03/18/94	ND(0.5)	14.60	1.80	ND(0.5)	ND(1)	ND(1)	ND(1)	3.50	ND(1)	ND(1)	ND(0.5)	21.30
	03/28/94	ND(0.5)	0.90	1.20	8.00	ND(1)	ND(1)	ND(1)	3.40	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	ND(0.5)	ND(0.5)	4.60	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	ND(0.5)	ND(0.5)	5.90	ND(1)	ND(1)	ND(1)	2.80	ND(1)	ND(1)	ND(0.5)	1.20
	05/06/94	ND(0.5)	1.10	1.70	5.80	ND(0.5)	ND(0.5)	ND(1)	3.90	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	0.80	ND(0.5)	8.40	ND(0.5)	ND(0.5)	ND(1)	1.80	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	06/01/94	ND(1)	3.00	ND(1)	6.00	ND(1)	ND(1)	ND(1)	4.00	ND(1)	ND(1)	2.00	ND(1)
	07/06/94	ND(1)	5.00	1.00	11.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
	08/10/94	NA	NA	NA	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
	09/07/94	ND(0.001)	0.24	0.09	0.61	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
WB-2	12/05/94	ND(0.001)	0.19	0.14	NA	ND(0.001)	ND(0.001)	ND(0.001)	0.27	ND(0.001)	ND(0.001)	0.04	NA
	01/25/95	ND(0.04)	0.16	0.12	1.19	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)
	05/09/95	ND(0.2)	0.78	0.80	8.24	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.28	ND(0.2)
	02/10/94	1.67	5.03	10.13	14.90	ND(2)	ND(2)	ND(2)	8.34	ND(2)	ND(2)	ND(2)	14.71
	02/16/94	ND(1)	3.00	4.80	29.90	ND(2)	ND(2)	ND(2)	6.50	ND(2)	ND(2)	14.50	6.70
	02/23/94	1.40	9.30	16.40	53.20	ND(1)	ND(1)	ND(1)	12.80	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/04/94	ND(0.5)	5.30	9.50	39.70	ND(1)	ND(1)	ND(1)	12.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	5.40	10.90	23.20	ND(1)	ND(1)	ND(1)	12.10	ND(1)	ND(1)	ND(0.5)	26.70
	03/18/94	0.70	4.80	9.60	28.10	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	18.70
	03/28/94	ND(0.5)	1.90	3.50	12.80	ND(1)	ND(1)	ND(1)	5.00	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	1.10	1.50	8.40	ND(1)	ND(1)	ND(1)	2.00	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	4.10	5.80	27.50	ND(1)	ND(1)	ND(1)	6.80	ND(1)	ND(1)	ND(0.5)	1.60
	05/06/94	ND(0.5)	3.70	4.50	30.00	ND(0.5)	ND(0.5)	ND(1)	3.00	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	5.30	6.00	44.20	ND(0.5)	ND(0.5)	ND(1)	2.80	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	06/01/94	ND(1)	7.00	ND(1)	15.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
WB-3	07/06/94	ND(1)	5.00	8.00	42.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
	08/10/94	NA	NA	NA	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
	09/07/94	ND(0.001)	0.45	0.41	4.12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	1.28
	12/05/94	0.24	1.40	1.66	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.23	NA
	01/25/95	ND(0.04)	0.69	0.91	10.67	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)
	05/09/95	ND(0.2)	0.91	5.44	14.67	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
	02/03/94	5.50	22.00	78.00	153.00	1.20	ND(0.5)	2.80	26.00	ND(0.5)	ND(0.5)	5.20	ND(2)
	02/10/94	ND(1)	15.60	64.60	46.90	ND(2)	ND(2)	ND(2)	11.40	ND(2)	ND(2)	ND(2)	31.33
	02/16/94	ND(1)	25.70	44.50	44.50	ND(2)	ND(2)	ND(2)	11.00	ND(2)	ND(2)	ND(1)	ND(2)
	02/23/94	3.50	17.50	73.20	99.10	ND(1)	ND(1)	ND(1)	19.30	ND(1)	ND(1)	1.60	1.40
	03/04/94	2.10	10.60	44.90	60.90	ND(1)	ND(1)	ND(1)	14.70	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	13.30	ND(0.5)	14.30	ND(1)	ND(1)	ND(1)	17.90	ND(1)	ND(1)	ND(0.5)	3.80
	03/18/94	ND(0.5)	10.10	38.30	57.20	ND(1)	ND(1)	ND(1)	11.00	ND(1)	ND(1)	ND(0.5)	46.40
	03/28/94	1.20	5.70	21.40	30.80	ND(1)	ND(1)	ND(1)	8.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	1.50	2.40	9.40	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	10.60	27.60	31.80	ND(1)	ND(1)	ND(1)	11.10	ND(1)	ND(1)	ND(0.5)	13.30
	05/06/94	ND(0.5)	6.80	17.50	38.90	ND(0.5)	ND(0.5)	ND(1)	6.00	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	6.20	8.10	43.90	ND(0.5)	ND(0.5)	ND(1)	1.90	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)

Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-COMP (cont.)	07/11/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/10/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/16/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/17/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/18/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/16/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/29/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/15/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/15/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/13/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/07/09	ND(10)	ND(10)	ND(10)	1.50	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	0.90	ND(10)
	07/14/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/21/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/20/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/20/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/26/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/19/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/19/11	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/06/11	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)

Prior to January 1995, the laboratory analytical method used was EPA Method 8240
During and after January 1995, the laboratory analytical method used was EPA Method 8260

See laboratory reports for concentrations of additional analytes

In April 1995, the wash bay SVE system was expanded Each of the three zones now consists of an old south (S) and a new north (N) zone

NOTES

mg/m3 = milligrams per cubic meter

* = units reported as "ppm" or "mg/L" Detection limit may be incorrect

**=laboratory results may not be an accurate representation of the emissions

J = chemical present above instrument detection limit but below method detection limit

NA = not analyzed

MS = Maintenance Shop SVE system

WB = Wash Bay SVE system

WB-N1 = north subzone of Wash Bay Zone 1

WB-N2 = north subzone of Wash Bay Zone 2

WB-N3 = north subzone of Wash Bay Zone 3

WB-COMP = composite sample from Wash Bay zones 1, 2, and 3

MS-COMP = composite sample from Maintenance Shop zones 1 and 2

CHEMICAL ABBREVIATIONS

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene


1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

DECAW
OUTWARD



EXPLANATION

- MW-9 87.64
WMC MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE
- ★ MONITORING WELLS TO BE SAMPLED QUARTERLY
- 85.00— POTENTIOMETRIC SURFACE CONTOUR (DASHED WHERE INFERRED)
- TEMPORARY BENCH MARK
- AIR PIPING
- SVE EXTRACTION WELL
- ▲ EXTRACTION WELL
- DISCHARGE PIPING




FIGURE 1
SITE MAP WITH
POTENTIOMETRIC SURFACE
(04/05/11)
SCHLUMBERGER TECHNOLOGY CORPORATION
ARTESIA, NEW MEXICO

BASE MAP MODIFIED FROM REED & ASSOCIATES



ANALYTICAL SUMMARY REPORT

April 22, 2011

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C11040249

Project Name: 90125 Artesia

Energy Laboratories, Inc. Casper WY received the following 22 samples for Deuell Environmental LLC on 4/7/2011 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C11040249-001	90125-20.4/11	04/05/11 14:30	04/07/11	Aqueous	SW8260B VOCs, Standard List
C11040249-002	90125-28.4/11	04/05/11 15:00	04/07/11	Aqueous	Same As Above
C11040249-003	90125-29.4/11	04/05/11 15:15	04/07/11	Aqueous	Same As Above
C11040249-004	90125-30.4/11	04/05/11 15:30	04/07/11	Aqueous	Same As Above
C11040249-005	90125-Tank.4/11	04/05/11 15:45	04/07/11	Aqueous	Same As Above
C11040249-006	90125-32.4/11	04/05/11 16:00	04/07/11	Aqueous	Same As Above
C11040249-007	90125-26.4/11	04/05/11 16:15	04/07/11	Aqueous	Same As Above
C11040249-008	90125-27.4/11	04/05/11 16:30	04/07/11	Aqueous	Same As Above
C11040249-009	90125-22.4/11	04/05/11 16:45	04/07/11	Aqueous	Same As Above
C11040249-010	90125-25.4/11	04/05/11 17:00	04/07/11	Aqueous	Same As Above
C11040249-011	90125-21.4/11	04/05/11 17:15	04/07/11	Aqueous	Same As Above
C11040249-012	90125-31.4/11	04/05/11 17:30	04/07/11	Aqueous	Same As Above
C11040249-013	90125-18.4/11	04/05/11 17:45	04/07/11	Aqueous	Same As Above
C11040249-014	90125-11.4/11	04/05/11 18:00	04/07/11	Aqueous	Same As Above
C11040249-015	90125-8.4/11	04/05/11 18:15	04/07/11	Aqueous	Same As Above
C11040249-016	90125-13.4/11	04/06/11 10:30	04/07/11	Aqueous	Same As Above
C11040249-017	90125-15.4/11	04/06/11 10:45	04/07/11	Aqueous	Same As Above
C11040249-018	90125-9.4/11	04/06/11 11:00	04/07/11	Aqueous	Same As Above
C11040249-019	90125-12.4/11	04/06/11 11:15	04/07/11	Aqueous	Same As Above
C11040249-020	90125-A.4/11	04/05/11 13:30	04/07/11	Aqueous	Same As Above
C11040249-021	90125-B.4/11	04/05/11 13:00	04/07/11	Aqueous	Same As Above
C11040249-022	Trip Blank 6242		04/07/11	Aqueous	Same As Above

This report was prepared by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing.

If you have any questions regarding these test results, please call.

Report Approved By:



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-001
Client Sample ID: 90125-20.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 14:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,1-Dichloroethane	6.2	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,1-Dichloroethene	3.9	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-001
Client Sample ID: 90125-20.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 14:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/08/11 16:20 / mlf
Methyl tert-butyl ether (MTBE)	9.8	ug/L		2.0		SW8260B	04/08/11 16:20 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Tetrachloroethene	6.6	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Trichloroethene	3.4	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/08/11 16:20 / mlf
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120		SW8260B	04/08/11 16:20 / mlf
Surr: Dibromofluoromethane	88.0	%REC		70-130		SW8260B	04/08/11 16:20 / mlf
Surr: p-Bromofluorobenzene	101	%REC		80-120		SW8260B	04/08/11 16:20 / mlf
Surr: Toluene-d8	102	%REC		80-120		SW8260B	04/08/11 16:20 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-002
Client Sample ID: 90125-28.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 15:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,1-Dichloroethane	9.3	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,1-Dichloroethene	17	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
cis-1,2-Dichloroethene	1.3	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-002
Client Sample ID: 90125-28.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 15:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/08/11 16:55 / mlf
Methyl tert-butyl ether (MTBE)	4.4	ug/L		2.0		SW8260B	04/08/11 16:55 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Tetrachloroethene	13	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Trichloroethene	7.2	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/08/11 16:55 / mlf
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	04/08/11 16:55 / mlf
Surr: Dibromofluoromethane	86.0	%REC		70-130		SW8260B	04/08/11 16:55 / mlf
Surr: p-Bromofluorobenzene	102	%REC		80-120		SW8260B	04/08/11 16:55 / mlf
Surr: Toluene-d8	103	%REC		80-120		SW8260B	04/08/11 16:55 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-003
Client Sample ID: 90125-29.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 15:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,1-Dichloroethene	1.8	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-003
Client Sample ID: 90125-29.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 15:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/08/11 17:30 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/08/11 17:30 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Trichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/08/11 17:30 / mlf
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	04/08/11 17:30 / mlf
Surr: Dibromofluoromethane	86.0	%REC		70-130		SW8260B	04/08/11 17:30 / mlf
Surr: p-Bromofluorobenzene	103	%REC		80-120		SW8260B	04/08/11 17:30 / mlf
Surr: Toluene-d8	102	%REC		80-120		SW8260B	04/08/11 17:30 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-004
Client Sample ID: 90125-30.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 15:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,1-Dichloroethane	14	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,1-Dichloroethene	63	ug/L		5.0		SW8260B	04/15/11 13:36 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Benzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-004
Client Sample ID: 90125-30.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 15:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/11 16:37 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/11 16:37 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Styrene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Tetrachloroethene	64	ug/L		5.0		SW8260B	04/15/11 13:36 / jlr
Toluene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Trichloroethene	16	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/11 16:37 / jlr
Surr: 1,2-Dichlorobenzene-d4	99.0	%REC		80-120		SW8260B	04/15/11 16:37 / jlr
Surr: Dibromofluoromethane	98.0	%REC		70-130		SW8260B	04/15/11 16:37 / jlr
Surr: p-Bromofluorobenzene	107	%REC		80-120		SW8260B	04/15/11 16:37 / jlr
Surr: Toluene-d8	111	%REC		80-120		SW8260B	04/15/11 16:37 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-005
Client Sample ID: 90125-Tank.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 15:45
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,1-Dichloroethane	7.0	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,1-Dichloroethene	33	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Benzene	1.1	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-005
Client Sample ID: 90125-Tank.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 15:45
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/08/11 22:14 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/08/11 22:14 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Tetrachloroethene	37	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Trichloroethene	10	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/08/11 22:14 / mlf
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120		SW8260B	04/08/11 22:14 / mlf
Surr: Dibromofluoromethane	87.0	%REC		70-130		SW8260B	04/08/11 22:14 / mlf
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	04/08/11 22:14 / mlf
Surr: Toluene-d8	102	%REC		80-120		SW8260B	04/08/11 22:14 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-006
Client Sample ID: 90125-32.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 16:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,1-Dichloroethane	5.8	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,1-Dichloroethene	33	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-006
Client Sample ID: 90125-32.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 16:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/08/11 22:50 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/08/11 22:50 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Tetrachloroethene	37	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Trichloroethene	9.5	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/08/11 22:50 / mlf
Surr: 1,2-Dichlorobenzene-d4	105	%REC		80-120		SW8260B	04/08/11 22:50 / mlf
Surr: Dibromofluoromethane	85.0	%REC		70-130		SW8260B	04/08/11 22:50 / mlf
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	04/08/11 22:50 / mlf
Surr: Toluene-d8	104	%REC		80-120		SW8260B	04/08/11 22:50 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-007
Client Sample ID: 90125-26.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 16:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,1-Dichloroethene	6.2	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-007
Client Sample ID: 90125-26.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 16:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/08/11 23:26 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/08/11 23:26 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Tetrachloroethene	5.6	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Trichloroethene	2.3	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/08/11 23:26 / mlf
Surr: 1,2-Dichlorobenzene-d4	105	%REC		80-120		SW8260B	04/08/11 23:26 / mlf
Surr: Dibromofluoromethane	85.0	%REC		70-130		SW8260B	04/08/11 23:26 / mlf
Surr: p-Bromofluorobenzene	103	%REC		80-120		SW8260B	04/08/11 23:26 / mlf
Surr: Toluene-d8	102	%REC		80-120		SW8260B	04/08/11 23:26 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-008
Client Sample ID: 90125-27.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 16:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-008
Client Sample ID: 90125-27.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 16:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/12/11 13:09 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/12/11 13:09 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Trichloroethene	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/12/11 13:09 / mlf
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	04/12/11 13:09 / mlf
Surr: Dibromofluoromethane	90.0	%REC		70-130		SW8260B	04/12/11 13:09 / mlf
Surr: p-Bromofluorobenzene	100	%REC		80-120		SW8260B	04/12/11 13:09 / mlf
Surr: Toluene-d8	102	%REC		80-120		SW8260B	04/12/11 13:09 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-009
Client Sample ID: 90125-22.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 16:45
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,1-Dichloroethane	5.9	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,1-Dichloroethene	26	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Benzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-009
Client Sample ID: 90125-22.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 16:45
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/11 14:12 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/11 14:12 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Styrene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Tetrachloroethene	28	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Toluene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Trichloroethene	8.8	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/11 14:12 / jlr
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120		SW8260B	04/15/11 14:12 / jlr
Surr: Dibromofluoromethane	94.0	%REC		70-130		SW8260B	04/15/11 14:12 / jlr
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	04/15/11 14:12 / jlr
Surr: Toluene-d8	118	%REC		80-120		SW8260B	04/15/11 14:12 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-010
Client Sample ID: 90125-25.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 17:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,1-Dichloroethane	10	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,1-Dichloroethene	48	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Benzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-010
Client Sample ID: 90125-25.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 17:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/11 17:13 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/11 17:13 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Styrene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Tetrachloroethene	54	ug/L		5.0		SW8260B	04/15/11 14:48 / jlr
Toluene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Trichloroethene	12	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/11 17:13 / jlr
Surr: 1,2-Dichlorobenzene-d4	97.0	%REC		80-120		SW8260B	04/15/11 17:13 / jlr
Surr: Dibromofluoromethane	94.0	%REC		70-130		SW8260B	04/15/11 17:13 / jlr
Surr: p-Bromofluorobenzene	108	%REC		80-120		SW8260B	04/15/11 17:13 / jlr
Surr: Toluene-d8	119	%REC		80-120		SW8260B	04/15/11 17:13 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-011
Client Sample ID: 90125-21.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 17:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,1-Dichloroethane	6.1	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,1-Dichloroethene	22	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Benzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-011
Client Sample ID: 90125-21.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 17:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/11 15:24 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/11 15:24 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Styrene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Tetrachloroethene	27	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Toluene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Trichloroethene	7.7	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/11 15:24 / jlr
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	04/15/11 15:24 / jlr
Surr: Dibromofluoromethane	94.0	%REC		70-130		SW8260B	04/15/11 15:24 / jlr
Surr: p-Bromofluorobenzene	109	%REC		80-120		SW8260B	04/15/11 15:24 / jlr
Surr: Toluene-d8	116	%REC		80-120		SW8260B	04/15/11 15:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-012
Client Sample ID: 90125-31.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 17:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,1-Dichloroethane	6.9	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,1-Dichloroethene	27	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Benzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-012
Client Sample ID: 90125-31.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 17:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/11 16:00 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/11 16:00 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Styrene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Tetrachloroethene	29	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Toluene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Trichloroethene	8.8	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/11 16:00 / jlr
Surr: 1,2-Dichlorobenzene-d4	99.0	%REC		80-120		SW8260B	04/15/11 16:00 / jlr
Surr: Dibromofluoromethane	97.0	%REC		70-130		SW8260B	04/15/11 16:00 / jlr
Surr: p-Bromofluorobenzene	107	%REC		80-120		SW8260B	04/15/11 16:00 / jlr
Surr: Toluene-d8	114	%REC		80-120		SW8260B	04/15/11 16:00 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-013
Client Sample ID: 90125-18.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 17:45
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,1-Dichloroethane	5.9	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,1-Dichloroethene	27	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-013
Client Sample ID: 90125-18.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 17:45
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/13/11 01:36 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/13/11 01:36 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Tetrachloroethene	28	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Trichloroethene	3.6	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/13/11 01:36 / mlf
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	04/13/11 01:36 / mlf
Surr: Dibromofluoromethane	88.0	%REC		70-130		SW8260B	04/13/11 01:36 / mlf
Surr: p-Bromofluorobenzene	99.0	%REC		80-120		SW8260B	04/13/11 01:36 / mlf
Surr: Toluene-d8	103	%REC		80-120		SW8260B	04/13/11 01:36 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-014
Client Sample ID: 90125-11.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 18:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,1-Dichloroethane	3.4	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,1-Dichloroethene	1.4	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-014
Client Sample ID: 90125-11.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 18:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/13/11 02:11 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/13/11 02:11 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Tetrachloroethene	3.3	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Trichloroethene	1.6	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/13/11 02:11 / mlf
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	04/13/11 02:11 / mlf
Surr: Dibromofluoromethane	87.0	%REC		70-130		SW8260B	04/13/11 02:11 / mlf
Surr: p-Bromofluorobenzene	95.0	%REC		80-120		SW8260B	04/13/11 02:11 / mlf
Surr: Toluene-d8	102	%REC		80-120		SW8260B	04/13/11 02:11 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-015
Client Sample ID: 90125-8.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 18:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,1-Dichloroethane	3.0	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,1-Dichloroethene	2.8	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-015
Client Sample ID: 90125-8.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 18:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/13/11 02:47 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/13/11 02:47 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Tetrachloroethene	2.4	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Trichloroethene	2.2	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/13/11 02:47 / mlf
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	04/13/11 02:47 / mlf
Surr: Dibromofluoromethane	88.0	%REC		70-130		SW8260B	04/13/11 02:47 / mlf
Surr: p-Bromofluorobenzene	99.0	%REC		80-120		SW8260B	04/13/11 02:47 / mlf
Surr: Toluene-d8	102	%REC		80-120		SW8260B	04/13/11 02:47 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-016
Client Sample ID: 90125-13.4/11

Report Date: 04/22/11
Collection Date: 04/06/11 10:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-016
Client Sample ID: 90125-13.4/11

Report Date: 04/22/11
Collection Date: 04/06/11 10:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/13/11 03:23 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/13/11 03:23 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Tetrachloroethene	1.3	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Trichloroethene	2.2	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/13/11 03:23 / mlf
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	04/13/11 03:23 / mlf
Surr: Dibromofluoromethane	86.0	%REC		70-130		SW8260B	04/13/11 03:23 / mlf
Surr: p-Bromofluorobenzene	94.0	%REC		80-120		SW8260B	04/13/11 03:23 / mlf
Surr: Toluene-d8	101	%REC		80-120		SW8260B	04/13/11 03:23 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-017
Client Sample ID: 90125-15.4/11

Report Date: 04/22/11
Collection Date: 04/06/11 10:45
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,1-Dichloroethane	1.3	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Benzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
cis-1,2-Dichloroethene	3.4	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-017
Client Sample ID: 90125-15.4/11

Report Date: 04/22/11
Collection Date: 04/06/11 10:45
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/20/11 15:01 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/20/11 15:01 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Styrene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Toluene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Trichloroethene	25	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/20/11 15:01 / jlr
Surr: 1,2-Dichlorobenzene-d4	96.0	%REC		80-120		SW8260B	04/20/11 15:01 / jlr
Surr: Dibromofluoromethane	80.0	%REC		70-130		SW8260B	04/20/11 15:01 / jlr
Surr: p-Bromofluorobenzene	104	%REC		80-120		SW8260B	04/20/11 15:01 / jlr
Surr: Toluene-d8	116	%REC		80-120		SW8260B	04/20/11 15:01 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-018
Client Sample ID: 90125-9.4/11

Report Date: 04/22/11
Collection Date: 04/06/11 11:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Benzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
cis-1,2-Dichloroethene	2.2	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-018
Client Sample ID: 90125-9.4/11

Report Date: 04/22/11
Collection Date: 04/06/11 11:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/20/11 15:37 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/20/11 15:37 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Styrene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Toluene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Trichloroethene	17	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/20/11 15:37 / jlr
Surr: 1,2-Dichlorobenzene-d4	96.0	%REC		80-120		SW8260B	04/20/11 15:37 / jlr
Surr: Dibromofluoromethane	84.0	%REC		70-130		SW8260B	04/20/11 15:37 / jlr
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	04/20/11 15:37 / jlr
Surr: Toluene-d8	112	%REC		80-120		SW8260B	04/20/11 15:37 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-019
Client Sample ID: 90125-12.4/11

Report Date: 04/22/11
Collection Date: 04/06/11 11:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,1-Dichloroethane	61	ug/L		10		SW8260B	04/08/11 18:06 / mlf
1,1-Dichloroethene	4.7	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,2,4-Trimethylbenzene	260	ug/L		10		SW8260B	04/08/11 18:06 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Benzene	20	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
cis-1,2-Dichloroethene	140	ug/L		10		SW8260B	04/08/11 18:06 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Ethylbenzene	200	ug/L		10		SW8260B	04/08/11 18:06 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Isopropylbenzene	280	ug/L		10		SW8260B	04/08/11 18:06 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-019
Client Sample ID: 90125-12.4/11

Report Date: 04/22/11
Collection Date: 04/06/11 11:15
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	51	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/08/11 18:41 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/08/11 18:41 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
n-Butylbenzene	5.6	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
n-Propylbenzene	170	ug/L		10		SW8260B	04/08/11 18:06 / mlf
Naphthalene	61	ug/L		10		SW8260B	04/08/11 18:06 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
sec-Butylbenzene	13	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Trichloroethene	4.3	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Xylenes, Total	52	ug/L		1.0		SW8260B	04/08/11 18:41 / mlf
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	04/08/11 18:41 / mlf
Surr: Dibromofluoromethane	88.0	%REC		70-130		SW8260B	04/08/11 18:41 / mlf
Surr: p-Bromofluorobenzene	95.0	%REC		80-120		SW8260B	04/08/11 18:41 / mlf
Surr: Toluene-d8	101	%REC		80-120		SW8260B	04/08/11 18:41 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-020
Client Sample ID: 90125-A.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 13:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,1-Dichloroethane	7.0	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,1-Dichloroethene	38	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-020
Client Sample ID: 90125-A.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 13:30
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/13/11 16:12 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/13/11 16:12 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Tetrachloroethene	30	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Trichloroethene	8.8	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/13/11 16:12 / mlf
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	04/13/11 16:12 / mlf
Surr: Dibromofluoromethane	105	%REC		70-130		SW8260B	04/13/11 16:12 / mlf
Surr: p-Bromofluorobenzene	98.0	%REC		80-120		SW8260B	04/13/11 16:12 / mlf
Surr: Toluene-d8	102	%REC		80-120		SW8260B	04/13/11 16:12 / mlf

-Analysis reported without MS/MSD due to power outage. Re-analysis for confirmation conducted with proper QC out of hold.

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-021
Client Sample ID: 90125-B.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 13:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,1-Dichloroethane	3.2	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,1-Dichloroethene	2.9	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-021
Client Sample ID: 90125-B.4/11

Report Date: 04/22/11
Collection Date: 04/05/11 13:00
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/13/11 15:29 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/13/11 15:29 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Tetrachloroethene	2.1	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Trichloroethene	2.2	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/13/11 15:29 / mlf
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	04/13/11 15:29 / mlf
Surr: Dibromofluoromethane	98.0	%REC		70-130		SW8260B	04/13/11 15:29 / mlf
Surr: p-Bromofluorobenzene	98.0	%REC		80-120		SW8260B	04/13/11 15:29 / mlf
Surr: Toluene-d8	104	%REC		80-120		SW8260B	04/13/11 15:29 / mlf

-Analysis reported without MS/MSD due to power outage. Re-analysis for confirmation conducted with proper QC out of hold.

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-022
Client Sample ID: Trip Blank 6242

Report Date: 04/22/11
Collection Date: Not Provided
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Benzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Bromobenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Bromoform	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Bromomethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Chloroethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Chloroform	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Chloromethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Dibromomethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040249-022
Client Sample ID: Trip Blank 6242

Report Date: 04/22/11
Collection Date: Not Provided
Date Received: 04/07/11
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/08/11 15:45 / mlf
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/08/11 15:45 / mlf
Methylene chloride	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Naphthalene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
o-Xylene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Styrene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Toluene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Trichloroethene	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/08/11 15:45 / mlf
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	04/08/11 15:45 / mlf
Surr: Dibromofluoromethane	86.0	%REC		70-130		SW8260B	04/08/11 15:45 / mlf
Surr: p-Bromofluorobenzene	104	%REC		80-120		SW8260B	04/08/11 15:45 / mlf
Surr: Toluene-d8	103	%REC		80-120		SW8260B	04/08/11 15:45 / mlf

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144680
Sample ID: 08-Apr-11_MBLK_6	67	Method Blank				Run: GCMS2_110408A				04/08/11 13:21
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144680
Sample ID: 08-Apr-11_MBLK_6	67	Method Blank				Run: GCMS2_110408A				04/08/11 13:21
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	103	80	120			
Surr: Dibromofluoromethane				1.0	89	70	130			
Surr: p-Bromofluorobenzene				1.0	103	80	120			
Surr: Toluene-d8				1.0	102	80	120			
Sample ID: 08-Apr-11_LCS_7	67	Laboratory Control Sample				Run: GCMS2_110408A				04/08/11 14:03
1,1,1,2-Tetrachloroethane	11	ug/L	1.0	107	70	130				
1,1,1-Trichloroethane	13	ug/L	1.0	128	70	130				
1,1,2,2-Tetrachloroethane	11	ug/L	1.0	105	70	130				
1,1,2-Trichloroethane	10	ug/L	1.0	105	70	130				
1,1-Dichloroethane	11	ug/L	1.0	109	70	130				
1,1-Dichloroethene	10	ug/L	1.0	102	70	130				
1,1-Dichloropropene	11	ug/L	1.0	112	70	130				
1,2,3-Trichlorobenzene	9.3	ug/L	1.0	93	70	130				
1,2,3-Trichloropropane	10	ug/L	1.0	104	70	130				
1,2,4-Trichlorobenzene	9.8	ug/L	1.0	98	70	130				
1,2,4-Trimethylbenzene	11	ug/L	1.0	108	70	130				
1,2-Dibromo-3-chloropropane	9.6	ug/L	1.0	96	70	130				
1,2-Dibromoethane	10	ug/L	1.0	102	70	130				
1,2-Dichlorobenzene	10	ug/L	1.0	102	70	130				
1,2-Dichloroethane	10	ug/L	1.0	104	70	130				
1,2-Dichloropropane	9.9	ug/L	1.0	99	70	130				
1,3,5-Trimethylbenzene	11	ug/L	1.0	112	70	130				
1,3-Dichlorobenzene	10	ug/L	1.0	103	70	130				

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144680
Sample ID: 08-Apr-11_LCS_7	67	Laboratory Control Sample				Run: GCMS2_110408A				04/08/11 14:03
1,3-Dichloropropane		10	ug/L	1.0	102	70	130			
1,4-Dichlorobenzene		10	ug/L	1.0	101	70	130			
2,2-Dichloropropane		11	ug/L	1.0	111	60	140			
2-Chloroethyl vinyl ether		11	ug/L	1.0	113	70	130			
2-Chlorotoluene		11	ug/L	1.0	108	70	130			
4-Chlorotoluene		11	ug/L	1.0	108	70	130			
Benzene		11	ug/L	1.0	109	70	130			
Bromobenzene		10	ug/L	1.0	104	70	130			
Bromochloromethane		11	ug/L	1.0	105	70	130			
Bromodichloromethane		10	ug/L	1.0	101	70	130			
Bromoform		11	ug/L	1.0	107	70	130			
Bromomethane		10	ug/L	1.0	102	70	130			
Carbon tetrachloride		11	ug/L	1.0	114	70	130			
Chlorobenzene		10	ug/L	1.0	104	70	130			
Chlorodibromomethane		10	ug/L	1.0	103	70	130			
Chloroethane		11	ug/L	1.0	107	70	130			
Chloroform		11	ug/L	1.0	108	70	130			
Chloromethane		10	ug/L	1.0	101	70	130			
cis-1,2-Dichloroethene		9.9	ug/L	1.0	99	70	130			
cis-1,3-Dichloropropene		10	ug/L	1.0	102	70	130			
Dibromomethane		11	ug/L	1.0	106	70	130			
Dichlorodifluoromethane		9.2	ug/L	1.0	92	70	130			
Ethylbenzene		11	ug/L	1.0	110	70	130			
Hexachlorobutadiene		9.8	ug/L	1.0	98	70	130			
Isopropylbenzene		13	ug/L	1.0	130	70	130			
m+p-Xylenes		22	ug/L	1.0	111	70	130			
Methyl ethyl ketone		99	ug/L	20	99	70	130			
Methyl tert-butyl ether (MTBE)		9.3	ug/L	2.0	93	70	130			
Methylene chloride		9.8	ug/L	1.0	98	70	130			
n-Butylbenzene		11	ug/L	1.0	108	70	130			
n-Propylbenzene		11	ug/L	1.0	115	70	130			
Naphthalene		9.2	ug/L	1.0	92	70	130			
o-Xylene		11	ug/L	1.0	108	70	130			
p-Isopropyltoluene		11	ug/L	1.0	112	70	130			
sec-Butylbenzene		11	ug/L	1.0	112	70	130			
Styrene		11	ug/L	1.0	109	70	130			
tert-Butylbenzene		11	ug/L	1.0	111	70	130			
Tetrachloroethene		11	ug/L	1.0	111	70	130			
Toluene		11	ug/L	1.0	109	70	130			
trans-1,2-Dichloroethene		11	ug/L	1.0	112	70	130			
trans-1,3-Dichloropropene		11	ug/L	1.0	106	70	130			
Trichloroethene		11	ug/L	1.0	108	70	130			
Trichlorofluoromethane		10	ug/L	1.0	101	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144680
Sample ID: 08-Apr-11_LCS_7	67	Laboratory Control Sample				Run: GCMS2_110408A			04/08/11 14:03	
Vinyl chloride		11	ug/L	1.0	109	70	130			
Xylenes, Total		33	ug/L	1.0	110	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	103	80	120			
Surr: Dibromofluoromethane				1.0	93	70	130			
Surr: p-Bromofluorobenzene				1.0	105	80	130			
Surr: Toluene-d8				1.0	105	80	120			
Sample ID: C11040249-019AMS	28	Sample Matrix Spike				Run: GCMS2_110408A			04/08/11 19:16	
1,1,1-Trichloroethane		310	ug/L	10	155	70	130			S
1,1-Dichloroethene		230	ug/L	10	114	70	130			
1,2-Dichlorobenzene		220	ug/L	10	108	70	130			
1,2-Dichloroethane		250	ug/L	10	125	70	130			
1,2-Dichloropropane		200	ug/L	10	102	70	130			
1,4-Dichlorobenzene		210	ug/L	10	103	70	130			
Benzene		240	ug/L	10	110	70	130			
Bromodichloromethane		210	ug/L	10	106	70	130			
Bromoform		240	ug/L	10	118	70	130			
Carbon tetrachloride		250	ug/L	10	127	70	130			
Chlorobenzene		210	ug/L	10	107	70	130			
Chlorodibromomethane		220	ug/L	10	112	70	130			
Chloroform		260	ug/L	10	128	70	130			
cis-1,2-Dichloroethene		370	ug/L	10	117	70	130			
Ethylbenzene		390	ug/L	10	93	70	130			
m+p-Xylenes		480	ug/L	10	107	70	130			
o-Xylene		220	ug/L	10	109	70	130			
Styrene		220	ug/L	10	112	70	130			
Tetrachloroethene		200	ug/L	10	102	70	130			
Toluene		220	ug/L	10	111	70	130			
trans-1,2-Dichloroethene		270	ug/L	10	133	70	130			S
Trichloroethene		220	ug/L	10	111	70	130			
Vinyl chloride		240	ug/L	10	119	70	130			
Xylenes, Total		690	ug/L	10	107	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	107	80	120			
Surr: Dibromofluoromethane				1.0	109	70	130			
Surr: p-Bromofluorobenzene				1.0	108	80	120			
Surr: Toluene-d8				1.0	105	80	120			
Sample ID: C11040249-019AMSD	28	Sample Matrix Spike Duplicate				Run: GCMS2_110408A			04/08/11 19:53	
1,1,1-Trichloroethane		290	ug/L	10	147	70	130	5.0	20	S
1,1-Dichloroethene		220	ug/L	10	110	70	130	3.8	20	
1,2-Dichlorobenzene		210	ug/L	10	105	70	130	2.3	20	
1,2-Dichloroethane		210	ug/L	10	103	70	130	20	20	
1,2-Dichloropropane		190	ug/L	10	93	70	130	9.8	20	
1,4-Dichlorobenzene		210	ug/L	10	103	70	130	0.4	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R144680	
Sample ID: C11040249-019AMSD 28 Sample Matrix Spike Duplicate									Run: GCMS2_110408A 04/08/11 19:53	
Benzene		230	ug/L	10	103	70	130	5.8	20	
Bromodichloromethane		190	ug/L	10	94	70	130	12	20	
Bromoform		220	ug/L	10	110	70	130	6.7	20	
Carbon tetrachloride		250	ug/L	10	126	70	130	1.0	20	
Chlorobenzene		210	ug/L	10	104	70	130	3.4	20	
Chlorodibromomethane		210	ug/L	10	104	70	130	8.1	20	
Chloroform		220	ug/L	10	112	70	130	13	20	
cis-1,2-Dichloroethene		330	ug/L	10	98	70	130	11	20	
Ethylbenzene		390	ug/L	10	92	70	130	0.6	20	
m+p-Xylenes		480	ug/L	10	108	70	130	0.7	20	
o-Xylene		210	ug/L	10	105	70	130	3.4	20	
Styrene		220	ug/L	10	108	70	130	3.3	20	
Tetrachloroethene		220	ug/L	10	108	70	130	6.5	20	
Toluene		210	ug/L	10	106	70	130	4.4	20	
trans-1,2-Dichloroethene		250	ug/L	10	124	70	130	7.2	20	
Trichloroethene		220	ug/L	10	108	70	130	2.9	20	
Vinyl chloride		230	ug/L	10	116	70	130	2.7	20	
Xylenes, Total		690	ug/L	10	107	70	130	0.6	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	106	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	99	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	111	80	120	0.0	10	
Surr: Toluene-d8				1.0	105	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144764
Sample ID: 12-Apr-11_LCS_4	67	Laboratory Control Sample				Run: GCMS2_110412A				04/12/11 10:47
1,1,1,2-Tetrachloroethane		11	ug/L	1.0	108	70	130			
1,1,1-Trichloroethane		13	ug/L	1.0	127	70	130			
1,1,2,2-Tetrachloroethane		10	ug/L	1.0	102	70	130			
1,1,2-Trichloroethane		10	ug/L	1.0	104	70	130			
1,1-Dichloroethane		10	ug/L	1.0	104	70	130			
1,1-Dichloroethene		10	ug/L	1.0	102	70	130			
1,1-Dichloropropene		11	ug/L	1.0	106	70	130			
1,2,3-Trichlorobenzene		9.6	ug/L	1.0	96	70	130			
1,2,3-Trichloropropane		11	ug/L	1.0	108	70	130			
1,2,4-Trichlorobenzene		10	ug/L	1.0	102	70	130			
1,2,4-Trimethylbenzene		10	ug/L	1.0	100	70	130			
1,2-Dibromo-3-chloropropane		9.5	ug/L	1.0	95	70	130			
1,2-Dibromoethane		10	ug/L	1.0	102	70	130			
1,2-Dichlorobenzene		9.9	ug/L	1.0	99	70	130			
1,2-Dichloroethane		10	ug/L	1.0	101	70	130			
1,2-Dichloropropane		10	ug/L	1.0	101	70	130			
1,3,5-Trimethylbenzene		10	ug/L	1.0	104	70	130			
1,3-Dichlorobenzene		10.0	ug/L	1.0	100	70	130			
1,3-Dichloropropane		10	ug/L	1.0	102	70	130			
1,4-Dichlorobenzene		9.9	ug/L	1.0	99	70	130			
2,2-Dichloropropane		11	ug/L	1.0	109	60	140			
2-Chloroethyl vinyl ether		10	ug/L	1.0	105	70	130			
2-Chlorotoluene		10	ug/L	1.0	100	70	130			
4-Chlorotoluene		11	ug/L	1.0	105	70	130			
Benzene		11	ug/L	1.0	105	70	130			
Bromobenzene		10	ug/L	1.0	102	70	130			
Bromochloromethane		9.9	ug/L	1.0	99	70	130			
Bromodichloromethane		10	ug/L	1.0	102	70	130			
Bromoform		11	ug/L	1.0	106	70	130			
Bromomethane		11	ug/L	1.0	114	70	130			
Carbon tetrachloride		11	ug/L	1.0	111	70	130			
Chlorobenzene		10	ug/L	1.0	104	70	130			
Chlorodibromomethane		11	ug/L	1.0	106	70	130			
Chloroethane		10	ug/L	1.0	102	70	130			
Chloroform		10	ug/L	1.0	104	70	130			
Chloromethane		10.0	ug/L	1.0	100	70	130			
cis-1,2-Dichloroethene		9.9	ug/L	1.0	99	70	130			
cis-1,3-Dichloropropene		10	ug/L	1.0	102	70	130			
Dibromomethane		10	ug/L	1.0	103	70	130			
Dichlorodifluoromethane		10	ug/L	1.0	101	70	130			
Ethylbenzene		11	ug/L	1.0	108	70	130			
Hexachlorobutadiene		9.9	ug/L	1.0	99	70	130			
Isopropylbenzene		13	ug/L	1.0	125	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144764
Sample ID: 12-Apr-11_LCS_4	67	Laboratory Control Sample				Run: GCMS2_110412A				04/12/11 10:47
m+p-Xylenes		22	ug/L	1.0	109	70	130			
Methyl ethyl ketone		98	ug/L	20	98	70	130			
Methyl tert-butyl ether (MTBE)		10	ug/L	2.0	100	70	130			
Methylene chloride		9.1	ug/L	1.0	91	70	130			
n-Butylbenzene		10.0	ug/L	1.0	100	70	130			
n-Propylbenzene		10	ug/L	1.0	102	70	130			
Naphthalene		9.7	ug/L	1.0	97	70	130			
o-Xylene		11	ug/L	1.0	105	70	130			
p-Isopropyltoluene		10	ug/L	1.0	104	70	130			
sec-Butylbenzene		10	ug/L	1.0	103	70	130			
Styrene		11	ug/L	1.0	108	70	130			
tert-Butylbenzene		10	ug/L	1.0	104	70	130			
Tetrachloroethene		11	ug/L	1.0	107	70	130			
Toluene		11	ug/L	1.0	108	70	130			
trans-1,2-Dichloroethene		11	ug/L	1.0	110	70	130			
trans-1,3-Dichloropropene		11	ug/L	1.0	107	70	130			
Trichloroethene		11	ug/L	1.0	110	70	130			
Trichlorofluoromethane		10	ug/L	1.0	103	70	130			
Vinyl chloride		10	ug/L	1.0	105	70	130			
Xylenes, Total		32	ug/L	1.0	108	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	102	80	120			
Surr: Dibromofluoromethane				1.0	93	70	130			
Surr: p-Bromofluorobenzene				1.0	102	80	130			
Surr: Toluene-d8				1.0	104	80	120			
Sample ID: 12-Apr-11_MBLK_6	67	Method Blank				Run: GCMS2_110412A				04/12/11 11:57
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R144764	
Sample ID: 12-Apr-11_MBLK_6	67	Method Blank				Run: GCMS2_110412A			04/12/11 11:57	
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144764
Sample ID: 12-Apr-11_MBLK_6	67	Method Blank				Run: GCMS2_110412A				04/12/11 11:57
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	103	80	120			
Surr: Dibromofluoromethane				1.0	89	70	130			
Surr: p-Bromofluorobenzene				1.0	98	80	120			
Surr: Toluene-d8				1.0	102	80	120			
Sample ID: C11040249-008AMS	28	Sample Matrix Spike				Run: GCMS2_110412A				04/12/11 13:45
1,1,1-Trichloroethane		140	ug/L	5.0	143	70	130			S
1,1-Dichloroethene		120	ug/L	5.0	118	70	130			
1,2-Dichlorobenzene		100	ug/L	5.0	104	70	130			
1,2-Dichloroethane		110	ug/L	5.0	107	70	130			
1,2-Dichloropropane		100	ug/L	5.0	100	70	130			
1,4-Dichlorobenzene		100	ug/L	5.0	102	70	130			
Benzene		110	ug/L	5.0	111	70	130			
Bromodichloromethane		99	ug/L	5.0	99	70	130			
Bromoform		110	ug/L	5.0	107	70	130			
Carbon tetrachloride		120	ug/L	5.0	124	70	130			
Chlorobenzene		110	ug/L	5.0	109	70	130			
Chlorodibromomethane		110	ug/L	5.0	107	70	130			
Chloroform		110	ug/L	5.0	110	70	130			
cis-1,2-Dichloroethene		100	ug/L	5.0	101	70	130			
Ethylbenzene		120	ug/L	5.0	118	70	130			
m+p-Xylenes		240	ug/L	5.0	118	70	130			
o-Xylene		110	ug/L	5.0	114	70	130			
Styrene		99	ug/L	5.0	99	70	130			
Tetrachloroethene		120	ug/L	5.0	122	70	130			
Toluene		110	ug/L	5.0	111	70	130			
trans-1,2-Dichloroethene		120	ug/L	5.0	121	70	130			
Trichloroethene		110	ug/L	5.0	115	70	130			
Vinyl chloride		120	ug/L	5.0	121	70	130			
Xylenes, Total		350	ug/L	5.0	117	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	102	80	120			
Surr: Dibromofluoromethane				1.0	92	70	130			
Surr: p-Bromofluorobenzene				1.0	102	80	120			
Surr: Toluene-d8				1.0	104	80	120			
Sample ID: C11040249-008AMSD	28	Sample Matrix Spike Duplicate				Run: GCMS2_110412A				04/12/11 14:20
1,1,1-Trichloroethane		150	ug/L	5.0	148	70	130	3.6	20	S
1,1-Dichloroethene		120	ug/L	5.0	123	70	130	4.3	20	
1,2-Dichlorobenzene		110	ug/L	5.0	106	70	130	1.9	20	
1,2-Dichloroethane		110	ug/L	5.0	107	70	130	0.4	20	
1,2-Dichloropropane		100	ug/L	5.0	104	70	130	4.7	20	
1,4-Dichlorobenzene		110	ug/L	5.0	108	70	130	5.7	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R144764	
Sample ID: C11040249-008AMSD 28 Sample Matrix Spike Duplicate									Run: GCMS2_110412A 04/12/11 14:20	
Benzene		120	ug/L	5.0	116	70	130	3.9	20	
Bromodichloromethane		110	ug/L	5.0	105	70	130	6.3	20	
Bromoform		110	ug/L	5.0	112	70	130	4.0	20	
Carbon tetrachloride		130	ug/L	5.0	127	70	130	2.9	20	
Chlorobenzene		110	ug/L	5.0	112	70	130	2.2	20	
Chlorodibromomethane		110	ug/L	5.0	110	70	130	2.6	20	
Chloroform		110	ug/L	5.0	112	70	130	2.2	20	
cis-1,2-Dichloroethene		110	ug/L	5.0	105	70	130	3.9	20	
Ethylbenzene		120	ug/L	5.0	123	70	130	4.7	20	
m+p-Xylenes		240	ug/L	5.0	122	70	130	3.7	20	
o-Xylene		120	ug/L	5.0	116	70	130	1.4	20	
Styrene		95	ug/L	5.0	95	70	130	4.1	20	
Tetrachloroethene		130	ug/L	5.0	126	70	130	2.9	20	
Toluene		120	ug/L	5.0	117	70	130	5.3	20	
trans-1,2-Dichloroethene		130	ug/L	5.0	126	70	130	3.9	20	
Trichloroethene		120	ug/L	5.0	120	70	130	4.8	20	
Vinyl chloride		120	ug/L	5.0	125	70	130	2.9	20	
Xylenes, Total		360	ug/L	5.0	120	70	130	2.9	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	102	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	88	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	103	80	120	0.0	10	
Surr: Toluene-d8				1.0	104	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144880
Sample ID: 041511_LCS_4	67	Laboratory Control Sample				Run: SATURNCA_110415B				04/15/11 11:03
1,1,1,2-Tetrachloroethane		9.9	ug/L	1.0	99	70	130			
1,1,1-Trichloroethane		10	ug/L	1.0	101	70	130			
1,1,2,2-Tetrachloroethane		9.1	ug/L	1.0	91	70	130			
1,1,2-Trichloroethane		9.8	ug/L	1.0	98	70	130			
1,1-Dichloroethane		8.7	ug/L	1.0	87	70	130			
1,1-Dichloroethene		9.1	ug/L	1.0	91	70	130			
1,1-Dichloropropene		11	ug/L	1.0	109	70	130			
1,2,3-Trichlorobenzene		6.3	ug/L	1.0	63	70	130			S
1,2,3-Trichloropropane		9.9	ug/L	1.0	99	70	130			
1,2,4-Trichlorobenzene		7.2	ug/L	1.0	72	70	130			
1,2,4-Trimethylbenzene		8.6	ug/L	1.0	86	70	130			
1,2-Dibromo-3-chloropropane		8.5	ug/L	1.0	85	70	130			
1,2-Dibromoethane		9.2	ug/L	1.0	92	70	130			
1,2-Dichlorobenzene		9.8	ug/L	1.0	98	70	130			
1,2-Dichloroethane		10	ug/L	1.0	103	70	130			
1,2-Dichloropropane		11	ug/L	1.0	106	70	130			
1,3,5-Trimethylbenzene		9.2	ug/L	1.0	92	70	130			
1,3-Dichlorobenzene		9.6	ug/L	1.0	96	70	130			
1,3-Dichloropropane		9.0	ug/L	1.0	90	70	130			
1,4-Dichlorobenzene		8.4	ug/L	1.0	84	70	130			
2,2-Dichloropropane		11	ug/L	1.0	106	60	140			
2-Chloroethyl vinyl ether		8.7	ug/L	1.0	87	70	130			
2-Chlorotoluene		11	ug/L	1.0	114	70	130			
4-Chlorotoluene		11	ug/L	1.0	111	70	130			
Benzene		9.7	ug/L	1.0	97	70	130			
Bromobenzene		9.5	ug/L	1.0	95	70	130			
Bromochloromethane		10	ug/L	1.0	103	70	130			
Bromodichloromethane		9.3	ug/L	1.0	93	70	130			
Bromoform		9.4	ug/L	1.0	94	70	130			
Bromomethane		9.8	ug/L	1.0	98	70	130			
Carbon tetrachloride		11	ug/L	1.0	107	70	130			
Chlorobenzene		10	ug/L	1.0	100	70	130			
Chlorodibromomethane		9.5	ug/L	1.0	95	70	130			
Chloroethane		9.6	ug/L	1.0	96	70	130			
Chloroform		11	ug/L	1.0	109	70	130			
Chloromethane		8.5	ug/L	1.0	85	70	130			
cis-1,2-Dichloroethene		11	ug/L	1.0	110	70	130			
cis-1,3-Dichloropropene		9.9	ug/L	1.0	99	70	130			
Dibromomethane		9.4	ug/L	1.0	94	70	130			
Dichlorodifluoromethane		6.2	ug/L	1.0	62	70	130			S
Ethylbenzene		10	ug/L	1.0	104	70	130			
Hexachlorobutadiene		7.6	ug/L	1.0	74	70	130			
Isopropylbenzene		11	ug/L	1.0	107	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144880
Sample ID: 041511_LCS_4	67	Laboratory Control Sample				Run: SATURNCA_110415B			04/15/11 11:03	
m+p-Xylenes		19	ug/L	1.0	94	70	130			
Methyl ethyl ketone		110	ug/L	20	109	70	130			
Methyl tert-butyl ether (MTBE)		11	ug/L	2.0	106	70	130			
Methylene chloride		9.8	ug/L	1.0	98	70	130			
n-Butylbenzene		8.5	ug/L	1.0	85	70	130			
n-Propylbenzene		9.4	ug/L	1.0	94	70	130			
Naphthalene		7.6	ug/L	1.0	76	70	130			
o-Xylene		9.9	ug/L	1.0	99	70	130			
p-Isopropyltoluene		9.0	ug/L	1.0	90	70	130			
sec-Butylbenzene		8.9	ug/L	1.0	89	70	130			
Styrene		11	ug/L	1.0	110	70	130			
tert-Butylbenzene		9.4	ug/L	1.0	94	70	130			
Tetrachloroethene		9.1	ug/L	1.0	91	70	130			
Toluene		9.7	ug/L	1.0	97	70	130			
trans-1,2-Dichloroethene		10	ug/L	1.0	102	70	130			
trans-1,3-Dichloropropene		11	ug/L	1.0	109	70	130			
Trichloroethene		10	ug/L	1.0	102	70	130			
Trichlorofluoromethane		9.0	ug/L	1.0	90	70	130			
Vinyl chloride		8.9	ug/L	1.0	89	70	130			
Xylenes, Total		29	ug/L	1.0	96	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	99	80	120			
Surr: Dibromofluoromethane				1.0	95	70	130			
Surr: p-Bromofluorobenzene				1.0	106	80	130			
Surr: Toluene-d8				1.0	111	80	120			
Sample ID: 041511_MBLK_6	67	Method Blank				Run: SATURNCA_110415B			04/15/11 12:24	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144880
Sample ID: 041511_MBLK_6	67	Method Blank		Run: SATURNCA_110415B				04/15/11 12:24		
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144880
Sample ID: 041511_MBLK_6	67	Method Blank				Run: SATURNCA_110415B				04/15/11 12:24
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	101	80	120			
Surr: Dibromofluoromethane				1.0	103	70	130			
Surr: p-Bromofluorobenzene				1.0	102	80	120			
Surr: Toluene-d8				1.0	109	80	120			
Sample ID: C11040343-002TMS	67	Sample Matrix Spike				Run: SATURNCA_110415B				04/15/11 18:25
1,1,1,2-Tetrachloroethane		93	ug/L	5.0	93	70	130			
1,1,1-Trichloroethane		94	ug/L	5.0	94	70	130			
1,1,2,2-Tetrachloroethane		78	ug/L	5.0	78	70	130			
1,1,2-Trichloroethane		90	ug/L	5.0	90	70	130			
1,1-Dichloroethane		82	ug/L	5.0	82	70	130			
1,1-Dichloroethene		82	ug/L	5.0	82	70	130			
1,1-Dichloropropene		96	ug/L	5.0	96	70	130			
1,2,3-Trichlorobenzene		51	ug/L	5.0	51	70	130			S
1,2,3-Trichloropropane		90	ug/L	5.0	90	70	130			
1,2,4-Trichlorobenzene		62	ug/L	5.0	62	70	130			S
1,2,4-Trimethylbenzene		85	ug/L	5.0	85	70	130			
1,2-Dibromo-3-chloropropane		76	ug/L	5.0	76	70	130			
1,2-Dibromoethane		82	ug/L	5.0	82	70	130			
1,2-Dichlorobenzene		88	ug/L	5.0	88	70	130			
1,2-Dichloroethane		90	ug/L	5.0	90	70	130			
1,2-Dichloropropane		100	ug/L	5.0	102	70	130			
1,3,5-Trimethylbenzene		90	ug/L	5.0	90	70	130			
1,3-Dichlorobenzene		87	ug/L	5.0	87	70	130			
1,3-Dichloropropane		84	ug/L	5.0	84	70	130			
1,4-Dichlorobenzene		75	ug/L	5.0	75	70	130			
2,2-Dichloropropane		85	ug/L	5.0	85	70	130			
2-Chloroethyl vinyl ether		11	ug/L	5.0	11	70	130			S
2-Chlorotoluene		98	ug/L	5.0	98	70	130			
4-Chlorotoluene		96	ug/L	5.0	96	70	130			
Benzene		94	ug/L	5.0	94	70	130			
Bromobenzene		85	ug/L	5.0	85	70	130			
Bromochloromethane		87	ug/L	5.0	87	70	130			
Bromodichloromethane		88	ug/L	5.0	88	70	130			
Bromoform		73	ug/L	5.0	73	70	130			
Bromomethane		88	ug/L	5.0	88	70	130			
Carbon tetrachloride		97	ug/L	5.0	97	70	130			
Chlorobenzene		90	ug/L	5.0	90	70	130			
Chlorodibromomethane		89	ug/L	5.0	89	70	130			
Chloroethane		86	ug/L	5.0	86	70	130			
Chloroform		96	ug/L	5.0	96	70	130			
Chloromethane		77	ug/L	5.0	77	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144880
Sample ID: C11040343-002TMS	67	Sample Matrix Spike				Run: SATURNCA_110415B				04/15/11 18:25
cis-1,2-Dichloroethene		96	ug/L	5.0	96	70	130			
cis-1,3-Dichloropropene		94	ug/L	5.0	94	70	130			
Dibromomethane		86	ug/L	5.0	86	70	130			
Dichlorodifluoromethane		55	ug/L	5.0	55	70	130			S
Ethylbenzene		98	ug/L	5.0	98	70	130			
Hexachlorobutadiene		69	ug/L	5.0	69	70	130			S
Isopropylbenzene		110	ug/L	5.0	106	70	130			
m+p-Xylenes		180	ug/L	5.0	92	70	130			
Methyl ethyl ketone		880	ug/L	100	88	70	130			
Methyl tert-butyl ether (MTBE)		93	ug/L	10	93	70	130			
Methylene chloride		87	ug/L	5.0	87	70	130			
n-Butylbenzene		83	ug/L	5.0	83	70	130			
n-Propylbenzene		91	ug/L	5.0	91	70	130			
Naphthalene		65	ug/L	5.0	65	70	130			S
o-Xylene		95	ug/L	5.0	95	70	130			
p-Isopropyltoluene		86	ug/L	5.0	86	70	130			
sec-Butylbenzene		86	ug/L	5.0	86	70	130			
Styrene		90	ug/L	5.0	90	70	130			
tert-Butylbenzene		93	ug/L	5.0	93	70	130			
Tetrachloroethene		84	ug/L	5.0	82	70	130			
Toluene		190	ug/L	5.0	92	70	130			
trans-1,2-Dichloroethene		94	ug/L	5.0	94	70	130			
trans-1,3-Dichloropropene		95	ug/L	5.0	95	70	130			
Trichloroethene		94	ug/L	5.0	94	70	130			
Trichlorofluoromethane		82	ug/L	5.0	82	70	130			
Vinyl chloride		86	ug/L	5.0	86	70	130			
Xylenes, Total		280	ug/L	5.0	93	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	92	70	130			
Surr: p-Bromofluorobenzene				1.0	109	80	120			
Surr: Toluene-d8				1.0	122	80	120			S

-MSD outside of QC advisory limits. Re-analysis not possible due to limited sample volume.

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R145028
Sample ID: 042011_LCS_4	67	Laboratory Control Sample				Run: SATURNCA_110420A			04/20/11 12:32	
1,1,1,2-Tetrachloroethane		9.4	ug/L	1.0	94	70	130			
1,1,1-Trichloroethane		9.4	ug/L	1.0	94	70	130			
1,1,2,2-Tetrachloroethane		9.6	ug/L	1.0	96	70	130			
1,1,2-Trichloroethane		11	ug/L	1.0	108	70	130			
1,1-Dichloroethane		9.4	ug/L	1.0	94	70	130			
1,1-Dichloroethene		9.1	ug/L	1.0	91	70	130			
1,1-Dichloropropene		9.1	ug/L	1.0	91	70	130			
1,2,3-Trichlorobenzene		10	ug/L	1.0	100	70	130			
1,2,3-Trichloropropane		8.9	ug/L	1.0	89	70	130			
1,2,4-Trichlorobenzene		10	ug/L	1.0	101	70	130			
1,2,4-Trimethylbenzene		9.6	ug/L	1.0	96	70	130			
1,2-Dibromo-3-chloropropane		10	ug/L	1.0	101	70	130			
1,2-Dibromoethane		9.6	ug/L	1.0	96	70	130			
1,2-Dichlorobenzene		10	ug/L	1.0	100	70	130			
1,2-Dichloroethane		8.4	ug/L	1.0	84	70	130			
1,2-Dichloropropane		9.6	ug/L	1.0	96	70	130			
1,3,5-Trimethylbenzene		9.9	ug/L	1.0	99	70	130			
1,3-Dichlorobenzene		9.5	ug/L	1.0	95	70	130			
1,3-Dichloropropane		11	ug/L	1.0	106	70	130			
1,4-Dichlorobenzene		8.7	ug/L	1.0	87	70	130			
2,2-Dichloropropane		9.2	ug/L	1.0	92	60	140			
2-Chloroethyl vinyl ether		11	ug/L	1.0	111	70	130			
2-Chlorotoluene		10	ug/L	1.0	102	70	130			
4-Chlorotoluene		10	ug/L	1.0	103	70	130			
Benzene		9.6	ug/L	1.0	96	70	130			
Bromobenzene		9.8	ug/L	1.0	98	70	130			
Bromochloromethane		8.4	ug/L	1.0	84	70	130			
Bromodichloromethane		9.2	ug/L	1.0	92	70	130			
Bromoform		11	ug/L	1.0	106	70	130			
Bromomethane		13	ug/L	1.0	126	70	130			
Carbon tetrachloride		9.2	ug/L	1.0	92	70	130			
Chlorobenzene		9.1	ug/L	1.0	91	70	130			
Chlorodibromomethane		9.0	ug/L	1.0	90	70	130			
Chloroethane		9.1	ug/L	1.0	91	70	130			
Chloroform		9.1	ug/L	1.0	91	70	130			
Chloromethane		9.4	ug/L	1.0	94	70	130			
cis-1,2-Dichloroethene		8.8	ug/L	1.0	88	70	130			
cis-1,3-Dichloropropene		9.6	ug/L	1.0	96	70	130			
Dibromomethane		9.7	ug/L	1.0	97	70	130			
Dichlorodifluoromethane		8.2	ug/L	1.0	82	70	130			
Ethylbenzene		9.6	ug/L	1.0	96	70	130			
Hexachlorobutadiene		9.5	ug/L	1.0	93	70	130			
Isopropylbenzene		12	ug/L	1.0	116	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R145028
Sample ID: 042011_LCS_4	67	Laboratory Control Sample				Run: SATURNCA_110420A			04/20/11 12:32	
m+p-Xylenes		19	ug/L	1.0	95	70	130			
Methyl ethyl ketone		88	ug/L	20	88	70	130			
Methyl tert-butyl ether (MTBE)		8.5	ug/L	2.0	85	70	130			
Methylene chloride		9.1	ug/L	1.0	91	70	130			
n-Butylbenzene		11	ug/L	1.0	107	70	130			
n-Propylbenzene		10	ug/L	1.0	102	70	130			
Naphthalene		10	ug/L	1.0	104	70	130			
o-Xylene		10	ug/L	1.0	100	70	130			
p-Isopropyltoluene		10	ug/L	1.0	100	70	130			
sec-Butylbenzene		10.0	ug/L	1.0	100	70	130			
Styrene		9.5	ug/L	1.0	95	70	130			
tert-Butylbenzene		10	ug/L	1.0	103	70	130			
Tetrachloroethene		12	ug/L	1.0	117	70	130			
Toluene		9.5	ug/L	1.0	95	70	130			
trans-1,2-Dichloroethene		9.4	ug/L	1.0	94	70	130			
trans-1,3-Dichloropropene		10	ug/L	1.0	103	70	130			
Trichloroethene		9.8	ug/L	1.0	98	70	130			
Trichlorofluoromethane		9.2	ug/L	1.0	92	70	130			
Vinyl chloride		9.3	ug/L	1.0	93	70	130			
Xylenes, Total		29	ug/L	1.0	97	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	101	80	120			
Surr: Dibromofluoromethane				1.0	81	70	130			
Surr: p-Bromofluorobenzene				1.0	115	80	130			
Surr: Toluene-d8				1.0	113	80	120			
Sample ID: 042011_MBLK_7	67	Method Blank				Run: SATURNCA_110420A			04/20/11 14:24	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R145028
Sample ID: 042011_MBLK_7	67	Method Blank		Run: SATURNCA_110420A				04/20/11 14:24		
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R145028
Sample ID: 042011_MBLK_7	67	Method Blank				Run: SATURNCA_110420A				04/20/11 14:24
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	101	80	120			
Surr: Dibromofluoromethane				1.0	82	70	130			
Surr: p-Bromofluorobenzene				1.0	109	80	120			
Surr: Toluene-d8				1.0	114	80	120			
Sample ID: C11040483-010FMS	67	Sample Matrix Spike				Run: SATURNCA_110420A				04/20/11 19:49
1,1,1,2-Tetrachloroethane		100	ug/L	5.0	102	70	130			
1,1,1-Trichloroethane		100	ug/L	5.0	102	70	130			
1,1,2,2-Tetrachloroethane		97	ug/L	5.0	97	70	130			
1,1,2-Trichloroethane		120	ug/L	5.0	116	70	130			
1,1-Dichloroethane		97	ug/L	5.0	97	70	130			
1,1-Dichloroethene		100	ug/L	5.0	102	70	130			
1,1-Dichloropropene		110	ug/L	5.0	107	70	130			
1,2,3-Trichlorobenzene		100	ug/L	5.0	100	70	130			
1,2,3-Trichloropropane		110	ug/L	5.0	106	70	130			
1,2,4-Trichlorobenzene		110	ug/L	5.0	108	70	130			
1,2,4-Trimethylbenzene		96	ug/L	5.0	96	70	130			
1,2-Dibromo-3-chloropropane		110	ug/L	5.0	110	70	130			
1,2-Dibromoethane		100	ug/L	5.0	101	70	130			
1,2-Dichlorobenzene		100	ug/L	5.0	100	70	130			
1,2-Dichloroethane		95	ug/L	5.0	95	70	130			
1,2-Dichloropropane		110	ug/L	5.0	114	70	130			
1,3,5-Trimethylbenzene		98	ug/L	5.0	98	70	130			
1,3-Dichlorobenzene		98	ug/L	5.0	98	70	130			
1,3-Dichloropropane		120	ug/L	5.0	119	70	130			
1,4-Dichlorobenzene		93	ug/L	5.0	93	70	130			
2,2-Dichloropropane		97	ug/L	5.0	97	70	130			
2-Chloroethyl vinyl ether		29	ug/L	5.0	29	70	130			S
2-Chlorotoluene		99	ug/L	5.0	99	70	130			
4-Chlorotoluene		100	ug/L	5.0	102	70	130			
Benzene		100	ug/L	5.0	104	70	130			
Bromobenzene		100	ug/L	5.0	100	70	130			
Bromochloromethane		94	ug/L	5.0	94	70	130			
Bromodichloromethane		100	ug/L	5.0	104	70	130			
Bromoform		100	ug/L	5.0	103	70	130			
Bromomethane		120	ug/L	5.0	125	70	130			
Carbon tetrachloride		100	ug/L	5.0	101	70	130			
Chlorobenzene		100	ug/L	5.0	101	70	130			
Chlorodibromomethane		100	ug/L	5.0	100	70	130			
Chloroethane		100	ug/L	5.0	101	70	130			
Chloroform		100	ug/L	5.0	101	70	130			
Chloromethane		100	ug/L	5.0	104	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R145028
Sample ID: C11040483-010FMS	67	Sample Matrix Spike				Run: SATURNCA_110420A			04/20/11 19:49	
cis-1,2-Dichloroethene		95	ug/L	5.0	95	70	130			
cis-1,3-Dichloropropene		110	ug/L	5.0	110	70	130			
Dibromomethane		110	ug/L	5.0	112	70	130			
Dichlorodifluoromethane		89	ug/L	5.0	89	70	130			
Ethylbenzene		100	ug/L	5.0	103	70	130			
Hexachlorobutadiene		90	ug/L	5.0	90	70	130			
Isopropylbenzene		110	ug/L	5.0	114	70	130			
m+p-Xylenes		200	ug/L	5.0	98	70	130			
Methyl ethyl ketone		950	ug/L	100	95	70	130			
Methyl tert-butyl ether (MTBE)		98	ug/L	10	98	70	130			
Methylene chloride		100	ug/L	5.0	103	70	130			
n-Butylbenzene		98	ug/L	5.0	98	70	130			
n-Propylbenzene		98	ug/L	5.0	98	70	130			
Naphthalene		110	ug/L	5.0	107	70	130			
o-Xylene		100	ug/L	5.0	102	70	130			
p-Isopropyltoluene		99	ug/L	5.0	99	70	130			
sec-Butylbenzene		99	ug/L	5.0	99	70	130			
Styrene		110	ug/L	5.0	106	70	130			
tert-Butylbenzene		100	ug/L	5.0	102	70	130			
Tetrachloroethene		110	ug/L	5.0	113	70	130			
Toluene		110	ug/L	5.0	106	70	130			
trans-1,2-Dichloroethene		100	ug/L	5.0	103	70	130			
trans-1,3-Dichloropropene		130	ug/L	5.0	128	70	130			
Trichloroethene		110	ug/L	5.0	106	70	130			
Trichlorofluoromethane		100	ug/L	5.0	100	70	130			
Vinyl chloride		100	ug/L	5.0	103	70	130			
Xylenes, Total		300	ug/L	5.0	100	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	98	80	120			
Surr: Dibromofluoromethane				1.0	89	70	130			
Surr: p-Bromofluorobenzene				1.0	114	80	120			
Surr: Toluene-d8				1.0	120	80	120			
Sample ID: C11040483-010FMSD	67	Sample Matrix Spike Duplicate				Run: SATURNCA_110420A			04/20/11 20:26	
1,1,1,2-Tetrachloroethane		100	ug/L	5.0	100	70	130	2.0	20	
1,1,1-Trichloroethane		110	ug/L	5.0	108	70	130	5.3	20	
1,1,2,2-Tetrachloroethane		100	ug/L	5.0	103	70	130	6.0	20	
1,1,2-Trichloroethane		110	ug/L	5.0	110	70	130	5.7	20	
1,1-Dichloroethane		110	ug/L	5.0	107	70	130	9.8	20	
1,1-Dichloroethene		110	ug/L	5.0	108	70	130	5.3	20	
1,1-Dichloropropene		110	ug/L	5.0	106	70	130	0.8	20	
1,2,3-Trichlorobenzene		110	ug/L	5.0	110	70	130	8.8	20	
1,2,3-Trichloropropane		110	ug/L	5.0	108	70	130	1.9	20	
1,2,4-Trichlorobenzene		110	ug/L	5.0	112	70	130	4.4	20	
1,2,4-Trimethylbenzene		100	ug/L	5.0	102	70	130	5.6	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R145028
Sample ID: C11040483-010FMSD 67 Sample Matrix Spike Duplicate										Run: SATURNCA_110420A 04/20/11 20:26
1,2-Dibromo-3-chloropropane		110	ug/L	5.0	112	70	130	1.4	20	
1,2-Dibromoethane		100	ug/L	5.0	101	70	130	0.4	20	
1,2-Dichlorobenzene		100	ug/L	5.0	105	70	130	4.3	20	
1,2-Dichloroethane		110	ug/L	5.0	106	70	130	10	20	
1,2-Dichloropropane		100	ug/L	5.0	105	70	130	8.4	20	
1,3,5-Trimethylbenzene		100	ug/L	5.0	102	70	130	4.8	20	
1,3-Dichlorobenzene		100	ug/L	5.0	104	70	130	5.5	20	
1,3-Dichloropropane		110	ug/L	5.0	108	70	130	10	20	
1,4-Dichlorobenzene		94	ug/L	5.0	94	70	130	0.9	20	
2,2-Dichloropropane		100	ug/L	5.0	105	70	130	7.9	20	
2-Chloroethyl vinyl ether		25	ug/L	5.0	25	70	130	17	20	S
2-Chlorotoluene		97	ug/L	5.0	97	70	130	2.4	20	
4-Chlorotoluene		110	ug/L	5.0	106	70	130	3.8	20	
Benzene		100	ug/L	5.0	101	70	130	2.7	20	
Bromobenzene		100	ug/L	5.0	104	70	130	3.1	20	
Bromochloromethane		100	ug/L	5.0	101	70	130	7.4	20	
Bromodichloromethane		95	ug/L	5.0	95	70	130	9.3	20	
Bromoform		110	ug/L	5.0	115	70	130	11	20	
Bromomethane		130	ug/L	5.0	135	70	130	7.7	20	S
Carbon tetrachloride		110	ug/L	5.0	109	70	130	7.2	20	
Chlorobenzene		99	ug/L	5.0	99	70	130	2.4	20	
Chlorodibromomethane		94	ug/L	5.0	94	70	130	6.6	20	
Chloroethane		110	ug/L	5.0	107	70	130	6.2	20	
Chloroform		110	ug/L	5.0	111	70	130	9.5	20	
Chloromethane		110	ug/L	5.0	108	70	130	4.2	20	
cis-1,2-Dichloroethene		100	ug/L	5.0	104	70	130	8.8	20	
cis-1,3-Dichloropropene		99	ug/L	5.0	99	70	130	10	20	
Dibromomethane		100	ug/L	5.0	100	70	130	11	20	
Dichlorodifluoromethane		95	ug/L	5.0	95	70	130	6.5	20	
Ethylbenzene		100	ug/L	5.0	101	70	130	1.6	20	
Hexachlorobutadiene		100	ug/L	5.0	100	70	130	11	20	
Isopropylbenzene		120	ug/L	5.0	116	70	130	2.4	20	
m+p-Xylenes		190	ug/L	5.0	93	70	130	5.2	20	
Methyl ethyl ketone		950	ug/L	100	95	70	130	0.0	20	
Methyl tert-butyl ether (MTBE)		100	ug/L	10	100	70	130	2.8	20	
Methylene chloride		110	ug/L	5.0	108	70	130	4.9	20	
n-Butylbenzene		100	ug/L	5.0	102	70	130	3.2	20	
n-Propylbenzene		100	ug/L	5.0	105	70	130	7.1	20	
Naphthalene		110	ug/L	5.0	114	70	130	6.5	20	
o-Xylene		99	ug/L	5.0	99	70	130	3.2	20	
p-Isopropyltoluene		100	ug/L	5.0	103	70	130	3.6	20	
sec-Butylbenzene		100	ug/L	5.0	102	70	130	2.4	20	
Styrene		100	ug/L	5.0	101	70	130	4.7	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/22/11

Project: 90125 Artesia

Work Order: C11040249

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R145028
Sample ID: C11040483-010FMSD 67 Sample Matrix Spike Duplicate										Run: SATURNCA_110420A 04/20/11 20:26
tert-Butylbenzene		110	ug/L	5.0	106	70	130	3.5	20	
Tetrachloroethene		110	ug/L	5.0	113	70	130	0.4	20	
Toluene		98	ug/L	5.0	98	70	130	8.6	20	
trans-1,2-Dichloroethene		110	ug/L	5.0	110	70	130	6.4	20	
trans-1,3-Dichloropropene		110	ug/L	5.0	114	70	130	12	20	
Trichloroethene		100	ug/L	5.0	100	70	130	5.0	20	
Trichlorofluoromethane		110	ug/L	5.0	105	70	130	4.7	20	
Vinyl chloride		110	ug/L	5.0	109	70	130	6.0	20	
Xylenes, Total		290	ug/L	5.0	95	70	130	4.5	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	97	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	96	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	114	80	120	0.0	10	
Surr: Toluene-d8				1.0	115	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Workorder Receipt Checklist



Deuell Environmental LLC

C11040249

Login completed by: Halley Ackerman

Date Received: 4/7/2011

Reviewed by: BL2000\cwagner

Received by: ha

Reviewed Date: 4/12/2011

Carrier Next Day Air
name:

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	7.1 °C On Ice		
Water - VOA vials have zero headspace?	Yes ☒	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 1 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: DEVEL ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 90125 ARTESIA		Sample Origin State: NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT. LARDERHILL, NY 82072		Contact Name: Rick Devel		Phone/Fax: 307760 3277		Sampler: (Please Print)	
Invoice Address:		Invoice Contact & Phone:		Purchase Order: 70125.2		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTWWWTP ☐ State: ☐ Other:		☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED			
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date	Collection Time	MATRIX	Standard Turnaround (TAT) R U S H		
1 90125-20.4/11		4/5/11	14:30	3W	Contact ELI prior to RUSH sample submittal for charges and scheduling - See Instruction Page		
2 90125-28.4/11			15:00		Comments:		
3 90125-27.4/11			15:15		Shipped by: US MAIL		
4 90125-30.4/11			15:30		Corder ID(s): 3628		
5 90125-TANK, 4/11			15:45		Receipt Temp: 7.1 °C		
6 90125-32.4/11			16:00		On Ice: ☒ N		
7 90125-26.4/11			16:15		Custody Seal On Bottle ☒ Y On Cooler ☒ N		
8 90125-27.4/11			16:30		Intact ☒ N		
9 90125-22.4/11			16:45		Signature Match ☒ N		
10 90125-25.4/11			17:00		LABORATORY USE ONLY		
Custody Record MUST be Signed		Relinquished by (print): Rick Devel	Date/Time: 4/6/11 14:00	Signature: [Signature]	Received by (print):	Date/Time:	Signature:
Sample Disposal:		Return to Client:	Lab Disposal:	Received by Laboratory:	Date/Time:	Signature:	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links



Chain of Custody and Analytical Request Record

Page 2 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: <u>Deuel Environmental</u>		Project Name, PWS, Permit, Etc. <u>90125 ARTESIA</u>		Sample Origin <u>NM</u>		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: <u>1653 DIAMOND HEAD CT</u>		Contact Name: <u>Rick Deuel</u>		Phone/Fax: <u>307 760 3277</u>		Sampler: (Please Print)	
Invoice Address: <u>LORENSIE, N/Y 02092</u>		Invoice Contact & Phone: <u>307 760 3277</u>		Purchase Order: <u>90125.2</u>		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: _____ ☐ Other: _____ ☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED <u>SEE ATTACHED</u>		Contact ELI prior to RUSH sample submittal for charges and scheduling - See Instruction Page		Shipped by:	
Number of Containers Sample Type: A W S V B O DW Vegetation Bioassay Other DW - Drinking Water		MATRIX <u>300</u>		Standard Turnaround (TAT) <u>R U S H</u>		Cooler ID(s):	
Collection Date		Collection Time		Receipt Temp °C		On Ice: Y N	
1 <u>90125-21.4/11</u>		<u>4/5/11 17:15</u>		<u>17:30</u>		Custody Seal On Bottle Y N On Cooler Y N	
2 <u>90125-31.9/11</u>		<u>17:45</u>		<u>18:00</u>		Intact Y N	
3 <u>90125-10.4/11</u>		<u>18:15</u>		<u>10:30</u>		Signature Match Y N	
4 <u>90125-11.9/11</u>		<u>10:45</u>		<u>11:00</u>		LABORATORY USE ONLY	
5 <u>90125-13.4/11</u>		<u>11:15</u>		<u>13:30</u>		Received by (print):	
6 <u>90125-15.4/11</u>		<u>11:00</u>		<u>11:15</u>		Date/Time:	
7 <u>90125-12.4/11</u>		<u>11:15</u>		<u>11:15</u>		Received by (print):	
8 <u>90125-A.4/11</u>		<u>11:15</u>		<u>11:15</u>		Date/Time:	
9 <u>90125-12.4/11</u>		<u>11:15</u>		<u>11:15</u>		Received by (print):	
10 <u>90125-A.4/11</u>		<u>11:15</u>		<u>11:15</u>		Date/Time:	
Custody Record MUST be Signed		Relinquished by (print): <u>Rick Deuel</u>		Relinquished by (print): <u>Rick Deuel</u>		Signature:	
Sample Disposal:		Return to Client:		Received by Laboratory:		Signature:	
Lab Disposal:		Return to Client:		Received by Laboratory:		Signature:	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms and links.



Chain of Custody and Analytical Request Record

Page 3 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: DEVELL ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 90125 ARTESIA		Sample Origin State: NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT LARAHIS, WY 82072		Contact Name: RIK DEVELL		Phone/Fax: 307 760 3277		Email: 90125, I	
Invoice Address: SAKE		Invoice Contact & Phone:		Purchase Order: 90125, I		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: ☐ Other: ☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED		Standard Turnaround (TAT) R U S H		Contact ELI prior to RUSH samples submittal for charges and scheduling - See Instruction Page Comments:	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.) 90125-B, 4/11		Collection Date 4/5/11		Collection Time 13:00		Matrix 3W	
TRIP BLANK 6242						2W	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Relinquished by (print): Rick Devell		Date/Time: 4/5/11 14:00		Signature: [Signature]		Received by (print): [Signature]	
Relinquished by (print):		Date/Time:		Signature:		Received by (print):	
Sample Disposal:		Return to Client:		Lab Disposal:		Received by Laboratory: 4.7.11 a/s	
Custody Record MUST be Signed		Date/Time: 4.7.11 a/s		Signature: [Signature]		Signature: [Signature]	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.



ANALYTICAL SUMMARY REPORT

April 21, 2011

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C11040231

Project Name: 90125 Artesia

Energy Laboratories, Inc. Casper WY received the following 2 samples for Deuell Environmental LLC on 4/7/2011 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C11040231-001	90125-WB.4/11	04/06/11 12:00	04/07/11	Air	SW8260B VOCs, Standard List
C11040231-002	Supplies		04/07/11		Supplies

This report was prepared by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing.

If you have any questions regarding these test results, please call.

Report Approved By:



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040231-001
Client Sample ID: 90125-WB.4/11

Report Date: 04/21/11
Collection Date: 04/06/11 12:00
Date Received: 04/07/11
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Bromoform	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11040231-001
Client Sample ID: 90125-WB.4/11

Report Date: 04/21/11
Collection Date: 04/06/11 12:00
Date Received: 04/07/11
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	04/08/11 12:35 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
o-Xylene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	04/08/11 12:35 / jlr
Surr: 1,2-Dichlorobenzene-d4	128	%REC	S	80-120		SW8260B	04/08/11 12:35 / jlr
Surr: Dibromofluoromethane	95.0	%REC		80-120		SW8260B	04/08/11 12:35 / jlr
Surr: p-Bromofluorobenzene	122	%REC	S	80-120		SW8260B	04/08/11 12:35 / jlr
Surr: Toluene-d8	95.0	%REC		80-120		SW8260B	04/08/11 12:35 / jlr

Report Definitions:
RL - Analyte reporting limit.
QCL - Quality control limit.
S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/21/11

Project: 90125 Artesia

Work Order: C11040231

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144659
Sample ID: 08-Apr-11_LCS_4										04/08/11 10:45
64 Laboratory Control Sample										Run: 5975VOC1_110408A
1,1,1,2-Tetrachloroethane		10.1	mg/m3	1.0	101	70	130			
1,1,1-Trichloroethane		9.32	mg/m3	1.0	93	70	130			
1,1,2,2-Tetrachloroethane		10.2	mg/m3	1.0	102	70	130			
1,1,2-Trichloroethane		9.68	mg/m3	1.0	97	70	130			
1,1-Dichloroethane		9.68	mg/m3	1.0	97	70	130			
1,1-Dichloroethene		8.20	mg/m3	1.0	82	70	130			
1,1-Dichloropropene		9.08	mg/m3	1.0	91	70	130			
1,2,3-Trichlorobenzene		11.6	mg/m3	1.0	116	70	130			
1,2,3-Trichloropropane		10.6	mg/m3	1.0	106	70	130			
1,2,4-Trichlorobenzene		11.7	mg/m3	1.0	117	70	130			
1,2,4-Trimethylbenzene		9.76	mg/m3	1.0	98	70	130			
1,2-Dibromo-3-chloropropane		11.0	mg/m3	1.0	110	70	130			
1,2-Dibromoethane		10.4	mg/m3	1.0	104	70	130			
1,2-Dichlorobenzene		11.4	mg/m3	1.0	114	70	130			
1,2-Dichloroethane		9.16	mg/m3	1.0	92	70	130			
1,2-Dichloropropane		9.76	mg/m3	1.0	98	70	130			
1,3,5-Trimethylbenzene		10.1	mg/m3	1.0	101	70	130			
1,3-Dichlorobenzene		10.6	mg/m3	1.0	106	70	130			
1,3-Dichloropropane		10.0	mg/m3	1.0	100	70	130			
1,4-Dichlorobenzene		10.2	mg/m3	1.0	102	70	130			
2,2-Dichloropropane		10.3	mg/m3	1.0	103	70	130			
2-Chlorotoluene		10.1	mg/m3	1.0	101	70	130			
4-Chlorotoluene		10.3	mg/m3	1.0	103	70	130			
Benzene		9.16	mg/m3	1.0	92	70	130			
Bromobenzene		10.2	mg/m3	1.0	102	70	130			
Bromochloromethane		9.60	mg/m3	1.0	96	70	130			
Bromodichloromethane		9.00	mg/m3	1.0	90	70	130			
Bromoform		10.9	mg/m3	1.0	109	70	130			
Bromomethane		8.64	mg/m3	1.0	86	70	130			
Carbon tetrachloride		9.36	mg/m3	1.0	94	70	130			
Chlorobenzene		9.24	mg/m3	1.0	92	70	130			
Chlorodibromomethane		9.60	mg/m3	1.0	96	70	130			
Chloroethane		8.20	mg/m3	1.0	82	70	130			
Chloroform		9.44	mg/m3	1.0	94	70	130			
Chloromethane		7.52	mg/m3	1.0	75	70	130			
cis-1,2-Dichloroethene		9.04	mg/m3	1.0	90	70	130			
cis-1,3-Dichloropropene		9.80	mg/m3	1.0	98	70	130			
Dibromomethane		9.76	mg/m3	1.0	98	70	130			
Dichlorodifluoromethane		6.52	mg/m3	1.0	65	70	130			
Ethylbenzene		9.28	mg/m3	1.0	93	70	130			S
Hexachlorobutadiene		11.4	mg/m3	1.0	113	70	130			
Isopropylbenzene		12.0	mg/m3	1.0	120	70	130			
m+p-Xylenes		18.2	mg/m3	1.0	90	70	130			
Methyl ethyl ketone		115	mg/m3	20	115	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/21/11

Project: 90125 Artesia

Work Order: C11040231

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144659
Sample ID: 08-Apr-11_LCS_4	64	Laboratory Control Sample				Run: 5975VOC1_110408A				04/08/11 10:45
Methylene chloride		8.16	mg/m3	1.0	82	70	130			
Naphthalene		12.6	mg/m3	1.0	126	70	130			
n-Butylbenzene		10.3	mg/m3	1.0	103	70	130			
n-Propylbenzene		10.8	mg/m3	1.0	108	70	130			
o-Xylene		9.00	mg/m3	1.0	90	70	130			
p-Isopropyltoluene		10.2	mg/m3	1.0	102	70	130			
sec-Butylbenzene		10.4	mg/m3	1.0	104	70	130			
Styrene		9.04	mg/m3	1.0	90	70	130			
tert-Butylbenzene		10.1	mg/m3	1.0	101	70	130			
Tetrachloroethene		10.5	mg/m3	1.0	105	70	130			
Toluene		9.76	mg/m3	1.0	95	70	130			
trans-1,2-Dichloroethene		9.28	mg/m3	1.0	93	70	130			
trans-1,3-Dichloropropene		10.5	mg/m3	1.0	105	70	130			
Trichloroethene		8.96	mg/m3	1.0	90	70	130			
Trichlorofluoromethane		7.80	mg/m3	1.0	78	70	130			
Vinyl chloride		7.52	mg/m3	1.0	75	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	109	80	120			
Surr: Dibromofluoromethane				1.0	95	80	120			
Surr: p-Bromofluorobenzene				1.0	112	80	120			
Surr: Toluene-d8				1.0	105	80	120			
Sample ID: 08-Apr-11_MBLK_6	64	Method Blank				Run: 5975VOC1_110408A				04/08/11 11:56
1,1,1,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,1-Trichloroethane		ND	mg/m3	1.0						
1,1,2,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,2-Trichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethene		ND	mg/m3	1.0						
1,1-Dichloropropene		ND	mg/m3	1.0						
1,2,3-Trichlorobenzene		ND	mg/m3	1.0						
1,2,3-Trichloropropane		ND	mg/m3	1.0						
1,2,4-Trichlorobenzene		ND	mg/m3	1.0						
1,2,4-Trimethylbenzene		ND	mg/m3	1.0						
1,2-Dibromo-3-chloropropane		ND	mg/m3	1.0						
1,2-Dibromoethane		ND	mg/m3	1.0						
1,2-Dichlorobenzene		ND	mg/m3	1.0						
1,2-Dichloroethane		ND	mg/m3	1.0						
1,2-Dichloropropane		ND	mg/m3	1.0						
1,3,5-Trimethylbenzene		ND	mg/m3	1.0						
1,3-Dichlorobenzene		ND	mg/m3	1.0						
1,3-Dichloropropane		ND	mg/m3	1.0						
1,4-Dichlorobenzene		ND	mg/m3	1.0						
2,2-Dichloropropane		ND	mg/m3	1.0						
2-Chlorotoluene		ND	mg/m3	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/21/11

Project: 90125 Artesia

Work Order: C11040231

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R144659	
Sample ID: 08-Apr-11_MBLK_6	64	Method Blank			Run: 5975VOC1_110408A				04/08/11 11:56	
4-Chlorotoluene		ND	mg/m3	1.0						
Benzene		ND	mg/m3	1.0						
Bromobenzene		ND	mg/m3	1.0						
Bromochloromethane		ND	mg/m3	1.0						
Bromodichloromethane		ND	mg/m3	1.0						
Bromoform		ND	mg/m3	1.0						
Bromomethane		ND	mg/m3	1.0						
Carbon tetrachloride		ND	mg/m3	1.0						
Chlorobenzene		ND	mg/m3	1.0						
Chlorodibromomethane		ND	mg/m3	1.0						
Chloroethane		ND	mg/m3	1.0						
Chloroform		ND	mg/m3	1.0						
Chloromethane		ND	mg/m3	1.0						
cis-1,2-Dichloroethene		ND	mg/m3	1.0						
cis-1,3-Dichloropropene		ND	mg/m3	1.0						
Dibromomethane		ND	mg/m3	1.0						
Dichlorodifluoromethane		ND	mg/m3	1.0						
Ethylbenzene		ND	mg/m3	1.0						
Hexachlorobutadiene		ND	mg/m3	1.0						
Isopropylbenzene		ND	mg/m3	1.0						
m+p-Xylenes		ND	mg/m3	1.0						
Methyl ethyl ketone		ND	mg/m3	20						
Methylene chloride		ND	mg/m3	1.0						
Naphthalene		ND	mg/m3	1.0						
n-Butylbenzene		ND	mg/m3	1.0						
n-Propylbenzene		ND	mg/m3	1.0						
o-Xylene		ND	mg/m3	1.0						
p-Isopropyltoluene		ND	mg/m3	1.0						
sec-Butylbenzene		ND	mg/m3	1.0						
Styrene		ND	mg/m3	1.0						
tert-Butylbenzene		ND	mg/m3	1.0						
Tetrachloroethene		ND	mg/m3	1.0						
Toluene		ND	mg/m3	1.0						
trans-1,2-Dichloroethene		ND	mg/m3	1.0						
trans-1,3-Dichloropropene		ND	mg/m3	1.0						
Trichloroethene		ND	mg/m3	1.0						
Trichlorofluoromethane		ND	mg/m3	1.0						
Vinyl chloride		ND	mg/m3	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	126	80	120			S
Surr: Dibromofluoromethane				1.0	96	80	120			
Surr: p-Bromofluorobenzene				1.0	120	80	120			
Surr: Toluene-d8				1.0	94	80	120			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/21/11

Project: 90125 Artesia

Work Order: C11040231

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144659
Sample ID: C11040231-001AMS										04/08/11 13:10
64 Sample Matrix Spike										Run: 5975VOC1_110408A
1,1,1,2-Tetrachloroethane		10.4	mg/m3	1.0	104	70	130			
1,1,1-Trichloroethane		9.84	mg/m3	1.0	98	70	130			
1,1,2,2-Tetrachloroethane		9.56	mg/m3	1.0	96	70	130			
1,1,2-Trichloroethane		9.36	mg/m3	1.0	94	70	130			
1,1-Dichloroethane		9.80	mg/m3	1.0	98	70	130			
1,1-Dichloroethene		8.16	mg/m3	1.0	82	70	130			
1,1-Dichloropropene		9.20	mg/m3	1.0	92	70	130			
1,2,3-Trichlorobenzene		10.8	mg/m3	1.0	108	70	130			
1,2,3-Trichloropropane		10.4	mg/m3	1.0	104	70	130			
1,2,4-Trichlorobenzene		10.7	mg/m3	1.0	107	70	130			
1,2,4-Trimethylbenzene		9.56	mg/m3	1.0	96	70	130			
1,2-Dibromo-3-chloropropane		10.8	mg/m3	1.0	108	70	130			
1,2-Dibromoethane		10.0	mg/m3	1.0	100	70	130			
1,2-Dichlorobenzene		11.1	mg/m3	1.0	111	70	130			
1,2-Dichloroethane		9.24	mg/m3	1.0	92	70	130			
1,2-Dichloropropane		9.64	mg/m3	1.0	96	70	130			
1,3,5-Trimethylbenzene		9.92	mg/m3	1.0	99	70	130			
1,3-Dichlorobenzene		10.2	mg/m3	1.0	102	70	130			
1,3-Dichloropropane		9.68	mg/m3	1.0	97	70	130			
1,4-Dichlorobenzene		9.84	mg/m3	1.0	98	70	130			
2,2-Dichloropropane		10.6	mg/m3	1.0	106	70	130			
2-Chlorotoluene		9.84	mg/m3	1.0	98	70	130			
4-Chlorotoluene		10.1	mg/m3	1.0	101	70	130			
Benzene		9.00	mg/m3	1.0	90	70	130			
Bromobenzene		9.84	mg/m3	1.0	98	70	130			
Bromochloromethane		10.0	mg/m3	1.0	100	70	130			
Bromodichloromethane		9.04	mg/m3	1.0	90	70	130			
Bromoform		9.88	mg/m3	1.0	99	70	130			
Bromomethane		8.08	mg/m3	1.0	81	70	130			
Carbon tetrachloride		9.96	mg/m3	1.0	100	70	130			
Chlorobenzene		9.24	mg/m3	1.0	92	70	130			
Chlorodibromomethane		9.52	mg/m3	1.0	95	70	130			
Chloroethane		8.24	mg/m3	1.0	82	70	130			
Chloroform		9.88	mg/m3	1.0	99	70	130			
Chloromethane		7.24	mg/m3	1.0	72	70	130			
cis-1,2-Dichloroethene		9.20	mg/m3	1.0	92	70	130			
cis-1,3-Dichloropropene		9.56	mg/m3	1.0	96	70	130			
Dibromomethane		9.76	mg/m3	1.0	98	70	130			
Dichlorodifluoromethane		5.96	mg/m3	1.0	60	70	130			S
Ethylbenzene		9.28	mg/m3	1.0	93	70	130			
Hexachlorobutadiene		11.0	mg/m3	1.0	109	70	130			
Isopropylbenzene		11.6	mg/m3	1.0	116	70	130			
m+p-Xylenes		18.2	mg/m3	1.0	91	70	130			
Methyl ethyl ketone		115	mg/m3	20	115	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/21/11

Project: 90125 Artesia

Work Order: C11040231

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144659
Sample ID: C11040231-001AMS	64	Sample Matrix Spike				Run: 5975VOC1_110408A				04/08/11 13:10
Methylene chloride		8.40	mg/m3	1.0	84	70	130			
Naphthalene		11.4	mg/m3	1.0	114	70	130			
n-Butylbenzene		10.0	mg/m3	1.0	100	70	130			
n-Propylbenzene		10.4	mg/m3	1.0	104	70	130			
o-Xylene		9.16	mg/m3	1.0	92	70	130			
p-Isopropyltoluene		9.96	mg/m3	1.0	100	70	130			
sec-Butylbenzene		10.2	mg/m3	1.0	102	70	130			
Styrene		9.04	mg/m3	1.0	90	70	130			
tert-Butylbenzene		9.92	mg/m3	1.0	99	70	130			
Tetrachloroethene		10.5	mg/m3	1.0	105	70	130			
Toluene		9.96	mg/m3	1.0	95	70	130			
trans-1,2-Dichloroethene		9.12	mg/m3	1.0	91	70	130			
trans-1,3-Dichloropropene		10.3	mg/m3	1.0	103	70	130			
Trichloroethene		9.04	mg/m3	1.0	90	70	130			
Trichlorofluoromethane		8.08	mg/m3	1.0	81	70	130			
Vinyl chloride		7.56	mg/m3	1.0	76	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120			
Surr: Dibromofluoromethane				1.0	102	80	120			
Surr: p-Bromofluorobenzene				1.0	110	80	120			
Surr: Toluene-d8				1.0	106	80	120			
Sample ID: C11040231-001AMSD	64	Sample Matrix Spike Duplicate				Run: 5975VOC1_110408A				04/08/11 13:49
1,1,1,2-Tetrachloroethane		10.2	mg/m3	1.0	102	70	130	1.9	20	
1,1,1-Trichloroethane		9.40	mg/m3	1.0	94	70	130	4.6	20	
1,1,2,2-Tetrachloroethane		9.68	mg/m3	1.0	97	70	130	1.2	20	
1,1,2-Trichloroethane		9.32	mg/m3	1.0	93	70	130	0.4	20	
1,1-Dichloroethane		9.64	mg/m3	1.0	96	70	130	1.6	20	
1,1-Dichloroethene		8.04	mg/m3	1.0	80	70	130	1.5	20	
1,1-Dichloropropene		9.12	mg/m3	1.0	91	70	130	0.9	20	
1,2,3-Trichlorobenzene		11.7	mg/m3	1.0	117	70	130	8.2	20	
1,2,3-Trichloropropane		10.2	mg/m3	1.0	102	70	130	1.6	20	
1,2,4-Trichlorobenzene		11.7	mg/m3	1.0	117	70	130	8.6	20	
1,2,4-Trimethylbenzene		9.76	mg/m3	1.0	98	70	130	2.1	20	
1,2-Dibromo-3-chloropropane		10.5	mg/m3	1.0	105	70	130	3.0	20	
1,2-Dibromoethane		9.88	mg/m3	1.0	99	70	130	1.2	20	
1,2-Dichlorobenzene		11.2	mg/m3	1.0	112	70	130	1.1	20	
1,2-Dichloroethane		9.12	mg/m3	1.0	91	70	130	1.3	20	
1,2-Dichloropropane		9.72	mg/m3	1.0	97	70	130	0.8	20	
1,3,5-Trimethylbenzene		10.1	mg/m3	1.0	101	70	130	1.6	20	
1,3-Dichlorobenzene		10.4	mg/m3	1.0	104	70	130	1.6	20	
1,3-Dichloropropane		9.68	mg/m3	1.0	97	70	130	0.0	20	
1,4-Dichlorobenzene		9.92	mg/m3	1.0	99	70	130	0.8	20	
2,2-Dichloropropane		10.1	mg/m3	1.0	101	70	130	4.7	20	
2-Chlorotoluene		9.96	mg/m3	1.0	100	70	130	1.2	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 04/21/11

Project: 90125 Artesia

Work Order: C11040231

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R144659
Sample ID: C11040231-001AMSD 64 Sample Matrix Spike Duplicate										Run: 5975VOC1_110408A 04/08/11 13:49
4-Chlorotoluene		10.2	mg/m3	1.0	102	70	130	1.6	20	
Benzene		9.04	mg/m3	1.0	90	70	130	0.4	20	
Bromobenzene		9.92	mg/m3	1.0	99	70	130	0.8	20	
Bromochloromethane		9.76	mg/m3	1.0	98	70	130	2.8	20	
Bromodichloromethane		9.04	mg/m3	1.0	90	70	130	0.0	20	
Bromoform		10.1	mg/m3	1.0	101	70	130	2.0	20	
Bromomethane		8.12	mg/m3	1.0	81	70	130	0.5	20	
Carbon tetrachloride		9.36	mg/m3	1.0	94	70	130	6.2	20	
Chlorobenzene		9.32	mg/m3	1.0	93	70	130	0.9	20	
Chlorodibromomethane		9.36	mg/m3	1.0	94	70	130	1.7	20	
Chloroethane		8.00	mg/m3	1.0	80	70	130	3.0	20	
Chloroform		9.52	mg/m3	1.0	95	70	130	3.7	20	
Chloromethane		7.00	mg/m3	1.0	70	70	130	3.4	20	
cis-1,2-Dichloroethene		9.08	mg/m3	1.0	91	70	130	1.3	20	
cis-1,3-Dichloropropene		9.84	mg/m3	1.0	98	70	130	2.9	20	
Dibromomethane		9.48	mg/m3	1.0	95	70	130	2.9	20	
Dichlorodifluoromethane		5.80	mg/m3	1.0	58	70	130	2.7	20	S
Ethylbenzene		9.24	mg/m3	1.0	92	70	130	0.4	20	
Hexachlorobutadiene		11.3	mg/m3	1.0	112	70	130	2.9	20	
Isopropylbenzene		11.8	mg/m3	1.0	118	70	130	2.4	20	
m+p-Xylenes		18.2	mg/m3	1.0	91	70	130	0.2	20	
Methyl ethyl ketone		116	mg/m3	20	116	70	130	1.0	20	
Methylene chloride		8.36	mg/m3	1.0	84	70	130	0.5	20	
Naphthalene		13.1	mg/m3	1.0	131	70	130	14	20	S
n-Butylbenzene		10.3	mg/m3	1.0	103	70	130	2.8	20	
n-Propylbenzene		10.7	mg/m3	1.0	107	70	130	2.6	20	
o-Xylene		9.12	mg/m3	1.0	91	70	130	0.4	20	
p-Isopropyltoluene		10.1	mg/m3	1.0	101	70	130	1.6	20	
sec-Butylbenzene		10.5	mg/m3	1.0	105	70	130	2.7	20	
Styrene		9.16	mg/m3	1.0	92	70	130	1.3	20	
tert-Butylbenzene		10.2	mg/m3	1.0	102	70	130	2.4	20	
Tetrachloroethene		10.5	mg/m3	1.0	105	70	130	0.4	20	
Toluene		9.96	mg/m3	1.0	95	70	130	0.0	20	
trans-1,2-Dichloroethene		9.16	mg/m3	1.0	92	70	130	0.4	20	
trans-1,3-Dichloropropene		10.4	mg/m3	1.0	104	70	130	0.8	20	
Trichloroethene		8.92	mg/m3	1.0	89	70	130	1.3	20	
Trichlorofluoromethane		7.68	mg/m3	1.0	77	70	130	5.1	20	
Vinyl chloride		7.16	mg/m3	1.0	72	70	130	5.4	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	108	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	98	80	120	0.0	10	
Surr: p-Bromofluorobenzene				1.0	113	80	120	0.0	10	
Surr: Toluene-d8				1.0	105	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



Workorder Receipt Checklist



C11040231

Login completed by: Edith McPike
Reviewed by: BL2000\hackerman
Reviewed Date: 4/11/2011

Date Received: 4/7/2011

Received by: ha

Carrier NDA
name:

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☒
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	N/A °C		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 1 of 1

PLEASE PRINT (Provide as much information as possible.)

Company Name: DEVEL ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 90125 BRIGESIA		Sample Origin State: NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT, LARDERIE, WY 82072		Contact Name: Rick Devel		Phone/Fax: 307 760 3277		Email: 307 760 3277	
Invoice Address: SAME		Invoice Contact & Phone: 307 760 3277		Purchase Order: 90125.5		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: ☐ Other:		Number of Containers Sample Type: A W S V B O DW Vegetation Bioassay Other DW - Drinking Water		ANALYSIS REQUESTED SEE ATTACHED		Contact ELI prior to RUSH for charges and scheduling - See Instruction Page	
Matrix		Collection Date		Collection Time		Shipped by: UPS AMS NDA	
1 90125-WB.4/11		4/6/11		12:00		Cooler ID(s): 3588	
2						Receipt Temp 21.8 °C	
3						On Ice: Y	
4						Custody Seal On Bottle Y On Cooler Y	
5						Intact Y	
6						Signature Match Y	
7							
8							
9							
10							
Relinquished by (print): Rick Devel		Date/Time: 4/6/11 14:00		Received by (print): RD		Date/Time: 4/7/11 9:15	
Relinquished by (print):		Date/Time:		Received by (print):		Date/Time:	
Sample Disposal:		Return to Client:		Lab Disposal:		Signature: 4/6/11 9:15	
Custody Record MUST be Signed						LABORATORY USE ONLY 4/11/11 02:31	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.