

GW - 114

REPORTS

**Quarterly
Groundwater**

3rd Quarter 2011

Deuell Environmental, LLC

August 17, 2011

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NM 87505

RE: Third Quarter Monitoring Results - 2011
Schlumberger Technology Corporation Facility – Artesia, New Mexico (GW-114)

Dear Mr. Hansen:

Deuell Environmental, LLC conducted quarterly monitoring activities at the Schlumberger Technology Corporation (Dowell) facility in Artesia, New Mexico on July 12-13, 2011.

The environmental data results are enclosed for your review.

Static water elevation data, measured in the 33 wells located in the vicinity of the Dowell facility, are summarized in Table 1. The data were used to generate a potentiometric surface map as shown on Figure 1. Water levels across the site decreased up to 2.0 feet from those measured in April which were down up to 1.3 feet from January. This is typical of fluctuations related to occurrence and timing of precipitation. In the eastern portion of the site water elevations were more stable due to control by the pump containment system. The zone of capture from the pumped wells evident.

The laboratory analytical results for water quality monitoring are summarized in Table 2. The laboratory reports will be provided in hard copy with the annual report. Since the first three quarters are only partial sampling events, it is not possible to construct iso-concentration map. This will be constructed for the annual report. All down gradient wells are generally lower in concentrations for this quarter. The highest down gradient concentrations on the site are at MW-25 and MW-30. Both of these wells decreased in concentration for this quarter and the previous quarter. Wells in the source areas were stable and, except for MW-12, are near or below MCL's.

At this time the effects of the groundwater containment system are being noticed. The potentiometric surface shows a depression in the ground water surface at the pumped wells with a zone of capture. Wells MW-18, MW-22, and MW-25, within the center of the area of concern, have all decreased in concentrations after system startup. MW-26, at the property

boundary, continues to decrease in concentrations so that all compounds are below MCL's. This indicates very good hydraulic control to the south. MW-29 remains below MCL's and provides northern control. Concentrations in the surge tank are lower than those measured at MW-30 indicating some removal of chlorinated compounds through aeration. Also, MW-31 directly down gradient of the infiltration trench, has shown a decrease in concentrations since the system was started indicating an improvement in groundwater quality.

Adjacent landowners to the east have been contacted regarding installation of a down gradient sentinel well. It is planned to have an access agreement in September with well installation in October.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: D. Renee Romero, NMPST Bureau
Du'Bois Ferguson, Schlumberger Technology Corporation
Janice Barber, Dow

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1	01/23/91	30 00	Protective Casing	100 56	17 41	83 15	
	09/13/91				16 04	84 52	1 37
	11/22/91				14 50	86 06	1 54
	03/16/93				13 72	86 84	0 78
	01/09/94				14 62	85 94	-0 90
	04/19/94				14 48	86 08	0 14
	07/20/94				14 38	86 18	0 10
	10/24/94				14 73	85 83	-0 35
	01/24/95				14 20	86 36	0 53
	04/02/95				14 37	86 19	-0 17
	07/31/95				14 76	85 80	-0 39
	10/16/95				14 64	85 92	0 12
	01/10/96				14 59	85 97	0 05
	04/09/96				14 77	85 79	-0 18
	07/20/96				15 84	84 72	-1 07
	10/21/96				14 07	86 49	1 77
	01/21/97				13 24	87 32	0 83
	04/08/97				12 97	87 59	0 27
	07/29/97				13 87	86 69	-0 90
	10/16/97				12 26	88 30	1 61
	02/09/99				14 34	86 22	-2 08
	04/21/99				13 91	86 65	0 43
	07/13/99				11 70	88 86	2 21
	10/19/99				13 22	87 34	-1 52
	01/26/00				13 50	87 06	-0 28
	04/18/00				13 74	86 82	-0 24
	07/26/00				14 04	86 52	-0 30
	10/19/00				12 48	88 08	1 56
	01/18/01				9 72	90 84	2 76
	04/12/01				9 58	90 98	0 14
	07/19/01				12 02	88 54	-2 44
	10/17/01				10 70	89 86	1 32
	01/12/02				9 19	91 37	1 51
	04/20/02				9 37	91 19	-0 18
	07/24/02				12 13	88 43	-2 76
	10/15/02				10 86	89 70	1 27
	01/22/03				11 79	88 77	-0 93
	04/24/03				12 32	88 24	-0 53
	07/16/03				13 60	86 96	-1 28
	10/15/03				11 15	89 41	2 45
	01/29/04				11 07	89 49	0 08
	04/19/04				9 49	91 07	1 58
	07/16/04				10 69	89 87	-1 20
	10/29/04				8 44	92 12	2 25
	01/14/05				7 74	92 82	0 70
	04/15/05				7 25	93 31	0 49
	07/08/05				7 76	92 80	-0 51
	10/08/05				10 32	90 24	-2 56
	01/18/06				9 47	91 09	0 85
	04/18/06				10 88	89 68	-1 41
	07/11/06				11 50	89 06	-0 62
	10/10/06				10 91	89 65	0 59
	01/16/07				10 19	90 37	0 72
	04/17/07				9 27	91 29	0 92
	07/18/07				10 30	90 26	-1 03
	10/17/07				10 55	90 01	-0 25
	01/16/08				11 96	88 60	-1 41
	04/28/08				10 41	90 15	1 55
	07/15/08				9 66	90 90	0 75
	10/14/08				8 33	92 23	1 33
	01/13/09				8 64	91 92	-0 31
	04/06/09				10 78	89 78	-2 14
	07/14/09				12 02	88 54	-1 24
	10/20/09				13 58	86 98	-1 56
	01/20/10				11 94	88 62	1 64
	04/20/10				10 00	90 56	1 94
	07/26/10				11 98	88 58	-1 98

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1 (Cont)	10/19/10				13 03	87 53	-1 05
	01/19/11				12 37	88 19	0 66
	04/05/11				13 51	87 05	-1 14
	07/12/11				14 98	85 58	-1 47
MW-2	01/23/91	30 00	Protective Casing	99 56	16 95	82 61	
	09/13/91				15 01	84 55	1 94
	11/22/91				13 76	85 80	1 25
	03/16/93				13 16	86 40	0 60
	01/09/94				13 91	85 65	-0 75
	04/19/94				13 80	85 76	0 11
	07/20/94				13 65	85 91	0 15
	10/24/94				13 88	85 68	-0 23
	01/24/95				13 41	86 15	0 47
	04/02/95				13 67	85 89	-0 26
	07/31/95				13 81	85 75	-0 14
	10/16/95				13 78	85 78	0 03
	01/10/96				13 80	85 76	-0 02
	04/09/96				13 98	85 58	-0 18
	07/20/96				14 92	84 64	-0 94
	10/21/96				13 15	86 41	1 77
	01/21/97				12 41	87 15	0 74
	04/08/97				12 21	87 35	0 20
	07/29/97				13 15	86 41	-0 94
	10/16/97				11 63	87 93	1 52
	01/06/98				10 92	88 64	0 71
	04/14/98				11 02	88 54	-0 10
	07/17/98				13 03	86 53	-2 01
	10/27/98				13 61	85 95	-0 58
	02/09/99				13 69	85 87	-0 08
	04/21/99				13 24	86 32	0 45
	07/13/99				11 05	88 51	2 19
	10/20/99				12 59	86 97	-1 54
	01/26/00				12 83	86 73	-0 24
	04/18/00				13 00	86 56	-0 17
	07/26/00				13 36	86 20	-0 36
	10/19/00				11 42	88 14	1 94
	01/18/01				8 41	91 15	3 01
	04/12/01				8 60	90 96	-0 19
	07/19/01				11 23	88 33	-2 63
	10/17/01				9 60	89 96	1 63
	01/12/02				7 80	91 76	1 80
	04/20/02				8 67	90 89	-0 87
	07/24/02				11 38	88 18	-2 71
	10/15/02				10 02	89 54	1 36
	01/22/03				11 08	88 48	-1 06
	04/24/03				11 61	87 95	-0 53
	07/16/03				12 93	86 63	-1 32
	10/15/03				9 90	89 66	3 03
	01/29/04				10 25	89 31	-0 35
	04/19/04				8 64	90 92	1 61
	07/16/04				9 76	89 80	-1 12
	10/29/04				7 33	92 23	2 43
	01/14/05				6 97	92 59	0 36
	04/15/05				6 21	93 35	0 76
	07/08/05				9 17	90 39	-2 96
	10/08/05				9 70	89 86	-0 53
	01/18/06				8 69	90 87	1 01
	04/18/06				10 22	89 34	-1 53
	07/11/06				10 94	88 62	-0 72
	10/10/06				10 12	89 44	0 82
	01/16/07				9 44	90 12	0 68
	04/17/07				8 22	91 34	1 22
	07/18/07				9 57	89 99	-1 35
	10/17/07				9 69	89 87	-0 12
	01/16/08				11 39	88 17	-1 70
	04/28/08				9 54	90 02	1 85

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2 (Cont)	07/15/08				8 51	91 05	1 03
	10/14/08				7 07	92 49	1 44
	01/13/09				7 61	91 95	-0 54
	04/06/09				9 96	89 60	-2 35
	07/14/09				11 19	88 37	-1 23
	10/20/09				12 88	86 68	-1 69
	01/20/10				10 91	88 65	1 97
	04/20/10				9 02	90 54	1 89
	07/26/10				11 25	88 31	-2 23
	10/19/10				12 32	87 24	-1 07
	01/19/11				11 62	87 94	0 70
	04/05/11				12 79	86 77	-1 17
	07/12/11				14 11	85 45	-1 32
MW-3	01/23/91	30 00	Protective Casing	98 33	17 28	81 05	
	09/13/91				14 66	83 67	2 62
	11/22/91				13 63	84 70	1 03
	03/16/93				12 89	85 44	0 74
	01/09/94				13 66	84 67	-0 77
	04/19/94			Not Measured	-	-	-
	07/20/94				13 18	85 15	na
	10/24/94				13 27	85 06	-0 09
	01/24/95				13 23	85 10	0 04
	04/02/95				13 60	84 73	-0 37
	07/31/95				13 34	84 99	0 26
	10/16/95				13 38	84 95	-0 04
	01/10/96				13 85	84 48	-0 47
	04/09/96				13 91	84 42	-0 06
	07/20/96				14 55	83 78	-0 64
	10/21/96				12 90	85 43	1 65
	01/21/97				12 42	85 91	0 48
	04/08/97				12 43	85 90	-0 01
	07/29/97				13 18	85 15	-0 75
	10/16/97				11 83	86 50	1 35
	01/06/98				11 45	86 88	0 38
	04/14/98				11 44	86 89	0 01
	07/17/98				12 81	85 52	-1 37
	10/27/98				12 60	85 73	0 21
	02/09/99				13 44	84 89	-0 84
	04/21/99				12 75	85 58	0 69
	07/13/99				10 57	87 76	2 18
	10/20/99				12 15	86 18	-1 58
	01/26/00				12 64	85 69	-0 49
	04/18/00				12 70	85 63	-0 06
	07/26/00				12 88	85 45	-0 18
	10/19/00				11 53	86 80	1 35
	01/18/01				9 21	89 12	2 32
	04/12/01				9 22	89 11	-0 01
	07/19/01				11 22	87 11	-2 00
MW-4	01/23/91	50 00	Protective Casing	103 18	20 17	83 01	
	09/13/91				18 54	84 64	1 63
	11/22/91				17 15	86 03	1 39
	03/16/93				16 49	86 69	0 66
	01/09/94				17 28	85 90	-0 79
	04/19/94				17 15	86 03	0 13
	07/20/94				16 99	86 19	0 16
	10/24/94				17 25	85 93	-0 26
	01/24/95				16 78	86 40	0 47
	04/02/95				16 98	86 20	-0 20
	07/31/95				17 26	85 92	-0 28
	10/16/95				17 01	86 17	0 25
	01/10/96				16 95	86 23	0 06
	04/09/96				17 15	86 03	-0 20
	07/20/96				18 08	85 10	-0 93
	10/21/96				16 28	86 90	1 80
	01/21/97				15 37	87 81	0 91

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-4 (Cont)	04/08/97				15 14	88 04	0 23
	07/29/97				16 05	87 13	-0 91
	10/16/97				14 44	88 74	1 61
	01/06/98				13 59	89 59	0 85
	04/14/98				13 91	89 27	-0 32
	07/17/98				16 40	86 78	-2 49
	10/27/98				17 05	86 13	-0 65
	02/09/99				17 08	86 10	-0 03
	04/21/99				16 67	86 51	0 41
	07/13/99				14 49	88 69	2 18
	10/20/99				15 98	87 20	-1 49
	01/26/00				16 27	86 91	-0 29
	04/18/00				16 47	86 71	-0 20
	07/26/00				16 81	86 37	-0 34
	10/19/00				15 01	88 17	1 80
	01/18/01				12 08	91 10	2 93
	04/12/01				12 12	91 06	-0 04
	07/19/01				14 68	88 50	-2 56
	10/17/01			99 66	9 65	90 01	1 51
	01/12/02				7 97	91 69	1 68
	04/20/02				8 63	91 03	-0 66
	07/24/02				11 33	88 33	-2 70
	10/15/02				9 97	89 69	1 36
	01/22/03				10 98	88 68	-1 01
	04/24/03				11 53	88 13	-0 55
	07/16/03				12 63	87 03	-1 10
	10/15/03				10 01	89 65	2 62
	01/29/04			99 71	10 15	89 56	-0 09
	04/19/04				8 56	91 15	1 59
	07/16/04				9 70	90 01	-1 14
	10/29/04				7 32	92 39	2 38
	01/14/05				6 83	92 88	0 49
	04/15/05				6 23	93 48	0 60
	07/08/05				7 98	91 73	-1 75
	10/08/05				9 50	90 21	-1 52
	01/18/06				8 54	91 17	0 96
	04/18/06				10 04	89 67	-1 50
	07/11/06				10 68	89 03	-0 64
	10/10/06				9 97	89 74	0 71
	01/16/07				9 27	90 44	0 70
	04/17/07				8 19	91 52	1 08
	07/18/07				9 47	90 24	-1 28
	10/17/07				9 58	90 13	-0 11
	01/16/08				10 15	89 56	-0 57
	04/28/08				9 42	90 29	0 73
	07/15/08				8 53	91 18	0 89
	10/14/08				7 05	92 66	1 48
	01/13/09				7 61	92 10	-0 56
	04/06/09				9 84	89 87	-2 23
	07/14/09				11 09	88 62	-1 25
	10/20/09				12 73	86 98	-1 64
	01/20/10				10 87	88 84	1 86
	04/20/10				8 96	90 75	1 91
	07/26/10				11 11	88 60	-2 15
	10/19/10				12 12	87 59	-1 01
	01/19/11				11 48	88 23	0 64
	04/05/11				12 64	87 07	-1 16
	07/12/11				14 00	85 71	-1 36
MW-5	01/23/91	30 00	Protective Casing	99 87	17 20	82 67	
	09/13/91				15 52	84 35	1 68
	11/22/91				14 19	85 68	1 33
	03/16/93				13 47	86 40	0 72
	01/09/94				14 31	85 56	-0 84
	04/19/94				14 17	85 70	0 14
	07/20/94				13 97	85 90	0 20
	10/24/94				14 21	85 66	-0 24

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-5 (Cont)	01/24/95				13 78	86 09	0 43
	04/02/95				14 05	85 82	-0 27
	07/31/95				14 17	85 70	-0 12
	10/16/95				14 07	85 80	0 10
	01/10/96				14 11	85 76	-0 04
	04/09/96				14 31	85 56	-0 20
	07/20/96				15 20	84 67	-0 89
	10/21/96				13 44	86 43	1 76
	01/21/97				12 69	87 18	0 75
	04/08/97				12 52	87 35	0 17
	07/29/97				13 37	86 50	-0 85
	10/16/97				11 82	88 05	1 55
	01/06/98				11 09	88 78	0 73
	04/14/98				12 30	87 57	-1 21
	07/17/98				13 32	86 55	-1 02
	10/27/98				13 93	85 94	-0 61
	02/09/99				14 04	85 83	-0 11
	04/21/99				13 54	86 33	0 50
	07/13/99				11 37	88 50	2 17
	10/20/99				12 89	86 98	-1 52
	01/26/00				13 18	86 69	-0 29
	04/18/00				13 35	86 52	-0 17
	07/26/00				13 65	86 22	-0 30
	10/19/00				11 96	87 91	1 69
	01/18/01				9 22	90 65	2 74
	04/12/01				9 16	90 71	0 06
	07/19/01				11 63	88 24	-2 47
	10/17/01				10 26	89 61	1 37
	01/12/02				8 58	91 29	1 68
	04/20/02				9 19	90 68	-0 61
	07/24/02				11 75	88 12	-2 56
	10/15/02				10 56	89 31	1 19
	01/22/03				11 51	88 36	-0 95
	04/24/03				12 07	87 80	-0 56
	07/16/03				13 27	86 60	-1 20
	10/15/03				10 64	89 23	2 63
	01/29/04			99 50	10 95	88 55	-0 68
	04/19/04				8 88	90 62	2 07
	07/16/04				10 04	89 46	-1 16
	10/29/04				7 75	91 75	2 29
	01/14/05				7 18	92 32	0 57
	04/15/05				6 53	92 97	0 65
	07/08/05				9 23	90 27	-2 70
	10/08/05				9 84	89 66	-0 61
	01/18/06				8 95	90 55	0 89
	04/18/06				10 36	89 14	-1 41
	07/11/06				11 11	88 39	-0 75
	10/10/06				10 48	89 02	0 63
	01/16/07				9 72	89 78	0 76
	04/17/07				8 62	90 88	1 10
	07/18/07				9 88	89 62	-1 26
	10/17/07				10 04	89 46	-0 16
	01/16/08				11 57	87 93	-1 53
	04/28/08				9 93	89 57	1 64
	07/15/08				9 09	90 41	0 84
	10/14/08				7 73	91 77	1 36
	01/13/09				8 01	91 49	-0 28
	04/06/09				10 18	89 32	-2 17
	07/14/09				11 48	88 02	-1 30
	10/20/09				13 09	86 41	-1 61
	01/20/10				11 28	88 22	1 81
	04/20/10				9 32	90 18	1 96
	07/26/10				11 44	88 06	-2 12
	10/19/10				12 54	86 96	-1 10
	01/19/11				11 85	87 65	0 69
	04/05/11				12 97	86 53	-1 12
	07/12/11				14 42	85 08	-1 45

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6	01/23/91	35 00	Protective Casing	100 84	19 59	81 25	
	09/13/91				17 43	83 41	2 16
	11/21/91				16 30	84 54	1 13
	03/16/93				15 57	85 27	0 73
	01/09/94				16 42	84 42	-0 85
	04/19/94				16 29	84 55	0 13
	07/19/94				15 79	85 05	0 50
	10/24/94				15 83	85 01	-0 04
	01/24/95				15 94	84 90	-0 11
	04/02/95				16 38	84 46	-0 44
	07/31/95				15 88	84 96	0 50
	10/16/95				16 01	84 83	-0 13
	01/10/96				16 52	84 32	-0 51
	04/09/96				16 70	84 14	-0 18
	07/21/96				17 26	83 58	-0 56
	10/21/96				15 62	85 22	1 64
	01/21/97				15 21	85 63	0 41
	04/08/97				15 30	85 54	-0 09
	07/29/97				16 01	84 83	-0 71
	10/16/97				15 01	85 83	1 00
	01/06/98				14 69	86 15	0 32
	04/14/98				14 45	86 39	0 24
	07/17/98				15 62	85 22	-1 17
	10/27/98				15 77	85 07	-0 15
	02/09/99				16 34	84 50	-0 57
	04/21/99				15 57	85 27	0 77
	07/13/99				13 66	87 18	1 91
	10/19/99				15 04	85 80	-1 38
	01/26/00				15 51	85 33	-0 47
	04/18/00				15 46	85 38	0 05
	07/26/00				15 68	85 16	-0 22
	10/19/00				14 32	86 52	1 36
	01/18/01				11 78	89 06	2 54
	04/12/01				12 03	88 81	-0 25
	07/19/01				14 13	86 71	-2 10
	10/17/01				13 21	87 63	0 92
	01/12/02				11 74	89 10	1 47
	04/20/02				12 02	88 82	-0 28
	07/24/02				13 92	86 92	-1 90
	10/15/02				13 23	87 61	0 69
	01/22/03				13 94	86 90	-0 71
	04/23/03				14 28	86 56	-0 34
	07/16/03				15 60	85 24	-1 32
	10/15/03				13 01	87 83	2 59
	01/28/04				13 58	87 26	-0 57
	04/19/04				11 79	89 05	1 79
	07/16/04				13 76	87 08	-1 97
	10/29/04				11 30	89 54	2 46
	01/14/05				10 43	90 41	0 87
	05/16/05				9 95	90 89	0 48
	07/08/05				12 62	88 22	-2 67
	10/08/05				13 23	87 61	-0 61
	01/19/06				12 52	88 32	0 71
	04/18/06				13 59	87 25	-1 07
	07/11/06				14 92	85 92	-1 33
	10/10/06				14 36	86 48	0 56
	01/16/07				13 50	87 34	0 86
	04/17/07				12 27	88 57	1 23
	07/17/07				13 71	87 13	-1 44
	10/17/07				14 04	86 80	-0 33
	01/16/08				15 16	85 68	-1 12
	04/28/08				14 03	86 81	1 13
	07/15/08				12 58	88 26	1 45
	10/14/08				11 65	89 19	0 93
	01/13/09				11 86	88 98	-0 21
	07/14/09				14 79	86 05	-2 93

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6 (Cont)	10/20/09				16 09	84 75	-1 30
	01/20/10				14 54	86 30	1 55
	04/20/10				12 69	88 15	1 85
	07/26/10				14 62	86 22	-1 93
	10/19/10				15 90	84 94	-1 28
	01/19/11				15 14	85 70	0 76
	04/05/11				16 00	84 84	-0 86
	07/12/11				17 61	83 23	-1 61
MW-7	01/23/91	35 00	Protective Casing	100 23	19 01	81 22	
	09/13/91				17 43	82 80	1 58
	11/21/91				16 00	84 23	1 43
	03/16/93				14 91	85 32	1 09
	01/09/94				15 99	84 24	-1 08
	04/19/94				15 83	84 40	0 16
	07/19/94				15 24	84 99	0 59
	10/24/94				15 32	84 91	-0 08
	01/24/95				15 54	84 69	-0 22
	04/02/95				16 00	84 23	-0 46
	07/31/95				15 57	84 66	0 43
	10/16/95				15 61	84 62	-0 04
	01/10/96				16 13	84 10	-0 52
	04/09/96				16 30	83 93	-0 17
	07/21/96				16 81	83 42	-0 51
	10/21/96				15 15	85 08	1 66
	01/21/97				14 81	85 42	0 34
	04/08/97				14 91	85 32	-0 10
	07/29/97				15 48	84 75	-0 57
	10/16/97				14 52	85 71	0 96
	01/06/98				13 27	86 96	1 25
	04/14/98				14 02	86 21	-0 75
	07/17/98				15 10	85 13	-1 08
	10/27/98				15 21	85 02	-0 11
	02/09/99				15 86	84 37	-0 65
	04/21/99				14 96	85 27	0 90
	07/13/99				13 03	87 20	1 93
	10/19/99				14 43	85 80	-1 40
	01/26/00				15 02	85 21	-0 59
	04/18/00				14 99	85 24	0 03
	07/26/00				15 12	85 11	-0 13
	10/19/00				14 22	86 01	0 90
	01/18/01				12 12	88 11	2 10
	04/12/01				12 10	88 13	0 02
	07/19/01				13 74	86 49	-1 64
	10/17/01				13 24	86 99	0 50
	01/12/02				12 22	88 01	1 02
	04/20/02				11 93	88 30	0 29
	07/24/02				13 48	86 75	-1 55
	10/15/02				13 00	87 23	0 48
	01/22/03				13 58	86 65	-0 58
	04/23/03				13 88	86 35	-0 30
	07/16/03				15 08	85 15	-1 20
	10/15/03				13 32	86 91	1 76
	01/28/04				13 52	86 71	-0 20
	04/19/04				11 85	88 38	1 67
	07/16/04				13 90	86 33	-2 05
	10/29/04				11 74	88 49	2 16
	01/14/05				10 50	89 73	1 24
	04/15/05				10 13	90 10	0 37
	07/08/05				12 31	87 92	-2 18
	10/08/05				13 03	87 20	-0 72
	01/19/06				12 50	87 73	0 53
	04/18/06				13 37	86 86	-0 87
	07/11/06				14 81	85 42	-1 44
	10/10/06				14 56	85 67	0 25
	01/16/07				13 68	86 55	0 88
	04/17/07				12 69	87 54	0 99

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-7 (Cont)	07/17/07				13 96	86 27	-1 27
	10/17/07				14 39	85 84	-0 43
	01/16/08				15 11	85 12	-0 72
	04/28/08				14 40	85 83	0 71
	07/15/08				13 45	86 78	0 95
	10/14/08				12 73	87 50	0 72
	01/13/09				12 32	87 91	0 41
	04/06/09				13 24	86 99	-0 92
	07/14/09				14 82	85 41	-1 58
	10/20/09				15 92	84 31	-1 10
	01/20/10				14 61	85 62	1 31
	04/20/10				12 78	87 45	1 83
	07/26/10				14 59	85 64	-1 81
	10/19/10				15 85	84 38	-1 26
	01/19/11				15 09	85 14	0 76
MW-8	04/05/11				15 79	84 44	-0 70
	07/12/11				17 55	82 68	-1 76
	01/23/91	35 00	Protective Casing	101 47	20 16	81 31	
	09/13/91				18 80	82 67	1 36
	11/21/91				17 29	84 18	1 51
	03/16/93				16 03	85 44	1 26
	01/09/94				17 23	84 24	-1 20
	04/19/94				17 05	84 42	0 18
	07/19/94				16 50	84 97	0 55
	10/24/94				16 56	84 91	-0 06
	01/24/95				16 79	84 68	-0 23
	04/02/95				17 24	84 23	-0 45
	07/31/95				16 94	84 53	0 30
	10/16/95				16 88	84 59	0 06
	01/10/96				17 38	84 09	-0 50
	04/09/96				17 54	83 93	-0 16
	07/21/96				18 10	83 37	-0 56
	10/21/96				16 40	85 07	1 70
	11/22/96				16 42	85 05	-0 02
	01/21/97				16 05	85 42	0 37
	04/08/97				16 11	85 36	-0 06
	07/29/97				16 69	84 78	-0 58
	10/16/97				15 69	85 78	1 00
	01/06/98				15 38	86 09	0 31
	04/14/98				15 15	86 32	0 23
	07/17/98				16 29	85 18	-1 14
	10/27/98				16 39	85 08	-0 10
	02/09/99				17 02	84 45	-0 63
	04/21/99				16 08	85 39	0 94
	07/13/99				14 13	87 34	1 95
	10/19/99				15 56	85 91	-1 43
	01/26/00				16 19	85 28	-0 63
	04/18/00				16 19	85 28	0 00
	07/26/00				16 30	85 17	-0 11
	10/19/00				15 55	85 92	0 75
	01/18/01				13 54	87 93	2 01
	04/12/01				13 42	88 05	0 12
	07/19/01				14 98	86 49	-1 56
	10/17/01				14 58	86 89	0 40
	01/12/02				13 67	87 80	0 91
	04/20/02				13 22	88 25	0 45
	07/24/02				14 72	86 75	-1 50
	10/15/02				14 23	87 24	0 49
	01/22/03				14 80	86 67	-0 57
	04/23/03				15 08	86 39	-0 28
	07/16/03				16 28	85 19	-1 20
	10/15/03				14 03	87 44	2 25
	01/28/04				14 84	86 63	-0 81
	04/19/04				13 25	88 22	1 59
	07/16/04				15 30	86 17	-2 05
	10/29/04				13 15	88 32	2 15

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-8 (Cont)	01/14/05				11 81	89 66	1 34
	04/15/05				11 42	90 05	0 39
	07/08/05				13 53	87 94	-2 11
	10/08/05				14 26	87 21	-0 73
	01/19/06				13 83	87 64	0 43
	04/18/06				14 67	86 80	-0 84
	07/11/06				16 40	85 07	-1 73
	10/10/06				15 92	85 55	0 48
	01/16/07				15 03	86 44	0 89
	04/17/07				14 12	87 35	0 91
	07/17/07				15 33	86 14	-1 21
	10/17/07				15 79	85 68	-0 46
	01/16/08				16 38	85 09	-0 59
	04/28/08				15 79	85 68	0 59
	07/15/08				15 07	86 40	0 72
	10/14/08				14 35	87 12	0 72
	01/13/09				13 79	87 68	0 56
	04/06/09				14 62	86 85	-0 83
	07/14/09				16 29	85 18	-1 67
	10/20/09				17 34	84 13	-1 05
	01/20/10				16 10	85 37	1 24
	04/20/10				14 24	87 23	1 86
	07/26/10				16 06	85 41	-1 82
	10/19/10				17 34	84 13	-1 28
	01/19/11				16 55	84 92	0 79
	04/05/11				17 22	84 25	-0 67
	07/12/11				19 09	82 38	-1 87
MW-9	01/26/91	30 00	Protective Casing	102 18	20 08	82 10	
	09/13/91				18 93	83 25	1 15
	11/21/91				17 35	84 83	1 58
	03/16/93				16 19	85 99	1 16
	01/09/94				17 31	84 87	-1 12
	04/19/94				17 33	84 85	-0 02
	07/19/94				16 85	85 33	0 48
	10/24/94				17 05	85 13	-0 20
	01/24/95				16 92	85 26	0 13
	04/02/95				17 23	84 95	-0 31
	07/31/95				17 30	84 88	-0 07
	10/16/95				17 16	85 02	0 14
	01/10/96				17 39	84 79	-0 23
	04/09/96				17 58	84 60	-0 19
	07/21/96				18 38	83 80	-0 80
	10/21/96				16 65	85 53	1 73
	01/21/97				16 12	86 06	0 53
	04/08/97				16 04	86 14	0 08
	07/29/97				16 67	85 51	-0 63
	10/16/97				15 29	86 89	1 38
	01/06/98				14 78	87 40	0 51
	04/14/98				14 89	87 29	-0 11
	07/17/98				16 30	85 88	-1 41
	10/27/98				16 62	85 56	-0 32
	02/09/99				17 14	85 04	-0 52
	04/21/99				16 38	85 80	0 76
	07/13/99				14 27	87 91	2 11
	10/19/99				15 75	86 43	-1 48
	01/26/00				16 30	85 88	-0 55
	04/18/00				16 40	85 78	-0 10
	07/26/00				16 53	85 65	-0 13
	10/19/00				15 70	86 48	0 83
	01/18/01			99 59	10 82	88 77	2 29
	04/12/01				10 49	89 10	0 33
	07/19/01				12 36	87 23	-1 87
	10/17/01				11 70	87 89	0 66
	01/12/02				10 50	89 09	1 20
	04/20/02				10 33	89 26	0 17
	07/24/02				12 14	87 45	-1 81

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-9 (Cont)	10/15/02				11 49	88 10	0 65
	01/22/03				12 18	87 41	-0 69
	04/24/03				12 58	87 01	-0 40
	07/16/03				13 67	85 92	-1 09
	10/15/03				12 20	87 39	1 47
	01/29/04			99 33	11 65	87 68	0 29
	04/19/04				10 09	89 24	1 56
	07/16/04				11 69	87 64	-1 60
	10/29/04				9 57	89 76	2 12
	01/14/05				8 47	90 86	1 10
	04/15/05				7 94	91 39	0 53
	07/08/05				10 07	89 26	-2 13
	10/08/05				10 88	88 45	-0 81
	01/18/06				10 32	89 01	0 56
	04/18/06				11 31	88 02	-0 99
	07/11/06				12 47	86 86	-1 16
	10/10/06				12 18	87 15	0 29
	01/16/07				11 36	87 97	0 82
	04/17/07				10 48	88 85	0 88
	07/18/07				11 58	87 75	-1 10
	10/17/07				11 91	87 42	-0 33
	01/16/08				12 80	86 53	-0 89
	04/28/08				11 96	87 37	0 84
	07/15/08				11 36	87 97	0 60
	10/14/08				10 43	88 90	0 93
	01/13/09				10 02	89 31	0 41
	04/06/09				11 41	87 92	-1 39
	07/14/09				12 94	86 39	-1 53
	10/20/09				14 24	85 09	-1 30
	01/20/10				12 84	86 49	1 40
	04/20/10				10 90	88 43	1 94
	07/26/10				12 77	86 56	-1 87
	10/19/10				13 97	85 36	-1 20
	01/19/11				13 27	86 06	0 70
	04/05/11				14 11	85 22	-0 84
	07/12/11				15 87	83 46	-1 76
MW-10	01/26/91	30 00	Protective Casing	101 34	19 68	81 66	
	09/13/91				18 56	82 78	1 12
	11/21/91				16 96	84 38	1 60
	03/16/93				15 64	85 70	1 32
	01/09/94				16 89	84 45	-1 25
	04/19/94				16 73	84 61	0 16
	07/19/94				16 29	85 05	0 44
	10/24/94				16 39	84 95	-0 10
	01/24/95				16 48	84 86	-0 09
	04/02/95				16 88	84 46	-0 40
	07/31/95				16 82	84 52	0 06
	10/16/95				16 65	84 69	0 17
	01/10/96				17 01	84 33	-0 36
	04/09/96				17 20	84 14	-0 19
	07/21/96				17 85	83 49	-0 65
	10/21/96				16 13	85 21	1 72
	01/21/97				15 73	85 61	0 40
	04/08/97				15 70	85 64	0 03
	07/29/97				16 28	85 06	-0 58
	10/16/97				15 16	86 18	1 12
	01/06/98				14 74	86 60	0 42
	04/14/98				14 65	86 69	0 09
	07/17/98				15 90	85 44	-1 25
	10/27/98				16 04	85 30	-0 14
	02/09/99				16 61	84 73	-0 57
	04/21/99				15 68	85 66	0 93
	07/13/99				13 68	87 66	2 00
	10/19/99				15 15	86 19	-1 47
	01/26/00				15 76	85 58	-0 61
	04/18/00				15 82	85 52	-0 06

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-10 (Cont.)	07/26/00				15 92	85 42	-0 10
	10/19/00				15 30	86 04	0 62
	01/18/01			99 84	10 80	89 04	3 00
	04/12/01				10 58	89 26	0 22
	07/19/01				12 08	87 76	-1 50
	10/17/01				11 75	88 09	0 33
	01/12/02				10 75	89 09	1 00
	04/20/02				10 31	89 53	0 44
	07/24/02				11 81	88 03	-1 50
	10/15/02				11 33	88 51	0 48
	01/22/03				11 93	87 91	-0 60
	04/24/03				12 21	87 63	-0 28
	07/16/03				13 29	86 55	-1 08
	10/15/03				12 18	87 66	1 11
	01/29/04				11 95	87 89	0 23
	04/19/04				10 39	89 45	1 56
	07/16/04				12 32	87 52	-1 93
	10/29/04				10 24	89 60	2 08
	01/14/05				8 88	90 96	1 36
	04/15/05				8 43	91 41	0 45
	07/08/05				10 45	89 39	-2 02
	10/08/05				11 26	88 58	-0 81
	01/18/06				10 79	89 05	0 47
	04/18/06				11 64	88 20	-0 85
	07/11/06				13 02	86 82	-1 38
	10/10/06				12 89	86 95	0 13
	01/16/07				11 78	88 06	1 11
	04/17/07				11 17	88 67	0 61
	07/18/07				12 89	86 95	-1 72
	10/17/07				12 76	87 08	0 13
	01/16/08				13 30	86 54	-0 54
	04/28/08				12 79	87 05	0 51
	07/15/08				12 28	87 56	0 51
	10/14/08				11 51	88 33	0 77
	01/13/09				10 82	89 02	0 69
	04/06/09				11 84	88 00	-1 02
	07/14/09				13 50	86 34	-1 66
	10/20/09				14 59	85 25	-1 09
	01/20/10				13 33	86 51	1 26
	04/20/10				11 48	88 36	1 85
	07/26/10				13 30	86 54	-1 82
	10/19/10				14 54	85 30	-1 24
	01/19/11				13 74	86 10	0 80
	04/05/11				14 47	85 37	-0 73
	07/12/11				16 35	83 49	-1 88
MW-11	01/26/91	30 00	Protective Casing	100 60	19 27	81 33	
	09/13/91				17 81	82 79	1 46
	11/21/91				16 35	84 25	1 46
	03/16/93				15 20	85 40	1 15
	01/09/94				16 31	84 29	-1 11
	04/19/94				16 17	84 43	0 14
	07/19/94				15 63	84 97	0 54
	10/24/94				15 72	84 88	-0 09
	01/24/95				15 89	84 71	-0 17
	04/02/95				16 33	84 27	-0 44
	07/31/95				16 03	84 57	0 30
	10/16/95				16 00	84 60	0 03
	01/10/96				16 45	84 15	-0 45
	04/09/96				16 62	83 98	-0 17
	07/21/96				17 21	83 39	-0 59
	10/21/96				15 52	85 08	1 69
	01/21/97				15 15	85 45	0 37
	04/08/97				15 19	85 41	-0 04
	07/29/97				15 78	84 82	-0 59
	10/16/97				14 75	85 85	1 03
	01/06/98				14 44	86 16	0 31

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-11 (Cont.)	04/14/98				14.22	86.38	0.22
	07/17/98				15.41	85.19	-1.19
	10/27/98				15.50	85.10	-0.09
	02/09/99				16.11	84.49	-0.61
	04/21/99				15.21	85.39	0.90
	07/13/99				13.25	87.35	1.96
	10/19/99				14.68	85.92	-1.43
	01/26/00				15.28	85.32	-0.60
	04/18/00				15.29	85.31	-0.01
	07/26/00				15.42	85.18	-0.13
	10/19/00				14.58	86.02	0.84
	01/18/01			98.20	10.08	88.12	2.10
	04/12/01				10.07	88.13	0.01
	07/19/01				11.67	86.53	-1.60
	10/17/01				11.15	87.05	0.52
	01/12/02				10.14	88.06	1.01
	04/20/02				9.83	88.37	0.31
	07/24/02				11.39	86.81	-1.56
	10/15/02				10.87	87.33	0.52
	01/22/03				11.47	86.73	-0.60
	04/23/03				11.77	86.43	-0.30
	07/16/03				12.97	85.23	-1.20
	10/15/03				11.37	86.83	1.60
	01/28/04				11.43	86.77	-0.06
	04/19/04				9.77	88.43	1.66
	07/16/04				11.79	86.41	-2.02
	10/29/04				9.60	88.60	2.19
	01/14/05				8.34	89.86	1.26
	04/15/05				7.93	90.27	0.41
	07/08/05				10.12	88.08	-2.19
	10/08/05				10.84	87.36	-0.72
	01/19/06				10.36	87.84	0.48
	04/18/06				11.21	86.99	-0.85
	07/11/06				12.63	85.57	-1.42
	10/10/06				12.39	85.81	0.24
	01/16/07				11.53	86.67	0.86
	04/17/07				10.20	88.00	1.33
	07/17/07				11.08	87.12	-0.88
	10/17/07				12.22	85.98	-1.14
	01/16/08				12.91	85.29	-0.69
	04/28/08				12.22	85.98	0.69
	07/15/08				11.38	86.82	0.84
	10/14/08				10.63	87.57	0.75
	01/13/09				10.21	87.99	0.42
	04/06/09				11.18	87.02	-0.97
	07/14/09				12.79	85.41	-1.61
	10/20/09				13.92	84.28	-1.13
	01/20/10				12.60	85.60	1.32
	04/20/10				10.78	87.42	1.82
	07/26/10				12.58	85.62	-1.80
	10/19/10				13.87	84.33	-1.29
	01/19/11				13.09	85.11	0.78
	04/05/11				13.79	84.41	-0.70
	07/12/11				15.61	82.59	-1.82
MW-12	01/26/91	34.00	Protective Casing	100.69	19.24	81.45	
	09/13/91				17.59	83.10	1.65
	11/21/91				16.21	84.48	1.38
	03/16/93				15.22	85.47	0.99
	01/09/94				16.25	84.44	-1.03
	04/19/94				16.13	84.56	0.12
	07/19/94				15.63	85.06	0.50
	10/24/94				15.73	84.96	-0.10
	01/24/95				15.80	84.89	-0.07
	04/02/95				16.23	84.46	-0.43
	07/31/95				15.96	84.73	0.27
	10/16/95				15.93	84.76	0.03

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-12 (Cont.)	01/10/96				16 35	84 34	-0 42
	04/09/96				16 52	84 17	-0 17
	07/21/96				17 15	83 54	-0 63
	10/21/96				15 48	85 21	1 67
	01/21/97				15 04	85 65	0 44
	04/08/97				15 10	85 59	-0 06
	07/29/97				15 73	84 96	-0 63
	10/16/97				14 57	86 12	1 16
	01/06/98				14 22	86 47	0 35
	04/14/98				14 09	86 60	0 13
	07/17/98				15 35	85 34	-1 26
	10/27/98				15 36	85 33	-0 01
	02/09/99				16 00	84 69	-0 64
	04/21/99				15 19	85 50	0 81
	07/13/99				13 12	87 57	2 07
	10/19/99				14 63	86 06	-1 51
	01/26/00				15 18	85 51	-0 55
	04/18/00				15 22	85 47	-0 04
	07/26/00				15 38	85 31	-0 16
	10/19/00				14 35	86 34	1 03
	01/18/01			99 21	10 62	88 59	2 25
	04/12/01				10 61	88 60	0 01
	07/19/01				12 41	86 80	-1 80
	10/17/01				10 95	88 26	1 46
	04/20/02				9 88	89 33	1 07
	07/24/02				11 57	87 64	-1 69
	10/15/02				10 94	88 27	0 63
	01/22/03				11 70	87 51	-0 76
	04/24/03				12 04	87 17	-0 34
	07/16/03				13 19	86 02	-1 15
	10/15/03				11 40	87 81	1 79
	01/29/04			98 49	11 33	87 16	-0 65
	04/19/04				9 62	88 87	1 71
	07/16/04				11 51	86 98	-1 89
	10/29/04				9 26	89 23	2 25
	01/14/05				8 16	90 33	1 10
	04/15/05				7 68	90 81	0 48
	07/08/05				9 98	88 51	-2 30
	10/08/05				10 74	87 75	-0 76
	01/18/06				10 09	88 40	0 65
	04/18/06				11 15	87 34	-1 06
	07/11/06				12 39	86 10	-1 24
	10/10/06				12 03	86 46	0 36
	01/16/07				11 20	87 29	0 83
	04/17/07				10 57	87 92	0 63
	07/18/07				11 52	86 97	-0 95
	10/17/07				11 82	86 67	-0 30
	01/16/08				12 71	85 78	-0 89
	04/28/08				11 82	86 67	0 89
	07/15/08				10 96	87 53	0 86
	10/14/08				10 10	88 39	0 86
	01/13/09				9 78	88 71	0 32
	04/06/09				11 03	87 46	-1 25
	07/14/09				12 59	85 90	-1 56
	10/20/09				13 85	84 64	-1 26
	01/20/10				12 38	86 11	1 47
	04/20/10				10 50	87 99	1 88
	07/26/10				12 38	86 11	-1 88
	10/19/10				13 60	84 89	-1 22
	01/19/11				12 30	86 19	1 30
	04/05/11				13 73	84 76	-1 43
	07/12/11				15 44	83 05	-1 71
MW-13	09/13/91	45 00	Protective Casing	99 25	15 10	84 15	
	11/21/91				13 95	85 30	1 15
	03/16/93				13 22	86 03	0 73
	01/09/94				14 03	85 22	-0 81

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-13 (Cont.)	04/19/94				13 90	85 35	0 13
	07/20/94				13 70	85 55	0 20
	10/24/94				13 86	85 39	-0 16
	01/24/95				13 56	85 69	0 30
	04/02/95				13 87	85 38	-0 31
	07/31/95				13 84	85 41	0 03
	10/16/95				13 83	85 42	0 01
	01/10/96				14 02	85 23	-0 19
	04/09/96				14 20	85 05	-0 18
	07/20/96				15 04	84 21	-0 84
	10/21/96				13 31	85 94	1 73
	01/21/97				12 70	86 55	0 61
	04/08/97				12 48	86 77	0 22
	07/29/97				13 43	85 82	-0 95
	10/16/97				12 02	87 23	1 41
	01/06/98				11 44	87 81	0 58
	04/14/98				11 50	87 75	-0 06
	07/17/98				13 10	86 15	-1 60
	10/27/98				13 58	85 67	-0 48
	02/09/99				13 81	85 44	-0 23
	04/21/99				13 22	86 03	0 59
	07/13/99				11 08	88 17	2 14
	10/20/99				12 64	86 61	-1 56
	01/26/00				12 96	86 29	-0 32
	04/18/00				13 08	86 17	-0 12
	07/26/00				12 88	86 37	0 20
	10/19/00				11 68	87 57	1 20
	01/18/01				8 88	90 37	2 80
	04/12/01				9 09	90 16	-0 21
	07/19/01				11 47	87 78	-2 38
	10/17/01				10 15	89 10	1 32
	01/12/02				8 48	90 77	1 67
	04/20/02				9 07	90 18	-0 59
	07/24/02				11 42	87 83	-2 35
	10/15/02				10 38	88 87	1 04
	01/22/03				11 28	87 97	-0 90
	04/24/03				11 80	87 45	-0 52
	07/16/03				12 98	86 27	-1 18
	10/15/03				10 48	88 77	2 50
	01/29/04			99 25	10 68	88 57	-0 20
	04/19/04				9 06	90 19	1 62
	07/16/04				10 40	88 85	-1 34
	10/29/04				8 03	91 22	2 37
	01/14/05				7 44	91 81	0 59
	04/15/05				6 76	92 49	0 68
	07/08/05				9 47	89 78	-2 71
	10/08/05				10 13	89 12	-0 66
	01/18/06				9 28	89 97	0 85
	04/18/06				10 63	88 62	-1 35
	07/11/06				11 55	87 70	-0 92
	10/10/06				10 97	88 28	0 58
	01/16/07				10 16	89 09	0 81
	04/17/07				8 98	90 27	1 18
	07/18/07				10 31	88 94	-1 33
	10/17/07				10 47	88 78	-0 16
	01/16/08				11 97	87 28	-1 50
	04/28/08				10 42	88 83	1 55
	07/15/08				9 44	89 81	0 98
	10/14/08				8 26	90 99	1 18
	01/13/09				8 44	90 81	-0 18
	04/06/09				10 44	88 81	-2 00
	07/14/09				11 76	87 49	-1 32
	10/20/09				13 36	85 89	-1 60
	01/20/10				11 28	87 97	2 08
	04/20/10				9 59	89 66	1 69
	07/26/10				11 73	87 52	-2 14
	10/19/10				12 89	86 36	-1 16

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-13 (Cont.)	01/19/11				12.18	87.07	0.71
	04/05/11				13.24	86.01	-1.06
	07/12/11				14.72	84.53	-1.48
MW-14	09/13/91	35.00	Protective Casing	98.74	14.60	84.14	
	11/21/91				13.61	85.13	0.99
	03/16/93				13.00	85.74	0.61
	01/09/94				13.71	85.03	-0.71
	04/19/94				13.63	85.11	0.08
	07/20/94				13.39	85.35	0.24
	10/24/94				13.48	85.26	-0.09
	01/25/95				13.26	85.48	0.22
	04/02/95				13.61	85.13	-0.35
	07/31/95				13.44	85.30	0.17
	10/16/95				13.52	85.22	-0.08
	01/10/96				13.76	84.98	-0.24
	04/09/96				13.96	84.78	-0.20
	07/20/96				14.74	84.00	-0.78
	10/21/96				13.03	85.71	1.71
	01/21/97				12.47	86.27	0.56
	04/08/97				12.44	86.30	0.03
	07/29/97				13.30	85.44	-0.86
	10/16/97				11.93	86.81	1.37
	01/06/98				11.46	87.28	0.47
	04/14/98				11.48	87.26	-0.02
	07/17/98				12.94	85.80	-1.46
	10/27/98				13.25	85.49	-0.31
	02/09/99				13.59	85.15	-0.34
	04/21/99				12.96	85.78	0.63
	07/13/99				10.85	87.89	2.11
	10/20/99				12.42	86.32	-1.57
	01/26/00				12.73	86.01	-0.31
	04/18/00				12.82	85.92	-0.09
	07/26/00				13.08	85.66	-0.26
	10/19/00				11.32	87.42	1.76
	01/18/01				8.48	90.26	2.84
	04/12/01				8.83	89.91	-0.35
	04/20/02				8.84	89.90	-0.01
	07/24/02				11.21	87.53	-2.37
	10/15/02				10.12	88.62	1.09
	04/24/03				11.54	87.20	-1.42
	07/16/03				12.74	86.00	-1.20
	10/15/03				10.07	88.67	2.67
	01/29/04				10.45	88.29	-0.38
	04/19/04				8.76	89.98	1.69
	07/16/04				10.20	88.54	-1.44
	10/29/04				7.69	91.05	2.51
	01/14/05				7.23	91.51	0.46
	04/15/05				6.46	92.28	0.77
	07/08/05				9.37	89.37	-2.91
	10/08/05				9.99	88.75	-0.62
	01/18/06				9.09	89.65	0.90
	04/18/06				10.42	88.32	-1.33
	07/11/06				11.44	87.30	-1.02
	10/10/06				10.70	88.04	0.74
	01/16/07				9.95	88.79	0.75
	04/17/07				8.70	90.04	1.25
	07/18/07				10.18	88.56	-1.48
	10/17/07				10.30	88.44	-0.12
	01/16/08				11.83	86.91	-1.53
	04/28/08				10.26	88.48	1.57
	07/15/08				9.11	89.63	1.15
	10/15/08				7.96	90.78	1.15
	01/13/09				8.20	90.54	-0.24
	04/06/09				10.19	88.55	-1.99
	07/14/09				11.53	87.21	-1.34
	10/20/09				13.07	85.67	-1.54

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-14 (Cont)	01/20/10				11 21	87 53	1 86
	04/20/10				9 41	89 33	1 80
	07/26/10				11 50	87 24	-2 09
	10/19/10				12 63	86 11	-1 13
	01/19/11				11 93	86 81	0 70
	04/05/11				13 00	85 74	-1 07
	07/12/11				14 40	84 34	-1 40
MW-15	09/13/91	34 00	Protective Casing	100 05	16 30	83 75	
	11/21/91				15 01	85 04	1 29
	03/16/93				13 95	86 10	1 06
	01/09/94				14 91	85 14	-0 96
	04/19/94				14 80	85 25	0 11
	07/20/94				14 56	85 49	0 24
	10/24/94				14 73	85 32	-0 17
	01/24/95				16 00	84 05	-1 27
	04/02/95				14 80	85 25	1 20
	07/31/95				14 82	85 23	-0 02
	10/16/95				14 74	85 31	0 08
	01/10/96				14 95	85 10	-0 21
	04/09/96				15 11	84 94	-0 16
	07/20/96				15 96	84 09	-0 85
	10/21/96				14 22	85 83	1 74
	01/21/97				13 64	86 41	0 58
	04/08/97				13 53	86 52	0 11
	07/29/97				14 32	85 73	-0 79
	10/16/97				12 90	87 15	1 42
	01/06/98				12 30	87 75	0 60
	04/14/98				12 38	87 67	-0 08
	07/17/98				13 93	86 12	-1 55
	10/27/98				14 38	85 67	-0 45
	02/09/99				14 68	85 37	-0 30
	04/21/99				14 03	86 02	0 65
	07/13/99				11 90	88 15	2 13
	10/20/99				13 42	86 63	-1 52
	01/26/00				13 83	86 22	-0 41
	04/18/00				13 96	86 09	-0 13
	07/26/00				14 14	85 91	-0 18
	10/19/00				12 90	87 15	1 24
	01/18/01				9 39	90 66	3 51
	04/12/01				12 38	87 67	-2 99
	07/19/01				12 44	87 61	-0 06
	01/12/02				10 10	89 95	2 34
	07/24/02				12 38	87 67	-2 28
	10/15/02				11 52	88 53	0 86
	01/22/03				12 30	87 75	-0 78
	04/24/03				12 74	87 31	-0 44
	07/16/03				13 89	86 16	-1 15
	10/15/03				11 96	88 09	1 93
	01/29/04			99 69	11 50	88 19	0 10
	04/19/04				9 92	89 77	1 58
	07/16/04				11 37	88 32	-1 45
	10/29/04				9 19	90 50	2 18
	01/14/05				8 30	91 39	0 89
	04/15/05				7 73	91 96	0 57
	07/08/05				10 08	89 61	-2 35
	10/08/05				10 82	88 87	-0 74
	01/18/06				10 13	89 56	0 69
	04/18/06				11 30	88 39	-1 17
	07/11/06				12 32	87 37	-1 02
	10/10/06				11 87	87 82	0 45
	01/16/07				11 11	88 58	0 76
	04/17/07				10 11	89 58	1 00
	07/18/07				11 28	88 41	-1 17
	10/17/07				11 52	88 17	-0 24
	01/16/08				12 72	86 97	-1 20
	04/28/08				11 55	88 14	1 17

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-15 (Cont.)	07/15/08				10 85	88 84	0 70
	10/14/08				9 78	89 91	1 07
	01/13/09				9 60	90 09	0 18
	04/06/09				11 27	88 42	-1 67
	07/14/09				12 69	87 00	-1 42
	10/20/09				14 18	85 51	-1 49
	01/20/10				12 56	87 13	1 62
	04/20/10				10 60	89 09	1 96
	07/26/10				12 57	87 12	-1 97
	10/19/10				13 73	85 96	-1 16
	01/19/11				13 08	86 61	0 65
	04/05/11				14 04	85 65	-0 96
	07/12/11				15 65	84 04	-1 61
MW-16	01/13/09				8 27		
	04/06/09				10 50		
	07/14/09				11 75		
	10/20/09				13 37		
	01/20/10				11 51		
	04/20/10				9 60		
	07/26/10				11 75		
	10/19/10				12 76		
	01/19/11				12 12		
	04/05/11				13 28		
	07/12/11				14 65		
MW-17D	04/02/95	19 00	Protective Casing	101 29	16 80	84 49	
	07/31/95				16 48	84 81	0 32
	10/16/95				16 51	84 78	-0 03
	01/10/96				16 90	84 39	-0 39
	04/09/96				17 10	84 19	-0 20
	07/21/96				17 70	83 59	-0 60
	10/21/96				16 02	85 27	1 68
	01/21/97				15 60	85 69	0 42
	04/08/97				15 64	85 65	-0 04
	07/29/97				16 32	84 97	-0 68
	10/16/97				15 11	86 18	1 21
	01/06/98				14 80	86 49	0 31
	04/14/98				14 68	86 61	0 12
	07/17/98				15 92	85 37	-1 24
	10/27/98				15 95	85 34	-0 03
	02/09/99				16 63	84 66	-0 68
	04/21/99				15 82	85 47	0 81
	07/13/99				13 77	87 52	2 05
	10/19/99				15 32	85 97	-1 55
	01/26/00				15 79	85 50	-0 47
	04/18/00				15 80	85 49	-0 01
	07/26/00				15 98	85 31	-0 18
	10/19/00				14 89	86 40	1 09
	01/18/01			99 00	10 33	88 67	2 27
	04/12/01				10 35	88 65	-0 02
	07/19/01				12 22	86 78	-1 87
	10/17/01				11 48	87 52	0 74
	01/12/02				10 19	88 81	1 29
	04/20/02				10 25	88 75	-0 06
	07/24/02				11 98	87 02	-1 73
	10/15/02				11 33	87 67	0 65
	01/22/03				12 09	86 91	-0 76
	04/24/03				12 43	86 57	-0 34
	07/16/03				13 59	85 41	-1 16
	10/15/03				11 74	87 26	1 85
	01/29/04			98 46	11 30	87 16	-0 10
	04/19/04				9 55	88 91	1 75
	07/16/04				11 45	87 29	-1 62
	10/29/04				9 19	89 55	2 26
	01/14/05				8 16	90 58	1 03
	04/15/05				7 66	91 08	0 50

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17D (Cont)	07/08/05				10 01	88 73	-2 35
	10/08/05				10 76	87 98	-0 75
	01/18/06				10 10	88 64	0 66
	04/18/06				11 13	87 61	-1 03
	07/11/06				12 40	86 34	-1 27
	10/10/06				12 02	86 72	0 38
	01/16/07				11 17	87 57	0 85
	04/17/07				10 14	88 60	1 03
	07/18/07				11 50	87 24	-1 36
	10/17/07				11 79	86 95	-0 29
	01/16/08				12 08	86 66	-0 29
	04/28/08				11 79	86 95	0 29
	07/15/08				10 84	87 90	0 95
	10/15/08				10 10	88 64	0 74
	01/13/09				9 72	89 02	0 38
	04/06/09				11 03	87 71	-1 31
	07/14/09				12 54	86 20	-1 51
	10/20/09				13 82	84 92	-1 28
	01/20/10				12 33	86 41	1 49
	04/20/10				10 47	88 27	1 86
	07/26/10				12 17	86 57	-1 70
	10/19/10				13 62	85 12	-1 45
	01/19/11				12 89	85 85	0 73
	04/05/11				13 73	85 01	-0 84
	07/12/11				15 41	83 33	-1 68
MW-17A	04/02/95	26 00	Protective Casing	100 57	16 05	84 52	
	07/31/95				15 75	84 82	0 30
	10/16/95				15 77	84 80	-0 02
	01/10/96				16 18	84 39	-0 41
	04/09/96				16 37	84 20	-0 19
	07/21/96				16 98	83 59	-0 61
	10/21/96				15 30	85 27	1 68
	01/21/97				14 88	85 69	0 42
	04/08/97				14 92	85 65	-0 04
	07/29/97				15 59	84 98	-0 67
	10/16/97				14 41	86 16	1 18
	01/06/98				14 09	86 48	0 32
	04/14/98				13 95	86 62	0 14
	07/17/98				15 20	85 37	-1 25
	10/27/98				15 23	85 34	-0 03
	02/09/99				15 88	84 69	-0 65
	04/21/99				15 10	85 47	0 78
	07/13/99				13 02	87 55	2 08
	10/19/99				14 54	86 03	-1 52
	01/26/00				15 05	85 52	-0 51
	04/18/00				15 08	85 49	-0 03
	07/26/00				15 25	85 32	-0 17
	10/19/00				14 17	86 40	1 08
	01/18/01			98 77	10 09	88 68	2 28
	04/12/01				10 11	88 66	-0 02
	07/19/01				11 98	86 79	-1 87
	10/17/01				11 24	87 53	0 74
	01/12/02				9 94	88 83	1 30
	04/20/02				10 00	88 77	-0 06
	07/24/02				11 75	87 02	-1 75
	10/15/02				11 22	87 55	0 53
	01/22/03				11 85	86 92	-0 63
	04/24/03				12 18	86 59	-0 33
	07/16/03				13 36	85 41	-1 18
	10/15/03				11 49	87 28	1 87
	01/29/04			98 29	11 13	87 16	-0 12
	04/19/04				9 38	88 91	1 75
	07/16/04				11 30	86 99	-1 92
	10/29/04				9 06	89 23	2 24
	01/14/05				7 98	90 31	1 08
	04/15/05				7 50	90 79	0 48

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17A (Cont)	07/08/05				9 84	88 45	-2 34
	10/08/05				10 57	87 72	-0 73
	01/18/06				9 93	88 36	0 64
	04/18/06				10 98	87 31	-1 05
	07/11/06				12 22	86 07	-1 24
	10/10/06				11 85	86 44	0 37
	01/16/07				11 00	87 29	0 85
	04/17/07				9 95	88 34	1 05
	07/18/07				11 30	86 99	-1 35
	10/17/07				11 61	86 68	-0 31
	01/16/08				12 52	85 77	-0 91
	04/28/08				11 62	86 67	0 90
	07/15/08				10 66	87 63	0 96
	10/15/08				9 89	88 40	0 77
	01/13/09				9 52	88 77	0 37
	04/06/09				10 85	87 44	-1 33
	07/14/09				12 33	85 96	-1 48
	10/20/09				13 64	84 65	-1 31
	01/20/10				12 15	86 14	1 49
	04/20/10				10 28	88 01	1 87
	07/26/10				12 35	85 94	-2 07
	10/19/10				13 42	84 87	-1 07
	01/19/11				12 68	85 61	0 74
	04/05/11				13 52	84 77	-0 84
	07/12/11				15 21	83 08	-1 69
MW-17B	04/02/95	34 00	Protective Casing	101 28	16 79	84 49	
	07/31/95				16 50	84 78	0 29
	10/16/95				16 51	84 77	-0 01
	01/10/96				16 92	84 36	-0 41
	04/09/96				17 10	84 18	-0 18
	07/21/96				17 71	83 57	-0 61
	10/21/96				16 02	85 26	1 69
	01/21/97				15 64	85 64	0 38
	04/08/97				15 67	85 61	-0 03
	07/29/97				16 30	84 98	-0 63
	10/16/97				15 16	86 12	1 14
	01/06/98				14 84	86 44	0 32
	04/14/98				14 70	86 58	0 14
	07/17/98				15 92	85 36	-1 22
	10/27/98				16 00	85 28	-0 08
	02/09/99				16 62	84 66	-0 62
	04/21/99				15 79	85 49	0 83
	07/13/99				13 77	87 51	2 02
	10/19/99				15 26	86 02	-1 49
	01/26/00				15 81	85 47	-0 55
	04/18/00				15 81	85 47	0 00
	07/26/00				15 98	85 30	-0 17
	10/19/00				14 94	86 34	1 04
	01/18/01			99 04	10 44	88 60	2 26
	04/12/01				10 44	88 60	0 00
	07/19/01				12 27	86 77	-1 83
	10/17/01				11 62	87 42	0 65
	01/12/02				10 32	88 72	1 30
	04/20/02				10 33	88 71	-0 01
	07/24/02				12 04	87 00	-1 71
	10/15/02				11 40	87 64	0 64
	01/22/03				12 17	86 87	-0 77
	04/24/03				12 48	86 56	-0 31
	07/16/03				13 64	85 40	-1 16
	10/15/03				11 83	87 21	1 81
	01/29/04			98 54	11 43	87 11	-0 10
	04/19/04				9 69	88 85	1 74
	07/16/04				11 62	86 92	-1 93
	10/29/04				9 37	89 17	2 25
	01/14/05				8 29	90 25	1 08
	04/15/05				7 80	90 74	0 49

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17B (Cont)	07/08/05				10 11	88 43	-2 31
	10/08/05				10 89	87 65	-0 78
	01/18/06				10 22	88 32	0 67
	04/18/06				11 26	87 28	-1 04
	07/11/06				12 56	85 98	-1 30
	10/10/06				12 18	86 36	0 38
	01/16/07				11 31	87 23	0 87
	04/17/07				10 28	88 26	1 03
	07/18/07				11 67	86 87	-1 39
	10/17/07				11 95	86 59	-0 28
	01/16/08				12 83	85 71	-0 88
	04/28/08				11 77	86 77	1 06
	07/15/08				11 03	87 51	0 74
	10/15/08				10 23	88 31	0 80
	01/13/09				9 89	88 65	0 34
	04/06/09				11 16	87 38	-1 27
	07/14/09				12 67	85 87	-1 51
	10/20/09				13 94	84 60	-1 27
	01/20/10				12 48	86 06	1 46
	04/20/10				10 59	87 95	1 89
	07/26/10				12 48	86 06	-1 89
	10/19/10				13 76	84 78	-1 28
	01/19/11				13 00	85 54	0 76
	04/05/11				13 86	84 68	-0 86
	07/12/11				15 53	83 01	-1 67
MW-17C	04/02/95	61 00	Protective Casing	101 33	16 93	84 40	
	07/31/95				16 66	84 67	0 27
	10/16/95				16 64	84 69	0 02
	01/10/96				17 08	84 25	-0 44
	04/09/96				17 25	84 08	-0 17
	07/21/96				17 85	83 48	-0 60
	10/21/96				16 17	85 16	1 68
	01/21/97				15 75	85 58	0 42
	04/08/97				15 80	85 53	-0 05
	07/29/97				16 46	84 87	-0 66
	10/16/97				15 33	86 00	1 13
	01/06/98				15 00	86 33	0 33
	04/14/98				14 85	86 48	0 15
	07/17/98				16 09	85 24	-1 24
	10/27/98				16 17	85 16	-0 08
	02/09/99				16 77	84 56	-0 60
	04/21/99				15 95	85 38	0 82
	07/13/99				13 94	87 39	2 01
	10/19/99				15 43	85 90	-1 49
	01/26/00				15 94	85 39	-0 51
	04/18/00				15 95	85 38	-0 01
	07/26/00				16 11	85 22	-0 16
	10/19/00				15 03	86 30	1 08
	01/18/01			99 01	10 37	88 64	2 34
	04/12/01				10 37	88 64	0 00
	07/19/01				12 22	86 79	-1 85
	10/17/01				11 46	87 55	0 76
	01/12/02				10 22	88 79	1 24
	04/20/02				10 25	88 76	-0 03
	07/24/02				11 98	87 03	-1 73
	10/15/02				11 33	87 68	0 65
	01/22/03				12 09	86 92	-0 76
	04/24/03				12 43	86 58	-0 34
	07/16/03				13 59	85 42	-1 16
	10/15/03				11 70	87 31	1 89
	01/29/04			98 53	11 37	87 16	-0 15
	04/19/04				9 61	88 92	1 76
	07/16/04				11 55	86 98	-1 94
	10/29/04				9 27	89 26	2 28
	01/14/05				8 19	90 34	1 08
	04/15/05				7 71	90 82	0 48

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17C (Cont)	07/08/05				10 08	88 45	-2 37
	10/08/05				10 84	87 69	-0 76
	01/18/06				10 16	88 37	0 68
	04/18/06				11 21	87 32	-1 05
	07/11/06				12 50	86 03	-1 29
	10/10/06				12 12	86 41	0 38
	01/16/07				11 21	87 32	0 91
	04/17/07				10 19	88 34	1 02
	07/18/07				11 57	86 96	-1 38
	10/17/07				11 87	86 66	-0 30
	01/16/08				12 77	85 76	-0 90
	04/28/08				11 88	86 65	0 89
	07/15/08				10 91	87 62	0 97
	10/15/08				10 12	88 41	0 79
	01/13/09				9 79	88 74	0 33
	04/06/09				11 08	87 45	-1 29
	07/14/09				12 59	85 94	-1 51
	10/20/09				13 86	84 67	-1 27
	01/20/10				12 39	86 14	1 47
	04/20/10				10 53	88 00	1 86
	07/26/10				12 41	86 12	-1 88
	10/19/10				13 68	84 85	-1 27
	01/19/11				12 92	85 61	0 76
	04/05/11				13 78	84 75	-0 86
	07/12/11				15 45	83 08	-1 67
MW-18	04/02/95	28 00	Protective Casing	98 72	14 77	83 95	
	07/31/95				14 21	84 51	0 56
	10/16/95				14 25	84 47	-0 04
	01/10/96				14 90	83 82	-0 65
	04/09/96				15 05	83 67	-0 15
	07/21/96				15 44	83 28	-0 39
	10/21/96				13 78	84 94	1 66
	11/22/96				13 84	84 88	-0 06
	01/21/97				13 54	85 18	0 30
	04/08/97				13 66	85 06	-0 12
	07/29/97				14 13	84 59	-0 47
	10/16/97				13 34	85 38	0 79
	01/06/98				13 13	85 59	0 21
	04/14/98				12 79	85 93	0 34
	07/17/98				13 75	84 97	-0 96
	10/27/98				13 82	84 90	-0 07
	02/09/99				14 58	84 14	-0 76
	04/21/99				13 58	85 14	1 00
	07/13/99				11 66	87 06	1 92
	10/19/99				13 01	85 71	-1 35
	01/26/00				13 73	84 99	-0 72
	04/18/00				13 65	85 07	0 08
	07/26/00				13 71	85 01	-0 06
	10/19/00				13 03	85 69	0 68
	01/18/01				11 23	87 49	1 80
	04/12/01				11 18	87 54	0 05
	07/19/01				12 43	86 29	-1 25
	10/17/01				12 17	86 55	0 26
	01/12/02				11 44	87 28	0 73
	04/20/02				10 59	88 13	0 85
	07/24/02				12 22	86 50	-1 63
	10/15/02				11 88	86 84	0 34
	01/22/03				12 40	86 32	-0 52
	04/23/04				12 64	86 08	-0 24
	07/16/03				13 79	84 93	-1 15
	10/15/03				12 38	86 34	1 41
	01/28/04				12 52	86 20	-0 14
	04/19/04				10 88	87 84	1 64
	07/16/04				13 03	85 69	-2 15
	10/29/04				10 95	87 77	2 08
	01/14/05				9 55	89 17	1 40

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-18 (Cont.)	04/15/05				9.21	89.51	0.34
	07/08/05				11.22	87.50	-2.01
	10/08/05				11.94	86.78	-0.72
	01/19/06				11.57	87.15	0.37
	04/18/06				12.33	86.39	-0.76
	07/11/06				13.82	84.90	-1.49
	10/10/06				13.71	85.01	0.11
	01/16/07				12.85	85.87	0.86
	04/17/07				11.96	86.76	0.89
	07/17/07				13.18	85.54	-1.22
	10/17/07				13.63	85.09	-0.45
	01/16/08				14.17	84.55	-0.54
	04/28/08				13.68	85.04	0.49
	07/15/08				12.97	85.75	0.71
	10/14/08				12.36	86.36	0.61
	01/13/09				11.65	87.07	0.71
	04/06/09				12.07	86.65	-0.42
	07/14/09				13.65	85.07	-1.58
	10/20/09				14.60	84.12	-0.95
	01/20/10				13.49	85.23	1.11
	04/20/10				11.60	87.12	1.89
	07/26/10				13.34	85.38	-1.74
	10/19/10				14.63	84.09	-1.29
	01/19/11				13.89	84.83	0.74
	04/05/11				14.49	84.23	-0.60
	07/12/11				16.30	82.42	-1.81
MW-19	04/02/95	28.00	Protective Casing	99.08	14.86	84.22	
	07/31/95				14.29	84.79	0.57
	10/16/95				14.39	84.69	-0.10
	01/10/96				14.98	84.10	-0.59
	04/09/96				15.14	83.94	-0.16
	07/21/96				15.62	83.46	-0.48
	10/21/96				14.00	85.08	1.62
	11/22/96				14.03	85.05	-0.03
	01/21/97				13.69	85.39	0.34
	04/08/97				13.76	85.32	-0.07
	07/29/97				14.37	84.71	-0.61
	10/16/97				13.47	85.61	0.90
	01/06/98				13.21	85.87	0.26
	04/14/98				12.90	86.18	0.31
	07/17/98				13.96	85.12	-1.06
	10/27/98				14.11	84.97	-0.15
	02/09/99				14.74	84.34	-0.63
	04/21/99				13.91	85.17	0.83
	07/13/99				11.99	87.09	1.92
	10/19/99				13.35	85.73	-1.36
	01/26/00				13.92	85.16	-0.57
	04/18/00				13.84	85.24	0.08
	07/26/00				14.00	85.08	-0.16
	10/19/00				12.92	86.16	1.08
	01/18/01				10.66	88.42	2.26
	04/12/01				10.75	88.33	-0.09
	07/19/01				12.59	86.49	-1.84
	10/17/01				11.93	87.15	0.66
	01/12/02				10.78	88.30	1.15
	04/20/02				10.70	88.38	0.08
	07/24/02				12.35	86.73	-1.65
	10/15/02				11.82	87.26	0.53
	01/22/03				12.43	86.65	-0.61
	04/23/03				12.73	86.35	-0.30
	07/16/03				13.99	85.09	-1.26
	10/15/03				11.89	87.19	2.10
	01/28/04				12.29	86.79	-0.40
	04/19/04				10.50	88.58	1.79
	07/16/04				12.59	86.49	-2.09
	10/29/04				10.28	88.80	2.31

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-19 (Cont.)	01/14/05				9.20	89.88	1.08
	04/15/05				8.85	90.23	0.35
	07/08/05				11.23	87.85	-2.38
	10/08/05				11.90	87.18	-0.67
	01/19/06				11.30	87.78	0.60
	04/18/06				12.27	86.81	-0.97
	07/11/06				13.69	85.39	-1.42
	10/10/06				13.29	85.79	0.40
	01/16/07				12.36	86.72	0.93
	04/17/07				11.28	87.80	1.08
	07/17/07				12.64	86.44	-1.36
	10/17/07				13.00	86.08	-0.36
	01/16/08				13.87	85.21	-0.87
	04/28/08				12.99	86.09	0.88
	07/15/08				11.92	87.16	1.07
	10/14/08				11.12	87.96	0.80
	01/13/09				10.85	88.23	0.27
	04/06/09				11.95	87.13	-1.10
	07/14/09				13.50	85.58	-1.55
	10/20/09				14.65	84.43	-1.15
	01/20/10				13.30	85.78	1.35
	04/20/10				11.41	87.67	1.89
	07/26/10				13.27	85.81	-1.86
	10/19/10				14.53	84.55	-1.26
	01/19/11				13.78	85.30	0.75
	04/05/11				14.52	84.56	-0.74
	07/12/11				16.26	82.82	-1.74
MW-20	11/22/96	28.00	Protective Casing	101.09	16.28	84.81	
	01/21/97				16.08	85.01	0.20
	04/08/97				16.04	85.05	0.04
	07/29/97				16.46	84.63	-0.42
	10/16/97				15.76	85.33	0.70
	01/06/98				15.61	85.48	0.15
	04/14/98				15.13	85.96	0.48
	07/17/98				16.15	84.94	-1.02
	10/27/98				16.07	85.02	0.08
	02/09/99				16.94	84.15	-0.87
	04/21/99				15.48	85.61	1.46
	07/13/99				13.50	87.59	1.98
	10/19/99				15.25	85.84	-1.75
	01/26/00				16.08	85.01	-0.83
	04/18/00				15.97	85.12	0.11
	07/26/00				15.84	85.25	0.13
	10/19/00				15.80	85.29	0.04
	01/18/01				14.37	86.72	1.43
	04/12/01				14.16	86.93	0.21
	07/19/01				14.66	86.43	-0.50
	10/17/01				15.07	86.02	-0.41
	01/12/02				14.70	86.39	0.37
	04/20/02				13.54	87.55	1.16
	07/24/02				14.59	86.50	-1.05
	10/15/02				14.42	86.67	0.17
	01/22/03				14.91	86.18	-0.49
	04/23/03				14.87	86.22	0.04
	07/16/03				15.93	85.16	-1.06
	10/15/03				15.69	85.40	0.24
	01/28/04				15.38	85.71	0.31
	04/19/04				14.20	86.89	1.18
	07/16/04				16.25	84.84	-2.05
	10/29/04				14.25	86.84	2.00
	01/14/05				12.57	88.52	1.68
	04/15/05				12.14	88.95	0.43
	07/08/05				13.85	87.24	-1.71
	10/08/05				14.59	86.50	-0.74
	01/18/06				14.40	86.69	0.19
	04/18/06				15.08	86.01	-0.68

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-20 (Cont.)	07/11/06				16 73	84 36	-1 65
	10/10/06				16 97	84 12	-0 24
	01/16/07				16 08	85 01	0 89
	04/17/07				15 39	85 70	0 69
	07/17/07				16 68	84 41	-1 29
	10/17/07				17 19	83 90	-0 51
	01/16/08				17 26	83 83	-0 07
	04/28/08				17 21	83 88	0 05
	07/15/08				17 22	83 87	-0 01
	10/14/08				16 49	84 60	0 73
	01/13/09				15 38	85 71	1 11
	04/06/09				15 73	85 36	-0 35
	07/14/09				17 72	83 37	-1 99
	10/20/09				18 48	82 61	-0 76
	01/20/10				17 93	83 16	0 55
	04/20/10				15 82	85 27	2 11
	07/26/10				17 68	83 41	-1 86
	10/19/10				18 91	82 18	-1 23
	01/19/11				17 97	83 12	0 94
	04/05/11				18 44	82 65	-0 47
	07/12/11				20 42	80 67	-1 98
MW-21	11/22/96	25 00	Protective Casing	98 88	14 36	84 52	
	01/21/97				14 26	84 62	0 10
	04/08/97			98 89	14 41	84 48	-0 14
	07/29/97				14 54	84 35	-0 13
	10/16/97				14 18	84 71	0 36
	01/06/98				14 17	84 72	0 01
	04/14/98				13 60	85 29	0 57
	07/17/98				14 21	84 68	-0 61
	10/27/98				14 22	84 67	-0 01
	02/09/99				15 29	83 60	-1 07
	04/21/99				13 94	84 95	1 35
	07/13/99				12 03	86 86	1 91
	10/19/99				13 41	85 48	-1 38
	01/26/00				14 42	84 47	-1 01
	04/18/00				14 21	84 68	0 21
	07/26/00				13 97	84 92	0 24
	10/19/00				13 77	85 12	0 20
	01/18/01				12 62	86 27	1 15
	04/12/01				12 53	86 36	0 09
	07/19/01				12 89	86 00	-0 36
	10/17/01				13 23	85 66	-0 34
	01/12/02				13 10	85 79	0 13
	04/20/02				12 09	86 80	1 01
	07/24/02				12 83	86 06	-0 74
	10/15/02				12 82	86 07	0 01
	01/22/03				13 30	85 59	-0 48
	04/23/03				13 28	85 61	0 02
	07/16/03				14 27	84 62	-0 99
	10/15/03				13 73	85 16	0 54
	01/28/04				13 78	85 11	-0 05
	04/19/04				12 39	86 50	1 39
	07/16/04				14 54	84 35	-2 15
	10/29/04				12 70	86 19	1 84
	01/14/05				11 02	87 87	1 68
	04/15/05				10 62	88 27	0 40
	07/08/05				12 30	86 59	-1 68
	10/08/05				13 00	85 89	-0 70
	01/19/06				12 96	85 93	0 04
	04/18/06				13 50	85 39	-0 54
	07/11/06				14 98	83 91	-1 48
	10/10/06				15 22	83 67	-0 24
	01/16/07				14 52	84 37	0 70
	04/17/07				13 78	85 11	0 74
	07/17/07				14 94	83 95	-1 16
	10/17/07				15 42	83 47	-0 48

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-21 (Cont.)	01/16/08				15 71	83 18	-0 29
	04/28/08				15 59	83 30	0 12
	07/15/08				15 50	83 39	0 09
	10/14/08				14 80	84 09	0 70
	01/13/09				13 70	85 19	1 10
	04/06/09				13 91	84 98	-0 21
	07/14/09				15 59	83 30	-1 68
	10/20/09				16 17	82 72	-0 58
	01/20/10				15 42	83 47	0 75
	04/20/10				13 88	85 01	1 54
	07/26/10				15 51	83 38	-1 63
	10/19/10				16 76	82 13	-1 25
	01/19/11				16 07	82 82	0 69
	04/05/11				16 51	82 38	-0 44
	07/12/11				17 69	81 20	-1 18
MW-22	11/22/96	24 50	Protective Casing	97 16	12 88	84 28	
	01/21/97				12 94	84 22	-0 06
	04/08/97			97 14	13 42	83 72	-0 50
	07/29/97				13 16	83 98	0 26
	10/16/97				13 23	83 91	-0 07
	01/06/98				13 46	83 68	-0 23
	04/14/98				12 80	84 34	0 66
	07/17/98				12 65	84 49	0 15
	10/27/98				12 90	84 24	-0 25
	02/09/99				14 35	82 79	-1 45
	04/21/99				13 15	83 99	1 20
	07/13/99				11 45	85 69	1 70
	10/19/99				12 22	84 92	-0 77
	01/26/00				13 52	83 62	-1 30
	04/18/00				12 99	84 15	0 53
	07/26/00				12 63	84 51	0 36
	10/19/00				12 10	85 04	0 53
	01/18/01				11 19	85 95	0 91
	04/12/01				11 35	85 79	-0 16
	07/19/01				11 69	85 45	-0 34
	10/17/01				11 77	85 37	-0 08
	01/12/02				12 14	85 00	-0 37
	04/20/02				11 16	85 98	0 98
	07/24/02				11 53	85 61	-0 37
	10/15/02				11 83	85 31	-0 30
	01/22/03				12 36	84 78	-0 53
	04/23/03				12 35	84 79	0 01
	07/16/03				13 14	84 00	-0 79
	10/15/03				11 78	85 36	1 36
	01/28/04				12 74	84 40	-0 96
	04/19/04				11 01	86 13	1 73
	07/16/04				13 09	84 05	-2 08
	10/29/04				11 52	85 62	1 57
	01/14/05				9 97	87 17	1 55
	04/15/05				9 72	87 42	0 25
	07/08/05				11 39	85 75	-1 67
	10/08/05				12 00	85 14	-0 61
	01/19/06				12 15	84 99	-0 15
	04/18/06				12 52	84 62	-0 37
	07/11/06				13 59	83 55	-1 07
	10/10/06				13 72	83 42	-0 13
	01/16/07				13 32	83 82	0 40
	04/17/07				12 39	84 75	0 93
	07/17/07				13 25	83 89	-0 86
	10/17/07				13 61	83 53	-0 36
	01/16/08				14 56	82 58	-0 95
	04/28/08				14 17	82 97	0 39
	07/15/08				14 11	83 03	0 06
	10/14/08				13 12	84 02	0 99
	01/13/09				12 15	84 99	0 97
	04/06/09				12 80	84 34	-0 65

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-22 (Cont)	07/14/09				14 05	83 09	-1 25
	10/20/09				14 24	82 90	-0 19
	01/20/10				14 18	82 96	0 06
	04/20/10				12 85	84 29	1 33
	07/26/10				14 12	83 02	-1 27
	10/19/10				15 35	81 79	-1 23
	01/19/11				15 10	82 04	0 25
	04/05/11				15 55	81 59	-0 45
	07/12/11				16 44	80 70	-0 89
MW-23	11/22/96	25 00	Protective Casing	97 33	12 72	84 61	
	01/21/97				12 59	84 74	0 13
	04/08/97			97 30	13 07	84 23	-0 51
	07/29/97				13 14	84 16	-0 07
	10/16/97				13 06	84 24	0 08
	01/06/98				13 13	84 17	-0 07
	04/14/98				12 52	84 78	0 61
	07/17/98				12 64	84 66	-0 12
	10/27/98				12 84	84 46	-0 20
	02/09/99				14 16	83 14	-1 32
	04/21/99				13 25	84 05	0 91
	07/13/99				11 55	85 75	1 70
	10/19/99				12 39	84 91	-0 84
	01/26/00				13 33	83 97	-0 94
	04/18/00				12 81	84 49	0 52
	07/26/00				12 70	84 60	0 11
	10/19/00				11 54	85 76	1 16
	01/18/01				9 86	87 44	1 68
	04/12/01				10 19	87 11	-0 33
	07/19/01				11 54	85 76	-1 35
	10/17/01				11 24	86 06	0 30
	01/12/02				10 72	86 58	0 52
	04/20/02				10 30	87 00	0 42
	07/24/02				11 24	86 06	-0 94
	10/15/02				11 42	85 88	-0 18
	01/22/03				11 89	85 41	-0 47
	04/23/03				12 01	85 29	-0 12
	07/16/03				12 97	84 33	-0 96
	10/15/03				10 96	86 34	2 01
	01/28/04				12 82	84 48	-1 86
	04/19/04				10 06	87 24	2 76
	07/16/04				12 04	85 26	-1 98
	10/29/04				9 97	87 33	2 07
	01/14/05				8 69	88 61	1 28
	04/15/05				8 45	88 85	0 24
	07/08/05				10 89	86 41	-2 44
	10/08/05				11 50	85 80	-0 61
	01/18/06				11 09	86 21	0 41
	04/18/06				11 85	85 45	-0 76
	07/11/06				13 00	84 30	-1 15
	10/10/06				12 68	84 62	0 32
	01/16/07				11 43	85 87	1 25
	04/17/07				10 77	86 53	0 66
	07/17/07				12 06	85 24	-1 29
	10/17/07				12 16	85 14	-0 10
	01/16/08				13 49	83 81	-1 33
	04/28/08				12 56	84 74	0 93
	07/15/08				12 48	84 82	0 08
	10/14/08				10 89	86 41	1 59
	01/13/09				10 19	87 11	0 70
	04/06/09				11 39	85 91	-1 20
	07/14/09				12 73	84 57	-1 34
	10/20/09				13 21	84 09	-0 48
	01/20/10				12 71	84 59	0 50
	04/20/10				11 11	86 19	1 60
	07/26/10				12 73	84 57	-1 62
	10/19/10				13 92	83 38	-1 19

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-23 (Cont.)	01/19/11				13.58	83.72	0.34
	04/05/11				14.24	83.06	-0.66
	07/12/11				15.60	81.70	-1.36
MW-24	11/22/96	27.00	Protective Casing	103.42	17.91	85.51	
	01/21/97				17.56	85.86	0.35
	04/08/97			103.41	17.40	86.01	0.15
	07/29/97				17.72	85.69	-0.32
	10/16/97				16.58	86.83	1.14
	01/06/98				16.01	87.40	0.57
	04/14/98				16.17	87.24	-0.16
	07/17/98				17.49	85.92	-1.32
	10/27/98				17.40	86.01	0.09
	02/09/99				18.09	85.32	-0.69
	04/21/99				16.98	86.43	1.11
	07/13/99				14.88	88.53	2.10
	10/19/99				16.51	86.90	-1.63
	01/26/00				17.27	86.14	-0.76
	04/18/00				17.37	86.04	-0.10
	07/26/00				17.40	86.01	-0.03
	10/19/00				17.61	85.80	-0.21
	01/18/01				15.88	87.53	1.73
	04/12/01				15.42	87.99	0.46
	07/19/01				16.38	87.03	-0.96
	10/17/01				16.64	86.77	-0.26
	01/12/02				15.99	87.42	0.65
	04/20/02				14.81	88.60	1.18
	07/24/02				16.14	87.27	-1.33
	10/15/02				15.75	87.66	0.39
	01/22/03				16.13	87.28	-0.38
	04/23/03				16.53	86.88	-0.40
	07/16/03				17.24	86.17	-0.71
	10/15/03				17.31	86.10	-0.07
	01/28/04				16.57	86.84	0.74
	04/19/04				15.52	87.89	1.05
	07/16/04				17.16	86.25	-1.64
	10/29/04				15.30	88.11	1.86
	01/14/05				13.68	89.73	1.62
	04/15/05				13.25	90.16	0.43
	07/08/05				14.73	88.68	-1.48
	10/08/05				15.60	87.81	-0.87
	01/18/06				15.47	87.94	0.13
	04/18/06				16.12	87.29	-0.65
	07/11/06				17.67	85.74	-1.55
	10/10/06				17.76	85.65	-0.09
	01/16/07				16.88	86.53	0.88
	04/17/07				16.37	87.04	0.51
	07/17/07				17.28	86.13	-0.91
	10/17/07				17.83	85.58	-0.55
	01/16/08				17.78	85.63	0.05
	04/28/08				17.93	85.48	-0.15
	07/15/08				17.98	85.43	-0.05
	10/14/08				17.26	86.15	0.72
	01/13/09				16.29	87.12	0.97
	04/06/09				16.90	86.51	-0.61
	07/14/09				18.99	84.42	-2.09
	10/20/09				19.93	83.48	-0.94
	01/20/10				18.73	84.68	1.20
	04/20/10				17.14	86.27	1.59
	07/26/10				18.80	84.61	-1.66
	10/19/10				19.94	83.47	-1.14
	01/19/11				18.94	84.47	1.00
	04/05/11				19.56	83.85	-0.62
	07/12/11				21.80	81.61	-2.24

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-25	04/08/97	25 00	Protective Casing	97 64	14 23	83 41	-
	07/29/97				13 77	83 87	0 46
	10/16/97				13 99	83 65	-0 22
	01/06/98				14 37	83 27	-0 38
	04/14/98				13 65	83 99	0 72
	07/17/98				13 26	84 38	0 39
	10/27/98				13 57	84 07	-0 31
	02/09/99				15 17	82 47	-1 60
	04/21/99				13 75	83 89	1 42
	07/13/99				12 16	85 48	1 59
	10/19/99				12 81	84 83	-0 65
	01/26/00				14 33	83 31	-1 52
	04/18/00				13 69	83 95	0 64
	07/26/00				13 25	84 39	0 44
	10/19/00				12 83	84 81	0 42
	01/18/01				12 26	85 38	0 57
	04/12/01				12 44	85 20	-0 18
	07/19/01				12 36	85 28	0 08
	10/17/01				12 60	85 04	-0 24
	01/12/02				13 26	84 38	-0 66
	04/20/02				12 12	85 52	1 14
	07/24/02				12 28	85 36	-0 16
	10/15/02				12 66	84 98	-0 38
	01/22/03				13 22	84 42	-0 56
	04/23/03				13 10	84 54	0 12
	07/16/03				13 82	83 82	-0 72
	10/15/03				12 72	84 92	1 10
	01/28/04				13 72	83 92	-1 00
	04/19/04				12 11	85 53	1 61
	07/16/04				14 08	83 56	-1 97
	10/29/04				12 64	85 00	1 44
	01/14/05				11 07	86 57	1 57
	04/15/05				10 75	86 89	0 32
	07/08/05				12 31	85 33	-1 56
	10/08/05				12 82	84 82	-0 51
	01/19/06				13 17	84 47	-0 35
	04/18/06				13 43	84 21	-0 26
	07/11/06				14 40	83 24	-0 97
	10/10/06				14 67	82 97	-0 27
	01/16/07				14 44	83 20	0 23
	04/17/07				13 52	84 12	0 92
	07/17/07				14 23	83 41	-0 71
	10/17/07				14 65	82 99	-0 42
	01/16/08				15 62	82 02	-0 97
	04/28/08				15 33	82 31	0 29
	07/15/08				16 35	81 29	-1 02
	10/14/08				14 41	83 23	1 94
	01/13/09				13 40	84 24	1 01
	04/06/09				14 24	83 40	-0 84
	07/14/09				15 49	82 15	-1 25
	10/20/09				15 43	82 21	0 06
	01/20/10				15 68	81 96	-0 25
	04/20/10				14 64	83 00	1 04
	07/26/10				15 78	81 86	-1 14
	10/19/10				16 97	80 67	-1 19
	01/19/11				16 87	80 77	0 10
	04/05/11				17 19	80 45	-0 32
	07/12/11				18 37	79 27	-1 18
MW-26	04/08/97	25 00	Protective Casing	96 11	13 06	83 05	-
	07/29/97				12 23	83 88	0 83
	10/16/97				12 75	83 36	-0 52
	01/06/98				13 40	82 71	-0 65
	04/14/98				12 61	83 50	0 79
	07/17/98				11 64	84 47	0 97
	10/27/98				12 16	83 95	-0 52
	02/09/99				14 13	81 98	-1 97

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-26 (Cont.)	04/21/99				12 41	83 70	1 72
	07/13/99				11 11	85 00	1 30
	10/19/99				11 40	84 71	-0 29
	01/26/00				13 29	82 82	-1 89
	04/18/00				12 27	83 84	1 02
	07/26/00				11 75	84 36	0 52
	10/19/00				11 30	84 81	0 45
	01/18/01				11 12	84 99	0 18
	04/12/01				11 44	84 67	-0 32
	07/19/01				10 98	85 13	0 46
	10/17/01				11 12	84 99	-0 14
	01/12/02				12 42	83 69	-1 30
	04/20/02				11 04	85 07	1 38
	07/24/02				11 03	85 08	0 01
	10/15/02				11 59	84 52	-0 56
	01/22/03				12 26	83 85	-0 67
	04/23/03				12 01	84 10	0 25
	07/16/03				12 53	83 58	-0 52
	10/15/03				11 19	84 92	1 34
	01/28/04				12 79	83 32	-1 60
	04/19/04				11 08	85 03	1 71
	07/16/04				12 63	83 48	-1 55
	10/29/04				11 64	84 47	0 99
	01/14/05				10 15	85 96	1 49
	04/15/05				9 92	86 19	0 23
	07/08/05				11 35	84 76	-1 43
	10/08/05				11 66	84 45	-0 31
	01/18/06				12 35	83 76	-0 69
	04/18/06				12 48	83 63	-0 13
	07/11/06				13 14	82 97	-0 66
	10/10/06				13 33	82 78	-0 19
	01/16/07				13 44	82 67	-0 11
	04/17/07				12 42	83 69	1 02
	07/17/07				12 79	83 32	-0 37
	10/17/07				13 17	82 94	-0 38
	01/16/08				14 64	81 47	-1 47
	04/28/08				14 26	81 85	0 38
	07/15/08				14 22	81 89	0 04
	10/14/08				13 18	82 93	1 04
	01/13/09				12 25	83 86	0 93
	04/06/09				13 39	82 72	-1 14
	07/14/09				14 29	81 82	-0 90
	10/20/09				13 79	82 32	0 50
	01/20/10				14 75	81 36	-0 96
	04/20/10				13 99	82 12	0 76
	07/26/10				14 80	81 31	-0 81
	10/19/10				15 92	80 19	-1 12
	01/19/11				16 28	79 83	-0 36
	04/05/11				16 58	79 53	-0 30
	07/12/11				17 38	78 73	-0 80
MW-27	04/08/97	25 00	Protective Casing	96 17	13 06	83 11	-
	07/29/97				12 21	83 96	0 85
	10/16/97				12 79	83 38	-0 58
	01/06/98				13 56	82 61	-0 77
	04/14/98				12 75	83 42	0 81
	07/17/98				11 53	84 64	1 22
	10/27/98				12 09	84 08	-0 56
	02/09/99				14 29	81 88	-2 20
	04/21/99				12 53	83 64	1 76
	07/13/99				11 41	84 76	1 12
	10/19/99				11 48	84 69	-0 07
	01/26/00				13 52	82 65	-2 04
	04/18/00				12 25	83 92	1 27
	07/26/00				11 75	84 42	0 50
	10/19/00				11 06	85 11	0 69
	01/18/01				10 83	85 34	0 23

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-27 (Cont.)	04/12/01				11 34	84 83	-0 51
	07/19/01				11 00	85 17	0 34
	10/17/01				11 03	85 14	-0 03
	01/12/02				12 33	83 84	-1 30
	04/20/02				10 85	85 32	1 48
	07/24/02				10 91	85 26	-0 06
	10/15/02				11 64	84 53	-0 73
	01/22/03				12 30	83 87	-0 66
	04/23/03				11 94	84 23	0 36
	07/16/03				12 50	83 67	-0 56
	10/15/03				10 73	85 44	1 77
	01/28/04				12 69	83 48	-1 96
	04/19/04				10 87	85 30	1 82
	07/16/04				12 73	83 44	-1 86
	10/29/04				11 30	84 87	1 43
	01/14/05				9 93	86 24	1 37
	04/15/05				9 73	86 44	0 20
	07/08/05				11 34	84 83	-1 61
	10/08/05				11 51	84 66	-0 17
	01/18/06				12 29	83 88	-0 78
	04/18/06				12 37	83 80	-0 08
	07/11/06				12 84	83 33	-0 47
	10/10/06				12 85	83 32	-0 01
	01/16/07				13 14	83 03	-0 29
	04/17/07				11 94	84 23	1 20
	07/17/07				12 22	83 95	-0 28
	10/17/07				12 48	83 69	-0 26
	01/16/08				14 45	81 72	-1 97
	04/28/08				13 79	82 38	0 66
	07/15/08				13 69	82 48	0 10
	10/14/08				12 39	83 78	1 30
	01/13/09				11 58	84 59	0 81
	04/06/09				12 77	83 40	-1 19
	07/14/09				13 39	82 78	-0 62
	10/20/09				12 74	83 43	0 65
	01/20/10				13 98	82 19	-1 24
	04/20/10				13 12	83 05	0 86
	07/26/10				13 80	82 37	-0 68
	10/19/10				14 90	81 27	-1 10
	01/19/11				15 47	80 70	-0 57
	04/05/11				15 70	80 47	-0 23
	07/12/11				16 43	79 74	-0 73
MW-28	07/17/98	25 00	Protective Casing	97 93	14 32	83 61	-
	10/27/98				14 43	83 50	-0 11
	02/09/99				15 71	82 22	-1 28
	04/21/99				14 28	83 65	1 43
	07/13/99				12 41	85 52	1 87
	10/19/99				13 48	84 45	-1 07
	01/26/00				14 78	83 15	-1 30
	04/18/00				14 49	83 44	0 29
	07/26/00				13 98	83 95	0 51
	10/19/00				13 92	84 01	0 06
	01/18/01				13 49	84 44	0 43
	04/12/01				13 57	84 36	-0 08
	07/19/01				13 16	84 77	0 41
	10/17/01				13 72	84 21	-0 56
	01/12/02				14 32	83 61	-0 60
	04/20/02				13 27	84 66	1 05
	07/24/02				13 18	84 75	0 09
	10/15/02				13 40	84 53	-0 22
	01/22/03				13 95	83 98	-0 55
	04/23/03				13 79	84 14	0 16
	07/16/03				14 36	83 57	-0 57
	10/15/03				14 20	83 73	0 16
	01/28/04				14 68	83 25	-0 48
	04/19/04				13 63	84 30	1 05

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-28 (Cont.)	07/16/04				15.26	82.67	-1.63
	10/29/04				13.87	84.06	1.39
	01/14/05				12.17	85.76	1.70
	04/15/05				11.72	86.21	0.45
	07/08/05				13.04	84.89	-1.32
	10/08/05				13.68	84.25	-0.64
	01/18/06				14.06	83.87	-0.38
	04/18/06				14.36	83.57	-0.30
	07/11/06				15.56	82.37	-1.20
	10/10/06				16.03	81.90	-0.47
	01/16/07				15.80	82.13	0.23
	04/17/07				15.10	82.83	0.70
	07/17/07				15.92	82.01	-0.82
	10/17/07				16.52	81.41	-0.60
	01/16/08				16.92	81.01	-0.40
	04/28/08				16.94	80.99	-0.02
	07/15/08				17.35	80.58	-0.41
	10/14/08				16.66	81.27	0.69
	01/13/09				15.50	82.43	1.16
	04/06/09				16.11	81.82	-0.61
	07/14/09				17.73	80.20	-1.62
	10/20/09				17.85	80.08	-0.12
	01/20/10				17.72	80.21	0.13
	04/20/10				12.92	85.01	4.80
	07/26/10				18.22	79.71	-5.30
	10/19/10				19.36	78.57	-1.14
	01/19/11				19.01	78.92	0.35
	04/05/11				19.26	78.67	-0.25
	07/12/11				20.45	77.48	-1.19
MW-29	07/17/98	25.00	Protective Casing	97.04	14.07	82.97	-
	10/27/98				14.36	82.68	-0.29
	02/09/99				15.83	81.21	-1.47
	04/21/99				14.48	82.56	1.35
	07/13/99				12.84	84.20	1.64
	10/19/99				13.35	83.69	-0.51
	01/26/00				14.87	82.17	-1.52
	04/18/00				14.37	82.67	0.50
	07/26/00				13.72	83.32	0.65
	10/19/00				13.61	83.43	0.11
	01/18/01				13.51	83.53	0.10
	04/12/01				13.75	83.29	-0.24
	07/19/01				13.14	83.90	0.61
	10/17/01				13.48	83.56	-0.34
	01/12/02				14.52	82.52	-1.04
	04/20/02				13.58	83.46	0.94
	07/24/02				13.18	83.86	0.40
	10/15/02				13.52	83.52	-0.34
	01/22/03				14.14	82.90	-0.62
	04/23/03				14.00	83.04	0.14
	07/16/03				14.44	82.60	-0.44
	10/15/03				13.93	83.11	0.51
	01/28/04				14.84	82.20	-0.91
	04/19/04				13.72	83.32	1.12
	07/16/04				15.19	81.85	-1.47
	10/29/04				14.13	82.91	1.06
	01/14/05				12.43	84.61	1.70
	04/15/05				11.99	85.05	0.44
	07/08/05				13.20	83.84	-1.21
	10/08/05				13.78	83.26	-0.58
	01/18/06				14.37	82.67	-0.59
	04/18/06				14.56	82.48	-0.19
	07/11/06				15.11	81.93	-0.55
	10/10/06				15.87	81.17	-0.76
	01/16/07				15.98	81.06	-0.11
	04/17/07				15.19	81.85	0.79
	07/17/07				15.76	81.28	-0.57

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-29 (Cont.)	10/17/07				16.24	80.80	-0.48
	01/16/08				17.06	79.98	-0.82
	04/28/08				17.00	80.04	0.06
	07/15/08				17.34	79.70	-0.34
	10/14/08				16.63	80.41	0.71
	01/13/09				15.60	81.44	1.03
	04/06/09				16.49	80.55	-0.89
	07/14/09				17.85	79.19	-1.36
	10/20/09				17.61	79.43	0.24
	01/20/10				18.00	79.04	-0.39
	04/20/10				17.52	79.52	0.48
	07/26/10				18.53	78.51	-1.01
	10/19/10				19.64	77.40	-1.11
	01/19/11				19.72	77.32	-0.08
	04/05/11				19.92	77.12	-0.20
	07/12/11				20.75	76.29	-0.83
MW-30	07/17/98	25.00	Protective Casing	96.58	12.68	83.90	-
	10/27/98				13.12	83.46	-0.44
	02/09/99				14.88	81.70	-1.76
	04/21/99				13.38	83.20	1.50
	07/13/99				11.85	84.73	1.53
	10/19/99				12.28	84.30	-0.43
	01/26/00				14.00	82.58	-1.72
	04/18/00				13.21	83.37	0.79
	07/26/00				12.62	83.96	0.59
	10/19/00				12.32	84.26	0.30
	01/18/01				12.18	84.40	0.14
	04/12/01				12.44	84.14	-0.26
	07/19/01				11.91	84.67	0.53
	10/17/01				12.09	84.49	-0.18
	01/12/02				13.32	83.26	-1.23
	04/20/02				12.15	84.43	1.17
	07/24/02				11.92	84.66	0.23
	10/15/02				12.40	84.18	-0.48
	01/22/03				13.05	83.53	-0.65
	04/23/03				12.84	83.74	0.21
	07/16/03				13.35	83.23	-0.51
	10/15/03				12.40	84.18	0.95
	01/28/04				13.69	82.89	-1.29
	04/19/04				12.14	84.44	1.55
	07/16/04				14.42	82.16	-2.28
	10/29/04				12.77	83.81	1.65
	01/14/05				11.15	85.43	1.62
	04/15/05				10.83	85.75	0.32
	07/08/05				12.13	84.45	-1.30
	10/08/05				12.61	83.97	-0.48
	01/18/06				13.25	83.33	-0.64
	04/18/06				13.35	83.23	-0.10
	07/11/06				14.08	82.50	-0.73
	10/10/06				14.43	82.15	-0.35
	01/16/07				14.56	82.02	-0.13
	04/17/07				13.63	82.95	0.93
	07/17/07				14.04	82.54	-0.41
	10/17/07				14.52	82.06	-0.48
	01/16/08				15.69	80.89	-1.17
	04/28/08				15.47	81.11	0.22
	07/15/08				15.62	80.96	-0.15
	10/14/08				14.69	81.89	0.93
	01/13/09				13.73	82.85	0.96
	04/06/09				16.39	80.19	-2.66
	07/14/09				17.79	78.79	-1.40
	10/20/09				17.34	79.24	0.45
	01/20/10				18.28	78.30	-0.94
	04/20/10				18.08	78.50	0.20
	07/26/10				18.80	77.78	-0.72
	10/19/10				19.91	76.67	-1.11

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-30 (Cont.)	01/19/11				20 01	76 57	-0 10
	04/05/11				20 20	76 38	-0 19
	07/12/11				20 98	75 60	-0 78
MW-31	10/14/08			98 37	13 24	85 13	
	01/13/09				12 32	86 05	0 92
	04/06/09				11 70	86 67	0 62
	07/14/09				13 02	85 35	-1 32
	10/20/09				13 82	84 55	-0 80
	01/20/10				12 84	85 53	0 98
	04/20/10				10 78	87 59	2 06
	07/26/10				12 47	85 90	-1 69
	01/19/11				13 12	85 25	-0 65
	04/05/11				13 62	84 75	-0 50
	07/12/11				15 25	83 12	-1 63
MW-32	10/19/10			96 51	17 70	78 81	
	01/19/11				18 14	78 37	-0 44
	04/05/11				18 50	78 01	-0 36
	07/12/11				19 11	77 40	-0 61

NOTES

NM = not measured

* = measured from a temporary benchmark of arbitrary elevation = 100 00 feet
Benchmark is located on the concrete right up against the east shop wall,
at the northeast corner of the shop

** = water level measurement may be in error

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)		TOLUENE (mg/L)	XYLENES (mg/L)										
MW-1	01/26/91	0.033	ND(0.005)	0.029	0.130	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.192	0.000
	09/15/91	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.000
	11/22/91	0.026	ND(0.001)	0.007	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.047	0.000
	03/16/93	0.016	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.000
	01/10/94	0.006	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	04/19/94	0.035	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	07/20/94	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	10/25/94	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/25/95	0.025	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.000
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	08/01/95	0.082	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	0.000
	10/18/95	0.064	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.068	0.000
	01/10/96	0.076	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	0.000
	04/13/96	0.048	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000
	07/21/96	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	0.000
	10/22/96	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/24/97	0.002	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	04/09/97	0.006	0.002	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000
	07/30/97	0.018	0.004	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.000
10/17/97	0.026	0.003	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.000	
10/19/99	ND(0.001)	0.002	0.004	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	
10/19/00	0.001	0.017	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000	
10/18/01	ND(0.001)	0.021	ND(0.001)	0.017	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.000	
10/16/02	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	
10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
MW-2	01/26/91	0.210	0.590	0.071	1.700	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.110		2.571	0.158
	01/26/91	0.190	0.450	0.062	1.300	0.043	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.078		2.002	0.121
	09/15/91	0.120	0.050	0.006	0.690	0.100	ND(0.005)	0.005	ND(0.005)	0.005	0.023	ND(0.005)	0.150		0.866	0.278	
	11/22/91	0.033	0.001	0.001	0.088	0.110	ND(0.001)	0.007	ND(0.001)	0.007	0.016	ND(0.001)	0.064		0.123	0.197	
	03/16/93	0.019	ND(0.001)	ND(0.001)	ND(0.005)	0.060	ND(0.001)	0.002	ND(0.001)	0.002	0.003	ND(0.001)	0.028		0.019	0.093	
	01/10/94	0.024	ND(0.001)	0.001	ND(0.005)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.079		0.025	0.119	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOTAL TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)												
MW-2 (Cont.) Dup.	04/19/94	0.045	0.004	ND(0.005)	ND(0.005)	ND(0.005)	0.028	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.048	0.049	0.077	
	04/19/94	0.043	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.052	0.048	0.083	
*	07/20/94	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.022	0.047	
	10/25/94	0.045	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.037	0.053	0.068	
Dup.*	01/25/95	0.057	0.022	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.079	0.103	
	04/03/95	0.050	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	0.050	0.061	
*	08/01/95	0.032	0.021	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	0.053	0.060	
	10/18/95	0.078	0.040	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.088	0.118	0.105	
Dup.*	10/18/95	0.081	0.045	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.003	0.097	0.126	0.117	
	01/11/96	0.220	0.200	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.260	0.420	0.270	
#	04/13/96	0.095	0.130	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.335	0.140	
	07/21/96	0.092	0.079	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.171	0.061	
	10/22/96	0.014	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.026	0.018	
	01/24/97	0.012	0.018	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.024	0.030	0.029	
	04/09/97	0.015	0.029	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	0.034	0.044	0.043	
	07/30/97	0.010	0.045	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.050	0.055	0.061	
Dup.	10/17/97	0.004	0.024	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.031	0.028	0.040	
	10/28/98	0.002	0.035	ND(0.002)	0.031	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	0.054	0.068	0.065	
	10/28/98	ND(0.005)	0.043	ND(0.005)	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	0.061	0.043	0.073	
	04/22/99	0.001	0.026	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.036	0.027	0.048	
Dup.	10/20/99	ND(0.0025)	0.038	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.054	0.040	0.054	
	10/20/99	ND(0.005)	0.035	0.002	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.054	0.037	0.069	
Dup.	10/19/00	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.013	0.002	0.015	
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014	0.000	0.018	
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.016	0.000	0.021	
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.000	0.016	
Dup.	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.006	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.000	0.009	
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.089	0.000	0.107	
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.072	0.000	0.087	
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020	
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020	
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020	
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.009	0.000	0.011	
MW-3	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	0.000	0.008	
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.005	0.000	0.006	
	01/26/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000	
	09/15/91	0.200	1.200	14.000	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	16.600	0.330	
	11/22/91	0.110	0.680	0.530	0.004	0.094	0.004	0.190	0.004	0.190	0.004	0.110	0.150	0.057	0.057	8.120	0.605	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)									(mg/L)	(mg/L)		
MW-3 (Cont.) Dup.	03/16/93	ND(0.001)	1.000	0.650	8.600	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.260	ND(0.001)	ND(0.001)			10.250	0.260
	03/16/93	0.130	0.780	0.540	9.000	ND(0.001)	ND(0.001)	0.044	0.044	0.260	0.037	0.330			10.450	0.671
	07/01/93	0.140	1.000	0.520	9.100	0.140	ND(0.05)	ND(0.05)	ND(0.05)	0.160	ND(0.05)	ND(0.05)			10.760	0.300
	01/10/94	0.140	1.000	0.700	11.000	0.190	ND(0.1)	ND(0.1)	ND(0.1)	0.210	ND(0.1)	ND(0.1)			12.840	0.400
Dup.	04/19/94	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			0.000	0.000
	07/20/94	0.092	0.460	0.160	3.000	0.077	0.002	0.036	0.064	0.069	0.064	0.011			3.712	0.259
	10/25/94	0.130	0.960	0.250	4.200	0.200	ND(0.05)	0.064	0.064	ND(0.05)	0.130	0.210			5.540	0.604
	10/25/94	0.110	0.830	0.300	4.700	0.180	ND(0.05)	0.051	0.051	ND(0.05)	0.100	0.024			5.940	0.355
Dup.	01/25/95	ND(1)	0.810	ND(1)	7.100	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)			7.910	0.000
	04/03/95	0.047	0.450	ND(0.025)	1.300	0.100	ND(0.025)	0.110	0.110	ND(0.025)	0.150	ND(0.025)			1.797	0.360
	04/03/95	0.047	0.450	ND(0.025)	1.200	0.100	ND(0.025)	0.120	0.120	ND(0.025)	0.150	ND(0.025)			1.697	0.370
	08/01/95	0.088	0.950	0.190	6.500	0.230	ND(0.05)	0.089	0.089	ND(0.05)	0.081	ND(0.05)			7.728	0.400
*	10/18/95	0.100	1.100	0.240	8.200	0.280	ND(0.05)	0.066	0.066	0.049	0.089	0.042			9.640	0.526
	01/11/96	0.054	0.620	0.081	4.990	0.150	ND(0.05)	0.076	0.076	ND(0.05)	0.100	ND(0.05)			5.745	0.326
	04/13/96	0.039	0.480	ND(0.005)	3.900	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)			4.419	0.051
	07/22/96	0.060	0.190	0.056	0.890	0.130	ND(0.005)	0.009	0.009	0.009	0.054	0.014			1.196	0.216
Dup.	10/22/96	ND(0.1)	0.580	ND(0.1)	3.500	0.150	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)			4.080	0.150
	01/24/97	0.048	0.269	0.012	0.886	0.077	0.004	0.043	0.043	ND(0.010)	0.070	0.007			1.215	0.201
	04/09/97	0.034	0.137	ND(0.010)	0.146	0.065	ND(0.010)	0.064	0.064	ND(0.010)	0.107	0.013			0.318	0.249
	07/30/97	0.019	0.177	ND(0.010)	0.644	0.057	ND(0.010)	0.043	0.043	ND(0.010)	0.103	0.035			0.840	0.238
Dup.	10/17/97	0.044	0.464	0.041	3.300	0.069	ND(0.020)	0.016	0.016	ND(0.020)	0.018	0.016			3.849	0.119
	01/07/98	0.042	0.503	0.051	3.720	0.086	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)			4.316	0.086
	04/15/98	0.018	0.078	ND(0.020)	0.431	0.055	ND(0.020)	0.044	0.044	ND(0.020)	0.080	ND(0.020)			0.527	0.179
	04/15/98	0.018	0.077	ND(0.020)	0.416	0.052	ND(0.020)	0.044	0.044	ND(0.020)	0.079	ND(0.020)			0.511	0.175
Dup.	07/18/98	0.009	0.036	ND(0.005)	0.027	0.050	ND(0.005)	0.052	0.052	ND(0.005)	0.083	0.022			0.072	0.207
	10/28/98	0.016	0.187	ND(0.020)	1.239	0.053	ND(0.020)	0.029	0.029	ND(0.020)	0.056	0.029			1.442	0.167
	02/09/99	0.016	0.117	0.012	0.763	0.051	0.002	0.036	0.036	ND(0.001)	0.051	0.024			0.908	0.164
	04/22/99	0.009	0.054	ND(0.0025)	0.084	0.049	ND(0.0025)	0.040	0.040	ND(0.0025)	0.061	0.026			0.147	0.176
Dup.	07/13/99	0.038	0.406	0.026	2.147	0.042	ND(0.0025)	0.009	0.009	ND(0.0025)	0.005	0.014			2.617	0.070
	10/20/99	0.013	0.576	0.024	4.460	0.044	ND(0.0025)	0.005	0.005	ND(0.0025)	0.007	0.027			5.073	0.083
	01/26/00	0.013	0.153	ND(0.010)	0.365	0.052	ND(0.010)	0.023	0.023	ND(0.010)	0.041	0.025			0.531	0.141
	04/21/00	0.005	0.027	ND(0.0025)	0.024	0.046	ND(0.0025)	0.027	0.027	ND(0.0025)	0.046	0.030			0.056	0.149
Dup.	04/21/00	0.005	0.027	ND(0.0025)	0.021	0.046	ND(0.0025)	0.027	0.027	ND(0.0025)	0.046	0.030			0.053	0.149
	07/27/00	0.019	0.549	0.014	2.720	0.040	ND(0.005)	0.007	0.006	ND(0.005)	0.009	0.026			3.302	0.088
	10/19/00	0.003	0.012	ND(0.0025)	0.024	0.031	ND(0.0025)	0.018	0.005	ND(0.0025)	0.021	0.020			0.039	0.095
	01/18/01	0.010	0.020	ND(0.005)	0.016	0.046	ND(0.005)	0.017	ND(0.005)	ND(0.005)	0.022	0.044			0.046	0.129
Dup.	04/12/01	0.013	ND(0.005)	ND(0.005)	0.019	0.050	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.017	0.023			0.032	0.101
	04/12/01	0.016	0.005	ND(0.005)	0.022	0.019	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.018	0.024			0.043	0.074
	07/19/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.042	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.011	0.012			0.000	0.065

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-4	01/26/91	0.098	0.011	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.134	0.000
	08/15/91	0.260	ND(0.002)	ND(0.002)	ND(0.002)	0.015	0.006	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.275	0.006
	11/22/91	0.180	0.100	0.001	0.001	0.037	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.318	0.019
	03/16/93	0.072	0.051	ND(0.001)	ND(0.001)	ND(0.005)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.123	0.001
	01/10/94	0.064	0.074	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.138	0.000
	04/19/94	0.074	0.085	ND(0.005)	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.162	0.000
	07/20/94	0.100	0.053	ND(0.005)	ND(0.005)	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.158	0.000
	10/25/94	0.140	0.260	ND(0.005)	ND(0.005)	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.404	0.005	0.000
	01/25/95	0.150	0.400	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.550	0.000
	04/03/95	0.100	0.190	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.290	0.000
	08/01/95	0.069	0.570	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	0.639	0.005	0.000
	10/18/95	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.000	0.000
	01/11/96	ND(0.005)	0.036	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000	0.000
	04/13/96	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000	0.000
	04/13/96	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.000	0.000
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.000
#	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000	0.000
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-5	01/26/91	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.010	0.014	0.017	0.000
	08/15/91	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.001	0.023	0.000
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000	0.023	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)
MW-5 (Cont.)	03/16/93	0.078	0.007	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.026	0.085	0.085	0.043
	01/10/94	0.025	ND(0.001)	ND(0.001)	ND(0.005)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.025	0.034	0.034
	04/19/94	0.070	0.011	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.015	0.081	0.025	0.025
	07/20/94	0.220	0.041	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.025	0.261	0.040	0.040
	07/20/94	0.320	0.076	ND(0.005)	0.001	0.026	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.006	0.039	0.397	0.073	0.073
	10/25/94	0.240	0.059	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.008	0.043	0.299	0.073	0.073
	01/25/95	0.460	0.130	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.018	0.093	0.590	0.136	0.136
	04/03/95	0.390	0.087	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.062	0.477	0.077	0.077
	08/01/95	0.170	0.082	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.049	0.252	0.080	0.080
	10/18/95	0.200	0.093	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.054	0.293	0.086	0.086
Dup.	01/11/96	0.078	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.025	0.090	0.033	0.033
	04/13/96	0.068	0.037	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.132	0.132	0.025	0.025
	07/21/96	0.092	0.057	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.149	0.149	0.025	0.025
	10/22/96	0.066	0.023	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.089	0.089	0.020	0.020
	01/24/97	0.031	0.025	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.019	0.056	0.024	0.024
	04/09/97	0.040	0.040	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.028	0.080	0.035	0.035
	07/30/97	0.018	0.044	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.029	0.062	0.034	0.034
	10/17/97	0.016	0.048	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.033	0.064	0.038	0.038
	10/28/98	0.006	0.009	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.027	0.015	0.033	0.033
	10/20/99	0.012	0.008	0.002	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.034	0.022	0.044	0.044
Dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.008
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.014
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.003
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.003
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-6	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	0.170	ND(0.001)	0.083	ND(0.001)	0.083	0.000	0.267	0.267
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.006	ND(0.001)	0.084	ND(0.001)	0.043	ND(0.001)	0.043	0.000	0.133	0.133
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	0.064	ND(0.001)	0.035	ND(0.001)	0.035	0.000	0.104	0.104
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	0.098	ND(0.001)	0.056	ND(0.001)	0.056	0.000	0.162	0.162
Dup.	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	0.140	ND(0.001)	0.120	ND(0.001)	0.120	0.000	0.279	0.279
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.070	ND(0.005)	0.072	ND(0.005)	0.072	0.000	0.157	0.157

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			TOTAL 1,1-DCE			TOTAL 1,1,1-TCA			PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)				
MW-6 (Cont.) Dup.	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.098	ND(0.005)	0.001	ND(0.005)	0.065	0.000	0.000	0.000	0.173
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.110	ND(0.005)	0.001	ND(0.005)	0.073	0.000	0.000	0.000	0.197
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.079	ND(0.005)	ND(0.005)	ND(0.005)	0.059	0.000	0.000	0.000	0.150
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.065	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.000	0.134
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.074	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.000	0.137
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.060	ND(0.005)	ND(0.005)	ND(0.005)	0.030	0.000	0.000	0.000	0.103
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.051	ND(0.005)	ND(0.005)	ND(0.005)	0.029	0.000	0.000	0.000	0.093
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.000	0.000	0.075
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.047	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.000	0.000	0.000	0.080
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.037	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.000	0.064
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.041	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.000	0.070
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.000	0.000	0.041
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	0.025	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.000	0.000	0.000	0.044
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.006	ND(0.002)	0.016	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.000	0.000	0.000	0.030
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	0.023	ND(0.002)	ND(0.002)	ND(0.002)	0.007	0.000	0.000	0.000	0.041
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.007	ND(0.002)	0.016	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.000	0.000	0.000	0.031
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.024	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.000	0.000	0.000	0.044
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.000	0.031
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.003
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
MW-7	01/26/91	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.021	ND(0.001)	0.260	ND(0.001)	0.010	0.068	0.200	0.006	0.000	0.000	0.559
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.038	ND(0.001)	0.320	ND(0.001)	0.005	0.069	0.270	0.009	0.000	0.000	0.702
Dup.	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.034	ND(0.001)	0.310	ND(0.001)	0.006	0.069	0.280	0.009	0.000	0.000	0.699
	11/22/91	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.025)	0.035	ND(0.005)	0.360	ND(0.005)	ND(0.005)	0.053	0.310	0.009	0.000	0.000	0.758
Dup.	03/16/93	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.027	ND(0.001)	0.280	ND(0.001)	0.002	0.050	0.160	0.007	0.000	0.000	0.519
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.023	ND(0.001)	0.210	ND(0.001)	0.004	0.046	0.160	0.005	0.000	0.000	0.443
	04/19/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.120	ND(0.005)	0.003	0.038	0.120	0.007	0.000	0.000	0.302
	07/20/94	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.220	ND(0.005)	0.003	0.040	0.160	0.006	0.000	0.000	0.441
	10/25/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	ND(0.005)	ND(0.005)	0.050	0.240	0.007	0.000	0.000	0.553
	10/25/94	0.006	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	0.200	ND(0.025)	ND(0.025)	0.045	0.230	0.006	0.000	0.000	0.501
	01/25/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.210	ND(0.005)	0.002	0.041	0.330	0.005	0.000	0.000	0.610

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-7 (Cont.)	04/03/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.290		ND(0.005)	0.038	0.260		0.006	0.617
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.038	ND(0.005)	0.300		ND(0.005)	0.051	0.250		0.000	0.639
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.300		0.002	0.045	0.300		0.005	0.671
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.260		ND(0.005)	0.035	0.250		0.006	0.572
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.370		ND(0.005)	0.030	0.260		0.006	0.687
	07/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.280		ND(0.005)	0.026	0.220		0.006	0.555
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.028	ND(0.010)	0.350		ND(0.010)	0.023	0.260		0.000	0.661
	01/24/97	0.005	ND(0.001)	ND(0.001)	ND(0.002)	0.021	0.001	0.244		0.002	0.019	0.203		0.005	0.490
	04/09/97	0.005	ND(0.002)	ND(0.002)	ND(0.004)	0.022	ND(0.002)	0.186		ND(0.002)	0.017	0.148		0.005	0.373
	07/30/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.023	ND(0.010)	0.236		ND(0.010)	0.019	0.255		0.005	0.533
dup.	10/17/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.029	ND(0.010)	0.255		ND(0.010)	0.020	0.153		0.005	0.457
	10/28/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.024	ND(0.010)	0.193		ND(0.010)	0.031	0.251		0.004	0.499
	04/22/99	0.005	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.255		ND(0.005)	0.043	0.275		0.005	0.607
	10/19/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.184		ND(0.005)	0.045	0.198		0.000	0.461
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.036	ND(0.0025)	0.208	ND(0.0025)	ND(0.0025)	0.034	0.209	ND(0.0025)	0.003	0.487
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.033	ND(0.0025)	0.204	ND(0.0025)	ND(0.0025)	0.032	0.237	ND(0.0025)	0.003	0.506
	10/18/01	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.009	0.170	ND(0.0025)	0.003	0.373
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.025	ND(0.0025)	0.140	ND(0.0025)	ND(0.0025)	0.010	0.120	ND(0.0025)	0.000	0.295
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.018	ND(0.0025)	0.098	ND(0.0025)	0.006	ND(0.0025)	0.074	ND(0.0025)	0.000	0.196
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	0.120	ND(0.001)	0.001	0.264
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.008	0.071	ND(0.001)	0.000	0.185
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.001	0.025	ND(0.001)	0.000	0.058
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.034
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.047
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.013
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.005
	MW-8	01/26/91	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.015		0.004	0.001	0.003		0.005	0.023
		08/15/91	0.007	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.101		0.007	0.039	0.050		0.007	0.214
		11/22/91	0.004	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.087		0.003	0.045	0.063		0.004	0.218
		03/16/93	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054		0.005	0.006	0.009		0.000	0.078
		01/10/94	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054		0.004	0.006	0.006		0.000	0.074
		01/10/94	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	0.073		0.004	0.008	0.010		0.000	0.100
		04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.039		0.004	0.004	0.007		0.000	0.058
		07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.069		0.005	0.006	0.011		0.000	0.095
		10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.082		ND(0.005)	0.010	0.019		0.000	0.119
		01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.076		0.006	0.011	0.022		0.000	0.122
		04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.074		ND(0.005)	0.008	0.017		0.000	0.105

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	1,1-DCA (mg/L)						ETHANE (mg/L)	ETHANE (mg/L)		
MW-8 (Cont.)	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.110	ND(0.005)	0.023	0.053			0.000	0.201
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.081	0.002	0.015	0.044			0.000	0.151
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	0.006	0.019			0.000	0.094
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.099	ND(0.005)	0.011	0.036			0.000	0.153
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.087	ND(0.005)	0.010	0.035			0.000	0.138
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.150	ND(0.005)	0.035	0.089			0.000	0.296
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.140	ND(0.005)	0.030	0.072			0.000	0.262
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.001	0.081	0.002	0.017	0.018			0.001	0.138
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.001	0.088	0.002	0.014	0.017			0.001	0.139
Dup.	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.097	ND(0.001)	0.019	0.028			0.001	0.158
	07/30/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.105	ND(0.001)	0.015	0.048			0.001	0.180
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	ND(0.002)	0.106	0.002	0.015	0.055			0.000	0.189
	10/17/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.104	ND(0.001)	0.010	0.026			0.001	0.150
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.003	ND(0.005)	0.111	ND(0.005)	ND(0.005)	0.010			0.000	0.124
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.128	ND(0.001)	ND(0.001)	0.009			0.000	0.140
	04/22/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.003	ND(0.0025)	0.152	0.002	ND(0.0025)	0.007			0.000	0.164
	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.135	ND(0.0025)	ND(0.0025)	0.002			0.000	0.137
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	ND(0.0025)	0.104	ND(0.0025)	0.004	0.008	ND(0.0025)		0.000	0.122
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020	ND(0.001)	0.012	0.018	ND(0.001)		0.000	0.070
	10/16/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.045	ND(0.001)	0.025	0.041	ND(0.001)		0.001	0.161
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.036	ND(0.001)	0.015	0.034	ND(0.001)		0.000	0.117
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.039	ND(0.001)	0.017	0.046	ND(0.001)		0.000	0.132
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.038	ND(0.001)	0.014	0.038	ND(0.001)		0.000	0.116
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.025	ND(0.001)	0.015	0.023	ND(0.001)		0.000	0.092
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.024	ND(0.001)	0.016	0.031	ND(0.001)		0.000	0.106
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.024	ND(0.001)	0.016	0.028	ND(0.001)		0.000	0.101
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020	ND(0.001)	0.014	0.019	ND(0.001)		0.000	0.076
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.019	ND(0.001)	0.013	0.024	ND(0.001)		0.000	0.082
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.013	ND(0.001)	0.011	0.011	ND(0.001)		0.000	0.054
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.012	ND(0.001)	0.010	0.008	ND(0.001)		0.000	0.050
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.012	ND(0.001)	0.010	0.008	ND(0.001)		0.000	0.052
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.014	ND(0.001)	0.011	0.007	ND(0.001)		0.000	0.054
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.013	ND(0.001)	0.008	0.005	ND(0.001)		0.000	0.039
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.011	ND(0.001)	0.007	0.005	ND(0.001)		0.000	0.034
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.010	ND(0.001)	0.006	0.004	ND(0.001)		0.000	0.037
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.009	ND(0.001)	0.006	0.004	ND(0.001)		0.000	0.038
Dup.	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.007	ND(0.001)	0.004	0.003	ND(0.001)		0.000	0.024
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	0.005	0.004	ND(0.001)		0.000	0.025
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.007	ND(0.001)	0.003	0.003	ND(0.001)		0.000	0.019
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.006	ND(0.001)	0.004	0.003	ND(0.001)		0.000	0.019

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-8 (Cont.)	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.005	0.001	ND(0.001)	0.003	0.002	ND(0.001)	0.000	0.016
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.015
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.012
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.015
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.010
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.012
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.012
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.010
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.010
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.008
MW-9	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.022	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.000	0.025
	09/15/91	0.002	0.032	ND(0.001)	ND(0.005)	ND(0.005)	0.035	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	0.037	0.037
	11/22/91	0.004	0.170	ND(0.001)	ND(0.005)	ND(0.005)	0.029	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.174	0.032	0.032
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.012	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.013	0.013
	01/10/94	ND(0.001)	ND(0.001)	0.002	ND(0.005)	ND(0.005)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.012	0.012
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010	0.010
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.001	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.017	0.017
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.014	0.014
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.014	0.014
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.015	0.015
#	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.022	0.022
	10/18/95	ND(0.005)	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.017	0.017
	01/10/96	ND(0.005)	0.032	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.032	0.020	0.020
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020	0.020
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.021	0.021
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.024	0.024
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.019	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.001	0.001	0.024	0.024
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.022	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.001	0.001	0.027	0.027
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	ND(0.002)	0.001	ND(0.002)	ND(0.002)	0.001	ND(0.002)	0.000	0.022	0.022
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.018	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.020	0.020
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.005	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.005	0.005
#	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.005	0.005
	10/19/00	ND(0.001)	0.001	ND(0.001)	ND(0.002)	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.008
	10/18/01	0.009	0.290	ND(0.001)	0.173	0.173	0.030	ND(0.001)	ND(0.001)	0.003	0.001	ND(0.001)	0.003	0.004	ND(0.001)	0.472	0.041
	04/20/02	0.002	0.059	0.003	0.070	0.070	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.134	0.024
	07/24/02	0.001	0.034	0.001	0.044	0.044	0.011	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.009	0.011	ND(0.001)	0.080	0.034
	10/16/02	0.002	0.050	0.002	0.069	0.069	0.012	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.008	0.010	ND(0.001)	0.123	0.034
	01/23/03	0.001	0.047	0.003	0.072	0.072	0.013	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.007	0.011	ND(0.001)	0.123	0.035
	04/24/03	0.002	0.120	0.006	0.250	0.250	0.012	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.005	0.010	ND(0.001)	0.378	0.031

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)		1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				TOLUENE (mg/L)	BENZENE (mg/L)											
MW-9 (Cont.)	07/18/03	0.008	0.360	0.028	0.550	0.026	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.008	ND(0.0025)	0.946	0.041
	10/16/03	0.003	0.240	0.015	0.630	0.018	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.012	ND(0.0025)	0.888	0.037
	10/16/03	0.003	0.260	0.015	0.650	0.018	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.011	ND(0.0025)	0.928	0.033
	01/29/04	ND(0.0025)	0.110	0.004	0.240	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.013	ND(0.0025)	0.354	0.028
Dup.	04/19/04	ND(0.0025)	0.051	ND(0.0025)	0.070	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.012	ND(0.0025)	0.121	0.027
	10/29/04	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	0.002	0.017
	10/29/04	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.007	0.007	ND(0.001)	0.003	0.019
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.005	ND(0.001)	0.000	0.016
Dup.	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.010	0.005	ND(0.001)	0.002	0.020
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.010	0.004	ND(0.001)	0.000	0.021
	10/08/05	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	0.014
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.010	0.003	ND(0.001)	0.000	0.022
Dup.	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.009	0.003	ND(0.001)	0.000	0.020
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.013	0.003	ND(0.001)	0.000	0.025
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.007	0.002	ND(0.001)	0.000	0.019
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.006	0.002	ND(0.001)	0.000	0.016
Dup.	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.008	0.002	ND(0.001)	0.000	0.016
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.018	0.002	ND(0.001)	0.000	0.025
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.019	0.003	ND(0.001)	0.000	0.027
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.018	0.003	ND(0.001)	0.000	0.026
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.017	0.003	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.016	0.002	ND(0.001)	0.000	0.022
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.000	0.015
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.000	0.020
Dup.	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.000	0.018
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.019	0.001	ND(0.001)	0.000	0.023
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.021	0.001	ND(0.001)	0.000	0.025
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.021	0.001	ND(0.001)	0.000	0.024
Dup.	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.022	0.001	ND(0.001)	0.000	0.026
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.000	0.020
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.011	0.000	ND(0.001)	0.000	0.013
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.000	0.017
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.018
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.018
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.000	0.022
	04/06/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.000	0.019
MW-10	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.000	0.020
	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.014

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-10 (Cont.)	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029		0.005	ND(0.001)	ND(0.001)			0.000	0.034
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025		0.001	ND(0.001)	ND(0.001)			0.000	0.026
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021		ND(0.001)	ND(0.001)	ND(0.001)			0.000	0.021
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022		0.001	ND(0.005)	ND(0.005)			0.000	0.023
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052		0.004	ND(0.005)	ND(0.005)			0.000	0.056
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.051
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.042
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057		0.005	ND(0.005)	ND(0.005)			0.000	0.062
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.070		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.070
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130		0.007	ND(0.005)	ND(0.005)			0.000	0.137
Dup.	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130		0.006	ND(0.005)	ND(0.005)			0.000	0.136
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.063
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.170
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.170
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.250		ND(0.010)	ND(0.010)	ND(0.010)			0.000	0.250
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	0.001	ND(0.001)	ND(0.001)	0.181		0.005	ND(0.001)	ND(0.001)			0.000	0.187
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	0.001	ND(0.002)	ND(0.002)	0.158		0.004	ND(0.002)	ND(0.002)			0.000	0.163
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.156		0.004	ND(0.005)	ND(0.005)			0.000	0.160
	10/17/97	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.196		0.004	ND(0.010)	ND(0.010)			0.000	0.200
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.111		ND(0.010)	ND(0.010)	ND(0.010)			0.000	0.111
Dup.	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.098		0.001	ND(0.001)	ND(0.001)			0.000	0.099
	10/19/99	ND(0.0025)	ND(0.0025)	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080		ND(0.0025)	ND(0.0025)	ND(0.0025)			0.002	0.080
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.082		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.082
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.068		ND(0.0025)	ND(0.0025)	ND(0.0025)			0.000	0.068
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.035		ND(0.001)	ND(0.001)	ND(0.001)			0.000	0.038
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.035		ND(0.001)	ND(0.001)	ND(0.001)			0.000	0.037
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.035		ND(0.001)	ND(0.001)	ND(0.001)			0.000	0.037
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.015		ND(0.001)	ND(0.001)	0.001			0.000	0.018
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.010		ND(0.001)	ND(0.001)	0.002			0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.008		ND(0.001)	ND(0.001)	ND(0.001)			0.000	0.010
MW-11	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.007		ND(0.001)	0.002	0.001			0.000	0.012
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.005		ND(0.001)	0.002	0.002			0.000	0.010
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.007		ND(0.001)	0.003	0.002			0.000	0.015
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.004		ND(0.001)	0.004	0.004			0.000	0.013
	01/26/91	0.010	ND(0.005)	ND(0.005)	ND(0.025)	0.045	0.045	ND(0.005)	ND(0.005)	0.310		ND(0.005)	0.140	0.360			0.010	0.855
	09/15/91	0.056	ND(0.001)	ND(0.001)	ND(0.005)	0.068	0.068	ND(0.001)	ND(0.001)	0.470		0.017	0.120	0.330			0.056	1.005
	11/22/91	0.048	ND(0.001)	ND(0.001)	ND(0.005)	0.052	0.052	ND(0.001)	ND(0.001)	0.390		0.018	0.110	0.320			0.048	0.890
	03/16/93	0.005	ND(0.001)	ND(0.001)	ND(0.005)	0.040	0.040	ND(0.001)	ND(0.001)	0.220		0.004	0.074	0.160			0.005	0.498
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.005)	0.042	0.042	ND(0.001)	ND(0.001)	0.250		ND(0.001)	0.083	0.320			0.005	0.695

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-11 (Cont.)	04/19/94	0.009	ND(0.005)	0.002	ND(0.005)	0.042	ND(0.005)	0.042	ND(0.005)	0.170	0.006	0.079	0.170	0.011	0.467				
	07/20/94	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.057	ND(0.025)	0.057	ND(0.025)	0.460	0.010	0.120	0.360	0.000	1.007				
	10/25/94	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.067	ND(0.005)	0.067	0.001	0.220	ND(0.005)	0.110	0.300	0.009	0.698				
	01/25/95	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.072	ND(0.005)	0.240	0.014	0.120	0.360	0.012	0.806				
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.062	ND(0.005)	0.410	0.013	0.100	0.430	0.009	1.015				
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.050	ND(0.005)	0.360	0.014	0.063	0.330	0.007	0.817				
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.051	ND(0.005)	0.310	0.015	0.071	0.340	0.007	0.787				
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.043	ND(0.005)	0.043	ND(0.005)	0.270	0.010	0.057	0.330	0.005	0.710				
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.033	ND(0.005)	0.230	0.011	0.043	0.310	0.000	0.627				
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.240	ND(0.005)	0.020	0.230	0.000	0.490				
Dup.	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.005)	0.035	ND(0.005)	0.200	0.008	0.036	0.260	0.000	0.539				
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.034	ND(0.010)	0.034	ND(0.010)	0.230	ND(0.010)	0.029	0.260	0.000	0.553				
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.029	ND(0.002)	0.029	0.001	0.157	0.008	0.026	0.212	0.002	0.433				
	04/09/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.033	ND(0.004)	0.033	ND(0.002)	0.128	0.008	0.027	0.180	0.002	0.375				
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.032	ND(0.010)	0.032	ND(0.005)	0.102	0.006	0.032	0.170	0.000	0.342				
	10/17/97	0.003	ND(0.010)	ND(0.010)	ND(0.020)	0.048	ND(0.020)	0.048	ND(0.010)	0.142	0.005	0.031	0.063	0.003	0.289				
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.054	ND(0.020)	0.054	ND(0.010)	0.145	0.005	0.049	0.176	0.004	0.429				
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.061	ND(0.020)	0.061	ND(0.010)	0.155	0.006	0.053	0.200	0.004	0.475				
	04/15/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.059	ND(0.020)	0.059	ND(0.010)	0.130	ND(0.010)	0.057	0.151	0.000	0.397				
	07/18/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.071	ND(0.020)	0.071	ND(0.010)	0.120	ND(0.010)	0.064	0.143	0.000	0.398				
Dup.	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.072	ND(0.020)	0.072	ND(0.010)	0.110	ND(0.010)	0.065	0.129	0.000	0.376				
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.002)	0.070	ND(0.002)	0.070	0.001	0.130	0.002	0.070	0.157	0.004	0.430				
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.002)	0.083	ND(0.002)	0.083	0.001	0.143	0.002	0.071	0.149	0.004	0.449				
	04/22/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	0.090	ND(0.005)	0.090	ND(0.0025)	0.123	ND(0.0025)	0.067	0.117	0.004	0.397				
	07/13/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	0.069	ND(0.005)	0.069	ND(0.0025)	0.116	ND(0.0025)	0.058	0.130	0.004	0.373				
	10/19/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.059	ND(0.005)	0.059	ND(0.0025)	0.094	ND(0.0025)	0.047	0.112	0.003	0.312				
	01/26/00	0.003	ND(0.005)	ND(0.005)	ND(0.010)	0.068	ND(0.010)	0.068	ND(0.005)	0.121	ND(0.005)	0.058	0.127	0.003	0.374				
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.081	ND(0.010)	0.081	ND(0.005)	0.123	ND(0.005)	0.065	0.145	0.000	0.414				
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.067	ND(0.010)	0.067	ND(0.005)	0.093	ND(0.005)	0.054	0.104	0.000	0.326				
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.073	ND(0.002)	0.073	ND(0.005)	0.096	ND(0.001)	0.055	0.096	0.002	0.329				
Dup.	10/19/00	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	0.079	ND(0.005)	0.079	ND(0.0025)	0.143	0.003	0.061	0.117	0.004	0.406				
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.072	ND(0.005)	0.066	ND(0.005)	0.040	0.099	0.000	0.277				
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.073	ND(0.005)	0.066	ND(0.005)	0.040	0.097	0.000	0.276				
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	ND(0.005)	0.061	ND(0.005)	0.047	ND(0.005)	0.038	0.076	0.000	0.222				
	07/19/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.068	ND(0.001)	0.068	ND(0.001)	0.037	ND(0.001)	0.027	0.047	0.000	0.179				
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.073	ND(0.0025)	0.073	ND(0.0025)	0.036	ND(0.0025)	0.037	0.048	0.000	0.194				
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.076	ND(0.005)	0.038	ND(0.005)	0.036	0.050	0.000	0.200				
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.069	ND(0.001)	0.069	ND(0.001)	0.039	ND(0.001)	0.030	0.054	0.000	0.192				
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.062	ND(0.001)	0.030	ND(0.001)	0.026	0.043	0.001	0.162				
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.075	ND(0.0025)	0.075	ND(0.0025)	0.029	ND(0.0025)	0.031	0.041	0.000	0.176				

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-11 (Cont.)	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.066	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.031	0.044	ND(0.001)	ND(0.001)	0.001	0.178
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.053	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.030	0.038	ND(0.001)	ND(0.001)	0.001	0.153
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.021	0.041	ND(0.001)	ND(0.001)	0.000	0.140
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.021	0.041	ND(0.001)	ND(0.001)	0.000	0.143
	10/15/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.065	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.039	0.034	ND(0.001)	ND(0.001)	0.002	0.179
Dup.	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.022	0.042	ND(0.001)	ND(0.001)	0.000	0.141
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.044	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.032	0.029	ND(0.001)	ND(0.001)	0.000	0.132
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.051	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.031	0.026	ND(0.001)	ND(0.001)	0.001	0.133
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.027	0.030	ND(0.001)	ND(0.001)	0.000	0.128
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.021	0.013	ND(0.001)	ND(0.001)	0.000	0.087
Dup.	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	ND(0.001)	0.000	0.017
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	ND(0.001)	0.000	0.039
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	ND(0.001)	0.000	0.040
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	ND(0.001)	0.000	0.044
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	ND(0.001)	0.000	0.036
Dup.	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.011	ND(0.001)	ND(0.001)	0.000	0.045
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.007	0.012	ND(0.001)	ND(0.001)	0.000	0.046
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	ND(0.001)	0.000	0.042
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.009	0.006	ND(0.001)	ND(0.001)	0.000	0.033
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	ND(0.001)	0.000	0.041
Dup.	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.009	0.009	ND(0.001)	ND(0.001)	0.000	0.045
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	ND(0.001)	0.000	0.028
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.006	ND(0.001)	ND(0.001)	0.000	0.026
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	ND(0.001)	0.000	0.030
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	ND(0.001)	0.000	0.027
Dup.	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.007	ND(0.001)	ND(0.001)	0.000	0.028
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	ND(0.001)	0.000	0.018
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	ND(0.001)	0.000	0.014
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.000	0.013
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.000	0.012
Dup.	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.009
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.009
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.008
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	ND(0.001)	0.000	0.011
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	ND(0.001)	0.000	0.010
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	ND(0.001)	0.000	0.009
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	ND(0.001)	0.000	0.010
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	ND(0.001)	0.000	0.010
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	ND(0.001)	0.000	0.008

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)											
MW-12	01/26/91	0.260	0.950	0.230	4.500	0.140	ND(0.025)	ND(0.025)	ND(0.025)	0.057	0.073	0.042		5.940	0.312
	08/15/91	0.150	0.620	0.630	2.200	0.120	ND(0.001)	0.300		0.110	0.200	0.061		3.600	0.791
	11/22/91	0.110	0.430	0.034	0.810	0.110	0.002	0.240		0.100	0.260	0.051		1.384	0.763
	03/16/93	0.160	0.800	0.014	1.000	0.120	ND(0.001)	0.039		0.055	0.036	0.018		1.974	0.268
*	01/10/94	0.160	0.870	0.026	0.990	0.150	ND(0.01)	0.075		0.053	0.070	0.024		2.046	0.372
	04/19/94	0.110	0.110	0.049	0.250	0.110	0.002	0.064		0.065	0.073	0.033		0.519	0.347
	07/20/94	0.160	0.720	0.071	0.610	0.150	ND(0.025)	0.073		0.075	0.086	0.022		1.561	0.406
	10/25/94	0.096	0.660	ND(0.025)	0.100	0.160	ND(0.025)	0.085		ND(0.025)	0.120	0.015		0.856	0.380
Dup.	01/25/95	0.160	0.680	0.089	0.660	0.190	ND(0.005)	0.120		0.095	0.076	0.069		1.589	0.550
	01/25/95	0.140	0.850	0.075	0.860	0.150	ND(0.005)	0.090		0.075	0.062	0.053		1.925	0.430
	04/03/95	0.150	0.790	0.200	1.100	0.160	ND(0.005)	0.110		0.096	0.043	0.056		2.240	0.465
	08/01/95	0.130	0.700	0.280	1.400	0.170	ND(0.025)	0.150		0.079	0.098	0.059		2.510	0.556
*	10/18/95	0.140	0.990	0.360	2.030	0.170	ND(0.005)	0.100		0.100	0.058	0.050		3.520	0.478
	01/11/96	0.100	0.680	0.180	1.840	0.140	ND(0.005)	0.097		0.059	0.060	0.048		2.800	0.404
	04/13/96	0.098	0.620	0.180	0.690	0.150	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	0.023		1.588	0.173
	07/22/96	0.130	0.920	0.310	1.790	0.160	ND(0.005)	0.087		0.170	0.045	0.046		3.150	0.508
#	10/22/96	ND(0.1)	0.830	0.190	1.800	0.190	ND(0.1)	ND(0.1)		ND(0.1)	ND(0.1)	ND(0.1)		2.820	0.190
	01/24/97	0.093	0.822	0.133	1.738	0.162	ND(0.010)	0.046		0.060	0.037	0.039		2.786	0.344
	04/09/97	0.086	0.920	0.138	1.869	0.159	ND(0.020)	0.040		0.051	0.046	0.039		3.013	0.334
	04/09/97	0.079	0.855	0.129	1.837	0.159	ND(0.010)	0.040		0.054	0.047	0.039		2.900	0.339
Dup.	07/30/97	0.090	0.969	0.127	2.294	0.136	ND(0.020)	0.035		0.062	0.036	0.043		3.480	0.312
	10/17/97	0.178	1.290	0.853	5.540	0.185	ND(0.050)	0.061		0.186	ND(0.050)	0.045		7.861	0.477
	10/28/98	0.064	1.150	ND(0.1)	0.745	0.141	ND(0.1)	ND(0.1)		ND(0.1)	ND(0.1)	ND(0.1)		1.959	0.141
	04/22/99	0.075	1.150	ND(0.025)	0.612	0.171	ND(0.025)	0.031		0.040	0.034	0.034		1.837	0.310
Dup.	04/22/99	0.063	0.953	0.008	0.546	0.140	ND(0.005)	0.017		0.039	0.022	0.017		1.570	0.235
	10/19/99	0.051	1.090	ND(0.025)	0.176	0.207	ND(0.025)	0.017		ND(0.025)	0.027	ND(0.025)		1.317	0.251
	10/19/99	0.049	1.100	ND(0.025)	0.151	0.208	ND(0.025)	0.017		ND(0.025)	0.026	ND(0.025)		1.300	0.251
	10/19/00	0.035	0.863	ND(0.025)	0.107	0.192	ND(0.025)	ND(0.025)		ND(0.025)	0.027	ND(0.025)		1.005	0.219
Dup.	10/19/00	0.034	0.835	ND(0.025)	0.103	0.184	ND(0.025)	ND(0.025)		ND(0.025)	ND(0.025)	ND(0.025)		0.972	0.184
	10/18/01	0.019	0.130	ND(0.005)	0.295	0.080	ND(0.005)	0.011		0.018	0.017	0.028		0.444	0.154
	04/20/02	0.029	0.160	ND(0.005)	0.308	0.083	ND(0.005)	0.020		0.024	0.021	0.037		0.497	0.185
	04/20/02	0.027	0.140	ND(0.005)	0.295	0.080	ND(0.005)	0.017		0.022	0.020	0.034		0.462	0.173
Dup.	07/24/02	0.043	0.280	ND(0.005)	0.213	0.100	ND(0.005)	0.017		ND(0.005)	0.018	0.033		0.536	0.189
	10/16/02	0.018	0.130	ND(0.005)	0.603	0.068	ND(0.005)	0.013		ND(0.005)	0.016	0.020		0.751	0.128
	01/23/03	0.032	0.230	ND(0.005)	0.129	0.110	ND(0.005)	0.013		ND(0.005)	0.017	0.032		0.391	0.183
	04/24/03	0.020	0.170	ND(0.025)	0.065	0.070	ND(0.025)	0.005		0.006	0.012	0.023		0.255	0.116
Dup.	04/24/03	0.018	0.012	ND(0.001)	0.051	0.068	ND(0.001)	0.005		0.006	0.012	0.021		0.081	0.112
	07/17/03	0.044	0.400	ND(0.0025)	0.270	0.130	ND(0.0025)	0.009		0.009	0.014	0.034		0.714	0.196
	10/16/03	0.003	0.036	ND(0.0025)	0.063	0.046	ND(0.0025)	0.005		ND(0.0025)	0.011	0.018		0.102	0.080
	01/29/04	0.024	0.230	ND(0.001)	0.600	0.080	ND(0.001)	0.010		0.005	0.011	0.025		0.854	0.131

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)												
MW-12 (Cont.)	04/19/04	0.020	0.170	ND(0.001)	0.230	0.071	ND(0.001)	0.010	ND(0.001)	0.002	0.015	0.023	ND(0.001)	0.420	0.121	
	07/16/04	0.043	0.420	ND(0.0025)	0.530	0.130	ND(0.0025)	0.016	ND(0.0025)	0.005	0.020	0.034	ND(0.0025)	0.993	0.205	
	10/29/04	0.015	0.140	ND(0.0025)	0.016	0.088	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.017	0.019	ND(0.0025)	0.171	0.134	
	01/14/05	0.029	0.270	ND(0.0025)	0.181	0.110	ND(0.0025)	0.011	ND(0.0025)	ND(0.0025)	0.012	0.024	ND(0.0025)	0.480	0.157	
	04/16/05	0.028	0.280	ND(0.0025)	0.153	0.110	ND(0.0025)	0.004	ND(0.0025)	ND(0.0025)	0.013	0.026	ND(0.0025)	0.461	0.153	
	07/09/05	0.039	0.430	ND(0.0025)	0.123	0.120	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.013	0.044	ND(0.0025)	0.592	0.180	
	10/09/05	0.057	0.660	ND(0.0025)	0.349	0.190	ND(0.0025)	0.007	ND(0.0025)	ND(0.0025)	0.014	0.052	ND(0.0025)	1.066	0.263	
	01/18/06	0.010	0.094	ND(0.005)	ND(0.005)	0.041	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.011	0.016	ND(0.005)	0.104	0.074	
	04/18/06	0.021	0.320	ND(0.0025)	0.176	0.069	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.010	0.026	ND(0.0025)	0.517	0.110	
	04/18/06	0.014	0.210	ND(0.001)	0.109	0.047	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.009	0.022	ND(0.001)	0.333	0.084	
Dup.	07/11/06	0.030	0.470	ND(0.0025)	0.284	0.096	ND(0.0025)	0.009	ND(0.0025)	ND(0.0025)	0.010	0.031	ND(0.0025)	0.784	0.145	
	10/10/06	0.028	0.400	ND(0.0025)	0.180	0.094	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.028	ND(0.0025)	0.608	0.131	
	01/16/07	0.028	0.320	ND(0.0025)	0.077	0.086	ND(0.0025)	0.010	0.003	ND(0.0025)	0.015	0.033	ND(0.0025)	0.425	0.146	
	04/17/07	0.019	0.240	ND(0.0025)	0.110	0.088	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.014	0.026	ND(0.0025)	0.369	0.114	
	07/17/07	0.010	0.130	ND(0.001)	0.067	0.059	ND(0.001)	0.008	0.003	ND(0.001)	0.012	0.017	ND(0.001)	0.207	0.099	
	10/17/07	0.016	0.220	ND(0.001)	0.079	0.060	ND(0.001)	0.007	0.009	ND(0.001)	0.010	0.020	ND(0.001)	0.315	0.106	
	10/17/07	0.013	0.170	ND(0.0025)	0.062	0.047	ND(0.0025)	0.005	0.008	ND(0.0025)	0.008	0.015	ND(0.0025)	0.245	0.083	
	01/16/08	0.029	0.400	ND(0.001)	0.150	0.095	ND(0.001)	0.008	0.025	ND(0.001)	0.012	0.029	ND(0.001)	0.579	0.169	
	04/28/08	0.022	ND(0.001)	ND(0.001)	0.180	0.088	ND(0.001)	0.002	0.061	ND(0.001)	0.011	0.050	ND(0.001)	0.202	0.212	
	07/15/08	0.004	0.120	ND(0.001)	0.027	0.023	ND(0.001)	0.003	0.008	ND(0.001)	0.009	0.014	ND(0.001)	0.151	0.058	
Dup.	10/14/08	0.003	0.110	ND(0.001)	0.018	0.024	ND(0.001)	0.004	0.012	ND(0.001)	0.012	0.014	ND(0.001)	0.131	0.066	
	01/13/09	0.017	0.280	ND(0.001)	0.085	0.046	ND(0.001)	0.006	0.059	ND(0.001)	0.010	0.023	ND(0.001)	0.382	0.143	
	04/06/09	0.025	0.350	ND(0.004)	0.120	0.083	ND(0.004)	0.007	0.100	ND(0.004)	0.010	0.021	ND(0.004)	0.495	0.221	
	07/14/09	0.031	0.520	ND(0.0025)	0.160	0.094	ND(0.0025)	0.008	0.170	ND(0.0025)	0.008	0.014	ND(0.0025)	0.711	0.294	
	10/21/09	0.027	0.430	ND(0.002)	0.040	0.079	ND(0.002)	0.007	0.210	ND(0.002)	0.009	0.010	ND(0.002)	0.497	0.315	
	01/20/10	0.016	0.190	ND(0.001)	0.015	0.053	ND(0.001)	0.005	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.221	0.249	
	01/20/10	0.013	0.150	ND(0.001)	0.014	0.045	ND(0.001)	0.004	0.130	ND(0.001)	0.007	0.005	ND(0.001)	0.177	0.191	
	04/20/10	0.018	0.280	ND(0.001)	0.064	0.048	ND(0.001)	0.004	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.362	0.243	
	07/26/10	0.036	0.520	ND(0.001)	0.250	0.094	ND(0.001)	0.010	0.170	ND(0.001)	0.007	0.007	ND(0.001)	0.806	0.288	
	10/19/10	0.029	0.450	ND(0.002)	0.150	0.091	ND(0.002)	0.008	0.160	ND(0.002)	0.006	0.006	ND(0.002)	0.629	0.271	
MW-13	01/20/11	0.017	0.250	ND(0.001)	0.077	0.054	ND(0.001)	0.005	0.100	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.344	0.162	
	04/06/11	0.020	0.200	ND(0.001)	0.052	0.061	ND(0.001)	0.005	0.140	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.272	0.210	
	07/13/11	0.016	0.190	ND(0.001)	0.053	0.053	ND(0.001)	0.004	0.130	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.259	0.190	
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.030	0.002	0.038	0.005	0.005	0.004	0.240	0.000	0.319		
	11/22/91	0.430	ND(0.001)	ND(0.001)	ND(0.005)	0.016	0.001	0.025	0.002	0.002	0.002	0.110	0.430	0.156		
	03/16/93	0.033	ND(0.001)	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.062	0.033	0.091		
	03/16/93	0.034	ND(0.001)	ND(0.001)	ND(0.005)	0.013	0.001	0.015	ND(0.001)	ND(0.001)	0.002	0.066	0.034	0.097		
	01/10/94	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.055	0.022	0.081		
	04/19/94	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.001	0.003	ND(0.005)	ND(0.005)	0.003	0.032	0.013	0.050		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)		TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)		TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-13 (Cont.)	07/20/94	0.016	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.001	0.005	0.005	ND(0.005)	ND(0.005)	0.004	0.034	0.016	0.016	0.060
	10/25/94	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.004	0.004	ND(0.005)	ND(0.005)	0.004	0.040	0.011	0.011	0.061
	01/22/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.002	0.002	ND(0.005)	ND(0.005)	0.005	0.029	0.008	0.008	0.051
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.000	0.035
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.025	0.000	0.000	0.049
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.020	0.003	0.003	0.043
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.015	0.000	0.000	0.031
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.000	0.000	0.011
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.013	0.000	0.000	0.029
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.010	0.000	0.000	0.023
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	0.001	0.001	0.001	ND(0.001)	ND(0.001)	0.003	0.003	0.001	0.001	0.013
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.005	0.005	0.001	0.001	0.015
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.006	0.005	0.002	0.002	0.017
	07/30/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.001	0.020
	10/17/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.001	0.001	0.018
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.007	0.000	0.000	0.016
	01/07/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.011	0.001	0.001	0.023
	04/15/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.001	0.019
	07/18/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.016	0.001	0.001	0.031
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.015	0.001	0.001	0.027
Dup.	02/09/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.007	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.019	0.026	0.002	0.002	0.053
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.009	0.000	0.000	0.020
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.008	0.000	0.000	0.017
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.005	0.001	0.001	0.014
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.008	0.000	0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.007	0.000	0.000	0.014
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.008	ND(0.001)	0.000	0.015
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.010
Dup.	07/19/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.003	ND(0.002)	0.000	0.006
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.007
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.009
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.009
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.009
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.010

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-13 (Cont.)	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.011
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.007
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.008
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.005
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
Dup.	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.003
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.001
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002	0.002
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-14	04/06/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.000	0.004
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001	0.001
	09/15/91	0.022	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.130	0.002	0.002	0.300	0.014	0.014	0.002	0.460	0.022	0.908	0.908
	11/22/91	0.002	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.140	0.002	0.002	0.310	0.009	0.009	0.002	0.400	0.002	0.863	0.863
Dup.	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.110	0.002	0.002	0.320	0.010	0.010	ND(0.001)	0.440	0.000	0.882	0.882
	03/16/93	0.020	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.080	0.001	0.001	0.180	0.004	0.004	0.002	0.210	0.020	0.477	0.477
	01/10/94	0.011	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.057	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.002	0.300	0.011	0.459	0.459

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)												
MW-14 (Cont.)	04/19/94	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.056	ND(0.005)	0.001	ND(0.005)	0.160	0.005	0.005	0.275
	07/20/94	0.010	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.072	ND(0.025)	0.110	ND(0.025)	ND(0.025)	ND(0.025)	0.210	0.010	0.010	0.392
	10/25/94	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.001	0.094	ND(0.005)	ND(0.005)	ND(0.005)	0.230	0.010	0.010	0.404
	01/25/95	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.004	0.004	0.175
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	0.058	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.000	0.000	0.251
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.074	ND(0.005)	0.072	ND(0.005)	ND(0.005)	ND(0.005)	0.098	0.000	0.000	0.244
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.044	ND(0.005)	ND(0.005)	ND(0.005)	0.087	0.000	0.000	0.193
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.038	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.000	0.000	0.150
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.053	ND(0.005)	0.040	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.157
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.045	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.153
Dup.	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	ND(0.005)	0.037	ND(0.005)	ND(0.005)	ND(0.005)	0.055	0.000	0.000	0.140
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	ND(0.005)	0.043	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.159
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.049	ND(0.005)	ND(0.005)	ND(0.005)	0.062	0.000	0.000	0.167
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.040	0.001	0.023	0.001	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.078
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.045	0.001	0.027	0.001	ND(0.001)	ND(0.001)	0.010	0.001	0.001	0.083
	04/09/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.039	ND(0.005)	0.023	ND(0.005)	ND(0.005)	ND(0.005)	0.024	0.000	0.000	0.086
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.036	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)	0.043	0.000	0.000	0.100
	10/17/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.039	ND(0.005)	0.019	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.106
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.045	ND(0.005)	0.019	ND(0.005)	ND(0.005)	ND(0.005)	0.074	0.000	0.000	0.138
	10/20/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.002	0.054	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080	0.002	0.002	0.153
Dup.	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.041	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	0.000	0.080
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.009
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.009
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-15	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	09/15/91	0.002	0.010	ND(0.001)	0.006	0.006	0.026	0.001	0.005	0.001	ND(0.001)	ND(0.001)	0.004	0.018	0.018	0.036
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.033	0.001	0.009	0.001	ND(0.001)	0.003	0.006	0.000	0.000	0.052
	03/16/93	0.001	0.002	ND(0.001)	ND(0.005)	ND(0.005)	0.082	0.001	0.013	0.001	ND(0.001)	0.006	0.009	0.003	0.003	0.111
	01/10/94	ND(0.001)	0.008	ND(0.001)	ND(0.005)	ND(0.005)	0.048	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.004	0.013	0.008	0.008	0.074
	01/10/94	0.001	0.009	0.002	ND(0.005)	ND(0.005)	0.054	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.004	0.015	0.012	0.012	0.083
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.005	ND(0.005)	ND(0.005)	0.003	0.008	0.000	0.000	0.043
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	0.001	0.006	0.001	ND(0.005)	0.004	0.005	0.000	0.000	0.065
	Dup.															

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)		TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-15 (Cont.)	10/25/94	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.006		ND(0.005)	0.004	0.006			0.001	0.045
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.006		ND(0.005)	0.005	0.008			0.000	0.046
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.020
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.006		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.028
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.001		ND(0.005)	0.004	0.002			0.000	0.022
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.003		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.016
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.009
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.011
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.010
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.010
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.012	0.001	0.001		ND(0.001)	ND(0.001)	ND(0.001)			0.001	0.014
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.012	0.001	0.002		ND(0.001)	0.001	ND(0.001)			0.001	0.016
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	ND(0.001)	0.001		ND(0.001)	ND(0.001)	ND(0.001)			0.000	0.006
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	0.001	0.001		ND(0.001)	ND(0.001)	ND(0.001)			0.000	0.015
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	0.001		ND(0.001)	ND(0.001)	ND(0.001)			0.001	0.014
	10/20/99	0.002	0.004	0.003	0.147		0.040	ND(0.001)	0.005		ND(0.001)	0.002	0.002			0.156	0.049
Dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.014	ND(0.001)	0.003	0.002	ND(0.001)	0.005	0.001	ND(0.001)		0.000	0.025
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.011	0.016	ND(0.001)		0.000	0.031
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.026	0.013	ND(0.001)		0.000	0.046
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.029	0.013	ND(0.001)		0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.015	ND(0.001)		0.000	0.034
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.014	ND(0.001)		0.000	0.039
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.014	ND(0.001)		0.000	0.036
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.016	ND(0.001)		0.000	0.034
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.018	ND(0.001)		0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.010	ND(0.001)		0.000	0.031
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.008	ND(0.001)		0.000	0.027
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.001	ND(0.001)	0.052	0.002	ND(0.001)		0.000	0.059
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.032	0.003	ND(0.001)		0.000	0.038
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.003	ND(0.001)		0.000	0.026
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.027	ND(0.001)	ND(0.001)		0.000	0.030
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	ND(0.001)		0.000	0.031
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.023	ND(0.001)	ND(0.001)		0.000	0.026
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.017	0.002	ND(0.001)		0.000	0.020
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.026	0.004	ND(0.001)		0.000	0.033
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.039	0.002	ND(0.001)		0.000	0.043
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.036	0.002	ND(0.001)		0.000	0.040
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.030	0.004	ND(0.001)		0.000	0.036
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.039	0.002	ND(0.001)		0.000	0.044
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.040	0.002	ND(0.001)		0.000	0.046

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)												
MW-17A	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	0.061		0.029	0.025	0.066		0.009	0.260
	08/01/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.085	ND(0.005)	0.075		0.025	0.037	0.064		0.010	0.286
	10/18/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.059		0.019	0.041	0.090		0.009	0.282
	10/18/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.078	ND(0.005)	0.059		0.019	0.042	0.086		0.010	0.284
	01/11/96	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	0.068		0.019	0.042	0.076		0.009	0.282
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.075	ND(0.005)	0.069		ND(0.005)	0.043	0.065		0.006	0.252
	07/22/96	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.069		0.012	0.051	0.077		0.008	0.285
	10/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	0.058		ND(0.005)	0.050	0.054		0.006	0.231
	01/24/97	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.058	ND(0.001)	0.044		0.007	0.045	0.049		0.007	0.203
	04/09/97	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.065	0.001	0.051		0.008	0.051	0.051		0.007	0.226
Dup.	07/30/97	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.051	ND(0.005)	0.045		0.004	0.045	0.062		0.004	0.207
	10/17/97	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.079	ND(0.005)	0.050		0.003	0.052	0.053		0.006	0.237
	10/28/98	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.075	ND(0.005)	0.018		ND(0.005)	0.044	0.033		0.009	0.170
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.134	ND(0.0025)	0.018		ND(0.0025)	0.032	0.030		0.005	0.214
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.144	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.038	0.035	ND(0.0025)	0.000	0.243
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.079	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.026	0.044	ND(0.0025)	0.000	0.177
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.031	ND(0.001)	0.000	0.088
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.025	ND(0.001)	0.000	0.085
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.014	ND(0.001)	0.000	0.053
	10/08/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.031
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.021
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.013
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.009
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.009
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.010
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	0.180		0.019	ND(0.005)	0.019	0.180		0.000	0.415
	08/01/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.040	ND(0.005)	0.190		0.020		0.026	0.180		0.006	0.456
	08/01/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.250		0.023		0.030	0.320		0.008	0.672
	10/18/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.210		0.024		0.034	0.370		0.006	0.684
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.005)	0.170		0.014		0.022	0.190		0.000	0.430
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.160		ND(0.005)		0.013	0.270		0.000	0.473
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150		ND(0.005)		0.016	0.250		0.000	0.446
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150		0.015		0.016	0.280		0.000	0.491
	10/22/96	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.038	ND(0.01)	0.190		ND(0.01)		0.030	0.250		0.000	0.508
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.001	0.110		0.008		0.019	0.070		0.002	0.246
	04/09/97	0.004	ND(0.002)	ND(0.002)	ND(0.002)	0.035	0.001	0.115		0.005		0.021	0.132		0.004	0.310
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.026	ND(0.005)	0.080		0.004		0.017	0.141		0.000	0.268

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-17B (Cont.)	10/17/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.053	ND(0.01)	ND(0.01)	0.103	ND(0.01)	ND(0.01)	0.027	0.149	0.000	0.000	0.332
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.073	ND(0.01)	ND(0.01)	0.072	ND(0.01)	ND(0.01)	0.045	0.178	0.000	0.000	0.368
	10/19/99	0.005	0.012	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.143	ND(0.0025)	ND(0.0025)	0.053	0.005	0.005	0.051	0.059	0.017	0.017	0.311
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.047	ND(0.005)	ND(0.005)	0.043	ND(0.005)	ND(0.005)	0.017	0.093	0.000	0.000	0.200
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.035	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	ND(0.0025)	0.005	0.055	0.000	0.000	0.126
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.017	0.000	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.000	0.000	0.040
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.000	0.000	0.015
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.007
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.000	0.003
MW-17C *	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	04/03/95	0.032	0.060	0.005	0.005	0.054	0.054	0.058	ND(0.005)	ND(0.005)	0.099	ND(0.005)	ND(0.005)	0.091	0.013	0.151	0.151	0.261
	04/03/95	0.034	0.057	ND(0.005)	ND(0.005)	0.045	0.045	0.063	ND(0.005)	ND(0.005)	0.110	ND(0.005)	ND(0.005)	0.095	0.017	0.136	0.136	0.285
	08/01/95	0.022	0.047	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	ND(0.005)	0.140	ND(0.005)	ND(0.005)	0.120	0.012	0.069	0.069	0.345
	10/18/95	0.019	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	0.003	0.003	0.120	ND(0.005)	ND(0.005)	0.140	0.024	0.045	0.045	0.350
	01/11/96	0.020	0.035	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	ND(0.005)	0.120	ND(0.005)	ND(0.005)	0.120	0.015	0.055	0.055	0.313
	04/13/96	0.011	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057	ND(0.005)	ND(0.005)	0.130	ND(0.005)	ND(0.005)	0.100	0.013	0.020	0.020	0.300
#	07/22/96	0.016	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	ND(0.005)	0.130	ND(0.005)	ND(0.005)	0.120	0.014	0.016	0.016	0.322
	10/22/96	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.045	ND(0.005)	ND(0.005)	0.120	ND(0.005)	ND(0.005)	0.100	0.012	0.015	0.015	0.277
	01/24/97	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.051	0.003	0.003	0.099	ND(0.001)	ND(0.001)	0.078	0.005	0.009	0.009	0.236
	04/09/97	0.011	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.049	0.002	0.002	0.105	ND(0.002)	ND(0.002)	0.100	0.008	0.011	0.011	0.265
	07/30/97	0.010	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.043	0.003	0.003	0.093	ND(0.005)	ND(0.005)	0.097	0.010	0.010	0.010	0.246
	10/17/97	0.031	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	ND(0.02)	0.066	0.003	0.003	0.115	ND(0.01)	ND(0.01)	0.086	0.013	0.031	0.031	0.283
	10/28/98	0.011	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	ND(0.02)	0.050	ND(0.01)	ND(0.01)	0.105	ND(0.01)	ND(0.01)	0.110	0.018	0.011	0.011	0.283
	10/19/99	0.023	ND(0.0025)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.080	0.003	0.003	0.160	ND(0.0025)	ND(0.0025)	0.119	0.040	0.025	0.025	0.402
	10/19/00	0.005	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.041	ND(0.0025)	ND(0.0025)	0.073	0.010	ND(0.0025)	0.071	0.007	0.005	0.005	0.202
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	ND(0.0025)	0.020	0.007	0.000	0.000	0.063
Dup.	10/18/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.023	0.002	ND(0.001)	0.019	0.006	0.001	0.001	0.063
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.018	0.001	ND(0.001)	0.012	0.004	0.000	0.000	0.046
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.009	0.005	0.000	0.000	0.035
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.003	0.000	0.000	0.019
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	0.002	0.000	0.000	0.017
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.000	0.010
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.003

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)									(mg/L)	(mg/L)		
MW-17C *(Cont.)	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.003
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
MW-18	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	0.093	ND(0.005)	ND(0.005)	0.034	0.071	0.000	0.000	0.000	0.215
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.039	0.087	0.000	0.000	0.000	0.320
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.042	0.130	0.003	0.003	0.003	0.340
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	0.130	ND(0.005)	ND(0.005)	0.037	0.097	0.000	0.000	0.000	0.281
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.034	0.120	0.000	0.000	0.000	0.340
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.043	0.110	0.000	0.000	0.000	0.371
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.043	0.120	0.000	0.000	0.000	0.333
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.190	ND(0.005)	ND(0.005)	0.042	0.120	0.000	0.000	0.000	0.372
	01/24/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.024	0.001	0.180	0.002	0.002	0.047	0.097	0.003	0.003	0.003	0.351
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.022	0.001	0.155	0.002	0.002	0.044	0.116	0.003	0.003	0.003	0.340
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.020	ND(0.002)	0.140	0.001	0.001	0.044	0.121	0.002	0.002	0.002	0.326
	10/17/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.028	ND(0.001)	0.157	0.001	ND(0.001)	0.044	0.071	0.002	0.002	0.002	0.300
	01/07/98	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.029	ND(0.001)	0.163	0.002	ND(0.001)	0.054	0.133	0.002	0.002	0.002	0.379
	04/15/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.029	ND(0.01)	0.155	ND(0.01)	ND(0.01)	0.053	0.145	0.000	0.000	0.000	0.382
	07/18/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.030	ND(0.01)	0.146	ND(0.01)	ND(0.01)	0.052	0.151	0.000	0.000	0.000	0.379
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.028	ND(0.01)	0.142	ND(0.01)	ND(0.01)	0.052	0.149	0.000	0.000	0.000	0.371
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	0.030	ND(0.005)	0.143	ND(0.005)	ND(0.005)	0.052	0.148	0.000	0.000	0.000	0.373
	04/22/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	0.031	ND(0.0025)	0.135	ND(0.0025)	ND(0.0025)	0.045	0.121	0.002	0.002	0.002	0.332
	07/14/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	0.028	ND(0.0025)	0.127	ND(0.0025)	ND(0.0025)	0.042	0.120	0.002	0.002	0.002	0.317
	10/19/99	0.002	ND(0.0025)	0.002	ND(0.005)	0.034	ND(0.0025)	0.149	ND(0.0025)	ND(0.0025)	0.049	0.128	0.004	0.004	0.004	0.360
	01/26/00	0.002	ND(0.005)	ND(0.005)	ND(0.01)	0.036	ND(0.005)	0.153	ND(0.005)	ND(0.005)	0.054	0.137	0.002	0.002	0.002	0.380
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	0.022	ND(0.005)	0.102	ND(0.005)	ND(0.005)	0.032	0.095	0.000	0.000	0.000	0.251
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.029	ND(0.005)	0.128	ND(0.005)	ND(0.005)	0.046	0.140	ND(0.005)	ND(0.005)	0.000	0.343
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.032	ND(0.005)	0.140	ND(0.005)	ND(0.005)	0.044	0.123	ND(0.005)	ND(0.005)	0.000	0.339
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.092	ND(0.005)	ND(0.005)	0.030	0.084	ND(0.005)	ND(0.005)	0.000	0.229
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.073	ND(0.005)	ND(0.005)	0.027	0.072	ND(0.005)	ND(0.005)	0.000	0.192
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.021	ND(0.002)	0.081	ND(0.002)	ND(0.002)	0.023	0.046	ND(0.002)	ND(0.002)	0.000	0.171
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.091	ND(0.0025)	ND(0.0025)	0.029	0.081	ND(0.0025)	ND(0.0025)	0.000	0.224
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.094	ND(0.005)	ND(0.005)	0.028	0.079	ND(0.005)	ND(0.005)	0.000	0.225
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	0.002	ND(0.001)	0.025	0.089	ND(0.001)	ND(0.001)	0.000	0.262
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.100	0.002	ND(0.001)	0.025	0.080	ND(0.001)	ND(0.001)	0.001	0.231
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.022	0.085	ND(0.0025)	ND(0.0025)	0.000	0.235
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	0.002	ND(0.001)	0.022	0.096	ND(0.001)	ND(0.001)	0.001	0.266
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.092	0.001	ND(0.001)	0.018	0.087	ND(0.001)	ND(0.001)	0.000	0.224
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.095	0.002	ND(0.001)	0.021	0.087	ND(0.001)	ND(0.001)	0.000	0.234

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-18 (Cont.) Dup.	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.100	0.002	ND(0.001)	0.018	0.090	ND(0.001)	ND(0.001)	0.001	0.241
	10/15/03	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.017	0.087	ND(0.0025)	ND(0.0025)	0.000	0.235
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.079	0.002	ND(0.001)	0.018	0.087	ND(0.001)	ND(0.001)	0.000	0.215
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.071	0.002	ND(0.001)	0.020	0.071	ND(0.001)	ND(0.001)	0.000	0.182
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.098	0.002	ND(0.001)	0.021	0.100	ND(0.001)	ND(0.001)	0.001	0.251
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.077	0.001	ND(0.001)	0.015	0.063	ND(0.001)	ND(0.001)	0.000	0.177
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.036	
Dup.	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.079	ND(0.001)	ND(0.001)	0.012	0.078	ND(0.001)	ND(0.001)	0.000	0.188
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.013	0.090	ND(0.001)	ND(0.001)	0.000	0.197
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.013	0.094	ND(0.001)	ND(0.001)	0.001	0.222
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.011	0.073	ND(0.001)	ND(0.001)	0.000	0.156
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.050	0.001	ND(0.001)	0.011	0.056	ND(0.001)	ND(0.001)	0.000	0.136
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.039	0.002	ND(0.001)	0.010	0.078	ND(0.001)	ND(0.001)	0.000	0.146
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.033	0.002	ND(0.001)	0.010	0.063	ND(0.001)	ND(0.001)	0.000	0.126
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.036	0.002	ND(0.001)	0.010	0.057	ND(0.001)	ND(0.001)	0.000	0.124
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.027	0.002	ND(0.001)	0.010	0.032	ND(0.001)	ND(0.001)	0.000	0.085
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.029	0.002	ND(0.001)	0.009	0.041	ND(0.001)	ND(0.001)	0.000	0.095
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.045	0.002	ND(0.001)	0.012	0.047	ND(0.001)	ND(0.001)	0.000	0.125
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.008	0.049	ND(0.001)	ND(0.001)	0.000	0.109
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.005	0.039	ND(0.001)	ND(0.001)	0.000	0.089
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.038	ND(0.001)	ND(0.001)	0.000	0.083
Dup.	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.036	ND(0.001)	ND(0.001)	0.000	0.071
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.003	0.023	ND(0.001)	ND(0.001)	0.000	0.047
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.023	ND(0.001)	ND(0.001)	0.000	0.047
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	ND(0.001)	0.000	0.039
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.000	0.032
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.001	0.010	ND(0.001)	ND(0.001)	0.000	0.026
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.011	ND(0.001)	ND(0.001)	0.000	0.027
Dup.	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	ND(0.001)	0.000	0.032
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.012	ND(0.001)	ND(0.001)	0.000	0.031
	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.002	0.014	ND(0.001)	ND(0.001)	0.000	0.037
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	ND(0.001)	0.000	0.035
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.018	ND(0.001)	ND(0.001)	0.000	0.045
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.003	0.018	ND(0.001)	ND(0.001)	0.000	0.046
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.002	0.015	ND(0.001)	ND(0.001)	0.000	0.042
MW-19	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028	ND(0.001)	ND(0.001)	0.000	0.065
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.025	ND(0.001)	ND(0.001)	0.000	0.064
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110			0.000	0.271
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.140			0.000	0.324

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-19 (Cont.)	10/18/95	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.170	ND(0.005)	0.004	0.150	0.002	0.334			
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.110	ND(0.005)	ND(0.005)	0.100	0.000	0.220			
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.100	0.000	0.250			
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.110	0.000	0.269			
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.130	ND(0.005)	ND(0.005)	0.094	0.000	0.232			
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.009	ND(0.001)	0.122	0.001	0.003	0.093	0.001	0.228			
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.010	ND(0.001)	0.116	0.001	0.004	0.087	0.002	0.218			
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.009	ND(0.002)	0.116	ND(0.002)	0.005	0.096	0.002	0.226			
	10/17/97	0.003	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.010	ND(0.01)	0.124	ND(0.01)	0.007	0.066	0.003	0.207			
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.017	ND(0.01)	0.167	ND(0.01)	0.009	0.150	0.000	0.343			
	04/22/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.023	ND(0.0025)	0.212	ND(0.0025)	0.009	0.182	0.003	0.426			
	10/19/99	0.004	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.020	ND(0.005)	0.236	ND(0.005)	0.010	0.203	0.004	0.469			
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.033	ND(0.0025)	0.199	ND(0.0025)	ND(0.0025)	0.176	ND(0.0025)	0.408			
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	0.038	ND(0.0025)	0.133			
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	0.058	ND(0.0025)	ND(0.0025)	0.034	ND(0.0025)	0.104			
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.059			
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.037			
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.028			
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.011			
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006			
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004			
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002			
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001			
MW-20	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.001)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000			
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000			

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-20 (Cont.)	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.013
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.001	ND(0.001)	0.002	0.005	ND(0.001)	0.000	0.015
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.017
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.018
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.020
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.020
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.004	0.001	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.022
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.004	0.001	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.020
	11/20/96	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.012	0.002	ND(0.001)	0.003	0.006	0.002	0.002	0.023
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	0.019	0.002	ND(0.001)	0.004	0.006	0.002	0.002	0.032
MW-21	03/04/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	0.025	0.002	ND(0.001)	0.007	0.011	0.002	0.002	0.047
	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	0.021	0.002	ND(0.002)	0.005	0.008	0.001	0.001	0.038
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.011	0.002	ND(0.002)	0.003	0.007	0.000	0.000	0.022
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.007	0.002	ND(0.002)	0.001	0.004	0.001	0.001	0.013
	01/07/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.021	0.002	ND(0.002)	0.003	0.005	0.001	0.001	0.031
	04/15/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.028	0.002	ND(0.002)	0.003	0.006	0.001	0.001	0.039
	07/18/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	0.022	0.002	ND(0.002)	0.002	0.005	0.001	0.001	0.031
	10/28/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	0.015	0.002	ND(0.002)	0.001	0.004	0.001	0.001	0.021
	02/09/99	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	0.031	0.002	ND(0.001)	0.002	0.005	0.001	0.001	0.040
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.025	0.002	ND(0.001)	0.001	0.003	0.000	0.000	0.030
	07/14/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.002	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.011
	10/19/99	ND(0.001)	ND(0.001)	0.002	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.002	ND(0.001)	ND(0.001)	0.001	0.002	0.002	0.007
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.002	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	ND(0.001)	0.025	0.002	ND(0.001)	0.001	0.002	0.000	0.000	0.029
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.011
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.012
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.022
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.004	0.008	ND(0.001)	0.000	0.044
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.005	0.008	ND(0.002)	0.000	0.017
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.005	0.010	ND(0.001)	0.002	0.076
	01/12/02	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.010	0.018	ND(0.001)	0.003	0.102
	04/20/02	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.015	0.029	ND(0.001)	0.004	0.154
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.014	0.020	ND(0.001)	0.002	0.128
	10/15/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.089	ND(0.0025)	ND(0.0025)	0.012	0.022	ND(0.0025)	0.000	0.136
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.099	0.001	ND(0.001)	0.016	0.027	ND(0.001)	0.002	0.160
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.079	0.001	ND(0.001)	0.013	0.024	ND(0.001)	0.002	0.131
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.077
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.007	0.013	ND(0.001)	0.000	0.091
	01/28/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.012	0.026	ND(0.001)	0.002	0.111

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-21 (Cont.)	04/19/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.013	0.026	ND(0.001)	0.002	0.118
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.023	0.047	ND(0.001)	0.003	0.183
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.026	0.055	ND(0.001)	0.003	0.221
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.024	0.062	ND(0.001)	0.002	0.204
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.027	0.057	ND(0.001)	0.003	0.213
Dup.	05/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.027	0.059	ND(0.001)	0.002	0.207
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.024	0.050	ND(0.001)	0.002	0.184
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.021	0.052	ND(0.001)	0.002	0.161
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.021	0.036	ND(0.001)	0.002	0.137
	04/18/06	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.019	0.058	ND(0.001)	0.001	0.155
Dup.	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.018	0.066	ND(0.001)	0.002	0.175
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.022	0.042	ND(0.001)	0.002	0.139
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.020	0.059	ND(0.001)	0.002	0.168
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.080	ND(0.001)	ND(0.001)	0.026	0.070	ND(0.001)	0.002	0.211
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.029	0.076	ND(0.001)	0.002	0.227
Dup.	07/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.026	0.081	ND(0.001)	0.001	0.238
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.018	0.054	ND(0.001)	0.001	0.163
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.020	0.063	ND(0.001)	0.001	0.179
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.020	0.070	ND(0.001)	0.001	0.185
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.052	ND(0.001)	ND(0.001)	0.013	0.044	ND(0.001)	0.000	0.136
Dup.	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.016	0.044	ND(0.001)	0.001	0.125
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.016	0.048	ND(0.001)	0.001	0.132
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.010	0.040	ND(0.001)	0.000	0.105
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.009	0.033	ND(0.001)	0.001	0.106
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.007	0.029	ND(0.001)	0.000	0.078
Dup.	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.008	0.028	ND(0.001)	0.000	0.078
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.009	0.035	ND(0.001)	0.000	0.093
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.000	0.063
	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.009	0.029	ND(0.001)	0.000	0.081
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.000	0.070
MW-22	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.009	0.027	ND(0.001)	0.000	0.071
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.000	0.079
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.000	0.063
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.000	0.058
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.027	ND(0.001)	0.000	0.062
Dup.	11/20/96	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.012	0.053		0.014	0.138
	01/24/97	0.010	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.013	0.050		0.010	0.137
	01/24/97	0.011	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.011	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.013	0.065		0.011	0.188
	04/09/97	0.013	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.014	0.001	0.084		ND(0.001)	0.021	0.080		0.013	0.200

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)												
MW-22 (Cont.)	07/30/97	0.014	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.092		ND(0.002)	0.024	0.104		0.014	0.232
	10/17/97	0.016	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.004)	0.014	ND(0.005)	0.107		ND(0.005)	0.028	0.117		0.016	0.266
	10/28/98	0.016	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.017	ND(0.01)	0.129		ND(0.01)	0.037	0.150		0.016	0.333
	04/22/99	0.017	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.024	ND(0.0025)	0.185		ND(0.0025)	0.053	0.184		0.017	0.446
	10/19/99	0.019	ND(0.005)	0.002	ND(0.01)	ND(0.01)	0.026	ND(0.005)	0.200		ND(0.005)	0.056	0.207		0.021	0.489
	10/19/00	0.018	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.025	ND(0.005)	0.201	ND(0.005)	ND(0.005)	0.055	0.188	ND(0.005)	0.018	0.469
	04/12/01	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.156	ND(0.005)	ND(0.005)	0.052	0.161	ND(0.005)	0.015	0.391
	07/18/01	0.011	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.020	ND(0.01)	0.180	ND(0.01)	ND(0.01)	0.044	0.130	ND(0.01)	0.011	0.374
	10/18/01	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.052	0.160	ND(0.005)	0.014	0.403
	01/12/02	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.057	0.180	ND(0.005)	0.014	0.461
	04/20/02	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.054	0.150	ND(0.0025)	0.009	0.437
	07/24/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.120	ND(0.001)	0.005	0.346
	10/15/02	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.180	ND(0.0025)	ND(0.0025)	0.050	0.130	ND(0.0025)	0.004	0.383
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.210	ND(0.001)	ND(0.001)	0.053	0.150	ND(0.001)	0.004	0.438
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.052	0.150	ND(0.001)	0.004	0.412
	04/23/03	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.037	0.110	ND(0.001)	0.006	0.339
	07/17/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.130	ND(0.001)	0.003	0.357
	10/15/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.034	0.100	ND(0.001)	0.004	0.304
Dup.	01/28/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.035	0.110	ND(0.001)	0.004	0.294
	04/19/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.005	0.306
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.044	0.110	ND(0.001)	0.004	0.322
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.003	0.295
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.090	ND(0.001)	0.003	0.279
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.035	0.084	ND(0.001)	0.002	0.245
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.098	ND(0.001)	0.002	0.293
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.100	ND(0.001)	0.002	0.268
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.029	0.071	ND(0.001)	0.002	0.215
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.026	0.075	ND(0.001)	0.002	0.215
	07/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.092	ND(0.001)	ND(0.001)	0.024	0.078	ND(0.001)	0.003	0.207
	10/10/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.059	ND(0.001)	0.003	0.176
	10/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.022	0.067	ND(0.001)	0.003	0.198
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.021	0.077	ND(0.001)	0.003	0.208
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.091	ND(0.001)	0.003	0.245
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.024	0.081	ND(0.001)	0.003	0.269
	10/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.019	0.066	ND(0.001)	0.003	0.198
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.017	0.069	ND(0.001)	0.002	0.198
04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.080	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.153	
07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.010	0.041	ND(0.001)	0.002	0.137	
10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.013	0.042	ND(0.001)	0.003	0.124	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-22 (Cont.) Dup.	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	ND(0.001)	0.002	0.100
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.008	0.039	ND(0.001)	ND(0.001)	0.002	0.124
	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	ND(0.001)	0.002	0.097
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.033	ND(0.001)	ND(0.001)	0.001	0.096
	10/20/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	ND(0.001)	0.002	0.078
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	ND(0.001)	0.001	0.078
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.025	ND(0.001)	ND(0.001)	0.001	0.079
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.022	ND(0.001)	ND(0.001)	0.000	0.077
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.009	0.026	ND(0.001)	ND(0.001)	0.000	0.071
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	ND(0.001)	0.000	0.067
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.008	0.029	ND(0.001)	ND(0.001)	0.000	0.080
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.009	0.028	ND(0.001)	ND(0.001)	0.000	0.069
MW-22A	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.007	0.022	ND(0.001)	ND(0.001)	0.000	0.055
	01/12/02	0.015	0.021	ND(0.005)	0.088	0.023	0.023	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.037	0.110	ND(0.005)	ND(0.005)	0.124	0.340
	04/20/02	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.026	0.026	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.044	0.100	ND(0.0025)	ND(0.0025)	0.015	0.380
	07/24/02	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.022	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.074	ND(0.001)	ND(0.001)	0.009	0.271
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.022	0.022	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.031	0.080	ND(0.0025)	ND(0.0025)	0.011	0.303
	01/22/03	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.028	ND(0.001)	0.230	ND(0.001)	ND(0.001)	0.044	0.130	ND(0.001)	ND(0.001)	0.013	0.432
	04/24/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.020	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.047	0.140	ND(0.001)	ND(0.001)	0.003	0.367
	07/17/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.024	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.042	0.120	ND(0.001)	ND(0.001)	0.009	0.376
	10/15/03	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.021	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.140	ND(0.001)	ND(0.001)	0.007	0.369
	01/28/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.023	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.034	0.120	ND(0.001)	ND(0.001)	0.005	0.347
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.023	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	ND(0.001)	0.003	0.341
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.024	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.044	0.120	ND(0.001)	ND(0.001)	0.004	0.378
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.021	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.028	0.059	ND(0.001)	ND(0.001)	0.003	0.208
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.022	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.082	ND(0.001)	ND(0.001)	0.003	0.305
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.072	ND(0.001)	ND(0.001)	0.002	0.243
	07/08/05	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.027	ND(0.001)	0.200	ND(0.001)	ND(0.001)	0.037	0.120	ND(0.001)	ND(0.001)	0.005	0.384
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.022	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.031	0.090	ND(0.001)	ND(0.001)	0.002	0.273
	01/18/06	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.021	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.096	ND(0.001)	ND(0.001)	0.004	0.289
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.017	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.100	ND(0.001)	ND(0.001)	0.002	0.223
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.020	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	ND(0.001)	0.002	0.220
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.017	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.026	0.062	ND(0.001)	ND(0.001)	0.002	0.188
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.021	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.026	0.110	ND(0.001)	ND(0.001)	0.003	0.287
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.021	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.026	0.098	ND(0.001)	ND(0.001)	0.003	0.275
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.022	ND(0.001)	0.240	ND(0.001)	ND(0.001)	0.028	0.140	ND(0.001)	ND(0.001)	0.003	0.430
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.020	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.021	0.081	ND(0.001)	ND(0.001)	0.002	0.220
	01/16/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.020	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.022	0.110	ND(0.001)	ND(0.001)	0.003	0.252
	04/28/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.018	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.016	0.096	ND(0.001)	ND(0.001)	0.002	0.224

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-24 (Cont.)	10/19/99	ND(0.001)	ND(0.001)	0.003	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-25	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	03/04/97	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.021	0.080
	04/09/97	0.015	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.015	0.001	0.001	0.035	ND(0.001)	ND(0.001)	0.006	0.020	ND(0.001)	ND(0.001)	0.015	0.077
	04/09/97	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.015	0.001	0.001	0.034	ND(0.001)	ND(0.001)	0.005	0.019	ND(0.001)	ND(0.001)	0.014	0.074
	07/30/97	0.023	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	0.001	0.001	0.031	ND(0.002)	ND(0.002)	0.005	0.035	ND(0.002)	ND(0.002)	0.023	0.083
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	0.001	0.001	0.027	ND(0.002)	ND(0.002)	0.004	0.035	ND(0.002)	ND(0.002)	0.026	0.078
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.013	0.001	0.001	0.028	ND(0.002)	ND(0.002)	0.004	0.028	ND(0.002)	ND(0.002)	0.026	0.074
	01/07/98	0.027	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.014	0.001	0.001	0.030	ND(0.002)	ND(0.002)	0.004	0.033	ND(0.002)	ND(0.002)	0.027	0.082
	04/15/98	0.025	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.013	ND(0.002)	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.004	0.034	ND(0.002)	ND(0.002)	0.025	0.079
Dup.	07/18/98	0.022	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.024	ND(0.002)	ND(0.002)	0.004	0.026	ND(0.002)	ND(0.002)	0.022	0.066
	10/28/98	0.030	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.030	ND(0.002)	ND(0.002)	0.005	0.038	ND(0.002)	ND(0.002)	0.030	0.085
	02/09/99	0.027	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.003	0.039	ND(0.001)	ND(0.001)	0.027	0.086
	04/22/99	0.030	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.032	ND(0.001)	ND(0.001)	0.030	0.078
	07/14/99	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.012	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028	ND(0.001)	ND(0.001)	0.022	0.071
	10/19/99	0.025	ND(0.001)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.027	ND(0.001)	ND(0.001)	0.027	0.070
	01/26/00	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.026	ND(0.001)	ND(0.001)	0.025	0.072
	04/21/00	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.011	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.025	ND(0.001)	ND(0.001)	0.022	0.063
	07/27/00	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.004	0.027	ND(0.001)	ND(0.001)	0.022	0.065
	10/19/00	0.030	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	0.001	0.001	0.036	ND(0.001)	ND(0.001)	0.007	0.032	ND(0.001)	ND(0.001)	0.030	0.089
Dup.	01/18/01	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.010	0.053	ND(0.001)	ND(0.001)	0.022	0.126
	04/12/01	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)	ND(0.005)	0.017	0.127
	07/18/01	0.015	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.002)	ND(0.002)	0.050	ND(0.002)	ND(0.002)	0.009	0.037	ND(0.002)	ND(0.002)	0.015	0.108
	10/18/01	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.054	ND(0.0025)	ND(0.0025)	0.013	0.052	ND(0.0025)	ND(0.0025)	0.015	0.132
	01/12/02	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	0.059	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)	ND(0.005)	0.012	0.138
	07/24/02	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.017	0.048	ND(0.001)	ND(0.001)	0.010	0.141
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	ND(0.0025)	0.063	ND(0.0025)	ND(0.0025)	0.015	0.047	ND(0.0025)	ND(0.0025)	0.011	0.140
	01/22/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.017	0.110	ND(0.001)	ND(0.001)	0.011	0.292
	04/23/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.015	0.054	ND(0.001)	ND(0.001)	0.009	0.146

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-25 (Cont.)	07/17/03	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.010	0.147
	10/15/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.023	0.076	ND(0.001)	0.011	0.218
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.169
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.156
Dup.	04/19/04	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.024	0.072	ND(0.001)	0.010	0.201
	07/16/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.030	0.090	ND(0.001)	0.009	0.249
	10/29/04	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.027	0.074	ND(0.001)	0.008	0.242
	01/14/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.023	0.078	ND(0.001)	0.007	0.229
Dup.	04/16/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.091	ND(0.001)	ND(0.001)	0.029	0.090	ND(0.001)	0.007	0.228
	04/16/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.032	0.071	ND(0.001)	0.008	0.216
	07/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.030	0.087	ND(0.001)	0.008	0.257
	10/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.095	ND(0.001)	0.008	0.251
Dup.	01/19/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.071	ND(0.001)	0.007	0.204
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.075	ND(0.001)	0.007	0.208
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.093	ND(0.001)	ND(0.001)	0.027	0.079	ND(0.001)	0.007	0.216
	07/11/06	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.028	0.086	ND(0.001)	0.008	0.232
Dup.	10/10/06	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.030	0.082	ND(0.001)	0.006	0.226
	01/16/07	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.029	0.100	ND(0.001)	0.006	0.269
	04/17/07	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.040	0.150	ND(0.001)	0.007	0.378
	07/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.220	ND(0.001)	ND(0.001)	0.037	0.150	ND(0.001)	0.005	0.432
Dup.	10/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.180	ND(0.001)	ND(0.001)	0.031	0.130	ND(0.001)	0.005	0.367
	01/16/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.032	0.150	ND(0.001)	0.005	0.378
	04/28/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.025	0.110	ND(0.001)	0.003	0.311
	04/28/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.150	ND(0.001)	0.005	0.379
Dup.	07/15/08	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.025	0.120	ND(0.001)	0.004	0.308
	10/14/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.030	0.140	ND(0.001)	0.005	0.344
	01/13/09	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.023	0.120	ND(0.001)	0.003	0.320
	04/06/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.001	0.001	0.130	0.001	ND(0.001)	0.025	0.100	ND(0.001)	0.004	0.284
Dup.	07/14/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.024	0.120	ND(0.001)	0.004	0.286
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.012	0.120	ND(0.001)	0.002	0.295
	10/20/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.001	0.001	0.130	ND(0.001)	ND(0.001)	0.021	0.100	ND(0.001)	0.004	0.277
	01/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.021	0.110	ND(0.001)	0.003	0.262
Dup.	04/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.000	0.000	0.092	0.000	ND(0.001)	0.018	0.089	ND(0.001)	0.003	0.220
	04/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.001	0.001	0.092	0.000	ND(0.001)	0.018	0.089	ND(0.001)	0.003	0.221
	07/27/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.014	0.069	ND(0.001)	0.002	0.184
	07/27/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.013	0.066	ND(0.001)	0.002	0.173
Dup.	10/19/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.013	0.064	ND(0.001)	0.002	0.157
	01/20/11	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.012	0.052	ND(0.001)	0.002	0.131
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.012	0.054	ND(0.001)	0.000	0.124
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.009	0.039	ND(0.001)	0.000	0.093

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-26 Dup.	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.007
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	0.004	ND(0.001)	0.001	0.004	0.000	0.000	0.010
Dup.	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	0.004	ND(0.001)	0.001	0.004	0.000	0.000	0.010
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	0.006	ND(0.001)	0.001	0.006	0.000	0.000	0.015
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.013	0.013	ND(0.001)	0.002	0.011	0.000	0.000	0.030
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.011	0.010	ND(0.001)	0.002	0.013	0.000	0.000	0.030
	10/27/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.010	0.008	ND(0.002)	0.002	0.014	0.000	0.000	0.029
Dup.	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.001)	0.003	ND(0.0005)	0.008	0.008	ND(0.0005)	0.002	0.011	0.000	0.000	0.024
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	0.010	0.010	ND(0.001)	0.002	0.010	0.000	0.000	0.025
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	0.013	0.013	ND(0.001)	0.002	0.014	0.000	0.000	0.033
	10/19/99	0.001	ND(0.001)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.006	ND(0.001)	0.018	0.018	ND(0.001)	0.003	0.018	0.004	0.004	0.045
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.006	ND(0.001)	0.020	0.016	ND(0.001)	0.003	0.002	0.000	0.000	0.031
Dup.	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	ND(0.001)	0.016	0.016	ND(0.001)	0.003	0.017	0.000	0.000	0.041
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.006	ND(0.001)	0.019	0.019	ND(0.001)	0.004	0.023	ND(0.001)	0.002	0.052
	10/19/00	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.007	ND(0.001)	0.023	0.023	ND(0.001)	0.004	0.021	ND(0.001)	0.003	0.055
	01/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.017	0.017	ND(0.001)	0.003	0.019	ND(0.001)	0.002	0.044
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.019	0.019	ND(0.001)	0.004	0.022	ND(0.001)	0.001	0.050
Dup.	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.021	0.021	ND(0.001)	0.004	0.024	ND(0.001)	0.001	0.055
	07/18/01	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.002)	0.026	0.026	ND(0.002)	0.004	0.022	ND(0.002)	0.003	0.059
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.023	0.023	ND(0.001)	0.005	0.024	ND(0.001)	0.002	0.057
	01/12/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.024	0.024	ND(0.001)	0.005	0.025	ND(0.001)	0.002	0.060
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	0.034	ND(0.001)	0.007	0.030	ND(0.001)	0.002	0.078
Dup.	04/20/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	0.034	ND(0.001)	0.007	0.029	ND(0.001)	0.001	0.077
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.046	0.046	ND(0.001)	0.012	0.090	ND(0.001)	0.002	0.158
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.048	0.048	ND(0.001)	0.012	0.044	ND(0.001)	0.002	0.114
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	0.063	ND(0.001)	0.014	0.052	ND(0.001)	0.002	0.140
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.052	0.052	ND(0.001)	0.012	0.051	ND(0.001)	0.002	0.124
Dup.	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.051	0.051	ND(0.001)	0.013	0.049	ND(0.001)	0.002	0.122
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.055	0.055	ND(0.001)	0.013	0.047	ND(0.001)	0.002	0.124
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.056	0.056	ND(0.001)	0.016	0.060	ND(0.001)	0.001	0.142
	01/28/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.047	0.047	ND(0.001)	0.012	0.053	ND(0.001)	0.001	0.121
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.053	0.053	ND(0.001)	0.013	0.047	ND(0.001)	0.001	0.119
Dup.	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.074	0.074	ND(0.001)	0.019	0.048	ND(0.001)	0.001	0.151
	10/29/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.082	0.082	ND(0.001)	0.019	0.057	ND(0.001)	0.001	0.171
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.082	0.082	ND(0.001)	0.018	0.068	ND(0.001)	0.000	0.180
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.086	0.086	ND(0.001)	0.020	0.061	ND(0.001)	0.000	0.180

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-26 (Cont.)	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.019	0.069	ND(0.001)	0.000	0.173
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.072	ND(0.001)	0.001	0.172
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.081	ND(0.001)	ND(0.001)	0.022	0.073	ND(0.001)	0.000	0.189
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.021	0.063	ND(0.001)	0.000	0.172
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.110	ND(0.001)	0.000	0.214
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.087	ND(0.001)	ND(0.001)	0.024	0.068	ND(0.001)	0.000	0.195
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.022	0.056	ND(0.001)	0.000	0.156
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.022	0.070	ND(0.001)	0.000	0.176
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.002	0.263
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.034	0.099	ND(0.001)	0.002	0.267
Dup.	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.026	0.084	ND(0.001)	0.000	0.220
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.040	ND(0.001)	0.000	0.106
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.014	0.040	ND(0.001)	0.000	0.109
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.047	ND(0.001)	0.000	0.130
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.054	ND(0.001)	0.001	0.148
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.000	0.114
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.019	ND(0.001)	0.000	0.053
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.006	0.018	ND(0.001)	0.000	0.052
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.014	ND(0.001)	0.000	0.045
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.000	0.021
Dup.	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.019
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.005	ND(0.001)	0.000	0.012
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.014
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.016
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.007
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.007
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.014
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.004
	01/12/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.018	ND(0.001)	0.005	0.052
MW-26A	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.004	0.012	ND(0.001)	0.002	0.051
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.013	ND(0.001)	0.002	0.053
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.005	0.015	ND(0.001)	0.002	0.061
	01/22/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.006	0.021	ND(0.001)	0.003	0.077
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.001	0.079
	07/16/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.003	0.083
	10/15/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.003	0.085
	01/28/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.008	0.034	ND(0.001)	0.003	0.096
	01/12/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.018	ND(0.001)	0.005	0.052
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.004	0.012	ND(0.001)	0.002	0.051
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.013	ND(0.001)	0.002	0.053

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-26A (Cont.) Dup.	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	ND(0.001)	0.003	0.100
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.010	0.030	ND(0.001)	ND(0.001)	0.003	0.097
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	ND(0.001)	0.003	0.126
	10/29/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.030	ND(0.001)	ND(0.001)	0.002	0.110
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.031	ND(0.001)	ND(0.001)	0.002	0.110
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.014	0.038	ND(0.001)	ND(0.001)	0.002	0.124
	07/09/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.013	0.046	ND(0.001)	ND(0.001)	0.002	0.132
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	ND(0.001)	0.002	0.151
	01/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.045	ND(0.001)	ND(0.001)	0.002	0.144
	04/18/06	0.002	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.012	0.012	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.018	0.085	ND(0.001)	ND(0.001)	0.004	0.188
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.017	0.100	ND(0.001)	ND(0.001)	0.002	0.196
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.011	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.047	ND(0.001)	ND(0.001)	0.002	0.143
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.018	0.067	ND(0.001)	ND(0.001)	0.002	0.171
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.015	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	ND(0.001)	0.003	0.228
	07/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.021	0.071	ND(0.001)	ND(0.001)	0.002	0.198
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.013	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.018	0.062	ND(0.001)	ND(0.001)	0.002	0.176
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.011	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.018	0.075	ND(0.001)	ND(0.001)	0.002	0.181
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.010	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.058	ND(0.001)	ND(0.001)	0.000	0.145
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	ND(0.001)	0.001	0.137
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.010	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	ND(0.001)	0.001	0.139
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.008	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	ND(0.001)	0.000	0.113
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.008	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.012	0.045	ND(0.001)	ND(0.001)	0.001	0.115
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.013	0.050	ND(0.001)	ND(0.001)	0.001	0.117
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	ND(0.001)	0.000	0.080
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.029	0.000	ND(0.001)	0.009	0.038	ND(0.001)	ND(0.001)	0.001	0.080
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.008	0.033	ND(0.001)	ND(0.001)	0.000	0.075
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.008	0.036	ND(0.001)	ND(0.001)	0.000	0.073
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.043	ND(0.001)	ND(0.001)	0.000	0.078
MW-27	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/07/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-29 (Cont.)	04/08/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
MW-30	04/15/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	0.002	0.000	0.000	0.006
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.000	0.003
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.005
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.006
Dup.	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.0005)	0.002	ND(0.0005)	<0.001	0.002	0.002	0.000	0.000	0.005
	02/09/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.007
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.007
Dup.	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.005
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.008	0.008
Dup.	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.008	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
Dup.	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.006
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000	0.000	0.008
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000	0.010	0.010
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000	0.009	0.009
Dup.	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000	0.010	0.010
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.000	0.010	0.010
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.000	0.006
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.012

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-30 (Cont.)	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.015
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
Dup.	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
Dup.	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.025
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.027
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.029
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.029
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.034
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.040
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.009	ND(0.001)	0.000	0.039
	01/16/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.001	0.045
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.000	0.045
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.006	0.014	ND(0.001)	0.000	0.064
Dup.	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	0.013	ND(0.001)	0.000	0.062
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.006	0.015	ND(0.001)	0.001	0.073
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.008	0.020	ND(0.001)	0.001	0.084
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.007	0.018	ND(0.001)	0.001	0.076
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.006	0.017	ND(0.001)	0.000	0.072
Dup.	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.007	0.019	ND(0.001)	0.001	0.079
	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.011	0.023	ND(0.001)	0.002	0.087
	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.012	0.030	ND(0.001)	0.002	0.101
	01/13/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.069	ND(0.001)	ND(0.001)	0.010	0.040	ND(0.001)	0.001	0.129
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.039	ND(0.001)	0.001	0.127
Dup.	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.015	0.040	ND(0.001)	0.001	0.122

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOLUENE			TOTAL XYLENES			TOTAL			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)		
MW-30 (Cont.) Dup.	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.096	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.000	0.182	
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.000	0.170	
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.019	0.059	ND(0.001)	0.001	0.169	
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.018	0.066	ND(0.001)	0.000	0.180	
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.019	0.056	ND(0.001)	0.001	0.149	
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.016	0.055	ND(0.001)	0.000	0.154	
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.016	0.058	ND(0.001)	0.000	0.147	
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.018	0.091	ND(0.001)	0.000	0.226	
MW-31	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.016	0.064	ND(0.001)	0.000	0.157	
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.057	ND(0.001)	ND(0.001)	0.012	0.052	ND(0.001)	0.000	0.135	
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.011	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	0.039	ND(0.001)	0.001	0.095		
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.003	0.028	ND(0.001)	0.000	0.067		
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.021	ND(0.001)	0.001	0.060		
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.008	0.028	ND(0.001)	0.001	0.077		
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.001	0.072		
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.007	0.023	ND(0.001)	0.000	0.062		
MW-32 Dup.	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.041	0.000	ND(0.001)	0.010	0.032	ND(0.001)	0.001	0.092		
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.000	0.076		
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.000	0.063		
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.008	0.028	ND(0.001)	0.000	0.069		
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.009	0.029	ND(0.001)	0.000	0.072		
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.007	0.023	ND(0.001)	0.000	0.056		
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.007	0.022	ND(0.001)	0.000	0.060		
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.000	0.079		
Dup.	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.009	0.050	ND(0.001)	0.000	0.105		
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.010	0.037	ND(0.001)	0.000	0.085		
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.009	0.030	ND(0.001)	0.000	0.084		
Dup.	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.006	0.023	ND(0.001)	0.000	0.055		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				TOLUENE (mg/L)	XYLENES (mg/L)						1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)					
Tank	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)		0.007	ND(0.001)	0.042	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.002	0.092
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)		0.007	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.039	ND(0.001)	0.002	0.092
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)		0.007	ND(0.001)	0.036	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	0.001	0.088
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)		0.008	ND(0.001)	0.046	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.003	ND(0.001)	0.001	0.067
	04/20/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)		0.008	ND(0.001)	0.041	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.002	0.091
	07/26/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)		0.007	ND(0.001)	0.042	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.035	ND(0.001)	0.001	0.093
	10/19/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)		0.007	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.029	ND(0.001)	0.001	0.075
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		0.008	ND(0.001)	0.040	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.038	ND(0.001)	0.000	0.094
	04/05/11	0.001	ND(0.001)	ND(0.001)	ND(0.001)		0.007	ND(0.001)	0.033	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.037	ND(0.001)	0.001	0.087
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		0.007	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.032	ND(0.001)	0.000	0.077

Analytical method used prior to 10/95 = EPA Method 8240

Analytical method used during and after 10/95 = EPA Method 8260

NOTES:

mg/L = milligrams per liter (equivalent to parts per million)

dup. = duplicate sample

ND(0.001) = chemical not detected at concentration above detection limit shown in parentheses

J = chemical detected at concentration above instrument detection limit but below method detection limit

* = other chemicals also detected (see previous laboratory reports)

= other chemicals also detected (see laboratory analytical reports - Appendix A)

italicized value - is below the method detection limit.

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

CHEMICAL ABBREVIATIONS:

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1-TCA (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-1	02/10/94	ND(1)	3.57	2.98	12.60	ND(2)	ND(2)	ND(2)	4.07	ND(2)	ND(2)	ND(1)	ND(2)
	02/16/94	ND(1)	1.20	1.10	10.40	ND(2)	ND(2)	ND(2)	3.70	ND(2)	ND(2)	14.50	9.10
	02/23/94	ND(0.5)	2.20	2.40	18.30	ND(1)	ND(1)	ND(1)	6.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/04/94	ND(0.5)	2.60	2.50	21.20	ND(1)	ND(1)	ND(1)	6.60	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	2.60	2.90	16.10	ND(1)	ND(1)	ND(1)	9.30	ND(1)	ND(1)	17.80	4.10
	03/18/94	ND(0.5)	14.60	1.80	ND(0.5)	ND(1)	ND(1)	ND(1)	3.50	ND(1)	ND(1)	ND(0.5)	21.30
	03/28/94	ND(0.5)	0.90	1.20	8.00	ND(1)	ND(1)	ND(1)	3.40	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	ND(0.5)	ND(0.5)	4.60	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	ND(0.5)	ND(0.5)	5.90	ND(1)	ND(1)	ND(1)	2.80	ND(1)	ND(1)	ND(0.5)	1.20
	05/06/94	ND(0.5)	1.10	1.70	5.80	ND(0.5)	ND(0.5)	ND(1)	3.90	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	0.80	ND(0.5)	8.40	ND(0.5)	ND(0.5)	ND(1)	1.80	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	06/01/94	ND(1)	3.00	ND(1)	6.00	ND(1)	ND(1)	ND(1)	4.00	ND(1)	ND(1)	2.00	ND(1)
	07/06/94	ND(1)	5.00	1.00	11.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
	08/10/94	NA	NA	NA	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
	09/07/94	ND(0.001)	0.24	0.09	0.61	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
WB-2	12/05/94	ND(0.001)	0.19	0.14	NA	ND(0.001)	ND(0.001)	ND(0.001)	0.27	ND(0.001)	ND(0.001)	0.04	NA
	01/25/95	ND(0.04)	0.16	0.12	1.19	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)
	05/09/95	ND(0.2)	0.78	0.80	8.24	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.28	ND(0.2)
	02/10/94	1.67	5.03	10.13	14.90	ND(2)	ND(2)	ND(2)	8.34	ND(2)	ND(2)	ND(2)	14.71
	02/16/94	ND(1)	3.00	4.80	29.90	ND(2)	ND(2)	ND(2)	6.50	ND(2)	ND(2)	14.50	6.70
	02/23/94	1.40	9.30	16.40	53.20	ND(1)	ND(1)	ND(1)	12.80	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/04/94	ND(0.5)	5.30	9.50	39.70	ND(1)	ND(1)	ND(1)	12.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	5.40	10.90	23.20	ND(1)	ND(1)	ND(1)	12.10	ND(1)	ND(1)	ND(0.5)	26.70
	03/18/94	0.70	4.80	9.60	28.10	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	18.70
	03/28/94	ND(0.5)	1.90	3.50	12.80	ND(1)	ND(1)	ND(1)	5.00	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	1.10	1.50	8.40	ND(1)	ND(1)	ND(1)	2.00	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	4.10	5.80	27.50	ND(1)	ND(1)	ND(1)	6.80	ND(1)	ND(1)	ND(0.5)	1.60
	05/06/94	ND(0.5)	3.70	4.50	30.00	ND(0.5)	ND(0.5)	ND(1)	3.00	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	5.30	6.00	44.20	ND(0.5)	ND(0.5)	ND(1)	2.80	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	06/01/94	ND(1)	7.00	ND(1)	15.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
WB-3	07/06/94	ND(1)	5.00	8.00	42.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
	08/10/94	NA	NA	NA	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
	09/07/94	ND(0.001)	0.45	0.41	4.12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	1.28
	12/05/94	0.24	1.40	1.66	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.23	NA
	01/25/95	ND(0.04)	0.69	0.91	10.67	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)
	05/09/95	ND(0.2)	0.91	5.44	14.67	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
	02/03/94	5.50	22.00	78.00	153.00	1.20	ND(0.5)	2.80	26.00	ND(0.5)	ND(0.5)	5.20	ND(2)
	02/10/94	ND(1)	15.60	64.60	46.90	ND(2)	ND(2)	ND(2)	11.40	ND(2)	ND(2)	ND(2)	31.33
	02/16/94	ND(1)	25.70	44.50	44.50	ND(2)	ND(2)	ND(2)	11.00	ND(2)	ND(2)	ND(1)	ND(2)
	02/23/94	3.50	17.50	73.20	99.10	ND(1)	ND(1)	ND(1)	19.30	ND(1)	ND(1)	1.60	1.40
	03/04/94	2.10	10.60	44.90	60.90	ND(1)	ND(1)	ND(1)	14.70	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	13.30	ND(0.5)	14.30	ND(1)	ND(1)	ND(1)	17.90	ND(1)	ND(1)	ND(0.5)	3.80
	03/18/94	ND(0.5)	10.10	38.30	57.20	ND(1)	ND(1)	ND(1)	11.00	ND(1)	ND(1)	ND(0.5)	46.40
	03/28/94	1.20	5.70	21.40	30.80	ND(1)	ND(1)	ND(1)	8.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	1.50	2.40	9.40	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	10.60	27.60	31.80	ND(1)	ND(1)	ND(1)	11.10	ND(1)	ND(1)	ND(0.5)	13.30
	05/06/94	ND(0.5)	6.80	17.50	38.90	ND(0.5)	ND(0.5)	ND(1)	6.00	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	6.20	8.10	43.90	ND(0.5)	ND(0.5)	ND(1)	1.90	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)

Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1-TCA (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-COMP (cont.)	07/11/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/10/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/16/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/17/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/18/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/16/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/29/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/15/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/15/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/13/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/07/09	ND(10)	ND(10)	ND(10)	1.50	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	0.90	ND(10)
	07/14/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/21/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/20/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/20/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/26/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/19/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/19/11	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/06/11	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/11/11	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)

Prior to January 1995, the laboratory analytical method used was EPA Method 8240. During and after January 1995, the laboratory analytical method used was EPA Method 8260. See laboratory reports for concentrations of additional analytes.

In April 1995, the wash bay SVE system was expanded. Each of the three zones now consists of an old south (S) and a new north (N) zone.

NOTES

mg/m3 = milligrams per cubic meter

* = units reported as "ppm" or "mg/L." Detection limit may be incorrect

**=laboratory results may not be an accurate representation of the emissions

J = chemical present above instrument detection limit but below method detection limit

NA = not analyzed

MS = Maintenance Shop SVE system

WB = Wash Bay SVE system

WB-N1 = north subzone of Wash Bay Zone 1

WB-N2 = north subzone of Wash Bay Zone 2

WB-N3 = north subzone of Wash Bay Zone 3

WB-COMP = composite sample from Wash Bay zones 1, 2, and 3

MS-COMP = composite sample from Maintenance Shop zones 1 and 2

CHEMICAL ABBREVIATIONS

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane


1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene





ANALYTICAL SUMMARY REPORT

July 25, 2011

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C11070521

Project Name: 90125 Artesia

Energy Laboratories, Inc. Casper WY received the following 22 samples for Deuell Environmental LLC on 7/14/2011 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C11070521-001	90125-13.7/11	07/13/11 08:00	07/14/11	Aqueous	SW8260B VOCs, Standard List
C11070521-002	90125-15.7/11	07/13/11 08:15	07/14/11	Aqueous	Same As Above
C11070521-003	90125-9.7/11	07/13/11 08:45	07/14/11	Aqueous	Same As Above
C11070521-004	90125-12.7/11	07/13/11 09:30	07/14/11	Aqueous	Same As Above
C11070521-005	90125-20.7/11	07/13/11 10:15	07/14/11	Aqueous	Same As Above
C11070521-006	90125-28.7/11	07/13/11 10:30	07/14/11	Aqueous	Same As Above
C11070521-007	90125-29.7/11	07/13/11 10:45	07/14/11	Aqueous	Same As Above
C11070521-008	90125-30.7/11	07/13/11 11:00	07/14/11	Aqueous	Same As Above
C11070521-009	90125-Tank.7/11	07/13/11 11:15	07/14/11	Aqueous	Same As Above
C11070521-010	90125-32.7/11	07/13/11 11:30	07/14/11	Aqueous	Same As Above
C11070521-011	90125-26.7/11	07/13/11 12:00	07/14/11	Aqueous	Same As Above
C11070521-012	90125-27.7/11	07/13/11 12:15	07/14/11	Aqueous	Same As Above
C11070521-013	90125-22.7/11	07/13/11 12:45	07/14/11	Aqueous	Same As Above
C11070521-014	90125-25.7/11	07/13/11 13:00	07/14/11	Aqueous	Same As Above
C11070521-015	90125-21.7/11	07/13/11 13:30	07/14/11	Aqueous	Same As Above
C11070521-016	90125-31.7/11	07/13/11 14:00	07/14/11	Aqueous	Same As Above
C11070521-017	90125-18.7/11	07/13/11 14:30	07/14/11	Aqueous	Same As Above
C11070521-018	90125-11.7/11	07/13/11 15:00	07/14/11	Aqueous	Same As Above
C11070521-019	90125-8.7/11	07/13/11 15:30	07/14/11	Aqueous	Same As Above
C11070521-020	90125-A.7/11	07/13/11 07:30	07/14/11	Aqueous	Same As Above
C11070521-021	90125-B.7/11	07/13/11 07:00	07/14/11	Aqueous	Same As Above
C11070521-022	Trip Blank	07/13/11 00:00	07/14/11	Aqueous	Same As Above

This report was prepared by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.



www.energylab.com
Analytical Excellence Since 1952

Helena, MT 877-472-0711 * Billings, MT 800-735-4488 * Casper, WY 888-235-0515
Gilette, WY 866-686-7175 * Rapid City, SD 888-672-1225 * College Station, TX 888-690-2218

ANALYTICAL SUMMARY REPORT

The results as reported relate only to the item(s) submitted for testing. All samples are reported on an as received basis unless otherwise indicated. Samples corrected for dry weight indicate units that have -dry appended.

If you have any questions regarding these test results, please call.

Report Approved By:



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-001
Client Sample ID: 90125-13.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 08:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-001
Client Sample ID: 90125-13.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 08:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/19/11 15:23 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/19/11 15:23 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Trichloroethene	1.2	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/19/11 15:23 / jlr
Surr: 1,2-Dichlorobenzene-d4	96.0	%REC		80-120		SW8260B	07/19/11 15:23 / jlr
Surr: Dibromofluoromethane	100	%REC		70-130		SW8260B	07/19/11 15:23 / jlr
Surr: p-Bromofluorobenzene	94.0	%REC		80-120		SW8260B	07/19/11 15:23 / jlr
Surr: Toluene-d8	88.0	%REC		80-120		SW8260B	07/19/11 15:23 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-002
Client Sample ID: 90125-15.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 08:15
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,1-Dichloroethane	1.3	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
cis-1,2-Dichloroethene	4.7	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-002
Client Sample ID: 90125-15.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 08:15
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 14:07 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 14:07 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Trichloroethene	32	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 14:07 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	07/15/11 14:07 / jlr
Surr: Dibromofluoromethane	101	%REC		70-130		SW8260B	07/15/11 14:07 / jlr
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	07/15/11 14:07 / jlr
Surr: Toluene-d8	87.0	%REC		80-120		SW8260B	07/15/11 14:07 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-003
Client Sample ID: 90125-9.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 08:45
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
cis-1,2-Dichloroethene	3.2	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-003
Client Sample ID: 90125-9.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 08:45
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 14:42 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 14:42 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Trichloroethene	17	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 14:42 / jlr
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	07/15/11 14:42 / jlr
Surr: Dibromofluoromethane	102	%REC		70-130		SW8260B	07/15/11 14:42 / jlr
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	07/15/11 14:42 / jlr
Surr: Toluene-d8	87.0	%REC		80-120		SW8260B	07/15/11 14:42 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-004
Client Sample ID: 90125-12.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 09:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,1-Dichloroethane	53	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,1-Dichloroethene	4.4	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,2,4-Trimethylbenzene	240	ug/L		10		SW8260B	07/16/11 02:53 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,3,5-Trimethylbenzene	1.2	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Benzene	16	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
cis-1,2-Dichloroethene	130	ug/L		10		SW8260B	07/16/11 02:53 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Ethylbenzene	190	ug/L		10		SW8260B	07/16/11 02:53 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Isopropylbenzene	210	ug/L		10		SW8260B	07/16/11 02:53 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-004
Client Sample ID: 90125-12.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 09:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	52	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/16/11 05:47 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/16/11 05:47 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
n-Butylbenzene	40	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
n-Propylbenzene	140	ug/L		10		SW8260B	07/16/11 02:53 / jlr
Naphthalene	64	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
o-Xylene	1.0	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
sec-Butylbenzene	13	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Trichloroethene	2.4	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Xylenes, Total	53	ug/L		1.0		SW8260B	07/16/11 05:47 / jlr
Surr: 1,2-Dichlorobenzene-d4	97.0	%REC		80-120		SW8260B	07/16/11 05:47 / jlr
Surr: Dibromofluoromethane	98.0	%REC		70-130		SW8260B	07/16/11 05:47 / jlr
Surr: p-Bromofluorobenzene	97.0	%REC		80-120		SW8260B	07/16/11 05:47 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/16/11 05:47 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-005
Client Sample ID: 90125-20.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 10:15
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,1-Dichloroethane	7.0	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,1-Dichloroethene	3.8	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
cis-1,2-Dichloroethene	1.4	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-005
Client Sample ID: 90125-20.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 10:15
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 15:17 / jlr
Methyl tert-butyl ether (MTBE)	10	ug/L		2.0		SW8260B	07/15/11 15:17 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Tetrachloroethene	6.0	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Trichloroethene	3.3	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 15:17 / jlr
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	07/15/11 15:17 / jlr
Surr: Dibromofluoromethane	95.0	%REC		70-130		SW8260B	07/15/11 15:17 / jlr
Surr: p-Bromofluorobenzene	108	%REC		80-120		SW8260B	07/15/11 15:17 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/15/11 15:17 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-006
Client Sample ID: 90125-28.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 10:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,1-Dichloroethane	12	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,1-Dichloroethene	18	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
cis-1,2-Dichloroethene	1.6	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-006
Client Sample ID: 90125-28.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 10:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 15:52 / jlr
Methyl tert-butyl ether (MTBE)	4.8	ug/L		2.0		SW8260B	07/15/11 15:52 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Tetrachloroethene	15	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Trichloroethene	7.0	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 15:52 / jlr
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	07/15/11 15:52 / jlr
Surr: Dibromofluoromethane	105	%REC		70-130		SW8260B	07/15/11 15:52 / jlr
Surr: p-Bromofluorobenzene	110	%REC		80-120		SW8260B	07/15/11 15:52 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/15/11 15:52 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-007
Client Sample ID: 90125-29.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 10:45
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,1-Dichloroethene	1.9	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-007
Client Sample ID: 90125-29.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 10:45
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 16:26 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 16:26 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 16:26 / jlr
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	07/15/11 16:26 / jlr
Surr: Dibromofluoromethane	116	%REC		70-130		SW8260B	07/15/11 16:26 / jlr
Surr: p-Bromofluorobenzene	115	%REC		80-120		SW8260B	07/15/11 16:26 / jlr
Surr: Toluene-d8	89.0	%REC		80-120		SW8260B	07/15/11 16:26 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-008
Client Sample ID: 90125-30.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 11:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,1-Dichloroethane	14	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,1-Dichloroethene	57	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-008
Client Sample ID: 90125-30.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 11:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 17:36 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 17:36 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Tetrachloroethene	52	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Trichloroethene	12	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 17:36 / jlr
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	07/15/11 17:36 / jlr
Surr: Dibromofluoromethane	104	%REC		70-130		SW8260B	07/15/11 17:36 / jlr
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	07/15/11 17:36 / jlr
Surr: Toluene-d8	88.0	%REC		80-120		SW8260B	07/15/11 17:36 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-009
Client Sample ID: 90125-Tank.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 11:15
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,1-Dichloroethane	6.9	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,1-Dichloroethene	30	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-009
Client Sample ID: 90125-Tank.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 11:15
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 21:05 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 21:05 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Tetrachloroethene	32	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Trichloroethene	7.9	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 21:05 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	07/15/11 21:05 / jlr
Surr: Dibromofluoromethane	95.0	%REC		70-130		SW8260B	07/15/11 21:05 / jlr
Surr: p-Bromofluorobenzene	109	%REC		80-120		SW8260B	07/15/11 21:05 / jlr
Surr: Toluene-d8	84.0	%REC		80-120		SW8260B	07/15/11 21:05 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-010
Client Sample ID: 90125-32.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 11:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,1-Dichloroethane	4.3	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,1-Dichloroethene	22	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-010
Client Sample ID: 90125-32.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 11:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 21:40 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 21:40 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Tetrachloroethene	23	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Trichloroethene	5.6	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 21:40 / jlr
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	07/15/11 21:40 / jlr
Surr: Dibromofluoromethane	96.0	%REC		70-130		SW8260B	07/15/11 21:40 / jlr
Surr: p-Bromofluorobenzene	110	%REC		80-120		SW8260B	07/15/11 21:40 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/15/11 21:40 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-011
Client Sample ID: 90125-26.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 12:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,1-Dichloroethene	2.1	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-011
Client Sample ID: 90125-26.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 12:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 22:15 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 22:15 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Tetrachloroethene	1.8	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 22:15 / jlr
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	07/15/11 22:15 / jlr
Surr: Dibromofluoromethane	102	%REC		70-130		SW8260B	07/15/11 22:15 / jlr
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	07/15/11 22:15 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/15/11 22:15 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-012
Client Sample ID: 90125-27.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 12:15
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-012
Client Sample ID: 90125-27.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 12:15
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 22:49 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 22:49 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 22:49 / jlr
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	07/15/11 22:49 / jlr
Surr: Dibromofluoromethane	108	%REC		70-130		SW8260B	07/15/11 22:49 / jlr
Surr: p-Bromofluorobenzene	108	%REC		80-120		SW8260B	07/15/11 22:49 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/15/11 22:49 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-013
Client Sample ID: 90125-22.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 12:45
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,1-Dichloroethane	5.7	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,1-Dichloroethene	20	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-013
Client Sample ID: 90125-22.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 12:45
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 23:24 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 23:24 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Tetrachloroethene	22	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Trichloroethene	7.2	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 23:24 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	07/15/11 23:24 / jlr
Surr: Dibromofluoromethane	94.0	%REC		70-130		SW8260B	07/15/11 23:24 / jlr
Surr: p-Bromofluorobenzene	104	%REC		80-120		SW8260B	07/15/11 23:24 / jlr
Surr: Toluene-d8	85.0	%REC		80-120		SW8260B	07/15/11 23:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-014
Client Sample ID: 90125-25.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 13:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,1-Dichloroethane	9.2	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,1-Dichloroethene	36	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-014
Client Sample ID: 90125-25.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 13:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/16/11 05:12 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/16/11 05:12 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Tetrachloroethene	39	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Trichloroethene	8.8	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/16/11 05:12 / jlr
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	07/16/11 05:12 / jlr
Surr: Dibromofluoromethane	102	%REC		70-130		SW8260B	07/16/11 05:12 / jlr
Surr: p-Bromofluorobenzene	105	%REC		80-120		SW8260B	07/16/11 05:12 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/16/11 05:12 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-015
Client Sample ID: 90125-21.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 13:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,1-Dichloroethane	6.8	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,1-Dichloroethene	21	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-015
Client Sample ID: 90125-21.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 13:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/15/11 23:59 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/15/11 23:59 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Tetrachloroethene	24	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Trichloroethene	6.6	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/15/11 23:59 / jlr
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	07/15/11 23:59 / jlr
Surr: Dibromofluoromethane	106	%REC		70-130		SW8260B	07/15/11 23:59 / jlr
Surr: p-Bromofluorobenzene	109	%REC		80-120		SW8260B	07/15/11 23:59 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/15/11 23:59 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-016
Client Sample ID: 90125-31.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 14:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,1-Dichloroethane	6.5	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,1-Dichloroethene	20	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-016
Client Sample ID: 90125-31.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 14:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/16/11 00:34 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/16/11 00:34 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Tetrachloroethene	23	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Trichloroethene	6.6	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/16/11 00:34 / jlr
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	07/16/11 00:34 / jlr
Surr: Dibromofluoromethane	100	%REC		70-130		SW8260B	07/16/11 00:34 / jlr
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	07/16/11 00:34 / jlr
Surr: Toluene-d8	85.0	%REC		80-120		SW8260B	07/16/11 00:34 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-017
Client Sample ID: 90125-18.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 14:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,1-Dichloroethane	7.4	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,1-Dichloroethene	27	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-017
Client Sample ID: 90125-18.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 14:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/16/11 01:09 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/16/11 01:09 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Tetrachloroethene	25	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Trichloroethene	4.6	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/16/11 01:09 / jlr
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	07/16/11 01:09 / jlr
Surr: Dibromofluoromethane	115	%REC		70-130		SW8260B	07/16/11 01:09 / jlr
Surr: p-Bromofluorobenzene	110	%REC		80-120		SW8260B	07/16/11 01:09 / jlr
Surr: Toluene-d8	88.0	%REC		80-120		SW8260B	07/16/11 01:09 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-018
Client Sample ID: 90125-11.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 15:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,1-Dichloroethane	2.9	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,1-Dichloroethene	1.1	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-018
Client Sample ID: 90125-11.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 15:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/16/11 01:44 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/16/11 01:44 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Tetrachloroethene	2.6	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Trichloroethene	1.1	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/16/11 01:44 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	07/16/11 01:44 / jlr
Surr: Dibromofluoromethane	100	%REC		70-130		SW8260B	07/16/11 01:44 / jlr
Surr: p-Bromofluorobenzene	102	%REC		80-120		SW8260B	07/16/11 01:44 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/16/11 01:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-019
Client Sample ID: 90125-8.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 15:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,1-Dichloroethane	2.6	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,1-Dichloroethene	2.4	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-019
Client Sample ID: 90125-8.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 15:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/16/11 02:18 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/16/11 02:18 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Tetrachloroethene	1.9	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Trichloroethene	1.5	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/16/11 02:18 / jlr
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	07/16/11 02:18 / jlr
Surr: Dibromofluoromethane	105	%REC		70-130		SW8260B	07/16/11 02:18 / jlr
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	07/16/11 02:18 / jlr
Surr: Toluene-d8	87.0	%REC		80-120		SW8260B	07/16/11 02:18 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-020
Client Sample ID: 90125-A.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 07:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,1-Dichloroethane	7.1	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,1-Dichloroethene	3.7	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
cis-1,2-Dichloroethene	1.3	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-020
Client Sample ID: 90125-A.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 07:30
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/16/11 04:38 / jlr
Methyl tert-butyl ether (MTBE)	11	ug/L		2.0		SW8260B	07/16/11 04:38 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Tetrachloroethene	5.0	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Trichloroethene	2.9	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/16/11 04:38 / jlr
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	07/16/11 04:38 / jlr
Surr: Dibromofluoromethane	102	%REC		70-130		SW8260B	07/16/11 04:38 / jlr
Surr: p-Bromofluorobenzene	105	%REC		80-120		SW8260B	07/16/11 04:38 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/16/11 04:38 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-021
Client Sample ID: 90125-B.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 07:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,1-Dichloroethane	6.8	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,1-Dichloroethene	21	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-021
Client Sample ID: 90125-B.7/11

Report Date: 07/25/11
Collection Date: 07/13/11 07:00
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/19/11 17:12 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/19/11 17:12 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Tetrachloroethene	27	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Trichloroethene	7.0	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/19/11 17:12 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC		80-120		SW8260B	07/19/11 17:12 / jlr
Surr: Dibromofluoromethane	99.0	%REC		70-130		SW8260B	07/19/11 17:12 / jlr
Surr: p-Bromofluorobenzene	96.0	%REC		80-120		SW8260B	07/19/11 17:12 / jlr
Surr: Toluene-d8	91.0	%REC		80-120		SW8260B	07/19/11 17:12 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-022
Client Sample ID: Trip Blank

Report Date: 07/25/11
Collection Date: 07/13/11
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Benzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070521-022
Client Sample ID: Trip Blank

Report Date: 07/25/11
Collection Date: 07/13/11
Date Received: 07/14/11
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	07/19/11 16:00 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	07/19/11 16:00 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Styrene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Toluene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	07/19/11 16:00 / jlr
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120		SW8260B	07/19/11 16:00 / jlr
Surr: Dibromofluoromethane	103	%REC		70-130		SW8260B	07/19/11 16:00 / jlr
Surr: p-Bromofluorobenzene	97.0	%REC		80-120		SW8260B	07/19/11 16:00 / jlr
Surr: Toluene-d8	87.0	%REC		80-120		SW8260B	07/19/11 16:00 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148206
Sample ID: 15-Jul-11_LCS_4	67	Laboratory Control Sample				Run: GCMS2_110715A				07/15/11 11:13
1,1,1,2-Tetrachloroethane		8.5	ug/L	1.0	85	70	130			
1,1,1-Trichloroethane		9.3	ug/L	1.0	93	70	130			
1,1,2,2-Tetrachloroethane		9.8	ug/L	1.0	98	70	130			
1,1,2-Trichloroethane		8.0	ug/L	1.0	80	70	130			
1,1-Dichloroethane		9.0	ug/L	1.0	90	70	130			
1,1-Dichloroethene		8.3	ug/L	1.0	83	70	130			
1,1-Dichloropropene		9.4	ug/L	1.0	94	70	130			
1,2,3-Trichlorobenzene		11	ug/L	1.0	104	70	130			
1,2,3-Trichloropropane		10	ug/L	1.0	102	70	130			
1,2,4-Trichlorobenzene		11	ug/L	1.0	105	70	130			
1,2,4-Trimethylbenzene		11	ug/L	1.0	106	70	130			
1,2-Dibromo-3-chloropropane		9.7	ug/L	1.0	97	70	130			
1,2-Dibromoethane		8.4	ug/L	1.0	84	70	130			
1,2-Dichlorobenzene		11	ug/L	1.0	106	70	130			
1,2-Dichloroethane		9.0	ug/L	1.0	90	70	130			
1,2-Dichloropropane		8.1	ug/L	1.0	81	70	130			
1,3,5-Trimethylbenzene		11	ug/L	1.0	106	70	130			
1,3-Dichlorobenzene		11	ug/L	1.0	106	70	130			
1,3-Dichloropropane		8.2	ug/L	1.0	82	70	130			
1,4-Dichlorobenzene		10	ug/L	1.0	102	70	130			
2,2-Dichloropropane		9.7	ug/L	1.0	97	60	140			
2-Chloroethyl vinyl ether		7.2	ug/L	1.0	72	70	130			
2-Chlorotoluene		11	ug/L	1.0	105	70	130			
4-Chlorotoluene		11	ug/L	1.0	107	70	130			
Benzene		8.4	ug/L	1.0	84	70	130			
Bromobenzene		10	ug/L	1.0	104	70	130			
Bromochloromethane		8.7	ug/L	1.0	87	70	130			
Bromodichloromethane		8.4	ug/L	1.0	84	70	130			
Bromoform		11	ug/L	1.0	107	70	130			
Bromomethane		9.7	ug/L	1.0	97	70	130			
Carbon tetrachloride		9.4	ug/L	1.0	94	70	130			
Chlorobenzene		8.0	ug/L	1.0	80	70	130			
Chlorodibromomethane		8.4	ug/L	1.0	84	70	130			
Chloroethane		8.6	ug/L	1.0	86	70	130			
Chloroform		8.7	ug/L	1.0	87	70	130			
Chloromethane		7.6	ug/L	1.0	76	70	130			
cis-1,2-Dichloroethene		8.4	ug/L	1.0	84	70	130			
cis-1,3-Dichloropropene		8.8	ug/L	1.0	88	70	130			
Dibromomethane		8.4	ug/L	1.0	84	70	130			
Dichlorodifluoromethane		7.2	ug/L	1.0	72	70	130			
Ethylbenzene		8.4	ug/L	1.0	84	70	130			
Hexachlorobutadiene		11	ug/L	1.0	107	70	130			
Isopropylbenzene		10	ug/L	1.0	102	70	130			
m+p-Xylenes		17	ug/L	1.0	86	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148206
Sample ID: 15-Jul-11_LCS_4	67	Laboratory Control Sample				Run: GCMS2_110715A			07/15/11 11:13	
Methyl ethyl ketone		76	ug/L	20	76	70	130			
Methyl tert-butyl ether (MTBE)		8.7	ug/L	2.0	87	70	130			
Methylene chloride		8.4	ug/L	1.0	84	70	130			
n-Butylbenzene		11	ug/L	1.0	112	70	130			
n-Propylbenzene		11	ug/L	1.0	111	70	130			
Naphthalene		10	ug/L	1.0	98	70	130			
o-Xylene		8.7	ug/L	1.0	87	70	130			
p-Isopropyltoluene		11	ug/L	1.0	112	70	130			
sec-Butylbenzene		11	ug/L	1.0	110	70	130			
Styrene		8.8	ug/L	1.0	88	70	130			
tert-Butylbenzene		11	ug/L	1.0	112	70	130			
Tetrachloroethene		8.5	ug/L	1.0	85	70	130			
Toluene		8.6	ug/L	1.0	86	70	130			
trans-1,2-Dichloroethene		9.1	ug/L	1.0	91	70	130			
trans-1,3-Dichloropropene		9.5	ug/L	1.0	95	70	130			
Trichloroethene		8.7	ug/L	1.0	87	70	130			
Trichlorofluoromethane		8.6	ug/L	1.0	86	70	130			
Vinyl chloride		7.6	ug/L	1.0	76	70	130			
Xylenes, Total		26	ug/L	1.0	86	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	86	70	130			
Surr: p-Bromofluorobenzene				1.0	100	80	130			
Surr: Toluene-d8				1.0	86	80	120			
Sample ID: 15-Jul-11_MBLK_7	67	Method Blank				Run: GCMS2_110715A			07/15/11 12:57	
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						
1,3-Dichloropropane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R148206	
Sample ID: 15-Jul-11_MBLK_7	67	Method Blank				Run: GCMS2_110715A			07/15/11 12:57	
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148206
Sample ID: 15-Jul-11_MBLK_7	67	Method Blank				Run: GCMS2_110715A				07/15/11 12:57
Surr: 1,2-Dichlorobenzene-d4				1.0	103	80	120			
Surr: Dibromofluoromethane				1.0	81	70	130			
Surr: p-Bromofluorobenzene				1.0	100	80	120			
Surr: Toluene-d8				1.0	85	80	120			
Sample ID: C11070521-008AMS	67	Sample Matrix Spike				Run: GCMS2_110715A				07/15/11 18:11
1,1,1,2-Tetrachloroethane		180	ug/L	10	89	70	130			
1,1,1-Trichloroethane		200	ug/L	10	102	70	130			
1,1,2,2-Tetrachloroethane		190	ug/L	10	97	70	130			
1,1,2-Trichloroethane		170	ug/L	10	83	70	130			
1,1-Dichloroethane		210	ug/L	10	97	70	130			
1,1-Dichloroethene		220	ug/L	10	86	70	130			
1,1-Dichloropropene		200	ug/L	10	100	70	130			
1,2,3-Trichlorobenzene		170	ug/L	10	84	70	130			
1,2,3-Trichloropropane		200	ug/L	10	102	70	130			
1,2,4-Trichlorobenzene		180	ug/L	10	90	70	130			
1,2,4-Trimethylbenzene		210	ug/L	10	103	70	130			
1,2-Dibromo-3-chloropropane		200	ug/L	10	102	70	130			
1,2-Dibromoethane		170	ug/L	10	84	70	130			
1,2-Dichlorobenzene		210	ug/L	10	103	70	130			
1,2-Dichloroethane		210	ug/L	10	103	70	130			
1,2-Dichloropropane		180	ug/L	10	88	70	130			
1,3,5-Trimethylbenzene		200	ug/L	10	100	70	130			
1,3-Dichlorobenzene		200	ug/L	10	100	70	130			
1,3-Dichloropropane		170	ug/L	10	85	70	130			
1,4-Dichlorobenzene		200	ug/L	10	98	70	130			
2,2-Dichloropropane		190	ug/L	10	97	70	130			
2-Chloroethyl vinyl ether		ND	ug/L	10		70	130			S
2-Chlorotoluene		200	ug/L	10	102	70	130			
4-Chlorotoluene		210	ug/L	10	106	70	130			
Benzene		180	ug/L	10	88	70	130			
Bromobenzene		200	ug/L	10	98	70	130			
Bromochloromethane		190	ug/L	10	97	70	130			
Bromodichloromethane		180	ug/L	10	90	70	130			
Bromoform		200	ug/L	10	101	70	130			
Bromomethane		190	ug/L	10	93	70	130			
Carbon tetrachloride		210	ug/L	10	104	70	130			
Chlorobenzene		160	ug/L	10	82	70	130			
Chlorodibromomethane		180	ug/L	10	88	70	130			
Chloroethane		180	ug/L	10	91	70	130			
Chloroform		200	ug/L	10	99	70	130			
Chloromethane		150	ug/L	10	74	70	130			
cis-1,2-Dichloroethene		180	ug/L	10	90	70	130			
cis-1,3-Dichloropropene		180	ug/L	10	89	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148206
Sample ID: C11070521-008AMS	67	Sample Matrix Spike				Run: GCMS2_110715A				07/15/11 18:11
Dibromomethane		180	ug/L	10	90	70	130			
Dichlorodifluoromethane		140	ug/L	10	70	70	130			
Ethylbenzene		170	ug/L	10	84	70	130			
Hexachlorobutadiene		200	ug/L	10	98	70	130			
Isopropylbenzene		210	ug/L	10	104	70	130			
m+p-Xylenes		350	ug/L	10	87	70	130			
Methyl ethyl ketone		1800	ug/L	200	90	70	130			
Methyl tert-butyl ether (MTBE)		190	ug/L	20	93	70	130			
Methylene chloride		180	ug/L	10	92	70	130			
n-Butylbenzene		200	ug/L	10	102	70	130			
n-Propylbenzene		210	ug/L	10	104	70	130			
Naphthalene		150	ug/L	10	74	70	130			
o-Xylene		180	ug/L	10	88	70	130			
p-Isopropyltoluene		210	ug/L	10	106	70	130			
sec-Butylbenzene		210	ug/L	10	104	70	130			
Styrene		170	ug/L	10	85	70	130			
tert-Butylbenzene		210	ug/L	10	106	70	130			
Tetrachloroethene		210	ug/L	10	81	70	130			
Toluene		180	ug/L	10	88	70	130			
trans-1,2-Dichloroethene		200	ug/L	10	98	70	130			
trans-1,3-Dichloropropene		200	ug/L	10	98	70	130			
Trichloroethene		200	ug/L	10	92	70	130			
Trichlorofluoromethane		180	ug/L	10	90	70	130			
Vinyl chloride		150	ug/L	10	74	70	130			
Xylenes, Total		520	ug/L	10	87	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	99	80	120			
Surr: Dibromofluoromethane				1.0	94	70	130			
Surr: p-Bromofluorobenzene				1.0	94	80	120			
Surr: Toluene-d8				1.0	85	80	120			
Sample ID: C11070521-008AMSD	67	Sample Matrix Spike Duplicate				Run: GCMS2_110715A				07/15/11 18:46
1,1,1,2-Tetrachloroethane		180	ug/L	10	89	70	130	0.4	20	
1,1,1-Trichloroethane		200	ug/L	10	98	70	130	3.6	20	
1,1,2,2-Tetrachloroethane		190	ug/L	10	96	70	130	0.8	20	
1,1,2-Trichloroethane		160	ug/L	10	82	70	130	1.0	20	
1,1-Dichloroethane		200	ug/L	10	95	70	130	2.4	20	
1,1-Dichloroethene		220	ug/L	10	86	70	130	0.4	20	
1,1-Dichloropropene		200	ug/L	10	98	70	130	2.4	20	
1,2,3-Trichlorobenzene		210	ug/L	10	106	70	130	23	20	R
1,2,3-Trichloropropane		210	ug/L	10	103	70	130	0.4	20	
1,2,4-Trichlorobenzene		210	ug/L	10	105	70	130	16	20	
1,2,4-Trimethylbenzene		210	ug/L	10	105	70	130	2.3	20	
1,2-Dibromo-3-chloropropane		190	ug/L	10	94	70	130	8.2	20	
1,2-Dibromoethane		170	ug/L	10	84	70	130	0.0	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

R - RPD exceeds advisory limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148206
Sample ID: C11070521-008AMSD 67 Sample Matrix Spike Duplicate										Run: GCMS2_110715A 07/15/11 18:46
1,2-Dichlorobenzene		210	ug/L	10	104	70	130	0.8	20	
1,2-Dichloroethane		200	ug/L	10	98	70	130	5.2	20	
1,2-Dichloropropane		180	ug/L	10	88	70	130	0.0	20	
1,3,5-Trimethylbenzene		210	ug/L	10	103	70	130	2.4	20	
1,3-Dichlorobenzene		210	ug/L	10	104	70	130	3.9	20	
1,3-Dichloropropane		170	ug/L	10	86	70	130	1.4	20	
1,4-Dichlorobenzene		200	ug/L	10	99	70	130	0.8	20	
2,2-Dichloropropane		190	ug/L	10	93	70	130	4.6	20	
2-Chloroethyl vinyl ether		ND	ug/L	10		70	130		20	S
2-Chlorotoluene		210	ug/L	10	104	70	130	1.2	20	
4-Chlorotoluene		220	ug/L	10	110	70	130	3.7	20	
Benzene		180	ug/L	10	88	70	130	0.9	20	
Bromobenzene		200	ug/L	10	102	70	130	3.6	20	
Bromochloromethane		190	ug/L	10	93	70	130	3.8	20	
Bromodichloromethane		180	ug/L	10	90	70	130	0.0	20	
Bromoform		210	ug/L	10	105	70	130	3.9	20	
Bromomethane		200	ug/L	10	101	70	130	8.2	20	
Carbon tetrachloride		200	ug/L	10	100	70	130	3.1	20	
Chlorobenzene		160	ug/L	10	82	70	130	0.5	20	
Chlorodibromomethane		170	ug/L	10	86	70	130	2.8	20	
Chloroethane		180	ug/L	10	90	70	130	1.3	20	
Chloroform		190	ug/L	10	95	70	130	3.7	20	
Chloromethane		160	ug/L	10	79	70	130	7.3	20	
cis-1,2-Dichloroethene		180	ug/L	10	88	70	130	2.2	20	
cis-1,3-Dichloropropene		180	ug/L	10	90	70	130	1.3	20	
Dibromomethane		180	ug/L	10	89	70	130	0.9	20	
Dichlorodifluoromethane		150	ug/L	10	73	70	130	4.5	20	
Ethylbenzene		170	ug/L	10	85	70	130	1.9	20	
Hexachlorobutadiene		210	ug/L	10	104	70	130	5.9	20	
Isopropylbenzene		210	ug/L	10	104	70	130	0.8	20	
m+p-Xylenes		350	ug/L	10	87	70	130	0.2	20	
Methyl ethyl ketone		1700	ug/L	200	87	70	130	4.1	20	
Methyl tert-butyl ether (MTBE)		190	ug/L	20	96	70	130	3.4	20	
Methylene chloride		180	ug/L	10	88	70	130	4.9	20	
n-Butylbenzene		220	ug/L	10	108	70	130	5.3	20	
n-Propylbenzene		220	ug/L	10	108	70	130	3.0	20	
Naphthalene		190	ug/L	10	95	70	130	24	20	R
o-Xylene		180	ug/L	10	88	70	130	0.5	20	
p-Isopropyltoluene		220	ug/L	10	109	70	130	2.6	20	
sec-Butylbenzene		220	ug/L	10	108	70	130	3.8	20	
Styrene		170	ug/L	10	86	70	130	0.9	20	
tert-Butylbenzene		220	ug/L	10	109	70	130	2.6	20	
Tetrachloroethene		210	ug/L	10	83	70	130	1.9	20	
Toluene		180	ug/L	10	89	70	130	1.4	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

R - RPD exceeds advisory limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148206
Sample ID: C11070521-008AMSD 67 Sample Matrix Spike Duplicate										Run: GCMS2_110715A 07/15/11 18:46
trans-1,2-Dichloroethene		200	ug/L	10	98	70	130	0.4	20	
trans-1,3-Dichloropropene		190	ug/L	10	97	70	130	1.2	20	
Trichloroethene		200	ug/L	10	94	70	130	1.6	20	
Trichlorofluoromethane		180	ug/L	10	89	70	130	1.3	20	
Vinyl chloride		160	ug/L	10	80	70	130	6.8	20	
Xylenes, Total		520	ug/L	10	87	70	130	0.3	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	99	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	90	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	96	80	120	0.0	10	
Surr: Toluene-d8				1.0	85	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148305
Sample ID: 071911_LCS_4	67	Laboratory Control Sample				Run: SATURNCA_110719D				07/19/11 10:33
1,1,1,2-Tetrachloroethane		8.1	ug/L	1.0	81	70	130			
1,1,1-Trichloroethane		8.9	ug/L	1.0	89	70	130			
1,1,2,2-Tetrachloroethane		9.4	ug/L	1.0	94	70	130			
1,1,2-Trichloroethane		9.0	ug/L	1.0	90	70	130			
1,1-Dichloroethane		11	ug/L	1.0	111	70	130			
1,1-Dichloroethene		8.9	ug/L	1.0	89	70	130			
1,1-Dichloropropene		8.8	ug/L	1.0	88	70	130			
1,2,3-Trichlorobenzene		8.7	ug/L	1.0	87	70	130			
1,2,3-Trichloropropane		9.8	ug/L	1.0	98	70	130			
1,2,4-Trichlorobenzene		9.0	ug/L	1.0	90	70	130			
1,2,4-Trimethylbenzene		9.3	ug/L	1.0	93	70	130			
1,2-Dibromo-3-chloropropane		8.6	ug/L	1.0	86	70	130			
1,2-Dibromoethane		9.2	ug/L	1.0	92	70	130			
1,2-Dichlorobenzene		9.2	ug/L	1.0	92	70	130			
1,2-Dichloroethane		8.5	ug/L	1.0	85	70	130			
1,2-Dichloropropane		9.1	ug/L	1.0	91	70	130			
1,3,5-Trimethylbenzene		9.4	ug/L	1.0	94	70	130			
1,3-Dichlorobenzene		9.4	ug/L	1.0	94	70	130			
1,3-Dichloropropane		8.3	ug/L	1.0	83	70	130			
1,4-Dichlorobenzene		9.4	ug/L	1.0	94	70	130			
2,2-Dichloropropane		9.4	ug/L	1.0	94	60	140			
2-Chloroethyl vinyl ether		9.4	ug/L	1.0	94	70	130			
2-Chlorotoluene		9.2	ug/L	1.0	92	70	130			
4-Chlorotoluene		9.3	ug/L	1.0	93	70	130			
Benzene		8.9	ug/L	1.0	89	70	130			
Bromobenzene		9.7	ug/L	1.0	97	70	130			
Bromochloromethane		8.3	ug/L	1.0	83	70	130			
Bromodichloromethane		8.2	ug/L	1.0	82	70	130			
Bromoform		8.7	ug/L	1.0	87	70	130			
Bromomethane		9.3	ug/L	1.0	93	70	130			
Carbon tetrachloride		8.7	ug/L	1.0	87	70	130			
Chlorobenzene		9.4	ug/L	1.0	94	70	130			
Chlorodibromomethane		8.5	ug/L	1.0	85	70	130			
Chloroethane		8.6	ug/L	1.0	86	70	130			
Chloroform		8.8	ug/L	1.0	88	70	130			
Chloromethane		8.0	ug/L	1.0	80	70	130			
cis-1,2-Dichloroethene		8.4	ug/L	1.0	84	70	130			
cis-1,3-Dichloropropene		9.1	ug/L	1.0	91	70	130			
Dibromomethane		8.7	ug/L	1.0	87	70	130			
Dichlorodifluoromethane		9.0	ug/L	1.0	90	70	130			
Ethylbenzene		9.3	ug/L	1.0	93	70	130			
Hexachlorobutadiene		9.3	ug/L	1.0	91	70	130			
Isopropylbenzene		11	ug/L	1.0	110	70	130			
m+p-Xylenes		18	ug/L	1.0	92	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148305
Sample ID: 071911_LCS_4	67	Laboratory Control Sample				Run: SATURNCA_110719D				07/19/11 10:33
Methyl ethyl ketone		91	ug/L	20	91	70	130			
Methyl tert-butyl ether (MTBE)		8.5	ug/L	2.0	85	70	130			
Methylene chloride		9.6	ug/L	1.0	96	70	130			
n-Butylbenzene		9.7	ug/L	1.0	97	70	130			
n-Propylbenzene		9.6	ug/L	1.0	96	70	130			
Naphthalene		9.0	ug/L	1.0	90	70	130			
o-Xylene		8.9	ug/L	1.0	89	70	130			
p-Isopropyltoluene		10.0	ug/L	1.0	100	70	130			
sec-Butylbenzene		9.4	ug/L	1.0	94	70	130			
Styrene		9.2	ug/L	1.0	92	70	130			
tert-Butylbenzene		9.7	ug/L	1.0	97	70	130			
Tetrachloroethene		9.1	ug/L	1.0	91	70	130			
Toluene		9.1	ug/L	1.0	91	70	130			
trans-1,2-Dichloroethene		9.3	ug/L	1.0	93	70	130			
trans-1,3-Dichloropropene		9.4	ug/L	1.0	94	70	130			
Trichloroethene		9.2	ug/L	1.0	92	70	130			
Trichlorofluoromethane		8.4	ug/L	1.0	84	70	130			
Vinyl chloride		9.0	ug/L	1.0	90	70	130			
Xylenes, Total		27	ug/L	1.0	91	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	105	80	120			
Surr: Dibromofluoromethane				1.0	94	70	130			
Surr: p-Bromofluorobenzene				1.0	102	80	130			
Surr: Toluene-d8				1.0	96	80	120			
Sample ID: 071911_MBLK_6	67	Method Blank				Run: SATURNCA_110719D				07/19/11 11:45
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						
1,3-Dichloropropane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148305
Sample ID: 071911_MBLK_6	67	Method Blank				Run: SATURNCA_110719D				07/19/11 11:45
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148305
Sample ID: 071911_MBLK_6	67	Method Blank				Run: SATURNCA_110719D				07/19/11 11:45
Surr: 1,2-Dichlorobenzene-d4				1.0	96	80	120			
Surr: Dibromofluoromethane				1.0	93	70	130			
Surr: p-Bromofluorobenzene				1.0	98	80	120			
Surr: Toluene-d8				1.0	96	80	120			
Sample ID: C11070521-021AMS	67	Sample Matrix Spike				Run: SATURNCA_110719D				07/19/11 17:49
1,1,1,2-Tetrachloroethane		190	ug/L	10	95	70	130			
1,1,1-Trichloroethane		200	ug/L	10	101	70	130			
1,1,2,2-Tetrachloroethane		200	ug/L	10	102	70	130			
1,1,2-Trichloroethane		210	ug/L	10	104	70	130			
1,1-Dichloroethane		210	ug/L	10	103	70	130			
1,1-Dichloroethene		220	ug/L	10	100	70	130			
1,1-Dichloropropene		210	ug/L	10	103	70	130			
1,2,3-Trichlorobenzene		180	ug/L	10	91	70	130			
1,2,3-Trichloropropane		200	ug/L	10	98	70	130			
1,2,4-Trichlorobenzene		190	ug/L	10	94	70	130			
1,2,4-Trimethylbenzene		190	ug/L	10	94	70	130			
1,2-Dibromo-3-chloropropane		180	ug/L	10	92	70	130			
1,2-Dibromoethane		200	ug/L	10	98	70	130			
1,2-Dichlorobenzene		200	ug/L	10	100	70	130			
1,2-Dichloroethane		200	ug/L	10	102	70	130			
1,2-Dichloropropane		210	ug/L	10	103	70	130			
1,3,5-Trimethylbenzene		190	ug/L	10	97	70	130			
1,3-Dichlorobenzene		200	ug/L	10	102	70	130			
1,3-Dichloropropane		190	ug/L	10	94	70	130			
1,4-Dichlorobenzene		190	ug/L	10	96	70	130			
2,2-Dichloropropane		200	ug/L	10	98	70	130			
2-Chloroethyl vinyl ether		11	ug/L	10	6	70	130			S
2-Chlorotoluene		200	ug/L	10	99	70	130			
4-Chlorotoluene		200	ug/L	10	99	70	130			
Benzene		200	ug/L	10	99	70	130			
Bromobenzene		200	ug/L	10	100	70	130			
Bromochloromethane		190	ug/L	10	96	70	130			
Bromodichloromethane		190	ug/L	10	95	70	130			
Bromoform		210	ug/L	10	104	70	130			
Bromomethane		220	ug/L	10	109	70	130			
Carbon tetrachloride		200	ug/L	10	102	70	130			
Chlorobenzene		210	ug/L	10	105	70	130			
Chlorodibromomethane		190	ug/L	10	94	70	130			
Chloroethane		210	ug/L	10	105	70	130			
Chloroform		200	ug/L	10	99	70	130			
Chloromethane		180	ug/L	10	92	70	130			
cis-1,2-Dichloroethene		200	ug/L	10	102	70	130			
cis-1,3-Dichloropropene		200	ug/L	10	101	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148305
Sample ID: C11070521-021AMS	67	Sample Matrix Spike				Run: SATURNCA_110719D				07/19/11 17:49
Dibromomethane		190	ug/L	10	97	70	130			
Dichlorodifluoromethane		200	ug/L	10	100	70	130			
Ethylbenzene		200	ug/L	10	100	70	130			
Hexachlorobutadiene		180	ug/L	10	92	70	130			
Isopropylbenzene		220	ug/L	10	112	70	130			
m+p-Xylenes		400	ug/L	10	100	70	130			
Methyl ethyl ketone		2000	ug/L	200	102	70	130			
Methyl tert-butyl ether (MTBE)		190	ug/L	20	96	70	130			
Methylene chloride		220	ug/L	10	110	70	130			
n-Butylbenzene		190	ug/L	10	95	70	130			
n-Propylbenzene		200	ug/L	10	98	70	130			
Naphthalene		200	ug/L	10	98	70	130			
o-Xylene		200	ug/L	10	100	70	130			
p-Isopropyltoluene		200	ug/L	10	98	70	130			
sec-Butylbenzene		200	ug/L	10	99	70	130			
Styrene		200	ug/L	10	101	70	130			
tert-Butylbenzene		200	ug/L	10	101	70	130			
Tetrachloroethene		200	ug/L	10	88	70	130			
Toluene		200	ug/L	10	99	70	130			
trans-1,2-Dichloroethene		220	ug/L	10	108	70	130			
trans-1,3-Dichloropropene		240	ug/L	10	120	70	130			
Trichloroethene		210	ug/L	10	101	70	130			
Trichlorofluoromethane		190	ug/L	10	96	70	130			
Vinyl chloride		200	ug/L	10	100	70	130			
Xylenes, Total		600	ug/L	10	100	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	98	80	120			
Surr: Dibromofluoromethane				1.0	101	70	130			
Surr: p-Bromofluorobenzene				1.0	98	80	120			
Surr: Toluene-d8				1.0	98	80	120			
Sample ID: C11070521-021AMSD	67	Sample Matrix Spike Duplicate				Run: SATURNCA_110719D				07/19/11 18:25
1,1,1,2-Tetrachloroethane		180	ug/L	10	92	70	130	3.4	20	
1,1,1,1-Trichloroethane		200	ug/L	10	100	70	130	1.2	20	
1,1,2,2-Tetrachloroethane		190	ug/L	10	93	70	130	9.1	20	
1,1,2-Trichloroethane		220	ug/L	10	110	70	130	6.4	20	
1,1-Dichloroethane		230	ug/L	10	113	70	130	9.7	20	
1,1-Dichloroethene		220	ug/L	10	99	70	130	0.7	20	
1,1-Dichloropropene		200	ug/L	10	98	70	130	5.2	20	
1,2,3-Trichlorobenzene		180	ug/L	10	92	70	130	0.9	20	
1,2,3-Trichloropropane		200	ug/L	10	98	70	130	0.0	20	
1,2,4-Trichlorobenzene		190	ug/L	10	94	70	130	0.4	20	
1,2,4-Trimethylbenzene		180	ug/L	10	91	70	130	2.6	20	
1,2-Dibromo-3-chloropropane		180	ug/L	10	90	70	130	2.2	20	
1,2-Dibromoethane		210	ug/L	10	103	70	130	5.6	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148305
Sample ID: C11070521-021AMSD 67 Sample Matrix Spike Duplicate										Run: SATURNCA_110719D 07/19/11 18:25
1,2-Dichlorobenzene		190	ug/L	10	96	70	130	3.7	20	
1,2-Dichloroethane		200	ug/L	10	102	70	130	0.8	20	
1,2-Dichloropropane		210	ug/L	10	104	70	130	1.2	20	
1,3,5-Trimethylbenzene		200	ug/L	10	98	70	130	0.4	20	
1,3-Dichlorobenzene		200	ug/L	10	98	70	130	4.0	20	
1,3-Dichloropropane		200	ug/L	10	99	70	130	5.4	20	
1,4-Dichlorobenzene		200	ug/L	10	99	70	130	3.3	20	
2,2-Dichloropropane		190	ug/L	10	96	70	130	1.6	20	
2-Chloroethyl vinyl ether		8.4	ug/L	10	4	70	130		20	S
2-Chlorotoluene		190	ug/L	10	96	70	130	2.9	20	
4-Chlorotoluene		190	ug/L	10	97	70	130	1.6	20	
Benzene		200	ug/L	10	102	70	130	2.8	20	
Bromobenzene		200	ug/L	10	98	70	130	2.0	20	
Bromochloromethane		180	ug/L	10	89	70	130	7.8	20	
Bromodichloromethane		190	ug/L	10	95	70	130	0.4	20	
Bromoform		210	ug/L	10	103	70	130	1.2	20	
Bromomethane		220	ug/L	10	111	70	130	2.2	20	
Carbon tetrachloride		200	ug/L	10	100	70	130	2.8	20	
Chlorobenzene		220	ug/L	10	108	70	130	2.6	20	
Chlorodibromomethane		190	ug/L	10	96	70	130	2.9	20	
Chloroethane		210	ug/L	10	103	70	130	1.9	20	
Chloroform		200	ug/L	10	99	70	130	0.4	20	
Chloromethane		180	ug/L	10	89	70	130	2.7	20	
cis-1,2-Dichloroethene		190	ug/L	10	94	70	130	8.2	20	
cis-1,3-Dichloropropene		200	ug/L	10	102	70	130	0.8	20	
Dibromomethane		210	ug/L	10	103	70	130	6.0	20	
Dichlorodifluoromethane		190	ug/L	10	94	70	130	5.4	20	
Ethylbenzene		210	ug/L	10	104	70	130	3.5	20	
Hexachlorobutadiene		180	ug/L	10	91	70	130	1.7	20	
Isopropylbenzene		230	ug/L	10	113	70	130	0.4	20	
m+p-Xylenes		400	ug/L	10	99	70	130	0.6	20	
Methyl ethyl ketone		2000	ug/L	200	102	70	130	0.0	20	
Methyl tert-butyl ether (MTBE)		190	ug/L	20	96	70	130	0.4	20	
Methylene chloride		220	ug/L	10	108	70	130	1.1	20	
n-Butylbenzene		190	ug/L	10	94	70	130	1.3	20	
n-Propylbenzene		200	ug/L	10	99	70	130	0.4	20	
Naphthalene		200	ug/L	10	100	70	130	2.8	20	
o-Xylene		200	ug/L	10	100	70	130	0.0	20	
p-Isopropyltoluene		200	ug/L	10	98	70	130	0.4	20	
sec-Butylbenzene		190	ug/L	10	96	70	130	2.5	20	
Styrene		190	ug/L	10	97	70	130	3.6	20	
tert-Butylbenzene		200	ug/L	10	100	70	130	0.8	20	
Tetrachloroethene		210	ug/L	10	94	70	130	5.0	20	
Toluene		200	ug/L	10	100	70	130	0.8	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



www.energylab.com
Analytical Excellence Since 1952

Helena, MT 877-472-0711 * Billings, MT 800-735-4488 * Casper, WY 866-235-0515
Gillatte, WY 866-686-7175 * Rapid City, SD 888-672-1225 * College Station, TX 888-690-2218

QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/25/11

Project: 90125 Artesia

Work Order: C11070521

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148305
Sample ID: C11070521-021AMSD 67 Sample Matrix Spike Duplicate										Run: SATURNCA_110719D 07/19/11 18:25
trans-1,2-Dichloroethene		210	ug/L	10	105	70	130	3.0	20	
trans-1,3-Dichloropropene		230	ug/L	10	116	70	130	3.4	20	
Trichloroethene		220	ug/L	10	107	70	130	4.9	20	
Trichlorofluoromethane		180	ug/L	10	92	70	130	4.7	20	
Vinyl chloride		200	ug/L	10	102	70	130	2.0	20	
Xylenes, Total		600	ug/L	10	100	70	130	0.4	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	94	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	95	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	95	80	120	0.0	10	
Surr: Toluene-d8				1.0	99	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Workorder Receipt Checklist



Deuell Environmental LLC

C11070521

Login completed by: Debra Williams

Date Received: 7/14/2011

Reviewed by: BL2000\cwagner

Received by: dw

Reviewed Date: 7/19/2011

Carrier NDA
name:

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	12.6°C Melted Ice		
Water - VOA vials have zero headspace?	Yes ☒	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 1 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: DEVEL ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 20125 ARTESIA		Sample Origin NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT		Contact Name: Rick Deuel		Phone/Fax: 307 760 3277		Sampler: (Please Print)	
Invoice Address: LODGE, WY 82072		Invoice Contact & Phone:		Purchase Order: 90125.3		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/MWTP ☐ State: _____ ☐ Other: _____		Number of Containers Sample Type: A W S V B O DW Vegetation Bioassay Other DW - Drinking Water		ANALYSIS REQUESTED SEE ATTACHED		Shipped by: UPS - 10/21/11 Cooler ID(s): C-3163 Receipt Temp: 12.6 °C On Ice: YN Custody Seal: YN On Bottle: YN On Cooler: YN Intact: YN Signature Match: YN	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date		Collection Time		MATRIX	
1 90125-13.7/11		7/13/11		08:00		3W	
2 90125-15.7/11		7/13/11		08:15		3W	
3 90125-9.7/11		7/13/11		08:45		3W	
4 90125-12.7/11		7/13/11		09:30		3W	
5 90125-20.7/11		7/13/11		10:15		3W	
6 90125-20.7/11		7/13/11		10:30		3W	
7 90125-29.7/11		7/13/11		10:45		3W	
8 90125-30.7/11		7/13/11		11:00		3W	
9 90125-TANK, 7/11		7/13/11		11:15		3W	
10 90125-32.7/11		7/13/11		11:30		3W	
Custody Record MUST be Signed		Relinquished by (print): Rick Deuel		Date/Time: 7/13/11 17:00		Signature: [Signature]	
Relinquished by (print):		Date/Time:		Received by (print):		Date/Time:	
Sample Disposal:		Return to Client:		Received by Laboratory: [Signature]		Date/Time: 7-14-11 900	
Lab Disposal:		Return to Client:		Received by Laboratory:		Date/Time:	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.



Chain of Custody and Analytical Request Record

Page 2 of 3

PLEASE PRINT (Provide as much information as possible.)

Company Name: DEVELL ENVIRONMENTAL		Project Name, PWS, Permit, Etc. 90125 ARIZONA		Sample Origin State: NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT		Contact Name: RICARDO DEVELL		Email: 307 760 3277		Sampler: (Please Print)	
Invoice Address: SAME		Invoice Contact & Phone: 307 760 3277		Purchase Order: 70125.3		Quote/Bottle Order:	
Special Report/Formats: ☐ DW ☐ POTW/MWTP ☐ State: ☐ Other: ☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED		Standard Turnaround (TAT) R U S H		Shipped by: UPS-100A Cooler ID(s): C3163 Receipt Temp: 12.6 °C On Ice: ☒ N Custody Seal: On Bottle: ☒ N On Cooler: ☒ N Intact: ☒ N Signature Match: ☒ N	
Number of Containers Sample Type: A W S V B O DW Vegetation Bioassay Other DW - Drinking Water		MATRIX		Contact ELI prior to RUSH samples and for charges and scheduling - See Instruction Page Comments:		LABORATORY USE ONLY 11070521	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date		Collection Time		Relinquished by (print): RICARDO DEVELL Relinquished by (print): RICARDO DEVELL	
1 90125-24.7/11		7/13/11		12:00		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
2 90125-27.7/11		7/13/11		12:15		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
3 90125-22.7/11		7/13/11		12:45		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
4 90125-25.7/11		7/13/11		13:00		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
5 90125-21.7/11		7/13/11		13:30		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
6 90125-31.7/11		7/13/11		14:00		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
7 90125-10.7/11		7/13/11		14:30		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
8 90125-11.7/11		7/13/11		15:00		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
9 90125-08.7/11		7/13/11		15:30		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
10 90125-A.7/11		7/13/11		07:30		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
Custody Record MUST be Signed		Relinquished by (print): RICARDO DEVELL		Relinquished by (print): RICARDO DEVELL		Signature: RICARDO DEVELL Date/Time: 7/13/11 17:00	
Sample Disposal:		Return to Client:		Lab Disposal:		Received by Laboratory: RICARDO DEVELL Date/Time: 7/13/11 17:00	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.enervulab.com for additional information, downloadable fee schedule, forms, and links.



Chain of Custody and Analytical Request Record

PLEASE PRINT - Provide as much information as possible.

Company Name: Devel Environmental		Project Name, PWS, Permit, Etc. 9025 ARIESA		Sample Origin State: NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT LARAMIE, WY 82072		Contact Name: Rick Devel Phone/Fax: 307 760 3277		Email:		Sampler: (Please Print)	
Invoice Address: same		Invoice Contact & Phone:		Purchase Order: 9025.3		Quote/Bottle Order:	
Special Report/Formats - ELI must be notified prior to sample submittal for the following: ☐ DW ☐ GSA ☐ POT/WWTP State: _____ Other: _____ ☐ A2LA ☐ EDD/EDT (Electronic Data) Format: _____ ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED Normal Turnaround (TAT)		Contact ELI prior to RUSH sample submittal for charges and scheduling - See Instruction Page R U S H Comments:		Shipped by: UPS-NDAA Cooler ID(s): C-3163 Receipt Temp: 12.6 °C On Ice: Yes ☒ No ☐ Custody Seal YN Bottles/Coolers BC Intact YN Signature Match YN	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Collection Date	Collection Time	MATRIX	LABORATORY USE ONLY		
1 9025-B.7/11		7/13/11	07:00	3W			
2 TRIP BLANK 6420				2W			
3							
4							
5							
6							
7							
8							
9							
10							
Relinquished by (print): Rick Devel		Date/Time: 7/13/11 17:00		Signature: [Signature]	Received by (print):	Date/Time:	Signature:
Relinquished by (print):		Date/Time:		Signature:	Received by (print):	Date/Time:	Signature:
Custody Record MUST be Signed		Sample Disposal: Return to Client:		Lab Disposal:	Received by Laboratory: [Signature]	Date/Time: 7-14-11 900	Signature:

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylabs.com for additional information, downloadable fee schedule, forms, and links.



ANALYTICAL SUMMARY REPORT

July 27, 2011

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C11070426

Project Name: 90125 Artesia

Energy Laboratories, Inc. Casper WY received the following 2 samples for Deuell Environmental LLC on 7/13/2011 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C11070426-001	90125-WB.7/11	07/11/11 15:00	07/13/11	Air	SW8260B VOCs, Standard List
C11070426-002	Supplies		07/13/11		Supplies

This report was prepared by Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing. All samples are reported on an as received basis unless otherwise indicated. Samples corrected for dry weight indicate units that have -dry appended.

If you have any questions regarding these test results, please call.

Report Approved By:



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070426-001
Client Sample ID: 90125-WB.7/11

Report Date: 07/27/11
Collection Date: 07/11/11 15:00
Date Received: 07/13/11
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Bromoform	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C11070426-001
Client Sample ID: 90125-WB.7/11

Report Date: 07/27/11
Collection Date: 07/11/11 15:00
Date Received: 07/13/11
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	07/14/11 12:18 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
o-Xylene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	07/14/11 12:18 / jlr
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	07/14/11 12:18 / jlr
Surr: Dibromofluoromethane	80.0	%REC		80-120		SW8260B	07/14/11 12:18 / jlr
Surr: p-Bromofluorobenzene	104	%REC		80-120		SW8260B	07/14/11 12:18 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	07/14/11 12:18 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/27/11

Project: 90125 Artesia

Work Order: C11070426

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148146
Sample ID: 14-Jul-11_LCS_4	64	Laboratory Control Sample				Run: GCMS2_110714A				07/14/11 10:34
1,1,1,2-Tetrachloroethane		8.80	mg/m3	1.0	88	70	130			
1,1,1-Trichloroethane		10.4	mg/m3	1.0	104	70	130			
1,1,2,2-Tetrachloroethane		10.2	mg/m3	1.0	102	70	130			
1,1,2-Trichloroethane		8.28	mg/m3	1.0	83	70	130			
1,1-Dichloroethane		10.2	mg/m3	1.0	102	70	130			
1,1-Dichloroethene		9.40	mg/m3	1.0	94	70	130			
1,1-Dichloropropene		10.4	mg/m3	1.0	104	70	130			
1,2,3-Trichlorobenzene		10.2	mg/m3	1.0	99	70	130			
1,2,3-Trichloropropane		10.3	mg/m3	1.0	103	70	130			
1,2,4-Trichlorobenzene		10.6	mg/m3	1.0	103	70	130			
1,2,4-Trimethylbenzene		10.8	mg/m3	1.0	108	70	130			
1,2-Dibromo-3-chloropropane		10.2	mg/m3	1.0	102	70	130			
1,2-Dibromoethane		8.44	mg/m3	1.0	84	70	130			
1,2-Dichlorobenzene		10.7	mg/m3	1.0	107	70	130			
1,2-Dichloroethane		9.84	mg/m3	1.0	98	70	130			
1,2-Dichloropropane		8.88	mg/m3	1.0	89	70	130			
1,3,5-Trimethylbenzene		10.6	mg/m3	1.0	106	70	130			
1,3-Dichlorobenzene		10.8	mg/m3	1.0	108	70	130			
1,3-Dichloropropane		8.44	mg/m3	1.0	84	70	130			
1,4-Dichlorobenzene		10.0	mg/m3	1.0	100	70	130			
2,2-Dichloropropane		10.9	mg/m3	1.0	109	70	130			
2-Chlorotoluene		10.7	mg/m3	1.0	107	70	130			
4-Chlorotoluene		10.7	mg/m3	1.0	107	70	130			
Benzene		9.16	mg/m3	1.0	92	70	130			
Bromobenzene		10.6	mg/m3	1.0	106	70	130			
Bromochloromethane		9.68	mg/m3	1.0	97	70	130			
Bromodichloromethane		9.04	mg/m3	1.0	90	70	130			
Bromoform		11.0	mg/m3	1.0	110	70	130			
Bromomethane		11.2	mg/m3	1.0	112	70	130			
Carbon tetrachloride		10.6	mg/m3	1.0	106	70	130			
Chlorobenzene		8.32	mg/m3	1.0	83	70	130			
Chlorodibromomethane		8.40	mg/m3	1.0	84	70	130			
Chloroethane		9.80	mg/m3	1.0	98	70	130			
Chloroform		9.68	mg/m3	1.0	97	70	130			
Chloromethane		9.08	mg/m3	1.0	91	70	130			
cis-1,2-Dichloroethene		9.28	mg/m3	1.0	93	70	130			
cis-1,3-Dichloropropene		9.36	mg/m3	1.0	94	70	130			
Dibromomethane		9.24	mg/m3	1.0	92	70	130			
Dichlorodifluoromethane		8.52	mg/m3	1.0	85	70	130			
Ethylbenzene		8.84	mg/m3	1.0	88	70	130			
Hexachlorobutadiene		10.2	mg/m3	1.0	100	70	130			
Isopropylbenzene		10.5	mg/m3	1.0	105	70	130			
m+p-Xylenes		17.7	mg/m3	1.0	88	70	130			
Methyl ethyl ketone		80.0	mg/m3	20	80	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/27/11

Project: 90125 Artesia

Work Order: C11070426

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148146
Sample ID: 14-Jul-11_LCS_4	64	Laboratory Control Sample				Run: GCMS2_110714A				07/14/11 10:34
Methylene chloride		9.52	mg/m3	1.0	95	70	130			
Naphthalene		10.1	mg/m3	1.0	99	70	130			
n-Butylbenzene		11.0	mg/m3	1.0	110	70	130			
n-Propylbenzene		11.4	mg/m3	1.0	114	70	130			
o-Xylene		8.88	mg/m3	1.0	89	70	130			
p-Isopropyltoluene		11.1	mg/m3	1.0	111	70	130			
sec-Butylbenzene		11.0	mg/m3	1.0	110	70	130			
Styrene		9.00	mg/m3	1.0	90	70	130			
tert-Butylbenzene		11.1	mg/m3	1.0	111	70	130			
Tetrachloroethene		8.64	mg/m3	1.0	86	70	130			
Toluene		9.36	mg/m3	1.0	94	70	130			
trans-1,2-Dichloroethene		10.4	mg/m3	1.0	104	70	130			
trans-1,3-Dichloropropene		10.1	mg/m3	1.0	101	70	130			
Trichloroethene		9.36	mg/m3	1.0	94	70	130			
Trichlorofluoromethane		9.60	mg/m3	1.0	96	70	130			
Vinyl chloride		8.80	mg/m3	1.0	88	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	90	80	120			
Surr: p-Bromofluorobenzene				1.0	101	80	120			
Surr: Toluene-d8				1.0	88	80	120			
Sample ID: 14-Jul-11_MBLK_6	64	Method Blank				Run: GCMS2_110714A				07/14/11 11:43
1,1,1,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,1-Trichloroethane		ND	mg/m3	1.0						
1,1,2,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,2-Trichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethene		ND	mg/m3	1.0						
1,1-Dichloropropene		ND	mg/m3	1.0						
1,2,3-Trichlorobenzene		ND	mg/m3	1.0						
1,2,3-Trichloropropane		ND	mg/m3	1.0						
1,2,4-Trichlorobenzene		ND	mg/m3	1.0						
1,2,4-Trimethylbenzene		ND	mg/m3	1.0						
1,2-Dibromo-3-chloropropane		ND	mg/m3	1.0						
1,2-Dibromoethane		ND	mg/m3	1.0						
1,2-Dichlorobenzene		ND	mg/m3	1.0						
1,2-Dichloroethane		ND	mg/m3	1.0						
1,2-Dichloropropane		ND	mg/m3	1.0						
1,3,5-Trimethylbenzene		ND	mg/m3	1.0						
1,3-Dichlorobenzene		ND	mg/m3	1.0						
1,3-Dichloropropane		ND	mg/m3	1.0						
1,4-Dichlorobenzene		ND	mg/m3	1.0						
2,2-Dichloropropane		ND	mg/m3	1.0						
2-Chlorotoluene		ND	mg/m3	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/27/11

Project: 90125 Artesia

Work Order: C11070426

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R148146	
Sample ID: 14-Jul-11_MBLK_6	64	Method Blank				Run: GCMS2_110714A			07/14/11 11:43	
4-Chlorotoluene		ND	mg/m3	1.0						
Benzene		ND	mg/m3	1.0						
Bromobenzene		ND	mg/m3	1.0						
Bromochloromethane		ND	mg/m3	1.0						
Bromodichloromethane		ND	mg/m3	1.0						
Bromoform		ND	mg/m3	1.0						
Bromomethane		ND	mg/m3	1.0						
Carbon tetrachloride		ND	mg/m3	1.0						
Chlorobenzene		ND	mg/m3	1.0						
Chlorodibromomethane		ND	mg/m3	1.0						
Chloroethane		ND	mg/m3	1.0						
Chloroform		ND	mg/m3	1.0						
Chloromethane		ND	mg/m3	1.0						
cis-1,2-Dichloroethene		ND	mg/m3	1.0						
cis-1,3-Dichloropropene		ND	mg/m3	1.0						
Dibromomethane		ND	mg/m3	1.0						
Dichlorodifluoromethane		ND	mg/m3	1.0						
Ethylbenzene		ND	mg/m3	1.0						
Hexachlorobutadiene		ND	mg/m3	1.0						
Isopropylbenzene		ND	mg/m3	1.0						
m+p-Xylenes		ND	mg/m3	1.0						
Methyl ethyl ketone		ND	mg/m3	20						
Methylene chloride		ND	mg/m3	1.0						
Naphthalene		ND	mg/m3	1.0						
n-Butylbenzene		ND	mg/m3	1.0						
n-Propylbenzene		ND	mg/m3	1.0						
o-Xylene		ND	mg/m3	1.0						
p-Isopropyltoluene		ND	mg/m3	1.0						
sec-Butylbenzene		ND	mg/m3	1.0						
Styrene		ND	mg/m3	1.0						
tert-Butylbenzene		ND	mg/m3	1.0						
Tetrachloroethene		ND	mg/m3	1.0						
Toluene		ND	mg/m3	1.0						
trans-1,2-Dichloroethene		ND	mg/m3	1.0						
trans-1,3-Dichloropropene		ND	mg/m3	1.0						
Trichloroethene		ND	mg/m3	1.0						
Trichlorofluoromethane		ND	mg/m3	1.0						
Vinyl chloride		ND	mg/m3	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	103	80	120			
Surr: Dibromofluoromethane				1.0	80	80	120			
Surr: p-Bromofluorobenzene				1.0	98	80	120			
Surr: Toluene-d8				1.0	86	80	120			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/27/11

Project: 90125 Artesia

Work Order: C11070426

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148146
Sample ID: C11070426-001AMS	64	Sample Matrix Spike				Run: GCMS2_110714A				07/14/11 12:53
1,1,1,2-Tetrachloroethane		8.60	mg/m3	1.0	86	70	130			
1,1,1-Trichloroethane		9.88	mg/m3	1.0	99	70	130			
1,1,2,2-Tetrachloroethane		9.44	mg/m3	1.0	94	70	130			
1,1,2-Trichloroethane		8.36	mg/m3	1.0	84	70	130			
1,1-Dichloroethane		10.2	mg/m3	1.0	98	70	130			
1,1-Dichloroethene		9.04	mg/m3	1.0	90	70	130			
1,1-Dichloropropene		9.96	mg/m3	1.0	100	70	130			
1,2,3-Trichlorobenzene		9.60	mg/m3	1.0	94	70	130			
1,2,3-Trichloropropane		10.3	mg/m3	1.0	103	70	130			
1,2,4-Trichlorobenzene		9.92	mg/m3	1.0	97	70	130			
1,2,4-Trimethylbenzene		11.0	mg/m3	1.0	104	70	130			
1,2-Dibromo-3-chloropropane		10.1	mg/m3	1.0	101	70	130			
1,2-Dibromoethane		8.76	mg/m3	1.0	88	70	130			
1,2-Dichlorobenzene		10.2	mg/m3	1.0	102	70	130			
1,2-Dichloroethane		9.76	mg/m3	1.0	98	70	130			
1,2-Dichloropropane		8.96	mg/m3	1.0	90	70	130			
1,3,5-Trimethylbenzene		10.2	mg/m3	1.0	100	70	130			
1,3-Dichlorobenzene		9.80	mg/m3	1.0	98	70	130			
1,3-Dichloropropane		8.36	mg/m3	1.0	84	70	130			
1,4-Dichlorobenzene		9.84	mg/m3	1.0	98	70	130			
2,2-Dichloropropane		10.1	mg/m3	1.0	101	70	130			
2-Chlorotoluene		10.3	mg/m3	1.0	103	70	130			
4-Chlorotoluene		10.6	mg/m3	1.0	106	70	130			
Benzene		9.20	mg/m3	1.0	92	70	130			
Bromobenzene		10.1	mg/m3	1.0	101	70	130			
Bromochloromethane		9.76	mg/m3	1.0	98	70	130			
Bromodichloromethane		9.00	mg/m3	1.0	90	70	130			
Bromoform		10.2	mg/m3	1.0	102	70	130			
Bromomethane		9.72	mg/m3	1.0	97	70	130			
Carbon tetrachloride		10.2	mg/m3	1.0	102	70	130			
Chlorobenzene		8.24	mg/m3	1.0	82	70	130			
Chlorodibromomethane		8.36	mg/m3	1.0	84	70	130			
Chloroethane		9.48	mg/m3	1.0	95	70	130			
Chloroform		9.68	mg/m3	1.0	97	70	130			
Chloromethane		8.16	mg/m3	1.0	82	70	130			
cis-1,2-Dichloroethene		8.96	mg/m3	1.0	90	70	130			
cis-1,3-Dichloropropene		9.60	mg/m3	1.0	96	70	130			
Dibromomethane		8.96	mg/m3	1.0	90	70	130			
Dichlorodifluoromethane		7.84	mg/m3	1.0	78	70	130			
Ethylbenzene		8.72	mg/m3	1.0	84	70	130			
Hexachlorobutadiene		9.20	mg/m3	1.0	90	70	130			
Isopropylbenzene		10.8	mg/m3	1.0	104	70	130			
m+p-Xylenes		17.9	mg/m3	1.0	87	70	130			
Methyl ethyl ketone		96.4	mg/m3	20	96	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/27/11

Project: 90125 Artesia

Work Order: C11070426

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148146
Sample ID: C11070426-001AMS	64	Sample Matrix Spike				Run: GCMS2_110714A				07/14/11 12:53
Methylene chloride		9.24	mg/m3	1.0	92	70	130			
Naphthalene		9.28	mg/m3	1.0	91	70	130			
n-Butylbenzene		10.1	mg/m3	1.0	101	70	130			
n-Propylbenzene		11.1	mg/m3	1.0	106	70	130			
o-Xylene		8.72	mg/m3	1.0	87	70	130			
p-Isopropyltoluene		10.4	mg/m3	1.0	104	70	130			
sec-Butylbenzene		10.3	mg/m3	1.0	103	70	130			
Styrene		9.04	mg/m3	1.0	90	70	130			
tert-Butylbenzene		10.4	mg/m3	1.0	104	70	130			
Tetrachloroethene		8.72	mg/m3	1.0	83	70	130			
Toluene		9.28	mg/m3	1.0	92	70	130			
trans-1,2-Dichloroethene		9.84	mg/m3	1.0	98	70	130			
trans-1,3-Dichloropropene		10.4	mg/m3	1.0	104	70	130			
Trichloroethene		9.44	mg/m3	1.0	94	70	130			
Trichlorofluoromethane		9.12	mg/m3	1.0	91	70	130			
Vinyl chloride		8.08	mg/m3	1.0	81	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	98	80	120			
Surr: Dibromofluoromethane				1.0	88	80	120			
Surr: p-Bromofluorobenzene				1.0	98	80	120			
Surr: Toluene-d8				1.0	88	80	120			
Sample ID: C11070426-001AMSD	64	Sample Matrix Spike Duplicate				Run: GCMS2_110714A				07/14/11 13:28
1,1,1,2-Tetrachloroethane		8.60	mg/m3	1.0	86	70	130	0.0	20	
1,1,1-Trichloroethane		9.64	mg/m3	1.0	96	70	130	2.5	20	
1,1,2,2-Tetrachloroethane		10.0	mg/m3	1.0	100	70	130	5.8	20	
1,1,2-Trichloroethane		8.48	mg/m3	1.0	85	70	130	1.4	20	
1,1-Dichloroethane		9.84	mg/m3	1.0	94	70	130	3.6	20	
1,1-Dichloroethene		8.84	mg/m3	1.0	88	70	130	2.2	20	
1,1-Dichloropropene		9.84	mg/m3	1.0	98	70	130	1.2	20	
1,2,3-Trichlorobenzene		11.0	mg/m3	1.0	108	70	130	14	20	
1,2,3-Trichloropropane		10.3	mg/m3	1.0	103	70	130	0.4	20	
1,2,4-Trichlorobenzene		11.0	mg/m3	1.0	108	70	130	10	20	
1,2,4-Trimethylbenzene		11.3	mg/m3	1.0	107	70	130	2.9	20	
1,2-Dibromo-3-chloropropane		10.7	mg/m3	1.0	107	70	130	5.4	20	
1,2-Dibromoethane		8.56	mg/m3	1.0	86	70	130	2.3	20	
1,2-Dichlorobenzene		10.4	mg/m3	1.0	104	70	130	1.9	20	
1,2-Dichloroethane		9.60	mg/m3	1.0	96	70	130	1.7	20	
1,2-Dichloropropane		8.72	mg/m3	1.0	87	70	130	2.7	20	
1,3,5-Trimethylbenzene		10.6	mg/m3	1.0	104	70	130	3.1	20	
1,3-Dichlorobenzene		10.2	mg/m3	1.0	102	70	130	4.0	20	
1,3-Dichloropropane		8.20	mg/m3	1.0	82	70	130	1.9	20	
1,4-Dichlorobenzene		10.2	mg/m3	1.0	102	70	130	3.2	20	
2,2-Dichloropropane		9.84	mg/m3	1.0	98	70	130	2.4	20	
2-Chlorotoluene		10.3	mg/m3	1.0	103	70	130	0.4	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 07/27/11

Project: 90125 Artesia

Work Order: C11070426

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R148146
Sample ID: C11070426-001AMSD 64 Sample Matrix Spike Duplicate										Run: GCMS2_110714A 07/14/11 13:28
4-Chlorotoluene		10.7	mg/m3	1.0	107	70	130	0.7	20	
Benzene		9.08	mg/m3	1.0	91	70	130	1.3	20	
Bromobenzene		10.4	mg/m3	1.0	104	70	130	2.7	20	
Bromochloromethane		9.12	mg/m3	1.0	91	70	130	6.8	20	
Bromodichloromethane		8.80	mg/m3	1.0	88	70	130	2.2	20	
Bromoform		10.5	mg/m3	1.0	105	70	130	3.1	20	
Bromomethane		10.2	mg/m3	1.0	102	70	130	4.8	20	
Carbon tetrachloride		9.88	mg/m3	1.0	99	70	130	3.2	20	
Chlorobenzene		8.28	mg/m3	1.0	83	70	130	0.5	20	
Chlorodibromomethane		8.40	mg/m3	1.0	84	70	130	0.5	20	
Chloroethane		9.32	mg/m3	1.0	93	70	130	1.7	20	
Chloroform		9.28	mg/m3	1.0	93	70	130	4.2	20	
Chloromethane		8.48	mg/m3	1.0	85	70	130	3.8	20	
cis-1,2-Dichloroethene		8.92	mg/m3	1.0	89	70	130	0.4	20	
cis-1,3-Dichloropropene		9.60	mg/m3	1.0	96	70	130	0.0	20	
Dibromomethane		8.84	mg/m3	1.0	88	70	130	1.3	20	
Dichlorodifluoromethane		8.08	mg/m3	1.0	81	70	130	3.0	20	
Ethylbenzene		8.80	mg/m3	1.0	85	70	130	0.9	20	
Hexachlorobutadiene		10.4	mg/m3	1.0	102	70	130	12	20	
Isopropylbenzene		10.9	mg/m3	1.0	104	70	130	0.7	20	
m+p-Xylenes		17.8	mg/m3	1.0	87	70	130	0.7	20	
Methyl ethyl ketone		93.2	mg/m3	20	93	70	130	3.4	20	
Methylene chloride		9.00	mg/m3	1.0	90	70	130	2.6	20	
Naphthalene		10.6	mg/m3	1.0	104	70	130	13	20	
n-Butylbenzene		10.8	mg/m3	1.0	108	70	130	6.5	20	
n-Propylbenzene		11.4	mg/m3	1.0	109	70	130	3.2	20	
o-Xylene		8.80	mg/m3	1.0	88	70	130	0.9	20	
p-Isopropyltoluene		10.9	mg/m3	1.0	109	70	130	4.9	20	
sec-Butylbenzene		10.7	mg/m3	1.0	107	70	130	4.2	20	
Styrene		9.04	mg/m3	1.0	90	70	130	0.0	20	
tert-Butylbenzene		10.9	mg/m3	1.0	109	70	130	4.9	20	
Tetrachloroethene		8.84	mg/m3	1.0	84	70	130	1.4	20	
Toluene		9.16	mg/m3	1.0	91	70	130	1.3	20	
trans-1,2-Dichloroethene		9.60	mg/m3	1.0	96	70	130	2.5	20	
trans-1,3-Dichloropropene		10.5	mg/m3	1.0	105	70	130	0.8	20	
Trichloroethene		9.24	mg/m3	1.0	92	70	130	2.1	20	
Trichlorofluoromethane		8.88	mg/m3	1.0	89	70	130	2.7	20	
Vinyl chloride		8.40	mg/m3	1.0	84	70	130	3.9	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	85	80	120	0.0	10	
Surr: p-Bromofluorobenzene				1.0	99	80	120	0.0	10	
Surr: Toluene-d8				1.0	87	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Workorder Receipt Checklist



C11070426

Login completed by: Edith McPike

Date Received: 7/13/2011

Reviewed by: BL2000\cwagner

Received by: jes

Reviewed Date: 7/14/2011

Carrier NDA
name:

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature:	°C NA		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.