

GW - 114

REPORTS

**Quarterly
Groundwater**

1st Quarter 2012

Deuell Environmental, LLC

March 23, 2012

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NM 87505

RE: First Quarter Monitoring Results - 2012
Schlumberger Technology Corporation Facility – Artesia, New Mexico (GW-114)

Dear Mr. Hansen:

Deuell Environmental, LLC conducted quarterly monitoring activities at the Schlumberger Technology Corporation (Dowell) facility in Artesia, New Mexico on January 17-18, 2012.

The environmental data results are enclosed for your review.

Static water elevation data, measured in the 33 wells located in the vicinity of the Dowell facility, are summarized in Table 1. The data were used to generate a potentiometric surface map as shown on Figure 1. Water levels across the site increased up to 1.6 feet from those measured in October which were the lowest recorded at the site. This is typical of fluctuations related to occurrence and timing of precipitation. In the eastern portion of the site water elevations were more stable due to control by the pump containment system. The zone of capture from the pumped wells evident.

The laboratory analytical results for water quality monitoring are summarized in Table 2. The laboratory reports will be provided in hard copy with the annual report. Since the first three quarters are only partial sampling events, it is not possible to construct iso-concentration map. This will be constructed for the annual report. All down gradient wells are generally stable in concentrations for this quarter. The highest down gradient concentrations on the site are at MW-25 and MW-30. Both of these wells were stable in concentrations for this quarter. Wells in the source areas were stable and are near or below MCL's.

The effects of the groundwater containment system are being noticed. The potentiometric surface shows a depression in the ground water surface at the pumped wells with a zone of capture. Wells MW-18, MW-22, and MW-25, within the center of the area of concern, have all decreased in concentrations after system startup. MW-26, at the property boundary, continues to decrease in concentrations so that all compounds are below MCL's.

This indicates very good hydraulic control to the south. MW-29 remains below MCL's and provides northern control. Concentrations in the surge tank are lower than those measured at MW-30 indicating some removal of chlorinated compounds through aeration. Also, MW-31 directly down gradient of the infiltration trench, has shown a decrease in concentrations since the system was started indicating an improvement in groundwater quality.

The landowners of the pecan orchard to the east have been contacted regarding installation of a down gradient sentinel well. An access agreement has been submitted to them for execution.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: D. Renee Romero, NMPST Bureau
Du'Bois Ferguson, Schlumberger Technology Corporation
Janice Barber, Dow

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1	01/23/91	30 00	Protective Casing	100 56	17 41	83 15	
	09/13/91				16 04	84 52	1 37
	11/22/91				14 50	86 06	1 54
	03/16/93				13 72	86 84	0 78
	01/09/94				14 62	85 94	-0 90
	04/19/94				14 48	86 08	0 14
	07/20/94				14 38	86 18	0 10
	10/24/94				14 73	85 83	-0 35
	01/24/95				14 20	86 36	0 53
	04/02/95				14 37	86 19	-0 17
	07/31/95				14 76	85 80	-0 39
	10/16/95				14 64	85 92	0 12
	01/10/96				14 59	85 97	0 05
	04/09/96				14 77	85 79	-0 18
	07/20/96				15 84	84 72	-1 07
	10/21/96				14 07	86 49	1 77
	01/21/97				13 24	87 32	0 83
	04/08/97				12 97	87 59	0 27
	07/29/97				13 87	86 69	-0 90
	10/16/97				12 26	88 30	1 61
	02/09/99				14 34	86 22	-2 08
	04/21/99				13 91	86 65	0 43
	07/13/99				11 70	88 86	2 21
	10/19/99				13 22	87 34	-1 52
	01/26/00				13 50	87 06	-0 28
	04/18/00				13 74	86 82	-0 24
	07/26/00				14 04	86 52	-0 30
	10/19/00				12 48	88 08	1 56
	01/18/01				9 72	90 84	2 76
	04/12/01				9 58	90 98	0 14
	07/19/01				12 02	88 54	-2 44
	10/17/01				10 70	89 86	1 32
	01/12/02				9 19	91 37	1 51
	04/20/02				9 37	91 19	-0 18
	07/24/02				12 13	88 43	-2 76
	10/15/02				10 86	89 70	1 27
	01/22/03				11 79	88 77	-0 93
	04/24/03				12 32	88 24	-0 53
	07/16/03				13 60	86 96	-1 28
	10/15/03				11 15	89 41	2 45
	01/29/04				11 07	89 49	0 08
	04/19/04				9 49	91 07	1 58
	07/16/04				10 69	89 87	-1 20
	10/29/04				8 44	92 12	2 25
	01/14/05				7 74	92 82	0 70
	04/15/05				7 25	93 31	0 49
	07/08/05				7 76	92 80	-0 51
	10/08/05				10 32	90 24	-2 56
	01/18/06				9 47	91 09	0 85
	04/18/06				10 88	89 68	-1 41
	07/11/06				11 50	89 06	-0 62
	10/10/06				10 91	89 65	0 59
	01/16/07				10 19	90 37	0 72
	04/17/07				9 27	91 29	0 92
	07/18/07				10 30	90 26	-1 03
	10/17/07				10 55	90 01	-0 25
	01/16/08				11 96	88 60	-1 41
	04/28/08				10 41	90 15	1 55
	07/15/08				9 66	90 90	0 75
	10/14/08				8 33	92 23	1 33
	01/13/09				8 64	91 92	-0 31
	04/06/09				10 78	89 78	-2 14
	07/14/09				12 02	88 54	-1 24
	10/20/09				13 58	86 98	-1 56
	01/20/10				11 94	88 62	1 64
	04/20/10				10 00	90 56	1 94
	07/26/10				11 98	88 58	-1 98

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1 (Cont)	10/19/10				13 03	87 53	-1 05
	01/19/11				12 37	88 19	0 66
	04/05/11				13 51	87 05	-1 14
	07/12/11				14 98	85 58	-1 47
	10/11/11				15 32	85 24	-0 34
	01/17/12				15 08	85 48	0 24
MW-2	01/23/91	30 00	Protective Casing	99 56	16 95	82 61	
	09/13/91				15 01	84 55	1 94
	11/22/91				13 76	85 80	1 25
	03/16/93				13 16	86 40	0 60
	01/09/94				13 91	85 65	-0 75
	04/19/94				13 80	85 76	0 11
	07/20/94				13 65	85 91	0 15
	10/24/94				13 88	85 68	-0 23
	01/24/95				13 41	86 15	0 47
	04/02/95				13 67	85 89	-0 26
	07/31/95				13 81	85 75	-0 14
	10/16/95				13 78	85 78	0 03
	01/10/96				13 80	85 76	-0 02
	04/09/96				13 98	85 58	-0 18
	07/20/96				14 92	84 64	-0 94
	10/21/96				13 15	86 41	1 77
	01/21/97				12 41	87 15	0 74
	04/08/97				12 21	87 35	0 20
	07/29/97				13 15	86 41	-0 94
	10/16/97				11 63	87 93	1 52
	01/06/98				10 92	88 64	0 71
	04/14/98				11 02	88 54	-0 10
	07/17/98				13 03	86 53	-2 01
	10/27/98				13 61	85 95	-0 58
	02/09/99				13 69	85 87	-0 08
	04/21/99				13 24	86 32	0 45
	07/13/99				11 05	88 51	2 19
	10/20/99				12 59	86 97	-1 54
	01/26/00				12 83	86 73	-0 24
	04/18/00				13 00	86 56	-0 17
	07/26/00				13 36	86 20	-0 36
	10/19/00				11 42	88 14	1 94
	01/18/01				8 41	91 15	3 01
	04/12/01				8 60	90 96	-0 19
	07/19/01				11 23	88 33	-2 63
	10/17/01				9 60	89 96	1 63
	01/12/02				7 80	91 76	1 80
	04/20/02				8 67	90 89	-0 87
	07/24/02				11 38	88 18	-2 71
	10/15/02				10 02	89 54	1 36
	01/22/03				11 08	88 48	-1 06
	04/24/03				11 61	87 95	-0 53
	07/16/03				12 93	86 63	-1 32
	10/15/03				9 90	89 66	3 03
	01/29/04				10 25	89 31	-0 35
	04/19/04				8 64	90 92	1 61
	07/16/04				9 76	89 80	-1 12
	10/29/04				7 33	92 23	2 43
	01/14/05				6 97	92 59	0 36
	04/15/05				6 21	93 35	0 76
	07/08/05				9 17	90 39	-2 96
	10/08/05				9 70	89 86	-0 53
	01/18/06				8 69	90 87	1 01
	04/18/06				10 22	89 34	-1 53
	07/11/06				10 94	88 62	-0 72
	10/10/06				10 12	89 44	0 82
	01/16/07				9 44	90 12	0 68
	04/17/07				8 22	91 34	1 22
	07/18/07				9 57	89 99	-1 35
	10/17/07				9 69	89 87	-0 12

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2 (Cont)	01/16/08				11 39	88 17	-1 70
	04/28/08				9 54	90 02	1 85
	07/15/08				8 51	91 05	1 03
	10/14/08				7 07	92 49	1 44
	01/13/09				7 61	91 95	-0 54
	04/06/09				9 96	89 60	-2 35
	07/14/09				11 19	88 37	-1 23
	10/20/09				12 88	86 68	-1 69
	01/20/10				10 91	88 65	1 97
	04/20/10				9 02	90 54	1 89
	07/26/10				11 25	88 31	-2 23
	10/19/10				12 32	87 24	-1 07
	01/19/11				11 62	87 94	0 70
	04/05/11				12 79	86 77	-1 17
	07/12/11				14 11	85 45	-1 32
	10/11/11				14 42	85 14	-0 31
	01/17/12				14 35	85 21	0 07
MW-3	01/23/91	30 00	Protective Casing	98 33	17 28	81 05	
	09/13/91				14 66	83 67	2 62
	11/22/91				13 63	84 70	1 03
	03/16/93				12 89	85 44	0 74
	01/09/94				13 66	84 67	-0 77
	04/19/94			Not Measured	-	-	-
	07/20/94				13 18	85 15	na
	10/24/94				13 27	85 06	-0 09
	01/24/95				13 23	85 10	0 04
	04/02/95				13 60	84 73	-0 37
	07/31/95				13 34	84 99	0 26
	10/16/95				13 38	84 95	-0 04
	01/10/96				13 85	84 48	-0 47
	04/09/96				13 91	84 42	-0 06
	07/20/96				14 55	83 78	-0 64
	10/21/96				12 90	85 43	1 65
	01/21/97				12 42	85 91	0 48
	04/08/97				12 43	85 90	-0 01
	07/29/97				13 18	85 15	-0 75
	10/16/97				11 83	86 50	1 35
	01/06/98				11 45	86 88	0 38
	04/14/98				11 44	86 89	0 01
	07/17/98				12 81	85 52	-1 37
	10/27/98				12 60	85 73	0 21
	02/09/99				13 44	84 89	-0 84
	04/21/99				12 75	85 58	0 69
	07/13/99				10 57	87 76	2 18
	10/20/99				12 15	86 18	-1 58
	01/26/00				12 64	85 69	-0 49
	04/18/00				12 70	85 63	-0 06
	07/26/00				12 88	85 45	-0 18
	10/19/00				11 53	86 80	1 35
	01/18/01				9 21	89 12	2 32
	04/12/01				9 22	89 11	-0 01
	07/19/01				11 22	87 11	-2 00
MW-4	01/23/91	50 00	Protective Casing	103 18	20 17	83 01	
	09/13/91				18 54	84 64	1 63
	11/22/91				17 15	86 03	1 39
	03/16/93				16 49	86 69	0 66
	01/09/94				17 28	85 90	-0 79
	04/19/94				17 15	86 03	0 13
	07/20/94				16 99	86 19	0 16
	10/24/94				17 25	85 93	-0 26
	01/24/95				16 78	86 40	0 47
	04/02/95				16 98	86 20	-0 20
	07/31/95				17 26	85 92	-0 28
	10/16/95				17 01	86 17	0 25
	01/10/96				16 95	86 23	0 06

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-4 (Cont)	04/09/96				17 15	86 03	-0 20
	07/20/96				18 08	85 10	-0 93
	10/21/96				16 28	86 90	1 80
	01/21/97				15 37	87 81	0 91
	04/08/97				15 14	88 04	0 23
	07/29/97				16 05	87 13	-0 91
	10/16/97				14 44	88 74	1 61
	01/06/98				13 59	89 59	0 85
	04/14/98				13 91	89 27	-0 32
	07/17/98				16 40	86 78	-2 49
	10/27/98				17 05	86 13	-0 65
	02/09/99				17 08	86 10	-0 03
	04/21/99				16 67	86 51	0 41
	07/13/99				14 49	88 69	2 18
	10/20/99				15 98	87 20	-1 49
	01/26/00				16 27	86 91	-0 29
	04/18/00				16 47	86 71	-0 20
	07/26/00				16 81	86 37	-0 34
	10/19/00				15 01	88 17	1 80
	01/18/01				12 08	91 10	2 93
	04/12/01				12 12	91 06	-0 04
	07/19/01				14 68	88 50	-2 56
	10/17/01			99 66	9 65	90 01	1 51
	01/12/02				7 97	91 69	1 68
	04/20/02				8 63	91 03	-0 66
	07/24/02				11 33	88 33	-2 70
	10/15/02				9 97	89 69	1 36
	01/22/03				10 98	88 68	-1 01
	04/24/03				11 53	88 13	-0 55
	07/16/03				12 63	87 03	-1 10
	10/15/03				10 01	89 65	2 62
	01/29/04			99 71	10 15	89 56	-0 09
	04/19/04				8 56	91 15	1 59
	07/16/04				9 70	90 01	-1 14
	10/29/04				7 32	92 39	2 38
	01/14/05				6 83	92 88	0 49
	04/15/05				6 23	93 48	0 60
	07/08/05				7 98	91 73	-1 75
	10/08/05				9 50	90 21	-1 52
	01/18/06				8 54	91 17	0 96
	04/18/06				10 04	89 67	-1 50
	07/11/06				10 68	89 03	-0 64
	10/10/06				9 97	89 74	0 71
	01/16/07				9 27	90 44	0 70
	04/17/07				8 19	91 52	1 08
	07/18/07				9 47	90 24	-1 28
	10/17/07				9 58	90 13	-0 11
	01/16/08				10 15	89 56	-0 57
	04/28/08				9 42	90 29	0 73
	07/15/08				8 53	91 18	0 89
	10/14/08				7 05	92 66	1 48
	01/13/09				7 61	92 10	-0 56
	04/06/09				9 84	89 87	-2 23
	07/14/09				11 09	88 62	-1 25
	10/20/09				12 73	86 98	-1 64
	01/20/10				10 87	88 84	1 86
	04/20/10				8 96	90 75	1 91
	07/26/10				11 11	88 60	-2 15
	10/19/10				12 12	87 59	-1 01
	01/19/11				11 48	88 23	0 64
	04/05/11				12 64	87 07	-1 16
	07/12/11				14 00	85 71	-1 36
	10/11/11				14 34	85 37	-0 34
	01/17/12				14 23	85 48	0 11

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-5	01/23/91	30 00	Protective Casing	99 87	17 20	82 67	
	09/13/91				15 52	84 35	1 68
	11/22/91				14 19	85 68	1 33
	03/16/93				13 47	86 40	0 72
	01/09/94				14 31	85 56	-0 84
	04/19/94				14 17	85 70	0 14
	07/20/94				13 97	85 90	0 20
	10/24/94				14 21	85 66	-0 24
	01/24/95				13 78	86 09	0 43
	04/02/95				14 05	85 82	-0 27
	07/31/95				14 17	85 70	-0 12
	10/16/95				14 07	85 80	0 10
	01/10/96				14 11	85 76	-0 04
	04/09/96				14 31	85 56	-0 20
	07/20/96				15 20	84 67	-0 89
	10/21/96				13 44	86 43	1 76
	01/21/97				12 69	87 18	0 75
	04/08/97				12 52	87 35	0 17
	07/29/97				13 37	86 50	-0 85
	10/16/97				11 82	88 05	1 55
	01/06/98				11 09	88 78	0 73
	04/14/98				12 30	87 57	-1 21
	07/17/98				13 32	86 55	-1 02
	10/27/98				13 93	85 94	-0 61
	02/09/99				14 04	85 83	-0 11
	04/21/99				13 54	86 33	0 50
	07/13/99				11 37	88 50	2 17
	10/20/99				12 89	86 98	-1 52
	01/26/00				13 18	86 69	-0 29
	04/18/00				13 35	86 52	-0 17
	07/26/00				13 65	86 22	-0 30
	10/19/00				11 96	87 91	1 69
	01/18/01				9 22	90 65	2 74
	04/12/01				9 16	90 71	0 06
	07/19/01				11 63	88 24	-2 47
	10/17/01				10 26	89 61	1 37
	01/12/02				8 58	91 29	1 68
	04/20/02				9 19	90 68	-0 61
	07/24/02				11 75	88 12	-2 56
	10/15/02				10 56	89 31	1 19
	01/22/03				11 51	88 36	-0 95
	04/24/03				12 07	87 80	-0 56
	07/16/03				13 27	86 60	-1 20
	10/15/03				10 64	89 23	2 63
	01/29/04			99 50	10 95	88 55	-0 68
	04/19/04				8 88	90 62	2 07
	07/16/04				10 04	89 46	-1 16
	10/29/04				7 75	91 75	2 29
	01/14/05				7 18	92 32	0 57
	04/15/05				6 53	92 97	0 65
	07/08/05				9 23	90 27	-2 70
	10/08/05				9 84	89 66	-0 61
	01/18/06				8 95	90 55	0 89
	04/18/06				10 36	89 14	-1 41
	07/11/06				11 11	88 39	-0 75
	10/10/06				10 48	89 02	0 63
	01/16/07				9 72	89 78	0 76
	04/17/07				8 62	90 88	1 10
	07/18/07				9 88	89 62	-1 26
	10/17/07				10 04	89 46	-0 16
	01/16/08				11 57	87 93	-1 53
	04/28/08				9 93	89 57	1 64
	07/15/08				9 09	90 41	0 84
	10/14/08				7 73	91 77	1 36
	01/13/09				8 01	91 49	-0 28
	04/06/09				10 18	89 32	-2 17
	07/14/09				11 48	88 02	-1 30

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-5 (Cont)	10/20/09				13 09	86 41	-1 61
	01/20/10				11 28	88 22	1 81
	04/20/10				9 32	90 18	1 96
	07/26/10				11 44	88 06	-2 12
	10/19/10				12 54	86 96	-1 10
	01/19/11				11 85	87 65	0 69
	04/05/11				12 97	86 53	-1 12
	07/12/11				14 42	85 08	-1 45
	10/11/11				14 73	84 77	-0 31
	01/17/12				14 54	84 96	0 19
MW-6	01/23/91	35 00	Protective Casing	100 84	19 59	81 25	
	09/13/91				17 43	83 41	2 16
	11/21/91				16 30	84 54	1 13
	03/16/93				15 57	85 27	0 73
	01/09/94				16 42	84 42	-0 85
	04/19/94				16 29	84 55	0 13
	07/19/94				15 79	85 05	0 50
	10/24/94				15 83	85 01	-0 04
	01/24/95				15 94	84 90	-0 11
	04/02/95				16 38	84 46	-0 44
	07/31/95				15 88	84 96	0 50
	10/16/95				16 01	84 83	-0 13
	01/10/96				16 52	84 32	-0 51
	04/09/96				16 70	84 14	-0 18
	07/21/96				17 26	83 58	-0 56
	10/21/96				15 62	85 22	1 64
	01/21/97				15 21	85 63	0 41
	04/08/97				15 30	85 54	-0 09
	07/29/97				16 01	84 83	-0 71
	10/16/97				15 01	85 83	1 00
	01/06/98				14 69	86 15	0 32
	04/14/98				14 45	86 39	0 24
	07/17/98				15 62	85 22	-1 17
	10/27/98				15 77	85 07	-0 15
	02/09/99				16 34	84 50	-0 57
	04/21/99				15 57	85 27	0 77
	07/13/99				13 66	87 18	1 91
	10/19/99				15 04	85 80	-1 38
	01/26/00				15 51	85 33	-0 47
	04/18/00				15 46	85 38	0 05
	07/26/00				15 68	85 16	-0 22
	10/19/00				14 32	86 52	1 36
	01/18/01				11 78	89 06	2 54
	04/12/01				12 03	88 81	-0 25
	07/19/01				14 13	86 71	-2 10
	10/17/01				13 21	87 63	0 92
	01/12/02				11 74	89 10	1 47
	04/20/02				12 02	88 82	-0 28
	07/24/02				13 92	86 92	-1 90
	10/15/02				13 23	87 61	0 69
	01/22/03				13 94	86 90	-0 71
	04/23/03				14 28	86 56	-0 34
	07/16/03				15 60	85 24	-1 32
	10/15/03				13 01	87 83	2 59
	01/28/04				13 58	87 26	-0 57
	04/19/04				11 79	89 05	1 79
	07/16/04				13 76	87 08	-1 97
	10/29/04				11 30	89 54	2 46
	01/14/05				10 43	90 41	0 87
	05/16/05				9 95	90 89	0 48
	07/08/05				12 62	88 22	-2 67
	10/08/05				13 23	87 61	-0 61
	01/19/06				12 52	88 32	0 71
	04/18/06				13 59	87 25	-1 07
	07/11/06				14 92	85 92	-1 33
	10/10/06				14 36	86 48	0 56

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6 (Cont)	01/16/07				13 50	87 34	0 86
	04/17/07				12 27	88 57	1 23
	07/17/07				13 71	87 13	-1 44
	10/17/07				14 04	86 80	-0 33
	01/16/08				15 16	85 68	-1 12
	04/28/08				14 03	86 81	1 13
	07/15/08				12 58	88 26	1 45
	10/14/08				11 65	89 19	0 93
	01/13/09				11 86	88 98	-0 21
	07/14/09				14 79	86 05	-2 93
	10/20/09				16 09	84 75	-1 30
	01/20/10				14 54	86 30	1 55
	04/20/10				12 69	88 15	1 85
	07/26/10				14 62	86 22	-1 93
	10/19/10				15 90	84 94	-1 28
	01/19/11				15 14	85 70	0 76
	04/05/11				16 00	84 84	-0 86
	07/12/11				17 61	83 23	-1 61
	10/11/11				17 89	82 95	-0 28
	01/17/12				17 44	83 40	0 45
MW-7	01/23/91	35 00	Protective Casing	100 23	19 01	81 22	
	09/13/91				17 43	82 80	1 58
	11/21/91				16 00	84 23	1 43
	03/16/93				14 91	85 32	1 09
	01/09/94				15 99	84 24	-1 08
	04/19/94				15 83	84 40	0 16
	07/19/94				15 24	84 99	0 59
	10/24/94				15 32	84 91	-0 08
	01/24/95				15 54	84 69	-0 22
	04/02/95				16 00	84 23	-0 46
	07/31/95				15 57	84 66	0 43
	10/16/95				15 61	84 62	-0 04
	01/10/96				16 13	84 10	-0 52
	04/09/96				16 30	83 93	-0 17
	07/21/96				16 81	83 42	-0 51
	10/21/96				15 15	85 08	1 66
	01/21/97				14 81	85 42	0 34
	04/08/97				14 91	85 32	-0 10
	07/29/97				15 48	84 75	-0 57
	10/16/97				14 52	85 71	0 96
	01/06/98				13 27	86 96	1 25
	04/14/98				14 02	86 21	-0 75
	07/17/98				15 10	85 13	-1 08
	10/27/98				15 21	85 02	-0 11
	02/09/99				15 86	84 37	-0 65
	04/21/99				14 96	85 27	0 90
	07/13/99				13 03	87 20	1 93
	10/19/99				14 43	85 80	-1 40
	01/26/00				15 02	85 21	-0 59
	04/18/00				14 99	85 24	0 03
	07/26/00				15 12	85 11	-0 13
	10/19/00				14 22	86 01	0 90
	01/18/01				12 12	88 11	2 10
	04/12/01				12 10	88 13	0 02
	07/19/01				13 74	86 49	-1 64
	10/17/01				13 24	86 99	0 50
	01/12/02				12 22	88 01	1 02
	04/20/02				11 93	88 30	0 29
	07/24/02				13 48	86 75	-1 55
	10/15/02				13 00	87 23	0 48
	01/22/03				13 58	86 65	-0 58
	04/23/03				13 88	86 35	-0 30
	07/16/03				15 08	85 15	-1 20
	10/15/03				13 32	86 91	1 76
	01/28/04				13 52	86 71	-0 20
	04/19/04				11 85	88 38	1 67

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-7 (Cont)	07/16/04				13 90	86 33	-2 05
	10/29/04				11 74	88 49	2 16
	01/14/05				10 50	89 73	1 24
	04/15/05				10 13	90 10	0 37
	07/08/05				12 31	87 92	-2 18
	10/08/05				13 03	87 20	-0 72
	01/19/06				12 50	87 73	0 53
	04/18/06				13 37	86 86	-0 87
	07/11/06				14 81	85 42	-1 44
	10/10/06				14 56	85 67	0 25
	01/16/07				13 68	86 55	0 88
	04/17/07				12 69	87 54	0 99
	07/17/07				13 96	86 27	-1 27
	10/17/07				14 39	85 84	-0 43
	01/16/08				15 11	85 12	-0 72
	04/28/08				14 40	85 83	0 71
	07/15/08				13 45	86 78	0 95
	10/14/08				12 73	87 50	0 72
	01/13/09				12 32	87 91	0 41
	04/06/09				13 24	86 99	-0 92
	07/14/09				14 82	85 41	-1 58
	10/20/09				15 92	84 31	-1 10
	01/20/10				14 61	85 62	1 31
	04/20/10				12 78	87 45	1 83
	07/26/10				14 59	85 64	-1 81
	10/19/10				15 85	84 38	-1 26
	01/19/11				15 09	85 14	0 76
	04/05/11				15 79	84 44	-0 70
	07/12/11				17 55	82 68	-1 76
	10/11/11				18 89	81 34	-1 34
	01/17/12				17 24	82 99	1 65
MW-8	01/23/91	35 00	Protective Casing	101 47	20 16	81 31	
	09/13/91				18 80	82 67	1 36
	11/21/91				17 29	84 18	1 51
	03/16/93				16 03	85 44	1 26
	01/09/94				17 23	84 24	-1 20
	04/19/94				17 05	84 42	0 18
	07/19/94				16 50	84 97	0 55
	10/24/94				16 56	84 91	-0 06
	01/24/95				16 79	84 68	-0 23
	04/02/95				17 24	84 23	-0 45
	07/31/95				16 94	84 53	0 30
	10/16/95				16 88	84 59	0 06
	01/10/96				17 38	84 09	-0 50
	04/09/96				17 54	83 93	-0 16
	07/21/96				18 10	83 37	-0 56
	10/21/96				16 40	85 07	1 70
	11/22/96				16 42	85 05	-0 02
	01/21/97				16 05	85 42	0 37
	04/08/97				16 11	85 36	-0 06
	07/29/97				16 69	84 78	-0 58
	10/16/97				15 69	85 78	1 00
	01/06/98				15 38	86 09	0 31
	04/14/98				15 15	86 32	0 23
	07/17/98				16 29	85 18	-1 14
	10/27/98				16 39	85 08	-0 10
	02/09/99				17 02	84 45	-0 63
	04/21/99				16 08	85 39	0 94
	07/13/99				14 13	87 34	1 95
	10/19/99				15 56	85 91	-1 43
	01/26/00				16 19	85 28	-0 63
	04/18/00				16 19	85 28	0 00
	07/26/00				16 30	85 17	-0 11
	10/19/00				15 55	85 92	0 75
	01/18/01				13 54	87 93	2 01
	04/12/01				13 42	88 05	0 12

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-8 (Cont)	07/19/01				14 98	86 49	-1 56
	10/17/01				14 58	86 89	0 40
	01/12/02				13 67	87 80	0 91
	04/20/02				13 22	88 25	0 45
	07/24/02				14 72	86 75	-1 50
	10/15/02				14 23	87 24	0 49
	01/22/03				14 80	86 67	-0 57
	04/23/03				15 08	86 39	-0 28
	07/16/03				16 28	85 19	-1 20
	10/15/03				14 03	87 44	2 25
	01/28/04				14 84	86 63	-0 81
	04/19/04				13 25	88 22	1 59
	07/16/04				15 30	86 17	-2 05
	10/29/04				13 15	88 32	2 15
	01/14/05				11 81	89 66	1 34
	04/15/05				11 42	90 05	0 39
	07/08/05				13 53	87 94	-2 11
	10/08/05				14 26	87 21	-0 73
	01/19/06				13 83	87 64	0 43
	04/18/06				14 67	86 80	-0 84
	07/11/06				16 40	85 07	-1 73
	10/10/06				15 92	85 55	0 48
	01/16/07				15 03	86 44	0 89
	04/17/07				14 12	87 35	0 91
	07/17/07				15 33	86 14	-1 21
	10/17/07				15 79	85 68	-0 46
	01/16/08				16 38	85 09	-0 59
	04/28/08				15 79	85 68	0 59
	07/15/08				15 07	86 40	0 72
	10/14/08				14 35	87 12	0 72
	01/13/09				13 79	87 68	0 56
	04/06/09				14 62	86 85	-0 83
	07/14/09				16 29	85 18	-1 67
	10/20/09				17 34	84 13	-1 05
	01/20/10				16 10	85 37	1 24
	04/20/10				14 24	87 23	1 86
	07/26/10				16 06	85 41	-1 82
	10/19/10				17 34	84 13	-1 28
	01/19/11				16 55	84 92	0 79
	04/05/11				17 22	84 25	-0 67
	07/12/11				19 09	82 38	-1 87
	10/11/11				19 39	82 08	-0 30
	01/17/12				18 69	82 78	0 70
MW-9	01/26/91	30 00	Protective Casing	102 18	20 08	82 10	
	09/13/91				18 93	83 25	1 15
	11/21/91				17 35	84 83	1 58
	03/16/93				16 19	85 99	1 16
	01/09/94				17 31	84 87	-1 12
	04/19/94				17 33	84 85	-0 02
	07/19/94				16 85	85 33	0 48
	10/24/94				17 05	85 13	-0 20
	01/24/95				16 92	85 26	0 13
	04/02/95				17 23	84 95	-0 31
	07/31/95				17 30	84 88	-0 07
	10/16/95				17 16	85 02	0 14
	01/10/96				17 39	84 79	-0 23
	04/09/96				17 58	84 60	-0 19
	07/21/96				18 38	83 80	-0 80
	10/21/96				16 65	85 53	1 73
	01/21/97				16 12	86 06	0 53
	04/08/97				16 04	86 14	0 08
	07/29/97				16 67	85 51	-0 63
	10/16/97				15 29	86 89	1 38
	01/06/98				14 78	87 40	0 51
	04/14/98				14 89	87 29	-0 11
	07/17/98				16 30	85 88	-1 41

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-9 (Cont)	10/27/98				16 62	85 56	-0 32
	02/09/99				17 14	85 04	-0 52
	04/21/99				16 38	85 80	0 76
	07/13/99				14 27	87 91	2 11
	10/19/99				15 75	86 43	-1 48
	01/26/00				16 30	85 88	-0 55
	04/18/00				16 40	85 78	-0 10
	07/26/00				16 53	85 65	-0 13
	10/19/00				15 70	86 48	0 83
	01/18/01			99 59	10 82	88 77	2 29
	04/12/01				10 49	89 10	0 33
	07/19/01				12 36	87 23	-1 87
	10/17/01				11 70	87 89	0 66
	01/12/02				10 50	89 09	1 20
	04/20/02				10 33	89 26	0 17
	07/24/02				12 14	87 45	-1 81
	10/15/02				11 49	88 10	0 65
	01/22/03				12 18	87 41	-0 69
	04/24/03				12 58	87 01	-0 40
	07/16/03				13 67	85 92	-1 09
	10/15/03				12 20	87 39	1 47
	01/29/04			99 33	11 65	87 68	0 29
	04/19/04				10 09	89 24	1 56
	07/16/04				11 69	87 64	-1 60
	10/29/04				9 57	89 76	2 12
	01/14/05				8 47	90 86	1 10
	04/15/05				7 94	91 39	0 53
	07/08/05				10 07	89 26	-2 13
	10/08/05				10 88	88 45	-0 81
	01/18/06				10 32	89 01	0 56
	04/18/06				11 31	88 02	-0 99
	07/11/06				12 47	86 86	-1 16
	10/10/06				12 18	87 15	0 29
	01/16/07				11 36	87 97	0 82
	04/17/07				10 48	88 85	0 88
	07/18/07				11 58	87 75	-1 10
	10/17/07				11 91	87 42	-0 33
	01/16/08				12 80	86 53	-0 89
	04/28/08				11 96	87 37	0 84
	07/15/08				11 36	87 97	0 60
	10/14/08				10 43	88 90	0 93
	01/13/09				10 02	89 31	0 41
	04/06/09				11 41	87 92	-1 39
	07/14/09				12 94	86 39	-1 53
	10/20/09				14 24	85 09	-1 30
	01/20/10				12 84	86 49	1 40
	04/20/10				10 90	88 43	1 94
	07/26/10				12 77	86 56	-1 87
	10/19/10				13 97	85 36	-1 20
	01/19/11				13 27	86 06	0 70
	04/05/11				14 11	85 22	-0 84
	07/12/11				15 87	83 46	-1 76
	10/11/11				16 18	83 15	-0 31
	01/17/12				15 58	83 75	0 60
MW-10	01/26/91	30 00	Protective Casing	101 34	19 68	81 66	
	09/13/91				18 56	82 78	1 12
	11/21/91				16 96	84 38	1 60
	03/16/93				15 64	85 70	1 32
	01/09/94				16 89	84 45	-1 25
	04/19/94				16 73	84 61	0 16
	07/19/94				16 29	85 05	0 44
	10/24/94				16 39	84 95	-0 10
	01/24/95				16 48	84 86	-0 09
	04/02/95				16 88	84 46	-0 40
	07/31/95				16 82	84 52	0 06
	10/16/95				16 65	84 69	0 17

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-10 (Cont)	01/10/96				17 01	84 33	-0 36
	04/09/96				17 20	84 14	-0 19
	07/21/96				17 85	83 49	-0 65
	10/21/96				16 13	85 21	1 72
	01/21/97				15 73	85 61	0 40
	04/08/97				15 70	85 64	0 03
	07/29/97				16 28	85 06	-0 58
	10/16/97				15 16	86 18	1 12
	01/06/98				14 74	86 60	0 42
	04/14/98				14 65	86 69	0 09
	07/17/98				15 90	85 44	-1 25
	10/27/98				16 04	85 30	-0 14
	02/09/99				16 61	84 73	-0 57
	04/21/99				15 68	85 66	0 93
	07/13/99				13 68	87 66	2 00
	10/19/99				15 15	86 19	-1 47
	01/26/00				15 76	85 58	-0 61
	04/18/00				15 82	85 52	-0 06
	07/26/00				15 92	85 42	-0 10
	10/19/00				15 30	86 04	0 62
	01/18/01			99 84	10 80	89 04	3 00
	04/12/01				10 58	89 26	0 22
	07/19/01				12 08	87 76	-1 50
	10/17/01				11 75	88 09	0 33
	01/12/02				10 75	89 09	1 00
	04/20/02				10 31	89 53	0 44
	07/24/02				11 81	88 03	-1 50
	10/15/02				11 33	88 51	0 48
	01/22/03				11 93	87 91	-0 60
	04/24/03				12 21	87 63	-0 28
	07/16/03				13 29	86 55	-1 08
	10/15/03				12 18	87 66	1 11
	01/29/04				11 95	87 89	0 23
	04/19/04				10 39	89 45	1 56
	07/16/04				12 32	87 52	-1 93
	10/29/04				10 24	89 60	2 08
	01/14/05				8 88	90 96	1 36
	04/15/05				8 43	91 41	0 45
	07/08/05				10 45	89 39	-2 02
	10/08/05				11 26	88 58	-0 81
	01/18/06				10 79	89 05	0 47
	04/18/06				11 64	88 20	-0 85
	07/11/06				13 02	86 82	-1 38
	10/10/06				12 89	86 95	0 13
	01/16/07				11 78	88 06	1 11
	04/17/07				11 17	88 67	0 61
	07/18/07				12 89	86 95	-1 72
	10/17/07				12 76	87 08	0 13
	01/16/08				13 30	86 54	-0 54
	04/28/08				12 79	87 05	0 51
	07/15/08				12 28	87 56	0 51
	10/14/08				11 51	88 33	0 77
	01/13/09				10 82	89 02	0 69
	04/06/09				11 84	88 00	-1 02
	07/14/09				13 50	86 34	-1 66
	10/20/09				14 59	85 25	-1 09
	01/20/10				13 33	86 51	1 26
	04/20/10				11 48	88 36	1 85
	07/26/10				13 30	86 54	-1 82
	10/19/10				14 54	85 30	-1 24
	01/19/11				13 74	86 10	0 80
	04/05/11				14 47	85 37	-0 73
	07/12/11				16 35	83 49	-1 88
	10/11/11				16 57	83 27	-0 22
	01/17/12				15 90	83 94	0 67

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-11	01/26/91	30 00	Protective Casing	100 60	19 27	81 33	
	09/13/91				17 81	82 79	1 46
	11/21/91				16 35	84 25	1 46
	03/16/93				15 20	85 40	1 15
	01/09/94				16 31	84 29	-1 11
	04/19/94				16 17	84 43	0 14
	07/19/94				15 63	84 97	0 54
	10/24/94				15 72	84 88	-0 09
	01/24/95				15 89	84 71	-0 17
	04/02/95				16 33	84 27	-0 44
	07/31/95				16 03	84 57	0 30
	10/16/95				16 00	84 60	0 03
	01/10/96				16 45	84 15	-0 45
	04/09/96				16 62	83 98	-0 17
	07/21/96				17 21	83 39	-0 59
	10/21/96				15 52	85 08	1 69
	01/21/97				15 15	85 45	0 37
	04/08/97				15 19	85 41	-0 04
	07/29/97				15 78	84 82	-0 59
	10/16/97				14 75	85 85	1 03
	01/06/98				14 44	86 16	0 31
	04/14/98				14 22	86 38	0 22
	07/17/98				15 41	85 19	-1 19
	10/27/98				15 50	85 10	-0 09
	02/09/99				16 11	84 49	-0 61
	04/21/99				15 21	85 39	0 90
	07/13/99				13 25	87 35	1 96
	10/19/99				14 68	85 92	-1 43
	01/26/00				15 28	85 32	-0 60
	04/18/00				15 29	85 31	-0 01
	07/26/00				15 42	85 18	-0 13
	10/19/00				14 58	86 02	0 84
	01/18/01			98 20	10 08	88 12	2 10
	04/12/01				10 07	88 13	0 01
	07/19/01				11 67	86 53	-1 60
	10/17/01				11 15	87 05	0 52
	01/12/02				10 14	88 06	1 01
	04/20/02				9 83	88 37	0 31
	07/24/02				11 39	86 81	-1 56
	10/15/02				10 87	87 33	0 52
	01/22/03				11 47	86 73	-0 60
	04/23/03				11 77	86 43	-0 30
	07/16/03				12 97	85 23	-1 20
	10/15/03				11 37	86 83	1 60
	01/28/04				11 43	86 77	-0 06
	04/19/04				9 77	88 43	1 66
	07/16/04				11 79	86 41	-2 02
	10/29/04				9 60	88 60	2 19
	01/14/05				8 34	89 86	1 26
	04/15/05				7 93	90 27	0 41
	07/08/05				10 12	88 08	-2 19
	10/08/05				10 84	87 36	-0 72
	01/19/06				10 36	87 84	0 48
	04/18/06				11 21	86 99	-0 85
	07/11/06				12 63	85 57	-1 42
	10/10/06				12 39	85 81	0 24
	01/16/07				11 53	86 67	0 86
	04/17/07				10 20	88 00	1 33
	07/17/07				11 08	87 12	-0 88
	10/17/07				12 22	85 98	-1 14
	01/16/08				12 91	85 29	-0 69
	04/28/08				12 22	85 98	0 69
	07/15/08				11 38	86 82	0 84
	10/14/08				10 63	87 57	0 75
	01/13/09				10 21	87 99	0 42
	04/06/09				11 18	87 02	-0 97
	07/14/09				12 79	85 41	-1 61

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-11 (Cont.)	10/20/09				13.92	84.28	-1.13
	01/20/10				12.60	85.60	1.32
	04/20/10				10.78	87.42	1.82
	07/26/10				12.58	85.62	-1.80
	10/19/10				13.87	84.33	-1.29
	01/19/11				13.09	85.11	0.78
	04/05/11				13.79	84.41	-0.70
	07/12/11				15.61	82.59	-1.82
	10/11/11				15.92	82.28	-0.31
	01/17/12				15.28	82.92	0.64
MW-12	01/26/91	34.00	Protective Casing	100.69	19.24	81.45	
	09/13/91				17.59	83.10	1.65
	11/21/91				16.21	84.48	1.38
	03/16/93				15.22	85.47	0.99
	01/09/94				16.25	84.44	-1.03
	04/19/94				16.13	84.56	0.12
	07/19/94				15.63	85.06	0.50
	10/24/94				15.73	84.96	-0.10
	01/24/95				15.80	84.89	-0.07
	04/02/95				16.23	84.46	-0.43
	07/31/95				15.96	84.73	0.27
	10/16/95				15.93	84.76	0.03
	01/10/96				16.35	84.34	-0.42
	04/09/96				16.52	84.17	-0.17
	07/21/96				17.15	83.54	-0.63
	10/21/96				15.48	85.21	1.67
	01/21/97				15.04	85.65	0.44
	04/08/97				15.10	85.59	-0.06
	07/29/97				15.73	84.96	-0.63
	10/16/97				14.57	86.12	1.16
	01/06/98				14.22	86.47	0.35
	04/14/98				14.09	86.60	0.13
	07/17/98				15.35	85.34	-1.26
	10/27/98				15.36	85.33	-0.01
	02/09/99				16.00	84.69	-0.64
	04/21/99				15.19	85.50	0.81
	07/13/99				13.12	87.57	2.07
	10/19/99				14.63	86.06	-1.51
	01/26/00				15.18	85.51	-0.55
	04/18/00				15.22	85.47	-0.04
	07/26/00				15.38	85.31	-0.16
	10/19/00				14.35	86.34	1.03
	01/18/01			99.21	10.62	88.59	2.25
	04/12/01				10.61	88.60	0.01
	07/19/01				12.41	86.80	-1.80
	10/17/01				10.95	88.26	1.46
	04/20/02				9.88	89.33	1.07
	07/24/02				11.57	87.64	-1.69
	10/15/02				10.94	88.27	0.63
	01/22/03				11.70	87.51	-0.76
	04/24/03				12.04	87.17	-0.34
	07/16/03				13.19	86.02	-1.15
	10/15/03				11.40	87.81	1.79
	01/29/04			98.49	11.33	87.16	-0.65
	04/19/04				9.62	88.87	1.71
	07/16/04				11.51	86.98	-1.89
	10/29/04				9.26	89.23	2.25
	01/14/05				8.16	90.33	1.10
	04/15/05				7.68	90.81	0.48
	07/08/05				9.98	88.51	-2.30
	10/08/05				10.74	87.75	-0.76
	01/18/06				10.09	88.40	0.65
	04/18/06				11.15	87.34	-1.06
	07/11/06				12.39	86.10	-1.24
	10/10/06				12.03	86.46	0.36
	01/16/07				11.20	87.29	0.83

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-12 (Cont.)	04/17/07				10 57	87 92	0 63
	07/18/07				11 52	86 97	-0 95
	10/17/07				11 82	86 67	-0 30
	01/16/08				12 71	85 78	-0 89
	04/28/08				11 82	86 67	0 89
	07/15/08				10 96	87 53	0 86
	10/14/08				10 10	88 39	0 86
	01/13/09				9 78	88 71	0 32
	04/06/09				11 03	87 46	-1 25
	07/14/09				12 59	85 90	-1 56
	10/20/09				13 85	84 64	-1 26
	01/20/10				12 38	86 11	1 47
	04/20/10				10 50	87 99	1 88
	07/26/10				12 38	86 11	-1 88
	10/19/10				13 60	84 89	-1 22
	01/19/11				12 30	86 19	1 30
	04/05/11				13 73	84 76	-1 43
	07/12/11				15 44	83 05	-1 71
	10/11/11				15 71	82 78	-0 27
	01/17/12				15 19	83 30	0 52
MW-13	09/13/91	45 00	Protective Casing	99 25	15 10	84 15	
	11/21/91				13 95	85 30	1 15
	03/16/93				13 22	86 03	0 73
	01/09/94				14 03	85 22	-0 81
	04/19/94				13 90	85 35	0 13
	07/20/94				13 70	85 55	0 20
	10/24/94				13 86	85 39	-0 16
	01/24/95				13 56	85 69	0 30
	04/02/95				13 87	85 38	-0 31
	07/31/95				13 84	85 41	0 03
	10/16/95				13 83	85 42	0 01
	01/10/96				14 02	85 23	-0 19
	04/09/96				14 20	85 05	-0 18
	07/20/96				15 04	84 21	-0 84
	10/21/96				13 31	85 94	1 73
	01/21/97				12 70	86 55	0 61
	04/08/97				12 48	86 77	0 22
	07/29/97				13 43	85 82	-0 95
	10/16/97				12 02	87 23	1 41
	01/06/98				11 44	87 81	0 58
	04/14/98				11 50	87 75	-0 06
	07/17/98				13 10	86 15	-1 60
	10/27/98				13 58	85 67	-0 48
	02/09/99				13 81	85 44	-0 23
	04/21/99				13 22	86 03	0 59
	07/13/99				11 08	88 17	2 14
	10/20/99				12 64	86 61	-1 56
	01/26/00				12 96	86 29	-0 32
	04/18/00				13 08	86 17	-0 12
	07/26/00				12 88	86 37	0 20
	10/19/00				11 68	87 57	1 20
	01/18/01				8 88	90 37	2 80
	04/12/01				9 09	90 16	-0 21
	07/19/01				11 47	87 78	-2 38
	10/17/01				10 15	89 10	1 32
	01/12/02				8 48	90 77	1 67
	04/20/02				9 07	90 18	-0 59
	07/24/02				11 42	87 83	-2 35
	10/15/02				10 38	88 87	1 04
	01/22/03				11 28	87 97	-0 90
	04/24/03				11 80	87 45	-0 52
	07/16/03				12 98	86 27	-1 18
	10/15/03				10 48	88 77	2 50
	01/29/04			99 25	10 68	88 57	-0 20
	04/19/04				9 06	90 19	1 62
	07/16/04				10 40	88 85	-1 34

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-13 (Cont.)	10/29/04				8.03	91.22	2.37
	01/14/05				7.44	91.81	0.59
	04/15/05				6.76	92.49	0.68
	07/08/05				9.47	89.78	-2.71
	10/08/05				10.13	89.12	-0.66
	01/18/06				9.28	89.97	0.85
	04/18/06				10.63	88.62	-1.35
	07/11/06				11.55	87.70	-0.92
	10/10/06				10.97	88.28	0.58
	01/16/07				10.16	89.09	0.81
	04/17/07				8.98	90.27	1.18
	07/18/07				10.31	88.94	-1.33
	10/17/07				10.47	88.78	-0.16
	01/16/08				11.97	87.28	-1.50
	04/28/08				10.42	88.83	1.55
	07/15/08				9.44	89.81	0.98
	10/14/08				8.26	90.99	1.18
	01/13/09				8.44	90.81	-0.18
	04/06/09				10.44	88.81	-2.00
	07/14/09				11.76	87.49	-1.32
	10/20/09				13.36	85.89	-1.60
	01/20/10				11.28	87.97	2.08
	04/20/10				9.59	89.66	1.69
	07/26/10				11.73	87.52	-2.14
	10/19/10				12.89	86.36	-1.16
	01/19/11				12.18	87.07	0.71
	04/05/11				13.24	86.01	-1.06
	07/12/11				14.72	84.53	-1.48
	10/11/11				15.00	84.25	-0.28
	01/17/12				14.77	84.48	0.23
MW-14	09/13/91	35.00	Protective Casing	98.74	14.60	84.14	
	11/21/91				13.61	85.13	0.99
	03/16/93				13.00	85.74	0.61
	01/09/94				13.71	85.03	-0.71
	04/19/94				13.63	85.11	0.08
	07/20/94				13.39	85.35	0.24
	10/24/94				13.48	85.26	-0.09
	01/25/95				13.26	85.48	0.22
	04/02/95				13.61	85.13	-0.35
	07/31/95				13.44	85.30	0.17
	10/16/95				13.52	85.22	-0.08
	01/10/96				13.76	84.98	-0.24
	04/09/96				13.96	84.78	-0.20
	07/20/96				14.74	84.00	-0.78
	10/21/96				13.03	85.71	1.71
	01/21/97				12.47	86.27	0.56
	04/08/97				12.44	86.30	0.03
	07/29/97				13.30	85.44	-0.86
	10/16/97				11.93	86.81	1.37
	01/06/98				11.46	87.28	0.47
	04/14/98				11.48	87.26	-0.02
	07/17/98				12.94	85.80	-1.46
	10/27/98				13.25	85.49	-0.31
	02/09/99				13.59	85.15	-0.34
	04/21/99				12.96	85.78	0.63
	07/13/99				10.85	87.89	2.11
	10/20/99				12.42	86.32	-1.57
	01/26/00				12.73	86.01	-0.31
	04/18/00				12.82	85.92	-0.09
	07/26/00				13.08	85.66	-0.26
	10/19/00				11.32	87.42	1.76
	01/18/01				8.48	90.26	2.84
	04/12/01				8.83	89.91	-0.35
	04/20/02				8.84	89.90	-0.01
	07/24/02				11.21	87.53	-2.37
	10/15/02				10.12	88.62	1.09

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-14 (Cont)	04/24/03				11 54	87 20	-1 42
	07/16/03				12 74	86 00	-1 20
	10/15/03				10 07	88 67	2 67
	01/29/04				10 45	88 29	-0 38
	04/19/04				8 76	89 98	1 69
	07/16/04				10 20	88 54	-1 44
	10/29/04				7 69	91 05	2 51
	01/14/05				7 23	91 51	0 46
	04/15/05				6 46	92 28	0 77
	07/08/05				9 37	89 37	-2 91
	10/08/05				9 99	88 75	-0 62
	01/18/06				9 09	89 65	0 90
	04/18/06				10 42	88 32	-1 33
	07/11/06				11 44	87 30	-1 02
	10/10/06				10 70	88 04	0 74
	01/16/07				9 95	88 79	0 75
	04/17/07				8 70	90 04	1 25
	07/18/07				10 18	88 56	-1 48
	10/17/07				10 30	88 44	-0 12
	01/16/08				11 83	86 91	-1 53
	04/28/08				10 26	88 48	1 57
	07/15/08				9 11	89 63	1 15
	10/15/08				7 96	90 78	1 15
	01/13/09				8 20	90 54	-0 24
	04/06/09				10 19	88 55	-1 99
	07/14/09				11 53	87 21	-1 34
	10/20/09				13 07	85 67	-1 54
	01/20/10				11 21	87 53	1 86
	04/20/10				9 41	89 33	1 80
	07/26/10				11 50	87 24	-2 09
	10/19/10				12 63	86 11	-1 13
	01/19/11				11 93	86 81	0 70
	04/05/11				13 00	85 74	-1 07
	07/12/11				14 40	84 34	-1 40
	10/11/11				14 69	84 05	-0 29
	01/17/12				13 96	84 78	0 73
MW-15	09/13/91	34 00	Protective Casing	100 05	16 30	83 75	
	11/21/91				15 01	85 04	1 29
	03/16/93				13 95	86 10	1 06
	01/09/94				14 91	85 14	-0 96
	04/19/94				14 80	85 25	0 11
	07/20/94				14 56	85 49	0 24
	10/24/94				14 73	85 32	-0 17
	** 01/24/95				16 00	84 05	-1 27
	04/02/95				14 80	85 25	1 20
	07/31/95				14 82	85 23	-0 02
	10/16/95				14 74	85 31	0 08
	01/10/96				14 95	85 10	-0 21
	04/09/96				15 11	84 94	-0 16
	07/20/96				15 96	84 09	-0 85
	10/21/96				14 22	85 83	1 74
	01/21/97				13 64	86 41	0 58
	04/08/97				13 53	86 52	0 11
	07/29/97				14 32	85 73	-0 79
	10/16/97				12 90	87 15	1 42
	01/06/98				12 30	87 75	0 60
	04/14/98				12 38	87 67	-0 08
	07/17/98				13 93	86 12	-1 55
	10/27/98				14 38	85 67	-0 45
	02/09/99				14 68	85 37	-0 30
	04/21/99				14 03	86 02	0 65
	07/13/99				11 90	88 15	2 13
	10/20/99				13 42	86 63	-1 52
	01/26/00				13 83	86 22	-0 41
	04/18/00				13 96	86 09	-0 13
	07/26/00				14 14	85 91	-0 18

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-15 (Cont)	10/19/00				12 90	87 15	1 24
	01/18/01				9 39	90 66	3 51
	04/12/01				12 38	87 67	-2 99
	07/19/01				12 44	87 61	-0 06
	01/12/02				10 10	89 95	2 34
	07/24/02				12 38	87 67	-2 28
	10/15/02				11 52	88 53	0 86
	01/22/03				12 30	87 75	-0 78
	04/24/03				12 74	87 31	-0 44
	07/16/03				13 89	86 16	-1 15
	10/15/03				11 96	88 09	1 93
	01/29/04			99 69	11 50	88 19	0 10
	04/19/04				9 92	89 77	1 58
	07/16/04				11 37	88 32	-1 45
	10/29/04				9 19	90 50	2 18
	01/14/05				8 30	91 39	0 89
	04/15/05				7 73	91 96	0 57
	07/08/05				10 08	89 61	-2 35
	10/08/05				10 82	88 87	-0 74
	01/18/06				10 13	89 56	0 69
	04/18/06				11 30	88 39	-1 17
	07/11/06				12 32	87 37	-1 02
	10/10/06				11 87	87 82	0 45
	01/16/07				11 11	88 58	0 76
	04/17/07				10 11	89 58	1 00
	07/18/07				11 28	88 41	-1 17
	10/17/07				11 52	88 17	-0 24
	01/16/08				12 72	86 97	-1 20
	04/28/08				11 55	88 14	1 17
	07/15/08				10 85	88 84	0 70
	10/14/08				9 78	89 91	1 07
	01/13/09				9 60	90 09	0 18
	04/06/09				11 27	88 42	-1 67
	07/14/09				12 69	87 00	-1 42
	10/20/09				14 18	85 51	-1 49
	01/20/10				12 56	87 13	1 62
	04/20/10				10 60	89 09	1 96
	07/26/10				12 57	87 12	-1 97
	10/19/10				13 73	85 96	-1 16
	01/19/11				13 08	86 61	0 65
	04/05/11				14 04	85 65	-0 96
	07/12/11				15 65	84 04	-1 61
	10/11/11				15 96	83 73	-0 31
	01/17/12				15 53	84 16	0 43
MW-16	01/13/09				8 27		
	04/06/09				10 50		
	07/14/09				11 75		
	10/20/09				13 37		
	01/20/10				11 51		
	04/20/10				9 60		
	07/26/10				11 75		
	10/19/10				12 76		
	01/19/11				12 12		
	04/05/11				13 28		
MW-17D	07/12/11				14 65		
	10/11/11				15 03		
	01/17/12				15 92		
	04/02/95	19 00	Protective Casing	101 29	16 80	84 49	
	07/31/95				16 48	84 81	0 32
	10/16/95				16 51	84 78	-0 03
	01/10/96				16 90	84 39	-0 39
	04/09/96				17 10	84 19	-0 20
	07/21/96				17 70	83 59	-0 60
	10/21/96				16 02	85 27	1 68
	01/21/97				15 60	85 69	0 42

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17D (Cont)	04/08/97				15 64	85 65	-0 04
	07/29/97				16 32	84 97	-0 68
	10/16/97				15 11	86 18	1 21
	01/06/98				14 80	86 49	0 31
	04/14/98				14 68	86 61	0 12
	07/17/98				15 92	85 37	-1 24
	10/27/98				15 95	85 34	-0 03
	02/09/99				16 63	84 66	-0 68
	04/21/99				15 82	85 47	0 81
	07/13/99				13 77	87 52	2 05
	10/19/99				15 32	85 97	-1 55
	01/26/00				15 79	85 50	-0 47
	04/18/00				15 80	85 49	-0 01
	07/26/00				15 98	85 31	-0 18
	10/19/00				14 89	86 40	1 09
	01/18/01			99 00	10 33	88 67	2 27
	04/12/01				10 35	88 65	-0 02
	07/19/01				12 22	86 78	-1 87
	10/17/01				11 48	87 52	0 74
	01/12/02				10 19	88 81	1 29
	04/20/02				10 25	88 75	-0 06
	07/24/02				11 98	87 02	-1 73
	10/15/02				11 33	87 67	0 65
	01/22/03				12 09	86 91	-0 76
	04/24/03				12 43	86 57	-0 34
	07/16/03				13 59	85 41	-1 16
	10/15/03				11 74	87 26	1 85
	01/29/04			98 46	11 30	87 16	-0 10
	04/19/04				9 55	88 91	1 75
	07/16/04				11 45	87 29	-1 62
	10/29/04				9 19	89 55	2 26
	01/14/05				8 16	90 58	1 03
	04/15/05				7 66	91 08	0 50
	07/08/05				10 01	88 73	-2 35
	10/08/05				10 76	87 98	-0 75
	01/18/06				10 10	88 64	0 66
	04/18/06				11 13	87 61	-1 03
	07/11/06				12 40	86 34	-1 27
	10/10/06				12 02	86 72	0 38
	01/16/07				11 17	87 57	0 85
	04/17/07				10 14	88 60	1 03
	07/18/07				11 50	87 24	-1 36
	10/17/07				11 79	86 95	-0 29
	01/16/08				12 08	86 66	-0 29
	04/28/08				11 79	86 95	0 29
	07/15/08				10 84	87 90	0 95
	10/15/08				10 10	88 64	0 74
	01/13/09				9 72	89 02	0 38
	04/06/09				11 03	87 71	-1 31
	07/14/09				12 54	86 20	-1 51
	10/20/09				13 82	84 92	-1 28
	01/20/10				12 33	86 41	1 49
	04/20/10				10 47	88 27	1 86
	07/26/10				12 17	86 57	-1 70
	10/19/10				13 62	85 12	-1 45
	01/19/11				12 89	85 85	0 73
	04/05/11				13 73	85 01	-0 84
	07/12/11				15 41	83 33	-1 68
	10/11/11				15 68	83 06	-0 27
	01/17/12				15 17	83 57	0 51
MW-17A	04/02/95	26 00	Protective Casing	100 57	16 05	84 52	
	07/31/95				15 75	84 82	0 30
	10/16/95				15 77	84 80	-0 02
	01/10/96				16 18	84 39	-0 41
	04/09/96				16 37	84 20	-0 19
	07/21/96				16 98	83 59	-0 61

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17A (Cont)	10/21/96				15 30	85 27	1 68
	01/21/97				14 88	85 69	0 42
	04/08/97				14 92	85 65	-0 04
	07/29/97				15 59	84 98	-0 67
	10/16/97				14 41	86 16	1 18
	01/06/98				14 09	86 48	0 32
	04/14/98				13 95	86 62	0 14
	07/17/98				15 20	85 37	-1 25
	10/27/98				15 23	85 34	-0 03
	02/09/99				15 88	84 69	-0 65
	04/21/99				15 10	85 47	0 78
	07/13/99				13 02	87 55	2 08
	10/19/99				14 54	86 03	-1 52
	01/26/00				15 05	85 52	-0 51
	04/18/00				15 08	85 49	-0 03
	07/26/00				15 25	85 32	-0 17
	10/19/00				14 17	86 40	1 08
	01/18/01			98 77	10 09	88 68	2 28
	04/12/01				10 11	88 66	-0 02
	07/19/01				11 98	86 79	-1 87
	10/17/01				11 24	87 53	0 74
	01/12/02				9 94	88 83	1 30
	04/20/02				10 00	88 77	-0 06
	07/24/02				11 75	87 02	-1 75
	10/15/02				11 22	87 55	0 53
	01/22/03				11 85	86 92	-0 63
	04/24/03				12 18	86 59	-0 33
	07/16/03				13 36	85 41	-1 18
	10/15/03				11 49	87 28	1 87
	01/29/04			98 29	11 13	87 16	-0 12
	04/19/04				9 38	88 91	1 75
	07/16/04				11 30	86 99	-1 92
	10/29/04				9 06	89 23	2 24
	01/14/05				7 98	90 31	1 08
	04/15/05				7 50	90 79	0 48
	07/08/05				9 84	88 45	-2 34
	10/08/05				10 57	87 72	-0 73
	01/18/06				9 93	88 36	0 64
	04/18/06				10 98	87 31	-1 05
	07/11/06				12 22	86 07	-1 24
	10/10/06				11 85	86 44	0 37
	01/16/07				11 00	87 29	0 85
	04/17/07				9 95	88 34	1 05
	07/18/07				11 30	86 99	-1 35
	10/17/07				11 61	86 68	-0 31
	01/16/08				12 52	85 77	-0 91
	04/28/08				11 62	86 67	0 90
	07/15/08				10 66	87 63	0 96
	10/15/08				9 89	88 40	0 77
	01/13/09				9 52	88 77	0 37
	04/06/09				10 85	87 44	-1 33
	07/14/09				12 33	85 96	-1 48
	10/20/09				13 64	84 65	-1 31
	01/20/10				12 15	86 14	1 49
	04/20/10				10 28	88 01	1 87
	07/26/10				12 35	85 94	-2 07
	10/19/10				13 42	84 87	-1 07
	01/19/11				12 68	85 61	0 74
	04/05/11				13 52	84 77	-0 84
	07/12/11				15 21	83 08	-1 69
	10/11/11				15 49	82 80	-0 28
	01/17/12				14 98	83 31	0 51
MW-17B	04/02/95	34 00	Protective Casing	101 28	16 79	84 49	
	07/31/95				16 50	84 78	0 29
	10/16/95				16 51	84 77	-0 01
	01/10/96				16 92	84 36	-0 41

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17B (Cont)	04/09/96				17 10	84 18	-0 18
	07/21/96				17 71	83 57	-0 61
	10/21/96				16 02	85 26	1 69
	01/21/97				15 64	85 64	0 38
	04/08/97				15 67	85 61	-0 03
	07/29/97				16 30	84 98	-0 63
	10/16/97				15 16	86 12	1 14
	01/06/98				14 84	86 44	0 32
	04/14/98				14 70	86 58	0 14
	07/17/98				15 92	85 36	-1 22
	10/27/98				16 00	85 28	-0 08
	02/09/99				16 62	84 66	-0 62
	04/21/99				15 79	85 49	0 83
	07/13/99				13 77	87 51	2 02
	10/19/99				15 26	86 02	-1 49
	01/26/00				15 81	85 47	-0 55
	04/18/00				15 81	85 47	0 00
	07/26/00				15 98	85 30	-0 17
	10/19/00				14 94	86 34	1 04
	01/18/01			99 04	10 44	88 60	2 26
	04/12/01				10 44	88 60	0 00
	07/19/01				12 27	86 77	-1 83
	10/17/01				11 62	87 42	0 65
	01/12/02				10 32	88 72	1 30
	04/20/02				10 33	88 71	-0 01
	07/24/02				12 04	87 00	-1 71
	10/15/02				11 40	87 64	0 64
	01/22/03				12 17	86 87	-0 77
	04/24/03				12 48	86 56	-0 31
	07/16/03				13 64	85 40	-1 16
	10/15/03				11 83	87 21	1 81
	01/29/04			98 54	11 43	87 11	-0 10
	04/19/04				9 69	88 85	1 74
	07/16/04				11 62	86 92	-1 93
	10/29/04				9 37	89 17	2 25
	01/14/05				8 29	90 25	1 08
	04/15/05				7 80	90 74	0 49
	07/08/05				10 11	88 43	-2 31
	10/08/05				10 89	87 65	-0 78
	01/18/06				10 22	88 32	0 67
	04/18/06				11 26	87 28	-1 04
	07/11/06				12 56	85 98	-1 30
	10/10/06				12 18	86 36	0 38
	01/16/07				11 31	87 23	0 87
	04/17/07				10 28	88 26	1 03
	07/18/07				11 67	86 87	-1 39
	10/17/07				11 95	86 59	-0 28
	01/16/08				12 83	85 71	-0 88
	04/28/08				11 77	86 77	1 06
	07/15/08				11 03	87 51	0 74
	10/15/08				10 23	88 31	0 80
	01/13/09				9 89	88 65	0 34
	04/06/09				11 16	87 38	-1 27
	07/14/09				12 67	85 87	-1 51
	10/20/09				13 94	84 60	-1 27
	01/20/10				12 48	86 06	1 46
	04/20/10				10 59	87 95	1 89
	07/26/10				12 48	86 06	-1 89
	10/19/10				13 76	84 78	-1 28
	01/19/11				13 00	85 54	0 76
	04/05/11				13 86	84 68	-0 86
	07/12/11				15 53	83 01	-1 67
	10/11/11				15 83	82 71	-0 30
	01/17/12				15 26	83 28	0 57
MW-17C	04/02/95	61 00	Protective Casing	101 33	16 93	84 40	
	07/31/95				16 66	84 67	0 27

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17C (Cont)	10/16/95				16 64	84 69	0 02
	01/10/96				17 08	84 25	-0 44
	04/09/96				17 25	84 08	-0 17
	07/21/96				17 85	83 48	-0 60
	10/21/96				16 17	85 16	1 68
	01/21/97				15 75	85 58	0 42
	04/08/97				15 80	85 53	-0 05
	07/29/97				16 46	84 87	-0 66
	10/16/97				15 33	86 00	1 13
	01/06/98				15 00	86 33	0 33
	04/14/98				14 85	86 48	0 15
	07/17/98				16 09	85 24	-1 24
	10/27/98				16 17	85 16	-0 08
	02/09/99				16 77	84 56	-0 60
	04/21/99				15 95	85 38	0 82
	07/13/99				13 94	87 39	2 01
	10/19/99				15 43	85 90	-1 49
	01/26/00				15 94	85 39	-0 51
	04/18/00				15 95	85 38	-0 01
	07/26/00				16 11	85 22	-0 16
	10/19/00				15 03	86 30	1 08
	01/18/01			99 01	10 37	88 64	2 34
	04/12/01				10 37	88 64	0 00
	07/19/01				12 22	86 79	-1 85
	10/17/01				11 46	87 55	0 76
	01/12/02				10 22	88 79	1 24
	04/20/02				10 25	88 76	-0 03
	07/24/02				11 98	87 03	-1 73
	10/15/02				11 33	87 68	0 65
	01/22/03				12 09	86 92	-0 76
	04/24/03				12 43	86 58	-0 34
	07/16/03				13 59	85 42	-1 16
	10/15/03				11 70	87 31	1 89
	01/29/04			98 53	11 37	87 16	-0 15
	04/19/04				9 61	88 92	1 76
	07/16/04				11 55	86 98	-1 94
	10/29/04				9 27	89 26	2 28
	01/14/05				8 19	90 34	1 08
	04/15/05				7 71	90 82	0 48
	07/08/05				10 08	88 45	-2 37
	10/08/05				10 84	87 69	-0 76
	01/18/06				10 16	88 37	0 68
	04/18/06				11 21	87 32	-1 05
	07/11/06				12 50	86 03	-1 29
	10/10/06				12 12	86 41	0 38
	01/16/07				11 21	87 32	0 91
	04/17/07				10 19	88 34	1 02
	07/18/07				11 57	86 96	-1 38
	10/17/07				11 87	86 66	-0 30
	01/16/08				12 77	85 76	-0 90
	04/28/08				11 88	86 65	0 89
	07/15/08				10 91	87 62	0 97
	10/15/08				10 12	88 41	0 79
	01/13/09				9 79	88 74	0 33
	04/06/09				11 08	87 45	-1 29
	07/14/09				12 59	85 94	-1 51
	10/20/09				13 86	84 67	-1 27
	01/20/10				12 39	86 14	1 47
	04/20/10				10 53	88 00	1 86
	07/26/10				12 41	86 12	-1 88
	10/19/10				13 68	84 85	-1 27
	01/19/11				12 92	85 61	0 76
	04/05/11				13 78	84 75	-0 86
	07/12/11				15 45	83 08	-1 67
	10/11/11				15 76	82 77	-0 31
	01/17/12				15 21	83 32	0 55

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MWV-18	04/02/95	28 00	Protective Casing	98 72	14 77	83 95	
	07/31/95				14 21	84 51	0 56
	10/16/95				14 25	84 47	-0 04
	01/10/96				14 90	83 82	-0 65
	04/09/96				15 05	83 67	-0 15
	07/21/96				15 44	83 28	-0 39
	10/21/96				13 78	84 94	1 66
	11/22/96				13 84	84 88	-0 06
	01/21/97				13 54	85 18	0 30
	04/08/97				13 66	85 06	-0 12
	07/29/97				14 13	84 59	-0 47
	10/16/97				13 34	85 38	0 79
	01/06/98				13 13	85 59	0 21
	04/14/98				12 79	85 93	0 34
	07/17/98				13 75	84 97	-0 96
	10/27/98				13 82	84 90	-0 07
	02/09/99				14 58	84 14	-0 76
	04/21/99				13 58	85 14	1 00
	07/13/99				11 66	87 06	1 92
	10/19/99				13 01	85 71	-1 35
	01/26/00				13 73	84 99	-0 72
	04/18/00				13 65	85 07	0 08
	07/26/00				13 71	85 01	-0 06
	10/19/00				13 03	85 69	0 68
	01/18/01				11 23	87 49	1 80
	04/12/01				11 18	87 54	0 05
	07/19/01				12 43	86 29	-1 25
	10/17/01				12 17	86 55	0 26
	01/12/02				11 44	87 28	0 73
	04/20/02				10 59	88 13	0 85
	07/24/02				12 22	86 50	-1 63
	10/15/02				11 88	86 84	0 34
	01/22/03				12 40	86 32	-0 52
	04/23/04				12 64	86 08	-0 24
	07/16/03				13 79	84 93	-1 15
	10/15/03				12 38	86 34	1 41
	01/28/04				12 52	86 20	-0 14
	04/19/04				10 88	87 84	1 64
	07/16/04				13 03	85 69	-2 15
	10/29/04				10 95	87 77	2 08
	01/14/05				9 55	89 17	1 40
	04/15/05				9 21	89 51	0 34
	07/08/05				11 22	87 50	-2 01
	10/08/05				11 94	86 78	-0 72
	01/19/06				11 57	87 15	0 37
	04/18/06				12 33	86 39	-0 76
	07/11/06				13 82	84 90	-1 49
	10/10/06				13 71	85 01	0 11
	01/16/07				12 85	85 87	0 86
	04/17/07				11 96	86 76	0 89
	07/17/07				13 18	85 54	-1 22
	10/17/07				13 63	85 09	-0 45
	01/16/08				14 17	84 55	-0 54
	04/28/08				13 68	85 04	0 49
	07/15/08				12 97	85 75	0 71
	10/14/08				12 36	86 36	0 61
	01/13/09				11 65	87 07	0 71
	04/06/09				12 07	86 65	-0 42
	07/14/09				13 65	85 07	-1 58
	10/20/09				14 60	84 12	-0 95
	01/20/10				13 49	85 23	1 11
	04/20/10				11 60	87 12	1 89
	07/26/10				13 34	85 38	-1 74
	10/19/10				14 63	84 09	-1 29
	01/19/11				13 89	84 83	0 74
	04/05/11				14 49	84 23	-0 60
	07/12/11				16 30	82 42	-1 81

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-18 (Cont)	10/11/11				16 61	82 11	-0 31
	01/17/12				15 91	82 81	0 70
MW-19	04/02/95	28 00	Protective Casing	99 08	14 86	84 22	
	07/31/95				14 29	84 79	0 57
	10/16/95				14 39	84 69	-0 10
	01/10/96				14 98	84 10	-0 59
	04/09/96				15 14	83 94	-0 16
	07/21/96				15 62	83 46	-0 48
	10/21/96				14 00	85 08	1 62
	11/22/96				14 03	85 05	-0 03
	01/21/97				13 69	85 39	0 34
	04/08/97				13 76	85 32	-0 07
	07/29/97				14 37	84 71	-0 61
	10/16/97				13 47	85 61	0 90
	01/06/98				13 21	85 87	0 26
	04/14/98				12 90	86 18	0 31
	07/17/98				13 96	85 12	-1 06
	10/27/98				14 11	84 97	-0 15
	02/09/99				14 74	84 34	-0 63
	04/21/99				13 91	85 17	0 83
	07/13/99				11 99	87 09	1 92
	10/19/99				13 35	85 73	-1 36
	01/26/00				13 92	85 16	-0 57
	04/18/00				13 84	85 24	0 08
	07/26/00				14 00	85 08	-0 16
	10/19/00				12 92	86 16	1 08
	01/18/01				10 66	88 42	2 26
	04/12/01				10 75	88 33	-0 09
	07/19/01				12 59	86 49	-1 84
	10/17/01				11 93	87 15	0 66
	01/12/02				10 78	88 30	1 15
	04/20/02				10 70	88 38	0 08
	07/24/02				12 35	86 73	-1 65
	10/15/02				11 82	87 26	0 53
	01/22/03				12 43	86 65	-0 61
	04/23/03				12 73	86 35	-0 30
	07/16/03				13 99	85 09	-1 26
	10/15/03				11 89	87 19	2 10
	01/28/04				12 29	86 79	-0 40
	04/19/04				10 50	88 58	1 79
	07/16/04				12 59	86 49	-2 09
	10/29/04				10 28	88 80	2 31
	01/14/05				9 20	89 88	1 08
	04/15/05				8 85	90 23	0 35
	07/08/05				11 23	87 85	-2 38
	10/08/05				11 90	87 18	-0 67
	01/19/06				11 30	87 78	0 60
	04/18/06				12 27	86 81	-0 97
	07/11/06				13 69	85 39	-1 42
	10/10/06				13 29	85 79	0 40
	01/16/07				12 36	86 72	0 93
	04/17/07				11 28	87 80	1 08
	07/17/07				12 64	86 44	-1 36
	10/17/07				13 00	86 08	-0 36
	01/16/08				13 87	85 21	-0 87
	04/28/08				12 99	86 09	0 88
	07/15/08				11 92	87 16	1 07
	10/14/08				11 12	87 96	0 80
	01/13/09				10 85	88 23	0 27
	04/06/09				11 95	87 13	-1 10
	07/14/09				13 50	85 58	-1 55
	10/20/09				14 65	84 43	-1 15
	01/20/10				13 30	85 78	1 35
	04/20/10				11 41	87 67	1 89
	07/26/10				13 27	85 81	-1 86
	10/19/10				14 53	84 55	-1 26

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-19 (Cont)	01/19/11				13 78	85 30	0 75
	04/05/11				14 52	84 56	-0 74
	07/12/11				16 26	82 82	-1 74
	10/11/11				16 53	82 55	-0 27
	01/17/12				15 99	83 09	0 54
MW-20	11/22/96	28 00	Protective Casing	101 09	16 28	84 81	
	01/21/97				16 08	85 01	0 20
	04/08/97				16 04	85 05	0 04
	07/29/97				16 46	84 63	-0 42
	10/16/97				15 76	85 33	0 70
	01/06/98				15 61	85 48	0 15
	04/14/98				15 13	85 96	0 48
	07/17/98				16 15	84 94	-1 02
	10/27/98				16 07	85 02	0 08
	02/09/99				16 94	84 15	-0 87
	04/21/99				15 48	85 61	1 46
	07/13/99				13 50	87 59	1 98
	10/19/99				15 25	85 84	-1 75
	01/26/00				16 08	85 01	-0 83
	04/18/00				15 97	85 12	0 11
	07/26/00				15 84	85 25	0 13
	10/19/00				15 80	85 29	0 04
	01/18/01				14 37	86 72	1 43
	04/12/01				14 16	86 93	0 21
	07/19/01				14 66	86 43	-0 50
	10/17/01				15 07	86 02	-0 41
	01/12/02				14 70	86 39	0 37
	04/20/02				13 54	87 55	1 16
	07/24/02				14 59	86 50	-1 05
	10/15/02				14 42	86 67	0 17
	01/22/03				14 91	86 18	-0 49
	04/23/03				14 87	86 22	0 04
	07/16/03				15 93	85 16	-1 06
	10/15/03				15 69	85 40	0 24
	01/28/04				15 38	85 71	0 31
	04/19/04				14 20	86 89	1 18
	07/16/04				16 25	84 84	-2 05
	10/29/04				14 25	86 84	2 00
	01/14/05				12 57	88 52	1 68
	04/15/05				12 14	88 95	0 43
	07/08/05				13 85	87 24	-1 71
	10/08/05				14 59	86 50	-0 74
	01/18/06				14 40	86 69	0 19
	04/18/06				15 08	86 01	-0 68
	07/11/06				16 73	84 36	-1 65
	10/10/06				16 97	84 12	-0 24
	01/16/07				16 08	85 01	0 89
	04/17/07				15 39	85 70	0 69
	07/17/07				16 68	84 41	-1 29
	10/17/07				17 19	83 90	-0 51
	01/16/08				17 26	83 83	-0 07
	04/28/08				17 21	83 88	0 05
	07/15/08				17 22	83 87	-0 01
	10/14/08				16 49	84 60	0 73
	01/13/09				15 38	85 71	1 11
	04/06/09				15 73	85 36	-0 35
	07/14/09				17 72	83 37	-1 99
	10/20/09				18 48	82 61	-0 76
	01/20/10				17 93	83 16	0 55
	04/20/10				15 82	85 27	2 11
	07/26/10				17 68	83 41	-1 86
	10/19/10				18 91	82 18	-1 23
	01/19/11				17 97	83 12	0 94
	04/05/11				18 44	82 65	-0 47
	07/12/11				20 42	80 67	-1 98

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-20 (Cont)	10/11/11				20 81	80 28	-0 39
	01/17/12				19 90	81 19	0 91
MW-21	11/22/96	25 00	Protective Casing	98 88	14 36	84 52	
	01/21/97				14 26	84 62	0 10
	04/08/97			98 89	14 41	84 48	-0 14
	07/29/97				14 54	84 35	-0 13
	10/16/97				14 18	84 71	0 36
	01/06/98				14 17	84 72	0 01
	04/14/98				13 60	85 29	0 57
	07/17/98				14 21	84 68	-0 61
	10/27/98				14 22	84 67	-0 01
	02/09/99				15 29	83 60	-1 07
	04/21/99				13 94	84 95	1 35
	07/13/99				12 03	86 86	1 91
	10/19/99				13 41	85 48	-1 38
	01/26/00				14 42	84 47	-1 01
	04/18/00				14 21	84 68	0 21
	07/26/00				13 97	84 92	0 24
	10/19/00				13 77	85 12	0 20
	01/18/01				12 62	86 27	1 15
	04/12/01				12 53	86 36	0 09
	07/19/01				12 89	86 00	-0 36
	10/17/01				13 23	85 66	-0 34
	01/12/02				13 10	85 79	0 13
	04/20/02				12 09	86 80	1 01
	07/24/02				12 83	86 06	-0 74
	10/15/02				12 82	86 07	0 01
	01/22/03				13 30	85 59	-0 48
	04/23/03				13 28	85 61	0 02
	07/16/03				14 27	84 62	-0 99
	10/15/03				13 73	85 16	0 54
	01/28/04				13 78	85 11	-0 05
	04/19/04				12 39	86 50	1 39
	07/16/04				14 54	84 35	-2 15
	10/29/04				12 70	86 19	1 84
	01/14/05				11 02	87 87	1 68
	04/15/05				10 62	88 27	0 40
	07/08/05				12 30	86 59	-1 68
	10/08/05				13 00	85 89	-0 70
	01/19/06				12 96	85 93	0 04
	04/18/06				13 50	85 39	-0 54
	07/11/06				14 98	83 91	-1 48
	10/10/06				15 22	83 67	-0 24
	01/16/07				14 52	84 37	0 70
	04/17/07				13 78	85 11	0 74
	07/17/07				14 94	83 95	-1 16
	10/17/07				15 42	83 47	-0 48
	01/16/08				15 71	83 18	-0 29
	04/28/08				15 59	83 30	0 12
	07/15/08				15 50	83 39	0 09
	10/14/08				14 80	84 09	0 70
	01/13/09				13 70	85 19	1 10
	04/06/09				13 91	84 98	-0 21
	07/14/09				15 59	83 30	-1 68
	10/20/09				16 17	82 72	-0 58
	01/20/10				15 42	83 47	0 75
	04/20/10				13 88	85 01	1 54
	07/26/10				15 51	83 38	-1 63
	10/19/10				16 76	82 13	-1 25
	01/19/11				16 07	82 82	0 69
	04/05/11				16 51	82 38	-0 44
	07/12/11				17 69	81 20	-1 18
	10/11/11				18 65	80 24	-0 96
	01/17/12				17 89	81 00	0 76

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-22	11/22/96	24 50	Protective Casing	97 16	12 88	84 28	
	01/21/97				12 94	84 22	-0 06
	04/08/97			97 14	13 42	83 72	-0 50
	07/29/97				13 16	83 98	0 26
	10/16/97				13 23	83 91	-0 07
	01/06/98				13 46	83 68	-0 23
	04/14/98				12 80	84 34	0 66
	07/17/98				12 65	84 49	0 15
	10/27/98				12 90	84 24	-0 25
	02/09/99				14 35	82 79	-1 45
	04/21/99				13 15	83 99	1 20
	07/13/99				11 45	85 69	1 70
	10/19/99				12 22	84 92	-0 77
	01/26/00				13 52	83 62	-1 30
	04/18/00				12 99	84 15	0 53
	07/26/00				12 63	84 51	0 36
	10/19/00				12 10	85 04	0 53
	01/18/01				11 19	85 95	0 91
	04/12/01				11 35	85 79	-0 16
	07/19/01				11 69	85 45	-0 34
	10/17/01				11 77	85 37	-0 08
	01/12/02				12 14	85 00	-0 37
	04/20/02				11 16	85 98	0 98
	07/24/02				11 53	85 61	-0 37
	10/15/02				11 83	85 31	-0 30
	01/22/03				12 36	84 78	-0 53
	04/23/03				12 35	84 79	0 01
	07/16/03				13 14	84 00	-0 79
	10/15/03				11 78	85 36	1 36
	01/28/04				12 74	84 40	-0 96
	04/19/04				11 01	86 13	1 73
	07/16/04				13 09	84 05	-2 08
	10/29/04				11 52	85 62	1 57
	01/14/05				9 97	87 17	1 55
	04/15/05				9 72	87 42	0 25
	07/08/05				11 39	85 75	-1 67
	10/08/05				12 00	85 14	-0 61
	01/19/06				12 15	84 99	-0 15
	04/18/06				12 52	84 62	-0 37
	07/11/06				13 59	83 55	-1 07
	10/10/06				13 72	83 42	-0 13
	01/16/07				13 32	83 82	0 40
	04/17/07				12 39	84 75	0 93
	07/17/07				13 25	83 89	-0 86
	10/17/07				13 61	83 53	-0 36
	01/16/08				14 56	82 58	-0 95
	04/28/08				14 17	82 97	0 39
	07/15/08				14 11	83 03	0 06
	10/14/08				13 12	84 02	0 99
	01/13/09				12 15	84 99	0 97
	04/06/09				12 80	84 34	-0 65
	07/14/09				14 05	83 09	-1 25
	10/20/09				14 24	82 90	-0 19
	01/20/10				14 18	82 96	0 06
	04/20/10				12 85	84 29	1 33
	07/26/10				14 12	83 02	-1 27
	10/19/10				15 35	81 79	-1 23
	01/19/11				15 10	82 04	0 25
	04/05/11				15 55	81 59	-0 45
	07/12/11				16 44	80 70	-0 89
	10/11/11				17 32	79 82	-0 88
	01/17/12				16 83	80 31	0 49
MW-23	11/22/96	25 00	Protective Casing	97 33	12 72	84 61	
	01/21/97				12 59	84 74	0 13
	04/08/97			97 30	13 07	84 23	-0 51
	07/29/97				13 14	84 16	-0 07

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-23 (Cont.)	10/16/97				13 06	84 24	0 08
	01/06/98				13 13	84 17	-0 07
	04/14/98				12 52	84 78	0 61
	07/17/98				12 64	84 66	-0 12
	10/27/98				12 84	84 46	-0 20
	02/09/99				14 16	83 14	-1 32
	04/21/99				13 25	84 05	0 91
	07/13/99				11 55	85 75	1 70
	10/19/99				12 39	84 91	-0 84
	01/26/00				13 33	83 97	-0 94
	04/18/00				12 81	84 49	0 52
	07/26/00				12 70	84 60	0 11
	10/19/00				11 54	85 76	1 16
	01/18/01				9 86	87 44	1 68
	04/12/01				10 19	87 11	-0 33
	07/19/01				11 54	85 76	-1 35
	10/17/01				11 24	86 06	0 30
	01/12/02				10 72	86 58	0 52
	04/20/02				10 30	87 00	0 42
	07/24/02				11 24	86 06	-0 94
	10/15/02				11 42	85 88	-0 18
	01/22/03				11 89	85 41	-0 47
	04/23/03				12 01	85 29	-0 12
	07/16/03				12 97	84 33	-0 96
	10/15/03				10 96	86 34	2 01
	01/28/04				12 82	84 48	-1 86
	04/19/04				10 06	87 24	2 76
	07/16/04				12 04	85 26	-1 98
	10/29/04				9 97	87 33	2 07
	01/14/05				8 69	88 61	1 28
	04/15/05				8 45	88 85	0 24
	07/08/05				10 89	86 41	-2 44
	10/08/05				11 50	85 80	-0 61
	01/18/06				11 09	86 21	0 41
	04/18/06				11 85	85 45	-0 76
	07/11/06				13 00	84 30	-1 15
	10/10/06				12 68	84 62	0 32
	01/16/07				11 43	85 87	1 25
	04/17/07				10 77	86 53	0 66
	07/17/07				12 06	85 24	-1 29
	10/17/07				12 16	85 14	-0 10
	01/16/08				13 49	83 81	-1 33
	04/28/08				12 56	84 74	0 93
	07/15/08				12 48	84 82	0 08
	10/14/08				10 89	86 41	1 59
	01/13/09				10 19	87 11	0 70
	04/06/09				11 39	85 91	-1 20
	07/14/09				12 73	84 57	-1 34
	10/20/09				13 21	84 09	-0 48
	01/20/10				12 71	84 59	0 50
	04/20/10				11 11	86 19	1 60
	07/26/10				12 73	84 57	-1 62
	10/19/10				13 92	83 38	-1 19
	01/19/11				13 58	83 72	0 34
	04/05/11				14 24	83 06	-0 66
	07/12/11				15 60	81 70	-1 36
	10/11/11				15 85	81 45	-0 25
	01/17/12				15 52	81 78	0 33
MW-24	11/22/96	27 00	Protective Casing	103 42	17 91	85 51	
	01/21/97				17 56	85 86	0 35
	04/08/97			103 41	17 40	86 01	0 15
	07/29/97				17 72	85 69	-0 32
	10/16/97				16 58	86 83	1 14
	01/06/98				16 01	87 40	0 57
	04/14/98				16 17	87 24	-0 16
	07/17/98				17 49	85 92	-1 32

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-24 (Cont.)	10/27/98				17.40	86.01	0.09
	02/09/99				18.09	85.32	-0.69
	04/21/99				16.98	86.43	1.11
	07/13/99				14.88	88.53	2.10
	10/19/99				16.51	86.90	-1.63
	01/26/00				17.27	86.14	-0.76
	04/18/00				17.37	86.04	-0.10
	07/26/00				17.40	86.01	-0.03
	10/19/00				17.61	85.80	-0.21
	01/18/01				15.88	87.53	1.73
	04/12/01				15.42	87.99	0.46
	07/19/01				16.38	87.03	-0.96
	10/17/01				16.64	86.77	-0.26
	01/12/02				15.99	87.42	0.65
	04/20/02				14.81	88.60	1.18
	07/24/02				16.14	87.27	-1.33
	10/15/02				15.75	87.66	0.39
	01/22/03				16.13	87.28	-0.38
	04/23/03				16.53	86.88	-0.40
	07/16/03				17.24	86.17	-0.71
	10/15/03				17.31	86.10	-0.07
	01/28/04				16.57	86.84	0.74
	04/19/04				15.52	87.89	1.05
	07/16/04				17.16	86.25	-1.64
	10/29/04				15.30	88.11	1.86
	01/14/05				13.68	89.73	1.62
	04/15/05				13.25	90.16	0.43
	07/08/05				14.73	88.68	-1.48
	10/08/05				15.60	87.81	-0.87
	01/18/06				15.47	87.94	0.13
	04/18/06				16.12	87.29	-0.65
	07/11/06				17.67	85.74	-1.55
	10/10/06				17.76	85.65	-0.09
	01/16/07				16.88	86.53	0.88
	04/17/07				16.37	87.04	0.51
	07/17/07				17.28	86.13	-0.91
	10/17/07				17.83	85.58	-0.55
	01/16/08				17.78	85.63	0.05
	04/28/08				17.93	85.48	-0.15
	07/15/08				17.98	85.43	-0.05
	10/14/08				17.26	86.15	0.72
	01/13/09				16.29	87.12	0.97
	04/06/09				16.90	86.51	-0.61
	07/14/09				18.99	84.42	-2.09
	10/20/09				19.93	83.48	-0.94
	01/20/10				18.73	84.68	1.20
	04/20/10				17.14	86.27	1.59
	07/26/10				18.80	84.61	-1.66
	10/19/10				19.94	83.47	-1.14
	01/19/11				18.94	84.47	1.00
	04/05/11				19.56	83.85	-0.62
	07/12/11				21.80	81.61	-2.24
	10/11/11				22.20	81.21	-0.40
	01/17/12				21.03	82.38	1.17
MW-25	04/08/97	25.00	Protective Casing	97.64	14.23	83.41	-
	07/29/97				13.77	83.87	0.46
	10/16/97				13.99	83.65	-0.22
	01/06/98				14.37	83.27	-0.38
	04/14/98				13.65	83.99	0.72
	07/17/98				13.26	84.38	0.39
	10/27/98				13.57	84.07	-0.31
	02/09/99				15.17	82.47	-1.60
	04/21/99				13.75	83.89	1.42
	07/13/99				12.16	85.48	1.59
	10/19/99				12.81	84.83	-0.65
	01/26/00				14.33	83.31	-1.52

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-25 (Cont)	04/18/00				13 69	83 95	0 64
	07/26/00				13 25	84 39	0 44
	10/19/00				12 83	84 81	0 42
	01/18/01				12 26	85 38	0 57
	04/12/01				12 44	85 20	-0 18
	07/19/01				12 36	85 28	0 08
	10/17/01				12 60	85 04	-0 24
	01/12/02				13 26	84 38	-0 66
	04/20/02				12 12	85 52	1 14
	07/24/02				12 28	85 36	-0 16
	10/15/02				12 66	84 98	-0 38
	01/22/03				13 22	84 42	-0 56
	04/23/03				13 10	84 54	0 12
	07/16/03				13 82	83 82	-0 72
	10/15/03				12 72	84 92	1 10
	01/28/04				13 72	83 92	-1 00
	04/19/04				12 11	85 53	1 61
	07/16/04				14 08	83 56	-1 97
	10/29/04				12 64	85 00	1 44
	01/14/05				11 07	86 57	1 57
	04/15/05				10 75	86 89	0 32
	07/08/05				12 31	85 33	-1 56
	10/08/05				12 82	84 82	-0 51
	01/19/06				13 17	84 47	-0 35
	04/18/06				13 43	84 21	-0 26
	07/11/06				14 40	83 24	-0 97
	10/10/06				14 67	82 97	-0 27
	01/16/07				14 44	83 20	0 23
	04/17/07				13 52	84 12	0 92
	07/17/07				14 23	83 41	-0 71
	10/17/07				14 65	82 99	-0 42
	01/16/08				15 62	82 02	-0 97
	04/28/08				15 33	82 31	0 29
	07/15/08				16 35	81 29	-1 02
	10/14/08				14 41	83 23	1 94
	01/13/09				13 40	84 24	1 01
	04/06/09				14 24	83 40	-0 84
	07/14/09				15 49	82 15	-1 25
	10/20/09				15 43	82 21	0 06
	01/20/10				15 68	81 96	-0 25
	04/20/10				14 64	83 00	1 04
	07/26/10				15 78	81 86	-1 14
	10/19/10				16 97	80 67	-1 19
	01/19/11				16 87	80 77	0 10
	04/05/11				17 19	80 45	-0 32
	07/12/11				18 37	79 27	-1 18
	10/11/11				18 94	78 70	-0 57
	01/17/12				18 47	79 17	0 47
MW-26	04/08/97	25 00	Protective Casing	96 11	13 06	83 05	-
	07/29/97				12 23	83 88	0 83
	10/16/97				12 75	83 36	-0 52
	01/06/98				13 40	82 71	-0 65
	04/14/98				12 61	83 50	0 79
	07/17/98				11 64	84 47	0 97
	10/27/98				12 16	83 95	-0 52
	02/09/99				14 13	81 98	-1 97
	04/21/99				12 41	83 70	1 72
	07/13/99				11 11	85 00	1 30
	10/19/99				11 40	84 71	-0 29
	01/26/00				13 29	82 82	-1 89
	04/18/00				12 27	83 84	1 02
	07/26/00				11 75	84 36	0 52
	10/19/00				11 30	84 81	0 45
	01/18/01				11 12	84 99	0 18
	04/12/01				11 44	84 67	-0 32
	07/19/01				10 98	85 13	0 46

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-26 (Cont)	10/17/01				11 12	84 99	-0 14
	01/12/02				12 42	83 69	-1 30
	04/20/02				11 04	85 07	1 38
	07/24/02				11 03	85 08	0 01
	10/15/02				11 59	84 52	-0 56
	01/22/03				12 26	83 85	-0 67
	04/23/03				12 01	84 10	0 25
	07/16/03				12 53	83 58	-0 52
	10/15/03				11 19	84 92	1 34
	01/28/04				12 79	83 32	-1 60
	04/19/04				11 08	85 03	1 71
	07/16/04				12 63	83 48	-1 55
	10/29/04				11 64	84 47	0 99
	01/14/05				10 15	85 96	1 49
	04/15/05				9 92	86 19	0 23
	07/08/05				11 35	84 76	-1 43
	10/08/05				11 66	84 45	-0 31
	01/18/06				12 35	83 76	-0 69
	04/18/06				12 48	83 63	-0 13
	07/11/06				13 14	82 97	-0 66
	10/10/06				13 33	82 78	-0 19
	01/16/07				13 44	82 67	-0 11
	04/17/07				12 42	83 69	1 02
	07/17/07				12 79	83 32	-0 37
	10/17/07				13 17	82 94	-0 38
	01/16/08				14 64	81 47	-1 47
	04/28/08				14 26	81 85	0 38
	07/15/08				14 22	81 89	0 04
	10/14/08				13 18	82 93	1 04
	01/13/09				12 25	83 86	0 93
	04/06/09				13 39	82 72	-1 14
	07/14/09				14 29	81 82	-0 90
	10/20/09				13 79	82 32	0 50
	01/20/10				14 75	81 36	-0 96
	04/20/10				13 99	82 12	0 76
	07/26/10				14 80	81 31	-0 81
	10/19/10				15 92	80 19	-1 12
	01/19/11				16 28	79 83	-0 36
	04/05/11				16 58	79 53	-0 30
	07/12/11				17 38	78 73	-0 80
	10/11/11				18 02	78 09	-0 64
	01/17/12				17 88	78 23	0 14
MW-27	04/08/97	25 00	Protective Casing	96 17	13 06	83 11	-
	07/29/97				12 21	83 96	0 85
	10/16/97				12 79	83 38	-0 58
	01/06/98				13 56	82 61	-0 77
	04/14/98				12 75	83 42	0 81
	07/17/98				11 53	84 64	1 22
	10/27/98				12 09	84 08	-0 56
	02/09/99				14 29	81 88	-2 20
	04/21/99				12 53	83 64	1 76
	07/13/99				11 41	84 76	1 12
	10/19/99				11 48	84 69	-0 07
	01/26/00				13 52	82 65	-2 04
	04/18/00				12 25	83 92	1 27
	07/26/00				11 75	84 42	0 50
	10/19/00				11 06	85 11	0 69
	01/18/01				10 83	85 34	0 23
	04/12/01				11 34	84 83	-0 51
	07/19/01				11 00	85 17	0 34
	10/17/01				11 03	85 14	-0 03
	01/12/02				12 33	83 84	-1 30
	04/20/02				10 85	85 32	1 48
	07/24/02				10 91	85 26	-0 06
	10/15/02				11 64	84 53	-0 73
	01/22/03				12 30	83 87	-0 66

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-27 (Cont.)	04/23/03				11 94	84 23	0 36
	07/16/03				12 50	83 67	-0 56
	10/15/03				10 73	85 44	1 77
	01/28/04				12 69	83 48	-1 96
	04/19/04				10 87	85 30	1 82
	07/16/04				12 73	83 44	-1 86
	10/29/04				11 30	84 87	1 43
	01/14/05				9 93	86 24	1 37
	04/15/05				9 73	86 44	0 20
	07/08/05				11 34	84 83	-1 61
	10/08/05				11 51	84 66	-0 17
	01/18/06				12 29	83 88	-0 78
	04/18/06				12 37	83 80	-0 08
	07/11/06				12 84	83 33	-0 47
	10/10/06				12 85	83 32	-0 01
	01/16/07				13 14	83 03	-0 29
	04/17/07				11 94	84 23	1 20
	07/17/07				12 22	83 95	-0 28
	10/17/07				12 48	83 69	-0 26
	01/16/08				14 45	81 72	-1 97
	04/28/08				13 79	82 38	0 66
	07/15/08				13 69	82 48	0 10
	10/14/08				12 39	83 78	1 30
	01/13/09				11 58	84 59	0 81
	04/06/09				12 77	83 40	-1 19
	07/14/09				13 39	82 78	-0 62
	10/20/09				12 74	83 43	0 65
	01/20/10				13 98	82 19	-1 24
	04/20/10				13 12	83 05	0 86
	07/26/10				13 80	82 37	-0 68
	10/19/10				14 90	81 27	-1 10
	01/19/11				15 47	80 70	-0 57
	04/05/11				15 70	80 47	-0 23
	07/12/11				16 43	79 74	-0 73
	10/11/11				17 00	79 17	-0 57
	01/17/12				17 01	79 16	-0 01
MW-28	07/17/98	25 00	Protective Casing	97 93	14 32	83 61	-
	10/27/98				14 43	83 50	-0 11
	02/09/99				15 71	82 22	-1 28
	04/21/99				14 28	83 65	1 43
	07/13/99				12 41	85 52	1 87
	10/19/99				13 48	84 45	-1 07
	01/26/00				14 78	83 15	-1 30
	04/18/00				14 49	83 44	0 29
	07/26/00				13 98	83 95	0 51
	10/19/00				13 92	84 01	0 06
	01/18/01				13 49	84 44	0 43
	04/12/01				13 57	84 36	-0 08
	07/19/01				13 16	84 77	0 41
	10/17/01				13 72	84 21	-0 56
	01/12/02				14 32	83 61	-0 60
	04/20/02				13 27	84 66	1 05
	07/24/02				13 18	84 75	0 09
	10/15/02				13 40	84 53	-0 22
	01/22/03				13 95	83 98	-0 55
	04/23/03				13 79	84 14	0 16
	07/16/03				14 36	83 57	-0 57
	10/15/03				14 20	83 73	0 16
	01/28/04				14 68	83 25	-0 48
	04/19/04				13 63	84 30	1 05
	07/16/04				15 26	82 67	-1 63
	10/29/04				13 87	84 06	1 39
	01/14/05				12 17	85 76	1 70
	04/15/05				11 72	86 21	0 45
	07/08/05				13 04	84 89	-1 32
	10/08/05				13 68	84 25	-0 64

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-28 (Cont.)	01/18/06				14 06	83 87	-0 38
	04/18/06				14 36	83 57	-0 30
	07/11/06				15 56	82 37	-1 20
	10/10/06				16 03	81 90	-0 47
	01/16/07				15 80	82 13	0 23
	04/17/07				15 10	82 83	0 70
	07/17/07				15 92	82 01	-0 82
	10/17/07				16 52	81 41	-0 60
	01/16/08				16 92	81 01	-0 40
	04/28/08				16 94	80 99	-0 02
	07/15/08				17 35	80 58	-0 41
	10/14/08				16 66	81 27	0 69
	01/13/09				15 50	82 43	1 16
	04/06/09				16 11	81 82	-0 61
	07/14/09				17 73	80 20	-1 62
	10/20/09				17 85	80 08	-0 12
	01/20/10				17 72	80 21	0 13
	04/20/10				12 92	85 01	4 80
	07/26/10				18 22	79 71	-5 30
	10/19/10				19 36	78 57	-1 14
	01/19/11				19 01	78 92	0 35
	04/05/11				19 26	78 67	-0 25
	07/12/11				20 45	77 48	-1 19
	10/11/11				21 12	76 81	-0 67
	01/17/12				20 61	77 32	0 51
MW-29	07/17/98	25 00	Protective Casing	97 04	14 07	82 97	-
	10/27/98				14 36	82 68	-0 29
	02/09/99				15 83	81 21	-1 47
	04/21/99				14 48	82 56	1 35
	07/13/99				12 84	84 20	1 64
	10/19/99				13 35	83 69	-0 51
	01/26/00				14 87	82 17	-1 52
	04/18/00				14 37	82 67	0 50
	07/26/00				13 72	83 32	0 65
	10/19/00				13 61	83 43	0 11
	01/18/01				13 51	83 53	0 10
	04/12/01				13 75	83 29	-0 24
	07/19/01				13 14	83 90	0 61
	10/17/01				13 48	83 56	-0 34
	01/12/02				14 52	82 52	-1 04
	04/20/02				13 58	83 46	0 94
	07/24/02				13 18	83 86	0 40
	10/15/02				13 52	83 52	-0 34
	01/22/03				14 14	82 90	-0 62
	04/23/03				14 00	83 04	0 14
	07/16/03				14 44	82 60	-0 44
	10/15/03				13 93	83 11	0 51
	01/28/04				14 84	82 20	-0 91
	04/19/04				13 72	83 32	1 12
	07/16/04				15 19	81 85	-1 47
	10/29/04				14 13	82 91	1 06
	01/14/05				12 43	84 61	1 70
	04/15/05				11 99	85 05	0 44
	07/08/05				13 20	83 84	-1 21
	10/08/05				13 78	83 26	-0 58
	01/18/06				14 37	82 67	-0 59
	04/18/06				14 56	82 48	-0 19
	07/11/06				15 11	81 93	-0 55
	10/10/06				15 87	81 17	-0 76
	01/16/07				15 98	81 06	-0 11
	04/17/07				15 19	81 85	0 79
	07/17/07				15 76	81 28	-0 57
	10/17/07				16 24	80 80	-0 48
	01/16/08				17 06	79 98	-0 82
	04/28/08				17 00	80 04	0 06
	07/15/08				17 34	79 70	-0 34

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-29 (Cont)	10/14/08				16 63	80 41	0 71
	01/13/09				15 60	81 44	1 03
	04/06/09				16 49	80 55	-0 89
	07/14/09				17 85	79 19	-1 36
	10/20/09				17 61	79 43	0 24
	01/20/10				18 00	79 04	-0 39
	04/20/10				17 52	79 52	0 48
	07/26/10				18 53	78 51	-1 01
	10/19/10				19 64	77 40	-1 11
	01/19/11				19 72	77 32	-0 08
	04/05/11				19 92	77 12	-0 20
	07/12/11				20 75	76 29	-0 83
MW-30	10/11/11				21 52	75 52	-0 77
	01/17/12				21 23	75 81	0 29
	07/17/98	25 00	Protective Casing	96 58	12 68	83 90	-
	10/27/98				13 12	83 46	-0 44
	02/09/99				14 88	81 70	-1 76
	04/21/99				13 38	83 20	1 50
	07/13/99				11 85	84 73	1 53
	10/19/99				12 28	84 30	-0 43
	01/26/00				14 00	82 58	-1 72
	04/18/00				13 21	83 37	0 79
	07/26/00				12 62	83 96	0 59
	10/19/00				12 32	84 26	0 30
	01/18/01				12 18	84 40	0 14
	04/12/01				12 44	84 14	-0 26
	07/19/01				11 91	84 67	0 53
	10/17/01				12 09	84 49	-0 18
	01/12/02				13 32	83 26	-1 23
	04/20/02				12 15	84 43	1 17
	07/24/02				11 92	84 66	0 23
	10/15/02				12 40	84 18	-0 48
	01/22/03				13 05	83 53	-0 65
	04/23/03				12 84	83 74	0 21
	07/16/03				13 35	83 23	-0 51
	10/15/03				12 40	84 18	0 95
	01/28/04				13 69	82 89	-1 29
	04/19/04				12 14	84 44	1 55
	07/16/04				14 42	82 16	-2 28
	10/29/04				12 77	83 81	1 65
	01/14/05				11 15	85 43	1 62
	04/15/05				10 83	85 75	0 32
	07/08/05				12 13	84 45	-1 30
	10/08/05				12 61	83 97	-0 48
	01/18/06				13 25	83 33	-0 64
	04/18/06				13 35	83 23	-0 10
	07/11/06				14 08	82 50	-0 73
	10/10/06				14 43	82 15	-0 35
	01/16/07				14 56	82 02	-0 13
	04/17/07				13 63	82 95	0 93
	07/17/07				14 04	82 54	-0 41
	10/17/07				14 52	82 06	-0 48
	01/16/08				15 69	80 89	-1 17
	04/28/08				15 47	81 11	0 22
	07/15/08				15 62	80 96	-0 15
	10/14/08				14 69	81 89	0 93
	01/13/09				13 73	82 85	0 96
	04/06/09				16 39	80 19	-2 66
	07/14/09				17 79	78 79	-1 40
	10/20/09				17 34	79 24	0 45
	01/20/10				18 28	78 30	-0 94
	04/20/10				18 08	78 50	0 20
	07/26/10				18 80	77 78	-0 72
	10/19/10				19 91	76 67	-1 11
	01/19/11				20 01	76 57	-0 10
	04/05/11				20 20	76 38	-0 19

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (Ft)	DEPTH TO GROUND WATER (Ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-30 (Cont)	07/12/11				20 98	75 60	-0 78
	10/11/11				21 61	74 97	-0 63
	01/17/12				21 26	75 32	0 35
MW-31	10/14/08			98 37	13 24	85 13	
	01/13/09				12 32	86 05	0 92
	04/06/09				11 70	86 67	0 62
	07/14/09				13 02	85 35	-1 32
	10/20/09				13 82	84 55	-0 80
	01/20/10				12 84	85 53	0 98
	04/20/10				10 78	87 59	2 06
	07/26/10				12 47	85 90	-1 69
	01/19/11				13 12	85 25	-0 65
	04/05/11				13 62	84 75	-0 50
	07/12/11				15 25	83 12	-1 63
	10/11/11				15 60	82 77	-0 35
	01/17/12				14 95	83 42	0 65
MW-32	10/19/10			96 51	17 70	78 81	
	01/19/11				18 14	78 37	-0 44
	04/05/11				18 50	78 01	-0 36
	07/12/11				19 11	77 40	-0 61
	10/11/11				19 85	76 66	-0 74
	01/17/12				19 70	76 81	0 15

NOTES

NM = not measured

* = measured from a temporary benchmark of arbitrary elevation = 100 00 feet
Benchmark is located on the concrete right up against the east shop wall,
at the northeast corner of the shop

** = water level measurement may be in error

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL		TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)		TOLUENE (mg/L)	XYLENES (mg/L)					1,1,1-TCA (mg/L)	1,2-DCE (mg/L)					
MW-1	01/26/91	0.033	ND(0.005)	0.029	0.130	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.192	0.000
	09/15/91	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.000
	11/22/91	0.026	ND(0.001)	0.007	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.047	0.000
	03/16/93	0.016	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.000
	01/10/94	0.006	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	04/19/94	0.035	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	07/20/94	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	10/25/94	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/25/95	0.025	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.000
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	08/01/95	0.082	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	0.000
	10/18/95	0.064	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.068	0.000
	01/10/96	0.076	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	0.000
	04/13/96	0.048	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000
	07/21/96	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	0.000
	10/22/96	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
MW-2	01/24/97	0.002	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	04/09/97	0.006	0.002	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000
	07/30/97	0.018	0.004	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.000
	10/17/97	0.026	0.003	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.000
	10/19/99	ND(0.001)	0.002	0.004	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	10/19/00	0.001	0.017	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000
	10/18/01	ND(0.001)	0.021	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.000
	10/16/02	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
MW-2 Dup.	01/26/91	0.210	0.590	0.071	1.700	0.048	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	2.571	0.158
	01/26/91	0.190	0.450	0.062	1.300	0.043	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	2.002	0.121
	09/15/91	0.120	0.050	0.006	0.690	0.100	ND(0.005)	ND(0.005)	0.005	0.023	ND(0.005)	0.150	0.866	0.278	0.197	0.093	0.019	0.093
	11/22/91	0.033	0.001	0.001	0.088	0.110	ND(0.001)	ND(0.001)	0.007	0.016	ND(0.001)	0.064	0.123	0.197	0.093	0.019	0.093	0.093
	03/16/93	0.019	ND(0.001)	ND(0.001)	ND(0.005)	0.060	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.028	0.019	0.093	0.019	0.093	0.019	0.093
01/10/94	0.024	ND(0.001)	0.001	ND(0.005)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.119	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)		TOTAL TOLUENE (mg/L)		TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-2 (Cont.) Dup.	04/19/94	0.045	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.028	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.048	0.049	0.049	0.077
	04/19/94	0.043	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.052	0.048	0.048	0.083
*	07/20/94	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.022	0.022	0.047
	10/25/94	0.045	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.037	0.053	0.053	0.068
Dup. *	01/25/95	0.057	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.079	0.079	0.103
	04/03/95	0.050	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	0.050	0.050	0.061
*	08/01/95	0.032	0.021	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	0.053	0.053	0.060
	10/18/95	0.078	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.088	0.118	0.118	0.105
Dup. *	10/18/95	0.081	0.045	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.003	0.097	0.126	0.126	0.117
	01/11/96	0.220	0.200	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.260	0.420	0.420	0.270
#	04/13/96	0.095	0.130	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.140	0.335	0.335	0.140
	07/21/96	0.092	0.079	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.061	0.171	0.171	0.061
Dup.	10/22/96	0.014	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	0.018	0.026	0.026	0.018
	01/24/97	0.012	0.018	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	0.024	0.030	0.030	0.029
Dup.	04/09/97	0.015	0.029	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.050	0.055	0.055	0.061
	07/30/97	0.010	0.045	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.031	0.028	0.028	0.040
Dup.	10/17/97	0.004	0.024	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	0.054	0.068	0.068	0.065
	10/28/98	0.002	0.035	ND(0.005)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	0.061	0.043	0.043	0.073
Dup.	10/28/98	ND(0.005)	0.043	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.036	0.027	0.027	0.048
	04/22/99	0.001	0.026	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.015	0.054	0.040	0.040	0.054
Dup.	10/20/99	ND(0.0025)	0.038	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.054	0.037	0.037	0.069
	10/20/99	ND(0.005)	0.035	0.002	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.013	0.002	0.002	0.015
Dup.	10/19/00	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014	0.000	0.000	0.018
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.016	0.000	0.000	0.021
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.014	0.000	0.000	0.016
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	0.000	0.000	0.006
Dup.	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.009	0.000	0.000	0.009
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.089	0.000	0.000	0.107
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.072	0.000	0.000	0.087
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.009	0.000	0.000	0.011
Dup.	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	0.000	0.000	0.008
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.005	0.000	0.000	0.006
Dup.	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.000	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.000	0.002
MW-3	01/26/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000	0.000
	09/15/91	0.200	1.200	1.200	14.000	14.000	14.000	14.000	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.330	ND(0.2)	ND(0.2)	16.600	16.600	0.330

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	BENZENE (mg/L)												
MW-3 (Cont.)	11/22/91	0.110	0.680	0.530	6.800	0.094	0.004	0.190	0.110	0.150	0.057	8.120	0.605			
	03/16/93	ND(0.001)	1.000	0.650	8.600	ND(0.001)	ND(0.001)	ND(0.001)	0.260	ND(0.001)	ND(0.001)	10.250	0.260			
	03/16/93	0.130	0.780	0.540	9.000	ND(0.001)	ND(0.001)	0.044	0.260	0.037	0.330	10.450	0.671			
	07/01/93	0.140	1.000	0.520	9.100	0.140	ND(0.05)	ND(0.05)	0.160	ND(0.05)	ND(0.05)	10.760	0.300			
Dup.	01/10/94	0.140	1.000	0.700	11.000	0.190	ND(0.1)	ND(0.1)	0.210	ND(0.1)	ND(0.1)	12.840	0.400			
	04/19/94	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000			
	07/20/94	0.092	0.460	0.160	3.000	0.077	0.002	0.036	0.069	0.064	0.011	3.712	0.259			
	10/25/94	0.130	0.960	0.250	4.200	0.200	ND(0.05)	0.064	ND(0.05)	0.130	0.210	5.540	0.604			
Dup.	10/25/94	0.110	0.830	0.300	4.700	0.180	ND(0.05)	0.051	ND(0.05)	0.100	0.024	5.940	0.355			
	01/25/95	ND(1)	0.810	ND(1)	7.100	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	7.910	0.000			
	04/03/95	0.047	0.450	ND(0.025)	1.300	0.100	ND(0.025)	0.110	ND(0.025)	0.150	ND(0.025)	1.797	0.360			
	04/03/95	0.047	0.450	ND(0.025)	1.200	0.100	ND(0.025)	0.120	ND(0.025)	0.150	ND(0.025)	1.697	0.370			
*	08/01/95	0.088	0.950	0.190	6.500	0.230	ND(0.05)	0.089	ND(0.05)	0.081	ND(0.05)	7.728	0.400			
	10/18/95	0.100	1.100	0.240	8.200	0.280	ND(0.05)	0.066	0.049	0.089	0.042	9.640	0.526			
	01/11/96	0.054	0.620	0.081	4.990	0.150	ND(0.05)	0.076	ND(0.05)	0.100	ND(0.05)	5.745	0.326			
	04/13/96	0.039	0.480	ND(0.005)	3.900	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	4.419	0.051			
#	07/22/96	0.060	0.190	0.056	0.890	0.130	ND(0.005)	0.009	0.009	0.054	0.014	1.196	0.216			
	10/22/96	ND(0.1)	0.580	ND(0.1)	3.500	0.150	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	4.080	0.150			
	01/24/97	0.048	0.269	0.012	0.886	0.077	0.004	0.043	ND(0.010)	0.070	0.007	1.215	0.201			
	04/09/97	0.034	0.137	ND(0.010)	0.146	0.065	ND(0.010)	0.064	ND(0.010)	0.107	0.013	0.318	0.249			
Dup.	07/30/97	0.019	0.177	ND(0.010)	0.644	0.057	ND(0.010)	0.043	ND(0.010)	0.103	0.035	0.840	0.238			
	10/17/97	0.044	0.464	0.041	3.300	0.069	ND(0.020)	0.016	ND(0.020)	0.018	0.016	3.849	0.119			
	01/07/98	0.042	0.503	0.051	3.720	0.086	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	4.316	0.086			
	04/15/98	0.018	0.078	ND(0.020)	0.431	0.055	ND(0.020)	0.044	ND(0.020)	0.080	ND(0.020)	0.527	0.179			
Dup.	04/15/98	0.018	0.077	ND(0.020)	0.416	0.052	ND(0.020)	0.044	ND(0.020)	0.079	ND(0.020)	0.511	0.175			
	07/18/98	0.009	0.036	ND(0.005)	0.027	0.050	ND(0.005)	0.052	ND(0.005)	0.083	0.022	0.072	0.207			
	10/28/98	0.016	0.187	ND(0.020)	1.239	0.053	ND(0.020)	0.029	ND(0.020)	0.056	0.029	1.442	0.167			
	02/09/99	0.016	0.117	0.012	0.763	0.051	0.002	0.036	ND(0.001)	0.051	0.024	0.908	0.164			
Dup.	04/22/99	0.009	0.054	ND(0.0025)	0.084	0.049	ND(0.0025)	0.040	ND(0.0025)	0.061	0.026	0.147	0.176			
	07/13/99	0.038	0.406	0.026	2.147	0.042	ND(0.0025)	0.009	ND(0.0025)	0.005	0.014	2.617	0.070			
	10/20/99	0.013	0.576	0.024	4.460	0.044	ND(0.0025)	0.005	ND(0.0025)	0.007	0.027	5.073	0.083			
	01/26/00	0.013	0.153	ND(0.010)	0.365	0.052	ND(0.010)	0.023	ND(0.010)	0.041	0.025	0.531	0.141			
Dup.	04/21/00	0.005	0.027	ND(0.0025)	0.024	0.046	ND(0.0025)	0.027	ND(0.0025)	0.046	0.030	0.056	0.149			
	04/21/00	0.005	0.027	ND(0.0025)	0.021	0.046	ND(0.0025)	0.027	ND(0.0025)	0.046	0.030	0.053	0.149			
	07/27/00	0.019	0.549	0.014	2.720	0.040	ND(0.005)	0.007	ND(0.005)	0.009	0.026	3.302	0.088			
	10/19/00	0.003	0.012	ND(0.0025)	0.024	0.031	ND(0.0025)	0.018	ND(0.0025)	0.021	0.020	0.039	0.095			
Dup.	01/18/01	0.010	0.020	ND(0.005)	0.016	0.046	ND(0.005)	0.017	ND(0.005)	0.022	0.044	0.046	0.129			
	04/12/01	0.013	ND(0.005)	ND(0.005)	0.019	0.050	ND(0.005)	0.011	ND(0.005)	0.017	0.023	0.032	0.101			
	04/12/01	0.016	0.005	ND(0.005)	0.022	0.019	ND(0.005)	0.013	ND(0.005)	0.018	0.024	0.043	0.074			
	07/19/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.042	ND(0.01)	ND(0.01)	ND(0.01)	0.011	0.012	0.000	0.065			

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOTAL		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				TOLUENE (mg/L)	XYLENES (mg/L)										
MW-4	01/26/91	0.098	0.011	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.134	0.000
	09/15/91	0.260	ND(0.002)	ND(0.002)	0.015	0.006	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.275	0.006
	11/22/91	0.180	0.100	0.001	0.037	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.318	0.019
	03/16/93	0.072	0.051	ND(0.001)	ND(0.005)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.123	0.001
	01/10/94	0.064	0.074	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.138	0.000
	04/19/94	0.074	0.085	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.162	0.000
	07/20/94	0.100	0.053	ND(0.005)	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.158	0.000
	10/25/94	0.140	0.260	ND(0.005)	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	0.404	0.005
	01/25/95	0.150	0.400	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.550	0.000
	04/03/95	0.100	0.190	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.290	0.000
*	08/01/95	0.069	0.570	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	ND(0.005)	0.639	0.005
	10/18/95	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.000
	01/11/96	ND(0.005)	0.036	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	04/13/96	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	04/13/96	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.000
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup. #	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-6 (Cont.)	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	0.064		ND(0.001)	ND(0.001)	0.035		0.000	0.104
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	ND(0.001)	0.098		0.001	ND(0.001)	0.056		0.000	0.162
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	ND(0.001)	0.140		0.002	ND(0.001)	0.120		0.000	0.279
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.070		0.002	ND(0.005)	0.072		0.000	0.157
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	0.098		0.001	ND(0.005)	0.065		0.000	0.173
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.110		0.001	ND(0.005)	0.073		0.000	0.197
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	0.079		ND(0.005)	ND(0.005)	0.059		0.000	0.150
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	0.065		ND(0.005)	ND(0.005)	0.057		0.000	0.134
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.074		ND(0.005)	ND(0.005)	0.048		0.000	0.137
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.060		ND(0.005)	ND(0.005)	0.030		0.000	0.103
Dup.	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.051		ND(0.005)	ND(0.005)	0.029		0.000	0.093
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.042		ND(0.005)	ND(0.005)	0.022		0.000	0.075
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	0.047		ND(0.005)	ND(0.005)	0.021		0.000	0.080
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.037		ND(0.005)	ND(0.005)	0.016		0.000	0.064
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.041		ND(0.005)	ND(0.005)	0.016		0.000	0.070
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.025		ND(0.001)	ND(0.001)	0.006		0.000	0.041
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	ND(0.002)	0.025		ND(0.002)	ND(0.002)	0.009		0.000	0.044
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.006	ND(0.002)	ND(0.002)	0.016		ND(0.002)	ND(0.002)	0.008		0.000	0.030
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	ND(0.002)	0.023		ND(0.002)	ND(0.002)	0.007		0.000	0.041
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.007	ND(0.002)	ND(0.002)	0.016		ND(0.002)	ND(0.002)	0.008		0.000	0.031
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.024		ND(0.001)	ND(0.001)	0.010		0.000	0.044
MW-7	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.031
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/26/91	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.021	ND(0.001)	ND(0.001)	0.260		0.010	0.068	0.200		0.006	0.559
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.038	ND(0.001)	ND(0.001)	0.320		0.005	0.069	0.270		0.009	0.702
Dup.	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.034	ND(0.001)	ND(0.001)	0.310		0.006	0.069	0.280		0.009	0.699
	11/22/91	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.025)	0.035	ND(0.005)	ND(0.005)	0.360		ND(0.005)	0.053	0.310		0.009	0.758
	03/16/93	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.027	ND(0.001)	ND(0.001)	0.280		0.002	0.050	0.160		0.007	0.519
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.023	ND(0.001)	ND(0.001)	0.210		0.004	0.046	0.160		0.005	0.443

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE		1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)		(mg/L)	(mg/L)				(mg/L)	(mg/L)				(mg/L)	(mg/L)		
MW-7 (Cont.)	04/19/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.120			0.003	0.038	0.120			0.007	0.302
	07/20/94	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.220			0.003	0.040	0.160			0.006	0.441
	10/25/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230			ND(0.005)	0.050	0.240			0.007	0.553
	10/25/94	0.006	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	0.200			ND(0.025)	0.045	0.230			0.006	0.501
	01/25/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.210			0.002	0.041	0.330			0.005	0.610
	04/03/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.290			ND(0.005)	0.038	0.260			0.006	0.617
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.038	ND(0.005)	0.300			ND(0.005)	0.051	0.250			0.000	0.639
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.300			0.002	0.045	0.300			0.005	0.671
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.260			ND(0.005)	0.035	0.250			0.006	0.572
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.370			ND(0.005)	0.030	0.260			0.006	0.687
Dup.	07/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.280			ND(0.005)	0.026	0.220			0.006	0.555
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.028	ND(0.010)	0.350			ND(0.010)	0.023	0.260			0.000	0.661
	01/24/97	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.021	0.001	0.244			0.002	0.019	0.203			0.005	0.490
	04/09/97	0.005	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.022	ND(0.002)	0.186			ND(0.002)	0.017	0.148			0.005	0.373
	07/30/97	0.005	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.023	ND(0.010)	0.236			ND(0.010)	0.019	0.255			0.005	0.533
	10/17/97	0.005	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.029	ND(0.010)	0.255			ND(0.010)	0.020	0.153			0.005	0.457
	10/28/98	0.004	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.024	ND(0.010)	0.193			ND(0.010)	0.031	0.251			0.004	0.499
	04/22/99	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.034	ND(0.005)	0.255			ND(0.005)	0.043	0.275			0.005	0.607
	10/19/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.034	ND(0.005)	0.184			ND(0.005)	0.045	0.198			0.000	0.461
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.036	ND(0.0025)	0.208	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.034	0.209	ND(0.0025)		0.003	0.487
dup.	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.033	ND(0.0025)	0.204	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.032	0.237	ND(0.0025)		0.003	0.506
	10/18/01	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.170	ND(0.0025)		0.003	0.373
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.025	ND(0.0025)	0.140	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.010	0.120	ND(0.0025)		0.000	0.295
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.018	ND(0.0025)	0.098	ND(0.0025)	ND(0.0025)	0.006	ND(0.0025)	0.074	ND(0.0025)		0.000	0.196
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.120	ND(0.001)		0.001	0.264
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.089	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.071	ND(0.001)		0.000	0.185
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.025	ND(0.001)		0.000	0.088
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)		0.000	0.034
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)		0.000	0.047
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)		0.000	0.039
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)		0.000	0.013
Dup.	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)		0.000	0.009
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.005
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.004
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.004
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.004
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.004
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.004
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.004
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.004
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)		0.000	0.004
MW-8	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.015			0.004	0.001	0.003			0.005	0.023
	09/15/91	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.017	ND(0.001)	0.101			0.007	0.039	0.050			0.007	0.214
	11/22/91	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.020	ND(0.001)	0.087			0.003	0.045	0.063			0.004	0.218
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.004	ND(0.001)	0.054			0.005	0.006	0.009			0.000	0.078

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-8 (Cont.) Dup.	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	ND(0.001)	0.054	0.054	0.004	0.006	0.006	0.000	0.000	0.074
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	0.073	0.073	0.004	0.008	0.010	0.000	0.000	0.100
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	ND(0.005)	0.039	0.039	0.004	0.004	0.007	0.000	0.000	0.058
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	ND(0.005)	0.069	0.069	0.005	0.006	0.011	0.000	0.000	0.095
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	0.082	0.082	ND(0.005)	0.010	0.019	0.000	0.000	0.119
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	0.076	0.076	0.006	0.011	0.022	0.000	0.000	0.122
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.074	0.074	ND(0.005)	0.008	0.017	0.000	0.000	0.105
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.110	0.110	ND(0.005)	0.023	0.063	0.000	0.000	0.201
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	0.081	0.081	0.002	0.015	0.044	0.000	0.000	0.151
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	0.069	ND(0.005)	0.006	0.019	0.000	0.000	0.084
Dup.	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	0.099	0.099	ND(0.005)	0.011	0.036	0.000	0.000	0.153
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.087	0.087	ND(0.005)	0.010	0.035	0.000	0.000	0.138
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	0.150	0.150	ND(0.005)	0.035	0.089	0.000	0.000	0.296
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.140	0.140	ND(0.005)	0.030	0.072	0.000	0.000	0.262
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.019	0.001	0.001	0.081	0.081	0.002	0.017	0.018	0.001	0.001	0.138
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.017	0.001	0.001	0.088	0.088	0.002	0.014	0.017	0.001	0.001	0.139
	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.015	ND(0.002)	ND(0.002)	0.097	0.097	ND(0.002)	0.019	0.028	0.001	0.001	0.158
	07/30/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.105	0.105	ND(0.002)	0.015	0.048	0.001	0.001	0.180
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	ND(0.002)	0.106	0.106	0.002	0.015	0.055	0.000	0.000	0.189
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	ND(0.002)	0.104	0.104	ND(0.002)	0.010	0.026	0.001	0.001	0.150
Dup.	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.003	ND(0.005)	ND(0.005)	0.111	0.111	ND(0.005)	ND(0.005)	0.010	0.000	0.000	0.124
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.005)	0.003	ND(0.01)	ND(0.01)	0.128	0.128	ND(0.01)	ND(0.01)	0.009	0.000	0.000	0.140
	04/22/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.003	ND(0.0025)	ND(0.0025)	0.152	0.152	0.002	ND(0.0025)	0.007	0.000	0.000	0.164
	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.135	0.135	ND(0.0025)	ND(0.0025)	0.002	0.000	0.000	0.137
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.006	ND(0.0025)	ND(0.0025)	0.104	0.104	ND(0.0025)	0.004	0.008	ND(0.0025)	0.000	0.122
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.020	0.020	ND(0.001)	0.012	0.018	ND(0.001)	0.000	0.070
	10/18/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.045	0.045	ND(0.001)	0.025	0.041	ND(0.001)	0.001	0.161
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.036	0.036	ND(0.001)	0.015	0.034	ND(0.001)	0.000	0.117
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.039	0.039	ND(0.001)	0.017	0.046	ND(0.001)	0.000	0.132
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.038	0.038	ND(0.001)	0.014	0.038	ND(0.001)	0.000	0.116
Dup.	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.025	0.025	ND(0.001)	0.015	0.023	ND(0.001)	0.000	0.092
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.024	0.024	ND(0.001)	0.016	0.031	ND(0.001)	0.000	0.106
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.024	0.024	ND(0.001)	0.016	0.028	ND(0.001)	0.000	0.101
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.020	0.020	ND(0.001)	0.014	0.019	ND(0.001)	0.000	0.076
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.019	0.019	ND(0.001)	0.013	0.024	ND(0.001)	0.000	0.082
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.013	0.013	ND(0.001)	0.011	0.011	ND(0.001)	0.000	0.054
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	0.010	0.008	ND(0.001)	0.000	0.050
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	0.010	0.008	ND(0.001)	0.000	0.052
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.014	0.014	ND(0.001)	0.011	0.007	ND(0.001)	0.000	0.054
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.013	0.013	ND(0.001)	0.008	0.005	ND(0.001)	0.000	0.039

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-8 (Cont.)	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.011	0.002	ND(0.001)	0.007	0.005	ND(0.001)	ND(0.001)	0.000	0.034
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.010	0.003	ND(0.001)	0.006	0.004	ND(0.001)	ND(0.001)	0.000	0.037
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.009	0.004	ND(0.001)	0.006	0.004	ND(0.001)	ND(0.001)	0.000	0.038
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.007	0.002	ND(0.001)	0.004	0.003	ND(0.001)	ND(0.001)	0.000	0.024
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.007	0.002	ND(0.001)	0.005	0.004	ND(0.001)	ND(0.001)	0.000	0.025
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.019
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.001	ND(0.001)	0.004	0.003	ND(0.001)	ND(0.001)	0.000	0.019
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.005	0.001	ND(0.001)	0.003	0.002	ND(0.001)	ND(0.001)	0.000	0.016
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.015
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	ND(0.001)	0.000	0.012
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.003	ND(0.001)	ND(0.001)	0.000	0.015
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	ND(0.001)	0.000	0.012
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.012
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.010
Dup.	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.008
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.009
MW-9	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.009
	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.022	ND(0.001)	ND(0.001)	0.002		ND(0.001)	ND(0.001)	0.001			0.000	0.025
	09/15/91	0.002	0.032	ND(0.001)	ND(0.005)	ND(0.005)	0.035	ND(0.001)	ND(0.001)	0.002		ND(0.001)	ND(0.001)	ND(0.001)			0.034	0.037
	11/22/91	0.004	0.170	ND(0.001)	ND(0.005)	ND(0.005)	0.029	ND(0.001)	ND(0.001)	0.002		ND(0.001)	ND(0.001)	0.001			0.174	0.032
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.012	ND(0.001)	ND(0.001)	0.001		ND(0.001)	ND(0.001)	ND(0.001)			0.000	0.013
	01/10/94	ND(0.001)	ND(0.001)	0.002	ND(0.005)	ND(0.005)	0.012	ND(0.001)	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)			0.002	0.012
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.010
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.001	0.017	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.001	0.017
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.014
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.014
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.015
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.022
	10/18/95	ND(0.005)	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.016	0.017
	01/10/96	ND(0.005)	0.032	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.032	0.020
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.020
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.021
#	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)			0.000	0.024
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.019	ND(0.001)	ND(0.001)	0.002		ND(0.001)	0.002	0.001			0.001	0.024
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.022	ND(0.001)	ND(0.001)	0.002		ND(0.001)	0.002	0.001			0.001	0.027
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	ND(0.002)	0.001		ND(0.002)	0.001	ND(0.002)			0.000	0.022
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.018	ND(0.001)	ND(0.001)	0.001		ND(0.001)	0.001	ND(0.001)			0.000	0.020

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-9 (Cont.)	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.005	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.005
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.005
	10/19/00	ND(0.001)	0.001	ND(0.001)	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.008
	10/18/01	0.009	0.290	ND(0.001)	0.173	0.030	ND(0.001)	ND(0.001)	0.003	0.001	ND(0.001)	0.003	0.004	0.004	ND(0.001)	ND(0.001)	0.472	0.041
	04/20/02	0.002	0.059	0.003	0.070	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.008	0.008	ND(0.001)	ND(0.001)	0.134	0.024
	07/24/02	0.001	0.034	0.001	0.044	0.011	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.009	0.011	0.011	ND(0.001)	ND(0.001)	0.080	0.034
	10/16/02	0.002	0.050	0.002	0.069	0.012	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.008	0.010	0.010	ND(0.001)	ND(0.001)	0.123	0.034
	01/23/03	0.001	0.047	0.003	0.072	0.013	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.007	0.011	0.011	ND(0.001)	ND(0.001)	0.123	0.035
	04/24/03	0.002	0.120	0.006	0.250	0.012	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.005	0.010	0.010	ND(0.001)	ND(0.001)	0.378	0.031
	07/18/03	0.008	0.360	0.028	0.550	0.026	ND(0.0025)	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.008	0.008	ND(0.0025)	ND(0.0025)	0.946	0.041
Dup.	10/16/03	0.003	0.240	0.015	0.630	0.018	ND(0.0025)	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.012	0.012	ND(0.0025)	ND(0.0025)	0.888	0.037
	10/16/03	0.003	0.260	0.015	0.650	0.018	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.011	0.011	ND(0.0025)	ND(0.0025)	0.928	0.033
	01/29/04	ND(0.0025)	0.110	0.004	0.240	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.013	0.013	ND(0.0025)	ND(0.0025)	0.354	0.028
	04/19/04	ND(0.0025)	0.051	ND(0.0025)	0.070	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.012	0.012	ND(0.0025)	ND(0.0025)	0.121	0.027
	10/29/04	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	0.006	ND(0.001)	ND(0.001)	0.002	0.017
	10/29/04	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.007	0.007	ND(0.001)	ND(0.001)	0.003	0.019
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.005	0.005	ND(0.001)	ND(0.001)	0.000	0.016
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.005	0.005	ND(0.001)	ND(0.001)	0.002	0.020
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.004	0.004	ND(0.001)	ND(0.001)	0.000	0.021
	10/08/05	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	0.001	0.014
Dup.	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.022
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.020
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.025
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.019
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.016
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.016
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.025
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.027
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.026
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.027
Dup.	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.022
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.015
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.020
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.018
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.023
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.025
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.024
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.026
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.020
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.000	0.000	ND(0.001)	ND(0.001)	0.000	0.013

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-9 (Cont.)	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.000	0.017
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.018
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.018
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.000	0.022
	04/06/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.000	0.019
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.000	0.020
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.000	0.022
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.000	0.029
Dup.	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.000	0.026
MW-10	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.004
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	0.002	ND(0.001)	ND(0.001)	0.000	0.000	0.014
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.029	0.005	ND(0.001)	ND(0.001)	0.000	0.000	0.034
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.025	0.001	ND(0.001)	ND(0.001)	0.000	0.000	0.026
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.021	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.021
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.022	0.001	ND(0.005)	ND(0.005)	0.000	0.000	0.023
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	0.052	0.004	ND(0.005)	ND(0.005)	0.000	0.000	0.056
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	0.051	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.051
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042	0.042	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.042
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.057	0.005	ND(0.005)	ND(0.005)	0.000	0.000	0.062
Dup.	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.070	0.070	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.070
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.130	0.007	ND(0.005)	ND(0.005)	0.000	0.000	0.137
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.130	0.006	ND(0.005)	ND(0.005)	0.000	0.000	0.136
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	0.063	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.063
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.170
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.170
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.250	0.250	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.000	0.250
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	0.001	ND(0.001)	ND(0.001)	0.181	0.181	0.005	ND(0.001)	ND(0.001)	0.000	0.000	0.187
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	0.001	ND(0.002)	ND(0.002)	0.158	0.158	0.004	ND(0.002)	ND(0.002)	0.000	0.000	0.163
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.005)	ND(0.005)	0.156	0.156	0.004	ND(0.005)	ND(0.005)	0.000	0.000	0.160
	10/17/97	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	ND(0.020)	ND(0.010)	ND(0.010)	0.196	0.196	0.004	ND(0.010)	ND(0.010)	0.000	0.000	0.200
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	ND(0.020)	ND(0.010)	ND(0.010)	0.111	0.111	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.000	0.111
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.098	0.098	0.001	ND(0.001)	ND(0.001)	0.000	0.000	0.099
	10/19/99	ND(0.0025)	ND(0.0025)	0.002	ND(0.002)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080	0.080	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.002	0.080
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.005)	ND(0.005)	0.082	0.082	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	0.082
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.068	0.068	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.000	0.068
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	ND(0.001)	0.035	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.038
Dup.	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.035	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.037
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.035	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.037
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.015	0.015	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.018

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-10 (Cont.)	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	ND(0.001)	0.000	0.012
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	0.001	ND(0.001)	0.003	0.002	ND(0.001)	ND(0.001)	0.000	0.015
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	0.000	0.013
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.004	0.003	ND(0.001)	ND(0.001)	0.000	0.010
	01/26/91	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.025)	ND(0.025)	0.045	ND(0.005)	0.310	ND(0.005)	ND(0.005)	0.140	0.360	0.010	0.010	0.010	0.855
	09/15/91	0.056	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.068	ND(0.001)	0.470	ND(0.001)	0.017	0.120	0.330	0.056	0.056	1.005	1.005
	11/22/91	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.052	ND(0.001)	0.390	ND(0.001)	0.018	0.110	0.320	0.048	0.048	0.890	0.890
MW-11	03/16/93	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.040	ND(0.001)	0.220	ND(0.001)	0.004	0.074	0.160	0.005	0.005	0.498	0.498
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.042	ND(0.001)	0.250	ND(0.001)	ND(0.001)	0.083	0.320	0.005	0.005	0.695	0.695
	04/19/94	0.009	ND(0.005)	0.002	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.042	ND(0.005)	0.170	ND(0.005)	0.006	0.079	0.170	0.011	0.011	0.467	0.467
	07/20/94	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.057	ND(0.025)	0.460	ND(0.025)	0.010	0.120	0.360	0.000	0.000	1.007	1.007
	10/25/94	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.067	0.001	0.220	ND(0.005)	ND(0.005)	0.110	0.300	0.009	0.009	0.698	0.698
	01/25/95	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.240	ND(0.005)	0.014	0.120	0.360	0.012	0.012	0.806	0.806
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.410	ND(0.005)	0.013	0.100	0.430	0.009	0.009	1.015	1.015
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.360	ND(0.005)	0.014	0.063	0.330	0.007	0.007	0.817	0.817
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.310	ND(0.005)	0.015	0.071	0.340	0.007	0.007	0.787	0.787
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.043	ND(0.005)	0.270	ND(0.005)	0.010	0.057	0.330	0.005	0.005	0.710	0.710
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	ND(0.005)	0.011	0.043	0.310	0.000	0.000	0.627	0.627
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.240	ND(0.005)	ND(0.005)	0.020	0.230	0.000	0.000	0.490	0.490
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.005)	0.200	ND(0.005)	0.008	0.036	0.260	0.000	0.000	0.539	0.539
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.034	ND(0.010)	0.230	ND(0.010)	ND(0.010)	0.029	0.260	0.000	0.000	0.553	0.553
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.029	0.001	0.157	ND(0.002)	0.008	0.026	0.212	0.002	0.002	0.433	0.433
	04/09/97	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.033	ND(0.002)	0.128	ND(0.002)	0.008	0.027	0.180	0.002	0.002	0.375	0.375
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	0.102	ND(0.005)	0.006	0.032	0.170	0.000	0.000	0.342	0.342
	10/17/97	0.003	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.048	ND(0.010)	0.142	ND(0.010)	0.005	0.031	0.063	0.003	0.003	0.289	0.289
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.054	ND(0.010)	0.145	ND(0.010)	0.005	0.049	0.176	0.004	0.004	0.429	0.429
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.061	ND(0.010)	0.155	ND(0.010)	0.006	0.053	0.200	0.004	0.004	0.475	0.475
Dup.	04/15/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.059	ND(0.010)	0.130	ND(0.010)	ND(0.010)	0.057	0.151	0.000	0.000	0.397	0.397
	07/18/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.071	ND(0.010)	0.120	ND(0.010)	ND(0.010)	0.064	0.143	0.000	0.000	0.398	0.398
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.072	ND(0.010)	0.110	ND(0.010)	ND(0.010)	0.065	0.129	0.000	0.000	0.376	0.376
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.070	0.001	0.130	ND(0.002)	0.002	0.070	0.157	0.004	0.004	0.430	0.430
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.083	0.001	0.143	ND(0.002)	0.002	0.071	0.149	0.004	0.004	0.449	0.449
	04/22/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	ND(0.0025)	0.123	ND(0.0025)	ND(0.0025)	0.067	0.117	0.004	0.004	0.397	0.397
	07/13/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.0025)	0.116	ND(0.0025)	ND(0.0025)	0.058	0.130	0.004	0.004	0.373	0.373
	10/19/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.059	ND(0.0025)	0.094	ND(0.0025)	ND(0.0025)	0.047	0.112	0.003	0.003	0.312	0.312
	01/26/00	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.068	ND(0.005)	0.121	ND(0.005)	ND(0.005)	0.058	0.127	0.003	0.003	0.374	0.374

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-11 (Cont.)	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.081	ND(0.005)	0.123	0.093	0.008	ND(0.005)	0.065	0.145	ND(0.005)	0.000	0.000	0.414
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.067	ND(0.005)	0.093	0.096	0.009	ND(0.001)	0.055	0.104	ND(0.001)	0.002	0.000	0.326
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.073	ND(0.005)	0.143	0.066	0.066	ND(0.005)	0.040	0.099	ND(0.005)	0.000	0.000	0.329
	10/19/00	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	0.066	0.066	0.066	ND(0.005)	0.040	0.099	ND(0.005)	0.000	0.000	0.406
Dup.	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.066	0.066	0.066	ND(0.005)	0.040	0.097	ND(0.005)	0.000	0.000	0.276
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	ND(0.005)	0.047	0.047	0.047	ND(0.005)	0.038	0.076	ND(0.005)	0.000	0.000	0.222
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.088	ND(0.001)	0.037	0.037	0.037	ND(0.001)	0.027	0.047	ND(0.001)	0.000	0.000	0.179
	07/19/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.073	ND(0.005)	0.036	0.036	0.036	ND(0.0025)	0.037	0.048	ND(0.0025)	0.000	0.000	0.194
Dup.	10/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.001)	0.039	0.039	0.039	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.000	0.200
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.069	ND(0.001)	0.030	0.030	0.030	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.000	0.192
	04/20/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.029	0.029	0.029	ND(0.0025)	0.031	0.043	ND(0.001)	0.001	0.001	0.162
	07/24/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.075	ND(0.001)	0.037	0.037	0.037	ND(0.001)	0.030	0.044	ND(0.001)	0.001	0.001	0.176
Dup.	10/16/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.066	ND(0.001)	0.032	0.032	0.032	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.000	0.153
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	ND(0.001)	0.032	0.032	0.032	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.000	0.140
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	0.041	0.041	0.041	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.000	0.143
	07/17/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.065	ND(0.001)	0.022	0.022	0.022	ND(0.001)	0.022	0.034	ND(0.001)	0.002	0.002	0.179
Dup.	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.027	0.027	0.027	ND(0.001)	0.032	0.042	ND(0.001)	0.000	0.000	0.141
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.044	ND(0.001)	0.025	0.025	0.025	ND(0.001)	0.031	0.029	ND(0.001)	0.000	0.000	0.132
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.051	ND(0.001)	0.021	0.021	0.021	ND(0.001)	0.027	0.030	ND(0.001)	0.000	0.000	0.133
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.019	0.019	0.019	ND(0.001)	0.021	0.013	ND(0.001)	0.000	0.000	0.128
Dup.	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	ND(0.001)	0.003	0.003	0.003	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.000	0.087
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.007	0.007	0.007	ND(0.001)	0.008	0.009	ND(0.001)	0.000	0.000	0.017
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.007	0.007	0.007	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.000	0.039
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.008	0.008	0.008	ND(0.001)	0.007	0.010	ND(0.001)	0.000	0.000	0.040
Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.005	0.005	0.005	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.000	0.044
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.008	0.008	0.008	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.000	0.036
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.007	0.007	0.007	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.000	0.045
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	0.007	0.007	ND(0.001)	0.007	0.012	ND(0.001)	0.000	0.000	0.046
Dup.	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.006	0.006	0.006	ND(0.001)	0.007	0.010	ND(0.001)	0.000	0.000	0.042
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	0.005	0.005	ND(0.001)	0.008	0.009	ND(0.001)	0.000	0.000	0.033
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.005	0.005	0.005	ND(0.001)	0.009	0.009	ND(0.001)	0.000	0.000	0.041
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.004	0.004	0.004	ND(0.001)	0.006	0.006	ND(0.001)	0.000	0.000	0.045
Dup.	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.004	0.004	0.004	ND(0.001)	0.004	0.006	ND(0.001)	0.000	0.000	0.028
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.005	0.005	0.005	ND(0.001)	0.005	0.006	ND(0.001)	0.000	0.000	0.026
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.004	0.004	0.004	ND(0.001)	0.005	0.006	ND(0.001)	0.000	0.000	0.030
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	0.004	0.004	ND(0.001)	0.004	0.007	ND(0.001)	0.000	0.000	0.027
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.003	0.003	0.003	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.000	0.028
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.003	0.003	0.003	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.000	0.018
Dup.	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.003	0.003	0.003	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.000	0.018

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA			TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-11 (Cont.)	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.014
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.000	0.013
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.000	0.012
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.009
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.009
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.011
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.010
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.009
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.006
MW-12	01/26/91	0.260	0.950	0.230	4.500	0.140	0.140	ND(0.025)	ND(0.025)	0.057	0.073	0.042	0.042	0.042	0.073	0.042	0.042	5.940	0.312
	09/15/91	0.150	0.620	0.630	2.200	0.120	0.120	ND(0.001)	ND(0.001)	0.300	0.200	0.061	0.061	0.061	0.200	0.061	0.061	3.600	0.791
	11/22/91	0.110	0.430	0.034	0.810	0.110	0.110	0.002	0.002	0.240	0.260	0.051	0.051	0.051	0.260	0.051	0.051	1.384	0.763
	03/16/93	0.160	0.800	0.014	1.000	0.120	0.120	ND(0.001)	ND(0.001)	0.039	0.036	0.018	0.018	0.018	0.036	0.018	0.018	1.974	0.268
*	01/10/94	0.160	0.870	0.026	0.990	0.150	0.150	ND(0.01)	ND(0.01)	0.075	0.070	0.024	0.024	0.024	0.070	0.024	0.024	2.046	0.372
	04/19/94	0.110	0.110	0.049	0.250	0.110	0.110	0.002	0.002	0.064	0.065	0.073	0.073	0.073	0.065	0.073	0.073	0.519	0.347
	07/20/94	0.160	0.720	0.071	0.610	0.150	0.150	ND(0.025)	ND(0.025)	0.073	0.086	0.022	0.022	0.022	0.086	0.022	0.022	1.561	0.406
	10/25/94	0.096	0.660	ND(0.025)	0.100	0.160	0.160	ND(0.025)	ND(0.025)	0.085	0.120	0.015	0.015	0.015	0.120	0.015	0.015	0.856	0.380
Dup.	01/25/95	0.160	0.680	0.089	0.660	0.190	0.190	ND(0.005)	ND(0.005)	0.120	0.095	0.069	0.069	0.069	0.076	0.069	0.069	1.589	0.550
	01/25/95	0.140	0.850	0.075	0.860	0.150	0.150	ND(0.005)	ND(0.005)	0.090	0.062	0.053	0.053	0.053	0.062	0.053	0.053	1.925	0.430
	04/03/95	0.150	0.790	0.200	1.100	0.160	0.160	ND(0.005)	ND(0.005)	0.110	0.096	0.056	0.056	0.056	0.043	0.056	0.056	2.240	0.465
	08/01/95	0.130	0.700	0.280	1.400	0.170	0.170	ND(0.025)	ND(0.025)	0.150	0.079	0.059	0.059	0.059	0.098	0.059	0.059	2.510	0.556
*	10/18/95	0.140	0.990	0.360	2.030	0.170	0.170	ND(0.005)	ND(0.005)	0.100	0.058	0.050	0.050	0.050	0.058	0.050	0.050	3.520	0.478
	01/11/96	0.100	0.680	0.180	1.840	0.140	0.140	ND(0.005)	ND(0.005)	0.097	0.060	0.048	0.048	0.048	0.060	0.048	0.048	2.800	0.404
	04/13/96	0.098	0.620	0.180	0.690	0.150	0.150	ND(0.005)	ND(0.005)	0.087	0.059	0.023	0.023	0.023	0.059	0.023	0.023	1.588	0.173
	07/22/96	0.130	0.920	0.310	1.790	0.160	0.160	ND(0.005)	ND(0.005)	0.087	0.045	0.046	0.046	0.046	0.045	0.046	0.046	3.150	0.508
#	10/22/96	ND(0.1)	0.830	0.190	1.800	0.190	0.190	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	2.820	0.190
	01/24/97	0.093	0.822	0.133	1.738	0.162	0.162	ND(0.010)	ND(0.010)	0.046	0.037	0.039	0.039	0.039	0.037	0.039	0.039	2.786	0.344
	04/09/97	0.086	0.920	0.138	1.869	0.159	0.159	ND(0.020)	ND(0.020)	0.040	0.046	0.039	0.039	0.039	0.046	0.039	0.039	3.013	0.334
	04/09/97	0.079	0.855	0.129	1.837	0.159	0.159	ND(0.010)	ND(0.010)	0.040	0.047	0.039	0.039	0.039	0.047	0.039	0.039	2.900	0.339
Dup.	07/30/97	0.090	0.969	0.127	2.294	0.136	0.136	ND(0.020)	ND(0.020)	0.035	0.036	0.043	0.043	0.043	0.036	0.043	0.043	3.480	0.312
	10/17/97	0.178	1.290	0.853	5.540	0.185	0.185	ND(0.050)	ND(0.050)	0.061	0.186	0.045	0.045	0.045	0.186	0.045	0.045	7.861	0.477
	10/28/98	0.064	1.150	ND(0.1)	0.745	0.141	0.141	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	1.959	0.141
	04/22/99	0.075	1.150	ND(0.025)	0.612	0.171	0.171	ND(0.025)	ND(0.025)	0.031	0.034	0.034	0.034	0.034	0.034	0.034	0.034	1.837	0.310
	04/22/99	0.063	0.953	0.008	0.546	0.140	0.140	ND(0.005)	ND(0.005)	0.017	0.022	0.017	0.017	0.017	0.022	0.017	0.017	1.570	0.235

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOTAL		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL		1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				TOLUENE (mg/L)	XYLENES (mg/L)												
MW-12 (Cont.) Dup.	10/19/99	0.051	1.090	ND(0.025)	0.176	0.207	ND(0.025)	0.017	ND(0.025)	ND(0.025)	ND(0.025)	0.027	ND(0.025)	ND(0.025)	ND(0.025)	1.317	0.251
	10/19/99	0.049	1.100	ND(0.025)	0.151	0.208	ND(0.025)	0.017	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	ND(0.025)	ND(0.025)	1.300	0.251
	10/19/00	0.035	0.863	ND(0.025)	0.107	0.192	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.027	ND(0.025)	ND(0.025)	ND(0.025)	1.005	0.219
	10/19/00	0.034	0.835	ND(0.025)	0.103	0.184	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.972	0.184
Dup.	10/18/01	0.019	0.130	ND(0.005)	0.295	0.080	ND(0.005)	0.011	ND(0.005)	0.018	0.017	0.017	0.028	ND(0.005)	ND(0.005)	0.444	0.154
	04/20/02	0.029	0.160	ND(0.005)	0.308	0.083	ND(0.005)	0.020	ND(0.005)	0.024	0.021	0.021	0.037	ND(0.005)	ND(0.005)	0.497	0.185
	04/20/02	0.027	0.140	ND(0.005)	0.295	0.080	ND(0.005)	0.017	ND(0.005)	0.022	0.020	0.020	0.034	ND(0.005)	ND(0.005)	0.462	0.173
	07/24/02	0.043	0.280	ND(0.005)	0.213	0.100	ND(0.005)	0.017	ND(0.005)	0.021	0.018	0.018	0.033	ND(0.005)	ND(0.005)	0.536	0.189
Dup.	10/16/02	0.018	0.130	ND(0.005)	0.603	0.068	ND(0.005)	0.013	ND(0.005)	0.011	0.016	0.016	0.020	ND(0.005)	ND(0.005)	0.751	0.128
	01/23/03	0.032	0.230	ND(0.005)	0.129	0.110	ND(0.005)	0.013	ND(0.005)	0.011	0.017	0.017	0.032	ND(0.005)	ND(0.005)	0.391	0.183
	04/24/03	0.020	0.170	ND(0.025)	0.065	0.070	ND(0.025)	0.005	ND(0.025)	0.006	0.012	0.012	0.023	ND(0.025)	ND(0.025)	0.255	0.116
	04/24/03	0.018	0.012	ND(0.001)	0.051	0.068	ND(0.001)	0.005	ND(0.001)	0.006	0.012	0.012	0.021	ND(0.001)	ND(0.001)	0.081	0.112
	07/17/03	0.044	0.400	ND(0.0025)	0.270	0.130	ND(0.0025)	0.009	ND(0.0025)	0.009	0.014	0.014	0.034	ND(0.0025)	ND(0.0025)	0.714	0.196
	10/16/03	0.003	0.036	ND(0.0025)	0.063	0.046	ND(0.0025)	0.005	ND(0.0025)	ND(0.0025)	0.011	0.011	0.018	ND(0.0025)	ND(0.0025)	0.102	0.080
	01/29/04	0.024	0.230	ND(0.001)	0.600	0.080	ND(0.001)	0.010	ND(0.001)	0.005	0.011	0.011	0.025	ND(0.001)	ND(0.001)	0.854	0.131
	04/19/04	0.020	0.170	ND(0.001)	0.230	0.071	ND(0.001)	0.010	ND(0.001)	0.002	0.015	0.015	0.023	ND(0.001)	ND(0.001)	0.420	0.121
Dup.	07/16/04	0.043	0.420	ND(0.0025)	0.530	0.130	ND(0.0025)	0.016	ND(0.0025)	0.005	0.020	0.020	0.034	ND(0.0025)	ND(0.0025)	0.993	0.205
	10/29/04	0.015	0.140	ND(0.0025)	0.016	0.088	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.017	0.017	0.019	ND(0.0025)	ND(0.0025)	0.171	0.134
	01/14/05	0.029	0.270	ND(0.0025)	0.181	0.110	ND(0.0025)	0.011	ND(0.0025)	ND(0.0025)	0.012	0.012	0.024	ND(0.0025)	ND(0.0025)	0.480	0.157
	04/16/05	0.028	0.280	ND(0.0025)	0.153	0.110	ND(0.0025)	0.004	ND(0.0025)	ND(0.0025)	0.013	0.013	0.026	ND(0.0025)	ND(0.0025)	0.461	0.153
	07/08/05	0.039	0.430	ND(0.0025)	0.123	0.120	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.013	0.013	0.044	ND(0.0025)	ND(0.0025)	0.592	0.180
	10/08/05	0.057	0.660	ND(0.0025)	0.349	0.190	ND(0.0025)	0.007	ND(0.0025)	ND(0.0025)	0.014	0.014	0.052	ND(0.0025)	ND(0.0025)	1.066	0.263
	01/18/06	0.010	0.094	ND(0.005)	ND(0.005)	0.041	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.011	0.011	0.016	ND(0.005)	ND(0.005)	0.104	0.074
	04/18/06	0.021	0.320	ND(0.0025)	0.176	0.069	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.010	0.010	0.026	ND(0.0025)	ND(0.0025)	0.517	0.110
	04/18/06	0.014	0.210	ND(0.001)	0.109	0.047	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.009	0.009	0.022	ND(0.001)	ND(0.001)	0.333	0.084
	07/11/06	0.030	0.470	ND(0.0025)	0.284	0.096	ND(0.0025)	0.009	ND(0.0025)	ND(0.0025)	0.010	0.010	0.031	ND(0.0025)	ND(0.0025)	0.784	0.145
	10/10/06	0.028	0.400	ND(0.0025)	0.180	0.094	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.009	0.028	ND(0.0025)	ND(0.0025)	0.608	0.131
	01/16/07	0.028	0.320	ND(0.0025)	0.077	0.086	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.015	0.015	0.033	ND(0.0025)	ND(0.0025)	0.425	0.146
Dup.	04/17/07	0.019	0.240	ND(0.0025)	0.110	0.068	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.014	0.014	0.026	ND(0.0025)	ND(0.0025)	0.369	0.114
	07/17/07	0.010	0.130	ND(0.001)	0.067	0.059	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.012	0.017	ND(0.001)	ND(0.001)	0.207	0.099
	10/17/07	0.016	0.220	ND(0.001)	0.079	0.060	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.010	0.010	0.020	ND(0.001)	ND(0.001)	0.315	0.106
	10/17/07	0.013	0.170	ND(0.0025)	0.062	0.047	ND(0.0025)	0.005	ND(0.0025)	ND(0.0025)	0.008	0.008	0.015	ND(0.0025)	ND(0.0025)	0.245	0.083
	01/16/08	0.029	0.400	ND(0.001)	0.150	0.095	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.012	0.029	ND(0.001)	ND(0.001)	0.579	0.169
	04/28/08	0.022	ND(0.001)	ND(0.001)	0.180	0.088	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.011	0.011	0.050	ND(0.001)	ND(0.001)	0.202	0.212
	07/15/08	0.004	0.120	ND(0.001)	0.027	0.023	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.009	0.009	0.014	ND(0.001)	ND(0.001)	0.151	0.058
	10/14/08	0.003	0.110	ND(0.001)	0.018	0.024	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.012	0.012	0.014	ND(0.001)	ND(0.001)	0.131	0.066
	01/13/09	0.017	0.280	ND(0.001)	0.085	0.046	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.010	0.010	0.023	ND(0.001)	ND(0.001)	0.382	0.143
	04/06/09	0.025	0.350	ND(0.004)	0.120	0.083	ND(0.004)	0.007	ND(0.004)	ND(0.004)	0.010	0.010	0.021	ND(0.004)	ND(0.004)	0.495	0.221
	07/14/09	0.031	0.520	ND(0.0025)	0.160	0.094	ND(0.0025)	0.008	ND(0.0025)	ND(0.0025)	0.008	0.008	0.014	ND(0.0025)	ND(0.0025)	0.711	0.294
	10/21/09	0.027	0.430	ND(0.002)	0.040	0.079	ND(0.002)	0.007	ND(0.002)	ND(0.002)	0.009	0.009	0.010	ND(0.002)	ND(0.002)	0.497	0.315

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	HALO- CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)												
MW-12 (Cont.) Dup.	01/20/10	0.016	0.190	ND(0.001)	0.015	0.053	ND(0.001)	0.005	ND(0.001)	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.221	0.249
	01/20/10	0.013	0.150	ND(0.001)	0.014	0.045	ND(0.001)	0.004	ND(0.001)	0.130	ND(0.001)	0.007	0.005	ND(0.001)	0.177	0.191
	04/20/10	0.018	0.280	ND(0.001)	0.064	0.048	ND(0.001)	0.004	ND(0.001)	0.180	ND(0.001)	0.006	0.005	ND(0.001)	0.362	0.243
	07/26/10	0.036	0.520	ND(0.001)	0.250	0.094	ND(0.001)	0.010	ND(0.001)	0.170	ND(0.001)	0.007	0.007	ND(0.001)	0.806	0.288
	10/19/10	0.029	0.450	ND(0.002)	0.150	0.091	ND(0.002)	0.008	ND(0.002)	0.160	ND(0.002)	0.006	0.006	ND(0.002)	0.629	0.271
	01/20/11	0.017	0.250	ND(0.001)	0.077	0.054	ND(0.001)	0.005	ND(0.001)	0.100	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.344	0.162
	04/06/11	0.020	0.200	ND(0.001)	0.052	0.061	ND(0.001)	0.005	ND(0.001)	0.140	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.272	0.210
	07/13/11	0.016	0.190	ND(0.001)	0.053	0.053	ND(0.001)	0.004	ND(0.001)	0.130	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.259	0.190
	10/11/11	0.020	0.310	ND(0.001)	0.110	0.061	ND(0.001)	0.005	ND(0.001)	0.160	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.440	0.229
	01/17/12	0.016	0.200	ND(0.001)	0.071	0.052	ND(0.001)	0.005	ND(0.001)	0.130	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.287	0.189
MW-13	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.030	0.002	0.038	0.002	0.005	0.005	0.004	0.240	0.000	0.000	0.319
	11/22/91	0.430	ND(0.001)	ND(0.001)	ND(0.005)	0.016	0.001	0.025	0.001	0.025	0.002	0.002	0.110	0.430	0.156	
	03/16/93	0.033	ND(0.001)	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.014	ND(0.001)	0.014	ND(0.001)	0.002	0.062	0.033	0.091	
	03/16/93	0.034	ND(0.001)	ND(0.001)	ND(0.005)	0.013	0.001	0.015	0.001	0.015	ND(0.001)	0.002	0.066	0.034	0.097	
	01/10/94	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.016	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	0.003	0.055	0.022	0.081	
	04/19/94	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.001	0.003	0.001	0.003	ND(0.005)	0.003	0.032	0.013	0.050	
	07/20/94	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.001	0.005	0.001	0.005	ND(0.005)	0.004	0.034	0.016	0.060	
	10/25/94	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.004	ND(0.005)	0.004	ND(0.005)	0.004	0.040	0.011	0.061	
	01/22/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.002	ND(0.005)	0.002	ND(0.005)	0.005	0.029	0.008	0.051	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.035	
Dup.	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.025	0.000	0.049	
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.020	0.003	0.043	
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.015	0.000	0.031	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.000	0.011	
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.013	0.000	0.029	
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.010	0.000	0.023	
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	0.001	0.001	0.001	0.001	ND(0.001)	0.003	0.003	0.001	0.013	
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.005	0.005	0.001	0.015	
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.006	0.005	0.002	0.017	
	07/30/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.020	
Dup.	10/17/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.001	0.018	
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.007	0.000	0.016	
	01/07/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.011	0.001	0.023	
	04/15/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.019	
	07/18/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.016	0.001	0.031	
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.015	0.001	0.027	
	02/09/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	0.019	0.026	0.002	0.053	
04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.009	0.000	0.020		
07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.008	0.000	0.017		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-13 (Cont.)	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.001
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.002
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.002
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/06/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.000	0.004
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.001
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.001
MW-14	09/15/91	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.130	0.130	0.002	0.002	0.300	0.300	0.014	0.002	0.460	0.022	0.022	0.908
	11/22/91	0.002	ND(0.001)	ND(0.001)	ND(0.005)	0.140	0.140	0.002	0.002	0.310	0.310	0.009	0.002	0.400	0.002	0.002	0.863
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.110	0.110	0.002	0.002	0.320	0.320	0.010	ND(0.001)	0.440	0.000	0.000	0.882
Dup.	03/16/93	0.020	ND(0.001)	ND(0.001)	ND(0.005)	0.080	0.080	0.001	0.001	0.180	0.180	0.004	0.002	0.210	0.020	0.020	0.477
	01/10/94	0.011	ND(0.001)	ND(0.001)	ND(0.005)	0.057	0.057	ND(0.001)	ND(0.001)	0.100	0.100	ND(0.001)	0.002	0.300	0.011	0.011	0.459
	04/19/94	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.058	0.058	ND(0.005)	ND(0.005)	0.056	0.056	0.001	ND(0.005)	0.160	0.005	0.005	0.275
Dup.	07/20/94	0.010	ND(0.025)	ND(0.025)	ND(0.025)	0.072	0.072	ND(0.025)	ND(0.025)	0.110	0.110	ND(0.025)	ND(0.025)	0.210	0.010	0.010	0.392
	10/25/94	0.010	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.079	0.001	0.001	0.094	0.094	ND(0.005)	ND(0.005)	0.230	0.010	0.010	0.404
	01/25/95	0.004	ND(0.005)	ND(0.005)	ND(0.005)	0.083	0.083	ND(0.005)	ND(0.005)	0.070	0.070	ND(0.005)	ND(0.005)	0.022	0.004	0.004	0.175
Dup.	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	0.063	ND(0.005)	ND(0.005)	0.058	0.058	ND(0.005)	ND(0.005)	0.130	0.000	0.000	0.251
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.074	0.074	ND(0.005)	ND(0.005)	0.072	0.072	ND(0.005)	ND(0.005)	0.098	0.000	0.000	0.244
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	0.062	ND(0.005)	ND(0.005)	0.044	0.044	ND(0.005)	ND(0.005)	0.087	0.000	0.000	0.193
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	0.051	ND(0.005)	ND(0.005)	0.038	0.038	ND(0.005)	ND(0.005)	0.061	0.000	0.000	0.150
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.053	0.053	ND(0.005)	ND(0.005)	0.040	0.040	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.157
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	0.051	ND(0.005)	ND(0.005)	0.045	0.045	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.153
Dup.	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.048	ND(0.005)	ND(0.005)	0.037	0.037	ND(0.005)	ND(0.005)	0.055	0.000	0.000	0.140
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	0.052	ND(0.005)	ND(0.005)	0.043	0.043	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.159
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	0.056	ND(0.005)	ND(0.005)	0.049	0.049	ND(0.005)	ND(0.005)	0.062	0.000	0.000	0.167
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.040	0.040	0.001	0.001	0.023	0.023	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.078
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.045	0.045	0.001	0.001	0.027	0.027	ND(0.001)	ND(0.001)	0.010	0.001	0.001	0.083
	04/09/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.039	0.039	ND(0.005)	ND(0.005)	0.023	0.023	ND(0.005)	ND(0.005)	0.024	0.000	0.000	0.086
Dup.	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.036	0.036	ND(0.005)	ND(0.005)	0.021	0.021	ND(0.005)	ND(0.005)	0.043	0.000	0.000	0.100
	10/17/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.039	0.039	ND(0.005)	ND(0.005)	0.019	0.019	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.106
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.045	0.045	ND(0.005)	ND(0.005)	0.019	0.019	ND(0.005)	ND(0.005)	0.074	0.000	0.000	0.138
Dup.	10/20/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.054	0.054	ND(0.0025)	ND(0.0025)	0.019	0.019	ND(0.0025)	ND(0.0025)	0.080	0.002	0.002	0.153
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	0.041	ND(0.0025)	ND(0.0025)	0.006	0.006	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	0.000	0.080

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-14 (Cont.)	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.000	0.009
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.009
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	09/15/91	0.002	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.026	0.026	0.001	0.005	0.005	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.018	0.036
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.033	0.033	0.001	0.009	0.009	ND(0.001)	0.003	0.006	ND(0.001)	ND(0.001)	0.000	0.052
	03/16/93	0.001	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.082	0.082	0.001	0.013	0.013	ND(0.001)	0.006	0.009	ND(0.001)	ND(0.001)	0.003	0.111
	01/10/94	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.048	0.048	ND(0.001)	0.009	0.009	ND(0.001)	0.004	0.013	ND(0.001)	ND(0.001)	0.008	0.074
	01/10/94	0.001	0.009	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.054	0.054	ND(0.001)	0.010	0.010	ND(0.001)	0.004	0.015	ND(0.001)	ND(0.001)	0.012	0.083
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.027	ND(0.005)	0.005	0.005	ND(0.005)	0.003	0.008	ND(0.005)	ND(0.005)	0.000	0.043
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	0.049	0.001	0.006	0.006	ND(0.005)	0.004	0.005	ND(0.005)	ND(0.005)	0.000	0.065
	10/25/94	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	0.029	ND(0.005)	0.006	0.006	ND(0.005)	0.004	0.006	ND(0.005)	ND(0.005)	0.001	0.045
Dup.	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.027	ND(0.005)	0.006	0.006	ND(0.005)	0.005	0.008	ND(0.005)	ND(0.005)	0.000	0.046
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.022	ND(0.005)	0.006	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.028
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.015	ND(0.005)	0.001	0.001	ND(0.005)	0.004	0.002	ND(0.005)	ND(0.005)	0.000	0.022
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	0.013	ND(0.005)	0.003	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.016
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.009
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.011
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.012	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014
Dup.	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.012	0.001	0.002	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.016
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	0.005	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.006
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.013	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.013	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014
	10/20/99	0.002	0.004	0.003	0.147	0.003	0.147	0.040	0.040	ND(0.001)	0.005	0.005	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.156	0.049
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.014	0.014	ND(0.001)	0.003	0.003	ND(0.001)	0.005	0.001	ND(0.001)	ND(0.001)	0.000	0.025
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.001	0.001	ND(0.001)	0.011	0.016	ND(0.001)	ND(0.001)	0.000	0.031
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.002	0.002	ND(0.001)	0.026	0.013	ND(0.001)	ND(0.001)	0.000	0.046
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	0.002	0.002	ND(0.001)	0.029	0.013	ND(0.001)	ND(0.001)	0.000	0.049

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-15 (Cont.)	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.015	ND(0.001)	0.000	0.034
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.014	ND(0.001)	0.000	0.039
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.014	ND(0.001)	0.000	0.036
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.016	ND(0.001)	0.000	0.034
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.018	ND(0.001)	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.010	ND(0.001)	0.000	0.031
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.008	ND(0.001)	0.000	0.027
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.052	0.002	ND(0.001)	0.000	0.059
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.032	0.003	ND(0.001)	0.000	0.038
	01/16/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.003	ND(0.001)	0.000	0.026
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.000	0.030
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.000	0.026
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.017	0.002	ND(0.001)	0.000	0.020
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.026	0.004	ND(0.001)	0.000	0.033
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.039	0.002	ND(0.001)	0.000	0.043
Dup.	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.036	0.002	ND(0.001)	0.000	0.040
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.030	0.004	ND(0.001)	0.000	0.036
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.039	0.002	ND(0.001)	0.000	0.044
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.040	0.002	ND(0.001)	0.000	0.046
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.006	ND(0.001)	0.000	0.021
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	0.008	ND(0.001)	0.000	0.041
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.042	0.003	ND(0.001)	0.000	0.045
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.003	ND(0.001)	0.000	0.041
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.000	0.053
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.000	0.052
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.000	0.043
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.030	0.001	ND(0.001)	0.000	0.035
Dup.	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.036	0.002	ND(0.001)	0.000	0.041
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.050	0.003	ND(0.001)	0.000	0.058
	10/19/10	ND(0.001)	0.010	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.041	0.003	ND(0.001)	0.012	0.052
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.000	0.035
	04/06/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.000	0.030
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.000	0.038
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.000	0.051
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.000	0.055

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-17D	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	ND(0.005)	0.018	0.062	0.012	0.019	0.014	0.000	0.000	0.125
	08/01/95	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.095	ND(0.005)	ND(0.005)	0.058	0.095	0.020	0.052	0.028	0.013	0.013	0.253
	10/18/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.067	ND(0.005)	ND(0.005)	0.044	0.067	0.015	0.047	0.054	0.007	0.007	0.227
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	ND(0.005)	0.036	0.066	0.012	0.046	0.043	0.006	0.006	0.203
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	ND(0.005)	0.032	0.050	0.009	0.036	0.039	0.006	0.006	0.166
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.064	ND(0.005)	ND(0.005)	0.046	0.064	0.009	0.049	0.032	0.000	0.000	0.200
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	ND(0.005)	0.053	0.077	0.009	0.060	0.037	0.000	0.000	0.236
	10/22/96	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	ND(0.005)	0.041	0.066	ND(0.005)	0.059	0.033	0.007	0.007	0.199
	01/24/97	0.004	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.052	0.001	0.001	0.023	0.052	0.004	0.039	0.022	0.004	0.004	0.141
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.030	ND(0.001)	ND(0.001)	0.020	0.030	0.003	0.026	0.022	0.003	0.003	0.101
Dup. *	07/30/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.029	ND(0.002)	ND(0.002)	0.013	0.029	0.002	0.028	0.018	0.003	0.003	0.090
	10/17/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.056	ND(0.002)	ND(0.002)	0.015	0.056	0.001	0.038	0.011	0.004	0.004	0.121
	10/28/98	0.006	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.050	ND(0.005)	ND(0.005)	0.009	0.050	ND(0.005)	0.045	0.012	0.006	0.006	0.116
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.091	ND(0.0025)	ND(0.0025)	0.010	0.091	ND(0.0025)	0.038	0.012	0.005	0.005	0.151
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.084	ND(0.0025)	ND(0.0025)	0.010	0.084	ND(0.0025)	0.035	0.017	ND(0.0025)	0.000	0.146
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.059	ND(0.0025)	ND(0.0025)	0.019	0.059	ND(0.0025)	0.024	0.029	ND(0.0025)	0.000	0.131
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.014	0.038	ND(0.001)	0.012	0.026	ND(0.001)	0.000	0.090
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.013	0.054	ND(0.001)	0.014	0.016	ND(0.001)	0.000	0.097
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.009	0.027	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.053
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.007	0.020	ND(0.001)	0.006	0.010	ND(0.001)	0.000	0.043
Dup. *	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.005	0.019	ND(0.001)	0.006	0.005	ND(0.001)	0.000	0.035
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.003	0.009	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.018
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.009
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.002	0.012	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.018
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.010	ND(0.001)	0.003	0.002	ND(0.001)	0.000	0.016
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.003	0.001	ND(0.001)	0.000	0.019
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.003	0.001	ND(0.001)	0.000	0.019
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.003	0.001	ND(0.001)	0.000	0.019
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	ND(0.005)	0.061	0.079	0.029	0.025	0.066	0.009	0.009	0.260
	08/01/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.085	ND(0.005)	ND(0.005)	0.075	0.085	0.025	0.037	0.064	0.010	0.010	0.286
Dup. *	10/18/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	ND(0.005)	0.059	0.073	0.019	0.041	0.090	0.009	0.009	0.282
	10/18/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.078	ND(0.005)	ND(0.005)	0.059	0.078	0.019	0.042	0.086	0.010	0.010	0.284
	01/11/96	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	ND(0.005)	0.068	0.077	0.019	0.042	0.076	0.009	0.009	0.282
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.075	ND(0.005)	ND(0.005)	0.069	0.075	ND(0.005)	0.043	0.065	0.006	0.006	0.252
	07/22/96	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	ND(0.005)	0.069	0.076	0.012	0.051	0.077	0.008	0.008	0.285
	10/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	ND(0.005)	0.058	0.069	ND(0.005)	0.050	0.054	0.006	0.006	0.231
	01/24/97	0.006	ND(0.001)	ND(0.001)	0.001	0.001	0.058	ND(0.001)	ND(0.001)	0.044	0.058	0.007	0.045	0.049	0.007	0.007	0.203
	04/09/97	0.007	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.065	0.001	0.001	0.051	0.065	0.008	0.051	0.051	0.007	0.007	0.226
	07/30/97	0.004	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.051	ND(0.005)	ND(0.005)	0.045	0.051	0.004	0.045	0.062	0.004	0.004	0.207
	10/17/97	0.006	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.079	ND(0.005)	ND(0.005)	0.050	0.079	0.003	0.052	0.053	0.006	0.006	0.237

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE		1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)				(mg/L)	(mg/L)				(mg/L)	(mg/L)		
MW-17A (Cont.)	10/28/98	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.075	ND(0.005)	0.018	ND(0.005)	ND(0.005)	0.044	0.033	0.033	ND(0.0025)	ND(0.0025)	0.009	0.170
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.134	ND(0.0025)	0.018	ND(0.0025)	ND(0.0025)	0.032	0.030	0.030	ND(0.0025)	ND(0.0025)	0.005	0.214
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.144	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.038	0.035	0.035	ND(0.0025)	ND(0.0025)	0.000	0.243
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.079	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.026	0.044	0.044	ND(0.0025)	ND(0.0025)	0.000	0.177
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.007	0.031	0.031	ND(0.001)	ND(0.001)	0.000	0.088
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.007	0.025	0.025	ND(0.001)	ND(0.001)	0.000	0.085
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.005	0.014	0.014	ND(0.001)	ND(0.001)	0.000	0.063
	10/08/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	0.004	ND(0.001)	ND(0.001)	0.000	0.021
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.013
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	0.003	ND(0.001)	ND(0.001)	0.000	0.010
Dup.	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.009
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.009
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.009
MW-17B	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	0.180	ND(0.005)	ND(0.005)	0.019	ND(0.005)	0.180	0.000	0.000	0.000	0.415
	08/01/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	ND(0.005)	0.190	ND(0.005)	ND(0.005)	0.020	0.026	0.180	0.006	0.006	0.006	0.456
Dup. *	08/01/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.250	ND(0.005)	ND(0.005)	0.023	0.030	0.320	0.008	0.008	0.008	0.672
	10/18/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.210	ND(0.005)	ND(0.005)	0.024	0.034	0.370	0.006	0.006	0.006	0.684
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.014	0.022	0.190	0.000	0.000	0.000	0.430
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.160	ND(0.005)	ND(0.005)	0.013	0.270	0.270	0.000	0.000	0.000	0.473
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.016	0.250	0.250	0.000	0.000	0.000	0.446
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.015	0.280	0.280	0.000	0.000	0.000	0.491
	10/22/96	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.038	ND(0.01)	0.190	ND(0.01)	ND(0.01)	0.030	0.250	0.250	0.000	0.000	0.000	0.508
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.038	0.001	0.110	0.008	0.008	0.019	0.070	0.070	0.002	0.002	0.002	0.246
	04/09/97	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.035	0.001	0.115	0.005	0.005	0.021	0.132	0.132	0.004	0.004	0.004	0.310
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.026	ND(0.005)	0.080	ND(0.005)	ND(0.005)	0.017	0.141	0.141	0.000	0.000	0.000	0.268
Dup.	10/17/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	ND(0.02)	0.053	ND(0.01)	0.103	ND(0.01)	ND(0.01)	0.027	0.149	0.149	0.000	0.000	0.000	0.332
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	ND(0.02)	0.073	ND(0.01)	0.072	ND(0.01)	ND(0.01)	0.045	0.178	0.178	0.000	0.000	0.000	0.368
	10/19/99	0.005	0.012	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.143	ND(0.0025)	0.053	ND(0.0025)	ND(0.0025)	0.005	0.051	0.059	0.017	0.017	0.017	0.311
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.047	ND(0.005)	0.043	ND(0.005)	ND(0.005)	0.017	0.093	0.093	ND(0.005)	ND(0.005)	0.000	0.200
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.035	ND(0.0025)	0.031	ND(0.0025)	ND(0.0025)	0.005	0.065	0.065	ND(0.0025)	ND(0.0025)	0.000	0.126
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.017	0.017	ND(0.001)	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.017	ND(0.001)	ND(0.001)	0.000	0.040
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	ND(0.001)	0.000	0.015
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.000	0.007
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.000	0.003
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-17B (Cont.)	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-17C *	04/03/95	0.032	0.060	0.005	0.054	0.058	0.058	ND(0.005)	ND(0.005)	0.099	0.110	ND(0.005)	0.091	0.013	0.013	0.016	0.151	0.261
	04/03/95	0.034	0.057	ND(0.005)	0.045	0.063	0.063	ND(0.005)	ND(0.005)	0.110	0.140	ND(0.005)	0.095	0.017	0.017	0.016	0.136	0.285
	08/01/95	0.022	0.047	ND(0.005)	ND(0.005)	0.073	0.073	ND(0.005)	ND(0.005)	0.140	0.120	ND(0.005)	0.120	0.012	0.012	0.016	0.069	0.345
	10/18/95	0.019	0.026	ND(0.005)	ND(0.005)	0.063	0.063	0.003	0.003	0.120	0.120	ND(0.005)	0.140	0.024	0.024	0.016	0.045	0.350
	01/11/96	0.020	0.035	ND(0.005)	ND(0.005)	0.058	0.058	ND(0.005)	ND(0.005)	0.120	0.130	ND(0.005)	0.120	0.015	0.015	0.016	0.055	0.313
	04/13/96	0.011	0.009	ND(0.005)	ND(0.005)	0.057	0.057	ND(0.005)	ND(0.005)	0.130	0.130	ND(0.005)	0.100	0.013	0.013	0.016	0.020	0.300
	07/22/96	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.058	0.058	ND(0.005)	ND(0.005)	0.130	0.120	ND(0.005)	0.120	0.014	0.014	0.016	0.020	0.322
	10/22/96	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.045	0.045	ND(0.005)	ND(0.005)	0.120	0.120	ND(0.005)	0.100	0.012	0.012	0.015	0.015	0.277
	01/24/97	0.009	ND(0.001)	ND(0.001)	ND(0.002)	0.051	0.051	0.003	0.003	0.099	0.099	ND(0.001)	0.078	0.005	0.005	0.009	0.009	0.236
	04/09/97	0.011	ND(0.002)	ND(0.002)	ND(0.004)	0.049	0.049	0.002	0.002	0.105	0.105	ND(0.002)	0.100	0.008	0.008	0.011	0.011	0.265
	07/30/97	0.010	ND(0.005)	ND(0.005)	ND(0.010)	0.043	0.043	0.003	0.003	0.093	0.093	ND(0.005)	0.097	0.010	0.010	0.010	0.010	0.246
	10/17/97	0.031	ND(0.01)	ND(0.01)	ND(0.02)	0.066	0.066	0.003	0.003	0.115	0.115	ND(0.01)	0.086	0.013	0.013	0.031	0.031	0.283
	10/28/98	0.011	ND(0.01)	ND(0.01)	ND(0.02)	0.050	0.050	ND(0.01)	ND(0.01)	0.105	0.105	ND(0.01)	0.110	0.018	0.018	0.011	0.011	0.283
	10/19/99	0.023	ND(0.0025)	0.002	ND(0.005)	0.080	0.080	0.003	0.003	0.160	0.160	ND(0.0025)	0.119	0.040	0.040	0.025	0.025	0.402
	10/19/00	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	0.041	ND(0.0025)	ND(0.0025)	0.073	0.073	ND(0.0025)	0.071	0.007	ND(0.0025)	0.005	0.005	0.202
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	0.012	ND(0.0025)	ND(0.0025)	0.024	0.024	ND(0.0025)	0.020	0.007	ND(0.0025)	0.000	0.063	0.063
Dup.	10/18/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.013	ND(0.001)	ND(0.001)	0.023	0.023	ND(0.001)	0.019	0.006	ND(0.001)	0.001	0.001	0.063
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.011	ND(0.001)	ND(0.001)	0.018	0.018	ND(0.001)	0.012	0.004	ND(0.001)	0.000	0.046	0.046
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.008	ND(0.001)	ND(0.001)	0.013	0.013	ND(0.001)	0.009	0.005	ND(0.001)	0.000	0.035	0.035
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	ND(0.001)	0.008	0.008	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.019	0.019
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	0.004	0.002	ND(0.001)	0.000	0.017	0.017
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.010	0.010
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003	0.003
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.003	0.003
	10/21/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002	0.002
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001	0.001
MW-18	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	0.017	ND(0.005)	ND(0.005)	0.093	0.093	ND(0.005)	0.034	0.071	0.071	0.000	0.215	0.215
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	0.024	ND(0.005)	ND(0.005)	0.170	0.170	ND(0.005)	0.039	0.087	0.087	0.000	0.320	0.320
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.018	ND(0.005)	ND(0.005)	0.150	0.150	ND(0.005)	0.042	0.130	0.130	0.003	0.340	0.340
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	0.017	ND(0.005)	ND(0.005)	0.130	0.130	ND(0.005)	0.037	0.097	0.097	0.000	0.281	0.281
Dup.	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.016	ND(0.005)	ND(0.005)	0.170	0.170	ND(0.005)	0.034	0.120	0.120	0.000	0.340	0.340
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.018	ND(0.005)	ND(0.005)	0.200	0.200	ND(0.005)	0.043	0.110	0.110	0.000	0.371	0.371
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	0.170	ND(0.005)	0.043	0.120	0.120	0.000	0.333	0.333
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.020	ND(0.005)	ND(0.005)	0.190	0.190	ND(0.005)	0.042	0.120	0.120	0.000	0.372	0.372

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)												
MW-18 (Cont.)	01/24/97	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.024	0.001	0.180	0.002	0.047	0.097	0.003	0.351		
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.022	0.001	0.155	0.002	0.044	0.116	0.003	0.340		
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	0.140	0.001	0.044	0.121	0.002	0.326		
	10/17/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.028	ND(0.001)	0.157	ND(0.001)	0.044	0.071	0.002	0.300		
	01/07/98	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.029	ND(0.001)	0.163	ND(0.001)	0.054	0.133	0.002	0.379		
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.029	ND(0.001)	0.155	ND(0.001)	0.053	0.145	0.000	0.382		
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.030	ND(0.001)	0.146	ND(0.001)	0.052	0.151	0.000	0.379		
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.028	ND(0.001)	0.142	ND(0.001)	0.052	0.149	0.000	0.371		
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	0.030	ND(0.005)	0.143	ND(0.005)	0.052	0.148	0.000	0.373		
	04/22/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.031	ND(0.0025)	0.135	ND(0.0025)	0.045	0.121	0.002	0.332		
	07/14/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.028	ND(0.0025)	0.127	ND(0.0025)	0.042	0.120	0.002	0.317		
	10/19/99	0.002	ND(0.0025)	0.002	ND(0.005)	ND(0.005)	0.034	ND(0.0025)	0.149	ND(0.0025)	0.049	0.128	0.004	0.360		
	01/26/00	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	0.036	ND(0.005)	0.153	ND(0.005)	0.054	0.137	0.002	0.380		
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.001)	0.022	ND(0.005)	0.102	ND(0.005)	0.032	0.095	0.000	0.251		
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.029	ND(0.005)	0.128	ND(0.005)	0.046	0.140	ND(0.005)	0.000	0.343	
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	0.140	ND(0.005)	0.044	0.123	ND(0.005)	0.000	0.339	
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.092	ND(0.005)	0.030	0.084	ND(0.005)	0.000	0.229	
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.073	ND(0.005)	0.027	0.072	ND(0.005)	0.000	0.192	
Dup.	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.021	ND(0.002)	0.081	ND(0.002)	0.023	0.046	ND(0.002)	0.000	0.171	
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.091	ND(0.0025)	0.029	0.081	ND(0.0025)	0.000	0.224	
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.094	ND(0.005)	0.028	0.079	ND(0.005)	0.000	0.225	
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	0.002	0.025	0.089	ND(0.001)	0.000	0.262	
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.100	0.002	0.025	0.080	ND(0.001)	0.001	0.231	
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	0.100	ND(0.0025)	0.022	0.085	ND(0.0025)	0.000	0.235	
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	0.002	0.022	0.096	ND(0.001)	0.001	0.266	
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.092	0.001	0.018	0.087	ND(0.001)	0.000	0.224	
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.095	0.002	0.021	0.087	ND(0.001)	0.000	0.234	
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.100	0.002	0.018	0.090	ND(0.001)	0.001	0.241	
	10/15/03	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	0.100	ND(0.0025)	0.017	0.087	ND(0.0025)	0.000	0.235	
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.079	0.002	0.018	0.087	ND(0.001)	0.000	0.215	
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.071	0.002	0.020	0.071	ND(0.001)	0.000	0.182	
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.098	0.002	0.021	0.100	ND(0.001)	0.001	0.251	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.077	0.001	0.015	0.063	ND(0.001)	0.000	0.177	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.001	0.016	ND(0.001)	0.000	0.036		
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.079	ND(0.001)	0.012	0.078	ND(0.001)	0.000	0.188	
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.073	ND(0.001)	0.013	0.090	ND(0.001)	0.000	0.197	
07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.090	ND(0.001)	0.013	0.094	ND(0.001)	0.001	0.222		
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.054	ND(0.001)	0.011	0.073	ND(0.001)	0.000	0.156		
01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.050	0.001	0.011	0.056	ND(0.001)	0.000	0.136		
04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.039	0.002	0.010	0.078	ND(0.001)	0.000	0.146		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-18 (Cont.) Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.033	0.002	ND(0.001)	0.010	0.063	ND(0.001)	0.000	0.126
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.036	0.002	ND(0.001)	0.010	0.057	ND(0.001)	0.000	0.124
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.027	0.002	ND(0.001)	0.010	0.032	ND(0.001)	0.000	0.085
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.029	0.002	ND(0.001)	0.009	0.041	ND(0.001)	0.000	0.095
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.045	0.002	ND(0.001)	0.012	0.047	ND(0.001)	0.000	0.125
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.008	0.049	ND(0.001)	0.000	0.109
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.005	0.039	ND(0.001)	0.000	0.089
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.038	ND(0.001)	0.000	0.083
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.036	ND(0.001)	0.000	0.071
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.003	0.023	ND(0.001)	0.000	0.047
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.023	ND(0.001)	0.000	0.047
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.032
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.001	0.010	ND(0.001)	0.000	0.026
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.011	ND(0.001)	0.000	0.027
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.000	0.032
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.012	ND(0.001)	0.000	0.031
Dup.	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.002	0.014	ND(0.001)	0.000	0.037
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.002	0.013	ND(0.001)	0.000	0.035
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.018	ND(0.001)	0.000	0.045
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.003	0.018	ND(0.001)	0.000	0.046
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.002	0.015	ND(0.001)	0.000	0.042
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028	ND(0.001)	0.000	0.065
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.025	ND(0.001)	0.000	0.064
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.007	0.027	ND(0.001)	0.000	0.067
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.033	ND(0.001)	0.000	0.071
MW-19	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110		0.000	0.271
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.140		0.000	0.324
	10/18/95	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.004	0.150		0.002	0.334
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	0.100		0.000	0.220
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.100		0.000	0.250
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110		0.000	0.269
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	0.094		0.000	0.232
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.009	ND(0.001)	0.122		0.001	0.003	0.093		0.001	0.228
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.010	ND(0.001)	0.116		0.001	0.004	0.087		0.002	0.218
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.009	ND(0.002)	0.116		ND(0.002)	0.005	0.096		0.002	0.226
	10/17/97	0.003	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.010	ND(0.01)	0.124		ND(0.01)	0.007	0.086		0.003	0.207
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.017	ND(0.01)	0.167		ND(0.01)	0.009	0.150		0.000	0.343
	04/22/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.023	ND(0.0025)	0.212		ND(0.0025)	0.009	0.182		0.003	0.426

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-20 (Cont.)	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.009
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.011
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
Dup.	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.020
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.032
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.026	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.028
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.020
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.022
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.023	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.019
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.017
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.016
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.017
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.012
Dup.	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.010
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.011
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.013
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	0.001	ND(0.001)	0.002	0.005	ND(0.001)	0.000	0.015
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.017
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.018
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.020
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.020
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.004	0.001	ND(0.001)	0.003	0.006	ND(0.001)	0.000	0.022
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.004	0.001	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.020
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.005	0.002	ND(0.001)	0.004	0.006	ND(0.001)	0.000	0.025
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.004	0.002	ND(0.001)	0.004	0.006	ND(0.001)	0.000	0.023

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-21	11/20/96	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.003	0.006	0.006	0.002	0.002	0.023
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.006	0.006	0.002	0.002	0.032
	03/04/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.011	0.011	0.002	0.002	0.047
	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.005	0.008	0.008	0.001	0.001	0.038
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.002)	0.011	ND(0.002)	ND(0.002)	0.003	0.007	0.007	0.000	0.000	0.022
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.002)	0.007	ND(0.002)	ND(0.002)	0.001	0.004	0.004	0.001	0.001	0.013
	01/07/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.003	0.005	0.005	0.001	0.001	0.031
	04/15/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.003	0.006	0.006	0.001	0.001	0.039
	07/18/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	0.022	ND(0.002)	ND(0.002)	0.002	0.005	0.005	0.001	0.001	0.031
	10/28/98	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.002)	0.015	ND(0.002)	ND(0.002)	0.001	0.004	0.004	0.001	0.001	0.021
	02/09/99	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.005	0.005	0.001	0.001	0.040
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.001	0.003	0.003	0.000	0.000	0.030
	07/14/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.000	0.011
	10/19/99	ND(0.001)	ND(0.001)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.002	0.002	0.007
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.001	0.002	0.002	0.000	0.000	0.029
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.011
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.012
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.001	0.003	0.003	0.000	0.000	0.022
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.004	0.008	0.008	0.000	0.000	0.044
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.005	0.008	0.008	0.000	0.000	0.017
Dup.	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.005	0.010	0.010	0.002	0.002	0.076
	01/12/02	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.010	0.018	0.018	0.003	0.003	0.102
	04/20/02	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.015	0.029	0.029	0.004	0.004	0.154
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.014	0.020	0.020	0.002	0.002	0.128
	10/15/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	0.089	ND(0.0025)	ND(0.0025)	0.012	0.022	0.022	0.000	0.000	0.136
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.016	0.027	0.027	0.002	0.002	0.160
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.079	ND(0.001)	ND(0.001)	0.013	0.024	0.024	0.002	0.002	0.131
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.006	0.011	0.011	0.000	0.000	0.077
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.007	0.013	0.013	0.000	0.000	0.091
	01/28/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.012	0.026	0.026	0.002	0.002	0.111
	04/19/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.013	0.026	0.026	0.002	0.002	0.118
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.023	0.047	0.047	0.003	0.003	0.183
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.026	0.055	0.055	0.003	0.003	0.221
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.024	0.062	0.062	0.002	0.002	0.204
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.027	0.057	0.057	0.003	0.003	0.213
	05/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.027	0.059	0.059	0.002	0.002	0.207
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.024	0.050	0.050	0.002	0.002	0.184
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.021	0.052	0.052	0.002	0.002	0.161

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-21 (Cont.)	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.051	0.003	ND(0.001)	0.021	0.036	ND(0.001)	0.002	0.137
	04/18/06	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.049	0.003	ND(0.001)	0.019	0.058	ND(0.001)	0.001	0.155
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.055	0.004	ND(0.001)	0.018	0.066	ND(0.001)	0.002	0.175
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.049	0.002	ND(0.001)	0.022	0.042	ND(0.001)	0.002	0.139
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.060	0.003	ND(0.001)	0.020	0.059	ND(0.001)	0.002	0.168
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.080	0.003	ND(0.001)	0.026	0.070	ND(0.001)	0.002	0.211
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.086	0.003	ND(0.001)	0.029	0.076	ND(0.001)	0.002	0.227
	07/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.098	0.003	ND(0.001)	0.026	0.081	ND(0.001)	0.001	0.238
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.060	0.003	ND(0.001)	0.018	0.054	ND(0.001)	0.001	0.163
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.063	0.003	ND(0.001)	0.020	0.063	ND(0.001)	0.001	0.179
Dup.	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.061	0.003	ND(0.001)	0.020	0.070	ND(0.001)	0.001	0.185
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.052	0.002	ND(0.001)	0.013	0.044	ND(0.001)	0.000	0.136
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.042	0.002	ND(0.001)	0.016	0.044	ND(0.001)	0.001	0.125
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.045	0.002	ND(0.001)	0.016	0.048	ND(0.001)	0.001	0.132
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.035	0.001	ND(0.001)	0.010	0.040	ND(0.001)	0.000	0.105
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.044	0.001	ND(0.001)	0.009	0.033	ND(0.001)	0.001	0.106
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.029	0.001	ND(0.001)	0.007	0.029	ND(0.001)	0.000	0.078
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.030	0.001	ND(0.001)	0.008	0.028	ND(0.001)	0.000	0.078
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.037	0.001	ND(0.001)	0.009	0.035	ND(0.001)	0.000	0.093
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.000	0.063
Dup.	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.033	0.000	ND(0.001)	0.009	0.029	ND(0.001)	0.000	0.081
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.000	0.070
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.009	0.027	ND(0.001)	0.000	0.071
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.000	0.079
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	0.000	0.063
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.000	0.058
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.027	ND(0.001)	0.000	0.062
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.023	ND(0.001)	0.000	0.059
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.019	0.001	ND(0.001)	0.005	0.023	ND(0.001)	0.000	0.055
	11/20/96	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.063		ND(0.001)	0.012	0.053		0.014	0.138
Dup.	01/24/97	0.010	ND(0.001)	ND(0.001)	ND(0.002)	0.009	ND(0.001)	0.065		ND(0.001)	0.013	0.050		0.010	0.137
	01/24/97	0.011	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.099		ND(0.001)	0.013	0.065		0.011	0.188
	04/09/97	0.013	ND(0.001)	ND(0.001)	ND(0.002)	0.014	0.001	0.084		ND(0.001)	0.021	0.080		0.013	0.200
	07/30/97	0.014	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.092		ND(0.002)	0.024	0.104		0.014	0.232
	10/17/97	0.016	ND(0.005)	ND(0.005)	ND(0.01)	0.014	ND(0.005)	0.107		ND(0.005)	0.028	0.117		0.016	0.266
	10/28/98	0.016	ND(0.01)	ND(0.01)	ND(0.02)	0.017	ND(0.01)	0.129		ND(0.01)	0.037	0.150		0.016	0.333
	04/22/99	0.017	ND(0.0025)	ND(0.0025)	ND(0.005)	0.024	ND(0.0025)	0.185		ND(0.0025)	0.053	0.184		0.017	0.446
	10/19/99	0.019	ND(0.005)	0.002	ND(0.01)	0.026	ND(0.005)	0.200		ND(0.005)	0.056	0.207		0.021	0.489
	10/19/00	0.018	ND(0.005)	ND(0.005)	ND(0.010)	0.025	ND(0.005)	0.201	ND(0.005)	ND(0.005)	0.055	0.188	ND(0.005)	0.018	0.469

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-22 (Cont.)	04/12/01	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.156	ND(0.005)	ND(0.005)	0.052	0.161	ND(0.005)	ND(0.005)	0.015	0.391
	07/18/01	0.011	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.020	ND(0.01)	0.180	ND(0.01)	ND(0.01)	0.044	0.130	ND(0.01)	ND(0.01)	0.011	0.374
	10/18/01	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.052	0.160	ND(0.005)	ND(0.005)	0.014	0.403
	01/12/02	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.057	0.180	ND(0.005)	ND(0.005)	0.014	0.461
	04/20/02	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.054	0.150	ND(0.0025)	ND(0.0025)	0.009	0.437
	07/24/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.120	ND(0.001)	ND(0.001)	0.005	0.346
	10/15/02	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.180	ND(0.0025)	ND(0.0025)	0.050	0.130	ND(0.0025)	ND(0.0025)	0.004	0.383
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.210	ND(0.001)	ND(0.001)	0.053	0.150	ND(0.001)	ND(0.001)	0.004	0.438
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.052	0.150	ND(0.001)	ND(0.001)	0.004	0.412
	04/23/03	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.037	0.110	ND(0.001)	ND(0.001)	0.006	0.339
Dup.	07/17/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.045	0.130	ND(0.001)	ND(0.001)	0.003	0.357
	10/15/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.034	0.100	ND(0.001)	ND(0.001)	0.004	0.304
	01/28/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.035	0.110	ND(0.001)	ND(0.001)	0.004	0.294
	04/19/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	ND(0.001)	0.005	0.306
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.044	0.110	ND(0.001)	ND(0.001)	0.004	0.322
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	ND(0.001)	0.003	0.295
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.090	ND(0.001)	ND(0.001)	0.003	0.279
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.035	0.084	ND(0.001)	ND(0.001)	0.002	0.245
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.098	ND(0.001)	ND(0.001)	0.002	0.293
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.100	ND(0.001)	ND(0.001)	0.002	0.268
Dup.	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.029	0.071	ND(0.001)	ND(0.001)	0.002	0.215
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.026	0.075	ND(0.001)	ND(0.001)	0.002	0.215
	07/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.092	ND(0.001)	ND(0.001)	0.024	0.078	ND(0.001)	ND(0.001)	0.003	0.207
	10/10/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.059	ND(0.001)	ND(0.001)	0.003	0.176
	10/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.022	0.067	ND(0.001)	ND(0.001)	0.003	0.198
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.021	0.077	ND(0.001)	ND(0.001)	0.003	0.208
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.091	ND(0.001)	ND(0.001)	0.003	0.245
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.024	0.081	ND(0.001)	ND(0.001)	0.003	0.269
	10/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.019	0.066	ND(0.001)	ND(0.001)	0.003	0.198
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.017	0.069	ND(0.001)	ND(0.001)	0.002	0.198
Dup.	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.080	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	ND(0.001)	0.001	0.153
	07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.010	0.041	ND(0.001)	ND(0.001)	0.002	0.137
	10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.013	0.042	ND(0.001)	ND(0.001)	0.003	0.124
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	ND(0.001)	0.002	0.100
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.008	0.039	ND(0.001)	ND(0.001)	0.002	0.124
	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	ND(0.001)	0.002	0.097
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.009	0.033	ND(0.001)	ND(0.001)	0.001	0.096
	10/20/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	ND(0.001)	0.002	0.078
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.008	0.027	ND(0.001)	ND(0.001)	0.001	0.078
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.025	ND(0.001)	ND(0.001)	0.001	0.079

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-22 (Cont.) Dup.	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.008	0.022	ND(0.001)	0.000	0.077
	10/18/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.009	0.026	ND(0.001)	0.000	0.071
	10/18/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.000	0.067
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.008	0.029	ND(0.001)	0.000	0.080
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.009	0.028	ND(0.001)	0.000	0.069
MW-22A	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.007	0.022	ND(0.001)	0.000	0.055
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.022	ND(0.001)	0.000	0.058
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.000	0.059
	01/12/02	0.015	0.021	ND(0.005)	0.088	0.023	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.037	0.110	ND(0.005)	0.124	0.340
	04/20/02	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.044	0.100	ND(0.0025)	0.015	0.380
	07/24/02	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.074	ND(0.001)	0.009	0.271
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.022	ND(0.0025)	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.031	0.080	ND(0.0025)	0.011	0.303
	01/22/03	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.230	ND(0.001)	ND(0.001)	0.044	0.130	ND(0.001)	0.013	0.432
	04/24/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.047	0.140	ND(0.001)	0.003	0.367
	07/17/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.042	0.120	ND(0.001)	0.009	0.376
	10/15/03	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.140	ND(0.001)	0.007	0.369
	01/28/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.034	0.120	ND(0.001)	0.005	0.347
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.003	0.341
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.044	0.120	ND(0.001)	0.004	0.378
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.028	0.059	ND(0.001)	0.003	0.208
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.082	ND(0.001)	0.003	0.305
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.072	ND(0.001)	0.002	0.243
	07/08/05	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.200	ND(0.001)	ND(0.001)	0.037	0.120	ND(0.001)	0.005	0.384
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.031	0.090	ND(0.001)	0.002	0.273
	01/18/06	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.096	ND(0.001)	0.004	0.289
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.100	ND(0.001)	0.002	0.223
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	0.002	0.220
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.026	0.062	ND(0.001)	0.002	0.188
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.026	0.110	ND(0.001)	0.003	0.287
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.026	0.098	ND(0.001)	0.003	0.275
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.240	ND(0.001)	ND(0.001)	0.028	0.140	ND(0.001)	0.003	0.430
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.098	ND(0.001)	ND(0.001)	0.021	0.081	ND(0.001)	0.002	0.220
	01/16/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.022	0.110	ND(0.001)	0.003	0.252
	04/28/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.016	0.096	ND(0.001)	0.002	0.224
	07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.014	0.065	ND(0.001)	0.002	0.192
	10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.019	0.068	ND(0.001)	0.003	0.198
	01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.014	0.087	ND(0.001)	0.002	0.203
	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.016	0.061	ND(0.001)	0.002	0.163
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.012	0.062	ND(0.001)	0.000	0.149

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)		1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
				TOLUENE (mg/L)	BENZENE (mg/L)												
MW-22A (Cont.)	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.056	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.062	ND(0.001)	ND(0.001)	0.001	0.141
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.054	ND(0.001)	ND(0.001)	0.000	0.110
	04/20/10	0.000	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.038	0.000	ND(0.001)	ND(0.001)	0.009	0.054	ND(0.001)	ND(0.001)	0.000	0.108
	07/27/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.041	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.042	ND(0.001)	ND(0.001)	0.000	0.100
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.045	ND(0.001)	ND(0.001)	0.000	0.093
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.042	ND(0.001)	ND(0.001)	0.000	0.093
MW-23	11/20/96	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.002
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.005
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.006
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.000	0.007
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.004
MW-24	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.003
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)								(mg/L)	(mg/L)		
MW-24 (Cont.)	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	03/04/97	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.021	0.021	0.080	0.080
	04/09/97	0.015	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.015	0.001	0.001	0.035	ND(0.001)	ND(0.001)	0.006	0.020	0.015	0.015	0.077	0.077
Dup.	04/09/97	0.014	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.015	0.001	0.001	0.034	ND(0.001)	ND(0.001)	0.005	0.019	0.014	0.014	0.074	0.074
	07/30/97	0.023	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	0.001	0.001	0.031	ND(0.002)	ND(0.002)	0.005	0.035	0.023	0.023	0.083	0.083
Dup.	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	0.001	0.001	0.027	ND(0.002)	ND(0.002)	0.004	0.035	0.026	0.026	0.078	0.078
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.013	0.001	0.001	0.028	ND(0.002)	ND(0.002)	0.004	0.028	0.026	0.026	0.074	0.074
	01/07/98	0.027	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.014	0.001	0.001	0.030	ND(0.002)	ND(0.002)	0.004	0.033	0.027	0.027	0.082	0.082
	04/15/98	0.025	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.013	ND(0.002)	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.004	0.034	0.025	0.025	0.079	0.079
	07/18/98	0.022	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.024	ND(0.002)	ND(0.002)	0.004	0.026	0.022	0.022	0.066	0.066
	10/28/98	0.030	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	ND(0.002)	0.030	ND(0.002)	ND(0.002)	0.005	0.038	0.030	0.030	0.085	0.085
	02/09/99	0.027	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.003	0.039	0.027	0.027	0.086	0.086
	04/22/99	0.030	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.032	0.030	0.030	0.078	0.078
	07/14/99	0.022	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.012	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028	0.022	0.022	0.071	0.071
	10/19/99	0.025	ND(0.001)	0.002	ND(0.002)	ND(0.002)	0.012	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.027	0.027	0.027	0.070	0.070
	01/26/00	0.025	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.026	0.025	0.025	0.072	0.072
	04/21/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.011	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.025	0.022	0.022	0.063	0.063
	07/27/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.004	0.027	0.022	0.022	0.065	0.065
	10/19/00	0.030	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.013	0.001	0.001	0.036	ND(0.001)	ND(0.001)	0.007	0.032	0.030	0.030	0.089	0.089
	01/18/01	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.010	0.053	0.022	0.022	0.126	0.126
	04/12/01	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.013	0.052	0.017	0.017	0.127	0.127
	07/18/01	0.015	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.002)	ND(0.002)	0.050	ND(0.002)	ND(0.002)	0.009	0.037	0.015	0.015	0.108	0.108
	10/18/01	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.054	ND(0.0025)	ND(0.0025)	0.013	0.052	0.015	0.015	0.132	0.132
	01/12/02	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	0.059	ND(0.005)	ND(0.005)	0.013	0.052	0.012	0.012	0.138	0.138
	07/24/02	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.017	0.048	0.010	0.010	0.141	0.141
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	ND(0.0025)	0.063	ND(0.0025)	ND(0.0025)	0.015	0.047	0.011	0.011	0.140	0.140
	01/22/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.017	0.110	0.011	0.011	0.292	0.292
	04/23/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.015	0.054	0.009	0.009	0.146	0.146
	07/17/03	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.017	0.054	0.010	0.010	0.147	0.147
	10/15/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.023	0.076	0.011	0.011	0.218	0.218

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-25 (Cont.) Dup.	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.169
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.156
	04/19/04	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.024	0.072	ND(0.001)	0.010	0.201
	07/16/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.030	0.090	ND(0.001)	0.009	0.249
Dup.	10/29/04	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.027	0.074	ND(0.001)	0.008	0.242
	01/14/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.023	0.078	ND(0.001)	0.007	0.229
	04/16/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.091	ND(0.001)	ND(0.001)	0.029	0.090	ND(0.001)	0.007	0.228
	04/16/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.032	0.071	ND(0.001)	0.008	0.216
Dup.	07/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.030	0.087	ND(0.001)	0.008	0.257
	10/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.095	ND(0.001)	0.008	0.251
	01/19/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.071	ND(0.001)	0.007	0.204
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.075	ND(0.001)	0.007	0.208
Dup.	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.093	ND(0.001)	ND(0.001)	0.027	0.079	ND(0.001)	0.007	0.216
	07/11/06	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.028	0.086	ND(0.001)	0.008	0.232
	10/10/06	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.030	0.082	ND(0.001)	0.006	0.226
	01/16/07	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.029	0.100	ND(0.001)	0.006	0.269
Dup.	04/17/07	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.040	0.150	ND(0.001)	0.007	0.378
	07/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.220	ND(0.001)	ND(0.001)	0.037	0.150	ND(0.001)	0.005	0.432
	10/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.180	ND(0.001)	ND(0.001)	0.031	0.130	ND(0.001)	0.005	0.367
	01/16/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.032	0.150	ND(0.001)	0.005	0.378
Dup.	04/28/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.025	0.110	ND(0.001)	0.003	0.311
	04/28/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.150	ND(0.001)	0.005	0.379
	07/15/08	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.025	0.120	ND(0.001)	0.004	0.308
	10/14/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.030	0.140	ND(0.001)	0.005	0.344
Dup.	01/13/09	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.023	0.120	ND(0.001)	0.003	0.320
	04/08/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.001	0.130	0.001	ND(0.001)	0.025	0.100	ND(0.001)	0.004	0.284
	07/14/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.024	0.120	ND(0.001)	0.004	0.286
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.012	0.120	ND(0.001)	0.002	0.295
Dup.	10/20/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.001	0.130	ND(0.001)	ND(0.001)	0.021	0.100	ND(0.001)	0.004	0.277
	01/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.021	0.110	ND(0.001)	0.003	0.262
	04/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.000	0.092	0.000	ND(0.001)	0.018	0.089	ND(0.001)	0.003	0.220
	04/20/10	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.001	0.092	0.000	ND(0.001)	0.018	0.089	ND(0.001)	0.003	0.221
Dup.	07/27/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.014	0.089	ND(0.001)	0.002	0.184
	07/27/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.013	0.066	ND(0.001)	0.002	0.173
	10/19/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.013	0.064	ND(0.001)	0.002	0.157
	01/20/11	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.012	0.052	ND(0.001)	0.002	0.131
Dup.	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.012	0.054	ND(0.001)	0.000	0.124
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.009	0.039	ND(0.001)	0.000	0.093
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.010	0.039	ND(0.001)	0.000	0.095
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.010	0.050	ND(0.001)	0.000	0.105

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-26 Dup.	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.007
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	0.004	ND(0.001)	0.001	0.004	0.000	0.000	0.010
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	0.004	ND(0.001)	0.001	0.004	0.000	0.000	0.010
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	0.006	ND(0.001)	0.001	0.006	0.000	0.000	0.015
Dup.	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.013	0.013	ND(0.001)	0.002	0.011	0.000	0.000	0.030
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.011	0.010	ND(0.001)	0.002	0.013	0.000	0.000	0.030
	10/27/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.010	0.008	ND(0.002)	0.002	0.014	0.000	0.000	0.029
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.001)	0.003	ND(0.0005)	0.008	0.008	ND(0.0005)	0.002	0.011	0.000	0.000	0.024
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.003	ND(0.001)	0.010	0.010	ND(0.001)	0.002	0.010	0.000	0.000	0.025
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	0.013	0.013	ND(0.001)	0.002	0.014	0.000	0.000	0.033
	10/19/99	0.001	ND(0.001)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.006	ND(0.001)	0.018	0.018	ND(0.001)	0.003	0.018	0.004	0.004	0.045
Dup.	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.006	ND(0.001)	0.020	0.016	ND(0.001)	0.003	0.002	0.000	0.000	0.031
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.005	ND(0.001)	0.016	0.016	ND(0.001)	0.003	0.017	0.000	0.000	0.041
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.006	ND(0.001)	0.019	0.019	ND(0.001)	0.004	0.023	ND(0.001)	0.002	0.052
	10/19/00	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.007	ND(0.001)	0.023	0.023	ND(0.001)	0.004	0.021	ND(0.001)	0.003	0.055
	01/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.017	0.017	ND(0.001)	0.003	0.019	ND(0.001)	0.002	0.044
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.019	0.019	ND(0.001)	0.004	0.022	ND(0.001)	0.001	0.050
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.021	0.021	ND(0.001)	0.004	0.024	ND(0.001)	0.001	0.055
Dup.	07/18/01	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.002)	0.026	0.026	ND(0.002)	0.004	0.022	ND(0.002)	0.003	0.059
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.023	0.023	ND(0.001)	0.005	0.024	ND(0.001)	0.002	0.057
	01/12/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.024	0.024	ND(0.001)	0.005	0.025	ND(0.001)	0.002	0.060
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	0.034	ND(0.001)	0.007	0.030	ND(0.001)	0.002	0.078
	04/20/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	0.034	ND(0.001)	0.007	0.029	ND(0.001)	0.001	0.077
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.046	0.046	ND(0.001)	0.012	0.090	ND(0.001)	0.002	0.158
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.048	0.048	ND(0.001)	0.012	0.044	ND(0.001)	0.002	0.114
Dup.	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	0.063	ND(0.001)	0.014	0.052	ND(0.001)	0.002	0.140
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.052	0.052	ND(0.001)	0.012	0.051	ND(0.001)	0.002	0.124
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.051	0.051	ND(0.001)	0.013	0.049	ND(0.001)	0.002	0.122
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.055	0.055	ND(0.001)	0.013	0.047	ND(0.001)	0.002	0.124
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.056	0.056	ND(0.001)	0.016	0.060	ND(0.001)	0.001	0.142
	01/28/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.047	0.047	ND(0.001)	0.012	0.053	ND(0.001)	0.001	0.121
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.053	0.053	ND(0.001)	0.013	0.047	ND(0.001)	0.001	0.119
Dup.	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.074	0.074	ND(0.001)	0.019	0.048	ND(0.001)	0.001	0.151
	10/29/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.082	0.082	ND(0.001)	0.019	0.057	ND(0.001)	0.001	0.171
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.082	0.082	ND(0.001)	0.018	0.068	ND(0.001)	0.000	0.180
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.086	0.086	ND(0.001)	0.020	0.061	ND(0.001)	0.000	0.180

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-26 (Cont.)	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.019	0.069	ND(0.001)	0.000	0.173
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.072	ND(0.001)	0.001	0.172
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.081	ND(0.001)	ND(0.001)	0.022	0.073	ND(0.001)	0.000	0.189
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.021	0.063	ND(0.001)	0.000	0.172
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.110	ND(0.001)	0.000	0.214
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.087	ND(0.001)	ND(0.001)	0.024	0.068	ND(0.001)	0.000	0.195
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.022	0.056	ND(0.001)	0.000	0.156
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.022	0.070	ND(0.001)	0.000	0.176
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.002	0.263
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.034	0.099	ND(0.001)	0.002	0.267
Dup.	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.026	0.084	ND(0.001)	0.000	0.220
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.040	ND(0.001)	0.000	0.106
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.014	0.040	ND(0.001)	0.000	0.109
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.047	ND(0.001)	0.000	0.130
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.054	ND(0.001)	0.001	0.148
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.000	0.114
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.008	0.019	ND(0.001)	0.000	0.053
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.006	0.018	ND(0.001)	0.000	0.052
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.007	0.014	ND(0.001)	0.000	0.045
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.000	0.021
Dup.	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.019
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.005	ND(0.001)	0.000	0.012
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.014
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	0.000	0.016
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.008
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.007
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.007
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.014
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.004
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
Dup.	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.006
MW-26A	01/12/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.018	ND(0.001)	0.005	0.052
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.004	0.012	ND(0.001)	0.002	0.051
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.013	ND(0.001)	0.002	0.053
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.005	0.015	ND(0.001)	0.002	0.061
	01/22/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.006	0.021	ND(0.001)	0.003	0.077
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.001	0.079
	07/16/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.003	0.083

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-29 (Cont.)	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/20/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
Dup.	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
MW-30	04/15/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.002	ND(0.002)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	0.002	0.000	0.000	0.006
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.000	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	0.000	0.003
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.005
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.006
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.001)	0.001	ND(0.0005)	0.002	ND(0.0005)	<0.001	<0.001	0.002	0.000	0.000	0.005
	02/09/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.007
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.007
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.005
Dup.	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	10/19/99	ND(0.001)	ND(0.001)	0.003	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.003	0.008
	10/19/99	ND(0.001)	ND(0.001)	0.003	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.003	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.006
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.008
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-30 (Cont.) Dup.	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.009
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.000	0.006
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
Dup.	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.012
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.015
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
Dup.	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.025
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.027
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.029
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.029
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.034
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.040
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.009	ND(0.001)	0.000	0.039
	01/16/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.001	0.045
Dup.	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.000	0.045
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.006	0.014	ND(0.001)	0.000	0.064
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	0.013	ND(0.001)	0.000	0.062
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.006	0.015	ND(0.001)	0.001	0.073
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.008	0.020	ND(0.001)	0.001	0.084
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.007	0.018	ND(0.001)	0.001	0.076
Dup.	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.006	0.017	ND(0.001)	0.000	0.072
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.007	0.019	ND(0.001)	0.001	0.079
	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.011	0.023	ND(0.001)	0.002	0.087
	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.012	0.030	ND(0.001)	0.002	0.101

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-30 (Cont.)	01/13/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.069	ND(0.001)	ND(0.001)	0.010	0.040	ND(0.001)	0.001	0.129
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.039	ND(0.001)	0.001	0.127
Dup.	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.015	0.040	ND(0.001)	0.001	0.122
Dup.	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.096	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.000	0.182
	07/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.000	0.170
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.019	0.059	ND(0.001)	0.001	0.169
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.018	0.066	ND(0.001)	0.000	0.180
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.019	0.056	ND(0.001)	0.001	0.149
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.016	0.055	ND(0.001)	0.000	0.154
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.016	0.058	ND(0.001)	0.000	0.147
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.018	0.091	ND(0.001)	0.000	0.226
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.016	0.064	ND(0.001)	0.000	0.157
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.057	ND(0.001)	ND(0.001)	0.012	0.052	ND(0.001)	0.000	0.135
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.016	0.056	ND(0.001)	0.000	0.148
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.053	ND(0.001)	ND(0.001)	0.015	0.076	ND(0.001)	0.000	0.158
Dup.	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.053	ND(0.001)	0.000	0.143
MW-31	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.011	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	0.039	ND(0.001)	0.001	0.095
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.003	0.028	ND(0.001)	0.000	0.067
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.021	ND(0.001)	0.001	0.060
	07/14/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.008	0.028	ND(0.001)	0.001	0.077
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.001	0.072
	01/20/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.007	0.023	ND(0.001)	0.000	0.062
	04/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.010	0.032	ND(0.001)	0.001	0.092
	07/26/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.008	0.026	ND(0.001)	0.000	0.076
	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.000	0.063
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.008	0.028	ND(0.001)	0.000	0.069
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.009	0.029	ND(0.001)	0.000	0.072
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.007	0.023	ND(0.001)	0.000	0.056
	10/12/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.008	0.021	ND(0.001)	0.000	0.055
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.008	0.032	ND(0.001)	0.000	0.073
MW-32	10/19/10	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.007	0.022	ND(0.001)	0.000	0.060
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.000	0.079
Dup.	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.009	0.050	ND(0.001)	0.000	0.105
Dup.	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.033	ND(0.001)	ND(0.001)	0.010	0.037	ND(0.001)	0.000	0.085
	04/05/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.009	0.030	ND(0.001)	0.000	0.084
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.006	0.023	ND(0.001)	0.000	0.055
	10/11/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.005	0.019	ND(0.001)	0.000	0.046
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.005	0.023	ND(0.001)	0.000	0.051

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			(mg/L)	(mg/L)										(mg/L)	(mg/L)		
Tank	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.042	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	ND(0.001)	0.002	0.092
	07/14/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.039	ND(0.001)	ND(0.001)	0.002	0.092
	10/20/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.036	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	ND(0.001)	0.001	0.088
	01/20/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.046	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.003	ND(0.001)	ND(0.001)	0.001	0.067
	04/20/10	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.041	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	ND(0.001)	0.002	0.091
	07/26/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.042	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.035	ND(0.001)	ND(0.001)	0.001	0.093
	10/19/10	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.029	ND(0.001)	ND(0.001)	0.001	0.075
	01/20/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.040	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.038	ND(0.001)	ND(0.001)	0.000	0.094
	04/05/11	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.033	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.037	ND(0.001)	ND(0.001)	0.001	0.087
	07/13/11	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.032	ND(0.001)	ND(0.001)	0.000	0.077
	10/11/11	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.034	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.032	ND(0.001)	ND(0.001)	0.001	0.083
	01/17/12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.039	ND(0.001)	ND(0.001)	0.000	0.085

Analytical method used prior to 10/95 = EPA Method 8240

Analytical method used during and after 10/95 = EPA Method 8260

NOTES:

mg/L = milligrams per liter (equivalent to parts per million)

dup. = duplicate sample

ND(0.001) = chemical not detected at concentration above detection limit shown in parentheses

J = chemical detected at concentration above instrument detection limit but below method detection limit

* = other chemicals also detected (see previous laboratory reports)

= other chemicals also detected (see laboratory analytical reports - Appendix A)

italicized value - is below the method detection limit.

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

CHEMICAL ABBREVIATIONS:

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1-TCA (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-1	02/10/94	ND(1)	3.57	2.98	12.60	ND(2)	ND(2)	ND(2)	4.07	ND(2)	ND(2)	ND(1)	ND(2)
	02/16/94	ND(1)	1.20	1.10	10.40	ND(2)	ND(2)	ND(2)	3.70	ND(2)	ND(2)	14.50	9.10
	02/23/94	ND(0.5)	2.20	2.40	18.30	ND(1)	ND(1)	ND(1)	6.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/04/94	ND(0.5)	2.60	2.50	21.20	ND(1)	ND(1)	ND(1)	6.60	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	2.60	2.90	16.10	ND(1)	ND(1)	ND(1)	9.30	ND(1)	ND(1)	17.80	4.10
	03/18/94	ND(0.5)	14.60	1.80	ND(0.5)	ND(1)	ND(1)	ND(1)	3.50	ND(1)	ND(1)	ND(0.5)	21.30
	03/28/94	ND(0.5)	0.90	1.20	8.00	ND(1)	ND(1)	ND(1)	3.40	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	ND(0.5)	ND(0.5)	4.60	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	ND(0.5)	ND(0.5)	5.90	ND(1)	ND(1)	ND(1)	2.80	ND(1)	ND(1)	ND(0.5)	1.20
	05/06/94	ND(0.5)	1.10	1.70	5.80	ND(0.5)	ND(0.5)	ND(1)	3.90	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	0.80	ND(0.5)	8.40	ND(0.5)	ND(0.5)	ND(1)	1.80	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	06/01/94	ND(1)	3.00	ND(1)	6.00	ND(1)	ND(1)	ND(1)	4.00	ND(1)	ND(1)	2.00	ND(1)
	07/06/94	ND(1)	5.00	1.00	11.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
	08/10/94	NA	NA	NA	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
	09/07/94	ND(0.001)	0.24	0.09	0.61	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
WB-2	12/05/94	ND(0.001)	0.19	0.14	NA	ND(0.001)	ND(0.001)	ND(0.001)	0.27	ND(0.001)	ND(0.001)	0.04	NA
	01/25/95	ND(0.04)	0.16	0.12	1.19	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)
	05/09/95	ND(0.2)	0.78	0.80	8.24	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.28	ND(0.2)
	02/10/94	1.67	5.03	10.13	14.90	ND(2)	ND(2)	ND(2)	8.34	ND(2)	ND(2)	ND(2)	14.71
	02/16/94	ND(1)	3.00	4.80	29.90	ND(2)	ND(2)	ND(2)	6.50	ND(2)	ND(2)	14.50	6.70
	02/23/94	1.40	9.30	16.40	53.20	ND(1)	ND(1)	ND(1)	12.80	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/04/94	ND(0.5)	5.30	9.50	39.70	ND(1)	ND(1)	ND(1)	12.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	5.40	10.90	23.20	ND(1)	ND(1)	ND(1)	12.10	ND(1)	ND(1)	ND(0.5)	26.70
	03/18/94	0.70	4.80	9.60	28.10	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	18.70
	03/28/94	ND(0.5)	1.90	3.50	12.80	ND(1)	ND(1)	ND(1)	5.00	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	1.10	1.50	8.40	ND(1)	ND(1)	ND(1)	2.00	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	4.10	5.80	27.50	ND(1)	ND(1)	ND(1)	6.80	ND(1)	ND(1)	ND(0.5)	1.60
	05/06/94	ND(0.5)	3.70	4.50	30.00	ND(0.5)	ND(0.5)	ND(1)	3.00	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	5.30	6.00	44.20	ND(0.5)	ND(0.5)	ND(1)	2.80	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	06/01/94	ND(1)	7.00	ND(1)	15.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
WB-3	07/06/94	ND(1)	5.00	8.00	42.00	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
	08/10/94	NA	NA	NA	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
	09/07/94	ND(0.001)	0.45	0.41	4.12	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	1.28
	12/05/94	0.24	1.40	1.66	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.23	NA
	01/25/95	ND(0.04)	0.69	0.91	10.67	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)	ND(0.04)
	05/09/95	ND(0.2)	0.91	5.44	14.67	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
	02/03/94	5.50	22.00	78.00	153.00	1.20	ND(0.5)	2.80	26.00	ND(0.5)	ND(0.5)	5.20	ND(2)
	02/10/94	ND(1)	15.60	64.60	46.90	ND(2)	ND(2)	ND(2)	11.40	ND(2)	ND(2)	ND(2)	31.33
	02/16/94	ND(1)	25.70	44.50	44.50	ND(2)	ND(2)	ND(2)	11.00	ND(2)	ND(2)	ND(1)	ND(2)
	02/23/94	3.50	17.50	73.20	99.10	ND(1)	ND(1)	ND(1)	19.30	ND(1)	ND(1)	1.60	1.40
	03/04/94	2.10	10.60	44.90	60.90	ND(1)	ND(1)	ND(1)	14.70	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	13.30	ND(0.5)	14.30	ND(1)	ND(1)	ND(1)	17.90	ND(1)	ND(1)	ND(0.5)	3.80
	03/18/94	ND(0.5)	10.10	38.30	57.20	ND(1)	ND(1)	ND(1)	11.00	ND(1)	ND(1)	ND(0.5)	46.40
	03/28/94	1.20	5.70	21.40	30.80	ND(1)	ND(1)	ND(1)	8.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/08/94	ND(0.5)	1.50	2.40	9.40	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	10.60	27.60	31.80	ND(1)	ND(1)	ND(1)	11.10	ND(1)	ND(1)	ND(0.5)	13.30
	05/06/94	ND(0.5)	6.80	17.50	38.90	ND(0.5)	ND(0.5)	ND(1)	6.00	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	6.20	8.10	43.90	ND(0.5)	ND(0.5)	ND(1)	1.90	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)

Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-COMP (cont.)	07/11/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/10/06	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/16/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/17/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/18/07	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/16/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/29/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/15/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/15/08	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/13/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/07/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	0.90
	07/14/09	ND(10)	ND(10)	ND(10)	1.50	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/21/09	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/20/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/20/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/26/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/19/10	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/19/11	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	04/06/11	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	07/11/11	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	10/11/11	ND(10)	1.20	ND(10)	3.70	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	01/17/12	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)

Prior to January 1995, the laboratory analytical method used was EPA Method 8240

During and after January 1995, the laboratory analytical method used was EPA Method 8260

See laboratory reports for concentrations of additional analytes

In April 1995, the wash bay SVE system was expanded. Each of the three zones now consists of an old south (S) and a new north (N) zone

NOTES

mg/m3 = milligrams per cubic meter

* = units reported as "ppm" or "mg/L" Detection limit may be incorrect

**=laboratory results may not be an accurate representation of the emissions

J = chemical present above instrument detection limit but below method detection limit

NA = not analyzed

MS = Maintenance Shop SVE system

WB = Wash Bay SVE system

WB-N1 = north subzone of Wash Bay Zone 1

WB-N2 = north subzone of Wash Bay Zone 2

WB-N3 = north subzone of Wash Bay Zone 3

WB-COMP = composite sample from Wash Bay zones 1, 2, and 3

MS-COMP = composite sample from Maintenance Shop zones 1 and 2

CHEMICAL ABBREVIATIONS

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene




FIGURE 1
SITE MAP WITH
POTENTIOMETRIC SURFACE
(01/17/12)
SCHLUMBERGER TECHNOLOGY CORPORATION
ARTESIA, NEW MEXICO

EXPLANATION

- MW-0 87.64
- ★ MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE
- ★ MONITORING WELLS TO BE SAMPLED QUARTERLY
- 85.00 POTENTIOMETRIC SURFACE CONTOUR (DASHED WHERE INFERRED)
- TEMPORARY BENCH MARK
- AIR PIPING
- SVE EXTRACTION WELL
- ▲ EXTRACTION WELL
- DISCHARGE PIPING

SCALE
0 200 FT.

BASE MAP MODIFIED FROM REED & ASSOCIATES



ANALYTICAL SUMMARY REPORT

February 02, 2012

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C12010553

Project Name: 90125 Artesia

Energy Laboratories, Inc. Casper WY received the following 22 samples for Deuell Environmental LLC on 1/18/2012 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C12010553-001	90125-20.1/12	01/17/12 7:40	01/18/12	Aqueous	SW8260B VOCs, Standard List
C12010553-002	90125-28.1/12	01/17/12 8:00	01/18/12	Aqueous	Same As Above
C12010553-003	90125-29.1/12	01/17/12 8:20	01/18/12	Aqueous	Same As Above
C12010553-004	90125-30.1/12	01/17/12 8:40	01/18/12	Aqueous	Same As Above
C12010553-005	90125-Tank-1/12	01/17/12 9:00	01/18/12	Aqueous	Same As Above
C12010553-006	90125-26.1/12	01/17/12 9:20	01/18/12	Aqueous	Same As Above
C12010553-007	90125-27.1/12	01/17/12 9:40	01/18/12	Aqueous	Same As Above
C12010553-008	90125-22.1/12	01/17/12 10:20	01/18/12	Aqueous	Same As Above
C12010553-009	90125-25.1/12	01/17/12 10:40	01/18/12	Aqueous	Same As Above
C12010553-010	90125-32.1/12	01/17/12 11:00	01/18/12	Aqueous	Same As Above
C12010553-011	90125-13.1/12	01/17/12 13:00	01/18/12	Aqueous	Same As Above
C12010553-012	90125-15.1/12	01/17/12 13:20	01/18/12	Aqueous	Same As Above
C12010553-013	90125-9.1/12	01/17/12 13:40	01/18/12	Aqueous	Same As Above
C12010553-014	90125-12.1/12	01/17/12 14:00	01/18/12	Aqueous	Same As Above
C12010553-015	90125-21.1/12	01/17/12 15:00	01/18/12	Aqueous	Same As Above
C12010553-016	90125-31.1/12	01/17/12 15:20	01/18/12	Aqueous	Same As Above
C12010553-017	90125-18.1/12	01/17/12 15:40	01/18/12	Aqueous	Same As Above
C12010553-018	90125-11.1/12	01/17/12 16:00	01/18/12	Aqueous	Same As Above
C12010553-019	90125-8.1/12	01/17/12 16:20	01/18/12	Aqueous	Same As Above
C12010553-020	90125-A.1/12	01/17/12 7:00	01/18/12	Aqueous	Same As Above
C12010553-021	90125-B.1/12	01/17/12 6:30	01/18/12	Aqueous	Same As Above
C12010553-022	Trip Blank 6683	01/17/12 0:00	01/18/12	Aqueous	Same As Above

The analyses presented in this report were performed at Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601, unless otherwise noted. Radiochemistry analyses were performed at Energy Laboratories, Inc., 2325 Kerzell Lane, Casper, WY 82601, unless otherwise noted. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.



www.energylab.com
Analytical Excellence Since 1952

Helena, MT 877-472-0711 • Billings, MT 800-735-4488 • Casper, WY 888-235-0515
Gillette, WY 866-686-7175 • Rapid City, SD 888-672-1225 • College Station, TX 888-680-2218

ANALYTICAL SUMMARY REPORT

The results as reported relate only to the item(s) submitted for testing. Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. Data corrected for moisture content are typically noted as - dry on the report. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

If you have any questions regarding these test results, please call.

Report Approved By:

Kathy Hamre
Report Proofing Specialist

Digitally signed by
Kathy Hamre
Date: 2012.02.02 11:55:10 -07:00



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-001
Client Sample ID: 90125-20.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 07:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,1-Dichloroethane	8.1	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,1-Dichloroethene	3.7	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
cis-1,2-Dichloroethene	1.8	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-001
Client Sample ID: 90125-20.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 07:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/19/12 01:34 / jlr
Methyl tert-butyl ether (MTBE)	6.1	ug/L		2.0		SW8260B	01/19/12 01:34 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Tetrachloroethene	5.8	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Trichloroethene	3.9	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/19/12 01:34 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC		80-120		SW8260B	01/19/12 01:34 / jlr
Surr: Dibromofluoromethane	101	%REC		70-130		SW8260B	01/19/12 01:34 / jlr
Surr: p-Bromofluorobenzene	81.0	%REC		80-120		SW8260B	01/19/12 01:34 / jlr
Surr: Toluene-d8	94.0	%REC		80-120		SW8260B	01/19/12 01:34 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-002
Client Sample ID: 90125-28.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 08:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,1-Dichloroethane	12	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,1-Dichloroethene	21	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
cis-1,2-Dichloroethene	1.6	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-002
Client Sample ID: 90125-28.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 08:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/19/12 02:09 / jlr
Methyl tert-butyl ether (MTBE)	3.7	ug/L		2.0		SW8260B	01/19/12 02:09 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Tetrachloroethene	22	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Trichloroethene	8.6	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/19/12 02:09 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	01/19/12 02:09 / jlr
Surr: Dibromofluoromethane	110	%REC		70-130		SW8260B	01/19/12 02:09 / jlr
Surr: p-Bromofluorobenzene	89.0	%REC		80-120		SW8260B	01/19/12 02:09 / jlr
Surr: Toluene-d8	94.0	%REC		80-120		SW8260B	01/19/12 02:09 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-003
Client Sample ID: 90125-29.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 08:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,1-Dichloroethene	2.6	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-003
Client Sample ID: 90125-29.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 08:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/19/12 02:44 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/19/12 02:44 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Tetrachloroethene	1.1	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/19/12 02:44 / jlr
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	01/19/12 02:44 / jlr
Surr: Dibromofluoromethane	106	%REC		70-130		SW8260B	01/19/12 02:44 / jlr
Surr: p-Bromofluorobenzene	89.0	%REC		80-120		SW8260B	01/19/12 02:44 / jlr
Surr: Toluene-d8	94.0	%REC		80-120		SW8260B	01/19/12 02:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-004
Client Sample ID: 90125-30.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 08:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,1-Dichloroethane	14	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,1-Dichloroethene	53	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-004
Client Sample ID: 90125-30.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 08:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/18/12 21:31 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/18/12 21:31 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Tetrachloroethene	76	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Trichloroethene	15	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/18/12 21:31 / jlr
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	01/18/12 21:31 / jlr
Surr: Dibromofluoromethane	104	%REC		70-130		SW8260B	01/18/12 21:31 / jlr
Surr: p-Bromofluorobenzene	81.0	%REC		80-120		SW8260B	01/18/12 21:31 / jlr
Surr: Toluene-d8	97.0	%REC		80-120		SW8260B	01/18/12 21:31 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-005
Client Sample ID: 90125-Tank-1/12

Report Date: 02/02/12
Collection Date: 01/17/12 09:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,1-Dichloroethane	7.0	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,1-Dichloroethene	30	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-005
Client Sample ID: 90125-Tank-1/12

Report Date: 02/02/12
Collection Date: 01/17/12 09:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/19/12 03:18 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/19/12 03:18 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Tetrachloroethene	39	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Trichloroethene	8.5	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/19/12 03:18 / jlr
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	01/19/12 03:18 / jlr
Surr: Dibromofluoromethane	110	%REC		70-130		SW8260B	01/19/12 03:18 / jlr
Surr: p-Bromofluorobenzene	83.0	%REC		80-120		SW8260B	01/19/12 03:18 / jlr
Surr: Toluene-d8	95.0	%REC		80-120		SW8260B	01/19/12 03:18 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-006
Client Sample ID: 90125-26.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 09:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,1-Dichloroethene	2.4	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-006
Client Sample ID: 90125-26.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 09:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/19/12 03:53 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/19/12 03:53 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Tetrachloroethene	2.3	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Trichloroethene	1.0	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/19/12 03:53 / jlr
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	01/19/12 03:53 / jlr
Surr: Dibromofluoromethane	115	%REC		70-130		SW8260B	01/19/12 03:53 / jlr
Surr: p-Bromofluorobenzene	88.0	%REC		80-120		SW8260B	01/19/12 03:53 / jlr
Surr: Toluene-d8	94.0	%REC		80-120		SW8260B	01/19/12 03:53 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-007
Client Sample ID: 90125-27.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 09:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-007
Client Sample ID: 90125-27.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 09:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/19/12 04:28 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/19/12 04:28 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/19/12 04:28 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	01/19/12 04:28 / jlr
Surr: Dibromofluoromethane	109	%REC		70-130		SW8260B	01/19/12 04:28 / jlr
Surr: p-Bromofluorobenzene	92.0	%REC		80-120		SW8260B	01/19/12 04:28 / jlr
Surr: Toluene-d8	92.0	%REC		80-120		SW8260B	01/19/12 04:28 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-008
Client Sample ID: 90125-22.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 10:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,1-Dichloroethane	6.0	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,1-Dichloroethene	19	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-008
Client Sample ID: 90125-22.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 10:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/19/12 05:03 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/19/12 05:03 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Tetrachloroethene	26	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Trichloroethene	7.6	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/19/12 05:03 / jlr
Surr: 1,2-Dichlorobenzene-d4	105	%REC		80-120		SW8260B	01/19/12 05:03 / jlr
Surr: Dibromofluoromethane	110	%REC		70-130		SW8260B	01/19/12 05:03 / jlr
Surr: p-Bromofluorobenzene	84.0	%REC		80-120		SW8260B	01/19/12 05:03 / jlr
Surr: Toluene-d8	94.0	%REC		80-120		SW8260B	01/19/12 05:03 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-009
Client Sample ID: 90125-25.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 10:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,1-Dichloroethane	8.6	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,1-Dichloroethene	36	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-009
Client Sample ID: 90125-25.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 10:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/23/12 22:35 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/23/12 22:35 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Tetrachloroethene	50	ug/L		5.0		SW8260B	01/26/12 00:55 / mdr
Toluene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Trichloroethene	10	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/23/12 22:35 / jlr
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120		SW8260B	01/23/12 22:35 / jlr
Surr: Dibromofluoromethane	109	%REC		70-130		SW8260B	01/23/12 22:35 / jlr
Surr: p-Bromofluorobenzene	84.0	%REC		80-120		SW8260B	01/23/12 22:35 / jlr
Surr: Toluene-d8	89.0	%REC		80-120		SW8260B	01/23/12 22:35 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-010
Client Sample ID: 90125-32.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 11:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,1-Dichloroethane	3.9	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,1-Dichloroethene	19	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-010
Client Sample ID: 90125-32.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 11:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/23/12 23:10 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/23/12 23:10 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Tetrachloroethene	23	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Trichloroethene	4.6	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/23/12 23:10 / jlr
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	01/23/12 23:10 / jlr
Surr: Dibromofluoromethane	123	%REC		70-130		SW8260B	01/23/12 23:10 / jlr
Surr: p-Bromofluorobenzene	82.0	%REC		80-120		SW8260B	01/23/12 23:10 / jlr
Surr: Toluene-d8	88.0	%REC		80-120		SW8260B	01/23/12 23:10 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-011
Client Sample ID: 90125-13.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 13:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-011
Client Sample ID: 90125-13.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 13:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/23/12 23:45 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/23/12 23:45 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Trichloroethene	1.3	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/23/12 23:45 / jlr
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	01/23/12 23:45 / jlr
Surr: Dibromofluoromethane	109	%REC		70-130		SW8260B	01/23/12 23:45 / jlr
Surr: p-Bromofluorobenzene	85.0	%REC		80-120		SW8260B	01/23/12 23:45 / jlr
Surr: Toluene-d8	88.0	%REC		80-120		SW8260B	01/23/12 23:45 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-012
Client Sample ID: 90125-15.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 13:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
cis-1,2-Dichloroethene	8.2	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-012
Client Sample ID: 90125-15.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 13:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 00:19 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 00:19 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Trichloroethene	47	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 00:19 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	01/24/12 00:19 / jlr
Surr: Dibromofluoromethane	113	%REC		70-130		SW8260B	01/24/12 00:19 / jlr
Surr: p-Bromofluorobenzene	85.0	%REC		80-120		SW8260B	01/24/12 00:19 / jlr
Surr: Toluene-d8	88.0	%REC		80-120		SW8260B	01/24/12 00:19 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-013
Client Sample ID: 90125-9.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 13:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
cis-1,2-Dichloroethene	4.3	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-013
Client Sample ID: 90125-9.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 13:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 00:54 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 00:54 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
trans-1,2-Dichloroethene	1.4	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Trichloroethene	23	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 00:54 / jlr
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	01/24/12 00:54 / jlr
Surr: Dibromofluoromethane	113	%REC		70-130		SW8260B	01/24/12 00:54 / jlr
Surr: p-Bromofluorobenzene	80.0	%REC		80-120		SW8260B	01/24/12 00:54 / jlr
Surr: Toluene-d8	89.0	%REC		80-120		SW8260B	01/24/12 00:54 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-014
Client Sample ID: 90125-12.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 14:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,1-Dichloroethane	52	ug/L		5.0		SW8260B	01/27/12 01:02 / jlr
1,1-Dichloroethene	4.6	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,2,4-Trimethylbenzene	240	ug/L		5.0		SW8260B	01/27/12 01:02 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,3,5-Trimethylbenzene	6.0	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Benzene	16	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
cis-1,2-Dichloroethene	130	ug/L		5.0		SW8260B	01/27/12 01:02 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Ethylbenzene	200	ug/L		5.0		SW8260B	01/27/12 01:02 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Isopropylbenzene	180	ug/L		5.0		SW8260B	01/27/12 01:02 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-014
Client Sample ID: 90125-12.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 14:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	69	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 01:29 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 01:29 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
n-Propylbenzene	170	ug/L		5.0		SW8260B	01/27/12 01:02 / jlr
Naphthalene	90	ug/L		5.0		SW8260B	01/27/12 01:02 / jlr
o-Xylene	1.6	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
sec-Butylbenzene	12	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Trichloroethene	2.1	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Xylenes, Total	71	ug/L		1.0		SW8260B	01/24/12 01:29 / jlr
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	01/24/12 01:29 / jlr
Surr: Dibromofluoromethane	113	%REC		70-130		SW8260B	01/24/12 01:29 / jlr
Surr: p-Bromofluorobenzene	80.0	%REC		80-120		SW8260B	01/24/12 01:29 / jlr
Surr: Toluene-d8	93.0	%REC		80-120		SW8260B	01/24/12 01:29 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-015
Client Sample ID: 90125-21.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 15:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,1-Dichloroethane	6.5	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,1-Dichloroethene	19	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
cis-1,2-Dichloroethene	1.4	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-015
Client Sample ID: 90125-21.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 15:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/26/12 17:19 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/26/12 17:19 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Tetrachloroethene	23	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Trichloroethene	5.4	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/26/12 17:19 / jlr
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	01/26/12 17:19 / jlr
Surr: Dibromofluoromethane	111	%REC		70-130		SW8260B	01/26/12 17:19 / jlr
Surr: p-Bromofluorobenzene	93.0	%REC		80-120		SW8260B	01/26/12 17:19 / jlr
Surr: Toluene-d8	83.0	%REC		80-120		SW8260B	01/26/12 17:19 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-016
Client Sample ID: 90125-31.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 15:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,1-Dichloroethane	6.7	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,1-Dichloroethene	26	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-016
Client Sample ID: 90125-31.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 15:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 02:38 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 02:38 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Tetrachloroethene	32	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Trichloroethene	8.0	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 02:38 / jlr
Surr: 1,2-Dichlorobenzene-d4	101	%REC		80-120		SW8260B	01/24/12 02:38 / jlr
Surr: Dibromofluoromethane	103	%REC		70-130		SW8260B	01/24/12 02:38 / jlr
Surr: p-Bromofluorobenzene	80.0	%REC		80-120		SW8260B	01/24/12 02:38 / jlr
Surr: Toluene-d8	90.0	%REC		80-120		SW8260B	01/24/12 02:38 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-017
Client Sample ID: 90125-18.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 15:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,1-Dichloroethane	6.6	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,1-Dichloroethene	25	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-017
Client Sample ID: 90125-18.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 15:40
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 03:13 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 03:13 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Tetrachloroethene	33	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Trichloroethene	6.8	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 03:13 / jlr
Surr: 1,2-Dichlorobenzene-d4	104	%REC		80-120		SW8260B	01/24/12 03:13 / jlr
Surr: Dibromofluoromethane	107	%REC		70-130		SW8260B	01/24/12 03:13 / jlr
Surr: p-Bromofluorobenzene	86.0	%REC		80-120		SW8260B	01/24/12 03:13 / jlr
Surr: Toluene-d8	87.0	%REC		80-120		SW8260B	01/24/12 03:13 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-018
Client Sample ID: 90125-11.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 16:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,1-Dichloroethane	2.4	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-018
Client Sample ID: 90125-11.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 16:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 03:48 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 03:48 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Tetrachloroethene	2.6	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Trichloroethene	1.1	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 03:48 / jlr
Surr: 1,2-Dichlorobenzene-d4	105	%REC		80-120		SW8260B	01/24/12 03:48 / jlr
Surr: Dibromofluoromethane	110	%REC		70-130		SW8260B	01/24/12 03:48 / jlr
Surr: p-Bromofluorobenzene	81.0	%REC		80-120		SW8260B	01/24/12 03:48 / jlr
Surr: Toluene-d8	92.0	%REC		80-120		SW8260B	01/24/12 03:48 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-019
Client Sample ID: 90125-8.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 16:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,1-Dichloroethane	2.2	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,1-Dichloroethene	2.5	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-019
Client Sample ID: 90125-8.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 16:20
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 04:22 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 04:22 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Tetrachloroethene	2.3	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Trichloroethene	1.5	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 04:22 / jlr
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	01/24/12 04:22 / jlr
Surr: Dibromofluoromethane	117	%REC		70-130		SW8260B	01/24/12 04:22 / jlr
Surr: p-Bromofluorobenzene	86.0	%REC		80-120		SW8260B	01/24/12 04:22 / jlr
Surr: Toluene-d8	86.0	%REC		80-120		SW8260B	01/24/12 04:22 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-020
Client Sample ID: 90125-A.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 07:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,1-Dichloroethane	15	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,1-Dichloroethene	59	ug/L		5.0		SW8260B	01/26/12 20:53 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-020
Client Sample ID: 90125-A.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 07:00
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 04:57 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 04:57 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Tetrachloroethene	53	ug/L		5.0		SW8260B	01/26/12 20:53 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Trichloroethene	16	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 04:57 / jlr
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	01/24/12 04:57 / jlr
Surr: Dibromofluoromethane	110	%REC		70-130		SW8260B	01/24/12 04:57 / jlr
Surr: p-Bromofluorobenzene	89.0	%REC		80-120		SW8260B	01/24/12 04:57 / jlr
Surr: Toluene-d8	91.0	%REC		80-120		SW8260B	01/24/12 04:57 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-021
Client Sample ID: 90125-B.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 06:30
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
cis-1,2-Dichloroethene	4.2	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-021
Client Sample ID: 90125-B.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 06:30
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 06:41 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 06:41 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
trans-1,2-Dichloroethene	1.4	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Trichloroethene	20	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 06:41 / jlr
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	01/24/12 06:41 / jlr
Surr: Dibromofluoromethane	109	%REC		70-130		SW8260B	01/24/12 06:41 / jlr
Surr: p-Bromofluorobenzene	82.0	%REC		80-120		SW8260B	01/24/12 06:41 / jlr
Surr: Toluene-d8	87.0	%REC		80-120		SW8260B	01/24/12 06:41 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-022
Client Sample ID: Trip Blank 6683

Report Date: 02/02/12
Collection Date: 01/17/12
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Benzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Isopropylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010553-022
Client Sample ID: Trip Blank 6683

Report Date: 02/02/12
Collection Date: 01/17/12
Date Received: 01/18/12
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	01/24/12 05:32 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	01/24/12 05:32 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Styrene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Toluene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	01/24/12 05:32 / jlr
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	01/24/12 05:32 / jlr
Surr: Dibromofluoromethane	106	%REC		70-130		SW8260B	01/24/12 05:32 / jlr
Surr: p-Bromofluorobenzene	80.0	%REC		80-120		SW8260B	01/24/12 05:32 / jlr
Surr: Toluene-d8	89.0	%REC		80-120		SW8260B	01/24/12 05:32 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155501
Sample ID: 18-Jan-12_MBLK_6	67	Method Blank				Run: GCMS2_120118D				01/18/12 15:44
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						
1,3-Dichloropropane		ND	ug/L	1.0						
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155501
Sample ID: 18-Jan-12_MBLK_6	67	Method Blank				Run: GCMS2_120118D				01/18/12 15:44
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	101	80	120			
Surr: Dibromofluoromethane				1.0	95	70	130			
Surr: p-Bromofluorobenzene				1.0	88	80	120			
Surr: Toluene-d8				1.0	94	80	120			
Sample ID: C12010553-004AMS	67	Sample Matrix Spike				Run: GCMS2_120118D				01/18/12 22:06
1,1,1,2-Tetrachloroethane		190	ug/L	10	96	70	130			
1,1,1-Trichloroethane		230	ug/L	10	114	70	130			
1,1,2,2-Tetrachloroethane		180	ug/L	10	89	70	130			
1,1,2-Trichloroethane		170	ug/L	10	84	70	130			
1,1-Dichloroethane		210	ug/L	10	97	70	130			
1,1-Dichloroethene		240	ug/L	10	98	70	130			
1,1-Dichloropropene		200	ug/L	10	100	70	130			
1,2,3-Trichlorobenzene		180	ug/L	10	90	70	130			
1,2,3-Trichloropropane		210	ug/L	10	104	70	130			
1,2,4-Trichlorobenzene		170	ug/L	10	83	70	130			
1,2,4-Trimethylbenzene		190	ug/L	10	95	70	130			
1,2-Dibromo-3-chloropropane		210	ug/L	10	104	70	130			
1,2-Dibromoethane		160	ug/L	10	81	70	130			
1,2-Dichlorobenzene		210	ug/L	10	103	70	130			
1,2-Dichloroethane		220	ug/L	10	110	70	130			
1,2-Dichloropropane		180	ug/L	10	90	70	130			
1,3,5-Trimethylbenzene		200	ug/L	10	102	70	130			
1,3-Dichlorobenzene		200	ug/L	10	100	70	130			
1,3-Dichloropropane		170	ug/L	10	84	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155501
Sample ID: C12010553-004AMS	67	Sample Matrix Spike				Run: GCMS2_120118D				01/18/12 22:06
1,4-Dichlorobenzene		190	ug/L	10	94	70	130			
2,2-Dichloropropane		210	ug/L	10	105	70	130			
2-Chloroethyl vinyl ether		16	ug/L	10	8	70	130			S
2-Chlorotoluene		200	ug/L	10	102	70	130			
4-Chlorotoluene		210	ug/L	10	104	70	130			
Benzene		190	ug/L	10	94	70	130			
Bromobenzene		190	ug/L	10	94	70	130			
Bromochloromethane		190	ug/L	10	96	70	130			
Bromodichloromethane		200	ug/L	10	100	70	130			
Bromoform		200	ug/L	10	98	70	130			
Bromomethane		160	ug/L	10	80	70	130			
Carbon tetrachloride		240	ug/L	10	119	70	130			
Chlorobenzene		180	ug/L	10	88	70	130			
Chlorodibromomethane		180	ug/L	10	90	70	130			
Chloroethane		180	ug/L	10	91	70	130			
Chloroform		210	ug/L	10	107	70	130			
Chloromethane		150	ug/L	10	76	70	130			
cis-1,2-Dichloroethene		190	ug/L	10	96	70	130			
cis-1,3-Dichloropropene		210	ug/L	10	103	70	130			
Dibromomethane		210	ug/L	10	106	70	130			
Dichlorodifluoromethane		180	ug/L	10	90	70	130			
Ethylbenzene		190	ug/L	10	94	70	130			
Hexachlorobutadiene		180	ug/L	10	89	70	130			
Isopropylbenzene		240	ug/L	10	118	70	130			
m+p-Xylenes		390	ug/L	10	96	70	130			
Methyl ethyl ketone		1600	ug/L	200	80	70	130			
Methyl tert-butyl ether (MTBE)		190	ug/L	20	94	70	130			
Methylene chloride		180	ug/L	10	89	70	130			
n-Butylbenzene		190	ug/L	10	97	70	130			
n-Propylbenzene		180	ug/L	10	92	70	130			
Naphthalene		150	ug/L	10	76	70	130			
o-Xylene		200	ug/L	10	98	70	130			
p-Isopropyltoluene		210	ug/L	10	106	70	130			
sec-Butylbenzene		210	ug/L	10	103	70	130			
Styrene		170	ug/L	10	86	70	130			
tert-Butylbenzene		210	ug/L	10	106	70	130			
Tetrachloroethene		240	ug/L	10	89	70	130			
Toluene		190	ug/L	10	96	70	130			
trans-1,2-Dichloroethene		190	ug/L	10	95	70	130			
trans-1,3-Dichloropropene		180	ug/L	10	89	70	130			
Trichloroethene		230	ug/L	10	107	70	130			
Trichlorofluoromethane		200	ug/L	10	100	70	130			
Vinyl chloride		150	ug/L	10	75	70	130			
Xylenes, Total		580	ug/L	10	97	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155501
Sample ID: C12010553-004AMS 67 Sample Matrix Spike										Run: GCMS2_120118D 01/18/12 22:06
Surr: 1,2-Dichlorobenzene-d4				1.0	85	80	120			
Surr: Dibromofluoromethane				1.0	105	70	130			
Surr: p-Bromofluorobenzene				1.0	87	80	120			
Surr: Toluene-d8				1.0	104	80	120			
Sample ID: C12010553-004AMSD 67 Sample Matrix Spike Duplicate										Run: GCMS2_120118D 01/18/12 22:41
1,1,1,2-Tetrachloroethane	190	ug/L	10	95	70	130	0.4	20		
1,1,1-Trichloroethane	220	ug/L	10	109	70	130	3.9	20		
1,1,2,2-Tetrachloroethane	180	ug/L	10	88	70	130	1.8	20		
1,1,2-Trichloroethane	170	ug/L	10	84	70	130	0.5	20		
1,1-Dichloroethane	200	ug/L	10	96	70	130	0.8	20		
1,1-Dichloroethene	240	ug/L	10	95	70	130	2.7	20		
1,1-Dichloropropene	200	ug/L	10	98	70	130	1.2	20		
1,2,3-Trichlorobenzene	200	ug/L	10	102	70	130	13	20		
1,2,3-Trichloropropane	190	ug/L	10	96	70	130	8.4	20		
1,2,4-Trichlorobenzene	210	ug/L	10	103	70	130	22	20		R
1,2,4-Trimethylbenzene	200	ug/L	10	98	70	130	3.3	20		
1,2-Dibromo-3-chloropropane	200	ug/L	10	100	70	130	3.1	20		
1,2-Dibromoethane	170	ug/L	10	83	70	130	2.4	20		
1,2-Dichlorobenzene	210	ug/L	10	105	70	130	2.3	20		
1,2-Dichloroethane	210	ug/L	10	107	70	130	2.2	20		
1,2-Dichloropropane	180	ug/L	10	90	70	130	0.9	20		
1,3,5-Trimethylbenzene	210	ug/L	10	103	70	130	1.2	20		
1,3-Dichlorobenzene	200	ug/L	10	102	70	130	1.6	20		
1,3-Dichloropropane	170	ug/L	10	85	70	130	1.4	20		
1,4-Dichlorobenzene	190	ug/L	10	96	70	130	2.5	20		
2,2-Dichloropropane	200	ug/L	10	100	70	130	4.7	20		
2-Chloroethyl vinyl ether	16	ug/L	10	8	70	130	1.0	20		S
2-Chlorotoluene	200	ug/L	10	100	70	130	2.4	20		
4-Chlorotoluene	210	ug/L	10	104	70	130	0.8	20		
Benzene	190	ug/L	10	94	70	130	0.9	20		
Bromobenzene	190	ug/L	10	95	70	130	0.8	20		
Bromochloromethane	190	ug/L	10	94	70	130	1.3	20		
Bromodichloromethane	200	ug/L	10	98	70	130	1.6	20		
Bromoform	200	ug/L	10	98	70	130	0.4	20		
Bromomethane	170	ug/L	10	86	70	130	6.3	20		
Carbon tetrachloride	230	ug/L	10	115	70	130	3.8	20		
Chlorobenzene	180	ug/L	10	89	70	130	0.9	20		
Chlorodibromomethane	180	ug/L	10	90	70	130	0.4	20		
Chloroethane	180	ug/L	10	88	70	130	4.0	20		
Chloroform	210	ug/L	10	103	70	130	3.4	20		
Chloromethane	150	ug/L	10	76	70	130	0.5	20		
cis-1,2-Dichloroethene	190	ug/L	10	94	70	130	2.5	20		
cis-1,3-Dichloropropene	170	ug/L	10	84	70	130	21	20		R

Qualifiers:

RL - Analyte reporting limit.

R - RPD exceeds advisory limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155501
Sample ID: C12010553-004AMSD 67 Sample Matrix Spike Duplicate										Run: GCMS2_120118D 01/18/12 22:41
Dibromomethane		210	ug/L	10	104	70	130	1.5	20	
Dichlorodifluoromethane		190	ug/L	10	96	70	130	6.0	20	
Ethylbenzene		190	ug/L	10	94	70	130	0.0	20	
Hexachlorobutadiene		200	ug/L	10	102	70	130	14	20	
Isopropylbenzene		240	ug/L	10	120	70	130	1.7	20	
m+p-Xylenes		390	ug/L	10	97	70	130	0.4	20	
Methyl ethyl ketone		1500	ug/L	200	76	70	130	4.6	20	
Methyl tert-butyl ether (MTBE)		180	ug/L	20	92	70	130	3.0	20	
Methylene chloride		180	ug/L	10	88	70	130	1.8	20	
n-Butylbenzene		210	ug/L	10	104	70	130	6.8	20	
n-Propylbenzene		190	ug/L	10	93	70	130	0.9	20	
Naphthalene		180	ug/L	10	88	70	130	14	20	
o-Xylene		200	ug/L	10	99	70	130	0.8	20	
p-Isopropyltoluene		220	ug/L	10	111	70	130	5.2	20	
sec-Butylbenzene		210	ug/L	10	107	70	130	3.4	20	
Styrene		180	ug/L	10	91	70	130	5.4	20	
tert-Butylbenzene		220	ug/L	10	111	70	130	5.2	20	
Tetrachloroethene		240	ug/L	10	90	70	130	1.0	20	
Toluene		190	ug/L	10	95	70	130	0.4	20	
trans-1,2-Dichloroethene		190	ug/L	10	94	70	130	0.4	20	
trans-1,3-Dichloropropene		180	ug/L	10	92	70	130	3.1	20	
Trichloroethene		220	ug/L	10	106	70	130	0.7	20	
Trichlorofluoromethane		190	ug/L	10	96	70	130	4.1	20	
Vinyl chloride		140	ug/L	10	72	70	130	4.4	20	
Xylenes, Total		590	ug/L	10	98	70	130	0.5	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	85	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	100	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	83	80	120	0.0	10	
Surr: Toluene-d8				1.0	100	80	120	0.0	10	
Sample ID: 18-Jan-12_LCS_21 67 Laboratory Control Sample										Run: GCMS2_120118D 01/19/12 00:25
1,1,1,2-Tetrachloroethane		9.4	ug/L	1.0	94	70	130			
1,1,1-Trichloroethane		11	ug/L	1.0	109	70	130			
1,1,2,2-Tetrachloroethane		8.5	ug/L	1.0	85	70	130			
1,1,2-Trichloroethane		8.3	ug/L	1.0	83	70	130			
1,1-Dichloroethane		9.4	ug/L	1.0	94	70	130			
1,1-Dichloroethene		9.5	ug/L	1.0	95	70	130			
1,1-Dichloropropene		9.8	ug/L	1.0	98	70	130			
1,2,3-Trichlorobenzene		10	ug/L	1.0	99	70	130			
1,2,3-Trichloropropane		9.3	ug/L	1.0	93	70	130			
1,2,4-Trichlorobenzene		10.0	ug/L	1.0	97	70	130			
1,2,4-Trimethylbenzene		9.9	ug/L	1.0	99	70	130			
1,2-Dibromo-3-chloropropane		10	ug/L	1.0	102	70	130			
1,2-Dibromoethane		8.4	ug/L	1.0	84	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155501
Sample ID: 18-Jan-12_LCS_21	67	Laboratory Control Sample				Run: GCMS2_120118D				01/19/12 00:25
1,2-Dichlorobenzene		10	ug/L	1.0	104	70	130			
1,2-Dichloroethane		10	ug/L	1.0	101	70	130			
1,2-Dichloropropane		9.2	ug/L	1.0	92	70	130			
1,3,5-Trimethylbenzene		10	ug/L	1.0	105	70	130			
1,3-Dichlorobenzene		10	ug/L	1.0	101	70	130			
1,3-Dichloropropane		8.3	ug/L	1.0	83	70	130			
1,4-Dichlorobenzene		9.6	ug/L	1.0	96	70	130			
2,2-Dichloropropane		9.5	ug/L	1.0	95	60	140			
2-Chloroethyl vinyl ether		7.1	ug/L	1.0	71	70	130			
2-Chlorotoluene		10	ug/L	1.0	101	70	130			
4-Chlorotoluene		10	ug/L	1.0	104	70	130			
Benzene		9.6	ug/L	1.0	96	70	130			
Bromobenzene		9.4	ug/L	1.0	94	70	130			
Bromochloromethane		9.0	ug/L	1.0	90	70	130			
Bromodichloromethane		9.4	ug/L	1.0	94	70	130			
Bromoform		9.4	ug/L	1.0	94	70	130			
Bromomethane		9.4	ug/L	1.0	94	70	130			
Carbon tetrachloride		11	ug/L	1.0	115	70	130			
Chlorobenzene		8.9	ug/L	1.0	89	70	130			
Chlorodibromomethane		8.9	ug/L	1.0	89	70	130			
Chloroethane		9.4	ug/L	1.0	94	70	130			
Chloroform		10.0	ug/L	1.0	100	70	130			
Chloromethane		9.1	ug/L	1.0	91	70	130			
cis-1,2-Dichloroethene		9.2	ug/L	1.0	92	70	130			
cis-1,3-Dichloropropene		8.2	ug/L	1.0	82	70	130			
Dibromomethane		10	ug/L	1.0	104	70	130			
Dichlorodifluoromethane		13	ug/L	1.0	128	70	130			
Ethylbenzene		9.6	ug/L	1.0	96	70	130			
Hexachlorobutadiene		10	ug/L	1.0	99	70	130			
Isopropylbenzene		12	ug/L	1.0	122	70	130			
m+p-Xylenes		20	ug/L	1.0	100	70	130			
Methyl ethyl ketone		75	ug/L	20	75	70	130			
Methyl tert-butyl ether (MTBE)		8.6	ug/L	2.0	86	70	130			
Methylene chloride		8.6	ug/L	1.0	86	70	130			
n-Butylbenzene		11	ug/L	1.0	105	70	130			
n-Propylbenzene		9.4	ug/L	1.0	94	70	130			
Naphthalene		8.5	ug/L	1.0	85	70	130			
o-Xylene		10	ug/L	1.0	100	70	130			
p-Isopropyltoluene		11	ug/L	1.0	113	70	130			
sec-Butylbenzene		11	ug/L	1.0	108	70	130			
Styrene		8.8	ug/L	1.0	84	70	130			
tert-Butylbenzene		11	ug/L	1.0	113	70	130			
Tetrachloroethene		9.5	ug/L	1.0	95	70	130			
Toluene		9.7	ug/L	1.0	97	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R155501	
Sample ID: 18-Jan-12_LCS_21 67 Laboratory Control Sample									Run: GCMS2_120118D	
									01/19/12 00:25	
trans-1,2-Dichloroethene		9.4	ug/L	1.0	94	70	130			
trans-1,3-Dichloropropene		9.0	ug/L	1.0	90	70	130			
Trichloroethene		11	ug/L	1.0	106	70	130			
Trichlorofluoromethane		10	ug/L	1.0	101	70	130			
Vinyl chloride		7.8	ug/L	1.0	78	70	130			
Xylenes, Total		30	ug/L	1.0	100	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	83	80	120			
Surr: Dibromofluoromethane				1.0	96	70	130			
Surr: p-Bromofluorobenzene				1.0	83	80	130			
Surr: Toluene-d8				1.0	102	80	120			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155647
Sample ID: 23-Jan-12 LCS_4	67	Laboratory Control Sample				Run: GCMS2_120123E				01/23/12 12:11
1,1,1,2-Tetrachloroethane		8.9	ug/L	1.0	89	70	130			
1,1,1-Trichloroethane		10	ug/L	1.0	103	70	130			
1,1,2,2-Tetrachloroethane		9.3	ug/L	1.0	93	70	130			
1,1,2-Trichloroethane		8.6	ug/L	1.0	86	70	130			
1,1-Dichloroethane		10	ug/L	1.0	100	70	130			
1,1-Dichloroethene		9.8	ug/L	1.0	98	70	130			
1,1-Dichloropropene		10	ug/L	1.0	104	70	130			
1,2,3-Trichlorobenzene		9.8	ug/L	1.0	95	70	130			
1,2,3-Trichloropropane		9.7	ug/L	1.0	97	70	130			
1,2,4-Trichlorobenzene		11	ug/L	1.0	102	70	130			
1,2,4-Trimethylbenzene		10	ug/L	1.0	104	70	130			
1,2-Dibromo-3-chloropropane		9.3	ug/L	1.0	93	70	130			
1,2-Dibromoethane		9.0	ug/L	1.0	90	70	130			
1,2-Dichlorobenzene		11	ug/L	1.0	110	70	130			
1,2-Dichloroethane		9.7	ug/L	1.0	97	70	130			
1,2-Dichloropropane		10	ug/L	1.0	103	70	130			
1,3,5-Trimethylbenzene		11	ug/L	1.0	107	70	130			
1,3-Dichlorobenzene		11	ug/L	1.0	107	70	130			
1,3-Dichloropropane		9.4	ug/L	1.0	94	70	130			
1,4-Dichlorobenzene		9.8	ug/L	1.0	98	70	130			
2,2-Dichloropropane		11	ug/L	1.0	106	60	140			
2-Chloroethyl vinyl ether		7.1	ug/L	1.0	71	70	130			
2-Chlorotoluene		11	ug/L	1.0	108	70	130			
4-Chlorotoluene		11	ug/L	1.0	106	70	130			
Benzene		10	ug/L	1.0	102	70	130			
Bromobenzene		11	ug/L	1.0	110	70	130			
Bromochloromethane		9.4	ug/L	1.0	94	70	130			
Bromodichloromethane		10	ug/L	1.0	100	70	130			
Bromoform		9.8	ug/L	1.0	98	70	130			
Bromomethane		9.2	ug/L	1.0	92	70	130			
Carbon tetrachloride		10	ug/L	1.0	104	70	130			
Chlorobenzene		9.0	ug/L	1.0	90	70	130			
Chlorodibromomethane		8.9	ug/L	1.0	89	70	130			
Chloroethane		9.6	ug/L	1.0	96	70	130			
Chloroform		10.0	ug/L	1.0	100	70	130			
Chloromethane		9.1	ug/L	1.0	91	70	130			
cis-1,2-Dichloroethene		10.0	ug/L	1.0	100	70	130			
cis-1,3-Dichloropropene		10.0	ug/L	1.0	100	70	130			
Dibromomethane		10	ug/L	1.0	105	70	130			
Dichlorodifluoromethane		11	ug/L	1.0	107	70	130			
Ethylbenzene		9.6	ug/L	1.0	96	70	130			
Hexachlorobutadiene		11	ug/L	1.0	105	70	130			
Isopropylbenzene		11	ug/L	1.0	114	70	130			
m+p-Xylenes		19	ug/L	1.0	95	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155647
Sample ID: 23-Jan-12_LCS_4	67	Laboratory Control Sample				Run: GCMS2_120123E				01/23/12 12:11
Methyl ethyl ketone		93	ug/L	20	93	70	130			
Methyl tert-butyl ether (MTBE)		8.7	ug/L	2.0	87	70	130			
Methylene chloride		9.4	ug/L	1.0	94	70	130			
n-Butylbenzene		11	ug/L	1.0	107	70	130			
n-Propylbenzene		11	ug/L	1.0	107	70	130			
Naphthalene		9.6	ug/L	1.0	95	70	130			
o-Xylene		9.5	ug/L	1.0	95	70	130			
p-Isopropyltoluene		11	ug/L	1.0	112	70	130			
sec-Butylbenzene		11	ug/L	1.0	113	70	130			
Styrene		9.8	ug/L	1.0	98	70	130			
tert-Butylbenzene		11	ug/L	1.0	112	70	130			
Tetrachloroethene		10.0	ug/L	1.0	100	70	130			
Toluene		11	ug/L	1.0	111	70	130			
trans-1,2-Dichloroethene		9.9	ug/L	1.0	99	70	130			
trans-1,3-Dichloropropene		10	ug/L	1.0	104	70	130			
Trichloroethene		11	ug/L	1.0	109	70	130			
Trichlorofluoromethane		9.1	ug/L	1.0	91	70	130			
Vinyl chloride		8.7	ug/L	1.0	87	70	130			
Xylenes, Total		29	ug/L	1.0	95	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	84	80	120			
Surr: Dibromofluoromethane				1.0	97	70	130			
Surr: p-Bromofluorobenzene				1.0	81	80	130			
Surr: Toluene-d8				1.0	97	80	120			
Sample ID: 23-Jan-12_MBLK_6	67	Method Blank				Run: GCMS2_120123E				01/23/12 13:20
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						
1,3-Dichloropropane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155647
Sample ID: 23-Jan-12_MBLK_6	67	Method Blank				Run: GCMS2_120123E				01/23/12 13:20
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155647
Sample ID: 23-Jan-12_MBLK_6	67	Method Blank				Run: GCMS2_120123E				01/23/12 13:20
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	98	70	130			
Surr: p-Bromofluorobenzene				1.0	83	80	120			
Surr: Toluene-d8				1.0	88	80	120			
Sample ID: C12010553-021AMS	67	Sample Matrix Spike				Run: GCMS2_120123E				01/24/12 07:16
1,1,1,2-Tetrachloroethane	180	ug/L		10	90	70	130			
1,1,1-Trichloroethane	210	ug/L		10	104	70	130			
1,1,2,2-Tetrachloroethane	170	ug/L		10	85	70	130			
1,1,2-Trichloroethane	160	ug/L		10	82	70	130			
1,1-Dichloroethane	190	ug/L		10	93	70	130			
1,1-Dichloroethene	180	ug/L		10	90	70	130			
1,1-Dichloropropene	200	ug/L		10	98	70	130			
1,2,3-Trichlorobenzene	170	ug/L		10	86	70	130			
1,2,3-Trichloropropane	190	ug/L		10	97	70	130			
1,2,4-Trichlorobenzene	180	ug/L		10	89	70	130			
1,2,4-Trimethylbenzene	190	ug/L		10	93	70	130			
1,2-Dibromo-3-chloropropane	160	ug/L		10	82	70	130			
1,2-Dibromoethane	170	ug/L		10	87	70	130			
1,2-Dichlorobenzene	210	ug/L		10	104	70	130			
1,2-Dichloroethane	200	ug/L		10	100	70	130			
1,2-Dichloropropane	180	ug/L		10	88	70	130			
1,3,5-Trimethylbenzene	190	ug/L		10	95	70	130			
1,3-Dichlorobenzene	210	ug/L		10	104	70	130			
1,3-Dichloropropane	170	ug/L		10	87	70	130			
1,4-Dichlorobenzene	190	ug/L		10	94	70	130			
2,2-Dichloropropane	150	ug/L		10	75	70	130			
2-Chloroethyl vinyl ether	ND	ug/L		10		70	130			S
2-Chlorotoluene	190	ug/L		10	94	70	130			
4-Chlorotoluene	200	ug/L		10	102	70	130			
Benzene	190	ug/L		10	94	70	130			
Bromobenzene	200	ug/L		10	102	70	130			
Bromochloromethane	180	ug/L		10	90	70	130			
Bromodichloromethane	200	ug/L		10	98	70	130			
Bromoform	180	ug/L		10	91	70	130			
Bromomethane	32	ug/L		10	16	70	130			S
Carbon tetrachloride	210	ug/L		10	107	70	130			
Chlorobenzene	170	ug/L		10	86	70	130			
Chlorodibromomethane	170	ug/L		10	87	70	130			
Chloroethane	180	ug/L		10	90	70	130			
Chloroform	200	ug/L		10	99	70	130			
Chloromethane	150	ug/L		10	75	70	130			
cis-1,2-Dichloroethene	190	ug/L		10	96	70	130			
cis-1,3-Dichloropropene	190	ug/L		10	95	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155647
Sample ID: C12010553-021AMS	67	Sample Matrix Spike				Run: GCMS2_120123E				01/24/12 07:16
Dibromomethane		200	ug/L	10	100	70	130			
Dichlorodifluoromethane		200	ug/L	10	98	70	130			
Ethylbenzene		180	ug/L	10	90	70	130			
Hexachlorobutadiene		170	ug/L	10	87	70	130			
Isopropylbenzene		220	ug/L	10	108	70	130			
m+p-Xylenes		370	ug/L	10	92	70	130			
Methyl ethyl ketone		2100	ug/L	200	103	70	130			
Methyl tert-butyl ether (MTBE)		190	ug/L	20	94	70	130			
Methylene chloride		170	ug/L	10	83	70	130			
n-Butylbenzene		190	ug/L	10	94	70	130			
n-Propylbenzene		190	ug/L	10	95	70	130			
Naphthalene		180	ug/L	10	88	70	130			
o-Xylene		180	ug/L	10	90	70	130			
p-Isopropyltoluene		200	ug/L	10	98	70	130			
sec-Butylbenzene		190	ug/L	10	96	70	130			
Styrene		190	ug/L	10	94	70	130			
tert-Butylbenzene		200	ug/L	10	98	70	130			
Tetrachloroethene		180	ug/L	10	92	70	130			
Toluene		210	ug/L	10	103	70	130			
trans-1,2-Dichloroethene		190	ug/L	10	93	70	130			
trans-1,3-Dichloropropene		180	ug/L	10	88	70	130			
Trichloroethene		230	ug/L	10	105	70	130			
Trichlorofluoromethane		180	ug/L	10	92	70	130			
Vinyl chloride		150	ug/L	10	75	70	130			
Xylenes, Total		550	ug/L	10	91	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	86	80	120			
Surr: Dibromofluoromethane				1.0	103	70	130			
Surr: p-Bromofluorobenzene				1.0	79	80	120			S
Surr: Toluene-d8				1.0	96	80	120			
Sample ID: C12010553-021AMSD	67	Sample Matrix Spike Duplicate				Run: GCMS2_120123E				01/24/12 07:51
1,1,1,2-Tetrachloroethane		180	ug/L	10	89	70	130	1.8	20	
1,1,1-Trichloroethane		200	ug/L	10	101	70	130	3.5	20	
1,1,2,2-Tetrachloroethane		170	ug/L	10	85	70	130	0.5	20	
1,1,2-Trichloroethane		170	ug/L	10	84	70	130	2.9	20	
1,1-Dichloroethane		190	ug/L	10	93	70	130	0.0	20	
1,1-Dichloroethene		180	ug/L	10	92	70	130	1.8	20	
1,1-Dichloropropene		200	ug/L	10	98	70	130	0.8	20	
1,2,3-Trichlorobenzene		200	ug/L	10	101	70	130	15	20	
1,2,3-Trichloropropane		190	ug/L	10	96	70	130	0.8	20	
1,2,4-Trichlorobenzene		210	ug/L	10	103	70	130	15	20	
1,2,4-Trimethylbenzene		190	ug/L	10	95	70	130	1.7	20	
1,2-Dibromo-3-chloropropane		170	ug/L	10	86	70	130	5.7	20	
1,2-Dibromoethane		180	ug/L	10	88	70	130	0.9	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155647
Sample ID: C12010553-021AMSD 67 Sample Matrix Spike Duplicate										Run: GCMS2_120123E 01/24/12 07:51
1,2-Dichlorobenzene		210	ug/L	10	105	70	130	0.4	20	
1,2-Dichloroethane		200	ug/L	10	98	70	130	2.0	20	
1,2-Dichloropropane		160	ug/L	10	79	70	130	11	20	
1,3,5-Trimethylbenzene		190	ug/L	10	96	70	130	0.8	20	
1,3-Dichlorobenzene		210	ug/L	10	105	70	130	1.5	20	
1,3-Dichloropropane		180	ug/L	10	91	70	130	4.0	20	
1,4-Dichlorobenzene		190	ug/L	10	96	70	130	2.1	20	
2,2-Dichloropropane		140	ug/L	10	72	70	130	3.3	20	
2-Chloroethyl vinyl ether		ND	ug/L	10		70	130		20	S
2-Chlorotoluene		190	ug/L	10	97	70	130	2.5	20	
4-Chlorotoluene		200	ug/L	10	102	70	130	0.4	20	
Benzene		190	ug/L	10	93	70	130	1.3	20	
Bromobenzene		210	ug/L	10	107	70	130	4.6	20	
Bromochloromethane		180	ug/L	10	89	70	130	0.4	20	
Bromodichloromethane		170	ug/L	10	86	70	130	13	20	
Bromoform		180	ug/L	10	92	70	130	1.7	20	
Bromomethane		56	ug/L	10	28	70	130	55	20	SR
Carbon tetrachloride		210	ug/L	10	104	70	130	2.3	20	
Chlorobenzene		170	ug/L	10	86	70	130	0.0	20	
Chlorodibromomethane		170	ug/L	10	87	70	130	0.5	20	
Chloroethane		180	ug/L	10	88	70	130	2.3	20	
Chloroform		200	ug/L	10	98	70	130	1.6	20	
Chloromethane		150	ug/L	10	73	70	130	2.7	20	
cis-1,2-Dichloroethene		200	ug/L	10	98	70	130	2.5	20	
cis-1,3-Dichloropropene		160	ug/L	10	79	70	130	18	20	
Dibromomethane		180	ug/L	10	92	70	130	8.8	20	
Dichlorodifluoromethane		190	ug/L	10	95	70	130	2.9	20	
Ethylbenzene		180	ug/L	10	90	70	130	0.4	20	
Hexachlorobutadiene		190	ug/L	10	94	70	130	7.9	20	
Isopropylbenzene		220	ug/L	10	108	70	130	0.7	20	
m+p-Xylenes		360	ug/L	10	90	70	130	2.4	20	
Methyl ethyl ketone		2100	ug/L	200	106	70	130	2.3	20	
Methyl tert-butyl ether (MTBE)		200	ug/L	20	98	70	130	4.2	20	
Methylene chloride		170	ug/L	10	86	70	130	2.8	20	
n-Butylbenzene		190	ug/L	10	95	70	130	1.7	20	
n-Propylbenzene		200	ug/L	10	98	70	130	2.9	20	
Naphthalene		200	ug/L	10	100	70	130	13	20	
o-Xylene		180	ug/L	10	89	70	130	1.3	20	
p-Isopropyltoluene		200	ug/L	10	101	70	130	2.8	20	
sec-Butylbenzene		200	ug/L	10	99	70	130	2.9	20	
Styrene		190	ug/L	10	94	70	130	0.4	20	
tert-Butylbenzene		200	ug/L	10	101	70	130	2.8	20	
Tetrachloroethene		180	ug/L	10	92	70	130	0.4	20	
Toluene		210	ug/L	10	104	70	130	1.2	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

R - RPD exceeds advisory limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155647
Sample ID: C12010553-021AMSD	67	Sample Matrix Spike Duplicate				Run: GCMS2_120123E				01/24/12 07:51
trans-1,2-Dichloroethene		190	ug/L	10	95	70	130	2.1	20	
trans-1,3-Dichloropropene		190	ug/L	10	95	70	130	8.3	20	
Trichloroethene		200	ug/L	10	91	70	130	13	20	
Trichlorofluoromethane		180	ug/L	10	90	70	130	2.2	20	
Vinyl chloride		150	ug/L	10	74	70	130	1.6	20	
Xylenes, Total		540	ug/L	10	89	70	130	2.1	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	85	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	101	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	80	80	120	0.0	10	
Surr: Toluene-d8				1.0	96	80	120	0.0	10	
Method: SW8260B										Batch: R155719
Sample ID: 24-Jan-12_LCS_4	5	Laboratory Control Sample				Run: 5975VOC1_120125C				01/25/12 10:53
Tetrachloroethene		11	ug/L	1.0	108	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	102	70	130			
Surr: p-Bromofluorobenzene				1.0	89	80	130			
Surr: Toluene-d8				1.0	89	80	120			
Sample ID: 24-Jan-12_MBLK_6	5	Method Blank				Run: 5975VOC1_120125C				01/25/12 12:04
Tetrachloroethene		ND	ug/L	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	109	80	120			
Surr: Dibromofluoromethane				1.0	102	70	130			
Surr: p-Bromofluorobenzene				1.0	91	80	120			
Surr: Toluene-d8				1.0	83	80	120			
Sample ID: C12010711-001AMS	5	Sample Matrix Spike				Run: 5975VOC1_120125C				01/26/12 02:42
Tetrachloroethene		180	ug/L	10	92	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	114	70	130			
Surr: p-Bromofluorobenzene				1.0	89	80	120			
Surr: Toluene-d8				1.0	90	80	120			
Sample ID: C12010711-001AMSD	5	Sample Matrix Spike Duplicate				Run: 5975VOC1_120125C				01/26/12 03:17
Tetrachloroethene		200	ug/L	10	98	70	130	5.5	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	102	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	113	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	91	80	120	0.0	10	
Surr: Toluene-d8				1.0	89	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155764
Sample ID: 26-Jan-12 LCS_7	67	Laboratory Control Sample				Run: 5975VOC1_120126C				01/26/12 14:20
1,1,1,2-Tetrachloroethane		10	ug/L	1.0	105	70	130			
1,1,1-Trichloroethane		9.6	ug/L	1.0	96	70	130			
1,1,2,2-Tetrachloroethane		9.8	ug/L	1.0	98	70	130			
1,1,2-Trichloroethane		9.4	ug/L	1.0	94	70	130			
1,1-Dichloroethane		9.5	ug/L	1.0	95	70	130			
1,1-Dichloroethene		9.1	ug/L	1.0	91	70	130			
1,1-Dichloropropene		9.2	ug/L	1.0	92	70	130			
1,2,3-Trichlorobenzene		10	ug/L	1.0	103	70	130			
1,2,3-Trichloropropane		10	ug/L	1.0	104	70	130			
1,2,4-Trichlorobenzene		11	ug/L	1.0	109	70	130			
1,2,4-Trimethylbenzene		9.9	ug/L	1.0	99	70	130			
1,2-Dibromo-3-chloropropane		10	ug/L	1.0	102	70	130			
1,2-Dibromoethane		10	ug/L	1.0	104	70	130			
1,2-Dichlorobenzene		11	ug/L	1.0	111	70	130			
1,2-Dichloroethane		9.9	ug/L	1.0	99	70	130			
1,2-Dichloropropane		11	ug/L	1.0	110	70	130			
1,3,5-Trimethylbenzene		9.7	ug/L	1.0	97	70	130			
1,3-Dichlorobenzene		10	ug/L	1.0	101	70	130			
1,3-Dichloropropane		9.7	ug/L	1.0	97	70	130			
1,4-Dichlorobenzene		9.7	ug/L	1.0	97	70	130			
2,2-Dichloropropane		11	ug/L	1.0	112	60	140			
2-Chloroethyl vinyl ether		9.8	ug/L	1.0	98	70	130			
2-Chlorotoluene		9.8	ug/L	1.0	98	70	130			
4-Chlorotoluene		10	ug/L	1.0	101	70	130			
Benzene		10	ug/L	1.0	102	70	130			
Bromobenzene		10	ug/L	1.0	103	70	130			
Bromochloromethane		10	ug/L	1.0	102	70	130			
Bromodichloromethane		9.6	ug/L	1.0	96	70	130			
Bromoform		9.9	ug/L	1.0	99	70	130			
Bromomethane		12	ug/L	1.0	123	70	130			
Carbon tetrachloride		9.7	ug/L	1.0	97	70	130			
Chlorobenzene		9.4	ug/L	1.0	94	70	130			
Chlorodibromomethane		10	ug/L	1.0	100	70	130			
Chloroethane		9.2	ug/L	1.0	92	70	130			
Chloroform		10	ug/L	1.0	102	70	130			
Chloromethane		8.1	ug/L	1.0	81	70	130			
cis-1,2-Dichloroethene		10	ug/L	1.0	102	70	130			
cis-1,3-Dichloropropene		10	ug/L	1.0	104	70	130			
Dibromomethane		10	ug/L	1.0	103	70	130			
Dichlorodifluoromethane		8.0	ug/L	1.0	80	70	130			
Ethylbenzene		9.4	ug/L	1.0	94	70	130			
Hexachlorobutadiene		10	ug/L	1.0	102	70	130			
Isopropylbenzene		12	ug/L	1.0	119	70	130			
m+p-Xylenes		18	ug/L	1.0	91	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155764
Sample ID: 26-Jan-12_LCS_7	67	Laboratory Control Sample				Run: 5975VOC1_120126C				01/26/12 14:20
Methyl ethyl ketone		93	ug/L	20	93	70	130			
Methyl tert-butyl ether (MTBE)		10	ug/L	2.0	102	70	130			
Methylene chloride		9.2	ug/L	1.0	92	70	130			
n-Butylbenzene		9.8	ug/L	1.0	96	70	130			
n-Propylbenzene		10	ug/L	1.0	104	70	130			
Naphthalene		11	ug/L	1.0	111	70	130			
o-Xylene		9.3	ug/L	1.0	93	70	130			
p-Isopropyltoluene		10	ug/L	1.0	105	70	130			
sec-Butylbenzene		9.4	ug/L	1.0	91	70	130			
Styrene		9.8	ug/L	1.0	98	70	130			
tert-Butylbenzene		10	ug/L	1.0	102	70	130			
Tetrachloroethene		10	ug/L	1.0	102	70	130			
Toluene		10.0	ug/L	1.0	100	70	130			
trans-1,2-Dichloroethene		9.2	ug/L	1.0	92	70	130			
trans-1,3-Dichloropropene		11	ug/L	1.0	112	70	130			
Trichloroethene		10	ug/L	1.0	104	70	130			
Trichlorofluoromethane		8.0	ug/L	1.0	80	70	130			
Vinyl chloride		7.8	ug/L	1.0	78	70	130			
Xylenes, Total		27	ug/L	1.0	92	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	101	70	130			
Surr: p-Bromofluorobenzene				1.0	90	80	130			
Surr: Toluene-d8				1.0	88	80	120			
Sample ID: 26-Jan-12_MBLK_9	67	Method Blank				Run: 5975VOC1_120126C				01/26/12 15:31
1,1,1,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,1-Trichloroethane		ND	ug/L	1.0						
1,1,2,2-Tetrachloroethane		ND	ug/L	1.0						
1,1,2-Trichloroethane		ND	ug/L	1.0						
1,1-Dichloroethane		ND	ug/L	1.0						
1,1-Dichloroethene		ND	ug/L	1.0						
1,1-Dichloropropene		ND	ug/L	1.0						
1,2,3-Trichlorobenzene		ND	ug/L	1.0						
1,2,3-Trichloropropane		ND	ug/L	1.0						
1,2,4-Trichlorobenzene		ND	ug/L	1.0						
1,2,4-Trimethylbenzene		ND	ug/L	1.0						
1,2-Dibromo-3-chloropropane		ND	ug/L	1.0						
1,2-Dibromoethane		ND	ug/L	1.0						
1,2-Dichlorobenzene		ND	ug/L	1.0						
1,2-Dichloroethane		ND	ug/L	1.0						
1,2-Dichloropropane		ND	ug/L	1.0						
1,3,5-Trimethylbenzene		ND	ug/L	1.0						
1,3-Dichlorobenzene		ND	ug/L	1.0						
1,3-Dichloropropane		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155764
Sample ID: 26-Jan-12_MBLK_9	67	Method Blank				Run: 5975VOC1_120126C				01/26/12 15:31
1,4-Dichlorobenzene		ND	ug/L	1.0						
2,2-Dichloropropane		ND	ug/L	1.0						
2-Chloroethyl vinyl ether		ND	ug/L	1.0						
2-Chlorotoluene		ND	ug/L	1.0						
4-Chlorotoluene		ND	ug/L	1.0						
Benzene		ND	ug/L	1.0						
Bromobenzene		ND	ug/L	1.0						
Bromochloromethane		ND	ug/L	1.0						
Bromodichloromethane		ND	ug/L	1.0						
Bromoform		ND	ug/L	1.0						
Bromomethane		ND	ug/L	1.0						
Carbon tetrachloride		ND	ug/L	1.0						
Chlorobenzene		ND	ug/L	1.0						
Chlorodibromomethane		ND	ug/L	1.0						
Chloroethane		ND	ug/L	1.0						
Chloroform		ND	ug/L	1.0						
Chloromethane		ND	ug/L	1.0						
cis-1,2-Dichloroethene		ND	ug/L	1.0						
cis-1,3-Dichloropropene		ND	ug/L	1.0						
Dibromomethane		ND	ug/L	1.0						
Dichlorodifluoromethane		ND	ug/L	1.0						
Ethylbenzene		ND	ug/L	1.0						
Hexachlorobutadiene		ND	ug/L	1.0						
Isopropylbenzene		ND	ug/L	1.0						
m+p-Xylenes		ND	ug/L	1.0						
Methyl ethyl ketone		ND	ug/L	20						
Methyl tert-butyl ether (MTBE)		ND	ug/L	2.0						
Methylene chloride		ND	ug/L	1.0						
n-Butylbenzene		ND	ug/L	1.0						
n-Propylbenzene		ND	ug/L	1.0						
Naphthalene		ND	ug/L	1.0						
o-Xylene		ND	ug/L	1.0						
p-Isopropyltoluene		ND	ug/L	1.0						
sec-Butylbenzene		ND	ug/L	1.0						
Styrene		ND	ug/L	1.0						
tert-Butylbenzene		ND	ug/L	1.0						
Tetrachloroethene		ND	ug/L	1.0						
Toluene		ND	ug/L	1.0						
trans-1,2-Dichloroethene		ND	ug/L	1.0						
trans-1,3-Dichloropropene		ND	ug/L	1.0						
Trichloroethene		ND	ug/L	1.0						
Trichlorofluoromethane		ND	ug/L	1.0						
Vinyl chloride		ND	ug/L	1.0						
Xylenes, Total		ND	ug/L	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155764
Sample ID: 26-Jan-12_MBLK_9	67	Method Blank				Run: 5975VOC1_120126C				01/26/12 15:31
Surr: 1,2-Dichlorobenzene-d4				1.0	107	80	120			
Surr: Dibromofluoromethane				1.0	99	70	130			
Surr: p-Bromofluorobenzene				1.0	92	80	120			
Surr: Toluene-d8				1.0	83	80	120			
Sample ID: C12010553-020AMS	67	Sample Matrix Spike				Run: 5975VOC1_120126C				01/26/12 21:28
1,1,1,2-Tetrachloroethane		100	ug/L	5.0	103	70	130			
1,1,1-Trichloroethane		110	ug/L	5.0	108	70	130			
1,1,2,2-Tetrachloroethane		100	ug/L	5.0	101	70	130			
1,1,2-Trichloroethane		93	ug/L	5.0	93	70	130			
1,1-Dichloroethane		130	ug/L	5.0	112	70	130			
1,1-Dichloroethene		160	ug/L	5.0	101	70	130			
1,1-Dichloropropene		100	ug/L	5.0	103	70	130			
1,2,3-Trichlorobenzene		99	ug/L	5.0	99	70	130			
1,2,3-Trichloropropane		100	ug/L	5.0	101	70	130			
1,2,4-Trichlorobenzene		100	ug/L	5.0	102	70	130			
1,2,4-Trimethylbenzene		98	ug/L	5.0	98	70	130			
1,2-Dibromo-3-chloropropane		100	ug/L	5.0	101	70	130			
1,2-Dibromoethane		100	ug/L	5.0	102	70	130			
1,2-Dichlorobenzene		110	ug/L	5.0	111	70	130			
1,2-Dichloroethane		98	ug/L	5.0	98	70	130			
1,2-Dichloropropane		100	ug/L	5.0	105	70	130			
1,3,5-Trimethylbenzene		95	ug/L	5.0	95	70	130			
1,3-Dichlorobenzene		100	ug/L	5.0	101	70	130			
1,3-Dichloropropane		96	ug/L	5.0	96	70	130			
1,4-Dichlorobenzene		96	ug/L	5.0	96	70	130			
2,2-Dichloropropane		110	ug/L	5.0	111	70	130			
2-Chloroethyl vinyl ether		13	ug/L	5.0	13	70	130			S
2-Chlorotoluene		97	ug/L	5.0	97	70	130			
4-Chlorotoluene		100	ug/L	5.0	102	70	130			
Benzene		100	ug/L	5.0	103	70	130			
Bromobenzene		100	ug/L	5.0	100	70	130			
Bromochloromethane		110	ug/L	5.0	110	70	130			
Bromodichloromethane		98	ug/L	5.0	98	70	130			
Bromoform		99	ug/L	5.0	99	70	130			
Bromomethane		98	ug/L	5.0	98	70	130			
Carbon tetrachloride		110	ug/L	5.0	112	70	130			
Chlorobenzene		93	ug/L	5.0	93	70	130			
Chlorodibromomethane		96	ug/L	5.0	96	70	130			
Chloroethane		100	ug/L	5.0	102	70	130			
Chloroform		110	ug/L	5.0	110	70	130			
Chloromethane		89	ug/L	5.0	89	70	130			
cis-1,2-Dichloroethene		110	ug/L	5.0	99	70	130			
cis-1,3-Dichloropropene		94	ug/L	5.0	94	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155764
Sample ID: C12010553-020AMS	67	Sample Matrix Spike		Run: 5975VOC1_120126C				01/26/12 21:28		
Dibromomethane		100	ug/L	5.0	104	70	130			
Dichlorodifluoromethane		84	ug/L	5.0	84	70	130			
Ethylbenzene		94	ug/L	5.0	94	70	130			
Hexachlorobutadiene		95	ug/L	5.0	95	70	130			
Isopropylbenzene		110	ug/L	5.0	115	70	130			
m+p-Xylenes		180	ug/L	5.0	91	70	130			
Methyl ethyl ketone		1100	ug/L	100	108	70	130			
Methyl tert-butyl ether (MTBE)		110	ug/L	10	108	70	130			
Methylene chloride		100	ug/L	5.0	104	70	130			
n-Butylbenzene		94	ug/L	5.0	94	70	130			
n-Propylbenzene		100	ug/L	5.0	102	70	130			
Naphthalene		110	ug/L	5.0	105	70	130			
o-Xylene		92	ug/L	5.0	92	70	130			
p-Isopropyltoluene		100	ug/L	5.0	103	70	130			
sec-Butylbenzene		92	ug/L	5.0	92	70	130			
Styrene		96	ug/L	5.0	96	70	130			
tert-Butylbenzene		99	ug/L	5.0	99	70	130			
Tetrachloroethene		160	ug/L	5.0	106	70	130			
Toluene		98	ug/L	5.0	98	70	130			
trans-1,2-Dichloroethene		100	ug/L	5.0	103	70	130			
trans-1,3-Dichloropropene		110	ug/L	5.0	108	70	130			
Trichloroethene		120	ug/L	5.0	108	70	130			
Trichlorofluoromethane		90	ug/L	5.0	90	70	130			
Vinyl chloride		89	ug/L	5.0	89	70	130			
Xylenes, Total		270	ug/L	5.0	91	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	114	70	130			
Surr: p-Bromofluorobenzene				1.0	90	80	120			
Surr: Toluene-d8				1.0	91	80	120			
Sample ID: C12010553-020AMSD	67	Sample Matrix Spike Duplicate		Run: 5975VOC1_120126C				01/26/12 22:04		
1,1,1,2-Tetrachloroethane		110	ug/L	5.0	108	70	130	5.3	20	
1,1,1-Trichloroethane		110	ug/L	5.0	110	70	130	2.2	20	
1,1,2,2-Tetrachloroethane		100	ug/L	5.0	102	70	130	1.2	20	
1,1,2-Trichloroethane		96	ug/L	5.0	96	70	130	3.8	20	
1,1-Dichloroethane		130	ug/L	5.0	116	70	130	3.7	20	
1,1-Dichloroethene		170	ug/L	5.0	113	70	130	7.5	20	
1,1-Dichloropropene		100	ug/L	5.0	104	70	130	0.8	20	
1,2,3-Trichlorobenzene		110	ug/L	5.0	110	70	130	10.0	20	
1,2,3-Trichloropropane		110	ug/L	5.0	106	70	130	5.0	20	
1,2,4-Trichlorobenzene		110	ug/L	5.0	111	70	130	8.7	20	
1,2,4-Trimethylbenzene		100	ug/L	5.0	100	70	130	2.4	20	
1,2-Dibromo-3-chloropropane		110	ug/L	5.0	111	70	130	9.4	20	
1,2-Dibromoethane		110	ug/L	5.0	107	70	130	5.0	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155764
Sample ID: C12010553-020AMSD 67 Sample Matrix Spike Duplicate										Run: 5975VOC1_120126C 01/26/12 22:04
1,2-Dichlorobenzene		120	ug/L	5.0	116	70	130	3.9	20	
1,2-Dichloroethane		100	ug/L	5.0	101	70	130	3.2	20	
1,2-Dichloropropane		110	ug/L	5.0	107	70	130	1.9	20	
1,3,5-Trimethylbenzene		98	ug/L	5.0	98	70	130	2.9	20	
1,3-Dichlorobenzene		100	ug/L	5.0	104	70	130	2.7	20	
1,3-Dichloropropane		100	ug/L	5.0	100	70	130	3.3	20	
1,4-Dichlorobenzene		100	ug/L	5.0	100	70	130	3.3	20	
2,2-Dichloropropane		120	ug/L	5.0	116	70	130	3.9	20	
2-Chloroethyl vinyl ether		13	ug/L	5.0	13	70	130	0.6	20	S
2-Chlorotoluene		100	ug/L	5.0	100	70	130	3.2	20	
4-Chlorotoluene		100	ug/L	5.0	104	70	130	2.3	20	
Benzene		110	ug/L	5.0	106	70	130	2.3	20	
Bromobenzene		100	ug/L	5.0	104	70	130	3.5	20	
Bromochloromethane		120	ug/L	5.0	116	70	130	5.3	20	
Bromodichloromethane		100	ug/L	5.0	100	70	130	1.6	20	
Bromoform		100	ug/L	5.0	104	70	130	4.3	20	
Bromomethane		120	ug/L	5.0	119	70	130	19	20	
Carbon tetrachloride		110	ug/L	5.0	114	70	130	1.4	20	
Chlorobenzene		96	ug/L	5.0	96	70	130	2.5	20	
Chlorodibromomethane		100	ug/L	5.0	101	70	130	4.5	20	
Chloroethane		110	ug/L	5.0	110	70	130	6.8	20	
Chloroform		110	ug/L	5.0	112	70	130	2.2	20	
Chloromethane		96	ug/L	5.0	96	70	130	8.2	20	
cis-1,2-Dichloroethene		110	ug/L	5.0	103	70	130	4.1	20	
cis-1,3-Dichloropropene		97	ug/L	5.0	97	70	130	3.3	20	
Dibromomethane		110	ug/L	5.0	106	70	130	2.7	20	
Dichlorodifluoromethane		88	ug/L	5.0	88	70	130	4.6	20	
Ethylbenzene		95	ug/L	5.0	95	70	130	1.7	20	
Hexachlorobutadiene		100	ug/L	5.0	104	70	130	8.9	20	
Isopropylbenzene		120	ug/L	5.0	119	70	130	3.4	20	
m+p-Xylenes		180	ug/L	5.0	92	70	130	1.7	20	
Methyl ethyl ketone		1200	ug/L	100	116	70	130	6.8	20	
Methyl tert-butyl ether (MTBE)		120	ug/L	10	122	70	130	12	20	
Methylene chloride		110	ug/L	5.0	111	70	130	5.9	20	
n-Butylbenzene		98	ug/L	5.0	98	70	130	3.3	20	
n-Propylbenzene		100	ug/L	5.0	104	70	130	2.7	20	
Naphthalene		120	ug/L	5.0	115	70	130	9.1	20	
o-Xylene		93	ug/L	5.0	93	70	130	1.7	20	
p-Isopropyltoluene		110	ug/L	5.0	106	70	130	3.1	20	
sec-Butylbenzene		95	ug/L	5.0	95	70	130	3.0	20	
Styrene		99	ug/L	5.0	99	70	130	2.5	20	
tert-Butylbenzene		100	ug/L	5.0	102	70	130	2.4	20	
Tetrachloroethene		170	ug/L	5.0	112	70	130	4.2	20	
Toluene		100	ug/L	5.0	101	70	130	2.4	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010553

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155764
Sample ID: C12010553-020AMSD 67 Sample Matrix Spike Duplicate										Run: 5975VOC1_120126C 01/26/12 22:04
trans-1,2-Dichloroethene		110	ug/L	5.0	111	70	130	7.5	20	
trans-1,3-Dichloropropene		110	ug/L	5.0	112	70	130	3.6	20	
Trichloroethene		120	ug/L	5.0	111	70	130	2.3	20	
Trichlorofluoromethane		96	ug/L	5.0	96	70	130	7.3	20	
Vinyl chloride		93	ug/L	5.0	93	70	130	4.4	20	
Xylenes, Total		280	ug/L	5.0	93	70	130	1.7	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	101	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	113	70	130	0.0	10	
Surr: p-Bromofluorobenzene				1.0	90	80	120	0.0	10	
Surr: Toluene-d8				1.0	89	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



Workorder Receipt Checklist



C12010553

Login completed by: Kristy Gisse

Date Received: 1/18/2012

Reviewed by: BL2000\emcpike

Received by: kg

Reviewed Date: 1/19/2012

Carrier FedEx
name:

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes ☒	No ☐	
Container/Temp Blank temperature:	3.6 °C On Ice		
Water - VOA vials have zero headspace?	Yes ☒	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 1 of 1

Company Name: Devel Environmental		Project Name, PWS, Permit, Etc.: 90125 ARTESHA		Sample Origin: State: NM		EPA/State Compliance: Yes ☒ No ☐	
Report Mail Address: 1653 DIAMOND HEAD CT LABORIE VLY 02072		Contact Name: Rick Devel		Phone/Fax: 307 760 3277		Email: 70125	
Invoice Address: SAME		Purchase Order: 70125		Quote/Bottle Order:		Sampler: (Please Print)	
Special Report/Formats:		ANALYSIS REQUESTED		Standard Turnaround (TAT)		Shipped by: FE-EX	
☐ DW ☐ POT/WWTP ☐ State: ☐ Other:		☐ EDD/EDT (Electronic Data) Format: ☐ LEVEL IV ☐ NELAC		Contact ELI prior to RUSH sample submittal for charges and scheduling - See instruction page Comments:		Cooler ID(s): 3634 Receipt Temp: 3.6 °C On Ice: ☒ N Custody Seal: ☒ N On Bottle: ☒ N On Cooler: ☒ N Intact: ☒ N Signature Match: ☒ N	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.) 1 90125 - 20.1/12 2 90125 - 28.1/12 3 90125 - 29.1/12 4 90125 - 30.1/12 5 90125 - 31.1/12 6 90125 - 32.1/12 7 90125 - 33.1/12 8 90125 - 34.1/12 9 90125 - 35.1/12 10 90125 - 36.1/12		Collection Date 1/17/12		Collection Time 09:40 08:00 08:20 08:40 09:00 09:20 10:20 10:40 11:00 13:00 13:20 13:40 14:00 15:00 15:20 16:00 16:20 07:00 06:30		MATRIX 700	
Number of Containers Air Water Solids Vegetation Bioassay Other DW - Drinking Water		SEE ATTACHED		R U S H		LABORATORY USE ONLY C12010553	
Signature: Rick Devel Date/Time: 1/17/12 16:30		Received by (print): Signature: [Signature] Date/Time: 1-18-12 9:00		Received by Laboratory: Signature: [Signature] Date/Time: 1-18-12 9:00		Received by Laboratory: Signature: [Signature] Date/Time: 1-18-12 9:00	
Custody Record MUST be Signed		Sample Disposal: Return to Client		Lab Disposal:		Date/Time:	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.



ANALYTICAL SUMMARY REPORT

February 02, 2012

Deuell Environmental LLC
1653 Diamond Head Ct
Laramie, WY 82072

Workorder No.: C12010539

Project Name: 90125 Artesia

Energy Laboratories, Inc. Casper WY received the following 2 samples for Deuell Environmental LLC on 1/18/2012 for analysis.


Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C12010539-001	90125-INP.1/12	01/17/12 18:00	01/18/12	Air	SW8260B VOCs, Standard List
C12010539-002	Tedlar		01/18/12		Supplies

The analyses presented in this report were performed at Energy Laboratories, Inc., 2393 Salt Creek Hwy., Casper, WY 82601, unless otherwise noted. Radiochemistry analyses were performed at Energy Laboratories, Inc., 2325 Kerzell Lane, Casper, WY 82601, unless otherwise noted. Any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing. Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. Data corrected for moisture content are typically noted as - dry on the report. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

If you have any questions regarding these test results, please call.

Report Approved By:


Report Proofing Specialist

Digitally signed by
Kathy Hamre
Date: 2012.02.02 13:56:54 -07:00



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010539-001
Client Sample ID: 90125-INP.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 18:00
Date Received: 01/18/12
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Bromoform	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C12010539-001
Client Sample ID: 90125-INP.1/12

Report Date: 02/02/12
Collection Date: 01/17/12 18:00
Date Received: 01/18/12
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	01/23/12 13:55 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
o-Xylene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	01/23/12 13:55 / jlr
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	01/23/12 13:55 / jlr
Surr: Dibromofluoromethane	98.0	%REC		80-120		SW8260B	01/23/12 13:55 / jlr
Surr: p-Bromofluorobenzene	88.0	%REC		80-120		SW8260B	01/23/12 13:55 / jlr
Surr: Toluene-d8	88.0	%REC		80-120		SW8260B	01/23/12 13:55 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010539

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155643
Sample ID: 23-Jan-12 LCS_4	64	Laboratory Control Sample				Run: GCMS2_120123A				01/23/12 12:11
1,1,1,2-Tetrachloroethane		8.88	mg/m3	1.0	89	70	130			
1,1,1-Trichloroethane		10.3	mg/m3	1.0	103	70	130			
1,1,2,2-Tetrachloroethane		9.28	mg/m3	1.0	93	70	130			
1,1,2-Trichloroethane		8.60	mg/m3	1.0	86	70	130			
1,1-Dichloroethane		10.0	mg/m3	1.0	100	70	130			
1,1-Dichloroethene		9.80	mg/m3	1.0	98	70	130			
1,1-Dichloropropene		10.4	mg/m3	1.0	104	70	130			
1,2,3-Trichlorobenzene		9.80	mg/m3	1.0	95	70	130			
1,2,3-Trichloropropane		9.72	mg/m3	1.0	97	70	130			
1,2,4-Trichlorobenzene		10.5	mg/m3	1.0	102	70	130			
1,2,4-Trimethylbenzene		10.4	mg/m3	1.0	104	70	130			
1,2-Dibromo-3-chloropropane		9.28	mg/m3	1.0	93	70	130			
1,2-Dibromoethane		9.04	mg/m3	1.0	90	70	130			
1,2-Dichlorobenzene		11.0	mg/m3	1.0	110	70	130			
1,2-Dichloroethane		9.72	mg/m3	1.0	97	70	130			
1,2-Dichloropropane		10.3	mg/m3	1.0	103	70	130			
1,3,5-Trimethylbenzene		10.7	mg/m3	1.0	107	70	130			
1,3-Dichlorobenzene		10.7	mg/m3	1.0	107	70	130			
1,3-Dichloropropane		9.36	mg/m3	1.0	94	70	130			
1,4-Dichlorobenzene		9.84	mg/m3	1.0	98	70	130			
2,2-Dichloropropane		10.6	mg/m3	1.0	106	70	130			
2-Chlorotoluene		10.8	mg/m3	1.0	108	70	130			
4-Chlorotoluene		10.6	mg/m3	1.0	106	70	130			
Benzene		10.2	mg/m3	1.0	102	70	130			
Bromobenzene		11.0	mg/m3	1.0	110	70	130			
Bromochloromethane		9.44	mg/m3	1.0	94	70	130			
Bromodichloromethane		10.0	mg/m3	1.0	100	70	130			
Bromoform		9.84	mg/m3	1.0	98	70	130			
Bromomethane		9.16	mg/m3	1.0	92	70	130			
Carbon tetrachloride		10.4	mg/m3	1.0	104	70	130			
Chlorobenzene		8.96	mg/m3	1.0	90	70	130			
Chlorodibromomethane		8.88	mg/m3	1.0	89	70	130			
Chloroethane		9.60	mg/m3	1.0	96	70	130			
Chloroform		9.96	mg/m3	1.0	100	70	130			
Chloromethane		9.12	mg/m3	1.0	91	70	130			
cis-1,2-Dichloroethene		9.96	mg/m3	1.0	100	70	130			
cis-1,3-Dichloropropene		9.96	mg/m3	1.0	100	70	130			
Dibromomethane		10.5	mg/m3	1.0	105	70	130			
Dichlorodifluoromethane		10.7	mg/m3	1.0	107	70	130			
Ethylbenzene		9.56	mg/m3	1.0	96	70	130			
Hexachlorobutadiene		11.0	mg/m3	1.0	105	70	130			
Isopropylbenzene		11.4	mg/m3	1.0	114	70	130			
m+p-Xylenes		19.0	mg/m3	1.0	95	70	130			
Methyl ethyl ketone		93.2	mg/m3	20	93	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010539

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155643
Sample ID: 23-Jan-12_LCS_4	64	Laboratory Control Sample				Run: GCMS2_120123A				01/23/12 12:11
Methylene chloride		9.44	mg/m3	1.0	94	70	130			
Naphthalene		9.64	mg/m3	1.0	95	70	130			
n-Butylbenzene		11.0	mg/m3	1.0	107	70	130			
n-Propylbenzene		10.7	mg/m3	1.0	107	70	130			
o-Xylene		9.52	mg/m3	1.0	95	70	130			
p-Isopropyltoluene		11.2	mg/m3	1.0	112	70	130			
sec-Butylbenzene		11.3	mg/m3	1.0	113	70	130			
Styrene		9.80	mg/m3	1.0	98	70	130			
tert-Butylbenzene		11.2	mg/m3	1.0	112	70	130			
Tetrachloroethene		9.96	mg/m3	1.0	100	70	130			
Toluene		11.1	mg/m3	1.0	111	70	130			
trans-1,2-Dichloroethene		9.92	mg/m3	1.0	99	70	130			
trans-1,3-Dichloropropene		10.4	mg/m3	1.0	104	70	130			
Trichloroethene		10.9	mg/m3	1.0	109	70	130			
Trichlorofluoromethane		9.08	mg/m3	1.0	91	70	130			
Vinyl chloride		8.68	mg/m3	1.0	87	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	84	80	120			
Surr: Dibromofluoromethane				1.0	97	80	120			
Surr: p-Bromofluorobenzene				1.0	81	80	120			
Surr: Toluene-d8				1.0	97	80	120			
Sample ID: 23-Jan-12_MBLK_6	64	Method Blank				Run: GCMS2_120123A				01/23/12 13:20
1,1,1,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,1-Trichloroethane		ND	mg/m3	1.0						
1,1,2,2-Tetrachloroethane		ND	mg/m3	1.0						
1,1,2-Trichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethane		ND	mg/m3	1.0						
1,1-Dichloroethene		ND	mg/m3	1.0						
1,1-Dichloropropene		ND	mg/m3	1.0						
1,2,3-Trichlorobenzene		ND	mg/m3	1.0						
1,2,3-Trichloropropane		ND	mg/m3	1.0						
1,2,4-Trichlorobenzene		ND	mg/m3	1.0						
1,2,4-Trimethylbenzene		ND	mg/m3	1.0						
1,2-Dibromo-3-chloropropane		ND	mg/m3	1.0						
1,2-Dibromoethane		ND	mg/m3	1.0						
1,2-Dichlorobenzene		ND	mg/m3	1.0						
1,2-Dichloroethane		ND	mg/m3	1.0						
1,2-Dichloropropane		ND	mg/m3	1.0						
1,3,5-Trimethylbenzene		ND	mg/m3	1.0						
1,3-Dichlorobenzene		ND	mg/m3	1.0						
1,3-Dichloropropane		ND	mg/m3	1.0						
1,4-Dichlorobenzene		ND	mg/m3	1.0						
2,2-Dichloropropane		ND	mg/m3	1.0						
2-Chlorotoluene		ND	mg/m3	1.0						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010539

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155643
Sample ID: 23-Jan-12_MBLK_6	64	Method Blank		Run: GCMS2_120123A				01/23/12 13:20		
4-Chlorotoluene		ND	mg/m3	1.0						
Benzene		ND	mg/m3	1.0						
Bromobenzene		ND	mg/m3	1.0						
Bromochloromethane		ND	mg/m3	1.0						
Bromodichloromethane		ND	mg/m3	1.0						
Bromoform		ND	mg/m3	1.0						
Bromomethane		ND	mg/m3	1.0						
Carbon tetrachloride		ND	mg/m3	1.0						
Chlorobenzene		ND	mg/m3	1.0						
Chlorodibromomethane		ND	mg/m3	1.0						
Chloroethane		ND	mg/m3	1.0						
Chloroform		ND	mg/m3	1.0						
Chloromethane		ND	mg/m3	1.0						
cis-1,2-Dichloroethene		ND	mg/m3	1.0						
cis-1,3-Dichloropropene		ND	mg/m3	1.0						
Dibromomethane		ND	mg/m3	1.0						
Dichlorodifluoromethane		ND	mg/m3	1.0						
Ethylbenzene		ND	mg/m3	1.0						
Hexachlorobutadiene		ND	mg/m3	1.0						
Isopropylbenzene		ND	mg/m3	1.0						
m+p-Xylenes		ND	mg/m3	1.0						
Methyl ethyl ketone		ND	mg/m3	20						
Methylene chloride		ND	mg/m3	1.0						
Naphthalene		ND	mg/m3	1.0						
n-Butylbenzene		ND	mg/m3	1.0						
n-Propylbenzene		ND	mg/m3	1.0						
o-Xylene		ND	mg/m3	1.0						
p-Isopropyltoluene		ND	mg/m3	1.0						
sec-Butylbenzene		ND	mg/m3	1.0						
Styrene		ND	mg/m3	1.0						
tert-Butylbenzene		ND	mg/m3	1.0						
Tetrachloroethene		ND	mg/m3	1.0						
Toluene		ND	mg/m3	1.0						
trans-1,2-Dichloroethene		ND	mg/m3	1.0						
trans-1,3-Dichloropropene		ND	mg/m3	1.0						
Trichloroethene		ND	mg/m3	1.0						
Trichlorofluoromethane		ND	mg/m3	1.0						
Vinyl chloride		ND	mg/m3	1.0						
Surr: 1,2-Dichlorobenzene-d4				1.0	100	80	120			
Surr: Dibromofluoromethane				1.0	98	80	120			
Surr: p-Bromofluorobenzene				1.0	83	80	120			
Surr: Toluene-d8				1.0	88	80	120			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010539

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155643
Sample ID: C12010539-001AMS										01/23/12 14:29
64 Sample Matrix Spike										Run: GCMS2_120123A
1,1,1,2-Tetrachloroethane		8.96	mg/m3	1.0	90	70	130			
1,1,1-Trichloroethane		10.6	mg/m3	1.0	106	70	130			
1,1,2,2-Tetrachloroethane		8.72	mg/m3	1.0	87	70	130			
1,1,2-Trichloroethane		8.56	mg/m3	1.0	86	70	130			
1,1-Dichloroethane		10.0	mg/m3	1.0	100	70	130			
1,1-Dichloroethene		9.68	mg/m3	1.0	97	70	130			
1,1-Dichloropropene		10.2	mg/m3	1.0	102	70	130			
1,2,3-Trichlorobenzene		8.84	mg/m3	1.0	86	70	130			
1,2,3-Trichloropropane		9.40	mg/m3	1.0	94	70	130			
1,2,4-Trichlorobenzene		9.00	mg/m3	1.0	88	70	130			
1,2,4-Trimethylbenzene		9.56	mg/m3	1.0	96	70	130			
1,2-Dibromo-3-chloropropane		9.04	mg/m3	1.0	90	70	130			
1,2-Dibromoethane		8.80	mg/m3	1.0	88	70	130			
1,2-Dichlorobenzene		10.4	mg/m3	1.0	104	70	130			
1,2-Dichloroethane		10.2	mg/m3	1.0	102	70	130			
1,2-Dichloropropane		9.44	mg/m3	1.0	94	70	130			
1,3,5-Trimethylbenzene		9.76	mg/m3	1.0	98	70	130			
1,3-Dichlorobenzene		10.2	mg/m3	1.0	102	70	130			
1,3-Dichloropropane		9.08	mg/m3	1.0	91	70	130			
1,4-Dichlorobenzene		9.72	mg/m3	1.0	97	70	130			
2,2-Dichloropropane		10.2	mg/m3	1.0	102	70	130			
2-Chlorotoluene		9.56	mg/m3	1.0	96	70	130			
4-Chlorotoluene		10.3	mg/m3	1.0	103	70	130			
Benzene		9.88	mg/m3	1.0	99	70	130			
Bromobenzene		10.5	mg/m3	1.0	105	70	130			
Bromochloromethane		9.68	mg/m3	1.0	97	70	130			
Bromodichloromethane		10.0	mg/m3	1.0	100	70	130			
Bromoform		9.08	mg/m3	1.0	91	70	130			
Bromomethane		5.80	mg/m3	1.0	58	70	130			S
Carbon tetrachloride		10.7	mg/m3	1.0	107	70	130			
Chlorobenzene		8.80	mg/m3	1.0	88	70	130			
Chlorodibromomethane		8.88	mg/m3	1.0	89	70	130			
Chloroethane		9.72	mg/m3	1.0	97	70	130			
Chloroform		10.3	mg/m3	1.0	103	70	130			
Chloromethane		8.96	mg/m3	1.0	90	70	130			
cis-1,2-Dichloroethene		9.96	mg/m3	1.0	100	70	130			
cis-1,3-Dichloropropene		9.16	mg/m3	1.0	92	70	130			
Dibromomethane		10.3	mg/m3	1.0	103	70	130			
Dichlorodifluoromethane		10.5	mg/m3	1.0	105	70	130			
Ethylbenzene		9.24	mg/m3	1.0	92	70	130			
Hexachlorobutadiene		9.40	mg/m3	1.0	91	70	130			
Isopropylbenzene		11.0	mg/m3	1.0	110	70	130			
m+p-Xylenes		18.8	mg/m3	1.0	94	70	130			
Methyl ethyl ketone		103	mg/m3	20	103	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010539

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155643
Sample ID: C12010539-001AMS	64	Sample Matrix Spike				Run: GCMS2_120123A				01/23/12 14:29
Methylene chloride		9.20	mg/m3	1.0	92	70	130			
Naphthalene		9.36	mg/m3	1.0	94	70	130			
n-Butylbenzene		9.84	mg/m3	1.0	97	70	130			
n-Propylbenzene		10.0	mg/m3	1.0	100	70	130			
o-Xylene		9.24	mg/m3	1.0	92	70	130			
p-Isopropyltoluene		10.0	mg/m3	1.0	100	70	130			
sec-Butylbenzene		9.96	mg/m3	1.0	100	70	130			
Styrene		9.52	mg/m3	1.0	95	70	130			
tert-Butylbenzene		10.0	mg/m3	1.0	100	70	130			
Tetrachloroethene		9.48	mg/m3	1.0	95	70	130			
Toluene		10.8	mg/m3	1.0	108	70	130			
trans-1,2-Dichloroethene		9.80	mg/m3	1.0	98	70	130			
trans-1,3-Dichloropropene		9.92	mg/m3	1.0	99	70	130			
Trichloroethene		10.4	mg/m3	1.0	104	70	130			
Trichlorofluoromethane		9.32	mg/m3	1.0	93	70	130			
Vinyl chloride		8.80	mg/m3	1.0	88	70	130			
Surr: 1,2-Dichlorobenzene-d4				1.0	83	80	120			
Surr: Dibromofluoromethane				1.0	100	80	120			
Surr: p-Bromofluorobenzene				1.0	78	80	120			S
Surr: Toluene-d8				1.0	98	80	120			
Sample ID: C12010539-001AMSD	64	Sample Matrix Spike Duplicate				Run: GCMS2_120123A				01/23/12 15:04
1,1,1,2-Tetrachloroethane		8.72	mg/m3	1.0	87	70	130	2.7	20	
1,1,1-Trichloroethane		9.92	mg/m3	1.0	99	70	130	7.0	20	
1,1,2,2-Tetrachloroethane		8.80	mg/m3	1.0	88	70	130	0.9	20	
1,1,2-Trichloroethane		8.52	mg/m3	1.0	85	70	130	0.5	20	
1,1-Dichloroethane		9.36	mg/m3	1.0	94	70	130	6.6	20	
1,1-Dichloroethene		9.40	mg/m3	1.0	94	70	130	2.9	20	
1,1-Dichloropropene		10.1	mg/m3	1.0	101	70	130	1.6	20	
1,2,3-Trichlorobenzene		10.3	mg/m3	1.0	101	70	130	15	20	
1,2,3-Trichloropropane		9.56	mg/m3	1.0	96	70	130	1.7	20	
1,2,4-Trichlorobenzene		10.6	mg/m3	1.0	105	70	130	17	20	
1,2,4-Trimethylbenzene		9.80	mg/m3	1.0	98	70	130	2.5	20	
1,2-Dibromo-3-chloropropane		9.04	mg/m3	1.0	90	70	130	0.0	20	
1,2-Dibromoethane		9.04	mg/m3	1.0	90	70	130	2.7	20	
1,2-Dichlorobenzene		10.6	mg/m3	1.0	106	70	130	2.3	20	
1,2-Dichloroethane		9.92	mg/m3	1.0	99	70	130	3.2	20	
1,2-Dichloropropane		9.40	mg/m3	1.0	94	70	130	0.4	20	
1,3,5-Trimethylbenzene		9.92	mg/m3	1.0	99	70	130	1.6	20	
1,3-Dichlorobenzene		10.4	mg/m3	1.0	104	70	130	1.9	20	
1,3-Dichloropropane		9.08	mg/m3	1.0	91	70	130	0.0	20	
1,4-Dichlorobenzene		9.76	mg/m3	1.0	98	70	130	0.4	20	
2,2-Dichloropropane		9.72	mg/m3	1.0	97	70	130	5.2	20	
2-Chlorotoluene		9.76	mg/m3	1.0	98	70	130	2.1	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Deuell Environmental LLC

Report Date: 02/02/12

Project: 90125 Artesia

Work Order: C12010539

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B										Batch: R155643
Sample ID: C12010539-001AMSD 64 Sample Matrix Spike Duplicate										
						Run: GCMS2_120123A		01/23/12 15:04		
4-Chlorotoluene		10.4	mg/m3	1.0	104	70	130	0.4	20	
Benzene		9.80	mg/m3	1.0	98	70	130	0.8	20	
Bromobenzene		10.6	mg/m3	1.0	106	70	130	1.1	20	
Bromochloromethane		9.24	mg/m3	1.0	92	70	130	4.7	20	
Bromodichloromethane		9.92	mg/m3	1.0	99	70	130	0.8	20	
Bromoform		9.64	mg/m3	1.0	96	70	130	6.0	20	
Bromomethane		5.56	mg/m3	1.0	56	70	130	4.2	20	S
Carbon tetrachloride		10.2	mg/m3	1.0	102	70	130	5.4	20	
Chlorobenzene		8.68	mg/m3	1.0	87	70	130	1.4	20	
Chlorodibromomethane		8.80	mg/m3	1.0	88	70	130	0.9	20	
Chloroethane		8.88	mg/m3	1.0	89	70	130	9.0	20	
Chloroform		9.72	mg/m3	1.0	97	70	130	6.0	20	
Chloromethane		8.24	mg/m3	1.0	82	70	130	8.4	20	
cis-1,2-Dichloroethene		9.56	mg/m3	1.0	96	70	130	4.1	20	
cis-1,3-Dichloropropene		9.68	mg/m3	1.0	97	70	130	5.5	20	
Dibromomethane		10.2	mg/m3	1.0	102	70	130	1.2	20	
Dichlorodifluoromethane		9.80	mg/m3	1.0	98	70	130	6.7	20	
Ethylbenzene		9.12	mg/m3	1.0	91	70	130	1.3	20	
Hexachlorobutadiene		9.88	mg/m3	1.0	96	70	130	5.0	20	
Isopropylbenzene		10.9	mg/m3	1.0	109	70	130	1.1	20	
m+p-Xylenes		18.4	mg/m3	1.0	92	70	130	2.4	20	
Methyl ethyl ketone		100	mg/m3	20	100	70	130	3.1	20	
Methylene chloride		8.84	mg/m3	1.0	88	70	130	4.0	20	
Naphthalene		10.1	mg/m3	1.0	101	70	130	7.4	20	
n-Butylbenzene		10.2	mg/m3	1.0	101	70	130	4.0	20	
n-Propylbenzene		10.1	mg/m3	1.0	101	70	130	1.2	20	
o-Xylene		8.92	mg/m3	1.0	89	70	130	3.5	20	
p-Isopropyltoluene		10.4	mg/m3	1.0	104	70	130	3.9	20	
sec-Butylbenzene		10.4	mg/m3	1.0	104	70	130	4.7	20	
Styrene		9.52	mg/m3	1.0	95	70	130	0.0	20	
tert-Butylbenzene		10.4	mg/m3	1.0	104	70	130	3.9	20	
Tetrachloroethene		9.44	mg/m3	1.0	94	70	130	0.4	20	
Toluene		10.7	mg/m3	1.0	107	70	130	0.7	20	
trans-1,2-Dichloroethene		9.36	mg/m3	1.0	94	70	130	4.6	20	
trans-1,3-Dichloropropene		10.2	mg/m3	1.0	102	70	130	2.8	20	
Trichloroethene		10.4	mg/m3	1.0	104	70	130	0.4	20	
Trichlorofluoromethane		8.80	mg/m3	1.0	88	70	130	5.7	20	
Vinyl chloride		7.96	mg/m3	1.0	80	70	130	10	20	
Surr: 1,2-Dichlorobenzene-d4				1.0	86	80	120	0.0	10	
Surr: Dibromofluoromethane				1.0	97	80	120	0.0	10	
Surr: p-Bromofluorobenzene				1.0	80	80	120	0.0	10	
Surr: Toluene-d8				1.0	98	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

S - Spike recovery outside of advisory limits.



Workorder Receipt Checklist



C12010539

Login completed by: Edith McPike

Date Received: 1/18/2012

Reviewed by: BL2000\cwagner

Received by: kg

Reviewed Date: 1/19/2012

Carrier FedEx
name:

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes ☒	No ☐	
Container/Temp Blank temperature:	N/A °C		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

Page 1 of 1

Company Name: TENSEN ENVIRONMENTAL Report Mail Address: 1653 DIAMOND HEAD CT LARAIN, WY 82072 Invoice Address: SANG		Project Name: 90125 ARIZONA Phone/Fax: 307 760 3277 Invoice Contact & Phone: Rick Decker		EPA/State Compliance: Yes ☒ No ☐ Sampler: (Please Print) State: NM Email: Purchase Order: 90125.5		Shipped by: FE-EX Cooler ID(s): 3806 Receipt Temp: N/A °C On Ice: Y ☒ N ☐ Custody Seal: On Bottle: Y ☒ N ☐ On Cooler: Y ☒ N ☐ Intact: Y ☒ N ☐ Signature Match: Y ☒ N ☐	
Special Report/Formats: ☐ DW ☐ POTW/WWTP ☐ State: _____ ☐ Other: _____ ☐ EDD/EDT (Electronic Data) Format: _____ ☐ LEVEL IV ☐ NELAC		ANALYSIS REQUESTED SEE ATTACHED R U S H Standard Turnaround (TAT)		Contact ELI prior to RUSH sample submittal for charges and scheduling - See instruction page Comments:		Shipped by: FE-EX Cooler ID(s): 3806 Receipt Temp: N/A °C On Ice: Y ☒ N ☐ Custody Seal: On Bottle: Y ☒ N ☐ On Cooler: Y ☒ N ☐ Intact: Y ☒ N ☐ Signature Match: Y ☒ N ☐	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.) 90125-IMP-112		Collection Date 1/17/12		Collection Time 15:44		MATRIX 1A	
Number of Containers: _____ Sample Type: A W S V B O DW Air Water Soils/Solids Vegetation Bioassay Other DW - Drinking Water		026d		X			
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Custody Record MUST be Signed		Relinquished by (print): Rick Decker Relinquished by (print):		Date/Time: 1/17/12 16:30 Date/Time:		Signature: [Signature] Signature:	
Received by Laboratory:		Received by (print):		Date/Time:		Signature:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:		Date/Time:	
Received by (print):		Date/Time:		Signature:			

This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.