

NM2 - ____8____

**CLOSURE
APPROVAL
and
POST-CLOSURE
START DATE
(April 11, 2013)**

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



April 11, 2013

Mr. James McDaniel
XTO Energy, Inc.
Western Division
382 Road 3100
Aztec, New Mexico 87410

RE: Facility Closure Report Review
XTO Energy, Inc. - Centralized Surface Waste Management Facility
Centralized Evaporation Pond #1: Permit NM-2-008
Facility Location: Section 31, Township 32 North, Range 8 West, NMPM
San Juan County, New Mexico

Dear Mr. McDaniel:


The Oil Conservation Division (OCD) has reviewed XTO Energy, Inc.'s (XTO) revised closure report, dated April 2, 2013, for the centralized surface waste management facility, Centralized Evaporation Pond #1 Permit NM-2-008. Based on the information provided in the facility closure report, OCD recognizes that XTO has achieved clean closure for the facility.

The three year post-closure period shall begin April 11, 2013. XTO shall regularly inspect and maintain the required re-vegetation during the post-closure period pursuant to Subsection F of 19.15.36.18 NMAC. Please note that the surface waste management facility will remain under the regulatory authority of the Oil Conservation Division during the post-closure period.

Please be advised that approval of this request does not relieve XTO of liability if its operations result in pollution of surface water, ground water, or the environment. Nor does approval relieve XTO of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec



April 2, 2013

Mr. Brad Jones
Oil Conservation Division
1220 South St. Francis Street
Santa Fe, New Mexico 87505


Email: brad.a.jones@state.nm.us
Phone (505) 476-3487

**RE: CENTRALIZED EVAPORATION POND #1
OCD PERMIT #NM-02-0008**

Dear Mr. Jones:

Please find attached the *Final Closure Report* for the Centralized Evaporation Pond #1 located in Section 31, Township 32N, Range 8W, San Juan County, New Mexico. Please disregard all previous submissions for the Final Closure Report for this facility.

Respectfully Submitted,


James McDaniel, CHMM #15676
EH&S Supervisor
XTO Energy Inc.
Western Division



CC: Brandon Powell, NMOCD Aztec Office

RECEIVED
MAY 16 2013
10:11 AM

SITE NAME:

**CENTRALIZED EVAPORATION POND #1
SECTION 31, TOWNSHIP 32N, RANGE 8W
SAN JUAN COUNTY, NEW MEXICO
OCD PERMIT NO. NM-02-0008**

SUBMITTED TO:

**MR. BRAD JONES
NEW MEXICO OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DRIVE
SANTA FE, NEW MEXICO 87505
(505) 476-3487**

SUBMITTED BY:

**XTO ENERGY, INC.
SAN JUAN DIVISION
382 ROAD 3100
AZTEC, NEW MEXICO 87410
(505) 333-3100**

APRIL 2, 2013

TABLE OF CONTENTS

INTRODUCTION.....	1
--------------------------	----------

SCOPE OF CLOSURE ACTIVITIES.....	1
---	----------

Figures: Figure 1 Vicinity Map

Attachments: Attachment #1 February 17, 2011 Letter from NMOCD
Attachment #2 Reclamation Plan
Attachment #3 Photo Documentation
Attachment #4 LT Environmental Sampling Report
Attachment #5 Seeding Information
Attachment #6 Approved C-141

INTRODUCTION

The Centralized Evaporation Pond #1 (Pond #1) was originally permitted by the New Mexico Oil Conservation Division (OCD) for Koch Exploration in July of 1998, OCD Permit No. NM-02-0008. The pond lease and permit was acquired by XTO Energy, Inc. (XTO) in 2009 from El Paso Exploration and Production Company, and approval to transfer the permit was issued in March of 2009. The evaporation pond was used to dispose of produced water from the Gardner C #2, Gardner C #3, Gardner C #4 and Gardner C #6 well sites by previous operators. These wells are now owned and operated by XTO, however Pond #1 has not been used for disposal by XTO. XTO notified OCD in April 2009 of plans for evaporating the fluid in the pond in order to clean and inspect the liner as part of our routine operations and maintenance program. During inspection and maintenance, obsolete, damaged and non-operational equipment was removed from the location. Based on completion of this process XTO has decided to close Pond #1. A closure plan for this evaporation pond was submitted to your office and approved on February 17, 2011.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure report is to provide details of the closure activities performed by XTO for Evaporation Pond #1 located in Section 31, Township 32N, Range 8W.

- 1) *XTO notified the division's environmental bureau on April 28, 2009 of the cessation of operations at Pond #1 as part of our plans for evaporating the fluid in the pond in order to clean and inspect the liner. This closure plan and proposed schedule has been submitted to the division for adequacy in accordance with Paragraph 1 of Subsection A of NMAC 19.15.36.18.*

This closure plan was approved by the OCD on February 17, 2011.

- 2) *XTO is requesting an exception to Paragraph 2 of Subsection A of NMAC 19.15.36.18, the division's 60 days for notification of modifications of the closure plan and proposed schedule, based on the time of year and expected weather impediments. Winter precipitation, snow melt and Federal area closures will hinder closure operations.*

Closure activities occurred at this site from April 4, 2011 through October 9, 2012

- 3) *However, if the division does not notify XTO of additional closure requirements within 60 days as provided, the operator may proceed with closure in accordance with the approved closure plan; provided that the director, for good cause, extend the time for the division's response for an additional period not to exceed 60 days by written notice to XTO in accordance with Paragraph 3 of Subsection A of NMAC 19.15.36.18.*

XTO is in receipt of the additional closure requirements outlined in the February 17, 2011 letter from the OCD. This letter is enclosed as Attachment #1.

- 4) *XTO shall be entitled to a hearing concerning a modification or additional requirement the division seeks to impose if it files an application for a hearing within 10 days after*

receipt of written notice of the proposed modifications or additional requirements in accordance with Paragraph 4 of Subsection A of NMAC 19.15.36.18.

A hearing was not requested by XTO Energy, Inc.

- 5) *Closure shall proceed in accordance with the approved closure plan and schedule and modifications or additional requirements the division imposes. During closure operations XTO shall maintain the surface waste management facility to protect fresh water, public health, safety and the environment in accordance with Paragraph 5 of Subsection A of NMAC 19.15.36.18.*

Closure activities were performed in accordance with the approved closure plan.

- 6) *Upon completion of closure, XTO shall re-vegetate the site in accordance with the included Reclamation Plan. The surface owner of this site is the Bureau of Land Management (BLM) and the included Reclamation Plan conforms to BLM requirements and is in accordance with Paragraph 6 of Subsection A of NMAC 19.15.36.18.*

XTO has reclaimed the pond in accordance with BLM standards and as outlined in, Attachment #2.

- 7) *All water and sediment in the pond has been removed and disposed of at an OCD permitted disposal facility in order to inspect the liner as per our agreement with OCD dated April 2009 and in accordance with Paragraph 1 Subsection E of NMAC 19.15.36.18.*

All water in Evaporation Pond #1 was removed and disposed of at Agua Moss' OCD permitted injection facility, OCD permit number NMOCD-07-162. Approximately 285 yards of sediments and 1150 barrels of sludge were disposed of at CRI's OCD permitted landfill, OCD permit number NM-01-006.

- 8) *All liners and bedding material will be inspected for re-use in other Oil and Gas operations (with OCD approval). Portions of the liner and bedding material that are deemed unusable will be properly cleaned and disposed of per 19.15.9.712 NMAC at the Bondad Landfill, located in La Plata County, Colorado (due to location) or the San Juan County Landfill, located in San Juan County, New Mexico. Concrete used to make up the leak detection system footer will be broken up and screened for Naturally Occurring Radioactive Material before being hauled to the Bondad Landfill for disposal.*

All liner and bedding material was removed and disposed of at the Bondad Landfill. Upon removal of the sump area, it was discovered that there was no concrete in the leak detection area. The leak detection was made up of an 8" PVC connected to the 1" leak detection piping running beneath the pond liner. Please see the photographs presented in Attachment #3.

- 9) *The soil beneath the evaporation pond liner, pond sidewalls, liquids receiving and treatment area, leak detection area, and area outside the berm will be sampled, by a third party contractor, into 4-ounce glass jars, capped headspace free, and analyzed for BTEX via USEPA Method 8021B, and for total petroleum hydrocarbons (TPH) via USEPA*

Method 418.1, total chlorides, and 3103 Subsection A and Subsection B constituents in accordance with NMAC 20.6.2.3103AB. Samples will also be collected from the natural background (for comparative purposes), to be analyzed for metals, and other inorganics listed in Subsections A and B of NMAC 20.6.2.3103. Standard metals will be analyzed via USEPA Method 6010B, Mercury will be analyzed via USEPA Method 7470 and cyanide will be analyzed via USEPA Method 9012B. Fluoride, Nitrate, Sulfate and Chlorides will be analyzed via USEPA Method 9056. Polychlorinated Biphenyls (PCB) will be analyzed via USEPA Method 8082, Volatile Organic Compounds (VOCs) will be analyzed via USEPA Method 8260B, Poly Aromatic Hydrocarbons (PAH) will be analyzed via USEPA Method 8310, Ethylene Dibromide (EDB) will be analyzed via USEPA Method 8011, Phenols will be analyzed via USEPA Method 9066, Total Dissolved Solids (TDS) will be analyzed via USEPA Method 2540C, Uranium will be analyzed via USEPA Method 200.8, and Radium 226/228 will be analyzed via USEPA Method 7500.

Individual grab samples will be obtained from any areas (beneath the evaporation pond liner, pond sidewalls, liquids receiving and treatment area, leak detection area, and area outside the berm) with visually obvious staining or moist soil. If the liner is obviously damaged, or there is any indication of a release, a subsurface investigation will be conducted.

Please see attached closure sampling report from LT Environmental (LTE) as Attachment #4. The metals results presented in Attachment #4 were analyzed using the RCRA 8 metals procedure for total metals. As a typical rule of thumb, TCLP metals are typically 1/20th of the metals found during total metals analysis.

- 10) Samples will be collected in accordance with the USEPA SW-846 protocols. Four (4) soil samples will be collected from beneath the pond and along the pond sidewalls, one in each quadrant of a grid pattern. Each sample will be a 10 point composite as shown on Figure 3. Each grid will measure approximately 160' x 160'. The evaporation pond is approximately 315' x 315'. One additional composite sample will be collected beneath the concrete footer of the leak detection system as well. One background sample of virgin, undisturbed soil will be analyzed for comparative purposes. The sample results will be submitted to the OCD Santa Fe office in accordance with Paragraphs 4-5 of Subsection E of NMAC 19.15.36.18.*

A sample grid map is included in the LTE Sampling Report, Attachment #4, as Figure #2.

- 11) Considerations: This site has an OCD Hazard Ranking of 10 based on depth to groundwater of over 100 feet, distance to a water well of over 1,000 feet, and horizontal distance to surface water of over 200 feet; see **Figure 1, Vicinity Map**. Sample results above 100 mg/kg TPH, 10 mg/kg benzene and 50 mg/kg BTEX standards will be excavated and a new sample collected as per OCD Guidelines for the Remediation of Leaks, Spills and Releases. Should all closure samples return results below the closure*

standards determined for this site, no excavation will be required. Soil samples will be collected and analyzed for a chloride standard of 250 mg/kg or background to determine if a release has occurred.

Each of the Evaporation Pond closure samples were found in the laboratory to be below the closure standards outlined in the OCD Guidelines for the Remediation of Leaks, Spills and Releases. An approved C-141 Release Notification and Corrective Action Form is attached at Attachment #6.

- 12) Once laboratory analysis indicates closure standards have been achieved for the site, the evaporation pond will be backfilled using non-waste containing soil, and re-contoured and re-vegetated pursuant to the attached **Grading Plan and Reclamation Plan**. These plans conform to NMAC 19.15.36.18 and BLM requirements.*
- 13) The facility has been reclaimed pursuant to the attached Grading plan and Reclamation Plan. The reclamation plan includes soil amendments approved by the BLM to facilitate growth at this location. The site has been seeded with a seed mixture containing a minimum of three (3) native plant species, including at least one (1) native grass, not including noxious weeds. The seed mixture analysis and the invoice for seeding from Ridgeline Seeding and Reclamation, Inc. have been attached for your reference as Attachment #5.**
- 14) The post-closure care period for the evaporation pond closure shall be three years if XTO has achieved clean closure. During that period XTO or another responsible entity shall regularly inspect and maintain the required re-vegetation. If there has been a release to the vadose zone or to groundwater, then XTO shall comply with applicable requirements of 19.15.29 and 19.15.30 NMAC in accordance with Subsection F on NMAC 19.15.36.18.*
- No release has been confirmed in the Vadose Zone.**
- 15) Once all closure activities have been completed, a report detailing on-site activities and sampling results will be prepared and submitted to OCD environmental bureau in Santa Fe.*

This report is intended to be the above mentioned closure report.

XTO Energy, Inc. has completed closure activities at Evaporation Pond #1 located in Section 31, Township 32N, Range 8W, San Juan County, New Mexico. Pending approval of this closure report, Evaporation Pond #1 will no longer be permitted as a Centralized Waste Facility regulated by the OCD.

James McDaniel, CHMM #15676
EH&S Supervisor
XTO Energy, Inc.



New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

Brett F. Woods, Ph.D.
Acting Cabinet Secretary

Daniel Sanchez
Acting Division Director
Oil Conservation Division



February 17, 2011

Ms. Kim Champlin
XTO Energy, Inc.
San Juan Division
382 Road 3100
Aztec, New Mexico 87410

RE: Facility Closure Plan Review

XTO Energy, Inc. - Centralized Surface Waste Management Facility

Centralized Evaporation Pond #1: Permit NM-2-008

Facility Location: Section 31, Township 32 North, Range 8 West, NMPM

San Juan County, New Mexico

Dear Ms. Champlin:

The Oil Conservation Division (OCD) has reviewed XTO Energy, Inc.'s (XTO) closure plan, dated February 15, 2011, for the centralized surface waste management facility, Centralized Evaporation Pond #1 Permit NM-2-008. Based on the information provided, the facility closure plan is **hereby approved** with the following understandings and conditions:

1. XTO shall comply with all applicable requirements of the Surface Waste Management Rule (19.15.36 NMAC), the Oil and Gas Act (Chapter 70, Article 2 NMSA 1978), and all conditions specified in this approval.
2. XTO shall ensure that the closure activities identified in the February 15, 2011 submittal are completed as proposed in the closure plan.
3. XTO shall ensure that any backfilling and contouring at the facility shall be completed in a manner to prevent erosion and ponding of water.
4. XTO shall remove all above and below grade equipment and materials from the permitted footprint of the facility. This shall include any items not associated with the permitted activities.

Oil Conservation Division
1220 South St. Francis Drive • Santa Fe, New Mexico 87505
Phone (505) 476-3440 • Fax (505) 476-3462 • www.emnrd.state.nm.us/OCD




Ms. Champlin
XTO Energy, Inc.
Permit NM-2-008
February 17, 2011
Page 2 of 2

5. XTO shall excavate and removal any visual contamination within the permitted facility footprint. The contaminated soils shall be disposed at an OCD approved facility.
6. XTO shall submit a closure report at the completion of the closure activities that summarized the closure activities, including but not limited to, a final closure facility contour map; identification of material disposal facilities; sampling results; backfilling and contouring activities; re-vegetation seeding mixture and application rates; and photo documentation.

Please be advised that approval of this request does not relieve XTO of liability if its operations result in pollution of surface water, ground water, or the environment. Nor does approval relieve XTO of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec

RECLAMATION PLAN

The purpose of this reclamation plan is to provide a step-by-step list of the reclamation activities proposed by XTO Energy, Inc. for the Centralized Evaporation Pond #1 located in Section 31, Township 32N, Range 8W.

- 1) Once closure activities for the Centralized Evaporation Pond #1 have been completed pursuant to NMAC 19.15.36.18, the former pond location will be backfilled using on-site material used to build the pond's structure upon its completion. During the ponds completion, native material was excavated to create the pond, and the native material was used to build the external structure of the evaporation pond. XTO Energy, Inc. (XTO) proposes to use the existing, native soil to backfill the former pond location, supplementing with outside sources of material should enough native material not be available on site. All supplemental soil will be added to the top portion of the backfilled location, and will match the native soil type.
- 2) The site will be graded according to the attached **Grading Plan** prepared by Geomat, Inc. (Geomat). The grading plan was completed using survey points in and around the former location of the Centralized Evaporation Pond #1 in order to match the natural grade of the surrounding area. This will be done in such a way as to minimize sheet and rill erosion as well as to prevent surface ponding in the reclamation area.
- 3) The site will be seeded using the approved seed mixture of the Farmington Field Office (FFO) of the Bureau of Land Management (BLM) for the area in which the pond is located. Seeding will be re-completed after the second growing season if satisfactory cover is not achieved. XTO will provide signs and surface roughening in order to protect seed and seedling establishment.
- 4) XTO will monitor the site quarterly, except during winter months due to poor road conditions, in order to monitor the progress of the reclamation area. Excessive weeds will be removed during quarterly monitoring, and progress photos will be collected. An annual report will be submitted to the BLM regarding the progress of the reclamation area for the first three (3) years, or until acceptable coverage has been obtained, whichever comes later. Acceptable coverage is considered 70 percent of the native coverage.

XTO Energy, Inc.
Evaporation Pond #1
Section 31, Township 32N, Range 8W



Photo 1: Evaporation Pond #1 before closure activities



Photo 2: Removing the Leak Detection System

XTO Energy, Inc.
Evaporation Pond #1
Section 31, Township 32N, Range 8W



Photo 3: Removing the Leak Detection System



Photo 4: Bottom of Leak Detection System, 8" PVC, No Concrete Sump Found

XTO Energy, Inc.
Evaporation Pond #1
Section 31, Township 32N, Range 8W



Photo 5: Pond after Liner Removal



Photo 6: Pond after Liner and Leak Detection Removed

XTO Energy, Inc.
Evaporation Pond #1
Section 31, Township 32N, Range 8W



Photo 7: Pond after Backfill and Reclamation (View 1)



Photo 8: Pond after Backfill and Reclamation (View 2)

XTO Energy, Inc.
Evaporation Pond #1
Section 31, Township 32N, Range 8W



Photo 8: Pond after Backfill and Reclamation (View 3)



Photo 8: Pond after Backfill and Reclamation (View 4)



June 21, 2011

Mr. James McDaniel
XTO Energy, Inc.
382 CR 3100
Aztec, NM 87410

**RE: Soil Sampling Results
XTO Energy, Inc.
Centralized Evaporation Pond #1 Permit NM-02-0008
San Juan County, New Mexico**

Dear Mr. McDaniel:

LT Environmental, Inc. (LTE) is pleased to provide XTO Energy, Inc. (XTO) with this letter summarizing the results of soil sampling activities at the Centralized Evaporation Pond #1, permit number NM-02-0008 (Site). The Site is located in the northeast $\frac{1}{4}$ of the northwest $\frac{1}{4}$ of Section 31 in Township 32 North, Range 8 West, San Juan County, New Mexico (Figure 1). LTE collected soil samples for closure of the evaporation pond, which was used by previous operators to dispose of produced water generated at nearby natural gas wells.

SOIL SAMPLING

XTO removed all water and sediment from the pond, the pond liner, and any other facility equipment prior to sampling. On May 12 and May 16, 2011, LTE collected ten composite soil samples and one background soil sample from locations specified in the January 13, 2011 closure plan submitted by XTO to the New Mexico Oil Conservation Division (NMOCD) and approved by the NMOCD on February 17, 2011. LTE conducted a visual investigation of the Site and did not observe any stained or moist soil from which to collect additional samples.

Composite soil sample locations are shown in Figure 2. Four ten-point composite samples were collected from beneath the former pond liner including the bottom and side walls of the pond (Samples A, B, C, and D). Five-point composite samples were collected beneath the former leak detection sump (Sample E), beneath the former liquids receiving and treatment area (Sample F), and from four areas outside of the former berm (Samples G, H, I, and J). A discrete background sample was collected from the ground surface outside of the facility perimeter in the estimated up-gradient direction (north). For each composite soil sample, LTE deposited the appropriate number of aliquots of soil into plastic bags, thoroughly mixed the contents and sampled into 4-ounce glass jars. The soil samples were stored on ice and shipped in a cooler to Environmental Science Corporation in Mt. Juliet, Tennessee, and Hall Environmental Analysis Laboratory in Albuquerque, New Mexico following strict chain of custody procedures. The soil samples were analyzed for benzene, toluene, ethylbenzene, and total xylenes by United States Environmental Protection Agency (USEPA) Method 8021B and total petroleum hydrocarbons by USEPA Method 418.1. Additionally, the following constituents listed in Subsections A and B of



20.6.2.3103 of the New Mexico Administrative Code were analyzed based on knowledge of process: arsenic, barium, cadmium, chromium, cyanide, fluoride, lead, total mercury, nitrate, selenium, silver, uranium, combined radioactivity, copper, iron, manganese, chloride, sulfate, total dissolved solids, zinc, and pH.

RESULTS

Table 1 lists the soil analytical results determined in the background sample and composite closure samples. The complete laboratory analytical reports are attached as Appendix A.

LTE appreciates the opportunity to provide environmental services to XTO. If you have any questions regarding this report, please contact us at (970) 385-1096.

Sincerely,

LT ENVIRONMENTAL, INC.

A handwritten signature in black ink, reading 'Ashley L. Ager'. The signature is written in a cursive, flowing style.

Ashley L. Ager, M.S.
Senior Geologist/Office Manager

A handwritten signature in black ink, reading 'Brooke Herb'. The signature is written in a cursive, flowing style.

Brooke Herb
Staff Geologist

Attachments (4)

Figure 1 – Site Location Map

Figure 2 – Soil Sampling Location Map

Table 1 – Soil Analytical Results

Appendix A – Laboratory Analytical Reports


FIGURES





IMAGE COURTESY OF USGS/NRCS, VARIOUS DATES

LEGEND



SITE LOCATION







FIGURE 1
SITE LOCATION MAP
CENTRALIZED EVAPORATION POND #1
NENW SEC 31 T32N R8W
SAN JUAN COUNTY, NEW MEXICO
XTO ENERGY, INC.





FIGURE 2
SOIL SAMPLING LOCATIONS
CENTRALIZED EVAPORATION POND #1
NENW SEC 31 T32N R8W
SAN JUAN COUNTY, NEW MEXICO
XTO ENERGY, INC.



- LEGEND**
- x ALIQUOT SAMPLE LOCATION
 - O BACKGROUND SAMPLE LOCATION
 - A-J COMPOSITE SAMPLE IDENTIFICATION
 - SAMPLE GRID
 - - - FENCE
 - - - FORMER BERM
 - FORMER FACILITY EQUIPMENT

TABLE

TABLE 1

SOIL SAMPLE RESULTS
CENTRALIZED EVAPORATION POND #1
XTO ENERGY, INC.

Analyte	Sample ID	Background	A	B	C	D	E	F	G	H	I	J
	Sample Date	5/13/2011	5/13/2011	5/13/2011	5/13/2011	5/13/2011	5/16/2011	5/13/2011	5/13/2011	5/13/2011	5/13/2011	5/13/2011
	Units											
Benzene	mg/kg	<0.0026	<0.0027	<0.0028	<0.0027	<0.0026	<0.0026	<0.0026	<0.0026	<0.0027	<0.0026	<0.0027
Toluene	mg/kg	<0.026	<0.027	<0.028	<0.027	<0.026	<0.026	<0.026	<0.026	<0.027	<0.026	<0.027
Ethylbenzene	mg/kg	<0.0026	<0.0027	<0.0028	<0.0027	<0.0026	<0.0026	<0.0026	<0.0026	<0.0027	<0.0026	<0.0027
Total Xylene	mg/kg	<0.0080	<0.0080	<0.0083	<0.0080	<0.0080	<0.0079	<0.0077	<0.0078	<0.0080	<0.0078	<0.0081
Total Petroleum Hydrocarbons	mg/kg	<20	<20	<20	<20	<20	<20	35	<20	46	39	<20
pH	S.U.	7.4	8.8	8.5	8.8	8.5	7.5	9.2	10.0	9.0	7.1	7.7
Total Dissolved Solids	%	94	94	91	94	94	95	97	96	93	96	93
Sulfate	mg/kg	<53	220	400	250	380	540	680	260	340	270	280
Nitrate	mg/kg	<1.1	1.1	9.1	2.3	20.0	4.7	20.0	18.0	27.0	26.0	15.0
Chloride	mg/kg	42	91	240	190	180	150	310	560	330	420	210
Uranium	mg/kg	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Arsenic	mg/kg	4.0	1.8	3.3	3.6	2.7	19.0	7.1	7.0	5.3	4.2	1.3
Barium	mg/kg	180	130	250	250	350	380	510	370	220	390	130
Cadmium	mg/kg	<0.26	<0.27	<0.28	<0.27	<0.26	0.76	<0.26	<0.26	<0.27	<0.26	<0.27
Chromium	mg/kg	11.0	5.1	5.2	5.3	5.4	6.2	5.9	5.5	5.6	6.6	5.2
Cyanide	mg/kg	<0.26	<0.27	<0.28	<0.27	<0.26	<0.26	<0.26	<0.26	<0.27	<0.26	<0.27
Fluoride	mg/kg	4.9	16.0	18.0	7.7	9.1	6.7	4.1	11.0	8.2	13.0	11.0
Lead	mg/kg	11.0	8.0	7.9	9.0	9.3	15.0	9.2	9.8	10.0	9.2	8.4
Mercury	mg/kg	0.033	0.022	0.037	0.041	0.039	0.043	0.023	0.037	0.034	0.026	<0.022
Selenium	mg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	7.5	<1.0	<1.0	<1.1	<1.0	<1.1
Silver	mg/kg	<0.53	<0.53	<0.55	<0.53	<0.53	<0.53	<0.51	<0.52	<0.54	<0.52	<0.54
Copper	mg/kg	8.2	13.0	14.0	14.0	15.0	9.3	12.0	14.0	18.0	18.0	17.0
Iron	mg/kg	13,000	10,000	12,000	11,000	12,000	10,000	11,000	12,000	12,000	12,000	12,000
Manganese	mg/kg	240	110	130	100	170	130	160	110	120	180	120
Zinc	mg/kg	37	31	40	42	35	33	31	40	34	41	43
Radium-226	pCi/g	0.889	1.060	0.793	1.080	0.933	1.000	0.600	0.842	0.849	0.943	0.865
Radium-228	pCi/g	0.905	0.871	0.878	1.410	1.340	0.967	1.100	2.010	0.801	1.420	0.953
Combined Radioactivity	pCi/g	1.794	1.931	1.671	2.490	2.273	1.967	1.700	2.852	1.650	2.363	1.818

Notes:

% - percent
mg/kg - milligram per kilogram
pCi/g - PicoCurries per gram
S.U. - Standard unit



APPENDIX A
LABORATORY ANALYTICAL REPORTS





12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Report Summary

Monday May 23, 2011

Report Number: L516328

Samples Received: 05/17/11

Client Project:

Description: CORONADO POND #1

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 23,2011

Date Received : May 17, 2011
Description : CORONADO POND #1

ESC Sample # : L516328-01

Sample ID : A

Site ID : CORONADO POND #1

Collected By : Brooke Herb
Collection Date : 05/13/11 11:23

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	91.	11.	mg/kg	9056	05/18/11	1
Fluoride	16.	1.1	mg/kg	9056	05/18/11	1
Nitrate	1.1	1.1	mg/kg	9056	05/18/11	1
Sulfate	220	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.27	mg/kg	9012B	05/20/11	1
pH	8.8		su	9045D	05/18/11	1
Total Solids	94.		%	2540G	05/20/11	1
Mercury	0.022	0.021	mg/kg	7471	05/18/11	1
Arsenic	1.8	1.1	mg/kg	6010B	05/18/11	1
Barium	130	0.27	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.27	mg/kg	6010B	05/18/11	1
Chromium	5.1	0.53	mg/kg	6010B	05/18/11	1
Copper	13.	1.1	mg/kg	6010B	05/18/11	1
Iron	10000	5.3	mg/kg	6010B	05/18/11	1
Lead	8.0	0.27	mg/kg	6010B	05/18/11	1
Manganese	110	0.53	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/18/11	1
Silver	BDL	0.53	mg/kg	6010B	05/18/11	1
Zinc	31.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.027	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene (PID)	106.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-01 (PH) - 8.8@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Date Received : May 17, 2011
Description : CORONADO POND #1
Sample ID : B
Collected By : Brooke Herb
Collection Date : 05/13/11 11:37

ESC Sample # : L516328-02

Site ID : CORONADO POND #1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	240	11.	mg/kg	9056	05/18/11	1
Fluoride	18.	1.1	mg/kg	9056	05/18/11	1
Nitrate	9.1	1.1	mg/kg	9056	05/18/11	1
Sulfate	400	55.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.28	mg/kg	9012B	05/20/11	1
pH	8.5		su	9045D	05/18/11	1
Total Solids	91.		%	2540G	05/20/11	1
Mercury	0.037	0.022	mg/kg	7471	05/18/11	1
Arsenic	3.3	1.1	mg/kg	6010B	05/18/11	1
Barium	250	0.28	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.28	mg/kg	6010B	05/18/11	1
Chromium	5.2	0.55	mg/kg	6010B	05/18/11	1
Copper	14.	1.1	mg/kg	6010B	05/18/11	1
Iron	12000	5.5	mg/kg	6010B	05/18/11	1
Lead	7.9	0.28	mg/kg	6010B	05/18/11	1
Manganese	130	0.55	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/18/11	1
Silver	BDL	0.55	mg/kg	6010B	05/18/11	1
Zinc	40.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0028	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.028	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0028	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0083	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%) a,a,a-Trifluorotoluene (PID)	107.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-02 (PH) - 8.5@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 23, 2011

Date Received : May 17, 2011
Description : CORONADO POND #1
Sample ID : C
Collected By : Brooke Herb
Collection Date : 05/13/11 11:30

ESC Sample # : L516328-03

Site ID : CORONADO POND #1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	190	11.	mg/kg	9056	05/18/11	1
Fluoride	7.7	1.1	mg/kg	9056	05/18/11	1
Nitrate	2.3	1.1	mg/kg	9056	05/18/11	1
Sulfate	250	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.27	mg/kg	9012B	05/20/11	1
pH	8.8		su	9045D	05/18/11	1
Total Solids	94.		%	2540G	05/20/11	1
Mercury	0.041	0.021	mg/kg	7471	05/18/11	1
Arsenic	3.6	1.1	mg/kg	6010B	05/18/11	1
Barium	250	0.27	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.27	mg/kg	6010B	05/18/11	1
Chromium	5.3	0.53	mg/kg	6010B	05/18/11	1
Copper	14.	1.1	mg/kg	6010B	05/18/11	1
Iron	11000	5.3	mg/kg	6010B	05/18/11	1
Lead	9.0	0.27	mg/kg	6010B	05/18/11	1
Manganese	100	0.53	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/18/11	1
Silver	BDL	0.53	mg/kg	6010B	05/18/11	1
Zinc	42.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.027	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene (PID)	107.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-03 (PH) - 8.8@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

ESC Sample # : L516328-04

Date Received : May 17, 2011
Description : CORONADO POND #1

Site ID : CORONADO POND #1

Sample ID : D

Project # :

Collected By : Brooke Herb
Collection Date : 05/13/11 11:15

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	180	11.	mg/kg	9056	05/18/11	1
Fluoride	9.1	1.1	mg/kg	9056	05/18/11	1
Nitrate	20.	1.1	mg/kg	9056	05/18/11	1
Sulfate	380	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	8.5		su	9045D	05/18/11	1
Total Solids	94.		%	2540G	05/20/11	1
Mercury	0.039	0.021	mg/kg	7471	05/18/11	1
Arsenic	2.7	1.1	mg/kg	6010B	05/18/11	1
Barium	350	0.26	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/18/11	1
Chromium	5.4	0.53	mg/kg	6010B	05/18/11	1
Copper	15.	1.1	mg/kg	6010B	05/18/11	1
Iron	12000	5.3	mg/kg	6010B	05/18/11	1
Lead	9.3	0.26	mg/kg	6010B	05/18/11	1
Manganese	170	0.53	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/18/11	1
Silver	BDL	0.53	mg/kg	6010B	05/18/11	1
Zinc	35.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene (PID)	106.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-04 (PH) - 8.5@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 23, 2011

Date Received : May 17, 2011
Description : CORONADO POND #1

ESC Sample # : L516328-05

Sample ID : F

Site ID : CORONADO POND #1

Collected By : Brooke Herb
Collection Date : 05/13/11 10:49

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	310	10.	mg/kg	9056	05/18/11	1
Fluoride	4.1	1.0	mg/kg	9056	05/18/11	1
Nitrate	20.	1.0	mg/kg	9056	05/18/11	1
Sulfate	680	51.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	9.2		su	9045D	05/18/11	1
Total Solids	97.		%	2540G	05/20/11	1
Mercury	0.023	0.020	mg/kg	7471	05/18/11	1
Arsenic	7.1	1.0	mg/kg	6010B	05/18/11	1
Barium	510	0.26	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/18/11	1
Chromium	5.9	0.51	mg/kg	6010B	05/18/11	1
Copper	12.	1.0	mg/kg	6010B	05/18/11	1
Iron	11000	5.1	mg/kg	6010B	05/18/11	1
Lead	9.2	0.26	mg/kg	6010B	05/18/11	1
Manganese	160	0.51	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.0	mg/kg	6010B	05/18/11	1
Silver	BDL	0.51	mg/kg	6010B	05/18/11	1
Zinc	31.	1.5	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0077	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene (PID)	107.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-05 (PH) - 9.2@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 23, 2011

Date Received : May 17, 2011
Description : CORONADO POND #1
Sample ID : G
Collected By : Brooke Herb
Collection Date : 05/13/11 11:46

ESC Sample # : L516328-06

Site ID : CORONADO POND #1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	560	10.	mg/kg	9056	05/18/11	1
Fluoride	11.	1.0	mg/kg	9056	05/18/11	1
Nitrate	18.	1.0	mg/kg	9056	05/18/11	1
Sulfate	260	52.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	10.		su	9045D	05/18/11	1
Total Solids	96.		%	2540G	05/20/11	1
Mercury	0.037	0.021	mg/kg	7471	05/18/11	1
Arsenic	7.0	1.0	mg/kg	6010B	05/18/11	1
Barium	370	0.26	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/18/11	1
Chromium	5.5	0.52	mg/kg	6010B	05/18/11	1
Copper	14.	1.0	mg/kg	6010B	05/18/11	1
Iron	12000	5.2	mg/kg	6010B	05/18/11	1
Lead	9.8	0.26	mg/kg	6010B	05/18/11	1
Manganese	110	0.52	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.0	mg/kg	6010B	05/18/11	1
Silver	BDL	0.52	mg/kg	6010B	05/18/11	1
Zinc	40.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0078	mg/kg	8021B	05/19/11	5
Surrogate Recovery (%)						
a,a,a-Trifluorotoluene (PID)	106.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-06 (PH) - 10@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Date Received : May 17, 2011
Description : CORONADO POND #1
Sample ID : H
Collected By : Brooke Herb
Collection Date : 05/13/11 11:42

ESC Sample # : L516328-07
Site ID : CORONADO POND #1
Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	330	11.	mg/kg	9056	05/18/11	1
Fluoride	8.2	1.1	mg/kg	9056	05/18/11	1
Nitrate	27.	1.1	mg/kg	9056	05/18/11	1
Sulfate	340	54.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.27	mg/kg	9012B	05/20/11	1
pH	9.0		su	9045D	05/18/11	1
Total Solids	93.		%	2540G	05/20/11	1
Mercury	0.034	0.021	mg/kg	7471	05/18/11	1
Arsenic	5.3	1.1	mg/kg	6010B	05/20/11	1
Barium	220	0.27	mg/kg	6010B	05/20/11	1
Cadmium	BDL	0.27	mg/kg	6010B	05/20/11	1
Chromium	5.6	0.54	mg/kg	6010B	05/20/11	1
Copper	18.	1.1	mg/kg	6010B	05/20/11	1
Iron	12000	5.4	mg/kg	6010B	05/20/11	1
Lead	10.	0.27	mg/kg	6010B	05/20/11	1
Manganese	120	0.54	mg/kg	6010B	05/20/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/20/11	1
Silver	BDL	0.54	mg/kg	6010B	05/20/11	1
Zinc	34.	1.6	mg/kg	6010B	05/20/11	1
Benzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.027	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%) a,a,a-Trifluorotoluene (PID)	107.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-07 (PH) - 9.0@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 23, 2011

Date Received : May 17, 2011
Description : CORONADO POND #1
Sample ID : I
Collected By : Brooke Herb
Collection Date : 05/13/11 11:57

ESC Sample # : L516328-08

Site ID : CORONADO POND #1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	420	10.	mg/kg	9056	05/18/11	1
Fluoride	13.	1.0	mg/kg	9056	05/18/11	1
Nitrate	26.	1.0	mg/kg	9056	05/18/11	1
Sulfate	270	52.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	7.1		su	9045D	05/20/11	1
Total Solids	96.		%	2540G	05/23/11	1
Mercury	0.026	0.021	mg/kg	7471	05/18/11	1
Arsenic	4.2	1.0	mg/kg	6010B	05/20/11	1
Barium	390	0.26	mg/kg	6010B	05/20/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/20/11	1
Chromium	6.6	0.52	mg/kg	6010B	05/20/11	1
Copper	18.	1.0	mg/kg	6010B	05/20/11	1
Iron	12000	5.2	mg/kg	6010B	05/20/11	1
Lead	9.2	0.26	mg/kg	6010B	05/20/11	1
Manganese	180	0.52	mg/kg	6010B	05/20/11	1
Selenium	BDL	1.0	mg/kg	6010B	05/20/11	1
Silver	BDL	0.52	mg/kg	6010B	05/20/11	1
Zinc	41.	1.6	mg/kg	6010B	05/20/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/18/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Total Xylene	BDL	0.0078	mg/kg	8021B	05/18/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene(PID)	84.6		% Rec.	8021B	05/18/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-08 (PH) - 7.1@20.9c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Date Received : May 17, 2011
Description : CORONADO POND #1
Sample ID : J
Collected By : Brooke Herb
Collection Date : 05/13/11 11:51

ESC Sample # : L516328-09
Site ID : CORONADO POND #1
Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	210	11.	mg/kg	9056	05/18/11	1
Fluoride	11.	1.1	mg/kg	9056	05/18/11	1
Nitrate	15.	1.1	mg/kg	9056	05/18/11	1
Sulfate	280	54.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.27	mg/kg	9012B	05/20/11	1
pH	7.7		su	9045D	05/20/11	1
Total Solids	93.		%	2540G	05/23/11	1
Mercury	BDL	0.022	mg/kg	7471	05/18/11	1
Arsenic	1.3	1.1	mg/kg	6010B	05/20/11	1
Barium	130	0.27	mg/kg	6010B	05/20/11	1
Cadmium	BDL	0.27	mg/kg	6010B	05/20/11	1
Chromium	5.2	0.54	mg/kg	6010B	05/20/11	1
Copper	17.	1.1	mg/kg	6010B	05/20/11	1
Iron	12000	5.4	mg/kg	6010B	05/20/11	1
Lead	8.4	0.27	mg/kg	6010B	05/20/11	1
Manganese	120	0.54	mg/kg	6010B	05/20/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/20/11	1
Silver	BDL	0.54	mg/kg	6010B	05/20/11	1
Zinc	43.	1.6	mg/kg	6010B	05/20/11	1
Benzene	BDL	0.0027	mg/kg	8021B	05/18/11	5
Toluene	BDL	0.027	mg/kg	8021B	05/18/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021B	05/18/11	5
Total Xylene	BDL	0.0081	mg/kg	8021B	05/18/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene (PID)	91.7		% Rec.	8021B	05/18/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-09 (PH) - 7.7@20.6c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

ESC Sample # : L516328-10

Date Received : May 17, 2011
Description : CORONADO POND #1

Site ID : CORONADO POND #1

Sample ID : BACKGROUND

Project # :

Collected By : Brooke Herb
Collection Date : 05/13/11 13:16

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	42.	11.	mg/kg	9056	05/18/11	1
Fluoride	4.9	1.1	mg/kg	9056	05/18/11	1
Nitrate	BDL	1.1	mg/kg	9056	05/18/11	1
Sulfate	BDL	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	7.4		su	9045D	05/20/11	1
Total Solids	94.		%	2540G	05/23/11	1
Mercury	0.033	0.021	mg/kg	7471	05/18/11	1
Arsenic	4.0	1.1	mg/kg	6010B	05/20/11	1
Barium	180	0.26	mg/kg	6010B	05/20/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/20/11	1
Chromium	11.	0.53	mg/kg	6010B	05/20/11	1
Copper	8.2	1.1	mg/kg	6010B	05/20/11	1
Iron	13000	5.3	mg/kg	6010B	05/20/11	1
Lead	11.	0.26	mg/kg	6010B	05/20/11	1
Manganese	240	0.53	mg/kg	6010B	05/20/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/20/11	1
Silver	BDL	0.53	mg/kg	6010B	05/20/11	1
Zinc	37.	1.6	mg/kg	6010B	05/20/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/18/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/18/11	5
Surrogate Recovery(%) a,a,a-Trifluorotoluene (PID)	90.6		% Rec.	8021B	05/18/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-10 (PH) - 7.4@20.7c

Summary of Remarks For Samples Printed
05/23/11 at 14:46:44

TSR Signing Reports: 288
R5 - Desired TAT

drywt

Sample: L516328-01 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-02 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-03 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-04 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-05 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-06 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-07 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-08 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-09 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-10 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Mercury	< .02	mg/kg			WG536047	05/18/11 10:25
pH	4.30	su			WG536090	05/18/11 15:36
Arsenic	< 1	mg/kg			WG536025	05/18/11 16:46
Barium	< .25	mg/kg			WG536025	05/18/11 16:46
Cadmium	< .25	mg/kg			WG536025	05/18/11 16:46
Chromium	< .5	mg/kg			WG536025	05/18/11 16:46
Copper	< 1	mg/kg			WG536025	05/18/11 16:46
Iron	< 5	mg/kg			WG536025	05/18/11 16:46
Lead	< .25	mg/kg			WG536025	05/18/11 16:46
Manganese	< .5	mg/kg			WG536025	05/18/11 16:46
Selenium	< 1	mg/kg			WG536025	05/18/11 16:46
Silver	< .5	mg/kg			WG536025	05/18/11 16:46
Zinc	< 1.5	mg/kg			WG536025	05/18/11 16:46
Chloride	< 10	mg/kg			WG536120	05/18/11 10:38
Fluoride	< 1	mg/kg			WG536120	05/18/11 10:38
Nitrate	< 1	mg/kg			WG536120	05/18/11 10:38
Sulfate	< 50	mg/kg			WG536120	05/18/11 10:38
Benzene	< .0005	mg/kg			WG536259	05/18/11 19:15
Ethylbenzene	< .0005	mg/kg			WG536259	05/18/11 19:15
Toluene	< .005	mg/kg			WG536259	05/18/11 19:15
Total Xylene	< .0015	mg/kg			WG536259	05/18/11 19:15
a,a,a-Trifluorotoluene (PID)		% Rec.	94.62	54-144	WG536259	05/18/11 19:15
Benzene	< .0005	mg/kg			WG536389	05/19/11 05:51
Ethylbenzene	< .0005	mg/kg			WG536389	05/19/11 05:51
Toluene	< .005	mg/kg			WG536389	05/19/11 05:51
Total Xylene	< .0015	mg/kg			WG536389	05/19/11 05:51
a,a,a-Trifluorotoluene (PID)		% Rec.	107.2	54-144	WG536389	05/19/11 05:51
pH	4.30	su			WG536341	05/20/11 08:17
Cyanide	< .25	mg/kg			WG536405	05/20/11 08:11
Total Solids	< .1	%			WG536423	05/20/11 10:57
Arsenic	< 1	mg/kg			WG536040	05/20/11 20:39
Barium	< .25	mg/kg			WG536040	05/20/11 20:39
Cadmium	< .25	mg/kg			WG536040	05/20/11 20:39
Chromium	< .5	mg/kg			WG536040	05/20/11 20:39
Copper	< 1	mg/kg			WG536040	05/20/11 20:39
Iron	< 5	mg/kg			WG536040	05/20/11 20:39
Lead	< .25	mg/kg			WG536040	05/20/11 20:39
Manganese	< .5	mg/kg			WG536040	05/20/11 20:39
Selenium	< 1	mg/kg			WG536040	05/20/11 20:39
Silver	< .5	mg/kg			WG536040	05/20/11 20:39
Zinc	< 1.5	mg/kg			WG536040	05/20/11 20:39

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Result	Laboratory Blank Units % Rec	Limit	Batch	Date Analyzed
Total Solids	< .1	%		WG536848	05/23/11 08:53

Analyte	Units	Result	Duplicate Duplicate	RPD	Limit	Ref Samp	Batch
Mercury	mg/kg	0.0300	0.0340	11.8	20	L516355-01	WG536047
pH	su	6.60	6.60	0	1	L515640-04	WG536090
pH	su	9.00	9.20	2.20*	1	L516328-05	WG536090
Arsenic	mg/kg	0	0.600	NA	20	L516321-04	WG536025
Barium	mg/kg	3.30	2.80	15.8	20	L516321-04	WG536025
Cadmium	mg/kg	0	0.0920	NA	20	L516321-04	WG536025
Chromium	mg/kg	1.90	1.40	31.3*	20	L516321-04	WG536025
Copper	mg/kg	2.20	1.80	17.7	20	L516321-04	WG536025
Iron	mg/kg	1500	1190	23.7*	20	L516321-04	WG536025
Lead	mg/kg	4.20	3.40	20.6*	20	L516321-04	WG536025
Manganese	mg/kg	7.40	5.62	26.9*	20	L516321-04	WG536025
Selenium	mg/kg	0	0.510	NA	20	L516321-04	WG536025
Silver	mg/kg	0	0	0	20	L516321-04	WG536025
Zinc	mg/kg	46.0	34.2	30.1*	20	L516321-04	WG536025
Sulfate	mg/kg	0	6.50	NA	20	L516426-03	WG536120
Sulfate	mg/kg	0	5.30	NA	20	L516426-05	WG536120
pH	su	7.10	7.10	0	1	L516328-08	WG536341
pH	su	9.20	9.20	0	1	L516495-38	WG536341
Cyanide	mg/kg	0	0	0	20	L516328-01	WG536405
Total Solids	%	94.0	93.1	0.486	5	L516328-07	WG536423
Arsenic	mg/kg	6.60	5.60	16.4	20	L516355-01	WG536040
Barium	mg/kg	55.0	51.0	7.37	20	L516355-01	WG536040
Cadmium	mg/kg	5.40	3.40	45.8*	20	L516355-01	WG536040
Chromium	mg/kg	30.0	28.0	6.23	20	L516355-01	WG536040
Copper	mg/kg	28.0	27.3	4.30	20	L516355-01	WG536040
Iron	mg/kg	22000	21800	1.82	20	L516355-01	WG536040
Lead	mg/kg	18.0	16.0	8.96	20	L516355-01	WG536040
Manganese	mg/kg	540.	442.	20.3*	20	L516355-01	WG536040
Selenium	mg/kg	2.00	1.80	13.0	20	L516355-01	WG536040
Silver	mg/kg	1.00	1.00	2.96	20	L516355-01	WG536040
Zinc	mg/kg	100.	85.9	19.1	20	L516355-01	WG536040
Total Solids	%	72.0	73.8	2.60	5	L516971-07	WG536848

Analyte	Units	Laboratory Control Sample Known Val Result	% Rec	Limit	Batch
Mercury	mg/kg	8.77 7.48	85.3	71.6-127.7	WG536047

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
pH	su	6.3	6.30	100.	97.98-102.02	WG536090
Arsenic	mg/kg	192	181.	94.3	78.6-120.8	WG536025
Barium	mg/kg	420	392.	93.3	78.8-121.4	WG536025
Cadmium	mg/kg	70.1	66.1	94.3	78.5-121.5	WG536025
Chromium	mg/kg	168	162.	96.4	80.4-120.2	WG536025
Copper	mg/kg	122	118.	96.7	81.6-119.7	WG536025
Iron	mg/kg	18100	16800	92.8	50.7-149.7	WG536025
Lead	mg/kg	113	110.	97.3	77.3-122.1	WG536025
Manganese	mg/kg	441	433.	98.2	78.9-120.9	WG536025
Selenium	mg/kg	176	172.	97.7	75.6-125.0	WG536025
Silver	mg/kg	115	99.9	86.9	66-133.9	WG536025
Zinc	mg/kg	437	416.	95.2	78.5-121.7	WG536025
Chloride	mg/kg	200	202.	101.	85-115	WG536120
Fluoride	mg/kg	20	19.7	98.5	85-115	WG536120
Nitrate	mg/kg	20	19.9	99.5	85-115	WG536120
Sulfate	mg/kg	200	202.	101.	85-115	WG536120
Benzene	mg/kg	.05	0.0408	81.5	76-113	WG536259
Ethylbenzene	mg/kg	.05	0.0437	87.4	78-115	WG536259
Toluene	mg/kg	.05	0.0427	85.5	76-114	WG536259
Total Xylene	mg/kg	.15	0.130	86.9	81-118	WG536259
a,a,a-Trifluorotoluene(PID)				92.75	54-144	WG536259
Benzene	mg/kg	.05	0.0550	110.	76-113	WG536389
Ethylbenzene	mg/kg	.05	0.0517	103.	78-115	WG536389
Toluene	mg/kg	.05	0.0518	104.	76-114	WG536389
Total Xylene	mg/kg	.15	0.154	102.	81-118	WG536389
a,a,a-Trifluorotoluene(PID)				106.6	54-144	WG536389
pH	su	6.3	6.30	100.	97.98-102.02	WG536341
Cyanide	mg/kg	28.1	28.3	101.	50-150	WG536405
Total Solids	%	50	50.0	100.	85-155	WG536423
Arsenic	mg/kg	192	170.	88.5	78.6-120.8	WG536040
Barium	mg/kg	420	386.	91.9	78.8-121.4	WG536040
Cadmium	mg/kg	70.1	62.4	89.0	78.5-121.5	WG536040
Chromium	mg/kg	168	160.	95.2	80.4-120.2	WG536040
Copper	mg/kg	122	118.	96.7	81.6-119.7	WG536040
Iron	mg/kg	18100	16600	91.7	50.7-149.7	WG536040
Lead	mg/kg	113	102.	90.3	77.3-122.1	WG536040
Manganese	mg/kg	441	428.	97.1	78.9-120.9	WG536040
Selenium	mg/kg	176	162.	92.0	75.6-125.0	WG536040
Silver	mg/kg	115	113.	98.3	66-133.9	WG536040
Zinc	mg/kg	437	407.	93.1	78.5-121.7	WG536040

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Units	Laboratory Control Sample			% Rec	Limit	Batch	
		Known Val	Result					
Total Solids	%	50	50.0		100.	85-155	WG536848	
Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
pH	su	6.30	6.30	100.	97.98-102.02	0	20	WG536090
Chloride	mg/kg	207.	202.	104.	85-115	2.44	20	WG536120
Fluoride	mg/kg	20.2	19.7	101.	85-115	2.51	20	WG536120
Nitrate	mg/kg	20.3	19.9	102.	85-115	1.99	20	WG536120
Sulfate	mg/kg	208.	202.	104.	85-115	2.93	20	WG536120
Benzene	mg/kg	0.0465	0.0408	93.0	76-113	13.2	20	WG536259
Ethylbenzene	mg/kg	0.0509	0.0437	102.	78-115	15.2	20	WG536259
Toluene	mg/kg	0.0483	0.0427	97.0	76-114	12.3	20	WG536259
Total Xylene	mg/kg	0.152	0.130	102.	81-118	15.6	20	WG536259
a,a,a-Trifluorotoluene(PID)				89.28	54-144			WG536259
Benzene	mg/kg	0.0542	0.0550	108.	76-113	1.58	20	WG536389
Ethylbenzene	mg/kg	0.0506	0.0517	101.	78-115	2.16	20	WG536389
Toluene	mg/kg	0.0507	0.0518	101.	76-114	2.20	20	WG536389
Total Xylene	mg/kg	0.150	0.154	100.	81-118	2.20	20	WG536389
a,a,a-Trifluorotoluene(PID)				106.8	54-144			WG536389
pH	su	6.30	6.30	100.	97.98-102.02	0	20	WG536341
Cyanide	mg/kg	27.9	28.3	99.0	50-150	1.42	20	WG536405
Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Mercury	mg/kg	0.323	0.0340	.25	116.	70-130	L516355-01	WG536047
Arsenic	mg/kg	48.6	0.600	50	96.0	75-125	L516321-04	WG536025
Barium	mg/kg	50.7	2.80	50	95.8	75-125	L516321-04	WG536025
Cadmium	mg/kg	48.0	0.0920	50	95.8	75-125	L516321-04	WG536025
Chromium	mg/kg	50.6	1.40	50	98.4	75-125	L516321-04	WG536025
Copper	mg/kg	52.5	1.80	50	101.	75-125	L516321-04	WG536025
Iron	mg/kg	1430	1190	50	480.*	75-125	L516321-04	WG536025
Lead	mg/kg	54.6	3.40	50	102.	75-125	L516321-04	WG536025
Manganese	mg/kg	57.1	5.62	50	103.	75-125	L516321-04	WG536025
Selenium	mg/kg	48.1	0.510	50	95.2	75-125	L516321-04	WG536025
Silver	mg/kg	48.2	0	50	96.4	75-125	L516321-04	WG536025
Zinc	mg/kg	84.8	34.2	50	101.	75-125	L516321-04	WG536025
Sulfate	mg/kg	532.	4.00	500	106.	80-120	L516426-01	WG536120
Benzene	mg/kg	0.180	0	.05	72.0	32-137	L516328-08	WG536259
Ethylbenzene	mg/kg	0.185	0	.05	74.0	10-150	L516328-08	WG536259
Toluene	mg/kg	0.187	0	.05	74.7	20-142	L516328-08	WG536259
Total Xylene	mg/kg	0.561	0	.15	74.8	16-141	L516328-08	WG536259

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Units	MS Res	Matrix Spike			% Rec	Limit	Ref Samp	Batch
			Ref Res	TV					
a,a,a-Trifluorotoluene (PID)						87.43	54-144		
Benzene	mg/kg	0.263	0	.05		105.	32-137	L516467-10	WG536389
Ethylbenzene	mg/kg	0.245	0	.05		98.2	10-150	L516467-10	WG536389
Toluene	mg/kg	0.245	0	.05		98.2	20-142	L516467-10	WG536389
Total Xylene	mg/kg	0.729	0	.15		97.2	16-141	L516467-10	WG536389
a,a,a-Trifluorotoluene (PID)						106.7	54-144		WG536389
Cyanide	mg/kg	3.82	0	3.33		115.	80-120	L516355-04	WG536405
Arsenic	mg/kg	46.3	5.60	50		81.4	75-125	L516355-01	WG536040
Barium	mg/kg	95.2	51.0	50		88.4	75-125	L516355-01	WG536040
Cadmium	mg/kg	46.6	3.40	50		86.4	75-125	L516355-01	WG536040
Chromium	mg/kg	68.9	28.0	50		81.8	75-125	L516355-01	WG536040
Copper	mg/kg	73.1	27.3	50		91.6	75-125	L516355-01	WG536040
Iron	mg/kg	22600	21800	50		1600*	75-125	L516355-01	WG536040
Lead	mg/kg	58.0	16.0	50		84.0	75-125	L516355-01	WG536040
Manganese	mg/kg	627.	442.	50		370.*	75-125	L516355-01	WG536040
Selenium	mg/kg	41.1	1.80	50		78.6	75-125	L516355-01	WG536040
Silver	mg/kg	45.2	1.00	50		88.4	75-125	L516355-01	WG536040
Zinc	mg/kg	138.	85.9	50		104.	75-125	L516355-01	WG536040
Arsenic	mg/kg	52.0	4.10	50		95.8	75-125	L516355-04	WG536040
Barium	mg/kg	76.0	26.0	50		100.	75-125	L516355-04	WG536040
Cadmium	mg/kg	58.4	14.0	50		88.8	75-125	L516355-04	WG536040
Chromium	mg/kg	59.2	8.70	50		101.	75-125	L516355-04	WG536040
Lead	mg/kg	59.8	9.20	50		101.	75-125	L516355-04	WG536040
Selenium	mg/kg	46.4	1.20	50		90.4	75-125	L516355-04	WG536040
Silver	mg/kg	48.8	0.330	50		96.9	75-125	L516355-04	WG536040

Analyte	Units	MSD	Matrix Spike Duplicate		Limit	RPD	Limit	Ref Samp	Batch
			Ref	%Rec					
Mercury	mg/kg	0.288	0.323	102.	70-130	11.5	20	L516355-01	WG536047
Arsenic	mg/kg	45.0	48.6	88.8	75-125	7.69	20	L516321-04	WG536025
Barium	mg/kg	47.8	50.7	90.0	75-125	5.89	20	L516321-04	WG536025
Cadmium	mg/kg	45.4	48.0	90.6	75-125	5.57	20	L516321-04	WG536025
Chromium	mg/kg	47.8	50.6	92.8	75-125	5.69	20	L516321-04	WG536025
Copper	mg/kg	48.4	52.5	93.2	75-125	8.13	20	L516321-04	WG536025
Iron	mg/kg	1330	1430	280.*	75-125	7.25	20	L516321-04	WG536025
Lead	mg/kg	50.9	54.6	95.0	75-125	7.01	20	L516321-04	WG536025
Manganese	mg/kg	52.8	57.1	94.4	75-125	7.83	20	L516321-04	WG536025
Selenium	mg/kg	44.6	48.1	88.2	75-125	7.55	20	L516321-04	WG536025
Silver	mg/kg	45.6	48.2	91.2	75-125	5.54	20	L516321-04	WG536025
Zinc	mg/kg	80.4	84.8	92.4	75-125	5.33	20	L516321-04	WG536025
Sulfate	mg/kg	529.	532.	105.	80-120	0.566	20	L516426-01	WG536120
Benzene	mg/kg	0.185	0.180	74.1	32-137	2.91	39	L516328-08	WG536259
Ethylbenzene	mg/kg	0.190	0.185	75.8	10-150	2.38	44	L516328-08	WG536259
Toluene	mg/kg	0.189	0.187	75.6	20-142	1.15	42	L516328-08	WG536259
Total Xylene	mg/kg	0.572	0.561	76.2	16-141	1.95	46	L516328-08	WG536259
a,a,a-Trifluorotoluene (PID)				89.45	54-144				WG536259

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Units	MSD	Matrix Spike		Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
			Ref							
Benzene	mg/kg	0.269	0.263	107.	32-137	2.19	39	L516467-10	WG536389	
Ethylbenzene	mg/kg	0.245	0.245	97.8	10-150	0.390	44	L516467-10	WG536389	
Toluene	mg/kg	0.250	0.245	99.8	20-142	1.66	42	L516467-10	WG536389	
Total Xylene	mg/kg	0.720	0.729	96.0	16-141	1.20	46	L516467-10	WG536389	
a,a,a-Trifluorotoluene (PID)				107.9	54-144				WG536389	
Cyanide	mg/kg	3.61	3.82	108.	80-120	5.65	20	L516355-04	WG536405	
Arsenic	mg/kg	44.1	52.0	80.0	75-125	16.4	20	L516355-04	WG536040	
Barium	mg/kg	93.1	76.0	134.*	75-125	20.2*	20	L516355-04	WG536040	
Cadmium	mg/kg	41.1	58.4	54.2*	75-125	34.8*	20	L516355-04	WG536040	
Chromium	mg/kg	69.6	59.2	122.	75-125	16.1	20	L516355-04	WG536040	
Copper	mg/kg	69.4	73.1	84.2	75-125	5.19	20	L516355-01	WG536040	
Iron	mg/kg	22900	22600	2200*	75-125	1.32	20	L516355-01	WG536040	
Lead	mg/kg	54.8	59.8	91.2	75-125	8.73	20	L516355-04	WG536040	
Manganese	mg/kg	444.	627.	4.00*	75-125	34.2*	20	L516355-01	WG536040	
Selenium	mg/kg	38.0	46.4	73.6*	75-125	19.9	20	L516355-04	WG536040	
Silver	mg/kg	42.6	48.8	84.5	75-125	13.6	20	L516355-04	WG536040	
Zinc	mg/kg	119.	138.	66.2*	75-125	14.8	20	L516355-01	WG536040	
Arsenic	mg/kg	51.6	52.0	95.0	75-125	0.772	20	L516355-04	WG536040	
Barium	mg/kg	76.2	76.0	100.	75-125	0.263	20	L516355-04	WG536040	
Cadmium	mg/kg	58.8	58.4	89.6	75-125	0.683	20	L516355-04	WG536040	
Chromium	mg/kg	59.0	59.2	101.	75-125	0.338	20	L516355-04	WG536040	
Lead	mg/kg	60.8	59.8	103.	75-125	1.66	20	L516355-04	WG536040	
Selenium	mg/kg	46.2	46.4	90.0	75-125	0.432	20	L516355-04	WG536040	
Silver	mg/kg	49.0	48.8	97.3	75-125	0.409	20	L516355-04	WG536040	

Batch number / Run number / Sample number cross reference

WG536047: R1691954: L516328-01 02 03 04 05 06 07 08 09 10
WG536090: R1692249: L516328-01 02 03 04 05 06 07
WG536025: R1692289: L516328-01 02 03 04 05 06
WG536120: R1692610: L516328-01 02 03 04 05 06 07 08 09 10
WG536259: R1692929: L516328-08 09 10
WG536389: R1693090: L516328-01 02 03 04 05 06 07
WG536341: R1694309: L516328-08 09 10
WG536405: R1694549: L516328-01 02 03 04 05 06 07 08 09 10
WG536423: R1694679: L516328-01 02 03 04 05 06 07
WG536040: R1696830 R1696831: L516328-08 07 09 10
WG536848: R1697115: L516328-08 09 10

* * Calculations are performed prior to rounding of reported values.

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Company Name/Address XTO Energy, Inc. 382 County Road 3100 Aztec, NM 87410		Alternate Billing XTORNM031810S		Analysis/Container/Preservative		Chain of Custody Page <u>1</u> of <u>2</u>	
Project Description: <u>CORONADO POND #1</u> PHONE: 505-333-3701 FAX:		Client Project No. _____ Lab Project # <u>Sarkhan City, NM</u>		Prepared by: ENVIRONMENTAL Science corp 12065 Lebanon Road Mt. Juliet TN 37122 Phone (615)758-5858 Phone (800) 767-5859 FAX (615)758-5859		B033 CoCode (lab use only) XTORNM Template/Prelogin Shipped Via: Fed Ex	
Collected by: <u>Brooke Herb</u> Collected by (signature): <u>[Signature]</u> Packed on Ice <u>N</u> <u>Y</u> <u>X</u>		Site/Facility ID# <u>CORONADO POND #1</u> Rush? (Lab MUST be Notified) <u>Next Day</u> 100% <u>Two Day</u> 50% <u>Three Day</u> 25%		Date Results Needed Email? <u>No</u> <u>X</u> Yes FAX? <u>No</u> <u>X</u> Yes		Remarks/contaminant Sample # (lab use only)	
Sample ID A B C D E F G H I		Comp/Grab Comp S/S S/S S/S S/S S/S S/S S/S S/S S/S		Date 5/13/11 11:23 11:37 11:30 11:15 10:49 11:40 11:42 11:57		1516328-01 -02 -03 -04 NO SAMPLE COLLECTED -05 -06 -07 -08	
Analysis/Container/Preservative BTEX (8021) As, Ba, Cd, Cr, Cu, F, Pb, Hg, Se Ag, Cl, Co, Fe, Mn, Zn SD4, NO3 as N TDS, PH							

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT-Other _____

pH _____ Temp _____ Flow _____ Other _____

Remarks: "ONLY 1 COC Per Site!"

Relinquisher by (Signature) <u>[Signature]</u>		Received by (Signature) <u>[Signature]</u>	
Relinquisher by (Signature) <u>[Signature]</u>		Received by (Signature) <u>[Signature]</u>	
Relinquisher by (Signature) <u>[Signature]</u>		Received for lab by (Signature) <u>[Signature]</u>	

Condition <u>OK</u> (lab use only)	
Condition <u>OK</u> (lab use only)	Condition <u>OK</u> (lab use only)
Condition <u>OK</u> (lab use only)	Condition <u>OK</u> (lab use only)

Company Name/Address XTO Energy, Inc. 382 County Road 3100 Aztec, NM 87410		Alternate Billing XTORNIM031810S Report to: James McDaniel E-mail to: james_mcdaniel@xtoenergy.com		Analysis/Container/Preservative		Chain of Custody Page <u>2</u> of <u>2</u>	
Project Description: CORONADO POND #1 PHONE: 505-333-3701 FAX:		Client Project No. <u> </u> City/State Collected: <u>SAN JUAN CITY, NM</u>		Prepared by: ENVIRONMENTAL Science corp 12065 Lebanon Road Mt. Juliet TN 37122 Phone (615)758-5858 Phone (800) 767-5859 FAX (615)758-5859		CoCode (lab use only) XTORNIM Template/Prelogin Shipped Via: Fed Ex	
Collected by: <u>Brooke Hess</u> Collector by (signature): <u>[Signature]</u> Packed on (cc N Y X)		Site/Facility ID# <u>CORONADO POND #1</u> Rush? ☒ (Lab MUST be Notified) Next Day.....100% Two Day.....50% Three Day.....25%		Date Results Needed Email? ☐ No ☒ Yes FAX? ☐ No ☒ Yes		Remarks/contaminant Sample # (lab only)	
Sample ID <u>J</u> <u>BACK GROUND</u>		Comp/Grab <u>Comp</u> <u>Grab</u>		Depth <u>S/S</u> <u>S/S</u>		Date <u>5/13/11</u> <u>5/13/11</u>	
Time <u>11:51 AM</u> <u>12:40 PM</u> <u>1:16 PM</u>		Date <u>5/13/11</u> <u>5/13/11</u>		Time <u>11:51 AM</u> <u>12:40 PM</u> <u>1:16 PM</u>		Sample # (lab only) <u>1516328-09</u> <u>-10</u>	
Contaminants <u>As, Ba, Cd, Cr, Cu, Fe, Pb, Hg, Se</u> <u>Ag, Al, Cl, Co, Cr, Fe, Mn, Zn</u> <u>SO₄, NO₃, As, N</u> <u>TDS, PH</u>		Date <u>5/13/11</u> <u>5/13/11</u>		Time <u>11:51 AM</u> <u>12:40 PM</u> <u>1:16 PM</u>		Sample # (lab only) <u>1516328-09</u> <u>-10</u>	

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT-Other

pH _____ Temp _____ Flow _____ Other _____

Remarks: "ONLY 1 COC Per Site!"

Relinquisher by (Signature) <u>Brooke Hess</u>		Received by (Signature) <u>[Signature]</u>	
Date <u>5/13/11</u>		Date <u>5/13/11</u>	
Time <u>11:30</u>		Time <u>14:30</u>	
Relinquisher by (Signature) <u>Brooke Hess</u>		Received by (Signature) <u>[Signature]</u>	
Date <u>5/13/11</u>		Date <u>5/13/11</u>	
Time <u>11:30</u>		Time <u>14:30</u>	
Relinquisher by (Signature) <u>Brooke Hess</u>		Received by (Signature) <u>[Signature]</u>	
Date <u>5/13/11</u>		Date <u>5/13/11</u>	
Time <u>11:30</u>		Time <u>14:30</u>	
Condition <u>OK</u>		Condition <u>OK</u>	
Samples returned via: FedEx X UPS Other <u>3.4</u>		Bottles Received: <u>20-402</u>	
Temp: <u>3.4</u>		Time: <u>0900</u>	
Date: <u>5/17/11</u>		Date: <u>5/17/11</u>	
pH Checked: <u>NCF</u>		pH Checked: <u>NCF</u>	



NON-CONFORMANCE FORM

Login No.: LS16324
Date: 5/12/11
Evaluated by: Dustin C
Client: XTORM

Daphne

Non-Conformance (check applicable items)

- | | |
|---|---|
| ☐ Parameter(s) past holding time | ☒ Login Clarification Needed |
| ☐ Improper temperature | ☐ Chain of custody is incomplete |
| ☐ Improper container type | ☐ Chain of Custody is missing (see below) |
| ☐ Improper preservation | ☐ Broken container(s) (See below) |
| ☐ Container lid not intact | ☐ Broken container: sufficient sample
volume remains for analysis requested (See below) |

If no COC: Received by _____
Date: _____ Time: _____
Temp: _____ Cont. Rec: _____ pH: _____
☐ Fedex ☐ UPS ☐ SWA ☐ Other _____
Tracking # _____

- ☐ Insufficient packing material around container
- ☐ Insufficient packing material inside cooler
- ☐ Improper handling by carrier (FedEx / UPS / Courier)
- ☐ Sample was frozen

Comments: Client wants to run TDS on all samples. All samples
were soil.

Login Instructions:

TSR Initials: DK

Client informed by call / email / fax / voice mail date: 5/17 time: 14:00

Client contact: informed client



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Report Summary

Tuesday May 24, 2011

Report Number: L516365

Samples Received: 05/17/11

Client Project:

Description: Coronado Pond 1

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 24, 2011

Date Received : May 17, 2011
Description : Coronado Pond 1
Sample ID : E
Collected By : Brooke Herb
Collection Date : 05/16/11 12:28

ESC Sample # : L516365-01
Site ID : CORONADO POND 1
Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	150	10.	mg/kg	9056	05/18/11	1
Fluoride	6.7	1.0	mg/kg	9056	05/18/11	1
Nitrate	4.7	1.0	mg/kg	9056	05/18/11	1
Sulfate	540	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/24/11	1
pH	7.5		su	9045D	05/20/11	1
Total Solids	95.		%	2540G	05/23/11	1
Mercury	0.043	0.021	mg/kg	7471	05/18/11	1
Arsenic	19.	1.0	mg/kg	6010B	05/18/11	1
Barium	380	0.26	mg/kg	6010B	05/18/11	1
Cadmium	0.76	0.26	mg/kg	6010B	05/18/11	1
Chromium	6.2	0.53	mg/kg	6010B	05/18/11	1
Copper	9.3	1.0	mg/kg	6010B	05/18/11	1
Iron	10000	5.3	mg/kg	6010B	05/18/11	1
Lead	15.	0.26	mg/kg	6010B	05/18/11	1
Manganese	130	0.53	mg/kg	6010B	05/18/11	1
Selenium	7.5	1.0	mg/kg	6010B	05/18/11	1
Silver	BDL	0.53	mg/kg	6010B	05/18/11	1
Zinc	33.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/18/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Total Xylene	BDL	0.0079	mg/kg	8021B	05/18/11	5
Surrogate Recovery(%) a,a,a-Trifluorotoluene (PID)	88.9		% Rec.	8021B	05/18/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/24/11 16:43 Printed: 05/24/11 16:43

L516365-01 (PH) - 7.5@20.7c

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L516365-01	WG536757	SAMP	Cyanide	R1698973	J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
05/24/11 at 16:43:24

TSR Signing Reports: 288
R5 - Desired TAT

drywt

Sample: L516365-01 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/24/11 16:43



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516365

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

Analyte	Result	Laboratory Blank Units % Rec	Limit	Batch	Date Analyzed
Mercury	< .02	mg/kg		WG536048	05/18/11 11:53
Chloride	< 10	mg/kg		WG536120	05/18/11 10:38
Fluoride	< 1	mg/kg		WG536120	05/18/11 10:38
Nitrate	< 1	mg/kg		WG536120	05/18/11 10:38
Sulfate	< 50	mg/kg		WG536120	05/18/11 10:38
Benzene	< .0005	mg/kg		WG536259	05/18/11 19:15
Ethylbenzene	< .0005	mg/kg		WG536259	05/18/11 19:15
Toluene	< .005	mg/kg		WG536259	05/18/11 19:15
Total Xylene	< .0015	mg/kg		WG536259	05/18/11 19:15
a,a,a-Trifluorotoluene(PID)		% Rec. 94.62	54-144	WG536259	05/18/11 19:15
pH	4.30	su		WG536341	05/20/11 08:17
Total Solids	< .1	%		WG536848	05/23/11 08:53
Cyanide	< .25	mg/kg		WG536757	05/24/11 10:38

Analyte	Units	Result	Duplicate Duplicate	RPD	Limit	Ref Samp	Batch
Mercury	mg/kg	0.0150	0.0150	0	20	L516355-04	WG536048
Sulfate	mg/kg	0	6.50	NA	20	L516426-03	WG536120
Sulfate	mg/kg	0	5.30	NA	20	L516426-05	WG536120
pH	su	7.10	7.10	0	1	L516328-08	WG536341
pH	su	9.20	9.20	0	1	L516495-38	WG536341
Total Solids	%	72.0	73.8	2.60	5	L516971-07	WG536848
Cyanide	mg/kg	0.670	0.660	1.20	20	L516441-01	WG536757
Cyanide	mg/kg	2.90	0.780	115.*	20	L516355-06	WG536757

Analyte	Units	Laboratory Control Sample Known Val Result	% Rec	Limit	Batch
Mercury	mg/kg	8.77 7.02	80.0	71.6-127.7	WG536048
Chloride	mg/kg	200 202.	101.	85-115	WG536120
Fluoride	mg/kg	20 19.7	98.5	85-115	WG536120
Nitrate	mg/kg	20 19.9	99.5	85-115	WG536120
Sulfate	mg/kg	200 202.	101.	85-115	WG536120
Benzene	mg/kg	.05 0.0408	81.5	76-113	WG536259
Ethylbenzene	mg/kg	.05 0.0437	87.4	78-115	WG536259
Toluene	mg/kg	.05 0.0427	85.5	76-114	WG536259

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516365

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Total Xylene	mg/kg	.15	0.130	86.9	81-118	WG536259
a,a,a-Trifluorotoluene (PID)				92.75	54-144	WG536259
pH	su	6.3	6.30	100.	97.98-102.02	WG536341
Total Solids	%	50	50.0	100.	85-155	WG536848
Cyanide	mg/kg	28.1	21.4	76.2	50-150	WG536757

Analyte	Units	Laboratory Control Result	Ref	Sample Duplicate %Rec	Limit	RPD	Limit	Batch
Chloride	mg/kg	207.	202.	104.	85-115	2.44	20	WG536120
Fluoride	mg/kg	20.2	19.7	101.	85-115	2.51	20	WG536120
Nitrate	mg/kg	20.3	19.9	102.	85-115	1.99	20	WG536120
Sulfate	mg/kg	208.	202.	104.	85-115	2.93	20	WG536120
Benzene	mg/kg	0.0465	0.0408	93.0	76-113	13.2	20	WG536259
Ethylbenzene	mg/kg	0.0509	0.0437	102.	78-115	15.2	20	WG536259
Toluene	mg/kg	0.0483	0.0427	97.0	76-114	12.3	20	WG536259
Total Xylene	mg/kg	0.152	0.130	102.	81-118	15.6	20	WG536259
a,a,a-Trifluorotoluene (PID)				89.28	54-144			WG536259
pH	su	6.30	6.30	100.	97.98-102.02	0	20	WG536341
Cyanide	mg/kg	27.7	21.4	98.0	50-150	25.7*	20	WG536757

Analyte	Units	MS Res	Matrix Spike Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Mercury	mg/kg	0.262	0.0150	.25	98.8	70-130	L516355-04	WG536048
Sulfate	mg/kg	532.	4.00	500	106.	80-120	L516426-01	WG536120
Benzene	mg/kg	0.180	0	.05	72.0	32-137	L516328-08	WG536259
Ethylbenzene	mg/kg	0.185	0	.05	74.0	10-150	L516328-08	WG536259
Toluene	mg/kg	0.187	0	.05	74.7	20-142	L516328-08	WG536259
Total Xylene	mg/kg	0.561	0	.15	74.8	16-141	L516328-08	WG536259
a,a,a-Trifluorotoluene (PID)					87.43	54-144		WG536259
Cyanide	mg/kg	3.24	0	3.33	97.3	80-120	L516355-13	WG536757

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
Mercury	mg/kg	0.267	0.262	101.	70-130	1.89	20	L516355-04	WG536048
Sulfate	mg/kg	529.	532.	105.	80-120	0.566	20	L516426-01	WG536120

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516365

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

Analyte	Units	MSD	Matrix Spike Duplicate		Limit	RPD	Limit	Ref Samp	Batch
			Ref	%Rec					
Benzene	mg/kg	0.185	0.180	74.1	32-137	2.91	39	L516328-08	WG536259
Ethylbenzene	mg/kg	0.190	0.185	75.8	10-150	2.38	44	L516328-08	WG536259
Toluene	mg/kg	0.189	0.187	75.6	20-142	1.15	42	L516328-08	WG536259
Total Xylene	mg/kg	0.572	0.561	76.2	16-141	1.95	46	L516328-08	WG536259
a,a,a-Trifluorotoluene (PID)				89.45	54-144				WG536259
Cyanide	mg/kg	3.44	3.24	103.	80-120	5.99	20	L516355-13	WG536757

Batch number /Run number / Sample number cross reference

WG536048: R1691955: L516365-01
WG536120: R1692610: L516365-01
WG536070: R1692809: L516365-01
WG536259: R1692929: L516365-01
WG536341: R1694309: L516365-01
WG536848: R1697115: L516365-01
WG536757: R1698973: L516365-01

* * Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516365

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Company Name/Address XTO Energy, Inc. 382 County Road 3100 Aztec, NM 87410		Alternate Billing XTORN031810S Report to: James McDaniel E-mail to: james_mcdaniel@xtoenergy.com		Analysis/Container/Preservative B038 Prepared by: ENVIRONMENTAL Science corp 12065 Lebanon Road Mt. Juliet TN 37122 Phone (615)758-5858 Phone (800) 767-5859 FAX (615)758-5859		Chain of Custody Page 1 of 1	
Project Description: CORONADO POND #1 Client Project No. - PHONE: 505-333-3701 FAX:		City/State Collected: SANDKINDY, NM Lab Project # P.O.#		CoCode XTORN Template/Prelogin Shipped Via: Fed Ex		Sample # (lab use only) 1516365-01	
Collected by: Brooke Herd Collected by (Signature): Packed on Ice N Y		Site/Facility ID# CORONADO POND #1 Rush? (Lab MUST be Notified) Next Day 100% Two Day 50% Three Day 25%		Date Results Needed Email? No X Yes FAX? No X Yes		Remarks/contaminant BTEX (8001) Ag, Cl, Cu, Fe, Mn, Zn SO4, NO3 as N TDS, P#	
Sample ID E		Comp/Grab Comp S/S		Date 5/16/11		Time 12:28	

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT-Other

pH Temp Flow Other

Remarks: "ONLY 1 QOC Per Site!"

Relinquisher by (Signature) 		Received by (Signature) 	
Relinquisher by (Signature) 		Received by (Signature) 	
Relinquisher by (Signature) 		Received for lab by (Signature) 	

Samples returned via: FedEx X UPS Other

43419846109

Temp: 3.4 Bottles Received: 2-402

Date: 5/17/11 Time: 0900

pH Checked: NCF: YES



NON-CONFORMANCE FORM

Login No.: 4516365
Date: 05-17-11
Evaluated by: J. Fuller
Client: XTORNm

Non-Conformance (check applicable items)

- | | |
|---|---|
| ☐ Parameter(s) past holding time | ☒ Login Clarification Needed |
| ☐ Improper temperature | ☐ Chain of custody is incomplete |
| ☐ Improper container type | ☐ Chain of Custody is missing (see below) |
| ☐ Improper preservation | ☐ Broken container(s) (See below) |
| ☐ Container lid not intact | ☐ Broken container: sufficient sample
volume remains for analysis requested (See below) |

If no COC: Received by _____
Date: _____ Time: _____
Temp: _____ Cont. Rec: _____ pH: _____
☐ FedEx ☐ UPS ☐ SWA ☐ Other: _____
Tracking # _____

☐ Insufficient packing material around container
☐ Insufficient packing material inside cooler
☐ Improper handling by carrier (FedEx / UPS / Courier)
☐ Sample was frozen

Comments: Don't run TOS from soil.

Login Instructions:

TSR Initials: DM

Client informed by call / email / fax / voice mail date: 5/17 time: 14:00

Client contact: informed client

COVER LETTER

Thursday, June 16, 2011

James McDaniel
XTO Energy
382 County Road 3100
Aztec, NM 87410

TEL: (505) 787-0519
FAX (505) 333-3280

RE: Coronado Pond #1

Order No.: 1105695


Dear James McDaniel:

Hall Environmental Analysis Laboratory, Inc. received 11 sample(s) on 5/17/2011 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please do not hesitate to contact HEAL for any additional information or clarifications.

Sincerely,



Andy Freeman, Laboratory Manager

NM Lab # NM9425 NM0901
AZ license # AZ0682



Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT: XTO Energy

Client Sample ID: A

Lab Order: 1105695

Collection Date: 5/13/2011 11:23:00 AM

Project: Coronado Pond #1

Date Received: 5/17/2011

Lab ID: 1105695-01

Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						Analyst: ELS
Uranium	ND	25		mg/Kg	5	5/31/2011 12:08:13 PM
EPA METHOD 418.1: TPH						Analyst: LRW
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level

E Estimated value

J Analyte detected below quantitation limits

NC Non-Chlorinated

PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.**Date: 16-Jun-11**
Analytical Report**CLIENT:** XTO Energy
Lab Order: 1105695
Project: Coronado Pond #1
Lab ID: 1105695-02**Client Sample ID:** B
Collection Date: 5/13/2011 11:37:00 AM
Date Received: 5/17/2011
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						Analyst: ELS
Uranium	ND	25		mg/Kg	5	5/31/2011 12:21:04 PM
EPA METHOD 418.1: TPH						Analyst: LRW
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	C
Lab Order:	1105695	Collection Date:	5/13/2011 11:30:00 AM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-03	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						Analyst: ELS
Uranium	ND	25		mg/Kg	5	5/31/2011 12:23:02 PM
EPA METHOD 418.1: TPH						Analyst: LRW
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	D
Lab Order:	1105695	Collection Date:	5/13/2011 11:15:00 AM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-04	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						Analyst: ELS
Uranium	ND	25		mg/Kg	5	5/31/2011 12:24:55 PM
EPA METHOD 418.1: TPH						Analyst: LRW
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	F
Lab Order:	1105695	Collection Date:	5/13/2011 10:49:00 AM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-05	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						Analyst: ELS
Uranium	ND	25		mg/Kg	5	5/31/2011 12:26:50 PM
EPA METHOD 418.1: TPH						Analyst: LRW
Petroleum Hydrocarbons, TR	35	20		mg/Kg	1	5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.**Date:** 16-Jun-11
Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	G
Lab Order:	1105695	Collection Date:	5/13/2011 11:46:00 AM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-06	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						Analyst: ELS
Uranium	ND	25		mg/Kg	5	5/31/2011 12:28:50 PM
EPA METHOD 418.1: TPH						Analyst: LRW
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	H
Lab Order:	1105695	Collection Date:	5/13/2011 11:42:00 AM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-07	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8010B: SOIL METALS						
Uranium	ND	25		mg/Kg	5	Analyst: ELS 5/31/2011 12:30:44 PM
EPA METHOD 418.1: TPH						
Petroleum Hydrocarbons, TR	46	20		mg/Kg	1	Analyst: LRW 5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	1
Lab Order:	1105695	Collection Date:	5/13/2011 11:57:00 AM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-08	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						
Uranium	ND	25		mg/Kg	5	Analyst: ELS 5/31/2011 12:34:24 PM
EPA METHOD 418.1: TPH						
Petroleum Hydrocarbons, TR	39	20		mg/Kg	1	Analyst: LRW 5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	J
Lab Order:	1105695	Collection Date:	5/13/2011 11:51:00 AM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-09	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						
Uranium	ND	25		mg/Kg	5	Analyst: ELS 5/31/2011 12:38:24 PM
EPA METHOD 418.1: TPH						
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	Analyst: LRW 5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	Background
Lab Order:	1105695	Collection Date:	5/13/2011 1:16:00 PM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-10	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						
Uranium	ND	25		mg/Kg	5	Analyst: ELS 5/31/2011 12:45:35 PM
EPA METHOD 418.1: TPH						
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	Analyst: LRW 5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analytical Report

CLIENT:	XTO Energy	Client Sample ID:	E
Lab Order:	1105695	Collection Date:	5/13/2011 12:28:00 PM
Project:	Coronado Pond #1	Date Received:	5/17/2011
Lab ID:	1105695-11	Matrix:	SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 6010B: SOIL METALS						
Uranium	ND	25		mg/Kg	5	Analyst: ELS 5/31/2011 12:47:37 PM
EPA METHOD 418.1: TPH						
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	Analyst: LRW 5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

ANALYTICAL RESULTS

Project: 1105695
Pace Project No.: 3047003

Sample: 1105695-01B Lab ID: 3047003001 Collected: 05/13/11 11:23 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	1.08 ± 0.237 (0.188)	pCi/g	06/14/11 09:28	13982-63-3	
Radium-228	EPA 901.1m	0.871 ± 0.330 (0.437)	pCi/g	06/14/11 09:28	15262-20-1	

Sample: 1105695-02B Lab ID: 3047003002 Collected: 05/13/11 11:37 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	0.793 ± 0.191 (0.181)	pCi/g	06/14/11 10:25	13982-63-3	
Radium-228	EPA 901.1m	0.878 ± 0.259 (0.467)	pCi/g	06/14/11 10:25	15262-20-1	

Sample: 1105695-03B Lab ID: 3047003003 Collected: 05/13/11 11:30 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	1.08 ± 0.251 (0.207)	pCi/g	06/14/11 11:09	13982-63-3	
Radium-228	EPA 901.1m	1.41 ± 0.337 (0.261)	pCi/g	06/14/11 11:09	15262-20-1	

Sample: 1105695-04B Lab ID: 3047003004 Collected: 05/13/11 11:15 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	0.933 ± 0.190 (0.156)	pCi/g	06/14/11 11:40	13982-63-3	
Radium-228	EPA 901.1m	1.34 ± 0.320 (0.291)	pCi/g	06/14/11 11:40	15262-20-1	

Sample: 1105695-05B Lab ID: 3047003005 Collected: 05/13/11 10:49 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	0.911 ± 0.196 (0.195)	pCi/g	06/14/11 12:57	13982-63-3	
Radium-228	EPA 901.1m	1.10 ± 0.346 (0.362)	pCi/g	06/14/11 12:57	15262-20-1	

Sample: 1105695-06B Lab ID: 3047003006 Collected: 05/13/11 11:46 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	0.842 ± 0.216 (0.262)	pCi/g	06/14/11 14:08	13982-63-3	
Radium-228	EPA 901.1m	2.01 ± 0.494 (0.280)	pCi/g	06/14/11 14:08	15262-20-1	

Date: 06/16/2011 02:32 PM

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.
1638 Roseytown Road - Suites 2,3,4
Greensburg, PA 15601
(724)850-6600

ANALYTICAL RESULTS

Project: 1105695

Pace Project No.: 3047003

Sample: 1105695-07B Lab ID: 3047003007 Collected: 05/13/11 11:42 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	0.849 ± 0.232 (0.173)	pCi/g	06/14/11 14:40	13982-63-3	
Radium-228	EPA 901.1m	0.801 ± 0.267 (0.437)	pCi/g	06/14/11 14:40	15262-20-1	

Sample: 1105695-08B Lab ID: 3047003008 Collected: 05/13/11 11:57 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	0.934 ± 0.240 (0.178)	pCi/g	06/14/11 15:11	13982-63-3	
Radium-228	EPA 901.1m	1.42 ± 0.332 (0.179)	pCi/g	06/14/11 15:11	15262-20-1	

Sample: 1105695-09B Lab ID: 3047003009 Collected: 05/13/11 11:51 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	0.865 ± 0.183 (0.151)	pCi/g	06/14/11 15:42	13982-63-3	
Radium-228	EPA 901.1m	0.953 ± 0.370 (0.458)	pCi/g	06/14/11 15:42	15262-20-1	

Sample: 1105695-10B Lab ID: 3047003010 Collected: 05/13/11 13:16 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	0.889 ± 0.218 (0.223)	pCi/g	06/14/11 16:13	13982-63-3	
Radium-228	EPA 901.1m	0.905 ± 0.301 (0.498)	pCi/g	06/14/11 16:13	15262-20-1	

Sample: 1105695-11B Lab ID: 3047003011 Collected: 05/13/11 12:28 Received: 05/20/11 10:00 Matrix: Solid
PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc (MDC)	Units	Analyzed	CAS No.	Qual
Radium-226	EPA 901.1m	1.000 ± 0.258 (0.188)	pCi/g	06/14/11 16:45	13982-63-3	
Radium-228	EPA 901.1m	0.967 ± 0.267 (0.292)	pCi/g	06/14/11 16:45	15262-20-1	

Date: 06/16/2011 02:32 PM

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.
1638 Roseytown Road - Suites 2,3,4
Greensburg, PA 15601
(724)850-6600

QUALITY CONTROL DATA

Project: 1105695
Pace Project No.: 3047003

QC Batch:	RADC/8455	Analysis Method:	EPA 901.1m
QC Batch Method:	EPA 901.1m	Analysis Description:	901.1 Gamma Spec
Associated Lab Samples:	3047003001, 3047003002, 3047003003, 3047003004, 3047003005, 3047003006, 3047003007, 3047003008, 3047003009, 3047003010, 3047003011		

METHOD BLANK:	302759	Matrix:	Solid
Associated Lab Samples:	3047003001, 3047003002, 3047003003, 3047003004, 3047003005, 3047003006, 3047003007, 3047003008, 3047003009, 3047003010, 3047003011		

Parameter	Act ± Unc (MDC)	Units	Analyzed	Qualifiers
Radium-226	0.0710 ± 0.140 (0.244)	pCi/g	06/16/11 08:50	
Radium-228	-0.041 ± 1.06 (0.407)	pCi/g	08/16/11 08:50	

Date: 08/16/2011 02:32 PM

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QA/QC SUMMARY REPORT

Client: XTO Energy
Project: Coronado Pond #1

Work Order: 1105695

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 418.1: TPH											
Sample ID: MB-26872		MBLK				Batch ID: 26872	Analysis Date:	5/20/2011			
Petroleum Hydrocarbons, TR	ND	mg/Kg	20								
Sample ID: LCS-26872		LCS				Batch ID: 26872	Analysis Date:	5/20/2011			
Petroleum Hydrocarbons, TR	94.20	mg/Kg	20	100	0	94.2	81.4	118			
Sample ID: LCSD-26872		LCSD				Batch ID: 26872	Analysis Date:	5/20/2011			
Petroleum Hydrocarbons, TR	95.54	mg/Kg	20	100	0	95.5	81.4	118	1.41	8.58	
Method: EPA Method 6010B: Soil Metals											
Sample ID: 1105696-01AMSD		MSD				Batch ID: 26997	Analysis Date:	5/31/2011 12:19:10 PM			
Uranium	ND	mg/Kg	25	24.95	0	82.0	75	125	0	20	
Sample ID: MB-26997		MBLK				Batch ID: 26997	Analysis Date:	5/31/2011 11:52:18 AM			
Uranium	ND	mg/Kg	5.0								
Sample ID: LCS-26997		LCS				Batch ID: 26997	Analysis Date:	5/31/2011 11:54:15 AM			
Uranium	25.49	mg/Kg	5.0	25	0.6564	99.3	80	120			
Sample ID: 1105696-01AMS		MS				Batch ID: 26997	Analysis Date:	5/31/2011 12:17:13 PM			
Uranium	ND	mg/Kg	25	24.95	0	96.1	75	125			

Qualifiers:

E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
NC Non-Chlorinated
R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name XTO ENERGY

Date Received:

5/17/2011

Work Order Number 1105895

Received by: MMG

Checklist completed by:

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: Greyhound

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐	Not Shipped ☐
Custody seals intact on sample bottles?	Yes ☒	No ☐	N/A ☐	
Chain of custody present?	Yes ☒	No ☐		
Chain of custody signed when relinquished and received?	Yes ☒	No ☐		
Chain of custody agrees with sample labels?	Yes ☒	No ☐		
Samples in proper container/bottle?	Yes ☒	No ☐		
Sample containers intact?	Yes ☒	No ☐		
Sufficient sample volume for indicated test?	Yes ☒	No ☐		
All samples received within holding time?	Yes ☒	No ☐		
Water - VOA vials have zero headspace?	No VOA vials submitted ☒	Yes ☐	No ☐	Number of preserved bottles checked for pH:
Water - Preservation labels on bottle and cap match?	Yes ☐	No ☐	N/A ☒	
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☒	<2 >12 unless noted below.
Container/Temp Blank temperature?	1.0°	<6° C Acceptable If given sufficient time to cool.		

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____

Ridgeline Seeding & Reclamation, Inc.

PO Box 1375

Ignacio, CO 81137

Invoice

Date	Invoice #
10/10/2012	2850

Bill To
XTO Energy, Inc. 382 C.R. 3100 Aztec NM 87410 Attn.: Brent Beatty

Federal I.D.#	Terms
26-3867207	Due on receipt

Qty	Description	Price Each	Amount
	Location: Evaporation Pond #1; Well # _____; Seeding		
2	09-25-12; Labor	45.00	90.00T
6	09-25-12; Transport Truck/Hourly	120.00	720.00T
6	09-26-12; Pick Up w/ Trailer	85.00	510.00T
2.25	09-26-12; Pick Up	68.50	154.13T
3	09-26-12; Transport Truck/Hourly	120.00	360.00T
4.5	09-26-12; New Holland 5060 Tractor (used with fertilizer spreader)	83.75	376.88T
1	09-26-12; Fertilizer Spreader	75.00	75.00T
2	09-26-12; Labor	45.00	90.00T
1.5	09-26-12; Pick Up w/ Trailer	85.00	127.50T
1	09-26-12; New Holland 5060 Tractor	83.75	83.75T
0.5	09-26-12; Pick Up w/ Trailer	85.00	42.50T
2	09-26-12; Pick Up	68.50	137.00T
1.5	09-27-12; Pick Up	68.50	102.75T
4.25	09-27-12; New Holland 5060 w/ Disc	88.75	377.19T
3.5	09-27-12; New Holland 5060 w/ 6' Drill	93.75	328.13T
2	09-27-12; Labor	45.00	90.00T
1	09-27-12; John Deere 7810 w/ Hay Buster 2654	123.75	123.75T
1.5	09-27-12; Pick Up	68.50	102.75T
1	09-27-12; John Deere 6430 w/ Crimper	103.75	103.75T
2.5	09-27-12; Pick Up w/ Trailer	85.00	212.50T
3.5	09-27-12; Labor	45.00	157.50T
2.5	09-27-12; Pick Up w/ Trailer	85.00	212.50T
3	09-28-12; Pick Up w/ Trailer	85.00	255.00T
5.5	09-28-12; New Holland 5060 w/ Crimper	93.75	515.63T
2.5	09-28-12; Pick Up	68.50	171.25T
5	09-28-12; Pick Up w/ Trailer	85.00	425.00T
5.75	09-28-12; John Deere 7810 w/ Hay Buster 2654	123.75	711.56T
<i>Brent Beatty 10-11-12</i>		Total	
Thank you for your business - We appreciate it very much! Phone # 970-883-2503 Fax # 970-883-2601		Payments/Credits	
		Balance Due	

RidgeLine Seeding & Reclamation, Inc.

PO Box 1375

Ignacio, CO 81137

Invoice

Date	Invoice #
10/10/2012	2830

Bill To
XTO Energy, Inc. 382 C.R. 3100 Aztec NM 87410 Attn.: Brent Beatty

Federal I.D.#	Terms
26-3867207	Due on receipt

Qty	Description	Price Each	Amount
129	09-27-12; Farmington Field Office Mix (Lbs.)	7.87	1,015.23T
1	09-27-12; Disposal Fee	38.00	38.00T
	Subtotal		7,709.25
21	09-28-12; Straw Bale - 3X4	84.00	1,764.00T
12	09-28-12; 6' Steel Post	8.61	103.32T
	Subtotal		1,867.32
	NM Gross Receipts	5.125%	490.80
<i>Brent Beatty 10-11-12</i>		Total	\$10,067.37
Thank you for your business - We appreciate it very much!		Payments/Credits	\$0.00
Phone # 970-883-2508 Fax # 970-883-2602		Balance Due	\$10,067.37

**SOUTHWEST
SEED INC.**

13260 County Road 29
Dolores, CO 81323
Phone: (970) 565-8722

*Sheet
2014.3
Pano #1*

Custom Bulk Seed Mixture Analysis

LOT NO: 2012.0242 5/1/2012

VARIETY: BLM FARMINGTON FIELD OFFICE

SPECIES: MIXTURE: RIDGELINE SEEDING

Lot NO	Species	Variety	CL	OR	PURE	INERT	CROP	WEED	Reir	Nox	Live	PLS	Test Date	Bulk LBS	PLS LBS	Pure %
2008.0849	SHRUB: SALT BUSH-FOURWIN	CO NATIVE		CO	95.57	4.36	0.03	0.04	*	NF	53	50.65	5/16/2011	9.87	5.00	3.26
2010.0505	WHEATGR: WESTERN	ARRIBA	C	CO	98.08	1.73	0.00	0.21	NF	NF	97	95.12	12/29/2011	63.08	60.00	21.40
2010.0758	INDIAN RICEGRASS:	RIMROCK	C	MT	99.68	0.30	0.00	0.02	*	NF	98	97.69	10/24/2011	61.42	60.00	21.19
2011.0027	WHEATGR: CRESTED	HYCREST	C	CO	97.22	2.78	0.00	0.00	NF	NF	93	90.41	4/4/2012	66.38	60.00	22.33
2011.0000	WHEATGR: SLENDER	PRYOR		CAN	95.99	3.85	0.76	0.00	NF	NF	96	92.15	5/16/2011	43.41	40.00	14.42
2011.0695	GRASS C: SQUIRRELTAIL	BOTTLEBRUSH		WA	96.98	2.96	0.05	0.03	*	NF	92	89.20	9/15/2011	44.84	40.00	15.05
Pure: 97.64% Inert 2.27% Crop 0.03% Weed 0.06% Total 100%														Grand Total	288.98	265.00

REMARK: 6 BAGS EACH CONTAINING 48.16 BULK #S (44.166 PLS #S)
SEEDING RATE 14.45 BULK #S (13.25 PLS #S) PER ACRE
Noxious Weeds -seeds/lb:



13260 County Road 29
Dolores, CO 81323
Phone: (970) 565-8722

Custom Bulk Seed Mixture Analysis

LOT NO: 2012.0242 5/1/2012

SPECIES: MIXTURE: RIDGELINE SEEDING VARIETY: BLM FARMINGTON FIELD OFFICE

Lot NO	Species	Variety	CL	OR	PURE	INERT	CROP	WEED	Rstr	Nox	Live	PLS	Test Date	Bulk LBS	PLS LBS	Pure %
2008.0848	SHRUB: SALT BUSH-FOURWIN	CO NATIVE	C	CO	95.57	4.36	0.03	0.04	0.04	0.04	53	50.85	5/16/2011	9.87	5.00	3.26
2010.0505	WHEATGR: WESTERN	ARRIBA	C	CO	98.06	1.73	0.00	0.21	NF	NF	97	95.12	12/29/2011	63.08	60.00	21.40
2010.0758	INDIAN RICEGRASS:	RIMROCK	C	MT	99.68	0.30	0.00	0.02	0.02	0.02	98	97.69	10/24/2011	61.42	60.00	21.19
2011.0027	WHEATGR: CRESTED	HYCREST	C	CO	97.22	2.78	0.00	0.00	NF	NF	93	90.41	4/4/2012	68.36	60.00	22.33
2011.0637	WHEATGR: SLENDER	PRYOR	CAN	CAN	95.99	3.85	0.16	0.00	NF	NF	96	92.15	5/16/2011	43.41	40.00	14.42
2011.0695	GRASS C: SQUIRRELTAIL	BOTTLEBRUSH	WA	WA	96.96	2.96	0.05	0.03	0.03	0.03	92	89.20	9/15/2011	44.84	40.00	15.05
Pure: 97.64% Inert 2.27% Crop 0.03% Weed 0.06% Total 100%														Grand Total	288.98	265.00

REMARK: 6 BAGS EACH CONTAINING 48.16 BULK #3 (44.168 PLS #S)
SEEDING RATE 14.45 BULK #S (13.25 PLS #S) PER ACRE

Noxious Weeds -seeds/lb:

Pond #1



13260 County Road 29
Dolores, CO 81323
Phone: (970) 565-8722

Custom Bulk Seed Mixture Analysis

LOT NO: 2012.0532 8/28/2012

SPECIES: MIXTURE: RIDGELINE SEEDING VARIETY: BLM FARMINGTON FIELD OFFICE

Lot NO	Species	Variety	CL	OR	PURE	INERT	CROP	WEED	Rstr	Nox	Live	PLS	Test Date	Bulk LBS	PLS LBS	Pure %
2010.0758	INDIAN RICEGRASS:	RIMROCK	C	MT	99.63	0.30	0.00	0.02	0.02	0.02	98	97.69	10/24/2011	48.07	45.00	21.39
2011.0027	WHEATGR: CRESTED	HYCREST	C	CO	97.22	2.78	0.00	0.00	NF	NF	93	90.41	4/4/2012	49.77	45.00	22.54
2011.0538	WHEATGR: WESTERN	ARRIBA	C	CO	98.43	1.40	0.00	0.17	NF	NF	97	95.48	5/20/2012	47.13	45.00	21.61
2011.0695	GRASS C: SQUIRRELTAIL	BOTTLEBRUSH	WA	WA	96.96	2.96	0.05	0.03	0.03	0.03	90	87.26	8/14/2012	34.38	30.00	15.52
2012.0101	WHEATGR: SLENDER	SAN LUIS	CAN	CAN	98.66	1.31	0.00	0.03	NF	NF	94	92.74	10/11/2011	32.35	30.00	14.86
2012.0426	SHRUB: SALT BUSH-FOURWIN	VNS	NM	NM	97.17	2.83	0.00	0.00	NF	NF	78	75.79	4/26/2012	5.01	3.80	2.27
Pure: 98.19% Inert 1.75% Crop 0.01% Weed 0.05% Total 100%														Grand Total	214.71	198.80

REMARK: FIVE BAGS. EACH BAG CONTAINS 42.94 BLK LBS (39.75 PLS LBS) TO SEED 3 ACRES.

Noxious Weeds -seeds/lb:

Evap Pond #1

*Bag 2007.6
END 2014.3*

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: XTO Energy, Inc.	Contact: James McDaniel
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3701
Facility Name: Central Evaporation Pond #1 (Permit NM-2-008)	Facility Type: Evaporation Pond

Surface Owner: Federal	Mineral Owner:	Lease No.:
------------------------	----------------	------------

LOCATION OF RELEASE

Unit Letter	Section 31	Township 32N	Range 8W	Feet from the	North/South Line	Feet from the	East/West Line	County San Juan
-------------	---------------	-----------------	-------------	---------------	------------------	---------------	----------------	--------------------

Latitude: 36.947107 Longitude: -107.717228

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: Unknown	Volume Recovered: None
Source of Release: Evaporation Pond	Date and Hour of Occurrence: Unknown	Date and Hour of Discovery: NA
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required	If YES, To Whom?	
By Whom?	Date and Hour:	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	

OIL CONS. DIV DIST. 3

MAR 11 2013

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

On May 13, 2011, LT Environmental collected closure samples beneath the liner of Central Evaporation Pond #1 as outlined in the attached *Soil Sampling Results Report*. The samples were analyzed for each of the constituents outlined in the closure procedures for a centralized waste facility. Chloride results for samples collected in sections F, G, H and I returned results above the 250 mg/kg Spill Confirmation results outlined in the attached *Approved Closure Plan*. This confirmed that a release had occurred at this location. The chlorides found in sections F, G, H and I was the results of overspray, and not a result of a leak in the pond liner. Chlorides collected from sections A, B, C and D, which were beneath the pond liner, returned results below the 250 mg/kg standard for the determination of a release. The site was ranked a 10 according to the NMOCGD Guidelines for the Remediation of Leaks, Spills and Releases due to a drainage at less than 1,000 feet from the location. This set the closure standard to 1,000 ppm TPH, 10 ppm benzene and 50 ppm total BTEX.

Describe Area Affected and Cleanup Action Taken.*

The analytical results are attached in the *Soil Sampling Results Report*. All results are below the regulatory standards outlined in the NMOCGD Guidelines for the Remediation of Leaks, Spills and Releases. The NMOCGD Guidelines for the Remediation of Leaks, Spills and Releases does not cite a closure standard for chlorides, and based on a depth to groundwater of over 100 feet at this location, the chloride levels present will not pose a threat to human health and the environment.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCGD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCGD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCGD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature:

Printed Name: James McDaniel, CHMM #15676

Title: EH&S Supervisor

E-mail Address: James.McDaniel@xtoenergy.com

Date: 3/11/2013

Phone: 505-333-3701

Approved by District Supervisor:

Approval Date: 3/20/13

Expiration Date:

Conditions of Approval:

Attached ☐

n JK 1307953427

SITE NAME:

**CENTRALIZED EVAPORATION POND #1
SECTION 31, TOWNSHIP 32N, RANGE 8W
SAN JUAN COUNTY, NEW MEXICO
OCD PERMIT NO. NM-02-0008**

SUBMITTED TO:

**MR. BRAD JONES
NEW MEXICO OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DRIVE
SANTA FE, NEW MEXICO 87505
(505) 476-3487**

SUBMITTED BY:

**XTO ENERGY, INC.
SAN JUAN DIVISION
382 ROAD 3100
AZTEC, NEW MEXICO 87410
(505) 333-3100**

MARCH 11, 2013

TABLE OF CONTENTS

INTRODUCTION	1
SCOPE OF CLOSURE ACTIVITIES.....	1

Figures: Figure 1 Vicinity Map

Attachments: Attachment #1 February 17, 2011 Letter from NMOCD
Attachment #2 Reclamation Plan
Attachment #3 Photo Documentation
Attachment #4 LT Environmental Sampling Report

INTRODUCTION

The Centralized Evaporation Pond #1 (Pond #1) was originally permitted by the New Mexico Oil Conservation Division (OCD) for Koch Exploration in July of 1998, OCD Permit No. NM-02-0008. The pond lease and permit was acquired by XTO Energy, Inc. (XTO) in 2009 from El Paso Exploration and Production Company, and approval to transfer the permit was issued in March of 2009. The evaporation pond was used to dispose of produced water from the Gardner C #2, Gardner C #3, Gardner C #4 and Gardner C #6 well sites by previous operators. These wells are now owned and operated by XTO, however Pond #1 has not been used for disposal by XTO. XTO notified OCD in April 2009 of plans for evaporating the fluid in the pond in order to clean and inspect the liner as part of our routine operations and maintenance program. During inspection and maintenance, obsolete, damaged and non-operational equipment was removed from the location. Based on completion of this process XTO has decided to close Pond #1. A closure plan for this evaporation pond was submitted to your office and approved on February 17, 2011.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure report is to provide details of the closure activities performed by XTO for Evaporation Pond #1 located in Section 31, Township 32N, Range 8W.

- 1) *XTO notified the division's environmental bureau on April 28, 2009 of the cessation of operations at Pond #1 as part of our plans for evaporating the fluid in the pond in order to clean and inspect the liner. This closure plan and proposed schedule has been submitted to the division for adequacy in accordance with Paragraph 1 of Subsection A of NMAC 19.15.36.18.*

This closure plan was approved by the OCD on February 17, 2011.

- 2) *XTO is requesting an exception to Paragraph 2 of Subsection A of NMAC 19.15.36.18, the division's 60 days for notification of modifications of the closure plan and proposed schedule, based on the time of year and expected weather impediments. Winter precipitation, snow melt and Federal area closures will hinder closure operations.*

Closure activities occurred at this site from April 4, 2011 through October 9, 2012

- 3) *However, if the division does not notify XTO of additional closure requirements within 60 days as provided, the operator may proceed with closure in accordance with the approved closure plan; provided that the director, for good cause, extend the time for the division's response for an additional period not to exceed 60 days by written notice to XTO in accordance with Paragraph 3 of Subsection A of NMAC 19.15.36.18.*

XTO is in receipt of the additional closure requirements outlined in the February 17, 2011 letter from the OCD. This letter is enclosed as Attachment #1.

- 4) *XTO shall be entitled to a hearing concerning a modification or additional requirement the division seeks to impose if it files an application for a hearing within 10 days after*

receipt of written notice of the proposed modifications or additional requirements in accordance with Paragraph 4 of Subsection A of NMAC 19.15.36.18.

A hearing was not requested by XTO Energy, Inc.

- 5) *Closure shall proceed in accordance with the approved closure plan and schedule and modifications or additional requirements the division imposes. During closure operations XTO shall maintain the surface waste management facility to protect fresh water, public health, safety and the environment in accordance with Paragraph 5 of Subsection A of NMAC 19.15.36.18.*

Closure activities were performed in accordance with the approved closure plan.

- 6) *Upon completion of closure, XTO shall re-vegetate the site in accordance with the included Reclamation Plan. The surface owner of this site is the Bureau of Land Management (BLM) and the included Reclamation Plan conforms to BLM requirements and is in accordance with Paragraph 6 of Subsection A of NMAC 19.15.36.18.*

XTO has reclaimed the pond in accordance with BLM standards and as outlined in, Attachment #2.

- 7) *All water and sediment in the pond has been removed and disposed of at an OCD permitted disposal facility in order to inspect the liner as per our agreement with OCD dated April 2009 and in accordance with Paragraph 1 Subsection E of NMAC 19.15.36.18.*

All water in Evaporation Pond #1 was removed and disposed of at Agua Moss' OCD permitted injection facility, OCD permit number NMOCD-07-162. Approximately 285 yards of sediments and 1150 barrels of sludge were disposed of at CRI's OCD permitted landfill, OCD permit number NM-01-006.

- 8) *All liners and bedding material will be inspected for re-use in other Oil and Gas operations (with OCD approval). Portions of the liner and bedding material that are deemed unusable will be properly cleaned and disposed of per 19.15.9.712 NMAC at the Bondad Landfill, located in La Plata County, Colorado (due to location) or the San Juan County Landfill, located in San Juan County, New Mexico. Concrete used to make up the leak detection system footer will be broken up and screened for Naturally Occurring Radioactive Material before being hauled to the Bondad Landfill for disposal.*

All liner and bedding material was removed and disposed of at the Bondad Landfill. Upon removal of the sump area, it was discovered that there was no concrete in the leak detection area. The leak detection was made up of an 8" PVC connected to the 1" leak detection piping running beneath the pond liner. Please see the photographs presented in Attachment #3.

- 9) *The soil beneath the evaporation pond liner, pond sidewalls, liquids receiving and treatment area, leak detection area, and area outside the berm will be sampled, by a third party contractor, into 4-ounce glass jars, capped headspace free, and analyzed for BTEX via USEPA Method 8021B, and for total petroleum hydrocarbons (TPH) via USEPA*

Method 418.1, total chlorides, and 3103 Subsection A and Subsection B constituents in accordance with NMAC 20.6.2.3103AB. Samples will also be collected from the natural background (for comparative purposes), to be analyzed for metals, and other inorganics listed in Subsections A and B of NMAC 20.6.2.3103. Standard metals will be analyzed via USEPA Method 6010B, Mercury will be analyzed via USEPA Method 7470 and cyanide will be analyzed via USEPA Method 9012B. Fluoride, Nitrate, Sulfate and Chlorides will be analyzed via USEPA Method 9056. Polychlorinated Biphenyls (PCB) will be analyzed via USEPA Method 8082, Volatile Organic Compounds (VOCs) will be analyzed via USEPA Method 8260B, Poly Aromatic Hydrocarbons (PAH) will be analyzed via USEPA Method 8310, Ethylene Dibromide (EDB) will be analyzed via USEPA Method 8011, Phenols will be analyzed via USEPA Method 9066, Total Dissolved Solids (TDS) will be analyzed via USEPA Method 2540C, Uranium will be analyzed via USEPA Method 200.8, and Radium 226/228 will be analyzed via USEPA Method 7500.

Individual grab samples will be obtained from any areas (beneath the evaporation pond liner, pond sidewalls, liquids receiving and treatment area, leak detection area, and area outside the berm) with visually obvious staining or moist soil. If the liner is obviously damaged, or there is any indication of a release, a subsurface investigation will be conducted.

Please see attached closure sampling report from LT Environmental (LTE) as Attachment #4. The metals results presented in Attachment #4 were analyzed using the RCRA 8 metals procedure for total metals. As a typical rule of thumb, TCLP metals are typically 1/20th of the metals found during total metals analysis.

- 10) Samples will be collected in accordance with the USEPA SW-846 protocols. Four (4) soil samples will be collected from beneath the pond and along the pond sidewalls, one in each quadrant of a grid pattern. Each sample will be a 10 point composite as shown on Figure 3. Each grid will measure approximately 160' x 160'. The evaporation pond is approximately 315' x 315'. One additional composite sample will be collected beneath the concrete footer of the leak detection system as well. One background sample of virgin, undisturbed soil will be analyzed for comparative purposes. The sample results will be submitted to the OCD Santa Fe office in accordance with Paragraphs 4-5 of Subsection E of NMAC 19.15.36.18.*

A sample grid map is included in the LTE Sampling Report, Attachment #4, as Figure #2.

- 11) Considerations: This site has an OCD Hazard Ranking of 10 based on depth to groundwater of over 100 feet, distance to a water well of over 1,000 feet, and horizontal distance to surface water of over 200 feet; see **Figure 1, Vicinity Map**. Sample results above 100 mg/kg TPH, 10 mg/kg benzene and 50 mg/kg BTEX standards will be excavated and a new sample collected as per OCD Guidelines for the Remediation of Leaks, Spills and Releases. Should all closure samples return results below the closure*


standards determined for this site, no excavation will be required. Soil samples will be collected and analyzed for a chloride standard of 250 mg/kg or background to determine if a release has occurred.

Each of the Evaporation Pond closure samples were found in the laboratory to be below the closure standards outlined in the OCD Guidelines for the Remediation of Leaks, Spills and Releases.

- 12) Once laboratory analysis indicates closure standards have been achieved for the site, the evaporation pond will be backfilled using non-waste containing soil, and re-contoured and re-vegetated pursuant to the attached **Grading Plan and Reclamation Plan**. These plans conform to NMAC 19.15.36.18 and BLM requirements.*
- 13) The facility has been reclaimed pursuant to the attached Grading plan and Reclamation Plan. The reclamation plan includes soil amendments approved by the BLM to facilitate growth at this location. The site has been seeded with a seed mixture containing a minimum of three (3) native plant species, including at least one (1) native grass, not including noxious weeds. The seed mixture analysis and the invoice for seeding from Ridgeline Seeding and Reclamation, Inc. have been attached for your reference.**
- 14) The post-closure care period for the evaporation pond closure shall be three years if XTO has achieved clean closure. During that period XTO or another responsible entity shall regularly inspect and maintain the required re-vegetation. If there has been a release to the vadose zone or to groundwater, then XTO shall comply with applicable requirements of 19.15.29 and 19.15.30 NMAC in accordance with Subsection F on NMAC 19.15.36.18.*
- No release has been confirmed in the Vadose Zone.**
- 15) Once all closure activities have been completed, a report detailing on-site activities and sampling results will be prepared and submitted to OCD environmental bureau in Santa Fe.*

This report is intended to be the above mentioned closure report.

XTO Energy, Inc. has completed closure activities at Evaporation Pond #1 located in Section 31, Township 32N, Range 8W, San Juan County, New Mexico. Pending approval of this closure report, Evaporation Pond #1 will no longer be permitted as a Centralized Waste Facility regulated by the OCD.


James McDaniel, CHMM #15676
EH&S Supervisor
XTO Energy, Inc.





COMPLIANCE / ENGINEERING / REMEDIATION

LT Environmental, Inc.

2243 Main Avenue, Suite 3
Durango, Colorado 81301
T 970.385.1096 / F 970.385.1873

June 21, 2011

Mr. James McDaniel
XTO Energy, Inc.
382 CR 3100
Aztec, NM 87410

**RE: Soil Sampling Results
XTO Energy, Inc.
Centralized Evaporation Pond #1 Permit NM-02-0008
San Juan County, New Mexico**

Dear Mr. McDaniel:

LT Environmental, Inc. (LTE) is pleased to provide XTO Energy, Inc. (XTO) with this letter summarizing the results of soil sampling activities at the Centralized Evaporation Pond #1, permit number NM-02-0008 (Site). The Site is located in the northeast $\frac{1}{4}$ of the northwest $\frac{1}{4}$ of Section 31 in Township 32 North, Range 8 West, San Juan County, New Mexico (Figure 1). LTE collected soil samples for closure of the evaporation pond, which was used by previous operators to dispose of produced water generated at nearby natural gas wells.

SOIL SAMPLING

XTO removed all water and sediment from the pond, the pond liner, and any other facility equipment prior to sampling. On May 12 and May 16, 2011, LTE collected ten composite soil samples and one background soil sample from locations specified in the January 13, 2011 closure plan submitted by XTO to the New Mexico Oil Conservation Division (NMOCD) and approved by the NMOCD on February 17, 2011. LTE conducted a visual investigation of the Site and did not observe any stained or moist soil from which to collect additional samples.

Composite soil sample locations are shown in Figure 2. Four ten-point composite samples were collected from beneath the former pond liner including the bottom and side walls of the pond (Samples A, B, C, and D). Five-point composite samples were collected beneath the former leak detection sump (Sample E), beneath the former liquids receiving and treatment area (Sample F), and from four areas outside of the former berm (Samples G, H, I, and J). A discrete background sample was collected from the ground surface outside of the facility perimeter in the estimated up-gradient direction (north). For each composite soil sample, LTE deposited the appropriate number of aliquots of soil into plastic bags, thoroughly mixed the contents and sampled into 4-ounce glass jars. The soil samples were stored on ice and shipped in a cooler to Environmental Science Corporation in Mt. Juliet, Tennessee, and Hall Environmental Analysis Laboratory in Albuquerque, New Mexico following strict chain of custody procedures. The soil samples were analyzed for benzene, toluene, ethylbenzene, and total xylenes by United States Environmental Protection Agency (USEPA) Method 8021B and total petroleum hydrocarbons by USEPA Method 418.1. Additionally, the following constituents listed in Subsections A and B of



20.6.2.3103 of the New Mexico Administrative Code were analyzed based on knowledge of process: arsenic, barium, cadmium, chromium, cyanide, fluoride, lead, total mercury, nitrate, selenium, silver, uranium, combined radioactivity, copper, iron, manganese, chloride, sulfate, total dissolved solids, zinc, and pH.

RESULTS

Table 1 lists the soil analytical results determined in the background sample and composite closure samples. The complete laboratory analytical reports are attached as Appendix A.

LTE appreciates the opportunity to provide environmental services to XTO. If you have any questions regarding this report, please contact us at (970) 385-1096.

Sincerely,

LT ENVIRONMENTAL, INC.

A handwritten signature in black ink, appearing to read 'Ashley L. Ager'.

Ashley L. Ager, M.S.
Senior Geologist/Office Manager

A handwritten signature in black ink, appearing to read 'Brooke Herb'.

Brooke Herb
Staff Geologist

Attachments (4)

Figure 1 – Site Location Map


Figure 2 – Soil Sampling Location Map

Table 1 – Soil Analytical Results

Appendix A – Laboratory Analytical Reports

FIGURES





LEGEND



SITE LOCATION





FIGURE 1
SITE LOCATION MAP
CENTRALIZED EVAPORATION POND #1
NENW SEC 31 T32N R8W
SAN JUAN COUNTY, NEW MEXICO
XTO ENERGY, INC.





FIGURE 2
SOILS SAMPLING LOCATIONS
CENTRALIZED EVAPORATION POND #1
NENW SEC 31 T32N R8W
SAN JUAN COUNTY, NEW MEXICO
XTO ENERGY, INC.



- LEGEND**
- x ALIQUOT SAMPLE LOCATION
 - O BACKGROUND SAMPLE LOCATION
 - A-J COMPOSITE SAMPLE IDENTIFICATION
 - SAMPLE GRID
 - . - FENCE
 - - - FORMER BERM
 - FORMER FACILITY EQUIPMENT

TABLE



TABLE 1

SOIL SAMPLE RESULTS
CENTRALIZED EVAPORATION POND #1
XTO ENERGY, INC.

Analyte	Sample ID Sample Date	Background 5/13/2011	A 5/13/2011	B 5/13/2011	C 5/13/2011	D 5/13/2011	E 5/16/2011	F 5/13/2011	G 5/13/2011	H 5/13/2011	I 5/13/2011	J 5/13/2011
	Units											
Benzene	mg/kg	<0.0026	<0.0027	<0.0028	<0.0027	<0.0026	<0.0026	<0.0026	<0.0026	<0.0027	<0.0026	<0.0027
Toluene	mg/kg	<0.0026	<0.0027	<0.0028	<0.0027	<0.0026	<0.0026	<0.0026	<0.0026	<0.0027	<0.0026	<0.0027
Ethylbenzene	mg/kg	<0.0026	<0.0027	<0.0028	<0.0027	<0.0026	<0.0026	<0.0026	<0.0026	<0.0027	<0.0026	<0.0027
Total Xylene	mg/kg	<0.0080	<0.0080	<0.0083	<0.0080	<0.0080	<0.0079	<0.0077	<0.0078	<0.0080	<0.0078	<0.0081
Total Petroleum Hydrocarbons	mg/kg	<20	<20	<20	<20	<20	<20	35	<20	46	39	<20
pH	S.U.	7.4	8.8	8.5	8.8	8.5	7.5	9.2	10.0	9.0	7.1	7.7
Total Dissolved Solids	%	94	94	91	94	94	95	97	96	93	96	93
Sulfate	mg/kg	<53	220	400	250	380	540	680	260	340	270	280
Nitrate	mg/kg	<1.1	1.1	9.1	2.3	20.0	4.7	20.0	18.0	27.0	26.0	15.0
Chloride	mg/kg	42	91	240	190	180	150	310	560	330	420	210
Uranium	mg/kg	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Arsenic	mg/kg	4.0	1.8	3.3	3.6	2.7	19.0	7.1	7.0	5.3	4.2	1.3
Barium	mg/kg	180	130	250	250	350	380	510	370	220	390	130
Cadmium	mg/kg	<0.26	<0.27	<0.28	<0.27	<0.26	0.76	<0.26	<0.26	<0.27	<0.26	<0.27
Chromium	mg/kg	11.0	5.1	5.2	5.3	5.4	6.2	5.9	5.5	5.6	6.6	5.2
Cyanide	mg/kg	<0.26	<0.27	<0.28	<0.27	<0.26	<0.26	<0.26	<0.26	<0.27	<0.26	<0.27
Fluoride	mg/kg	4.9	16.0	18.0	7.7	9.1	6.7	4.1	11.0	8.2	13.0	11.0
Lead	mg/kg	11.0	8.0	7.9	9.0	9.3	15.0	9.2	9.8	10.0	9.2	8.4
Mercury	mg/kg	0.033	0.022	0.037	0.041	0.039	0.043	0.023	0.037	0.034	0.026	<0.022
Selenium	mg/kg	<1.1	<1.1	<1.1	<1.1	<1.1	7.5	<1.0	<1.0	<1.1	<1.0	<1.1
Silver	mg/kg	<0.53	<0.53	<0.55	<0.53	<0.53	<0.53	<0.51	<0.52	<0.54	<0.52	<0.54
Copper	mg/kg	8.2	13.0	14.0	14.0	15.0	9.3	12.0	14.0	18.0	18.0	17.0
Iron	mg/kg	13,000	10,000	12,000	11,000	12,000	10,000	11,000	12,000	12,000	12,000	12,000
Manganese	mg/kg	240	110	130	100	170	130	160	110	120	180	120
Zinc	mg/kg	37	31	40	42	35	33	31	40	34	41	43
Radium-226	pCi/g	0.889	1.060	0.793	1.080	0.933	1.000	0.600	0.842	0.849	0.943	0.865
Radium-228	pCi/g	0.905	0.871	0.878	1.410	1.340	0.967	1.100	2.010	0.801	1.420	0.953
Combined Radioactivity	pCi/g	1.794	1.931	1.671	2.490	2.273	1.967	1.700	2.852	1.650	2.363	1.818

Notes:

% - percent
mg/kg - milligram per kilogram
pCi/g - PicoCurries per gram
S.U. - Standard unit



APPENDIX A
LABORATORY ANALYTICAL REPORTS





12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Report Summary

Monday May 23, 2011

Report Number: L516328

Samples Received: 05/17/11

Client Project:

Description: CORONADO POND #1

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

ESC Sample # : L516328-01

Date Received : May 17, 2011
Description : CORONADO POND #1

Site ID : CORONADO POND #1

Sample ID : A

Project # :

Collected By : Brooke Herb
Collection Date : 05/13/11 11:23

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	91.	11.	mg/kg	9056	05/18/11	1
Fluoride	16.	1.1	mg/kg	9056	05/18/11	1
Nitrate	1.1	1.1	mg/kg	9056	05/18/11	1
Sulfate	220	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.27	mg/kg	9012B	05/20/11	1
pH	8.8		su	9045D	05/18/11	1
Total Solids	94.		%	2540G	05/20/11	1
Mercury	0.022	0.021	mg/kg	7471	05/18/11	1
Arsenic	1.8	1.1	mg/kg	6010B	05/18/11	1
Barium	130	0.27	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.27	mg/kg	6010B	05/18/11	1
Chromium	5.1	0.53	mg/kg	6010B	05/18/11	1
Copper	13.	1.1	mg/kg	6010B	05/18/11	1
Iron	10000	5.3	mg/kg	6010B	05/18/11	1
Lead	8.0	0.27	mg/kg	6010B	05/18/11	1
Manganese	110	0.53	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/18/11	1
Silver	BDL	0.53	mg/kg	6010B	05/18/11	1
Zinc	31.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.027	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene(PID)	106.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-01 (PH) - 8.8@21.2c



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 23, 2011

Date Received : May 17, 2011
Description : CORONADO POND #1
Sample ID : B
Collected By : Brooke Herb
Collection Date : 05/13/11 11:37

ESC Sample # : L516328-02

Site ID : CORONADO POND #1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	240	11.	mg/kg	9056	05/18/11	1
Fluoride	18.	1.1	mg/kg	9056	05/18/11	1
Nitrate	9.1	1.1	mg/kg	9056	05/18/11	1
Sulfate	400	55.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.28	mg/kg	9012B	05/20/11	1
pH	8.5		su	9045D	05/18/11	1
Total Solids	91.		%	2540G	05/20/11	1
Mercury	0.037	0.022	mg/kg	7471	05/18/11	1
Arsenic	3.3	1.1	mg/kg	6010B	05/18/11	1
Barium	250	0.28	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.28	mg/kg	6010B	05/18/11	1
Chromium	5.2	0.55	mg/kg	6010B	05/18/11	1
Copper	14.	1.1	mg/kg	6010B	05/18/11	1
Iron	12000	5.5	mg/kg	6010B	05/18/11	1
Lead	7.9	0.28	mg/kg	6010B	05/18/11	1
Manganese	130	0.55	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/18/11	1
Silver	BDL	0.55	mg/kg	6010B	05/18/11	1
Zinc	40.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0028	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.028	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0028	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0083	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene (PID)	107.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-02 (PH) - 8.5@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

ESC Sample # : L516328-03

Date Received : May 17, 2011
Description : CORONADO POND #1

Site ID : CORONADO POND #1

Sample ID : C

Project # :

Collected By : Brooke Herb
Collection Date : 05/13/11 11:30

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	190	11.	mg/kg	9056	05/18/11	1
Fluoride	7.7	1.1	mg/kg	9056	05/18/11	1
Nitrate	2.3	1.1	mg/kg	9056	05/18/11	1
Sulfate	250	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.27	mg/kg	9012B	05/20/11	1
pH	8.8		su	9045D	05/18/11	1
Total Solids	94.		%	2540G	05/20/11	1
Mercury	0.041	0.021	mg/kg	7471	05/18/11	1
Arsenic	3.6	1.1	mg/kg	6010B	05/18/11	1
Barium	250	0.27	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.27	mg/kg	6010B	05/18/11	1
Chromium	5.3	0.53	mg/kg	6010B	05/18/11	1
Copper	14.	1.1	mg/kg	6010B	05/18/11	1
Iron	11000	5.3	mg/kg	6010B	05/18/11	1
Lead	9.0	0.27	mg/kg	6010B	05/18/11	1
Manganese	100	0.53	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/18/11	1
Silver	BDL	0.53	mg/kg	6010B	05/18/11	1
Zinc	42.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.027	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%) a,a,a-Trifluorotoluene (PID)	107.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-03 (PH) - 8.8@21.2c



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

ESC Sample # : L516328-04

Date Received : May 17, 2011
Description : CORONADO POND #1

Site ID : CORONADO POND #1

Sample ID : D

Project # :

Collected By : Brooke Herb
Collection Date : 05/13/11 11:15

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	180	11.	mg/kg	9056	05/18/11	1
Fluoride	9.1	1.1	mg/kg	9056	05/18/11	1
Nitrate	20.	1.1	mg/kg	9056	05/18/11	1
Sulfate	380	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	8.5		su	9045D	05/18/11	1
Total Solids	94.		%	2540G	05/20/11	1
Mercury	0.039	0.021	mg/kg	7471	05/18/11	1
Arsenic	2.7	1.1	mg/kg	6010B	05/18/11	1
Barium	350	0.26	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/18/11	1
Chromium	5.4	0.53	mg/kg	6010B	05/18/11	1
Copper	15.	1.1	mg/kg	6010B	05/18/11	1
Iron	12000	5.3	mg/kg	6010B	05/18/11	1
Lead	9.3	0.26	mg/kg	6010B	05/18/11	1
Manganese	170	0.53	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/18/11	1
Silver	BDL	0.53	mg/kg	6010B	05/18/11	1
Zinc	35.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene (PID)	106.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-04 (PH) - 8.5@21.2c



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

ESC Sample # : L516328-05

Date Received : May 17, 2011
Description : CORONADO POND #1

Site ID : CORONADO POND #1

Sample ID : F

Project # :

Collected By : Brooke Herb
Collection Date : 05/13/11 10:49

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	310	10.	mg/kg	9056	05/18/11	1
Fluoride	4.1	1.0	mg/kg	9056	05/18/11	1
Nitrate	20.	1.0	mg/kg	9056	05/18/11	1
Sulfate	680	51.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	9.2		su	9045D	05/18/11	1
Total Solids	97.		%	2540G	05/20/11	1
Mercury	0.023	0.020	mg/kg	7471	05/18/11	1
Arsenic	7.1	1.0	mg/kg	6010B	05/18/11	1
Barium	510	0.26	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/18/11	1
Chromium	5.9	0.51	mg/kg	6010B	05/18/11	1
Copper	12.	1.0	mg/kg	6010B	05/18/11	1
Iron	11000	5.1	mg/kg	6010B	05/18/11	1
Lead	9.2	0.26	mg/kg	6010B	05/18/11	1
Manganese	160	0.51	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.0	mg/kg	6010B	05/18/11	1
Silver	BDL	0.51	mg/kg	6010B	05/18/11	1
Zinc	31.	1.5	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0077	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene(PID)	107.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-05 (PH) - 9.2@21.2c



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

ESC Sample # : L516328-06

Date Received : May 17, 2011
Description : CORONADO POND #1

Site ID : CORONADO POND #1

Sample ID : G

Project # :

Collected By : Brooke Herb
Collection Date : 05/13/11 11:46

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	560	10.	mg/kg	9056	05/18/11	1
Fluoride	11.	1.0	mg/kg	9056	05/18/11	1
Nitrate	18.	1.0	mg/kg	9056	05/18/11	1
Sulfate	260	52.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	10.		su	9045D	05/18/11	1
Total Solids	96.		%	2540G	05/20/11	1
Mercury	0.037	0.021	mg/kg	7471	05/18/11	1
Arsenic	7.0	1.0	mg/kg	6010B	05/18/11	1
Barium	370	0.26	mg/kg	6010B	05/18/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/18/11	1
Chromium	5.5	0.52	mg/kg	6010B	05/18/11	1
Copper	14.	1.0	mg/kg	6010B	05/18/11	1
Iron	12000	5.2	mg/kg	6010B	05/18/11	1
Lead	9.8	0.26	mg/kg	6010B	05/18/11	1
Manganese	110	0.52	mg/kg	6010B	05/18/11	1
Selenium	BDL	1.0	mg/kg	6010B	05/18/11	1
Silver	BDL	0.52	mg/kg	6010B	05/18/11	1
Zinc	40.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0078	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%)						
a, a, a-Trifluorotoluene (PID)	106.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-06 (PH) - 10@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 23, 2011

Date Received : May 17, 2011
Description : CORONADO POND #1
Sample ID : H
Collected By : Brooke Herb
Collection Date : 05/13/11 11:42

ESC Sample # : L516328-07

Site ID : CORONADO POND #1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	330	11.	mg/kg	9056	05/18/11	1
Fluoride	8.2	1.1	mg/kg	9056	05/18/11	1
Nitrate	27.	1.1	mg/kg	9056	05/18/11	1
Sulfate	340	54.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.27	mg/kg	9012B	05/20/11	1
pH	9.0		su	9045D	05/18/11	1
Total Solids	93.		%	2540G	05/20/11	1
Mercury	0.034	0.021	mg/kg	7471	05/18/11	1
Arsenic	5.3	1.1	mg/kg	6010B	05/20/11	1
Barium	220	0.27	mg/kg	6010B	05/20/11	1
Cadmium	BDL	0.27	mg/kg	6010B	05/20/11	1
Chromium	5.6	0.54	mg/kg	6010B	05/20/11	1
Copper	18.	1.1	mg/kg	6010B	05/20/11	1
Iron	12000	5.4	mg/kg	6010B	05/20/11	1
Lead	10.	0.27	mg/kg	6010B	05/20/11	1
Manganese	120	0.54	mg/kg	6010B	05/20/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/20/11	1
Silver	BDL	0.54	mg/kg	6010B	05/20/11	1
Zinc	34.	1.6	mg/kg	6010B	05/20/11	1
Benzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Toluene	BDL	0.027	mg/kg	8021B	05/19/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021B	05/19/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/19/11	5
Surrogate Recovery(%) a,a,a-Trifluorotoluene (PID)	107.		% Rec.	8021B	05/19/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-07 (PH) - 9.0@21.2c



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

ESC Sample # : L516328-08

Date Received : May 17, 2011
Description : CORONADO POND #1

Site ID : CORONADO POND #1

Sample ID : I

Project # :

Collected By : Brooke Herb
Collection Date : 05/13/11 11:57

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	420	10.	mg/kg	9056	05/18/11	1
Fluoride	13.	1.0	mg/kg	9056	05/18/11	1
Nitrate	26.	1.0	mg/kg	9056	05/18/11	1
Sulfate	270	52.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	7.1		su	9045D	05/20/11	1
Total Solids	96.		%	2540G	05/23/11	1
Mercury	0.026	0.021	mg/kg	7471	05/18/11	1
Arsenic	4.2	1.0	mg/kg	6010B	05/20/11	1
Barium	390	0.26	mg/kg	6010B	05/20/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/20/11	1
Chromium	6.6	0.52	mg/kg	6010B	05/20/11	1
Copper	18.	1.0	mg/kg	6010B	05/20/11	1
Iron	12000	5.2	mg/kg	6010B	05/20/11	1
Lead	9.2	0.26	mg/kg	6010B	05/20/11	1
Manganese	180	0.52	mg/kg	6010B	05/20/11	1
Selenium	BDL	1.0	mg/kg	6010B	05/20/11	1
Silver	BDL	0.52	mg/kg	6010B	05/20/11	1
Zinc	41.	1.6	mg/kg	6010B	05/20/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/18/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Total Xylene	BDL	0.0078	mg/kg	8021B	05/18/11	5
Surrogate Recovery(%) a,a,a-Trifluorotoluene (PID)	84.6		% Rec.	8021B	05/18/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-08 (PH) - 7.1@20.9c



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Date Received : May 17, 2011
Description : CORONADO POND #1

Sample ID : J

Collected By : Brooke Herb
Collection Date : 05/13/11 11:51

ESC Sample # : L516328-09

Site ID : CORONADO POND #1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	210	11.	mg/kg	9056	05/18/11	1
Fluoride	11.	1.1	mg/kg	9056	05/18/11	1
Nitrate	15.	1.1	mg/kg	9056	05/18/11	1
Sulfate	280	54.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.27	mg/kg	9012B	05/20/11	1
pH	7.7		su	9045D	05/20/11	1
Total Solids	93.		%	2540G	05/23/11	1
Mercury	BDL	0.022	mg/kg	7471	05/18/11	1
Arsenic	1.3	1.1	mg/kg	6010B	05/20/11	1
Barium	130	0.27	mg/kg	6010B	05/20/11	1
Cadmium	BDL	0.27	mg/kg	6010B	05/20/11	1
Chromium	5.2	0.54	mg/kg	6010B	05/20/11	1
Copper	17.	1.1	mg/kg	6010B	05/20/11	1
Iron	12000	5.4	mg/kg	6010B	05/20/11	1
Lead	8.4	0.27	mg/kg	6010B	05/20/11	1
Manganese	120	0.54	mg/kg	6010B	05/20/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/20/11	1
Silver	BDL	0.54	mg/kg	6010B	05/20/11	1
Zinc	43.	1.6	mg/kg	6010B	05/20/11	1
Benzene	BDL	0.0027	mg/kg	8021B	05/18/11	5
Toluene	BDL	0.027	mg/kg	8021B	05/18/11	5
Ethylbenzene	BDL	0.0027	mg/kg	8021B	05/18/11	5
Total Xylene	BDL	0.0081	mg/kg	8021B	05/18/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene(PID)	91.7		% Rec.	8021B	05/18/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-09 (PH) - 7.7@20.6c



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

May 23, 2011

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Date Received : May 17, 2011
Description : CORONADO POND #1

Sample ID : BACKGROUND

Collected By : Brooke Herb
Collection Date : 05/13/11 13:16

ESC Sample # : L516328-10

Site ID : CORONADO POND #1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	42.	11.	mg/kg	9056	05/18/11	1
Fluoride	4.9	1.1	mg/kg	9056	05/18/11	1
Nitrate	BDL	1.1	mg/kg	9056	05/18/11	1
Sulfate	BDL	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/20/11	1
pH	7.4		su	9045D	05/20/11	1
Total Solids	94.		%	2540G	05/23/11	1
Mercury	0.033	0.021	mg/kg	7471	05/18/11	1
Arsenic	4.0	1.1	mg/kg	6010B	05/20/11	1
Barium	180	0.26	mg/kg	6010B	05/20/11	1
Cadmium	BDL	0.26	mg/kg	6010B	05/20/11	1
Chromium	11.	0.53	mg/kg	6010B	05/20/11	1
Copper	8.2	1.1	mg/kg	6010B	05/20/11	1
Iron	13000	5.3	mg/kg	6010B	05/20/11	1
Lead	11.	0.26	mg/kg	6010B	05/20/11	1
Manganese	240	0.53	mg/kg	6010B	05/20/11	1
Selenium	BDL	1.1	mg/kg	6010B	05/20/11	1
Silver	BDL	0.53	mg/kg	6010B	05/20/11	1
Zinc	37.	1.6	mg/kg	6010B	05/20/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/18/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Total Xylene	BDL	0.0080	mg/kg	8021B	05/18/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene(PID)	90.6		% Rec.	8021B	05/18/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/23/11 14:46 Printed: 05/23/11 14:46

L516328-10 (PH) - 7.4@20.7c

Summary of Remarks For Samples Printed
05/23/11 at 14:46:44

TSR Signing Reports: 288
R5 - Desired TAT

drywt

Sample: L516328-01 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-02 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-03 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-04 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-05 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-06 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-07 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-08 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-09 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46
Sample: L516328-10 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/23/11 14:46



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Mercury	< .02	mg/kg			WG536047	05/18/11 10:25
pH	4.30	su			WG536090	05/18/11 15:36
Arsenic	< 1	mg/kg			WG536025	05/18/11 16:46
Barium	< .25	mg/kg			WG536025	05/18/11 16:46
Cadmium	< .25	mg/kg			WG536025	05/18/11 16:46
Chromium	< .5	mg/kg			WG536025	05/18/11 16:46
Copper	< 1	mg/kg			WG536025	05/18/11 16:46
Iron	< 5	mg/kg			WG536025	05/18/11 16:46
Lead	< .25	mg/kg			WG536025	05/18/11 16:46
Manganese	< .5	mg/kg			WG536025	05/18/11 16:46
Selenium	< 1	mg/kg			WG536025	05/18/11 16:46
Silver	< .5	mg/kg			WG536025	05/18/11 16:46
Zinc	< 1.5	mg/kg			WG536025	05/18/11 16:46
Chloride	< 10	mg/kg			WG536120	05/18/11 10:38
Fluoride	< 1	mg/kg			WG536120	05/18/11 10:38
Nitrate	< 1	mg/kg			WG536120	05/18/11 10:38
Sulfate	< 50	mg/kg			WG536120	05/18/11 10:38
Benzene	< .0005	mg/kg			WG536259	05/18/11 19:15
Ethylbenzene	< .0005	mg/kg			WG536259	05/18/11 19:15
Toluene	< .005	mg/kg			WG536259	05/18/11 19:15
Total Xylene	< .0015	mg/kg			WG536259	05/18/11 19:15
a,a,a-Trifluorotoluene (PID)		% Rec.	94.62	54-144	WG536259	05/18/11 19:15
Benzene	< .0005	mg/kg			WG536389	05/19/11 05:51
Ethylbenzene	< .0005	mg/kg			WG536389	05/19/11 05:51
Toluene	< .005	mg/kg			WG536389	05/19/11 05:51
Total Xylene	< .0015	mg/kg			WG536389	05/19/11 05:51
a,a,a-Trifluorotoluene (PID)		% Rec.	107.2	54-144	WG536389	05/19/11 05:51
pH	4.30	su			WG536341	05/20/11 08:17
Cyanide	< .25	mg/kg			WG536405	05/20/11 08:11
Total Solids	< .1	%			WG536423	05/20/11 10:57
Arsenic	< 1	mg/kg			WG536040	05/20/11 20:39
Barium	< .25	mg/kg			WG536040	05/20/11 20:39
Cadmium	< .25	mg/kg			WG536040	05/20/11 20:39
Chromium	< .5	mg/kg			WG536040	05/20/11 20:39
Copper	< 1	mg/kg			WG536040	05/20/11 20:39
Iron	< 5	mg/kg			WG536040	05/20/11 20:39
Lead	< .25	mg/kg			WG536040	05/20/11 20:39
Manganese	< .5	mg/kg			WG536040	05/20/11 20:39
Selenium	< 1	mg/kg			WG536040	05/20/11 20:39
Silver	< .5	mg/kg			WG536040	05/20/11 20:39
Zinc	< 1.5	mg/kg			WG536040	05/20/11 20:39

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Total Solids	< .1	%			WG536848	05/23/11 08:53

Analyte	Units	Result	Duplicate Duplicate	RPD	Limit	Ref Samp	Batch
Mercury	mg/kg	0.0300	0.0340	11.8	20	L516355-01	WG536047
pH	su	6.60	6.60	0	1	L51640-04	WG536090
pH	su	9.00	9.20	2.20*	1	L516328-05	WG536090
Arsenic	mg/kg	0	0.600	NA	20	L516321-04	WG536025
Barium	mg/kg	3.30	2.80	15.8	20	L516321-04	WG536025
Cadmium	mg/kg	0	0.0920	NA	20	L516321-04	WG536025
Chromium	mg/kg	1.90	1.40	31.3*	20	L516321-04	WG536025
Copper	mg/kg	2.20	1.80	17.7	20	L516321-04	WG536025
Iron	mg/kg	1500	1190	23.7*	20	L516321-04	WG536025
Lead	mg/kg	4.20	3.40	20.6*	20	L516321-04	WG536025
Manganese	mg/kg	7.40	5.62	26.9*	20	L516321-04	WG536025
Selenium	mg/kg	0	0.510	NA	20	L516321-04	WG536025
Silver	mg/kg	0	0	0	20	L516321-04	WG536025
Zinc	mg/kg	46.0	34.2	30.1*	20	L516321-04	WG536025
Sulfate	mg/kg	0	6.50	NA	20	L516426-03	WG536120
Sulfate	mg/kg	0	5.30	NA	20	L516426-05	WG536120
pH	su	7.10	7.10	0	1	L516328-08	WG536341
pH	su	9.20	9.20	0	1	L516495-38	WG536341
Cyanide	mg/kg	0	0	0	20	L516328-01	WG536405
Total Solids	%	94.0	93.1	0.486	5	L516328-07	WG536423
Arsenic	mg/kg	6.60	5.60	16.4	20	L516355-01	WG536040
Barium	mg/kg	55.0	51.0	7.37	20	L516355-01	WG536040
Cadmium	mg/kg	5.40	3.40	45.8*	20	L516355-01	WG536040
Chromium	mg/kg	30.0	28.0	6.23	20	L516355-01	WG536040
Copper	mg/kg	28.0	27.3	4.30	20	L516355-01	WG536040
Iron	mg/kg	22000	21800	1.82	20	L516355-01	WG536040
Lead	mg/kg	18.0	16.0	8.96	20	L516355-01	WG536040
Manganese	mg/kg	540.	442.	20.3*	20	L516355-01	WG536040
Selenium	mg/kg	2.00	1.80	13.0	20	L516355-01	WG536040
Silver	mg/kg	1.00	1.00	2.96	20	L516355-01	WG536040
Zinc	mg/kg	100.	85.9	19.1	20	L516355-01	WG536040
Total Solids	%	72.0	73.8	2.60	5	L516971-07	WG536848

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Mercury	mg/kg	8.77	7.48	85.3	71.6-127.7	WG536047

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

LS16328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
pH	su	6.3	6.30	100.	97.98-102.02	WG536090
Arsenic	mg/kg	192	181.	94.3	78.6-120.8	WG536025
Barium	mg/kg	420	392.	93.3	78.8-121.4	WG536025
Cadmium	mg/kg	70.1	66.1	94.3	78.5-121.5	WG536025
Chromium	mg/kg	168	162.	96.4	80.4-120.2	WG536025
Copper	mg/kg	122	118.	96.7	81.6-119.7	WG536025
Iron	mg/kg	18100	16800	92.8	50.7-149.7	WG536025
Lead	mg/kg	113	110.	97.3	77.3-122.1	WG536025
Manganese	mg/kg	441	433.	98.2	78.9-120.9	WG536025
Selenium	mg/kg	176	172.	97.7	75.6-125.0	WG536025
Silver	mg/kg	115	99.9	86.9	66-133.9	WG536025
Zinc	mg/kg	437	416.	95.2	78.5-121.7	WG536025
Chloride	mg/kg	200	202.	101.	85-115	WG536120
Fluoride	mg/kg	20	19.7	98.5	85-115	WG536120
Nitrate	mg/kg	20	19.9	99.5	85-115	WG536120
Sulfate	mg/kg	200	202.	101.	85-115	WG536120
Benzene	mg/kg	.05	0.0408	81.5	76-113	WG536259
Ethylbenzene	mg/kg	.05	0.0437	87.4	78-115	WG536259
Toluene	mg/kg	.05	0.0427	85.5	76-114	WG536259
Total Xylene	mg/kg	.15	0.130	86.9	81-118	WG536259
a,a,a-Trifluorotoluene (PID)				92.75	54-144	WG536259
Benzene	mg/kg	.05	0.0550	110.	76-113	WG536389
Ethylbenzene	mg/kg	.05	0.0517	103.	78-115	WG536389
Toluene	mg/kg	.05	0.0518	104.	76-114	WG536389
Total Xylene	mg/kg	.15	0.154	102.	81-118	WG536389
a,a,a-Trifluorotoluene (PID)				106.6	54-144	WG536389
pH	su	6.3	6.30	100.	97.98-102.02	WG536341
Cyanide	mg/kg	28.1	28.3	101.	50-150	WG536405
Total Solids	%	50	50.0	100.	85-155	WG536423
Arsenic	mg/kg	192	170.	88.5	78.6-120.8	WG536040
Barium	mg/kg	420	386.	91.9	78.8-121.4	WG536040
Cadmium	mg/kg	70.1	62.4	89.0	78.5-121.5	WG536040
Chromium	mg/kg	168	160.	95.2	80.4-120.2	WG536040
Copper	mg/kg	122	118.	96.7	81.6-119.7	WG536040
Iron	mg/kg	18100	16600	91.7	50.7-149.7	WG536040
Lead	mg/kg	113	102.	90.3	77.3-122.1	WG536040
Manganese	mg/kg	441	428.	97.1	78.9-120.9	WG536040
Selenium	mg/kg	176	162.	92.0	75.6-125.0	WG536040
Silver	mg/kg	115	113.	98.3	66-133.9	WG536040
Zinc	mg/kg	437	407.	93.1	78.5-121.7	WG536040

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Total Solids	%	50	50.0	100.	85-155	WG536048

Analyte	Units	Laboratory Control Result	Ref	Sample Duplicate %Rec	Limit	RPD	Limit	Batch
pH	su	6.30	6.30	100.	97.98-102.02	0	20	WG536090
Chloride	mg/kg	207.	202.	104.	85-115	2.44	20	WG536120
Fluoride	mg/kg	20.2	19.7	101.	85-115	2.51	20	WG536120
Nitrate	mg/kg	20.3	19.9	102.	85-115	1.99	20	WG536120
Sulfate	mg/kg	208.	202.	104.	85-115	2.93	20	WG536120
Benzene	mg/kg	0.0465	0.0408	93.0	76-113	13.2	20	WG536259
Ethylbenzene	mg/kg	0.0509	0.0437	102.	78-115	15.2	20	WG536259
Toluene	mg/kg	0.0483	0.0427	97.0	76-114	12.3	20	WG536259
Total Xylene	mg/kg	0.152	0.130	102.	81-118	15.6	20	WG536259
a,a,a-Trifluorotoluene (PID)				89.28	54-144			WG536259
Benzene	mg/kg	0.0542	0.0550	108.	76-113	1.58	20	WG536389
Ethylbenzene	mg/kg	0.0506	0.0517	101.	78-115	2.16	20	WG536389
Toluene	mg/kg	0.0507	0.0518	101.	76-114	2.20	20	WG536389
Total Xylene	mg/kg	0.150	0.154	100.	81-118	2.20	20	WG536389
a,a,a-Trifluorotoluene (PID)				106.8	54-144			WG536389
pH	su	6.30	6.30	100.	97.98-102.02	0	20	WG536341
Cyanide	mg/kg	27.9	28.3	99.0	50-150	1.42	20	WG536405

Analyte	Units	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Mercury	mg/kg	0.323	0.0340	.25	116.	70-130	L516355-01	WG536047
Arsenic	mg/kg	48.6	0.600	50	96.0	75-125	L516321-04	WG536025
Barium	mg/kg	50.7	2.80	50	95.8	75-125	L516321-04	WG536025
Cadmium	mg/kg	48.0	0.0920	50	95.8	75-125	L516321-04	WG536025
Chromium	mg/kg	50.6	1.40	50	98.4	75-125	L516321-04	WG536025
Copper	mg/kg	52.5	1.80	50	101.	75-125	L516321-04	WG536025
Iron	mg/kg	1430	1190	50	480.*	75-125	L516321-04	WG536025
Lead	mg/kg	54.6	3.40	50	102.	75-125	L516321-04	WG536025
Manganese	mg/kg	57.1	5.62	50	103.	75-125	L516321-04	WG536025
Selenium	mg/kg	48.1	0.510	50	95.2	75-125	L516321-04	WG536025
Silver	mg/kg	48.2	0	50	96.4	75-125	L516321-04	WG536025
Zinc	mg/kg	84.8	34.2	50	101.	75-125	L516321-04	WG536025
Sulfate	mg/kg	532.	4.00	500	106.	80-120	L516426-01	WG536120
Benzene	mg/kg	0.180	0	.05	72.0	32-137	L516328-08	WG536259
Ethylbenzene	mg/kg	0.185	0	.05	74.0	10-150	L516328-08	WG536259
Toluene	mg/kg	0.187	0	.05	74.7	20-142	L516328-08	WG536259
Total Xylene	mg/kg	0.561	0	.15	74.8	16-141	L516328-08	WG536259

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
a,a,a-Trifluorotoluene(PID)					87.43	54-144		
Benzene	mg/kg	0.263	0	.05	105.	32-137	L516467-10	WG536389
Ethylbenzene	mg/kg	0.245	0	.05	98.2	10-150	L516467-10	WG536389
Toluene	mg/kg	0.245	0	.05	98.2	20-142	L516467-10	WG536389
Total Xylene	mg/kg	0.729	0	.15	97.2	16-141	L516467-10	WG536389
a,a,a-Trifluorotoluene(PID)					106.7	54-144		WG536389
Cyanide	mg/kg	3.82	0	3.33	115.	80-120	L516355-04	WG536405
Arsenic	mg/kg	46.3	5.60	50	81.4	75-125	L516355-01	WG536040
Barium	mg/kg	95.2	51.0	50	88.4	75-125	L516355-01	WG536040
Cadmium	mg/kg	46.6	3.40	50	86.4	75-125	L516355-01	WG536040
Chromium	mg/kg	68.9	28.0	50	81.8	75-125	L516355-01	WG536040
Copper	mg/kg	73.1	27.3	50	91.6	75-125	L516355-01	WG536040
Iron	mg/kg	22600	21800	50	1600*	75-125	L516355-01	WG536040
Lead	mg/kg	58.0	16.0	50	84.0	75-125	L516355-01	WG536040
Manganese	mg/kg	627.	442.	50	370.*	75-125	L516355-01	WG536040
Selenium	mg/kg	41.1	1.80	50	78.6	75-125	L516355-01	WG536040
Silver	mg/kg	45.2	1.00	50	88.4	75-125	L516355-01	WG536040
Zinc	mg/kg	138.	85.9	50	104.	75-125	L516355-01	WG536040
Arsenic	mg/kg	52.0	4.10	50	95.8	75-125	L516355-04	WG536040
Barium	mg/kg	76.0	26.0	50	100.	75-125	L516355-04	WG536040
Cadmium	mg/kg	58.4	14.0	50	88.8	75-125	L516355-04	WG536040
Chromium	mg/kg	59.2	8.70	50	101.	75-125	L516355-04	WG536040
Lead	mg/kg	59.8	9.20	50	101.	75-125	L516355-04	WG536040
Selenium	mg/kg	46.4	1.20	50	90.4	75-125	L516355-04	WG536040
Silver	mg/kg	48.8	0.330	50	96.9	75-125	L516355-04	WG536040

Analyte	Units	Matrix Spike Duplicate			Limit	RPD	Limit	Ref Samp	Batch
		MSD	Ref	%Rec					
Mercury	mg/kg	0.288	0.323	102.	70-130	11.5	20	L516355-01	WG536047
Arsenic	mg/kg	45.0	48.6	88.8	75-125	7.69	20	L516321-04	WG536025
Barium	mg/kg	47.8	50.7	90.0	75-125	5.89	20	L516321-04	WG536025
Cadmium	mg/kg	45.4	48.0	90.6	75-125	5.57	20	L516321-04	WG536025
Chromium	mg/kg	47.8	50.6	92.8	75-125	5.69	20	L516321-04	WG536025
Copper	mg/kg	48.4	52.5	93.2	75-125	8.13	20	L516321-04	WG536025
Iron	mg/kg	1330	1430	280.*	75-125	7.25	20	L516321-04	WG536025
Lead	mg/kg	50.9	54.6	95.0	75-125	7.01	20	L516321-04	WG536025
Manganese	mg/kg	52.8	57.1	94.4	75-125	7.83	20	L516321-04	WG536025
Selenium	mg/kg	44.6	48.1	88.2	75-125	7.55	20	L516321-04	WG536025
Silver	mg/kg	45.6	48.2	91.2	75-125	5.54	20	L516321-04	WG536025
Zinc	mg/kg	80.4	84.8	92.4	75-125	5.33	20	L516321-04	WG536025
Sulfate	mg/kg	529.	532.	105.	80-120	0.566	20	L516426-01	WG536120
Benzene	mg/kg	0.185	0.180	74.1	32-137	2.91	39	L516328-08	WG536259
Ethylbenzene	mg/kg	0.190	0.185	75.8	10-150	2.38	44	L516328-08	WG536259
Toluene	mg/kg	0.189	0.187	75.6	20-142	1.15	42	L516328-08	WG536259
Total Xylene	mg/kg	0.572	0.561	76.2	16-141	1.95	46	L516328-08	WG536259
a,a,a-Trifluorotoluene(PID)				89.45	54-144				WG536259

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

Analyte	Units	MSD	Matrix Spike Duplicate		Limit	RPD	Limit	Ref Samp	Batch
			Ref	%Rec					
Benzene	mg/kg	0.269	0.263	107.	32-137	2.19	39	L516467-10	WG536389
Ethylbenzene	mg/kg	0.245	0.245	97.8	10-150	0.390	44	L516467-10	WG536389
Toluene	mg/kg	0.250	0.245	99.8	20-142	1.66	42	L516467-10	WG536389
Total Xylene	mg/kg	0.720	0.729	96.0	16-141	1.20	46	L516467-10	WG536389
a,a,a-Trifluorotoluene (PID)				107.9	54-144				WG536389
Cyanide	mg/kg	3.61	3.82	108.	80-120	5.65	20	L516355-04	WG536405
Arsenic	mg/kg	44.1	52.0	80.0	75-125	16.4	20	L516355-04	WG536040
Barium	mg/kg	93.1	76.0	134.*	75-125	20.2*	20	L516355-04	WG536040
Cadmium	mg/kg	41.1	58.4	54.2*	75-125	34.8*	20	L516355-04	WG536040
Chromium	mg/kg	69.6	59.2	122.	75-125	16.1	20	L516355-04	WG536040
Copper	mg/kg	69.4	73.1	84.2	75-125	5.19	20	L516355-01	WG536040
Iron	mg/kg	22900	22600	2200*	75-125	1.32	20	L516355-01	WG536040
Lead	mg/kg	54.8	59.8	91.2	75-125	8.73	20	L516355-04	WG536040
Manganese	mg/kg	444.	627.	4.00*	75-125	34.2*	20	L516355-01	WG536040
Selenium	mg/kg	38.0	46.4	73.6*	75-125	19.9	20	L516355-04	WG536040
Silver	mg/kg	42.6	48.8	84.5	75-125	13.6	20	L516355-04	WG536040
Zinc	mg/kg	119.	138.	66.2*	75-125	14.8	20	L516355-01	WG536040
Arsenic	mg/kg	51.6	52.0	95.0	75-125	0.772	20	L516355-04	WG536040
Barium	mg/kg	76.2	76.0	100.	75-125	0.263	20	L516355-04	WG536040
Cadmium	mg/kg	58.8	58.4	89.6	75-125	0.683	20	L516355-04	WG536040
Chromium	mg/kg	59.0	59.2	101.	75-125	0.338	20	L516355-04	WG536040
Lead	mg/kg	60.8	59.8	103.	75-125	1.66	20	L516355-04	WG536040
Selenium	mg/kg	46.2	46.4	90.0	75-125	0.432	20	L516355-04	WG536040
Silver	mg/kg	49.0	48.8	97.3	75-125	0.409	20	L516355-04	WG536040

Batch number / Run number / Sample number cross reference

WG536047: R1691954: L516328-01 02 03 04 05 06 07 08 09 10
WG536090: R1692249: L516328-01 02 03 04 05 06 07
WG536025: R1692289: L516328-01 02 03 04 05 06
WG536120: R1692610: L516328-01 02 03 04 05 06 07 08 09 10
WG536259: R1692929: L516328-08 09 10
WG536389: R1693090: L516328-01 02 03 04 05 06 07
WG536341: R1694309: L516328-08 09 10
WG536405: R1694549: L516328-01 02 03 04 05 06 07 08 09 10
WG536423: R1694679: L516328-01 02 03 04 05 06 07
WG536040: R1696830 R1696831: L516328-08 07 09 10
WG536848: R1697115: L516328-08 09 10

* * Calculations are performed prior to rounding of reported values.

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100
Aztec, NM 87410

Quality Assurance Report
Level II

L516328

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 23, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Company Name/Address XTO Energy, Inc. 382 County Road 3100 Aztec, NM 87410		Alternate Billing XTORNMM031810S		Analysis/Container/Preservative		Chain of Custody Page 1 of 2	
Project Description: CORONADO POND #1		City/State Collected: Santa Fe, NM		B033		Prepared by: ENVIRONMENTAL Science corp 12065 Lebanon Road Mt. Juliet TN 37122 Phone (615) 758-5858 Phone (800) 767-5859 FAX (615) 758-5859	
PHONE: 505-333-3701		Client Project No. —		GoCode XTORNMM		Sample # (lab only)	
FAX:		P.O.#		Template/Prelogin		Shipped Via: Fed Ex	
Collected by: Brooke Herb		Site/Facility ID: CORONADO POND #1		Remarks/contaminant		Remarks/contaminant	
Rush? (Lab MUST be Notified) Next Day.....100% Two Day.....50% Three Day.....25%		Date Results Needed		Date		Time	
Email? No X Yes FAX? No X Yes		No		No		No	
Packed on Ice N Y X		Comp/Grab		Matrix		Depth	
Sample ID		A		COMP S/S		5/13/11 11:23	
B		C		D		11:37	
E		F		G		11:30	
H		I		J		11:15	
K		L		M		10:49	
N		O		P		11:46	
Q		R		S		11:42	
T		U		V		11:57	
V		W		X		11:57	
W		X		Y		11:57	
X		Y		Z		11:57	
Y		Z		AA		11:57	
Z		AA		AB		11:57	
AA		AB		AC		11:57	
AB		AC		AD		11:57	
AC		AD		AE		11:57	
AD		AE		AF		11:57	
AE		AF		AG		11:57	
AF		AG		AH		11:57	
AG		AH		AI		11:57	
AH		AI		AJ		11:57	
AI		AJ		AK		11:57	
AJ		AK		AL		11:57	
AK		AL		AM		11:57	
AL		AM		AN		11:57	
AM		AN		AO		11:57	
AN		AO		AP		11:57	
AO		AP		AQ		11:57	
AP		AQ		AR		11:57	
AQ		AR		AS		11:57	
AR		AS		AT		11:57	
AS		AT		AU		11:57	
AT		AU		AV		11:57	
AU		AV		AW		11:57	
AV		AW		AX		11:57	
AW		AX		AY		11:57	
AX		AY		AZ		11:57	
AY		AZ		BA		11:57	
AZ		BA		BB		11:57	
BA		BB		BC		11:57	
BB		BC		BD		11:57	
BC		BD		BE		11:57	
BD		BE		BF		11:57	
BE		BF		BG		11:57	
BF		BG		BH		11:57	
BG		BH		BI		11:57	
BH		BI		BJ		11:57	
BI		BJ		BK		11:57	
BJ		BK		BL		11:57	
BK		BL		BM		11:57	
BL		BM		BN		11:57	
BM		BN		BO		11:57	
BN		BO		BP		11:57	
BO		BP		BQ		11:57	
BP		BQ		BR		11:57	
BQ		BR		BS		11:57	
BR		BS		BT		11:57	
BS		BT		BU		11:57	
BT		BU		BV		11:57	
BU		BV		BW		11:57	
BV		BW		BX		11:57	
BW		BX		BY		11:57	
BX		BY		BZ		11:57	
BY		BZ		CA		11:57	
BZ		CA		CB		11:57	
CA		CB		CC		11:57	
CB		CC		CD		11:57	
CC		CD		CE		11:57	
CD		CE		CF		11:57	
CE		CF		CG		11:57	
CF		CG		CH		11:57	
CG		CH		CI		11:57	
CH		CI		CJ		11:57	
CI		CJ		CK		11:57	
CJ		CK		CL		11:57	
CK		CL		CM		11:57	
CL		CM		CN		11:57	
CM		CN		CO		11:57	
CN		CO		CP		11:57	
CO		CP		CQ		11:57	
CP		CQ		CR		11:57	
CQ		CR		CS		11:57	
CR		CS		CT		11:57	
CS		CT		CU		11:57	
CT		CU		CV		11:57	
CU		CV		CW		11:57	
CV		CW		CX		11:57	
CW		CX		CY		11:57	
CX		CY		CZ		11:57	
CY		CZ		DA		11:57	
CZ		DA		DB		11:57	
DA		DB		DC		11:57	
DB		DC		DD		11:57	
DC		DD		DE		11:57	
DD		DE		DF		11:57	
DE		DF		DG		11:57	
DF		DG		DH		11:57	
DG		DH		DI		11:57	
DH		DI		DJ		11:57	
DI		DJ		DK		11:57	
DJ		DK		DL		11:57	
DK		DL		DM		11:57	
DL		DM		DN		11:57	
DM		DN		DO		11:57	
DN		DO		DP		11:57	
DO		DP		DQ		11:57	
DP		DQ		DR		11:57	
DQ		DR		DS		11:57	
DR		DS		DT		11:57	
DS		DT		DU		11:57	
DT		DU		DV		11:57	
DU		DV		DW		11:57	
DV		DW		DX		11:57	
DW		DX		DY		11:57	
DX		DY		DZ		11:57	
DY		DZ		EA		11:57	
DZ		EA		EB		11:57	
EA		EB		EC		11:57	
EB		EC		ED		11:57	
EC		ED		EE		11:57	
ED		EE		EF		11:57	
EE		EF		EG		11:57	
EF		EG		EH		11:57	
EG		EH		EI		11:57	
EH		EI		EJ		11:57	
EI		EJ		EK		11:57	
EJ		EK		EL		11:57	
EK		EL		EM		11:57	
EL		EM		EN		11:57	
EM		EN		EO		11:57	
EN		EO		EP		11:57	
EO		EP		EQ		11:57	
EP		EQ		ER		11:57	
EQ		ER		ES		11:57	
ER		ES		ET		11:57	
ES		ET		EU		11:57	
ET		EU		EV		11:57	
EU		EV		EW		11:57	
EV		EW		EX		11:57	
EW		EX		EY		11:57	
EX		EY		EZ		11:57	
EY		EZ		FA		11:57	
EZ		FA		FB		11:57	
FA		FB		FC		11:57	
FB		FC		FD		11:57	
FC		FD		FE		11:57	
FD		FE		FF		11:57	
FE		FF		FG		11:57	
FF		FG		FH		11:57	
FG		FH		FI		11:57	
FH		FI		FJ		11:57	
FI		FJ		FK		11:57	
FJ		FK		FL		11:57	
FK		FL		FM		11:57	
FL		FM		FN		11:57	
FM		FN		FO		11:57	
FN		FO		FP		11:57	
FO		FP		FQ		11:57	
FP		FQ		FR		11:57	
FQ		FR		FS		11:57	
FR		FS		FT		11:57	
FS		FT		FU		11:57	
FT		FU		FV		11:57	
FU		FV		FW		11:57	
FV		FW		FX		11:57	
FW		FX		FY		11:57	
FX		FY		FZ		11:57	
FY		FZ		GA		11:57	
FZ		GA		GB		11:57	
GA		GB		GC		11:57	
GB		GC		GD		11:57	
GC		GD		GE		11:57	
GD		GE		GF		11:57	
GE		GF		GG		11:57	
GF		GG		GH		11:57	
GG		GH		GI		11:57	
GH		GI		GJ		11:57	
GI		GJ		GK		11:57	
GJ		GK		GL		11:57	
GK		GL		GM		11:57	
GL		GM		GN		11:57	
GM		GN		GO		11:57	
GN		GO		GP		11:57	
GO		GP		GQ		11:57	
GP		GQ		GR		11:57	
GQ		GR		GS		11:57	
GR		GS		GT		11:57	
GS		GT		GU		11:57	
GT		GU		GV		11:57	
GU		GV		GW		11:57	
GV		GW		GX		11:57	
GW		GX		GY		11:57	
GX		GY		GZ		11:57	
GY		GZ		HA		11:57	
GZ		HA		HB		11:57	
HA		HB		HC		11:57	
HB		HC		HD		11:57	
HC		HD		HE		11:57	
HD		HE		HF		11:57	
HE		HF		HG		11:57	
HF		HG		HH		11:57	
HG		HH		HI		11:57	
HH		HI		HJ		11:57	
HI		HJ		HK		11:57	
HJ		HK		HL		11:57	
HK		HL		HM		11:57	
HL		HM		HN		11:57	
HM		HN		HO		11:57	
HN		HO		HP		11:57	
HO		HP		HQ		11:57	
HP		HQ		HR		11:57	
HQ		HR		HS		11:57	
HR		HS		HT		11:57	
HS		HT		HU		11:57	
HT		HU		HV		11:57	
HU		HV		HW		11:57	
HV		HW		HX		11:57	
HW		HX		HY		11:57	
HX		HY		HZ		11:57	
HY		HZ		IA		11:57	
HZ		IA		IB		11:57	
IA		IB		IC		11:57	
IB		IC		ID		11:57	
IC		ID		IE		11:57	
ID		IE		IF		11:57	
IE		IF		IG		11:57	
IF		IG		IH		11:57	
IG							

Company Name/Address XTO Energy, Inc. 382 County Road 3100 Aztec, NM 87410		Alternate Billing XTORN031810S		Analysis/Container/Preservative As, Ba, Cd, Cr, Cu, Fe, Pb, Hg, Se Ag, Al, Cl, Co, Ni, Mn, Zn SO ₄ , NO ₃ , As, N TDS, pH		Chain of Custody Page 2 of 2	
Project Description: CORONADO POND #1 PHONE: 505-333-3701 FAX:		Client Project No. — Lab Project # SAN JUAN CITY, NM		Prepared by: ENVIRONMENTAL Science corp 12065 Lebanon Road Mt. Juliet TN 37122 Phone (615) 758-5858 Phone (800) 767-5859 FAX (615) 758-5859		CoCode (lab use only) XTORN Template/Prelogin Shipped Via: Fed Ex	
Collected by: Brooke Herp Collecting by (signature): Packed on Ice N Y X		Site/Facility ID# CORONADO POND #1 Rush? ☒ (Lab MUST be Notified) Next Day 100% Two Day 50% Three Day 25%		Date Results Needed Email? ☐ No ☒ Yes FAX? ☐ No ☒ Yes		Sample ID J BACK-GROUND	
Date 5/13/11 Time 14:30 Date 5/13/11 Time 13:10		Date 5/13/11 Time 11:51 AM Date 5/13/11 Time 13:10		Remarks/contaminant LS1038-09 10		Sample # (lab only) LS1038-09 10	

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT-Other _____

pH _____ Temp _____ Flow _____ Other _____

Remarks: "ONLY 1 COC Per Site!!"

Relinquisher by (Signature) 		Received by (Signature) 		Samples returned via: FedEx ☒ UPS ☐ Other ☐		Condition (lab use only) OK	
Date 5/13/11 Time 14:30 Date 5/13/11 Time 13:10		Date 5/13/11 Time 11:51 AM Date 5/13/11 Time 13:10		Bottles Received: 20-402		pH Checked: NCF	
Relinquisher by (Signature) 		Received by (Signature) 		Date 5/17/11 Time 0900		pH Checked: NCF	



NON-CONFORMANCE FORM

Login No.: LS16324
Date: 5/12/11
Evaluated by: Dustin C
Client: XTORM

Daphne

Non-Conformance (check applicable items)

- | | |
|---|---|
| ☐ Parameter(s) past holding time | ☒ Login Clarification Needed |
| ☐ Improper temperature | ☐ Chain of custody is incomplete |
| ☐ Improper container type | ☐ Chain of Custody is missing (see below) |
| ☐ Improper preservation | ☐ Broken container(s) (See below) |
| ☐ Container lid not intact | ☐ Broken container: sufficient sample
volume remains for analysis requested (See below) |

If no COC: Received by _____
Date: _____ Time: _____
Temp: _____ Cont. Rec _____ pH: _____
= Fedex = UPS = SWA = Other _____
Tracking # _____

- ☐ Insufficient packing material around container
- ☐ Insufficient packing material inside cooler
- ☐ Improper handling by carrier (FedEx / UPS / Courier)
- ☐ Sample was frozen

Comments: Client wants to run TDS on all samples. All samples
were sent.

Login Instructions:

TSR Initials: DK

Client informed by call / email / fax / voice mail date: 5/17 time: 14:00

Client contact: informed client



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

Report Summary

Tuesday May 24, 2011

Report Number: L516365

Samples Received: 05/17/11

Client Project:

Description: Coronado Pond 1

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel
XTO Energy - San Juan Division
382 Road 3100
Aztec, NM 87410

May 24, 2011

Date Received : May 17, 2011
Description : Coronado Pond 1
Sample ID : E
Collected By : Brooke Herb
Collection Date : 05/16/11 12:28

ESC Sample # : L516365-01

Site ID : CORONADO POND 1

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	150	10.	mg/kg	9056	05/18/11	1
Fluoride	6.7	1.0	mg/kg	9056	05/18/11	1
Nitrate	4.7	1.0	mg/kg	9056	05/18/11	1
Sulfate	540	53.	mg/kg	9056	05/18/11	1
Cyanide	BDL	0.26	mg/kg	9012B	05/24/11	1
pH	7.5		su	9045D	05/20/11	1
Total Solids	95.		%	2540G	05/23/11	1
Mercury	0.043	0.021	mg/kg	7471	05/18/11	1
Arsenic	19.	1.0	mg/kg	6010B	05/18/11	1
Barium	380	0.26	mg/kg	6010B	05/18/11	1
Cadmium	0.76	0.26	mg/kg	6010B	05/18/11	1
Chromium	6.2	0.53	mg/kg	6010B	05/18/11	1
Copper	9.3	1.0	mg/kg	6010B	05/18/11	1
Iron	10000	5.3	mg/kg	6010B	05/18/11	1
Lead	15.	0.26	mg/kg	6010B	05/18/11	1
Manganese	130	0.53	mg/kg	6010B	05/18/11	1
Selenium	7.5	1.0	mg/kg	6010B	05/18/11	1
Silver	BDL	0.53	mg/kg	6010B	05/18/11	1
Zinc	33.	1.6	mg/kg	6010B	05/18/11	1
Benzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Toluene	BDL	0.026	mg/kg	8021B	05/18/11	5
Ethylbenzene	BDL	0.0026	mg/kg	8021B	05/18/11	5
Total Xylene	BDL	0.0079	mg/kg	8021B	05/18/11	5
Surrogate Recovery(%)						
a,a,a-Trifluorotoluene(PID)	88.9		% Rec.	8021B	05/18/11	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/24/11 16:43 Printed: 05/24/11 16:43

L516365-01 (PH) - 7.5@20.7c

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L516365-01	WG536757	SAMP	Cyanide	R1698973	J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
05/24/11 at 16:43:24

TSR Signing Reports: 288
R5 - Desired TAT

drywt

Sample: L516365-01 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/24/11 16:43



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516365

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Mercury	< .02	mg/kg			WG536048	05/18/11 11:53
Chloride	< 10	mg/kg			WG536120	05/18/11 10:38
Fluoride	< 1	mg/kg			WG536120	05/18/11 10:38
Nitrate	< 1	mg/kg			WG536120	05/18/11 10:38
Sulfate	< 50	mg/kg			WG536120	05/18/11 10:38
Benzene	< .0005	mg/kg			WG536259	05/18/11 19:15
Ethylbenzene	< .0005	mg/kg			WG536259	05/18/11 19:15
Toluene	< .005	mg/kg			WG536259	05/18/11 19:15
Total Xylene	< .0015	mg/kg			WG536259	05/18/11 19:15
a,a,a-Trifluorotoluene (PTD)		% Rec.	94.62	54-144	WG536259	05/18/11 19:15
pH	4.30	su			WG536341	05/20/11 08:17
Total Solids	< .1	%			WG536848	05/23/11 08:53
Cyanide	< .25	mg/kg			WG536757	05/24/11 10:38

Analyte	Units	Result	Duplicate	RPD	Limit	Ref Samp	Batch
Mercury	mg/kg	0.0150	0.0150	0	20	L516355-04	WG536048
Sulfate	mg/kg	0	6.50	NA	20	L516426-03	WG536120
Sulfate	mg/kg	0	5.30	NA	20	L516426-05	WG536120
pH	su	7.10	7.10	0	1	L516328-08	WG536341
pH	su	9.20	9.20	0	1	L516495-38	WG536341
Total Solids	%	72.0	73.8	2.60	5	L516971-07	WG536848
Cyanide	mg/kg	0.670	0.660	1.20	20	L516441-01	WG536757
Cyanide	mg/kg	2.90	0.780	115.*	20	L516355-06	WG536757

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Mercury	mg/kg	8.77	7.02	80.0	71.6-127.7	WG536048
Chloride	mg/kg	200	202.	101.	85-115	WG536120
Fluoride	mg/kg	20	19.7	98.5	85-115	WG536120
Nitrate	mg/kg	20	19.9	99.5	85-115	WG536120
Sulfate	mg/kg	200	202.	101.	85-115	WG536120
Benzene	mg/kg	.05	0.0408	81.5	76-113	WG536259
Ethylbenzene	mg/kg	.05	0.0437	87.4	78-115	WG536259
Toluene	mg/kg	.05	0.0427	85.5	76-114	WG536259

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516365

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Total Xylene	mg/kg	.15	0.130	86.9	81-118	WG536259
a,a,a-Trifluorotoluene (PID)				92.75	54-144	WG536259
pH	su	6.3	6.30	100.	97.98-102.02	WG536341
Total Solids	%	50	50.0	100.	85-155	WG536848
Cyanide	mg/kg	28.1	21.4	76.2	50-150	WG536757

Analyte	Units	Laboratory Control Result	Sample Ref	Duplicate %Rec	Limit	RPD	Limit	Batch
Chloride	mg/kg	207.	202.	104.	85-115	2.44	20	WG536120
Fluoride	mg/kg	20.2	19.7	101.	85-115	2.51	20	WG536120
Nitrate	mg/kg	20.3	19.9	102.	85-115	1.99	20	WG536120
Sulfate	mg/kg	208.	202.	104.	85-115	2.93	20	WG536120
Benzene	mg/kg	0.0465	0.0408	93.0	76-113	13.2	20	WG536259
Ethylbenzene	mg/kg	0.0509	0.0437	102.	78-115	15.2	20	WG536259
Toluene	mg/kg	0.0483	0.0427	97.0	76-114	12.3	20	WG536259
Total Xylene	mg/kg	0.152	0.130	102.	81-118	15.6	20	WG536259
a,a,a-Trifluorotoluene (PID)				89.28	54-144			WG536259
pH	su	6.30	6.30	100.	97.98-102.02	0	20	WG536341
Cyanide	mg/kg	27.7	21.4	98.0	50-150	25.7*	20	WG536757

Analyte	Units	Matrix MS Res	Spike Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Mercury	mg/kg	0.262	0.0150	.25	98.8	70-130	L516355-04	WG536048
Sulfate	mg/kg	532.	4.00	500	106.	80-120	L516426-01	WG536120
Benzene	mg/kg	0.180	0	.05	72.0	32-137	L516328-08	WG536259
Ethylbenzene	mg/kg	0.185	0	.05	74.0	10-150	L516328-08	WG536259
Toluene	mg/kg	0.187	0	.05	74.7	20-142	L516328-08	WG536259
Total Xylene	mg/kg	0.561	0	.15	74.8	16-141	L516328-08	WG536259
a,a,a-Trifluorotoluene (PID)					87.43	54-144		WG536259
Cyanide	mg/kg	3.24	0	3.33	97.3	80-120	L516355-13	WG536757

Analyte	Units	Matrix MSD	Spike Ref	Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
Mercury	mg/kg	0.267	0.262	101.	70-130	1.89	20	L516355-04	WG536048
Sulfate	mg/kg	529.	532.	105.	80-120	0.566	20	L516426-01	WG536120

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516365

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

Analyte	Units	MSD	Matrix Spike		Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
			Ref							
Benzene	mg/kg	0.185	0.180		74.1	32-137	2.91	39	L516328-08	WG536259
Ethylbenzene	mg/kg	0.190	0.185		75.8	10-150	2.38	44	L516328-08	WG536259
Toluene	mg/kg	0.189	0.187		75.6	20-142	1.15	42	L516328-08	WG536259
Total Xylene	mg/kg	0.572	0.561		76.2	16-141	1.95	46	L516328-08	WG536259
a,a,a-Trifluorotoluene (PID)					89.45	54-144				WG536259
Cyanide	mg/kg	3.44	3.24		103.	80-120	5.99	20	L516355-13	WG536757

Batch number / Run number / Sample number cross reference

WG536048: R1691955: L516365-01
WG536120: R1692610: L516365-01
WG536070: R1692809: L516365-01
WG536259: R1692929: L516365-01
WG536341: R1694309: L516365-01
WG536848: R1697115: L516365-01
WG536757: R1698973: L516365-01

* * Calculations are performed prior to rounding of reported values.

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L516365

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.



NON-CONFORMANCE FORM

Login No.: 4516365
Date: 05.17.11
Evaluated by: J. Fuller
Client: XTORN

Non-Conformance (check applicable items)

- | | |
|---|---|
| ☐ Parameter(s) past holding time | ☒ Login Clarification Needed |
| ☐ Improper temperature | ☐ Chain of custody is incomplete |
| ☐ Improper container type | ☐ Chain of Custody is missing (see below) |
| ☐ Improper preservation | ☐ Broken container(s) (See below) |
| ☐ Container lid not intact | ☐ Broken container: sufficient sample
volume remains for analysis requested (See below) |

If no COC: Received by: _____
Date: _____ Time: _____
Temp: _____ Cont. Rec: _____ pH: _____
☐ Fedex ☐ UPS ☐ SWA ☐ Other _____
Tracking # _____

☐ Insufficient packing material around container
☐ Insufficient packing material inside cooler
☐ Improper handling by carrier (FedEx / UPS / Courier)
☐ Sample was frozen

Comments: Don't run TOS from soil.

Login Instructions:

TSR Initials: DM

Client informed by call / email / fax / voice mail date: 5/17 time: 14:00

Client contact: informed client



COVER LETTER

Thursday, June 16, 2011

James (McDaniel
XTO Energy
382 County Road 31.000
Aztec, NM 87410

TEL: (505) 787-0519
FAX: (505) 333-3280

RE: Coronado Pond #1

Order No.: 11105695

Dear James (McDaniel:

Heal Environmental Analysis Laboratory, Inc. received 111 sample(s) on 5/17/2011 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to www.healenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please do not hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", with a long horizontal line extending to the right.

Andy Freeman, Laboratory Manager

NM Lab # NM49425 NM40901
AZ license # AZ0682



Ham Environmental Analysis Laboratory, Inc.

Date: 16-Jun-17
Analytical Report

Client:	XTO Energy	Client Sample ID:	A
Lab Order:	1105695	Collection Date:	5/15/2011 11:25:00 A.M.
Project:	Coronado Road #1	Date Received:	5/17/2011
Lab ID:	1105695-01	Metric:	SOIL

Analyses:	Result:	PQL	Qual	Units	DP	Date Analyzed
EPA METHOD 8210: SOIL METALS						
Uranium	ND	25		mg/kg	15	Analyst: ELS 5/20/2011 12:02:13 PM
EPA METHOD 8011: TPH						
Petroleum Hydrocarbons, TPH	ND	20		mg/kg	11	Analyst: LRM 5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
 E Estimated value
 D Analyte detected below quantitation limits
 NC Non-Chlorinated
 PQL Predicted Quantitation Limit

B Analyte detected in the associated Method Blank
 RI Rejection Reason for preparation or analysis cancelled
 NDL Detection Limit
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

Ball Environmental Analysis Laboratory, Inc.

Date: 7/6/2011
Analytical Report

Client: XTO Energy
Lab Order: 1105695
Project: Comstock Pond #1
Lab ID: 1105695-02

Client Sample ID: IB
Collection Date: 5/13/2011 11:37:00 AM
Date Received: 5/17/2011
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	LOF	Date Analyzed
EPA METHOD 8016: SOIL METALS						
Uranium	ND	25		mg/Kg	5	Analyst: ELS 5/20/2011 12:21:04 PM
EPA METHOD 418.1: TPH						
Petroleum Hydrocarbons, TRI	ND	20		mg/Kg	1	Analyst: LRM 5/20/2011

Qualifiers:

W: Value exceeds Maximum Contaminant Level
E: Estimated value
D: Analyte detected below quantitation limit
NC: Non-Detectable
PQL: Practical Quantitation Limit

IB: Analyte detected in the associated Method Blank
BL: Blotting times for preparation or analysis exceeded
MCL: Maximum Contaminant Level
MD: Not Detected within Reporting Limit
S: Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 16-June-11
Analytical Report

CLIENT: NTO Energy
Lab Order: 1105695
Project: Colorado Pool #1
Lab ID: 1105695-05
Client Sample ID: C
Collection Date: 5/13/2011 11:30:00 AM
Date Received: 5/17/2011
Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8210B: SOIL METALS						Analyst: EEL/S
Uranium	ND	25	mg/kg	5	5/20/2011 12:23:02 PM	
EPA METHOD 8011: TPH						Analyst: LUPM
Petroleum Hydrocarbons, TPH	ND	20	mg/kg	1	5/20/2011	

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
S Analyte detected below quantitation limits
ND Not Detected
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
IR Solids: none for preparation or analysis; exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spills: necessary outside accepted necessary limits

IRI Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11

Analysis Report

CLIENT: XTRON Energy Client Sample ID: 10
 Lab Order: 1105695 Collection Date: 5/13/2011 11:15:00 AM
 Project: Coronado Pond #11 Date Received: 5/13/2011
 Lab ID: 1105695-01 Matrix: SCHL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8210: SCHL METALS						
Uranium	ND	25		mg/kg	5	Analyst: BLS 5/20/2011 12:24:55 PM
EPA METHOD 8015: TPH						
Petroleum Hydrocarbons, TPH	ND	20		mg/kg	1	Analyst: BURN 5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level
 E Estimated value
 I Analyte obtained below quantitation limits
 NC Non-Compliant
 PQL Provisional Quant on L

M Analyte detected in the associated Method Blank
 R Holding time for preparation analyzed; exceeded
 PQL Maximum Contaminant Level
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 10-June-11
Analytical Report

CLIENT: XTO Energy	Client Sample ID: F
Lab Order: 1105695	Collection Date: 5/13/2011 10:49:00 AM
Project: Colorado Pond #1	Date Received: 5/17/2011
Lab ID: 1105695-05	Matrix: SOIL

Analyses	Result	PQL (Qual	Units	DF	Date Analyzed
EPA METHOD 8210: SOIL METALS					
Uranium	ND	25	mg/Kg	5	Analyst: JEUS 5/20/2011 12:28:50 PM
EPA METHOD 8011: TPH					
Petroleum Hydrocarbons, TTR	35	20	mg/Kg	1	Analyst: LRW 5/20/2011

Qualifiers:

* Value exceeds Method Detection Limit
 E Estimated value
 J Analytic Detected Value > quantitation limit
 NC Non-Obtained
 PQL Practical Quantitation Limit

B Analytic Detected in the associated Method Blank
 E Estimating time for preparation or analysis exceeded
 MDL Minimum Contaminant Level
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 1/6/2011
Analytical Report

Client: XMO Energy
Lab Order: 1105695
Project: Corroded Pond #1
Lab ID: 1105695-06
Client Sample ID: G
Collection Date: 5/13/2011 11:46:00 AM
Date Received: 5/17/2011
Matrix: SOIL

Analyte	Result	PQL (ppm)	Units	DIF	Date Analyzed
EPA METHOD 8010: SOIL METALS					
Uranium	ND	25	mg/Kg	5	Analyst: JELS 5/18/2011 12:28:50 PM
EPA METHOD 418.1: TPH					
Petroleum Hydrocarbons, TP	ND	20	mg/Kg	1	Analyst: TURW 5/20/2011

Qualifiers:

- V: Value exceeds Maximum Contaminant Level
- E: Estimated value
- J: Analyte detected below quantitation limits
- NC: Non-Compliant
- PQL: Practical Quantitation Limit

- BA: Analyte detected for the non-compliance Method Blank
- RI: Retention times for preparation or analysis exceeded
- MCL: Maximum Contaminant Level
- ND: Not Detected under Reporting Limit
- S: Spike recovery control: accepted recovery limits

Hill Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11
 Analytical Report

Client:	XTD Energy	Client Sample ID:	91
Lab Order:	1106665	Collection Date:	5/13/2011 11:42:00 AM
Project:	Concrete Pond #1	Date Received:	5/17/2011
Lab ID:	1106665-07	Matrix:	SOIL

Analytes:	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8010B: SOIL METALS						
Uranium	ND	25		mg/Kg	5	Analyst: ELS 5/17/2011 12:30:41 PM
EPA METHOD 418.1: TPH						
Petroleum Hydrocarbons, TR	46	20		mg/Kg	1	Analyst: LURVI 5/20/2011

Qualifiers:

• Value exceeds Maximum Contaminant Level
 E Estimated value
 D Analyte detected below quantitation limits
 NC Non-Chlorinated
 PQL Practical Quantitation Limit

DB Analyte detected in the associated Method Blank
 DB Diluting factor for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

Ball Environmental Analysis Laboratory, Inc.

Date: 16-Jun-11
 Analytical Report

Client: XTO Energy Client Sample ID: 1
 Lab Order: 1105695 Collection Date: 5/13/2011 11:51:00 AM
 Project: Colorado Pipeline Data Received: 5/17/2011
 Lab ID: 1105695-01 Material: SOIL

Analyses	Result	PQL	Qual	Units	DIF	Date Analyzed
EPA METHOD 8210: SOIL METALS						Analyst: ELS
Uranium	ND	25	mg/kg	5	5/13/2011 12:34:24 PM	
EPA METHOD 8210: TPH						Analyst: LRM
Polycyclic Aromatic Hydrocarbons, TPH	39	20	mg/kg	1	5/20/2011	

Qualifiers:

A Value exceeds Maximum Contaminant Level
 E Estimated value
 N Analyte tested below quantitation limits
 NC Not Determined
 PQL Practical Quantitation Limit

BI Analyte detected in the associated Method Blank
 BH Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 ND Not Detected in the Reporting Unit
 S Spike recovery outside accepted recovery limits

Hill Environmental Analysis Laboratory, Inc.

Date: 14-Jan-11

Analysis Report

CLIENT: NTO Energy Client Sample ID: J
 Lab Order: 1105695 Collection Date: 5/13/2011 11:51:00 AM
 Project: Comrade Pond #1 Date Received: 5/17/2011
 Lab ID: 1105695-09 Matrix: SOIL

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8210: SOIL METALS						
Uranium	ND	25		mg/Kg	5	Analyst: ELS 5/17/2011 12:38:24 PM
EPA METHOD 801.1: TPH						
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	11	Analyst: JLRW 5/20/2011

Qualifiers

W: Within acceptable Maximum Contaminant Level
 E: Estimated value
 J: Analyte detected below quantitation limits
 NC: Non-Compliant
 PQL: Preset Quantitation Limit

B: Analyte detected in the associated Method Blank
 B: Blanking time for preparation or analysis cancelled
 MCL: Maximum Contaminant Level
 ND: Not Detected at the Reporting Limit
 S: Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 7/6/2011

Analysis Report

CLIENT: XTO Energy
 Lab Order: 1100695
 Project: Cossada Pond #1
 Lab ID: 1100695-10
 Client Sample ID: Background
 Collection Date: 5/13/2011 11:16:00 PM
 Date Received: 5/17/2011
 Matrix: SOIL

Analytes:	Result:	PQL:	Qual:	Units:	DF:	Date Analyzed
EPA METHOD 8210: SOIL METALS						
Uranium	ND	25		mg/kg	5	Analyst: ELS 5/20/2011 12:45:35 PM
EPA METHOD 418.1: TPH						
Polycyclic Aromatic Hydrocarbons, TPH	ND	20		mg/kg	1	Analyst: LRM 5/20/2011

Qualifiers:

* Value exceeds Maximum Contaminant Level

E Estimated value

D Analyte Detected Below reporting limits

NC Non-Quantified

PQL Method Quantitation Limit

BI Analyte Detected in the associated Method Blank

RI Holding time for preparation or analysis exceeded

MLL Minimum Contaminant Level

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

Ball Environmental Analysis Laboratory, Inc.

Date: 16-Jan-11

Analysis Report

CLIENT: NTC Energy **Client Sample ID:** 12
Lab Order: 1105695 **Collection Date:** 5/13/2011 12:28:00 PM
Project: Colorado Pond #1 **Date Received:** 5/17/2011
Lab ID: 1105695-111 **Matrix:** SOIL

Analysis	Result	PQL	Qual Units	ID#	Date Analyzed
EPA METHOD 8210B: SOIL METALS					
Uranium	ND	25	mg/Kg	15	Analyst: ELS 5/20/2011 12:42:37 PM
EPA METHOD 8210C: TPH					
Petroleum Hydrocarbons, NTR	ND	20	mg/Kg	11	Analyst: LRM 5/20/2011

Qualifiers:

M - Method's Maximum Contaminant Level
E - Estimated Value
D - Analyte Detected Below Reporting Limit
NC - Non-Chlorinated
PQL - Practical Quantitation Limit

BI - Analyte detected in the associated Method Blank
BN - Holding time: Sample preparation or analysis exceeded
MSCL - Minimum Contaminant Level
ND - Not Detected at the Reporting Limit
S - Splitter necessary/ outside accepted recovery limits



Pace Analytical Services, Inc.
1631 Reception Road - Suite 224
Greenburg, PA 15501
(724) 838-1500

ANALYTICAL RESULTS

Project: 1105595
Pac Project No.: 3047000

Sample: 1105595-019 Lab ID: 3047000019 Collected: 05/13/11 11:23 Received: 05/20/11 10:30 Matrix: Solid
IPMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis:

Parameters	Method	Adj. ± Unc. (PDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA 901.1m	1.06 ± 0.137 (0.130)	pCi/g	05/14/11 09:26	15522-53-3	
Radon-228	EPA 901.1m	0.001 ± 0.000 (0.000)	pCi/g	05/14/11 09:26	15522-20-1	

Sample: 1105595-020 Lab ID: 3047000020 Collected: 05/13/11 11:27 Received: 05/20/11 10:30 Matrix: Solid
IPMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis:

Parameters	Method	Adj. ± Unc. (PDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA 901.1m	0.710 ± 0.131 (0.130)	pCi/g	05/14/11 10:25	15522-53-3	
Radon-228	EPA 901.1m	0.070 ± 0.050 (0.050)	pCi/g	05/14/11 10:25	15522-20-1	

Sample: 1105595-030 Lab ID: 3047000030 Collected: 05/13/11 11:20 Received: 05/20/11 10:30 Matrix: Solid
IPMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis:

Parameters	Method	Adj. ± Unc. (PDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA 901.1m	1.86 ± 0.251 (0.250)	pCi/g	05/14/11 10:09	15522-53-3	
Radon-228	EPA 901.1m	1.41 ± 0.337 (0.281)	pCi/g	05/14/11 10:09	15522-20-1	

Sample: 1105595-040 Lab ID: 3047000040 Collected: 05/13/11 11:15 Received: 05/20/11 10:30 Matrix: Solid
IPMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis:

Parameters	Method	Adj. ± Unc. (PDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA 901.1m	1.53 ± 0.180 (0.156)	pCi/g	05/14/11 09:40	15522-53-3	
Radon-228	EPA 901.1m	1.34 ± 0.320 (0.221)	pCi/g	05/14/11 09:40	15522-20-1	

Sample: 1105595-050 Lab ID: 3047000050 Collected: 05/13/11 10:49 Received: 05/20/11 10:30 Matrix: Solid
IPMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis:

Parameters	Method	Adj. ± Unc. (PDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA 901.1m	0.911 ± 0.196 (0.194)	pCi/g	05/14/11 12:57	15522-53-3	
Radon-228	EPA 901.1m	1.10 ± 0.345 (0.362)	pCi/g	05/14/11 12:57	15522-20-1	

Sample: 1105595-060 Lab ID: 3047000060 Collected: 05/13/11 11:45 Received: 05/20/11 10:30 Matrix: Solid
IPMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis:

Parameters	Method	Adj. ± Unc. (PDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA 901.1m	0.942 ± 0.206 (0.203)	pCi/g	05/14/11 14:06	15522-53-3	
Radon-228	EPA 901.1m	2.00 ± 0.484 (0.280)	pCi/g	05/14/11 14:06	15522-20-1	

Date: 05/15/2011 10:32:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.





Face Analytical Services, Inc.
1100 Rensselaer Road - Suite 214
Glenview, PA 15116
(724) 659-5500

ANALYTICAL RESULTS:

Project: 1105555

Face Project No.: 30470008

Sample: 1105555-078 Lab ID: 30470008 Collected: 05/13/11 11:42 Received: 05/20/11 10:01 Matrix: Solid
PMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc. (MDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA-901.1m	10.48 ± 0.232 (0.173)	pCi/g	05/14/11 14:40	15962-63-3	
Radon-228	EPA-901.1m	10.01 ± 0.207 (0.167)	pCi/g	05/14/11 14:40	15262-20-1	

Sample: 1105555-088 Lab ID: 30470008 Collected: 05/13/11 11:57 Received: 05/20/11 10:00 Matrix: Solid
PMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc. (MDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA-901.1m	10.34 ± 0.248 (0.173)	pCi/g	05/14/11 15:11	15962-63-3	
Radon-228	EPA-901.1m	10.42 ± 0.192 (0.173)	pCi/g	05/14/11 15:10	15262-20-1	

Sample: 1105555-098 Lab ID: 30470008 Collected: 05/13/11 11:51 Received: 05/20/11 10:00 Matrix: Solid
PMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc. (MDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA-901.1m	10.66 ± 0.183 (0.157)	pCi/g	05/14/11 15:42	15962-63-3	
Radon-228	EPA-901.1m	10.93 ± 0.174 (0.157)	pCi/g	05/14/11 15:42	15262-20-1	

Sample: 1105555-108 Lab ID: 30470008 Collected: 05/13/11 11:15 Received: 05/20/11 10:00 Matrix: Solid
PMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc. (MDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA-901.1m	10.89 ± 0.218 (0.173)	pCi/g	05/14/11 16:13	15962-63-3	
Radon-228	EPA-901.1m	10.95 ± 0.194 (0.157)	pCi/g	05/14/11 16:13	15262-20-1	

Sample: 1105555-118 Lab ID: 30470008 Collected: 05/13/11 12:23 Received: 05/20/11 10:00 Matrix: Solid
PMS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

Parameters	Method	Act ± Unc. (MDC)	Units	Analyzed	CAS No.	Qual
Radon-226	EPA-901.1m	10.00 ± 0.233 (0.173)	pCi/g	05/14/11 16:45	15962-63-3	
Radon-228	EPA-901.1m	10.97 ± 0.257 (0.173)	pCi/g	05/14/11 16:45	15262-20-1	

Date: 05/15/11 02:32 PM

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Face Analytical Services, Inc.





Pace Analytical Services, Inc.
1525 Rosyford Road - Suite 214
Chesapeake, VA 23029
(757) 533-5500

QUALITY CONTROL DATA

Project: 1105555

Phase Project No.: 3047003

QC Batch:	170012455	Analysis Method:	167412011.m
QC Batch Method:	167412011.m	Analysis Description:	SOIL Gamma Spec
Associated Lab Samples:	3047003001, 3047003002, 3047003003, 3047003004, 3047003005, 3047003006, 3047003007, 3047003008, 3047003009, 3047003010, 3047003011		

METHOD BLANK:	3027531	Matrix:	Soil
Associated Lab Samples:	3047003001, 3047003002, 3047003003, 3047003004, 3047003005, 3047003006, 3047003007, 3047003008, 3047003009, 3047003010, 3047003011		

Parameter	Act ± Unc (RDC)	Units	Assigned	Qualifier
Radon-226	0.00710 ± 0.1140 (R-24-C)	pCi/g	0571511102150	
Radon-226	-0.00710 ± 1.06 (R-24-C)	pCi/g	0571511102150	

Date: 05/15/2010 02:12 PM

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



QA/QC SUMMARY REPORT

Client: XPD Energy

Project: Coronado Pond #1

Work Order: 1105495

Analyte	Result	Units	PQL	SPC ¹ hi	SPC ¹ ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 801.1: TPH											
Sample ID: MB-25872		MBUK									5/20/2011
Petroleum Hydrocarbons, TR	NID	mg/kg	20								
Sample ID: LCS-25872		LCS									5/20/2011
Petroleum Hydrocarbons, TR	94.20	mg/kg	20	1000	0	94.2	81.4	1100			
Sample ID: LCSID-25872		LCSID									5/20/2011
Petroleum Hydrocarbons, TR	96.54	mg/kg	20	1000	0	96.5	81.4	1100	11.41	8.50	
Method: EPA Method 801.0B: Soil Nitrate											
Sample ID: 1105655-01UNRES		MSD									5/3-02/01/11 12:19:10 PM
Uranium	NID	mg/kg	25	24125	0	82.0	75	1025	0	120	
Sample ID: MB-25897		MBUK									5/3-02/01/11 11:52:18 AM
Uranium	NID	mg/kg	5.0								
Sample ID: LCS-25897		LCS									5/3-02/01/11 11:54:15 AM
Uranium	25.49	mg/kg	5.0	25	0.6664	99.3	10	1020			
Sample ID: 1105655-01UNRES		LCS									5/3-02/01/11 12:17:13 PM
Uranium	NID	mg/kg	25	24125	0	96.1	75	1025			

Qualifiers:

- E Estimated value
 J Analyte detected below quantitation limits
 MD Not Detected at the Reporting Limit
 RE Holding times for preparation or analysis exceeded
 NC Non-Optimized
 R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name: XTO ENERGY

Date Received

5/13/2011

Work Order Number 110555

Received by:

NDAC

Checklist completed by:

[Signature]

05/17/11

Sample ID labels checked by:

[Signature]

Notes:

Carrier name: Grayhound

- Shipping container/box in good condition? Yes ☒ No ☐ Not Present ☐
- Custody seals intact on shipping container/box? Yes ☒ No ☐ Not Present ☐ Not Shipped ☐
- Custody seals intact on sample bottles? Yes ☒ No ☐ N/A ☐
- Chain of custody present? Yes ☒ No ☐
- Chain of custody signed when relinquished and received? Yes ☒ No ☐
- Chain of custody agrees with sample labels? Yes ☒ No ☐
- Samples in proper container/bottle? Yes ☒ No ☐
- Sample containers intact? Yes ☒ No ☐
- Sufficient sample volume for indicated test? Yes ☒ No ☐
- All samples received within holding time? Yes ☒ No ☐
- Water - WDA vials have zero headspace? No WDA vials submitted ☒ Yes ☐ No ☐
- Water - Preservation labels on bottles and caps match? Yes ☐ No ☐ N/A ☒
- Water - pH acceptable upon receipt? Yes ☐ No ☐ N/A ☒
- Container/Temp Blank temperature? 1.0° <5° C Acceptable
If given sufficient time to cool

Number of preserved bottles checked for pH:

< 2 > 12 unless noted below

COMMENTS:

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action

Chain-of-Custody Record

Client:

James McDaniel

Mailing Address:

475 Cypress
Box 2700

Albany, NY

Phone #: 505-787-0519

Official of Party:

QA/QC Packages:

Field Blank

Level 4 (Full Validation)

Accreditation:

NECAP

Other

EDB (Type)

Turn-Around Time:

Standard Rush

Project Name:

Coverado Pond #1

Project #:

Project Manager:

James McDaniel

Sampler Brooke Herzog

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

5/13/11 11:25 Soil

A

4oz/2

None

-1

11:31

B

-2

11:38

C

-3

11:45

D

-4

10:49

E

-5

11:42

F

-6

11:53

G

-7

11:51

H

-8

5/13/11 15:16

I

Background

-10

Remarks:

Date

Time

Received by:

Received by:

Date

Time

Time

Date

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time



**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**

www.hallenvironmental.com

4801 Hawkins NE - Albuquerque, NM 87106

Tel: 505-345-0975 Fax: 505-345-4107

Analysis Requested:

BTEX + MTBE + TMBs (8021)	
BTEX + MTBE + TPH (Gas only)	
TPH Method 8015B (Gas/Diesel)	
TPH (Method 16.1)	
EDB (Method 504.1)	
8310 (PNA or PHH)	
RCRA 8 Metals	
Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	
3061 Pesticides / 8082 PCBs	
2206 (VOCs)	
3270 (Semi-VOCs)	
Uranium	
Radioactivity	
Combined Radon (226 + 228)	
Air Butanes (Y or N)	

If necessary, samples submitted to Hall Environmental may be substituted for other identified identifiers. This serves as notice of this possibility. Any subsequent data will be clearly marked on the analytical report.

Chain-of-Custody Record

Client: James McDaniel

XTO Energy

Mailing Address: 382 CR 5100

Albuquerque, NM

Phone #: 505-757-0519

Email or Fax:

QA/QC Package:

☒ Standards ☐ Level 1 (Full Validation)

Accreditation

☐ NELAP ☐ Other

☐ EDD (Type)

Date Time Matrix Sample Request ID

5/10/11 14:22 Soil E

Container Type and #

402/a None

Preservative Type

None

Project Manager:

James McDaniel

Sampler: Brook Herd

Sample Location:

Remarks:


Turn-Around Time:

☒ Standard ☐ Rush

Project Name:

Coronado Pond #1

Project #:



**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**

www.hallenvironmental.com

4801 Hawkins NE : Albuquerque, NM 87108

Tel: 505-345-5075 Fax 505-345-4107

Analysis Request

ANALYSIS REQUEST	DATE	TIME	PROJECT NAME	PROJECT #	ANALYSIS REQUEST	DATE	TIME	PROJECT NAME	PROJECT #
COBALT	5/10/11	14:22	Coronado Pond #1		COBALT	5/10/11	14:22	Coronado Pond #1	
CHROMIUM	5/10/11	14:22	Coronado Pond #1		CHROMIUM	5/10/11	14:22	Coronado Pond #1	
COPPER	5/10/11	14:22	Coronado Pond #1		COPPER	5/10/11	14:22	Coronado Pond #1	
IRON	5/10/11	14:22	Coronado Pond #1		IRON	5/10/11	14:22	Coronado Pond #1	
MANGANESE	5/10/11	14:22	Coronado Pond #1		MANGANESE	5/10/11	14:22	Coronado Pond #1	
NICKEL	5/10/11	14:22	Coronado Pond #1		NICKEL	5/10/11	14:22	Coronado Pond #1	
SILICA	5/10/11	14:22	Coronado Pond #1		SILICA	5/10/11	14:22	Coronado Pond #1	
SODIUM	5/10/11	14:22	Coronado Pond #1		SODIUM	5/10/11	14:22	Coronado Pond #1	
ZINC	5/10/11	14:22	Coronado Pond #1		ZINC	5/10/11	14:22	Coronado Pond #1	

Remarks:

Received by: Christie Webb Date: 5/10/11 Time: 14:22

Received by: Christie Webb Date: 5/10/11 Time: 14:22

Date: 5/10/11 Time: 14:22

Date: 5/10/11 Time: 14:22

If necessary, evidence submitted to Hall Environmental may be accompanied by other documentation. This service is not a part of this package. Any sub-sampled items will be clearly marked on the original report.