

GW - 004

2013 AGWMR

VOL 1 OF 5

03 / 11 / 2014



Kegan W. Boyer, P.G.
Project Manager

Upstream Business Unit
Environmental Management
Company
1400 Smith Street
Room 07076
Houston, Texas 77002
Tel 713-372-7705
kegan.boyer@chevron.com

RECEIVED OGD

2014 MAR 14 P 2: 07

March 11, 2014

Mr. Glenn von Gonten
Senior Hydrologist
Environmental Bureau
New Mexico Oil Conservation Division
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

Re: Former Chevron North Eunice Gas Plant (Discharge Permit GW-004)
Former Chevron South Eunice Gas Plant (Discharge Permit GW-003)
2013 Annual Groundwater Monitoring Reports

Dear Mr. Von Gonten,

As Operator of the remediation programs at the Former North Eunice Gas Plant and the Former South Eunice Gas Plant, Chevron Environmental Management Company (CEMC) is submitting electronic versions (on CD-ROM) of the following enclosed reports:

- *2013 Annual Groundwater Monitoring Report, Former Chevron Eunice South Gas Plant, Lea County, New Mexico*
- *2013 Annual Groundwater Monitoring Report, Former Chevron Eunice North Gas Plant, Lea County, New Mexico*

These reports were prepared by Conestoga-Rovers & Associates (CRA) on behalf of CEMC to document the results of groundwater monitoring activities conducted at the above referenced sites in 2013. These reports are being provided in accordance with the requirements of Discharge Permits GW-003 and GW-004.

Pursuant to our conversation on February 27, 2014 I understand that moving forward, reports shall be provided to the NMOCD in electronic format directly via an FTP site. To this end, I contacted Ms. Lori Hewig to obtain access to this FTP site. However, Ms. Hewig was unavailable at the time of my call and I do not yet have access to upload documents. To meet the reporting deadlines in the above-referenced Discharge Permits, I am providing the enclosed electronic reports. However, once I am able to upload the electronic reports to the FTP site, I will do so and the enclosed CD-ROMs may be discarded.

Should you have any questions, please do not hesitate to contact me by phone at 713-372-7705 or via e-mail at kegan.boyer@chevron.com.

Sincerely,

Kegan W. Boyer, P.G.
Environmental Project Manager

cc: Mike Wisniowiecki, CRA

2013 ANNUAL GROUNDWATER MONITORING REPORT

**FORMER EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO**

DISCHARGE PERMIT GW-004

**Prepared For:
Chevron Environmental Management Company**

**Prepared by:
Conestoga-Rovers
& Associates**

6320 Rothway Street, Suite 100
Houston, Texas 77040

Office: (713) 734-3090
Fax: (713) 734-3391

web: <http://www.CRAworld.com>

**FEBRUARY 2014
REF. NO. 073018 (7)**



2013 ANNUAL GROUNDWATER MONITORING REPORT

**FORMER EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO**

DISCHARGE PERMIT GW-004

Prepared For:

**Mr. Kegan Boyer
Chevron Environmental Management Company
1400 Smith Street, 7086
Houston, Texas 77002**

**Prepared by:
Conestoga-Rovers
& Associates**

6320 Rothway Street, Suite 100
Houston, Texas 77040

Office: (713) 734-3090
Fax: (713) 734-3391

web: <http://www.CRAworld.com>

**FEBRUARY 2014
REF. NO. 073018 (7)**

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 OVERVIEW	1
1.2 FACILITY LOCATION AND HISTORY	1
2.0 REGULATORY BACKGROUND	4
3.0 GROUNDWATER MONITORING ACTIVITIES.....	5
3.1 GROUNDWATER GAUGING	5
3.2 WELL PURGING AND SAMPLING	6
3.3 GROUNDWATER ANALYTICAL RESULTS	8
3.3.1 FIRST 2013 SEMI-ANNUAL EVENT (MAY)	8
3.3.2 SECOND 2013 SEMI-ANNUAL EVENT (NOVEMBER)	10
4.0 GROUNDWATER INVESTIGATION ACTIVITIES.....	12
4.1 WELL PLUGGING AND ABANDONMENT	12
4.2 GROUNDWATER ASSESSMENT RESULTS.....	13
5.0 QUALITY ASSURANCE/QUALITY CONTROL (QA/QC) EVALUATION	14
6.0 OPERATION AND MAINTENANCE ACTIVITIES	15
7.0 FINDINGS.....	16
8.0 RECOMMENDATIONS AND FUTURE SITE ACTIVITIES	18

LIST OF FIGURES
(Following Text)

FIGURE 1	SITE LOCATION MAP
FIGURE 2	WELL LOCATION MAP
FIGURE 3	GROUNDWATER GRADIENT MAP - SHALLOW WELLS - MAY 2013
FIGURE 4	GROUNDWATER GRADIENT MAP - DEEP WELLS - MAY 2013
FIGURE 5	GROUNDWATER GRADIENT MAP - SHALLOW WELLS - NOVEMBER 2013
FIGURE 6	GROUNDWATER GRADIENT MAP - DEEP WELLS - NOVEMBER 2013
FIGURE 7	TOTAL CHROMIUM ISOCONCENTRATION MAP - SHALLOW WELLS MAY 2013
FIGURE 8	HEXAVALENT CHROMIUM ISOCONCENTRATION MAP - SHALLOW WELLS - MAY 2013
FIGURE 9	TOTAL CHROMIUM ISOCONCENTRATION MAP - DEEP WELLS - MAY 2013
FIGURE 10	HEXAVALENT CHROMIUM ISOCONCENTRATION MAP - DEEP WELLS MAY 2013
FIGURE 11	TOTAL CHROMIUM ISOCONCENTRATION MAP - SHALLOW WELLS - NOVEMBER 2013
FIGURE 12	HEXAVALENT CHROMIUM ISOCONCENTRATION MAP - SHALLOW WELLS - NOVEMBER 2013
FIGURE 13	TOTAL CHROMIUM ISOCONCENTRATION MAP - DEEP WELLS - NOVEMBER 2013
FIGURE 14	HEXAVALENT CHROMIUM ISOCONCENTRATION MAP - DEEP WELLS - NOVEMBER 2013
FIGURE 15	BTEX CONCENTRATION AND BENZENE ISOCONCENTRATION MAP - SHALLOW WELLS - MAY 2013
FIGURE 16	BTEX CONCENTRATION AND BENZENE ISOCONCENTRATION MAP - DEEP WELLS - MAY 2013
FIGURE 17	BTEX CONCENTRATION AND BENZENE ISOCONCENTRATION MAP - SHALLOW WELLS - NOVEMBER 2013

FIGURE 18	BTEX CONCENTRATION AND BENZENE ISOCONCENTRATION MAP - DEEP WELLS - NOVEMBER 2013
FIGURE 19	CHLORIDE ISOCONCENTRATION MAP - SHALLOW WELLS - MAY 2013
FIGURE 20	CHLORIDE ISOCONCENTRATION MAP - DEEP WELLS - MAY 2013
FIGURE 21	CHLORIDE ISOCONCENTRATION MAP - SHALLOW WELLS - NOVEMBER 2013
FIGURE 22	CHLORIDE ISOCONCENTRATION MAP - DEEP WELLS - NOVEMBER 2013
FIGURE 23	MAY 2013 GEOLOGICAL CROSS-SECTION A-A'
FIGURE 24	MAY 2013 GEOLOGICAL CROSS-SECTION B-B'
FIGURE 25	NOVEMBER 2013 GEOLOGICAL CROSS-SECTION A-A'
FIGURE 26	NOVEMBER 2013 GEOLOGICAL CROSS-SECTION B-B'

LIST OF TABLES
(Following Text)

TABLE 1	SUMMARY OF GROUNDWATER ELEVATIONS
TABLE 2	SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
TABLE 3	SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS SHALLOW WELLS
TABLE 4	SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS DEEP WELLS
TABLE 5	SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX & TPH SHALLOW WELLS
TABLE 6	SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX & TPH DEEP WELLS
TABLE 7	SUMMARY OF GROUNDWATER ANALYTICAL DATA- CHLORIDES AND TDS SHALLOW WELLS
TABLE 8	SUMMARY OF GROUNDWATER ANALYTICAL DATA- CHLORIDES AND TDS DEEP WELLS

LIST OF APPENDICES

APPENDIX A	NMOCD DISCHARGE PERMIT GW-004
APPENDIX B	HISTORICAL GROUNDWATER TABLES
APPENDIX C	CERTIFIED LABORATORY ANALYTICAL RESULTS
APPENDIX D	CONCENTRATION THROUGH TIME GRAPHS - BENZENE, CHROMIUM AND HEXAVALENT CHROMIUM
APPENDIX E	NEW MEXICO OFFICE OF THE STATE ENGINEER PLUGGING RECORDS

1.0 INTRODUCTION

1.1 OVERVIEW

This Annual Groundwater Monitoring Report presents groundwater monitoring activities performed during the 2013 calendar year by environmental consultant Conestoga-Rovers and Associates (CRA) on behalf of Chevron Environmental Management Company (CEMC) at the Former Eunice North Gas Plant hereafter referred to as the “Site.”

Site activities performed in 2013 included:

- Two semi-annual groundwater monitoring events performed in May and November 2013;
- Geophysical conductivity survey performed in April 2013 to locate areas of elevated chloride concentration and related irrigation piping and utilities, and installation of 20 soil borings in July 2013 for the chloride soil investigation; and
- Continuation and completion of the groundwater monitoring activities of the two chromium remedial pilot tests began in October 2012.

1.2 FACILITY LOCATION AND HISTORY

The Site is located approximately 0.5 miles north of the town of Eunice in the south half of the southeast quarter (SE/4) of the northeast quarter (NE/4) of Section 28, Township 21 South (T-21-S), Range 37 East (R-37-E). The approximate latitude/longitude coordinates for the Site are 32°27'01.46"N and 103°09'42.71"W. For the purpose of this report, the Site included in the groundwater monitoring program is comprised of the original gas plant property and surrounding areas.

The Site was originally constructed by Skelly Oil Company during the 1940s, and subsequently acquired and modified by Texaco Exploration and Production, Inc. (Texaco) to operate as a turbo expander-type natural gas processing plant for extraction of natural gas liquids (NGL). Texaco operated the plant into the 1980s when the plant operations ceased and much of the equipment was dismantled and/or shut-in. Structures remaining on Site include two compressors, a compressor building, a cooling tower, former office buildings, above-ground storage tanks, sumps, and piping. Operations were transferred to Versado Gas Processors, LLC (Versado) on July 1, 1998. Versado is a limited liability partnership originally between Chevron and Dynegy Midstream Services (Dynegy). Dynegy continued to operate the two compressors in the

northern portion of the Site. Dynegy subsequently was purchased by Targa Midstream Services, L.P. (Targa). Targa became a partner with Versado and currently operates the facility as a natural gas compressor station under an agreement with Chevron. Site Location and Site Details maps are illustrated on Figures 1 and 2.

In the early 1990s, Texaco discovered benzene and chromium contamination in soils and groundwater at the Site. In 1996, the New Mexico Oil Conservation Division (NMOCD) required an initial investigation of sumps at the plant as a condition of Groundwater Discharge Permit GW-004. This investigation confirmed dissolved benzene and chromium in groundwater at concentrations exceeding New Mexico Water Quality Control Commission (NMWQCC) human health standards. It was speculated that the source of the chromium contamination was from cooling tower blow-down waters being discharged around the surface of the plant. Sequential discharge permits have been submitted as needed. The current permit (Appendix A) was approved in January 2012 and is effective until March 2016.

Several soil and groundwater investigations were conducted between 1996 and 2003. Three (3) primary dissolved-phase groundwater constituents of concern (COCs) were identified at the Site including: total and hexavalent chromium, dissolved petroleum hydrocarbons, and dissolved solids (with chloride concentrations representative of dissolved solids). Arsenic, iron and manganese are also included in the Discharge Permit groundwater monitoring requirements and have been sampled and analyzed for since 2004.

In 2003, a buried metal sump was removed, along with approximately 740 cubic yards of hydrocarbon impacted soils, in the vicinity of monitor wells MW005 and MW006. The area was over-excavated and backfilled during the remedial effort. Light non-aqueous phase liquids (LNAPLs) have been observed periodically in monitor wells MW005 and MW006 since the remediation was completed. Semi-annual groundwater monitoring and LNAPL recovery and remediation activities were initiated at these wells in 2004. LNAPL recovery was suspended at these wells in 2011 as LNAPL was not detected in any monitor wells during the 2011 or 2012 sampling events.

Beginning in 2003, remedial efforts for chromium contamination in groundwater were initiated. A "study area" was established in the area of highest chromium concentrations and three injection wells were installed to allow pilot testing of remedial alternatives. An initial remedial alternative was tested in an "In-Situ Reactive Zone" (IRZ). Groundwater treatment, consisting of injections of molasses, was completed to provide a carbohydrate-based electron donor to lower the oxidation-reduction potential of groundwater to stimulate reduction of hexavalent chromium to trivalent chromium.

Trivalent chromium is less toxic and readily precipitates as $\text{Cr}(\text{OH})_3$ under alkaline or even slightly acidic conditions. The initial pilot study was expanded through installation of a longitudinal array of 14 injection wells completed at the northeastern end of the chromium plume (distal array). The IRZ treatment was applied to this array as well. IRZ treatments were discontinued in 2005 when bench testing demonstrated an alternative method could be a potentially more effective remedy.

In 2008, the bench tested remedial alternative was implemented as an in-situ pilot study. Injection wells IW018 through IW028 (medial array) were selected as injection wells since they bisect the dissolved chromium plume perpendicular to the groundwater flow direction. An inorganic reducing agent (calcium polysulfide) along with an electron donor (sodium acetate solution) was injected in each well continuously for seven (7) days. The pilot study demonstrated that chromium concentrations were reduced in the area of the injections, however, clogging of the wells occurred.

Monitoring of groundwater conditions after initiation of the two September 2012 pilot injection tests located in the southeast corner of the facility property (approved by NMOCD and detailed in renewed Discharge Permit #GW-004) was completed in October 2013 and evaluation of the results is ongoing. Groundwater analytical and pilot test results and recommendations are being summarized for submission to NMOCD in a separate report.

Two monitor wells were plugged and abandoned (P&A'd) in 2013. Under the terms of Discharge Permit Condition 2.G.3 (GW-004) and with NMOCD approval, CEMC plugged and abandoned deep well MW-022A, due to pending Targa facility construction, in accordance with Office of State Engineer procedures on July 22, 2013. NMOCD also concluded that a replacement monitor well was not necessary. CEMC also submitted a proposed well plugging and abandonment (P&A) request to the NMOCD on August 21, 2013 under the terms of Discharge Permit GW-004, for the former Chevron Eunice North facility. NMOCD approved this P&A request in early November 2013. As the 15 wells were deemed non-essential and approved for P&A, these wells were not included in the second half 2013 groundwater monitoring event and sampling activities. Just prior to this NMOCD approval, The City of Eunice Mayor, Mr. Matt White, requested to CRA and CEMC that one of the 15 wells to be P&A'd, shallow well MW-033 (located on the northwest corner of Avenue Q and 15th Streets), be P&A'd due to pending utility construction. CRA P&A'd shallow well MW-033 in accordance with Office of State Engineer procedures on November 11, 2013. CEMC has scheduled the remaining 14 P&A approved wells to be plugged and abandoned in March 2014.

2.0 REGULATORY BACKGROUND

The New Mexico Oil Conservation Division (NMOCD) guidelines require groundwater to be analyzed for potential contaminants as defined by the New Mexico Water Quality Control Commission (NMWQCC) Standards 20.6.2.3103 Sections A & B. NMQCC 20.6.2.3103 Section A provides the Human Health Standards for Groundwater; Section B provides Other Standards for Domestic Water Supply. The constituents of concern (COCs) designated for affected groundwater at the Site are - benzene, toluene, ethylbenzene, and xylenes (BTEX), dissolved arsenic, dissolved chromium, hexavalent chromium, total dissolved solids (TDS) and chlorides. In this report, groundwater analytical results for the COCs are compared to the NMWQCC standards as show in the following table:

Analyte	NMWQCC Standard for Groundwater (mg/L)
20.6.2.3103 Section A - Human Health Standard	
Arsenic	0.100
Chromium	0.050
Benzene	0.01
Toluene	0.75
Ethylbenzene	0.75
Total Xylenes	0.62
20.6.2.3103 Section B - Other Standards for Domestic Water Supply	
Chloride	250
Iron	1.0
Manganese	0.2
Total Dissolved Solids	1,000

3.0 GROUNDWATER MONITORING ACTIVITIES

Groundwater at the Site is monitored on a semi-annual basis with a network of 151 wells which include:

Shallow zone wells:

- Forty-eight shallow zone monitor wells;
- Two shallow zone injection wells (IW001 and IW002); and
- Two shallow zone recovery wells (RW002 and RW003).

Middle Zone Wells: (Grouped with shallow zone wells throughout the report for simplicity)

- Four middle zone monitor wells (MW-8M, MW-11M, MW-12M and MW-88M).

Deep zone wells:

- Sixty-three deep zone monitor wells (identified with an A or SA appended to well ID);
- Fourteen deep zone injection wells at the distal array (IW012 is not sampled);
- Eleven deep zone medial array injection wells;
- Two deep zone recovery wells (RW003 and RW004A); and
- Five deep zone water wells (drilled and owned by landowners – LORDWW, ROLANDWW, WODELLWW, GOPWW2, EPWW1 (no current access)).

Four deep wells were also installed as part of a chromium remediation pilot test in June 2012 but are not included as part of the groundwater monitoring network.

The two semi-annual groundwater monitoring events were performed in May and November 2013.

3.1 GROUNDWATER GAUGING

Prior to purging wells, depth to groundwater was gauged and recorded from the top of casing (TOC) in all accessible wells to the nearest hundredth of a foot utilizing an oil-water interface probe. No measurable LNAPL thicknesses were detected in any wells during the 2013 calendar year.

Shallow Zone Wells

Depth to groundwater measurements were collected from 57 and 48 shallow zone wells during the May and November 2013 gauging events, respectively. Depth to water measurements ranged from 37.50 feet (in MW018) to 71.0 feet (in MW028) below top-of-casing (TOC) during the May 2013 gauging event and from 37.60 feet (in MW018) to 67.12 feet (in MW068) below TOC during the November 2013 gauging event.

Deep Zone Wells

Depth to groundwater measurements were collected from 90 and 77 deep zone wells during the May and November 2013 gauging events, respectively. Depth to water measurements ranged from 37.15 feet (in MW018A) to 59.28 feet (in MW070A) below TOC in May 2013 and from 39.78 feet (in MW016A) to 59.31 feet in MW070A below TOC in November 2013.

Groundwater Gradient

Groundwater elevations at the Site appear to be consistent with historical levels and the groundwater gradient continues to be to the northeast direction. The average gradient observed in the shallow zone in 2013 was 0.0030 feet/foot. The average gradient observed in the deep zone in 2013 was 0.0073 feet/foot. Shallow and deep zone groundwater gradient maps for both 2013 semi-annual groundwater monitoring events are presented as Figures 3, 4, 5, and 6. Depth to groundwater elevations collected in 2011 through 2013 are presented in Table 1. Historical groundwater elevation data (1997-2013) for shallow and deep wells are presented in Appendix B.

3.2 WELL PURGING AND SAMPLING

A total of 147 wells from the shallow and deep zones were gauged in the May 2013 event, and 132 wells were sampled. Wells IW009 and IW012 were gauged but not sampled due to insufficient water volume, and water wells EPWW1, LORDWW, and WoodellWW were sampled but not gauged due to access issues (downhole pumps) during the May 2013 event.

A total of 125 wells from the shallow and deep zones were gauged in the November 2013 event, and 58 wells were sampled. Wells MW006 and MW037 were gauged but not sampled due to insufficient water volume, and water well WoodellWW was sampled but not gauged due to access issues (downhole pumps) during the November 2013 event.

Shallow Zone Wells

Subsequent to gauging, the shallow zone wells were purged using EPA approved low-flow sampling methodology. Geochemical water quality parameters including temperature, pH, dissolved-oxygen, oxidation-reduction potential, and conductivity were recorded at approximately five minute intervals during purging activities. When three consecutive readings indicated stabilization of parameters (variation <10%), the groundwater was considered representative of formation water and groundwater samples were collected. A summary of the shallow well geochemical parameters for the 2013 semi-annual monitoring events are presented in Table 2.

Deep Zone Wells

Subsequent to gauging, deep zone wells were purged using a submersible pump set near the bottom of the wells, within the screened interval pursuant to low-flow guidelines. Geochemical water quality parameters including temperature, pH, and conductivity were recorded at approximately five minute intervals during purging activities. When three consecutive readings indicated stabilization of parameters (variation <10%), the groundwater was considered representative of formation water and groundwater samples were collected via the discharge hose. A summary of the deep well geochemical parameters for the 2013 semi-annual monitoring events is presented in Table 2.

Laboratory Analysis

All groundwater samples collected were labeled, placed on ice in an insulated cooler, and delivered to Xenco Laboratories (Xenco) located in Odessa, Texas, for analysis of the following:

- BTEX by EPA Method 8021B
- Total Petroleum Hydrocarbons (TPH) by EPA Method 8015M as gasoline range hydrocarbons
- TPH by EPA Method 8015M as diesel range hydrocarbons;
- Dissolved Metals (arsenic, chromium, iron, manganese) by EPA Method 6010B;
- Hexavalent chromium by EPA Method 7196A;
- Chlorides by EPA Method 300; and
- Total Dissolved Solids (TDS) by EPA Method 2540C.

Purge Water

Purge water generated during the sampling events were containerized onsite in a labeled polyethylene tank and subsequently managed by a third-party subcontractor at an NMOCD-permitted disposed facility.

3.3 GROUNDWATER ANALYTICAL RESULTS

Analytical results for both semi-annual 2013 groundwater monitoring events are summarized in Tables 3 through 8. Certified lab reports, chain of custodies and data validation reports are provided in Appendix C. Constituent concentration data shown in bold print indicate detections above the laboratory reporting limit. Shaded/highlighted detections represent concentrations exceeding the NMWQCC regulatory standards. Graphs of constituent concentration through time for benzene, chromium and hexavalent chromium are provided in Appendix D. Chromium and hexavalent chromium isoconcentration maps in the shallow and deep zones for May and November 2013 are presented as Figures 7 through 14. BTEX isoconcentration maps for the shallow and deep zones in May and November 2013 are presented as Figures 15 through 18. Chloride isoconcentration maps for the shallow and deep zones for May and November 2013 are presented as Figures 19 through 22. In addition, geological cross-sections (strike and dip) depicting chloride, chromium and BTEX concentrations for May and November 2013 are presented as Figures 23, 24, 25 and 26.

3.3.1 FIRST 2013 SEMI-ANNUAL EVENT (MAY)

The following tables present the number of wells with: 1) detections of select analytes, and 2) detections of those analytes which exceeded the NMWQCC Standard during the May 2013 monitoring event. In addition, the minimum and maximum detected concentrations for each COC during the monitoring event are also provided.

Shallow Wells - May 2013	Chromium	Hexavalent Chromium
Number of Detections	30	19
Exceedances Above Regulatory Limit	11	10
Minimum Concentration (mg/L) Well ID	0.00363 J MW030	0.011 MW037
Maximum Concentration (mg/L) Well ID	4.81 MW095	4.83 MW095

Deep Wells - May 2013	Chromium	Hexavalent Chromium
Number of Detections	49	35
Exceedances Above Regulatory Limit	25	23
Minimum Concentration (mg/L) Well ID	0.00403 J IW0120	0.0061 J MW074SA
Maximum Concentration (mg/L) Well ID	2.27 MW011A	1.94 MW011A

Shallow Wells - May 2013	Benzene	Toluene	Ethylbenzene	Total Xylenes
Number of Detections	6	0	6	4
Exceedances Above Regulatory Limit	5	0	0	0
Minimum Concentration (mg/L) Well ID	0.000609 J MW038	--	0.00661 MW001	0.00313 MW005
Maximum Concentration (mg/L) Well ID	6.62 MW037	--	0.534 MW037	0.205 MW036

Deep Wells - May 2013	Benzene	Toluene	Ethylbenzene	Total Xylenes
Number of Detections	2	0	0	0
Exceedances Above Regulatory Limit	0	0	0	0
Minimum Concentration (mg/L) Well ID	0.00059 J MW075SA	---	---	---
Maximum Concentration (mg/L) Well ID	0.002 MW050SA	---	---	---

Shallow Wells - May 2013	Chloride
Number of Detections	55
Exceedances Above Regulatory Limit	35
Minimum Concentration (mg/L) Well ID	45.7 MW003
Maximum Concentration (mg/L) Well ID	2,440 MW010

Deep Wells - May 2013	Chloride
Number of Detections	80
Exceedances Above Regulatory Limit	59
Minimum Concentration (mg/L) Well ID	22.9 MW018A
Maximum Concentration (mg/L) Well ID	1,550 J MW083SA

3.3.2 SECOND 2013 SEMI-ANNUAL EVENT (NOVEMBER)

The following tables present the number of wells with: 1) detections of select analytes, and 2) detections of those analytes which exceeded the NMWQCC Standard during the November 2013 monitoring event. In addition, the minimum and maximum detected concentrations for each COC during the monitoring event are also provided.

Shallow Wells - November 2013	Chromium	Hexavalent Chromium
Number of Detections	17	12
Exceedances Above Regulatory Limit	9	8
Minimum Concentration (mg/L) Well ID	0.00414 J MW030	0.0193 MW010
Maximum Concentration (mg/L) Well ID	4.28 MW095	4.31 MW095

Deep Wells - November 2013	Chromium	Hexavalent Chromium
Number of Detections	16	10
Exceedances Above Regulatory Limit	8	8
Minimum Concentration (mg/L) Well ID	0.00397 J MW016A	0.0113 MW074SA
Maximum Concentration (mg/L) Well ID	0.475 MW048SA	0.47 MW048SA

Shallow Wells - November 2013	Benzene		Toluene	Ethylbenzene		Total Xylenes
Number of Detections	3	2	2	5	3	2
Exceedances Above Regulatory Limit	0	0	0	0	0	0
Minimum Concentration (mg/L) Well ID	0.0014 MW094	0.0045 9 MW013	0.00184 MW013	0.001 82 MW013	0.001 4 MW094	0.00459 MW013
Maximum Concentration (mg/L) Well ID	0.00615 MW010	0.0068 2 MW010	0.00293 MW010	0.003 27 MW018	0.006 15 MW010	0.00682 MW010

Deep Wells – November 2013	Benzene	Toluene	Ethylbenzene	Total Xylenes
Number of Detections	7	4	2	11
Exceedances Above Regulatory Limit	0	0	0	0
Minimum Concentration (mg/L) Well ID	0.00054 J MW078SA	0.0011 J MW056SA	0.00101 MW013A	0.00211 MW020A
Maximum Concentration (mg/L) Well ID	0.00306 MW016A	0.00214 MW013A	0.00109 MW013A	0.0091 MW013A

Shallow Wells – November 2013	Chloride
Number of Detections	24
Exceedances Above Regulatory Limit	17
Minimum Concentration (mg/L) Well ID	98.3 MW031
Maximum Concentration (mg/L) Well ID	2,430 MW010

Deep Wells – November 2013	Chloride
Number of Detections	36
Exceedances Above Regulatory Limit	25
Minimum Concentration (mg/L) Well ID	30.6 MW014A
Maximum Concentration (mg/L) Well ID	2,760 MW021A

4.0 GROUNDWATER INVESTIGATION ACTIVITIES

In 2013 no groundwater monitor wells were installed at the Site. Groundwater monitoring regarding the two chromium remediation pilot tests initiated in September 2012 to further evaluate two alternative methods for fixation of dissolved hexavalent chromium at the Site was completed in October 2013. Four deep groundwater monitor wells were installed in June 2012 in the southeast corner of the facility property, three in the vicinity of deep well MW-007A (MW-096, MW-097, IW-029) and one in the vicinity of deep well MW-009A (IW-030). The ultimate purpose of these pilot tests is to develop a long term remedial strategy that will reduce chromium contamination at the Site to below regulatory standards. The primary objectives of the tests were to determine the effects of sodium dithionite and soy lactate as potential reagents in lowering hexavalent chromium concentrations, and evaluate optimal injection characteristics for these potential reagents. The pilot tests were approved by NMOCD and detailed in renewed Discharge Permit #GW-004. The respective well locations are presented in Figure 2. Results from the pilot tests will be provided to the NMOCD in a separate report.

NMOCD had previously requested that Chevron conduct an investigation of the areas within the footprint of the former sprinkler systems to evaluate potential residual chloride impacts to soil. A Chloride Soil Investigation was performed by CEMC in July 2013, using geophysical and soil boring methods to locate former sprinkler system piping, elevated conductivity levels in soil, and chloride soil concentrations. A separate report, summarizing the chloride soil investigation results, was submitted NMOCD in February 2014.

4.1 WELL PLUGGING AND ABANDONMENT

CEMC was requested by Targa in July 2013, due to the pending construction of two compressors on the north side of the facility, that deep well MW-022A be plugged and abandoned. Under Discharge Permit Condition 2.G.3 (GW-004) specifying that the "Owner/Operator shall request by certified mail" approval to P&A a monitor well, CEMC submitted a certified mail request to NMOCD to P&A well MW-022A. After reviewing the 2012 Annual Groundwater Report, Mr. Glenn Von Gonten of NMOCD agreed that MW022A was a non-essential monitor well and could be abandoned in accordance with Office of State Engineer procedures. NMOCD also agreed that a replacement monitor well was not necessary. CRA P&A'd deep well MW-022A in accordance with Office of State Engineer procedures on July 22, 2013.

CEMC also submitted a proposed well P&A request to the NMOCD on August 21, 2013 under the terms of Discharge Permit GW-004, for the former Chevron Eunice North Gas Plant facility. After reviewing the monitoring data provided to NMOCD in the 2012 Annual Groundwater Monitoring Report, CRA concluded that 15 monitor wells were either non-essential to the monitoring of the main groundwater COC plumes (hexavalent chromium and chloride) or were duplicates of nearby wells installed in the same groundwater interval. Seven shallow wells (MW-021, MW-025, MW-028, MW-029, MW-033, MW-035, RW-002) and eight deep wells (MW-018A, MW-64SA, MW-77SA, MW-80SA, MW-81SA, MW-82SA, MW-92SA, IW-020) were proposed for plugging and abandonment. A well was considered non-essential regarding the upgradient or downgradient contaminant plume boundary if there are other wells in the area that define the plume boundary (detection and non-detection well pairs). An interplume well was considered for P&A if other similar wells were present with contaminant levels comparable to those of the identified P&A well. Also, four wells were identified that are duplicates of nearby deep wells.

NMOCD approved this P&A request in early November 2013. As the 15 wells were deemed non-essential and approved for P&A, these wells were not included in the second half 2013 groundwater event monitoring and sampling activities. Just prior to this NMOCD approval, The City of Eunice Mayor, Mr. Matt White, requested to CRA and CEMC that one of the 15 wells to be P&A'd, shallow well MW-033 (located on the northwest corner of Avenue Q and 15th Streets), be P&A'd due to pending utility construction. CRA P&A'd shallow well MW-033 in accordance with Office of State Engineer procedures on November 11, 2013. CEMC has scheduled the remaining 14 P&A approved wells to be plugged and abandoned in March 2014.

The Plugging Records for the two wells P&A'd in 2013 are included in Appendix E.

4.2 GROUNDWATER ASSESSMENT RESULTS

Monitoring of groundwater conditions after initiation of the two September 2012 pilot injection tests was completed in October 2013 and evaluation of the results is ongoing. Groundwater analytical and pilot test results and recommendations are being summarized for submission to NMOCD in a separate report.

5.0 QUALITY ASSURANCE/QUALITY CONTROL (QA/QC) EVALUATION

To confirm sample quality and reproducibility, twelve field duplicate samples (shown below) were collected during the May 2013 semi-annual monitoring event.

Duplicate Sample ID	Parent Sample ID
DUP 1	MW66 SA
DUP 2	MW51 SA
DUP3	MW93 SA
DUP-4	MW94
DUP5	MW23A
DUP6	MW35

During the November 2013 semi-annual monitoring event, six field duplicate samples (shown below) were collected.

Duplicate Sample ID	Parent Sample ID
DUP	IW-30
DUP1	MW70
DUP2	MW056SA
DUP3	MW13A
DUP4	MW15A
DUP5	MW26
DUP6	MW038

Samples were analyzed for BTEX by EPA Method 8021B, TPH as gasoline and diesel range hydrocarbons by EPA Method 8015M, dissolved metals (arsenic, chromium, iron, manganese) by EPA Method 6010B, hexavalent chromium by EPA Method 7196A, chlorides by EPA Method 300 and TDS by EPA Method 2540C. Certified groundwater laboratory reports received from Lancaster Laboratories (Lancaster) for the both sampling event were reviewed by a CRA analytical chemist for laboratory and field method QA/QC. Certified copies of laboratory analytical results are included in Appendix C. No significant deviations were encountered in the sample results for duplicate constituents, the data produced by Lancaster were found to exhibit acceptable levels of accuracy and precision.

6.0 OPERATION AND MAINTENANCE ACTIVITIES

Light non-aqueous phase liquids (LNAPLs) were not observed in either MW005 or MW006 from the 2011 through 2013 calendar years, although LNAPL was observed and recovered in previous years. As a result of the absence of LNAPL at the Site, the renewed Discharge Permit request did not include LNAPL recovery activities. However, ongoing groundwater monitoring activities will continue to include LNAPL observations.

7.0 FINDINGS

Based on groundwater monitoring activities performed at the Site, CRA presents the following summary:

- Groundwater at the Site is monitored on a semi-annual basis with a network of 151 wells;
- Shallow Zone Wells: Depth to water measurements ranged from 37.50 feet in MW018 to 71.0 feet in MW028 below TOC during the May 2013 gauging event and from 37.60 feet in MW018 to 67.12 feet in MW068 below TOC during the November 2013 gauging event. The average gradient observed in the shallow zone in 2013 was 0.0030 feet/foot to the northeast;
- Deep Zone Wells: Depth to water measurements ranged from 37.15 feet in MW018A to 59.28 feet in MW070A below TOC in May 2013 and from 39.78 feet in MW016A to 59.31 feet in MW070A below TOC in November 2013. The average gradient observed in the deep zone in 2013 was 0.0073 feet/foot to the northeast;
- LNAPL was not detected in any wells during the 2013 calendar year;
- Total chromium concentrations exceeded the NMWQCC standards in 11 shallow wells and 25 deep wells during the May 2013 groundwater monitoring event;
- Total chromium concentrations exceeded the NMWQCC standards in 9 shallow wells and 8 deep wells during the November 2013 groundwater monitoring event;
- Hexavalent chromium concentrations exceeded the NMWQCC standards in 10 shallow wells and 23 deep wells during the May 2013 groundwater monitoring event;
- Hexavalent chromium concentrations exceeded the NMWQCC standards in 8 shallow wells and 8 deep wells during the November 2013 groundwater monitoring event;
- Benzene concentrations exceeded the NMWQCC standards in 5 shallow well during the May 2013 groundwater monitoring event;
- Benzene concentrations did not exceed the NMWQCC standards in any shallow or deep wells during the November 2013 groundwater monitoring event;
- Chloride concentrations exceeded NMWQCC standards in 35 shallow wells and 59 deep wells during the May 2013 groundwater monitoring event;
- Chloride concentrations exceeded NMWQCC standards in 17 shallow wells and 25 deep wells during the November 2013 groundwater monitoring event;
- Monitoring of groundwater conditions after initiation of the two September 2012 pilot injection tests located in the southeast corner of the facility property (approved by

NMOCD and detailed in renewed Discharge Permit #GW-004) was completed in October 2013 and evaluation of the results is ongoing. Groundwater analytical and pilot test results and recommendations are being summarized for submission to NMOCD in a separate report.

- Two monitor wells were P&A'd in 2013. MW-022A was P&A'd on July 22, 2013 and MW-033 was P&A'd on November 11, 2013.

8.0 RECOMMENDATIONS AND FUTURE SITE ACTIVITIES

Based upon the summary and conclusions presented in this report, the following is recommended:

- Evaluate groundwater chromium reduction options at the Site using the results of the two recently completed chromium remediation pilot studies, and develop and recommend potential implementation approaches for the most effective options; and
- Complete the 2014 semi-annual groundwater sampling events during May and November 2014. Groundwater samples will be collected from all wells that do not contain measureable LNAPL.

Future Site activities planned in 2014 will include:

- Evaluation of groundwater pilot testing results and development of an understanding regarding the potential to fixate or otherwise control hexavalent chromium long-term.
- Plug and abandon the remaining 14 monitor wells previously approved by NMOCD, currently scheduled for late March 2014.
- Develop an understanding of the overall closure approaches necessary under NMOCD regulations for the Site, including application of cost-effective alternatives indicated in recent and ongoing site assessment and pilot testing activities.


All of Which is Respectfully Submitted,

CONESTOGA-ROVERS & ASSOCIATES

Mike Wisniowiecki
Senior Project Manager

Joe Cruseturner
Principal

FIGURES



RE: USGS 7.5 MINUTE TOPOGRAPHIC MAPS, "EUNICE AND RATTLESNAKE CANYON NEW MEXICO".


figure 1

SITE LOCATION MAP
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company





figure 2



LEGEND

Monitoring Well

Injection Well

Recovery Well

Water Well

Abandoned Well

Potential New Water Well Location

Gas Plant Property Boundary and Fence Line

Groundwater Elevation Contour (Interval = 2.00 ft)

Elevation of Groundwater (ft)

Direction Of Groundwater Flow

Not Gauged


RE: 2009 NAIP Aerial Photograph.

NOTES:

- Groundwater elevations gauged on April 30 and May 1, 2013.
- Wells MW-008M, MW-043, IW001 and IW002 were not honored in the gradient.

figure 3
GROUNDWATER GRADIENT MAP
SHALLOW WELLS - MAY 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company

073018-2013(007)GN-DL03 FEB 21/2014



RE: 2009 NAIP Aerial Photograph.

NOTE:

1. Groundwater elevations gauged between April 29 - May 2, 2013.


figure 4

GROUNDWATER GRADIENT MAP
DEEP WELLS - MAY 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company











RE: 2009 NAIP Aerial Photograph.

NOTES:

1. All results in mg/L.
2. Highlighted cells indicate concentration exceeds NMWQCC Standards for Hexavalent Chromium of 0.05 mg/L.

figure 8

HEXAVALENT CHROMIUM ISOCONCENTRATION MAP
SHALLOW WELLS - MAY 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company










figure 10

HEXAVALENT CHROMIUM ISOCONCENTRATION MAP
DEEP WELLS - MAY 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company











NOTES:

1. All results in mg/L.
2. Highlighted cells indicate concentration exceeds NMWQCC Standards for Hexavalent Chromium of 0.05 mg/L.

figure 14

HEXAVALENT CHROMIUM ISOCONCENTRATION MAP
DEEP WELLS - NOVEMBER 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company





RE: 2009 NAIP Aerial Photograph.

NOTES:


1. All results in mg/L.
2. There was no BTEX exceedances observed in the deep wells in May 2013.

LEGEND

- Monitoring Well
- Injection Well
- Recovery Well
- Water Well
- Abandoned Well
- Gas Plant Property Boundary and Fence Line
- Potential New Water Well Location
- Benzene Isoconcentration Contour (mg/L)
- NS Not Sampled
- ND Not Detected

Sample ID	MW050SA	5/8/2013	Sample Date
Constituent	Benzene	0.00200	
	Toluene	<0.00100	
	Ethylbenzene	<0.000700	
	Xylenes (total)	<0.000700	Result (mg/L)

figure 16
BTEX CONCENTRATION AND BENZENE ISOCONCENTRATION MAP
DEEP WELLS - MAY 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company



RE: 2009 NAIP Aerial Photograph.

NOTES:

1. All results in mg/L.
2. There was no BTEX exceedances observed in the shallow wells in November 2013.

figure 17

BTEX CONCENTRATION AND BENZENE ISOCONCENTRATION MAP
SHALLOW WELLS - NOVEMBER 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company

LEGEND

●

Monitoring Well

●

Injection Well

⊕

Recovery Well

⊕

Water Well

■

Abandoned Well

—

Gas Plant Property Boundary and Fence Line

⊕

Potential New Water Well Location

0.005

Benzene Isoconcentration Contour (mg/L)

NS


Not Sampled

ND

Not Detected

Sample ID	MW027	11/5/2013	Sample Date
Constituent	Benzene	<0.000500	
	Toluene	<0.00100	
	Ethylbenzene	<0.000700	
	Xylenes (total)	0.00268	Result (mg/L)





LEGEND

●

Monitoring Well

●

Injection Well

⊗

Recovery Well

⊕

Water Well

■

Abandoned Well

—

Gas Plant Property Boundary and Fence Line

○

Potential New Water Well Location

—

Benzene Isoconcentration Contour (mg/L)

NS

Not Sampled

ND

Not Detected

Sample ID	MW013A	11/4/2013	Sample Date
Constituent	Benzene	0.00275/0.00147	
	Toluene	0.00214/0.00177 J	
	Ethylbenzene	0.00109/0.00101	
	Xylenes (total)	0.00844/0.00910	Duplicate Result (mg/L)
			Parent Result (mg/L)

RE: 2009 NAIP Aerial Photograph.

NOTE:

- All results in mg/L.
- There was no BTEX exceedances observed in the deep wells in November 2013.

figure 18
BTEX CONCENTRATION AND BENZENE ISOCONCENTRATION MAP
DEEP WELLS - NOVEMBER 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company





figure 19
CHLORIDE ISOCONCENTRATION MAP
SHALLOW WELLS - MAY 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company



LEGEND

●

Monitoring Well

●

Injection Well

⊕

Recovery Well

⊕

Water Well

■

Abandoned Well

○

Potential New Water Well Location

—

Chloride Isoconcentration Contour (mg/L)

NS

Not Sampled

J

Indicates Estimated Result


RE: 2009 NAIP Aerial Photograph.

NOTES:

1. All results in mg/L.
2. Highlighted cells indicate concentration exceeds NMWQCC Standards for Chloride of 250 mg/L.
3. Well MW022A was not honored in gradient.

Sample ID	MW051SA	5/8/2013	Sample Date
Constituent	Chloride	1060/966	Duplicate Result (mg/L)
			Parent Result (mg/L)

figure 20
CHLORIDE ISOCONCENTRATION MAP
DEEP WELLS - MAY 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company



LEGEND

●

Monitoring Well

⊙

Injection Well

⊕

Recovery Well

⊗

Water Well

■

Abandoned Well

—

Gas Plant Property Boundary and Fence Line

⊙

Potential New Water Well Location

—

Chloride Isoconcentration Contour (mg/L)

NS

Not Sampled

J

Indicates Estimated Result


Sample ID	MW026	11/5/2013	Sample Date
Constituent	Chloride	544/528	Duplicate Result (mg/L)
			Parent Result (mg/L)

RE: 2009 NAIP Aerial Photograph.

NOTES:

1. All results in mg/L.
2. Highlighted cells indicate concentration exceeds NMQCC Standards for Chloride of 250 mg/L.

figure 21
CHLORIDE ISOCONCENTRATION MAP
SHALLOW WELLS - NOVEMBER 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company



RE: 2009 NAIP Aerial Photograph.

NOTES:

1. All results in mg/L.
2. Highlighted cells indicate concentration exceeds NMWQCC Standards for Chloride of 250 mg/L.

Sample ID	MW015A	11/5/2013	Sample Date
Constituent	Chloride	205 J/1700 J	Duplicate Result (mg/L)
			Parent Result (mg/L)

figure 22
CHLORIDE ISOCONCENTRATION MAP
DEEP WELLS - NOVEMBER 2013
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company









figure 23
MAY 2013 GEOLOGIC CROSS SECTION A-A'
FORMER EUNICE NORTH GAS PLANT
EUNICE, LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company









TABLES

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
<i>Shallow Monitor Wells</i>						
MW001 3428.57	4"	5/6/11	49.05	3,379.52		48-68
		11/1/11	48.47	3,380.10		
		5/3/12	48.57	3,380.00		
		10/23/12	48.75	3,379.82		
		5/2/13	49.00	3,379.57		
		10/29/13	49.04	3,379.53		
MW002 3432.17	4"	5/6/11	51.84	3,380.33		48-68
		11/2/11	51.89	3,380.28		
		5/3/12	51.99	3,380.18		
		10/24/12	52.12	3,380.05		
		5/2/13	52.30	3,379.87		
		10/29/13	52.3	3,379.87		
MW003 3428.27	4"	5/6/11	47.75	3,380.52		48-68
		11/1/11	47.90	3,380.37		
		5/4/12	48.13	3,380.14		
		10/23/12	48.33	3,379.94		
		5/2/13	48.52	3,379.75		
		10/29/13	48.61	3,379.66		
MW004 3423.38	4"	5/6/11	44.29	3,379.09		465-66.5
		11/1/11	44.52	3,378.86		
		5/4/12	44.63	3,378.75		
		10/23/12	44.94	3,378.44		
		5/1/13	45.15	3,378.23		
		10/29/13	45.35	3,378.03		
MW005 3424.77	4"	5/5/11	45.35	3,379.42		48-68
		11/1/11	45.13	3,379.64		
		5/22/12	45.76	3,379.01		
		10/25/12	48.64	3,376.13		
		5/2/13	48.52	3,376.25		
		10/29/13	46.35	3,378.42		
MW006 3425.26	4"	5/5/11	46.75	3,378.51		48-68
		11/2/11	45.55	3,379.71		
		5/22/12	46.1	3,379.16		
		10/25/12	46.09	3,379.17		
		5/2/13	46.74	3,378.52		
		10/29/13	49.74	3,375.52		
MW007 3428.39	4"	5/6/11	47.90	3,380.49		46.3-66.3
		11/1/11	48.01	3,380.38		
		5/4/12	48.25	3,380.14		
		10/23/12	48.52	3,379.87		
		5/2/13	48.7	3,379.69		
		10/29/13	48.73	3,379.66		
MW008 3430.13	4"	5/6/11	49.30	3,380.83		46.6-66.1
		11/1/11	49.45	3,380.68		
		5/4/12	49.58	3,380.55		
		10/23/12	49.75	3,380.38		
		5/2/13	49.93	3,380.20		
		10/29/13	50.03	3,380.10		
MW008M 3427.95	4"	5/3/11	49.55	3,378.40		75-85
		11/2/11	49.69	3,378.26		
		5/4/12	49.84	3,378.11		
		10/23/12	50.02	3,377.93		
		5/2/13	50.22	3,377.73		
		10/29/13	50.26	3,377.69		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC <i>Elevation</i>	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW009 3427.63	4"	5/6/11	48.02	3,379.61		46.6-66.6
		11/1/11	48.24	3,379.39		
		5/3/12	48.35	3,379.28		
		10/23/12	48.6	3,379.03		
		5/1/13	48.81	3,378.82		
		10/29/13	48.95	3,378.68		
MW010 3419.42	4"	5/3/11	39.36	3,380.06		44.75-65.10
		11/1/11	49.50	3,369.92		
		5/1/12	39.51	3,379.91		
		10/24/12	39.77	3,379.65		
		5/1/13	39.91	3,379.51		
		10/28/13	40.06	3,379.36		
MW011 3431.49	4"	5/6/11	50.60	3,380.89		47-67
		11/2/11	50.71	3,380.78		
		5/3/12	50.8	3,380.69		
		10/23/12	50.91	3,380.58		
		5/2/13	51.12	3,380.37		
		10/29/13	51.13	3,380.36		
MW011M 3431.21	4"	5/6/11	50.33	3,380.88		80-90
		11/1/11	50.47	3,380.74		
		5/3/12	50.54	3,380.67		
		10/23/12	50.68	3,380.53		
		5/2/13	50.88	3,380.33		
		10/29/13	50.87	3,380.34		
MW012 3429.51	4"	5/6/11	48.87	3,380.64		44-64.5
		11/2/11	48.47	3,381.04		
		5/3/12	48.57	3,380.94		
		10/24/12	48.65	3,380.86		
		5/1/13	48.81	3,380.70		
		10/29/13	48.89	3,380.62		
MW012M 3430.06	4"	5/4/11	49.11	3,380.95		80-90
		11/2/11	49.06	3,381.00		
		5/3/12	49.18	3,380.88		
		10/24/12	49.28	3,380.78		
		5/1/13	49.46	3,380.60		
		10/29/13	49.46	3,380.60		
MW013 3423.11	4"	5/4/11	43.30	3,379.81		40-60
		11/1/11	43.30	3,379.81		
		5/1/12	43.4	3,379.71		
		10/24/12	43.61	3,379.50		
		5/1/13	43.76	3,379.35		
		10/29/13	43.9	3,379.21		
MW014 3424.08	4"	5/3/11	42.56	3,381.52		45-65
		11/1/11	42.89	3,381.19		
		5/1/12	42.91	3,381.17		
		10/24/12	43.12	3,380.96		
		4/13/13	43.2	3,380.88		
		10/29/13	43.34	3,380.74		
MW015 3420.40	4"	5/3/11	39.51	3,380.89		35-55
		11/1/11	39.58	3,380.82		
		5/1/12	39.61	3,380.79		
		10/24/12	39.87	3,380.53		
		4/30/13	39.85	3,380.55		
		10/29/13	40.07	3,380.33		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ⁴ (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW018 3417.15	4"	5/3/11	SWA			35-55
		11/1/11	37.11	3,380.04		
		5/22/12	37.35	3,379.80		
		10/24/12	37.24	3,379.91		
		4/30/13	37.50	3,379.65		
		10/29/13	37.6	3,379.55		
MW020 3420.85	4"	5/3/11	42.99	3,377.86		35-55
		11/1/11	43.70	3,377.15		
		5/2/12	43.3	3,377.55		
		10/24/12	43.48	3,377.37		
		4/30/13	43.62	3,377.23		
		10/29/13	43.82	3,377.03		
MW021 3422.72	4"	5/4/11	45.23	3,377.49		40-55
		11/1/11	46.07	3,376.65		
		5/2/12	46.11	3,376.61		
		10/24/12	46.52	3,376.20		
		4/29/13	46.58	3,376.14		
		10/28/13	P&A			
MW023 3436.44	4"	5/5/11	55.26	3,381.18		46-66
		11/1/11	55.53	3,380.91		
		5/24/12	55.63	3,380.81		
		10/25/12	55.72	3,380.72		
		5/1/13	55.80	3,380.64		
		10/28/13	55.81	3,380.63		
MW024 3431.32	4"	5/4/11	51.60	3,379.72		36-86
		11/1/11	51.77	3,379.55		
		5/1/12	51.76	3,379.56		
		10/24/12	51.89	3,379.43		
		5/1/13	52.10	3,379.22		
		10/28/13	52.23	3,379.09		
MW025 3432.64	4"	5/3/11	51.30	3,381.34		45-65
		11/1/11	51.25	3,381.39		
		5/1/12	51.38	3,381.26		
		10/25/12	51.53	3,381.11		
		4/30/13	51.58	3,381.06		
		10/28/13	P&A			
MW026 3432.04	4"	5/3/11	50.76	3,381.28		43-63
		11/1/11	50.78	3,381.26		
		5/3/12	50.83	3,381.21		
		10/25/12	51.08	3,380.96		
		4/30/13	50.9	3,381.14		
		10/29/13	50.82	3,381.22		
MW027 3443.33	4"	5/3/11	62.57	3,380.76		51-71
		11/1/11	62.57	3,380.76		
		5/17/12	62.65	3,380.68		
		10/24/12	62.67	3,380.66		
		4/30/13	62.80	3,380.53		
		10/29/13	62.99	3,380.34		
MW028 3451.63	4"	5/3/11	70.66	3,380.97		63-83
		11/1/11	70.76	3,380.87		
		10/24/12	70.92	3,380.71		
		4/30/13	71.00	3,380.63		
		10/28/13	P&A			

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC <i>Elevation</i>	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW029 3446.89	4"	5/4/11	65.85	3,381.04		60-80
		11/1/11	65.81	3,381.08		
		10/24/12	65.8	3,381.09		
		5/1/12	65.8	3,381.09		
		5/1/13	65.91	3,380.98		
		10/28/13		P&A		
MW030 3439.84	4"	5/4/11	59.23	3,380.61		55-75
		11/1/11	59.17	3,380.67		
		5/1/12	59.17	3,380.67		
		10/24/12	59.2	3,380.64		
		5/1/13	59.39	3,380.45		
		10/28/13	59.42	3,380.42		
MW031 3440.68	4"	5/4/11	59.89	3,380.79		54-74
		11/1/11	59.79	3,380.89		
		5/1/12	59.88	3,380.80		
		10/24/12	59.91	3,380.77		
		5/1/13	60.08	3,380.60		
		10/28/13	60.03	3,380.65		
MW032 3442.22	4"	5/3/11	60.91	3,381.31		48-68
		11/1/11	62.91	3,379.31		
		5/24/12	61.12	3,381.10		
		10/24/12	61.08	3,381.14		
		4/30/13	61.2	3,381.02		
		10/29/13	61.33	3,380.89		
MW033 3428.86	4"	5/3/11	47.40	3,381.46		32-62
		11/2/11	47.50	3,381.36		
		5/24/12	47.56	3,381.30		
		10/25/12	47.79	3,381.07		
		4/30/13	47.78	3,381.08		
		10/28/13		P&A		
MW034 3418.76	4"	5/4/11	41.95	3,376.81		42-62
		11/1/11	42.26	3,376.50		
		5/8/12	42.33	3,376.43		
		10/24/12	42.61	3,376.15		
		4/30/13	42.76	3,376.00		
		10/28/13		NG		
MW035 3427.39	4"	5/6/11	46.18	3,381.21		42-62
		11/1/11	48.79	3,378.60		
		5/3/12	48.8	3,378.59		
		10/24/12	49.16	3,378.23		
		5/2/13	49.25	3,378.14		
		10/28/13		P&A		
MW036 3425.49	4"	5/6/11	46.00	3,379.49		42-62
		11/2/11	46.22	3,379.27		
		5/22/12	46.48	3,379.01		
		10/24/12	46.82	3,378.67		
		5/2/13	46.9	3,378.59		
		10/29/13	47.15	3,378.34		
MW037 3423.71	4"	5/6/11	44.55	3,379.16		42-62
		11/2/11	44.86	3,378.85		
		5/3/12	45	3,378.71		
		10/23/12	45.31	3,378.40		
		5/1/13	45.43	3,378.28		
		10/29/13	45.95	3,377.76		
MW038 3425.23	4"	5/3/11	45.67	3,379.56		42-62
		11/2/11	45.63	3,379.60		
		5/4/12	46.01	3,379.22		
		10/23/12	46.29	3,378.94		
		5/2/13	46.51	3,378.72		
		10/29/13	46.64	3,378.59		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC <i>Elevation</i>	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW043 3423.57	4"	5/4/11	45.58	3,377.99		42-62
		11/1/11	46.20	3,377.37		
		5/2/12	46.24	3,377.33		
		10/24/12	46.58	3,376.99		
		4/29/13	46.73	3,376.84		
		10/29/13	47.06	3,376.51		
MW044 3420.41	4"	5/4/11	41.79	3,378.62		40-60
		11/1/11	42.05	3,378.36		
		10/24/12	42.56	3,377.85		
		4/30/13	42.7	3,377.71		
		10/28/13	43.05	3,377.36		
MW045 3425.53	4"	5/6/11	46.05	3,379.48		46-66
		11/2/11	45.92	3,379.61		
		5/3/12	46.53	3,379.00		
		10/24/12	46.85	3,378.68		
		5/2/13	46.93	3,378.60		
		10/29/13	47.07	3,378.46		
MW046 3426.81	4"	5/6/11	47.20	3,379.61		46-66
		11/2/11	46.98	3,379.83		
		5/3/12	47.53	3,379.28		
		10/24/12	47.79	3,379.02		
		5/2/13	47.98	3,378.83		
		10/29/13	48.06	3,378.75		
MW047 3427.65	4"	5/6/11	47.33	3,380.32		46-66
		11/1/11	47.51	3,380.14		
		5/22/12	47.65	3,380.00		
		10/23/12	47.9	3,379.75		
		5/2/13	48.1	3,379.55		
		10/29/13	48.22	3,379.43		
MW058 3437.13	4"	5/5/11	56.50	3,380.63		49-109
		11/1/11	56.51	3,380.62		
		5/1/12	56.5	3,380.63		
		10/24/12	56.57	3,380.56		
		5/1/13	56.8	3,380.33		
		10/28/13	56.83	3,380.30		
MW059 3442.24	4"	5/4/11	61.27	3,380.97		45-105
		11/1/11	61.24	3,381.00		
		5/4/12	61.32	3,380.92		
		10/25/12	61.4	3,380.84		
		5/1/13	61.48	3,380.76		
		10/28/13	61.47	3,380.77		
MW060 3437.70	4"	5/4/11	56.57	3,381.13		40-100
		11/1/11	56.50	3,381.20		
		5/1/12	56.59	3,381.11		
		10/24/12	56.62	3,381.08		
		5/1/13	56.82	3,380.88		
		10/28/13	56.8	3,380.90		
MW061 3439.86	4"	5/3/11	58.55	3,381.31		48.5-108.5
		11/1/11	58.48	3,381.38		
		5/1/12	58.67	3,381.19		
		10/24/12	58.72	3,381.14		
		4/30/13	58.81	3,381.05		
		10/28/13	58.84	3,381.02		
MW068 3448.08	4"	5/3/11	66.87	3,381.21		45-110
		11/1/11	66.85	3,381.23		
		5/2/12	67.04	3,381.04		
		10/24/12	67.03	3,381.05		
		4/30/13	67.11	3,380.97		
		10/28/13	67.12	3,380.96		
MW069 3444.07	4"	5/4/11	63.82	3,380.25		45-110
		11/1/11	62.95	3,381.12		
		5/1/12	63.04	3,381.03		
		5/1/13	63.21	3,380.86		
		10/28/13	63.16	3,380.91		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ⁴ (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW070 3439.68	4"	5/4/11	59.06	3,380.62		48-93
		11/1/11	59.09	3,380.59		
		5/1/12	59	3,380.68		
		10/24/12	59.02	3,380.66		
		5/1/13	59.28	3,380.40		
		10/28/13	59.24	3,380.44		
MW088M 3430.27	4"	5/3/11	49.60	3,380.67		50-90
		11/2/11	49.57	3,380.70		
		5/3/12	49.72	3,380.55		
		10/24/12	49.81	3,380.46		
		5/1/13	49.94	3,380.33		
		10/29/13	50.01	3,380.26		
MW094 3443.15	4"	11/1/11	61.82	3,381.33	100.50	40.5-100.5
		5/1/12	61.99	3,381.16		
		4/30/13	62.13	3,381.02		
		10/28/13	62.07	3,381.08		
MW095 3436.13	4"	11/1/11	55.05	3,381.08	90.00	40-90
		5/1/12	55.13	3,381.00		
		5/1/13	55.38	3,380.75		
		10/29/13	55.52	3,380.61		
RW002 3431.66	6	5/5/11	50.80	3,380.86		48-68
		11/2/11	48.72	3,382.94		
		5/3/12	50.99	3,380.67		
		10/23/12	51.15	3,380.51		
		5/2/13	51.34	3,380.32		
		10/28/13		P&A		
RW003 3429.82	4	5/5/11	48.78	3,381.04		45-65
		11/2/11	49.13	3,380.69		
		5/3/12	48.92	3,380.90		
		10/24/12	48.96	3,380.86		
		5/1/13	49.12	3,380.70		
		10/29/13	49.18	3,380.64		
IW001 3431.91	4	5/5/11	49.05	3,382.86		40-90
		11/2/11	47.28	3,384.63		
		5/3/12	49.25	3,382.66		
		10/23/12	49.35	3,382.56		
		5/2/13	50.51	3,381.40		
		10/29/13	49.54	3,382.37		
IW002 3430.33	4	5/5/11	46.98	3,383.35		40-90
		11/2/11	50.86	3,379.47		
		5/3/12	47.35	3,382.98		
		10/24/12	47.42	3,382.91		
		5/1/13	47.6	3,382.73		
		10/29/13	44.41	3,385.92		
Deep Monitor Wells						
MW002A 3432.3	4	5/6/11	51.84	3,380.46		103-123
		11/4/11	51.86	3,380.44		
		5/3/12	51.95	3,380.35		
		10/24/12	52.1	3,380.20		
		5/2/13	52.3	3,380.00		
		10/29/13	52.31	3,379.99		
MW004A 3423.57	4	5/6/11	44.50	3,379.07		94.2-104.2
		11/4/11	44.74	3,378.83		
		5/22/12	44.85	3,378.72		
		10/23/12	45.25	3,378.32		
		5/1/13	45.35	3,378.22		
		10/29/13	45.57	3,378.00		
MW007A 3428.13	4	5/6/11	47.68	3,380.45		96.5-106.65
		11/4/11	47.63	3,380.50		
		5/4/12	48.02	3,380.11		
		10/23/12	48.23	3,379.90		
		5/2/13	48.44	3,379.69		
		10/29/13	48.51	3,379.62		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ⁴ (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW008A 3430.01	4	5/6/11	49.40	3,380.61		105.5-113.4
		11/4/11	49.24	3,380.77		
		5/4/12	49.62	3,380.39		
		10/23/12	49.59	3,380.42		
		5/2/13	49.95	3,380.06		
		10/29/13	49.96	3,380.05		
MW009A 3427.48	4	5/6/11	47.81	3,379.67		93-100.6
		11/4/11	48.02	3,379.46		
		5/3/12	48.16	3,379.32		
		10/23/12	48.4	3,379.08		
		5/1/13	48.58	3,378.90		
		10/29/13	48.76	3,378.72		
MW011A 3431.77	4	5/6/11	51.02	3,380.75		107.5-115.0
		11/4/11	51.30	3,380.47		
		5/3/12	51.21	3,380.56		
		10/23/12	51.36	3,380.41		
		5/1/13	51.60	3,380.17		
		10/29/13	51.56	3,380.21		
MW012A 3429.92	4	5/6/11	48.87	3,381.05		106.1-116.1
		11/4/11	48.81	3,381.11		
		5/3/12	49	3,380.92		
		5/1/13	49.22	3,380.70		
		10/29/13	49.31	3,380.61		
MW013A 3424.25	4	5/3/11	33.28	3,390.97		96.3-106.44
		11/2/11	43.29	3,380.96		
		5/1/12	43.36	3,380.89		
		10/24/12	43.6	3,380.65		
		5/1/13	43.75	3,380.50		
		10/29/13	43.89	3,380.36		
MW014A 3423.9	4	5/3/11	42.86	3,381.04		95.1-105.1
		11/2/11	42.65	3,381.25		
		5/1/12	42.62	3,381.28		
		10/24/12	42.81	3,381.09		
		4/30/13	42.91	3,380.99		
		10/29/13	43.00	3,380.90		
MW015A 3420.55	4	5/3/11	39.58	3,380.97		92.2-102.2
		11/2/11	39.48	3,381.07		
		5/1/12	39.55	3,381.00		
		10/25/12	38.04	3,382.51		
		4/30/13	39.82	3,380.73		
		10/29/13	40.11	3,380.44		
MW016A 3419.92	4	5/3/11	39.21	3,380.71		81.5-91.5
		11/2/11	39.21	3,380.71		
		5/17/12	39.44	3,380.48		
		10/25/12	39.43	3,380.49		
		5/1/13	39.64	3,380.28		
		10/29/13	39.78	3,380.14		
MW017A 3424.38	4	5/6/11	P&A			93.5-103.5
MW018A 3416.86	4	5/3/11	SWA			71.5-81.5
		11/2/11	36.80	3,380.06		
		5/22/12	37.01	3,379.85		
		10/24/12	36.93	3,379.93		
		4/30/13	37.15	3,379.71		
		10/28/13	P&A			
MW019A 3414.74	4	5/3/11	SWA			62.2-72.2
		11/2/11	39.48	3,375.26		
		5/22/12	37.7	3,377.04		
		10/24/12	37.79	3,376.95		
		4/30/13	37.76	3,376.98		
		11/5/13	38.12	3,376.62		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW020A 3421.14	4	5/3/11	43.18	3,377.96		70-80
		11/2/11	41.11	3,380.03		
		5/2/12	43.49	3,377.65		
		10/24/12	43.66	3,377.48		
		4/30/13	43.78	3,377.36		
		10/29/13	44.00	3,377.14		
MW021A 3422.94	4	5/6/11	46.44	3,376.50		75-85
		11/4/11	46.74	3,376.20		
		5/2/12	47.97	3,374.97		
		10/24/12	47.44	3,375.50		
		4/29/13	48.06	3,374.88		
		10/29/13	47.95	3,374.99		
MW022A 3431.13	4	5/6/11	51.07	3,380.06		95-105
		11/4/11	51.28	3,379.85		
		5/3/12	51.34	3,379.79		
		10/24/12	51.54	3,379.59		
		5/2/13	51.71	3,379.42		
		10/28/13		NG		
MW023A 3436.26	4	5/3/11	56.52	3,379.74		110-120
		11/2/11	55.39	3,380.87		
		5/4/12	55.43	3,380.83		
		10/25/12	55.56	3,380.70		
		5/1/13	55.62	3,380.64		
		10/29/13	55.68	3,380.58		
MW024A 3430.77	4	5/3/11	51.07	3,379.70		85-100
		11/2/11	51.22	3,379.55		
		5/1/12	51.2	3,379.57		
		10/24/12	51.35	3,379.42		
		5/1/13	51.54	3,379.23		
		10/29/13	51.64	3,379.13		
MW039A 3435.71	4	5/6/11	55.08	3,380.63		107-117
		11/4/11	55.12	3,380.59		
		5/3/12	55.22	3,380.49		
		10/24/12	55.4	3,380.31		
		5/2/13	55.6	3,380.11		
		10/29/13	55.56	3,380.15		
MW040A 3422.92	4	5/3/11	42.25	3,380.67		100-110
		11/2/11	42.20	3,380.72		
		5/1/12	42.28	3,380.64		
		10/24/12	42.57	3,380.35		
		5/13/13	42.69	3,380.23		
		10/29/13	42.8	3,380.12		
MW041A 3418.42	4	5/6/11	41.79	3,376.63		78-88
		11/3/11	42.11	3,376.31		
		5/8/12	42.05	3,376.37		
		10/24/12	42.47	3,375.95		
		4/30/13	42.66	3,375.76		
		10/28/13		NG		
MW042A 3424.75	4	5/6/11	46.00	3,378.75		92-102
		11/4/11	46.57	3,378.18		
		5/3/12	46.58	3,378.17		
		10/24/12	46.91	3,377.84		
		5/2/13	46.98	3,377.77		
		10/29/13	47.1	3,377.65		
MW046A 3426.45	4	5/6/11	46.70	3,379.75		87-107
		11/4/11	47.05	3,379.40		
		5/3/12	47.1	3,379.35		
		10/24/12	47.32	3,379.13		
		5/2/13	47.50	3,378.95		
		10/29/13	47.61	3,378.84		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC <i>Elevation</i>	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW048SA 3421.10	4	5/4/11	45.30	3,375.80		27-82.
		11/3/11	45.55	3,375.55		
		5/2/12	45.63	3,375.47		
		10/23/12	45.87	3,375.23		
		4/30/13	45.99	3,375.11		
		10/28/13	46.26	3,374.84		
MW049SA 3422.46	4	5/4/11	48.16	3,374.30		37-82
		11/3/11	48.48	3,373.98		
		5/2/12	48.48	3,373.98		
		10/23/12	48.78	3,373.68		
		4/30/13	48.90	3,373.56		
		10/28/13	49.1	3,373.36		
MW050SA 3419.31	4	5/4/11	44.84	3,374.47		38-78
		11/4/11	45.24	3,374.07		
		5/2/12	45.48	3,373.83		
		10/24/12	45.7	3,373.61		
		4/29/13	45.84	3,373.47		
		10/28/13	45.95	3,373.36		
MW051SA 3415.42	4	5/4/03	NG - No Access			33-63
		11/3/11	43.72	3,371.70		
		5/2/12	46.19	3,369.23		
		10/23/12	44.22	3,371.20		
		4/30/13	44.31	3,371.11		
		10/28/13	44.45	3,370.97		
MW052SA 3415.23	4	5/3/11	44.76	3,370.47		33-63
		11/3/11	45.03	3,370.20		
		5/2/12	44.95	3,370.28		
		10/23/12	45.21	3,370.02		
		4/29/13	45.22	3,370.01		
		10/28/13	45.54	3,369.69		
MW053SA 3413.86	4	5/3/11	42.05	3,371.81		40-90
		11/3/11	42.39	3,371.47		
		5/2/12	42.39	3,371.47		
		10/23/12	42.65	3,371.21		
		4/30/13	42.50	3,371.36		
		10/29/13	43.00	3,370.86		
MW054SA 3411.38	4	5/3/11	44.92	3,366.46		32-57
		11/3/11	45.10	3,366.28		
		5/2/12	45.01	3,366.37		
		10/23/12	45.14	3,366.24		
		4/29/13	45.10	3,366.28		
		10/28/13	45.32	3,366.06		
MW055SA 3407.43	4	5/3/11	40.84	3,366.59		30-50
		11/3/11	40.90	3,366.53		
		5/2/12	40.85	3,366.58		
		10/23/12	40.93	3,366.50		
		4/9/13	40.93	3,366.50		
		10/28/13	41.08	3,366.35		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ⁴ (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW056SA 3410.71	4	5/3/11	NG - No Access			32-52
		11/4/11	45.14	3,365.57		
		5/2/12	45.16	3,365.55		
		10/23/12	43.3	3,367.41		
		4/29/13	43.36	3,367.35		
		10/29/13	43.65	3,367.06		
MW057SA 3417.74	4	5/3/11	NG - No Access			33-68
		11/2/11	45.83	3,371.91		
		5/17/12	46.14	3,371.60		
		10/23/12	46.51	3,371.23		
		4/29/13	46.50	3,371.24		
		10/28/13	46.6	3,371.14		
MW062A 3434.19	4	5/3/11	55.28	3,378.91		98-108
		11/2/11	55.56	3,378.63		
		5/1/12	55.5	3,378.69		
		10/24/12	55.72	3,378.47		
		5/1/13	55.78	3,378.41		
		10/28/13	55.99	3,378.20		
MW063A 3435.22	4	5/3/11	55.90	3,379.32		96-106
		11/2/11	56.04	3,379.18		
		5/1/12	56.00	3,379.22		
		10/24/12	56.13	3,379.09		
		5/1/13	56.30	3,378.92		
		10/28/13	56.41	3,378.81		
MW064SA 3405.15	4	5/4/11	51.09	3,354.06		35-75
		11/2/11	51.29	3,353.86		
		5/2/12	51.33	3,353.82		
		10/23/12	51.36	3,353.79		
		4/29/13	51.31	3,353.84		
		10/28/13	P&A			
MW065SA 3402.96	4	5/4/11	51.48	3,351.48		40-80
		11/3/11	51.81	3,351.15		
		5/1/12	51.72	3,351.24		
		10/23/12	51.69	3,351.27		
		4/29/13	51.64	3,351.32		
		10/28/13	51.85	3,351.11		
MW066SA 3404.03	4	5/4/11	49.67	3,354.36		41-66
		11/3/11	50.47	3,353.56		
		5/2/12	50.24	3,353.79		
		10/23/12	50.56	3,353.47		
		4/29/13	50.20	3,353.83		
		10/29/13	50.81	3,353.22		
MW067SA 3409.16	4	5/5/11	46.54	3,362.62		43-83
		11/3/11	47.18	3,361.98		
		5/2/12	46.89	3,362.27		
		10/23/12	47.25	3,361.91		
		4/29/13	46.95	3,362.21		
		10/29/13	47.54	3,361.62		
MW070A 3439.67	4	5/3/11	59.06	3,380.61		112-127
		11/2/11	59.05	3,380.62		
		5/1/12	59.02	3,380.65		
		10/24/12	59.05	3,380.62		
		5/1/13	59.28	3,380.39		
		10/28/13	59.31	3,380.36		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW071SA 3401.01	4	5/4/11	50.10	3,350.91		29-89
		11/3/11	51.41	3,349.60		
		5/1/12	50.36	3,350.65		
		10/23/12	50.31	3,350.70		
		4/29/13	50.21	3,350.80		
		10/28/13	50.4	3,350.61		
MW072SA 3401.34	4	5/4/11	50.68	3,350.66		31-91
		11/2/11	51.08	3,350.26		
		5/2/12	50.91	3,350.43		
		10/23/12	50.88	3,350.46		
		4/29/13	50.9	3,350.44		
		10/29/13	51.05	3,350.29		
MW073SA 3403.26	4	5/4/11	NG- Roots in Well			26-66
		11/3/11	48.84	3,354.42		
		5/2/12	48.65	3,354.61		
		10/23/12	48.76	3,354.50		
		4/29/13	48.61	3,354.65		
		10/29/13	49.06	3,354.20		
MW074SA 3409.97	4	5/4/11	48.21	3,361.76		39-64
		11/2/11	48.50	3,361.47		
		5/2/12	48.5	3,361.47		
		10/23/12	48.72	3,361.25		
		4/29/13	48.78	3,361.19		
		10/28/13	49.02	3,360.95		
MW075SA 3404.21	4	5/4/11	50.85	3,353.36		43-63
		11/2/11	51.00	3,353.21		
		5/1/12	51.03	3,353.18		
		10/23/12	51.01	3,353.20		
		4/29/13	50.98	3,353.23		
		10/28/13	51.1	3,353.11		
MW076SA 3404.13	4	5/4/11	52.54	3,351.59		38-93
		11/2/11	52.72	3,351.41		
		5/1/12	52.73	3,351.40		
		10/23/12	52.65	3,351.48		
		4/29/13	52.60	3,351.53		
		10/28/13	52.76	3,351.37		
MW077SA 3401.71	4	5/4/11	50.63	3,351.08		42-92
		11/2/11	50.90	3,350.81		
		5/1/12	50.89	3,350.82		
		10/23/12	50.8	3,350.91		
		4/29/13	50.74	3,350.97		
		10/28/13		P&A		
MW078SA 3411.12	4	5/5/11	44.55	3,366.57		36-66
		11/3/11	45.06	3,366.06		
		5/2/12	44.85	3,366.27		
		10/23/12	45.18	3,365.94		
		4/29/13	44.98	3,366.14		
		10/29/13	45.45	3,365.67		
MW079SA 3408.80	4	5/5/11	46.74	3,362.06		37-67
		11/3/11	47.43	3,361.37		
		5/2/12	47.15	3,361.65		
		10/23/12	47.53	3,361.27		
		4/29/13	47.25	3,361.55		
		10/29/13	47.87	3,360.93		
MW080SA 3408.92	4	5/5/11	46.84	3,362.08		39-69
		11/3/11	47.52	3,361.40		
		5/2/12	47.25	3,361.67		
		10/23/12	47.61	3,361.31		
		4/29/13	47.32	3,361.60		
		10/28/13		P&A		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW081SA 3408.28	4	5/5/11	46.41	3,361.87		40-70
		11/3/11	47.13	3,361.15		
		5/2/12	46.82	3,361.46		
		10/23/12	47.21	3,361.07		
		4/29/13	46.91	3,361.37		
		10/28/13		P&A		
MW082SA 3406.25	4	5/4/11	52.03	3,354.22		45-75
		11/2/11	52.25	3,354.00		
		5/2/12	52.27	3,353.98		
		10/23/12	52.3	3,353.95		
		4/29/13	52.27	3,353.98		
		10/28/13		P&A		
MW083SA 3406.11	4	5/4/11	57.95	3,348.16		45-75
		11/2/11	52.16	3,353.95		
		5/2/12	52.17	3,353.94		
		10/23/12	52.2	3,353.91		
		4/29/13	52.18	3,353.93		
		10/28/13	52.42	3,353.69		
MW084SA 3405.98	4	5/4/11	51.45	3,354.53		45-75
		11/2/11	51.65	3,354.33		
		5/2/12	51.65	3,354.33		
		10/23/12	51.71	3,354.27		
		4/29/13	51.70	3,354.28		
		10/28/13	51.86	3,354.12		
MW085SA 3405.98	4	5/4/11	51.82	3,354.16		45-75
		11/2/11	52.05	3,353.93		
		5/2/12	52.04	3,353.94		
		10/23/12	52.1	3,353.88		
		4/29/13	52.07	3,353.91		
		10/28/13	52.32	3,353.66		
MW086SA 3401.86	4	5/4/11	50.92	3,350.94		50-90
		11/3/11	51.20	3,350.66		
		5/1/12	51.16	3,350.70		
		10/23/12	51.09	3,350.77		
		4/29/13	51.01	3,350.85		
		10/28/13	51.15	3,350.71		
MW087A 3430.75	4	5/4/11	49.94	3,380.81		90-110
		11/4/11	49.89	3,380.86		
		5/4/12	50.21	3,380.54		
		10/23/12	50.42	3,380.33		
		5/2/13	50.60	3,380.15		
		10/28/13	50.63	3,380.12		
MW089SA 3428.09	4	5/4/11	48.45	3,379.64		39-99
		11/4/11	48.61	3,379.48		
		5/3/12	48.77	3,379.32		
		10/23/12	48.99	3,379.10		
		5/1/13	49.19	3,378.90		
		10/29/13	49.35	3,378.74		
MW090SA 3428.33	4	5/4/11	48.90	3,379.43		36-101
		11/4/11	49.11	3,379.22		
		5/3/12	49.26	3,379.07		
		10/23/12	49.51	3,378.82		
		5/1/13	49.67	3,378.66		
		10/29/13	49.9	3,378.43		
MW091SA 3422.45	4	5/4/11	43.85	3,378.60		31-96
		11/4/11	44.15	3,378.30		
		5/2/12	44.15	3,378.30		
		10/24/12	44.5	3,377.95		
		4/30/13	44.70	3,377.75		
		10/28/13	45.1	3,377.35		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
MW092SA 3422.51	4	5/4/11	43.91	3,378.60		31-96
		11/4/11	44.17	3,378.34		
		5/2/12	44.16	3,378.35		
		10/24/12	44.54	3,377.97		
		4/30/13	44.74	3,377.77		
		10/28/13		P&A		
MW093SA 3422.72	4	5/4/11	44.14	3,378.58		31-96
		11/4/11	44.42	3,378.30		
		5/2/12	44.43	3,378.29		
		10/24/12	44.78	3,377.94		
		4/30/13	45.00	3,377.72		
		10/28/13	45.3	3,377.42		
IW003 3406.68	4	5/5/11	45.29	3,361.39		35-55
		11/3/11	45.61	3,361.07		
		5/2/12	45.37	3,361.31		
		10/23/12	45.57	3,361.11		
		4/29/13	45.43	3,361.25		
		10/29/13	45.64	3,361.04		
IW004 3406.31	4	5/5/11	44.91	3,361.40		35-50
		11/3/11	45.14	3,361.17		
		5/2/12	45	3,361.31		
		10/23/12	46.16	3,360.15		
		4/29/13	45.10	3,361.21		
		10/29/13	45.31	3,361.00		
IW005 3405.36	4	5/5/11	43.95	3,361.41		36-46
		11/3/11	44.18	3,361.18		
		5/2/12	44	3,361.36		
		10/23/12	44.29	3,361.07		
		4/29/13	44.14	3,361.22		
		10/29/13	44.38	3,360.98		
IW006 3404.36	4	5/5/11	43.04	3,361.32		35-50
		11/3/11	43.30	3,361.06		
		5/2/12	43.13	3,361.23		
		10/23/12	43.44	3,360.92		
		4/29/13	43.27	3,361.09		
		10/29/13	43.55	3,360.81		
IW007 3405.31	4	5/5/11	45.45	3,359.86		36-46
		11/3/11	46.46	3,358.85		
		5/2/12	46.19	3,359.12		
		10/23/12	46.93	3,358.38		
		4/29/13	46.46	3,358.85		
		10/29/13	47.48	3,357.83		
IW008 3405.37	4	5/5/11	44.69	3,360.68		35-50
		11/3/11	44.85	3,360.52		
		5/2/12	44.78	3,360.59		
		10/23/12	44.89	3,360.48		
		4/29/13	44.94	3,360.43		
		10/29/13	44.85	3,360.52		
IW009 3406.07	4	5/5/11	47.50	3,358.57		35-45
		11/3/11	47.89	3,358.18		
		5/2/12	47.7	3,358.37		
		10/23/12	47.57	3,358.50		
		4/29/13	47.52	3,358.55		
		10/29/13	40.1	3,365.97		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC <i>Elevation</i>	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
IW010 3405.82	4	5/5/11	53.78	3,352.04		33-58
		11/3/11	53.90	3,351.92		
		5/2/12	53.86	3,351.96		
		10/23/12	54.04	3,351.78		
		4/29/13	54.05	3,351.77		
		10/29/13	54.08	3,351.74		
IW011 3406.83	4	5/5/11	55.55	3,351.28		43-63
		11/3/11	55.85	3,350.98		
		5/2/12	55.83	3,351.00		
		10/23/12	55.87	3,350.96		
		4/29/13	55.83	3,351.00		
		10/29/13	55.9	3,350.93		
IW012 3405.92	4	5/5/11	54.29	3,351.63		43-53
		11/3/11	54.53	3,351.39		
		5/2/12	54.83	3,351.09		
		10/23/12	54.55	3,351.37		
		4/29/13	54.55	3,351.37		
		10/29/13	54.69	3,351.23		
IW013 3406.62	4	5/5/11	54.10	3,352.52		45-60
		11/3/11	54.35	3,352.27		
		5/2/12	54.33	3,352.29		
		10/23/12	54.38	3,352.24		
		4/29/13	54.37	3,352.25		
		10/29/13	54.42	3,352.20		
IW014 3405.48	4	5/5/11	52.50	3,352.98		33-73
		11/3/11	52.70	3,352.78		
		5/2/12	52.66	3,352.82		
		10/23/12	52.74	3,352.74		
		4/29/13	52.75	3,352.73		
		10/29/13	52.78	3,352.70		
IW015 3406.05	4	5/5/11	45.05	3,361.00		34-49
		11/3/11	45.60	3,360.45		
		5/2/12	45.31	3,360.74		
		10/23/12	45.64	3,360.41		
		4/29/13	45.35	3,360.70		
		10/29/13	45.7	3,360.35		
IW016 3408.29	4	5/5/11	47.40	3,360.89		29-69
		11/3/11	48.06	3,360.23		
		5/2/12	47.78	3,360.51		
		10/23/12	48.16	3,360.13		
		4/29/13	47.86	3,360.43		
		10/29/13	48.25	3,360.04		
IW018 3424.54	4	5/5/11	45.94	3,378.60		31-96
		11/4/11	46.30	3,378.24		
		5/2/12	46.37	3,378.17		
		10/24/12	46.74	3,377.80		
		4/30/13	46.88	3,377.66		
		10/28/13	47.16	3,377.38		
IW019 3423.78	4	5/5/11	45.15	3,378.63		31-96
		11/4/11	45.42	3,378.36		
		5/2/12	45.53	3,378.25		
		10/24/12	45.91	3,377.87		
		4/30/13	46.10	3,377.68		
		10/28/13	46.5	3,377.28		
IW020 3423.50	4	5/5/11	44.81	3,378.69		32-97
		11/4/11	45.05	3,378.45		
		5/2/12	45.09	3,378.41		
		10/24/12	45.52	3,377.98		
		4/30/13	45.70	3,377.80		
		10/28/13		P&A		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ⁴ (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
IW021 3423.16	4	5/5/11	44.44	3,378.72		32-97
		11/4/11	44.70	3,378.46		
		5/2/12	44.67	3,378.49		
		10/24/12	45.08	3,378.08		
		4/30/13	45.30	3,377.86		
		10/28/13	45.57	3,377.59		
IW022 3423.16	4	5/5/11	44.35	3,378.81		32-97
		11/4/11	44.65	3,378.51		
		5/2/12	44.66	3,378.50		
		10/24/12	44.99	3,378.17		
		4/30/13	45.21	3,377.95		
		10/28/13	44.44	3,378.72		
IW023 3426.05	4	5/5/11	47.22	3,378.83		34-98
		11/4/11	47.49	3,378.56		
		5/2/12	47.53	3,378.52		
		10/24/12	47.8	3,378.25		
		4/30/13	48.01	3,378.04		
		10/28/13	48.25	3,377.80		
IW024 3426.63	4	5/5/11	47.32	3,379.31		41-101
		11/4/11	47.79	3,378.84		
		5/3/12	47.64	3,378.99		
		10/23/12	48.02	3,378.61		
		5/1/13	48.15	3,378.48		
		10/29/13	48.37	3,378.26		
IW025 3427.62	4	5/5/11	48.37	3,379.25		44-101
		11/4/11	48.63	3,378.99		
		5/3/12	49.72	3,377.90		
		10/23/12	49.01	3,378.61		
		5/1/13	49.2	3,378.42		
		10/29/13	49.42	3,378.20		
IW026 3428.01	4	5/5/11	48.65	3,379.36		37-102
		11/4/11	49.90	3,378.11		
		5/3/12	49	3,379.01		
		10/23/12	49.7	3,378.31		
		5/1/13	49.41	3,378.60		
		10/29/13	49.61	3,378.40		
IW027 3428.17	4	5/5/11	48.65	3,379.52		39.5-99.5
		11/4/11	48.90	3,379.27		
		5/3/12	49	3,379.17		
		10/23/12	49.29	3,378.88		
		5/1/13	49.45	3,378.72		
		10/29/13	49.65	3,378.52		
IW028 3428.18	4	5/5/11	48.62	3,379.56		35-105
		11/4/11	48.82	3,379.36		
		5/3/12	48.96	3,379.22		
		10/23/12	49.21	3,378.97		
		5/1/13	49.41	3,378.77		
		10/29/13	49.6	3,378.58		
RW001 3128.32	6	5/5/11	P&A			44-104
		11/4/11	P&A			
RW004A 3430.74	6	5/6/11	47.68	3,383.06		95-115
		11/4/11	47.50	3,383.24		
		5/4/12	44.85	3,385.89		
		10/23/12	47.99	3,382.75		
		5/2/13	50.20	3,380.54		
		10/29/13	48.11	3,382.63		

TABLE 1
SUMMARY OF GROUNDWATER ELEVATIONS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID TOC Elevation	Well Diameter	Collection Date	Depth to Groundwater (ft TOC)	Corrected Groundwater Elevation ^a (ft)	Well Depth (ft TOC)	Well Screen Interval (ft bgs)
Water Wells						
GOPWW2 3396.67		5/4/11	46.69	3,349.98		--
		11/2/11	47.06	3,349.61		
		5/1/12	47	3,349.67		
		5/23/13	46.97	3,349.70		
		10/28/13	NG			
LordWW 3419.97		NA				--
		10/26/12	41.38	3,378.59		
		5/23/13	41.47	3,378.50		
		11/5/13	39.17	3,380.80		
RolandWW 3419.47			NA			--
WoodellWW 3423.77			NA			77-97
EPWW1 3429.95			NA			--

- Notes:**
1. TOC - Top of Casing.
 2. LNAPL - Light non-aqueous phase liquid.
 3. bgs - below ground surface.
 4. No suffix - shallow/middle monitoring well completion (i.e. MW001).
 5. "A" suffix - deep monitoring well completion (i.e. MW004A).
 6. "M" suffix- middle monitoring well completion (i.e. MW008M).
 7. "SA" suffix - fully-penetrating, monitoring well completion (i.e. MW072SA) .
 9. RW - Recovery Well.
 10. EP - Eunice Plant.
 11. WW - Water Well.
 12. GOP - Gulf Oil Corp.
 13. IW - Injection Well.
 14. <#.#### - Not detected at or above MDL for 2012 and RL for 2011.

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
<i>Shallow Monitor Wells</i>						
MW-1	5/11/11	6.59	26.49	3,128	18.60	0.16
	5/24/12	6.41	24.58	4,122	-24.20	0.50
MW-2	5/16/11	6.85	23.50	7,140	-234.30	0.99
	5/24/12	6.65	24.92	7,080	43.90	1.31
MW-3	5/11/11	7.26	23.29	3,849	22.80	5.81
	5/22/12	7.24	25.95	1,793	-164.80	7.16
	5/16/13	7.25	25.57	1,775	-141.20	5.21
MW-4 DUP	5/16/11	6.82	21.45	4,273	80.80	1.55
	5/22/12	6.74	24.29	3,955	13.80	0.56
	5/22/12	6.74	24.29	3,955	13.80	0.56
	5/15/13	0.58	24.33	2,823	-237.70	0.19
MW-5	5/17/11	6.93	28.15	2,253	-158.30	0.20
	5/24/12	6.43	29.17	2,988	124.80	0.22
MW-6	5/17/11	7.08	27.20	5,183	-125.00	0.09
MW-7	5/16/11	7.42	22.72	1,463	93.00	6.37
	5/22/12	6.92	26.97	3,667	-168.50	5.02
	5/16/13	7.04	28.38	2,223	-139.60	5.27
MW-8	5/11/11	6.86	22.15	6,275	-77.80	0.28
	5/25/12	6.61	27.32	6,496	54.90	0.54
	5/16/13	6.60	28.51	5,950	-243.50	0.28
MW-8M	5/11/11	6.75	22.40	7,643	-124.80	0.22
MW-9	5/11/11	7.11	23.23	1,860	183.60	2.91
	5/22/12	7.03	26.24	2,642	-161.40	4.44
	5/15/13	6.79	21.45	1,858	-125.50	4.23
MW-10	5/11/11	6.73	23.27	9,538	76.30	4.15
	11/7/11	4.74	21.42	7,964	407.60	NA
	5/21/12	6.55	25.45	10,320	65.50	3.94
	10/26/12	7.57	19.17	6,417	-14.00	3.91
	5/17/13	6.74	24.94	1,168	81.00	3.60
	11/4/2013	5.46	8.567	8,567	-111.2	3.46
MW-11	5/16/11	6.61	21.62	6,628	-347.80	0.79
	5/22/12	6.23	23.35	6,629	-143.60	0.16
MW-11M	5/11/11	6.97	26.07	6,395	-2.00	0.04
	5/22/12	7.04	24.65	7,857	-39.20	0.23
MW-12	5/13/11	6.56	24.15	4,420	-52.40	0.35
	5/22/12	6.51	23.50	4,601	-92.80	0.19
MW-12M	5/13/11	7.03	21.06	7,321	-114.40	0.22
	5/22/12	7.02	22.74	7,704	-143.70	0.30

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-13 DUP DUP	5/12/11	7.17	27.49	4,785	173.90	3.89
	11/8/11	7.21	20.04	2,627	45.20	5.51
	5/17/12	6.69	21.80	3,395	-167.80	5.89
	5/17/12	6.97	22.01	4,734	-167.80	0.34
	11/1/12	7.53	23.31	2,661	-22.60	4.91
	11/1/12	7.53	23.31	2,661	-22.60	4.91
	5/17/13	7.01	22.98	4,316	101.90	4.72
	11/4/2013	4.82	22.45	5.994	-109.8	4.08
MW-14	5/11/11	6.90	28.05	5,889	156.70	0.55
	11/7/11	6.49	21.29	6,181	375.70	NA
	5/18/12	6.66	22.70	6,656	74.30	0.28
	10/29/12	7.05	23.46	5,837	-72.90	0.29
	5/16/13	6.94	25.93	9,249	112.20	0.20
	11/5/2013	6.59	21.31	7.133	-104	0.17
MW-15	5/11/11	6.81	22.90	5,105	159.80	5.60
	11/7/11	6.77	21.76	4,497	361.10	NA
	5/17/12	6.82	21.94	4,465	89.20	6.92
	10/29/12	7.02	19.11	2,836	158.70	5.46
	5/16/13	6.89	26.65	9,421	62.30	5.23
	11/5/2013	7.19	25.23	4.933	-104.9	5.09
MW-18	5/11/11	6.84	23.19	1,820	199.00	5.29
	11/8/11	6.97	19.16	2,639	276.50	NA
	5/21/12	7.23	22.22	1,856	36.50	3.91
	10/26/12	8.05	19.98	1,656	-30.60	6.05
	5/13/13	6.91	23.98	2,054	38.80	5.08
	11/5/2013	7.18	20.89	2.366	37.3	4.89
MW-20	5/11/11	7.03	23.25	4,512	60.90	4.36
	11/8/11	7.13	17.41	4,633	247.50	NA
	5/17/12	7.80	25.58	4,100	-29.00	5.06
	10/26/12	7.86	17.73	2,898	-22.40	5.47
	5/13/13	7.05	21.05	3,459	-8.90	5.09
MW-21	5/12/11	7.05	21.72	1,548	182.80	1.39
	11/8/11	7.04	19.20	1,284	12.90	0.43
	5/23/12	6.93	22.35	1,475	-11.90	0.22
	11/1/12	7.28	22.81	1,461	-61.00	1.08
	5/9/13	6.48	22.12	1,787	-76.50	0.46
MW-22	5/13/11	7.05	21.72	1,548	182.80	1.40
MW-23	5/16/11	6.93	22.97	4,785	79.40	5.03
	11/8/11	7.72	17.47	3,571	46.40	9.88
	5/24/12	6.66	23.54	5,749	103.40	6.30
	11/6/12	7.07	21.37	4,155	-1.80	6.55
	10/31/2013	6.85	19.53	6.103	-98.5	5.91
MW-24	5/12/11	7.03	22.36	2,722	90.40	1.82
	11/9/11	7.18	18.00	2,337	39.70	1.58
	5/22/12	6.92	23.40	2,796	0.90	1.09
	11/1/12	7.31	21.57	2,473	-49.30	1.76
	5/14/13	6.97	22.58	2,998	-2.00	1.40
	10/30/2013	6.74	20.74	4.174	-79.2	1.33
MW-25	5/11/11	6.76	25.73	1,875	102.20	2.50
	11/7/11	6.89	23.24	2,583	36.90	0.25
	5/22/12	6.76	21.88	1,830	57.70	1.45
	10/29/12	7.24	23.96	1,477	-42.00	3.88
	5/16/13	6.71	26.77	2,985	115.70	1.16

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-26	5/12/11	6.79	24.37	3,545	106.90	3.89
	11/8/11	6.98	18.69	2,376	60.50	6.37
	5/17/12	3.72	29.10	3,724	4.60	4.01
	10/29/12	7.01	23.59	2,627	-15.20	5.11
	11/5/2013	6.85	20.99	3,805	105	5.18
MW-27	5/12/11	7.07	24.60	2,218	94.00	4.31
	11/7/11	7.24	22.57	2,160	62.50	7.10
	5/17/12	7.41	24.42	2,152	1.90	3.96
	10/30/12	7.41	20.65	1,849	-14.60	7.60
	5/20/13	6.98	25.68	2,309	143.20	2.85
	11/5/2013	7.13	22.88	2,775	79	5.55
MW-28	5/12/11	7.15	24.16	2,690	65.60	1.71
	11/8/11	7.51	20.33	2,468	-9.20	0.85
	11/2/12	7.35	23.44	2,466	-33.20	2.43
	5/20/13	7.01	20.80	2,497	144.00	1.29
MW-29	5/12/11	7.54	21.09	1,027	81.60	7.06
	11/8/11	7.31	17.79	1,367	282.10	NA
	5/24/12	7.10	23.60	1,294	77.40	7.00
	11/1/12	8.01	17.70	863	-14.90	7.25
	5/14/13	7.27	22.43	1,039	82.70	7.11
MW-30	5/12/11	7.49	23.12	1,110	88.60	5.74
	11/8/11	7.43	18.98	1,149	276.90	NA
	5/24/12	7.58	24.15	995	0.10	4.16
	11/1/12	7.85	20.62	821	-32.10	6.72
	5/14/13	7.27	23.16	876	102.60	6.15
	10/31/2013	7.41	18.95	2,204	-95.5	5.27
MW-31	5/12/11	7.01	21.19	1,057	-46.90	1.64
	11/8/11	7.79	19.56	936	-33.50	1.42
	5/24/12	7.12	26.47	1,368	-64.80	0.19
	10/31/12	7.22	22.88	1,041	-121.70	0.25
	5/14/13	6.85	23.02	1,131	11.40	0.36
	10/31/2013	6.97	21.54	1,965	-120.5	0.39
MW-32	5/12/11	7.06	25.35	1,632	87.30	3.48
	11/8/11	7.26	19.65	1,379	44.50	5.39
	5/24/12	6.99	28.27	2,023	-135.80	4.68
	10/30/12	7.42	23.67	1,349	31.20	4.05
	5/20/13	6.97	24.64	1,866	148.80	2.53
	11/6/2013	7.08	19.12	1.82	167.9	4.33
MW-33	5/12/11	7.21	24.15	2,830	-329.70	0.68
	11/7/11	7.21	23.69	2,464	-271.80	0.24
	5/17/12	7.21	24.53	5,530	135.40	0.91
	11/6/12	7.17	23.04	2,488	-237.20	0.12
	5/20/13	7.00	26.91	2,999	-166.50	0.13
MW-34	5/12/11	7.21	29.24	2,872	170.90	3.10
	5/8/12	6.96	17.86	2,303	90.70	4.71
	5/9/13	5.83	23.25	3,538	-49.70	4.09
MW-35	5/11/11	6.72	24.65	808	99.20	2.44
	5/25/12	6.58	25.98	2,279	59.30	0.04
MW-36	5/16/11	6.96	28.39	890	-143.80	5.92
	5/25/12	6.73	24.83	1,654	114.50	0.33

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-37	5/17/11	6.74	26.54	3,641	-109.50	0.08
	5/25/12	6.68	24.97	5,904	-121.40	0.48
	5/13/13	6.49	23.91	2,708	-241.60	0.14
MW-38	5/11/11	6.84	23.79	1,483	-126.50	0.17
	11/6/2013	6.78	20.07	3,096	40.3	0.18
MW-43	5/12/11	6.99	25.26	1,897	165.80	0.36
	5/23/12	6.87	22.26	2,047	12.40	0.26
	5/13/13	6.70	24.50	2,188	-226.70	0.39
MW-44	5/12/11	7.42	27.19	965	173.50	4.12
	5/13/13	6.81	23.73	2,774	-235.30	0.40
MW-45	5/16/11	6.78	24.32	2,082	20.30	0.52
	5/23/12	6.73	21.49	2,249	9.00	0.42
MW-46	5/16/11	7.01	24.53	3,335	-259.80	0.17
	5/23/12	5.87	25.12	3,261	-152.40	0.20
MW-47	5/16/11	7.10	22.30	3,512	87.50	4.80
	5/23/12	6.50	26.57	4,646	60.10	5.24
MW-58 DUP DUP	5/13/11	7.16	20.60	4,649	113.80	6.28
	11/10/11	8.62	18.77	1,099	47.60	10.08
	5/24/12	7.50	23.70	1,574	13.00	4.80
	5/24/12	7.50	23.70	1,574	13.00	4.80
	11/6/12	7.11	23.91	5,187	-15.10	4.20
	11/6/12	7.11	23.91	5,187	-15.10	4.20
	5/19/13	7.02	22.33	5,068	26.40	4.77
	10/31/2013	8.03	17.69	5.18	-79	3.75
MW-59	5/16/11	7.25	22.85	1,044	58.40	5.24
	11/8/11	8.25	18.01	825	26.80	9.92
	5/24/12	7.05	24.07	1,779	76.60	5.19
	11/2/12	7.08	25.44	4,510	-17.50	6.22
	10/31/2013	7.27	21.02	3,649	-110.8	4.97
MW-60	5/16/11	7.07	23.78	5,364	-155.80	0.49
	11/7/11	7.50	23.25	3,465	-222.40	1.19
	5/24/12	6.89	25.51	3,261	-49.50	0.54
	10/31/12	6.55	27.51	4,139	-156.80	0.33
	5/15/13	6.94	20.28	6,226	-29.90	0.35
	10/31/2013	6.21	21.57	5,614	-121.6	11.88
MW-61	5/13/11	6.94	21.49	2,043	73.30	0.35
	11/8/11	7.09	18.61	3,109	26.40	NA
	5/25/12	7.22	22.63	2,447	-187.30	0.45
	11/2/12	7.10	24.88	5,021	-18.30	3.72
	5/15/13	7.10	25.16	5,286	111.30	1.87
	11/1/2013	8.18	21.99	2,952	-111.1	0.28
MW-68	5/13/11	7.37	20.57	946	107.20	4.69
	11/7/11	7.93	23.51	991	32.90	7.57
	5/25/12	7.44	20.22	1,177	-181.80	3.53
	10/31/12	8.08	17.24	1,033	-43.60	2.02
	8/18/13	7.07	24.39	1,711	96.00	5.27
MW-69	5/16/11	6.73	22.92	4,010	12.10	0.28
	5/24/12	6.84	24.06	3,892	43.50	0.16
	5/14/13	6.63	23.37	3,145	-263.10	0.33

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-70	5/13/11	7.33	20.72	1,413	64.20	4.34
	11/9/11	8.52	16.48	1,007	26.60	7.56
	5/23/12	7.34	23.55	1,448	8.60	3.20
	11/6/12	7.39	23.49	1,258	-24.80	4.44
	5/14/13	7.16	22.49	1,197	31.80	5.12
	10/30/2013	5.56	21.86	1,869	-70.7	4.52
MW-88M	5/11/11	6.50	27.35	7,863	-157.10	0.07
MW-94	11/17/11	6.85	17.45	1,503	86.30	NA
	5/25/12	7.35	24.53	1,693	182.00	1.65
	10/31/12	7.09	22.43	1,570	-58.80	0.34
	5/15/13	7.02	26.35	4,463	94.10	0.30
	11/1/2013	8.47	17.27	2,321	-100.9	0.45
MW-95 DUP	11/17/11	6.67	17.50	5,576	103.80	1.17
	5/25/12	7.15	21.90	5,827	-166.00	0.21
	5/25/12	7.15	21.90	5,827	-166.00	0.21
	10/31/12	6.80	22.49	5,258	32.90	0.31
	5/15/13	6.98	22.28	9,012	119.20	0.29
	11/6/2013	7	16.1	5.8	151.5	0.7
IW001	5/17/11	7.02	25.88	8,518	-300.70	0.15
	5/25/12	6.89	20.95	7,933	228.80	0.39
IW002	5/17/11	7.02	24.52	6,605	-226.70	0.13
	11/9/11	7.70	18.51	4,321	-160.30	3.24
	5/22/13	7.10	27.33	7,838	-174.30	2.54
RW002	5/17/11	6.27	22.43	5,272	-129.90	0.43
	5/22/12	5.95	22.50	6,422	-39.20	0.29
RW003	5/17/11	6.54	27.63	3,568	-106.30	0.20
	5/21/12	6.59	25.21	4,231	-121.10	0.43
	5/22/13	6.82	22.41	3,928	-106.30	2.53
Deep Monitor Wells						
MW-2A	5/25/11	7.09	26.08	1,719	139.70	2.20
	5/24/12	6.86	25.09	2,026	58.00	2.35
MW-4A	5/24/11	7.84	24.57	1,863	95.20	4.66
	5/22/12	7.11	24.14	3,065	-10.00	3.33
	5/15/13	7.31	26.38	2,377	-287.10	0.52
MW-7A	5/24/11	7.36	28.96	2,804	56.00	2.60
	5/16/13	7.16	24.70	2,438	-215.50	0.72
MW-8A	5/26/11	6.52	22.91	6,510	-187.80	1.19
	5/16/13	6.46	23.85	4,991	-210.90	0.11
MW-9A	5/25/11	7.19	22.67	2,497	130.80	4.60
	5/15/13	6.90	22.53	2,941	-180.00	1.39
MW-11A	5/25/11	6.90	26.80	6,922	126.40	0.49
	5/22/12	6.69	23.42	7,411	73.20	0.40
MW-12A	5/25/11	7.74	24.25	869	-704.90	0.39
	5/22/12	7.57	22.48	923	-245.60	0.40

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-13A	5/19/11	7.39	24.41	784	48.40	4.44
	11/9/11	7.56	19.01	742	54.10	6.41
	5/17/12	7.13	22.87	996	78.50	6.43
	10/29/12	7.31	21.55	779	58.90	5.38
	5/17/13	7.15	23.33	1,157	108.80	4.97
	11/4/2013	4.87	21.18	1.185	-107.6	5.06
MW-14A	5/18/11	6.66	24.51	335	31.60	2.86
	11/9/11	7.35	19.19	266	21.00	0.39
	5/18/12	7.26	22.61	930	29.40	4.92
	10/29/12	7.57	23.20	797	39.80	4.04
	5/16/13	7.06	23.39	969	102.80	0.58
	11/5/2013	8.5	20.82	0.641	-173.3	0.22
MW-15A	5/18/11	7.31	24.79	2,515	63.40	3.80
	11/9/11	7.72	19.33	2,237	57.70	6.17
	5/17/12	6.49	21.24	9,187	88.10	4.49
	10/29/12	4.93	17.83	5,661	223.60	1.64
	5/16/13	5.40	25.32	6,990	75.90	0.24
	11/5/2013	5.73	22.6	5.32	-103.3	0.26
MW-16A	5/17/11	8.16	27.30	1,670	97.90	4.33
	11/9/11	8.02	18.40	2,111	243.10	NA
	5/17/12	7.51	21.37	1,665	63.20	3.00
	10/26/12	7.10	19.78	1,877	76.80	-
	5/16/13	7.24	26.74	2,194	-143.70	0.42
	11/5/2013	8.47	20.21	2.661	-102.4	4.88
MW-18A	5/24/11	7.80	27.79	352	41.10	3.51
	11/9/11	6.99	16.76	1,838	273.70	NA
	5/21/12	7.46	21.19	1,385	10.80	3.97
	10/26/12	8.13	19.94	1,365	-39.80	5.94
	5/13/13	0.18	7.18	377	-1.10	1.39
MW-19A	5/17/11	7.37	24.40	1,921	134.60	3.82
	11/9/11	7.74	17.01	1,887	217.90	NA
	5/21/12	7.31	21.07	1,672	17.70	4.17
	10/26/12	7.13	18.83	1,522	75.30	-
	5/13/13	7.36	26.28	1,718	-20.20	0.68
	11/5/2013	7.17	19.64	2.357	-5.5	4.73
MW-20A	5/16/11	7.07	25.56	5,134	-5.70	3.51
	11/9/11	7.32	17.20	2,471	231.40	NA
	5/17/12	7.00	25.01	2,348	21.80	3.11
	10/26/12	6.68	19.20	3,032	79.20	-
	5/13/13	6.14	20.25	3,356	106.70	2.13
	11/4/2013	6.99	20.61	4.671	194.1	3.47
MW-21A	5/23/11	7.06	29.81	1,095	55.70	2.03
	11/17/11	6.08	13.06	9,209	170.10	NA
	5/17/12	6.96	22.40	12,490	-100.10	0.50
	11/8/12	7.03	23.09	12,690	-77.00	0.59
	5/9/13	6.39	21.35	11	-74.90	0.37
	11/1/2013	6.79	18.11	11	215.2	0.24
MW-22A	5/25/11	7.57	25.87	634	119.40	4.20
	11/17/11	6.85	13.55	609	115.10	NA
	5/23/12	7.36	28.16	812	5.40	4.13
	11/9/12	7.60	23.61	657	-31.60	4.60
MW-23A	5/18/11	7.62	22.75	806	50.60	5.21
	11/10/11	7.97	16.55	641	51.50	6.52
	5/24/12	6.75	22.89	905	93.50	5.33
	10/30/12	7.70	18.66	703	85.30	4.87
	10/31/2013	6.78	20.32	1.43	-106.9	4.78

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-24A	5/18/11	7.62	25.07	1,439	30.80	1.69
	11/10/11	7.90	18.17	1,255	51.50	6.64
	5/18/12	7.31	21.66	3,022	46.80	3.87
	10/30/12	7.08	20.63	2,517	82.30	3.25
	5/13/13	7.16	24.45	2,175	-8.70	3.14
	10/30/2013	7.41	20.34	2,971	-74.1	5.8
MW-39A	5/26/11	7.62	24.50	1,404	-67.30	4.30
	5/25/12	7.75	24.01	1,716	10.10	0.66
DUP	5/25/12	7.75	24.01	1,716	10.10	0.66
MW-40A	5/19/11	8.07	23.18	687	88.80	3.66
	11/9/11	8.55	19.85	659	37.30	5.53
	5/17/12	7.28	23.28	907	59.00	6.93
	10/29/12	8.10	23.74	782	45.00	3.94
	5/17/13	7.86	24.60	1,144	73.80	3.01
	11/4/2013	5.31	22.85	1.21	-116.7	4.12
MW-41A	5/24/11	5.40	24.98	2,225	174.70	1.71
	5/8/12	5.69	18.89	20,250	178.10	0.89
	5/9/13	4.91	24.03	3,032	-48.50	0.95
MW-42A	5/25/11	9.29	24.22	2,123	95.30	5.40
	5/25/12	9.26	76.72	2,894	-2.00	5.88
MW-46A	5/25/11	7.88	24.91	2,113	154.10	5.65
	5/23/12	7.61	24.26	2,525	10.10	5.59
MW-48SA	5/29/11	7.10	23.29	2,673	100.80	4.79
	11/16/11	7.03	20.66	3,649	117.10	NA
	5/16/12	6.97	20.91	3,257	92.20	6.01
	11/8/12	7.70	22.25	2,651	-21.60	5.48
	5/8/13	4.65	23.49	5,178	-60.20	4.96
DUP	11/8/12	7.70	22.25	2,651	-21.60	5.48
	5/8/13	4.65	23.49	5,178	-60.20	4.96
MW-49SA	5/23/11	0.93	35.48	5,362	79.80	1.14
	5/17/12	7.10	20.97	6,893	-128.20	-1.14
	5/8/13	4.16	23.15	8,950	-74.50	1..32
MW-50SA	5/23/11	6.77	25.97	5,415	109.40	1.26
	5/17/12	7.05	21.33	5,115	-117.90	1.24
	5/8/13	3.70	23.40	9,043	-79.90	0.42
MW-51SA	5/23/11	6.46	25.88	5,220	127.70	1.02
	5/16/12	6.99	20.94	6,176	145.70	0.72
	5/16/12	6.99	20.94	6,176	145.70	0.72
	5/8/13	4.60	23.81	8,190	-80.40	0.45
MW-52SA	5/23/11	6.85	25.86	4,792	74.70	1.84
	5/16/12	5.87	21.45	5,595	131.50	1.29
	5/8/13	5.08	23.08	7,850	-62.30	1.76
MW-53SA	5/24/11	7.29	22.95	1,490	91.80	2.61
	11/16/11	6.56	19.68	1,775	155.50	NA
	5/16/12	7.34	22.60	1,949	67.40	5.78
	11/9/12	7.54	24.03	1,824	-23.90	5.26
	5/8/13	7.18	22.80	2,200	-160.60	4.34
	11/4/2013	7.19	26.54	2.9	176.2	3.81

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-54SA	5/24/11	7.12	27.92	3,477	139.80	4.16
	11/16/11	3.78	19.38	3,516	290.60	NA
	5/16/12	6.86	21.30	3,743	87.50	5.20
	11/7/12	7.12	23.21	3,197	-38.80	4.56
	11/7/12	7.12	23.21	3,197	38.80	4.56
	5/8/13	5.70	21.52	4,734	-49.20	4.02
	11/4/2013	7	21.43	4,449	172.2	3.69
MW-55SA	5/24/11	7.19	26.50	2,616	120.50	4.02
	11/16/11	3.93	20.39	3,010	279.20	NA
	5/16/12	6.92	20.75	3,060	89.40	5.59
	5/16/12	6.92	20.75	3,060	89.40	5.59
	11/7/12	7.19	22.15	2,543	-37.40	6.55
	11/7/12	7.19	22.15	2,543	-37.40	6.55
	5/7/13	5.39	23.20	3,463	-60.20	5.65
MW-56SA	10/31/2013	7.06	19.45	3,391	188.3	6.28
	5/17/11	7.11	28.10	7,134	84.30	2.37
	11/17/11	6.40	16.46	5,599	78.40	5.32
	5/16/12	7.07	22.84	6,224	-2.10	2.27
	5/16/12	7.07	22.84	6,224	-2.10	2.27
	11/8/12	7.34	20.91	5,089	-10.00	4.11
	5/8/13	6.88	24.06	5,603	-164.80	2.57
MW-57SA	11/4/2013	6.94	19.24	6,381	225.6	3.28
	5/17/11	7.15	26.19	2,528	105.40	4.78
	11/10/11	5.57	17.21	2,277	322.30	NA
	5/17/12	7.27	22.92	1,840	15.80	4.37
	10/31/12	7.03	21.92	1,675	74.40	5.63
MW-62A	5/8/13	7.00	22.55	2,097	-132.00	5.49
	5/19/11	7.74	24.69	671	85.50	5.00
	11/10/11	8.01	19.27	646	38.70	6.05
	5/23/12	7.72	20.80	828	35.00	4.13
	10/31/12	7.57	19.51	717	74.10	5.65
	5/14/13	7.61	20.28	830	-246.10	0.57
MW-63A	10/30/2013	6.52	21.94	1,372	-83	1.56
	5/19/11	7.52	23.25	643	82.70	1.64
	11/10/11	7.90	18.97	606	37.60	3.85
	5/18/12	7.63	22.72	829	17.30	4.64
	10/31/12	7.60	18.35	653	72.10	5.65
	5/13/13	7.48	22.25	861	-257.50	0.38
MW-64SA	10/30/2013	6.43	22.85	1,339	-86	0.72
	5/10/11	6.83	25.57	3,338	110.30	4.61
	11/10/11	8.01	18.01	2,707	53.50	7.18
	5/11/12	7.13	18.63	3,586	21.90	3.78
	10/30/12	7.34	23.18	3,422	-23.70	5.08
MW-65SA	5/6/13	8.29	21.05	4,820	-48.80	5.15
	5/19/11	7.01	23.70	3,770	106.90	5.55
	11/14/11	5.23	20.90	4,406	223.40	NA
	5/9/12	7.10	21.69	3,714	74.10	5.23
	5/9/12	7.10	21.69	3,714	74.10	5.23
	11/1/12	6.95	23.46	4,033	68.70	4.93
	11/1/12	6.95	23.46	4,033	68.70	4.93
MW-66SA	5/7/13	5.35	24.07	5,140	-61.10	5.27
	10/31/2013	6.97	17.42	4,459	198.2	0.43
	5/18/11	6.86	24.88	4,576	86.30	1.27
	11/14/11	5.88	20.58	4,849	177.80	NA
	5/15/12	6.82	21.35	5,692	62.40	0.58
MW-66SA	11/2/12	6.78	19.24	4,129	59.90	0.32
	5/7/13	6.93	25.36	4,846	251.80	0.30
	10/31/2013	6.76	20.27	6,313	191.3	0.2

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-67SA	5/19/11	7.18	27.65	1,485	44.40	3.63
	11/15/11	6.12	20.32	1,669	170.90	NA
	5/16/12	6.41	20.75	1,695	123.10	5.75
	11/2/12	7.06	25.06	1,583	57.60	4.38
	5/8/13	7.03	22.19	1,677	-160.60	4.36
	11/1/2013	7.06	19.25	1,946	80.3	4.79
MW-70A	5/18/11	7.83	24.35	798	64.30	5.22
	5/23/12	7.78	22.73	870	-13.10	3.77
	5/14/13	7.34	25.67	803	15.20	4.03
MW-71SA	5/18/11	7.37	27.05	1,084	90.20	1.21
	11/14/11	5.92	19.85	1,085	206.20	NA
	5/8/12	7.28	19.86	979	65.10	1.50
	11/1/12	7.17	23.12	1,058	17.90	0.45
	5/7/13	5.16	24.50	1,550	-78.40	0.52
	10/30/2013	7.19	19.99	1,148	12.7	12.7
MW-72SA	5/18/11	7.32	25.82	1,945	123.10	6.10
	11/14/11	5.99	20.77	1,607	193.40	NA
	5/15/12	7.26	20.58	2,059	74.10	8.00
	11/2/12	7.14	20.23	2,036	74.40	6.34
	5/8/13	6.97	19.82	2,181	-122.90	5.15
	10/31/2013	7.15	19.87	2.81	179.9	6.43
MW-73SA	5/19/11	7.21	21.31	1,711	112.90	2.08
	11/14/11	5.94	20.88	1,861	173.20	NA
	5/15/12	6.97	20.84	2,012	64.10	1.57
	11/2/12	7.10	22.67	1,591	55.00	1.15
	5/8/13	7.05	20.73	1,759	-184.60	1.44
MW-74SA	5/18/11	7.05	23.87	3,102	142.00	5.08
	11/10/11	6.29	17.29	4,080	270.00	NA
	5/16/12	7.11	23.44	3,588	1.80	3.23
	10/31/12	6.92	22.30	2,997	68.20	5.15
	5/7/13	5.65	22.98	3,180	-60.50	5.36
	10/31/2013	6.96	19.34	3,798	182.6	5.19
MW-75SA	5/10/11	7.41	26.14	29,990	87.10	5.18
	11/11/11	7.08	16.01	4,024	78.20	NA
	5/9/12	7.16	27.16	2,941	70.40	4.51
	10/30/12	7.28	23.84	2,963	-19.60	5.74
	5/6/13	7.27	25.41	3,785	-163.80	4.74
	10/30/2013	7.11	20.28	3,031	147.3	5.87
MW-76SA	5/10/11	7.44	26.76	2,838	82.60	4.61
	11/11/11	6.96	16.99	3,793	65.70	NA
	5/9/12	7.25	21.24	2,661	79.70	4.68
	10/30/12	7.03	21.42	2,689	68.00	4.80
	5/7/13	10.22	18.47	2,996	-46.90	5.50
	10/30/2013	7.09	20.15	2,789	138.5	4.94
MW-77SA	5/10/11	7.11	27.08	3,667	142.80	4.04
	11/11/11	6.69	17.46	4,361	60.20	NA
	5/9/12	7.24	19.49	1,809	169.30	3.07
	11/1/12	7.07	19.87	2,414	60.00	0.79
	5/6/13	7.31	22.85	2,159	-173.60	3.79
MW-78SA	5/19/11	7.37	25.96	1,294	95.20	2.38
	11/15/11	6.65	19.47	1,252	199.50	NA
	5/16/12	7.26	23.28	1,431	-34.90	1.48
	11/2/12	7.08	24.29	1,291	39.30	1.69
	5/8/13	7.08	23.08	1,471	-194.80	1.81
	11/4/2013	7.14	19.52	1,573	200.3	2.42

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-79SA	5/23/11	6.94	29.42	2,142	-316.60	0.07
	11/15/11	5.46	21.07	2,068	-195.80	NA
	5/9/12	7.01	20.43	2,193	-297.70	0.61
	11/7/12	6.89	23.36	1,965	-193.90	0.52
	5/9/13	6.68	21.79	2,305	-291.40	0.22
	11/1/2013	6.81	20.06	2.72	7.8	0.7
MW-80SA	5/19/11	7.20	24.87	1,694	48.70	4.38
	11/15/11	6.50	20.43	1,880	173.70	NA
	5/9/12	7.14	21.73	2,118	50.90	6.30
	11/7/12	7.29	22.61	1,784	-19.00	6.30
	5/9/13	7.08	25.90	2,418	-158.90	4.95
MW-81SA	5/19/11	6.97	24.89	2,529	-8.20	0.90
	11/15/11	5.63	21.45	2,515	91.30	NA
	5/9/12	7.01	20.43	2,665	-6.70	1.95
	11/7/12	7.10	21.26	2,330	-24.30	1.29
	5/8/13	7.07	23.61	2,730	-223.30	0.41
MW-82SA	5/10/11	6.74	25.61	4,170	45.90	0.35
	11/10/11	5.41	18.07	5,228	-103.30	NA
	5/11/12	6.85	19.70	3,995	-184.40	0.26
	10/30/12	6.80	21.84	4,015	-39.00	0.17
	5/6/13	6.84	17.64	5,469	-265.90	0.33
MW-83SA	5/9/11	6.69	28.14	3,701	99.70	1.32
	11/10/11	5.61	17.80	6,204	156.30	NA
	5/11/12	7.02	20.00	5,220	71.00	0.72
	10/31/12	6.92	22.16	5,014	52.10	0.35
	5/6/13	6.97	19.94	6,120	-261.00	0.16
	10/31/2013	6.54	19.01	4.71	178.1	0.13
MW-84SA	5/10/11	7.07	26.91	5,021	132.10	3.90
	11/10/11	7.83	18.11	3,869	56.10	7.11
	5/11/12	7.06	17.75	4,686	56.80	4.09
	10/30/12	6.95	22.56	4,715	52.70	4.12
	5/6/13	6.68	22.43	6,031	-60.50	4.58
	10/30/2013	7	20.22	4.711	156.9	4.86
MW-85SA	5/9/11	5.15	28.47	4,870	-87.40	5.15
	10/10/11	3.03	17.33	4,463	-111.30	NA
	5/11/12	6.82	18.64	3,521	-141.40	0.89
	10/31/12	6.75	21.89	3,631	-35.60	0.20
	5/6/13	6.56	21.46	4,742	-69.70	0.39
	10/31/2013	6.71	19.58	4.702	161.8	0.18
MW-86SA	5/19/11	7.17	23.46	2,508	96.30	2.79
	11/14/11	5.19	19.39	1,931	229.90	NA
	5/8/12	7.27	19.39	7,219	93.00	4.02
	11/1/12	7.07	21.95	2,855	35.50	1.00
	5/7/13	8.49	22.14	3,878	-83.00	1.10
	10/30/2013	7.12	20.08	2.633	101.5	2.31
MW-87A	5/26/11	7.16	20.71	5,123	-361.60	0.90
	5/16/13	7.12	25.41	6,134	-212.30	0.20
MW-89SA DUP	5/24/11	7.02	23.73	4,274	119.30	3.02
	5/22/12	7.13	26.36	1,805	-174.80	5.00
	5/22/12	7.13	26.36	1,805	-174.80	5.00
	5/15/13	7.00	24.95	1,544	-169.10	3.22
MW-90SA	5/25/11	7.20	24.04	2,743	128.80	4.65
	5/23/12	6.95	28.59	2,743	-151.40	5.37
	5/14/13	6.97	20.82	1,718	-188.00	2.55
MW-91SA	5/24/11	7.21	27.04	1,537	107.50	2.75
	5/8/12	7.09	20.09	1,566	70.00	2.32
	5/9/13	6.90	23.07	2,258	-195.60	1.20

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
MW-92SA	5/23/11	6.86	26.94	2,073	78.90	3.22
	5/11/12	7.01	19.87	1,675	107.80	3.53
	5/9/13	6.70	25.10	4,571	-174.30	1.48
MW-93SA	5/23/11	6.81	29.64	2,046	54.70	2.84
	5/11/12	6.81	19.13	1,751	113.50	1.79
	5/10/13	6.65	18.35	2,881	-207.80	0.89
IW-3	5/20/11	6.73	21.01	4,198	-179.80	1.03
	5/11/12	7.15	20.20	5,495	197.60	0.67
	5/9/13	6.63	23.32	3,360	-225.40	0.17
IW-4	5/20/11	6.52	22.31	4,970	-144.10	1.01
	5/11/12	7.02	19.69	6,085	162.20	0.53
	5/9/13	6.34	23.29	3,490	-212.10	0.29
IW-5	5/20/11	6.67	22.53	4,655	-175.20	0.76
	5/11/12	7.05	20.20	5,833	199.80	0.24
	5/7/13	6.79	22.56	3,041	-256.90	0.09
IW-6	5/20/11	6.72	24.43	4,621	-76.60	0.72
	5/11/12	7.08	19.80	5,110	174.50	0.15
	5/7/13	6.88	23.62	3,049	-218.00	0.13
IW-7	5/19/11	6.88	27.89	5,937	-165.50	0.81
	5/15/12	6.82	19.75	5,915	-200.80	0.67
	5/7/13	6.96	23.37	3,077	-245.70	0.13
IW-8	5/20/11	6.95	17.90	3,412	-68.60	2.25
	5/15/12	7.05	20.45	4,340	-165.50	0.42
	5/7/13	7.05	23.51	2,712	-232.40	0.16
IW-9	5/20/11	6.20	21.66	8,569	-84.70	1.33
	5/7/13	insufficient water				
IW-10	5/20/11	6.57	22.84	4,974	-28.00	0.95
	5/15/12	6.56	23.77	4,440	-60.10	0.99
	5/7/13	6.68	22.25	3,665	-219.50	0.27
IW-11	5/20/11	6.78	23.77	4,662	-124.50	0.77
	5/15/12	6.72	23.09	3,970	168.70	0.70
	5/7/13	6.77	20.13	2,416	-265.70	0.20
IW-12	5/20/11	NS				
	5/7/13	insufficient water				
IW-13	5/20/11	6.75	21.72	3,923	-128.50	0.30
	5/15/12	6.97	22.01	4,734	-167.80	0.34
	5/13/13	6.89	22.60	4,649	-301.00	0.08
IW-14	5/20/11	6.81	23.60	4,846	-177.50	0.08
	5/15/12	6.97	22.02	5,588	-184.50	0.35
Dup	5/15/12	6.97	22.02	5,588	-184.50	0.35
	5/6/13	7.05	22.62	5,220	-317.90	0.09
IW-15	5/20/11	6.79	21.73	4,305	-179.30	1.14
	5/11/12	7.07	19.22	5,686	-198.30	1.40
	5/9/13	6.64	23.90	3,947	-190.00	0.15
IW-16	5/20/11	7.00	23.32	2,951	-121.60	1.79
	5/9/12	6.82	19.88	2,857	218.30	2.03
	5/9/13	6.70	23.50	2,678	-308.20	0.10
IW-18	5/23/11	7.01	27.74	1,358	24.50	4.15
	5/11/12	7.16	20.42	1,069	106.90	1.30
	5/10/13	6.72	19.40	3,836	-216.50	0.49
IW-19	5/23/11	7.37	28.13	891	21.40	4.73
	5/11/12	7.27	20.48	971	113.60	5.69
	5/10/13	6.80	19.65	2,276	-262.70	0.44
IW-20	5/23/11	7.01	26.26	1,202	64.80	5.33
	5/17/12	7.11	22.08	1,260	67.70	4.38
	5/10/13	6.60	19.03	3,596	-255.90	0.34

TABLE 2
SUMMARY OF GROUNDWATER GEOCHEMICAL PARAMETERS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	pH	Temperature oC	Conductivity (uS/cm)	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
IW-21	5/23/11	6.83	27.76	2,370	91.40	3.00
	5/17/12	7.06	21.88	2,160	-53.20	4.76
	5/13/13	6.83	21.57	2,420	-161.90	2.46
IW-22	5/24/11	7.05	25.78	1,451	88.70	2.56
	5/17/12	7.15	22.10	1,960	67.20	2.76
	5/13/13	6.96	20.44	2,713	-173.10	2.24
IW-23	5/24/11	7.01	26.16	3,063	103.70	2.63
	5/18/12	7.09	21.02	3,309	70.70	0.63
	5/13/13	7.00	20.05	3,220	-167.10	2.90
IW-24	5/24/11	6.89	25.79	3,907	58.90	3.83
	5/24/12	6.80	27.86	4,660	-111.80	3.66
	5/14/13	6.74	23.65	2,957	-178.50	1.77
IW-25	5/24/11	NS				
	5/14/13	6.22	23.76	3,485	-278.50	0.30
IW-26	5/24/11	NS				
	5/23/12	6.87	28.76	3,167	-111.00	5.71
	5/14/13	6.87	23.30	2,654	-169.30	5.20
IW-27	5/24/11	7.01	24.60	2,804	142.60	5.04
	5/23/12	6.90	27.26	3,426	-220.20	4.89
	5/14/13	7.08	22.95	1,590	-148.30	4.78
IW-28 Dup	5/23/11	6.95	29.80	3,233	39.50	4.62
	5/22/12	7.07	27.40	2,479	-160.80	4.38
	5/22/12	7.07	27.40	2,479	-160.80	4.38
	5/15/13	6.90	20.62	1,952	-124.80	3.80
	11/4/2013	6.43	20.93	2,822	-103.7	4.51
RW-1	---	PLUGGED AND ABANDONED				
RW-4A	5/25/11	5.68	25.07	1,092	-158.90	1.16
RW060	7/14/11	6.27	22.43	5,272	-129.90	0.10
Water Wells						
EP-WW1	5/18/11	No Parameters Taken From Water Well				
		Non-Operable				
GOPWW2	5/25/11	7.28	24.89	4,724	-193.50	0.47
	11/17/11	7.01	16.71	4,494	-110.90	NA
	5/8/12	7.71	19.11	3,899	-110.70	1.01
	11/1/12	7.84	21.08	4,077	341.60	0.04
LORDWW	5/26/11	8.08	20.79	6,029	-299.60	0.45
	11/10/11	8.44	19.09	5,179	-278.20	0.24
	5/18/12	8.83	25.14	6,446	-217.50	0.18
	10/26/12	8.65	15.77	4,037	-187.20	0.26
	11/5/2013	7.95	19.11	5,348	-285	0.06
ROLANDWW	5/25/11	8.36	23.83	1,706	99.10	0.61
WOODELLWW	5/25/11	No Parameters Taken From Water Well				
	5/16/12	7.00	70.11	2,965	-1.40	3.87

Notes:

1. NA - Not Analyzed.
2. LNAPL - Light non-aqueous phase liquid.
3. NS - Not Sampled.

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
<i>Shallow Monitor Wells</i>						
MW001	5/11/11	<0.0100	<0.0100	<0.0500	<0.100	<0.0500
	5/24/2012	<0.00756	<0.00500	<0.00355	<0.0188	1.31
	5/21/2013	<0.00756	<0.00500	<0.00355	<0.0188	2.60
MW002	5/16/2011	0.0138 J	0.0589	0.0627	<0.100	<0.0500
	5/24/2012	<0.00756	0.0720	0.0567	<0.0188	<0.00291
	5/21/2013	0.0120 J	0.0475	0.0452	<0.0643 J	0.00403 J
MW004	5/16/2011	<0.0100	0.268	0.244	<0.100	<0.0500
DUP	5/22/2012	<0.00756	0.286	0.277	<0.0188	<0.00291
	5/22/2012	<0.00756	0.285	0.274	<0.0188	0.0280
	5/15/2013	<0.00756	0.0998	0.123	<0.0188	0.0134 J
MW005	5/17/2011	<0.0100	0.0143	<0.0500	0.211	0.123
	5/24/2012	0.0229	0.0118	<0.00355	<0.0188	0.0444
	5/22/2013	<0.00756	<0.0500	<0.00355	0.692	0.0547
MW006	5/17/2011	<0.0100	0.0297	<0.0500	0.310 J	<0.0500
MW007	5/22/12	<0.00756	0.0334	0.032	<0.0188	<0.00291
	5/16/2013	0.0255	0.0187	0.0210	<0.0188	<0.00291
MW008 DUP	5/11/2011	<0.0100	<0.0100 J	<0.0500	1.22	1.11
	5/11/2011	0.0105	<0.0100 J	<0.0500	1.03	1.11
	5/25/2012	<0.00756	<0.00500	<0.00355	0.263	1.22
	5/16/2013	<0.00756	<0.00500	<0.00355	0.0712 J	0.871
MW008M	5/11/2011	0.0213	<0.0100 J	<0.0500	1.16	0.565
	5/25/2012	<0.00756	0.0389	0.0299	17.4	2.20
	5/20/2013	<0.00756	<0.0500	0.00812 J	14.6	3.01
MW009	5/11/2011	<0.0100	<0.0100 J	<0.0500	<0.100	<0.0500
	5/22/2012	<0.00756	0.0143	0.0249	<0.0188	<0.00291
	5/15/2013	<0.00756	0.0136	0.0196	<0.0188	<0.00291
MW010	5/11/2011	0.0149	<0.0100 J	<0.0500	<0.100	<0.0500
	11/7/2011	<0.0100	0.0415	0.0409	<0.200	<0.0200
	5/21/2012	<0.00756	0.0592	0.0594	<0.0188	<0.00291
	10/26/2012	<0.00756*	0.0480	0.0524*	<0.0188*	<0.00291*
	5/17/2013	0.0107 J	0.0220	0.0235	<0.0188	<0.00291
	11/4/2013	<0.00756	0.0193	0.0258	<0.0188	0.0554
MW011	5/16/2011	<0.0100	<0.0100	<0.0500	0.957	0.778
	5/22/2012	<0.00756	0.0398	<0.00355	5.23	2.87
	5/20/2013	0.0108 J	<0.0500	0.0143	0.598	1.90
MW011M DUP	5/11/2011	<0.0100	<0.0100 J	<0.0500	<0.100	<0.0500
	5/11/11	<0.0100	<0.0100 J	<0.0500	0.105	<0.0500
	5/22/2012	<0.00756 J	0.0188 J	0.0390	0.352	<0.00291
	5/20/2013	<0.00756	<0.0500	0.0189	0.173 J	0.00474 J

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW012	5/13/2011	<0.0100	<0.0100	<0.0500	1.24	9.27
	5/22/2012	<0.00756	0.0466	<0.00355	17.4	2.33
	5/21/2013	<0.0517	<0.0500	<0.0690	<0.0536 J	5.81
MW012M	5/13/2011	0.069	<0.0100	<0.0500	6.51	0.058
	5/22/2012	0.0784	0.284	0.0456	8.52	0.0954
	5/21/2013	0.0870	<0.0500	0.0444	10.1	0.142
MW013 DUP DUP	5/12/2011	<0.0100	1	0.808	<0.100	<0.0500
	11/8/2011	<0.0100	0.39	0.404	<0.200	<0.0200
	5/17/2012	<0.00756 J	0.188	0.229	<0.0188	<0.00291
	5/17/2012	<0.00756 J	0.219	0.232	<0.0188	<0.00291
	11/1/2012	<0.00756*	0.191	0.217*	<0.0188*	<0.002910*
	11/1/2012	<0.00756*	0.227	0.181*	<0.0188*	<0.002910*
	5/17/2013	0.00930 J	0.274	0.275	<0.0188	<0.00291
	11/4/2013	<0.00756	1.78	1.76	<0.0188	<0.00291
MW014	5/11/2011	0.021	<0.0100 J	<0.0500	<0.100	0.308
	11/7/2011	<0.0100	0.024	0.0352	<0.200	<0.0200
	5/18/2012	<0.00756	<0.00500	<0.00355	<0.0188	0.287
	10/29/2012	<0.00756*	0.0275	0.0395*	<0.0188*	0.186*
	5/16/2013	0.0247	0.0172	0.0245	<0.0188	0.128
	11/5/2013	0.0209	0.0480	0.0705	<0.0188	0.172
MW015	5/11/2011	0.015	<0.0100 J	<0.0500	<0.100	<0.0500
	11/7/2011	<0.0100	<0.0100	0.0208	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/29/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/16/2013	0.0173 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/5/2013	0.0120 J	<0.00500	0.00624 J	<0.0188	<0.00291
MW018	5/11/2011	0.0112	<0.0100 J	<0.0500	<0.100	<0.0500
	11/8/2011	<0.0100	<0.0100	0.0188	<0.200	<0.0200
	5/21/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/26/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/13/2013	0.0127 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/5/2013	<0.00756	<0.00500	0.00495 J	<0.0188	<0.00291
MW020	5/11/2011	<0.0100	<0.0100 J	<0.0500	<0.100	<0.0500
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/26/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/13/2013	0.0192 J	<0.00500	<0.00355	<0.0188	<0.00291
MW021	5/12/2011	0.0106	<0.0100 J	<0.0500	<0.100	0.754
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	0.621
	5/23/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	1.13
	11/1/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	1.52*
MW023	5/16/2011	<0.0100	1.02	0.978	<0.100	<0.0500
	11/8/2011	<0.0100	0.858	0.821	<0.200	<0.0200
	5/24/2012	<0.00756	1.96	1.86	<0.0188	<0.00291
	11/6/2012	<0.00756*	1.33	1.41*	<0.0188*	<0.002910*
	5/21/2013	<0.00756	0.958	1.11	<0.0517 J	<0.00291
	10/31/2013	0.0198 J	1.42 J	1.37	<0.0188	0.0266

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW024	5/12/2011	0.0129	0.038	<0.0500	<0.100	<0.0500
	11/9/2011	<0.0100	0.0451	0.0443	<0.200	<0.0200
	5/22/2012	<0.00756	0.0480	0.0479	<0.0188	0.108
	11/1/2012	<0.00756*	0.0508	0.0509*	<0.0188*	0.0343*
	5/14/2013	<0.00756	0.0517	0.0633	<0.0188	0.00329 J
	10/30/2013	0.0133 J	0.0658	0.0699	<0.0188	0.0255
MW025	5/11/2011	<0.0100	<0.0100 J	<0.0500	<0.100	<0.0500
	11/7/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/22/2012	<0.00756	<0.00500	0.0117	<0.0188	0.0270
	10/29/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/16/2013	0.0105 J	<0.00500	0.00547 J	<0.0188	<0.00291
MW026 DUP DUP	5/12/2011	0.018	<0.0100 J	<0.0500	<0.100	<0.0500
	11/8/2011	<0.0100	<0.0100	0.0113	<0.200	<0.0200
	11/8/2011	<0.0100	<0.0100	0.0193	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/29/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/20/2013	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/5/2013	0.00883 J	<0.00500	0.00598 J	<0.0188	<0.00291
	11/5/2013	<0.00756	<0.00500	0.00502 J	<0.0188	<0.00291
MW027	5/12/2011	<0.0100	<0.0100 J	<0.0500	<0.100	<0.0500
	11/7/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/30/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	0.0234*
	5/20/2013	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/5/2013	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
MW028	5/12/2011	0.0192	<0.0100 J	<0.0500	<0.100	<0.0500
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	11/2/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/20/2013	0.0199 J	<0.00500	<0.00355	<0.0300 J	<0.00291
MW029	5/11/2011	0.0166	<0.0100 J	<0.0500	<0.100	<0.0500
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/24/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/1/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/14/2013	0.0189 J	<0.00500	0.0148	<0.0188	<0.00291
MW030	5/12/2011	0.0161	<0.0100 J	<0.0500	<0.100	<0.0500
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/24/2012	0.0152	<0.00500	<0.00355	<0.0188	<0.00291
	11/1/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/14/2013	0.0209	<0.00500	0.00363 J	<0.0188	<0.00291
	10/31/2013	0.0146 J	<0.00500	0.00414 J	<0.0188	0.0793
MW031	5/12/2011	0.0197	<0.0100 J	<0.0500	<0.100	0.405
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	0.485
	5/24/2012	0.0227	<0.00500	<0.00355	<0.0188	0.499
	10/31/2012	<0.00756*	<0.00500	<0.00355*	0.692*	0.588*
	5/14/2013	0.0122 J	<0.00500	<0.00355	<0.0188	0.438
	10/31/2013	0.0124 J	<0.00500	<0.00355	<0.0188	0.222

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW032	5/12/2011	<0.0100	0.012	<0.0500	<0.100	<0.0500
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/24/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/30/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/20/2013	<0.00756	<0.00500	0.00705 J	<0.0188	<0.00291
	11/6/2013	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
MW033	5/12/2011	<0.0100	0.0483	<0.0500	<0.100	1.06
	11/7/2011	<0.0100	0.0466	<0.0100	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	0.576
	11/6/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	0.777*
	5/20/2013	<0.00756	0.0165	<0.00355	<0.0188	0.683
MW034	5/12/2011	<0.0100	0.08	0.0737	<0.100	<0.0500
	5/8/2012	<0.00756	0.0879	0.0920	<0.0188	<0.00291
MW035 DUP	5/11/2011	<0.0100	<0.0100 J	<0.0500	<0.100	<0.0500
	5/25/2012	<0.00756	<0.00500	<0.00355	<0.0188	0.109
	5/22/2013	<0.00756	<0.00500	<0.00355	<0.0188	0.0538
	5/22/2013	<0.00756	<0.00500	<0.00355	<0.0188	0.0549
MW036	5/16/2011	0.0129 J	<0.0100	<0.0500	0.71	0.396
	5/25/2012	0.0408	<0.00500	<0.00355	1.20	0.329
	5/22/2013	0.00792 J	<0.0500	<0.00355	<0.0188	0.454
MW037 DUP	5/17/2011	0.0287 J	<0.0100	<0.0500	1.33	<0.0500
	5/17/11	0.0345	<0.0100	<0.0500	1.40 J	<0.0500
	5/25/2012	<0.00756	<0.00500	<0.00355	0.667	0.0897
	5/15/2013	0.0228	0.0110	<0.00355	0.650	0.0291
MW038 DUP	5/11/2011	<0.0100	<0.0100 J	<0.0500	<0.100	0.179
	5/24/2012	<0.00756	<0.00500	<0.00355	0.700	0.233
	5/23/2013	0.00898 J	<0.00500	<0.00355	5.25	0.171
	11/6/2013	0.00895 J	0.0243	0.0205	<0.0188	0.114
	11/6/2013	<0.00756	0.0272	0.0176	<0.0188	0.131
MW043	5/12/2011	<0.0100	<0.0100 J	<0.0500	<0.100	0.472
	5/23/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	0.569
	5/13/2013	<0.00756	<0.00500	<0.00355	<0.0188	0.637
MW044	5/12/2011	<0.0100	<0.0100 J	<0.0500	<0.100	<0.0500
	5/13/2013	0.00818 J	<0.00500	<0.00355	0.0456 J	0.0173 J
MW045	5/16/2011	<0.0100	<0.0100	<0.0500	<0.100	0.183
	5/23/2012	<0.00756 J	<0.00500	0.0118	<0.0188	0.227
	5/22/2013	<0.00756	<0.00500	0.0115	<0.0188	0.248
MW046	5/16/2011	0.0253 J	<0.0100	<0.0500	0.144	0.77
	5/23/2012	0.0122 J	<0.00500	<0.00355	1.63	1.05
	5/21/2013	0.0234	<0.0500	<0.00355	<0.0690 J	0.741
MW047	5/16/2011	<0.0100	0.149	0.136	<0.100	<0.0500
	5/23/2012	<0.00756 J	0.142	0.145	<0.0188	<0.00291
	5/20/2013	<0.00756	0.0433	0.0487	<0.0188	<0.00291

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW058 DUP DUP	5/13/2011	<0.0100	2.83	2.26	<0.100	<0.0500
	11/10/2011	<0.0100 J	0.0156	0.0177	<0.200	0.0332
	5/24/2012	<0.00756	0.0149	0.0175	<0.0188	<0.00291
	5/24/2012	<0.00756	0.0132	0.0164	<0.0188	<0.00291
	11/6/2012	<0.00756*	2.76	2.70*	<0.0188*	<0.002910*
	11/6/2012	<0.00756*	2.80	2.78*	0.287*	<0.002910*
	5/14/2013	0.0111 J	2.52	2.58	0.0612 J	<0.00291
	10/31/2013	0.0210	2.78 J	2.70	<0.0188	0.0151 J
MW059	5/16/2011	0.0107 J	<0.0100	<0.0500	<0.100	<0.0500
	11/8/2011	<0.0100	<0.0100	<0.0100	<0.200	0.0226
	5/24/2012	<0.00756	0.0451	0.0465	<0.0188	<0.00291
	11/2/2012	<0.00756*	0.495	0.493*	<0.0188*	<0.002910*
	5/21/2013	0.0153 J	0.104	0.107	<0.0188	<0.00291
	10/31/2013	0.0178 J	0.106 J	0.105	<0.0188	0.0522
MW060	5/16/2011	0.0115 J	<0.0100	<0.0500	0.462	1.76
	11/7/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/24/2012	<0.00756	<0.00500	<0.00355	0.717	0.905
	10/31/2012	<0.00756*	<0.00500	<0.00355*	3.02*	1.27*
	5/15/2013	0.00865 J	<0.00500	<0.00355	0.275	2.10
	10/31/2013	0.0110 J	<0.00500	<0.00355	1.07	1.07
MW061	5/13/2011	<0.0100	0.285	0.236	<0.100	0.0919
	11/8/2011	<0.0100	0.26	0.263	<0.200	0.0942
	5/25/2012	<0.00756	0.251	0.243	<0.0188	0.0729
	11/2/2012	<0.00756*	5.01	4.79*	<0.0188*	<0.002910*
	5/15/2013	0.0232	3.82	3.84	<0.0188	0.00544 J
	11/1/2013	0.00902 J	0.367	0.423	<0.0188	0.234
MW068 DUP	5/13/2011	<0.0100	<0.0100	<0.0500	<0.100	<0.0500
	5/13/11	<0.0100	<0.0100	<0.0500	<0.100	<0.0500
	11/7/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/25/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/31/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/15/2013	0.0113 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/6/2013	0.0166 J	<0.00500	<0.00355	<0.0188	<0.00291
MW069	5/16/2011	<0.0100	<0.0100	<0.0500	<0.100	0.4
	5/24/2012	<0.00756	<0.00500	<0.00355	<0.0188	0.564
	5/14/2013	<0.00756	<0.00500	<0.00355	<0.0188	0.539
MW070 DUP	5/13/2011	0.0164	<0.0100	<0.0500	<0.100	<0.0500
	11/9/2011	<0.0100 J	<0.0100	<0.0100	<0.200	<0.0200
	5/23/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/6/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/14/2013	0.0208	<0.00500	<0.00355	<0.0188	<0.00291
	10/30/2013	0.0183 J	<0.00500	<0.00355	<0.0188	0.0445
	10/30/2013	0.0130 J	<0.00500	<0.00355	<0.0188	0.0778
MW088M	5/11/2011	0.105	0.61	0.0808	7.38	11.5
	5/22/2012	0.158	0.117	0.122	14.1	15.6
	5/21/2013	0.0825	<0.100	0.143	32.3	13.2
MW094 DUP	11/17/2011	<0.0100	0.0424	0.0344	<0.200	<0.0200
	5/25/2012	<0.00756	<0.00500	0.0585	<0.0188	<0.00291
	10/31/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/15/2013	0.00923 J	0.385	0.402	<0.0188	0.0143 J
	5/15/2013	<0.00756	0.395	0.399	<0.0188	0.0125 J
	11/1/2013	0.00855 J	0.127	0.138	<0.0188	0.0211

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW095	11/17/2011	<0.0100	3.71	3.59	<0.200	0.0892
DUP	5/25/2012	<0.00756	4.68	4.46	<0.0188	0.0881
	5/25/2012	<0.00756	4.87	4.58	<0.0188	0.0802
	10/31/2012	<0.00756*	4.98	5.18*	<0.0188*	<0.002910*
	5/15/2013	0.0130 J	4.83	4.81	<0.0188	0.0761
	11/6/2013	0.0187 J	4.31	4.28	<0.0188	0.0902
IW001	5/17/2011	0.0438	0.398	<0.0500	11.6 J	1.71
	5/25/2012	<0.0378	0.268	<0.0177	3.54	1.92
	5/21/2013	0.0582	<0.100	0.0241	3.59	1.78
IW002	5/17/2011	<0.0100	0.474	<0.0500	7.57	0.803
	11/9/2011	0.0166 J	<0.0100	<0.0100	3.54	0.152
	5/25/2012	<0.0378	0.462	<0.0177	5.21	0.818
	5/22/2013	<0.0378	<0.100	<0.0177	4.97	0.863
RW002	5/17/2011	0.0344	<0.0100	<0.0500	14.1 J	1.31
	5/22/2012	<0.00756	0.0448	0.0126	16.3	0.898
	5/20/2013	<0.00756	<0.0500	0.0145	5.78	0.854
RW003	5/17/2011	<0.0100	<0.0100	<0.0500	35.4	0.797
	5/21/2012	<0.00756	<0.00500	<0.00355	19.0	0.931
	5/22/2013	0.0362	<0.00500	0.0190	4.97	1.02

Notes:

- Dissolved Metals (Arsenic, Chromium, Hexavalent Chromium, Iron, Manganese) were analyzed by EPA Method 6010B/7196A.
 - New Mexico Water Quality Control Commission (NMWQCC) Standards 20.6.2.3103.A
 - mg/L (ppm) - milligrams per liter (parts per million).
 - Bold indicates that a COC was detected.
 - Shading indicates that a detected result exceeded the NMWQCC Standard.
 - <#.####-Not detected at or above MDL for 2012 and RL for 2011.
- * - result measured as total, not dissolved

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
<i>Deep Monitor Wells</i>						
MW002A	5/25/2011	0.0141 J	0.0253	<0.0500	<0.100	<0.0500
	5/24/2012	<0.00756	0.0254	0.0298	<0.0188	<0.00291
	5/21/2013	0.00953 J	0.0168	0.0205	<0.0188	<0.00291
MW004A	5/24/2011	0.0153	0.145	0.126	<0.100	<0.0500
	5/22/2012	<0.00756	0.401	0.385	<0.0188	<0.00291
	5/15/2013	0.0124 J	<0.00500	0.00738 J	<0.0188	<0.00291
MW007A	5/24/2011	0.0211 J	0.315	0.299	<0.100	<0.0500
	5/22/2012	<0.00756	0.290	0.288	<0.0188	<0.00291
	5/16/2013	0.0231	0.265	0.275	<0.0188	0.00660 J
MW008A	5/26/2011	0.0937 J	<0.100	0.0938	71.1	0.908
	5/25/2012	0.105	0.633	0.0721	4.42	0.458
	5/16/2013	0.0802	0.0141	0.0863	4.62	0.156
MW009A DUP	5/25/2011	0.0116 J	0.028	0.0665	<0.100	<0.0500
	5/25/2011	0.0156 J	0.0187	<0.0500	<0.100	<0.0500
	5/22/2012	<0.00756	0.630	0.630	<0.0188	0.0230
	5/15/2013	0.00949 J	0.638	0.633	<0.0188	<0.00291
MW011A DUP	5/25/2011	<0.0100	3.27	3.22	<0.100 J	<0.0500
	5/25/2011	<0.0100	3.1	3.2	0.357 J	0.055
	5/22/2012	<0.00756 J	1.72 J	1.82	<0.0188	0.0498
	5/20/2013	<0.00756	1.94	2.27	<0.0506 J	0.0424
MW012A	5/25/2011	0.0250 J	<0.0100	<0.0500	0.262	<0.0500
	5/22/2012	<0.00756	<0.00500	<0.00355	<0.0188	0.0674
	5/21/2013	0.0117 J	<0.00500	<0.00355	<0.0188	0.00514 J
MW013A DUP	5/19/2011	0.0105	0.0105	<0.0500	<0.100 J	<0.0500
	11/9/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/29/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/17/2013	0.0303	<0.00500	<0.00355	<0.0188	<0.00291
	11/4/2013	0.0199 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/4/2013	0.0201	<0.00500	<0.00355	<0.0188	<0.00291
MW014A	5/18/2011	<0.0100	<0.0100	<0.0500	<0.100 J	<0.0500
	11/9/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/18/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/29/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/16/2013	0.0198 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/5/2013	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW015A DUP	5/18/2011	<0.0100	<0.100	<0.0500	<0.100 J	<0.0500
	11/9/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/29/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/16/2013	0.00913 J	<0.00500	0.00502 J	<0.0188	0.00770 J
	11/5/2013	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/5/2013	0.0113 J	<0.00500	0.00470 J	0.0203 J	<0.00291
MW016A	5/17/2011	<0.0100	<0.0100	<0.0500	0.437	<0.0500
	11/9/2011	<0.0100 J	<0.0100	<0.0100	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/26/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/16/2013	0.0153 J	<0.00500	<0.00355	<0.0188	0.00528 J
	11/5/2013	0.00924 J	<0.00500	0.00397 J	<0.0188	<0.00291
MW017A			Plugged and Abandoned			
MW018A	5/24/2011	<0.0100	<0.0100	<0.0500	<0.100	<0.0500
	11/9/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/21/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/26/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/13/2013	<0.00756	<0.00500	<0.00355	<0.0188	0.0218
MW019A	5/17/2011	0.0101	<0.0100	<0.0500	<0.100 J	<0.0500
	11/9/2011	<0.0100	<0.0100 J	<0.0100	<0.200	<0.0200
	5/21/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/26/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/13/2013	0.0137 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/5/2013	0.0156 J	<0.00500	<0.00355	<0.0188	<0.00291
MW020A	5/16/2011	0.0406 J	<0.0100	<0.0500	<0.100	<0.0500
	11/9/2011	<0.0100	<0.0100 J	0.0129	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/26/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/13/2013	0.0109 J	<0.00500	0.00787 J	0.0337 J	<0.00291
	11/4/2013	<0.00756	<0.00500	0.00735 J	<0.0188	<0.00291

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard² mg/L		0.1	0.05	0.05	1	0.2
MW021A	5/23/2011	0.0226	<0.0100	<0.0500	<0.100	<0.0500
DUP	11/17/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	11/17/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/8/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	0.705*
	11/1/2013	0.0107 J	<0.00500	0.00442 J	<0.0188	<0.00291
MW022A	5/25/2011	0.0111 J	0.0351	<0.0500	<0.100	<0.0500
DUP	5/25/2011	0.0109 J	0.0342	<0.0500	<0.100	<0.0500
	11/17/2011	<0.0100	0.0598	0.0563	<0.200	<0.0200
	5/23/2012	<0.00756 J	0.0356	0.0408	<0.0188	<0.00291
	11/9/2012	<0.00756*	0.0580	0.0730*	<0.0188*	<0.002910*
	5/21/2013	<0.00756	0.0348	0.0389	<0.0188	<0.00291
MW023A	5/18/2011	0.014	<0.0100	<0.0500	<0.100 J	<0.0500
DUP	11/10/2011	<0.0100	<0.0100 J	<0.0100	<0.200	<0.0200
	5/24/2012	<0.00756	<0.00500	0.0206	<0.0188	<0.00291
	10/30/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/20/2013	0.0189 J	<0.00500	<0.00355	<0.0188	<0.00291
	5/20/2013	0.0188 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/31/2013	0.0169 J	<0.00500	0.00591 J	<0.0188	0.00877 J
MW024A	5/18/2011	<0.0100	0.0481	<0.0500	<0.100 J	<0.0500
	11/10/2011	<0.0100 J	0.21	0.185	<0.200	<0.0200
	5/18/2012	<0.00756	0.186	0.183	<0.0188	<0.00291
	10/30/2012	<0.00756*	0.196	0.192*	<0.0188*	<0.00291*
	5/13/2013	0.0144 J	0.127	0.147	<0.0188	<0.00291
	10/30/2013	0.0275	0.0598	0.0616	<0.0188	<0.00291
MW039A	5/26/2011	0.0220 J	0.093	0.0986	<0.100	<0.0500
DUP	5/25/2012	<0.00756	0.0974	0.102	<0.0188	<0.00291
	5/25/2012	<0.00756	0.0984	0.103	<0.0188	<0.00291
	5/21/2013	0.0133 J	0.0989	0.101	<0.0188	<0.00291
MW040A	5/19/2011	<0.0100	<0.0100	<0.0500	<0.100 J	<0.0500
	11/9/2011	<0.0100 J	<0.0100	<0.0100	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/29/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/17/2013	0.0191 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/4/2013	0.0183 J	<0.00500	<0.00355	<0.0188	<0.00291
MW041A	5/24/2011	0.0163 J	0.206	0.239	<0.100	<0.0500
	5/8/2012	<0.00756	0.212	0.257	<0.0188	<0.00291
MW042A	5/25/2011	0.0125 J	0.0343	<0.0500	<0.100	<0.0500
DUP	5/25/2011	0.0114 J	0.0345	<0.0500	<0.100	<0.0500
	5/25/2012	<0.00756	0.0329	0.0357	<0.0188	<0.00291
	5/22/2013	<0.00756	0.0315	0.0360	<0.0188	<0.00291

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW046A DUP	5/25/2011	0.0113 J	0.0611	0.0597	<0.100	<0.0500
	5/25/2011	<0.0100	0.0606	0.062	<0.100	<0.0500
	5/23/2012	<0.00756 J	0.0571	0.0634	<0.0188	<0.00291
	5/22/2013	<0.00756	0.0573	<0.00355	<0.0188	<0.00291
MW048SA DUP	5/24/2011	0.0422 J	0.393	0.42	<0.100	<0.0500
	11/16/2011	<0.0100	0.381	0.374	<0.200	<0.0200
	5/16/2012	<0.00756	0.410	0.414	<0.0188	<0.00291
	11/8/2012	<0.00756*	0.449	0.455*	0.340*	<0.002910*
	11/8/2012	<0.00756*	0.451	0.440*	0.289*	0.0209 J*
	5/8/2013	<0.0115 J	0.464	0.458	<0.0188	<0.00291
	11/4/2013	0.0117 J	0.470	0.475	<0.0188	0.0322
MW049SA	5/23/2011	0.014	0.12	0.109	<0.100	<0.0500
	5/17/2012	<0.00756 J	0.127	0.124	<0.0188	<0.00291
	5/8/2013	<0.0128 J	0.133	0.127	<0.0188	<0.00291
MW050SA	5/23/2011	0.0134	<0.0100	<0.0500	<0.100	<0.0500
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	5/8/2013	<0.0112 J	0.198	0.197	<0.0188	0.0153 J
MW051SA DUP	5/23/2011	0.0115	0.808	0.704	<0.100	<0.0500
	5/16/2012	<0.00756	0.791	0.783	<0.0188	<0.00291
	5/16/2012	<0.00756	0.813	0.781	<0.0188	<0.00291
	5/8/2013	<0.0160 J	0.743	0.759	<0.0188	<0.00291
	5/8/2013	<0.0118 J	0.772	0.750	<0.0188	<0.00291
MW052SA	5/23/2011	0.0179	0.279	0.264	<0.100	<0.0500
	5/16/2012	<0.00756	0.265	0.272	<0.0188	<0.00291
	5/8/2013	<0.0232	0.255	0.254	<0.0188	<0.00291
MW053SA	5/24/2011	0.0234 J	<0.0100	<0.0500	<0.100	<0.0500
	11/16/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/16/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/9/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/8/2013	<0.0193 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/4/2013	0.0127 J	<0.00500	<0.00355	<0.0188	<0.00291
MW054SA DUP	5/24/2011	0.0115	0.135	0.125	<0.100	<0.0500
	11/16/2011	<0.0100	0.148	0.153	<0.200	<0.0200
	5/16/2012	<0.00756	0.144	0.148	<0.0188	<0.00291
	11/7/2012	<0.00756*	0.148	0.153*	<0.0188*	<0.002910*
	11/7/2012	<0.00756*	0.149	0.154*	<0.0188*	<0.002910*
	5/8/2013	<0.0116 J	0.145	0.143	<0.0188	<0.00291
	11/4/2013	0.0107 J	0.142	0.143	<0.0188	<0.00291
MW055SA DUP DUP	5/24/2011	0.0128	0.183	0.164	<0.100	<0.0500
	11/16/2011	<0.0100	0.215	0.339	<0.200	<0.0200
	5/16/2012	<0.00756	0.165	0.166	<0.0188	<0.00291
	5/16/2012	<0.00756	0.165	0.179	<0.0188	<0.00291
	11/7/2012	<0.00756*	0.161	0.165*	<0.0188*	<0.002910*
	11/7/2012	<0.00756*	0.161	0.166*	<0.0188*	<0.002910*
	5/7/2013	<0.00756	0.176	0.235	<0.0188	<0.00291
	10/31/2013	<0.00756	0.160 J	0.149	<0.0188	<0.00291

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW056SA	5/17/2011	<0.0100	0.401	0.335	<0.100	<0.0500
	11/17/2011	<0.0100	0.345	0.202	<0.200	<0.0200
	5/16/2012	<0.00756	0.379	0.407	<0.0188	<0.00291
DUP	5/16/2012	<0.00756	0.377	0.384	<0.0188	<0.00291
	11/8/2012	<0.00756*	0.420	0.416*	<0.0188*	<0.002910*
	5/8/2013	<0.0183 J	0.435	0.401	<0.0188	<0.00291
	11/4/2013	0.0154 J	0.290	0.412	<0.0188	<0.00291
DUP	11/4/2013	0.0155 J	0.268	0.432	<0.0188	<0.00291
MW057SA	5/17/2011	0.0112 J	0.0287	<0.0500	<0.100	<0.0500
	11/10/2011	<0.0100 J	0.0158	0.0207	<0.200	<0.0200
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/31/2012	<0.00756*	0.0124	0.0129*	<0.0188*	<0.002910*
	5/8/2013	<0.0146 J	0.0215	0.0215	<0.0188	<0.00291
MW062A	5/19/2011	0.0192	<0.0100	<0.0500	<0.100 J	<0.0500
	11/10/2011	<0.0100 J	<0.0100	<0.0100	<0.200	<0.0200
DUP	11/10/2011	0.0118 J	<0.0100	<0.0100	<0.200	0.0227
	5/23/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	0.0277
	10/31/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/14/2013	0.0227	<0.00500	<0.00355	<0.0188	<0.00291
	10/30/2013	0.0185 J	<0.00500	<0.00355	<0.0188	0.0617
MW063A	5/19/2011	0.0121	<0.0100	<0.0500	<0.100 J	<0.0500
	11/10/2011	<0.0100 J	<0.0100	<0.0100	<0.200	<0.0200
	5/18/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/31/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/13/2013	0.0241	<0.00500	<0.00355	<0.0188	<0.00291
	10/30/2013	0.0180 J	<0.00500	<0.00355	<0.0188	0.00768 J
MW064SA	5/10/2011	0.0227 J	0.114	0.108	<0.100	<0.0500
	11/10/2011	<0.0100 J	0.0724	0.0667	<0.200	<0.0200
	5/11/2012	<0.00756	0.0745	0.0770	<0.0188	<0.00291
	10/30/2012	<0.00756*	0.0792	0.0808*	<0.0188*	<0.00291*
	5/6/2013	0.00818 J	0.0813	0.0817	<0.0188	<0.00291
MW065SA	5/19/2011	<0.0100	0.0706	0.0604	<0.100 J	<0.0500
	11/14/2011	<0.0100	0.117	0.113	<0.200	<0.0200
	5/9/2012	<0.00756	0.220	0.206	<0.0188	<0.00291
DUP	5/9/2012	<0.00756	0.221	0.218	<0.0188	<0.00291
	11/1/2012	<0.00756*	0.269	0.270*	<0.0188*	<0.002910*
DUP	11/1/2012	<0.00756*	0.284	0.274*	<0.0188*	0.0228 J*
	5/7/2013	0.0105 J	0.317	0.314	<0.0188	<0.00291
	10/31/2013	0.0167 J	0.180	0.179	<0.0188	<0.00291

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW066SA	5/18/2011	<0.0100	<0.0100	<0.0500	<0.100 J	0.634
	11/14/2011	<0.0100	<0.0100	<0.0100	<0.200	0.739
	5/15/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	0.534
	11/2/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	1.01*
	5/7/2013	0.00811 J	<0.00500	<0.00355	<0.0188	1.19
	5/7/2013	0.00808 J	<0.00500	<0.00355	0.0276 J	1.09
	10/31/2013	0.00999 J	<0.00500	<0.00355	<0.0188	1.13
MW067SA	5/19/2011	0.0386 J	<0.0100	<0.0500	<0.100	<0.0500
	11/15/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/16/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/2/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/8/2013	<0.0266	<0.00500	<0.00355	<0.0188	<0.00291
	11/1/2013	0.0152 J	<0.00500	<0.00355	<0.0188	<0.00291
MW070A	5/18/2011	0.0103	<0.0100	<0.0500	<0.100 J	<0.0500
	5/23/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	5/14/2013	0.0203	<0.00500	0.00406 J	<0.0188	<0.00291
MW071SA	5/18/2011	<0.0100	<0.0100	<0.0500	<0.100 J	0.114
	11/14/2011	<0.0100	<0.0100	0.0114	<0.200	<0.0200
	5/8/2012	<0.00756	<0.00500	0.0174	<0.0188	0.0888
	11/1/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	0.168*
	5/7/2013	0.0194 J	<0.00500	0.00425 J	<0.0188	0.203
	10/30/2013	0.0215	<0.00500	0.00507 J	<0.0188	0.220
MW072SA	5/24/2011	0.0155 J	<0.0100	<0.0500	<0.100	<0.0500
	11/14/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/15/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/2/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/8/2013	<0.0128 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/31/2013	0.0167 J	<0.00500	<0.00355	<0.0188	0.0345
MW073SA	5/19/2011	0.0119 J	<0.0100	<0.0500	<0.100	<0.0500
	11/14/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/15/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/2/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/8/2013	<0.0135 J	<0.00500	<0.00355	<0.0188	<0.00291
MW074SA	5/18/2011	<0.0100	<0.0100	<0.0500	<0.100 J	<0.0500
	11/10/2011	<0.0100	<0.0100 J	0.0186	<0.200	<0.0200
	5/16/2012	<0.00756	<0.00500	0.0135	<0.0188	<0.00291
	10/31/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/7/2013	0.0116 J	0.00610 J	0.0149	<0.0188	<0.00291
	10/31/2013	0.0128 J	0.0113	0.0111	<0.0188	0.0530

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW075SA	5/10/2011	0.0141 J	<0.0100	<0.0500	<0.100	<0.0500
	11/11/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/9/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/30/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/6/2013	0.0103 J	<0.00500	<0.00466 J	0.0227 J	<0.00291
	10/30/2013	0.0125 J	<0.00500	<0.00355	<0.0188	<0.00291
MW076SA	5/10/2011	0.0162 J	<0.0100	<0.0500	<0.100	<0.0500
	11/11/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/9/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/30/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.00291*
	5/7/2013	0.00936 J	<0.00500	<0.00355	<0.0188	<0.00291
	10/30/2013	0.0206	<0.00500	<0.00355	<0.0188	0.0442
MW077SA	5/10/2011	0.0208 J	<0.0100 J	<0.0500	<0.100	<0.0500
	11/11/2011	<0.0100	<0.0100	<0.0100	<0.200	0.0486
	5/9/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/1/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/6/2013	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
MW078SA	5/19/2011	0.0112 J	<0.0100	<0.0500	<0.100	<0.0500
	11/15/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/16/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/2/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/8/2013	<0.0106 J	<0.00500	<0.00355	<0.0188	<0.00291
	11/4/2013	0.0104 J	<0.00500	<0.00355	<0.0188	0.0180 J
MW079SA	5/23/2011	<0.0100	0.0142	<0.0500	<0.100	0.0541
	11/15/2011	<0.0100	0.016	<0.0100	<0.200	0.0395
	5/9/2012	<0.00756	0.0355	<0.00355	<0.0188	0.0671
	11/7/2012	<0.00756*	<0.00500	<0.00355*	0.214*	0.0585*
	11/1/2013	0.00919 J	<0.00500	<0.00355	<0.0188	0.0225
MW080SA	5/19/2011	<0.0100	<0.0100	<0.0500	<0.100	<0.0500
	11/15/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/9/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	11/7/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
MW081SA	5/19/2011	<0.0100	<0.0100	<0.0500	<0.100 J	<0.0500
	11/15/2011	<0.0100	<0.0100	<0.0100	<0.200	<0.0200
	5/9/2012	<0.00756	<0.00500	<0.00355	<0.0188	0.0281
	11/7/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	0.0712*
	5/8/2013	<0.0118 J	<0.00500	<0.00355	<0.0188	0.233
MW082SA	5/10/2011	0.0192 J	<0.0100	<0.0500	<0.100	<0.0500
	11/10/2011	<0.0100 J	<0.0100	<0.0100	0.457	0.151
	5/11/2012	<0.00756	0.0620	<0.00355	0.576	0.139
	10/30/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	0.164*
	5/6/2013	<0.00756	<0.00500	<0.00430 J	0.0499 J	0.404

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
MW083SA	5/9/2011	0.0399 J	<0.0100 J	<0.0500	<0.100	<0.0500
	11/10/2011	<0.0100 J	<0.0100 J	<0.0100	<0.200	0.369
	5/11/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	10/31/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	<0.002910*
	5/6/2013	<0.00756	0.00700 J	<0.00459 J	0.0433 J	2.46
	10/31/2013	<0.00756	<0.00500	<0.00355	0.0594 J	0.246
MW084SA	5/10/2011	0.0110 J	0.0431	<0.0500	0.382	0.248
	11/10/2011	<0.0100 J	0.0435	0.0451	<0.200	0.0251
	5/11/2012	<0.00756	0.0397	0.0405	<0.0188	<0.00291
	10/30/2012	<0.00756*	0.0377	0.0388*	<0.0188*	<0.00291*
	5/6/2013	0.0101 J	0.0294	0.0360	0.0294 J	<0.00291
	10/30/2013	0.0164 J	0.0239	0.0291	<0.0188	0.0533
MW085SA	5/9/2011	0.0154 J	<0.0100 J	<0.0500	1.05	0.244
	11/10/2011	<0.0100 J	<0.0100	<0.0100	1.19	0.896
	5/11/2012	<0.00756	0.0895	<0.00355	0.980	0.737
	10/31/2012	<0.00756*	<0.00500	<0.00355*	0.920*	0.668*
	5/6/2013	<0.00756	<0.00500	<0.00784 J	<0.0188	0.476
	10/31/2013	0.00961 J	<0.00500	<0.00355	<0.0188	0.707
MW086SA	5/19/2011	<0.0100	<0.0100	<0.0500	<0.100	<0.0500
	11/14/2011	<0.0100	<0.0100	0.0261	<0.200	<0.0200
	5/8/2012	0.0167	<0.00500	<0.00355	<0.0188	<0.00291
	11/1/2012	<0.00756*	<0.00500	<0.00355*	<0.0188*	0.0398*
	5/7/2013	0.00795 J	<0.00500	<0.00355	<0.0188	0.00506 J
	10/30/2013	0.0199 J	<0.00500	<0.00355	<0.0188	0.0895
MW087A	5/26/2011	0.0219 J	<0.0100	0.112	<0.100	<0.0500
	5/25/2012	<0.00756	0.0479	0.0996	0.320	0.0216
	5/16/2013	0.0201	0.0162	0.0596	0.661	0.0851
MW089SA	5/24/2011	0.0172 J	1.09	1.07	<0.100	<0.0500
	5/22/2012	<0.00756	0.0195	0.0226	<0.0188	<0.00291
	5/22/2012	<0.00756	0.0177	0.0220	<0.0188	<0.00291
	5/15/2013	<0.00756	0.0299	0.0381	<0.0188	<0.00291
MW090SA DUP	5/25/2011	0.0129 J	0.0199	<0.0500	<0.100	<0.0500
	5/25/2011	0.0138 J	0.0208	<0.0500	<0.100	<0.0500
	5/23/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	5/14/2013	<0.00756	<0.00500	0.00542 J	<0.0188	<0.00291
MW091SA	5/24/2011	<0.0100	0.0217	<0.0500	<0.100	<0.0500
	5/8/2012	<0.00756	0.0510	0.0567	<0.0188	<0.00291
MW092SA	5/23/2011	0.0152	<0.0100	<0.0500	<0.100	<0.0500
	5/11/2012	<0.00756	<0.00500	0.0129	<0.0188	<0.00291
MW093SA DUP	5/23/2011	<0.0100	<0.0100	<0.0500	<0.100	<0.0500
	5/11/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	5/10/2013	<0.00756	0.251	0.210	0.0278 J	<0.00291
	5/10/2013	<0.00756	0.306	0.286	0.0204 J	<0.00291

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
IW003	5/20/2011	0.0502 J	<0.100	<0.0500	17.5	9.39
	5/11/2012	0.0111	0.115	<0.00355	3.60	5.12
IW004	5/20/2011	<0.0100	<0.100	<0.0500	0.318	2.36
	5/11/2012	<0.00756	0.0125	0.0128	0.227	3.88
IW005	5/20/2011	0.0605 J	<0.100	<0.0500	16.2	3.93
	5/11/2012	<0.00756	0.109	0.0162	3.25	3.78
	5/7/2013	0.0165 J	<0.00500	0.0129	1.61	1.07
IW006	5/20/2011	0.0371 J	<0.100	<0.0500	5.04	4.63
	5/11/2012	<0.00756	0.0276	<0.00355	0.960	2.50
	5/7/2013	<0.00756	<0.00500	0.00531 J	0.513	1.32
IW007	5/19/2011	0.178 J	0.366	<0.0500	17.2	3.62
	5/15/2012	0.131 J	0.670	0.0360	15.3	4.43
	5/7/2013	0.107	<0.00500	0.0444 J	10.2	3.98
IW008	5/20/2011	0.0367 J	<0.100	<0.0500	2.33	2.65
	5/15/2012	0.0335 J	0.0747	<0.00355	1.39	2.86
	5/7/2013	0.0192 J	<0.00500	0.00472 J	0.679	2.60
IW009	5/20/2011	0.0517 J	0.123	<0.0500	9.43	17.6
IW010	5/20/2011	<0.0100	<0.100	<0.0500	10.5	6.99
	5/15/2012	<0.00756 J	0.0257	<0.00355	1.86	10.1
	5/7/2013	<0.00756	<0.00500	0.00403 J	0.0813 J	9.17
IW011	5/20/2011	0.0788 J	<0.100	<0.0500	1.65	1.38
	5/15/2012	0.0363 J	0.0807	<0.00355	1.70	1.48
	5/7/2013	0.0457	<0.00500	<0.00355	0.765	0.990
IW012	5/20/2011	0.128 J	0.491	<0.0500	14.6	1.16
IW013	5/20/2011	<0.0100	<0.100	<0.0500	0.127	0.186
	5/15/2012	<0.00756 J	0.0116	<0.00355	0.301	0.220
	5/13/2013	<0.00756	<0.00500	<0.00355	0.398	0.226
IW014 DUP	5/20/2011	0.109 J	0.453	<0.0500	3.23	0.363
	5/15/2012	0.0336 J	0.540	<0.00709	1.71	0.388
	5/15/2012	0.0620 J	0.558	<0.00709	1.90	0.345
	5/6/2013	0.144	<0.0500	0.0731	2.19	0.785
IW015	5/20/2011	0.0546 J	<0.100	<0.0500	6.9	0.246
	5/11/2012	0.0210	0.107	0.0202	2.19	0.274
IW016	5/20/2011	0.0331 J	<0.100	<0.0500	5.2	0.611
	5/9/2012	0.0817	0.0642	<0.00355	0.791	0.334
IW018	5/23/2011	0.0107	<0.0100	<0.0500	<0.100	<0.0500
	5/11/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	5/10/2013	0.0309	0.856	1.17	1.94	1.43

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
IW019	5/23/2011	0.0178	<0.0100	<0.0500	<0.100	<0.0500
	5/11/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	5/10/2013	<0.00756	<0.00500	<0.00355	<0.0188	0.0196 J
IW020	5/23/2011	0.0121	<0.0100	<0.0500	<0.100	<0.0500
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	5/10/2013	<0.00756	0.0931	0.111	<0.0188	0.0407
IW021	5/23/2011	0.0102	<0.0100	<0.0500	<0.100	<0.0500
	5/17/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	5/13/2013	0.0120 J	<0.00500	<0.00355	<0.0188	<0.00291
IW022	5/24/2011	0.0109	0.0244	<0.0500	<0.100	<0.0500
	5/17/2012	<0.00756 J	0.0499	0.0533	<0.0188	<0.00291
	5/13/2013	<0.00756	0.133	0.139	<0.0188	<0.00291
IW023	5/24/2011	<0.0100	0.0199	<0.0500	<0.100	<0.0500
	5/18/2012	<0.00756	<0.00500	<0.00355	<0.0188	<0.00291
	5/13/2013	0.00985 J	0.00760 J	0.0108	0.0262 J	<0.00291
IW024	5/24/2011	<0.0100	0.185	0.169	<0.100	<0.0500
	5/24/2012	<0.00756	0.107	0.106	<0.0188	<0.00291
	5/14/2013	<0.00756	0.0651	0.0723	<0.0188	<0.00291
IW025	05/25/11		Not Sampled - Well Silted In			
	5/24/2012	<0.00756	0.0312	0.0777	1.20	0.223
	5/14/2013	<0.00756	<0.00500	0.0269	0.993	0.120
IW026	05/25/11		Not Sampled - Well Silted In			
	5/23/2012	<0.00756 J	<0.00500	<0.00355	<0.0188	<0.00291
	5/14/2013	<0.00756	<0.00500	0.00527 J	<0.0188	<0.00291
IW027	5/24/2011	0.0122	0.0153	<0.0500	<0.100	<0.0500
	5/23/2012	<0.00756 J	0.0105	0.0157	<0.0188	<0.00291
	5/14/2013	<0.00756	<0.00500	0.0123	<0.0188	<0.00291
IW028	5/23/2011	0.0127	0.052	<0.0500	<0.100	<0.0500
	5/22/2012	<0.00756	0.0144	0.0203	<0.0188	0.0258
	5/22/2012	<0.00756	0.0132	0.0185	<0.0188	<0.00291
	5/15/2013	0.0110 J	0.0127	0.0202	<0.0188	<0.00291
RW004A DUP	5/25/2011	0.0265 J	<0.100	<0.0500	367	10.7
	5/25/2011	0.0228 J	<0.100	0.0715	589	11.3
	5/25/2012	<0.0378	2.96	<0.0177	9.80	1.16
	5/20/2013	0.0102 J	<0.0500	0.0260	7.25	0.215
Water Wells						
EPWW1	5/18/2011	<0.0100	<0.100	<0.0500	<0.100 J	<0.0500
	5/21/2012	<0.00756	0.968	0.0475	0.301	0.0494
GOPWW2	5/25/2011	0.0203 J	<0.0100	<0.0500	<0.100	0.884
	11/17/2011	<0.0100	<0.0100	<0.0100	0.436	1.05
	5/8/2012	0.0710	<0.00500	<0.00355	<0.0188	1.05
	11/1/2012	<0.00756*	<0.00500	<0.00355*	17.2*	1.80*
	5/23/2013	<0.00756	<0.00500	<0.00355	<0.0188	1.11

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA - SELECT INORGANIC METALS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Arsenic (dissolved) (mg/L)	Chromium VI (hexavalent) (mg/L)	Chromium Total (dissolved) (mg/L)	Iron (dissolved) (mg/L)	Manganese (dissolved) (mg/L)
NMWQCC Standard ² mg/L		0.1	0.05	0.05	1	0.2
LordWW	5/26/2011	<0.0100	<0.0100	<0.0500	0.593	0.133
	11/10/2011	<0.0100	<0.0100 J	<0.0100	2.24	0.126
	5/18/2012	<0.00756	<0.00500	<0.00355	<0.0188	0.115
	10/26/2012	<0.00756*	<0.00500	<0.00355*	9.71*	0.208*
	5/23/2013	<0.00756	0.0174	<0.00355	<0.0188	0.0539
	11/5/2013	<0.00756	<0.00500	<0.00355	0.507	0.261
RolandWW DUP	5/25/2011	<0.0100	<0.0100	<0.0500	0.165	0.0539
	5/25/2011	<0.0100	<0.0100	0.0564	0.24	0.0563
WoodellWW DUP	5/25/2011	0.0144 J	0.0176	<0.0500	<0.100	<0.0500
	5/25/2011	<0.0100	0.0176	<0.0500	<0.100	<0.0500
	5/16/2012	<0.00756	0.0380	0.0421	<0.0188	<0.00291
	10/31/2012	<0.00756*	0.0285	0.0314*	<0.0188*	<0.002910*
	5/22/2013	0.00973 J	0.0299	0.0329	<0.0188	<0.00291
	10/31/2013	0.00793 J	0.0843	0.0866	<0.0188	0.0623

Notes:

- Dissolved Metals (Arsenic, Chromium, Hexavalent Chromium, Iron, Manganese) were analyzed by EPA Method 6010B/7196A.
 - New Mexico Water Quality Control Commission (NMWQCC) Standards 20.6.2.3103.A
 - mg/L (ppm) - milligrams per liter (parts per million)
 - Bold indicates that a COC was detected.
 - Shading indicates that a detected result exceeded the NMWQCC Standard.
 - <#.#### - Not detected at or above MDL for 2012 and RL for 2011.
- * - result measured as total, not dissolved

TABLE 5
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard³		0.01	0.75	0.75	0.62	--	--
<i>Shallow Monitor Wells</i>							
MW001	5/11/11	<0.0010	<0.0010	0.00378	<0.0010	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	0.00236	<0.000700	<1.50	<1.50
	5/21/2013	<0.000500	<0.00100	0.00661	<0.000700	<0.988	<0.988
MW002	5/16/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW004 Dup	5/16/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW005	5/17/11	0.141	<0.0020	0.0116	0.00452	<1.50	<1.50
	5/24/12	0.188	<0.00100	0.142	0.00288	<1.50	<1.50
	5/22/2013	0.396	<0.00100	0.222	0.00313	4.59	4.01
MW006	5/17/11	2.25	<0.0400	0.142	<0.0200	<1.50	2.89
MW007	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW008 DUP	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW008M	5/11/11	0.00130	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW009	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW010	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/7/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/21/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/26/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/17/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	0.00615	0.00682	0.00293	0.00267	<0.988	<0.988

TABLE 5
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard³		0.01	0.75	0.75	0.62	--	--
MW011	5/16/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW011M DUP	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW012	5/13/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW012M	5/13/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW013 Dup Dup	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/17/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	0.00405	0.00459	0.00184	0.00182	<0.988	<0.988
MW014	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/7/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/18/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/29/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/2013	<0.000500	<0.00100	<0.000700	0.00237	<0.988	<0.988

TABLE 5
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard³		0.01	0.75	0.75	0.62	--	--
MW015	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/7/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/29/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW018	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/21/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/26/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	1.07 J	<0.988
	11/5/2013	<0.000500	<0.00100	<0.000700	0.00327	<0.988	<0.988
MW020	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/26/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW021	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW023	5/16/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/6/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW024	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 5
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard³		0.01	0.75	0.75	0.62	--	--
MW025	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/7/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/29/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW026	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	DUP-2 11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/29/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
DUP	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	DUP 11/5/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW027	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/7/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW028	11/5/2013	<0.000500	<0.00100	<0.000700	0.00268	<0.988	<0.988
	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	11/2/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW029	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	DUP-1 11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW030	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW031	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
MW032	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/12/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
MW032	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 5
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard³		0.01	0.75	0.75	0.62	--	--
MW033	5/12/11	0.112	<0.0020	0.123	<0.0010	<1.50	<1.50
	11/7/11	0.116	<0.00200	0.158	<0.00100	<1.50	<1.50
	5/17/12	0.0112	<0.00100	0.00451	<0.000700	<1.50	<1.50
	11/6/12	0.117	<0.00100	0.105	<0.000700	<0.988	<0.988
	5/20/2013	0.0335	<0.00100	0.0133	<0.000700	<0.988	<0.988
MW034	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
MW035	5/11/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/22/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW036	5/16/11	0.0849 J	0.00224 J	0.00543 J	0.539 J	<1.50	2.18
	5/25/12	0.0621	0.00200	0.0147	0.592	<1.50	3.29
	5/22/2013	0.0676	<0.00100	0.120	0.205	<0.988	3.03
MW037 DUP	5/17/11	2.46	<0.0020	0.203 J	<0.0010	2.70	3.07
	5/17/11	2.14 J	<0.0400	0.224 J	<0.0200	2.41	2.60
	5/25/12	0.105	<0.00100	0.00895	0.00308	<1.50	<1.50
	5/15/2013	6.62	<0.0500	0.534	0.134	4.10	7.09
MW038 DUP	5/11/11	0.00494	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/23/2013	0.000609 J	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW043	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW044	5/12/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW045	5/16/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	0.00110	<0.000700	<1.50	<1.50
	5/22/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW046	5/16/11	0.0305	<0.0020	0.0569	0.0120	<1.50	<1.50
	5/23/12	0.0398	<0.00100	0.0791	0.0131	<1.50	<1.50
	5/21/2013	0.0520	<0.00100	0.140	0.0693	1.08 J	1.84
MW047	5/16/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW058 Dup Dup	5/13/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/6/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/6/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 5
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard³		0.01	0.75	0.75	0.62	--	--
MW059	5/16/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/2/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW060	5/16/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/7/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/24/12	0.00359	<0.00100	0.00371	<0.000700	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW061	5/13/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	11/8/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/2/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/1/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW068 DUP	5/13/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/13/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 5
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard³		0.01	0.75	0.75	0.62	--	--
MW069	5/16/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW070	5/13/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/6/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
DUP	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW088M	5/11/11	0.00113	<0.0020	0.00205	<0.0010	6.77	15.6
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50 J	<1.50 J
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	0.999 J	11.6
MW094	11/17/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50 J	<1.50 J
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/1/2013	0.00140	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW095	11/17/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50 J	<1.50 J
	5/25/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/25/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW001	5/17/11	<0.0010	0.00311	<0.0010	<0.0010	<1.50	<1.50
	5/25/12	<0.000500	0.00279	<0.000700	<0.000700	<1.50	<1.50
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW002	5/17/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/22/2013	<0.000500	<0.00100	<0.000700	<0.000700	1.11 J	<0.988
RW002	5/17/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
RW003	5/17/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/21/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/22/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

Notes:

1. Benzene, Toluene, Ethylbenzenes & Total Xylenes were analyzed by EPA Method 8021B.
2. Total Petroleum Hydrocarbons (DRO/GRO) were analyzed by 8015M.
3. New Mexico Water Quality Control Commission (NMWQCC) Standards 20.6.2.3103.A
4. mg/L (ppm) - milligrams per liter (parts per million).
5. NA - Not Analyzed.
6. Bold indicates that a COC was detected.
7. Shading indicates that a detected result exceeded the NMWQCC Standard.
8. <#.####-Not detected at or above MDL for 2012 and RL for 2011.

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
<i>Deep Monitor Wells</i>							
MW002A	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW004A	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/15/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW007A	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW008A	5/26/11	0.00154	<0.0020	<0.0010	<0.0010	2.82	6.85
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW009A DUP	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
MW011A DUP	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW012A	5/25/11	-	-	-	-	<1.50	<1.50
	5/26/11	<0.0010	<0.0020	<0.0010	<0.0010	-	-
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW013A DUP	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/29/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/17/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	0.00275	0.00214	0.00109	0.00910	<0.988	<0.988
	11/4/2013	0.00147	0.00177 J	0.00101	0.00844	<0.988	<0.988
MW014A	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/18/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/29/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW015A DUP	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/29/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/2013	<0.000500	<0.00100	<0.000700	0.00218 J	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
MW016A	5/17/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/26/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/2013	0.00306	<0.00100	<0.000700	0.00302	<0.988	<0.988
MW017A	Plugged and Abandoned						
MW018A	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/21/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/26/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW019A	5/17/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/21/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/26/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW020A	5/16/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/26/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	<0.000500	<0.00100	<0.000700	0.00211	<0.988	<0.988
MW021A DUP	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	4.81	<1.50
	11/17/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	11/17/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/1/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW022A DUP	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/17/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW023A DUP	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
MW024A	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/18/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	1.89	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW039A	5/26/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
DUP	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/21/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW040A	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/9/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/29/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/17/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW041A	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
MW042A DUP	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/22/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW046A DUP	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/23/12	0.00113	<0.00100	0.00277	<0.000700	<1.50	<1.50
	5/22/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW048SA DUP	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/16/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	11/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	<0.000500	<0.00100	<0.000700	0.00678	<0.988	<0.988
MW049SA	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
MW050SA	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	1.85	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/8/2013	0.00200	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW051SA	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
DUP	5/16/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/16/2012	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
DUP	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW052SA	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	4.97	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW053SA	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/16/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	11/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	0.00113	<0.00100	<0.000700	0.00766	<0.988	<0.988
MW054SA	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/16/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/16/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/7/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/7/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	<0.000500	<0.00100	<0.000700	0.00384	<0.988	<0.988
MW055SA	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/16/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	11/7/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/7/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW056SA	5/17/11	0.00106	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/17/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50 J	<1.50 J
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/16/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	0.000750 J	0.00110 J	<0.000700	0.00547	<0.988	<0.988
	11/4/2013	0.00190 J	0.00166 J	<0.000700	0.00558	<0.988	<0.988
MW057SA	5/17/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
MW062A DUP	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW063A	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/18/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW064SA	5/10/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	1.58	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW065SA DUP DUP	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/14/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/9/2012	<0.000500	<0.00100	<0.000700	<0.000700	R	R
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW066SA DUP	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/14/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/15/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/2/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW067SA	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/15/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	11/2/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/1/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
MW070A	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW071SA	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/14/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50 J	<1.50 J
	5/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW072SA	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/14/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/15/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/2/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW073SA	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/14/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/15/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/2/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW074SA	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW075SA	5/10/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/11/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/6/2013	0.000590 J	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW076SA	5/10/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/11/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW077SA	5/10/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/11/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
MW078SA	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/15/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	11/2/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/4/2013	0.000540 J	<0.00100	<0.000700	0.00373	<0.988	<0.988
MW079SA	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/15/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/7/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/1/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW080SA	5/19/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	11/15/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/7/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW081SA	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/15/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/7/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/8/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW082SA	5/10/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100 J	<0.00200 J	<0.00100 J	<0.00100 J	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50 J	<1.50 J
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW083SA	5/9/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW084SA	5/10/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/30/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
MW085SA	5/9/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW086SA	5/19/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/14/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/30/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW087A	5/26/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/16/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW089SA Dup	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/22/2012	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
MW090SA DUP	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
MW091SA	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
MW092SA	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
MW093SA	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/10/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/10/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
IW003	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
IW004	5/20/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
IW005	5/20/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW006	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	1.28 J
IW007	5/19/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	5/15/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	1.50 J
IW008	5/20/11	<0.0010 J	<0.0020 J	<0.0010 J	<0.0010 J	<1.50	<1.50
	5/15/12	<0.000500 J	0.0272 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW009	5/20/11	<0.0100 J	<0.0200 J	<0.0100 J	<0.0100 J	440	441
IW010	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/15/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW011	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/15/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/7/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW012	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
IW013	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/15/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	1.26 J	<0.988
IW014 DUP	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/15/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/15/2012	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/6/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW015	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
IW016	5/20/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/9/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
IW018	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	2.28
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/10/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW019	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50 J	1.56 J
	5/11/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/10/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW020	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/10/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW021	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW022	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/17/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
IW023	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/18/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/13/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW024	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW025	5/25/11	Not Sampled - Well Silted In					
	5/24/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	1.29 J	<0.988
IW026	5/25/11	Not Sampled - Well Silted In					
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW027	5/24/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/23/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/14/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
IW028 DUP	5/23/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/22/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	5/22/2012	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
RW004A DUP	5/25/11	<0.00500 J	<0.0100 J	<0.00500 J	<0.00500 J	8.72 J	45.9 J
	5/25/11	<0.00500 J	<0.0100 J	<0.00500 J	<0.00500 J	15.6 J	78.2 J
	5/25/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	5/20/2013	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

TABLE 6
SUMMARY OF GROUNDWATER ANALYTICAL DATA - BTEX AND TPH
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)
NMWQCC Standard²		0.01	0.75	0.75	0.62	--	--
<i>Water Wells</i>							
EPWW1	5/18/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/21/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
GOPWW2	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/17/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50 J	<1.50 J
	5/8/12	<0.000500	<0.00100	<0.000700	<0.000700	<1.50	<1.50
	11/1/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/23/13	<0.000500	<0.00100	0.00101	<0.000700	<0.988	<0.988
LordWW	5/26/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	11/10/11	<0.00100	<0.00200	<0.00100	<0.00100	<1.50	<1.50
	5/18/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	10/26/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/23/13	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	11/5/13	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
RolandWW DUP	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
WoodellWW DUP	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/25/11	<0.0010	<0.0020	<0.0010	<0.0010	<1.50	<1.50
	5/16/12	<0.000500 J	<0.00100 J	<0.000700 J	<0.000700 J	<1.50	<1.50
	10/31/12	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	5/22/13	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988
	10/31/13	<0.000500	<0.00100	<0.000700	<0.000700	<0.988	<0.988

Notes:

1. Benzene, Toluene, Ethylbenzenes & Total Xylenes were analyzed by EPA Method 8021B.
2. Total Petroleum Hydrocarbons (DRO/GRO) were analyzed by 8015M.
3. New Mexico Water Quality Control Commission (NMWQCC) Standards 20.6.2.3103.A.
4. Analytical results are in mg/L (ppm).
5. NA - Not Analyzed.
6. Bold indicates that a COC was detected.
7. Shading indicates that a detected result exceeded the NMWQCC Standard.
8. <#.#### - Not detected at or above MDL for 2012 and RL for 2011.

TABLE 7
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard² mg/L		250	1,000
<i>Shallow Monitor Wells</i>			
MW001	5/11/2011	181	4,370
	5/24/2012	131	2,970
	5/21/2013	127	2780
MW002	5/16/2011	1,330	4,200
	5/24/2012	1,210	4,640
	5/21/2013	1130	4130
MW003	5/22/2012	21	1,210
	5/16/2013	45.7	1040
MW004 DUP	5/16/2011	761	3,220
	5/22/2012	640	3,190
	5/22/2012	658	3,700
	5/15/2013	298	1810
MW005	5/17/2011	321	1,170
	5/24/2012	311	1,510
	5/22/2013	210	1300
MW006	5/17/2011	1,520	2,740
MW007	5/22/2012	472	2,190
	5/16/2013	173	1220
MW008 DUP	5/11/2011	1,020 J	3,600
	5/11/2011	1,840 J	3,840
	5/25/2012	983	4,280
	5/16/2013	839	3760
MW008M	5/11/2011	1,380	4,360
	5/25/2012	1,370	5,220
	5/20/2013	1370	5100
MW009	5/11/2011	148	1,260
	5/22/2012	224	1,510
	5/15/2013	132	1180
MW010	5/11/2011	2,880	5,170
	11/7/2011	2,440	5,240
	5/21/2012	2,570	7,250
	10/26/2012	2,680	6,400
	5/17/2013	2440	6280
	11/4/2013	2430	6240

TABLE 7
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW011	5/16/2011	1,210	3,900
	5/22/2012	1,130	4,590
	5/20/2013	1130	3430
MW011M DUP	5/11/2011	1,450	3,590
	5/11/2011	1,500	3,800
	5/22/2012	1,420	4,340
	5/20/2013	1290	4400
MW012	5/13/2011	747	2,320
	5/22/2012	768	2,980
	5/21/2013	399	2050
MW012M	5/13/2011	693	5,560
	5/22/2012	861	5,830
	5/21/2013	744	4900
MW013	5/12/2011	522	2,680
	11/8/2011	482	2,240
	5/17/2012	321 J	2,100
	5/17/2012	329 J	2,160
	11/1/2012	272	1,790
	11/1/2012	278	1,830
	5/17/2013	301	1730
	11/4/2013	650	3230
MW014	5/11/2011	1,420	3,260
	11/7/2011	1,460	3,760
	5/18/2012	1,370	3,500
	10/29/2012	1,670	4,410
	5/16/2013	1540	3820
	11/5/2013	1180	3600
MW015	5/11/2011	1,480	3,000
	11/7/2011	909	2,480
	5/17/2012	777 J	2,620
	10/29/2012	576	2,070
	5/16/2013	532	2050
	11/5/2013	543	2250
MW018	5/11/2011	180	1,400
	11/8/2011	230	1,380
	5/21/2012	221	1,430
	10/26/2012	260	1,180
	5/13/2013	268	1310
	11/5/2013	1620	3960

TABLE 7
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW020	5/11/2011	963	2,510
	11/8/2011	863	2,770
	5/17/2012	894 J	2,580
	10/26/2012	917	2,050
	5/13/2013	865	2420
MW021	5/12/2011	64	858
	11/8/2011	79	632
	5/23/2012	65	841
	11/1/2012	80	900
MW023	5/16/2011	956	3,280
	11/8/2011	778	2,890
	5/24/2012	810	3,720
	11/6/2012	802	3,650
	5/21/2013	767	3500
	10/31/2013	762	3680
MW024	5/12/2011	435	1,600
	11/9/2011	575	1,830
	5/22/2012	634	2,580
	11/1/2012	646	1,810
	5/14/2013	674	1940
	10/30/2013	631	2730
MW025	5/11/2011	153	1,180
	11/7/2011	547	1,680
	5/22/2012	213	1,230
	10/29/2012	170	989
	5/16/2013	265	1400
MW026 DUP DUP	5/12/2011	458	2,560
	11/8/2011	521	1,950
	11/8/2011	524	2,200
	5/17/2012	576 J	2,170
	10/29/2012	568	2,000
	5/20/2013	485	2110
	11/5/2013	544	3020
	11/5/2013	528	2850

TABLE 7
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW027	5/12/2011	413	1,390
	11/7/2011	331	1,420
	5/17/2012	261 J	1,500
	10/30/2012	288	1,610
	5/20/2013	92.4	1170
	11/5/2013	250	1470
MW028	5/12/2011	399	1,510
	11/8/2011	372	1,460
	11/2/2012	339	1,380
	5/20/2013	224	1240
MW029 DUP	5/11/2011	98	630
	11/8/2011	136	792
	11/8/2011	138	816
	5/24/2012	141	713
	11/1/2012	139	370
	5/14/2013	141	546
MW030	5/12/2011	164	748
	11/8/2011	105	788
	5/24/2012	75	614
	11/1/2012	147	628
	5/14/2013	127	696
	10/31/2013	315	1080
MW031	5/12/2011	75	702
	11/8/2011	97	918
	5/24/2012	103	826
	10/31/2012	107	684
	5/14/2013	106	802
	10/31/2013	98.3	761
MW032	5/12/2011	185	988
	11/8/2011	250	806
	5/24/2012	238	1,270
	10/30/2012	231	1,140
	5/20/2013	226	959
	11/6/2013	212	1110

TABLE 7
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW033	5/12/2011	547	1,430
	11/7/2011	514	1,730
	5/17/2012	430 J	1,770
	11/6/2012	536	1,480
	5/20/2013	447	1450
MW034	5/12/2011	322	1,330
	5/8/2012	473	2,050
MW035 DUP	5/11/2011	17	516
	5/25/2012	188	1,120
	5/22/2013	157	1100
	5/22/2013	162	1140
MW036	5/16/2011	78	852
	5/25/2012	89	772
	5/22/2013	51.7	795
MW037 DUP	5/17/2011	1,080	2,100
	5/17/2011	1,000	2,020
	5/25/2012	1,220	2,700
	5/15/2013	343	1540
MW038 DUP	5/11/2011	108	888
	5/24/2012	266	1,510
	5/23/2013	147	1020
	11/6/2013	296	1650
	11/6/2013	287	1650
MW043	5/12/2011	95	1,020
	5/23/2012	193	1,140
	5/13/2013	158	1150
MW044	5/12/2011	42	510
	5/13/2013	420	1560
MW045	5/16/2011	158	1,250
	5/23/2012	149	1,210
	5/22/2013	134	1190
MW046	5/16/2011	484	1,640
	5/23/2012	394	1,570
	5/21/2013	307	1440

TABLE 7
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW047	5/16/2011	633	2,380
	5/23/2012	620	2,260
	5/20/2013	248	1770
MW058	5/13/2011	857	3,310
DUP	11/10/2011	223	922
	5/24/2012	219	911
	5/24/2012	221	885
DUP	11/6/2012	992	4,160
	11/6/2012	1,020	4,140
	5/14/2013	967	3790
	10/31/2013	1070	4370
MW059	5/16/2011	114	610
	11/8/2011	127	454
	5/24/2012	254	1,030
	11/2/2012	839	3,620
	5/21/2013	428	2120
	10/31/2013	404	543
MW060	5/16/2011	1,510	4,310
	11/7/2011	944	2,900
	5/24/2012	758	2,750
	10/31/2012	1,030	3,210
	5/15/2013	1140	4310
	10/31/2013	984	4040
MW061	5/13/2011	287	1,710
	11/8/2011	312	1,960
	5/25/2012	330	1,600
	11/2/2012	823	3,800
	5/15/2013	554	2550
	11/1/2013	267	1710
MW068 DUP	5/13/2011	114	732
	5/13/2011	113	704
	11/7/2011	119	526
	5/25/2012	114	880
	10/31/2012	121	784
	5/15/2013	120	820
	11/6/2013	111	899
MW069	5/16/2011	1,070	2,390
	5/24/2012	986	3,960
	5/14/2013	877	2190
MW070 DUP	5/13/2011	216	862
	11/9/2011	199	680
	5/23/2012	212	939
	11/6/2012	201	790
	5/14/2013	192	821
	10/30/2013	167	829
	10/30/2013	167	805

TABLE 7
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
SHALLOW WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW094 DUP	11/17/2011	130	6,620
	5/25/2012	147	1,170
	10/31/2012	161	1,350
	5/15/2013	297	2400
	5/15/2013	299	2280
	11/1/2013	226	2030
MW095 DUP	11/17/2011	1,070	1,110
	5/25/2012	1,290	4,590
	5/25/2012	1,300	4,540
	10/31/2012	1,360	4,330
	5/15/2013	1510	4630
	11/6/2013	1150	3940
MW088M	5/11/2011	743	7,220
	5/22/2012	918	8,290
	5/21/2013	809	7040
IW001	5/17/2011	1,030	4,440
	5/25/2012	950	5,330
	5/21/2013	963	5700
IW002	5/17/2011	513	3,710
	11/9/2011	523	3,940
	5/25/2012	547	4,430
	5/22/2013	534	3880
RW002	5/17/2011	1,070	3,820
	5/22/2012	1,060	4,420
	5/20/2013	994	3320
RW003	5/17/2011	534	2,460
	5/21/2012	584	2,550
	5/22/2013	550	2270

Notes:

1. Chloride analysed by EPA Methods 300.0E.
2. Total Dissolved Solids (TDS) analysed by SM 2540C.
3. New Mexico Water Quality Control Commission (NMWQCC) Standards 20.6.2.3103.B.
4. mg/L (ppm) - milligrams per liter (parts per million).
5. Bold indicates that a COC was detected.
6. Shading indicates that a detected result exceeded the NMWQCC Standard.

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
<i>Deep Monitor Wells</i>			
MW002A	5/25/2011	310	1,020
	5/24/2012	337	1,260
	5/21/2013	346	1180
MW004A	5/24/2011	246	1,170
	5/22/2012	620	2,520
	5/15/2013	326	1300
MW007A	5/24/2011	313	1,700
	5/22/2012	357 J	1,870
	5/16/2013	344	1600
MW008A	5/26/2011	820 J	5,740
	5/25/2012	912	5,880
	5/16/2013	793	4850
MW009A DUP	5/25/2011	268	1,650
	5/25/2011	295	1,610
	5/22/2012	536 J	2,040
	5/15/2013	524	2080
MW011A DUP	5/25/2011	1,440	4,850
	5/25/2011	1,610 J	4,990
	5/22/2012	1350	4,720
	5/20/2013	1250	4540
MW012A	5/25/2011	94	468
	5/22/2012	97.4	576
	5/21/2013	88.5	503
MW013A DUP	5/19/2011	70	458
	11/9/2011	69	466
	5/17/2012	76.0 J	575
	10/29/2012	68.6	554
	5/17/2013	67.6	460
	11/4/2013	59.6	512
	11/4/2013	63.2	511
MW014A	5/18/2011	18.9 J	200
	11/9/2011	18	134
	5/18/2012	56.2	518
	10/29/2012	50.4	624
	5/16/2013	46.0	440
	11/5/2013	30.6	313

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW015A DUP	5/18/2011	880 J	1,880
	11/9/2011	753	1,390
	5/17/2012	2730 J	6170
	10/29/2012	2190	5,050
	5/16/2013	1410	3400
	11/5/2013	205 J	1230 J
	11/5/2013	1700 J	4020 J
MW016A	5/17/2011	244	756
	11/9/2011	342	1,110
	5/17/2012	256 J	889
	10/26/2012	542	1,190
	5/16/2013	250	909
	11/5/2013	541	1790
MW017A		Plugged and Abandoned	
MW018A	5/24/2011	15	172
	11/9/2011	209	1,980
	5/21/2012	219	1180
	10/26/2012	222	997
	5/13/2013	22.9	219
MW019A	5/17/2011	302	1,030
	11/9/2011	263	704
	5/21/2012	354	1,190
	10/26/2012	335	1,170
	5/13/2013	266	1070
	11/5/2013	295	1240
MW020A	5/16/2011	1,180	2,630
	11/9/2011	367	1,310
	5/17/2012	402 J	1,180
	10/26/2012	1040	2,470
	5/13/2013	958	2320
	11/4/2013	960	3090
MW021A DUP	5/23/2011	2,540	6,520
	11/17/2011	2,380	6,500 J
	11/17/2011	2,500	3,700 J
	5/17/2012	3000 J	7,000
	11/8/2012	74.8	1,040
	11/1/2013	2760	6560

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW022A DUP	5/25/2011	57	432
	5/25/2011	60	414
	11/17/2011	56	446
	5/23/2012	62.9	428
	11/9/2012	62.9	376
	5/21/2013	59.6	412
MW023A DUP	5/18/2011	49.7 J	486
	11/10/2011	23	466
	5/24/2012	46.7	595
	10/30/2012	46.9	525
	5/20/2013	45.1	473
	5/20/2013	46.5	494
	10/31/2013	45.7	1980
MW024A	5/18/2011	281 J	792
	11/10/2011	283	598
	5/18/2012	669	2,190
	10/30/2012	661	1,520
	5/13/2013	483	1270
	10/30/2013	278	956
MW039A DUP	5/26/2011	169 J	832
	5/25/2012	202	952
	5/25/2012	194	976
	5/21/2013	186	1030
MW040A	5/19/2011	47	442
	11/9/2011	49	496
	5/17/2012	57.6 J	586
	10/29/2012	50.3	510
	5/17/2013	50.3	448
	11/4/2013	48.2	488
MW041A	5/24/2011	274	1,440
	5/8/2012	357	1,580

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW042A DUP	5/25/2011	433	1,030
	5/25/2011	454 J	1,120
	5/25/2012	479	1,070
	5/22/2013	427	1270
MW046A DUP	5/25/2011	291	1,290
	5/25/2011	267	1,350
	5/23/2012	337	1,420
	5/22/2013	323	1460
MW048SA DUP	5/24/2011	478	1,860
	11/16/2011	490	2,270
	5/16/2012	616 J	2,250
	11/8/2012	610	2,070
	11/8/2012	624	1,980
	5/8/2013	613	2370
	11/4/2013	545	2390
MW049SA	5/23/2011	1,530	3,460
	5/17/2012	1800 J	4,480
	5/8/2013	1410	3620
MW050SA	5/23/2011	1,020	3,210
	5/17/2012	1030 J	2,950
	5/8/2013	1300	3640
MW051SA DUP	5/23/2011	1,100	3,880
	5/16/2012	1260 J	3,970
	5/16/2012	1250	4,180
	5/8/2013	1060	3540
	5/8/2013	966	3530
MW052SA	5/23/2011	1,090	3,320
	5/16/2012	1300 J	4,600
	5/8/2013	1410	3650
MW053SA	5/24/2011	225	1,070
	11/16/2011	242	1,040
	5/16/2012	269 J	1,210
	11/9/2012	314	1,090
	5/8/2013	308	1240
	11/4/2013	314	1320
MW054SA DUP	5/24/2011	715	1,710
	11/16/2011	692	2,500
	5/16/2012	803 J	2,340
	11/7/2012	814	2,400
	11/7/2012	816	1,860
	5/8/2013	752	2360
	11/4/2013	726	2540

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW055SA	5/24/2011	475	1,700
	11/16/2011	533	2,370
	5/16/2012	614 J	2,200
	5/16/2012	611 J	2,220
	11/7/2012	620	1,690
	11/7/2012	613	1,930
	5/7/2013	595	2100
	10/31/2013	565	1920
MW056SA DUP DUP	5/17/2011	1,730	3,750
	11/17/2011	1,230	3,580
	5/16/2012	1,390 J	4,060
	5/16/2012	1,430 J	4,000
	11/8/2012	1,380	3,770
	5/8/2013	1300	3570
	11/4/2013	1140	3660
	11/4/2013	1150	3620
MW057SA	5/17/2011	331	1,470
	11/10/2011	230	1,160
	5/17/2012	181 J	1,110
	10/31/2012	218	1,180
	5/8/2013	260	1330
MW062A DUP	5/19/2011	69	446
	11/10/2011	65	930 J
	11/10/2011	60	550 J
	5/23/2012	59.2	569
	10/31/2012	64.9	516
	5/14/2013	60.4	502
	10/30/2013	56.2	478
MW063A	5/19/2011	56	438
	11/10/2011	56.1	384
	5/18/2012	58.0	430
	10/31/2012	53.4	459
	5/13/2013	52.6	456
	10/30/2013	49.5	469
MW064SA	5/10/2011	577	2,240
	11/10/2011	643	2,310
	5/11/2012	689 J	2,600
	10/30/2012	737	3,020
	5/6/2013	730	2610
MW065SA Dup Dup	5/19/2011	1,250	2,590
	11/14/2011	865	3,210
	5/9/2012	1,060	3,720
	5/9/2012	1,050	3,680
	11/1/2012	1,090	3,180
	11/1/2012	1,070	3,320
	5/7/2013	1020	2750
	10/31/2013	1020	3670

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW066SA DUP	5/18/2011	1,270 J	3,020
	11/14/2011	910	3,360
	5/15/2012	1,150 J	3,630
	11/2/2012	1,190	3,150
	5/7/2013	1300	3230
	5/7/2013	1290	3470
	10/31/2013	1290	3580
MW067SA	5/19/2011	167	978
	11/15/2011	152	852
	5/16/2012	178 J	1,000
	11/2/2012	179	993
	5/8/2013	164	988
	11/1/2013	157	981
MW070A	5/18/2011	47.9 J	498
	5/23/2012	45.3	480
	5/14/2013	46.8	541
MW071SA	5/18/2011	124 J	674
	11/14/2011	94	594
	5/8/2012	109	749
	11/1/2012	111	732
	5/7/2013	119	718
	10/30/2013	103	738
MW072SA	5/24/2011	172	714
	11/14/2011	247	890
	5/15/2012	332 J	1,130
	11/2/2012	375	1,290
	5/8/2013	302	1380
	10/31/2013	320	1450
MW073SA	5/19/2011	285	1,100
	11/14/2011	226	1,080
	5/15/2012	245 J	1,150
	11/2/2012	234	1,020
	5/8/2013	225	1070

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW074SA	5/18/2011	660 J	2,180
	11/10/2011	555	3,530
	5/16/2012	596 J	2,210
	10/31/2012	584	1,790
	5/7/2013	542	2100
	10/31/2013	500	2070
MW075SA	5/10/2011	447	1,830
	11/11/2011	529	2,090
	5/9/2012	531	2,370
	10/30/2012	535	2,260
	5/6/2013	529	2120
	10/30/2013	405	2120
MW076SA	5/10/2011	465	1,760
	11/11/2011	457	2,050
	5/9/2012	432	2,220
	10/30/2012	426	1,970
	5/7/2013	394	1930
	10/30/2013	358	2100
MW077SA	5/10/2011	541	2,060
	11/11/2011	632	2,290
	5/9/2012	536	1,740
	11/1/2012	718	1,930
	5/6/2013	416	1380
MW078SA	5/19/2011	185	742
	11/15/2011	147	600
	5/16/2012	184 J	845
	11/2/2012	165	826
	5/8/2013	161	839
	11/4/2013	132	793
MW079SA	5/23/2011	266	1,230
	11/15/2011	240	1,170
	5/9/2012	327	1,310
	11/7/2012	348	1,320
	11/1/2013	338	1360
MW080SA	5/19/2011	286	1,070
	11/15/2011	227	1,040
	5/9/2012	291	1,110
	11/7/2012	295	1,100

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW081SA	5/19/2011	569	1,560
	11/15/2011	361	1,370
	5/9/2012	457	1,920
	11/7/2012	565	1,490
	5/8/2013	567	2000
MW082SA	5/10/2011	641	2,440
	11/10/2011	738	3,090
	5/11/2012	758 J	2,690
	10/30/2012	880	2,930
	5/6/2013	1370	3940
MW083SA	5/9/2011	762	2,880
	11/10/2011	1,050	3,080
	5/11/2012	1160 J	3,460
	10/31/2012	1160	3,450
	5/6/2013	1550	3700
	10/31/2013	729	2870
MW084SA	5/10/2011	946	2,860
	11/10/2011	1,170	3,500
	5/11/2012	1180 J	3,540
	10/30/2012	1190	3,350
	5/6/2013	1010	3150
	10/30/2013	1060	3030
MW085SA	5/9/2011	877	2,860
	11/10/2011	634	3,220
	5/11/2012	646 J	2,400
	10/31/2012	713	2,760
	5/6/2013	594	2560
	10/31/2013	661	2770
MW086SA	5/19/2011	822	1,610
	11/14/2011	421	1,070
	5/8/2012	679	2,010
	11/1/2012	831	2,130
	5/7/2013	851	1970
	10/30/2013	656	2190
MW087A	5/26/2011	1,170 J	3,160
	5/25/2012	1,170	3,860
	5/16/2013	1120	2450
MW089SA	5/24/2011	781	3,470
	5/22/2012	119	1,060
	5/22/2012	122	1,010
	5/15/2013	102	831

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
MW090SA DUP	5/25/2011	378	1,830
	5/25/2011	369	1,770
	5/23/2012	297	1,450
MW091SA	5/24/2011	105	850
	5/8/2012	187	1,200
MW092SA	5/23/2011	187	1,330
	5/11/2012	184 J	1,160
	5/14/2013	166	1150
MW093SA DUP	5/23/2011	186	1,180
	5/11/2012	244 J	1,050
	5/10/2013	656	2800
	5/10/2013	696	2900
IW003	5/20/2011	987	3,560
	5/11/2012	995 J	4,020
IW004	5/20/2011	1,360	3,600
	5/11/2012	1190 J	4,390
IW005	5/20/2011	1,020	3,820
	5/11/2012	990 J	3,920
	5/7/2013	860	2990
IW006	5/20/2011	866	3,020
	5/11/2012	835 J	3,530
	5/7/2013	798	2920
IW007	5/19/2011	953	3,830
	5/15/2012	884 J	4,200
	5/7/2013	861	4050
IW008	5/20/2011	566	2,380
	5/15/2012	566 J	2,430
	5/7/2013	529	2340
IW009	5/20/2011	878	14,300
IW010	5/20/2011	1,080	3,150
	5/15/2012	1090 J	3,960
	5/7/2013	1040	3350
IW011	5/20/2011	972	2,960
	5/15/2012	986 J	3,380
	5/7/2013	1000	3390
IW012	5/20/2011	971	3,760
IW013	5/20/2011	1,020	3,140
	5/15/2012	1,060 J	3,780
	5/13/2013	1030	3120

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard ² mg/L		250	1,000
IW014 Dup	5/20/2011	1,210	3,640
	5/15/2012	1,150 J	3,640
	5/15/2012	1,140 J	3,520
	5/6/2013	1080	3190
IW015	5/20/2011	1,030	3,090
	5/11/2012	1,000 J	3,280
IW016	5/20/2011	455	1,920
	5/9/2012	406	1,490
IW018	5/23/2011	60	804
	5/11/2012	66.7 J	792
	5/10/2013	932	3520
IW019	5/23/2011	54	482
	5/11/2012	69.0 J	684
	5/10/2013	386	1390
IW020	5/23/2011	95	848
	5/17/2012	98.8 J	783
	5/10/2013	408	2000
IW021	5/23/2011	194	1,450
	5/17/2012	206 J	1,210
	5/13/2013	266	1550
IW022	5/24/2011	124	1,120
	5/17/2012	216 J	1,170
	5/13/2013	375	1500
IW023	5/24/2011	530	2,230
	5/18/2012	536	1,950
	5/13/2013	537	1680
IW024	5/24/2011	538	2,580
	5/24/2012	608	3,050
	5/14/2013	443	2230
IW025	5/24/2011	Not Sampled - Well Silted In	
	5/24/2012	501	2,930
	5/14/2013	531	2490
IW026	5/24/2011	Not Sampled - Well Silted In	
	5/23/2012	513	1,650
	5/14/2013	484	1730

TABLE 8
SUMMARY OF GROUNDWATER ANALYTICAL DATA - CHLORIDE AND TDS
DEEP WELLS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
EUNICE NORTH GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Collection Date	Chloride (mg/L)	Total dissolved solids (TDS) (mg/L)
NMWQCC Standard²		250	1,000
IW027	5/24/2011	274	1,910
	5/23/2012	344	2,280
	5/14/2013	98.3	1030
IW028 Dup	5/23/2011	294	1,860
	5/22/2012	200	1,660
	5/22/2012	202	1,340
	5/15/2013	140	1300
RW004A DUP	5/25/2011	685	15,700
	5/25/2011	757	16,100
	5/25/2012	480	3,900
	5/20/2013	462	3780
Water Wells			
EPWW1	5/18/2011	61.1 J	344
	5/21/2012	805	3,080
GOPWW2	5/25/2011	1,490	2,560
	11/17/2011	1,310	2,970
	5/8/2012	1,470	1,920
	11/1/2012	1,420	2,930
	5/23/2013	1350	3,070
LordWW	5/26/2011	1,550 J	3,550
	11/10/2011	1,580	4,380
	5/18/2012	1,670	4,670
	10/26/2012	1,540	3,270
	5/23/2013	1430	3,330
	11/5/2013	1320	2,600
RolandWW DUP	5/25/2011	344	858
	5/25/2011	432 J	802
WoodellWW DUP	5/25/2011	521	1,880
	5/25/2011	512	1,740
	5/16/2012	579 J	2,500
	10/31/2012	582	1,940
	5/22/2013	634	2,240
	10/31/2013	775	2,820

Notes:

1. Chloride analysed by EPA Methods 300.0E.
2. Total Dissolved Solids (TDS) analysed by SM 2540C.
3. New Mexico Water Quality Control Commission (NMWQCC) Standards 20.6.2.3103.B.
4. mg/L (ppm) - milligrams per liter (parts per million).
5. Bold indicates that a COC was detected.
6. Shading indicates that a detected result exceeded the NMWQCC Standard.

		<i>Arsenic (dissolved)</i> mg/L 0.1	<i>Benzene</i> mg/L 0.01	<i>Chloride</i> mg/L 250.0	<i>Chromium Total (dissolved)</i> mg/L 0.05	<i>Chromium VI (hexavalent)</i> mg/L 0.05	<i>Ethylbenzene</i> mg/L 0.75
MW002	5/16/2011	0.0138 J	<0.0010 J	1330	0.0627	0.0589	<0.0010 J
MW004	5/16/2011	<0.0100	<0.0010	761	0.244	0.268	<0.0010
MW005	5/17/2011	<0.0100	0.141	321	<0.0500	0.0143	0.0116
MW006	5/17/2011	<0.0100	2.25	1520	<0.0500	0.0297	0.142
MW008	5/11/2011	<0.0100	<0.0010	1020 J	<0.0500	<0.0100 J	<0.0010
MW008	5/11/2011 Dup	0.0105	<0.0010	1840 J	<0.0500	<0.0100 J	<0.0010
MW008M	5/11/2011	0.0213	0.00130	1380	<0.0500	<0.0100 J	<0.0010
MW009	5/11/2011	<0.0100	<0.0010	148	<0.0500	<0.0100 J	<0.0010
MW010	5/11/2011	0.0149	<0.0010	2880	<0.0500	<0.0100 J	<0.0010
MW010	5/11/2011	<0.0100	<0.0010	181	<0.0500	<0.0100 J	0.00378
MW011	5/16/2011	<0.0100	<0.0010 J	1210	<0.0500	<0.0100	<0.0010 J
MW011M	5/11/2011	<0.0100	<0.0010	1450	<0.0500	<0.0100 J	<0.0010
MW011M	5/11/2011 Dup	<0.0100	<0.0010	1500	<0.0500	<0.0100 J	<0.0010
MW012	5/13/2011	<0.0100	<0.0010 J	747	<0.0500	<0.0100	<0.0010 J
MW012M	5/13/2011	0.0690	<0.0010	693	<0.0500	<0.0100	<0.0010
MW013	5/12/2011	<0.0100	<0.0010	522	0.808	1.00	<0.0010
MW014	5/11/2011	0.0210	<0.0010	1420	<0.0500	<0.0100 J	<0.0010
MW015	5/11/2011	0.0150	<0.0010	1480	<0.0500	<0.0100 J	<0.0010
MW018	5/11/2011	0.0112	<0.0010	180	<0.0500	<0.0100 J	<0.0010
MW020	5/11/2011	<0.0100	<0.0010	963	<0.0500	<0.0100 J	<0.0010
MW021	5/12/2011	0.0106	<0.0010	64.0	<0.0500	<0.0100 J	<0.0010
MW023	5/16/2011	<0.0100	<0.0010	956	0.978	1.02	<0.0010
MW024	5/12/2011	0.0129	<0.0010	435	<0.0500	0.0380	<0.0010
MW025	5/11/2011	<0.0100	<0.0010	153	<0.0500	<0.0100 J	<0.0010
MW026	5/12/2011	0.0180	<0.0010	458	<0.0500	<0.0100 J	<0.0010
MW027	5/12/2011	<0.0100	<0.0010	413	<0.0500	<0.0100 J	<0.0010
MW028	5/12/2011	0.0192	<0.0010	399	<0.0500	<0.0100 J	<0.0010
MW029	5/11/2011	0.0166	<0.0010	98.2	<0.0500	<0.0100 J	<0.0010
MW030	5/11/2011	0.0107	<0.0010	398	0.0726	0.0763	<0.0010
MW030	5/12/2011	0.0161	<0.0010	164	<0.0500	<0.0100 J	<0.0010
MW031	5/12/2011	0.0197	<0.0010	74.8	<0.0500	<0.0100 J	<0.0010
MW032	5/12/2011	<0.0100	<0.0010 J	185	<0.0500	0.0120	<0.0010 J
MW033	5/12/2011	<0.0100	0.112	547	<0.0500	0.0483	0.123
MW034	5/12/2011	<0.0100	<0.0010	322	0.0737	0.0800	<0.0010
MW035	5/11/2011	<0.0100	<0.0010	16.8	<0.0500	<0.0100 J	<0.0010
MW036	5/16/2011	0.0129 J	0.0849 J	77.9	<0.0500	<0.0100	0.00543 J
MW037	5/17/2011	0.0287 J	2.46	1080	<0.0500	<0.0100	0.203 J
MW037	5/17/2011 Dup	0.0345	2.14 J	1000	<0.0500	<0.0100	0.224 J
MW038	5/11/2011	<0.0100	0.00494	108	<0.0500	<0.0100 J	<0.0010
MW043	5/12/2011	<0.0100	<0.0010	95.3	<0.0500	<0.0100 J	<0.0010
MW044	5/12/2011	<0.0100	<0.0010	41.7	<0.0500	<0.0100 J	<0.0010
MW045	5/16/2011	<0.0100	<0.0010	158	<0.0500	<0.0100	<0.0010
MW046	5/16/2011	0.0253 J	0.0305	484	<0.0500	<0.0100	0.0569
MW047	5/16/2011	<0.0100	<0.0010	633	0.136	0.149	<0.0010
MW058	5/13/2011	<0.0100	<0.0010	857	2.26	2.83	<0.0010
MW059	5/16/2011	0.0107 J	<0.0010	114	<0.0500	<0.0100	<0.0010
MW060	5/16/2011	0.0115 J	<0.0010	1510	<0.0500	<0.0100	<0.0010
MW061	5/13/2011	<0.0100	<0.0010 J	287	0.236	0.285	<0.0010 J
MW068	5/13/2011	<0.0100	<0.0010	114	<0.0500	<0.0100	<0.0010
MW068	5/13/2011 Dup	<0.0100	<0.0010	113	<0.0500	<0.0100	<0.0010

		<i>Arsenic (dissolved)</i> <i>mg/L</i> <i>0.1</i>	<i>Benzene</i> <i>mg/L</i> <i>0.01</i>	<i>Chloride</i> <i>mg/L</i> <i>250.0</i>	<i>Chromium Total (dissolved)</i> <i>mg/L</i> <i>0.05</i>	<i>Chromium VI (hexavalent)</i> <i>mg/L</i> <i>0.05</i>	<i>Ethylbenzene</i> <i>mg/L</i> <i>0.75</i>
MW069	5/16/2011	<0.0100	<0.0010	1070	<0.0500	<0.0100	<0.0010
MW070	5/13/2011	0.0164	<0.0010	216	<0.0500	<0.0100	<0.0010
MW070	5/16/2011	0.0122 J	<0.0010 J	90.4	<0.0500	0.0181	<0.0010 J
MW088M	5/11/2011	0.105	0.00113 J	743	0.0808	0.610	0.00205 J
IW001	5/17/2011	0.0438	<0.0010	1030	<0.0500	0.398	<0.0010
IW002	5/17/2011	<0.0100	<0.0010	513	<0.0500	0.474	<0.0010
RW002	5/17/2011	0.0344	<0.0010	1070	<0.0500	<0.0100	<0.0010
RW003	5/17/2011	<0.0100	<0.0010	534	<0.0500	<0.0100	<0.0010
MW002A	5/25/2011	0.0141 J	<0.0010	310	<0.0500	0.0253	<0.0010
MW004A	5/24/2011	0.0153	<0.0010	246	0.126	0.145	<0.0010
MW007A	5/24/2011	0.0211 J	<0.0010	313	0.299	0.315	<0.0010
MW008A	5/26/2011	0.0937 J	0.00154	820 J	0.0938	<0.100	<0.0010
MW009A	5/25/2011	0.0116 J	<0.0010	268	0.0665	0.0280	<0.0010
MW009A	5/25/2011 Dup	0.0156 J	<0.0010	295	<0.0500	0.0187	<0.0010
MW011A	5/25/2011	<0.0100	<0.0010	1440	3.22	3.27	<0.0010
MW011A	5/25/2011 Dup	<0.0100	<0.0010	1610 J	3.20	3.10	<0.0010
MW012A	5/25/2011	0.0250 J	-	94.0	<0.0500	<0.0100	-
MW012A	5/26/2011	-	<0.0010	-	-	-	<0.0010
MW013A	5/19/2011	0.0105	<0.0010	70.0	<0.0500	0.0105	<0.0010
MW014A	5/18/2011	<0.0100	<0.0010	18.9 J	<0.0500	<0.0100	<0.0010
MW015A	5/18/2011	<0.0100	<0.0010	880 J	<0.0500	<0.100	<0.0010
MW016A	5/17/2011	<0.0100	<0.0010	244	<0.0500	<0.0100	<0.0010
MW018A	5/24/2011	<0.0100	<0.0010	14.7	<0.0500	<0.0100	<0.0010
MW019A	5/17/2011	0.0101	<0.0010	302	<0.0500	<0.0100	<0.0010
MW020A	5/16/2011	0.0406 J	<0.0010 J	1180	<0.0500	<0.0100	<0.0010 J
MW021A	5/23/2011	0.0226	<0.0010	2540	<0.0500	<0.0100	<0.0010
MW022A	5/25/2011	0.0111 J	<0.0010	57.4	<0.0500	0.0351	<0.0010
MW022A	5/25/2011 Dup	0.0109 J	<0.0010	60.1	<0.0500	0.0342	<0.0010
MW023A	5/18/2011	0.0140	<0.0010	49.7 J	<0.0500	<0.0100	<0.0010
MW024A	5/18/2011	<0.0100	<0.0010	281 J	<0.0500	0.0481	<0.0010
MW039A	5/26/2011	0.0220 J	<0.0010	169 J	0.0986	0.0930	<0.0010
MW040A	5/19/2011	<0.0100	<0.0010	46.7	<0.0500	<0.0100	<0.0010
MW041A	5/24/2011	0.0163 J	<0.0010	274	0.239	0.206	<0.0010
MW042A	5/25/2011	0.0125 J	<0.0010	433	<0.0500	0.0343	<0.0010
MW042A	5/25/2011 Dup	0.0114 J	<0.0010	454 J	<0.0500	0.0345	<0.0010
MW046A	5/25/2011	0.0113 J	<0.0010	291	0.0597	0.0611	<0.0010
MW046A	5/25/2011 Dup	<0.0100	<0.0010	267	0.0620	0.0606	<0.0010
MW048SA	5/24/2011	0.0422 J	<0.0010	478	0.420	0.393	<0.0010
MW049SA	5/23/2011	0.0140	<0.0010	1530	0.109	0.120	<0.0010
MW050SA	5/23/2011	0.0134	<0.0010	1020	<0.0500	<0.0100	<0.0010
MW051SA	5/23/2011	0.0115	<0.0010	1100	0.704	0.808	<0.0010
MW052SA	5/23/2011	0.0179	<0.0010	1090	0.264	0.279	<0.0010
MW053SA	5/24/2011	0.0234 J	<0.0010	225	<0.0500	<0.0100	<0.0010
MW053SA	5/24/2011	0.0115	<0.0010	715	0.125	0.135	<0.0010
MW055SA	5/24/2011	0.0128	<0.0010	475	0.164	0.183	<0.0010
MW056SA	5/17/2011	<0.0100	0.00106	1730	0.335	0.401	<0.0010
MW057SA	5/17/2011	0.0112 J	<0.0010	331	<0.0500	0.0287	<0.0010
MW062A	5/19/2011	0.0192	<0.0010	69.1	<0.0500	<0.0100	<0.0010
MW063A	5/19/2011	0.0121	<0.0010	56.0	<0.0500	<0.0100	<0.0010
MW064SA	5/10/2011	0.0227 J	<0.0010	577	0.108	0.114	<0.0010

		<i>Arsenic (dissolved)</i> mg/L 0.1	<i>Benzene</i> mg/L 0.01	<i>Chloride</i> mg/L 250.0	<i>Chromium Total (dissolved)</i> mg/L 0.05	<i>Chromium VI (hexavalent)</i> mg/L 0.05	<i>Ethylbenzene</i> mg/L 0.75
MW065SA	5/19/2011	<0.0100	<0.0010	1250	0.0604	0.0706	<0.0010
MW066SA	5/18/2011	<0.0100	<0.0010	1270 J	<0.0500	<0.0100	<0.0010
MW067SA	5/19/2011	0.0386 J	<0.0010	167	<0.0500	<0.0100	<0.0010
MW070A	5/18/2011	0.0103	<0.0010	47.9 J	<0.0500	<0.0100	<0.0010
MW071SA	5/18/2011	<0.0100	<0.0010	124 J	<0.0500	<0.0100	<0.0010
MW072SA	5/18/2011	-	<0.0010	-	-	-	<0.0010
MW072SA	5/24/2011	0.0155 J	-	172	<0.0500	<0.0100	-
MW073SA	5/19/2011	0.0119 J	<0.0010	285	<0.0500	<0.0100	<0.0010
MW074SA	5/18/2011	<0.0100	<0.0010	660 J	<0.0500	<0.0100	<0.0010
MW075SA	5/10/2011	0.0141 J	<0.0010	447	<0.0500	<0.0100	<0.0010
MW076SA	5/10/2011	0.0162 J	<0.0010	465	<0.0500	<0.0100	<0.0010
MW077SA	5/10/2011	0.0208 J	<0.0010	541	<0.0500	<0.0100 J	<0.0010
MW078SA	5/19/2011	0.0112 J	<0.0010	185	<0.0500	<0.0100	<0.0010
MW079SA	5/23/2011	<0.0100	<0.0010	266	<0.0500	0.0142	<0.0010
MW080SA	5/19/2011	<0.0100	<0.0010 J	286	<0.0500	<0.0100	<0.0010 J
MW081SA	5/19/2011	<0.0100	<0.0010	569	<0.0500	<0.0100	<0.0010
MW082SA	5/10/2011	0.0192 J	<0.0010	641	<0.0500	<0.0100	<0.0010
MW083SA	5/9/2011	0.0399 J	<0.0010	762	<0.0500	<0.0100 J	<0.0010
MW084SA	5/10/2011	0.0110 J	<0.0010	946	<0.0500	0.0431	<0.0010
MW085SA	5/9/2011	0.0154 J	<0.0010	877	<0.0500	<0.0100 J	<0.0010
MW086SA	5/19/2011	<0.0100	<0.0010	822	<0.0500	<0.0100	<0.0010
MW087A	5/26/2011	0.0219 J	<0.0010	1170 J	0.112	<0.0100	<0.0010
MW089SA	5/24/2011	0.0172 J	<0.0010	781	1.07	1.09	<0.0010
MW090SA	5/25/2011	0.0129 J	<0.0010	378	<0.0500	0.0199	<0.0010
MW090SA	5/25/2011 Dup	0.0138 J	<0.0010	369	<0.0500	0.0208	<0.0010
MW091SA	5/24/2011	<0.0100	<0.0010	105	<0.0500	0.0217	<0.0010
MW092SA	5/23/2011	0.0152	<0.0010	187	<0.0500	<0.0100	<0.0010
MW093SA	5/23/2011	<0.0100	<0.0010	186	<0.0500	<0.0100	<0.0010
IW003	5/20/2011	0.0502 J	<0.0010	987	<0.0500	<0.100	<0.0010
IW004	5/20/2011	<0.0100	<0.0010 J	1360	<0.0500	<0.100	<0.0010 J
IW005	5/20/2011	0.0605 J	<0.0010 J	1020	<0.0500	<0.100	<0.0010 J
IW006	5/20/2011	0.0371 J	<0.0010	866	<0.0500	<0.100	<0.0010
IW007	5/19/2011	0.178 J	<0.0010 J	953	<0.0500	0.366	<0.0010 J
IW008	5/20/2011	0.0367 J	<0.0010 J	566	<0.0500	<0.100	<0.0010 J
IW009	5/20/2011	0.0517 J	<0.0100 J	878	<0.0500	0.123	<0.0100 J
IW010	5/20/2011	<0.0100	<0.0010	1080	<0.0500	<0.100	<0.0010
IW011	5/20/2011	0.0788 J	<0.0010	972	<0.0500	<0.100	<0.0010
IW012	5/20/2011	0.128 J	<0.0010	971	<0.0500	0.491	<0.0010
IW013	5/20/2011	<0.0100	<0.0010	1020	<0.0500	<0.100	<0.0010
IW014	5/20/2011	0.109 J	<0.0010	1210	<0.0500	0.453	<0.0010
IW015	5/20/2011	0.0546 J	<0.0010	1030	<0.0500	<0.100	<0.0010
IW016	5/20/2011	0.0331 J	<0.0010	455	<0.0500	<0.100	<0.0010
IW018	5/23/2011	0.0107	<0.0010	60.4	<0.0500	<0.0100	<0.0010
IW019	5/23/2011	0.0178	<0.0010	53.9	<0.0500	<0.0100	<0.0010
IW020	5/23/2011	0.0121	<0.0010	94.5	<0.0500	<0.0100	<0.0010
IW021	5/23/2011	0.0102	<0.0010	194	<0.0500	<0.0100	<0.0010
IW022	5/24/2011	0.0109	<0.0010	124	<0.0500	0.0244	<0.0010
IW023	5/24/2011	<0.0100	<0.0010	530	<0.0500	0.0199	<0.0010
IW024	5/24/2011	<0.0100	<0.0010	538	0.169	0.185	<0.0010
IW027	5/24/2011	0.0122	<0.0010	274	<0.0500	0.0153	<0.0010

		<i>Arsenic (dissolved)</i> <i>mg/L</i> <i>0.1</i>	<i>Benzene</i> <i>mg/L</i> <i>0.01</i>	<i>Chloride</i> <i>mg/L</i> <i>250.0</i>	<i>Chromium Total (dissolved)</i> <i>mg/L</i> <i>0.05</i>	<i>Chromium VI (hexavalent)</i> <i>mg/L</i> <i>0.05</i>	<i>Ethylbenzene</i> <i>mg/L</i> <i>0.75</i>
IW028	5/23/2011	0.0127	<0.0010	294	<0.0500	0.0520	<0.0010
RW004A	5/25/2011	0.0265 J	<0.00500 J	685	<0.0500	<0.100	<0.00500 J
RW004A	5/25/2011 Dup	0.0228 J	<0.00500 J	757	0.0715	<0.100	<0.00500 J
EPWW1	5/18/2011	<0.0100	<0.0010	61.1 J	<0.0500	<0.100	<0.0010
GOPWW2	5/25/2011	0.0203 J	<0.0010	1490	<0.0500	<0.0100	<0.0010
LordWW	5/26/2011	<0.0100	<0.0010	1550 J	<0.0500	<0.0100	<0.0010
LordWW	5/25/2011	<0.0100	<0.0010	344	<0.0500	<0.0100	<0.0010
	5/25/2011 Dup	<0.0100	<0.0010	432 J	0.0564	<0.0100	<0.0010
	5/25/2011	0.0144 J	<0.0010	521	<0.0500	0.0176	<0.0010
	5/25/2011 Dup	<0.0100	<0.0010	512	<0.0500	0.0176	<0.0010

		<i>Iron (dissolved)</i> mg/L 1.0	<i>m&p-Xylenes</i> mg/L	<i>Manganese (dissolved)</i> mg/L 0.2	<i>o-Xylene</i> mg/L	<i>Toluene</i> mg/L 0.75	<i>Total dissolved solids (TDS)</i> mg/L 1000.0
MW002	5/16/2011	<0.100	<0.0020 J	<0.0500	<0.0010 J	<0.0020 J	4200
MW004	5/16/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3220
MW005	5/17/2011	0.211	<0.0020	0.123	0.00452	<0.0020	1170
MW006	5/17/2011	0.310 J	<0.0400	<0.0500	<0.0200	<0.0400	2740
MW008	5/11/2011	1.22	<0.0020	1.11	<0.0010	<0.0020	3600
MW008	5/11/2011 Dup	1.03	<0.0020	1.11	<0.0010	<0.0020	3840
MW008M	5/11/2011	1.16	<0.0020	0.565	<0.0010	<0.0020	4360
MW009	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1260
MW010	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	5170
MW010	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	4370
MW011	5/16/2011	0.957	<0.0020 J	0.778	<0.0010 J	<0.0020 J	3900
MW011M	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3590
MW011M	5/11/2011 Dup	0.105	<0.0020	<0.0500	<0.0010	<0.0020	3800
MW012	5/13/2011	1.24	<0.0020 J	9.27	<0.0010 J	<0.0020 J	2320
MW012M	5/13/2011	6.51	<0.0020	0.0580	<0.0010	<0.0020	5560
MW013	5/12/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2680
MW014	5/11/2011	<0.100	<0.0020	0.308	<0.0010	<0.0020	3260
MW015	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3000
MW018	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1400
MW020	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2510
MW021	5/12/2011	<0.100	<0.0020	0.754	<0.0010	<0.0020	858
MW023	5/16/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3280
MW024	5/12/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1600
MW025	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1180
MW026	5/12/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2560
MW027	5/12/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1390
MW028	5/12/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1510
MW029	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	630
MW030	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2300
MW030	5/12/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	748
MW031	5/12/2011	<0.100	<0.0020	0.405	<0.0010	<0.0020	702
MW032	5/12/2011	<0.100	<0.0020 J	<0.0500	<0.0010 J	<0.0020 J	988
MW033	5/12/2011	<0.100	<0.0020	1.06	<0.0010	<0.0020	1430
MW034	5/12/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1330
MW035	5/11/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	516
MW036	5/16/2011	0.710	0.534 J	0.396	0.00484 J	0.00224 J	852
MW037	5/17/2011	1.33	<0.0020	<0.0500	<0.0010	<0.0020	2100
MW037	5/17/2011 Dup	1.40 J	R	<0.0500	R	R	2020
MW038	5/11/2011	<0.100	<0.0020	0.179	<0.0010	<0.0020	888
MW043	5/12/2011	<0.100	<0.0020	0.472	<0.0010	<0.0020	1020
MW044	5/12/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	510
MW045	5/16/2011	<0.100	<0.0020	0.183	<0.0010	<0.0020	1250
MW046	5/16/2011	0.144	0.00205	0.770	0.00996	<0.0020	1640
MW047	5/16/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2380
MW058	5/13/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3310
MW059	5/16/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	610
MW060	5/16/2011	0.462	<0.0020	1.76	<0.0010	<0.0020	4310
MW061	5/13/2011	<0.100	<0.0020 J	0.0919	<0.0010 J	<0.0020 J	1710
MW068	5/13/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	732
MW068	5/13/2011 Dup	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	704

		<i>Iron (dissolved)</i> mg/L 1.0	<i>m&p-Xylenes</i> mg/L	<i>Manganese (dissolved)</i> mg/L 0.2	<i>o-Xylene</i> mg/L	<i>Toluene</i> mg/L 0.75	<i>Total dissolved solids (TDS)</i> mg/L 1000.0
MW069	5/16/2011	<0.100	<0.0020	0.400	<0.0010	<0.0020	2390
MW070	5/13/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	862
MW070	5/16/2011	<0.100	<0.0020 J	<0.0500	<0.0010 J	<0.0020 J	1030
MW088M	5/11/2011	7.38	<0.0020 J	11.5	<0.0010 J	<0.0020 J	7220
IW001	5/17/2011	11.6 J	<0.0020	1.71	<0.0010	0.00311	4440
IW002	5/17/2011	7.57	<0.0020	0.803	<0.0010	<0.0020	3710
RW002	5/17/2011	14.1 J	<0.0020	1.31	<0.0010	<0.0020	3820
RW003	5/17/2011	35.4	<0.0020	0.797	<0.0010	<0.0020	2460
MW002A	5/25/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1020
MW004A	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1170
MW007A	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1700
MW008A	5/26/2011	71.1	<0.0020	0.908	<0.0010	<0.0020	5740
MW009A	5/25/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1650
MW009A	5/25/2011 Dup	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1610
MW011A	5/25/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	4850
MW011A	5/25/2011 Dup	0.357 J	<0.0020	0.0550	<0.0010	<0.0020	4990
MW012A	5/25/2011	0.262	-	<0.0500	-	-	468
MW012A	5/26/2011	-	<0.0020	-	<0.0010	<0.0020	-
MW013A	5/19/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	458
MW014A	5/18/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	200
MW015A	5/18/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	1880
MW016A	5/17/2011	0.437	<0.0020	<0.0500	<0.0010	<0.0020	756
MW018A	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	172
MW019A	5/17/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	1030
MW020A	5/16/2011	<0.100	<0.0020 J	<0.0500	<0.0010 J	<0.0020 J	2630
MW021A	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	6520
MW022A	5/25/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	432
MW022A	5/25/2011 Dup	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	414
MW023A	5/18/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	486
MW024A	5/18/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	792
MW039A	5/26/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	832
MW040A	5/19/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	442
MW041A	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1440
MW042A	5/25/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1030
MW042A	5/25/2011 Dup	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1120
MW046A	5/25/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1290
MW046A	5/25/2011 Dup	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1350
MW048SA	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1860
MW049SA	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3460
MW050SA	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3210
MW051SA	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3880
MW052SA	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3320
MW053SA	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1070
MW053SA	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1710
MW055SA	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1700
MW056SA	5/17/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3750
MW057SA	5/17/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1470
MW062A	5/19/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	446
MW063A	5/19/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	438
MW064SA	5/10/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2240

		<i>Iron (dissolved)</i> mg/L 1.0	<i>m&p-Xylenes</i> mg/L	<i>Manganese (dissolved)</i> mg/L 0.2	<i>o-Xylene</i> mg/L	<i>Toluene</i> mg/L 0.75	<i>Total dissolved solids (TDS)</i> mg/L 1000.0
MW065SA	5/19/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	2590
MW066SA	5/18/2011	<0.100 J	<0.0020	0.634	<0.0010	<0.0020	3020
MW067SA	5/19/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	978
MW070A	5/18/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	498
MW071SA	5/18/2011	<0.100 J	<0.0020	0.114	<0.0010	<0.0020	674
MW072SA	5/18/2011	-	<0.0020	-	<0.0010	<0.0020	-
MW072SA	5/24/2011	<0.100	-	<0.0500	-	-	714
MW073SA	5/19/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1100
MW074SA	5/18/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	2180
MW075SA	5/10/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1830
MW076SA	5/10/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1760
MW077SA	5/10/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2060
MW078SA	5/19/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	742
MW079SA	5/23/2011	<0.100	<0.0020	0.0541	<0.0010	<0.0020	1230
MW080SA	5/19/2011	<0.100	<0.0020 J	<0.0500	<0.0010 J	<0.0020 J	1070
MW081SA	5/19/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	1560
MW082SA	5/10/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2440
MW083SA	5/9/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2880
MW084SA	5/10/2011	0.382	<0.0020	0.248	<0.0010	<0.0020	2860
MW085SA	5/9/2011	1.05	<0.0020	0.244	<0.0010	<0.0020	2860
MW086SA	5/19/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1610
MW087A	5/26/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3160
MW089SA	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	3470
MW090SA	5/25/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1830
MW090SA	5/25/2011 Dup	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1770
MW091SA	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	850
MW092SA	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1330
MW093SA	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1180
IW003	5/20/2011	17.5	<0.0020	9.39	<0.0010	<0.0020	3560
IW004	5/20/2011	0.318	<0.0020 J	2.36	<0.0010 J	<0.0020 J	3600
IW005	5/20/2011	16.2	<0.0020 J	3.93	<0.0010 J	<0.0020 J	3820
IW006	5/20/2011	5.04	<0.0020	4.63	<0.0010	<0.0020	3020
IW007	5/19/2011	17.2	<0.0020 J	3.62	<0.0010 J	<0.0020 J	3830
IW008	5/20/2011	2.33	<0.0020 J	2.65	<0.0010 J	<0.0020 J	2380
IW009	5/20/2011	9.43	<0.0200 J	17.6	<0.0100 J	<0.0200 J	14300
IW010	5/20/2011	10.5	<0.0020	6.99	<0.0010	<0.0020	3150
IW011	5/20/2011	1.65	<0.0020	1.38	<0.0010	<0.0020	2960
IW012	5/20/2011	14.6	<0.0020	1.16	<0.0010	<0.0020	3760
IW013	5/20/2011	0.127	<0.0020	0.186	<0.0010	<0.0020	3140
IW014	5/20/2011	3.23	<0.0020	0.363	<0.0010	<0.0020	3640
IW015	5/20/2011	6.90	<0.0020	0.246	<0.0010	<0.0020	3090
IW016	5/20/2011	5.20	<0.0020	0.611	<0.0010	<0.0020	1920
IW018	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	804
IW019	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	482
IW020	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	848
IW021	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1450
IW022	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1120
IW023	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2230
IW024	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	2580
IW027	5/24/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1910

		<i>Iron (dissolved)</i> <i>mg/L</i> 1.0	<i>m&p-Xylenes</i> <i>mg/L</i>	<i>Manganese (dissolved)</i> <i>mg/L</i> 0.2	<i>o-Xylene</i> <i>mg/L</i>	<i>Toluene</i> <i>mg/L</i> 0.75	<i>Total dissolved solids (TDS)</i> <i>mg/L</i> 1000.0
IW028	5/23/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1860
RW004A	5/25/2011	367	<0.0100 J	10.7	<0.00500 J	<0.0100 J	15700
RW004A	5/25/2011 Dup	589	<0.0100 J	11.3	<0.00500 J	<0.0100 J	16100
EPWW1	5/18/2011	<0.100 J	<0.0020	<0.0500	<0.0010	<0.0020	344
GOPWW2	5/25/2011	<0.100	<0.0020	0.884	<0.0010	<0.0020	2560
LordWW	5/26/2011	0.593	<0.0020	0.133	<0.0010	<0.0020	3550
LordWW	5/25/2011	0.165	<0.0020	0.0539	<0.0010	<0.0020	858
	5/25/2011 Dup	0.240	<0.0020	0.0563	<0.0010	<0.0020	802
	5/25/2011	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1880
	5/25/2011 Dup	<0.100	<0.0020	<0.0500	<0.0010	<0.0020	1740

		<i>Total Petroleum Hydrocarbons - Extractable (DRO)</i>	<i>Total Petroleum Hydrocarbons - Purgeable (GRO)</i>
		<i>mg/L</i>	<i>mg/L</i>
		--	--
MW002	5/16/2011	<1.50	<1.50
MW004	5/16/2011	<1.50	<1.50
MW005	5/17/2011	<1.50	<1.50
MW006	5/17/2011	<1.50	2.89
MW008	5/11/2011	<1.50	<1.50
MW008	5/11/2011 Dup	<1.50	<1.50
MW008M	5/11/2011	<1.50	<1.50
MW009	5/11/2011	<1.50	<1.50
MW010	5/11/2011	<1.50	<1.50
MW010	5/11/2011	<1.50	<1.50
MW011	5/16/2011	<1.50	<1.50
MW011M	5/11/2011	<1.50	<1.50
MW011M	5/11/2011 Dup	<1.50	<1.50
MW012	5/13/2011	<1.50	<1.50
MW012M	5/13/2011	<1.50	<1.50
MW013	5/12/2011	<1.50	<1.50
MW014	5/11/2011	<1.50	<1.50
MW015	5/11/2011	<1.50	<1.50
MW018	5/11/2011	<1.50	<1.50
MW020	5/11/2011	<1.50	<1.50
MW021	5/12/2011	<1.50	<1.50
MW023	5/16/2011	<1.50	<1.50
MW024	5/12/2011	<1.50	<1.50
MW025	5/11/2011	<1.50	<1.50
MW026	5/12/2011	<1.50	<1.50
MW027	5/12/2011	<1.50	<1.50
MW028	5/12/2011	<1.50	<1.50
MW029	5/11/2011	<1.50	<1.50
MW030	5/11/2011	<1.50	<1.50
MW030	5/12/2011	<1.50	<1.50
MW031	5/12/2011	<1.50	<1.50
MW032	5/12/2011	<1.50	<1.50
MW033	5/12/2011	<1.50	<1.50
MW034	5/12/2011	<1.50	<1.50
MW035	5/11/2011	<1.50	<1.50
MW036	5/16/2011	<1.50	2.18
MW037	5/17/2011	2.70	3.07
MW037	5/17/2011 Dup	2.41	2.60
MW038	5/11/2011	<1.50	<1.50
MW043	5/12/2011	<1.50	<1.50
MW044	5/12/2011	<1.50	<1.50
MW045	5/16/2011	<1.50	<1.50
MW046	5/16/2011	<1.50	<1.50
MW047	5/16/2011	<1.50	<1.50
MW058	5/13/2011	<1.50	<1.50
MW059	5/16/2011	<1.50	<1.50
MW060	5/16/2011	<1.50	<1.50
MW061	5/13/2011	<1.50	<1.50
MW068	5/13/2011	<1.50	<1.50
MW068	5/13/2011 Dup	<1.50	<1.50

		<i>Total Petroleum Hydrocarbons - Extractable (DRO)</i>	<i>Total Petroleum Hydrocarbons - Purgeable (GRO)</i>
		<i>mg/L</i>	<i>mg/L</i>
		--	--
MW069	5/16/2011	<1.50	<1.50
MW070	5/13/2011	<1.50	<1.50
MW070	5/16/2011	<1.50	<1.50
MW088M	5/11/2011	6.77	15.6
IW001	5/17/2011	<1.50	<1.50
IW002	5/17/2011	<1.50	<1.50
RW002	5/17/2011	<1.50	<1.50
RW003	5/17/2011	<1.50	<1.50
MW002A	5/25/2011	<1.50	<1.50
MW004A	5/24/2011	<1.50	<1.50
MW007A	5/24/2011	<1.50	<1.50
MW008A	5/26/2011	2.82	6.85
MW009A	5/25/2011	<1.50	<1.50
MW009A	5/25/2011 Dup	<1.50	<1.50
MW011A	5/25/2011	<1.50	<1.50
MW011A	5/25/2011 Dup	<1.50	<1.50
MW012A	5/25/2011	<1.50	<1.50
MW012A	5/26/2011	-	-
MW013A	5/19/2011	<1.50	<1.50
MW014A	5/18/2011	<1.50	<1.50
MW015A	5/18/2011	<1.50	<1.50
MW016A	5/17/2011	<1.50	<1.50
MW018A	5/24/2011	<1.50	<1.50
MW019A	5/17/2011	<1.50	<1.50
MW020A	5/16/2011	<1.50	<1.50
MW021A	5/23/2011	4.81	<1.50
MW022A	5/25/2011	<1.50	<1.50
MW022A	5/25/2011 Dup	<1.50	<1.50
MW023A	5/18/2011	<1.50	<1.50
MW024A	5/18/2011	<1.50	<1.50
MW039A	5/26/2011	<1.50	<1.50
MW040A	5/19/2011	<1.50	<1.50
MW041A	5/24/2011	<1.50	<1.50
MW042A	5/25/2011	<1.50	<1.50
MW042A	5/25/2011 Dup	<1.50	<1.50
MW046A	5/25/2011	<1.50	<1.50
MW046A	5/25/2011 Dup	<1.50	<1.50
MW048SA	5/24/2011	<1.50	<1.50
MW049SA	5/23/2011	<1.50	<1.50
MW050SA	5/23/2011	1.85	<1.50
MW051SA	5/23/2011	<1.50	<1.50
MW052SA	5/23/2011	4.97	<1.50
MW053SA	5/24/2011	<1.50	<1.50
MW053SA	5/24/2011	<1.50	<1.50
MW055SA	5/24/2011	<1.50	<1.50
MW056SA	5/17/2011	<1.50	<1.50
MW057SA	5/17/2011	<1.50	<1.50
MW062A	5/19/2011	<1.50	<1.50
MW063A	5/19/2011	<1.50	<1.50
MW064SA	5/10/2011	<1.50	<1.50

		<i>Total Petroleum Hydrocarbons - Extractable (DRO)</i>	<i>Total Petroleum Hydrocarbons - Purgeable (GRO)</i>
		<i>mg/L</i>	<i>mg/L</i>
		--	--
MW065SA	5/19/2011	<1.50	<1.50
MW066SA	5/18/2011	<1.50	<1.50
MW067SA	5/19/2011	<1.50	<1.50
MW070A	5/18/2011	<1.50	<1.50
MW071SA	5/18/2011	<1.50	<1.50
MW072SA	5/18/2011	<1.50	<1.50
MW072SA	5/24/2011	-	-
MW073SA	5/19/2011	<1.50	<1.50
MW074SA	5/18/2011	<1.50	<1.50
MW075SA	5/10/2011	<1.50	<1.50
MW076SA	5/10/2011	<1.50	<1.50
MW077SA	5/10/2011	<1.50	<1.50
MW078SA	5/19/2011	<1.50	<1.50
MW079SA	5/23/2011	<1.50	<1.50
MW080SA	5/19/2011	<1.50	<1.50
MW081SA	5/19/2011	<1.50	<1.50
MW082SA	5/10/2011	<1.50	<1.50
MW083SA	5/9/2011	<1.50	<1.50
MW084SA	5/10/2011	<1.50	<1.50
MW085SA	5/9/2011	<1.50	<1.50
MW086SA	5/19/2011	<1.50	<1.50
MW087A	5/26/2011	<1.50	<1.50
MW089SA	5/24/2011	<1.50	<1.50
MW090SA	5/25/2011	<1.50	<1.50
MW090SA	5/25/2011 Dup	<1.50	<1.50
MW091SA	5/24/2011	<1.50	<1.50
MW092SA	5/23/2011	<1.50	<1.50
MW093SA	5/23/2011	<1.50	<1.50
IW003	5/20/2011	<1.50	<1.50
IW004	5/20/2011	<1.50	<1.50
IW005	5/20/2011	<1.50	<1.50
IW006	5/20/2011	<1.50	<1.50
IW007	5/19/2011	<1.50	<1.50
IW008	5/20/2011	<1.50	<1.50
IW009	5/20/2011	440	441
IW010	5/20/2011	<1.50	<1.50
IW011	5/20/2011	<1.50	<1.50
IW012	5/20/2011	<1.50	<1.50
IW013	5/20/2011	<1.50	<1.50
IW014	5/20/2011	<1.50	<1.50
IW015	5/20/2011	<1.50	<1.50
IW016	5/20/2011	<1.50	<1.50
IW018	5/23/2011	<1.50	2.28
IW019	5/23/2011	<1.50 J	1.56 J
IW020	5/23/2011	<1.50	<1.50
IW021	5/23/2011	<1.50	<1.50
IW022	5/24/2011	<1.50	<1.50
IW023	5/24/2011	<1.50	<1.50
IW024	5/24/2011	<1.50	<1.50
IW027	5/24/2011	<1.50	<1.50

		<i>Total Petroleum Hydrocarbons - Extractable (DRO)</i>	<i>Total Petroleum Hydrocarbons - Purgeable (GRO)</i>
		<i>mg/L</i>	<i>mg/L</i>
		--	--
IW028	5/23/2011	<1.50	<1.50
RW004A	5/25/2011	8.72 J	45.9 J
RW004A	5/25/2011 Dup	15.6 J	78.2 J
EPWW1	5/18/2011	<1.50	<1.50
GOPWW2	5/25/2011	<1.50	<1.50
LordWW	5/26/2011	<1.50	<1.50
LordWW	5/25/2011	<1.50	<1.50
	5/25/2011 Dup	<1.50	<1.50
	5/25/2011	<1.50	<1.50
	5/25/2011 Dup	<1.50	<1.50

APPENDIX A

NMOCD DISCHARGE PERMIT GW-004

DISCHARGE PERMIT GW-004

1. GENERAL PROVISIONS:

A. PERMITTEE AND PERMITTED FACILITY: The Oil Conservation Division (OCD) of the Energy, Minerals and Natural Resources Department issues Discharge Permit GW-004 (Discharge Permit) to Chevron U.S.A., Inc. (Owner/Operator), located at 1400 Smith Street, Houston, Texas 77002 to abate ground water and vadose zone contamination at its Eunice North Gas Plant (Facility) located at State Highway 207 (Eunice-Hobbs Highway) Eunice, New Mexico 88231 in the NE/4 of the SE/4 of Section 28, Township 21 South, Range 37 East, NMPM, Lea County, New Mexico.

As a result of historical operations at the site, Chevron is proposing to remediate chromium contaminated ground water by injecting 5 percent solution of sodium dithionite and/or a 10 percent soy lactate solution in injection wells to remediate contaminated ground water. Chevron will mix 2800 gallons fresh water with a five percent solution of sodium dithionite and/or mix 2800 gallons fresh water with ten percent soy lactate solution to generate a solution which will then be discharged into the Ogallala aquifer. The ground water will be sampled to determine the effectiveness of the discharged solution to remediate the chromium contamination. The depth to ground water in the Ogallala aquifer is 37 to 73 feet below the surface and the background total dissolved solids concentration is approximately 1,200 mg/L. The discharge plan specifies that Chevron will remediate contaminated ground at the site to meet the standards specified in the Water Quality Control Commission regulations (20.6.2.3103 NMAC).

B. SCOPE OF PERMIT: OCD has been granted authority to administer the Water Quality Act (Chapter 74, Article 6 NMSA 1978) as it applies to gas processing plants by statute and by delegation from the Water Quality Control Commission pursuant to Section 74-6-4(E) NMSA 1978.

The Water Quality Act and the rules issued under that Act protect ground water and surface water of the State of New Mexico by providing that, unless otherwise allowed by rule, no person shall cause or allow effluent or leachate to discharge so that it may move directly or indirectly into ground water unless such discharge is pursuant to an approved discharge plan. See 20.6.2.3104 NMAC and 20.6.2.3106 NMAC.

This Discharge Permit does not authorize any treatment of, or on-site disposal of, any materials, product, by-product, or oil field waste, including, but not limited to, the on-site disposal of lube oil, glycol, antifreeze, filters, elemental sulfur, washdown water, contaminated soil, and cooling tower blowdown water.

This Discharge Permit does not convey any property rights of any sort nor any exclusive privilege, and does not authorize any injury to persons or property, any invasion of other private rights, or any infringement of state, federal, or local laws, rules or regulations.

The Owner/Operator shall operate in accordance with the Discharge Permit conditions to comply with the Water Quality Act and the rules issued pursuant to that Act, so that neither a hazard to public health nor undue risk to property will result (see 20.6.2.3109C NMAC); so that no discharge will cause or may cause any stream standard to be violated (see 20.6.2.3109H(2) NMAC); so that no discharge of any water contaminant will result in a hazard to public health, (see 20.6.2.3109H(3) NMAC); and so that the numerical standards specified of 20.6.2.3103 NMAC are not exceeded.

The Owner/Operator shall not allow or cause water pollution, discharge, or release of any water contaminant that exceeds the Water Quality Control Commission (WQCC) standards specified at 20.6.2.3101 NMAC and 20.6.2.3103 NMAC or 20.6.4 NMAC (Water Quality Standards for Interstate and Intrastate Streams).

C. DISCHARGE PERMIT CONDITIONS: By signing this Discharge Permit, the Owner/Operator agrees to the specific provisions set out in this document, and the commitments made in the approved Discharge Plan Application and the attachments to that application, which are incorporated into the Discharge Permit by reference.

If this Discharge Permit is a permit renewal, it replaces the permit being renewed. Replacement of a prior permit does not relieve the Owner/Operator of its responsibility to comply with the terms of that prior permit while that permit was in effect.

D. DEFINITIONS: Terms not specifically defined in this Discharge Permit shall have the same meanings as those in the Water Quality Act or the rules adopted pursuant to that Act, as the context requires.

E. FILING FEES AND PERMIT FEES: Pursuant to 20.6.2.3114 NMAC, every facility that submits a discharge permit application for initial approval or renewal shall pay the permit fees specified in Table 1 and the filing fee specified in Table 2 of 20.6.2.3114 NMAC. OCD has already received the required \$100.00 filing fee for this application. The flat fee for "Abatement of Ground Water and Vadose Zone Contamination at Oil and Gas Sites" is \$2,600.00. The Owner/Operator shall submit this amount along with the signed Discharge Permit. Checks should be payable to the "New Mexico Water Quality Management Fund," not the Oil Conservation Division.

F. EFFECTIVE DATE, EXPIRATION, RENEWAL CONDITIONS, AND PENALTIES FOR OPERATING WITHOUT A DISCHARGE PERMIT: This Discharge Permit is effective when the Division's Environmental Bureau receives the signed Discharge Permit from the Owner/Operator and the \$2,600.00 fee. This Discharge Permit will expire on March 16, 2016. The Owner/Operator shall submit an application for renewal no later than 120 calendar days before that expiration date, pursuant to 20.6.2.3106F NMAC. If an Owner/Operator submits a renewal application at least 120 calendar days before the Discharge Permit expires and is in compliance with the approved Discharge Permit, then the existing Discharge Permit will not expire until OCD has approved or disapproved the renewal application. Operating with an expired Discharge Permit may subject the Owner/Operator to

civil and/or criminal penalties. See Section 74-6-10.1 NMSA 1978 and Section 74-6-10.2 NMSA 1978.

G. MODIFICATIONS: The Owner/Operator shall notify the Division's Environmental Bureau of any facility expansion, production increase, or process modification that would result in any significant modification in the discharge of water contaminants. See 20.6.2.3107C NMAC. The Division's Environmental Bureau may require the Owner/Operator to submit a permit modification pursuant to 20.6.2.3109E NMAC and may modify or terminate a permit pursuant to Section 74-6-5(M) through (N) NMSA 1978.

H. TRANSFER OF DISCHARGE PERMIT: Prior to any transfer of ownership, control, or possession (whether by lease, conveyance or otherwise) of the Facility, the transferor shall notify the transferee in writing of the existence of the Discharge Permit, and shall deliver or send by certified mail to the Division's Environmental Bureau a copy of such written notification, together with a certification or other proof that such notification has been received by the transferee pursuant to 20.6.2.3111 NMAC. Upon receipt of such notification, the transferee shall inquire into all of the provisions and requirements contained in the Discharge Permit, and the transferee shall be charged with notice of all such provisions and requirements as they appear of record in the Division's file or files concerning the Discharge Permit. Upon assuming either ownership or possession of the Facility the transferee shall have the same rights and responsibilities under the Discharge Permit as were applicable to the transferor. See 20.6.2.3111 NMAC.

Transfer of the ownership, control, or possession of the Facility does not relieve the transferor of responsibility or liability for any act or omission which occurred while the transferor owned, controlled, or was in possession of the Facility. See 20.6.2.3111E NMAC.

I. CLOSURE PLAN AND FINANCIAL ASSURANCE: The Owner/Operator shall notify the Division's Environmental Bureau in writing when any operations of its Facility are to be discontinued for a period in excess of six months. Upon review of the Owner/Operator's notice, the Division's Environmental Bureau will determine whether to modify this permit pursuant to 20.6.2.3107 NMAC and 20.6.2.3109E NMAC or to require the Owner/Operator to submit a closure plan and/or post-closure plan, including financial assurance.

J. COMPLIANCE AND ENFORCEMENT: If the Owner/Operator violates or is violating a condition of this Discharge Permit, the Division's Environmental Bureau may issue a compliance order requiring compliance immediately or within a specified time period, suspending or terminating this Discharge Permit, and/or assessing a civil penalty. See Section 74-6-10 NMSA 1978. The Division's Environmental Bureau may also commence a civil action in district court for appropriate relief, including injunctive relief. See Section 74-6-10(A)(2) NMSA 1978 and Section 74-6-11 NMSA 1978. The Owner/Operator may be subject to criminal penalties for discharging a water contaminant without a discharge permit or in violation of a condition of a discharge permit; making any false material statement, representation, certification or omission of material fact in an application, record, report, plan or other document filed, submitted or required to be maintained under the Water Quality Act; falsifying, tampering with

or rendering inaccurate any monitoring device, method or record required to be maintained under the Water Quality Act; or failing to monitor, sample or report as required by a permit issued pursuant to a state or federal law or regulation. See Section 74-6-10.2 NMSA 1978.

2. GENERAL FACILITY OPERATIONS:

A. OPERATIONAL MONITORING: The Owner/Operator shall comply with its approved monitoring programs pursuant 20.6.2.3107 NMAC.

1. Ground Water Monitoring System: The Owner/Operator shall monitor and sample all ground water monitor wells in accordance with its approved ground water abatement program, including the monitor wells for the hydrocarbon plume, the chloride plume, and the chromium plume.

2. Installation of Monitor Wells Near Injection Wells IW023 and IW024:

a. The Owner/Operator shall install three monitor wells near Injection Well IW023 and three monitor wells near Injection Well IW024 in accordance with its renewal application of December 6, 2010.

b. The Owner/Operator shall monitor the near monitor wells to determine whether it has achieved its primary objectives as specified in its renewal application of December 6, 2010.

3. Dithionite Injection Pilot Study Monitoring

a. Field Monitoring: During the injection, the Owner/Operator shall monitor the three monitoring wells hourly for pH, DO, ORP, conductivity, and temperature.

b. Post-Injection Monitoring and Sampling: The Owner/Operator shall sample the three monitor wells and IW023 monthly for 3 months after the injection, using the injection and monitoring wells, to evaluate the effectiveness of the sodium dithionite treatment. Ground water samples will be collected and analyzed for total and hexavalent chromium, bromide, sulfate, sulfide, total organic carbon, sodium, total and dissolved iron, and field parameters (pH, temperature, conductivity, DO and ORP).

4. Biodegradation Pilot Study

a. Baseline Sampling: Prior to the injection of a soy-lactate solution, the Owner/Operator shall sample and analyze IW023 and the three monitoring wells for total and hexavalent chromium, sulfate, sulfide, ammonia-nitrogen, orthophosphate-phosphorus, total anaerobic microbial counts, total organic carbon, total and dissolved iron, and field parameters (pH, temperature, conductivity, DO, and ORP).

b. Field Monitoring: During the injection, the Owner/Operator shall monitor the three monitor wells hourly for pH, DO, ORP, conductivity, and temperature.

c. **Post -Injection Monitoring and Sampling:** The Owner/Operator shall sample the IW024 and the three monitoring wells to evaluate the treatment effectiveness. Ground water samples will be collected for successive quarters after the injection event and analyzed for total and hexavalent chromium, sulfate, sulfide, ammonia -nitrogen, orthophosphate - phosphorus, total anaerobic microbial counts, total organic carbon, total and dissolved iron, and field parameters (pH, temperature, conductivity, DO, and ORP).

B. CONTINGENCY PLANS: The Owner/Operator shall implement its approved Contingency Plans to cope with failure of the discharge permit or system in accordance with Permit Condition 2.F.

C. CLOSURE PLAN: After completing abatement of all ground water and vadose contamination required under Permit Condition 2.G, the Owner/Operator shall perform the following closure measures:

1. Remove or plug all lines leading to and from ground water recovery or injection wells so that a discharge can no longer occur.
2. Remove all abatement system components from the site, if applicable.
3. After receiving notification from the Division's Environmental Bureau that post-closure monitoring may cease, the Owner/Operator shall plug and abandon its monitor well(s).

D. RECORD KEEPING: The Owner/Operator shall maintain records of all inspections required by this Discharge Permit at its local office located at 240 Avenue O, Eunice, NM 88231 for a minimum of five years and shall make those records available for inspection by the Division's Environmental Bureau.

E. RELEASE REPORTING: The Owner/Operator shall comply with the following permit conditions, pursuant to 20.6.2.1203 NMAC, if it determines that a release of oil or other water contaminant, in such quantity as may with reasonable probability injure or be detrimental to human health, animal or plant life, or property, or unreasonably interfere with the public welfare or the use of property, has occurred. The Owner/Operator shall report unauthorized releases of water contaminants in accordance with any additional commitments made in its approved Contingency Plan. If the Owner/Operator determines that any constituent exceeds the standards specified at 20.6.2.3103 NMAC, then it shall report a release to the Division's Environmental Bureau.

1. Oral Notification: As soon as possible after learning of such a discharge, but in no event more than twenty-four (24) hours thereafter, the Owner/Operator shall orally notify the Division's Environmental Bureau. The Owner/Operator shall provide the following:

- the name, address, and telephone number of the person or persons in charge of the facility, as well as of the Owner/Operator of the facility;
- the name and location of the facility;

- the date, time, location, and duration of the discharge;
- the source and cause of discharge;
- a description of the discharge, including its chemical composition;
- the estimated volume of the discharge; and,
- any actions taken to mitigate immediate damage from the discharge.

2. Written Notification: Within one week after the Owner/Operator has learned of the discharge, the Owner/Operator shall send written notification to the Division's Environmental Bureau verifying the prior oral notification as to each of the foregoing items and providing any appropriate additions or corrections to the information contained in the prior oral notification.

F. ABATEMENT PLAN: Pursuant to 20.6.2.4105A(6) NMAC, an Owner/Operator is exempt from the requirement to obtain and implement an Abatement Plan, as required in 20.6.2.4104 NMAC. However, an Owner/Operator's Discharge Permit must address abatement of contaminated ground water and be consistent with the requirements and provisions of Sections 20.6.2.4101, 20.6.2.4103, Subsections C and E of Section 20.6.2.4106, Sections 20.6.2.4107 and 20.6.2.4112 NMAC.

1. Purpose of Abatement Plan: The Owner/Operator shall abate polluted ground water so as to either remediate or protect the ground water for use as domestic and agricultural water supply.

2. Abatement Standards and Requirements: The Owner/Operator shall abate the vadose zone so that water contaminants in the vadose zone shall not contaminate ground water or surface water, through leaching, percolation or as the water table elevation fluctuates. The Owner/Operator, where the Total Dissolved Solids concentration is 10,000 mg/L or less, shall abate contaminated ground water so that toxic pollutant(s), as defined in 20.6.2.7WW NMAC, shall not be present and so that the standards of 20.6.2.3103 NMAC shall be met.

3. Ground Water Abatement: The Owner/Operator shall implement its approved ground water abatement program until it has remediated the contaminated ground water to meet the standards and requirements set forth in 20.6.2.4103 NMAC.

4. Completion and Termination: Pursuant to 20.6.2.4112 NMAC, abatement shall be considered complete when the standards and requirements specified in 20.6.2.4103 NMAC are met. At that time, the Owner/Operator shall submit an abatement completion report, documenting compliance with the standards and requirements set forth in 20.6.2.4103 NMAC and this Discharge Permit, to Division's Environmental Bureau for approval. The abatement completion report also shall propose any changes to long term monitoring and site maintenance activities, if needed, to be performed after termination of the abatement plan.

G. OTHER REQUIREMENTS:

1. Inspection and Entry: Pursuant to 20.6.2.4107A NMAC, the Owner/Operator shall allow the Division's Environmental Bureau, upon the presentation of proper credentials, to:

- enter the facility at reasonable times;
- inspect and copy records required by this discharge permit;
- inspect any treatment works, monitoring, and analytical equipment;
- sample any wastes, ground water, surface water, stream sediment, plants, animals, or vadose-zone material including vadose-zone vapor;
- use the Owner/Operator's monitoring systems and wells in order to collect samples; and
- gain access to off-site property not owned or controlled by the Owner/Operator, but accessible to the Owner/Operator through a third-party access agreement, provided that it is allowed by the agreement.

2. Advance Notice: Pursuant to 20.6.2.4107B NMAC, The Owner/Operator shall provide the Division's Environmental Bureau with at least four (4) working days advance notice of any sampling to be performed pursuant to this Discharge Permit, or any well plugging, abandonment or destruction at the facility site.

3. Plugging and Abandonment: Pursuant to 20.6.2.4107C NMAC, the Owner/Operator shall request by certified mail, approval by the Division's Environmental Bureau to plug and abandon a monitor well, unless such approval is required from the State Engineer. The proposed action shall be designed to prevent water pollution that could result from water contaminants migrating through the well or borehole. The proposed action shall not take place without written approval from the Division's Environmental Bureau, unless written approval or disapproval is not received by the Owner/Operator within thirty (30) days of the date of receipt of the proposal.

H. ANNUAL REPORT: The Owner/Operator shall submit its annual report for each calendar year pursuant to 20.6.2.3107 NMAC to the Division's Environmental Bureau by March 15th of the following year. The annual report shall include the following:

- 1. Results of its ground water monitoring program; including:**
 - summary tables listing laboratory analytic results of all ground water and soil samples. Any WQCC constituent found to exceed the groundwater standard shall be highlighted and noted in the annual report. Copies of the most recent year's laboratory analytical data sheets shall also be submitted.
 - annual water table potentiometric maps. A corrected water table elevation shall be determined for all wells containing non-aqueous phase liquids. These maps shall show well locations, pertinent site features, and the direction and magnitude of the hydraulic gradient.
 - semi-annual isopleth maps for the following constituents: non-aqueous phase liquids; chlorides; chromium; and, BTEX.

- semi-annual geologic cross-sections (both dip and strike), using the geologic/lithologic logs from the monitor, recovery, and injection wells, depicting the concentrations for the following constituents: non-aqueous phase liquids; chlorides; chromium; and, BTEX.
- estimate or measure of the volume of the solutions discharged during each quarter and the total volume discharged to date.

2. Summary of any releases and corrective actions taken in accordance with its approved Contingency Plan.

3. **CLASS V WELLS:** Pursuant to 20.6.2.5002B NMAC, leach fields and other wastewater disposal systems at Division-regulated facilities that inject non-hazardous fluid into or above an underground source of drinking water are UIC Class V injection wells, including ground water management wells. This Discharge Permit does not authorize the use of a Class V injection well for the disposal of industrial waste at the Facility. Pursuant to 20.6.2.5005 NMAC, the Owner/Operator shall close any Class V industrial waste injection wells at its Facility that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes (*e.g.*, septic systems, leach fields, dry wells, *etc.*) other than the injection remediation wells within 90 calendar days of the issuance of this Discharge Permit. The Owner/Operator shall document the closure of any Class V wells used for the disposal of non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes other than contaminated ground water in its Annual Report.

Other Class V wells, including wells used only for the injection of domestic wastes, must be permitted by the New Mexico Environment Department.

4. **SCHEDULE OF COMPLIANCE:**

A. **PERMIT CERTIFICATION:** The Owner/Operator shall sign and return this Permit to the Division's Environmental Bureau within 45 days of its receipt of this Permit.

B. **SUBMISSION OF THE PERMIT FEES:** As specified in Permit Condition 1.F, the Owner/Operator shall submit the fee of \$2,600.00 along with the signed Discharge Permit within 45 days of the receipt of the Discharge Permit. Checks should be payable to the "New Mexico Water Quality Management Fund," not the Oil Conservation Division.

C. **ANNUAL REPORT:** As specified in Permit Condition 2.H, the Owner/Operator shall submit its annual report to the Division's Environmental Bureau by March 15th of the following year.

5. **CERTIFICATION: (OWNER/OPERATOR)** by the officer whose signature appears below, acknowledges receipt of this Discharge Permit, and has reviewed its terms and conditions.

Chevron U.S.A. Inc
Company Name - print name

Robert A. Guldner
Company Representative - print name


Company Representative - Signature

Title: Manager OE/WBS

Date: 01/23/2012

APPENDIX B

HISTORICAL GROUNDWATER TABLES

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
Shallow Zone Wells				
MW001	04/22/97	3428.57	52.34	3376.23
	12/18/97	3428.57	52.32	3376.25
	11/16/99	3428.57	*51.32	3377.25
	05/15/01	3428.57	50.33	3378.24
	08/23/01	3428.57	51.02	3377.55
	01/21/02	3428.57	50.64	3377.93
	04/04/02	3428.57	50.66	3377.91
	09/03/02	3428.57	50.44	3378.13
	12/02/02	3428.57	50.20	3378.37
	01/31/03	3428.57	50.36	3378.21
	03/28/03	3428.57	50.54	3378.03
	05/19/03	3428.57	50.36	3378.21
	09/09/03	3428.57	50.52	3378.05
	01/26/04	3428.57	50.73	3377.84
	03/30/04	3428.57	50.71	3377.86
	06/07/04	3428.57	50.76	3377.81
	09/17/04	3428.57	50.30	3378.27
	11/30/04	3428.57	49.90	3378.67
	03/31/05	3428.57	49.25	3379.32
	05/23/05	3428.57	49.15	3379.42
	01/17/06	3428.57	48.39	3380.18
	06/19/06	3428.57	48.02	3380.55
	04/19/07	3428.57	47.75	3380.82
	03/24/08	3428.57	47.83	3380.74
	03/11/09	NG	NG	NG
	03/01/10	3428.57	48.46	3380.11
	08/03/10	3428.57	48.51	3380.06
MW002	04/22/97	3432.17	55.95	3376.22
	12/18/97	3432.17	55.62	3376.55
	11/16/99	3432.17	*54.97	3377.20
	05/15/01	3432.17	54.15	3378.02
	08/23/01	3432.17	54.12	3378.05
	01/21/02	3432.17	54.30	3377.87
	04/04/02	3432.17	54.31	3377.86
	09/03/02	3432.17	54.14	3378.03
	12/02/02	3432.17	53.88	3378.29
	01/30/03	3432.17	53.88	3378.29
	03/28/03	3432.17	54.16	3378.01
	05/19/03	3432.17	53.97	3378.20
	09/09/03	3432.17	54.05	3378.12
	12/02/03	3432.17	53.89	3378.28
	03/30/04	3432.17	54.11	3378.06
	06/07/04	3432.17	54.21	3377.96
	09/17/04	3432.17	53.94	3378.23
	11/30/04	3432.17	53.74	3378.43
	03/31/05	3432.17	53.37	3378.80
	05/23/05	3432.17	53.06	3379.11
	01/16/06	3432.17	52.62	3379.55
	06/19/06	3432.17	52.20	3379.97
	04/12/07	3432.17	51.78	3380.39
	03/19/08	3432.17	51.69	3380.48
	03/11/09	3432.17	51.94	3380.23
	03/01/10	3432.17	51.99	3380.18
	08/02/10	3432.17	52.03	3380.14

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW003	04/22/97	3428.27	49.79	3378.48
	12/18/97	3428.27	49.24	3379.03
	11/16/99	3428.27	*50.49	3377.78
	05/15/01	3428.27	49.63	3378.64
	08/23/01	3428.27	49.99	3378.28
	01/21/02	3428.27	49.81	3378.46
	04/04/02	3428.27	49.92	3378.35
	09/03/02	3428.27	49.80	3378.47
	12/02/02	3428.27	49.51	3378.76
	01/31/03	3428.27	49.64	3378.63
	03/28/03	3428.27	49.61	3378.66
	05/19/03	3428.27	49.57	3378.70
	09/09/03	3428.27	49.64	3378.63
	12/03/03	3428.27	49.70	3378.57
	03/30/04	3428.27	49.78	3378.49
	06/07/04	3428.27	49.74	3378.53
	09/17/04	3428.27	49.38	3378.89
	11/30/04	3428.27	48.80	3379.47
	03/31/05	3428.27	48.40	3379.87
	05/23/05	3428.27	48.31	3379.96
	01/17/06	3428.27	47.79	3380.48
	06/19/06	3428.27	47.65	3380.62
	4/16/2007	3428.27	47.23	3381.04
MW004	03/19/08	3428.27	47.21	3381.06
	03/11/09	3428.27	47.73	3380.54
	03/01/10	3428.27	47.94	3380.33
	08/03/10	3428.27	48.00	3380.27
	04/22/97	3423.38	48.24	3375.14
	12/18/97	3423.38	47.69	3375.69
	11/16/99	3423.38	*46.76	3376.62
	05/15/01	3423.38	45.91	3377.47
	08/23/01	3423.38	46.12	3377.26
	01/21/02	3423.38	46.20	3377.18
	04/04/02	3423.38	46.27	3377.11
	09/03/02	3423.38	45.95	3377.43
	12/02/02	3423.38	45.85	3377.53
	01/31/03	3423.38	45.94	3377.44
	03/28/03	3423.38	45.96	3377.42
	05/19/03	3423.38	45.97	3377.41
	09/09/03	3423.38	46.14	3377.24
	12/03/03	3423.38	46.15	3377.23
	03/30/04	3423.38	46.24	3377.14
	06/07/04	3423.38	46.19	3377.19
	09/17/04	3423.38	45.90	3377.48
	11/29/04	3423.38	45.44	3377.94
	03/31/05	3423.38	42.85	3380.53
	05/23/05	3423.38	44.90	3378.48
	01/18/06	3423.38	44.17	3379.21
	06/19/06	3423.38	43.95	3379.43
	04/17/07	3423.38	43.76	3379.62
	03/19/08	3423.38	43.78	3379.60
	03/11/09	3423.38	44.33	3379.05
	03/01/10	3423.38	44.43	3378.95
	08/02/10	3423.38	44.38	3379.00

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW005	04/22/97	3424.77	49.30	3375.47
	12/18/97	3424.77	49.52	3375.25
	11/16/99	3424.77	*48.14	3376.63
	05/15/01	3424.77	NR	NR
	08/23/01	3424.77	47.82	3376.95
	01/21/02	3424.77	47.80	3376.97
	04/09/02	3424.77	47.31	3377.46
	04/10/03	3424.77	47.27	3377.50
	05/19/03	3424.77	47.25	3377.52
	09/08/03	3424.77	49.22	3375.55
	12/03/03	3424.77	47.51	3377.26
	03/30/04	3424.77	47.56	3377.21
	06/07/04	3424.77	47.54	3377.23
	09/17/04	3424.77	47.18	3377.59
	11/30/04	3424.77	46.51	3378.26
	04/01/05	3424.77	46.26	3378.51
	05/23/05	3424.77	46.04	3378.73
	01/18/06	3424.77	45.30	3379.47
	06/15/06	3424.77	45.05	3379.72
	04/19/07	3424.77	44.82	3379.95
	03/24/08	3424.77	44.92	3379.85
	03/11/09	3424.77	45.49	3379.28
	03/01/10	3424.77	45.55	3379.22
	08/03/10	3424.77	45.56	3379.21
MW006	04/22/97	3425.26	49.26	3376.00
	12/18/97	3425.26	49.69	3375.57
	11/16/99	3425.26	*48.69	3376.57
	05/15/01	3425.26	49.48	3375.78
	08/23/01	3425.26	50.21	3375.05
	01/21/02	3425.26	50.11	3375.15
	04/09/02	3425.26	50.35	3374.91
	09/11/02	3425.26	49.55	3375.71
	12/05/02	3425.26	49.13	3376.13
	04/10/03	3425.26	49.61	3375.65
	05/19/03	3425.26	49.63	3375.63
	09/08/03	3425.26	49.22	3376.04
	12/03/03	3425.26	49.95	3375.31
	03/30/04	3425.26	50.63	3374.63
	06/07/04	3425.26	49.25	3376.01
	09/17/04	3425.26	48.75	3376.51
	11/30/04	3425.26	46.94	3378.32
	04/01/05	3425.26	46.70	3378.56
	05/23/05	3425.26	46.49	3378.77
	01/18/06	3425.26	45.74	3379.52
	06/15/06	3425.26	45.47	3379.79
	04/23/07	3425.26	45.25	3380.01
	03/24/08	3425.26	45.35	3379.91
	03/11/09	3425.26	45.90	3379.36
	03/01/10	3425.26	45.97	3379.29
	08/03/10	3425.26	48.97	3376.29

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW007	12/18/97	3428.39	49.43	3378.96
	11/16/99	3428.39	*50.57	3377.82
	05/15/01	3428.39	49.70	3378.69
	08/23/01	3428.39	50.06	3378.33
	01/21/02	3428.39	49.93	3378.46
	04/04/02	3428.39	50.03	3378.36
	09/03/02	3428.39	49.90	3378.49
	12/02/02	3428.39	49.60	3378.79
	01/31/03	3428.39	49.71	3378.68
	03/28/03	3428.39	49.70	3378.69
	05/19/03	3428.39	49.60	3378.79
	09/09/03	3428.39	49.73	3378.66
	12/03/03	3428.39	49.71	3378.68
	03/30/04	3428.39	49.89	3378.50
	06/07/04	3428.39	49.82	3378.57
	09/17/04	3428.39	49.44	3378.95
	11/30/04	3428.39	48.90	3379.49
	03/31/05	3428.39	48.50	3379.89
	05/23/05	3428.39	48.41	3379.98
	01/17/06	3428.39	47.91	3380.48
	06/19/06	3428.39	47.75	3380.64
	04/16/07	3428.39	47.33	3381.06
	03/19/08	3428.39	47.35	3381.04
	03/10/09	3428.39	47.78	3380.61
	03/01/10	3428.39	48.09	3380.30
	08/03/10	3428.39	48.14	3380.25
MW008	12/18/97	3430.13	50.76	3379.37
	11/16/99	3430.13	*52.25	3377.88
	05/15/01	3430.13	51.36	3378.77
	08/23/01	3430.13	51.72	3378.41
	01/21/02	3430.13	51.53	3378.60
	04/04/02	3430.13	51.60	3378.53
	09/03/02	3430.13	51.51	3378.62
	12/02/02	3430.13	51.27	3378.86
	01/31/03	3430.13	51.31	3378.82
	03/28/03	3430.13	51.31	3378.82
	05/19/03	3430.13	51.21	3378.92
	09/09/03	3430.13	51.33	3378.80
	12/03/03	3430.13	51.33	3378.80
	03/30/04	3430.13	51.40	3378.73
	06/07/04	3430.13	51.82	3378.31
	11/30/04	3430.13	50.64	3379.49
	03/31/05	3430.13	50.24	3379.89
	05/23/05	3430.13	50.14	3379.99
	01/17/06	3430.13	49.52	3380.61
	06/19/06	3430.13	49.37	3380.76
	04/03/07	3430.13	48.93	3381.20
	03/24/08	3430.13	48.80	3381.33
	03/11/09	3430.13	49.24	3380.89
	03/01/10	3430.13	49.52	3380.61
	08/03/10	3430.13	49.49	3380.64

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW008M	01/21/02	3430.27	51.71	3378.56
	04/04/02	3430.27	51.77	3378.50
	09/03/02	3430.27	51.68	3378.59
	12/02/02	3430.27	51.45	3378.82
	01/31/03	3430.27	51.52	3378.75
	03/28/03	3430.27	51.47	3378.80
	05/19/03	3430.27	51.44	3378.83
	09/09/03	3430.27	51.49	3378.78
	12/03/03	3430.27	51.44	3378.83
	03/30/04	3430.27	51.52	3378.75
	06/07/04	3430.27	51.56	3378.71
	11/30/04	3430.27	50.79	3379.48
	03/31/05	3430.27	50.47	3379.80
	05/23/05	3430.27	50.32	3379.95
	01/17/06	3430.27	49.77	3380.50
	06/19/06	3430.27	49.65	3380.62
	04/13/07	3430.27	49.39	3380.88
	03/24/08	3430.27	49.12	3381.15
	03/11/09	3430.27	49.44	3380.83
	03/01/10	3430.27	49.73	3380.54
	08/03/10	3430.27	49.70	3380.57
MW009	12/18/97	3427.63	48.98	3378.65
	11/16/99	3427.63	*50.38	3377.25
	05/15/01	3427.63	49.59	3378.04
	08/23/01	3427.63	49.85	3377.78
	01/21/02	3427.63	49.82	3377.81
	04/04/02	3427.63	49.88	3377.75
	09/03/02	3427.63	49.75	3377.88
	12/02/02	3427.63	49.55	3378.08
	01/31/03	3427.63	49.60	3378.03
	03/28/03	3427.63	49.57	3378.06
	05/19/03	3427.63	49.53	3378.10
	09/09/03	3427.63	49.66	3377.97
	12/03/03	3427.63	49.66	3377.97
	03/30/04	3427.63	49.88	3377.75
	06/07/04	3427.63	49.77	3377.86
	09/17/04	3427.63	49.60	3378.03
	11/30/04	3427.63	49.00	3378.63
	03/31/05	3427.63	48.61	3379.02
	05/23/05	3427.63	48.47	3379.16
	01/17/06	3427.63	47.90	3379.73
	06/19/06	3427.63	47.75	3379.88
	03/18/08	3427.63	47.49	3380.14
	03/11/09	3427.63	47.91	3379.72
	03/01/10	3427.63	48.16	3379.47
	08/02/10	3427.63	48.06	3379.57

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW010	12/18/97	3419.42	43.22	3376.20
	11/16/99	3419.42	*41.27	3378.15
	05/15/01	3419.42	40.37	3379.05
	08/23/01	3419.42	40.61	3378.81
	01/21/02	3419.42	40.71	3378.71
	04/04/02	3419.42	40.85	3378.57
	09/03/02	3419.42	40.65	3378.77
	12/02/02	3419.42	40.50	3378.92
	01/30/03	3419.42	40.51	3378.91
	03/28/03	3419.42	40.46	3378.96
	05/19/03	3419.42	40.52	3378.90
	09/09/03	3419.42	40.52	3378.90
	12/07/03	3419.42	40.59	3378.83
	03/30/04	3419.42	40.81	3378.61
	06/07/04	3419.42	40.74	3378.68
	09/17/04	3419.42	40.50	3378.92
	11/30/04	3419.42	40.11	3379.31
	03/31/05	3419.42	39.63	3379.79
	05/23/05	3419.42	39.42	3380.00
	01/16/06	3419.42	39.15	3380.27
	06/16/06	3419.42	38.97	3380.45
	04/11/07	3419.42	38.57	3380.85
	03/19/08	3419.42	39.14	3380.28
	08/04/08	3419.42	38.94	3380.48
	03/11/09	3419.42	39.16	3380.26
	07/29/09	3419.42	39.31	3380.11
	03/01/10	3419.42	39.40	3380.02
	08/02/10	3419.42	39.36	3380.06
MW011	11/16/99	3431.49	*53.58	3377.91
	05/15/01	3431.49	52.78	3378.71
	08/23/01	3431.49	52.96	3378.53
	01/21/02	3431.49	52.84	3378.65
	04/04/02	3431.49	52.89	3378.60
	09/03/02	3431.49	52.80	3378.69
	12/02/02	3431.49	52.56	3378.93
	01/30/03	3431.49	52.51	3378.98
	03/28/03	3431.49	52.63	3378.86
	05/19/03	3431.49	52.58	3378.91
	09/09/03	3431.49	52.60	3378.89
	12/03/03	3431.49	52.52	3378.97
	03/30/04	3431.49	52.56	3378.93
	06/07/04	3431.49	52.61	3378.88
	11/30/04	3431.49	52.16	3379.33
	03/31/05	3431.49	52.82	3378.67
	05/23/05	3431.49	51.58	3379.91
	01/16/06	3431.49	51.16	3380.33
	06/19/06	3431.49	50.92	3380.57
	03/29/07	3431.49	50.57	3380.92
	03/24/08	3431.49	50.30	3381.19
	03/11/09	3431.49	50.53	3380.96
	03/01/10	3431.49	50.76	3380.73
	08/03/10	3431.49	50.81	3380.68

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW011M	01/21/02	3431.21	52.68	3378.53
	04/04/02	3431.21	52.63	3378.58
	09/03/02	3431.21	52.54	3378.67
	12/02/02	3431.21	52.32	3378.89
	01/30/03	3431.21	52.25	3378.96
	03/28/03	3431.21	52.32	3378.89
	05/19/03	3431.21	52.31	3378.90
	09/09/03	3431.21	52.30	3378.91
	12/03/03	3431.21	52.25	3378.96
	03/30/04	3431.21	52.31	3378.90
	06/07/04	3431.21	52.34	3378.87
	11/30/04	3431.21	51.91	3379.30
	03/31/05	3431.21	52.62	3378.59
	05/23/05	3431.21	51.38	3379.83
	01/16/06	3431.21	50.90	3380.31
	06/19/06	3431.21	50.65	3380.56
	03/29/07	3431.21	50.15	3381.06
	03/24/08	3431.21	49.97	3381.24
	03/11/09	3431.21	50.21	3381.00
	03/01/10	3431.21	50.59	3380.62
	08/03/10	3431.21	50.56	3380.65
MW012	11/16/99	3429.51	*51.12	3378.39
	05/15/01	3429.51	50.50	3379.01
	08/23/01	3429.51	50.50	3379.01
	01/21/02	3429.51	50.48	3379.03
	04/05/02	3429.51	50.49	3379.02
	09/03/02	3429.51	50.40	3379.11
	12/02/02	3429.51	50.25	3379.26
	01/30/03	3429.51	50.13	3379.38
	03/28/03	3429.51	50.25	3379.26
	05/19/03	3429.51	50.15	3379.36
	09/09/03	3429.51	50.11	3379.40
	12/03/03	3429.51	50.05	3379.46
	03/30/04	3429.51	50.18	3379.33
	06/07/04	3429.51	50.13	3379.38
	11/30/04	3429.51	49.66	3379.85
	03/31/05	3429.51	49.58	3379.93
	05/23/05	3429.51	49.23	3380.28
	01/16/06	3429.51	48.88	3380.63
	06/19/06	3429.51	48.65	3380.86
	04/02/07	3429.51	48.21	3381.30
	03/21/08	3429.51	47.70	3381.81
	03/11/09	3429.51	48.26	3381.25
	03/01/10	3429.51	48.56	3380.95
	08/03/10	3429.51	48.62	3380.89

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW012M	01/21/02	3430.06	50.95	3379.11
	04/05/02	3430.06	51.37	3378.69
	09/03/02	3430.06	50.89	3379.17
	12/02/02	3430.06	50.75	3379.31
	01/30/03	3430.06	50.65	3379.41
	03/28/03	3430.06	50.76	3379.30
	05/19/03	3430.06	50.71	3379.35
	09/09/03	3430.06	50.63	3379.43
	12/03/03	3430.06	50.63	3379.43
	03/30/04	3430.06	50.70	3379.36
	06/07/04	3430.06	50.32	3379.74
	11/30/04	3430.06	50.30	3379.76
	03/31/05	3430.06	50.19	3379.87
	05/23/05	3430.06	49.64	3380.42
	01/16/06	3430.06	49.50	3380.56
	06/19/06	3430.06	48.41	3381.65
	04/05/07	3430.06	49.10	3380.96
	03/21/08	3430.06	48.79	3381.27
	03/11/09	3430.06	48.90	3381.16
	03/01/10	3430.06	49.62	3380.44
	08/03/10	3430.06	49.26	3380.80
MW013	12/18/97	3424.11	46.98	3377.13
	11/16/99	3424.11	*44.81	3378.30
	05/15/01	3424.11	45.05	3379.06
	08/23/01	3424.11	45.11	3379.00
	01/21/02	3424.11	45.14	3378.97
	04/05/02	3424.11	45.22	3378.89
	09/03/02	3424.11	45.11	3379.00
	12/02/02	3424.11	44.91	3379.20
	01/30/03	3424.11	44.84	3379.27
	03/28/03	3424.11	45.91	3378.20
	05/19/03	3424.11	44.90	3379.21
	09/09/03	3424.11	44.89	3379.22
	12/02/03	3424.11	44.75	3379.36
	03/30/04	3424.11	44.94	3379.17
	06/07/04	3424.11	44.98	3379.13
	09/17/04	3424.11	44.82	3379.29
	11/30/04	3424.11	44.53	3379.58
	03/31/05	3424.11	44.05	3380.06
	05/23/05	3424.11	43.85	3380.26
	01/16/06	3424.11	43.47	3380.64
	06/16/06	3424.11	43.21	3380.90
	04/18/07	3424.11	42.83	3381.28
	09/19/07	3424.11	42.63	3381.48
	03/18/08	3424.11	42.65	3381.46
	08/04/08	3424.11	42.96	3381.15
	03/11/09	3424.11	43.19	3380.92
	07/29/09	3424.11	43.30	3380.81
	03/01/10	3424.11	43.41	3380.70
	08/02/10	3424.11	40.42	3383.69

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW014	11/16/99	3424.05	45.22	3378.86
	05/15/01	3424.05	44.61	3379.44
	08/23/01	3424.05	44.48	3379.57
	01/21/02	3424.05	44.49	3379.56
	04/05/02	3424.05	44.60	3379.45
	09/03/02	3424.05	44.25	3379.80
	12/02/02	3424.05	44.24	3379.81
	01/30/03	3424.05	44.19	3379.86
	03/28/03	3424.05	44.31	3379.74
	05/19/03	3424.05	44.25	3379.80
	09/09/03	3424.05	44.18	3379.87
	12/02/03	3424.05	44.03	3380.02
	03/30/04	3424.05	44.25	3379.80
	06/07/04	3424.05	44.18	3379.87
	09/14/04	3424.05	44.16	3379.89
	11/30/04	3424.05	43.98	3380.07
	03/31/05	3424.05	43.57	3380.48
	05/23/05	3424.05	40.76	3383.29
	01/17/06	3424.05	42.89	3381.16
	06/16/06	3424.05	42.78	3381.27
	03/26/07	3424.05	42.37	3381.68
	09/19/07	3424.05	42.14	3381.91
	03/19/08	3424.05	42.22	3381.83
	03/11/09	3424.05	42.69	3381.36
	07/29/09	3424.05	42.83	3381.22
	03/01/10	3424.05	42.97	3381.08
	08/02/10	3424.05	47.98	3376.07
MW015	11/16/99	3420.40	41.46	3378.94
	05/15/01	3420.40	40.85	3379.55
	08/23/01	3420.40	40.85	3379.55
	01/21/02	3420.40	40.81	3379.59
	04/04/02	3420.40	40.99	3379.41
	09/03/02	3420.40	40.75	3379.65
	12/02/02	3420.40	40.53	3379.87
	01/30/03	3420.40	40.51	3379.89
	03/28/03	3420.40	40.64	3379.76
	05/19/03	3420.40	40.56	3379.84
	09/08/03	3420.40	40.57	3379.83
	12/02/03	3420.40	40.51	3379.89
	03/30/04	3420.40	40.81	3379.59
	06/07/04	3420.40	40.60	3379.80
	09/16/04	3420.40	40.55	3379.85
	11/30/04	3420.40	40.22	3380.18
	03/31/05	3420.40	39.77	3380.63
	05/23/05	3420.40	39.58	3380.82
	01/17/06	3420.40	39.17	3381.23
	06/16/06	3420.40	39.13	3381.27
	03/22/07	3420.40	38.83	3381.57
	09/18/07	3420.40	38.51	3381.89
	03/18/08	3420.40	38.59	3381.81
	08/04/08	3420.40	39.02	3381.38
	03/10/09	3420.40	39.11	3381.29
	07/28/09	3420.40	39.35	3381.05
	03/01/10	3420.40	39.50	3380.90
	08/02/10	3420.40	39.49	3380.91

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW018	05/15/01	3417.15	37.82	3379.33
	05/15/01	3417.15	37.90	3379.25
	08/23/01	3417.15	37.26	3379.89
	01/21/02	3417.15	37.90	3379.25
	04/04/02	3417.15	38.15	3379.00
	09/03/02	3417.15	37.34	3379.81
	12/02/02	3417.15	37.37	3379.78
	01/30/03	3417.15	37.38	3379.77
	03/28/03	3417.15	37.66	3379.49
	05/19/03	3417.15	37.81	3379.34
	09/08/03	3417.15	37.82	3379.33
	12/02/03	3417.15	37.99	3379.16
	03/30/04	3417.15	38.30	3378.85
	06/07/04	3417.15	37.86	3379.29
	09/16/04	3417.15	37.48	3379.67
	11/29/04	3417.15	36.48	3380.67
	03/31/05	3417.15	36.32	3380.83
	05/23/05	3417.15	36.18	3380.97
	01/17/06	3417.15	36.05	3381.10
	06/16/06	3417.15	36.31	3380.84
	04/02/07	3417.15	35.95	3381.20
	09/13/07	3417.15	35.18	3381.97
	03/18/08	3417.15	36.19	3380.96
	03/10/09	3417.15	36.59	3380.56
	07/28/09	3417.15	36.83	3380.32
	03/01/10	3417.15	36.74	3380.41
	08/02/10	3417.15	36.38	3380.77
MW020	11/16/99	3420.85	44.58	3376.27
	02/06/02	3420.85	44.02	3376.83
	09/03/02	3420.85	43.79	3377.06
	12/09/02	3420.85	43.84	3377.01
	01/30/03	3420.85	43.78	3377.07
	03/28/03	3420.85	43.86	3376.99
	06/05/03	3420.85	43.93	3376.92
	01/22/04	3420.85	44.39	3376.46
	03/30/04	3420.85	44.41	3376.44
	06/07/04	3420.85	44.16	3376.69
	09/17/04	3420.85	43.99	3376.86
	11/29/04	3420.85	43.59	3377.26
	04/01/05	3420.85	43.12	3377.73
	05/23/05	3420.85	42.99	3377.86
	01/17/06	3420.85	42.61	3378.24
	06/16/06	3420.85	42.55	3378.30
	04/04/07	3420.85	42.23	3378.62
	03/18/08	3420.85	42.25	3378.60
	08/04/08	3420.85	42.57	3378.28
	03/10/09	3420.85	42.67	3378.18
	07/28/09	3420.85	42.88	3377.97
	03/01/10	3420.85	42.86	3377.99
	07/30/10	3420.85	42.80	3378.05

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW021	11/16/99	3422.72	47.82	3374.90
	05/15/01	3422.72	47.09	3375.63
	08/23/01	3422.72	47.34	3375.38
	01/21/02	3422.72	47.19	3375.53
	04/04/02	3422.72	47.35	3375.37
	09/03/02	3422.72	47.25	3375.47
	12/02/02	3422.72	47.01	3375.71
	01/30/03	3422.72	46.98	3375.74
	03/28/03	3422.72	47.02	3375.70
	05/19/03	3422.72	47.09	3375.63
	09/08/03	3422.72	47.21	3375.51
	01/21/04	3422.72	47.22	3375.50
	03/30/04	3422.72	47.21	3375.51
	06/07/04	3422.72	47.45	3375.27
	09/17/04	3422.72	47.15	3375.57
	11/29/04	3422.72	46.80	3375.92
	03/31/05	3422.72	46.28	3376.44
	05/23/05	3422.72	46.22	3376.50
	01/18/06	3422.72	45.68	3377.04
	06/14/06	3422.72	45.45	3377.27
	04/09/07	3422.72	45.10	3377.62
	09/18/07	3422.72	45.81	3376.91
	03/18/08	3422.72	45.07	3377.65
	08/04/08	3422.72	46.23	3376.49
	03/10/09	3422.72	45.60	3377.12
	07/28/09	3422.72	45.77	3376.95
	03/01/10	3422.72	45.71	3377.01
	08/02/10	3422.72	45.89	3376.83
MW023	11/16/99	3436.44	58.42	3378.02
	05/15/01	3436.44	57.73	3378.71
	08/23/01	3436.44	57.79	3378.65
	02/07/02	3436.44	57.77	3378.67
	09/03/02	3436.44	57.69	3378.75
	12/02/02	3436.44	57.46	3378.98
	01/30/03	3436.44	57.41	3379.03
	03/28/03	3436.44	57.50	3378.94
	05/19/03	3436.44	57.41	3379.03
	09/09/03	3436.44	57.39	3379.05
	12/02/03	3436.44	57.14	3379.30
	03/30/04	3436.44	57.34	3379.10
	06/07/04	3436.44	57.21	3379.23
	09/17/04	3436.44	57.34	3379.10
	11/30/04	3436.44	57.16	3379.28
	03/31/05	3436.44	56.92	3379.52
	05/23/05	3436.44	56.68	3379.76
	01/17/06	3436.44	56.37	3380.07
	06/14/06	3436.44	56.00	3380.44
	04/18/07	3436.44	55.64	3380.80
	09/20/07	3436.44	55.46	3380.98
	04/09/08	3436.44	55.31	3381.13
	08/04/08	3436.44	55.40	3381.04
	03/11/09	3436.44	55.55	3380.89
	07/29/09	3436.44	55.55	3380.89
	03/01/10	3436.44	55.66	3380.78
	08/03/10	3436.44	55.51	3380.93

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW024	01/09/03	3431.32	53.76	3377.56
	01/29/03	3431.32	53.64	3377.68
	03/27/03	3431.32	53.85	3377.47
	05/19/03	3431.32	53.77	3377.55
	09/09/03	3431.32	53.93	3377.39
	12/02/03	3431.32	53.86	3377.46
	03/30/04	3431.32	54.10	3377.22
	06/07/04	3431.32	54.21	3377.11
	09/16/04	3431.32	53.71	3377.61
	11/29/04	3431.32	53.54	3377.78
	03/31/05	3431.32	53.06	3378.26
	05/23/05	3431.32	52.78	3378.54
	01/17/06	3431.32	52.11	3379.21
	06/14/06	3431.32	51.60	3379.72
	04/11/07	3431.32	51.33	3379.99
	09/13/07	3431.32	51.44	3379.88
	03/19/08	3431.32	51.45	3379.87
	08/04/08	3431.32	51.52	3379.80
	03/11/09	3431.22	51.69	3379.53
	07/29/09	3431.22	51.74	3379.48
	03/01/10	3431.22	51.78	3379.44
	08/02/10	3431.22	51.81	3379.41
MW025	11/16/99	3432.69	53.23	3379.41
	05/15/01	3432.69	53.24	3379.45
	08/23/01	3432.69	53.02	3379.67
	01/21/02	3432.69	53.03	3379.66
	04/05/02	3432.69	53.17	3379.52
	09/03/02	3432.69	53.01	3379.68
	12/02/02	3432.69	52.83	3379.86
	01/29/03	3432.69	52.80	3379.89
	03/28/03	3432.69	52.86	3379.83
	05/19/03	3432.69	52.59	3380.10
	09/09/03	3432.69	52.62	3380.07
	12/02/03	3432.69	52.55	3380.14
	03/30/04	3432.69	52.70	3379.99
	06/07/04	3432.69	52.62	3380.07
	09/16/04	3432.69	52.48	3380.21
	11/29/04	3432.69	52.41	3380.28
	03/31/05	3432.69	52.10	3380.59
	05/23/05	3432.69	51.88	3380.81
	01/17/06	3432.69	51.43	3381.26
	06/16/06	3432.69	51.40	3381.29
	03/22/07	3432.69	50.04	3382.65
	09/18/07	3432.69	50.89	3381.80
	03/18/08	3432.69	50.85	3381.84
	08/04/08	3432.69	51.10	3381.59
	03/10/09	3432.69	51.12	3381.57
	07/28/09	3432.69	51.31	3381.38
	03/01/10	3432.69	51.41	3381.28
	08/03/10	3432.69	51.41	3381.28

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW026	11/16/99	3432.04	52.95	3379.09
	05/15/01	3432.04	52.08	3379.96
	08/23/01	3432.04	52.06	3379.98
	01/21/02	3432.04	51.91	3380.13
	04/04/02	3432.04	52.00	3380.04
	09/03/02	3432.04	51.99	3380.05
	12/02/02	3432.04	51.60	3380.44
	01/30/03	3432.04	51.43	3380.61
	03/28/03	3432.04	51.62	3380.42
	05/19/03	3432.04	51.52	3380.52
	09/08/03	3432.04	51.64	3380.40
	12/02/03	3432.04	51.49	3380.55
	03/30/04	3432.04	51.70	3380.34
	06/07/04	3432.04	51.69	3380.35
	09/16/04	3432.04	51.62	3380.42
	11/30/04	3432.04	51.56	3380.48
	03/31/05	3432.04	51.03	3381.01
	05/23/05	3432.04	50.79	3381.25
	01/17/06	3432.04	50.43	3381.61
	06/15/06	3432.04	50.23	3381.81
	04/05/07	3432.04	51.12	3380.92
	09/10/07	3432.04	49.84	3382.20
	03/18/08	3432.04	49.74	3382.30
	08/04/08	3432.04	49.80	3382.24
	03/10/09	3432.04	50.25	3381.79
	07/28/09	3432.04	50.52	3381.52
	03/01/10	3432.04	50.75	3381.29
	08/02/10	3432.04	52.85	3379.19
MW027	11/16/99	3443.33	64.65	3378.68
	05/15/01	3443.33	64.09	3379.24
	08/23/01	3443.33	63.82	3379.51
	01/21/02	3443.33	63.87	3379.46
	04/04/02	3443.33	63.90	3379.43
	09/03/02	3443.33	63.90	3379.43
	12/02/02	3443.33	63.64	3379.69
	01/30/03	3443.33	63.59	3379.74
	03/27/03	3443.33	63.49	3379.84
	05/19/03	3443.33	63.63	3379.70
	09/08/03	3443.33	63.58	3379.75
	12/02/03	3443.33	63.48	3379.85
	03/30/04	3443.33	63.62	3379.71
	06/07/04	3443.33	63.67	3379.66
	09/16/04	3443.33	63.55	3379.78
	11/29/04	3443.33	63.48	3379.85
	03/31/05	3443.33	62.98	3380.35
	05/23/05	3443.33	62.73	3380.60
	01/17/06	3443.33	62.39	3380.94
	06/16/06	3443.33	62.32	3381.01
	03/21/07	3443.33	62.13	3381.20
	09/13/07	3443.33	62.04	3381.29
	03/18/08	3443.33	61.99	3381.34
	08/04/08	3443.33	62.14	3381.19
	03/11/09	NG	NG	NG
	07/29/09	3443.33	62.52	3380.81
	03/01/10	3443.33	62.73	3380.60
	08/02/10	3443.33	62.84	3380.49

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW028	11/16/99	3451.63	73.52	3378.11
	05/15/01	3451.63	72.89	3378.74
	08/23/01	3451.63	72.86	3378.77
	01/21/02	3451.63	72.75	3378.88
	04/05/02	3451.63	72.77	3378.86
	09/03/02	3451.63	72.71	3378.92
	12/02/02	3451.63	72.55	3379.08
	01/29/03	3451.63	72.51	3379.12
	03/28/03	3451.63	72.58	3379.05
	05/19/03	3451.63	72.52	3379.11
	09/09/03	3451.63	72.53	3379.10
	01/28/04	3451.63	72.53	3379.10
	03/30/04	3451.63	72.36	3379.27
	06/07/04	3451.63	72.25	3379.38
	09/17/04	3451.63	72.28	3379.35
	11/29/04	3451.63	71.89	3379.74
	04/01/05	3451.63	71.71	3379.92
	05/23/05	3451.63	71.55	3380.08
	01/17/06	3451.63	71.10	3380.53
	06/14/06	3451.63	71.16	3380.47
	03/21/07	3451.63	70.91	3380.72
	09/05/07	3451.63	70.61	3381.02
	03/18/08	3451.63	70.68	3380.95
	08/04/08	3451.63	69.96	3381.67
	03/10/09	3451.63	70.70	3380.93
	07/28/09	3451.63	70.89	3380.74
	03/01/10	3451.63	70.92	3380.71
	08/02/10	3451.63	70.66	3380.97
MW029	11/16/99	3446.89	68.62	3378.27
	05/15/01	3446.89	68.12	3378.77
	08/30/01	3446.89	68.47	3378.42
	02/06/02	3446.89	67.97	3378.92
	09/03/02	3446.89	67.86	3379.03
	12/02/02	3446.89	67.70	3379.19
	01/29/03	3446.89	67.73	3379.16
	03/27/03	3446.89	67.66	3379.23
	05/19/03	3446.89	67.63	3379.26
	09/09/03	3446.89	67.68	3379.21
	12/02/03	3446.89	67.59	3379.30
	03/30/04	3446.89	67.50	3379.39
	06/07/04	3446.89	67.53	3379.36
	06/16/04	3446.89	67.49	3379.40
	11/29/04	3446.89	67.58	3379.31
	03/31/05	3446.89	67.33	3379.56
	05/23/05	3446.89	67.15	3379.74
	01/17/06	3446.89	66.99	3379.90
	06/14/06	3446.89	66.75	3380.14
	03/28/07	3446.89	66.46	3380.43
	09/05/07	3446.89	66.25	3380.64
	03/18/08	3446.89	66.09	3380.80
	08/04/08	3446.89	65.98	3380.91
	03/10/09	3446.89	65.97	3380.92
	07/28/09	3446.89	65.92	3380.97
	03/01/10	3446.89	66.00	3380.89
	08/02/10	3446.89	65.96	3380.93

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW030	04/24/02	3439.84	61.42	3378.42
	05/07/02	3439.84	61.30	3378.54
	09/03/02	3439.84	61.39	3378.45
	12/02/02	3439.84	61.18	3378.66
	01/29/03	3439.84	61.80	3378.04
	03/27/03	3439.84	61.14	3378.70
	05/19/03	3439.84	61.16	3378.68
	09/09/03	3439.84	61.16	3378.68
	12/02/03	3439.84	61.06	3378.78
	03/30/04	3439.84	61.04	3378.80
	06/07/04	3439.84	61.03	3378.81
	09/17/04	3439.84	61.06	3378.78
	11/29/04	3439.84	61.08	3378.76
	03/31/05	3439.84	60.80	3379.04
	05/23/05	3439.84	60.60	3379.24
	01/17/06	3439.84	60.28	3379.56
	06/14/06	3439.84	59.99	3379.85
	03/28/07	3439.84	59.58	3380.26
	09/10/07	3439.84	59.40	3380.44
	03/18/08	3439.84	58.20	3381.64
MW031	08/04/08	3439.84	59.14	3380.70
	03/10/09	3439.84	59.25	3380.59
	07/28/09	3439.84	59.24	3380.60
	03/01/10	3439.84	59.32	3380.52
	08/02/10	3439.84	59.32	3380.52
	04/25/02	3440.68	61.80	3378.88
	05/07/02	3440.68	61.85	3378.83
	09/03/02	3440.68	61.88	3378.80
	12/02/02	3440.68	61.73	3378.95
	01/29/03	3440.68	61.71	3378.97
	03/27/03	3440.68	61.65	3379.03
	05/19/03	3440.68	61.67	3379.01
	09/09/03	3440.68	61.68	3379.00
	12/02/03	3440.68	61.50	3379.18
	03/30/04	3440.68	61.53	3379.15
	06/07/04	3440.68	61.51	3379.17
	09/16/04	3440.68	61.48	3379.19
	11/29/04	3440.68	61.43	3379.25
	03/31/05	3440.68	61.04	3379.64
	05/23/05	3440.68	60.96	3379.72
	01/17/06	3440.68	60.74	3379.94
	06/14/06	3440.68	60.53	3380.15
	03/28/07	3440.68	60.24	3380.44
	09/10/07	3440.68	60.00	3380.68
	03/18/08	3440.68	59.89	3380.79
	08/04/08	3440.68	59.90	3380.78
	03/10/09	3440.68	59.86	3380.82
	07/28/09	3440.68	59.58	3381.10
	03/01/10	3440.68	60.04	3380.64
	08/02/10	3440.68	60.04	3380.64

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW032	04/04/02	3442.22	62.71	3379.51
	09/03/02	3442.22	62.61	3379.61
	12/02/02	3442.22	62.40	3379.82
	01/31/03	3442.22	62.55	3379.67
	03/27/03	3442.22	62.32	3379.90
	05/19/03	3442.22	62.37	3379.85
	09/09/03	3442.22	62.38	3379.84
	12/02/03	3442.22	62.23	3379.99
	03/30/04	3442.22	62.30	3379.92
	06/07/04	3442.22	62.28	3379.94
	09/16/04	3442.22	62.14	3380.08
	03/31/05	3442.22	61.54	3380.68
	05/23/05	3442.22	61.35	3380.87
	01/17/06	3442.22	60.93	3381.29
	06/15/06	3442.22	60.92	3381.30
	04/13/07	3442.22	60.75	3381.47
	09/06/07	3442.22	60.52	3381.70
	03/19/08	3442.22	60.59	3381.63
	08/04/08	3442.22	60.85	3381.37
	03/10/09	3442.22	60.82	3381.40
	07/28/09	3442.22	61.02	3381.20
	03/01/10	3442.22	61.06	3381.16
	08/02/10	3442.22	61.72	3380.50
	08/03/10	3442.22	47.79	3394.43
MW033	04/04/02	3428.86	48.95	3379.91
	09/03/02	3428.86	48.86	3380.00
	12/05/02	3428.86	48.76	3380.10
	01/31/03	3428.86	48.63	3380.23
	03/27/03	3428.86	48.50	3380.36
	05/19/03	3428.86	48.63	3380.23
	09/09/03	3428.86	48.59	3380.27
	12/03/03	3428.86	48.69	3380.17
	03/30/04	3428.86	49.78	3379.08
	06/07/04	3428.86	48.64	3380.22
	09/16/04	3428.86	48.51	3380.35
	11/30/04	3428.86	48.41	3380.45
	04/01/05	3428.86	48.24	3380.62
	05/23/05	3428.86	47.73	3381.13
	01/17/06	3428.86	47.27	3381.59
	06/16/06	3428.86	47.06	3381.80
	04/23/07	3428.86	46.85	3382.01
	09/20/07	3428.86	46.64	3382.22
	03/18/08	3428.86	46.62	3382.24
	08/04/08	3428.86	46.92	3381.94
	03/11/09	3428.86	47.19	3381.67
	07/29/09	3428.86	47.34	3381.52
	03/01/10	3428.86	47.47	3381.39
	08/03/10	3428.86	47.53	3381.33

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW034	04/04/02	3418.76	43.49	3375.27
	09/03/02	3418.76	43.43	3375.33
	12/02/02	3418.76	43.24	3375.52
	01/30/03	3418.76	43.31	3375.45
	03/28/03	3418.76	43.20	3375.56
	05/19/03	3418.76	43.24	3375.52
	09/08/03	3418.76	43.43	3375.33
	12/02/03	3418.76	43.37	3375.39
	03/30/04	3418.76	43.55	3375.21
	06/07/04	3418.76	43.50	3375.26
	09/16/04	3418.76	43.41	3375.35
	11/29/04	3418.76	43.71	3375.05
	03/31/05	3418.76	42.66	3376.10
	05/23/05	3418.76	42.52	3376.24
	01/17/06	3418.76	47.06	3371.70
	06/19/06	3418.76	41.70	3377.06
	04/09/07	3418.76	41.40	3377.36
	03/19/08	3418.76	41.35	3377.41
	03/11/09	3418.76	41.86	3376.90
	03/01/10	3418.76	41.95	3376.81
	08/02/10	3418.76	41.99	3376.77
MW035	08/23/01	3427.39	50.49	3376.90
	01/21/02	3427.39	50.45	3376.94
	04/04/02	3427.39	50.58	3376.81
	09/03/02	3427.39	50.04	3377.35
	12/02/02	3427.39	50.03	3377.36
	01/31/03	3427.39	50.03	3377.36
	03/28/03	3427.39	50.19	3377.20
	05/19/03	3427.39	50.24	3377.15
	09/09/03	3427.39	50.35	3377.04
	12/03/03	3427.39	50.32	3377.07
	03/30/04	3427.39	50.52	3376.87
	06/07/04	3427.39	50.51	3376.88
	09/17/04	3427.39	49.98	3377.41
	11/30/04	3427.39	49.09	3378.30
	03/31/05	3427.39	49.02	3378.37
	05/23/05	3427.39	49.06	3378.33
	01/17/06	3427.39	48.44	3378.95
	06/19/06	3427.39	48.18	3379.21
	04/02/07	3427.39	47.91	3379.48
	03/18/08	3427.39	47.94	3379.45
	03/10/09	3427.39	48.45	3378.94
	03/01/10	3427.39	48.58	3378.81
	08/02/10	3427.39	48.44	3378.95

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW036	08/23/01	3425.49	48.36	3377.13
	01/21/02	3425.49	48.22	3377.27
	04/04/02	3425.49	48.24	3377.25
	09/03/02	3425.49	47.75	3377.74
	12/02/02	3425.49	47.78	3377.71
	01/31/03	3425.49	47.84	3377.65
	03/28/03	3425.49	47.91	3377.58
	05/19/03	3425.49	47.96	3377.53
	09/09/03	3425.49	48.12	3377.37
	12/03/03	3425.49	48.22	3377.27
	03/30/04	3425.49	48.37	3377.12
	06/07/04	3425.49	48.32	3377.17
	09/17/04	3425.49	47.86	3377.63
	11/30/04	3425.49	47.20	3378.29
	04/01/05	3425.49	46.89	3378.60
	05/23/05	3425.49	46.80	3378.69
	01/17/06	3425.49	46.11	3379.38
	06/19/06	3425.49	45.79	3379.70
	04/19/07	3425.49	45.52	3379.97
	03/24/08	3425.49	45.65	3379.84
MW037	03/11/09	3425.49	46.18	3379.31
	03/01/10	3425.49	46.26	3379.23
	08/03/10	3425.49	46.37	3379.12
	08/23/01	3423.71	46.60	3377.11
	01/21/02	3423.71	46.59	3377.12
	04/04/02	3423.71	46.62	3377.09
	09/03/02	3423.71	46.07	3377.64
	12/02/02	3423.71	46.17	3377.54
	01/31/03	3423.71	46.28	3377.43
	03/28/03	3423.71	46.29	3377.42
	05/19/03	3423.71	46.39	3377.32
	09/09/03	3423.71	46.52	3377.19
	12/03/03	3423.71	46.46	3377.25
	03/30/04	3423.71	47.76	3375.95
	06/07/04	3423.71	46.64	3377.07
	09/17/04	3423.71	46.18	3377.53
	11/30/04	3423.71	45.51	3378.20
	04/01/05	3423.71	45.34	3378.37
	05/23/05	3423.71	45.21	3378.50
	01/18/06	3423.71	44.46	3379.25
	06/19/06	3423.71	44.29	3379.42
	04/19/07	3423.71	44.05	3379.66
	03/24/08	3423.71	44.15	3379.56
	03/11/09	3423.71	45.74	3377.97
	03/01/10	3423.71	44.74	3378.97

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW038	08/23/01	3425.23	47.85	3377.38
	01/21/02	3425.23	47.69	3377.54
	04/04/02	3425.23	47.81	3377.42
	09/03/02	3425.23	47.43	3377.80
	12/02/02	3425.23	47.30	3377.93
	01/31/03	3425.23	47.41	3377.82
	03/28/03	3425.23	47.51	3377.72
	05/19/03	3425.23	47.42	3377.81
	09/09/03	3425.23	47.61	3377.62
	12/03/03	3425.23	47.72	3377.51
	03/30/04	3425.23	47.80	3377.43
	06/07/04	3425.23	47.76	3377.47
	09/17/04	3425.23	47.44	3377.79
	11/30/04	3425.23	46.89	3378.34
	04/01/05	3425.23	46.54	3378.69
	05/23/05	3425.23	46.35	3378.88
	01/17/06	3425.23	45.61	3379.62
	06/19/06	3425.23	45.32	3379.91
	4/19/2007	3425.23	45.09	3380.14
	03/24/08	3425.23	45.20	3380.03
MW043	03/11/09	3425.23	45.73	3379.50
	03/01/10	3425.23	45.89	3379.34
	08/02/10	3425.23	45.93	3379.30
	05/07/02	3423.57	47.61	3375.96
	09/03/02	3423.57	47.53	3376.04
	12/02/02	3423.57	47.42	3376.15
	01/30/03	3423.57	47.38	3376.19
	03/28/03	3423.57	47.44	3376.13
	05/19/03	3423.57	47.50	3376.07
	09/08/03	3423.57	47.64	3375.93
	12/02/03	3423.57	47.55	3376.02
	03/30/04	3423.57	47.84	3375.73
	06/07/04	3423.57	47.82	3375.75
	09/14/04	3423.57	47.44	3376.13
	11/29/04	3423.57	46.55	3377.02
	03/31/05	3423.57	46.49	3377.08
	05/23/05	3423.57	46.51	3377.06
	01/17/06	3423.57	44.92	3378.65
	06/14/06	3423.57	45.45	3378.12
	04/09/07	3423.57	45.35	3378.22
	03/18/08	3423.57	45.36	3378.21
	03/10/09	3423.57	45.85	3377.72
	03/01/10	3423.57	45.94	3377.63
	07/30/10	3423.57	46.01	3377.56

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW044	04/04/02	3420.41	43.86	3376.55
	09/03/02	3420.41	43.52	3376.89
	12/02/02	3420.41	43.47	3376.94
	01/30/03	3420.41	43.68	3376.73
	03/28/03	3420.41	43.49	3376.92
	05/19/03	3420.41	43.58	3376.83
	09/08/03	3420.41	43.69	3376.72
	12/02/03	3420.41	43.65	3376.76
	03/30/04	3420.41	43.90	3376.51
	06/07/04	3420.41	43.88	3376.53
	09/16/04	3420.41	43.49	3376.92
	11/29/04	3420.41	43.06	3377.35
	03/31/05	3420.41	42.59	3377.82
	05/23/05	3420.41	42.55	3377.86
	01/17/06	3420.41	41.72	3378.69
	06/19/06	3420.41	41.59	3378.82
	04/06/07	3420.41	41.45	3378.96
	03/19/08	3420.41	41.35	3379.06
	03/11/09	3420.41	41.89	3378.52
	03/01/10	3420.41	41.54	3378.87
	08/02/10	3420.41	41.96	3378.45
MW045	04/04/02	3425.53	48.57	3376.96
	09/03/02	3425.53	48.15	3377.38
	12/02/02	3425.53	47.94	3377.59
	01/31/03	3425.53	48.08	3377.45
	03/28/03	3425.53	48.31	3377.22
	05/19/03	3425.53	48.11	3377.42
	09/09/03	3425.53	48.34	3377.19
	12/03/03	3425.53	48.37	3377.16
	03/30/04	3425.53	48.44	3377.09
	06/07/04	3425.53	48.61	3376.92
	09/17/04	3425.53	48.10	3377.43
	11/30/04	3425.53	47.60	3377.93
	03/31/05	3425.53	47.05	3378.48
	05/23/05	3425.53	46.98	3378.55
	01/17/06	3425.53	46.36	3379.17
	06/19/06	3425.53	45.87	3379.66
	04/02/07	3425.53	45.66	3379.87
	04/17/07	3425.53	45.73	3379.80
	03/18/08	3425.53	45.74	3379.79
	03/10/09	3425.53	46.16	3379.37
	03/01/10	3425.53	46.40	3379.13
	08/02/10	3425.53	46.36	3379.17

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW046	04/04/02	3426.81	49.93	3376.88
	09/03/02	3426.81	49.37	3377.44
	12/02/02	3426.81	49.17	3377.64
	01/31/03	3426.81	49.33	3377.48
	03/28/03	3426.81	49.66	3377.15
	05/19/03	3426.81	49.35	3377.46
	09/09/03	3426.81	49.67	3377.14
	12/03/03	3426.81	49.75	3377.06
	03/30/04	3426.81	49.82	3376.99
	06/07/04	3426.81	50.05	3376.76
	09/17/04	3426.81	49.33	3377.48
	11/30/04	3426.81	48.99	3377.82
	03/31/05	3426.81	48.36	3378.45
	05/23/05	3426.81	48.18	3378.63
	01/17/06	3426.81	47.34	3379.47
	06/19/06	3426.81	46.87	3379.94
	04/19/07	3426.81	46.75	3380.06
	03/18/08	3426.81	46.84	3379.97
	03/11/09	3426.81	47.33	3379.48
	03/01/10	3426.81	47.44	3379.37
	08/02/10	3426.81	46.45	3380.36
MW047	04/04/02	3427.65	49.54	3378.11
	09/03/02	3427.65	49.40	3378.25
	12/02/02	3427.65	49.16	3378.49
	01/31/03	3427.65	49.22	3378.43
	03/28/03	3427.65	49.29	3378.36
	05/19/03	3427.65	49.21	3378.44
	09/09/03	3427.65	49.36	3378.29
	12/03/03	3427.65	49.38	3378.27
	03/30/04	3427.65	49.50	3378.15
	06/07/04	3427.65	49.43	3378.22
	09/17/04	3427.65	49.20	3378.45
	11/30/04	3427.65	48.66	3378.99
	03/31/05	3427.65	47.98	3379.67
	05/23/05	3427.65	47.90	3379.75
	01/17/06	3427.65	47.38	3380.27
	06/19/06	3427.65	47.12	3380.53
	04/16/07	3427.65	46.73	3380.92
	03/19/08	3427.65	46.84	3380.81
	03/11/09	NG	NG	NG
	03/01/10	3427.65	47.50	3380.15
	08/03/10	3427.65	47.58	3380.07

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW058	01/31/03	3437.13	58.49	3378.64
	03/27/03	3437.13	58.49	3378.64
	05/19/03	3437.13	58.52	3378.61
	09/09/03	3437.13	58.57	3378.56
	12/02/03	3437.13	58.44	3378.69
	03/30/04	3437.13	58.51	3378.62
	06/07/04	3437.13	58.50	3378.63
	09/16/04	3437.13	58.42	3378.71
	11/29/04	3437.13	58.43	3378.70
	03/31/05	3437.13	59.08	3378.05
	05/23/05	3437.13	57.84	3379.29
	01/17/06	3437.13	57.43	3379.70
	06/14/06	3437.13	57.10	3380.03
	04/23/07	3437.13	56.20	3380.93
	09/13/07	3437.13	56.58	3380.55
	03/19/08	3437.13	56.46	3380.67
	08/04/08	3437.13	56.47	3380.66
	03/11/09	3437.13	56.52	3380.61
	07/29/09	3437.13	56.56	3380.57
	03/01/10	3437.13	56.65	3380.48
	08/02/10	3437.13	56.64	3380.49
MW059	01/31/03	3442.22	63.28	3378.94
	03/28/03	3442.22	63.23	3378.99
	05/19/03	3442.22	63.15	3379.07
	09/09/03	3442.22	63.15	3379.07
	12/02/03	3442.22	63.05	3379.17
	03/30/04	3442.22	63.06	3379.16
	06/07/04	3442.22	63.00	3379.22
	09/17/04	3442.22	63.03	3379.19
	11/30/04	3442.22	62.96	3379.26
	03/31/05	3442.22	62.75	3379.47
	05/23/05	3442.22	62.51	3379.71
	01/17/06	3442.22	62.28	3379.94
	06/14/06	3442.22	61.96	3380.26
	Date Missing	3442.22	61.61	3380.61
	09/11/07	3442.22	61.39	3380.83
	03/19/08	3442.22	61.30	3380.92
	08/04/08	3442.22	61.20	3381.02
	03/11/09	3442.22	61.33	3380.89
	07/29/09	3442.22	61.32	3380.90
	03/01/10	3442.22	61.40	3380.82
	08/03/10	3442.22	61.38	3380.84

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW060	01/08/03	3437.70	58.62	3379.08
	01/30/03	3437.70	58.38	3379.32
	03/28/03	3437.70	58.45	3379.25
	05/19/03	3437.70	58.39	3379.31
	09/09/03	3437.70	58.34	3379.36
	12/02/03	3437.70	58.15	3379.55
	03/30/04	3437.70	58.20	3379.50
	06/07/04	3437.70	58.19	3379.51
	09/16/04	3437.70	58.12	3379.58
	11/29/04	3437.70	58.11	3379.59
	03/31/05	3437.70	57.79	3379.91
	05/23/05	3437.70	57.63	3380.07
	01/17/06	3437.70	57.33	3380.37
	06/16/06	3437.70	57.13	3380.57
	03/28/07	3437.70	56.80	3380.90
	09/13/07	3437.70	56.57	3381.13
	03/18/08	3437.70	56.46	3381.24
	08/04/08	3437.70	56.57	3381.13
	03/10/09	3437.70	66.55	3371.15
	07/28/09	3437.70	56.60	3381.10
	03/01/10	3437.70	56.73	3380.97
	08/02/10	3437.70	56.74	3380.96
MW061	01/08/03	3439.86	60.23	3379.63
	03/27/03	3439.86	60.20	3379.66
	05/19/03	3439.86	60.26	3379.60
	09/09/03	3439.86	60.18	3379.68
	12/02/03	3439.86	60.00	3379.86
	03/30/04	3439.86	60.12	3379.74
	06/07/04	3439.86	60.06	3379.80
	09/16/04	3439.86	59.93	3379.93
	11/29/04	3439.86	59.84	3380.02
	03/31/05	3439.86	59.52	3380.34
	05/23/05	3439.86	59.32	3380.54
	01/17/06	3439.86	58.90	3380.96
	06/15/06	3439.86	58.81	3381.05
	04/18/07	3439.86	58.54	3381.32
	09/20/07	3439.86	58.39	3381.47
	03/18/08	3439.86	58.34	3381.52
	08/04/08	3439.86	58.55	3381.31
	03/11/09	3439.86	58.59	3381.27
	07/29/09	3439.86	58.65	3381.21
	03/01/10	3439.86	58.77	3381.09
	08/03/10	3439.86	58.72	3381.14

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW068	03/27/03	3448.08	67.61	3380.47
	05/19/03	3448.08	68.70	3379.38
	09/09/03	3448.08	68.67	3379.41
	12/02/03	3448.08	68.51	3379.57
	03/30/04	3448.08	68.52	3379.56
	06/07/04	3448.08	68.45	3379.63
	09/16/04	3448.18	68.30	3379.88
	11/29/04	3448.08	68.19	3379.89
	03/31/05	3448.08	67.90	3380.18
	05/23/05	3448.08	67.78	3380.30
	01/17/06	3448.08	67.40	3380.68
	06/14/06	3448.08	67.30	3380.78
	03/22/07	3448.08	67.04	3381.04
	09/06/07	3448.08	66.78	3381.30
	03/18/08	3448.08	66.80	3381.28
	08/04/08	3448.08	67.09	3380.99
	03/10/09	3448.08	66.94	3381.14
	07/28/09	3448.08	67.02	3381.06
	03/01/10	3448.08	67.12	3380.96
	08/03/10	3448.08	67.99	3380.09
MW069	03/27/03	3444.07	64.89	3379.18
	05/19/03	3444.07	64.83	3379.24
	09/09/03	3444.07	64.79	3379.28
	12/02/03	3444.07	64.63	3379.44
	03/30/04	3444.07	64.65	3379.42
	06/07/04	3444.07	64.63	3379.44
	09/16/04	3444.07	64.60	3379.47
	11/29/04	3444.07	64.51	3379.56
	03/31/05	3444.07	64.24	3379.83
	05/23/05	3444.07	64.08	3379.99
	01/17/06	3444.07	63.82	3380.25
	06/14/06	3444.07	63.66	3380.41
	03/22/09	3444.07	63.39	3380.68
	09/06/07	3444.07	63.16	3380.91
	03/18/08	3444.07	63.17	3380.90
	08/04/08	3444.07	63.10	3380.97
	03/10/09	3444.07	62.99	3381.08
	07/28/09	3444.07	63.09	3380.98
	03/01/10	3444.07	63.17	3380.90
	08/02/10	3444.07	63.20	3380.87

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW070	03/27/03	3439.68	61.00	3378.68
	05/19/03	3439.68	61.03	3378.65
	09/09/03	3439.68	61.02	3378.66
	12/02/03	3439.68	60.93	3378.75
	03/30/04	3439.68	61.02	3378.66
	06/07/04	3439.68	60.94	3378.74
	09/16/04	3439.68	60.90	3378.78
	11/29/04	3439.68	60.91	3378.77
	03/31/05	3439.68	60.72	3378.96
	05/23/05	3439.68	60.52	3379.16
	01/17/06	3439.68	60.20	3379.48
	06/14/06	3439.68	59.88	3379.80
	03/29/07	3439.68	59.47	3380.21
	09/10/07	3439.68	59.25	3380.43
	03/18/08	3439.68	59.18	3380.50
	08/04/08	3439.68	59.09	3380.59
	03/10/09	3439.68	59.11	3380.57
	07/28/09	3439.68	59.10	3380.58
	03/01/10	3439.68	59.15	3380.53
	08/02/10	3439.68	59.13	3380.55
MW088M	09/24/04	3430.63	50.65	3379.98
	03/31/05	3430.63	50.61	3380.02
	05/23/05	3430.63	50.25	3380.38
	01/16/06	3430.63	49.90	3380.73
	06/19/06	3430.63	49.67	3380.96
	04/05/07	3430.63	49.25	3381.38
	03/21/08	3430.63	49.00	3381.63
	03/11/09	3430.63	49.30	3381.33
	03/01/10	3430.63	49.52	3381.11
	08/03/10	3430.63	48.77	3381.86
RW002	01/21/02	3431.66	52.98	3378.68
	04/04/02	3431.66	53.05	3378.61
	09/03/02	3431.66	52.95	3378.71
	12/02/02	3431.66	52.81	3378.85
	01/30/03	3431.66	52.75	3378.91
	03/28/03	3431.66	52.76	3378.90
	05/19/03	3431.66	52.73	3378.93
	09/09/03	3431.66	52.72	3378.94
	12/03/03	3431.66	52.66	3379.00
	03/30/04	3431.66	52.77	3378.89
	06/07/04	3431.66	52.77	3378.89
	11/29/04	3431.66	52.34	3379.32
	03/31/05	3431.66	51.05	3380.61
	05/23/05	3431.66	51.77	3379.89
	01/16/06	3431.66	51.35	3380.31
	06/19/06	3431.66	51.11	3380.55
	03/29/07	3431.66	50.60	3381.06
	03/24/08	3431.66	50.45	3381.21
	03/11/09	3431.66	50.70	3380.96
	03/01/10	3431.66	50.94	3380.72
	08/03/10	3431.66	50.98	3380.68

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
RW003	01/21/02	3429.82	50.75	3379.07
	04/04/02	3429.82	50.78	3379.04
	09/03/02	3429.82	50.75	3379.07
	12/02/02	3429.82	50.56	3379.26
	01/30/03	3429.82	50.45	3379.37
	03/28/03	3429.82	50.55	3379.27
	05/19/03	3429.82	50.49	3379.33
	09/09/03	3429.82	50.40	3379.42
	12/03/03	3429.82	50.34	3379.48
	03/30/04	3429.82	50.53	3379.29
	06/07/04	3429.82	50.43	3379.39
	11/30/04	3429.82	50.13	3379.69
	03/31/05	3429.82	49.90	3379.92
	05/23/05	3429.82	49.55	3380.27
	01/16/06	3429.82	49.20	3380.62
	06/19/06	3429.82	48.95	3380.87
	04/02/07	3429.82	48.53	3381.29
	03/19/08	3429.82	48.30	3381.52
	03/11/09	3429.82	48.58	3381.24
	03/01/10	3429.82	48.86	3380.96
	08/03/10	3429.82	48.92	3380.90
IW001	08/01/02	3431.91	53.19	3378.72
	12/02/02	3431.91	52.90	3379.01
	01/30/03	3431.91	52.85	3379.06
	03/28/03	3431.91	52.94	3378.97
	05/19/03	3431.91	50.91	3381.00
	09/09/03	3431.91	52.62	3379.29
	12/03/03	3431.91	53.03	3378.88
	03/30/04	3431.91	52.98	3378.93
	06/07/04	3431.91	53.93	3377.98
	11/30/04	3431.91	53.04	3378.87
	03/31/05	3431.91	53.62	3378.29
	05/23/05	3431.91	52.58	3379.33
	01/18/06	3431.91	49.50	3382.41
	06/19/06	3431.91	51.28	3380.63
	04/16/07	3431.91	48.85	3383.06
	03/24/08	3431.91	50.70	3381.21
	03/10/09	3431.91	48.98	3382.93
	03/01/10	3431.91	49.23	3382.68
	08/03/10	3431.91	49.23	3382.68

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
IW002	09/03/02	3430.33	53.14	3377.19
	12/02/02	3430.33	50.99	3379.34
	01/30/03	3430.33	50.88	3379.45
	03/28/03	3430.33	50.99	3379.34
	05/19/03	3430.33	50.88	3379.45
	09/09/03	3430.33	51.46	3378.87
	12/03/03	3430.33	50.94	3379.39
	03/30/04	3431.00	51.62	3379.38
	06/07/04	3431.00	51.61	3379.39
	11/30/04	3431.00	51.34	3379.66
	03/31/05	3431.00	51.54	3379.46
	05/23/05	3431.00	51.36	3379.64
	01/18/06	3431.00	47.48	3383.52
	06/19/06	3431.00	48.71	3382.29
	04/11/07	3431.00	47.05	3383.95
	03/21/08	3431.00	46.19	3384.81
	03/10/09	3431.00	46.99	3384.01
	03/01/10	3431.00	47.31	3383.69
	08/03/10	3431.00	46.30	3384.70

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
Deep Zone Wells				
MW002A	01/07/03	3432.31	54.03	3378.28
	01/30/03	3432.31	53.89	3378.42
	03/28/03	3432.31	54.11	3378.20
	05/19/03	3432.31	53.99	3378.32
	09/09/03	3432.31	54.12	3378.19
	12/02/03	3432.31	53.97	3378.34
	03/30/04	3432.31	54.20	3378.11
	06/07/04	3432.31	54.21	3378.10
	09/17/04	3432.31	53.93	3378.38
	11/30/04	3432.31	53.74	3378.57
	03/31/05	3432.31	53.36	3378.95
	05/23/05	3432.31	53.08	3379.23
	01/17/06	3432.31	52.56	3379.75
	06/19/06	3432.31	52.18	3380.13
	04/12/07	3432.31	51.80	3380.51
	09/01/07	3432.31	NS	NS
	03/19/08	3432.31	51.72	3380.59
	03/11/09	3432.31	51.89	3380.42
	03/01/10	3432.31	52.01	3380.30
	08/02/10	3432.31	52.01	3380.30
MW004A	12/18/97	3423.57	48.00	3375.57
	11/16/99	3423.57	*47.00	3376.57
	05/15/01	3423.57	46.31	3377.26
	08/23/01	3423.57	46.44	3377.13
	01/21/02	3423.57	46.44	3377.13
	04/04/02	3423.57	46.52	3377.05
	09/03/02	3423.57	46.49	3377.08
	12/02/02	3423.57	46.10	3377.47
	01/31/03	3423.57	46.16	3377.41
	03/28/03	3423.57	46.20	3377.37
	05/19/03	3423.57	46.21	3377.36
	09/09/03	3423.57	46.36	3377.21
	12/03/03	3423.57	46.38	3377.19
	03/30/04	3423.57	46.45	3377.12
	06/07/04	3423.57	46.66	3376.91
	09/17/04	3423.57	46.18	3377.39
	11/30/04	3423.57	45.62	3377.95
	03/31/05	3423.57	45.61	3377.96
	05/23/05	3423.57	45.19	3378.38
	01/18/06	3423.57	44.39	3379.18
	06/19/06	3423.57	44.21	3379.36
	04/16/07	3423.57	43.95	3379.62
	03/19/08	3423.57	43.98	3379.59
	03/11/09	3423.57	44.54	3379.03
	03/01/10	3423.57	44.71	3378.86
	08/02/10	3423.57	44.75	3378.82

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW007A	12/18/97	3428.13	49.37	3378.76
	11/16/99	3428.13	*50.22	3377.91
	05/15/01	3428.13	49.38	3378.75
	08/23/01	3428.13	49.72	3378.41
	01/21/02	3428.13	49.64	3378.49
	04/04/02	3428.13	49.74	3378.39
	09/03/02	3428.13	49.60	3378.53
	12/02/02	3428.13	49.32	3378.81
	01/31/03	3428.13	49.43	3378.70
	03/28/03	3428.13	49.43	3378.70
	05/19/03	3428.13	49.37	3378.76
	09/09/03	3428.13	49.43	3378.70
	12/03/03	3428.13	49.49	3378.64
	03/30/04	3428.13	49.60	3378.53
	06/07/04	3428.13	49.53	3378.60
	09/17/04	3428.13	49.22	3378.91
	01/17/06	3428.13	47.66	3380.47
	06/19/06	3428.13	47.50	3380.63
	04/16/07	3428.13	47.11	3381.02
	03/19/08	3428.13	47.12	3381.01
	03/11/09	3428.13	47.64	3380.49
	03/01/10	3428.13	47.85	3380.28
	08/03/10	3428.13	47.89	3380.24
MW008A	12/18/97	3430.01	50.81	3379.20
	11/16/99	3430.01	*52.16	3377.85
	05/15/01	3430.01	51.34	3378.67
	08/23/01	3430.01	51.64	3378.37
	01/21/02	3430.01	51.49	3378.52
	04/04/02	3430.01	51.53	3378.48
	09/03/02	3430.01	51.41	3378.60
	12/02/02	3430.01	51.16	3378.85
	01/31/03	3430.01	51.24	3378.77
	03/28/03	3430.01	51.25	3378.76
	05/19/03	3430.01	51.21	3378.80
	09/09/03	3430.01	51.26	3378.75
	12/03/03	3430.01	51.21	3378.80
	03/30/04	3430.01	51.29	3378.72
	06/07/04	3430.01	51.32	3378.69
	11/30/04	3430.01	50.68	3379.33
	03/31/05	3430.01	50.24	3379.77
	05/23/05	3430.01	50.12	3379.89
	01/17/06	3430.01	49.58	3380.43
	06/19/06	3430.01	49.41	3380.60
	04/03/07	3430.01	48.48	3381.53
	03/24/08	3430.01	49.12	3380.89
	03/11/09	3430.01	49.18	3380.83
	03/01/10	3430.01	49.57	3380.44
	08/03/10	3430.01	49.56	3380.45

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW009A	12/18/97	3427.48	49.03	3378.45
	11/16/99	3427.48	*50.22	3377.26
	05/15/01	3427.48	49.42	3378.06
	08/23/01	3427.48	49.64	3377.84
	01/21/02	3427.48	49.68	3377.80
	04/04/02	3427.48	49.78	3377.70
	09/03/02	3427.48	49.55	3377.93
	12/02/02	3427.48	49.40	3378.08
	01/31/03	3427.48	49.45	3378.03
	03/28/03	3427.48	49.44	3378.04
	05/19/03	3427.48	49.43	3378.05
	09/09/03	3427.48	49.52	3377.96
	12/03/03	3427.48	49.63	3377.85
	03/30/04	3427.48	49.73	3377.75
	06/07/04	3427.48	49.65	3377.83
	09/17/04	3427.48	49.48	3378.00
	11/30/04	3427.48	48.91	3378.57
	03/31/05	3427.48	48.42	3379.06
	05/23/05	3427.48	48.33	3379.15
	01/17/06	3427.48	47.73	3379.75
	06/19/06	3427.48	47.52	3379.96
	04/04/07	3427.48	47.31	3380.17
	03/19/08	3427.48	47.29	3380.19
	03/11/09	3427.48	47.73	3379.75
	03/01/10	3427.48	47.96	3379.52
	08/02/10	3427.48	47.97	3379.51
MW011A	12/18/97	3431.77	51.49	3380.28
	11/16/99	3431.77	*53.49	3378.28
	05/15/01	3431.77	53.07	3378.70
	08/23/01	3431.77	53.20	3378.57
	01/21/02	3431.77	53.04	3378.73
	04/04/02	3431.77	53.13	3378.64
	09/03/02	3431.77	53.01	3378.76
	12/02/02	3431.77	52.76	3379.01
	01/30/03	3431.77	52.72	3379.05
	03/28/03	3431.77	52.85	3378.92
	05/19/03	3431.77	52.78	3378.99
	09/09/03	3431.77	52.82	3378.95
	12/03/03	3431.77	52.83	3378.94
	03/30/04	3431.77	53.04	3378.73
	06/07/04	3431.77	53.03	3378.74
	11/30/04	3431.77	53.03	3378.74
	03/31/05	3431.77	52.18	3379.59
	05/23/05	3431.77	51.94	3379.83
	01/16/06	3431.77	51.45	3380.32
	06/19/06	3431.77	51.25	3380.52
	03/29/07	3431.77	50.88	3380.89
	03/24/08	3431.77	50.69	3381.08
	03/11/09	3431.77	50.94	3380.83
	03/01/10	3431.77	51.17	3380.60
	08/03/10	3431.77	51.21	3380.56

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW012A	12/18/97	3429.92	49.73	3380.19
	11/16/99	3429.92	*51.50	3378.42
	05/15/01	3429.92	50.83	3379.09
	08/23/01	3429.92	50.89	3379.03
	01/21/02	3429.92	50.84	3379.08
	04/05/02	3429.92	50.90	3379.02
	09/03/02	3429.92	50.80	3379.12
	12/02/02	3429.92	50.65	3379.27
	01/30/03	3429.92	50.55	3379.37
	03/28/03	3429.92	50.66	3379.26
	05/19/03	3429.92	50.63	3379.29
	09/09/03	3429.92	50.52	3379.40
	12/03/03	3429.92	50.51	3379.41
	03/30/04	3429.92	50.67	3379.25
	06/07/04	3429.92	50.52	3379.40
	11/30/04	3429.92	50.28	3379.64
	03/31/05	3429.92	49.97	3379.95
	05/23/05	3429.92	49.77	3380.15
	01/16/06	3429.92	49.13	3380.79
	06/19/06	3429.92	49.00	3380.92
	04/02/07	3429.92	48.35	3381.57
	03/21/08	3429.92	48.37	3381.55
	03/11/09	3429.92	48.65	3381.27
	03/01/10	3429.92	48.93	3380.99
	08/03/10	3429.92	48.99	3380.93
MW013A	12/18/97	3424.25	46.84	3377.41
	11/16/99	3424.25	*45.79	3378.46
	05/15/01	3424.25	45.06	3379.19
	08/23/01	3424.25	45.22	3379.03
	01/21/02	3424.25	45.17	3379.08
	04/05/02	3424.25	45.23	3379.02
	09/03/02	3424.25	45.15	3379.10
	12/02/02	3424.25	44.94	3379.31
	01/30/03	3424.25	44.80	3379.45
	03/28/03	3424.25	44.96	3379.29
	05/19/03	3424.25	44.91	3379.34
	09/09/03	3424.25	44.89	3379.36
	12/02/03	3424.25	44.78	3379.47
	03/30/04	3424.25	45.01	3379.24
	06/07/04	3424.25	44.96	3379.29
	09/17/04	3424.25	44.80	3379.45
	11/30/04	3424.25	44.56	3379.69
	03/31/05	3424.25	44.06	3380.19
	05/23/05	3424.25	43.82	3380.43
	01/16/06	3424.25	43.42	3380.83
	06/16/06	3424.25	43.19	3381.06
	04/16/07	3424.25	42.81	3381.44
	09/20/07	3424.25	42.62	3381.63
	03/19/08	3424.25	42.68	3381.57
	08/04/08	3424.25	42.44	3381.81
	03/10/09	3424.25	43.05	3381.20
	07/29/09	3424.25	43.30	3380.95
	03/01/10	3424.25	43.39	3380.86
	08/02/10	3424.25	43.40	3380.85

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW014A	12/18/97	3423.93	45.93	3378.00
	11/16/99	3423.93	44.89	3379.01
	05/15/01	3423.93	44.40	3379.53
	08/23/01	3423.93	44.27	3379.66
	01/21/02	3423.93	44.25	3379.68
	04/05/02	3423.93	44.37	3379.56
	09/03/02	3423.93	44.20	3379.73
	12/02/02	3423.93	43.99	3379.94
	01/30/03	3423.93	43.95	3379.98
	03/28/03	3423.93	44.16	3379.77
	05/19/03	3423.93	44.01	3379.92
	09/09/03	3423.93	43.93	3380.00
	12/02/03	3423.93	43.96	3379.97
	03/30/04	3423.93	44.05	3379.88
	06/07/04	3423.93	43.98	3379.95
	09/16/04	3423.93	43.89	3380.04
	11/30/04	3423.93	43.71	3380.22
	03/31/05	3423.93	43.30	3380.63
	05/23/05	3423.93	43.04	3380.89
	01/17/06	3423.93	42.65	3381.28
	06/16/06	3423.93	42.49	3381.44
	03/21/07	3423.93	42.15	3381.78
	09/12/07	3423.93	41.92	3382.01
	03/18/08	3423.93	41.31	3382.62
	03/10/09	3423.93	42.33	3381.60
	07/28/09	3423.93	42.65	3381.28
	03/01/10	3423.93	42.67	3381.26
	08/02/10	3423.93	47.70	3376.23
MW015A	12/18/97	3420.55	42.50	3378.05
	11/16/99	3420.55	41.33	3379.22
	05/15/01	3420.55	40.69	3379.86
	08/23/01	3420.55	40.71	3379.84
	01/21/02	3420.55	40.72	3379.83
	04/04/02	3420.55	40.89	3379.66
	09/03/02	3420.55	40.66	3379.89
	12/02/02	3420.55	40.43	3380.12
	01/30/03	3420.55	40.30	3380.25
	03/28/03	3420.55	40.54	3380.01
	05/19/03	3420.55	40.52	3380.03
	09/08/03	3420.55	40.49	3380.06
	12/02/03	3420.55	40.42	3380.13
	03/30/04	3420.55	40.72	3379.83
	06/07/04	3420.55	40.61	3379.94
	09/16/04	3420.55	40.44	3380.11
	11/30/04	3420.55	40.21	3380.34
	03/31/05	3420.55	39.70	3380.85
	05/23/05	3420.55	39.50	3381.05
	01/17/06	3420.55	39.17	3381.38
	06/16/06	3420.55	39.03	3381.52
	03/22/07	3420.55	38.74	3381.81
	09/13/07	3420.55	38.42	3382.13
	03/18/08	3420.55	38.63	3381.92
	08/04/08	3420.55	38.91	3381.64
	03/10/09	3420.55	39.05	3381.50
	07/28/09	3420.55	39.28	3381.27
	03/01/10	3420.55	39.45	3381.10
	08/02/10	3420.55	49.45	3371.10

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW016A	12/18/97	3419.92	41.98	3377.94
	11/16/99	3419.92	40.80	3379.12
	05/15/01	3419.92	40.34	3379.58
	08/23/01	3419.92	40.21	3379.71
	01/21/02	3419.92	40.33	3379.59
	04/04/02	3419.92	40.51	3379.41
	09/03/02	3419.92	40.16	3379.76
	12/02/02	3419.92	39.90	3380.02
	01/30/03	3419.92	39.89	3380.03
	03/28/03	3419.92	40.05	3379.87
	05/19/03	3419.92	40.15	3379.77
	09/08/03	3419.92	40.11	3379.81
	12/02/03	3419.92	40.17	3379.75
	03/30/04	3419.92	40.43	3379.49
	06/07/04	3419.92	40.26	3379.66
	09/16/04	3419.92	39.98	3379.94
	11/30/04	3419.92	39.53	3380.39
	03/31/05	3419.92	39.05	3380.87
	05/23/05	3419.92	38.96	3380.96
	01/17/06	3419.92	38.53	3381.39
	06/16/06	3419.92	38.62	3381.30
	03/22/07	3419.92	38.32	3381.60
	09/12/07	3419.92	37.98	3381.94
	03/18/08	3419.92	38.29	3381.63
	08/04/08	3419.92	38.58	3381.34
	03/10/09	3419.92	38.75	3381.17
	07/28/09	3419.92	38.96	3380.96
	03/01/10	3419.92	39.08	3380.84
	08/02/10	3419.92	39.02	3380.90
MW017A	12/18/97	3424.38	46.05	3378.33
	11/16/99	3424.38	45.12	3379.26
	05/15/01	3424.38	44.53	3379.85
	08/23/01	3424.38	44.49	3379.89
	01/21/02	3424.38	44.42	3379.96
	04/04/02	3424.38	44.58	3379.80
	09/03/02	3424.38	44.38	3380.00
	12/02/02	3424.38	44.15	3380.23
	01/30/03	3424.38	44.10	3380.28
	03/28/03	3424.38	44.23	3380.15
	05/19/03	3424.38	44.19	3380.19
	09/08/03	3424.38	44.13	3380.25
	12/02/03	3424.38	44.07	3380.31
	03/30/04	3424.38	44.26	3380.12
	06/07/04	3424.38	44.21	3380.17
	09/16/04	3424.38	44.14	3380.24
	11/30/04	3424.38	43.89	3380.49
	03/31/05	3424.38	43.44	3380.94
	05/23/05	3424.28	43.24	3381.04
	01/17/06	3424.28	42.80	3381.48
	06/16/06	3424.28	42.69	3381.59
	03/21/07	3424.28	42.42	3381.86
	09/13/07	3424.28	42.13	3382.15
	03/21/08	3424.28	42.42	3381.86
	09/13/08	3424.28	42.13	3382.15
	Plugged and Abandoned			

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW018A	12/18/97	3416.86	39.16	3377.70
	11/16/99	3416.86	37.52	3379.34
	05/15/01	3416.86	37.62	3379.24
	08/23/01	3416.86	37.55	3379.31
	01/21/02	3416.86	37.62	3379.24
	04/04/02	3416.86	37.89	3378.97
	09/03/02	3416.86	37.03	3379.83
	12/02/02	3416.86	37.01	3379.85
	01/30/03	3416.86	37.12	3379.74
	03/28/03	3416.86	37.38	3379.48
	05/19/03	3416.86	37.54	3379.32
	09/08/03	3416.86	37.51	3379.35
	12/02/03	3416.86	37.65	3379.21
	03/30/04	3416.86	38.01	3378.85
	06/07/04	3416.86	37.56	3379.30
	09/16/04	3416.86	37.20	3379.66
	11/29/04	3416.86	36.11	3380.75
	03/31/05	3416.86	35.99	3380.87
	05/23/05	3416.86	35.86	3381.00
	01/17/06	3416.86	35.78	3381.08
	06/16/06	3416.86	36.01	3380.85
	04/02/07	3416.86	35.65	3381.21
	09/12/07	3416.86	35.51	3381.35
	03/18/08	3416.86	35.88	3380.98
	03/10/09	3416.86	36.29	3380.57
	07/28/09	3416.86	36.49	3380.37
	03/01/10	3416.86	36.40	3380.46
	08/02/10	3416.86	36.05	3380.81
MW019A	12/18/97	3414.74	39.83	3374.91
	11/16/99	3414.74	38.12	3376.62
	05/15/01	3414.74	38.02	3376.72
	08/23/01	3414.74	37.62	3377.12
	01/21/02	3414.74	37.92	3376.82
	04/04/02	3414.74	38.15	3376.59
	09/03/02	3414.74	37.40	3377.34
	12/02/02	3414.74	37.46	3377.28
	01/30/03	3414.74	37.61	3377.13
	03/28/03	3414.74	37.79	3376.95
	05/19/03	3414.74	37.91	3376.83
	09/08/03	3414.74	38.06	3376.68
	12/02/03	3414.74	38.22	3376.52
	03/30/04	3414.74	38.41	3376.33
	06/07/04	3414.74	37.93	3376.81
	09/16/04	3414.74	37.82	3376.92
	11/29/04	3414.74	36.70	3378.04
	03/31/05	3414.74	36.35	3378.39
	05/23/05	3414.74	36.62	3378.12
	01/17/06	3414.74	36.37	3378.37
	06/16/06	3414.74	36.61	3378.13
	04/04/07	3414.74	36.30	3378.44
	09/13/07	3414.74	35.96	3378.78
	03/18/08	3414.74	36.50	3378.24
	08/04/08	3414.74	36.82	3377.92
	03/10/09	3414.74	36.74	3378.00
	07/28/09	3414.74	37.00	3377.74
	03/01/10	3414.74	36.72	3378.02
	07/30/10	3414.74	36.39	3378.35

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW020A	11/16/99	3421.14	44.70	3376.44
	02/06/02	3421.14	44.14	3377.00
	09/03/02	3421.14	43.98	3377.16
	12/09/02	3421.14	44.06	3377.08
	01/30/03	3421.14	43.98	3377.16
	03/28/03	3421.14	44.05	3377.09
	06/05/03	3421.14	44.44	3376.70
	01/22/04	3421.14	44.68	3376.46
	03/30/04	3421.14	44.59	3376.55
	06/07/04	3421.14	44.33	3376.81
	09/17/04	3421.14	44.15	3376.99
	11/29/04	3421.14	43.75	3377.39
	04/01/05	3421.14	43.24	3377.90
	05/23/05	3421.14	43.16	3377.98
	01/17/06	3421.14	42.87	3378.27
	06/16/06	3421.14	42.74	3378.40
	04/04/07	3421.14	42.40	3378.74
	03/18/08	3421.14	42.41	3378.73
	08/04/08	3421.14	42.76	3378.38
	03/10/09	3421.14	42.85	3378.29
	07/28/09	3421.14	43.08	3378.06
	03/01/10	3421.14	43.04	3378.10
	07/30/10	3421.14	42.99	3378.15
MW021A	11/16/99	3422.94	48.41	3374.53
	05/15/01	3422.94	47.57	3375.37
	08/23/01	3422.94	47.98	3374.96
	01/21/02	3422.94	47.83	3375.11
	04/04/02	3422.94	47.98	3374.96
	09/03/02	3422.94	48.07	3374.87
	12/02/02	3422.94	47.63	3375.31
	01/30/03	3422.94	47.61	3375.33
	03/28/03	3422.94	47.71	3375.23
	05/19/03	3422.94	47.96	3374.98
	09/08/03	3422.94	48.01	3374.93
	01/21/04	3422.94	48.73	3374.21
	03/30/04	3422.94	47.94	3375.00
	06/07/04	3422.94	48.28	3374.66
	09/14/04	3422.94	47.95	3374.99
	11/29/04	3422.94	47.35	3375.59
	03/31/05	3422.94	46.93	3376.01
	05/23/05	3422.94	47.04	3375.90
	01/18/06	3422.94	46.34	3376.60
	06/14/06	3422.94	46.35	3376.59
	04/09/07	3422.94	45.80	3377.14
	09/18/07	3422.94	45.09	3377.85
	03/19/08	3422.94	45.08	3377.86
	8/4/080	3422.94	45.49	3377.45
	03/10/09	3422.94	46.28	3376.66
	07/28/09	3422.94	46.46	3376.48
	03/01/10	3422.94	46.34	3376.60
	08/02/10	3422.94	46.83	3376.11

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW022A	11/16/99	3431.13	57.29	3373.84
	05/15/01	3431.13	53.35	3377.78
	08/23/01	3431.13	53.96	3377.17
	01/21/02	3431.13	53.75	3377.38
	04/04/02	3431.13	66.00	3365.13
	09/03/02	3431.13	52.96	3378.17
	12/02/02	3431.13	52.95	3378.18
	01/31/03	3431.13	53.25	3377.88
	03/28/03	3431.13	53.58	3377.55
	05/19/03	3431.13	53.26	3377.87
	09/09/03	3431.13	66.99	3364.14
	12/03/03	3431.13	66.97	3364.16
	03/30/04	3431.13	64.08	3367.05
	06/07/04	3431.13	61.36	3369.77
	09/17/04	3431.13	53.22	3377.91
	11/30/04	3431.13	54.56	3376.57
	03/31/05	3431.13	52.44	3378.69
	05/23/05	3431.13	52.30	3378.83
	01/16/06	3431.13	52.56	3378.57
	06/19/06	3431.13	47.04	3384.09
	03/30/07	3431.13	50.80	3380.33
	09/13/07	3431.13	50.84	3380.29
	03/18/08	3431.13	50.78	3380.35
	08/04/08	3431.13	51.02	3380.11
	03/10/09	3431.13	51.09	3380.04
	07/28/09	3431.13	51.20	3379.93
	03/01/10	3431.13	51.28	3379.85
	08/02/10	3431.13	51.29	3379.84
MW023A	01/09/03	3436.26	57.70	3378.56
	01/30/03	3436.26	57.23	3379.03
	03/28/03	3436.26	57.33	3378.93
	05/19/03	3436.26	57.25	3379.01
	09/09/03	3436.26	53.23	3383.03
	12/02/03	3436.26	57.23	3379.03
	03/30/04	3436.26	57.25	3379.01
	06/07/04	3436.26	57.35	3378.91
	09/17/04	3436.26	57.14	3379.12
	11/30/04	3436.26	57.11	3379.15
	03/31/05	3436.26	56.62	3379.64
	05/23/05	3436.26	56.46	3379.80
	01/17/06	3436.26	56.09	3380.17
	06/14/06	3436.26	55.80	3380.46
	03/29/07	3436.26	53.38	3382.88
	09/11/07	3436.26	55.29	3380.97
	03/18/08	3436.26	55.11	3381.15
	08/04/08	3436.26	55.18	3381.08
	03/10/09	3436.26	55.22	3381.04
	07/28/09	3436.26	55.32	3380.94
	03/01/10	3436.26	55.40	3380.86
	08/03/10	3436.26	55.62	3380.64

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW024A	11/16/99	3430.77	54.30	3376.47
	05/15/01	3430.77	53.32	3377.45
	08/23/01	3430.77	53.86	3376.91
	02/06/02	3430.77	53.42	3377.35
	09/03/02	3430.77	53.26	3377.51
	12/02/02	3430.77	53.03	3377.74
	01/29/03	3430.77	53.11	3377.66
	03/27/03	3430.77	53.31	3377.46
	05/19/03	3430.77	53.22	3377.55
	09/09/03	3430.77	53.73	3377.04
	12/02/03	3430.77	53.69	3377.08
	03/30/04	3430.77	53.87	3376.90
	06/07/04	3430.77	53.89	3376.88
	09/16/04	3430.77	53.11	3377.66
	11/29/04	3430.77	53.04	3377.73
	03/31/05	3430.77	52.50	3378.27
	05/23/05	3430.77	52.26	3378.51
	01/17/06	3430.77	51.43	3379.34
	06/14/06	3430.77	50.90	3379.87
	04/11/07	3430.77	50.82	3379.95
	09/18/07	3430.77	50.88	3379.89
	03/19/08	3430.77	50.88	3379.89
	08/04/08	3430.77	50.98	3379.79
	03/11/09	3430.77	51.15	3379.62
	07/29/09	3430.77	51.17	3379.60
	03/01/10	3430.77	51.22	3379.55
	08/02/10	3430.77	51.24	3379.53
MW039A	08/23/01	3435.71	57.85	3377.86
	01/21/02	3435.71	57.62	3378.09
	04/04/02	3435.71	57.71	3378.00
	09/03/02	3435.71	57.47	3378.24
	12/02/02	3435.71	57.20	3378.51
	01/30/03	3435.71	57.20	3378.51
	03/28/03	3435.71	57.40	3378.31
	05/19/03	3435.71	57.27	3378.44
	09/09/03	3435.71	57.43	3378.28
	12/02/03	3435.71	57.32	3378.39
	03/30/04	3435.71	57.43	3378.28
	06/07/04	3435.71	57.52	3378.19
	09/17/04	3435.71	57.22	3378.49
	11/30/04	3435.71	57.00	3378.71
	03/31/05	3435.71	56.54	3379.17
	05/23/05	3435.71	56.29	3379.42
	01/16/06	3435.71	55.75	3379.96
	06/19/06	3435.71	55.41	3380.30
	04/12/07	3435.71	55.01	3380.70
	3/19/008	3435.71	54.88	3380.83
	03/11/09	3435.71	55.14	3380.57
	03/01/10	3435.71	55.16	3380.55
	08/03/10	3435.71	55.24	3380.47

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW040A	04/04/02	3422.92	43.70	3379.22
	09/03/02	3422.92	43.90	3379.02
	12/02/02	3422.92	43.71	3379.21
	01/31/03	3422.92	43.71	3379.21
	03/28/03	3422.92	43.71	3379.21
	05/19/03	3422.92	43.69	3379.23
	09/09/03	3422.92	43.69	3379.23
	12/02/03	3422.92	43.68	3379.24
	03/30/04	3422.92	43.84	3379.08
	06/07/04	3422.92	43.97	3378.95
	09/17/04	3422.92	43.70	3379.22
	11/30/04	3422.92	43.29	3379.63
	03/31/05	3422.92	32.79	3390.13
	05/23/05	3422.92	42.55	3380.37
	01/16/06	3422.92	42.40	3380.52
	06/16/06	3422.92	42.10	3380.82
	04/02/07	3422.92	41.61	3381.31
	09/11/07	3422.92	41.73	3381.19
	03/18/08	3422.92	41.51	3381.41
	08/04/08	3422.92	41.70	3381.22
	03/10/09	3422.92	41.96	3380.96
MW041A	07/28/09	3422.92	42.17	3380.75
	03/01/10	3422.92	42.21	3380.71
	08/02/10	3422.92	41.31	3381.61
	04/29/02	3418.42	43.22	3375.20
	05/07/02	3418.42	43.12	3375.30
	09/03/02	3418.42	43.30	3375.12
	12/02/02	3418.42	43.04	3375.38
	01/30/03	3418.42	43.19	3375.23
	03/28/03	3418.42	43.01	3375.41
	05/19/03	3418.42	43.08	3375.34
	09/08/03	3418.42	43.23	3375.19
	12/02/03	3418.42	43.23	3375.19
	03/30/04	3418.42	43.38	3375.04
	06/07/04	3418.42	43.33	3375.09
	09/16/04	3418.42	43.24	3375.18
	11/29/04	3418.42	42.97	3375.45
	03/31/05	3418.42	42.49	3375.93
	05/23/05	3418.42	42.35	3376.07
	01/17/06	3418.42	41.90	3376.52
	06/16/06	3418.42	41.57	3376.85
	04/17/07	3418.42	41.25	3377.17
	03/19/08	3418.42	41.20	3377.22
	03/11/09	3418.42	41.70	3376.72
	03/01/10	3418.42	41.68	3376.74
	08/02/10	3418.42	41.85	3376.57

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW042A	08/23/01	3424.75	46.26	3378.49
	01/21/02	3424.75	48.30	3376.45
	04/04/02	3424.75	48.17	3376.58
	09/03/02	3424.75	47.86	3376.89
	12/02/02	3424.75	47.75	3377.00
	01/31/03	3424.75	47.65	3377.10
	03/28/03	3424.75	47.84	3376.91
	05/19/03	3424.75	47.84	3376.91
	09/09/03	3424.75	48.04	3376.71
	12/03/03	3424.75	48.00	3376.75
	03/30/04	3424.75	48.31	3376.44
	06/07/04	3424.75	48.42	3376.33
	09/17/04	3424.75	48.58	3376.17
	11/29/04	3424.75	47.24	3377.51
	03/31/05	3424.75	47.30	3377.45
	05/23/05	3424.75	47.05	3377.70
	01/17/06	3424.75	46.02	3378.73
	06/19/06	3424.75	45.90	3378.85
	04/17/07	3424.75	45.59	3379.16
	03/19/08	3424.75	45.71	3379.04
MW046A	03/11/09	3424.75	46.15	3378.60
	03/01/10	3424.75	46.19	3378.56
	08/02/10	3424.75	46.38	3378.37
	01/07/03	3426.45	50.09	3376.36
	01/31/03	3426.45	48.81	3377.64
	03/28/03	3426.45	49.06	3377.39
	05/19/03	3426.45	48.88	3377.57
	09/09/03	3426.45	50.48	3375.97
	12/03/03	3426.45	50.54	3375.91
	03/30/04	3426.45	50.33	3376.12
	06/07/04	3426.45	50.20	3376.25
	09/17/04	3426.45	48.83	3377.62
	11/30/04	3426.45	48.66	3377.79
	03/31/05	3426.45	47.92	3378.53
	05/23/05	3426.45	47.75	3378.70
	01/17/06	3426.45	46.55	3379.90
	06/19/06	3426.45	46.12	3380.33
	04/17/07	3426.45	46.35	3380.10
	03/19/08	3426.45	46.39	3380.06
	03/11/09	3426.45	46.78	3379.67
	03/01/10	3426.45	46.95	3379.50
	08/02/10	3426.45	46.96	3379.49

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW048SA	08/01/02	3421.10	46.45	3374.65
	09/03/02	3421.10	46.40	3374.70
	12/02/02	3421.10	46.26	3374.84
	01/30/03	3421.10	46.18	3374.92
	03/28/03	3421.10	46.15	3374.95
	05/19/03	3421.10	46.19	3374.91
	09/08/03	3421.10	46.44	3374.66
	12/02/03	3421.10	46.45	3374.65
	03/30/04	3421.10	46.62	3374.48
	06/07/04	3421.10	46.48	3374.62
	09/16/04	3421.10	46.43	3374.67
	11/29/04	3421.10	46.17	3374.93
	03/31/05	3421.10	45.67	3375.43
	05/23/05	3421.10	45.52	3375.58
	01/17/06	3421.10	45.11	3375.99
	06/16/06	3421.10	44.96	3376.14
	04/10/07	3421.10	44.62	3376.48
	09/19/07	3421.10	44.49	3376.61
	03/19/08	3421.10	44.60	3376.50
	08/04/08	3421.10	44.94	3376.16
	03/11/09	3421.10	45.02	3376.08
	07/29/09	3421.10	45.26	3375.84
	03/01/10	3421.10	45.23	3375.87
	08/03/10	3421.10	43.65	3377.45
MW049SA	07/30/02	3422.46	49.31	3373.15
	09/03/02	3422.46	49.29	3373.17
	12/02/02	3422.46	49.18	3373.28
	01/30/03	3422.46	49.13	3373.33
	03/28/03	3422.46	49.09	3373.37
	05/19/03	3422.46	49.08	3373.38
	09/08/03	3422.46	49.32	3373.14
	12/02/03	3422.46	49.32	3373.14
	03/30/04	3422.46	49.42	3373.04
	06/07/04	3422.46	48.57	3373.89
	09/16/04	3422.46	49.36	3373.10
	11/29/04	3422.46	49.16	3373.30
	03/31/05	3422.46	48.65	3373.81
	05/23/05	3422.46	48.59	3373.87
	01/17/06	3422.46	48.19	3374.27
	06/16/06	3422.46	47.97	3374.49
	04/10/07	3422.46	47.62	3374.84
	03/19/08	3422.46	47.53	3374.93
	03/11/09	3422.46	47.95	3374.51
	03/01/10	3422.46	48.12	3374.34
	08/03/10	3422.46	48.21	3374.25

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW050SA	07/30/02	3419.31	46.30	3373.01
	09/03/02	3419.31	46.19	3373.12
	12/02/02	3419.31	45.93	3373.38
	01/30/03	3419.31	45.92	3373.39
	03/28/03	3419.31	45.92	3373.39
	05/19/03	3419.31	46.01	3373.30
	09/08/03	3419.31	46.13	3373.18
	12/02/03	3419.31	46.05	3373.26
	03/30/04	3419.31	46.15	3373.16
	06/07/04	3419.31	46.18	3373.13
	09/14/04	3419.31	46.18	3373.13
	11/29/04	3419.31	45.80	3373.51
	03/31/05	3419.31	45.34	3373.97
	05/23/05	3419.31	45.26	3374.05
	01/17/06	3419.31	44.95	3374.36
	06/14/06	3419.31	44.71	3374.60
	04/09/07	3419.31	44.28	3375.03
	03/19/08	3419.31	44.25	3375.06
	03/11/09	3419.31	44.78	3374.53
	03/01/10	3419.31	44.82	3374.49
	07/30/10	3419.31	45.02	3374.29
MW051SA	10/10/02	3415.42	44.50	3370.92
	12/02/02	3415.42	44.43	3370.99
	01/30/03	3415.42	44.38	3371.04
	03/28/03	3415.42	44.39	3371.03
	05/19/03	3415.42	44.40	3371.02
	09/08/03	3415.42	44.55	3370.87
	12/02/03	3415.42	44.53	3370.89
	03/30/04	3415.42	44.59	3370.83
	06/07/04	3415.42	44.53	3370.89
	09/14/04	3415.42	44.58	3370.84
	03/31/05	3415.42	44.04	3371.38
	05/23/05	3415.42	43.95	3371.47
	01/17/06	3415.42	43.70	3371.72
	06/15/06	3415.42	43.47	3371.95
	04/17/07	3415.42	43.09	3372.33
	03/19/08	3415.42	43.04	3372.38
	03/11/09	3415.42	43.48	3371.94
	03/01/10	3415.42	43.53	3371.89
	08/03/10	3415.42	43.65	3371.77

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW052SA	10/10/02	3415.23	45.45	3369.78
	12/02/02	3415.23	45.39	3369.84
	01/30/03	3415.23	45.35	3369.88
	03/28/03	3415.23	45.36	3369.87
	05/19/03	3415.23	45.28	3369.95
	09/08/03	3415.23	45.51	3369.72
	12/02/03	3415.23	45.52	3369.71
	03/30/04	3415.23	45.58	3369.65
	06/07/04	3415.23	45.85	3369.38
	09/14/04	3415.23	45.58	3369.65
	11/29/04	3415.23	45.43	3369.80
	03/31/05	3415.23	45.05	3370.18
	05/23/05	3415.23	45.02	3370.21
	01/17/06	3415.23	44.72	3370.51
	06/16/06	3415.23	44.59	3370.64
	04/10/07	3415.23	44.34	3370.89
	03/19/08	3415.23	44.24	3370.99
	03/11/09	3415.23	44.54	3370.69
	03/01/10	3415.23	44.72	3370.51
	08/03/10	3415.23	44.78	3370.45
MW053SA	09/18/02	3413.86	42.93	3370.93
	12/02/02	3413.86	42.80	3371.06
	01/30/03	3413.86	42.68	3371.18
	03/28/03	3413.86	42.68	3371.18
	05/19/03	3413.86	42.65	3371.21
	09/08/03	3413.86	43.09	3370.77
	12/02/03	3413.86	43.12	3370.74
	03/30/04	3413.86	43.15	3370.71
	06/07/04	3413.86	43.04	3370.82
	09/16/04	3413.86	43.09	3370.77
	11/29/04	3413.86	42.74	3371.12
	03/31/05	3413.86	42.13	3371.73
	05/23/05	3413.86	41.97	3371.89
	01/17/06	3413.86	41.61	3372.25
	06/16/06	3413.86	41.67	3372.19
	04/05/07	3413.86	41.32	3372.54
	09/19/07	3413.86	41.20	3372.66
	03/18/08	3413.86	41.30	3372.56
	08/04/08	3413.86	41.76	3372.10
	03/10/09	3413.86	41.60	3372.26
	07/28/09	3413.86	41.97	3371.89
	03/01/10	3413.86	41.92	3371.94
	07/30/10	3413.86	41.98	3371.88

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW054SA	01/30/03	3411.38	45.21	3366.17
	03/28/03	3411.38	45.09	3366.29
	05/19/03	3411.38	45.09	3366.29
	09/08/03	3411.38	45.43	3365.95
	12/02/03	3411.38	45.41	3365.97
	03/30/04	3411.38	45.46	3365.92
	06/07/04	3411.38	45.37	3366.01
	09/14/04	3411.38	42.48	3368.90
	11/29/04	3411.38	45.26	3366.12
	03/31/05	3411.38	44.90	3366.48
	05/23/05	3411.38	44.81	3366.57
	01/17/06	3411.38	44.68	3366.70
	06/16/06	3411.38	44.73	3366.65
	04/10/07	3411.38	44.57	3366.81
	09/19/07	3411.38	44.63	3366.75
	03/19/08	3411.38	44.59	3366.79
	08/04/08	3411.38	44.84	3366.54
	03/11/09	3411.38	44.74	3366.64
	07/29/09	3411.38	44.93	3366.45
	03/01/10	3411.38	44.87	3366.51
	08/03/10	3411.38	44.89	3366.49
MW055SA	01/06/03	3407.43	41.20	3366.23
	01/30/03	3407.43	41.00	3366.43
	03/27/03	3407.43	41.15	3366.28
	05/19/03	3407.43	41.00	3366.43
	09/08/03	3407.43	41.13	3366.30
	12/02/03	3407.43	41.09	3366.34
	03/30/04	3407.43	41.12	3366.31
	06/07/04	3407.43	41.02	3366.41
	09/14/04	3407.43	41.18	3366.25
	11/29/04	3407.43	41.08	3366.35
	03/31/05	3407.43	40.90	3366.53
	05/23/05	3407.43	40.82	3366.61
	01/17/06	3407.43	40.76	3366.67
	06/15/06	3407.43	40.68	3366.75
	04/10/07	3407.43	40.63	3366.80
	09/19/07	3407.43	40.56	3366.87
	03/19/08	3407.43	40.68	3366.75
	08/04/08	3407.43	40.75	3366.68
	03/11/09	3407.43	40.79	3366.64
	07/29/09	3407.43	40.85	3366.58
	03/01/10	3407.43	40.87	3366.56
	07/30/10	3407.43	40.76	3366.67

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW056SA	01/07/03	3410.71	46.32	3364.39
	01/30/03	3410.71	46.21	3364.50
	03/28/03	3410.71	46.20	3364.51
	05/19/03	3410.71	46.18	3364.53
	09/08/03	3410.71	46.31	3364.40
	12/02/03	3410.71	46.33	3364.38
	03/30/04	3410.71	46.40	3364.31
	06/07/04	3410.71	46.31	3364.40
	09/14/04	3410.71	46.38	3364.33
	11/29/04	3410.71	46.31	3364.40
	03/31/05	3410.71	46.01	3364.70
	05/23/05	3410.71	45.93	3364.78
	01/17/06	3410.71	45.62	3365.09
	06/15/06	3410.71	45.42	3365.29
	04/11/07	3410.71	44.91	3365.80
	09/20/07	3410.71	44.67	3366.04
	03/19/08	3410.71	44.69	3366.02
	08/04/08	3410.71	44.79	3365.92
	03/11/09	3410.71	44.92	3365.79
	07/29/09	3410.71	44.93	3365.78
	03/01/10	3410.71	44.94	3365.77
	07/30/10	3410.71	44.88	3365.83
MW057SA	01/30/03	3417.74	46.33	3371.41
	03/28/03	3417.74	46.45	3371.29
	05/19/03	3417.74	46.59	3371.15
	09/08/03	3417.74	46.72	3371.02
	12/02/03	3417.74	46.65	3371.09
	03/30/04	3417.74	46.70	3371.04
	06/07/04	3417.74	46.75	3370.99
	09/14/04	3417.74	46.58	3371.16
	11/30/04	3417.74	46.00	3371.74
	03/31/05	3417.74	45.77	3371.97
	05/23/05	3417.74	45.73	3372.01
	01/17/06	3417.74	45.53	3372.21
	06/14/06	3417.74	45.50	3372.24
	03/29/07	3417.74	44.91	3372.83
	09/11/07	3417.74	44.96	3372.78
	03/18/08	3417.74	45.05	3372.69
	08/04/08	3417.74	45.34	3372.40
	03/10/09	3417.74	45.58	3372.16
	07/28/09	3417.74	45.58	3372.16
	03/01/10	3417.74	45.47	3372.27
	07/30/10	3417.74	45.76	3371.98

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW062A	01/31/03	3434.19	57.13	3377.06
	03/27/03	3434.19	57.16	3377.03
	05/19/03	3434.19	57.19	3377.00
	09/09/03	3434.19	57.29	3376.90
	12/02/03	3434.19	57.17	3377.02
	03/30/04	3434.19	57.35	3376.84
	06/07/04	3434.19	57.40	3376.79
	09/16/04	3434.19	57.18	3377.01
	11/29/04	3434.19	57.08	3377.11
	03/31/05	3434.19	56.64	3377.55
	05/23/05	3434.19	56.51	3377.68
	01/17/06	3434.19	55.93	3378.26
	06/14/06	3434.19	55.52	3378.67
	04/20/07	3434.19	55.17	3379.02
	09/13/07	3434.19	55.17	3379.02
	03/18/08	3434.19	55.13	3379.06
	08/04/08	3434.19	55.25	3378.94
	03/11/09	3434.19	55.39	3378.80
	07/28/09	3434.19	55.45	3378.74
	03/01/10	3434.19	55.45	3378.74
	08/02/10	3434.19	55.50	3378.69

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW063A	01/31/03	3435.22	57.89	3377.33
	03/27/03	3435.22	57.80	3377.42
	05/19/03	3435.22	57.82	3377.40
	09/09/03	3435.22	57.89	3377.33
	12/02/03	3435.22	57.78	3377.44
	03/30/04	3435.22	57.97	3377.25
	06/07/04	3435.22	57.93	3377.29
	09/16/04	3435.22	57.81	3377.41
	11/29/04	3435.22	57.78	3377.44
	03/31/05	3435.22	54.53	3380.69
	05/23/05	3435.22	57.20	3378.02
	01/17/06	3435.22	56.80	3378.42
	06/14/06	3435.22	56.44	3378.78
	04/20/07	3435.22	56.02	3379.20
	09/10/07	3435.22	55.92	3379.30
	03/18/08	3435.22	55.89	3379.33
	08/04/08	3435.22	55.98	3379.24
	03/11/09	3435.22	56.02	3379.20
	07/28/09	3435.22	56.05	3379.17
	03/01/10	3435.22	56.05	3379.17
	08/02/10	3435.22	56.08	3379.14
MW064SA	03/27/03	3405.15	54.20	3350.95
	05/19/03	3405.15	54.22	3350.93
	09/08/03	3405.15	54.27	3350.88
	12/02/03	3405.15	54.35	3350.80
	03/30/04	3405.15	54.39	3350.76
	06/07/04	3405.15	54.40	3350.75
	09/14/04	3405.15	54.36	3350.79
	11/29/04	3405.15	54.24	3350.91
	03/24/05	3405.15	54.91	3350.24
	05/23/05	3405.15	53.69	3351.46
	01/17/06	3405.15	53.09	3352.06
	06/14/06	3405.15	52.67	3352.48
	03/21/07	3405.15	NM	NM
	09/05/07	3405.15	51.52	3353.63
	03/19/08	3405.15	51.21	3353.94
	08/04/08	3405.15	51.11	3354.04
	03/11/09	3405.15	51.16	3353.99
	07/29/09	3405.15	51.05	3354.10
	03/01/10	3405.15	51.07	3354.08
	07/30/10	3405.15	50.99	3354.16

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW065SA	03/27/03	3402.96	54.21	3348.75
	05/19/03	3402.96	54.23	3348.73
	09/08/03	3402.96	54.38	3348.58
	12/02/03	3402.96	54.51	3348.45
	03/30/04	3402.96	54.61	3348.35
	06/07/04	3402.96	54.32	3348.64
	09/14/04	3402.96	54.45	3348.51
	11/30/04	3402.96	54.31	3348.65
	03/31/05	3402.96	53.92	3349.04
	05/23/05	3402.96	53.66	3349.30
	01/17/06	3402.96	52.99	3349.97
	06/15/06	3402.96	52.62	3350.34
	04/10/07	3402.96	52.12	3350.84
	09/11/07	3402.96	51.59	3351.37
	03/19/08	3402.96	51.39	3351.57
	08/04/08	3402.96	51.30	3351.66
	03/11/09	3402.96	51.52	3351.44
	07/29/09	3402.96	51.32	3351.64
	03/01/10	3402.96	51.39	3351.57
	07/30/10	3402.96	51.30	3351.66
MW066SA	03/28/03	3404.03	52.45	3351.58
	05/19/03	3404.03	52.24	3351.79
	09/08/03	3404.03	52.71	3351.32
	12/02/03	3404.03	53.00	3351.03
	03/30/04	3404.03	53.16	3350.87
	06/07/04	3404.03	52.88	3351.15
	09/14/04	3404.03	55.30	3348.73
	11/29/04	3404.03	53.24	3350.79
	03/29/05	3404.03	52.71	3351.32
	05/23/05	3404.03	52.36	3351.67
	01/17/06	3404.03	51.15	3352.88
	06/15/06	3404.03	50.35	3353.68
	Date Missing	3404.03	49.45	3354.58
	09/19/07	3404.03	48.63	3355.40
	03/18/08	3404.03	48.25	3355.78
	08/04/08	3404.03	48.99	3355.04
	03/10/09	3404.03	49.00	3355.03
	07/29/09	3404.03	49.32	3354.71
	03/01/10	3404.03	49.53	3354.50
	07/30/10	3404.03	49.38	3354.65

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW067SA	03/28/03	3409.16	47.64	3361.52
	05/19/03	3409.16	47.61	3361.55
	09/08/03	3409.16	48.19	3360.97
	12/02/03	3409.16	48.25	3360.91
	03/30/04	3409.16	48.34	3360.82
	06/07/04	3409.16	48.10	3361.06
	09/14/04	3409.16	48.26	3360.90
	01/17/06	3409.16	45.90	3363.26
	06/16/06	3409.16	46.02	3363.14
	04/05/07	3409.16	45.46	3363.70
	09/12/07	3409.16	45.38	3363.78
	03/18/08	3409.16	45.34	3363.82
	08/04/08	3409.16	46.06	3363.10
	03/10/09	3409.16	45.81	3363.35
	07/28/09	3409.16	46.35	3362.81
	03/01/10	3409.16	46.31	3362.85
	08/03/10	3409.16	46.37	3362.79
MW070A	03/27/03	3439.67	61.08	3378.59
	05/19/03	3439.67	61.06	3378.61
	09/09/03	3439.67	61.05	3378.62
	12/02/03	3439.67	60.96	3378.71
	03/30/04	3439.67	60.96	3378.71
	06/07/04	3439.67	60.98	3378.69
	09/16/04	3439.67	60.98	3378.69
	11/30/04	3439.67	60.88	3378.79
	03/31/05	3439.67	60.68	3378.99
	05/23/05	3439.67	60.49	3379.18
	01/17/06	3439.67	60.14	3379.53
	06/14/06	3439.67	59.92	3379.75
	03/29/07	3439.67	59.45	3380.22
	09/11/07	3439.67	59.30	3380.37
	03/18/08	3439.67	59.09	3380.58
	08/04/08	3439.67	59.06	3380.61
	03/10/09	3439.67	59.11	3380.56
	07/28/09	3439.67	59.14	3380.53
	03/01/10	3439.67	59.18	3380.49
	08/02/10	3439.67	59.21	3380.46

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW071SA	05/02/03	3401.01	34.79	3366.22
	05/19/03	3401.01	52.61	3348.40
	09/08/03	3401.01	52.83	3348.18
	12/02/03	3401.01	52.98	3348.03
	03/30/04	3401.01	53.03	3347.98
	06/07/04	3401.01	52.78	3348.23
	09/14/04	3401.01	53.00	3348.01
	11/29/04	3401.01	53.71	3347.30
	03/31/05	3401.01	57.12	3343.89
	05/23/05	3401.01	51.90	3349.11
	01/17/06	3401.01	51.25	3349.76
	06/15/06	3401.01	50.95	3350.06
	04/03/07	3401.01	50.47	3350.54
	09/18/07	3401.01	49.94	3351.07
	03/18/08	3401.01	49.73	3351.28
	08/04/08	3401.01	49.87	3351.14
	03/10/09	3401.01	49.92	3351.09
	07/28/09	3401.01	49.83	3351.18
	03/01/10	3401.01	49.91	3351.10
	07/30/10	3401.01	49.89	3351.12
MW072SA	05/01/03	3401.34	53.46	3347.88
	05/19/03	3401.34	52.96	3348.38
	09/08/03	3401.34	53.24	3348.10
	12/02/03	3401.34	53.35	3347.99
	03/30/04	3401.34	53.49	3347.85
	06/07/04	3401.34	53.18	3348.16
	09/14/04	3401.34	53.39	3347.95
	11/29/04	3401.34	53.06	3348.28
	03/29/05	3401.34	52.39	3348.95
	05/23/05	3401.34	52.14	3349.20
	01/17/06	3401.34	51.49	3349.85
	06/15/06	3401.34	51.25	3350.09
	04/03/07	3401.34	50.78	3350.56
	09/13/07	3401.34	50.20	3351.14
	03/18/08	3401.34	50.06	3351.28
	08/04/08	3401.34	50.29	3351.05
	03/10/09	3401.34	50.44	3350.90
	07/28/09	3401.34	50.24	3351.10
	03/01/10	3401.34	50.37	3350.97
	07/30/10	3401.34	50.40	3350.94

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW073SA	05/03/03	3403.26	50.25	3353.01
	05/19/03	3403.26	50.21	3353.05
	09/08/03	3403.26	50.61	3352.65
	12/02/03	3403.26	50.74	3352.52
	03/30/04	3403.26	50.86	3352.40
	06/07/04	3403.26	50.58	3352.68
	09/14/04	3403.26	50.76	3352.50
	11/29/04	3403.26	50.40	3352.86
	03/31/05	3403.26	49.65	3353.61
	05/23/05	3403.26	49.38	3353.88
	01/17/06	3403.26	48.68	3354.58
	06/15/06	3403.26	48.52	3354.74
	04/03/07	3403.26	48.01	3355.25
	09/12/07	3403.26	47.55	3355.71
	03/18/08	3403.26	47.45	3355.81
	08/04/08	3403.26	47.78	3355.48
	03/10/09	3403.26	47.89	3355.37
	07/28/09	3403.26	47.97	3355.29
	03/01/10	3403.26	48.08	3355.18
	07/30/10	3403.26	48.07	3355.19
MW074SA	02/18/04	3409.97	50.22	3359.75
	03/30/04	3409.97	50.24	3359.73
	06/07/04	3409.97	50.15	3359.82
	09/14/04	3409.97	50.22	3359.75
	11/29/04	3409.97	NR	NR
	3/31/005	3409.97	49.79	3360.18
	05/23/05	3409.97	49.69	3360.28
	01/17/06	3409.97	49.31	3360.66
	06/15/06	3409.97	49.02	3360.95
	04/03/07	3409.97	48.39	3361.58
	09/05/07	3409.97	48.10	3361.87
	03/18/08	3409.97	48.03	3361.94
	08/04/08	3409.97	48.07	3361.90
	03/10/09	3409.97	48.18	3361.79
	07/28/09	3409.97	48.14	3361.83
	03/01/10	3409.97	48.14	3361.83
	07/30/10	3409.97	48.19	3361.78

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW075SA	02/18/04	3404.21	54.19	3350.02
	03/30/04	3404.21	54.21	3350.00
	06/07/04	3404.21	54.11	3350.10
	09/14/04	3404.21	54.08	3350.13
	11/29/04	3404.21	54.04	3350.17
	03/31/05	3404.21	53.69	3350.52
	05/23/05	3404.21	53.49	3350.72
	01/17/06	3404.21	52.89	3351.32
	06/15/06	3404.21	52.44	3351.77
	04/03/07	3404.21	51.86	3352.35
	09/05/07	3404.21	51.38	3352.83
	03/18/08	3404.21	51.07	3353.14
	08/04/08	3404.21	50.91	3353.30
	03/10/09	3404.21	50.93	3353.28
	07/28/09	3404.21	50.80	3353.41
	03/01/10	3404.21	50.81	3353.40
	07/30/10	3404.21	50.71	3353.50
MW076SA	02/18/04	3404.13	55.72	3348.41
	03/29/04	3404.13	55.77	3348.36
	06/07/04	3404.13	55.62	3348.51
	09/14/04	3404.13	55.64	3348.49
	11/29/04	3404.13	55.54	3348.59
	03/31/05	3404.13	55.17	3348.96
	05/23/05	3404.13	54.94	3349.19
	01/17/06	3404.13	54.39	3349.74
	06/15/06	3404.13	53.95	3350.18
	04/03/07	3404.13	53.01	3351.12
	03/18/08	3404.13	52.76	3351.37
	08/04/08	3404.13	52.60	3351.53
	03/10/09	3404.13	52.61	3351.52
	07/28/09	3404.13	52.45	3351.68
	03/01/10	3404.13	52.79	3351.34
	07/30/10	3404.13	52.40	3351.73

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW077SA	02/18/04	3401.71	53.71	3348.00
	03/30/04	3401.71	53.72	3347.99
	06/07/04	3401.71	53.49	3348.22
	09/14/04	3401.71	53.56	3348.15
	03/31/05	3401.71	52.99	3348.72
	05/23/05	3401.71	52.77	3348.94
	01/17/06	3401.71	57.13	3344.58
	06/15/06	3401.71	51.79	3349.92
	04/11/07	3401.71	51.34	3350.37
	09/06/07	3401.71	50.82	3350.89
	03/19/08	3401.71	50.62	3351.09
	08/04/08	3401.71	50.56	3351.15
	03/11/09	3401.71	50.71	3351.00
	07/29/09	3401.71	50.49	3351.22
	03/01/10	3401.71	50.53	3351.18
	07/30/10	3401.71	50.46	3351.25
MW078SA	03/30/04	3411.12	44.63	3366.49
	06/07/04	3411.12	45.45	3365.67
	09/16/04	3411.12	45.72	3365.40
	11/29/04	3411.12	45.18	3365.94
	03/31/05	3411.12	44.30	3366.82
	05/23/05	3411.12	44.08	3367.04
	01/17/06	3411.12	43.64	3367.48
	06/16/06	3411.12	43.97	3367.15
	04/05/07	3411.12	43.42	3367.70
	09/06/07	3411.12	43.47	3367.65
	03/18/08	3411.12	43.49	3367.63
	08/04/08	3411.12	44.70	3366.42
	03/10/09	3411.12	43.47	3367.65
	07/28/09	3411.12	44.50	3366.62
	03/01/10	3411.12	44.34	3366.78
	07/30/10	3411.12	44.40	3366.72
MW079SA	03/30/04	3408.80	48.78	3360.02
	06/07/04	3408.80	46.61	3362.19
	09/14/04	3408.80	48.73	3360.07
	11/29/04	3408.80	46.27	3362.53
	05/23/05	3408.80	47.09	3361.71
	01/17/06	3408.80	46.31	3362.49
	06/16/06	3408.80	46.33	3362.47
	03/28/07	3408.80	45.81	3362.99
	09/06/07	3408.80	45.68	3363.12
	03/21/08	3408.80	45.54	3363.26
	08/04/08	3408.80	46.31	3362.49
	03/11/09	3408.80	46.03	3362.77
	07/29/09	3408.80	46.55	3362.25
	03/01/10	3408.80	46.61	3362.19
	08/03/10	3408.80	46.58	3362.22

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW080SA	03/30/04	3408.92	48.82	3360.10
	06/07/04	3408.92	48.70	3360.22
	09/14/04	3408.92	48.81	3360.11
	11/29/04	3408.92	48.36	3360.56
	03/16/05	3408.92	47.56	3361.36
	05/23/05	3408.92	48.18	3360.74
	01/17/06	3408.92	46.42	3362.50
	06/16/06	3408.92	46.46	3362.46
	03/28/07	3408.92	45.85	3363.07
	09/06/07	3408.92	45.80	3363.12
	03/21/08	3408.92	45.70	3363.22
	08/04/08	3408.92	46.45	3362.47
	03/11/09	3408.92	45.70	3363.22
	07/29/09	3408.92	46.66	3362.26
	03/01/10	3408.92	46.62	3362.30
	08/03/10	3408.92	46.74	3362.18
MW081SA	03/30/04	3408.28	48.50	3359.78
	06/07/04	3408.28	46.80	3361.48
	09/14/04	3408.28	48.43	3359.85
	11/29/04	3408.28	47.99	3360.29
	03/16/05	3408.28	47.17	3361.11
	05/23/05	3408.28	47.12	3361.16
	01/17/06	3408.28	46.02	3362.26
	06/16/06	3408.28	46.02	3362.26
	03/28/07	3408.28	45.42	3362.86
	09/06/07	3408.28	45.34	3362.94
	03/21/08	3408.28	45.21	3363.07
	08/04/08	3408.28	45.98	3362.30
	03/11/09	3408.28	46.14	3362.14
	07/29/09	3408.28	46.23	3362.05
	03/01/10	3408.28	46.80	3361.48
	08/03/10	3408.28	46.62	3361.66
MW082SA	03/30/04	3406.25	55.46	3350.79
	06/07/04	3406.25	55.35	3350.90
	09/14/04	3406.25	55.22	3351.03
	11/29/04	3406.25	55.19	3351.06
	03/01/05	3406.25	54.81	3351.44
	05/23/05	3406.25	54.66	3351.59
	01/17/06	3406.25	54.00	3352.25
	06/14/06	3406.25	53.61	3352.64
	03/22/07	3406.25	52.94	3353.31
	09/05/07	3406.25	52.43	3353.82
	03/19/08	3406.25	52.12	3354.13
	08/04/08	3406.25	52.03	3354.22
	03/11/09	3406.25	52.09	3354.16
	07/29/09	3406.25	51.97	3354.28
	03/01/10	3406.25	51.97	3354.28
	07/30/10	3406.25	51.91	3354.34

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW083SA	03/30/04	3406.11	55.33	3350.78
	06/07/04	3406.11	55.22	3350.89
	09/14/04	3406.11	54.18	3351.93
	11/29/04	3406.11	55.19	3350.92
	03/01/05	3406.11	54.85	3351.26
	05/23/05	3406.11	54.58	3351.53
	01/17/06	3406.11	53.93	3352.18
	06/14/06	3406.11	53.51	3352.60
	03/22/07	3406.11	52.83	3353.28
	09/05/07	3406.11	52.34	3353.77
	03/19/08	3406.11	52.04	3354.07
	08/04/08	3406.11	51.94	3354.17
	03/11/09	3406.11	52.00	3354.11
	07/29/09	3406.11	51.91	3354.20
	03/01/10	3406.11	51.89	3354.22
	07/30/10	3406.11	51.82	3354.29
MW084SA	03/30/04	3405.98	54.83	3351.15
	06/07/04	3405.98	54.78	3351.20
	09/14/04	3405.98	54.70	3351.28
	11/29/04	3405.98	54.61	3351.37
	03/24/05	3405.98	54.27	3351.71
	05/23/05	3405.98	54.09	3351.89
	01/17/06	3405.98	53.45	3352.53
	06/14/06	3405.98	53.02	3352.96
	03/21/07	3405.98	NM	NM
	09/05/07	3405.98	51.86	3354.12
	03/19/08	3405.98	51.55	3354.43
	08/04/08	3405.98	51.47	3354.51
	03/11/09	3405.98	51.50	3354.48
	07/29/09	3405.98	51.40	3354.58
	03/01/10	3405.98	51.52	3354.46
	07/30/10	3405.98	51.32	3354.66
MW085SA	03/30/04	3405.98	55.24	3350.74
	06/07/04	3405.98	55.08	3350.90
	09/14/04	3405.98	55.08	3350.90
	11/29/04	3405.98	54.98	3351.00
	03/24/05	3405.98	54.66	3351.32
	05/23/05	3405.98	54.44	3351.54
	01/17/06	3405.98	53.82	3352.16
	06/14/06	3405.98	53.40	3352.58
	03/21/07	3405.98	NM	NM
	09/05/07	3405.98	52.24	3353.74
	03/19/08	3405.98	51.92	3354.06
	08/04/08	3405.98	51.84	3354.14
	03/11/09	3405.98	51.90	3354.08
	07/29/09	3405.98	51.79	3354.19
	03/01/10	3405.98	51.89	3354.09
	07/30/10	3405.98	51.71	3354.27

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW086SA	09/14/04	3401.86	53.74	3348.12
	03/31/05	3401.86	53.08	3348.78
	05/23/05	3401.86	52.83	3349.03
	01/17/06	3401.86	52.18	3349.68
	06/15/06	3401.86	51.86	3350.00
	04/11/07	3401.86	51.38	3350.48
	09/20/07	3401.86	50.87	3350.99
	03/19/08	3401.86	50.71	3351.15
	08/04/08	3401.86	50.72	3351.14
	03/11/09	3401.86	50.91	3350.95
	07/29/09	3401.86	50.67	3351.19
	03/01/10	3401.86	50.74	3351.12
	07/30/10	3401.86	50.64	3351.22
MW087A	09/24/04	3430.75	50.05	3380.70
	03/31/05	3430.75	50.85	3379.90
	05/23/05	3430.75	50.74	3380.01
	01/17/06	3430.75	50.15	3380.60
	06/19/06	3430.75	49.95	3380.80
	04/13/07	3430.75	49.41	3381.34
	03/24/08	3430.75	49.51	3381.24
	03/11/09	3430.75	49.84	3380.91
	03/01/10	3430.75	50.13	3380.62
	08/03/10	3430.75	50.17	3380.58
MW089SA	01/17/06	3428.09	48.30	3379.79
	06/20/06	3428.09	48.10	3379.99
	04/05/07	3428.09	47.87	3380.22
	03/21/08	3428.09	47.79	3380.30
	03/11/09	3428.09	48.30	3379.79
	03/01/10	3428.09	48.54	3379.55
	08/02/10	3428.09	48.54	3379.55

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
MW090SA	01/18/06	3428.33	48.76	3379.57
	06/20/06	3428.33	48.57	3379.76
	04/05/07	3428.33	48.42	3379.91
	03/21/08	3428.33	48.29	3380.04
	03/11/09	3428.33	48.79	3379.54
	07/29/09	3428.33	48.98	3379.35
	03/01/10	3428.33	49.00	3379.33
	08/02/10	3428.33	49.02	3379.31
MW091SA	01/17/06	3422.45	43.90	3378.55
	06/20/06	3422.45	43.86	3378.59
	04/05/07	3422.45	43.37	3379.08
	03/19/08	3422.45	43.33	3379.12
	03/11/09	3422.45	43.84	3378.61
	03/01/10	3422.45	43.90	3378.55
	08/02/10	3422.45	43.93	3378.52
MW092SA	01/17/06	3422.51	43.94	3378.57
	06/20/06	3422.51	43.62	3378.89
	04/05/07	3422.51	43.50	3379.01
	03/19/08	3422.51	43.38	3379.13
	03/11/09	3422.51	43.89	3378.62
	03/01/10	3422.51	43.92	3378.59
	08/02/10	3422.51	43.94	3378.57
MW093SA	01/17/06	3422.72	44.13	3378.59
	06/20/06	3422.72	43.60	3379.12
	04/05/07	3422.72	43.56	3379.16
	03/24/08	3422.72	43.55	3379.17
	03/11/09	3422.72	44.12	3378.60
	03/01/10	3422.72	44.13	3378.59
	08/02/10	3422.72	44.70	3378.02
RW001	11/16/99	3428.32	50.41	3377.91
	05/15/01	3428.32	49.65	3378.67
	08/23/01	3428.32	50.04	3378.28
	01/21/02	3428.32	49.85	3378.47
	04/04/02	3428.32	49.97	3378.35
	09/03/02	3428.32	49.88	3378.44
	12/02/02	3428.32	49.53	3378.79
	01/31/03	3428.32	49.63	3378.69
	03/28/03	3428.32	49.62	3378.70
	05/19/03	3428.32	49.51	3378.81
	09/09/03	3428.32	49.66	3378.66
	12/03/03	3428.32	49.71	3378.61
	03/30/04	3428.32	49.81	3378.51
	06/07/04	3428.32	49.75	3378.57
	09/17/04	3428.32	49.34	3378.98
	11/29/04	3428.32	48.80	3379.52
	03/31/05	3428.32	48.43	3379.89
	05/23/05	3428.32	50.25	3378.07
		3428.32		3428.32

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
IW003	12/16/03	3406.68	45.47	3361.21
	02/18/04	3406.68	45.37	3361.31
	03/30/04	3406.68	45.37	3361.31
	06/03/04	3406.68	44.39	3362.29
	11/29/04	3406.68	45.95	3360.73
	03/17/05	3406.68	45.26	3361.42
	05/23/05	3406.68	45.10	3361.58
	01/17/06	3406.68	44.76	3361.92
	06/16/06	3406.68	44.77	3361.91
	04/09/07	3406.68	46.30	3360.38
	03/21/08	3406.68	44.71	3361.97
	03/10/09	3406.68	44.96	3361.72
	03/01/10	3406.68	45.19	3361.49
	08/03/10	3406.68	45.20	3361.48
IW004	12/16/03	3406.31	45.04	3361.27
	02/18/04	3406.31	44.95	3361.36
	03/30/04	3406.31	44.97	3361.34
	06/07/04	3406.31	45.99	3360.32
	11/29/04	3406.31	45.31	3361.00
	03/17/05	3406.31	44.83	3361.48
	05/23/05	3406.31	44.43	3361.88
	01/17/06	3406.31	44.52	3361.79
	06/16/06	3406.31	44.36	3361.95
	04/09/07	3406.31	44.15	3362.16
	03/21/08	3406.31	44.25	3362.06
	03/10/09	3406.31	44.44	3361.87
	03/01/10	3406.31	44.65	3361.66
	08/03/10	3406.31	44.75	3361.56
IW005	12/16/03	3405.36	45.85	3359.51
	02/18/04	3405.36	43.85	3361.51
	03/30/04	3405.36	43.84	3361.52
	06/07/04	3405.36	45.02	3360.34
	11/29/04	3405.36	44.52	3360.84
	03/21/05	3405.36	43.72	3361.64
	05/23/05	3405.36	42.71	3362.65
	01/17/06	3405.36	43.75	3361.61
	06/16/06	3405.36	43.62	3361.74
	04/12/07	3405.36	43.82	3361.54
	03/21/08	3405.36	43.51	3361.85
	03/10/09	3405.36	43.68	3361.68
	03/01/10	3405.36	43.84	3361.52
	07/30/10	3405.36	43.88	3361.48

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
IW006	12/16/03	3404.36	45.14	3359.22
	02/18/04	3404.36	43.24	3361.12
	03/30/04	3404.36	43.24	3361.12
	06/07/04	3404.36	44.18	3360.18
	11/29/04	3404.36	43.75	3360.61
	03/21/05	3404.36	42.86	3361.50
	05/23/05	3404.36	42.54	3361.82
	01/17/06	3404.36	42.68	3361.68
	06/16/06	3404.36	42.57	3361.79
	03/27/07	3404.36	42.49	3361.87
	04/12/07	3404.36	42.32	3362.04
	03/21/08	3404.36	42.65	3361.71
	03/10/09	3404.36	42.78	3361.62
	03/01/10	3404.36	44.73	3359.63
	07/30/10	3404.36	47.99	3356.37
IW007	12/16/03	3405.31	45.65	3359.66
	02/18/04	3405.31	44.09	3361.22
	03/30/04	3405.31	44.31	3361.00
	06/07/04	3405.31	43.54	3361.77
	11/29/04	3405.31	44.62	3360.69
	03/22/05	3405.31	43.24	3362.07
	05/23/05	3405.31	43.83	3361.48
	01/17/06	3405.31	43.91	3361.40
	06/16/06	3405.31	43.94	3361.37
	03/26/07	3405.31	43.48	3361.83
	03/21/08	3405.31	43.79	3361.52
	03/10/09	3405.31	44.21	3361.10
	03/01/10	3405.31	45.09	3360.22
	07/30/10	3405.31	45.80	3359.51
IW008	12/16/03	3405.37	50.61	3354.76
	02/18/04	3405.37	50.13	3355.24
	03/30/04	3405.37	51.08	3354.29
	06/07/04	3405.37	45.54	3359.83
	11/29/04	3405.37	43.98	3361.39
	03/22/05	3405.37	43.55	3361.82
	05/23/05	3405.37	43.85	3361.52
	01/17/06	3405.37	44.03	3361.34
	06/16/06	3405.37	44.07	3361.30
	03/23/07	3405.37	46.50	3358.87
	03/21/08	3405.37	44.80	3360.57
	03/10/09	3405.37	48.17	3357.20
	03/01/10	3405.37	47.10	3358.27
	07/30/10	3405.37	44.74	3360.63

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
IW009	12/16/03	3406.07	47.22	3358.85
	02/18/04	3406.07	47.40	3358.67
	03/30/04	3406.07	47.49	3358.58
	06/07/04	3406.07	44.55	3361.52
	11/29/04	3406.07	44.74	3361.33
	03/22/05	3406.07	44.30	3361.77
	05/23/05	3406.07	44.30	3361.77
	01/17/06	3406.07	45.02	3361.05
	06/16/06	3406.07	45.41	3360.66
	03/23/07	3406.07	46.27	3359.80
	03/21/08	3406.07	46.42	3359.65
	03/10/09	3406.07	47.12	3358.95
	03/01/10	3406.07	47.36	3358.71
	07/30/10	3406.07	47.70	3358.37
IW010	12/16/03	3405.82	52.88	3352.94
	02/18/04	3405.82	53.48	3352.34
	03/30/04	3405.82	53.52	3352.30
	06/07/04	3405.82	54.65	3351.17
	11/29/04	3405.82	54.45	3351.37
	03/22/05	3405.82	53.45	3352.37
	05/23/05	3405.82	53.21	3352.61
	01/17/06	3405.82	53.45	3352.37
	06/16/06	3405.82	52.93	3352.89
	03/23/07	3405.82	53.48	3352.34
	03/21/08	3405.82	53.30	3352.52
	03/10/09	3405.82	53.55	3352.27
	03/01/10	3405.82	53.59	3352.23
	07/30/10	3405.82	53.46	3352.36
IW011	12/16/03	3406.83	57.60	3349.23
	02/18/04	3406.83	57.59	3349.24
	03/30/04	3406.83	57.64	3349.19
	06/07/04	3406.83	58.79	3348.04
	11/29/04	3406.83	58.81	3348.02
	03/23/05	3406.83	58.19	3348.64
	05/23/05	3406.83	57.51	3349.32
	01/17/06	3406.83	57.79	3349.04
	06/16/06	3406.83	56.93	3349.90
	03/22/07	3406.83	56.21	3350.62
	03/21/08	3406.83	55.44	3351.39
	03/10/09	3406.83	55.51	3351.32
	03/01/10	3406.83	55.48	3351.35
	07/30/10	3406.83	55.36	3351.47

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
IW012	02/18/04	3405.92	54.99	3350.93
	03/30/04	3405.92	Dry	Dry
	06/07/04	3405.92	53.24	3352.68
	11/29/04	3405.92	56.03	3349.89
	03/24/05	3405.92	55.03	3350.89
	05/23/05	3405.92	53.20	3352.72
	01/17/06	3405.92	Dry	Dry
	06/16/06	3405.92	55.44	3350.48
	03/22/07	3405.92	58.98	3346.94
	03/21/08	3405.92	54.29	3351.63
	03/10/09	3405.92	54.26	3351.66
	03/01/10	3405.92	54.18	3351.74
	07/30/10	3405.92	54.11	3351.81
IW013	02/18/04	3406.62	56.27	3350.35
	03/30/04	3406.62	56.34	3350.28
	06/07/04	3406.62	51.56	3355.06
	11/29/04	3406.62	57.36	3349.26
	03/24/05	3406.62	56.72	3349.90
	05/23/05	3406.62	56.81	3349.81
	01/17/06	3406.62	56.15	3350.47
	06/16/06	3406.62	55.72	3350.90
	03/22/07	3406.62	NM	NM
	03/21/08	3406.62	54.13	3352.49
	03/10/09	3406.62	54.12	3352.50
	03/01/10	3406.62	54.33	3352.29
	07/30/10	3406.62	53.94	3352.68
IW014	02/18/04	3405.48	54.55	3350.93
	03/30/04	3405.48	54.59	3350.89
	06/07/04	3405.48	NR	NR
	11/29/04	3405.48	55.88	3349.60
	03/24/05	3405.48	55.54	3349.94
	05/23/05	3405.48	55.02	3350.46
	01/17/06	3405.48	54.66	3350.82
	06/16/06	3405.48	54.25	3351.23
	03/26/07	3405.48	53.30	3352.18
	03/21/08	3405.48	52.64	3352.84
	03/10/09	3405.48	52.57	3352.91
	03/01/10	3405.48	54.27	3351.21
	07/30/10	3405.48	52.37	3353.11

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
IW015	02/18/04	3406.05	45.43	3360.62
	03/30/04	3406.05	45.45	3360.60
	06/07/04	3406.05	45.91	3360.14
	11/29/04	3406.05	46.33	3359.72
	03/16/05	3406.05	44.97	3361.08
	05/23/05	3406.05	NR	NR
	01/17/06	3406.05	44.83	3361.22
	06/16/06	3406.05	44.58	3361.47
	04/09/07	3406.05	44.38	3361.67
	03/21/08	3406.05	44.20	3361.85
	03/10/08	3406.05	44.58	3361.47
	03/01/10	3406.05	44.79	3361.26
	08/03/10	3406.05	44.91	3361.14
IW016	02/18/04	3408.29	48.16	3360.13
	03/30/04	3408.29	48.19	3360.10
	06/03/04	3408.29	49.11	3359.18
	11/29/04	3408.29	49.26	3359.03
	04/18/05	3408.29	48.50	3359.79
	05/23/05	3408.29	48.51	3359.78
	01/17/06	3408.29	47.45	3360.84
	06/16/06	3408.29	47.09	3361.20
	03/28/07	3408.29	46.33	3361.96
	03/21/08	3408.29	46.21	3362.08
	03/10/08	3408.29	46.70	3361.59
	03/01/10	3408.29	47.21	3361.08
	08/03/10	3408.29	47.27	3361.02
IW018	01/17/06	3424.54	45.94	3378.60
	06/20/06	3424.54	45.82	3378.72
	04/09/07	3424.54	45.92	3378.62
	03/19/08	3424.54	45.59	3378.95
	03/10/09	3424.54	46.05	3378.49
	03/01/10	3424.54	44.87	3379.67
	08/02/10	3424.54	46.18	3378.36

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
IW019	01/17/06	3423.78	45.13	3378.65
	06/20/06	3423.78	44.95	3378.83
	04/06/07	3423.78	44.85	3378.93
	03/19/08	3423.78	44.74	3379.04
	03/10/09	3423.78	45.23	3378.55
	03/01/10	3423.78	44.94	3378.84
	08/02/10	3423.78	45.32	3378.46
IW020	01/17/06	3423.50	44.76	3378.74
	06/20/06	3423.50	44.55	3378.95
	04/10/07	3423.50	44.33	3379.17
	04/09/08	3423.50	44.33	3379.17
	03/10/09	3423.50	44.84	3378.66
	03/01/10	3423.50	44.75	3378.75
	07/30/10	3423.50	44.53	3378.97
IW021	01/17/06	3423.16	44.44	3378.72
	06/20/06	3423.16	44.15	3379.01
	04/05/07	3423.16	44.04	3379.12
	03/19/08	3423.16	43.91	3379.25
	03/10/09	3423.16	44.42	3378.74
	03/01/10	3423.16	44.75	3378.41
	07/30/10	3423.16	44.50	3378.66
IW022	01/17/06	3423.16	44.39	3378.77
	06/20/06	3423.16	44.10	3379.06
	04/10/07	3423.16	43.87	3379.29
	04/09/08	3423.16	43.83	3379.33
	03/10/09	3423.16	44.33	3378.83
	03/01/10	3423.16	44.43	3378.73
	07/30/10	3423.16	44.46	3378.70
IW023	01/17/06	3426.05	47.25	3378.80
	06/20/06	3426.05	41.82	3384.23
	04/10/07	3426.05	46.65	3379.40
	03/21/08	3426.05	46.76	3379.29
	03/10/09	3426.05	47.14	3378.91
	07/28/09	3426.05	47.33	3378.72
	03/01/10	3426.05	47.29	3378.76
	07/30/10	3426.05	47.27	3378.78

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
IW024	01/18/06	3426.63	47.15	3379.48
	06/20/06	3426.63	47.10	3379.53
	04/04/07	3426.63	46.85	3379.78
	03/21/08	3426.63	47.70	3378.93
	03/10/09	3426.63	47.25	3379.38
	07/28/09	3426.63	47.45	3379.18
	03/01/10	3426.63	47.45	3379.18
	08/02/10	3426.63	47.47	3379.16
IW025	01/18/06	3427.62	48.09	3379.53
	06/20/06	3427.62	47.95	3379.67
	04/04/07	3427.62	47.72	3379.90
	03/21/08	3427.62	48.10	3379.52
	03/10/09	3427.62	47.20	3380.42
	07/28/09	3427.62	48.44	3379.18
	03/01/10	3427.62	48.52	3379.10
	08/02/10	3427.62	48.53	3379.09
IW026	01/18/06	3428.01	48.42	3379.59
	06/20/06	3428.01	48.26	3379.75
	04/04/07	3428.01	48.10	3379.91
	03/21/08	3428.01	48.05	3379.96
	03/10/09	3428.01	48.58	3379.43
	07/28/09	3428.01	48.76	3379.25
	03/01/10	3428.01	48.23	3379.78
	08/02/10	3428.01	48.72	3379.29
IW027	01/18/06	3428.17	48.55	3379.62
	06/20/06	3428.17	48.33	3379.84
	04/04/07	3428.17	48.17	3380.00
	03/21/08	3428.17	48.10	3380.07
	03/11/09	3428.17	48.66	3379.51
	03/01/10	3428.17	48.78	3379.39
	08/02/10	3428.17	48.80	3379.37
IW028	03/16/05	3428.18	48.70	3379.48
	05/23/05	3428.18	49.09	3379.09
	06/16/05	3428.18	49.10	3379.08
	01/17/06	3428.18	48.53	3379.65
	06/20/06	3428.18	48.30	3379.88
	04/04/07	3428.18	48.09	3380.09
	04/09/08	3428.18	47.99	3380.19
	03/11/09	3428.18	48.51	3379.67
	03/01/10	3428.18	48.74	3379.44
	08/02/10	3428.18	48.76	3379.42

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
RW004A	01/21/02	3430.11	51.51	3378.60
	04/04/02	3430.11	51.59	3378.52
	09/03/02	3430.11	51.45	3378.66
	12/02/02	3430.11	51.10	3379.01
	01/31/03	3430.11	51.14	3378.97
	03/28/03	3430.11	51.16	3378.95
	05/19/03	3430.11	51.23	3378.88
	09/09/03	3430.11	46.36	3383.75
	12/03/03	3430.11	51.53	3378.58
	03/30/04	3430.74	52.34	3378.40
	06/07/04	3430.74	51.61	3379.13
	11/30/04	3430.74	51.56	3379.18
	03/31/05	3430.74	51.97	3378.77
	05/23/05	3430.74	52.13	3378.61
	01/18/06	3430.74	47.46	3383.28
	06/19/06	3430.74	49.78	3380.96
	04/11/07	3430.74	47.15	3383.59
	03/24/08	3430.74	49.51	3381.23
	03/11/09	3430.74	47.49	3383.25
	03/01/10	3430.74	50.28	3380.46
	08/03/10	3430.74	50.34	3380.40
WATER WELLS				
GOPWW2	NR	3396.97	49.02	3347.95
	12/04/02	3396.97	49.54	3347.43
	01/31/03	3396.97	49.42	3347.55
	03/28/03	3396.97	49.14	3347.83
	05/19/03	3396.97	49.21	3347.76
	09/09/03	3396.97	49.37	3347.60
	12/02/03	3396.97	49.71	3347.26
	03/30/04	3396.97	49.54	3347.43
	06/07/04	3396.97	49.31	3347.66
	09/14/04	3396.97	49.45	3347.52
	11/29/04	3396.97	49.22	3347.75
	03/31/05	3396.97	48.81	3348.16
	05/23/05	3396.67	48.52	3348.15
	01/18/06	3396.67	48.00	3348.67
	06/23/06	3396.67	47.65	3349.02
	04/23/07	3396.67	47.15	3349.52
	09/10/07	3396.67	46.70	3349.97
	03/21/08	3396.67	46.46	3350.21
	08/04/08	3396.67	46.47	3350.20
	03/10/09	3396.67	46.59	3350.08
	07/28/09	3396.67	46.44	3350.23
	03/01/10	3396.67	46.51	3350.16
	07/30/10	3396.67	53.94	3342.73

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
LordWW	12/18/97	3419.97	44.00	3375.97
	11/16/99	3419.97	42.67	3377.30
	06/07/01	3419.97	41.90	3378.07
	02/06/02	3419.97	42.01	3377.96
	09/03/02	3419.97	41.88	3378.09
	12/09/02	3419.97	41.88	3378.09
	06/05/03	3419.97	41.95	3378.02
	01/22/04	3419.97	42.25	3377.72
	03/30/04	3419.97	42.34	3377.63
	06/07/04	3419.97	42.12	3377.85
	09/17/04	3419.97	41.93	3378.04
	05/23/05	3419.97	40.93	3379.04
	01/17/06	3419.97	40.59	3379.38
	06/23/06	3419.97	40.57	3379.40
	04/05/07	3419.97	40.05	3379.92
	03/18/08	3419.97	48.17	3371.80
	08/04/08	3419.97	40.43	3379.54
	03/10/09	3419.97	40.61	3379.36
	07/28/09	3419.97	40.80	3379.17
	03/01/10	3419.97	40.84	3379.13
	08/02/10	3419.97	38.21	3381.76
RolandWW	12/18/97	3419.47	43.12	3376.35
	11/16/99	3419.47	41.58	3377.89
	05/15/01	3419.47	41.06	3378.41
	08/23/01	3419.47	40.92	3378.55
	01/21/02	3419.47	41.09	3378.38
	04/04/02	3419.47	41.32	3378.15
	09/03/02	3419.47	40.90	3378.57
	12/02/02	3419.47	40.80	3378.67
	01/31/03	3419.47	40.79	3378.68
	03/28/03	3419.47	40.74	3378.73
	06/03/03	3419.47	40.92	3378.55
	09/09/03	3419.47	41.03	3378.44
	12/02/03	3419.47	41.14	3378.33
	03/30/04	3419.47	41.35	3378.12
	06/07/04	3419.47	41.17	3378.30
	03/31/05	3419.47	39.62	3379.85
	05/23/05	3419.47	39.81	3379.66
	06/23/06	3419.47	39.56	3379.91
	03/11/09	3419.47	39.69	3379.78
	03/01/10	3419.47	0.00	3419.47

TABLE 1
SUMMARY GROUNDWATER GAUGING DATA
FORMER NORTH EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

Well ID	Date Measured	Top of Casing Elevation (feet AMSL)	Depth to Water (feet)	Groundwater Elevation (feet AMSL)
WoodellWW	05/15/01	3423.77	49.63	3374.14
	08/23/01	3423.77	49.97	3373.80
	04/05/02	3423.77	49.52	3374.25
	09/03/02	3423.77	54.07 (P)	3369.70
	12/02/02	3423.77	49.06	3374.71
	01/30/03	3423.77	49.14	3374.63
	03/28/03	3423.77	62.24 (P)	3361.53
	06/05/03	3423.77	53.76 (P)	3370.01
	09/09/03	3423.77	53.65 (P)	3370.12
	12/02/03	3423.77	49.07	3374.70
	03/30/04	3423.77	49.50	3374.27
	06/07/04	3423.77	54.24	3369.53
	11/29/04	3423.77	48.89	3374.88
	05/23/05	3423.77	52.80	3370.97
	03/10/09	NG	NG	NG
	03/01/10	3423.77	0.00	3423.77
EPWW1	12/18/97	3429.95	73.12	3356.83
	04/22/97	3429.95	66.46	3363.49
	11/16/99	3429.95	65.20	3364.75
	05/15/01	3429.95	52.27	3377.68
	08/23/01	3429.95	52.86	3377.09
	01/21/02	3429.95	52.67	3377.28
	04/04/02	3429.95	93.34	3336.61
	09/03/02	3429.95	50.85	3379.10
	12/02/02	3429.95	51.59	3378.36
	01/31/03	3429.95	52.20	3377.75
	03/28/03	3429.95	52.58	3377.37
	05/19/03	3429.95	52.26	3377.69
	09/09/03	3429.95	94.08	3335.87
	12/03/03	3429.95	94.07	3335.88
	03/30/04	3429.95	86.62	3343.33
	06/07/04	3429.95	77.45	3352.50
	09/17/04	3429.95	52.22	3377.73
	11/30/04	3429.95	57.80	3372.15
	03/31/05	3429.95	51.39	3378.56
	05/23/05	3429.95	51.16	3378.79
	03/10/09	NG	NG	NG
	03/01/10	3429.95	0.00	3429.95
	08/02/10	3429.95	No Access	

Notes:

AMSL - Above Mean Sea Level
MW - Monitoring Well
No Suffix - Shallow/Middle Monitoring Well Completion
(Example: MW069)
A - Deep Monitoring Well Completion
(Example: MW070A)
M - Middle Monitoring Well Completion
(Example: MW008M)
SA - Fully-Penetrating, Monitoring Well Completion
(Example: MW071SA)
RW - Recovery Well
EP - Eunice Plant
WW - Water Well
GOP - Gulf Oil Corp.
IW - Injection Well
(P) - Well was pumping during water collection
NR - Not Reported
NG - Not Gauged

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW001	4/23/1997	0.384	<0.001	0.075	0.049	-	-	-	-	200
	1/20/1999	0.006	0.019	0.029	0.029	-	-	-	-	-
	11/17/1999	0.008	0.018	0.140	0.042	-	-	-	-	-
	5/31/2001	0.06	0.02	0.54	0.09	-	-	<0.05 / <0.05	<0.005 / 0.03	260
	5/31/2001 Dup	0.07	<0.02	0.58	0.1	-	-	<0.05	<0.005	250
	2/7/2002	0.002	0.009	0.059	0.084	<0.26	0.489	-	-	540
	9/23/2002	<0.002	0.004	0.08	0.17	0.28	0.93	-	-	400
	9/23/2002 Dup	0.002	0.006	0.085	0.18	0.3	1	-	-	350
	1/8/2003	<0.002	0.003	0.018	0.026	<0.25	0.22	-	-	500
	1/8/2003 Dup	<0.002	0.002	0.017	0.024	<0.25	0.28	-	-	510
	3/27/2003	<0.002	<0.002	0.016	0.023	<0.25	0.15	-	-	380
	3/27/2003 Dup	<0.002	<0.002	0.018	0.024	<0.25	0.14	-	-	270
	6/5/2003	0.003	0.004	0.052	0.069	<0.24	0.39	-	-	510
	6/5/2003 Dup	<0.002	0.003	0.04	0.054	0.32	0.32	-	-	530
	1/26/2004	0.02	0.02	0.63	0.2	7.2	2.8	-	-	90
	1/26/2004 Dup	0.02	0.03	0.61	0.19	4.4	2.3	-	-	90
	7/28/2004	0.01	0.008	0.15	0.057	<2.5	1.6	-	-	630
	1/12/2005	0.004	<0.002	0.047	<0.006	<0.25	0.22	-	-	200
	5/26/2005	0.02	0.004	0.073	0.023	<0.25	0.44	-	-	230
	1/27/2006	0.0017	<0.001	0.044	0.0033	-	-	0.0343	<0.02	338
	1/27/2006 Dup	0.0017	<0.001	0.046	0.0032	-	-	0.0349	<0.02	346
	7/13/2006	0.089	<0.001	0.037	0.0042	0.54	0.3	0.0308	<0.02	368
	4/19/2007	0.036	<0.001	0.110	0.0095	0.500	0.380	<0.015	<0.02	327
	4/17/2008	<0.001	<0.001	0.0016	<0.003	0.410	<0.05	<0.015	<0.2	112
	3/16/2010	<0.001	<0.001	0.00156	<0.001	0.416	<0.05	<0.050	0.024	120
MW002	4/22/1997	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.039	490
	1/24/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	470
	9/16/2002	<0.002	0.002	<0.002	<0.002	<0.25	<0.05	-	-	460
	12/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	510
	3/13/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	470
	5/28/2003	<0.002	<0.002	<0.002	<0.002	<0.23	<0.05	-	-	430
	1/20/2004	<0.002	<0.002	<0.002	<0.006	<0.27	<0.05	-	-	400
	6/23/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	410
	6/23/2004 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	400
	1/4/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	440
	1/4/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	430
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	410
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0642	0.058	552
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0339	0.037	553
	4/12/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0699	0.064	817
	4/2/2008	0.0045	0.0014	<0.001	<0.003	<0.097	<0.05	0.147	0.15	934
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.190	<0.05	0.137	0.13	1040
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.234	<0.05	0.145	0.15	998
MW003	4/22/1997	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	2.9	3	1100
	1/30/2002	-	-	-	-	-	-	-	-	900
	1/30/2002 Dup	-	-	-	-	-	-	-	-	1900
	9/18/2002	-	-	-	-	-	-	-	-	850
	1/6/2003	-	-	-	-	-	-	-	-	640
	3/19/2003	-	-	-	-	-	-	-	-	1050
	6/4/2003	-	-	-	-	-	-	-	-	950
	1/20/2004	-	-	-	-	-	-	-	-	500
	6/29/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	740
	1/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	570
	6/3/2005	-	-	-	-	-	-	-	-	480
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.194	0.2	514
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.187	0.17	530

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW004	4/16/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.116	0.10	372
	4/3/2008	0.0037	0.0012	<0.001	<0.003	<0.096	<0.05	0.085	0.052	317
	4/23/1997	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-
	1/21/1999	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-
	11/18/1999	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.67 / <0.05	<0.005 / 0.61	800
	1/28/2002	<0.002	<0.002	<0.002	<0.002	<0.27	<0.05	-	-	1030
	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	610
	12/30/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	700
	3/18/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	730
	6/4/2003	<0.002	<0.002	<0.002	<0.002	<0.24	<0.05	-	-	680
	1/19/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	650
	6/24/2004	-	-	-	-	-	-	-	-	370
	1/4/2005	-	-	-	-	-	-	-	-	560
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	760
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.5	0.14	904
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.79	1.8	776
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.92	0.51	1130
	4/15/2008	0.0028	<0.001	<0.001	<0.003	0.140	<0.05	2.28	1.9	1030
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.230	<0.05	1.46	1.5	852
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.196	<0.05	1.18	1.17	781
MW005	4/22/1997	0.54	0.31	0.093	0.245	-	-	-	-	-
	2/11/2002	0.62	<0.04	0.09	0.14	15	1.79	-	-	460
	2/11/2002 Dup	0.6	<0.02	0.08	0.13	27	1.83	-	-	460
	6/30/2005	0.81	<0.01	0.07	<0.03	3.9	2.6	-	-	910
	1/27/2006	0.52	<0.005	0.064	<0.005	-	-	0.0202	<0.02	1010
	7/13/2006	0.44	<0.001	0.072	0.0078	2.3	1.5	0.0344	<0.02	894
	4/19/2007	0.810	0.0013	0.064	0.012	3.2	2.4	<0.015	<0.02	1080
	4/17/2008	0.004	<0.001	0.0012	<0.003	2.8	0.230	0.0151	<0.2	1500
	4/7/2009	0.095	<0.001	0.0110	<0.003	3.2	0.290	<0.015	<0.02	1160
	3/16/2010	0.0125	<0.001	0.0063	<0.001	1.68	<0.05	<0.050	0.21	823
MW006	4/22/1997	0.34	0.28	0.11	0.33	-	-	-	-	-
	2/11/2002	0.68	0.67	0.11	0.26	71	3.58	-	-	1400
	4/23/2007	1.50	0.36	0.10	0.84	6.3	4.2	<0.015	<0.02	2970
	4/17/2008	0.036	<0.001	0.0039	0.0036	3.1	0.400	<0.015	<0.20	2780
	4/7/2009	0.510	<0.005	0.0420	0.1500	3.4	1.6	<0.015	<0.02	2310
	3/16/2010	0.878	<0.001	0.0132	<0.001	1.88	0.742	<0.050	0.012	1250
MW007	8/19/1997	<0.001	0.001	0.001	0.001	-	-	-	-	-
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05 / 0.45	0.02 / 0.4	600
	1/30/2002	-	-	-	-	-	-	-	-	390
	9/12/2002	-	-	-	-	-	-	-	-	710
	12/19/2002	-	-	-	-	-	-	-	-	450
	3/13/2003	-	-	-	-	-	-	-	-	410
	6/3/2003	-	-	-	-	-	-	-	-	390
	1/21/2004	-	-	-	-	-	-	-	-	410
	6/23/2004	-	-	-	-	-	-	-	-	370
	1/4/2005	-	-	-	-	-	-	-	-	290
	6/3/2005	-	-	-	-	-	-	-	-	310
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	274
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0232	<0.02	206
	4/16/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0152	<0.02	193
	4/3/2008	0.0027	<0.001	<0.001	<0.003	<0.096	<0.05	0.036	0.034	185
	8/20/1997	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/31/2001	<0.002	<0.002	<0.002	<0.002	-	-	5.66	9	1400
	8/29/2001	-	-	-	-	-	-	0.68 / 0.79	0.6 / 0.8	-
	2/4/2002	-	-	-	-	-	-	-	-	970
MW008	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1250
	1/6/2003	-	-	-	-	-	-	-	-	970

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/26/2003	-	-	-	-	-	-	-	-	1400
	6/5/2003	-	-	-	-	-	-	-	-	1300
	6/9/2003	-	-	-	-	-	-	5.22	-	1300
	6/9/2003 Dup	-	-	-	-	-	-	-	-	1340
	6/30/2003	-	-	-	-	-	-	3.37	-	1020
	7/9/2003	-	-	-	-	-	-	4.02	-	1200
	7/15/2003	-	-	-	-	-	-	3.85	-	1110
	7/28/2003	-	-	-	-	-	-	2.1	-	1100
	8/21/2003	-	-	-	-	-	-	4.67	-	1400
	9/29/2003	-	-	-	-	-	-	4.9	-	1200
	10/27/2003	-	-	-	-	-	-	5.55	-	1300
	12/4/2003	-	-	-	-	-	-	4.79	-	1090
	1/5/2004	-	-	-	-	-	-	3.34	-	950
	3/1/2004	-	-	-	-	-	-	3.81	-	1020
	3/31/2004	-	-	-	-	-	-	3.31	-	1070
	5/4/2004	-	-	-	-	-	-	3.67	-	1300
	6/7/2004	-	-	-	-	-	-	4.35	-	1220
	7/7/2004	-	-	-	-	-	-	3.33	-	1200
	8/10/2004	-	-	-	-	-	-	2.42	-	1050
	9/16/2004	-	-	-	-	-	-	3.92	-	1290
	10/4/2004	-	-	-	-	-	-	3.08	-	920
	11/8/2004	-	-	-	-	-	-	3.04	-	1050
	12/16/2004	-	-	-	-	-	-	4.27	-	1050
	1/13/2005	-	-	-	-	-	-	2.13	-	890
	2/8/2005	-	-	-	-	-	-	2.32	-	1070
	3/8/2005	-	-	-	-	-	-	0.57	-	600
	4/6/2005	-	-	-	-	-	-	0.42	-	500
	5/11/2005	-	-	-	-	-	-	0.13	-	610
	6/7/2005	-	-	-	-	-	-	0.09	-	820
	7/6/2005	-	-	-	-	-	-	0.05	-	920
	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0515	<0.08	702
	7/18/2006	<0.001	<0.001	<0.001	<0.003	0.33	<0.05	0.0221	<0.02	802
	4/3/2007	<0.001	<0.001	<0.001	<0.003	0.480	0.120	0.0391	<0.02	701
	4/15/2008	<0.005	<0.005	<0.005	<0.015	0.410	<0.25	0.0162	<0.50	844
	3/30/2009	<0.001	<0.001	<0.001	<0.003	0.180	<0.05	<0.015	<0.02	799
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.180	<0.05	<0.05	<0.10	824
MW008M	10/1/2001	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	2.8	1500
	2/4/2002	-	-	-	-	-	-	-	-	1600
	2/4/2002 Dup	-	-	-	-	-	-	-	-	910
	6/9/2003	-	-	-	-	-	-	5.43	-	1500
	6/9/2003 Dup	-	-	-	-	-	-	-	-	1490
	6/30/2003	-	-	-	-	-	-	5.24	-	1400
	7/9/2003	-	-	-	-	-	-	4.29	-	1300
	7/15/2003	-	-	-	-	-	-	5.78	-	1400
	7/29/2003	-	-	-	-	-	-	5.33	-	1400
	8/21/2003	-	-	-	-	-	-	5.32	-	1400
	9/29/2003	-	-	-	-	-	-	5.7	-	1400
	10/27/2003	-	-	-	-	-	-	5.49	-	1400
	12/4/2003	-	-	-	-	-	-	5.77	-	1500
	1/6/2004	-	-	-	-	-	-	5.45	-	1600
	3/1/2004	-	-	-	-	-	-	5.29	-	1500
	4/1/2004	-	-	-	-	-	-	3.18	-	1500
	5/4/2004	-	-	-	-	-	-	4.91	-	1500
	6/7/2004	-	-	-	-	-	-	2.4	-	1370
	7/7/2004	-	-	-	-	-	-	0.44	-	1400
	8/10/2004	-	-	-	-	-	-	1.78	-	1400
	9/16/2004	-	-	-	-	-	-	0.75	-	1370

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	10/4/2004	-	-	-	-	-	-	0.59	-	1330
	11/9/2004	-	-	-	-	-	-	0.5	-	1380
	12/16/2004	-	-	-	-	-	-	0.22	-	1400
	1/17/2005	-	-	-	-	-	-	0.17	-	1460
	2/8/2005	-	-	-	-	-	-	0.13	-	1470
	3/8/2005	-	-	-	-	-	-	0.14	-	1480
	4/6/2005	-	-	-	-	-	-	0.13	-	1320
	5/11/2005	-	-	-	-	-	-	0.1	-	1380
	6/7/2005	-	-	-	-	-	-	0.1	-	1370
	7/6/2005	-	-	-	-	-	-	0.37	-	1050
	2/10/2006	<0.01	<0.01	<0.01	<0.03	-	-	0.215	<0.08	1300
	2/10/2006 Dup	<0.01	<0.01	<0.01	<0.03	-	-	0.219	<0.08	1330
	7/19/2006	<0.005	<0.005	<0.005	<0.015	14	1	0.165	<0.02	1290
	4/13/2007	<0.002	<0.001	<0.001	<0.003	18.0	1.3	0.163	<0.02	1200
	4/16/2008	<0.002	<0.001	<0.001	<0.003	10.0	0.640	0.153	<1	1280
	3/31/2009	<0.005	<0.005	<0.005	<0.015	2.5	<0.25	0.145	<0.2	1230
	3/10/2010	<0.001	<0.001	<0.001	<0.001	1.0	<0.05	<0.25	0.16	934
MW009	8/20/1997	0.002	<0.001	<0.001	<0.001	-	-	-	-	-
	5/31/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.08	0.095	560
	1/29/2002	-	-	-	-	-	-	-	-	630
	9/17/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	530
	12/19/2002	<0.002	<0.002	<0.002	<0.002	0.63	<0.05	-	-	550
	3/13/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	410
	6/4/2003	<0.002	<0.002	<0.002	<0.002	0.3	<0.05	-	-	500
	1/20/2004	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	-	-	280
	6/24/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	240
	1/4/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	340
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	300
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0728	0.062	253
	7/13/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	<0.015	<0.02	255
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0198	<0.02	384
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.0219	<0.02	584
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.05	<0.05	<0.05	0.045	261
MW010	9/16/1997	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05 / 0.22	0.036 / 0.28	1800
	1/29/2002	-	-	-	-	-	-	-	-	1700
	9/17/2002	-	-	-	-	-	-	-	-	1700
	12/30/2002	-	-	-	-	-	-	-	-	2100
	3/17/2003	-	-	-	-	-	-	-	-	2200
	6/2/2003	-	-	-	-	-	-	-	-	2200
	1/21/2004	-	-	-	-	-	-	-	-	1140
	6/23/2004	-	-	-	-	-	-	-	-	1250
	1/3/2005	-	-	-	-	-	-	-	-	2090
	6/6/2005	-	-	-	-	-	-	-	-	2060
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0586	0.055	2200
	6/30/2006	<0.001	<0.001	<0.001	<0.003	0.15	<0.05	0.062	0.048	2220
	6/30/2006 Dup	<0.001	<0.001	0.0011	<0.003	0.15	<0.05	0.0598	0.06	2250
	4/11/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	0.0483	0.043	2170
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0445	0.023	2430
	4/7/2008	0.0041	0.0011	<0.001	<0.003	<0.1	<0.05	0.0517	<0.02	2300
	8/13/2008	0.0042	0.0055	0.013	<0.003	<0.1	0.059	0.0511	<0.02	2570
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0412	0.033	2590
	8/19/2009	<0.001	<0.001	<0.001	<0.003	0.66	<0.05	0.0387	0.028	2960
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.191	<0.05	<0.05	0.040	2390
	8/6/2010	<0.001	<0.002	<0.001	<0.001	0.193	<0.05	<0.05	0.046	2350
MW011	5/31/2001	<0.002	<0.002	<0.002	<0.002	-	-	4.4	6.3	1600
	8/30/2001	-	-	-	-	-	-	4.21 / 4.25	2.6 / 2.6	-
	1/31/2002	-	-	-	-	-	-	-	-	1500

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/19/2002	-	-	-	-	-	-	-	-	1300
	1/7/2003	-	-	-	-	-	-	-	-	1190
	3/26/2003	-	-	-	-	-	-	-	-	1240
	6/2/2003	-	-	-	-	-	-	-	-	1300
	6/10/2003	-	-	-	-	-	-	4.67	-	1200
	6/10/2003 Dup	-	-	-	-	-	-	-	-	1220
	7/1/2003	-	-	-	-	-	-	4.41	-	1300
	7/8/2003	-	-	-	-	-	-	4.51	-	1300
	7/14/2003	-	-	-	-	-	-	4.4	-	1210
	7/29/2003	-	-	-	-	-	-	5.02	-	1300
	8/19/2003	-	-	-	-	-	-	4.33	-	1200
	9/29/2003	-	-	-	-	-	-	4.4	-	1300
	10/28/2003	-	-	-	-	-	-	4.52	-	1300
	12/8/2003	-	-	-	-	-	-	4.36	-	1170
	1/6/2004	-	-	-	-	-	-	4.68	-	1400
	3/2/2004	-	-	-	-	-	-	4.06	-	1070
	4/1/2004	-	-	-	-	-	-	4.28	-	1230
	5/18/2004	-	-	-	-	-	-	4.31	-	1200
	6/14/2004	-	-	-	-	-	-	3.93	-	1000
	7/13/2004	-	-	-	-	-	-	3.96	-	1200
	8/12/2004	-	-	-	-	-	-	3.92	-	1000
	9/15/2004	-	-	-	-	-	-	4.21	-	1200
	10/5/2004	-	-	-	-	-	-	3.88	-	1160
	11/16/2004	-	-	-	-	-	-	3.87	2.9	1060
	12/29/2004	-	-	-	-	-	-	3.86	-	1200
	1/25/2005	-	-	-	-	-	-	3.14	-	1100
	2/8/2005	-	-	-	-	-	-	2.79	-	1050
	3/9/2005	-	-	-	-	-	-	2.92	-	1160
	4/12/2005	-	-	-	-	-	-	0.43	-	1600
	5/12/2005	-	-	-	-	-	-	3.38	-	1400
	6/8/2005	-	-	-	-	-	-	3.08	-	1530
	7/11/2005	-	-	-	-	-	-	3.52	-	1670
	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	3.9	3.2	1450
	7/19/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	3.81	3.5	1360
	3/29/2007	0.0013	<0.001	<0.001	<0.003	<0.095	<0.05	4.15	3.3	1200
	4/16/2008	<0.001	<0.001	<0.001	<0.003	0.10	<0.05	3.59	0.86	1660
	3/31/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	3.67	3.8	1380
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.086	<0.05	0.086	0.015	1010
MW011M	10/1/2001	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	1.7	1400
	2/4/2002	-	-	-	-	-	-	-	-	1400
	6/10/2003	-	-	-	-	-	-	2.81	-	1400
	6/10/2003 Dup	-	-	-	-	-	-	-	-	1350
	7/1/2003	-	-	-	-	-	-	3.38	-	1500
	7/8/2003	-	-	-	-	-	-	2.94	-	1400
	7/14/2003	-	-	-	-	-	-	2.93	-	1400
	7/30/2003	-	-	-	-	-	-	3.26	-	1400
	8/19/2003	-	-	-	-	-	-	3.15	-	1400
	9/29/2003	-	-	-	-	-	-	2.79	-	1600
	10/28/2003	-	-	-	-	-	-	2.8	-	1400
	12/4/2003	-	-	-	-	-	-	2.93	-	1400
	1/6/2004	-	-	-	-	-	-	2.66	-	1500
	3/2/2004	-	-	-	-	-	-	4	-	1600
	4/1/2004	-	-	-	-	-	-	4.92	-	1600
	5/18/2004	-	-	-	-	-	-	2.34	-	1800
	6/14/2004	-	-	-	-	-	-	0.67	-	700
	7/13/2004	-	-	-	-	-	-	0.44	-	1300
	8/16/2004	-	-	-	-	-	-	0.24	-	900

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/15/2004	-	-	-	-	-	-	0.15	-	1590
	10/5/2004	-	-	-	-	-	-	0.17	-	1570
	11/16/2004	-	-	-	-	-	-	0.15	-	1320
	12/29/2004	-	-	-	-	-	-	0.2	-	1550
	1/25/2005	-	-	-	-	-	-	0.29	-	1600
	2/9/2005	-	-	-	-	-	-	0.06	-	1580
	3/9/2005	-	-	-	-	-	-	0.42	-	1490
	4/12/2005	-	-	-	-	-	-	3.28	-	1600
	5/12/2005	-	-	-	-	-	-	0.41	-	1620
	6/8/2005	-	-	-	-	-	-	0.44	-	1180
	7/11/2005	-	-	-	-	-	-	0.42	-	1590
	2/10/2006	<0.01	<0.01	<0.01	<0.03	-	-	0.319	<0.08	1540
	7/19/2006	<0.005	<0.005	<0.005	<0.015	1.7	<0.25	0.267	<0.02	1470
	7/19/2006 Dup	<0.005	<0.005	<0.005	<0.015	1.8	<0.25	0.266	<0.02	1400
	3/29/2007	<0.005	0.0012	<0.001	<0.003	0.860	<0.05	0.205	<0.2	1410
	4/16/2008	<0.002	<0.001	<0.001	<0.003	0.560	<0.05	0.092	<1	1370
	3/31/2009	<0.005	<0.005	<0.005	<0.015	0.300	<0.25	0.0672	<0.2	1330
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.139	0.158	<0.05	<0.1	2040
MW012	5/30/2001	<0.002	<0.002	<0.002	<0.002	-	-	3.35	2.5	910
	5/30/2001 Dup	<0.002	<0.002	<0.002	<0.002	-	-	3.3	2.4	800
	8/27/2001	-	-	-	-	-	-	3.06 / 3.06	4.6 / 2.1	-
	1/31/2002	-	-	-	-	-	-	-	-	960
	1/31/2002 Dup	-	-	-	-	-	-	-	-	960
	9/18/2002	-	-	-	-	-	-	-	-	830
	1/6/2003	-	-	-	-	-	-	-	-	540
	3/26/2003	-	-	-	-	-	-	-	-	820
	6/3/2003	-	-	-	-	-	-	-	-	670
	6/10/2003	-	-	-	-	-	-	2.96	-	780
	7/2/2003	-	-	-	-	-	-	2.54	-	680
	7/7/2003	-	-	-	-	-	-	3	-	760
	7/14/2003	-	-	-	-	-	-	3.64	-	680
	7/30/2003	-	-	-	-	-	-	3.28	-	770
	8/20/2003	-	-	-	-	-	-	1.66	-	730
	9/30/2003	-	-	-	-	-	-	3.95	-	800
	10/28/2003	-	-	-	-	-	-	4.27	-	800
	12/8/2003	-	-	-	-	-	-	3.29	-	680
	1/7/2004	-	-	-	-	-	-	2.82	-	700
	2/18/2004	-	-	-	-	-	-	3.76	-	760
	4/6/2004	-	-	-	-	-	-	2.98	-	820
	5/6/2004	-	-	-	-	-	-	2.94	-	930
	6/8/2004	-	-	-	-	-	-	3.29	-	830
	7/13/2004	-	-	-	-	-	-	2.95	-	750
	8/12/2004	-	-	-	-	-	-	3.49	-	800
	9/9/2004	-	-	-	-	-	-	3.08	-	730
	10/6/2004	-	-	-	-	-	-	1.47	-	560
	11/10/2004	-	-	-	-	-	-	1.42	-	600
	12/28/2004	-	-	-	-	-	-	1.24	-	600
	1/18/2005	-	-	-	-	-	-	1.47	-	640
	2/9/2005	-	-	-	-	-	-	2.9	-	710
	3/10/2005	-	-	-	-	-	-	1.34	-	540
	4/13/2005	-	-	-	-	-	-	1.92	-	560
	5/17/2005	-	-	-	-	-	-	1.14	-	520
	6/9/2005	-	-	-	-	-	-	1.44	-	560
	7/11/2005	-	-	-	-	-	-	1.27	-	510
	2/10/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.104	0.083	439
	7/20/2006	<0.001	<0.001	<0.001	<0.003	0.44	0.063	0.0284	<0.02	408
	4/2/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.079	<0.02	436

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	4/17/2008	<0.005	<0.005	<0.005	<0.005	0.56	<0.25	<0.015	<0.5	848
	4/1/2009	<0.001	<0.001	<0.001	<0.003	0.39	<0.05	<0.015	<0.02	447
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.31	<0.05	<0.050	<0.10	320
MW012M	2/4/2002	-	-	-	-	-	-	-	-	550
	6/10/2003	-	-	-	-	-	-	1.81	-	720
	6/10/2003 Dup	-	-	-	-	-	-	-	-	460 / 830
	7/2/2003	-	-	-	-	-	-	1.81	-	720
	7/7/2003	-	-	-	-	-	-	1.29	-	610
	7/14/2003	-	-	-	-	-	-	1.52	-	630
	7/30/2003	-	-	-	-	-	-	1.55	-	710
	8/20/2003	-	-	-	-	-	-	3.12	-	770
	9/30/2003	-	-	-	-	-	-	1.37	-	600
	10/28/2003	-	-	-	-	-	-	1.48	-	600
	12/9/2003	-	-	-	-	-	-	1.59	-	620
	1/7/2004	-	-	-	-	-	-	1.15	-	600
	2/19/2004	-	-	-	-	-	-	1.66	-	730
	4/6/2004	-	-	-	-	-	-	1.68	-	720
	5/6/2004	-	-	-	-	-	-	1.54	-	750
	6/8/2004	-	-	-	-	-	-	1.37	-	700
	7/14/2004	-	-	-	-	-	-	0.69	-	600
	8/12/2004	-	-	-	-	-	-	<0.05	-	600
	9/9/2004	-	-	-	-	-	-	<0.05	-	620
	10/6/2004	-	-	-	-	-	-	0.07	-	540
	11/10/2004	-	-	-	-	-	-	0.04	-	550
	12/28/2004	-	-	-	-	-	-	0.04	-	630
	1/18/2005	-	-	-	-	-	-	0.03	-	520
	2/9/2005	-	-	-	-	-	-	0.02	-	490
	3/10/2005	-	-	-	-	-	-	0.02	-	440
	4/13/2005	-	-	-	-	-	-	0.02	-	410
	5/18/2005	-	-	-	-	-	-	0.02	-	450
	6/14/2005	-	-	-	-	-	-	0.02	-	450
	7/12/2005	-	-	-	-	-	-	0.03	-	440
	2/13/2006	<0.05	<0.05	<0.05	<0.15	-	-	0.255	<2	833
	7/20/2006	<0.05	<0.05	<0.05	<0.15	<950	4.9	0.259	<0.02	906
	4/5/2007	<0.005	<0.005	<0.005	<0.015	140.0	0.640	0.287	<2	871
	4/17/2008	<0.02	<0.02	<0.02	<0.06	2.89	3.90	0.124	<2	781
	4/1/2009	<0.005	<0.005	<0.005	<0.015	170	3.1	0.0782	<0.02	691
	3/11/2010	<0.001	<0.001	<0.001	<0.001	3.86	1.02	<0.050	0.131	279
MW013	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.31 / 0.26	0.3 / 0.2	1700
	8/27/2001	-	-	-	-	-	-	0.22 / 0.22	<0.5 / <0.5	-
	1/29/2002	-	-	-	-	-	-	-	-	1220
	9/17/2002	-	-	-	-	-	-	-	-	930
	12/19/2002	-	-	-	-	-	-	-	-	970
	3/18/2003	-	-	-	-	-	-	-	-	980
	6/3/2003	-	-	-	-	-	-	-	-	960
	1/19/2004	-	-	-	-	-	-	-	-	790
	6/30/2004	-	-	-	-	-	-	-	-	980
	1/10/2005	-	-	-	-	-	-	-	-	400
	6/3/2005	-	-	-	-	-	-	-	-	890
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.733	0.68	935
	7/5/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.638	0.61	946
	4/18/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.741	0.58	925
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.673	0.62	784
	4/15/2008	0.0018	<0.001	<0.001	<0.003	<0.099	<0.05	0.197	0.088	616
	8/21/2008	<0.001	<0.001	0.0011	<0.003	<0.096	<0.05	0.604	0.3	819
	4/1/2009	<0.001	<0.001	0.0011	<0.003	<0.096	<0.05	0.855	0.82	771
	8/10/2009	<0.001	<0.001	<0.001	<0.003	0.10	<0.05	0.83	0.84	760

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.333	<0.05	0.968	1.17	717
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.108	<0.05	0.915	0.119	746
MW014	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.78	0.71	1800
	8/27/2001	-	-	-	-	-	-	0.5 / 0.5	0.9 / 1	-
	1/30/2002	-	-	-	-	-	-	-	-	2100
	1/30/2002 Dup	-	-	-	-	-	-	-	-	800
	9/17/2002	-	-	-	-	-	-	-	-	1600
	1/2/2003	-	-	-	-	-	-	-	-	1900
	3/18/2003	-	-	-	-	-	-	-	-	1800
	6/3/2003	-	-	-	-	-	-	-	-	1800
	1/6/2004	-	-	-	-	-	-	-	-	1700
	6/30/2004	-	-	-	-	-	-	-	-	1800
	1/10/2005	-	-	-	-	-	-	-	-	1890
	6/8/2005	-	-	-	-	-	-	-	-	1790
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.325	0.29	2070
	6/29/2006	<0.001	0.0011	0.0014	<0.003	1.2	<0.05	0.273	0.25	1880
	4/13/2007	<0.001	<0.001	<0.001	<0.003	0.980	<0.05	0.242	0.23	1720
	9/20/2007	<0.001	<0.001	<0.001	<0.003	1.100	<0.05	0.235	0.18	1630
	4/7/2008	0.0019	<0.001	<0.001	<0.003	1.400	<0.05	0.231	0.11 *	1600
	3/30/2009	<0.001	<0.001	<0.001	<0.003	1.500	<0.05	0.201	0.2	1460
	8/10/2009	0.0011	<0.001	<0.001	<0.003	0.650	<0.05	<0.015	<0.020	133
	3/9/2010	<0.001	<0.001	<0.001	<0.001	2.140	<0.05	<0.05	<0.10	1350
	8/9/2010	<0.001	<0.002	<0.001	<0.001	2.570	<0.05	<0.05	0.027	1230
MW015	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.033	3200
	1/22/2002	-	-	-	-	-	-	<0.05	0.005	3200
	9/4/2002	-	-	-	-	-	-	-	-	2700
	12/11/2002	-	-	-	-	-	-	-	-	3100
	3/11/2003	-	-	-	-	-	-	-	-	2900
	5/29/2003	-	-	-	-	-	-	-	-	2800
	12/30/2003	-	-	-	-	-	-	-	-	310
	6/24/2004	-	-	-	-	-	-	-	-	2100
	1/4/2005	-	-	-	-	-	-	-	-	2800
	6/3/2005	-	-	-	-	-	-	-	-	2490
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	2720
	6/29/2006	<0.001	<0.001	0.0012	<0.003	0.11	<0.05	<0.015	<0.02	2900
	3/22/2007	<0.001	<0.001	<0.001	<0.003	0.130	<0.05	<0.015	<0.02	2570
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	2380
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	2230
	8/6/2008	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	2380
	3/19/2009	0.0029	0.0012	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	1850
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	1590
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.071	<0.05	<0.05	<0.01	1100
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.076	<0.05	<0.05	<0.01	824
MW017A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.007	80
	1/23/2002	-	-	-	-	-	-	-	-	67
	9/4/2002	-	-	-	-	-	-	-	-	50
	12/12/2002	-	-	-	-	-	-	-	-	49
	3/4/2003	-	-	-	-	-	-	-	-	54
	5/21/2003	-	-	-	-	-	-	-	-	56
	12/30/2003	-	-	-	-	-	-	-	-	60
	6/23/2004	-	-	-	-	-	-	-	-	80
	1/4/2005	-	-	-	-	-	-	-	-	80
	6/3/2005	-	-	-	-	-	-	-	-	70
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	69.7
	6/29/2006	<0.001	0.0012	0.0014	<0.003	<0.095	<0.05	<0.015	<0.02	87.8
	3/21/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.005	<0.015	<0.02	83.7
MW018	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05 / <0.05	<0.005 / <0.005	330
	1/23/2002	-	-	-	-	-	-	-	-	360

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/4/2002	-	-	-	-	-	-	-	-	220
	12/12/2002	-	-	-	-	-	-	-	-	220
	3/4/2003	-	-	-	-	-	-	-	-	180
	5/27/2003	-	-	-	-	-	-	-	-	230
	12/30/2003	-	-	-	-	-	-	-	-	180
	6/17/2004	-	-	-	-	-	-	-	-	240
	12/20/2004	-	-	-	-	-	-	-	-	250
	5/31/2005	-	-	-	-	-	-	-	-	250
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	284
	1/23/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	288
	6/29/2006	<0.001	0.003	0.0032	<0.003	0.15	<0.05	<0.015	<0.02	318
	4/2/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	<0.015	<0.02	283
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	212
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	223
	3/19/2009	0.0026	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	181
	8/19/2009	<0.001	<0.001	<0.001	<0.003	0.15	<0.05	<0.015	<0.02	200
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.103	<0.05	<0.05	<0.01	183
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.102	<0.05	<0.05	0.02	249
MW020	6/7/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	700
	2/6/2002	-	-	-	-	-	-	-	0.026	450
	9/9/2002	-	-	-	-	-	-	-	-	600
	12/9/2002	-	-	-	-	-	-	-	-	610
	3/6/2003	-	-	-	-	-	-	-	-	610
	6/5/2003	-	-	-	-	-	-	-	-	710
	1/22/2004	-	-	-	-	-	-	-	-	800
	6/23/2004	-	-	-	-	-	-	-	-	760
	1/3/2005	-	-	-	-	-	-	-	-	850
	5/26/2005	-	-	-	-	-	-	-	-	890
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	992
	1/25/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1010
	6/30/2006	<0.001	0.0012	0.0015	<0.003	0.14	<0.05	<0.015	<0.02	908
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	824
	9/18/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	826
	3/26/2008	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	887
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	785
	3/19/2009	0.0049	0.0020	<0.001	<0.003	0.150	<0.05	<0.015	<0.02	817
MW021	8/21/2009	<0.001	<0.001	<0.001	<0.003	0.2	<0.05	<0.015	<0.02	1180
	3/12/2010	<0.001	<0.001	<0.001	<0.001	0.134	<0.05	<0.050	0.012	727
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.199	<0.05	<0.050	<0.01	826
	1/18/1999	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	11/17/1999	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/18/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	660
	1/23/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	250
	9/5/2002	-	-	-	-	-	-	-	-	370
	12/11/2002	<0.002	<0.002	<0.002	<0.002	<0.5	<0.05	-	-	410
	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	390
	5/21/2003	<0.002	<0.002	<0.002	<0.002	<0.24	<0.05	-	-	480
	1/21/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	180
	6/22/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	160
	12/21/2004	<0.002	<0.002	<0.002	<0.006	0.63	<0.05	-	-	320
	5/27/2005	<0.002	<0.002	0.003	<0.006	0.4	<0.05	-	-	290
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	272
	6/30/2006	<0.001	<0.001	<0.001	<0.003	0.78	<0.05	<0.015	<0.02	346
	4/9/2007	<0.001	<0.001	<0.001	<0.003	0.460	<0.05	<0.015	<0.02	215
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.380	<0.05	<0.015	<0.02	242
	4/1/2008	0.017	0.0039	0.0015	<0.003	0.570	0.054	<0.015	<0.02	234
	8/7/2008	<0.001	<0.001	<0.001	<0.003	0.510	<0.05	<0.015	<0.02	197
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.520	<0.05	<0.015	<0.02	216
	8/6/2009	<0.001	<0.001	<0.001	<0.003	0.670	<0.05	<0.015	<0.02	193

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW023	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.206	<0.05	<0.05	<0.01	148
	8/16/2010	<0.001	<0.002	<0.001	<0.001	0.500	<0.05	<0.05	<0.01	113
	6/23/1999	-	-	-	-	-	-	-	-	910
MW023	5/29/2001	<0.002	<0.002	<0.002	<0.002	-	-	2.76 / 2.55	<0.005 / 0.015	1100
	5/29/2001 Dup	<0.002	<0.002	<0.002	<0.002	-	-	2.73	<0.005	1100
	8/30/2001	-	-	-	-	-	-	2.29 / 2.3	2.5 / 2	-
	2/7/2002	-	-	-	-	-	-	-	-	1300
	9/17/2002 Dup	-	-	-	-	-	-	-	-	690
	9/18/2002	-	-	-	-	-	-	-	-	1150
	12/16/2002	-	-	-	-	-	-	-	-	1300
	12/16/2002 Dup	-	-	-	-	-	-	-	-	1300
	3/26/2003	-	-	-	-	-	-	-	-	1300
	3/26/2003 Dup	-	-	-	-	-	-	-	-	1300
	5/28/2003	-	-	-	-	-	-	-	-	1300
	5/28/2003 Dup	-	-	-	-	-	-	-	-	1300
	1/21/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	1240
	1/21/2004 Dup	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	-	-	1240
	7/7/2004	-	-	-	-	-	-	-	-	1200
	1/12/2005	-	-	-	-	-	-	-	-	1290
	6/1/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	1210
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.459	0.43	1290
	6/26/2006	<0.001	<0.001	<0.001	<0.003	0.1	<0.05	0.549	0.55	1180
	4/18/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.33	1.2	965
	9/21/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	1.65	1.6	975
	4/9/2008	0.0048	0.0012	<0.001	<0.003	<0.097	<0.05	1.66	1.7	862
	8/21/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	1.62	1.7	879
	3/31/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	1.69	1.7	949
	8/12/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	1.69	1.6	771
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.117	<0.05	1.62	1.87	787
	8/6/2010	<0.001	<0.002	<0.001	<0.001	<0.052	<0.05	1.44	<0.10	760
MW024	1/9/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	360
	3/12/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	350
	5/28/2003	<0.002	<0.002	<0.002	<0.002	<0.24	<0.05	-	-	340
	1/15/2004	<0.002	<0.002	<0.002	<0.006	<0.24	<0.05	-	-	500
	6/22/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	620
	12/28/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	450
	6/2/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	330
	6/2/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	340
	7/18/2005	<0.002	<0.002	<0.002	<0.006	<0.5	15	-	-	380
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.184	0.18	636
	6/27/2006	<0.001	0.0038	0.0047	0.0039	<0.096	<0.05	0.125	0.1	613
	4/11/2007	<0.001	<0.001	<0.001	<0.003	0.14	<0.05	0.0289	0.027	577
	9/14/2007	<0.001	<0.001	<0.001	<0.003	0.27	<0.05	0.0443	0.043	560
	4/7/2008	0.0019	<0.001	<0.001	<0.003	0.4	<0.05	0.0399	0.046 *	590
	8/13/2008	0.0036	0.0043	0.0099	<0.003	0.13	<0.05	0.0547	0.026	653
	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.0462	0.041	717
	8/19/2009	<0.001	<0.001	<0.001	<0.003	0.18	<0.05	0.0454	0.037	719
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.17	<0.05	<0.05	0.035	456
	8/6/2010	<0.001	<0.002	<0.001	<0.001	0.242	<0.05	<0.05	0.061	590
MW025	5/29/2001	<0.002	<0.002	<0.002	<0.002	-	-	4.18	<0.005	1000
	8/27/2001	-	-	-	-	-	-	<0.05 / <0.05	0.03 / 0.037	-
	1/31/2002	-	-	-	-	-	-	-	-	810
	9/17/2002	-	-	-	-	-	-	-	-	710
	1/2/2003	-	-	-	-	-	-	-	-	140
	3/11/2003	-	-	-	-	-	-	-	-	430
	5/29/2003	-	-	-	-	-	-	-	-	460
	6/3/2003	-	-	-	-	-	-	-	-	690
	1/7/2004	-	-	-	-	-	-	-	-	230

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/22/2004	-	-	-	-	-	-	-	-	60
	1/3/2005	-	-	-	-	-	-	-	-	380
	6/2/2005	-	-	-	-	-	-	-	-	380
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0403	0.036	281
	7/5/2006	<0.001	0.0013	0.0012	<0.003	1.3	<0.05	<0.015	<0.02	397
	3/22/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	375
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.430	<0.05	<0.015	<0.02	320
	3/24/2008	<0.001	<0.001	<0.001	<0.003	0.570	<0.05	<0.015	<0.02	393
	8/7/2008	<0.001	<0.001	<0.001	<0.003	0.290	<0.05	<0.015	<0.02	392
	3/19/2009	0.0035	0.0014	<0.001	<0.003	0.330	<0.05	<0.015	<0.02	418
	8/20/2009	<0.001	<0.001	<0.001	<0.003	0.410	<0.05	<0.015	<0.02	432
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.598	<0.05	<0.05	0.220	359
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.436	<0.05	<0.05	<0.01	243
MW026	5/18/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.014	750
	1/23/2002	-	-	-	-	-	-	-	-	670
	9/4/2002	-	-	-	-	-	-	-	-	700
	12/17/2002	-	-	-	-	-	-	-	-	730
	3/11/2003	-	-	-	-	-	-	-	-	700
	5/27/2003	-	-	-	-	-	-	-	-	670
	1/6/2004	-	-	-	-	-	-	-	-	1120
	6/15/2004	-	-	-	-	-	-	-	-	650
	12/13/2004	-	-	-	-	-	-	-	-	680
	6/3/2005	-	-	-	-	-	-	-	-	630
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0176	<0.02	766
	6/23/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	708
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	737
	9/11/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	731
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	805
	8/11/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	825
	8/24/2009	<0.001	<0.001	<0.001	<0.003	0.15	<0.05	<0.015	<0.02	866
	8/13/2010	<0.001	<0.002	<0.001	<0.001	0.423	<0.05	<0.050	<0.01	505
MW027	5/18/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.026	370
	1/24/2002	-	-	-	-	-	-	-	-	320
	9/4/2002	-	-	-	-	-	-	-	-	170
	12/17/2002	-	-	-	-	-	-	-	-	350
	3/11/2003	-	-	-	-	-	-	-	-	360
	5/22/2003	-	-	-	-	-	-	-	-	510
	1/6/2004	-	-	-	-	-	-	-	-	300
	6/17/2004	-	-	-	-	-	-	-	-	300
	12/20/2004	-	-	-	-	-	-	-	-	400
	6/2/2005	-	-	-	-	-	-	-	-	330
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0557	<0.02	355
	6/23/2006	<0.001	<0.001	<0.001	<0.003	0.27	<0.05	<0.015	<0.02	408
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0221	<0.02	399
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0216	<0.02	370
	8/19/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	344
	3/12/2010	<0.001	<0.001	<0.001	<0.001	<0.056	<0.05	<0.050	0.013	279
	8/3/2010	<0.001	<0.002	<0.001	<0.001	<0.098	<0.05	<0.050	0.021	363
MW028	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	1400
	1/24/2002	-	-	-	-	-	-	-	<0.005	1200
	9/4/2002	-	-	-	-	-	-	-	-	1200
	12/18/2002	-	-	-	-	-	-	-	-	1070
	3/10/2003	-	-	-	-	-	-	-	-	1040
	5/22/2003	-	-	-	-	-	-	-	-	1030
	1/28/2004	-	-	-	-	-	-	-	<0.005	990
	6/9/2004	-	-	-	-	-	-	-	-	1120
	12/6/2004	-	-	-	-	-	-	-	-	880
	5/25/2005	-	-	-	-	-	-	-	-	750

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/18/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0301	<0.02	655
	6/20/2006	<0.001	<0.001	<0.001	<0.003	0.32	<0.05	<0.015	<0.02	629
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	<0.015	<0.02	418
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.290	<0.05	<0.015	<0.02	389
	3/19/2008	<0.001	<0.001	<0.001	<0.003	0.140	<0.05	<0.015	<0.02	292
	8/12/2008	<0.001	<0.001	<0.001	<0.003	0.250	<0.05	<0.015	<0.02	333
	3/19/2009	0.0085	0.0028	0.0012	<0.003	<0.095	<0.05	<0.015	<0.02	253
	8/24/2009	<0.001	<0.001	<0.001	<0.003	0.490	0.12	<0.015	<0.02	438
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.145	<0.05	<0.050	<0.01	377
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.199	<0.05	<0.050	0.012	336
MW029	5/18/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	180
	2/6/2002	-	-	-	-	-	-	<0.05	-	160
	9/9/2002	-	-	-	-	-	-	-	-	160
	12/18/2002	-	-	-	-	-	-	-	-	130
	3/10/2003	-	-	-	-	-	-	-	-	150
	5/27/2003	-	-	-	-	-	-	-	-	160
	1/13/2004	-	-	-	-	-	-	-	-	150
	6/10/2004	-	-	-	-	-	-	-	-	100
	12/7/2004	-	-	-	-	-	-	-	-	140
	5/24/2005	-	-	-	-	-	-	-	-	140
	1/18/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	147
	6/20/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	155
	3/28/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	145
	9/6/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	138
	3/20/2008	<0.001	<0.001	0.003	<0.003	<0.096	<0.05	<0.015	<0.02	138
	8/5/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	142
	3/16/2009	0.0079	0.0031	0.0013	<0.003	<0.096	<0.05	<0.015	<0.02	138
	8/24/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	136
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.05	<0.05	<0.05	<0.01	102
	8/13/2010	<0.001	<0.002	<0.001	<0.001	0.075	<0.05	<0.05	0.017	110
MW030	4/24/2002	-	-	-	-	-	-	-	-	430
	9/9/2002	-	-	-	-	-	-	-	-	290
	12/18/2002	-	-	-	-	-	-	-	-	240
	3/10/2003	-	-	-	-	-	-	-	-	220
	5/27/2003	-	-	-	-	-	-	-	-	250
	1/13/2004	-	-	-	-	-	-	-	-	150
	6/15/2004	-	-	-	-	-	-	-	-	100
	12/13/2004	-	-	-	-	-	-	-	-	440
	5/26/2005	-	-	-	-	-	-	-	-	390
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	411
	6/22/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	248
	3/28/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	387
	9/11/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	360
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	363
	8/5/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	328
	3/16/2009	0.012	0.0043	0.0017	<0.003	<0.094	<0.05	<0.015	<0.02	346
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	180
	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	273
	8/13/2010	<0.001	<0.002	<0.001	<0.001	0.084	<0.05	<0.050	<0.01	274
MW031	4/25/2002	-	-	-	-	-	-	-	-	200
	9/10/2002	-	-	-	-	-	-	-	-	70
	12/18/2002	-	-	-	-	-	-	-	-	70
	3/10/2003	-	-	-	-	-	-	-	-	150
	5/28/2003	-	-	-	-	-	-	-	-	100
	1/12/2004	-	-	-	-	-	-	-	-	100
	6/15/2004	-	-	-	-	-	-	-	-	80
	12/9/2004	-	-	-	-	-	-	-	-	110
	5/24/2005	-	-	-	-	-	-	-	-	110
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	113

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/21/2006	<0.001	<0.001	<0.001	<0.003	0.36	<0.05	<0.015	<0.02	131
	3/28/2007	<0.001	<0.001	<0.001	<0.003	0.210	<0.05	<0.015	<0.02	97.3
	9/11/2007	<0.001	<0.001	<0.001	<0.003	0.230	<0.05	<0.015	<0.02	104
	3/20/2008	<0.001	0.0011	0.0031	<0.003	0.230	<0.05	<0.015	<0.02	103
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.260	<0.05	<0.015	<0.02	90.4
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.150	<0.05	<0.015	<0.02	121
	8/4/2009	<0.001	<0.001	<0.001	<0.003	0.170	<0.05	<0.015	<0.02	95.9
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.120	<0.05	<0.05	<0.01	92
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.240	<0.05	<0.05	<0.01	90.3
MW032	4/2/2002	-	-	-	-	-	-	<0.05	<0.005	280
	9/4/2002	-	-	-	-	-	-	-	-	400
	12/18/2002	-	-	-	-	-	-	-	-	480
	3/10/2003	-	-	-	-	-	-	-	-	450
	5/22/2003	-	-	-	-	-	-	-	-	640
	1/7/2004	-	-	-	-	-	-	-	-	820
	6/15/2004	-	-	-	-	-	-	-	-	220
	12/8/2004	-	-	-	-	-	-	-	-	360
	5/24/2005	-	-	-	-	-	-	-	-	380
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0405	<0.02	279
	6/21/2006	<0.001	<0.001	<0.001	<0.003	0.14	<0.05	0.0261	<0.02	249
	4/13/2007	<0.001	<0.001	<0.001	<0.003	0.190	<0.05	0.0195	<0.02	246
	9/7/2007	<0.001	<0.001	<0.001	<0.003	0.210	<0.05	<0.015	<0.02	228
	4/7/2008	0.010	0.0022	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	255
	8/14/2008	0.0012	0.0012	0.0023	<0.003	<0.1	<0.05	<0.015	<0.02	268
	3/30/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	255
	8/6/2009	<0.001	<0.001	<0.001	<0.003	0.490	0.24	<0.015	<0.02	227
	3/3/2010	<0.001	<0.002	0.0018	0.0023	0.108	<0.05	<0.05	<0.01	236
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.081	<0.05	<0.05	<0.01	214
	4/3/2002	0.35	3.2	0.4	0.8	0.58	11	-	-	750
	4/3/2002 Dup	0.3	2.9	0.4	0.7	0.68	12.4	-	-	790
	9/23/2002	0.7	8	1	1.5	0.64	28	-	-	850
	1/8/2003	0.8	5.4	0.9	1.1	0.57	18	-	-	840
	3/27/2003	0.57	0.52	0.64	0.31	0.54	4.2	-	-	780
	6/5/2003	0.48	0.07	0.48	0.03	0.61	2.3	-	-	710
	1/7/2004	0.49	1	0.3	0.33	0.54	6	-	-	730
	7/28/2004	0.44	0.087	0.28	0.05	0.56	3.2	-	-	610
	7/28/2004 Dup	0.44	0.27	0.3	0.12	0.66	3.3	-	-	660
	1/13/2005	0.49	1.6	0.47	0.53	0.49	9.8	-	-	840
	1/13/2005 Dup	0.53	1.8	0.53	0.57	0.37	10	-	-	880
	5/25/2005	0.38	1.3	0.4	0.43	0.47	9.3	-	-	770
	1/27/2006	0.37	0.96	0.42	0.45	-	-	<0.015	<0.02	795
	1/27/2006 Dup	0.36	0.92	0.4	0.43	-	-	<0.015	<0.02	790
	6/26/2006	0.25	0.68	0.34	0.35	0.88	4.6	<0.015	<0.02	779
MW033	4/23/2007	0.190	0.320	0.380	0.200	1.100	3.100	<0.015	<0.02	495
	9/21/2007	0.180	0.380	0.400	0.190	1.400	2.900	<0.015	<0.02	539
	3/19/2008	0.170	0.380	0.420	0.200	1.30	3.40	<0.015	<0.02	723
	8/13/2008	0.140	0.093	0.210	0.049	0.730	1.500	<0.015	<0.02	818
	4/1/2009	0.180	0.190	0.280	0.110	0.990	2.400	<0.015	<0.02	699
	8/24/2009	0.180	0.150	0.260	0.085	0.890	2.000	<0.015	<0.02	915
	3/17/2010	0.126	0.115	0.217	0.082	0.586	1.110	<0.050	0.042	637
	8/18/2010	0.1085	0.0817	0.1777	0.0662	0.487	1.120	<0.050	0.052	542
	4/3/2002	-	-	-	-	-	-	-	-	440
	5/20/2002	-	-	-	-	-	-	-	0.31	-
	9/17/2002	-	-	-	-	-	-	-	-	470
	12/5/2002	<0.002	<0.002	<0.002	<0.002	<0.5	<0.05	-	-	500
	3/18/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	580
	6/2/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	620
	1/19/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	550
MW034										

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/24/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	490
	1/5/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	540
	6/7/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	480
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0838	0.08	443
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0533	0.045	412
	4/9/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0491	0.033	343
	4/1/2008	0.008	0.0022	0.001	<0.003	<0.097	<0.05	0.0612	0.049	363
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0883	0.078	414
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.0930	<0.05	0.091	0.108	296
MW035	8/30/2001	-	-	-	-	-	-	-	0.024	85
	1/29/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	300
	9/11/2002	<0.002	<0.002	<0.002	<0.002	0.25	<0.05	-	-	80
	12/19/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	28
	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	100
	5/27/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	150
	1/20/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	90
	6/22/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	20
	12/21/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	70
	5/25/2005	0.002	0.018	0.011	0.01	<0.25	0.19	-	-	30
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	33.3
	6/22/2006	<0.001	<0.001	<0.001	<0.003	0.7	<0.05	<0.015	<0.02	80.3
	4/2/2007	<0.001	<0.001	<0.001	<0.003	0.260	<0.05	<0.015	<0.02	59.2
	4/2/2008	0.0053	0.0015	<0.001	<0.003	0.740	<0.05	<0.015	<0.02	54.9
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.580	<0.05	<0.015	<0.02	225
	3/3/2010	<0.001	<0.002	<0.001	0.0017	0.359	<0.05	<0.05	<0.01	42.9
MW036	8/29/2001	<0.002	0.005	<0.002	0.047	-	-	-	<0.005	180
	2/7/2002	<0.002	<0.002	<0.002	0.047	1.2	0.723	-	-	260
	9/19/2002	<0.002	<0.002	<0.002	0.019	1.1	0.71	-	-	1070
	1/7/2003	0.003	<0.002	<0.002	0.11	1.6	0.9	-	-	500
	3/26/2003	0.002	<0.002	0.003	0.051	0.89	0.8	-	-	840
	6/5/2003	<0.002	<0.002	<0.002	0.019	0.69	0.7	-	-	590
	1/27/2004	0.006	0.002	<0.002	0.31	2.7	2.5	-	-	450
	7/27/2004	0.007	<0.002	0.004	0.36	1.6	2.4	-	-	430
	1/12/2005	<0.002	<0.002	<0.002	<0.006	1.5	0.42	-	-	760
	5/31/2005	<0.002	<0.002	0.003	0.049	2.1	0.51	-	-	610
	1/26/2006	0.0019	<0.001	<0.001	0.07	-	-	0.0172	<0.02	685
	7/12/2006	0.0096	0.0013	0.0026	0.098	3.2	0.85	<0.015	<0.02	663
	4/19/2007	0.018	<0.001	0.030	0.400	2.000	2.300	<0.015	<0.02	460
	4/16/2008	0.026	<0.001	0.0046	0.440	3.20	3.70	<0.015	<0.02	183
	4/7/2009	0.014	0.001	0.0033	0.420	3.20	2.70	<0.015	<0.02	460
	3/16/2010	0.027	0.0015	0.0039	0.5689	1.24	2.34	<0.050	<0.01	50
MW037	8/29/2001	2	<0.1	0.4	0.7	0.56	6.48	-	<0.005	740
	2/7/2002	1.7	<0.04	0.36	0.19	0.71	3.82	-	-	770
	2/7/2002 Dup	1.5	<0.04	0.31	0.15	0.69	3.69	-	-	760
	9/19/2002	3.4	<0.08	0.32	0.1	1.3	2.5	-	-	380
	9/19/2002 Dup	3.6	<0.1	0.3	0.1	1.3	2	-	-	440
	1/8/2003	3.7	<0.1	0.4	0.4	1.8	11	-	-	330
	1/8/2003 Dup	3.7	<0.1	0.4	0.4	1.7	11	-	-	340
	3/27/2003	2.8	<0.08	0.42	0.49	1.1	2.6	-	-	280
	3/27/2003 Dup	2.9	<0.08	0.43	0.52	1.4	2.9	-	-	280
	6/5/2003	2.1	<0.08	0.35	0.27	1.3	4.4	-	-	350
	6/5/2003 Dup	2.3	<0.08	0.38	0.28	1.2	4.4	-	-	380
	1/27/2004	3.6	<0.04	0.61	0.7	1.6	13	-	-	350
	1/27/2004 Dup	3.7	<0.04	0.61	0.6	1.5	9.5	-	-	360
	7/28/2004	4.3	<0.1	0.6	0.6	5.9	15	-	-	400
	1/12/2005	1.8	<0.02	0.56	0.23	2.3	7	-	-	460
	5/26/2005	1.9	<0.02	0.31	0.18	3.5	8	-	-	530
	1/27/2006	3	0.017	0.42	0.079	-	-	<0.015	<0.02	605

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	7/13/2006	2.2	<0.005	0.14	0.02	5.3	5.7	<0.015	<0.02	585
	4/19/2007	2.4	<0.005	0.25	0.033	3.90	6.5	<0.015	0.02	669
	4/16/2008	1.80	<0.005	0.100	0.022	6.90	4.60	<0.015	<0.08	1020
	4/7/2009	0.073	<0.001	0.040	0.004	2.70	0.50	<0.015	<0.02	1810
	3/16/2010	2.944	<0.010	0.5529	0.035	2.14	5.21	<0.050	<0.01	370
MW038	8/29/2001	<0.002	<0.002	<0.002	<0.002	0.34	<0.05	-	0.019	180
	2/7/2002	0.003	<0.002	<0.002	<0.002	0.43	-	-	-	170
	9/19/2002	0.088	<0.004	<0.004	<0.004	0.62	0.11	-	-	150
	1/7/2003	0.024	<0.002	<0.002	<0.002	0.71	0.16	-	-	180
	3/19/2003	0.017	<0.002	<0.002	<0.002	0.62	0.07	-	-	180
	6/5/2003	0.011	<0.002	<0.002	<0.002	0.6	0.14	-	-	180
	1/27/2004	0.007	<0.002	<0.002	<0.006	0.83	0.06	-	-	150
	7/28/2004	0.013	<0.002	<0.002	<0.006	0.29	0.08	-	-	600
	1/12/2005	0.005	<0.002	<0.002	<0.006	0.31	<0.05	-	-	530
	5/31/2005	0.005	<0.002	<0.002	<0.006	0.3	<0.05	-	-	490
	1/26/2006	0.0042	<0.001	<0.001	<0.003	-	-	0.216	<0.02	508
	7/13/2006	0.0084	<0.001	<0.001	<0.003	0.45	<0.05	0.121	<0.02	510
	4/19/2007	0.020	<0.001	0.0029	0.0063	0.690	0.110	0.313	<0.02	414
	4/16/2008	<0.001	<0.001	<0.001	<0.003	0.390	<0.05	0.179	0.13	260
	4/7/2009	<0.001	<0.001	<0.001	<0.003	0.350	<0.05	0.185	0.13	301
	3/12/2010	<0.0119	<0.001	<0.001	<0.001	1.830	<0.05	<0.05	0.052	180
MW043	4/25/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	240
	9/11/2002	<0.002	<0.002	<0.002	<0.002	0.25	<0.05	-	-	130
	12/19/2002	<0.002	<0.002	<0.002	<0.002	0.44	<0.05	-	-	820
	3/19/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	180
	5/27/2003	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	200
	1/21/2004	<0.002	<0.002	<0.002	<0.006	<0.25	0.07	-	-	100
	6/22/2004	<0.002	<0.002	<0.002	<0.006	0.27	0.05	-	-	80
	12/28/2004	<0.002	<0.002	<0.002	<0.006	0.79	0.062	-	-	220
	5/27/2005	<0.002	<0.002	0.002	<0.006	0.43	0.058	-	-	180
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	746
	6/30/2006	<0.001	<0.001	<0.001	<0.003	0.2	<0.05	<0.015	<0.02	170
	4/9/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	103
	3/26/2008	<0.001	<0.001	<0.001	<0.003	0.870	<0.05	<0.015	<0.02	212
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.930	<0.05	<0.015	<0.02	240
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.501	<0.05	<0.05	<0.01	280
MW044	4/3/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1110
	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	680
	1/2/2003	<0.002	<0.002	<0.002	<0.002	0.42	<0.05	-	-	790
	3/17/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	990
	6/4/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	810
	1/19/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	460
	6/24/2004	<0.002	<0.002	<0.002	<0.006	0.41	<0.05	-	-	420
	1/5/2005	<0.002	<0.002	<0.002	<0.006	0.72	<0.05	-	-	860
	6/9/2005	<0.002	<0.002	<0.002	<0.006	0.61	<0.05	-	-	880
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.242	0.16	695
	7/21/2006	<0.001	<0.001	<0.001	<0.003	2.7	<0.05	<0.015	<0.02	540
	4/6/2007	<0.001	<0.001	<0.001	<0.003	3.10	<0.05	<0.015	<0.02	430
	4/9/2008	<0.001	<0.001	<0.001	<0.003	1.10	<0.05	0.130	0.11	448
	3/25/2009	<0.001	<0.001	<0.001	<0.003	2.40	<0.05	0.108	0.084	505
	3/25/2010	<0.001	<0.001	<0.001	<0.001	0.215	0.067	<0.050	<0.01	127
MW045	4/4/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	430
	9/12/2002	<0.002	0.002	<0.002	<0.002	<0.24	<0.05	-	-	550
	12/19/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	540
	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	540
	5/27/2003	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	520
	1/22/2004	<0.002	<0.002	<0.002	<0.006	<0.24	<0.05	-	-	510
	7/27/2004	-	-	-	-	-	-	-	-	450

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/12/2005	-	-	-	-	-	-	-	-	410
	5/27/2005	0.003	<0.002	0.004	<0.006	0.32	0.1	-	-	330
	1/27/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	328
	7/12/2006	<0.001	<0.001	0.0016	0.0042	2.8	0.11	<0.015	<0.02	373
	7/12/2006 Dup	<0.001	<0.001	0.0018	0.0046	2.6	0.11	<0.015	<0.02	371
	4/2/2007	<0.001	<0.001	<0.001	<0.003	2.800	-	<0.015	-	376
	4/17/2007	<0.001	<0.001	<0.001	<0.003	2.400	0.170	<0.015	<0.02	340
	4/2/2008	0.0068	0.0021	0.0012	0.003	3.300	0.190	<0.015	<0.02	351
	3/24/2009	<0.001	<0.001	<0.001	<0.003	3.200	0.160	<0.015	<0.02	256
MW046	3/3/2010	0.0013	<0.002	0.0057	0.0208	1.630	0.189	<0.05	<0.05	148
	4/4/2002	<0.002	<0.002	<0.002	0.02	0.77	0.194	-	-	210
	9/19/2002	<0.002	<0.002	<0.002	0.006	1	0.35	-	-	140
	9/19/2002 Dup	<0.002	<0.002	<0.002	0.008	0.92	0.34	-	-	140
	1/7/2003	0.002	0.017	<0.002	0.016	1.9	0.43	-	-	150
	1/7/2003 Dup	0.003	0.016	<0.002	0.018	0.66	<0.5	-	-	160
	3/20/2003	0.005	<0.002	<0.002	0.027	1.2	0.45	-	-	140
	3/20/2003 Dup	0.005	<0.002	<0.002	0.025	1.5	0.4	-	-	150
	6/4/2003	0.006	<0.002	<0.002	0.012	1.3	0.3	-	-	120
	6/4/2003 Dup	0.006	<0.002	<0.002	0.012	2.4	0.4	-	-	120
	1/27/2004	0.006	<0.002	0.01	0.061	2.5	0.5	-	-	130
	1/27/2004 Dup	0.004	<0.002	0.007	0.044	2.5	0.45	-	-	130
	7/27/2004	0.002	<0.002	0.007	0.018	2.8	0.31	-	-	140
	1/12/2005	<0.002	<0.002	<0.002	<0.006	3.4	0.25	-	-	170
	5/26/2005	0.005	0.003	0.009	0.027	2.7	0.4	-	-	130
	5/26/2005 Dup	0.009	0.003	0.01	0.027	2.6	0.41	-	-	120
	1/26/2006	0.0025	<0.001	0.0035	0.011	-	-	<0.015	<0.02	296
	7/12/2006	0.006	0.0017	0.01	0.027	4.3	0.33	<0.015	<0.02	376
	4/19/2007	<0.001	<0.001	<0.001	<0.003	3.300	0.400	<0.015	<0.02	550
	4/17/2008	0.021	0.0011	0.052	0.026	4.60	0.550	<0.015	<0.02	580
	4/7/2009	0.022	0.0014	0.055	0.089	5.20	0.650	<0.015	<0.02	551
	3/12/2010	0.0308	0.0018	0.074	0.0616	2.60	1.190	<0.050	0.016	534
MW047	4/4/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	440
	9/17/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	460
	1/2/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	580
	3/17/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	420
	6/2/2003	<0.002	<0.002	<0.002	<0.002	<0.24	<0.05	-	-	480
	1/20/2004	<0.002	<0.002	<0.002	<0.006	<0.27	<0.05	-	-	290
	6/24/2004	-	-	-	-	-	-	-	-	230
	1/5/2005	-	-	-	-	-	-	-	-	460
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	510
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0854	0.077	356
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.0573	0.043	232
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0511	0.03	206
	4/3/2008	0.0041	0.0013	<0.001	<0.003	<0.097	<0.05	0.107	0.11	212
	3/16/2010	<0.001	<0.001	<0.001	<0.001	0.145	<0.05	0.141	0.015	340
MW058	1/28/2003	<0.005	0.008	<0.005	<0.005	<0.25	<0.05	-	-	610
	3/19/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	930
	6/3/2003	-	-	-	-	-	-	-	-	1070
	1/13/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	200
	6/22/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	150
	1/3/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	580
	6/8/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	590
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.581	0.54	610
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.599	0.57	639
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.835	0.86	694
	4/15/2008	0.0023	<0.001	<0.001	<0.003	<0.095	<0.05	1.7	1.7	1040
	8/21/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	2.26	2.2	1140
	4/2/2009	<0.001	<0.001	0.0016	<0.003	<0.094	<0.05	2	1.9	876

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	8/19/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	2.22	1.1	1050
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.07	<0.05	1.75	1.65	667
	8/6/2010	<0.001	<0.002	<0.001	<0.001	0.071	<0.05	2	2.91	963
MW059	1/29/2003	<0.005	0.003	<0.005	<0.005	<0.25	<0.05	-	-	440
	3/20/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	600
	5/29/2003	-	-	-	-	-	-	-	-	910
	1/15/2004	-	-	-	-	-	-	-	-	90
	6/16/2004	-	-	-	-	-	-	-	-	80
	12/14/2004	-	-	-	-	-	-	-	-	420
	6/8/2005	-	-	-	-	-	-	-	-	420
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.101	0.095	435
	6/26/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.124	0.12	446
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.185	0.19	255
	4/3/2008	0.0032	0.001	<0.001	<0.003	<0.096	<0.05	0.200	<0.02	499
	8/14/2008	0.0016	0.0016	0.0028	<0.003	<0.1	<0.05	0.546	0.45	1010
	3/31/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.206	0.2	517
	8/12/2009	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.210	0.22	497
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.61	<0.05	0.205	0.237	493
	8/6/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	0.450	0.193	915
MW060	1/8/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	530
	3/24/2003	-	-	-	-	-	-	-	-	840
	5/27/2003	-	-	-	-	-	-	-	-	950
	1/12/2004	-	-	-	-	-	-	-	-	370
	6/23/2004	-	-	-	-	-	-	-	-	360
	1/4/2005	-	-	-	-	-	-	-	-	760
	6/30/2005	-	-	-	-	-	-	-	-	740
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	961
	1/24/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	950
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	842
	3/28/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.005	<0.015	<0.02	876
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	983
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	1030
	8/11/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	1130
	3/18/2009	0.0052	0.0021	0.0010	<0.003	<0.098	<0.05	<0.015	<0.02	1160
	8/24/2009	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	<0.015	<0.02	1450
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.06	<0.05	<0.05	<0.01	994
	8/13/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.05	<0.01	1090
MW061	1/8/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	430
	3/24/2003	-	-	-	-	-	-	-	-	1020
	3/24/2003 Dup	-	-	-	-	-	-	-	-	1040
	6/4/2003	-	-	-	-	-	-	-	-	1100 / 870
	6/4/2003 Dup	-	-	-	-	-	-	-	-	1050
	1/8/2004	-	-	-	-	-	-	-	-	1160
	1/8/2004 Dup	-	-	-	-	-	-	-	-	1150
	7/8/2004	-	-	-	-	-	-	-	-	580
	1/11/2005	-	-	-	-	-	-	-	-	810
	6/9/2005	-	-	-	-	-	-	-	-	740
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	4.07	0.38	844
	7/5/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	3.91	3.6	766
	4/18/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.005	3.81	3.4	756
	9/21/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	3.45	3.1	697
	8/7/2008	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	2.95	2.6	707
	4/1/2009	0.002	0.013	0.0046	0.0036	0.140	0.078	2.7	2.7	651
	8/19/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	4.24	4.4	716
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.112	<0.05	2.24	2.58	569
	8/11/2010	<0.001	<0.002	<0.001	<0.001	<0.053	<0.05	1.82	2.29	636
MW068	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	320
	3/26/2003	-	-	-	-	-	-	-	-	40000

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	5/29/2003	-	-	-	-	-	-	-	-	37000
	1/8/2004	-	-	-	-	-	-	-	-	300
	6/15/2004	-	-	-	-	-	-	-	-	220
	12/9/2004	-	-	-	-	-	-	-	-	2180
	5/24/2005	-	-	-	-	-	-	-	-	1800
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1910
	6/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	932
	3/22/2007	<0.001	<0.001	<0.001	<0.003	-	<0.05	<0.015	<0.02	128
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	1250
	3/25/2008	0.0015	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	2340
	8/11/2008	0.0032	<0.001	<0.001	<0.003	0.680	<0.05	<0.015	<0.02	5690
	3/18/2009	0.0053	0.0022	0.0011	<0.003	0.096	<0.05	<0.015	<0.02	1170
	8/24/2009	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	2110
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.113	<0.05	<0.05	<0.01	1420
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.068	<0.05	<0.05	<0.01	1450
MW069	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1040
	3/25/2003	-	-	-	-	-	-	-	-	32000
	5/29/2003	-	-	-	-	-	-	-	-	28000
	1/8/2004	-	-	-	-	-	-	-	-	1030
	6/15/2004	-	-	-	-	-	-	-	-	890
	6/15/2004 Dup	-	-	-	-	-	-	-	-	840
	12/9/2004	-	-	-	-	-	-	-	-	4700
	12/9/2004 Dup	-	-	-	-	-	-	-	-	4100
	5/26/2005	-	-	-	-	-	-	-	-	3300
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0481	<0.02	4330
	6/21/2006	<0.001	<0.001	<0.001	<0.003	0.26	<0.05	<0.015	<0.02	2400
	3/22/2007	<0.001	<0.001	<0.001	<0.003	0.490	<0.05	<0.015	<0.02	1490
	9/7/2007	<0.001	<0.001	<0.001	<0.003	0.500	<0.05	<0.015	<0.02	2600
	8/24/2009	0.0063	0.01	0.022	0.0064	0.610	0.12	<0.015	<0.02	3470
	3/6/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	58
MW070	3/25/2003	-	-	-	-	-	-	-	-	110
	5/29/2003	-	-	-	-	-	-	-	-	130
	1/13/2004	-	-	-	-	-	-	-	-	150
	6/15/2004	-	-	-	-	-	-	-	-	130
	12/9/2004	-	-	-	-	-	-	-	-	120
	5/24/2005	-	-	-	-	-	-	-	-	130
	1/27/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	155
	6/22/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	163
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	191
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	46
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	275
	8/5/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	237
	3/16/2009	0.022	0.0068	0.0022	<0.003	<0.095	0.062	<0.015	<0.02	232
	8/20/2009	<0.001	<0.001	<0.001	<0.003	0.28	<0.05	<0.015	<0.02	197
	3/17/2010	<0.001	<0.001	<0.001	<0.001	0.058	<0.05	<0.050	<0.01	168
	8/13/2010	<0.001	<0.002	<0.001	<0.001	<0.05	<0.05	<0.050	0.012	191
	9/13/2004	<0.04	<0.04	<0.04	<0.1	39	7	-	-	-
	9/18/2004	-	-	-	-	-	-	0.53	-	670
	10/7/2004	-	-	-	-	-	-	1.1	-	1180
	11/10/2004	-	-	-	-	-	-	1	-	1080
MW088M	12/28/2004	-	-	-	-	-	-	0.9	-	1220
	1/19/2005	-	-	-	-	-	-	0.76	-	1440
	2/10/2005	-	-	-	-	-	-	1	-	1300
	3/10/2005	-	-	-	-	-	-	0.9	-	930
	4/13/2005	-	-	-	-	-	-	0.7	-	930
	5/17/2005	-	-	-	-	-	-	4	-	1230
	5/31/2005	-	-	-	-	-	-	0.6	-	670
	7/12/2005	-	-	-	-	-	-	0.7	-	1140

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	2/6/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.691	<2	626
	7/20/2006	<0.001	<0.001	<0.001	<0.003	<4.8	<0.05	0.108	<0.02	879
	4/5/2007	<0.005	<0.001	<0.001	<0.003	<0.11	<0.05	0.0346	<0.02	701
	4/21/2008	<0.02	<0.02	<0.02	<0.06	71.00	4.70	0.273	<2.0	801
	4/1/2009	<0.05	<0.05	<0.05	<0.15	1500	4.90	0.186	<2	720
	3/11/2010	<0.005	<0.005	<0.005	<0.005	69.6	0.949	<0.500	0.124	509
IW001	8/1/2002	<0.002	0.002	<0.002	<0.002	<0.27	<0.05	3.31	-	1160
	6/10/2003	-	-	-	-	-	-	3.99	-	1800
	6/10/2003 Dup	-	-	-	-	-	-	-	-	1700
	7/1/2003	-	-	-	-	-	-	0.1	-	140
	7/9/2003	-	-	-	-	-	-	0.19	-	3400
	7/15/2003	-	-	-	-	-	-	0.1	-	2600
	7/30/2003	-	-	-	-	-	-	<0.5	-	2000
	10/1/2003	-	-	-	-	-	-	0.65	-	2800
	10/29/2003	-	-	-	-	-	-	0.38	-	2300
	12/9/2003	-	-	-	-	-	-	0.32	-	1400
	1/8/2004	-	-	-	-	-	-	<0.5	-	1300
	3/4/2004	-	-	-	-	-	-	0.33	-	1300
	4/1/2004	-	-	-	-	-	-	0.1	-	1220
	5/17/2004	-	-	-	-	-	-	<0.2	-	1100
	6/10/2004	-	-	-	-	-	-	0.14	-	3800
	7/14/2004	-	-	-	-	-	-	0.1	-	2800
	8/11/2004	-	-	-	-	-	-	<0.05	-	2100
	9/15/2004	-	-	-	-	-	-	<0.2	-	1320
	10/6/2004	-	-	-	-	-	-	<0.5	-	880
	11/15/2004	-	-	-	-	-	-	<0.01	-	1030
	12/28/2004	-	-	-	-	-	-	0.1	-	1070
	1/26/2005	-	-	-	-	-	-	<0.1	-	350
	2/9/2005	-	-	-	-	-	-	<0.1	-	400
	3/10/2005	-	-	-	-	-	-	<0.1	-	270
	4/12/2005	-	-	-	-	-	-	<0.1	-	250
	5/12/2005	-	-	-	-	-	-	<0.1	-	510
	6/9/2005	-	-	-	-	-	-	0.07	-	390
	7/7/2005	-	-	-	-	-	-	0.05	-	340
	2/6/2006	<0.025	<0.025	<0.025	<0.075	-	-	<0.015	<2	146
	7/20/2006	<0.01	<0.01	<0.01	<0.03	<480	6.2	0.02	<0.02	240
	4/16/2007	<0.05	<0.05	<0.05	0.150	550	4.500	<0.015	<2	689
	4/17/2008	<0.02	<0.02	<0.02	<0.06	230	2.800	<0.375	<2	686
	3/31/2009	0.0059	0.0053	<0.005	<0.015	35	0.250	<0.015	<2	738
	3/11/2010	<0.001	<0.001	<0.001	<0.001	2.69	<0.05	<0.500	0.648	638
IW002	9/19/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	760
	6/11/2003	-	-	-	-	-	-	3.92	-	920
	6/11/2003 Dup	-	-	-	-	-	-	-	-	940
	7/2/2003	-	-	-	-	-	-	<0.5	-	2200
	7/8/2003	-	-	-	-	-	-	0.09	-	3200
	7/15/2003	-	-	-	-	-	-	<0.05	-	3000
	7/30/2003	-	-	-	-	-	-	<0.5	-	2200
	8/21/2003	-	-	-	-	-	-	0.13	-	1500
	9/30/2003	-	-	-	-	-	-	4.13	-	300
	10/29/2003	-	-	-	-	-	-	0.11	-	1600
	12/10/2003	-	-	-	-	-	-	0.16	-	1230
	1/8/2004	-	-	-	-	-	-	<0.5	-	1150
	2/23/2004	-	-	-	-	-	-	0.11	-	860
	4/6/2004	-	-	-	-	-	-	<0.5	-	1190
	5/13/2004	-	-	-	-	-	-	<0.5	-	1600
	6/10/2004	-	-	-	-	-	-	0.09	-	1200
	7/8/2004	-	-	-	-	-	-	0.11	-	2200
	8/16/2004	-	-	-	-	-	-	1.2	-	1700

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/9/2004	-	-	-	-	-	-	<0.05	-	640
	10/7/2004	-	-	-	-	-	-	<0.5	-	1640
	11/11/2004	-	-	-	-	-	-	<0.1	-	246
	12/29/2004	-	-	-	-	-	-	<0.1	-	1160
	1/19/2005	-	-	-	-	-	-	0.04	-	380
	1/27/2005	-	-	-	-	-	-	0.2	-	490
	2/10/2005	-	-	-	-	-	-	<0.1	-	280
	3/15/2005	-	-	-	-	-	-	<0.1	-	210
	4/14/2005	-	-	-	-	-	-	<0.1	-	200
	5/17/2005	-	-	-	-	-	-	1.1	-	390
	6/15/2005	-	-	-	-	-	-	0.07	-	490
	7/12/2005	-	-	-	-	-	-	<0.05	-	280
	2/6/2006	0.03	<0.02	<0.02	<0.06	-	-	0.0166	<2	126
	7/20/2006	<0.01	<0.01	<0.01	<0.05	<960	6.6	0.0154	<0.02	133
	4/11/2007	<0.1	<0.1	<0.1	<0.3	17	<5	<0.075	<2	317
	4/21/2008	<0.02	<0.02	<0.02	<0.06	310	<0.1	<0.075	<2	371
	4/6/2009	<0.05	<0.05	<0.05	<0.15	6	<2.5	<0.075	<2	501
	3/12/2010	<0.001	<0.0014	<0.001	<0.001	1.83	<0.05	<0.50	<0.61	183
RW002	10/1/2001	<0.002	<0.002	<0.002	<0.002	<0.25	0.12	-	2.6	1600
	12/11/2001	-	-	-	-	-	-	4.2	3.6	-
	12/12/2001	-	-	-	-	-	-	4.15	4.1	-
	12/13/2001	-	-	-	-	-	-	4.09 / 4.09	3.6 / 3.5	-
	2/4/2002	-	-	-	-	-	-	-	-	1400
	6/10/2003	-	-	-	-	-	-	4.05	-	1300
	6/10/2003 Dup	-	-	-	-	-	-	-	-	1320
	7/1/2003	-	-	-	-	-	-	3.58	-	1300
	7/9/2003	-	-	-	-	-	-	4.11	-	1400
	7/15/2003	-	-	-	-	-	-	4.31	-	1400
	7/30/2003	-	-	-	-	-	-	4.22	-	60
	8/20/2003	-	-	-	-	-	-	4.07	-	1300
	9/30/2003	-	-	-	-	-	-	3.95	-	1700
	10/28/2003	-	-	-	-	-	-	3.78	-	1200
	12/8/2003	-	-	-	-	-	-	3.67	-	1400
	1/7/2004	-	-	-	-	-	-	4.51	-	1400
	3/4/2004	-	-	-	-	-	-	4.15	-	1080
	4/1/2004	-	-	-	-	-	-	3.6	-	1100
	5/18/2004	-	-	-	-	-	-	3.83	-	1200
	6/14/2004	-	-	-	-	-	-	3.9	-	1000
	7/13/2004	-	-	-	-	-	-	3.58	-	1190
	8/16/2004	-	-	-	-	-	-	3.47	-	1000
	9/16/2004	-	-	-	-	-	-	3.09	-	1080
	10/7/2004	-	-	-	-	-	-	2.11	-	1110
	11/17/2004	-	-	-	-	-	-	1.81	-	1030
	12/29/2004	-	-	-	-	-	-	0.94	-	1040
	1/25/2005	-	-	-	-	-	-	0.19	-	1050
	2/9/2005	-	-	-	-	-	-	0.08	-	1000
	3/9/2005	-	-	-	-	-	-	0.08	-	1040
	4/12/2005	-	-	-	-	-	-	0.07	-	1000
	5/12/2005	-	-	-	-	-	-	0.06	-	1050
	6/8/2005	-	-	-	-	-	-	0.07	-	1080
	7/7/2005	-	-	-	-	-	-	0.09	-	1090
	2/10/2006	<0.01	<0.01	<0.01	<0.03	-	-	0.295	<0.02	1390
	7/20/2006	<0.001	<0.001	<0.001	<0.003	0.38	<0.05	0.0581	<0.02	1220
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.205	<0.02	1080
	4/17/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.0523	<0.02	1220
	3/31/2009	<0.005	<0.005	<0.005	<0.015	6.6	<0.25	0.0662	<2.00	942
	3/11/2010	<0.001	<0.001	<0.001	<0.001	1.0	<0.05	<0.05	0.152	369
RW003	12/18/2001	-	-	-	-	-	-	3.55	2.4	-

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	12/20/2001	-	-	-	-	-	-	3.08	2.4	-
	2/4/2002	-	-	-	-	-	-	-	-	980
	6/10/2003	-	-	-	-	-	-	3.51	-	890
	6/10/2003 Dup	-	-	-	-	-	-	-	-	900
	7/2/2003	-	-	-	-	-	-	3.35	-	800
	7/8/2003	-	-	-	-	-	-	3.08	-	700
	7/15/2003	-	-	-	-	-	-	3.87	-	890
	7/30/2003	-	-	-	-	-	-	2.75	-	770
	8/21/2003	-	-	-	-	-	-	3.32	-	740
	9/30/2003	-	-	-	-	-	-	3.2	-	700
	10/28/2003	-	-	-	-	-	-	2.85	-	700
	12/9/2003	-	-	-	-	-	-	2.94	-	760
	1/7/2004	-	-	-	-	-	-	2.97	-	970
	2/19/2004	-	-	-	-	-	-	0.99	-	500
	4/6/2004	-	-	-	-	-	-	1.27	-	600
	5/6/2004	-	-	-	-	-	-	1.87	-	730
	6/8/2004	-	-	-	-	-	-	1.11	-	640
	7/14/2004	-	-	-	-	-	-	0.59	-	400
	8/16/2004	-	-	-	-	-	-	2.01	-	700
	9/9/2004	-	-	-	-	-	-	1.02	-	540
	10/7/2004	-	-	-	-	-	-	0.27	-	430
	11/10/2004	-	-	-	-	-	-	0.27	-	480
	12/28/2004	-	-	-	-	-	-	0.14	-	490
	1/18/2005	-	-	-	-	-	-	0.14	-	510
	2/10/2005	-	-	-	-	-	-	0.06	-	550
	3/10/2005	-	-	-	-	-	-	0.07	-	430
	4/13/2005	-	-	-	-	-	-	0.04	-	390
	5/18/2005	-	-	-	-	-	-	0.03	-	430
	6/14/2005	-	-	-	-	-	-	0.03	-	460
	7/12/2005	-	-	-	-	-	-	0.02	-	430
	2/10/2006	<0.01	<0.01	<0.01	<0.03	-	-	<0.015	<0.02	545
	7/20/2006	<0.005	<0.005	<0.005	<0.015	<2.4	<0.25	<0.015	<0.02	585
	4/2/2007	<0.005	<0.005	<0.005	<0.015	1.10	<0.25	<0.015	<0.2	627
	4/21/2008	<0.005	<0.005	<0.005	<0.0015	0.67	0.25	<0.015	<0.5	441
	4/1/2009	<0.005	<0.005	<0.005	<0.0150	0.76	<0.25	<0.015	<0.2	487
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.138	<0.05	<0.500	<0.1	299
MW002A	12/9/2002	<0.002	<0.002	<0.002	<0.002	<0.5	<0.05	-	-	450
	3/12/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	670
	5/28/2003	-	-	-	-	-	-	-	-	730
	1/20/2004	-	-	-	-	-	-	-	-	430
	6/23/2004	-	-	-	-	-	-	-	-	510
	1/4/2005	-	-	-	-	-	-	-	-	510
	6/6/2005	-	-	-	-	-	-	-	-	450
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0268	0.026	506
	7/6/2006	<0.001	<0.001	<0.001	<0.003	0.46	<0.05	0.0787	0.068	848
	4/12/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0586	0.045	729
	4/2/2008	0.015	0.0032	0.0012	<0.003	0.740	<0.05	0.278	0.27	1460
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.510	<0.05	0.333	0.34	1160
	3/8/2010	0.0011	<0.001	<0.001	<0.001	0.515	<0.05	0.431	0.437	1170
MW004A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.13	0.14	470
	1/28/2002	<0.002	<0.002	<0.002	<0.002	<0.27	<0.05	-	-	490
	9/17/2002	-	-	-	-	-	-	-	-	440
	12/30/2002	-	-	-	-	-	-	-	-	480
	3/13/2003	-	-	-	-	-	-	-	-	480
	6/4/2003	-	-	-	-	-	-	-	-	490
	1/19/2004	-	-	-	-	-	-	-	-	280
	6/24/2004	-	-	-	-	-	-	-	-	580

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/4/2005	-	-	-	-	-	-	-	-	360
	6/6/2005	-	-	-	-	-	-	-	-	340
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.175	0.18	483
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.177	0.18	373
	4/16/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	0.265	0.28	523
	4/3/2008	0.012	0.0025	<0.001	<0.003	<0.096	<0.05	0.334	0.23	571
	3/30/2009	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.271	0.25	465
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.091	<0.05	0.309	0.295	473
MW007A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.103	260
	5/23/2001 Dup	<0.002	<0.002	<0.002	<0.002	-	-	0.09	0.098	270
	1/29/2002	-	-	-	-	-	-	-	-	350
	9/17/2002	-	-	-	-	-	-	-	-	380
	12/30/2002	-	-	-	-	-	-	-	-	440
	3/17/2003	-	-	-	-	-	-	-	-	340
	6/3/2003	-	-	-	-	-	-	-	-	490
	1/21/2004	-	-	-	-	-	-	-	-	340
	6/29/2004	-	-	-	-	-	-	-	-	230
	1/10/2005	-	-	-	-	-	-	-	-	430
	6/3/2005	-	-	-	-	-	-	-	-	310
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.53	0.52	585
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.367	0.38	409
	4/16/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	0.641	0.69	710
	4/3/2008	0.0099	0.0021	<0.001	<0.003	<0.096	<0.05	0.732	0.68	689
MW008A	5/29/2001	<0.002	<0.002	<0.002	<0.002	-	-	5.63	<0.005	1100
	8/29/2001	-	-	-	-	-	-	4.89 / 5.01	4.2 / 4	-
	2/4/2002	-	-	-	-	-	-	-	-	1400
	9/18/2002	-	-	-	-	-	-	-	-	1200
	9/18/2002 Dup	-	-	-	-	-	-	-	-	1150
	1/6/2003	-	-	-	-	-	-	-	-	1220
	1/6/2003 Dup	-	-	-	-	-	-	-	-	1210
	3/26/2003	-	-	-	-	-	-	-	-	1230
	3/26/2003 Dup	-	-	-	-	-	-	-	-	1230
	6/5/2003	-	-	-	-	-	-	-	-	1200
	6/5/2003 Dup	-	-	-	-	-	-	-	-	1300
	6/9/2003	-	-	-	-	-	-	5.47	-	1200
	6/9/2003 Dup	-	-	-	-	-	-	-	-	1240
	6/30/2003	-	-	-	-	-	-	5.21	-	1300
	7/9/2003	-	-	-	-	-	-	2.01	-	1100
	7/15/2003	-	-	-	-	-	-	4.95	-	1220
	7/29/2003	-	-	-	-	-	-	4.52	-	1240
	8/21/2003	-	-	-	-	-	-	3.86	-	1220
	9/29/2003	-	-	-	-	-	-	3	-	1100
	10/27/2003	-	-	-	-	-	-	3.16	-	1100
	12/4/2003	-	-	-	-	-	-	3.18	-	1030
	1/5/2004	-	-	-	-	-	-	3.33	-	1050
	3/1/2004	-	-	-	-	-	-	3.18	-	1110
	3/31/2004	-	-	-	-	-	-	3.66	-	1100
	5/4/2004	-	-	-	-	-	-	3.73	-	1250
	6/7/2004	-	-	-	-	-	-	3.93	-	1000
	7/7/2004	-	-	-	-	-	-	4.08	-	1100
	8/10/2004	-	-	-	-	-	-	3.83	-	1120
	9/16/2004	-	-	-	-	-	-	3.83	-	1050
	10/4/2004	-	-	-	-	-	-	3.75	-	1040
	11/8/2004	-	-	-	-	-	-	3.75	-	1070
	12/16/2004	-	-	-	-	-	-	3.51	-	1100
	1/6/2005	-	-	-	-	-	-	3.31	-	1110
	2/7/2005	-	-	-	-	-	-	2.77	-	1090
	3/8/2005	-	-	-	-	-	-	1.95	-	1040

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	4/6/2005	-	-	-	-	-	-	1.49	-	1040
	5/10/2005	-	-	-	-	-	-	0.42	-	1040
	6/7/2005	-	-	-	-	-	-	0.21	-	1060
	7/6/2005	-	-	-	-	-	-	0.13	-	1330
	2/9/2006	<0.025	<0.025	<0.025	<0.075	-	-	0.205	<0.08	996
	7/18/2006	<0.005	<0.005	<0.005	<0.015	6.5	0.6	0.151	<0.02	1020
	4/3/2007	<0.005	<0.001	<0.001	<0.003	20.0	2.2	0.204	<0.2	1010
	4/15/2008	<0.025	<0.025	<0.025	<0.075	56.0	2.4	0.18	<1	1030
	3/26/2009	<0.005	<0.005	<0.005	<0.015	56.0	1.2	0.149	<0.2	1130
MW009A	3/10/2010	<0.001	<0.001	<0.001	<0.001	5.93	0.79	<0.250	0.134	658
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	1.4	700
	1/28/2002	-	-	-	-	-	-	-	-	1190
	9/18/2002	-	-	-	-	-	-	-	-	590
	9/18/2002 Dup	-	-	-	-	-	-	-	-	790
	1/6/2003	-	-	-	-	-	-	-	-	790
	1/6/2003 Dup	-	-	-	-	-	-	-	-	820
	3/20/2003	-	-	-	-	-	-	-	-	830
	3/20/2003 Dup	-	-	-	-	-	-	-	-	730
	6/4/2003	-	-	-	-	-	-	-	-	820
	6/4/2003 Dup	-	-	-	-	-	-	-	-	840
	1/20/2004	-	-	-	-	-	-	-	-	880
	1/20/2004 Dup	-	-	-	-	-	-	-	-	860
	7/8/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	370
	1/11/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	740
	6/6/2005	-	-	-	-	-	-	-	-	840
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.938	0.9	644
	7/13/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.88	0.78	642
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.916	0.84	356
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.902	0.92	706
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.803	0.86	683
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.053	<0.05	0.884	0.792	547
MW011A	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.029	210
	1/28/2002	-	-	-	-	-	-	-	-	210
	9/12/2002	-	-	-	-	-	-	-	-	270
	12/26/2002	-	-	-	-	-	-	-	-	320
	3/18/2003	-	-	-	-	-	-	-	-	220
	6/2/2003	-	-	-	-	-	-	-	-	320
	6/10/2003	-	-	-	-	-	-	0.4	-	340
	6/10/2003 Dup	-	-	-	-	-	-	-	-	340
	7/1/2003	-	-	-	-	-	-	0.39	-	200
	7/8/2003	-	-	-	-	-	-	0.34	-	290
	7/14/2003	-	-	-	-	-	-	0.29	-	300
	7/29/2003	-	-	-	-	-	-	0.21	-	340
	8/19/2003	-	-	-	-	-	-	0.17	-	320
	9/29/2003	-	-	-	-	-	-	0.13	-	340
	10/28/2003	-	-	-	-	-	-	0.13	-	300
	12/8/2003	-	-	-	-	-	-	0.12	-	310
	1/6/2004	-	-	-	-	-	-	0.19	-	400
	3/4/2004	-	-	-	-	-	-	<0.05	-	710
	4/1/2004	-	-	-	-	-	-	3.62	-	1300
	5/18/2004	-	-	-	-	-	-	2.84	-	1210
	6/14/2004	-	-	-	-	-	-	3.18	-	1400
	7/12/2004	-	-	-	-	-	-	2.37	-	920
	8/12/2004	-	-	-	-	-	-	3.5	-	900
	9/15/2004	-	-	-	-	-	-	2.45	-	810
	10/7/2004	-	-	-	-	-	-	1.67	-	640
	11/16/2004	-	-	-	-	-	-	2.24	-	790
	12/29/2004	-	-	-	-	-	-	1.71	-	710

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/25/2005	-	-	-	-	-	-	3.17	-	1200
	2/8/2005	-	-	-	-	-	-	3.27	-	1270
	3/9/2005	-	-	-	-	-	-	4	-	1310
	4/11/2005	-	-	-	-	-	-	3.91	-	1330
	5/11/2005	-	-	-	-	-	-	3.64	-	1400
	6/8/2005	-	-	-	-	-	-	3.47	-	1350
	7/11/2005	-	-	-	-	-	-	3.59	-	1370
	2/10/2006	<0.001	<0.001	<0.001	<0.003	-	-	3.75	3.5	1350
	7/19/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	4.32	4.2	1480
	3/29/2007	0.0017	<0.001	<0.001	<0.003	0.140	<0.05	3.94	3.4	1370
	4/16/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	3.88	3.8	1460
	3/31/2009	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	3.77	3.7	1420
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.059	<0.05	3.77	4.04	660
MW012A	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	80
	1/28/2002	-	-	-	-	-	-	-	-	60
	9/5/2002	-	-	-	-	-	-	-	-	50
	12/19/2002	-	-	-	-	-	-	-	-	87 / 71
	3/3/2003	-	-	-	-	-	-	-	-	64
	5/21/2003	-	-	-	-	-	-	-	-	54
	6/10/2003	-	-	-	-	-	-	<0.05	-	53
	6/10/2003 Dup	-	-	-	-	-	-	-	-	57
	7/2/2003	-	-	-	-	-	-	<0.05	-	50
	7/7/2003	-	-	-	-	-	-	<0.05	-	60
	7/14/2003	-	-	-	-	-	-	<0.05	-	60
	7/30/2003	-	-	-	-	-	-	<0.05	-	60
	8/20/2003	-	-	-	-	-	-	<0.05	-	70
	9/30/2003	-	-	-	-	-	-	<0.05	-	67
	10/28/2003	-	-	-	-	-	-	<0.05	-	60
	12/9/2003	-	-	-	-	-	-	<0.05	-	60
	1/7/2004	-	-	-	-	-	-	<0.05	-	120
	2/19/2004	-	-	-	-	-	-	<0.05	-	60
	4/6/2004	-	-	-	-	-	-	<0.05	-	60
	5/6/2004	-	-	-	-	-	-	<0.05	-	60
	6/8/2004	-	-	-	-	-	-	<0.05	-	60
	7/14/2004	-	-	-	-	-	-	<0.05	-	70
	8/12/2004	-	-	-	-	-	-	<0.05	-	59
	9/9/2004	-	-	-	-	-	-	<0.05	-	70
	10/6/2004	-	-	-	-	-	-	<0.05	-	60
	11/10/2004	-	-	-	-	-	-	<0.01	-	70
	12/28/2004	-	-	-	-	-	-	<0.01	-	63
	1/18/2005	-	-	-	-	-	-	<0.01	-	80
	2/10/2005	-	-	-	-	-	-	<0.01	-	70
	3/10/2005	-	-	-	-	-	-	<0.01	-	70
	4/13/2005	-	-	-	-	-	-	<0.01	-	70
	5/17/2005	-	-	-	-	-	-	<0.01	-	70
	6/14/2005	-	-	-	-	-	-	<0.01	-	90
	7/12/2005	-	-	-	-	-	-	<0.01	-	80
	2/10/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	72.6
	7/20/2006	<0.001	<0.001	<0.001	<0.003	0.16	<0.05	<0.015	<0.02	88.1
	4/5/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	<0.015	<0.02	99
	4/21/2008	<0.001	<0.001	<0.001	<0.003	0.180	<0.05	<0.015	<0.02	81.8
	4/1/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	100
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.071	<0.05	<0.050	<0.01	65.1
MW013A	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.021	100
	1/28/2002	-	-	-	-	-	-	-	-	130
	9/5/2002	-	-	-	-	-	-	-	-	90
	3/12/2003	-	-	-	-	-	-	-	-	82
	5/28/2003	-	-	-	-	-	-	-	-	70
	1/19/2004	-	-	-	-	-	-	-	-	690
	7/7/2004	-	-	-	-	-	-	-	-	700

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	7/7/2004 Dup	-	-	-	-	-	-	-	-	500
	1/11/2005	-	-	-	-	-	-	-	-	110
	1/11/2005 Dup	-	-	-	-	-	-	-	-	110
	6/3/2005	-	-	-	-	-	-	-	-	80
	6/3/2005 Dup	-	-	-	-	-	-	-	-	80
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0492	0.039	111
	7/5/2006	<0.001	<0.001	<0.001	<0.003	0.1	<0.05	0.0308	0.021	84
	4/16/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0626	0.043	122
	9/21/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0295	0.028	86
	4/7/2008	0.0074	0.0017	<0.001	<0.003	<0.096	<0.05	0.0245	0.04 *	87.5
	8/21/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.0269	0.023	85.3
	3/30/2009	<0.001	<0.001	<0.001	<0.003	0.160	<0.05	<0.015	<0.020	68
	8/4/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.020	72.5
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.081	<0.05	<0.05	0.012	71.5
	8/4/2010	0.0014	<0.002	<0.001	<0.001	0.073	<0.05	<0.05	0.018	65
MW014A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.006	80
	1/24/2002	-	-	-	-	-	-	-	-	50
	9/5/2002	-	-	-	-	-	-	-	-	40
	12/19/2002	-	-	-	-	-	-	-	-	44
	3/10/2003	-	-	-	-	-	-	-	-	46
	5/21/2003	-	-	-	-	-	-	-	-	44
	12/29/2003	-	-	-	-	-	-	-	-	50
	6/17/2004	-	-	-	-	-	-	-	-	50
	12/16/2004	-	-	-	-	-	-	-	-	70
	6/2/2005	-	-	-	-	-	-	-	-	50
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	45.8
	6/29/2006	<0.001	0.001	0.0014	<0.003	<0.095	<0.05	<0.015	<0.02	47.9
	3/21/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	45.6
	9/13/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	46.2
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	47.9
	3/18/2009	0.017	0.0058	0.0019	<0.003	<0.096	<0.06	<0.015	<0.02	44.9
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	45.6
	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.05	<0.050	0.011	38.3
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.052	<0.05	<0.050	0.021	40.2
MW015A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.006	270
	1/22/2002	-	-	-	-	-	-	<0.05	<0.005	390
	9/4/2002	-	-	-	-	-	-	-	-	350
	12/11/2002	-	-	-	-	-	-	-	-	320
	3/3/2003	-	-	-	-	-	-	-	-	370
	5/21/2003	-	-	-	-	-	-	-	-	530
	12/29/2003	-	-	-	-	-	-	-	-	970
	6/17/2004	-	-	-	-	-	-	-	-	1130
	12/20/2004	-	-	-	-	-	-	-	-	960
	6/2/2005	-	-	-	-	-	-	-	-	1030
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1130
	6/29/2006	<0.001	0.0018	0.0019	<0.003	<0.095	<0.05	<0.015	<0.02	1440
	3/22/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	1320
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	1400
	3/24/2008	<0.001	<0.001	0.0014	<0.003	<0.096	<0.05	<0.015	<0.02	1910
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	2020
	3/19/2009	0.0098	0.0027	0.0011	<0.003	<0.096	<0.05	<0.015	<0.02	2010
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	2270
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.065	<0.05	<0.05	0.012	1930
MW016A	8/11/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.05	<0.01	1610
	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.006	230
	1/22/2002	-	-	-	-	-	-	<0.05	<0.005	240
	9/4/2002	-	-	-	-	-	-	-	-	130
	12/12/2002	-	-	-	-	-	-	-	-	230
	3/4/2003	-	-	-	-	-	-	-	-	240

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	5/21/2003	-	-	-	-	-	-	-	-	300
	12/29/2003	-	-	-	-	-	-	-	-	260
	6/17/2004	-	-	-	-	-	-	-	-	270
	12/16/2004	-	-	-	-	-	-	-	-	320
	6/2/2005	-	-	-	-	-	-	-	-	260
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	255
	6/29/2006	<0.001	<0.001	0.0013	<0.003	<0.096	<0.05	<0.015	<0.02	267
	3/22/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	260
	9/13/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	269
	3/19/2008	<0.001	0.0053	0.014	0.0051	<0.097	0.070	<0.015	<0.02	289
	8/7/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	352
	3/17/2009	0.0076	0.0030	0.0012	<0.003	<0.094	<0.05	<0.015	<0.02	368
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	509
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.050	<0.050	<0.01	306
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.196	<0.050	<0.050	<0.01	305
MW018A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	330
	1/23/2002	-	-	-	-	-	-	-	-	280
	9/4/2002	-	-	-	-	-	-	-	-	240
	12/16/2002	-	-	-	-	-	-	-	-	260
	3/4/2003	-	-	-	-	-	-	-	-	250
	5/27/2003	-	-	-	-	-	-	-	-	250
	12/30/2003	-	-	-	-	-	-	-	-	210
	6/16/2004	-	-	-	-	-	-	-	-	170
	12/16/2004	-	-	-	-	-	-	-	-	220
	5/31/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	200
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	233
	6/29/2006	<0.001	0.0023	0.0027	<0.003	<0.095	<0.05	<0.015	<0.02	236
	4/2/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	283
	9/13/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	<0.015	<0.02	212
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	233
	3/18/2009	0.0079	0.0029	0.0013	<0.003	<0.094	<0.05	<0.015	<0.02	219
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	304
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.050	<0.050	<0.01	154
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.062	<0.050	<0.050	0.012	140
MW019A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	490
	1/23/2002	-	-	-	-	-	-	-	-	420
	9/5/2002	-	-	-	-	-	-	-	-	330
	12/2/2002	-	-	-	-	-	-	-	-	360
	3/11/2003	-	-	-	-	-	-	-	-	350
	5/27/2003	-	-	-	-	-	-	-	-	380
	12/30/2003	-	-	-	-	-	-	-	-	290
	6/17/2004	-	-	-	-	-	-	-	-	290
	6/17/2004 Dup	-	-	-	-	-	-	-	-	320
	12/20/2004	-	-	-	-	-	-	-	-	350
	12/20/2004 Dup	-	-	-	-	-	-	-	-	340
	5/31/2005	-	-	-	-	-	-	-	-	340
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	385
	6/30/2006	<0.001	0.0023	0.0022	<0.003	<0.094	<0.05	<0.015	<0.02	360
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	343
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	306
	3/26/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	398
	8/7/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	394
	3/17/2009	0.011	0.0039	0.0015	<0.003	<0.096	<0.05	<0.015	<0.02	321
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	491
MW020A	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	231
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	257
	6/7/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.012	390
	2/6/2002	-	-	-	-	-	-	-	0.014	350

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/9/2002	-	-	-	-	-	-	-	-	340
	12/9/2002	-	-	-	-	-	-	-	-	370
	3/6/2003	-	-	-	-	-	-	-	-	370
	6/5/2003	-	-	-	-	-	-	-	-	430
	1/22/2004	-	-	-	-	-	-	-	-	230
	6/22/2004	-	-	-	-	-	-	-	-	200
	1/3/2005	-	-	-	-	-	-	-	-	480
	5/31/2005	-	-	-	-	-	-	-	-	430
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	521
	6/30/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	579
	4/4/2007	<0.001	<0.001	<0.001	<0.003	0.120	<0.05	0.0185	<0.02	862
	9/18/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	<0.015	0.024	708
	3/26/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	789
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	867
	3/19/2009	0.0056	0.0022	<0.001	<0.003	0.150	<0.05	0.0173	<0.02	1060
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	1110
	3/12/2010	<0.001	<0.001	<0.001	<0.001	0.091	<0.05	<0.050	0.019	834
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.106	<0.05	<0.050	0.025	947
MW021A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.022	7000
	1/24/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	5800
	9/5/2002	-	-	-	-	-	-	-	-	4900
	12/11/2002	-	-	-	-	-	-	-	-	5800
	3/11/2003	-	-	-	-	-	-	-	-	5300
	5/21/2003	-	-	-	-	-	-	-	-	5900
	1/21/2004	-	-	-	-	-	-	-	-	3800
	6/22/2004	-	-	-	-	-	-	-	-	3400
	12/21/2004	-	-	-	-	-	-	-	-	400
	6/6/2005	-	-	-	-	-	-	-	-	7600
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0307	0.026	6110
	6/30/2006	<0.001	<0.001	<0.001	<0.003	0.4	<0.05	0.0326	0.033	7720
	4/9/2007	<0.001	<0.001	<0.001	<0.003	1.200	<0.05	<0.015	<0.020	3350
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.560	<0.05	0.0261	0.027	6180
	4/1/2008	0.031	0.0057	0.0017	<0.003	0.700	0.091	0.0365	0.023	6440
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.560	<0.05	0.0264	<0.020	6370
	8/6/2009	<0.001	<0.001	<0.001	<0.003	0.810	0.054	0.0318	0.031	6020
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.488	<0.05	<0.05	0.030	7720
	8/16/2010	<0.001	<0.002	<0.001	<0.001	0.670	<0.05	<0.05	0.023	5030
MW022A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.027	930
	1/24/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	490
	9/5/2002	-	-	-	-	-	-	-	-	400
	12/16/2002	-	-	-	-	-	-	-	-	530
	3/12/2003	-	-	-	-	-	-	-	-	560
	5/29/2003	-	-	-	-	-	-	-	-	510
	1/22/2004	-	-	-	-	-	-	-	-	490
	6/23/2004	-	-	-	-	-	-	-	-	440
	1/6/2005	-	-	-	-	-	-	-	-	460
	6/3/2005	-	-	-	-	-	-	-	-	510
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0217	<0.02	70.5
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	65.2
	3/30/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0181	<0.02	69
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0211	<0.02	61.3
	4/2/2008	0.024	0.0049	0.0015	<0.003	<0.095	0.068	0.0305	<0.02	67.9
	8/13/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0306	0.026	75.3
	3/18/2009	0.0036	0.0016	<0.001	<0.003	<0.097	<0.05	0.0275	0.022	61
	8/25/2009	<0.001	<0.001	0.0026	<0.003	<0.096	<0.05	0.0315	0.026	68.7
	3/11/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.05	0.048	44
	8/18/2010	0.0014	0.0027	<0.001	<0.001	0.255	<0.05	<0.05	0.06	41.2
MW023A	1/9/2003	<0.002	0.009	<0.002	<0.002	<0.25	<0.05	-	-	52

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/11/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	52
	5/28/2003	-	-	-	-	-	-	-	-	27
	1/15/2004	-	-	-	-	-	-	-	-	60
	6/16/2004	-	-	-	-	-	-	-	-	50
	12/14/2004	-	-	-	-	-	-	-	-	60
	6/2/2005	-	-	-	-	-	-	-	-	60
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	50.1
	1/20/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	50.5
	6/26/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	48.5
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	48.4
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	46.2
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	52.2
	8/12/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	52.3
	3/18/2009	0.031	0.0073	0.002	<0.003	0.099	0.094	<0.015	<0.02	46.6
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	50.6
	3/17/2010	<0.001	<0.001	<0.001	<0.001	0.090	<0.05	<0.050	<0.01	45.4
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	0.018	37.5
MW024A	6/23/1999	-	-	-	-	-	-	-	-	140
	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.09	0.095	440
	2/6/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	320
	9/10/2002	-	-	-	-	-	-	-	-	500
	12/17/2002	-	-	-	-	-	-	-	-	640
	3/17/2003	-	-	-	-	-	-	-	-	790
	5/28/2003	-	-	-	-	-	-	-	-	910
	1/15/2004	-	-	-	-	-	-	-	-	310
	6/24/2004	-	-	-	-	-	-	-	-	750
	1/6/2005	-	-	-	-	-	-	-	-	740
	7/18/2005	<0.002	<0.002	<0.002	<0.006	<0.52	18	-	-	310
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.043	0.04	181
	6/27/2006	<0.001	0.0035	0.0043	0.0035	<0.096	<0.05	0.0446	<0.02	203
	6/27/2006 Dup	<0.001	0.0034	0.004	0.0034	<0.096	<0.05	0.0466	0.04	191
	4/11/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0242	0.021	170
	9/19/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0254	0.023	180
	4/7/2008	0.0046	0.0012	<0.001	<0.003	<0.095	<0.05	0.0279	0.044 *	195
	8/13/2008	0.0043	0.0047	0.010	<0.003	<0.1	<0.05	0.134	0.091	474
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.162	0.15	530
	8/12/2009	0.002	0.0013	<0.001	<0.003	0.24	<0.05	0.0307	0.034	63.5
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.053	<0.05	0.125	0.13	422
	8/6/2010	<0.001	<0.002	<0.001	<0.001	0.076	<0.05	0.118	0.162	433
MW039A	8/30/2001	-	-	-	-	-	-	-	0.14	73
	1/31/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	190
	9/10/2002	-	-	-	-	-	-	-	-	180
	12/26/2002	-	-	-	-	-	-	-	-	210
	3/17/2003	-	-	-	-	-	-	-	-	190
	6/2/2003	-	-	-	-	-	-	-	-	200
	1/20/2004	-	-	-	-	-	-	-	-	150
	6/24/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	360
	6/24/2004 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	350
	1/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	180
	1/6/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	180
	6/8/2005	-	-	-	-	-	-	-	-	230
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.198	0.18	312
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.217	0.21	324
	7/6/2006 Dup	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.22	0.21	328
	4/12/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.178	0.18	299
	4/3/2008	0.038	0.0059	0.0015	<0.003	<0.095	0.100	0.265	0.24	405
	4/2/2009	<0.001	<0.001	0.0022	<0.003	<0.096	<0.05	0.297	0.28	365
	3/8/2010	0.0012	<0.001	<0.001	<0.001	0.164	<0.05	0.318	0.308	335
MW040A	4/2/2002	-	-	-	-	-	-	-	-	59

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/5/2002	-	-	-	-	-	-	-	-	50
	12/18/2002	-	-	-	-	-	-	-	-	50
	3/11/2003	-	-	-	-	-	-	-	-	49
	5/22/2003	-	-	-	-	-	-	-	-	40
	1/19/2004	-	-	-	-	-	-	-	-	50
	6/16/2004	-	-	-	-	-	-	-	-	50
	6/16/2004 Dup	-	-	-	-	-	-	-	-	50
	12/15/2004	-	-	-	-	-	-	-	-	60
	12/15/2004 Dup	-	-	-	-	-	-	-	-	60
	5/24/2005	-	-	-	-	-	-	-	-	50
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	53.9
	6/28/2006	<0.001	0.0021	0.0026	<0.003	<0.095	<0.05	<0.015	<0.02	52.8
	4/2/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	63.1
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	54
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	58.8
	8/7/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	55.3
	3/17/2009	0.0068	0.0025	0.0011	<0.003	<0.098	<0.05	<0.015	<0.02	54.1
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	54.1
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.05	<0.05	<0.05	<0.01	40.5
	8/11/2010	<0.001	<0.002	<0.001	<0.001	<0.052	<0.05	<0.05	<0.01	34.3
MW041A	4/29/2002	-	-	-	-	-	-	-	-	690
	5/20/2002	-	-	-	-	-	-	-	0.39	-
	9/17/2002	-	-	-	-	-	-	-	-	420
	12/5/2002	-	-	-	-	-	-	-	-	410
	3/18/2003	-	-	-	-	-	-	-	-	420
	6/2/2003	-	-	-	-	-	-	-	-	390
	1/19/2004	-	-	-	-	-	-	-	-	640
	7/1/2004	-	-	-	-	-	-	-	-	630
	1/10/2005	-	-	-	-	-	-	-	-	640
	6/7/2005	-	-	-	-	-	-	-	-	640
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.663	0.6	686
	1/26/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	0.631	0.62	787
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.52	0.53	616
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.415	0.4	509
	4/15/2008	0.0038	<0.001	<0.001	<0.003	1.50	<0.05	0.393	0.35	530
	4/1/2009	0.0019	0.004	0.011	0.0031	<0.096	0.072	0.380	0.35	449
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.078	<0.05	<0.05	0.443	408
MW042A	8/30/2001	-	-	-	-	-	-	-	0.13	6000
	1/29/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	5400
	9/5/2002	-	-	-	-	-	-	-	-	5100
	12/18/2002	-	-	-	-	-	-	-	-	4800
	3/12/2003	-	-	-	-	-	-	-	-	3600
	5/28/2003	-	-	-	-	-	-	-	-	3900
	1/20/2004	-	-	-	-	-	-	-	-	390
	6/15/2004	-	-	-	-	-	-	-	-	660
	12/9/2004	-	-	-	-	-	-	-	-	4700
	6/3/2005	-	-	-	-	-	-	-	-	1930
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	5.3
	6/22/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.156	0.14	3730
	6/22/2006 Dup	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.157	0.13	3790
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.172	0.16	4010
	4/2/2008	0.010	0.0025	<0.001	<0.003	<0.095	<0.05	0.268	0.26	3520
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.120	<0.05	0.351	0.31	2990
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.126	<0.05	0.46	0.478	2760
MW046A	12/9/2002	<0.002	0.003	<0.002	<0.002	<0.5	0.07	-	-	340
	3/13/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	510
	5/29/2003	<0.002	<0.002	<0.002	<0.002	0.27	0.07	-	-	560
	1/27/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	530
	7/27/2004	<0.002	<0.002	<0.002	<0.006	0.4	<0.05	-	-	400

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/11/2005	<0.002	<0.002	<0.002	<0.006	0.46	<0.05	-	-	580
	5/24/2005	0.003	<0.002	<0.002	<0.006	0.35	<0.05	-	-	570
	5/24/2005 Dup	0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	550
	1/26/2006	0.0019	<0.001	<0.001	<0.003	-	-	0.387	0.38	676
	7/12/2006	<0.001	<0.001	<0.001	<0.003	0.33	<0.05	0.441	0.44	637
	4/17/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.586	0.45	595
	4/2/2008	0.0087	0.0024	<0.001	<0.003	0.097	<0.05	0.485	0.48	676
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.591	0.56	568
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.138	<0.05	0.784	0.747	468
MW048SA	8/1/2002	<0.002	0.004	<0.002	<0.002	<0.28	<0.05	0.16	-	490
	9/16/2002	<0.002	0.003	<0.002	<0.002	-	-	-	-	430
	12/4/2002	<0.002	<0.002	<0.002	<0.002	1.5	<0.05	-	-	430
	3/17/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	450
	6/2/2003	<0.002	<0.002	<0.002	<0.002	<0.23	<0.05	-	-	470
	12/17/2003	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	-	-	400
	6/29/2004	-	-	-	-	-	-	-	-	470
	1/6/2005	-	-	-	-	-	-	-	-	480
	6/7/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	540
	6/7/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	620
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.171	0.17	437
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.176	0.17	586
	4/10/2007	<0.001	<0.001	<0.001	<0.003	-	<0.05	0.228	0.21	453
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.253	0.23	464
	4/1/2008	0.0069	0.0019	<0.001	<0.003	<0.099	<0.05	0.272	0.26	497
	8/20/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.305	0.32	510
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.294	0.3	589
	8/12/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.31	0.32	492
	3/5/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	0.345	0.348	510
	8/9/2010	<0.001	<0.002	<0.001	<0.001	<0.053	<0.05	0.3	0.339	485
MW049SA	7/30/2002	<0.002	0.88	<0.002	<0.002	<0.26	<0.05	0.05	-	3200
	9/16/2002	<0.002	0.002	<0.002	<0.002	-	-	-	-	2900
	12/4/2002	<0.002	<0.002	<0.002	<0.002	0.63	<0.05	-	-	3300
	3/13/2003	-	-	-	-	-	-	-	-	3300
	5/28/2003	<0.002	<0.002	<0.002	<0.002	<0.27	<0.05	-	-	3200
	12/17/2003	<0.002	<0.002	<0.002	<0.006	<0.24	<0.05	-	-	1860
	6/29/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	3100
	1/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	3200
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	2700
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0624	0.06	2770
	7/11/2006	<0.001	<0.001	<0.001	<0.003	0.17	<0.05	0.0701	0.061	2480
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0823	0.078	2320
	4/8/2008	0.0023	<0.001	<0.001	<0.003	<0.098	<0.05	0.0953	0.094	2260
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.103	0.11	2210
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.076	<0.05	0.11	0.128	1840
MW050SA	7/30/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	0.16	-	1600
	9/10/2002	<0.002	<0.002	<0.002	<0.002	-	-	-	-	1160
	12/5/2002	-	-	-	-	-	-	-	-	850
	3/12/2003	-	-	-	-	-	-	-	-	1190
	6/2/2003	-	-	-	-	-	-	-	-	1500
	12/17/2003	-	-	-	-	-	-	-	-	1010
	6/24/2004	-	-	-	-	-	-	-	-	1470
	1/5/2005	-	-	-	-	-	-	-	-	1080
	6/8/2005	-	-	-	-	-	-	-	-	1320
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.187	0.19	1210
	7/10/2006	<0.001	<0.001	<0.001	<0.003	0.69	<0.05	0.215	0.2	1500
	4/9/2007	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.285	0.22	1230
	4/1/2008	0.017	0.0041	0.0015	<0.003	0.560	0.052	0.27	0.22	1500

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.74	<0.05	0.262	0.24	1260
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.43	<0.05	0.232	0.25	1210
MW051SA	10/10/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1300
	12/3/2002	-	-	-	-	-	-	-	-	1500
	3/19/2003	-	-	-	-	-	-	-	-	1500
	6/3/2003	-	-	-	-	-	-	-	-	1500
	12/17/2003	-	-	-	-	-	-	-	-	1400
	7/1/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	1220
	1/11/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	1530
	6/7/2005	-	-	-	-	-	-	-	-	1420
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.694	0.66	1490
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.688	0.69	1630
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.895	0.68	1540
	4/9/2008	0.0013	<0.001	<0.001	<0.003	<0.095	<0.05	0.654	0.63	1370
	4/2/2009	<0.001	<0.001	0.0023	<0.003	0.210	<0.05	0.721	0.70	1240
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.145	<0.05	0.767	0.78	1250
MW052SA	10/10/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1300
	12/3/2002	-	-	-	-	-	-	-	-	1200
	3/18/2003	-	-	-	-	-	-	-	-	1300
	6/2/2003	-	-	-	-	-	-	-	-	1300
	12/18/2003	-	-	-	-	-	-	-	-	1500
	7/1/2004	-	-	-	-	-	-	-	-	1510
	1/11/2005	-	-	-	-	-	-	-	-	1600
	6/1/2005	-	-	-	-	-	-	-	-	1560
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.4	0.39	2440
	7/11/2006	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.373	0.36	1590
	7/11/2006 Dup	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.372	0.36	1580
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.378	0.36	1600
	4/8/2008	0.0014	<0.001	<0.001	<0.003	0.260	<0.05	0.376	0.30	1690
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.34	0.35	1980
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.054	<0.05	0.393	0.39	1530
MW053SA	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	300
	12/2/2002	-	-	-	-	-	-	-	-	380
	3/12/2003	-	-	-	-	-	-	-	-	440
	5/21/2003	-	-	-	-	-	-	-	-	530
	12/18/2003	-	-	-	-	-	-	-	-	230
	7/7/2004	-	-	-	-	-	-	-	-	200
	1/11/2005	-	-	-	-	-	-	-	-	280
	6/1/2005	-	-	-	-	-	-	-	-	230
	6/1/2005 Dup	-	-	-	-	-	-	-	-	240
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	266
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	249
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	228
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	193
	3/26/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	161
	3/18/2009	0.0035	0.0015	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	194
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	205
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.058	<0.05	<0.050	<0.01	241
MW054SA	1/27/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1030
	3/19/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	670
	5/21/2003	-	-	-	-	-	-	-	-	1040
	12/16/2003	-	-	-	-	-	-	-	-	990
	6/30/2004	-	-	-	-	-	-	-	-	940
	1/10/2005	-	-	-	-	-	-	-	-	1000
	6/7/2005	-	-	-	-	-	-	-	-	900
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.262	0.27	838
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.148	0.15	807
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.145	0.14	868

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.138	0.12	844
	4/8/2008	0.0013	<0.001	<0.001	<0.003	<0.097	<0.05	0.121	0.11	925
	8/20/2008	<0.001	<0.001	0.0011	<0.003	<0.1	<0.05	0.121	0.13	985
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.111	0.11	978
	8/10/2009	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.107	0.1	834
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.088	<0.05	0.122	0.12	858
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.052	<0.05	0.106	0.143	764
MW055SA	1/6/2003	<0.002	0.003	<0.002	<0.002	<0.25	<0.05	-	-	610
	3/19/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	550
	5/21/2003	-	-	-	-	-	-	-	-	820
	12/16/2003	-	-	-	-	-	-	-	-	550
	3/10/2004	-	-	-	-	-	-	0.13	-	600
	6/29/2004	-	-	-	-	-	-	-	-	610
	1/6/2005	-	-	-	-	-	-	-	-	610
	6/7/2005	-	-	-	-	-	-	-	-	600
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.213	0.21	705
	6/28/2006	<0.001	0.0039	0.0038	0.0032	<0.097	<0.05	0.145	0.15	113
	6/28/2006 Dup	<0.001	0.0045	0.0043	0.0036	<0.097	<0.05	0.151	0.15	560
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.202	0.19	593
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.227	0.19	576
	4/9/2008	0.0016	<0.001	<0.001	<0.003	<0.095	<0.05	0.230	0.22	589
	8/19/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.224	0.22	582
	3/26/2009	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.228	0.25	719
	8/12/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.243	0.25	589
	3/4/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.05	0.252	0.274	634
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.077	<0.05	0.220	0.25	531
MW056SA	1/7/2003	<0.002	0.016	<0.002	<0.002	<0.25	<0.05	-	-	1300
	3/17/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	200
	5/21/2003	-	-	-	-	-	-	-	-	1300
	9/10/2003	-	-	-	-	-	-	-	0.22	-
	12/16/2003	-	-	-	-	-	-	-	-	1220
	12/16/2003 Dup	-	-	-	-	-	-	-	-	1240
	7/1/2004	-	-	-	-	-	-	-	-	1310
	1/11/2005	-	-	-	-	-	-	-	-	1380
	6/6/2005	-	-	-	-	-	-	-	-	1360
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.432	0.4	1330
	7/12/2006	<0.001	0.0012	0.0011	<0.003	0.22	<0.05	0.375	0.42	1460
	4/11/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.323	0.28	1320
	9/21/2007	<0.001	<0.001	<0.001	<0.003	0.170	<0.05	0.445	0.41	1470
	4/9/2008	0.0016	<0.001	<0.001	<0.003	<0.095	<0.05	0.417	0.40	1400
	8/19/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.365	0.35	1540
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.402	0.41	1230
	8/12/2009	<0.001	<0.001	<0.001	<0.003	0.160	<0.05	0.398	0.41	1330
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.102	<0.05	0.421	0.44	1390
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.140	<0.05	0.357	0.45	1280
MW057SA	1/28/2003	<0.005	0.002	<0.005	<0.005	<0.25	<0.05	-	-	610
	3/12/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1300
	5/20/2003	-	-	-	-	-	-	-	-	320
	9/10/2003	-	-	-	-	-	-	-	<0.005	-
	12/17/2003	-	-	-	-	-	-	-	-	210
	6/16/2004	-	-	-	-	-	-	-	-	240
	12/15/2004	-	-	-	-	-	-	-	-	390
	6/1/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	240
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	196
	6/28/2006	<0.001	0.0031	0.0035	0.0031	<0.097	<0.05	<0.015	<0.02	139
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	218
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0201	<0.02	232
	3/27/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0493	0.034	548

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW062A	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0478	0.052	472
	3/17/2009	0.0062	0.0024	0.0011	<0.003	<0.099	<0.05	0.0404	0.03	324
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0393	0.034	581
	3/11/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.05	0.03	149
	8/10/2010	<0.001	<0.002	<0.001	<0.001	<0.051	<0.05	<0.05	<0.01	160
	3/6/2003	-	-	-	-	-	-	-	-	63
	5/22/2003	-	-	-	-	-	-	-	-	50
	1/15/2004	-	-	-	-	-	-	-	-	70
	6/17/2004	-	-	-	-	-	-	-	-	80
	12/21/2004	-	-	-	-	-	-	-	-	80
	5/25/2005	-	-	-	-	-	-	-	-	60
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	64
	6/27/2006	0.0019	0.011	0.01	0.0086	<0.096	0.097	<0.015	<0.02	64.5
	4/20/2007	0.0034	<0.001	0.0023	<0.003	<0.097	<0.05	<0.015	<0.02	56.8
	9/14/2007	0.001	0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	60.4
	4/9/2008	0.003	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	62.5
MW062SA	8/18/2008	<0.001	<0.001	0.0013	<0.003	<0.096	<0.05	<0.015	<0.02	60.2
	4/2/2009	<0.001	<0.001	0.0029	<0.003	<0.096	<0.05	<0.015	<0.02	57.2
	8/3/2009	<0.001	<0.001	<0.001	<0.003	0.44	0.11	<0.015	<0.02	62.1
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.164	<0.05	<0.05	<0.01	60.8
	8/5/2010	<0.001	0.0022	<0.001	<0.001	0.277	<0.05	<0.05	<0.01	64
MW063A	1/14/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	70
	1/13/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	55
	3/6/2003	-	-	-	-	-	-	-	-	53
	5/22/2003	-	-	-	-	-	-	-	-	50
	1/14/2004	-	-	-	-	-	-	-	-	60
	6/15/2004	-	-	-	-	-	-	-	-	60
	12/14/2004	-	-	-	-	-	-	-	-	60
	5/24/2005	-	-	-	-	-	-	-	-	50
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	56
	6/27/2006	0.004	0.02	0.014	0.012	<0.095	0.14	<0.015	<0.02	55.1
	4/20/2007	0.0086	<0.001	<0.003	<0.003	<0.098	<0.05	<0.015	<0.02	54.3
	9/11/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	121
	4/9/2008	0.0052	0.0012	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	55.9
	8/18/2008	<0.001	<0.001	0.0014	<0.003	<0.096	<0.05	<0.015	<0.02	55.5
	4/2/2009	<0.001	<0.001	0.0025	<0.003	<0.095	<0.05	<0.015	<0.02	66.2
	8/4/2009	<0.001	<0.001	<0.001	<0.003	0.14	0.051	<0.015	<0.02	56.1
MW064SA	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.19	<0.05	<0.05	<0.01	51.9
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.128	<0.05	<0.05	0.013	51.4
	2/26/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1400
	3/24/2003	-	-	-	-	-	-	-	-	1150
	5/20/2003	-	-	-	-	-	-	-	-	1300
	9/10/2003	-	-	-	-	-	-	-	0.051	-
	12/10/2003	-	-	-	-	-	-	-	-	1080
	12/10/2003 Dup	-	-	-	-	-	-	-	-	1070
	3/10/2004	-	-	-	-	-	-	0.21	-	1200
	6/7/2004	-	-	-	-	-	-	0.18	-	2300
	7/22/2004	-	-	-	-	-	-	0.07	-	1300
	8/24/2004	-	-	-	-	-	-	0.08	-	1230
	10/20/2004	-	-	-	-	-	-	0.08	-	1230
	12/9/2004	-	-	-	-	-	-	0.08	-	1260
	1/12/2005	-	-	-	-	-	-	0.17	-	1210
	2/2/2005	-	-	-	-	-	-	0.13	-	1120
	3/1/2005	-	-	-	-	-	-	0.07	-	1240
	3/24/2005	-	-	-	-	-	-	0.06	-	1110
	4/27/2005	-	-	-	-	-	-	0.16	-	1120
	5/24/2005	-	-	-	-	-	-	0.15	-	1140

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/28/2005	-	-	-	-	-	-	-	-	1160
	7/14/2005	-	-	-	-	-	-	0.6	-	1170
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.169	0.14	1150
	7/14/2006	<0.001	<0.001	<0.001	<0.003	0.15	<0.05	0.128	0.14	1200
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.170	<0.005	0.179	0.16	1090
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.220	<0.05	0.164	0.15	1130
	3/25/2008	<0.001	<0.001	<0.001	<0.003	0.560	<0.05	0.0393	0.066	1540
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.730	<0.05	0.0386	0.073	1390
	3/17/2009	<0.001	<0.001	<0.001	<0.003	0.270	<0.05	0.127	0.11	1190
	8/17/2009	<0.001	<0.001	<0.001	<0.003	0.410	<0.05	0.097	0.098	1500
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.292	<0.05	0.092	0.109	1070
MW065SA	8/3/2010	<0.001	<0.002	<0.001	<0.001	0.291	<0.05	0.09	<0.01	858
	2/27/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1300
	3/25/2003	-	-	-	-	-	-	-	-	1190
	5/20/2003	-	-	-	-	-	-	-	-	1200
	12/10/2003	-	-	-	-	-	-	-	-	960
	6/16/2004	-	-	-	-	-	-	-	-	930
	12/15/2004	-	-	-	-	-	-	-	-	1190
	6/2/2005	-	-	-	-	-	-	0.03	-	1170
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0439	0.037	1400
	6/28/2006	<0.001	0.0034	0.0038	0.0032	<0.096	<0.05	0.0397	0.032	1180
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0571	0.058	1140
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0675	0.065	599
	4/8/2008	0.0014	<0.001	<0.001	<0.003	<0.099	<0.05	0.0839	0.045	1140
	8/19/2008	<0.001	<0.001	0.0011	<0.003	<0.1	<0.05	0.0893	0.083	1120
	3/25/2009	<0.001	<0.001	0.0011	<0.003	<0.096	<0.05	0.0884	0.079	1070
	8/6/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.0741	0.066	967
	3/4/2010	<0.001	<0.001	<0.001	<0.001	<0.05	<0.05	<0.05	0.062	1070
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.069	<0.05	<0.05	0.033	1060
MW066SA	3/3/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1600
	3/25/2003	-	-	-	-	-	-	-	-	1500
	5/20/2003	-	-	-	-	-	-	-	-	1600
	5/20/2003 Dup	-	-	-	-	-	-	-	-	1500
	12/16/2003	-	-	-	-	-	-	-	-	1560
	6/30/2004	-	-	-	-	-	-	-	-	1500
	6/30/2004 Dup	-	-	-	-	-	-	-	-	1500
	1/10/2005	-	-	-	-	-	-	-	-	1560
	1/10/2005 Dup	-	-	-	-	-	-	-	-	1570
	5/25/2005	-	-	-	-	-	-	0.18	-	1500
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.177	0.19	1780
	1/25/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	0.177	0.18	1860
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0317	0.021	1580
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	1160
	8/19/2008	<0.001	<0.001	0.0011	<0.003	<0.1	<0.05	<0.015	<0.02	1090
	3/26/2009	<0.001	<0.001	0.0011	<0.003	<0.097	<0.05	<0.015	<0.02	1160
	8/6/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	966
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.0900	<0.05	<0.05	<0.01	949
	8/4/2010	0.0019	<0.002	<0.001	<0.001	0.083	<0.05	<0.05	<0.01	1000
MW067SA	3/4/2003	<0.002	<0.002	<0.002	<0.002	4.1	<0.05	-	-	340
	3/25/2003	-	-	-	-	-	-	-	-	350
	5/20/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	480
	12/10/2003	-	-	-	-	-	-	-	-	310
	6/16/2004	-	-	-	-	-	-	-	-	280
	12/16/2004	-	-	-	-	-	-	-	-	260
	6/1/2005	-	-	-	-	-	-	-	-	240
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	233
	7/10/2006	<0.001	<0.001	<0.001	<0.003	<0.12	<0.05	<0.015	<0.02	229
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	210

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/13/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	187
	3/27/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	194
	8/11/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	199
	3/19/2009	0.0032	0.0014	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	198
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	186
	3/11/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	129
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.063	<0.05	<0.050	<0.01	165
	3/6/2003	<0.002	0.005	<0.002	<0.002	<0.25	<0.05	-	-	53
MW070A	3/25/2003	-	-	-	-	-	-	-	-	47
	5/29/2003	-	-	-	-	-	-	-	-	47
	1/13/2004	-	-	-	-	-	-	-	-	60
	6/16/2004	-	-	-	-	-	-	-	-	50
	12/15/2004	-	-	-	-	-	-	-	-	60
	6/1/2005	-	-	-	-	-	-	-	-	50
	1/27/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	61.8
	6/22/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	45.7
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	46.4
	9/11/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	283
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	54.2
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	45
	3/16/2009	0.038	0.010	0.0032	<0.003	<0.096	0.110	<0.015	<0.02	45.6
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	46.3
	3/17/2010	<0.001	<0.001	<0.001	<0.001	0.077	<0.05	<0.050	<0.01	<25
MW071SA	5/1/2003	<0.002	<0.002	<0.002	<0.002	<0.25	0.07	-	-	860
	5/20/2003	-	-	-	-	-	-	-	-	750
	12/15/2003	-	-	-	-	-	-	-	-	360
	6/9/2004	-	-	-	-	-	-	<0.01	-	140
	6/23/2004	-	-	-	-	-	-	-	-	140
	7/8/2004	-	-	-	-	-	-	-	-	140
	7/27/2004	-	-	-	-	-	-	-	-	130
	8/9/2004	-	-	-	-	-	-	-	-	140
	1/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	920
	6/2/2005	-	-	-	-	-	-	<0.01	-	1050
	1/25/2006	0.031	0.0011	0.003	0.03	-	-	<0.015	<0.02	1050
	7/12/2006	<0.001	<0.001	<0.001	<0.003	0.48	0.095	<0.015	<0.02	1080
	4/3/2007	<0.001	<0.001	<0.001	<0.003	0.480	<0.05	<0.015	<0.02	998
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.700	<0.05	<0.015	<0.02	1040
	3/27/2008	<0.001	<0.001	<0.001	<0.003	0.200	<0.05	<0.015	<0.02	1180
	8/12/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0193	<0.02	1170
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.106	0.097	929
	8/10/2009	<0.001	<0.001	<0.001	<0.003	0.150	<0.05	0.094	0.100	1000
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.053	<0.05	0.214	0.238	763
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.074	<0.05	0.193	0.206	623
MW072SA	5/1/2003	<0.002	<0.002	<0.002	<0.002	<0.23	<0.05	-	-	590
	5/20/2003	-	-	-	-	-	-	-	-	550
	12/15/2003	-	-	-	-	-	-	-	-	320
	6/17/2004	-	-	-	-	-	-	-	-	350
	12/20/2004	-	-	-	-	-	-	-	-	400
	5/25/2005	-	-	-	-	-	-	<0.01	-	360
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	340
	6/28/2006	<0.001	0.0025	0.003	<0.003	<0.096	<0.05	<0.015	<0.02	389
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	331
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	306
	3/27/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	327
	8/12/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	344
	3/17/2009	0.014	0.0044	0.0016	<0.003	<0.097	<0.05	<0.015	<0.02	301
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	351
	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	218
	8/16/2010	<0.001	<0.002	<0.001	<0.001	0.062	<0.05	<0.050	<0.01	225

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW073SA	4/30/2003	<0.002	0.002	<0.002	<0.002	<0.23	<0.05	-	-	370
	5/20/2003	-	-	-	-	-	-	-	-	490
	12/15/2003	-	-	-	-	-	-	-	-	320
	6/17/2004	-	-	-	-	-	-	-	-	390
	12/16/2004	-	-	-	-	-	-	-	-	320
	5/31/2005	-	-	-	-	-	-	-	-	310
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	355
	6/28/2006	<0.001	0.0024	0.0029	<0.003	<0.097	<0.05	<0.015	<0.02	376
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	302
	9/13/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	283
	3/27/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	287
	8/12/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	273
	3/17/2009	0.0078	0.0029	0.0013	<0.003	<0.098	<0.05	<0.015	<0.02	283
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	732
	3/12/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	219
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.059	<0.05	<0.050	<0.01	257
MW074SA	2/4/2004	<0.002	<0.002	<0.002	<0.006	<0.3	<0.05	<0.05	-	650
	6/10/2004	-	-	-	-	-	-	-	-	600
	12/7/2004	<0.002	<0.002	<0.002	<0.006	-	<0.05	-	-	670
	5/31/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	590
	5/31/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	590
	1/18/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	623
	6/20/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	659
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	653
	9/6/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	638
	3/20/2008	<0.001	<0.001	0.0018	<0.003	<0.096	<0.05	<0.015	<0.02	607
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	586
	3/16/2009	0.023	0.0068	0.0022	<0.003	0.120	0.069	<0.015	<0.02	491
	8/24/2009	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	<0.015	<0.02	634
	3/16/2010	0.0014	<0.001	0.0011	<0.001	0.216	<0.05	<0.050	<0.01	406
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	361
MW075SA	2/5/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	<0.05	-	930
	6/10/2004	-	-	-	-	-	-	-	-	800
	12/7/2004	-	-	-	-	-	-	-	-	930
	6/1/2005	-	-	-	-	-	-	-	-	800
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	795
	6/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	826
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	641
	9/6/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	607
	3/20/2008	<0.001	<0.001	0.0013	<0.003	<0.096	<0.05	<0.015	<0.02	660
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	645
	3/16/2009	0.015	0.0049	0.0018	<0.003	<0.095	<0.05	<0.015	<0.02	598
	8/24/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	586
	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	354
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	375
MW076SA	2/4/2004	<0.002	<0.002	<0.002	<0.006	0.31	<0.05	<0.05	-	440
	6/10/2004	-	-	-	-	-	-	-	-	400
	12/7/2004	-	-	-	-	-	-	-	-	470
	6/1/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	450
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	463
	1/19/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	463
	6/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	500
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	489
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	506
	3/20/2008	<0.001	<0.001	0.0016	<0.003	<0.098	<0.05	<0.015	<0.02	547
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	533
	3/16/2009	0.012	0.0041	0.0016	<0.003	<0.095	<0.05	<0.015	<0.02	536
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	819

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW077SA	3/16/2010	<0.001	<0.001	<0.001	<0.001	0.055	<0.05	<0.050	<0.01	465
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	460
	2/3/2004	<0.002	<0.002	<0.002	<0.006	0.46	<0.05	<0.05	-	880
	6/14/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	340
	12/8/2004	0.052	0.071	0.039	0.25	<0.25	<0.05	-	-	390
	6/1/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	2080
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.03	0.028	1760
	6/21/2006	<0.001	<0.001	<0.001	<0.003	0.12	<0.05	0.0343	0.023	1660
	6/21/2006 Dup	<0.001	<0.001	<0.001	<0.003	0.12	<0.05	0.0317	<0.02	1710
	4/11/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0301	0.028	1900
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0197	<0.02	1760
	4/8/2008	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0233	0.029	1680
	8/19/2008	<0.001	<0.001	0.0014	<0.003	0.110	<0.05	0.0481	0.044	1960
	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.097	<0.05	0.0294	0.022	1170
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0157	<0.02	755
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.051	<0.05	<0.05	<0.01	701
MW078SA	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.061	<0.05	<0.05	<0.01	609
	3/24/2004	<0.002	<0.002	<0.002	<0.006	0.94	<0.05	<0.05	-	220
	4/6/2004	-	-	-	-	-	-	<0.05	-	-
	6/14/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	220
	12/8/2004	0.05	0.084	0.069	0.22	<0.25	<0.05	-	-	220
	6/1/2005	-	-	-	-	-	-	-	-	170
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	191
	6/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	201
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	191
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	155
	3/26/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	191
	8/11/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.005	<0.02	158
	3/18/2009	0.0032	0.0013	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	172
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	159
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.072	<0.05	<0.050	<0.01	137
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.123	<0.05	<0.050	0.01	183
MW079SA	3/18/2004	<0.002	<0.002	<0.002	<0.006	<0.27	<0.05	0.11	-	970
	6/3/2004	-	-	-	-	-	-	<0.05	-	1010
	7/7/2004	-	-	-	-	-	-	<0.2	-	1100
	8/17/2004	-	-	-	-	-	-	<0.5	-	800
	10/10/2004	-	-	-	-	-	-	0.1	-	1130
	11/22/2004	-	-	-	-	-	-	0.016	-	860
	1/5/2005	-	-	-	-	-	-	<0.01	-	850
	1/27/2005	-	-	-	-	-	-	0.02	-	810
	2/16/2005	-	-	-	-	-	-	0.03	-	840
	3/15/2005	-	-	-	-	-	-	0.02	-	720
	4/18/2005	-	-	-	-	-	-	0.02	-	730
	6/2/2005	-	-	-	-	-	-	0.01	-	740
	6/20/2005	-	-	-	-	-	-	0.01	-	800
	7/20/2005	-	-	-	-	-	-	0.01	-	710
	2/3/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	917
	7/18/2006	<0.001	<0.001	<0.001	<0.003	0.14	<0.05	<0.015	<0.02	774
	3/28/2007	<0.001	<0.001	<0.001	<0.003	0.140	<0.05	<0.015	<0.02	508
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	418
	4/2/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	373
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0195	<0.02	340
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	322
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	398
	3/3/2010	<0.001	<0.002	<0.001	<0.001	<0.052	<0.05	<0.05	<0.01	249
	8/4/2010	0.055	0.042	<0.020	<0.020	0.09	0.093	<0.05	<0.01	287
MW080SA	3/17/2004	<0.002	<0.002	<0.002	<0.006	0.28	<0.05	<0.05	-	660
	6/3/2004	-	-	-	-	-	-	<0.05	-	800

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	7/7/2004	-	-	-	-	-	-	0.022	-	1400
	8/17/2004	-	-	-	-	-	-	<0.05	-	700
	10/11/2004	-	-	-	-	-	-	<0.05	-	720
	11/23/2004	-	-	-	-	-	-	0.03	-	980
	1/5/2005	-	-	-	-	-	-	0.03	-	760
	1/27/2005	-	-	-	-	-	-	0.02	-	680
	2/16/2005	-	-	-	-	-	-	0.02	-	830
	3/16/2005	-	-	-	-	-	-	0.02	-	710
	4/18/2005	-	-	-	-	-	-	0.03	-	700
	6/2/2005	-	-	-	-	-	-	0.02	-	720
	6/20/2005	-	-	-	-	-	-	0.02	-	730
	6/20/2005 Dup	-	-	-	-	-	-	0.01	-	750
	7/20/2005	-	-	-	-	-	-	0.02	-	700
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	615
	7/18/2006	<0.001	<0.001	<0.001	<0.003	0.13	<0.05	<0.015	<0.02	504
	3/28/2007	<0.001	<0.001	<0.001	<0.003	0.260	0.059	<0.015	<0.02	403
	9/7/2007	<0.001	<0.001	<0.001	<0.003	0.130	<0.05	<0.015	<0.02	344
	4/2/2008	<0.001	<0.001	<0.001	<0.003	0.250	0.071	<0.015	<0.02	332
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0195	<0.02	305
	3/23/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	280
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	735
	3/3/2010	<0.001	<0.002	<0.001	<0.001	<0.053	<0.05	<0.05	<0.01	229
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.058	<0.05	<0.05	<0.01	235
MW081SA	3/25/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.16	-	1020
	6/3/2004	-	-	-	-	-	-	0.05	-	1010
	7/7/2004	-	-	-	-	-	-	0.022	-	1100
	8/17/2004	-	-	-	-	-	-	0.08	-	1000
	10/10/2004	-	-	-	-	-	-	<0.05	-	950
	11/23/2004	-	-	-	-	-	-	0.04	-	1070
	1/5/2005	-	-	-	-	-	-	0.03	-	1020
	1/13/2005	-	-	-	-	-	-	0.03	-	1030
	1/27/2005	-	-	-	-	-	-	0.02	-	920
	2/16/2005	-	-	-	-	-	-	0.03	-	1060
	3/16/2005	-	-	-	-	-	-	0.01	-	950
	4/19/2005	-	-	-	-	-	-	0.01	-	920
	6/2/2005	-	-	-	-	-	-	<0.01	-	970
	6/21/2005	-	-	-	-	-	-	<0.05	-	1000
	7/20/2005	-	-	-	-	-	-	<0.01	-	990
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1060
	7/18/2006	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	1120
	3/28/2007	<0.001	<0.001	<0.001	<0.003	0.170	<0.05	<0.015	<0.02	765
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	582
	4/2/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	<0.015	<0.02	483
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0195	<0.02	439
	3/23/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	510
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	1340
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.101	<0.05	<0.05	<0.01	485
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.069	<0.05	<0.05	<0.01	515
MW082SA	3/25/2004	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	<0.05	-	1200
	6/8/2004	-	-	-	-	-	-	<0.05	-	1300
	7/21/2004	-	-	-	-	-	-	0.12	-	1600
	8/23/2004	-	-	-	-	-	-	0.2	-	1950
	10/19/2004	-	-	-	-	-	-	1.8	-	1280
	12/8/2004	-	-	-	-	-	-	4	-	1340
	1/12/2005	-	-	-	-	-	-	0.07	-	1310
	2/2/2005	-	-	-	-	-	-	3.3	-	1230
	3/1/2005	-	-	-	-	-	-	0.2	-	1170
	3/24/2005	-	-	-	-	-	-	0.2	-	900

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	4/27/2005	-	-	-	-	-	-	0.17	-	980
	5/25/2005	-	-	-	-	-	-	0.02	-	1000
	6/28/2005	-	-	-	-	-	-	0.11	-	990
	7/14/2005	-	-	-	-	-	-	0.09	-	910
	2/3/2006	<0.01	<0.01	<0.01	<0.03	-	-	0.0364	<0.02	940
	7/14/2006	<0.001	<0.001	<0.001	<0.003	0.48	<0.05	<0.015	<0.02	1210
	3/22/2007	0.0015	<0.001	<0.001	<0.003	0.370	<0.05	<0.0151	<0.02	1120
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.450	<0.05	<0.015	<0.2	1120
	3/26/2008	<0.005	<0.005	<0.005	<0.015	0.420	0.270	<0.015	<0.02	1200
	8/6/2008	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.0195	<0.02	1180
	3/18/2009	<0.001	<0.001	<0.001	<0.003	0.300	0.073	<0.015	<0.02	1380
	8/17/2009	<0.001	<0.001	<0.001	<0.003	0.250	<0.05	<0.015	<0.02	366
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.280	<0.05	<0.05	<0.01	968
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.329	<0.05	<0.05	<0.01	1600
MW083SA	3/25/2004	<0.002	<0.002	<0.002	<0.006	<0.27	<0.05	<0.05	-	1400
	6/8/2004	-	-	-	-	-	-	<0.05	-	1120
	7/22/2004	-	-	-	-	-	-	<0.5	-	830
	8/23/2004	-	-	-	-	-	-	0.2	-	1940
	10/19/2004	-	-	-	-	-	-	3.3	-	1560
	12/8/2004	-	-	-	-	-	-	3.7	-	1640
	1/13/2005	-	-	-	-	-	-	0.04	-	1420
	2/2/2005	-	-	-	-	-	-	2.1	-	1610
	3/1/2005	-	-	-	-	-	-	0.2	-	1720
	3/24/2005	-	-	-	-	-	-	0.1	-	1140
	4/27/2005	-	-	-	-	-	-	0.22	-	1100
	5/25/2005	-	-	-	-	-	-	0.03	-	1080
	6/28/2005	-	-	-	-	-	-	0.16	-	1080
	7/14/2005	-	-	-	-	-	-	0.13	-	1080
	2/3/2006	0.011	<0.005	0.008	<0.015	-	-	0.0466	<0.02	1080
	7/14/2006	<0.001	<0.001	<0.001	<0.003	1	0.055	0.0183	<0.02	1170
	7/14/2006 Dup	<0.001	<0.001	<0.001	<0.003	1.2	0.052	0.0232	<0.02	1260
	3/22/2007	0.0062	<0.001	<0.001	<0.003	0.430	<0.05	0.0189	0.08	1080
	9/6/2007	0.0018	<0.001	<0.001	<0.003	0.510	<0.05	<0.015	<0.5	1090
	3/25/2008	<0.005	<0.005	<0.005	<0.015	0.690	<0.25	<0.015	<0.2	1160
	8/6/2008	<0.001	<0.001	<0.001	<0.003	0.460	<0.05	0.0195	<0.02	1710
	3/18/2009	<0.001	<0.001	<0.001	<0.003	0.360	<0.05	<0.015	<0.02	1470
	8/17/2009	<0.001	<0.001	<0.001	<0.003	0.420	<0.05	<0.015	<0.02	1980
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.289	<0.05	<0.05	<0.01	241
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.381	<0.05	<0.05	<0.01	1360
MW084SA	3/24/2004	<0.002	<0.002	<0.002	<0.006	<0.29	<0.05	0.08	-	1800
	6/7/2004	-	-	-	-	-	-	0.1	-	1100
	7/22/2004	-	-	-	-	-	-	0.11	-	2800
	8/24/2004	-	-	-	-	-	-	0.1	-	2500
	10/20/2004	-	-	-	-	-	-	0.1	-	1990
	12/9/2004	-	-	-	-	-	-	0.1	-	2490
	1/13/2005	-	-	-	-	-	-	0.1	-	2320
	2/3/2005	-	-	-	-	-	-	0.09	-	1800
	3/2/2005	-	-	-	-	-	-	0.17	-	1890
	3/24/2005	-	-	-	-	-	-	0.1	-	2000
	4/27/2005	-	-	-	-	-	-	0.11	-	2330
	5/24/2005	-	-	-	-	-	-	0.1	-	1860
	6/28/2005	-	-	-	-	-	-	0.09	-	2220
	7/18/2005	-	-	-	-	-	-	0.11	-	2070
	2/3/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.151	0.16	2500
	7/14/2006	<0.001	<0.001	<0.001	<0.003	0.14	<0.05	0.129	0.13	1720
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.120	<0.05	0.187	0.15	2090
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.130	<0.05	0.192	0.18	2290
	3/25/2008	<0.001	<0.001	<0.001	<0.003	0.150	<0.05	0.192	0.2	2720

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.300	<0.05	0.18	0.17	2430
	3/17/2009	<0.001	<0.001	<0.001	<0.003	0.150	<0.05	0.176	0.17	2530
	8/13/2009	<0.001	<0.001	<0.001	<0.003	0.210	<0.05	0.0982	0.11	1980
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.178	<0.05	0.14	0.157	2350
MW0855A	8/3/2010	<0.001	<0.002	<0.001	<0.001	0.250	<0.05	0.102	0.127	2140
	3/25/2004	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	0.16	-	1180
	6/7/2004	-	-	-	-	-	-	<0.01	-	1660
	7/22/2004	-	-	-	-	-	-	<0.05	-	1700
	8/23/2004	-	-	-	-	-	-	0.01	-	1740
	10/20/2004	-	-	-	-	-	-	<0.05	-	1680
	12/9/2004	-	-	-	-	-	-	0.09	-	1510
	1/13/2005	-	-	-	-	-	-	0.07	-	1600
	2/2/2005	-	-	-	-	-	-	0.1	-	1520
	3/1/2005	-	-	-	-	-	-	0.01	-	1720
	3/24/2005	-	-	-	-	-	-	0.03	-	1350
	4/27/2005	-	-	-	-	-	-	0.07	-	1390
	5/24/2005	-	-	-	-	-	-	0.14	-	1330
	6/20/2005	-	-	-	-	-	-	0.04	-	1580
	6/20/2005 Dup	-	-	-	-	-	-	0.14	-	1410
	7/18/2005	-	-	-	-	-	-	0.1	-	1610
	2/3/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.103	<0.02	1480
	7/14/2006	<0.001	<0.001	<0.001	<0.003	0.31	<0.05	0.0191	<0.02	1840
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.480	<0.05	0.0256	<0.02	1380
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.880	<0.05	0.0176	<0.02	1270
	3/25/2008	<0.001	<0.001	<0.001	<0.003	0.490	<0.05	0.0266	<0.02	1740
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.0238	<0.02	1620
	3/18/2009	<0.001	<0.001	<0.001	<0.003	7.2	<0.05	0.0199	<0.02	1160
	8/17/2009	<0.001	<0.001	<0.001	<0.003	0.44	<0.05	0.0156	<0.02	1300
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.217	<0.05	<0.05	<0.01	921
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.479	<0.05	<0.05	<0.01	1460
MW0865A	9/14/2004	-	-	-	-	-	-	<0.05	-	2290
	10/7/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	-
	1/13/2005	-	-	-	-	-	-	0.02	-	2120
	1/13/2005 Dup	-	-	-	-	-	-	0.02	-	2300
	6/2/2005	-	-	-	-	-	-	0.01	-	1780
	1/27/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.058	0.052	1170
	7/12/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.115	0.13	1300
	4/11/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0787	0.075	1220
	9/21/2007	<0.001	0.0032	0.0089	<0.003	<0.095	<0.05	0.121	0.12	1010
	4/8/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0578	0.057	1090
	8/19/2008	<0.001	<0.001	0.0011	<0.003	<0.1	<0.05	0.0762	0.078	1250
	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0512	0.047	1390
	8/10/2009	<0.001	<0.001	<0.001	<0.001	0.120	<0.05	0.0601	0.063	1330
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.105	<0.05	0.055	0.074	1490
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.154	<0.05	<0.05	0.048	1430
MW087A	9/14/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	4.23	-	900
	10/5/2004	-	-	-	-	-	-	3.82	-	800
	11/9/2004	-	-	-	-	-	-	4.62	-	1060
	12/16/2004	-	-	-	-	-	-	4.78	-	1160
	1/13/2005	-	-	-	-	-	-	3.97	-	1260
	2/8/2005	-	-	-	-	-	-	2.23	-	1220
	3/8/2005	-	-	-	-	-	-	2.03	-	1180
	4/6/2005	-	-	-	-	-	-	1.99	-	1150
	5/11/2005	-	-	-	-	-	-	1.59	-	1150
	6/7/2005	-	-	-	-	-	-	1.56	-	1120
	7/6/2005	-	-	-	-	-	-	1.73	-	1140
	2/6/2006	<0.005	<0.005	<0.005	<0.015	-	-	0.449	<0.5	1560
	7/18/2006	<0.005	<0.005	<0.005	<0.015	6.4	0.27	0.144	<0.02	1100

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	4/13/2007	<0.002	<0.001	<0.001	<0.003	5.100	2.400	0.173	<0.02	1160
	4/15/2008	<0.005	<0.005	<0.005	<0.015	4.80	<0.25	0.187	<1	1550
	3/30/2009	<0.005	<0.005	<0.005	<0.015	1.7	<0.25	0.233	<0.2	1060
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.522	0.072	0.095	0.316	35.5
MW089SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.36	0.95	709
	2/9/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	1.19	0.96	744
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	1.11	1.1	787
	7/21/2006 Dup	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	1.09	1.1	800
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.591	1.0	785
	4/9/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.15	1.1	909
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.10	<0.05	1.07	1.1	1010
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.056	<0.05	1.24	1.24	714
MW090SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.437	0.45	575
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.42	0.52	630
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.484	0.49	633
	4/14/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	0.569	0.59	650
	3/17/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.634	0.54	652
	8/11/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.58	0.52	648
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.058	<0.05	0.488	0.452	596
MW091SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.746	0.67	679
	7/24/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.856	0.77	732
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	1.05	1.1	864
	4/7/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	1.16	0.57 *	819
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.821	0.88	834
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.054	<0.05	0.912	0.851	672
MW092SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.16	1	662
	7/24/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.901	0.76	607
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	1.3	1.4	841
	4/9/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.61	1.3	740
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.46	1.5	905
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.054	<0.05	1.48	1.46	751
MW093SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.689	0.62	684
	7/24/2006	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.477	0.42	564
	4/5/2007	<0.001	<0.001	<0.001	<0.003	0.340	<0.05	0.615	0.97	732
	4/9/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.96	1.7	831
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	2	2	949
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.143	<0.05	2.37	2.42	877
IW003	12/17/2003	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.27	-	1800
	6/3/2004	-	-	-	-	-	-	0.13	-	3100
	7/8/2004	-	-	-	-	-	-	0.17	-	1500
	8/18/2004	-	-	-	-	-	-	0.16	-	2300
	10/11/2004	-	-	-	-	-	-	<0.5	-	1600
	1/6/2005	-	-	-	-	-	-	0.2	-	640
	1/27/2005	-	-	-	-	-	-	<0.1	-	500
	2/21/2005	-	-	-	-	-	-	0.2	-	660
	3/17/2005	-	-	-	-	-	-	0.2	-	550
	4/19/2005	-	-	-	-	-	-	0.2	-	560
	6/1/2005	-	-	-	-	-	-	0.1	-	460
	6/21/2005	-	-	-	-	-	-	0.07	-	650
	7/21/2005	-	-	-	-	-	-	0.1	-	600
	2/6/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.136	<2	1100
	2/6/2006 Dup	<0.1	<0.1	<0.1	<0.3	-	-	0.135	<2	1130
	7/25/2006	<0.01	<0.01	<0.01	<0.2	720	3.2	0.0305	<2	1080
	4/9/2007	<0.05	<0.05	<0.05	<0.015	2.400	<2.5	0.075	<2	1130
	4/3/2008	<0.01	<0.01	<0.01	<0.03	3.100	<0.5	0.075	<2	1130
	3/23/2009	<0.005	<0.005	<0.005	<0.015	2.100	<0.25	0.0152	<0.20	1050
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.625	<0.05	<0.50	<0.01	850

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
IW004	12/18/2003	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.62	-	680
	6/9/2004	-	-	-	-	-	-	0.17	-	2080
	7/8/2004	-	-	-	-	-	-	0.17	-	2900
	8/18/2004	-	-	-	-	-	-	0.14	-	1900
	10/11/2004	-	-	-	-	-	-	<0.5	-	1150
	1/6/2005	-	-	-	-	-	-	0.2	-	550
	1/27/2005	-	-	-	-	-	-	<0.1	-	310
	2/22/2005	-	-	-	-	-	-	0.1	-	660
	3/21/2005	-	-	-	-	-	-	0.1	-	350
	4/19/2005	-	-	-	-	-	-	0.1	-	590
	6/1/2005	-	-	-	-	-	-	0.09	-	470
	6/21/2005	-	-	-	-	-	-	<0.05	-	510
	7/21/2005	-	-	-	-	-	-	0.1	-	730
	2/6/2006	<0.025	<0.025	<0.025	<0.075	-	-	0.0693	<2	1430
	7/25/2006	<0.01	<0.01	<0.01	<0.03	440	1.6	0.0216	<2	1320
	4/9/2007	<0.005	<0.005	<0.005	<0.015	0.720	<0.25	0.0176	<0.2	1400
	4/3/2008	<0.005	<0.005	<0.005	<0.015	0.350	<0.25	<0.015	-	1610
	3/23/2009	<0.001	<0.001	<0.001	<0.003	0.390	<0.05	0.0182	<0.02	1570
	3/4/2010	<0.001	<0.001	<0.001	<0.001	-	<0.05	<0.05	<0.01	1760
	3/17/2010	-	-	-	-	0.147	-	-	-	-
IW005	12/18/2003	-	-	-	-	-	-	-	-	620
	2/25/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.19	-	-
	6/9/2004	-	-	-	-	-	-	0.12	-	1920
	7/8/2004	-	-	-	-	-	-	0.12	-	2100
	10/11/2004	-	-	-	-	-	-	<0.5	-	1340
	12/1/2004	-	-	-	-	-	-	0.51	-	1160
	1/6/2005	-	-	-	-	-	-	0.4	-	490
	1/27/2005	-	-	-	-	-	-	<0.1	-	190
	2/22/2005	-	-	-	-	-	-	0.3	-	430
	3/21/2005	-	-	-	-	-	-	0.1	-	270
	4/20/2005	-	-	-	-	-	-	0.1	-	270
	6/1/2005	-	-	-	-	-	-	0.2	-	330
	6/22/2005	-	-	-	-	-	-	0.09	-	370
	7/13/2005	-	-	-	-	-	-	0.3	-	430
	2/6/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.591	<2	781
	7/26/2006	<0.01	<0.01	<0.01	<0.03	1500	24	0.252	<2	887
	3/27/2007	<0.1	<0.1	<0.1	<0.3	3600	5000	0.135	<2	964
	4/12/2007	<0.1	<0.1	<0.1	<0.3	3,600	<5	0.102	<2	1210
	4/1/2008	<0.005	<0.005	<0.005	<0.015	3,200	<0.25	0.0781	<1	1140
	3/23/2009	<0.005	<0.005	<0.005	<0.015	1,500	<0.25	0.0311	<0.2	1690
	3/4/2010	<0.001	0.0014	<0.001	<0.001	-	<0.05	<0.50	0.148	1010
	3/16/2010	-	-	-	-	0.704	-	-	-	-
IW006	12/18/2003	-	-	-	-	-	-	0.06	-	550
	2/25/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	-
	6/9/2004	-	-	-	-	-	-	0.17	-	2700
	7/20/2004	-	-	-	-	-	-	0.17	-	2600
	8/18/2004	-	-	-	-	-	-	0.11	-	2100
	10/13/2004	-	-	-	-	-	-	<0.5	-	1620
	12/1/2004	-	-	-	-	-	-	0.41	-	1740
	1/10/2005	-	-	-	-	-	-	0.3	-	880
	1/31/2005	-	-	-	-	-	-	0.2	-	470
	2/22/2005	-	-	-	-	-	-	0.3	-	650
	3/22/2005	-	-	-	-	-	-	0.2	-	470
	4/20/2005	-	-	-	-	-	-	0.2	-	520
	5/31/2005	-	-	-	-	-	-	0.2	-	590
	6/22/2005	-	-	-	-	-	-	0.16	-	510
	7/13/2005	-	-	-	-	-	-	0.2	-	590
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.286	<2	628

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	2/7/2006 Dup	<0.1	<0.1	<0.1	<0.3	-	-	0.319	<2	622
	7/26/2006	<0.01	<0.01	<0.01	<0.03	32	2.4	0.0643	<2	772
	3/27/2007	<0.1	<0.1	<0.1	<0.3	2.1	5000	0.0592	<2	832
	4/12/2007	<0.1	<0.1	<0.1	<0.3	2.100	<5	0.04	<2	900
	4/1/2008	<0.005	<0.005	<0.005	<0.015	1.400	0.310	0.0287	<1	1000
	3/19/2009	<0.005	<0.005	<0.005	<0.015	0.670	<0.25	0.016	<1	915
	3/4/2010	<0.001	<0.001	<0.001	<0.001	-	<0.05	<0.05	0.065	887
	3/16/2010	-	-	-	-	0.206	-	-	-	-
	12/18/2003	-	-	-	-	-	-	<0.05	-	-
	2/26/2004	<0.002	<0.002	<0.002	<0.006	<0.3	<0.05	<0.01	-	840
IW007	6/9/2004	-	-	-	-	-	-	0.08	-	1630
	7/20/2004	-	-	-	-	-	-	0.11	-	2300
	8/19/2004	-	-	-	-	-	-	0.13	-	2500
	10/13/2004	-	-	-	-	-	-	<0.5	-	1590
	12/2/2004	-	-	-	-	-	-	0.2	-	1370
	1/10/2005	-	-	-	-	-	-	0.1	-	510
	1/31/2005	-	-	-	-	-	-	<0.1	-	300
	2/22/2005	-	-	-	-	-	-	0.1	-	450
	4/20/2005	-	-	-	-	-	-	<0.1	-	300
	5/31/2005	-	-	-	-	-	-	<0.1	-	420
	6/22/2005	-	-	-	-	-	-	0.07	-	470
	7/13/2005	-	-	-	-	-	-	<0.1	-	540
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.185	<2	572
	7/26/2006	<0.025	<0.025	<0.025	<0.075	3600	21	0.118	<2	527
	3/26/2007	<0.1	<0.1	<0.1	<0.3	3600	13,000	0.171	<2	637
	4/1/2008	<0.01	<0.01	<0.01	<0.03	3000	8,300	0.114	<2	714
	3/19/2009	0.0069	<0.005	<0.005	<0.015	6.6	0.400	0.0706	<2	880
	3/4/2010	<0.001	0.0014	0.0011	<0.001	2.46	<0.05	<0.50	0.469	821
IW008	2/26/2004	-	-	-	-	-	-	0.02	-	210
	6/9/2004	-	-	-	-	-	-	0.07	-	1010
	7/20/2004	-	-	-	-	-	-	0.18	-	1800
	8/19/2004	-	-	-	-	-	-	0.07	-	1200
	10/13/2004	-	-	-	-	-	-	<0.5	-	1090
	12/2/2004	-	-	-	-	-	-	0.1	-	730
	1/11/2005	-	-	-	-	-	-	<0.1	-	490
	2/2/2005	-	-	-	-	-	-	1.6	-	260
	2/23/2005	-	-	-	-	-	-	0.1	-	370
	3/22/2005	-	-	-	-	-	-	0.1	-	230
	4/25/2005	-	-	-	-	-	-	0.11	-	240
	5/31/2005	-	-	-	-	-	-	<0.1	-	260
	6/22/2005	-	-	-	-	-	-	0.06	-	240
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.128	<2	382
	7/26/2006	<0.025	<0.025	<0.025	<0.075	6.1	7.7	0.023	<2	572
	7/26/2006 Dup	<0.025	<0.025	<0.025	<0.075	6.2	4.1	0.0244	<2	531
	3/23/2007	<0.001	<0.001	<0.001	<0.003	3.900	0.082	0.0249	0.1	574
	4/1/2008	<0.005	<0.005	<0.005	<0.015	1.700	0.360	0.0166	<1	576
	3/19/2009	<0.005	<0.005	<0.005	<0.015	0.910	<0.250	<0.015	<1	604
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.409	<0.05	<0.05	0.087	64.7
IW009	6/9/2004	-	-	-	-	-	-	0.11	-	2250
	7/20/2004	-	-	-	-	-	-	0.13	-	2600
	8/19/2004	-	-	-	-	-	-	0.08	-	1800
	10/14/2004	-	-	-	-	-	-	<0.5	-	1730
	12/6/2004	-	-	-	-	-	-	0.24	-	1500
	1/11/2005	-	-	-	-	-	-	0.2	-	810
	2/2/2005	-	-	-	-	-	-	0.11	-	590
	2/23/2005	-	-	-	-	-	-	0.1	-	580
	3/23/2005	-	-	-	-	-	-	0.1	-	480
	4/25/2005	-	-	-	-	-	-	0.12	-	510

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	5/31/2005	-	-	-	-	-	-	0.2	-	430
	6/23/2005	-	-	-	-	-	-	0.09	-	580
	7/13/2005	-	-	-	-	-	-	<0.1	-	680
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.121	<2	606
	7/27/2006	<0.025	<0.025	<0.025	<0.075	2100	3.9	0.0557	<2	434
	3/23/2007	<0.025	<0.001	0.0048	<0.01	<5000	14.000	-	<0.4	-
	3/31/2008	<0.01	<0.005	<0.005	<0.015	-	6.000	0.0438	-	694
	3/19/2009	0.012	<0.010	0.0059	<0.030	-	3.400	<0.075	-	-
	3/4/2010	0.0021	<0.001	<0.001	<0.001	-	0.785	<0.50	0.586	1000
IW010	12/18/2003	-	-	-	-	-	-	0.09	-	330
	2/26/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.14	-	-
	6/9/2004	-	-	-	-	-	-	0.09	-	2050
	7/21/2004	-	-	-	-	-	-	0.17	-	2300
	8/19/2004	-	-	-	-	-	-	0.23	-	2300
	10/14/2004	-	-	-	-	-	-	<0.5	-	2000
	12/7/2004	-	-	-	-	-	-	0.79	-	1930
	1/11/2005	-	-	-	-	-	-	0.4	-	1510
	2/2/2005	-	-	-	-	-	-	2.1	-	1380
	2/24/2005	-	-	-	-	-	-	0.4	-	1400
	3/23/2005	-	-	-	-	-	-	0.4	-	1110
	4/25/2005	-	-	-	-	-	-	0.44	-	1190
	5/31/2005	-	-	-	-	-	-	1.5	-	1140
	6/23/2005	-	-	-	-	-	-	0.42	-	1120
	7/13/2005	-	-	-	-	-	-	0.4	-	940
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.11	<2	970
	7/27/2006	<0.025	<0.025	<0.025	<0.075	1.2	<1.3	0.0236	<2	971
	3/23/2007	<0.005	<0.001	<0.001	<0.003	0.650	<0.05	0.0198	0.2	1020
	3/31/2008	<0.005	<0.005	<0.005	<0.015	<0.19	<0.025	<0.015	<0.5	1130
	3/19/2009	<0.005	<0.005	<0.005	<0.015	0.120	<0.250	<0.015	<0.02	1150
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.126	0.330	<0.050	<0.050	1100
IW011	12/18/2003	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	<0.05	-	1050
	6/8/2004	-	-	-	-	-	-	0.05	-	1500
	7/21/2004	-	-	-	-	-	-	0.09	-	2100
	8/19/2004	-	-	-	-	-	-	0.06	-	2000
	10/14/2004	-	-	-	-	-	-	<0.5	-	740
	12/7/2004	-	-	-	-	-	-	0.26	-	1100
	1/12/2005	-	-	-	-	-	-	<0.1	-	350
	2/2/2005	-	-	-	-	-	-	1.4	-	330
	2/24/2005	-	-	-	-	-	-	<0.1	-	470
	3/23/2005	-	-	-	-	-	-	<0.1	-	230
	4/26/2005	-	-	-	-	-	-	<0.1	-	360
	5/26/2005	-	-	-	-	-	-	<0.1	-	380
	6/23/2005	-	-	-	-	-	-	<0.05	-	320
	7/14/2005	-	-	-	-	-	-	<0.1	-	490
	2/8/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.0694	<2	624
	7/26/2006	<0.025	<0.025	<0.025	<0.075	1700	18	0.0272	<2	908
	3/22/2007	<0.1	<0.1	<0.1	<0.3	110	<5	0.0317	<1	980
	3/31/2008	<0.005	<0.005	<0.005	<0.015	5.100	<0.025	0.0263	<2.0	1080
	3/18/2009	<0.005	<0.005	<0.005	<0.015	2.200	<0.250	<0.015	<0.002	1000
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.997	0.188	<0.500	0.147	999
IW012	6/8/2004	-	-	-	-	-	-	0.08	-	2300
	8/19/2004	-	-	-	-	-	-	0.06	-	1600
	10/14/2004	-	-	-	-	-	-	<0.5	-	1020
	2/3/2005	-	-	-	-	-	-	0.2	-	430

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
IW013	3/30/2005	-	-	-	-	-	-	<0.1	-	-
	6/23/2005	-	-	-	-	-	-	0.05	-	-
	7/14/2005	-	-	-	-	-	-	<0.1	-	380
	2/10/2004	<0.002	0.003	<0.002	<0.006	<0.25	<0.05	0.15	-	1080
	6/8/2004	-	-	-	-	-	-	0.3	-	2700
	7/21/2004	-	-	-	-	-	-	0.45	-	2000
	8/19/2004	-	-	-	-	-	-	0.19	-	1300
	10/19/2004	-	-	-	-	-	-	0.75	-	1620
	12/7/2004	-	-	-	-	-	-	1.29	-	1640
	1/12/2005	-	-	-	-	-	-	0.7	-	900
	2/3/2005	-	-	-	-	-	-	1	-	570
	2/24/2005	-	-	-	-	-	-	0.6	-	670
	3/24/2005	-	-	-	-	-	-	0.5	-	430
	4/26/2005	-	-	-	-	-	-	0.7	-	540
	5/25/2005	-	-	-	-	-	-	0.04	-	340
	6/23/2005	-	-	-	-	-	-	0.42	-	510
	7/14/2005	-	-	-	-	-	-	0.5	-	540
	2/8/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.418	<2	1160
	2/8/2006 Dup	<0.1	<0.1	<0.1	<0.3	-	-	0.411	<2	988
	7/27/2006	<0.025	<0.025	<0.025	<0.075	190	<1.3	0.0585	<2	952
	7/27/2006 Dup	<0.025	<0.025	<0.025	<0.075	220	<1.3	0.0592	<2	965
	3/22/2007	<0.002	<0.001	0.0027	<0.02	390	0.86	0.0311	<1	890
	3/26/2008	<0.005	<0.005	<0.005	<0.015	0.690	<0.025	<0.015	<0.2	1050
	3/18/2009	<0.001	<0.001	<0.001	<0.003	0.120	<0.050	<0.015	<0.02	1020
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.086	<0.050	<0.050	<0.01	976
IW014	2/11/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	<0.05	-	1400
	6/10/2004	-	-	-	-	-	-	0.07	-	1800
	7/21/2004	-	-	-	-	-	-	0.08	-	1800
	8/19/2004	-	-	-	-	-	-	<0.05	-	900
	10/19/2004	-	-	-	-	-	-	0.9	-	1140
	12/7/2004	-	-	-	-	-	-	0.32	-	1460
	1/13/2005	-	-	-	-	-	-	<0.1	-	490
	2/3/2005	-	-	-	-	-	-	0.1	-	340
	2/24/2005	-	-	-	-	-	-	<0.1	-	520
	3/24/2005	-	-	-	-	-	-	<0.1	-	220
	4/26/2005	-	-	-	-	-	-	<0.1	-	230
	5/25/2005	-	-	-	-	-	-	<0.01	-	180
	6/28/2005	-	-	-	-	-	-	0.08	-	330
	7/14/2005	-	-	-	-	-	-	<0.1	-	460
	2/13/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.199	<10	666
	2/13/2006 Dup	<0.1	<0.1	<0.1	<0.3	-	-	0.202	<2	565
	7/25/2006	0.098	<0.025	<0.5	<0.075	2400	70	0.072	<2	964
	7/25/2006 Dup	0.031	<0.02	<0.5	<0.5	2600	56	0.0755	<2	1010
	3/26/2007	<0.1	<0.1	<0.1	<0.3	1700	9.9	0.0494	<2	1080
	3/26/2008	<0.05	<0.05	<0.05	<0.15	170.000	<2.5	0.075	<1	1170
	3/18/2009	<0.005	<0.005	<0.005	<0.015	4.100	<0.25	0.0188	<0.002	1190
	3/3/2010	<0.001	0.0023	<0.001	<0.001	1.490	<0.05	<0.50	-	1090
IW015	2/25/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.24	-	1300
	6/3/2004	-	-	-	-	-	-	0.1	-	1700
	7/8/2004	-	-	-	-	-	-	0.27	-	2200
	8/18/2004	-	-	-	-	-	-	0.15	-	1700
	10/11/2004	-	-	-	-	-	-	<0.5	-	1990
	1/5/2005	-	-	-	-	-	-	0.3	-	1070
	2/21/2005	-	-	-	-	-	-	0.3	-	630

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/17/2005	-	-	-	-	-	-	0.2	-	450
	4/19/2005	-	-	-	-	-	-	0.2	-	370
	6/1/2005	-	-	-	-	-	-	0.17	-	420
	6/21/2005	-	-	-	-	-	-	0.24	-	490
	7/21/2005	-	-	-	-	-	-	0.21	-	810
	2/9/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.301	<2	1000
	7/25/2006	<0.01	<0.01	<0.01	<0.2	1600	5.2	0.157	<2	1050
	4/9/2007	<0.05	<0.05	<0.05	<0.003	20	<2.5	0.165	<2	1060
	4/3/2008	<0.01	<0.01	<0.01	<0.003	3.100	<0.5	0.075	<2	1040
	3/23/2009	0.0076	<0.005	<0.005	<0.015	2.600	<0.25	0.0566	<2	984
	3/3/2010	<0.001	<0.002	<0.001	<0.001	1.270	<0.05	<0.50	<0.01	849
IW016	2/11/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.13	-	980
	6/3/2004	-	-	-	-	-	-	0.07	-	2300
	7/7/2004	-	-	-	-	-	-	<0.5	-	2100
	8/17/2004	-	-	-	-	-	-	<0.5	-	2500
	10/10/2004	-	-	-	-	-	-	<0.5	-	1750
	11/22/2004	-	-	-	-	-	-	0.2	-	143
	1/4/2005	-	-	-	-	-	-	0.1	-	630
	1/27/2005	-	-	-	-	-	-	0.2	-	340
	2/16/2005	-	-	-	-	-	-	0.2	-	510
	3/15/2005	-	-	-	-	-	-	<0.1	-	320
	4/19/2005	-	-	-	-	-	-	0.2	-	350
	6/1/2005	-	-	-	-	-	-	0.14	-	400
	6/21/2005	-	-	-	-	-	-	0.07	-	520
	7/20/2005	-	-	-	-	-	-	0.09	-	450
	2/8/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.138	<2	848
	7/25/2006	<0.01	<0.01	<0.01	<0.03	2600	4.4	0.0484	<2	987
IW018	3/28/2007	<0.1	<0.1	<0.1	<0.003	19	<5	0.0293	<1	846
	4/2/2008	<0.005	<0.005	<0.005	<0.015	3.500	<0.250	0.0221	<2	769
	3/24/2009	<0.005	<0.005	<0.005	<0.015	4.500	<0.25	0.0202	<2	677
	3/3/2010	<0.001	<0.002	<0.001	<0.001	1.100	<0.05	<0.50	<0.01	486
	2/6/2006	0.0022	<0.001	<0.001	<0.003	-	-	2.88	0.27	1340
	7/21/2006	<0.001	<0.001	<0.001	<0.003	3.8	<0.05	<0.015	<0.02	400
	4/9/2007	<0.001	<0.001	<0.001	<0.003	2.2	<0.05	<0.015	<0.02	175
	4/9/2008	<0.001	<0.001	<0.001	<0.003	2.300	<0.05	1.08	0.29	1140
	3/24/2009	<0.001	<0.001	<0.001	<0.003	3.100	<0.05	0.248	0.18	1130
	3/25/2010	<0.001	<0.001	<0.001	<0.001	1.740	0.065	0.305	0.218	535
IW019	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.06	0.88	1780
	7/24/2006	<0.001	<0.001	<0.001	<0.003	0.93	<0.05	1.14	0.99	1800
	4/6/2007	<0.001	<0.001	<0.001	<0.003	0.740	<0.05	1.24	1.1	1620
	4/8/2008	<0.001	<0.001	<0.001	<0.003	0.47	<0.05	1.51	1.4	1680
	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.61	<0.05	1.57	1.4	1730
	3/25/2010	<0.001	<0.001	<0.001	<0.001	0.724	<0.074	0.328	0.425	803
IW020	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.777	0.76	999
	7/24/2006	<0.001	<0.001	<0.001	<0.003	0.31	<0.05	0.898	0.8	521
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.51	1.5	1200
	4/8/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.79	1.7	1180
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	2	1.9	1350
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.116	<0.05	<0.05	1.29	1000
IW021	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.701	0.68	692
	7/24/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.93	0.81	673
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	1.14	1.2	753
	4/8/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	1.73	1.6	859
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	1.74	1.6	1000

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
IW022	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.1	<0.05	1.34	1.35	817
	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.526	0.5	624
	7/25/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.489	0.46	662
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.505	0.52	713
	4/7/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.785	0.82 *	781
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.525	0.53	670
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.085	<0.05	0.477	0.445	460
IW023	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.552	0.52	506
	7/25/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.158	0.15	500
	4/10/2007	0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.206	0.21	620
	4/7/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.248	0.20 *	659
	3/16/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.285	0.25	650
	8/11/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.3	0.28	637
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.052	<0.05	0.32	0.325	629
IW024	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.28	1.2	868
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.29	0.27	934
	4/3/2007	<0.001	<0.001	<0.001	<0.003	0.120	<0.05	1.12	1.3	827
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.41	1.3	808
	3/16/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	1.31	0.91	985
	8/11/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	1.47	1.2	1020
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.053	<0.05	1.35	1.44	910
IW025	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.377	0.39	584
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.645	0.63	632
	4/14/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	1.19	1.2	801
	3/16/2009	<0.001	0.0015	0.001	0.0054	<0.097	<0.05	0.0479	<0.020	502
	8/13/2009	<0.001	<0.001	0.001	0.0058	0.19	<0.05	0.0387	<0.020	582
	3/2/2010	<0.001	<0.002	<0.001	0.0023	<0.051	<0.05	<0.050	0.217	627
IW026	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.499	0.47	612
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.618	0.6	583
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0403	0.035	467
	3/16/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.020	518
	8/13/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.020	460
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.075	<0.05	<0.050	-	-
	3/17/2010	-	-	-	-	-	-	-	<0.010	205
IW027	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.591	0.57	789
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.699	0.69	732
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0352	0.023	197
	4/14/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	0.41	0.42	575
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.383	0.38	2880
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.052	<0.05	0.347	0.383	497
IW028	6/16/2005	-	-	-	-	-	-	0.49	-	530
	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.991	0.99	682
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.652	0.62	549
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.526	0.67	522
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.727	0.74	625
	4/7/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.354	0.35	583
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.055	<0.05	0.509	0.547	633
RW004A	10/1/2001	0.4	1.2	<0.002	<0.002	<0.25	0.63	-	2	1120
	12/6/2001	-	-	-	-	-	-	4.26 / 4.19	2 / 1.9	-
	12/7/2001	-	-	-	-	-	-	4.17	-	-
	12/8/2001	-	-	-	-	-	-	4.28	-	-
	2/4/2002	-	-	-	-	-	-	-	-	1100
	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	860
	6/9/2003	-	-	-	-	-	-	2.61	-	860

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/9/2003 Dup	-	-	-	-	-	-	-	-	880
	7/1/2003	-	-	-	-	-	-	0.07	-	2300
	7/9/2003	-	-	-	-	-	-	0.08	-	3000
	7/15/2003	-	-	-	-	-	-	0.07	-	1900
	7/28/2003	-	-	-	-	-	-	0.6	-	1500
	8/21/2003	-	-	-	-	-	-	0.12	-	1500
	10/1/2003	-	-	-	-	-	-	0.41	-	4500
	10/29/2003	-	-	-	-	-	-	0.24	-	3000
	12/9/2003	-	-	-	-	-	-	0.21	-	1400
	1/8/2004	-	-	-	-	-	-	<0.5	-	1300
	3/2/2004	-	-	-	-	-	-	0.77	-	1800
	4/1/2004	-	-	-	-	-	-	0.1	-	1240
	5/4/2004	-	-	-	-	-	-	<0.5	-	2200
	6/8/2004	-	-	-	-	-	-	0.26	-	2700
	7/8/2004	-	-	-	-	-	-	0.3	-	1900
	8/11/2004	-	-	-	-	-	-	<0.05	-	2000
	9/16/2004	-	-	-	-	-	-	<0.2	-	1240
	10/5/2004	-	-	-	-	-	-	<0.05	-	1740
	11/9/2004	-	-	-	-	-	-	0.1	-	1170
	12/20/2004	-	-	-	-	-	-	<0.1	-	1140
	1/18/2005	-	-	-	-	-	-	<0.1	-	390
	2/14/2005	-	-	-	-	-	-	<0.1	-	260
	3/8/2005	-	-	-	-	-	-	<0.01	-	220
	4/11/2005	-	-	-	-	-	-	<0.1	-	410
	5/12/2005	-	-	-	-	-	-	<0.1	-	640
	6/8/2005	-	-	-	-	-	-	0.06	-	400
	7/7/2005	-	-	-	-	-	-	0.05	-	440
	2/10/2006	<0.05	<0.05	<0.05	<0.15	-	-	<0.015	<0.08	138
	7/19/2006	<0.01	<0.01	<0.01	<0.03	130	9.9	0.0213	<0.02	147
	4/11/2007	<0.1	<0.1	<0.1	<0.3	340	23	<0.075	<2.0	209
	4/16/2008	<0.01	<0.005	<0.005	<0.015	890	22	0.0712	<1	256
	3/31/2009	0.290	<0.01	0.230	0.034	710	19	0.0436	<0.2	291
	3/10/2010	<0.005	<0.005	<0.005	<0.005	1300	9.83	<0.050	0.842	126
EPWW1	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.125	<0.02	79.6
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0259	<0.02	49.2
	4/6/2009	<0.001	<0.001	<0.001	<0.003	0.520	<0.05	<0.015	<0.02	255
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.093	<0.05	<0.05	<0.01	67.6
GOPWW2	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1000
	6/28/2006	0.002	0.0079	0.0058	0.0048	0.15	0.082	<0.015	<0.02	1140
	4/23/2007	0.0027	<0.001	0.0015	-	<0.098	<0.05	<0.015	<0.02	1130
	9/10/2007	<0.001	<0.001	<0.001	<0.003	0.110	0.063	<0.015	<0.02	1320
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	2130
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.220	<0.05	<0.015	<0.02	1690
	3/17/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	1600
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	1420
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.054	<0.05	<0.05	<0.01	1530
	8/3/2010	<0.001	<0.002	<0.001	<0.001	0.941	<0.05	<0.05	0.121	1520
LordWW	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0677	<0.02	1260
	6/27/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	71.3
	6/27/2006 Dup	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	62.6
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.148	<0.02	1540
	9/18/2007	<0.001	<0.001	<0.001	<0.003	0.930	<0.5	<0.015	<0.02	1320
	3/26/2008	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.0664	<0.02	1470
	8/13/2008	0.0083	0.0094	0.019	0.0039	<0.1	0.092	<0.015	<0.02	1380
	3/19/2009	0.018	0.0045	0.0014	<0.003	<0.3	0.080	<0.015	<0.02	1610

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>			<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>
	NM WQCC Standard	<i>0.01</i>	<i>0.750</i>	<i>0.750</i>	<i>0.620</i>	<i>--</i>	<i>--</i>	<i>0.05</i>	<i>0.05</i>	<i>250</i>
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	2040
	3/12/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	0.016	583
	8/18/2010	<0.001	<0.002	<0.001	<0.001	0.055	<0.05	<0.050	<0.01	1220
WoodellWW	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	699
	6/27/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	602
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	621
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.0523	0.035	305
	8/21/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0254	<0.02	558
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0296	0.022	690
	8/24/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0561	0.058	615
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.051	<0.05	<0.05	0.035	478
	8/18/2010	<0.001	<0.002	<0.001	<0.001	0.073	<0.05	<0.05	0.019	380

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW001	5/31/2001	<0.05	<0.05	<0.05	267	-	66.2	8.1	418	<0.05	-	<0.002	<0.05	<0.05	-
	5/31/2001 Dup	<0.05	<0.05	<0.05	262	-	58.9	7.5	375	<0.05	-	<0.002	<0.05	<0.05	-
	2/7/2002	-	-	-	290	0.9	64.9	9	474	<0.005	0.99	-	-	-	-
	1/27/2006	<0.02	0.0575	<0.005	276	2.74	-	-	-	<0.02	0.832	<0.0002	<0.02	<0.005	<0.02
	1/27/2006 Dup	<0.02	0.0599	<0.005	277	2.9	-	-	-	<0.02	0.828	<0.0002	<0.02	<0.005	<0.02
	7/13/2006	<0.02	0.0587	<0.005	-	2.18	-	-	-	<0.015	0.766	-	0.0252	<0.005	<0.02
	4/19/2007	<0.02	-	-	281	4.09	-	-	-	-	0.895	-	-	-	-
	4/17/2008	<0.02	-	-	429	0.644	98.8	15	410	-	1.53	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.205	-	-	-	-	1.08	-	-	-	-
MW002	5/22/2001	<0.05	<0.05	<0.05	142	-	66.9	6.8	169	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	165	<0.1	74.2	7	187	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.058	<0.005	208	0.999	-	-	-	<0.02	0.0147	<0.0002	0.0222	<0.005	<0.02
	7/6/2006	<0.02	0.0441	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0235	<0.005	<0.02
	4/12/2007	<0.02	-	-	285	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/2/2008	<0.02	-	-	355	<0.2	160	12.1	320	-	<0.005	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
MW003	5/24/2001	<0.05	<0.05	<0.05	563	-	161	14	683	<0.05	-	<0.002	<0.05	<0.05	-
	1/30/2002	-	-	-	410	<0.1	112	8	590	<0.005	<0.05	-	-	-	-
	1/30/2002 Dup	-	-	-	420	<0.1	104	8	630	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0297	<0.005	257	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0396	<0.005	<0.02
	7/7/2006	<0.02	0.0251	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0486	<0.005	<0.02
	4/16/2007	<0.02	-	-	216	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	217	<0.2	62.4	7.27	390	-	<0.005	-	-	-	-
MW004	5/24/2001	<0.05	<0.05	<0.05	402	-	110	16	496	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	410	<0.1	109	12	590	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0374	<0.005	422	<0.2	-	-	-	<0.02	0.0209	<0.0002	0.0592	<0.005	<0.02
	7/7/2006	<0.02	0.0376	<0.005	-	<0.2	-	-	-	<0.015	0.0184	-	0.0619	<0.005	<0.02
	4/17/2007	<0.02	-	-	482	<0.2	-	-	-	-	0.0163	-	-	-	-
	4/15/2008	<0.02	-	-	517	<0.2	136	15.2	577	-	0.0055	-	-	-	-
	3/30/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0192	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
MW005	2/11/2002	-	-	-	222	6.4	86	17	404	<0.005	0.4	-	-	-	-
	2/11/2002 Dup	-	-	-	231	6.9	89.2	17	425	<0.005	0.37	-	-	-	-
	1/27/2006	<0.02	0.464	<0.005	269	5.8	-	-	-	<0.02	0.916	<0.0002	<0.02	<0.005	0.0358

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	7/13/2006	<0.02	0.366	<0.005	-	5.32	-	-	-	<0.015	0.807	-	<0.02	<0.005	<0.02
	4/19/2007	<0.02	-	-	302	9.94	-	-	-	-	0.837	-	-	-	-
	4/17/2008	<0.02	-	-	473	10.1	188	44.4	620	-	1.88	-	-	-	-
	4/7/2009	<0.02	-	-	-	8.04	-	-	-	-	0.807	-	-	-	-
	3/16/2010	<0.05	-	-	-	2.22	-	-	-	-	1.11	-	-	-	-
MW006	2/11/2002	-	-	-	300	2.4	103	44	890	<0.005	0.53	-	-	-	-
	4/23/2007	0.0264	-	-	375	29	-	-	-	-	3.24	-	-	-	-
	4/17/2008	0.0254	-	-	235	12.9	134	64.8	1460	-	3.84	-	-	-	-
	4/7/2009	0.0255	-	-	-	16.1	-	-	-	-	2.13	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.313	-	-	-	-	1.91	-	-	-	-
MW007	5/24/2001	<0.05	<0.05	<0.05	342	-	97.7	10	487	<0.05	-	<0.002	<0.05	<0.05	-
	1/30/2002	-	-	-	310	0.2	68.6	6	367	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.0373	<0.005	200	0.287	-	-	-	<0.02	0.0054	<0.0002	0.107	<0.005	<0.02
	7/7/2006	<0.02	0.0247	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0764	<0.005	<0.02
	4/16/2007	<0.02	-	-	169	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	128	<0.2	42.6	5.69	265	-	<0.005	-	-	-	-
MW008	5/31/2001	<0.05	<0.05	<0.05	739	-	165	16.2	778	<0.05	-	<0.002	0.08	<0.05	-
	8/29/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	2/4/2002	-	-	-	510	0.2	99	13	710	<0.005	<0.05	-	-	-	-
	6/9/2003	<0.05	-	-	612	<0.1	138	15.6	755	-	<0.05	-	-	-	-
	6/30/2003	<0.05	-	-	519	<0.1	98.5	13.1	757	-	<0.05	-	-	-	-
	7/9/2003	<0.05	-	-	641	<0.1	125	14.9	831	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	472	<0.1	122	18	647	-	<0.05	-	-	-	-
	7/28/2003	<0.02	-	-	537	<0.1	109	13.7	718	-	<0.05	-	-	-	-
	8/21/2003	<0.05	-	-	1230	<0.1	122	14.1	1530	-	<0.05	-	-	-	-
	9/29/2003	<0.05	-	-	570	<0.1	127	14.4	739	-	<0.05	-	-	-	-
	10/27/2003	<0.05	-	-	270	0.1	273	30.3	330	-	<0.05	-	-	-	-
	12/4/2003	<0.05	-	-	685	<0.1	131	15.3	6470	-	<0.05	-	-	-	-
	1/5/2004	<0.05	-	-	570	0.2	113	8.7	650	-	<0.05	-	-	-	-
	3/1/2004	<0.05	-	-	620	0.8	113	12.9	3380	-	<0.05	-	-	-	-
	3/31/2004	<0.01	0.05	<0.01	678	0.6	112	10.6	797	<0.01	<0.05	<0.002	0.07	<0.005	-
	5/4/2004	<0.01	-	-	557	0.1	119	11.7	789	-	<0.05	-	-	-	-
	6/7/2004	<0.01	-	-	698	0.2	169	16	787	-	<0.05	-	-	-	-
	7/7/2004	<0.01	-	-	575	0.94	114	12.7	798	-	0.02	-	-	-	-
	8/10/2004	<0.01	-	-	618	0.1	115	12.4	794	-	<0.05	-	-	-	-
	9/16/2004	<0.01	-	-	646	<0.1	145	12.4	824	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	10/4/2004	<0.01	-	-	605	<0.1	101	10.9	703	-	<0.05	-	-	-	-
	11/8/2004	<0.01	-	-	432	<0.4	92.7	10.5	634	-	<0.01	-	-	-	-
	12/16/2004	<0.01	-	-	549	<0.4	147	<100	826	-	<0.01	-	-	-	-
	1/13/2005	<0.01	-	-	449	<0.4	91.7	12.2	669	-	0.02	-	-	-	-
	2/8/2005	<0.01	-	-	541	<0.4	136	11	758	-	0.06	-	-	-	-
	3/8/2005	<0.01	-	-	469	3.84	84.6	13.6	620	-	0.33	-	-	-	-
	4/6/2005	<0.01	-	-	549	13.4	84.3	57	743	-	0.94	-	-	-	-
	5/11/2005	<0.01	-	-	422	23.9	91	14	598	-	1.73	-	-	-	-
	6/7/2005	<0.01	-	-	458	20.4	96.2	9.9	697	-	4.02	-	-	-	-
	7/6/2005	<0.01	-	-	506	16	107	9.3	841	-	4.18	-	-	-	-
	2/9/2006	<0.02	0.388	<0.005	414	69	-	-	-	<0.02	4.12	<0.0002	<0.02	<0.005	<0.02
	7/18/2006	0.0202	0.228	<0.005	-	60.1	-	-	-	<0.015	3.79	-	<0.02	<0.005	<0.02
	4/3/2007	0.0263	-	-	417	59.7	-	-	-	-	1.26	-	-	-	-
	4/15/2008	<0.02	-	-	405	36.3	127	14.4	513	-	0.508	-	-	-	-
	3/30/2009	0.0363	-	-	-	52.9	-	-	-	-	1.36	-	-	-	-
	3/10/2010	<0.05	-	-	-	4.56	-	-	-	-	1.51	-	-	-	-
MW008M	2/4/2002	-	-	-	560	<0.1	157	21	730	<0.005	<0.05	-	-	-	-
	2/4/2002 Dup	-	-	-	460	<1	105	20	650	<0.005	<0.05	-	-	-	-
	6/9/2003	<0.05	-	-	609	<0.1	161	23.7	692	-	<0.05	-	-	-	-
	6/30/2003	<0.05	-	-	485	<0.1	154	23.3	567	-	<0.05	-	-	-	-
	7/9/2003	<0.05	-	-	672	<0.1	147	22.3	818	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	589	<1	177	26	734	-	<0.05	-	-	-	-
	7/29/2003	<0.05	-	-	640	<0.1	147	21.8	740	-	<0.05	-	-	-	-
	8/21/2003	<0.05	-	-	826	<0.1	153	23.5	955	-	<0.05	-	-	-	-
	9/29/2003	<0.05	-	-	654	<0.1	149	22.3	772	-	<0.05	-	-	-	-
	10/27/2003	<0.05	-	-	656	<0.1	155	24.1	783	-	<0.05	-	-	-	-
	12/4/2003	<0.05	-	-	734	<0.1	164	28	6470	-	<0.05	-	-	-	-
	1/6/2004	<0.05	-	-	740	<0.1	181	17	760	-	<0.05	-	-	-	-
	3/1/2004	<0.05	-	-	667	0.2	164	20.5	774	-	<0.05	-	-	-	-
	4/1/2004	<0.01	-	-	759	1.4	199	16.2	873	-	0.2	<0.002	-	-	-
	5/4/2004	<0.01	-	-	685	0.5	153	19.4	785	-	<0.05	-	-	-	-
	6/7/2004	0.01	-	-	680	0.45	193	26.9	769	-	0.91	-	-	-	-
	7/7/2004	0.04	-	-	693	6.71	233	23.4	862	-	5.05	-	-	-	-
	8/10/2004	0.04	-	-	757	0.4	199	18.7	821	-	3.58	-	-	-	-
	9/16/2004	<0.01	-	-	645	2.4	220	16.3	804	-	<0.05	-	-	-	-
	10/4/2004	<0.01	-	-	660	7.3	212	14.6	698	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	11/9/2004	<0.01	-	-	800	19.7	350	18.6	950	-	<0.01	-	-	-	-
	12/16/2004	<0.01	-	-	756	11.5	336	<100	888	-	<0.01	-	-	-	-
	1/17/2005	<0.01	-	-	841	24.2	389	14.9	953	-	<0.01	-	-	-	-
	2/8/2005	<0.01	-	-	729	26.7	376	15	907	-	<0.01	-	-	-	-
	3/8/2005	0.01	-	-	669	19.6	334	15.6	928	-	3.57	-	-	-	-
	4/6/2005	0.01	-	-	567	11.5	428	14.4	1050	-	1.53	-	-	-	-
	5/11/2005	<0.01	-	-	475	8.69	320	17	774	-	1.56	-	-	-	-
	6/7/2005	<0.01	-	-	456	6.64	308	14.9	747	-	1.57	-	-	-	-
	7/6/2005	<0.01	-	-	502	2.54	205	14.6	674	-	2.14	-	-	-	-
	2/10/2006	0.0244	2.48	<0.005	860	17.4	-	-	-	<0.02	4.99	<0.002	<0.02	<0.005	<0.02
	2/10/2006 Dup	0.0229	2.62	<0.005	823	17.6	-	-	-	<0.02	5.2	<0.002	<0.02	<0.005	<0.02
	7/19/2006	<0.02	3.07	<0.005	-	5.26	-	-	-	<0.015	3.79	-	<0.02	<0.005	<0.02
	4/13/2007	0.0261	-	-	465	55.8	-	-	-	-	0.869	-	-	-	-
	4/16/2008	0.0322	-	-	390	31	533	32.4	802	-	0.457	-	-	-	-
	3/31/2009	0.0458	-	-	-	22.8	-	-	-	-	0.318	-	-	-	-
	3/10/2010	<0.25	-	-	-	3.99	-	-	-	-	<0.25	-	-	-	-
MW009	5/31/2001	<0.05	0.05	<0.05	292	-	71.8	8.1	412	<0.05	-	<0.002	0.06	<0.05	-
	1/29/2002	-	-	-	280	<0.1	83.3	8	442	<0.005	<0.05	-	-	-	-
	2/2/2006	<0.02	0.0524	<0.005	131	0.54	-	-	-	<0.02	0.007	<0.0002	0.0214	<0.005	<0.02
	7/13/2006	<0.02	0.0539	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/15/2008	<0.02	-	-	248	0.591	74.7	10.3	324	-	0.0085	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
MW010	5/24/2001	<0.05	<0.05	<0.05	680	-	288	17	529	<0.05	-	<0.002	<0.05	<0.05	-
	1/29/2002	-	-	-	670	<0.1	210	14	670	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.0573	<0.005	607	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0239	<0.005	<0.02
	6/30/2006	<0.02	0.057	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	6/30/2006 Dup	<0.02	0.0569	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0222	<0.005	<0.02
	4/11/2007	<0.02	-	-	641	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/18/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/7/2008	<0.02	-	-	624	<0.2	255	20.2	703	-	<0.005	-	-	-	-
	8/13/2008	0.024	-	-	-	<0.2	-	-	-	-	0.0071	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.097	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	0.013	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW011	5/31/2001	<0.05	<0.05	<0.05	688	-	124	14.4	637	<0.05	-	<0.002	0.07	<0.05	-
	8/30/2001	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-
	1/31/2002	-	-	-	630	0.5	142	15	730	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	638	<0.1	135	16.2	739	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	592	<0.1	127	16.3	707	-	<0.05	-	-	-	-
	7/8/2003	<0.05	-	-	640	<1	168	19	804	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	572	<0.1	140	16.8	757	-	<0.05	-	-	-	-
	7/29/2003	<0.05	-	-	640	0.1	135	16.4	740	-	<0.05	-	-	-	-
	8/19/2003	<0.05	-	-	649	<0.1	135	17.2	771	-	0.1	-	-	-	-
	9/29/2003	<0.05	-	-	596	<0.1	131	17	729	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	334	<0.1	83.9	11.4	408	-	<0.05	-	-	-	-
	12/8/2003	<0.05	-	-	578	<0.1	131	15.4	702	-	<0.05	-	-	-	-
	1/6/2004	<0.05	-	-	770	<0.1	156	11.7	710	-	<0.05	-	-	-	-
	3/2/2004	<0.05	-	-	540	0.6	120	11.1	661	-	1.75	-	-	-	-
	4/1/2004	0.01	-	-	644	<0.1	152	16	661	-	<0.05	<0.002	-	-	-
	5/18/2004	<0.01	-	-	635	0.5	137	12.3	667	-	<0.05	-	-	-	-
	6/14/2004	<0.01	-	-	540	0.2	124	10.5	638	-	<0.05	-	-	-	-
	7/13/2004	<0.01	-	-	577	0.3	138	13	712	-	<0.05	-	-	-	-
	8/12/2004	<0.01	-	-	571	0.1	123	10.1	618	-	<0.05	-	-	-	-
	9/15/2004	<0.01	-	-	627	<0.1	136	13.5	836	-	<0.05	-	-	-	-
	10/5/2004	<0.01	-	-	990	<0.1	135	13.1	1320	-	<0.05	-	-	-	-
	11/16/2004	<0.01	-	-	618	0.89	128	11.6	761	-	0.05	-	-	-	-
	12/29/2004	<0.01	-	-	490	<0.4	150	12.8	660	-	0.03	-	-	-	-
	1/25/2005	<0.01	-	-	490	<0.4	171	<100	769	-	0.01	-	-	-	-
	2/8/2005	<0.01	-	-	544	<0.4	183	18	761	-	0.01	-	-	-	-
	3/9/2005	<0.01	-	-	652	<0.4	175	17.7	815	-	0.01	-	-	-	-
	4/12/2005	<0.01	-	-	1330	4.13	578	14.1	826	-	<0.01	-	-	-	-
	5/12/2005	<0.01	-	-	639	<0.4	195	16	622	-	0.03	-	-	-	-
	6/8/2005	<0.01	-	-	676	<0.4	167	12.3	655	-	0.03	-	-	-	-
	7/11/2005	<0.01	-	-	818	<0.4	175	14.2	792	-	0.04	-	-	-	-
	2/9/2006	<0.02	0.0666	<0.005	712	0.94	-	-	-	<0.02	0.187	<0.0002	0.0665	<0.005	0.036
	7/19/2006	<0.02	0.0269	<0.005	-	<0.2	-	-	-	<0.015	0.11	-	0.0751	<0.005	<0.02
	3/29/2007	<0.02	-	-	543	<0.2	-	-	-	-	0.0204	-	-	-	-
	4/16/2008	<0.02	-	-	705	<0.2	195	27.7	719	-	0.0333	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0337	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.052	-	-	-	-	0.486	-	-	-	-
MW011M	2/4/2002	-	-	-	670	<0.1	262	17	760	<0.005	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/10/2003	<0.05	-	-	596	<0.1	220	18.9	634	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	670	<0.1	224	17.9	730	-	0.05	-	-	-	-
	7/8/2003	<0.05	-	-	580	<1	258	24	670	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	592	<0.1	229	21.8	709	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	1290	<0.1	219	19.5	1380	-	0.06	-	-	-	-
	8/19/2003	<0.05	-	-	4240	<0.1	227	20.7	5330	-	0.12	-	-	-	-
	9/29/2003	<0.05	-	-	574	<0.1	228	19	648	-	0.06	-	-	-	-
	10/28/2003	<0.05	-	-	326	<0.1	143	14.4	371	-	0.05	-	-	-	-
	12/4/2003	<0.05	-	-	610	<0.1	270	14	687	-	0.06	-	-	-	-
	1/6/2004	<0.05	-	-	760	<0.1	284	10.6	550	-	<5	-	-	-	-
	3/2/2004	<0.05	-	-	618	0.7	187	17.5	856	-	<0.05	-	-	-	-
	4/1/2004	<0.01	-	-	554	0.1	162	19.4	619	-	<0.05	<0.002	-	-	-
	5/18/2004	<0.01	-	-	677	<0.1	212	16.1	777	-	4.82	-	-	-	-
	6/14/2004	<0.01	-	-	436	7.3	137	14	468	-	1.86	-	-	-	-
	7/13/2004	<0.01	-	-	584	3.2	163	19.9	623	-	3.26	-	-	-	-
	8/16/2004	<0.01	-	-	679	1	165	16.2	698	-	3.64	-	-	-	-
	9/15/2004	0.01	-	-	835	16.4	383	12.3	850	-	<0.05	-	-	-	-
	10/5/2004	<0.01	-	-	1660	17.2	731	13.2	1480	-	<0.05	-	-	-	-
	11/16/2004	0.04	-	-	840	14.1	380	11.7	840	-	<0.01	-	-	-	-
	12/29/2004	<0.01	-	-	1330	52.9	570	16.4	1050	-	<0.01	-	-	-	-
	1/25/2005	<0.01	-	-	1060	2.62	477	<100	870	-	<0.01	-	-	-	-
	2/9/2005	<0.01	-	-	1280	2.18	533	16	871	-	0.81	-	-	-	-
	3/9/2005	<0.01	-	-	1440	2.22	604	14.6	923	-	34.4	-	-	-	-
	4/12/2005	<0.01	-	-	2650	<0.4	169	13.4	720	-	0.02	-	-	-	-
	5/12/2005	<0.01	-	-	999	7.98	585	13	821	-	7.85	-	-	-	-
	6/8/2005	<0.05	-	-	679	10.5	559	63.2	766	-	3.33	-	-	-	-
	7/11/2005	<0.05	-	-	660	15.5	640	16	890	-	2.81	-	-	-	-
	2/10/2006	<0.02	0.733	<0.005	419	6.61	-	-	-	<0.02	0.985	<0.004	<0.02	<0.005	<0.02
	7/19/2006	0.0203	0.546	<0.005	-	<0.2	-	-	-	<0.015	0.128	-	<0.02	<0.005	<0.02
	7/19/2006 Dup	0.0225	0.546	<0.005	-	<0.2	-	-	-	<0.015	0.131	-	<0.02	<0.005	<0.02
	3/29/2007	0.0327	-	-	209	<0.275	-	-	-	-	0.0449	-	-	-	-
	4/16/2008	<0.02	-	-	343	5.71	373	39.5	691	-	0.869	-	-	-	-
	3/31/2009	<0.02	-	-	-	6.21	-	-	-	-	0.628	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.547	-	-	-	-	0.786	-	-	-	-
MW012	5/30/2001	<0.05	<0.05	<0.05	541	-	108	45.1	461	<0.05	-	<0.002	0.05	<0.05	-
	5/30/2001 Dup	<0.05	<0.05	<0.05	606	-	106	44.5	457	<0.05	-	<0.002	0.05	<0.05	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/27/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/31/2002	-	-	-	430	0.3	119	40	540	<0.005	<0.05	-	-	-	-
	1/31/2002 Dup	-	-	-	490	0.3	120	39	580	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	447	0.1	90.7	35	485	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	400	0.3	86.6	33	485	-	<0.05	-	-	-	-
	7/7/2003	<0.05	-	-	383	0.1	104	25	467	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	438	0.3	106	26	522	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	430	0.7	89.9	24.5	490	-	<0.05	-	-	-	-
	8/20/2003	<0.05	-	-	320	<0.1	138	12.3	318	-	<0.05	-	-	-	-
	9/30/2003	<0.05	-	-	604	0.3	106	33	706	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	514	0.2	141	31	593	-	<0.05	-	-	-	-
	12/8/2003	<0.05	-	-	310	<0.1	96.4	23.2	362	-	<0.05	-	-	-	-
	1/7/2004	<0.05	-	-	385	0.3	109	21	416	-	<0.05	-	-	-	-
	2/18/2004	<0.05	-	-	560	0.5	119	18.5	640	-	<0.05	-	-	-	-
	4/6/2004	0.01	-	-	437	0.4	107	16.8	490	-	<0.05	-	-	-	-
	5/6/2004	0.01	-	-	451	0.1	113	17.7	533	-	<0.05	-	-	-	-
	6/8/2004	0.02	-	-	526	0.6	122	17	513	-	<0.05	-	-	-	-
	7/13/2004	0.01	-	-	534	1.3	125	20.1	544	-	<0.05	-	-	-	-
	8/12/2004	0.01	-	-	539	0.2	121	17.3	518	-	<0.05	-	-	-	-
	9/9/2004	0.01	-	-	416	0.1	108	16.9	467	-	<0.05	-	-	-	-
	10/6/2004	<0.01	-	-	3850	<0.1	88.1	19.5	4640	-	<0.05	-	-	-	-
	11/10/2004	<0.01	-	-	343	<0.4	86.5	19.2	434	-	<0.01	-	-	-	-
	12/28/2004	<0.01	-	-	401	<0.4	81.4	18.6	504	-	<0.01	-	-	-	-
	1/18/2005	<0.01	-	-	393	<0.4	87.5	17.7	505	-	<0.01	-	-	-	-
	2/9/2005	<0.01	-	-	440	<4	130	25	522	-	<0.1	-	-	-	-
	3/10/2005	<0.01	-	-	428	0.57	105	23	422	-	0.01	-	-	-	-
	4/13/2005	<0.01	-	-	370	<0.4	86.1	17.1	382	-	<0.01	-	-	-	-
	5/17/2005	<0.01	-	-	392	<0.4	82.8	19.3	394	-	<0.01	-	-	-	-
	6/9/2005	<0.01	-	-	398	<0.4	94	19.6	407	-	<0.01	-	-	-	-
	7/11/2005	<0.01	-	-	392	<0.4	90.8	20.2	392	-	<0.01	-	-	-	-
	2/10/2006	<0.02	0.0612	<0.005	393	<0.2	-	-	-	<0.02	0.0798	<0.0002	0.0249	<0.005	<0.02
	7/20/2006	<0.02	0.737	<0.005	-	11.1	-	-	-	<0.015	0.95	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	327	1.54	-	-	-	-	0.0517	-	-	-	-
	4/17/2008	0.0316	-	-	381	18.7	135	14	341	-	4.05	-	-	-	-
	4/1/2009	0.0335	-	-	-	5.95	-	-	-	-	6.9	-	-	-	-
	3/11/2010	0.053	-	-	-	0.376	-	-	-	-	5.76	-	-	-	-
MW012M	2/4/2002	-	-	-	290	<0.1	118	12	250	<0.005	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/10/2003	<0.05	-	-	347	<0.1	142	11	323	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	361	<0.1	147	11.8	358	-	<0.05	-	-	-	-
	7/7/2003	<0.05	-	-	291	<0.1	119	12.2	298	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	325	<0.1	138	13	340	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	340	<0.1	128	12.3	330	-	<0.05	-	-	-	-
	8/20/2003	<0.05	-	-	404	<0.1	91.3	29	482	-	<0.05	-	-	-	-
	9/30/2003	<0.05	-	-	305	<0.1	148	11	301	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	155	<0.1	76.4	8.4	158	-	<0.05	-	-	-	-
	12/9/2003	<0.05	-	-	335	<0.1	136	10.6	321	-	<0.05	-	-	-	-
	1/7/2004	<0.05	-	-	333	<0.1	127	8.5	215	-	<0.05	-	-	-	-
	2/19/2004	<0.05	-	-	400	1.6	135	9.9	400	-	<0.05	-	-	-	-
	4/6/2004	<0.01	-	-	336	0.2	131	9	249	-	<0.05	-	-	-	-
	5/6/2004	<0.01	-	-	299	0.2	130	9.9	319	-	<0.05	-	-	-	-
	6/8/2004	<0.01	-	-	360	0.2	129	9.5	249	-	<0.05	-	-	-	-
	7/14/2004	0.02	-	-	309	0.3	132	10.4	317	-	0.58	-	-	-	-
	8/12/2004	0.07	-	-	331	0.2	133	7	242	-	4.61	-	-	-	-
	9/9/2004	0.11	-	-	281	0.1	166	7.2	282	-	<0.05	-	-	-	-
	10/6/2004	0.08	-	-	275	0.3	158	8.1	335	-	2.37	-	-	-	-
	11/10/2004	0.06	-	-	230	<0.4	164	<10	297	-	2.82	-	-	-	-
	12/28/2004	0.03	-	-	191	<0.4	173	<100	287	-	1.36	-	-	-	-
	1/18/2005	0.04	-	-	169	<0.4	153	<10	245	-	1.01	-	-	-	-
	2/9/2005	<0.01	-	-	202	5.33	167	<10	251	-	0.65	-	-	-	-
	3/10/2005	0.05	-	-	205	<0.4	158	<10	251	-	0.61	-	-	-	-
	4/13/2005	0.03	-	-	188	<0.4	115	7.3	180	-	0.61	-	-	-	-
	5/18/2005	0.02	-	-	159	<0.4	124	7.7	201	-	0.54	-	-	-	-
	6/14/2005	0.02	-	-	174	<0.4	140	8.4	223	-	0.67	-	-	-	-
	7/12/2005	0.01	-	-	169	<0.4	141	7.5	210	-	0.59	-	-	-	-
	2/13/2006	0.0393	2.84	<0.005	1590	271	-	-	-	<0.02	50.2	<0.004	<0.02	<0.005	<0.02
	7/20/2006	0.0497	3.42	0.0315	-	514	-	-	-	0.0176	72.5	-	<0.1	<0.005	<0.02
	4/5/2007	0.1	-	-	2890	1130	-	-	-	-	92.6	-	-	-	-
	4/17/2008	0.139	-	-	2890	899	600	40.6	372	-	44.4	-	-	-	-
	4/1/2009	0.137	-	-	-	91.8	-	-	-	-	2.06	-	-	-	-
	3/11/2010	<0.05	-	-	-	1.23	-	-	-	-	<0.050	-	-	-	-
MW013	5/23/2001	<0.05	<0.05	<0.05	494	-	136	11.4	659	<0.05	-	<0.002	0.11	<0.05	-
	8/27/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/29/2002	-	-	-	480	0.1	131	12	740	<0.005	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/26/2006	<0.02	0.0258	<0.005	467	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0632	<0.005	<0.02
	7/5/2006	<0.02	0.0233	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0626	<0.005	<0.02
	4/18/2007	<0.02	-	-	425	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/20/2007	<0.02	-	-	-	0.399	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	299	<0.2	92.3	11.3	384	-	<0.005	-	-	-	-
	8/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/1/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/10/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.065	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	<0.01	-	-	-	0.165	-	-	-	-	<0.050	-	-	-	-
MW014	5/24/2001	<0.05	0.05	<0.05	281	-	80.5	30	1260	<0.05	-	<0.002	<0.05	<0.05	-
	8/27/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/30/2002	-	-	-	250	0.2	69.6	15	1360	<0.005	<0.05	-	-	-	-
	1/30/2002 Dup	-	-	-	230	<0.1	68.2	15	1280	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0614	<0.005	296	<0.2	-	-	-	<0.02	0.0337	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0508	<0.005	-	<0.2	-	-	-	<0.02	0.037	-	<0.02	<0.005	<0.02
	4/13/2007	<0.02	-	-	237	<0.2	-	-	-	-	0.037	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.289	-	-	-	-	0.0457	-	-	-	-
	4/7/2008	0.0203	-	-	270	<0.2	101	15.5	996	-	0.0488	-	-	-	-
	4/1/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW015	8/10/2009	0.0283	-	-	-	<0.2	-	-	-	-	0.354	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.135	-	-	-	-	0.629	-	-	-	-
	8/9/2010	0.034	-	-	-	<0.1	-	-	-	-	0.385	-	-	-	-
	5/17/2001	<0.05	0.06	<0.05	433	-	124	21.5	1460	<0.05	-	<0.002	<0.05	<0.05	-
	1/22/2002	-	-	-	500	0.2	156	33	1650	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0675	<0.005	569	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0353	<0.005	<0.02
	6/29/2006	<0.02	0.0701	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0272	<0.005	<0.02
	3/22/2007	<0.02	-	-	531	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	<0.02	-	-	523	<0.2	186	17.3	884	-	<0.005	-	-	-	-
MW017A	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.084	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/17/2001	<0.05	<0.05	<0.05	34.9	-	16.9	7.1	101	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	38	<0.05	18.1	7	114	<0.005	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/24/2006	0.0226	0.0412	<0.005	38.4	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	0.0206	0.0342	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/21/2007	0.0226	-	-	48.5	<0.2	-	-	-	-	<0.005	-	-	-	-
MW018	5/17/2001	<0.05	<0.05	<0.05	135	-	50.3	6.1	165	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	152	<0.05	57	7	218	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.0483	<0.005	119	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	1/23/2006 Dup	0.021	0.0517	<0.005	121	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0422	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	133	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	<0.02	-	-	104	<0.2	44.8	6.29	263	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW020	6/7/2001	<0.05	0.06	<0.05	132	-	63.5	7.6	252	<0.05	-	<0.002	<0.05	<0.05	-
	2/6/2002	-	-	-	166	0.2	81.1	9	314	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0573	<0.005	233	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	1/25/2006 Dup	<0.02	0.0582	<0.005	235	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0583	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/4/2007	0.202	-	-	200	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/18/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2008	<0.02	-	-	229	0.862	103	11.7	371	-	0.0104	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.095	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.019	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/18/2001	<0.05	<0.05	<0.05	109	-	39.5	7.4	614	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	96	<0.1	36.3	8	658	<0.005	0.1	-	-	-	-
MW021	1/24/2006	0.0202	0.0484	<0.005	71.7	0.374	-	-	-	<0.02	0.215	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0433	<0.005	-	<0.2	-	-	-	<0.02	0.15	-	<0.02	<0.005	<0.02
	4/9/2007	<0.02	-	-	65.2	<0.2	-	-	-	-	0.173	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.173	-	-	-	-
	4/1/2008	0.0276	-	-	56.4	<0.2	22.1	6.66	500	-	0.231	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.198	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.396	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.172	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.102	-	-	-	-	0.291	-	-	-	-
	8/16/2010	0.026	-	-	-	<0.1	-	-	-	-	0.099	-	-	-	-
MW023	5/29/2001	<0.05	<0.05	<0.05	519	-	134	10.5	869	<0.05	-	<0.002	<0.05	<0.05	-
	5/29/2001 Dup	<0.05	<0.05	<0.05	422	-	136	11	708	<0.05	-	<0.002	<0.05	<0.05	-
	8/30/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	2/7/2002	-	-	-	480	<0.1	173	14	860	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0279	<0.005	408	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0216	<0.005	<0.02
	6/26/2006	<0.02	0.0273	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0227	<0.005	<0.02
	4/18/2007	<0.02	-	-	398	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/21/2007	0.0212	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	<0.02	-	-	394	<0.2	168	14.9	527	-	<0.005	-	-	-	-
	8/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	0.0218	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.067	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW024	1/9/2003	<0.05	0.94	<0.05	282	-	68.4	10.5	183	<0.05	-	<0.0002	<0.05	<0.05	-
	1/24/2006	<0.02	0.0972	<0.005	189	<0.2	-	-	-	<0.02	0.0266	<0.0002	<0.02	<0.005	<0.02
	6/27/2006	<0.02	0.0916	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/11/2007	<0.02	-	-	229	<0.2	-	-	-	-	0.0682	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.0144	-	-	-	-
	4/7/2008	<0.02	-	-	256	<0.2	136	13.1	259	-	0.0267	-	-	-	-
	8/13/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0114	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.007	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.091	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	0.013	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/29/2001	<0.05	<0.05	<0.05	402	-	132	10.4	390	<0.05	-	<0.002	<0.05	<0.05	-
	8/27/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/31/2002	-	-	-	310	<0.1	111	11	380	<0.005	<0.05	-	-	-	-
MW025	1/24/2006	<0.02	0.0508	<0.005	163	<0.2	-	-	-	<0.02	0.009	<0.0002	<0.02	<0.005	<0.02
	7/5/2006	<0.02	0.0606	<0.005	-	<0.2	-	-	-	<0.015	0.0104	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	232	<0.2	-	-	-	-	7	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.011	-	-	-	-
	3/24/2008	<0.02	-	-	226	<0.2	95.5	10	189	-	0.0112	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0105	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW026	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0129	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0125	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.033	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/18/2001	<0.05	<0.05	<0.05	338	-	100	8.8	186	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	270	<0.05	70.4	12	176	<0.005	<0.05	-	-	-	-
	1/19/2006	<0.02	0.0673	<0.005	290	0.664	-	-	-	<0.02	0.0095	<0.0002	0.0237	<0.005	<0.02
	6/23/2006	<0.02	0.0537	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0256	<0.005	<0.02
	4/5/2007	<0.02	-	-	293	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW027	3/25/2008	<0.02	-	-	365	<0.2	126	11.1	206	-	<0.05	-	-	-	-
	8/11/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.006	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/13/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/18/2001	<0.05	0.07	<0.05	139	-	38	6.5	159	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	178	0.11	47.8	7	170	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.0578	<0.005	174	0.528	-	-	-	<0.02	0.0104	<0.0002	<0.02	<0.005	<0.02
	6/23/2006	<0.02	0.0493	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	0.0407
	3/21/2007	<0.02	-	-	203	1.03	-	-	-	-	0.0207	-	-	-	-
	9/14/2007	<0.02	-	-	-	4.24	-	-	-	-	0.0949	-	-	-	-
MW028	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.139	-	-	-	-	<0.050	-	-	-	-
	8/3/2010	<0.01	-	-	-	0.125	-	-	-	-	<0.050	-	-	-	-
	5/22/2001	<0.05	0.07	<0.05	139	-	42.3	7.7	723	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	158	<0.05	45.9	8	791	<0.005	<0.05	-	-	-	-
	1/18/2006	<0.02	0.0571	<0.005	70.4	0.318	-	-	-	<0.02	0.0079	<0.0002	<0.02	<0.005	<0.02
	6/20/2006	<0.02	0.039	<0.005	-	<0.2	-	-	-	<0.02	0.0076	-	<0.02	<0.005	<0.02
	3/21/2007	<0.02	-	-	50.9	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2008	0.0275	-	-	44.9	<0.2	12	5.15	442	-	<0.005	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0071	-	-	-	-
	3/19/2009	0.0211	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW029	8/24/2009	0.0255	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.177	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	0.025	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW029	5/18/2001	<0.05	0.14	<0.05	132	-	36.6	11	106	<0.05	-	<0.002	<0.05	<0.05	-
	2/6/2002	-	-	-	400	0.7	39.5	7	111	<0.005	0.11	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/18/2006	<0.02	0.0856	<0.005	111	1.27	-	-	-	<0.02	0.0183	<0.0002	0.025	<0.005	<0.02
	6/20/2006	0.0243	0.0437	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/28/2007	0.0243	-	-	85	0.222	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	0.0208	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/20/2008	0.021	-	-	85.8	<0.2	36.1	5.46	93.6	-	<0.005	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/24/2009	0.0239	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.037	-	-	-	-	<0.050	-	-	-	-
	8/13/2010	0.021	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW030	4/24/2002	-	-	-	450	1.5	72	<10	140	0.007	0.25	-	-	-	-
	1/20/2006	<0.02	0.115	<0.005	135	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.112	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/28/2007	<0.02	-	-	124	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	0.0259	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	117	0.261	55.2	7.15	125	-	0.0051	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0072	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.058	-	-	-	-	<0.050	-	-	-	-
	8/13/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW031	4/25/2002	-	-	-	136	0.2	41.9	6	179	<0.005	0.14	-	-	-	-
	1/19/2006	<0.02	0.102	<0.005	89.6	0.205	-	-	-	<0.02	0.488	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	0.0212	0.103	<0.005	-	<0.2	-	-	-	<0.02	0.566	-	<0.02	<0.005	<0.02
	3/28/2007	0.0227	-	-	87.9	0.02	-	-	-	-	0.567	-	-	-	-
	9/11/2007	0.0205	-	-	-	0.329	-	-	-	-	0.557	-	-	-	-
	3/20/2008	<0.02	-	-	78.6	0.384	30.1	3.44	116	-	0.533	-	-	-	-
	8/5/2008	0.0243	-	-	-	0.321	-	-	-	-	0.518	-	-	-	-
	3/24/2009	0.0257	-	-	-	0.482	-	-	-	-	0.513	-	-	-	-
	8/4/2009	0.0253	-	-	-	<0.2	-	-	-	-	0.532	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.158	-	-	-	-	0.535	-	-	-	-
	8/5/2010	0.022	-	-	-	<0.1	-	-	-	-	0.4	-	-	-	-
MW032	4/2/2002	-	-	-	203	0.2	58	7	132	<0.005	<0.05	-	-	-	-
	1/19/2006	<0.02	0.0669	<0.005	167	0.354	-	-	-	<0.02	0.0051	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	<0.02	0.0557	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/13/2007	<0.02	-	-	173	0.517	-	-	-	-	0.0183	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	9/7/2007	<0.02	-	-	-	0.217	-	-	-	-	0.0059	-	-	-	-
	4/7/2008	<0.02	-	-	152	<0.2	44.5	7.23	153	-	<0.005	-	-	-	-
	8/14/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0114	-	-	-	-
	3/30/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0059	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.281	-	-	-	-	<0.050	-	-	-	-
	8/5/2010	0.012	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW033	4/3/2002	-	-	-	330	0.5	121	7	348	<0.005	0.52	-	-	-	-
	4/3/2002 Dup	-	-	-	300	0.7	116	7	339	<0.005	0.52	-	-	-	-
	1/27/2006	<0.02	0.291	<0.005	237	1.31	-	-	-	<0.02	0.525	<0.0002	<0.02	<0.005	<0.02
	1/27/2006 Dup	<0.02	0.28	<0.005	231	1.23	-	-	-	<0.02	0.482	<0.0002	<0.02	<0.005	<0.02
	6/26/2006	<0.02	0.271	<0.005	-	1.03	-	-	-	<0.02	0.5	-	<0.02	<0.005	<0.02
	4/23/2007	<0.02	-	-	203	0.661	-	-	-	-	0.478	-	-	-	-
	9/21/2007	<0.02	-	-	-	0.515	-	-	-	-	0.725	-	-	-	-
	3/19/2008	<0.02	-	-	272	0.689	141	5.15	263	-	1.44	-	-	-	-
	8/13/2008	<0.02	-	-	-	0.314	-	-	-	-	1.73	-	-	-	-
	4/1/2009	<0.02	-	-	-	0.389	-	-	-	-	1.15	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	1.04	-	-	-	-
	3/17/2010	<0.05	-	-	-	0.193	-	-	-	-	1.44	-	-	-	-
	8/18/2010	<0.01	-	-	-	<0.1	-	-	-	-	0.886	-	-	-	-
MW034	4/3/2002	-	-	-	320	0.2	104	10	422	<0.005	0.06	-	-	-	-
	1/25/2006	<0.02	0.03	<0.005	162	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0271	<0.005	<0.02
	7/7/2006	<0.02	0.031	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0265	<0.005	<0.02
	4/9/2007	<0.02	-	-	139	0.205	-	-	-	-	<0.005	-	-	-	-
	4/1/2008	<0.02	-	-	127	<0.2	55.8	7.6	312	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.056	-	-	-	-	<0.050	-	-	-	-
MW035	8/30/2001	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-
	1/29/2002	-	-	-	220	<0.1	33	4	161	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.138	<0.005	110	0.298	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.11	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	122	<0.2	-	-	-	-	0.0052	-	-	-	-
	4/2/2008	<0.02	-	-	119	<0.2	24.6	3.97	97.5	-	0.016	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0482	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.04	-	-	-	-	<0.050	-	-	-	-
MW036	8/29/2001	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/7/2002	-	-	-	152	1.4	54.3	9	180	<0.005	0.21	-	-	-	-
	1/26/2006	<0.02	0.397	<0.005	238	3.55	-	-	-	<0.02	0.643	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.438	<0.005	-	3.54	-	-	-	<0.015	0.607	-	<0.02	<0.005	<0.02
	4/19/2007	0.0242	-	-	186	4.35	-	-	-	-	0.624	-	-	-	-
	4/16/2008	0.0405	-	-	99.8	6.17	44.6	5.58	211	-	0.327	-	-	-	-
	4/7/2009	0.0292	-	-	-	5.07	-	-	-	-	0.879	-	-	-	-
	3/16/2010	0.054	-	-	-	0.748	-	-	-	-	0.204	-	-	-	-
MW037	8/29/2001	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	2/7/2002	-	-	-	90	4	45.2	49	627	<0.005	0.75	-	-	-	-
	2/7/2002 Dup	-	-	-	91	4.2	45.5	48	620	<0.005	0.74	-	-	-	-
	1/27/2006	0.0504	0.505	<0.005	84.6	8.41	-	-	-	<0.02	0.882	<0.0002	<0.02	<0.005	<0.02
	7/13/2006	0.055	0.307	<0.005	-	5.66	-	-	-	<0.015	1.05	-	<0.02	<0.005	<0.02
	4/19/2007	0.058	-	-	118	8.49	-	-	-	-	0.984	-	-	-	-
	4/16/2008	0.0794	-	-	130	10.1	101	16.9	851	-	1.27	-	-	-	-
	4/7/2009	0.0732	-	-	-	13.6	-	-	-	-	1.17	-	-	-	-
MW038	3/16/2010	<0.05	-	-	-	0.14	-	-	-	-	0.121	-	-	-	-
	8/29/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	2/7/2002	-	-	-	115	1	49.9	4	253	<0.005	0.33	-	-	-	-
	1/26/2006	<0.02	0.117	<0.005	308	2.39	-	-	-	<0.02	0.274	<0.0002	<0.02	<0.005	<0.02
	7/13/2006	<0.02	0.102	<0.005	-	0.841	-	-	-	<0.015	0.211	-	0.0252	<0.005	<0.02
	4/19/2007	<0.02	-	-	250	2.63	-	-	-	-	0.209	-	-	-	-
	4/16/2008	<0.02	-	-	192	0.598	84.8	12.3	253	-	0.177	-	-	-	-
	4/7/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.163	-	-	-	-
MW043	3/12/2010	<0.05	-	-	-	0.214	-	-	-	-	0.148	-	-	-	-
	4/25/2002	-	-	-	60	0.5	12.8	16	578	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.0905	<0.005	362	<0.2	-	-	-	<0.02	2.15	<0.0002	0.0573	<0.005	<0.02
	6/30/2006	0.04	0.0718	<0.005	-	<0.2	-	-	-	<0.02	0.0452	-	<0.02	<0.005	<0.02
	4/9/2007	0.0468	-	-	35.2	<0.2	-	-	-	-	0.0894	-	-	-	-
	3/26/2008	0.0345	-	-	65.2	<0.2	23.6	16.3	353	-	0.188	-	-	-	-
	3/24/2009	0.022	-	-	-	<0.2	-	-	-	-	0.311	-	-	-	-
MW044	3/3/2010	<0.05	-	-	-	0.264	-	-	-	-	0.358	-	-	-	-
	4/3/2002	-	-	-	410	0.2	155	14	540	<0.005	0.22	-	-	-	-
	2/2/2006	<0.02	0.0568	<0.005	233	<0.2	-	-	-	<0.02	0.283	<0.0002	<0.02	<0.005	<0.02
	7/21/2006	<0.02	0.0766	<0.005	-	<0.2	-	-	-	<0.015	0.251	-	<0.02	<0.005	<0.02
	4/6/2007	<0.02	-	-	145	0.217	-	-	-	-	0.288	-	-	-	-
	4/9/2008	<0.02	-	-	172	<0.2	85.9	11.4	422	-	0.548	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.393	-	-	-	-
	3/25/2010	<0.05	-	-	-	0.117	-	-	-	-	<0.05	-	-	-	-
MW045	4/4/2002	-	-	-	304	0.2	52.2	9	246	<0.005	0.3	-	-	-	-
	1/27/2006	<0.02	0.0988	<0.005	213	<0.2	-	-	-	<0.02	0.332	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.1	<0.005	-	<0.2	-	-	-	<0.015	0.305	-	<0.02	<0.005	<0.02
	7/12/2006 Dup	<0.02	0.104	<0.005	-	<0.2	-	-	-	<0.015	0.312	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	222	<0.2	-	-	-	-	0.333	-	-	-	-
	4/17/2007	<0.02	-	-	190	<0.2	-	-	-	-	0.227	-	-	-	-
	4/2/2008	<0.02	-	-	178	0.248	42.4	10.8	272	-	0.312	-	-	-	-
	3/24/2009	<0.02	-	-	-	1.83	-	-	-	-	0.354	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.207	-	-	-	-	0.316	-	-	-	-
MW046	4/4/2002	-	-	-	190	0.1	42.6	6	360	<0.005	0.52	-	-	-	-
	1/26/2006	0.043	0.38	<0.005	116	2.34	-	-	-	<0.02	1.22	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	0.0386	0.387	<0.005	-	2.51	-	-	-	<0.015	1.32	-	<0.02	<0.005	<0.02
	4/19/2007	0.0427	-	-	151	3.1	-	-	-	-	1.71	-	-	-	-
	4/17/2008	0.0388	-	-	164	3.31	59.5	4.33	364	-	1.6	-	-	-	-
	4/7/2009	0.0325	-	-	-	2.76	-	-	-	-	1.81	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.136	-	-	-	-	1.35	-	-	-	-
MW047	4/4/2002	-	-	-	233	<0.1	44.9	8	381	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0424	<0.005	171	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/7/2006	<0.02	0.0327	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/16/2007	<0.02	-	-	101	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	132	<0.2	29.3	5.68	215	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.039	-	-	-	-	<0.050	-	-	-	-
MW058	1/28/2003	<0.05	0.11	<0.05	291	-	128	9.7	223	<0.05	-	<0.0002	<0.05	<0.05	-
	1/24/2006	<0.02	0.0361	<0.005	313	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0455	<0.005	<0.02
	7/6/2006	<0.02	0.0381	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0455	<0.005	<0.02
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	467	0.338	221	18	457	-	<0.005	-	-	-	-
	8/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/2/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
	8/6/2010	<0.01	-	-	-	<0.10	-	-	-	-	<0.05	-	-	-	-
MW059	1/29/2003	<0.05	0.07	<0.05	260	-	101	8.4	160	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	<0.02	0.0413	<0.005	230	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0372	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/26/2006	<0.02	0.0422	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0353	<0.005	<0.02
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	289	<0.2	139	10.5	172	-	<0.005	-	-	-	-
	8/14/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0091	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	0.0232	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.117	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW060	1/8/2003	<0.05	0.25	<0.05	301	-	83.9	8.6	292	<0.05	-	<0.0002	0.06	<0.05	-
	1/24/2006	<0.02	0.0468	<0.005	503	0.24	-	-	-	<0.02	0.0543	<0.0002	0.0332	<0.005	<0.02
	1/24/2006 Dup	<0.02	0.044	<0.005	500	<0.2	-	-	-	<0.02	0.0538	<0.0002	0.0362	<0.005	<0.02
	7/6/2006	<0.02	0.0592	<0.005	-	<0.2	-	-	-	<0.015	0.354	-	0.0225	<0.005	<0.02
	3/28/2007	<0.02	-	-	554	0.286	-	-	-	-	0.423	-	-	-	-
	9/14/2007	<0.02	-	-	-	0.399	-	-	-	-	0.635	-	-	-	-
	3/25/2008	<0.02	-	-	484	0.357	220	13.6	272	-	0.734	-	-	-	-
	8/11/2008	<0.02	-	-	-	0.361	-	-	-	-	0.914	-	-	-	-
	3/18/2009	<0.02	-	-	-	0.451	-	-	-	-	0.956	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	1.11	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.249	-	-	-	-	1.42	-	-	-	-
	8/13/2010	0.011	-	-	-	<0.1	-	-	-	-	1.42	-	-	-	-
MW061	1/8/2003	<0.05	1.52	<0.05	590	-	124	14.4	480	<0.05	-	<0.0002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0409	<0.005	352	<0.2	-	-	-	<0.02	0.296	<0.0002	0.0616	<0.005	<0.02
	7/5/2006	<0.02	0.0274	<0.005	-	<0.2	-	-	-	<0.015	0.3	-	0.049	<0.005	<0.02
	4/18/2007	<0.02	-	-	343	<0.2	-	-	-	-	0.29	-	-	-	-
	9/21/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.267	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.186	-	-	-	-
	4/1/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.158	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0615	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.036	-	-	-	-	0.121	-	-	-	-
	8/11/2010	<0.01	-	-	-	<0.1	-	-	-	-	0.058	-	-	-	-
MW068	3/5/2003	<0.05	0.67	<0.05	361	-	52.3	20.5	163	<0.05	-	<0.0002	<0.05	<0.05	-
	1/19/2006	<0.02	0.0647	<0.005	259	<0.2	-	-	-	<0.02	0.819	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	<0.02	0.0566	<0.005	-	<0.2	-	-	-	<0.02	0.244	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	120	<0.2	-	-	-	-	0.0894	-	-	-	<0.02
	9/7/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.367	-	-	-	<0.02
	3/25/2008	<0.02	-	-	279	<0.2	80.9	35.8	1170	-	1.02	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/11/2008	<0.02	-	-	-	<0.2	-	-	-	-	1.95	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.396	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.588	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.054	-	-	-	-	0.531	-	-	-	-
	8/11/2010	0.022	-	-	-	<0.1	-	-	-	-	0.607	-	-	-	-
MW069	3/5/2003	<0.05	0.54	<0.05	528	-	140	14.6	384	<0.05	-	<0.0002	<0.05	<0.05	-
	1/19/2006	<0.02	0.167	<0.005	677	0.847	-	-	-	<0.02	0.118	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	<0.02	0.134	<0.005	-	<0.2	-	-	-	<0.02	0.114	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	303	0.62	-	-	-	-	1.55	-	-	-	<0.02
	9/7/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.208	-	-	-	<0.02
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.288	-	-	-	-
MW070	3/6/2003	<0.05	0.43	<0.05	182	-	37.8	7.8	92.8	<0.05	-	<0.0002	<0.05	<0.05	-
	1/27/2006	<0.02	0.0659	<0.005	68.8	<0.2	-	-	-	<0.02	0.0059	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.0606	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	79.9	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	106	<0.2	51.3	6.71	111	-	<0.005	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0058	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
	8/13/2010	0.011	-	-	-	<0.10	-	-	-	-	<0.050	-	-	-	-
	9/18/2004	<0.01	-	-	1460	259	293	27.3	286	-	<0.05	-	-	-	-
	10/7/2004	<0.1	-	-	3010	584	554	79	542	-	73.4	-	-	-	-
	11/10/2004	<0.1	-	-	3430	666	557	152	581	-	64.7	-	-	-	-
MW088M	12/28/2004	<0.1	-	-	3720	695	590	<1000	580	-	62.4	-	-	-	-
	1/19/2005	<0.01	-	-	4050	942	461	278	450	-	<0.01	-	-	-	-
	2/10/2005	<0.1	-	-	1850	856	263	189	258	-	62.3	-	-	-	-
	3/10/2005	<0.1	-	-	3710	681	490	407	497	-	47.5	-	-	-	-
	4/13/2005	<0.1	-	-	2940	742	397	418	378	-	49.5	-	-	-	-
	5/17/2005	<0.1	-	-	2830	626	392	424	433	-	38.2	-	-	-	-
	5/31/2005	<0.01	-	-	719	44.2	129	58	504	-	5.07	-	-	-	-
	7/12/2005	<0.05	-	-	405	<2	41.6	68	43.9	-	43.2	-	-	-	-
	2/6/2006	0.144	1.04	<0.025	3480	1330	-	-	-	<0.1	36	<0.004	<0.1	<0.025	<0.1
	7/20/2006	<0.02	0.0905	<0.005	-	0.405	-	-	-	<0.015	2.12	-	<0.02	<0.005	<0.02
	4/5/2007	<0.02	-	-	362	2.44	-	-	-	-	0.0385	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	4/21/2008	0.154	-	-	3270	1420	406	624	338	-	58.7	-	-	-	-
	4/1/2009	0.117	-	-	-	1030	-	-	-	-	52.7	-	-	-	-
	3/11/2010	<0.5	-	-	-	261	-	-	-	-	50	-	-	-	-
IW001	8/1/2002	<0.01	0.17	<0.01	590	-	216	30	710	<0.005	-	<0.0002	<0.05	<0.01	-
	6/10/2003	<0.05	-	-	690	<0.1	233	18.4	823	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	981	8.5	116	2250	171	-	1.84	-	-	-	-
	7/9/2003	<0.05	-	-	3040	44	299	5080	477	-	2.93	-	-	-	-
	7/15/2003	<0.05	-	-	2260	30.8	242	4250	288	-	2.11	-	-	-	-
	7/30/2003	<0.5	-	-	2430	43	198	3350	254	-	1.9	-	-	-	-
	10/1/2003	<0.05	-	-	4630	244	409	4190	328	-	6.43	-	-	-	-
	10/29/2003	<0.5	-	-	4180	279	277	4630	366	-	6.09	-	-	-	-
	12/9/2003	<0.05	-	-	4240	244	247	3330	280	-	6.42	-	-	-	-
	1/8/2004	<0.5	-	-	5870	91	624	5010	416	-	4.5	-	-	-	-
	3/4/2004	<0.05	-	-	2640	229	184	1890	710	-	4.42	-	-	-	-
	4/1/2004	<0.01	0.91	<0.01	2180	89.8	200	2340	201	<0.01	2.03	<0.002	0.18	<0.005	-
	5/17/2004	<0.05	-	-	2070	160	202	2350	176	-	5	-	-	-	-
	6/10/2004	<0.01	-	-	3340	123	653	6590	321	-	3.17	-	-	-	-
	7/14/2004	<0.01	-	-	2080	75.2	450	4620	214	-	1.63	-	-	-	-
	8/11/2004	<0.01	-	-	364	30.2	66.2	713	34	-	0.98	-	-	-	-
	9/15/2004	<0.05	-	-	1420	115	224	2830	203	-	2.9	-	-	-	-
	10/6/2004	<0.1	-	-	585	97	91.6	1200	88	-	1.8	-	-	-	-
	11/15/2004	<0.01	-	-	159	116	25.8	388	55.2	-	0.51	-	-	-	-
	12/28/2004	<0.1	-	-	1250	172	232	2110	163	-	3.7	-	-	-	-
	1/26/2005	<0.1	-	-	679	77.8	93	805	80	-	0.4	-	-	-	-
	2/9/2005	<0.1	-	-	82	50.4	12	85	<10	-	0.2	-	-	-	-
	3/10/2005	<0.1	-	-	1130	74.1	105	717	75	-	0.8	-	-	-	-
	4/12/2005	<0.1	-	-	1230	98	108	670	69	-	1.4	-	-	-	-
	5/12/2005	<0.1	-	-	1550	106	146	960	143	-	1.8	-	-	-	-
	6/9/2005	<0.05	-	-	1760	93.8	134	680	134	-	0.98	-	-	-	-
	7/7/2005	<0.05	-	-	1160	82.5	105	677	116	-	0.94	-	-	-	-
	2/6/2006	0.0274	0.993	<0.005	1520	145	-	-	-	<0.02	3.49	<0.002	<0.02	<0.005	0.381
	7/20/2006	0.0287	1.33	0.0122	-	208	-	-	-	<0.015	4.55	-	<0.02	<0.005	0.341
	4/16/2007	<0.02	-	-	514	71.9	-	-	-	-	1.32	-	-	-	-
	4/17/2008	<0.5	-	-	2250	197	174	393	301	-	5.12	-	-	-	-
	3/31/2009	0.0519	-	-	-	49.8	-	-	-	-	2.45	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
IW002	3/11/2010	<0.5	-	-	-	7.58	-	-	-	-	1.1	-	-	-	-
	9/19/2002	<0.05	<0.05	<0.05	410	-	146	11.2	366	<0.05	-	<0.002	<0.05	<0.05	-
	6/11/2003	<0.05	-	-	504	<0.1	157	15.3	477	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	882	12	103	1730	186	-	8.2	-	-	-	-
	7/8/2003	<0.05	-	-	1630	22.7	158	2890	221	-	1.97	-	-	-	-
	7/15/2003	<0.05	-	-	2600	40.1	271	4760	317	-	2.54	-	-	-	-
	7/30/2003	<0.5	-	-	2040	42	198	3520	259	-	1.4	-	-	-	-
	8/21/2003	<0.05	-	-	2270	176	184	2990	275	-	5.59	-	-	-	-
	9/30/2003	<0.05	-	-	207	158	18.8	250	15.8	-	5.23	-	-	-	-
	10/29/2003	<0.05	-	-	5750	208	275	4190	224	-	5.93	-	-	-	-
	12/10/2003	<0.05	-	-	40900	247	204	26800	178	-	4.19	-	-	-	-
	1/8/2004	<0.5	-	-	4930	118	329	4810	318	-	3.2	-	-	-	-
	2/23/2004	<0.05	-	-	1420	140	96.4	1760	259	-	2.69	-	-	-	-
	4/6/2004	<0.1	-	-	1900	266	205	2220	175	-	4	-	-	-	-
	5/13/2004	<0.1	-	-	3630	322	344	3510	242	-	5.7	-	-	-	-
	6/10/2004	<0.01	-	-	1520	133	246	2580	143	-	2.99	-	-	-	-
	7/8/2004	<0.01	-	-	1590	128	326	3270	165	-	3.91	-	-	-	-
	8/16/2004	<0.1	-	-	1410	177	219	2990	109	-	7	-	-	-	-
	9/9/2004	<0.01	-	-	68.6	6	9.51	129	9.6	-	0.2	-	-	-	-
	10/7/2004	<0.1	-	-	1460	118	227	3530	223	-	1.7	-	-	-	-
	11/11/2004	<0.1	-	-	966	101	176	2630	383	-	2.16	-	-	-	-
	12/29/2004	<0.1	-	-	1490	172	270	2490	190	-	5.2	-	-	-	-
	1/19/2005	<0.01	-	-	547	82	76.4	694	70.5	-	0.32	-	-	-	-
	1/27/2005	<0.1	-	-	4340	64.9	303	1660	218	-	5.4	-	-	-	-
	2/10/2005	<0.1	-	-	428	86.6	49	363	40	-	0.4	-	-	-	-
	3/15/2005	<0.1	-	-	39.6	93.8	4.3	28.2	3.4	-	1.4	-	-	-	-
	4/14/2005	<0.1	-	-	979	96.8	90	514	61	-	1	-	-	-	-
	5/17/2005	<0.1	-	-	1710	153	152	732	69	-	1.9	-	-	-	-
	6/15/2005	<0.1	-	-	1510	<0.4	103	839	100	-	1.17	-	-	-	-
	7/12/2005	<0.05	-	-	942	90.9	91	604	104	-	0.53	-	-	-	-
	2/6/2006	0.0264	0.755	<0.005	1080	265	-	-	-	<0.02	4.62	<0.001	<0.02	<0.005	0.589
	7/20/2006	0.0314	0.888	0.0198	-	365	-	-	-	<0.015	4.58	-	<0.02	<0.005	0.372
	4/11/2007	0.1	-	-	1680	79.8	-	-	-	-	1.47	-	-	-	-
	4/21/2008	<0.10	-	-	1290	37.8	85.5	250	162	-	1.04	-	-	-	-
	4/6/2009	<0.10	-	-	-	27.9	-	-	-	-	0.993	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/12/2010	<0.50	-	-	-	3.62	-	-	-	-	<0.5	-	-	-	-
	7/1/2003	<0.05	-	-	582	<0.1	145	17	730	-	<0.05	-	-	-	-
	7/9/2003	<0.05	-	-	604	<1	168	20	745	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	655	0.2	189	25.3	816	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	670	<0.1	147	18.2	770	-	<0.05	-	-	-	-
	8/20/2003	<0.05	-	-	613	<0.1	142	16.8	772	-	0.08	-	-	-	-
	9/30/2003	<0.05	-	-	580	<0.1	147	18.7	741	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	291	<0.1	85.1	10.2	377	-	<0.05	-	-	-	-
	12/8/2003	<0.05	-	-	635	<0.1	141	17.1	736	-	<0.05	-	-	-	-
	1/7/2004	<0.05	-	-	728	<0.1	162	12.5	686	-	<0.05	-	-	-	-
	3/4/2004	<0.05	-	-	632	0.1	152	11.9	763	-	0.08	-	-	-	-
	4/1/2004	<0.01	-	-	700	<0.1	129	11.8	712	-	0.1	<0.002	-	-	-
	5/18/2004	<0.01	-	-	638	<0.1	153	11.7	710	-	0.07	-	-	-	-
	6/14/2004	<0.01	-	-	536	0.2	145	10.7	736	-	0.05	-	-	-	-
	7/13/2004	<0.01	-	-	575	0.2	159	12.3	737	-	0.06	-	-	-	-
	8/16/2004	<0.01	-	-	594	<0.1	151	11	673	-	0.07	-	-	-	-
	9/16/2004	<0.01	-	-	599	<0.1	150	11.8	814	-	0.16	-	-	-	-
	10/7/2004	<0.01	-	-	1010	1.4	152	12.8	1150	-	0.81	-	-	-	-
	11/17/2004	<0.01	-	-	740	1.27	157	12.4	730	-	0.69	-	-	-	-
	12/29/2004	<0.01	-	-	790	1.51	180	14.7	820	-	0.7	-	-	-	-
	1/25/2005	<0.01	-	-	597	3.69	168	<100	556	-	0.88	-	-	-	-
	2/9/2005	<0.01	-	-	702	1.96	170	12	602	-	0.82	-	-	-	-
	3/9/2005	<0.01	-	-	664	3.13	135	11.6	675	-	0.96	-	-	-	-
	4/12/2005	<0.01	-	-	598	3.71	129	11.7	640	-	1.02	-	-	-	-
	5/12/2005	<0.01	-	-	597	5.47	132	12	727	-	1.27	-	-	-	-
	6/8/2005	<0.01	-	-	609	7.16	134	10.5	739	-	1.26	-	-	-	-
	7/7/2005	<0.01	-	-	595	7.66	141	11.1	744	-	1.44	-	-	-	-
	2/10/2006	<0.02	0.151	<0.005	952	23.7	-	-	-	<0.02	6.42	<0.0002	<0.02	<0.005	<0.02
	7/20/2006	<0.02	0.0733	<0.005	-	21.8	-	-	-	<0.015	1.79	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	554	40.7	-	-	-	-	1.51	-	-	-	-
	4/17/2008	<0.02	-	-	547	24.6	133	16.7	539	-	1.23	-	-	-	-
	3/31/2009	<0.02	-	-	-	14.8	-	-	-	-	1.64	-	-	-	-
	3/11/2010	<0.05	-	-	-	8.85	-	-	-	-	2.96	-	-	-	-
RW003	2/4/2002	-	-	-	550	0.1	144	14	499	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	483	<0.1	112	12.8	523	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	454	<0.1	118	12.5	506	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	7/8/2003	<0.05	-	-	387	<0.1	125	13	443	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	421	<1	138	15	460	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	360	<0.1	92.7	10.7	410	-	<0.05	-	-	-	-
	8/21/2003	<0.05	-	-	464	<0.1	114	12.3	494	-	<0.05	-	-	-	-
	9/30/2003	<0.05	-	-	480	<0.1	108	11.8	482	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	541	<0.1	102	12.2	495	-	<0.05	-	-	-	-
	12/9/2003	<0.05	-	-	489	<0.1	109	12.3	457	-	<0.05	-	-	-	-
	1/7/2004	<0.05	-	-	660	<0.1	130	11	689	-	<0.05	-	-	-	-
	2/19/2004	<0.05	-	-	440	0.4	90.2	8.4	440	-	<0.05	-	-	-	-
	4/6/2004	<0.01	-	-	473	<0.1	92.9	9.2	420	-	<0.05	-	-	-	-
	5/6/2004	<0.01	-	-	512	<0.1	105	10.9	513	-	<0.05	-	-	-	-
	6/8/2004	<0.01	-	-	533	<0.1	98.1	10.1	443	-	<0.05	-	-	-	-
	7/14/2004	<0.01	-	-	477	0.6	98.9	10.5	358	-	<0.05	-	-	-	-
	8/16/2004	<0.01	-	-	621	0.2	111	11.4	466	-	<0.05	-	-	-	-
	9/9/2004	<0.01	-	-	468	<0.1	90.7	10.6	423	-	0.06	-	-	-	-
	10/7/2004	<0.01	-	-	400	<0.1	89.7	9.5	350	-	<0.05	-	-	-	-
	11/10/2004	<0.01	-	-	422	<0.4	104	13	437	-	0.67	-	-	-	-
	12/28/2004	<0.01	-	-	376	0.8	110	<100	362	-	0.74	-	-	-	-
	1/18/2005	<0.01	-	-	590	4.2	167	10.5	531	-	1.9	-	-	-	-
	2/10/2005	<0.01	-	-	535	11.7	180	15	478	-	<0.01	-	-	-	-
	3/10/2005	<0.01	-	-	513	24.7	171	<10	395	-	6.82	-	-	-	-
	4/13/2005	<0.01	-	-	414	11.3	117	8.8	314	-	3.94	-	-	-	-
	5/18/2005	<0.01	-	-	430	12	122	7.7	311	-	4.01	-	-	-	-
	6/14/2005	<0.01	-	-	438	14.2	128	8	339	-	4.28	-	-	-	-
	7/12/2005	<0.01	-	-	408	12.6	120	7.1	308	-	3.71	-	-	-	-
	2/10/2006	0.0367	1.48	<0.005	476	94.9	-	-	-	<0.02	11.7	<0.0002	<0.02	<0.005	<0.02
	7/20/2006	0.0656	1.47	<0.005	-	73.8	-	-	-	<0.015	1.15	-	<0.02	<0.005	<0.02
	4/2/2007	0.128	-	-	418	44.9	-	-	-	-	0.889	-	-	-	-
	4/21/2008	0.12	-	-	426	40.4	85.7	35.7	419	-	0.833	-	-	-	-
	4/1/2009	0.101	-	-	-	53.3	-	-	-	-	0.05	-	-	-	-
	3/11/2010	<0.5	-	-	-	3.71	-	-	-	-	4.55	-	-	-	-
MW002A	12/9/2002	<0.05	0.07	<0.05	121	-	65.3	7.7	193	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2006	<0.02	0.04	<0.005	131	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/6/2006	0.0202	0.0408	<0.005	-	<0.2	-	-	-	<0.015	0.0051	-	<0.02	<0.005	<0.02
	4/12/2007	<0.02	-	-	179	<0.2	-	-	-	-	0.0115	-	-	-	-
	4/2/2008	0.0222	-	-	340	<0.2	195	16.6	414	-	0.0363	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0228	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
MW004A	5/23/2001	<0.05	<0.05	<0.05	127	-	79.2	7.3	175	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	143	<0.1	90.9	9	190	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0282	<0.005	143	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0249	<0.005	<0.02
	7/7/2006	<0.02	0.0251	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/16/2007	<0.02	-	-	173	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	0.0203	-	-	215	<0.2	131	10.7	222	-	<0.005	-	-	-	-
	3/31/2009	0.0257	-	-	-	986	-	-	-	-	13	-	-	-	-
	3/8/2010	<0.05	-	-	-	0.137	-	-	-	-	<0.05	-	-	-	-
MW007A	5/23/2001	<0.05	<0.05	<0.05	75.1	-	47.5	11.4	145	<0.05	-	<0.002	<0.05	<0.05	-
	5/23/2001 Dup	<0.05	<0.05	<0.05	76	-	47.7	11.1	144	<0.05	-	<0.002	<0.05	<0.05	-
	1/29/2002	-	-	-	143	<0.1	69.3	10	218	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0338	<0.005	301	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0322	<0.005	<0.02
	7/7/2006	<0.02	0.0254	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0275	<0.005	<0.02
	4/16/2007	<0.02	-	-	283	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	339	<0.2	151	14	369	-	0.0112	-	-	-	-
MW008A	5/29/2001	<0.05	<0.05	<0.05	555	-	140	15.5	613	<0.05	-	<0.002	0.05	<0.05	-
	8/29/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	2/4/2002	-	-	-	610	<0.1	164	20	730	<0.005	<0.05	-	-	-	-
	6/9/2003	<0.05	-	-	656	<0.1	161	24.1	772	-	<0.05	-	-	-	-
	6/30/2003	<0.05	-	-	613	<0.1	192	27	716	-	<0.05	-	-	-	-
	7/9/2003	<0.05	-	-	538	<1	177	22	658	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	533	<0.1	174	20.2	632	-	<0.05	-	-	-	-
	7/29/2003	<0.05	-	-	570	<0.1	155	19.9	670	-	<0.05	-	-	-	-
	8/21/2003	<0.05	-	-	556	<0.1	157	21.5	644	-	<0.05	-	-	-	-
	9/29/2003	<0.05	-	-	479	<0.1	148	19.4	579	-	<0.05	-	-	-	-
	10/27/2003	<0.05	-	-	449	<0.1	147	19.1	594	-	<0.05	-	-	-	-
	12/4/2003	<0.05	-	-	622	<0.1	218	22	757	-	<0.05	-	-	-	-
	1/5/2004	<0.05	-	-	680	<0.1	173	11.6	590	-	<0.05	-	-	-	-
	3/1/2004	<0.05	-	-	530	<0.1	198	14.9	740	-	<0.05	-	-	-	-
	3/31/2004	<0.01	0.02	<0.01	610	0.2	1880	125	660	<0.01	<0.05	<0.002	0.09	<0.005	-
	5/4/2004	<0.01	-	-	552	0.3	188	14.9	658	-	<0.05	-	-	-	-
	6/7/2004	<0.01	-	-	717	3.4	188	15.5	689	-	0.11	-	-	-	-
	7/7/2004	<0.01	-	-	603	1.01	185	16.3	694	-	0.08	-	-	-	-
	8/10/2004	<0.01	-	-	644	0.1	199	14.7	692	-	<0.05	-	-	-	-
	9/16/2004	<0.01	-	-	617	0.1	183	14.6	736	-	0.06	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	10/4/2004	<0.01	-	-	716	0.1	166	12.6	690	-	0.07	-	-	-	-
	11/8/2004	<0.01	-	-	2720	<0.4	187	16	1420	-	0.09	-	-	-	-
	12/16/2004	<0.01	-	-	589	<0.4	167	15.8	630	-	0.13	-	-	-	-
	1/6/2005	<0.01	-	-	617	0.61	175	17.2	640	-	0.22	-	-	-	-
	2/7/2005	<0.01	-	-	634	<0.4	229	23	742	-	0.59	-	-	-	-
	3/8/2005	<0.01	-	-	595	0.92	194	16.8	686	-	1.13	-	-	-	-
	4/6/2005	<0.01	-	-	550	3.66	186	18.5	664	-	1.91	-	-	-	-
	5/10/2005	<0.01	-	-	495	2.13	174	14.2	635	-	2.21	-	-	-	-
	6/7/2005	<0.01	-	-	496	1.52	198	14.4	664	-	2.24	-	-	-	-
	7/6/2005	<0.02	-	-	123	22.3	83.3	4.2	200	-	1.75	-	-	-	-
	2/9/2006	0.0329	13.6	<0.005	575	29.5	-	-	-	<0.02	2.36	<0.002	<0.02	<0.005	<0.02
	7/18/2006	0.0236	11.2	<0.005	-	11.5	-	-	-	<0.015	1.09	-	<0.02	<0.005	<0.02
	4/3/2007	0.0753	-	-	615	70.6	-	-	-	-	1.49	-	-	-	-
	4/15/2008	0.0981	-	-	733	113	385	31.6	582	-	1.54	-	-	-	-
	3/26/2009	0.106	-	-	-	155	-	-	-	-	1.84	-	-	-	-
	3/10/2010	<0.25	-	-	-	0.755	-	-	-	-	1.25	-	-	-	-
MW009A	5/24/2001	<0.05	<0.05	<0.05	343	-	179	11	441	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	380	<0.1	171	13	479	<0.005	<0.05	-	-	-	-
	2/2/2006	<0.02	0.0192	<0.005	269	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0361	<0.005	<0.02
	7/13/2006	<0.02	0.0185	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0451	<0.005	<0.02
	4/4/2007	<0.02	-	-	252	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	249	<0.2	128	16	373	-	<0.005	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
MW011A	5/22/2001	<0.05	<0.05	<0.05	60.3	-	34.3	6.5	122	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	95	<0.1	48.5	7	157	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	206	<0.1	70.9	9.4	193	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	145	<0.1	66.6	17.8	204	-	<0.05	-	-	-	-
	7/8/2003	<0.05	-	-	175	<1	80.3	21	241	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	168	0.2	67.6	19.8	211	-	<0.05	-	-	-	-
	7/29/2003	<0.05	-	-	141	<0.1	64.3	17.7	197	-	0.09	-	-	-	-
	8/19/2003	<0.05	-	-	144	0.2	66.7	21.6	211	-	0.23	-	-	-	-
	9/29/2003	<0.05	-	-	185	0.2	66.8	16.4	205	-	0.28	-	-	-	-
	10/28/2003	<0.05	-	-	89.4	0.2	40.7	9.3	125	-	0.21	-	-	-	-
	12/8/2003	<0.05	-	-	165	<0.1	75.1	14.1	230	-	0.15	-	-	-	-
	1/6/2004	<0.05	-	-	220	<0.1	93	12.6	270	-	0.12	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/4/2004	<0.05	-	-	446	11.5	86	11.1	615	-	0.22	-	-	-	-
	4/1/2004	0.01	-	-	681	<0.1	173	14.8	701	-	0.16	<0.002	-	-	-
	5/18/2004	<0.01	-	-	584	<0.1	153	13.2	632	-	0.09	-	-	-	-
	6/14/2004	<0.01	-	-	1750	0.7	111	13.5	1560	-	0.08	-	-	-	-
	7/12/2004	0.01	-	-	499	<0.1	132	13.9	584	-	<0.05	-	-	-	-
	8/12/2004	<0.01	-	-	702	<0.1	121	14.3	744	-	<0.05	-	-	-	-
	9/15/2004	<0.01	-	-	398	<0.1	115	11.8	504	-	<0.05	-	-	-	-
	10/7/2004	<0.01	-	-	640	<0.1	99.4	11	730	-	<0.05	-	-	-	-
	11/16/2004	<0.01	-	-	427	<0.2	56.5	6.21	504	-	0.03	-	-	-	-
	12/29/2004	<0.01	-	-	430	<0.4	80.9	<10	400	-	0.02	-	-	-	-
	1/25/2005	<0.01	-	-	469	<0.4	171	<100	639	-	0.02	-	-	-	-
	2/8/2005	<0.01	-	-	564	<0.4	192	20	693	-	0.03	-	-	-	-
	3/9/2005	<0.01	-	-	610	<0.4	216	20	790	-	0.03	-	-	-	-
	4/11/2005	<0.01	-	-	588	<0.4	165	16.2	730	-	0.03	-	-	-	-
	5/11/2005	<0.01	-	-	570	<0.4	195	20	728	-	0.03	-	-	-	-
	6/8/2005	<0.01	-	-	628	<0.4	176	16.6	827	-	0.03	-	-	-	-
	7/11/2005	<0.01	-	-	620	<0.4	209	28	814	-	0.03	-	-	-	-
	2/10/2006	<0.02	0.0273	<0.005	589	<0.2	-	-	-	<0.02	0.0263	<0.0002	0.0818	<0.005	0.168
	7/19/2006	<0.02	0.0297	<0.005	-	<0.2	-	-	-	<0.015	0.0299	-	0.0761	<0.005	0.155
	3/29/2007	<0.02	-	-	551	<0.2	-	-	-	-	0.0407	-	-	-	-
	4/16/2008	<0.02	-	-	513	<0.2	247	36.7	821	-	0.0441	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0151	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.382	-	-	-	-	<0.05	-	-	-	-
MW012A	5/22/2001	<0.05	0.06	<0.05	31.1	-	15.8	10.6	97.4	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	34	<0.1	19.4	12	115	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	118	<0.1	32.6	13.7	110	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	127	<0.1	36.2	14.1	124	-	<0.05	-	-	-	-
	7/7/2003	<0.05	-	-	107	<0.1	30.1	29	124	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	91.4	<0.1	27.4	22.3	116	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	84.8	0.2	25.4	18.3	106	-	0.18	-	-	-	-
	8/20/2003	<0.05	-	-	81.6	0.3	24.2	24.4	108	-	0.22	-	-	-	-
	9/30/2003	<0.05	-	-	82.5	0.3	23.5	24.6	106	-	0.21	-	-	-	-
	10/28/2003	<0.05	-	-	48.5	0.3	13.6	14.7	60.2	-	0.25	-	-	-	-
	12/9/2003	<0.05	-	-	78.4	0.2	23.8	18.2	105	-	0.27	-	-	-	-
	1/7/2004	<0.05	-	-	68.3	0.3	21.7	13.4	84.7	-	0.29	-	-	-	-
	2/19/2004	<0.05	-	-	35.7	0.2	16.5	5.5	94.9	-	<0.05	-	-	-	-
	4/6/2004	0.01	-	-	38.2	0.3	16.8	5.6	91.5	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	5/6/2004	0.01	-	-	39.9	1	17.8	6.2	100	-	<0.05	-	-	-	-
	6/8/2004	0.02	-	-	42.8	2.2	17.2	6	87.9	-	0.05	-	-	-	-
	7/14/2004	0.02	-	-	34.7	0.1	16	9.1	111	-	<0.05	-	-	-	-
	8/12/2004	0.03	-	-	37.6	1	16.2	6.9	99.7	-	<0.05	-	-	-	-
	9/9/2004	0.02	-	-	39	2.4	17.5	8.1	103	-	<0.05	-	-	-	-
	10/6/2004	0.02	-	-	38.4	0.2	17.1	7.5	109	-	<0.05	-	-	-	-
	11/10/2004	0.02	-	-	36.4	<0.4	16.8	<10	108	-	<0.01	-	-	-	-
	12/28/2004	<0.01	-	-	41	<0.4	19	<100	122	-	<0.01	-	-	-	-
	1/18/2005	0.02	-	-	39.7	<0.4	17.8	<10	112	-	<0.01	-	-	-	-
	2/10/2005	0.02	-	-	38.7	<0.4	17.2	8.5	109	-	0.01	-	-	-	-
	3/10/2005	0.02	-	-	45	<0.4	19	<10	122	-	<0.01	-	-	-	-
	4/13/2005	0.02	-	-	38.2	1.61	15.7	7.5	91	-	0.03	-	-	-	-
	5/17/2005	0.01	-	-	34.5	<0.4	15.1	7.5	96.3	-	<0.01	-	-	-	-
	6/14/2005	0.01	-	-	38.2	<0.4	17.2	8.2	111	-	<0.01	-	-	-	-
	7/12/2005	0.01	-	-	37.9	<0.4	16.4	7.8	104	-	<0.01	-	-	-	-
	2/10/2006	<0.02	0.14	<0.005	49.2	<0.2	-	-	-	<0.02	0.039	<0.0002	<0.02	<0.005	<0.02
	7/20/2006	<0.02	0.174	<0.005	-	<0.2	-	-	-	<0.015	0.0638	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	65	<0.2	-	-	-	-	0.081	-	-	-	-
	4/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0174	-	-	-	-
	4/1/2009	0.02	-	-	-	0.2	-	-	-	-	0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.253	-	-	-	-	<0.05	-	-	-	-
MW013A	5/22/2001	<0.05	<0.05	<0.05	42.7	-	19.7	4.3	98.2	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	70	<0.1	34.6	6	133	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0359	<0.005	53.4	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/5/2006	<0.02	0.0325	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/16/2007	0.0204	-	-	53.5	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/21/2007	0.0259	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/7/2008	0.0223	-	-	45.2	<0.2	23.5	5	107	-	<0.005	-	-	-	-
	8/21/2008	0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/30/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/4/2009	0.0243	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.186	-	-	-	-	<0.050	-	-	-	-
	8/4/2010	0.017	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW014A	5/23/2001	<0.05	<0.05	<0.05	28.9	-	15.5	5.4	108	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	36	0.06	18.3	6	117	<0.005	<0.05	-	-	-	-
	1/23/2006	0.0261	0.0371	<0.005	33.7	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0343	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/21/2007	0.0236	-	-	31.3	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/13/2007	0.0207	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	0.0256	-	-	31.9	<0.2	19.8	6.03	121	-	<0.005	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0065	-	-	-	-
	8/20/2009	0.0214	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.056	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.02	-	-	-	0.106	-	-	-	-	<0.050	-	-	-	-
MW015A	5/17/2001	<0.05	0.05	<0.05	52.8	-	29.4	9.1	143	<0.05	-	<0.002	<0.05	<0.05	-
	1/22/2002	-	-	-	510	<1	176	30	1660	<0.005	<0.5	-	-	-	-
	1/23/2006	<0.02	0.126	<0.005	235	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.133	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	249	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	<0.02	-	-	347	<0.2	234	20.7	550	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.171	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW016A	5/17/2001	<0.05	<0.05	<0.05	78.6	-	40.6	6.2	127	<0.05	-	<0.002	<0.05	<0.05	-
	1/22/2002	-	-	-	130	<1	49.2	10	150	<0.005	<0.5	-	-	-	-
	1/20/2006	<0.02	0.0246	<0.005	90.1	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0248	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	95	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/13/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2008	<0.02	-	-	90.9	<0.2	50.8	7.5	156	-	<0.005	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.074	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	0.02	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW018A	5/17/2001	<0.05	<0.05	<0.05	116	-	61.7	7.7	161	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	121	<0.05	65.7	13	182	<0.005	<0.05	-	-	-	-
	1/20/2006	<0.02	0.0273	<0.005	100	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0267	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	0.0241
	4/2/2007	<0.02	-	-	105	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/13/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/24/2008	<0.02	-	-	105	<0.2	63	8.77	171	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	105	<0.2	63	8.77	171	-	<0.005	-	-	-	-
	8/21/2009	0.0209	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.071	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.015	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW019A	5/17/2001	<0.05	<0.05	<0.05	141	-	67.2	7.3	191	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	125	<0.05	66.9	8	206	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.0302	<0.005	126	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0291	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/4/2007	<0.02	-	-	118	0.212	-	-	-	-	0.0083	-	-	-	-
	9/14/2007	<0.02	-	-	-	0.486	-	-	-	-	0.0186	-	-	-	-
	3/26/2008	<0.02	-	-	127	<0.2	69.7	8.88	189	-	<0.005	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	<0.05	-	-	-	-	<0.010	-	-	-	-
	8/16/2010	0.022	-	-	-	<0.10	-	-	-	-	<0.050	-	-	-	-
MW020A	6/7/2001	<0.05	<0.05	<0.05	133	-	65.1	7	150	<0.05	-	<0.002	<0.05	<0.05	-
	2/6/2002	-	-	-	154	0.2	83.1	8	179	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.0247	<0.005	181	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0242	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0203	<0.005	<0.02
	4/4/2007	<0.02	-	-	236	0.421	-	-	-	-	0.0068	-	-	-	-
	9/18/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2008	<0.02	-	-	233	0.347	126	12.6	248	-	0.0058	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.085	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.014	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW021A	5/23/2001	<0.05	0.06	<0.05	634	-	262	24.2	2890	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	600	<0.1	242	26	2700	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.0368	<0.005	626	<0.2	-	-	-	<0.02	0.0103	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0381	<0.005	-	<0.2	-	-	-	<0.02	0.0077	-	<0.02	<0.005	<0.02
	4/9/2007	<0.02	-	-	465	<0.2	-	-	-	-	0.0112	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.0139	-	-	-	-
	4/1/2008	<0.02	-	-	595	<0.2	295	48.3	3620	-	0.0158	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0152	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0114	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.197	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.034	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW022A	5/23/2001	<0.05	<0.05	<0.05	244	-	99.2	10.6	292	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	174	4.1	91.4	10	238	<0.005	0.17	-	-	-	-
	1/24/2006	<0.02	0.0535	<0.005	65.2	<0.2	-	-	-	<0.02	0.0058	<0.0002	<0.02	<0.005	<0.02
	7/6/2006	<0.02	0.0649	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	3/30/2007	<0.02	-	-	69.9	0.28	-	-	-	-	0.0112	-	-	-	-
	9/14/2007	<0.02	-	-	-	0.508	-	-	-	-	0.0219	-	-	-	-
	4/2/2008	<0.02	-	-	70.1	0.607	12.2	3.42	52.4	-	0.0216	-	-	-	-
	8/13/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0143	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0059	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.071	-	-	-	-	<0.05	-	-	-	-
MW023A	8/18/2010	0.013	-	-	-	<0.1	-	-	-	-	<0.05	-	-	-	-
	1/9/2003	<0.05	0.06	<0.05	37.6	-	18.5	4.3	98.7	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	0.0246	0.0387	<0.005	35.8	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	1/20/2006 Dup	0.0251	0.0376	<0.005	36.5	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/26/2006	<0.02	0.0372	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	34.1	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	0.0287	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	33.8	<0.2	18.5	4.94	102	-	<0.005	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0073	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW024A	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.028	-	-	-	<0.10	-	-	-	-	<0.050	-	-	-	-
	5/23/2001	<0.05	0.08	<0.05	110	-	64.3	7.2	132	<0.05	-	<0.002	<0.05	<0.05	-
	2/6/2002	-	-	-	118	0.4	65.6	7	136	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0377	<0.005	72.1	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/27/2006	<0.02	0.0407	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	6/27/2006 Dup	0.0202	0.0422	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/11/2007	0.0206	-	-	66.1	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/7/2008	<0.02	-	-	72.8	<0.2	41.2	6.84	120	-	<0.005	-	-	-	-
	8/13/2008	0.0251	-	-	-	<0.2	-	-	-	-	0.0139	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW039A	3/5/2010	<0.05	-	-	-	0.324	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	0.011	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	8/30/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/31/2002	-	-	-	76	<0.1	40.4	6	133	<0.005	<0.05	-	-	-	-
	1/25/2006	0.0219	0.0333	<0.005	134	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0243	<0.005	<0.02
	7/6/2006	0.0229	0.0338	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0292	<0.005	<0.02
	7/6/2006 Dup	0.0251	0.0341	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0244	<0.005	<0.02
	4/12/2007	<0.02	-	-	117	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	159	<0.2	87.2	9.17	201	-	<0.005	-	-	-	-
	4/2/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW040A	3/8/2010	<0.05	-	-	-	0.042	-	-	-	-	<0.050	-	-	-	-
	4/2/2002	-	-	-	44	0.2	20.8	5	111	<0.005	<0.05	-	-	-	-
	1/20/2006	0.0234	0.0332	<0.005	35	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	0.0203	0.0348	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	34.8	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	0.0223	-	-	33	<0.2	21.6	5.52	106	-	<0.005	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	0.0304	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW041A	3/10/2010	<0.05	-	-	-	0.898	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	0.015	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	4/29/2002	-	-	-	213	0.2	104	11	303	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0181	<0.005	268	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0425	<0.005	<0.02
	1/26/2006 Dup	<0.02	0.0193	<0.005	272	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.042	<0.005	<0.02
	7/7/2006	<0.02	0.0191	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.032	<0.005	<0.02
	4/17/2007	<0.02	-	-	185	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	201	<0.2	106	11.8	287	-	<0.005	-	-	-	-
	4/1/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.388	-	-	-	-	0.075	-	-	-	-
MW042A	8/30/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/29/2002	-	-	-	500	0.2	226	46	3350	<0.005	<0.05	-	-	-	-
	1/19/2006	<0.02	0.0526	<0.005	18.3	0.89	-	-	-	<0.02	0.0091	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.0328	<0.005	-	<0.2	-	-	-	<0.02	0.0056	-	0.0477	<0.005	0.0206
	6/22/2006 Dup	<0.02	0.0331	<0.005	-	<0.2	-	-	-	<0.02	0.0057	-	0.0489	<0.005	<0.02
	4/17/2007	<0.02	-	-	345	<0.2	-	-	-	-	0.0135	-	-	-	-
	4/2/2008	<0.02	-	-	317	<0.2	165	46.3	1840	-	0.0094	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0073	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
MW046A	12/9/2002	<0.05	0.18	<0.05	187	-	66.6	9.8	198	<0.05	-	<0.002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0204	<0.005	282	<0.2	-	-	-	<0.02	0.0539	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.0179	<0.005	-	<0.2	-	-	-	<0.015	0.0339	-	0.0318	<0.005	<0.02
	4/17/2007	<0.02	-	-	314	<0.2	-	-	-	-	0.0257	-	-	-	-
	4/2/2008	<0.02	-	-	225	<0.2	128	13.5	333	-	0.0159	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0167	-	-	-	-
	3/8/2010	<0.05	-	-	-	0.067	-	-	-	-	<0.05	-	-	-	-
MW048SA	8/1/2002	<0.01	0.11	<0.01	194	-	93	9	222	<0.005	-	<0.0002	<0.05	<0.01	-
	1/25/2006	<0.02	0.041	<0.005	162	1.16	-	-	-	<0.02	0.0173	<0.0002	0.0256	<0.005	<0.02
	7/11/2006	<0.02	0.0255	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0226	<0.005	<0.02
	4/10/2007	<0.02	-	-	183	<0.295	-	-	-	-	0.0072	-	-	-	-
	9/20/2007	0.0207	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/1/2008	<0.02	-	-	181	0.264	101	13.3	194	-	<0.005	-	-	-	-
	8/20/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	0.053	-	-	-	0.115	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.011	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW049SA	7/30/2002	<0.01	0.12	<0.01	600	-	298	24	1100	<0.005	-	<0.0002	<0.01	<0.01	-
	1/25/2006	<0.02	0.0335	<0.005	468	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/11/2006	<0.02	0.0314	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/10/2007	<0.02	-	-	419	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	368	0.303	197	23.7	1130	-	0.0071	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.229	-	-	-	-	<0.050	-	-	-	-
MW050SA	7/30/2002	<0.01	0.12	<0.01	300	-	119	14	1100	<0.005	-	<0.0002	<1	<0.01	-
	1/25/2006	<0.02	0.0497	<0.005	239	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.023	<0.005	<0.02
	7/10/2006	<0.02	0.0466	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.03	<0.005	<0.02
	4/9/2007	<0.02	-	-	286	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/1/2008	<0.02	-	-	286	<0.2	134	15	870	-	0.0072	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0057	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.144	-	-	-	-	<0.050	-	-	-	-
MW051SA	10/10/2002	<0.05	0.13	<0.05	418	-	124	34	1400	<0.05	-	<0.002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0308	<0.005	361	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0482	<0.005	<0.02
	7/11/2006	<0.02	0.0288	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0509	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW052SA	4/17/2007	<0.02	-	-	450	0.272	-	-	-	-	0.007	-	-	-	-
	4/9/2008	<0.02	-	-	345	<0.2	164	17.5	754	-	<0.005	-	-	-	-
	4/2/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.115	-	-	-	-	<0.050	-	-	-	-
	10/10/2002	<0.05	0.16	<0.05	498	-	176	26.2	542	<0.05	-	<0.002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0339	<0.005	495	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0262	<0.005	<0.02
	7/11/2006	<0.02	0.0301	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.029	<0.005	<0.02
	7/11/2006 Dup	<0.02	0.0303	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0326	<0.005	<0.02
	4/10/2007	<0.02	-	-	457	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	471	<0.2	234	18	652	-	<0.005	-	-	-	-
MW053SA	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.096	-	-	-	-	<0.050	-	-	-	-
	9/18/2002	<0.05	0.07	<0.05	116	-	54.2	7.2	213	<0.05	-	<0.002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0307	<0.005	105	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/11/2006	<0.02	0.0294	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/5/2007	<0.02	-	-	84.2	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/20/2007	0.0201	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2008	<0.02	-	-	79.9	<0.2	38.1	6.41	173	-	<0.005	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0073	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW054SA	8/10/2010	0.019	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	1/27/2003	<0.05	<0.05	<0.05	303	-	155	13	420	<0.05	-	<0.0002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0481	<0.005	254	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0306	<0.005	<0.02
	7/11/2006	<0.02	0.048	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/10/2007	<0.02	-	-	248	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/20/2007	0.0217	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	270	<0.2	150	12.5	337	-	<0.005	-	-	-	-
	8/20/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/10/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW055SA	3/5/2010	<0.05	-	-	-	0.091	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.013	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	1/6/2003	<0.05	0.18	<0.05	191	-	96.1	10.2	222	<0.05	-	<0.0002	<0.05	<0.05	-
	3/10/2004	<0.05	-	-	134	0.2	83.1	7.7	202	-	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0206	<0.005	175	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0225	<0.005	<0.02
	6/28/2006	<0.02	0.0282	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	6/28/2006 Dup	<0.02	0.0276	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	4/10/2007	<0.02	-	-	179	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/20/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	<0.02	-	-	181	<0.2	110	10.4	250	-	<0.005	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.147	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.01	-	-	-	0.121	-	-	-	-	<0.050	-	-	-	-
MW056SA	1/7/2003	<0.05	0.3	<0.05	331	-	120	15.4	745	<0.05	-	<0.0002	<0.05	<0.05	-
	1/26/2006	<0.02	0.028	<0.005	274	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0379	<0.005	<0.02
	7/12/2006	<0.02	0.0343	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0338	<0.005	0.0238
	4/11/2007	<0.02	-	-	245	0.414	-	-	-	-	<0.005	-	-	-	-
	9/21/2007	0.0216	-	-	-	0.209	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	<0.02	-	-	257	<0.2	131	17.4	865	-	<0.005	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	0.0254	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.091	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.023	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW057SA	1/28/2003	<0.05	<0.05	<0.05	243	-	105	9.4	313	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	<0.02	0.0657	<0.005	117	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	<0.02	0.0582	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	139	0.255	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/27/2008	<0.02	-	-	248	<0.2	98.6	7.78	304	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.082	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.017	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW062A	1/24/2006	0.0277	0.0412	<0.005	39.3	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/27/2006	0.0224	0.0414	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/20/2007	0.0276	-	-	46.1	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	0.0305	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	0.0252	-	-	38.9	<0.2	22.8	5.12	88.6	-	<0.005	-	-	-	-
	8/18/2008	0.0265	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/2/2009	0.0268	-	-	-	<0.2	-	-	-	-	0.0065	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/3/2009	0.0235	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.103	-	-	-	-	<0.050	-	-	-	-
	8/5/2010	0.035	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW062SA	1/14/2003	<0.05	<0.05	<0.05	39.5	-	24.1	5.1	89.2	<0.05	-	0.0004	<0.05	<0.05	-
MW063A	1/13/2003	<0.05	<0.05	<0.05	31.9	-	19.9	4.3	87.9	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	0.0239	0.0406	<0.005	36.7	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/27/2006	0.0235	0.0425	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/20/2007	0.0243	-	-	43.5	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	0.0246	-	-	36.7	<0.2	20.6	4.87	92.7	-	<0.005	-	-	-	-
	8/18/2008	0.0259	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/2/2009	0.0272	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/4/2009	0.0264	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.145	-	-	-	-	<0.05	-	-	-	-
	8/5/2010	0.023	-	-	-	<0.1	-	-	-	-	<0.05	-	-	-	-
MW064SA	2/26/2003	<0.05	0.07	<0.05	308	-	142	11	576	<0.05	-	<0.0002	<0.05	<0.05	-
	3/10/2004	<0.05	-	-	274	<0.1	118	9.2	656	-	<0.05	-	-	-	-
	6/7/2004	<0.01	-	-	314	1.3	143	13	596	-	<0.05	-	-	-	-
	7/22/2004	<0.01	-	-	439	3.5	170	11	652	-	0.12	-	-	-	-
	8/24/2004	<0.01	-	-	383	3.08	138	9.14	592	-	0.1	-	-	-	-
	10/20/2004	<0.01	-	-	333	<0.1	170	9.9	588	-	<0.05	-	-	-	-
	12/9/2004	<0.01	-	-	321	<4	168	<100	585	-	<0.1	-	-	-	-
	1/12/2005	<0.01	-	-	268	<0.4	120	<10	558	-	1.75	-	-	-	-
	2/2/2005	<0.01	-	-	305	2.11	154	11.4	641	-	0.08	-	-	-	-
	3/1/2005	<0.01	-	-	312	0.9	167	9.6	586	-	0.03	-	-	-	-
	3/24/2005	<0.01	-	-	365	1.68	172	12	639	-	0.04	-	-	-	-
	4/27/2005	<0.01	-	-	361	1.84	123	10.4	701	-	0.07	-	-	-	-
	5/24/2005	<0.01	-	-	418	1.18	127	10.4	847	-	0.04	-	-	-	-
	7/14/2005	<0.1	-	-	144	1.75	73.4	6.5	301	-	0.5	-	-	-	-
	2/2/2006	<0.02	0.0758	<0.005	304	2.82	-	-	-	<0.02	0.0721	<0.0002	0.0248	<0.005	<0.02
	7/14/2006	<0.02	0.0415	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0261	<0.005	<0.02
	3/21/2007	<0.02	-	-	276	0.252	-	-	-	-	0.007	-	-	-	-
	9/6/2007	<0.02	-	-	-	220	-	-	-	-	-	-	-	-	-
	3/25/2008	<0.02	-	-	302	0.307	154	17.5	754	-	0.0129	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0053	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.061	-	-	-	-	<0.050	-	-	-	-
	8/3/2010	0.02	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW065SA	2/27/2003	<0.05	0.07	<0.05	398	-	177	11	348	<0.05	-	<0.0002	<0.05	<0.05	-
	6/2/2005	<0.01	-	-	389	<0.4	158	10.5	422	-	<0.01	-	-	-	-
	1/20/2006	<0.02	0.0579	<0.005	342	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0238	<0.005	<0.02
	6/28/2006	<0.02	0.0565	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0249	<0.005	<0.02
	4/10/2007	<0.02	-	-	327	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	340	<0.2	192	13.3	395	-	<0.005	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0071	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.12	-	-	-	-	<0.05	-	-	-	-
	8/5/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.05	-	-	-	-
MW066SA	3/3/2003	<0.05	0.17	<0.05	570	-	219	14.4	420	<0.05	-	<0.0002	<0.05	<0.05	-
	5/25/2005	<0.01	-	-	568	<0.4	196	11	526	-	<0.01	-	-	-	-
	1/25/2006	<0.02	0.0506	<0.005	482	0.203	-	-	-	<0.02	<0.005	<0.0002	0.0293	<0.005	<0.02
	1/25/2006 Dup	<0.02	0.0489	<0.005	485	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0325	<0.005	<0.02
	7/11/2006	<0.02	0.0526	<0.005	-	<0.2	-	-	-	<0.015	0.0061	-	<0.02	<0.005	<0.02
	9/20/2007	<0.02	-	-	-	0.277	-	-	-	-	0.221	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.259	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.345	-	-	-	-
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.381	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.12	-	-	-	-	0.445	-	-	-	-
	8/4/2010	0.015	-	-	-	<0.1	-	-	-	-	0.555	-	-	-	-
MW067SA	3/4/2003	<0.05	0.13	<0.05	171	-	57.5	9.7	318	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	0.0211	0.0317	<0.005	93.7	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/10/2006	<0.02	0.0283	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/5/2007	0.0209	-	-	93.5	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/13/2007	0.0209	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/27/2008	0.0201	-	-	96.3	0.226	48.1	6.54	227	-	<0.005	-	-	-	-
	8/11/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	0.0202	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.12	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.021	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW070A	3/6/2003	<0.05	0.06	<0.05	41.1	-	19.7	5	95.2	<0.05	-	<0.0002	<0.05	<0.05	-
	1/27/2006	<0.02	0.0347	<0.005	34.9	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.0334	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	32.3	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	34.1	<0.2	19	4.59	108	-	<0.005	-	-	-	-
	8/5/2008	0.0236	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0081	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2010	<0.05	-	-	-	0.219	-	-	-	-	<0.050	-	-	-	-
MW071SA	5/1/2003	<0.05	0.06	<0.05	170	-	95.5	6.7	205	<0.05	-	<0.0002	<0.05	<0.05	-
	6/9/2004	<0.01	-	-	<0.625	<0.25	<0.625	5.53	102	-	<0.01	-	-	-	-
	6/2/2005	<0.01	-	-	230	<0.4	126	5.5	382	-	1.3	-	-	-	-
	1/25/2006	0.0242	0.308	<0.005	179	<0.2	-	-	-	<0.02	4.06	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.0931	<0.005	-	<0.2	-	-	-	<0.015	4.93	-	<0.02	<0.005	<0.02
	4/3/2007	<0.02	-	-	277	0.238	-	-	-	-	4.73	-	-	-	-
	9/19/2007	0.022	-	-	-	0.274	-	-	-	-	4.86	-	-	-	-
	3/27/2008	<0.02	-	-	370	<0.2	190	8.73	309	-	4.81	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	2.44	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.638	-	-	-	-
	8/10/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.668	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.135	-	-	-	-	<0.05	-	-	-	-
	8/5/2010	0.01	-	-	-	<0.1	-	-	-	-	0.285	-	-	-	-
MW072SA	5/1/2003	<0.05	<0.05	<0.05	132	-	66.8	7.3	268	<0.05	-	<0.0002	<0.05	<0.05	-
	5/25/2005	0.01	-	-	114	<0.4	58.8	6.7	319	-	<0.01	-	-	-	-
	1/23/2006	0.0216	0.0258	<0.005	121	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	<0.02	0.0285	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/3/2007	0.0205	-	-	125	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/27/2008	<0.02	-	-	125	<0.2	60.7	8.2	274	-	<0.005	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0051	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.12	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.03	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW073SA	4/30/2003	<0.05	<0.05	<0.05	111	-	53	7.6	184	<0.05	-	<0.0002	<0.05	<0.05	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/20/2006	<0.02	0.0444	<0.005	160	0.219	-	-	-	<0.02	0.0066	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	<0.02	0.0403	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/3/2007	<0.02	-	-	150	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/27/2008	<0.02	-	-	144	<0.2	64.7	8.07	189	-	0.0077	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.008	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.138	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.016	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	2/4/2004	<0.05	0.06	<0.01	250	0.9	116	7.7	422	<0.01	<0.05	<0.0002	0.01	<0.05	-
MW074SA	1/18/2006	<0.02	0.0479	<0.005	242	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0388	<0.005	<0.02
	6/20/2006	<0.02	0.0449	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0347	<0.005	<0.02
	4/3/2007	<0.02	-	-	222	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/20/2008	<0.02	-	-	209	<0.2	141	12	433	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0067	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.077	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.023	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW075SA	2/5/2004	<0.05	0.08	<0.01	397	1.6	141	7.2	406	<0.01	<0.05	<0.0002	0.04	<0.05	-
	1/19/2006	<0.02	0.0273	<0.005	252	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0456	<0.005	<0.02
	6/21/2006	<0.02	0.0282	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0443	<0.005	<0.02
	4/3/2007	<0.02	-	-	235	0.224	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/20/2008	<0.02	-	-	220	<0.2	136	13.2	455	-	<0.0005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.101	-	-	-	-	<0.050	-	-	-	-
MW076SA	8/16/2010	0.024	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	2/4/2004	<0.05	0.25	<0.01	354	8.5	77	8.7	207	<0.01	0.14	<0.0002	<0.01	<0.05	-
	1/19/2006	<0.02	0.0198	<0.005	171	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0315	<0.005	<0.02
	1/19/2006 Dup	<0.02	0.0202	<0.005	175	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0311	<0.005	<0.02
	6/21/2006	<0.02	0.0205	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0269	<0.005	<0.02
	4/3/2007	<0.02	-	-	178	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/7/2007	0.015	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/20/2008	<0.02	-	-	176	<0.2	111	11.2	449	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0057	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.111	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.025	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW077SA	2/3/2004	<0.05	0.16	<0.01	307	4.6	87.4	7.3	243	<0.01	0.12	<0.0002	<0.01	<0.05	-
	1/19/2006	<0.02	0.0336	<0.005	388	<0.2	-	-	-	<0.02	0.0095	<0.0002	0.0332	<0.005	<0.02
	6/21/2006	<0.02	0.0345	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0352	<0.005	0.0239
	6/21/2006 Dup	<0.02	0.0323	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0295	<0.005	<0.02
	4/11/2007	<0.02	-	-	402	<0.2	-	-	-	-	0.0136	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.0136	-	-	-	-
	4/8/2008	<0.02	-	-	407	<0.2	219	18.9	856	-	0.0156	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0054	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0051	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	0.44	-	-	-	0.098	-	-	-	-	<0.050	-	-	-	-
	8/5/2010	0.015	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW078SA	3/24/2004	<0.01	0.03	<0.01	170	0.3	1.28	23.7	118	<0.01	<0.05	<0.002	0.01	<0.005	-
	4/6/2004	<0.01	0.05	<0.01	96.9	0.2	43.3	5.8	110	<0.01	<0.05	-	<0.01	<0.005	-
	1/19/2006	<0.02	0.0429	<0.005	98	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	<0.02	0.0437	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/5/2007	<0.02	-	-	93.3	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2008	<0.02	-	-	86.1	<0.2	40	6.32	134	-	<0.005	-	-	-	-
	8/11/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.005	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0069	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.117	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.015	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW079SA	3/18/2004	0.01	0.16	<0.01	366	2.4	122	10	469	<0.01	0.06	<0.002	0.04	<0.005	-
	6/3/2004	0.02	-	-	441	18.9	123	34	425	-	0.89	-	-	-	-
	7/7/2004	<0.05	-	-	2050	66.3	275	585	403	-	22.6	-	-	-	-
	8/17/2004	<0.1	-	-	2910	46	263	537	336	-	20	-	-	-	-
	10/10/2004	<0.01	-	-	826	<0.1	132	357	227	-	3.41	-	-	-	-
	11/22/2004	0.006	-	-	599	8.2	137	117	351	-	2.3	-	-	-	-
	1/5/2005	<0.01	-	-	630	4.43	155	67.2	420	-	1.35	-	-	-	-
	1/27/2005	<0.01	-	-	550	9.28	126	49.5	370	-	0.96	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/16/2005	<0.01	-	-	1010	49.5	230	160	490	-	1.42	-	-	-	-
	3/15/2005	<0.01	-	-	603	9.63	152	66	378	-	1.12	-	-	-	-
	4/18/2005	<0.01	-	-	659	10.2	145	120	375	-	1.35	-	-	-	-
	6/2/2005	<0.01	-	-	650	5.31	131	97	399	-	1.16	-	-	-	-
	6/20/2005	<0.01	-	-	650	4.69	128	100	421	-	0.97	-	-	-	-
	7/20/2005	<0.01	-	-	729	4.53	131	103	450	-	0.91	-	-	-	-
	2/3/2006	<0.02	0.417	<0.005	347	1.63	-	-	-	<0.02	0.435	<0.0002	<0.02	<0.005	<0.02
	7/18/2006	<0.02	0.226	<0.005	-	0.3	-	-	-	<0.015	0.269	-	<0.02	<0.005	<0.02
	3/28/2007	<0.02	-	-	220	2.21	-	-	-	-	0.176	-	-	-	-
	9/7/2007	<0.02	-	-	-	0.257	-	-	-	-	0.178	-	-	-	-
	4/2/2008	<0.02	-	-	113	2.43	59.7	18.4	246	-	0.128	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.153	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.146	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0893	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.219	-	-	-	-	0.059	-	-	-	-
	8/4/2010	<0.01	-	-	-	0.244	-	-	-	-	0.054	-	-	-	-
MW080SA	3/17/2004	<0.01	0.05	<0.01	243	<0.1	94.2	8	336	<0.01	<0.05	<0.002	0.02	<0.005	-
	6/3/2004	<0.01	-	-	135	1	109	7.9	182	-	<0.05	-	-	-	-
	7/7/2004	0.038	-	-	520	21	150	250	350	-	9.8	-	-	-	-
	8/17/2004	<0.01	-	-	245	1.5	120	9.6	313	-	<0.05	-	-	-	-
	10/11/2004	<0.01	-	-	244	<0.1	115	9.2	384	-	<0.05	-	-	-	-
	11/23/2004	<0.01	-	-	297	<0.4	108	<10	448	-	<0.01	-	-	-	-
	1/5/2005	<0.01	-	-	220	<0.4	107	<10	330	-	<0.01	-	-	-	-
	1/27/2005	<0.01	-	-	276	<0.4	104	8.63	400	-	0.01	-	-	-	-
	2/16/2005	<0.01	-	-	282	<0.4	141	9.6	394	-	0.01	-	-	-	-
	3/16/2005	<0.01	-	-	221	<0.4	115	9.1	328	-	0.02	-	-	-	-
	4/18/2005	<0.01	-	-	210	<0.4	103	9	304	-	<0.01	-	-	-	-
	6/2/2005	<0.01	-	-	251	<0.4	129	11	363	-	<0.01	-	-	-	-
	6/20/2005	<0.01	-	-	247	1.1	99.8	8.6	335	-	0.03	-	-	-	-
	6/20/2005 Dup	0.01	-	-	263	1.59	102	9	353	-	0.07	-	-	-	-
	7/20/2005	<0.01	-	-	202	<0.4	106	8.9	313	-	<0.01	-	-	-	-
	2/2/2006	<0.02	0.0412	<0.005	206	<0.2	-	-	-	<0.02	0.0275	<0.0002	<0.02	<0.005	<0.02
	7/18/2006	<0.02	0.0419	<0.005	-	<0.2	-	-	-	<0.015	0.0135	-	<0.02	<0.005	<0.02
	3/28/2007	<0.02	-	-	151	<0.2	-	-	-	-	0.0168	-	-	-	-
	9/7/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.0134	-	-	-	-
	4/2/2008	<0.02	-	-	118	<0.2	60.8	10.6	258	-	0.0214	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW081SA	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0246	-	-	-	-
	3/23/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.048	-	-	-	-	<0.050	-	-	-	-
	8/4/2010	0.012	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	3/25/2004	<0.01	0.18	<0.01	372	9.8	142	13.3	419	<0.01	0.18	<0.002	0.04	<0.005	-
	6/3/2004	0.06	-	-	792	24.4	255	138	366	-	12.2	-	-	-	-
	7/7/2004	0.012	-	-	180	1	100	9.7	180	-	0.02	-	-	-	-
	8/17/2004	0.03	-	-	1510	35.5	452	132	467	-	<0.05	-	-	-	-
	10/10/2004	<0.01	-	-	412	2.4	169	16.8	507	-	2.75	-	-	-	-
	11/23/2004	<0.01	-	-	688	0.81	193	19.8	544	-	<0.01	-	-	-	-
	1/5/2005	<0.01	-	-	345	0.77	157	12.9	510	-	3.16	-	-	-	-
	1/13/2005	<0.01	-	-	402	2.59	162	11.9	438	-	2.24	-	-	-	-
	1/27/2005	<0.01	-	-	411	0.4	136	11.9	498	-	1.96	-	-	-	-
	2/16/2005	0.01	-	-	578	0.9	241	26	512	-	<0.01	-	-	-	-
	3/16/2005	0.01	-	-	411	1.06	165	13.1	402	-	4.31	-	-	-	-
	4/19/2005	0.01	-	-	433	0.65	147	11.1	458	-	4.64	-	-	-	-
	6/2/2005	<0.01	-	-	400	0.82	153	12.7	439	-	3.21	-	-	-	-
	6/21/2005	<0.05	-	-	377	0.93	150	11.1	482	-	14	-	-	-	-
	7/20/2005	<0.01	-	-	364	1.55	156	12.6	442	-	1.11	-	-	-	-
	2/2/2006	<0.02	0.108	<0.005	340	2.24	-	-	-	<0.02	0.356	<0.0002	<0.02	<0.005	<0.02
	7/18/2006	<0.02	0.111	<0.005	-	0.511	-	-	-	<0.015	0.301	-	<0.02	<0.005	<0.02
MW082SA	3/28/2007	<0.02	-	-	288	4.07	-	-	-	-	0.506	-	-	-	-
	9/7/2007	<0.02	-	-	-	1.13	-	-	-	-	0.23	-	-	-	-
	4/2/2008	<0.02	-	-	139	4.56	69.1	12.4	286	-	0.0919	-	-	-	-
	8/6/2008	<0.02	-	-	-	1.76	-	-	-	-	0.0916	-	-	-	-
	3/23/2009	<0.02	-	-	-	0.297	-	-	-	-	0.0821	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0742	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.095	-	-	-	-	0.055	-	-	-	-
	8/4/2010	0.011	-	-	-	3.61	-	-	-	-	0.063	-	-	-	-
	3/25/2004	<0.01	0.11	<0.01	263	3.3	101	10.2	673	<0.01	0.09	<0.002	0.03	<0.005	-
	6/8/2004	<0.01	-	-	1520	13	361	11	535	-	9.12	-	-	-	-
	7/21/2004	<0.01	-	-	2010	51	545	719	668	-	30.5	-	-	-	-
	8/23/2004	<0.1	-	-	2110	154	523	575	649	-	27.8	-	-	-	-
	10/19/2004	<0.1	-	-	1430	1600	326	602	412	-	94.4	-	-	-	-
	12/8/2004	<0.01	-	-	2130	184	420	<1000	690	-	<0.1	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/12/2005	<0.01	-	-	438	15.7	129	<100	807	-	<0.01	-	-	-	-
	2/2/2005	<0.1	-	-	2930	327	735	761	1740	-	21	-	-	-	-
	3/1/2005	<0.1	-	-	1410	305	307	375	651	-	9.9	-	-	-	-
	3/24/2005	<0.1	-	-	540	220	206	172	629	-	3.5	-	-	-	-
	4/27/2005	<0.01	-	-	814	<0.4	196	241	699	-	3.54	-	-	-	-
	5/25/2005	<0.01	-	-	132	38.7	26.1	28.9	58.3	-	0.66	-	-	-	-
	6/28/2005	<0.05	-	-	817	66.2	276	80.6	631	-	3.67	-	-	-	-
	7/14/2005	<0.01	-	-	973	<0.4	224	123	774	-	2.89	-	-	-	-
	2/3/2006	0.0809	0.482	<0.005	425	2.2	-	-	-	<0.02	1.06	<0.0002	<0.02	<0.005	<0.02
	7/14/2006	0.0226	0.323	<0.005	-	<0.2	-	-	-	<0.015	1.15	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	303	0.62	-	-	-	-	1.55	-	-	-	-
	9/6/2007	<0.02	-	-	-	1.97	-	-	-	-	1.9	-	-	-	-
	3/26/2008	<0.02	-	-	317	4.16	152	28.8	572	-	2.07	-	-	-	-
	8/6/2008	<0.02	-	-	-	1.66	-	-	-	-	2.1	-	-	-	-
	3/18/2009	<0.02	-	-	-	4.56	-	-	-	-	2.61	-	-	-	-
	8/17/2009	<0.02	-	-	-	0.565	-	-	-	-	3.15	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.651	-	-	-	-	1.11	-	-	-	-
	8/4/2010	<0.01	-	-	-	6.45	-	-	-	-	3.52	-	-	-	-
MW083SA	3/25/2004	<0.01	0.1	<0.01	302	4.6	115	10.9	746	<0.01	0.1	<0.002	0.03	<0.005	-
	6/8/2004	<0.01	-	-	548	17	207	12.3	679	-	5.47	-	-	-	-
	7/22/2004	<0.1	-	-	3120	40	708	21	713	-	31.6	-	-	-	-
	8/23/2004	<0.1	-	-	2560	299	646	88.9	639	-	37.6	-	-	-	-
	10/19/2004	<0.1	-	-	1720	2970	537	965	792	-	255	-	-	-	-
	12/8/2004	<0.01	-	-	970	235	310	<1000	750	-	176	-	-	-	-
	1/13/2005	<0.01	-	-	504	26.2	190	153	927	-	1.98	-	-	-	-
	2/2/2005	<0.1	-	-	2210	398	613	1700	1520	-	17.1	-	-	-	-
	3/1/2005	<0.1	-	-	1630	198	315	510	643	-	17.6	-	-	-	-
	3/24/2005	1.3	-	-	609	132	206	225	683	-	6.2	-	-	-	-
	4/27/2005	<0.01	-	-	847	<0.4	179	419	946	-	4.24	-	-	-	-
	5/25/2005	<0.01	-	-	55.7	33.5	19.1	25.5	61.1	-	0.5	-	-	-	-
	6/28/2005	<0.05	-	-	816	305	223	219	672	-	5.4	-	-	-	-
	7/14/2005	<0.01	-	-	788	<0.4	193	258	844	-	3.6	-	-	-	-
	2/3/2006	0.0899	0.6	<0.005	596	2.94	-	-	-	<0.02	6.98	<0.002	<0.02	<0.005	<0.02
	7/14/2006	0.0486	0.523	<0.005	-	<0.2	-	-	-	<0.015	5.04	-	<0.02	<0.005	<0.02
	7/14/2006 Dup	0.0526	0.586	<0.005	-	<0.2	-	-	-	<0.015	5.67	-	<0.02	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/22/2007	0.0281	-	-	413	1.29	-	-	-	-	2.55	-	-	-	-
	9/6/2007	0.0204	-	-	-	0.2	-	-	-	-	2.01	-	-	-	-
	3/25/2008	<0.02	-	-	337	0.456	196	29.6	631	-	1.26	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0103	-	-	-	-
	3/18/2009	<0.02	-	-	-	8.65	-	-	-	-	1.12	-	-	-	-
	8/17/2009	<0.02	-	-	-	0.52	-	-	-	-	1.09	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.108	-	-	-	-	0.464	-	-	-	-
	8/4/2010	0.022	-	-	-	4.49	-	-	-	-	0.536	-	-	-	-
MW084SA	3/24/2004	<0.01	0.09	<0.01	513	3.8	209	15.1	781	<0.01	0.1	<0.002	0.03	<0.005	-
	6/7/2004	<0.01	-	-	645	1	302	19	896	-	<0.05	-	-	-	-
	7/22/2004	<0.01	-	-	620	2.1	294	14.8	833	-	<0.05	-	-	-	-
	8/24/2004	<0.01	-	-	704	3.43	330	15	966	-	0.07	-	-	-	-
	10/20/2004	<0.01	-	-	550	0.2	274	14.7	930	-	<0.05	-	-	-	-
	12/9/2004	<0.01	-	-	561	<0.4	218	15.4	918	-	0.01	-	-	-	-
	1/13/2005	<0.01	-	-	522	1.61	278	15.7	947	-	0.02	-	-	-	-
	2/3/2005	<0.01	-	-	429	<0.4	223	16	804	-	0.02	-	-	-	-
	3/2/2005	<0.01	-	-	437	0.58	199	15.4	854	-	0.01	-	-	-	-
	3/24/2005	<0.01	-	-	521	2.26	223	16.3	956	-	0.04	-	-	-	-
	4/27/2005	<0.01	-	-	602	0.6	215	15.8	1050	-	<0.01	-	-	-	-
	5/24/2005	<0.01	-	-	516	0.59	213	15.7	875	-	0.01	-	-	-	-
	6/28/2005	<0.01	-	-	2020	<0.4	986	59	3310	-	<0.01	-	-	-	-
	7/18/2005	<0.01	-	-	418	<0.4	191	14.2	743	-	<0.01	-	-	-	-
	2/3/2006	<0.02	0.0679	<0.005	495	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0338	<0.005	<0.02
	7/14/2006	<0.02	0.0525	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0264	<0.005	<0.02
	3/21/2007	<0.02	-	-	452	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	534	<0.2	276	24.2	999	-	<0.005	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/13/2009	0.0229	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.133	-	-	-	-	<0.050	-	-	-	-
	8/3/2010	0.02	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW085SA	3/25/2004	<0.01	0.1	<0.01	319	2.8	128	11.2	730	<0.01	<0.05	<0.002	0.03	<0.005	-
	6/7/2004	<0.01	-	-	388	<0.25	180	15.2	841	-	<0.01	-	-	-	-
	7/22/2004	<0.01	-	-	373	0.5	159	11.1	859	-	<0.05	-	-	-	-
	8/23/2004	<0.01	-	-	442	<0.25	152	10.5	929	-	0.01	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	10/20/2004	<0.01	-	-	420	0.1	208	12.1	930	-	<0.05	-	-	-	-
	12/9/2004	<0.01	-	-	333	<0.4	140	11.8	765	-	<0.01	-	-	-	-
	1/13/2005	<0.01	-	-	339	0.44	144	12.2	787	-	<0.01	-	-	-	-
	2/2/2005	<0.01	-	-	349	<0.4	181	17	833	-	<0.01	-	-	-	-
	3/1/2005	<0.01	-	-	342	0.41	142	11.5	781	-	0.02	-	-	-	-
	3/24/2005	<0.01	-	-	390	<0.4	170	12.8	907	-	0.04	-	-	-	-
	4/27/2005	<0.01	-	-	333	<0.4	142	11.5	768	-	0.04	-	-	-	-
	5/24/2005	<0.01	-	-	402	<0.4	137	11.3	919	-	0.03	-	-	-	-
	6/20/2005	<0.01	-	-	432	<0.4	149	12	948	-	0.02	-	-	-	-
	6/20/2005 Dup	<0.01	-	-	340	<0.4	136	11.2	773	-	0.02	-	-	-	-
	7/18/2005	<0.01	-	-	330	<0.4	133	10.9	764	-	0.03	-	-	-	-
	2/3/2006	<0.02	0.224	<0.005	336	0.89	-	-	-	<0.02	0.24	<0.0002	0.0238	<0.005	<0.02
	7/14/2006	<0.02	0.0657	<0.005	-	<0.2	-	-	-	<0.015	0.0221	-	<0.02	<0.005	<0.02
	3/21/2007	<0.02	-	-	315	1.52	-	-	-	-	0.0917	-	-	-	-
	9/6/2007	<0.02	-	-	-	1.31	-	-	-	-	0.111	-	-	-	-
	3/25/2008	<0.02	-	-	309	<0.2	159	15.5	836	-	0.0089	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0061	-	-	-	-
	3/18/2009	<0.02	-	-	-	0.435	-	-	-	-	0.197	-	-	-	-
	8/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.28	-	-	-	-	0.184	-	-	-	-
	8/4/2010	0.036	-	-	-	0.137	-	-	-	-	<0.050	-	-	-	-
MW086SA	9/14/2004	<0.01	-	-	491	0.1	227	14.4	848	-	<0.05	-	-	-	-
	1/13/2005	<0.01	-	-	486	<0.4	195	13.8	906	-	<0.01	-	-	-	-
	1/13/2005 Dup	<0.01	-	-	460	<0.4	194	13.8	887	-	<0.01	-	-	-	-
	6/2/2005	<0.01	-	-	383	<0.4	171	12.8	709	-	<0.01	-	-	-	-
	1/27/2006	<0.02	0.0339	<0.005	304	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.0386	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/11/2007	<0.02	-	-	327	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/21/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	313	<0.2	170	11.8	383	-	<0.005	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/10/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.314	-	-	-	-	<0.050	-	-	-	-
	8/5/2010	0.016	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW087A	9/14/2004	<0.01	-	-	452	0.2	172	12.5	686	-	<0.05	-	-	-	-
	10/5/2004	<0.01	-	-	400	<0.1	136	10.7	520	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	11/9/2004	<0.01	-	-	500	<0.4	153	15.3	710	-	0.01	-	-	-	-
	12/16/2004	<0.01	-	-	602	<0.4	207	<100	808	-	0.02	-	-	-	-
	1/13/2005	<0.01	-	-	525	<0.4	156	17	690	-	0.42	-	-	-	-
	2/8/2005	<0.01	-	-	533	1	189	18	723	-	1.89	-	-	-	-
	3/8/2005	<0.01	-	-	605	0.65	178	17.8	795	-	1.64	-	-	-	-
	4/6/2005	<0.01	-	-	511	0.67	152	15.1	792	-	1.55	-	-	-	-
	5/11/2005	<0.01	-	-	516	<0.4	195	20	749	-	1.41	-	-	-	-
	6/7/2005	<0.01	-	-	400	<0.4	155	14.4	625	-	1.11	-	-	-	-
	7/6/2005	0.01	-	-	449	0.94	155	14.5	707	-	1.11	-	-	-	-
	2/6/2006	0.0222	4.52	<0.005	558	14.5	-	-	-	<0.02	6.61	<0.001	<0.02	<0.005	<0.02
	7/18/2006	<0.02	2.92	<0.005	-	0.217	-	-	-	<0.015	3.5	-	<0.02	<0.005	<0.02
	4/13/2007	<0.02	-	-	393	13	-	-	-	-	1.72	-	-	-	-
	4/15/2008	0.0276	-	-	378	4.27	345	17.4	737	-	1.4	-	-	-	-
	3/30/2009	0.0241	-	-	-	1.23	-	-	-	-	0.786	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.064	-	-	-	-	0.261	-	-	-	-
MW089SA	2/9/2006	<0.02	0.0401	<0.005	397	0.284	-	-	-	<0.02	0.0131	<0.0002	0.038	<0.005	0.0289
	2/9/2006 Dup	<0.02	0.0349	<0.005	346	0.213	-	-	-	<0.02	0.0104	<0.0002	0.0384	<0.005	0.0251
	7/21/2006	<0.02	0.0219	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0532	<0.005	<0.02
	7/21/2006 Dup	<0.02	0.0218	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0491	<0.005	<0.02
	4/4/2007	<0.02	-	-	277	<0.2	-	-	-	-	0.0056	-	-	-	-
	4/9/2008	<0.02	-	-	407	<0.2	193	16.5	548	-	0.0118	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
MW090SA	2/9/2006	<0.02	0.0458	<0.005	327	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0383	<0.005	<0.02
	7/21/2006	<0.02	0.0375	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0408	<0.005	<0.02
	4/3/2007	<0.02	-	-	366	<0.2	-	-	-	-	0.0051	-	-	-	-
	4/14/2008	<0.02	-	-	381	<0.2	118	11.2	461	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	492	-	<0.005	-	-	-	-
	8/11/2009	<0.02	-	-	-	<0.2	-	-	472	-	<0.005	-	-	-	-
MW091SA	3/2/2010	<0.05	-	-	-	0.066	-	-	-	-	<0.050	-	-	-	-
	2/9/2006	<0.02	0.0452	<0.005	334	<0.2	-	-	-	<0.02	0.0051	<0.0002	0.0325	<0.005	<0.02
	7/24/2006	<0.02	0.0387	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0417	<0.005	<0.02
	4/5/2007	<0.02	-	-	351	<0.2	-	-	-	-	0.0075	-	-	-	-
	4/7/2008	<0.02	-	-	465	<0.2	133	14.3	446	-	<0.005	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW092SA	2/9/2006	<0.02	0.051	<0.005	337	0.536	-	-	-	<0.02	0.0102	<0.0002	0.0413	<0.005	<0.02
	7/24/2006	<0.02	0.0307	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0483	<0.005	<0.02
	4/5/2007	<0.02	-	-	350	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	427	0.282	130	14.5	595	-	<0.005	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	0.041	-	-	-	-	<0.050	-	-	-	-
MW093SA	2/9/2006	<0.02	0.084	<0.005	349	1.66	-	-	-	<0.02	0.0457	<0.0002	0.0399	<0.005	<0.02
	7/24/2006	<0.02	0.0308	<0.005	-	<0.2	-	-	-	<0.015	0.0053	-	0.0387	<0.005	<0.02
	4/5/2007	<0.02	-	-	235	0.883	-	-	-	-	0.0731	-	-	-	-
	4/8/2008	<0.02	-	-	413	<0.2	120	14.9	569	-	<0.005	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	0.052	-	-	-	-	<0.050	-	-	-	-
IW003	12/17/2003	<0.05	-	-	560	<0.1	237	12.4	500	-	<0.05	-	-	-	-
	6/3/2004	<0.01	-	-	4090	32.8	586	4230	281	-	36.8	-	-	-	-
	7/8/2004	0.06	-	-	5340	76.1	602	2090	266	-	61.2	-	-	-	-
	8/18/2004	<0.01	-	-	5550	75.6	587	3640	330	-	31	-	-	-	-
	10/11/2004	<0.1	-	-	5860	149	482	2280	271	-	51.1	-	-	-	-
	1/6/2005	<0.1	-	-	5000	149	496	1650	296	-	51	-	-	-	-
	1/27/2005	<0.1	-	-	2250	61.6	260	917	164	-	24	-	-	-	-
	2/21/2005	<0.1	-	-	4240	107	357	1120	180	-	33.9	-	-	-	-
	3/17/2005	<0.1	-	-	4000	125	376	1030	175	-	54.9	-	-	-	-
	4/19/2005	<0.1	-	-	3720	91.9	360	650	166	-	37.5	-	-	-	-
	6/1/2005	<0.05	-	-	3060	91.3	355	759	193	-	41.9	-	-	-	-
	6/21/2005	<0.05	-	-	3120	104	448	947	289	-	40.3	-	-	-	-
	7/21/2005	<0.05	-	-	2090	83.3	253	840	221	-	17.2	-	-	-	-
	2/6/2006	0.278	1.03	<0.005	3980	158	-	-	-	<0.02	48.5	<0.01	0.0796	0.0131	0.252
	2/6/2006 Dup	0.278	1.02	<0.005	4000	155	-	-	-	<0.02	47.9	<0.01	0.0786	0.0129	0.247
	7/25/2006	0.205	1.71	<0.005	-	4.69	-	-	-	<0.015	33.5	-	<0.02	<0.005	<0.02
	4/9/2007	0.358	-	-	1000	27.3	-	-	-	-	14.8	-	-	-	-
	4/3/2008	0.254	-	-	756	26.1	256	209	306	-	15.3	-	-	-	-
	3/23/2009	0.188	-	-	-	22.5	-	-	-	-	12.5	-	-	-	-
	3/3/2010	0.55	-	-	-	9.25	-	-	-	-	15.8	-	-	-	-
IW004	12/18/2003	<0.05	-	-	83	0.3	126	8.3	208	-	<0.05	-	-	-	-
	6/9/2004	<0.01	-	-	3580	61.2	66.8	218	29	-	49.8	-	-	-	-
	7/8/2004	<0.01	-	-	4550	103	774	3570	319	-	38.8	-	-	-	-
	8/18/2004	<0.01	-	-	3140	95.9	393	2130	220	-	37.6	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	10/11/2004	<0.1	-	-	1470	66	282	1250	344	-	14.7	-	-	-	-
	1/6/2005	<0.1	-	-	2630	303	376	992	249	-	46.7	-	-	-	-
	1/27/2005	<0.1	-	-	798	53.9	116	356	87	-	11	-	-	-	-
	2/22/2005	<0.1	-	-	2010	99.4	266	772	188	-	22.9	-	-	-	-
	3/21/2005	<0.1	-	-	1080	133	183	612	106	-	43.9	-	-	-	-
	4/19/2005	<0.1	-	-	2100	109	277	660	174	-	32.8	-	-	-	-
	6/1/2005	<0.05	-	-	2510	112	321	702	218	-	38.7	-	-	-	-
	6/21/2005	<0.05	-	-	1150	54.1	173	590	161	-	18.1	-	-	-	-
	7/21/2005	<0.05	-	-	3810	71.2	330	950	226	-	24	-	-	-	-
	2/6/2006	0.0547	0.443	<0.005	1300	42.9	-	-	-	<0.02	8.19	<0.001	0.0507	<0.005	0.0673
	7/25/2006	0.0618	0.882	<0.005	-	1.92	-	-	-	<0.015	16.7	-	<0.02	<0.005	<0.02
	4/9/2007	0.0612	-	-	569	4.09	-	-	-	-	6.84	-	-	-	-
	4/3/2008	0.0218	-	-	551	<0.2	233	87	507	-	5.85	-	-	-	-
	3/23/2009	<0.02	-	-	-	<0.2	-	-	-	-	3.83	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.218	-	-	-	-	1.68	-	-	-	-
IW005	2/25/2004	<0.05	0.06	<0.01	346	0.9	116	8	171	<0.01	<0.05	<0.002	0.03	<0.005	-
	6/9/2004	<0.01	-	-	2740	61.2	543	2340	254	-	16.8	-	-	-	-
	7/8/2004	<0.01	-	-	2510	64.3	504	3220	226	-	9.3	-	-	-	-
	10/11/2004	<0.1	-	-	1840	170	328	1960	426	-	11.1	-	-	-	-
	12/1/2004	<0.01	-	-	2320	226	477	1960	440	-	22.8	-	-	-	-
	1/6/2005	<0.1	-	-	1840	163	334	1060	207	-	11.7	-	-	-	-
	1/27/2005	<0.1	-	-	768	34.2	121	442	106	-	2.1	-	-	-	-
	2/22/2005	<0.1	-	-	1660	111	261	825	137	-	7.4	-	-	-	-
	3/21/2005	<0.1	-	-	2350	60.5	328	863	182	-	6	-	-	-	-
	4/20/2005	<0.1	-	-	972	64.1	166	527	95	-	6.1	-	-	-	-
	6/1/2005	<0.05	-	-	1430	101	233	579	141	-	8.15	-	-	-	-
	6/22/2005	<0.05	-	-	905	56.9	146	553	132	-	3.75	-	-	-	-
	7/13/2005	<0.1	-	-	1110	95.3	216	550	172	-	3.9	-	-	-	-
	2/6/2006	0.0595	0.675	<0.005	2200	197	-	-	-	<0.02	15.6	<0.002	0.0636	<0.005	0.339
	7/26/2006	0.096	0.675	<0.005	-	49.3	-	-	-	<0.015	19	-	0.0428	<0.005	0.0909
	3/27/2007	0.272	-	-	875	13.8	-	-	-	-	3.14	-	-	-	-
	4/12/2007	0.329	-	-	726	6.33	-	-	-	-	2.15	-	-	-	-
	4/1/2008	0.154	-	-	681	23.5	302	221	277	-	4.69	-	-	-	-
	3/23/2009	0.0971	-	-	-	6.21	-	-	-	-	1.8	-	-	-	-
	3/4/2010	<0.5	-	-	-	8.16	-	-	-	-	5.98	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
IW006	12/18/2003	<0.05	-	-	274	1.7	84.9	8.7	160	-	0.07	-	-	-	-
	2/25/2004	-	0.19	<0.01	-	-	-	-	-	<0.01	-	<0.002	0.02	<0.005	-
	6/9/2004	<0.01	-	-	4790	114	797	2840	492	-	50.1	-	-	-	-
	7/20/2004	<0.01	-	-	4840	135	698	2530	326	-	35.8	-	-	-	-
	8/18/2004	0.04	-	-	3050	93.1	533	2530	1110	-	18.5	-	-	-	-
	10/13/2004	<0.1	-	-	3560	202	535	2710	481	-	26.5	-	-	-	-
	12/1/2004	<0.01	-	-	4720	313	738	3020	646	-	41.3	-	-	-	-
	1/10/2005	<0.1	-	-	3110	240	503	1370	309	-	35.3	-	-	-	-
	1/31/2005	<0.1	-	-	2390	168	395	1230	267	-	30	-	-	-	-
	2/22/2005	<0.1	-	-	2630	173	406	967	196	-	24.4	-	-	-	-
	3/22/2005	<0.1	-	-	2690	181	407	901	207	-	33.1	-	-	-	-
	4/20/2005	<0.1	-	-	2190	137	387	797	174	-	22.7	-	-	-	-
	5/31/2005	<0.1	-	-	2400	151	389	752	196	-	25.9	-	-	-	-
	6/22/2005	<0.05	-	-	1670	104	278	659	179	-	17.6	-	-	-	-
	7/13/2005	<0.1	-	-	1770	114	296	846	200	-	17.4	-	-	-	-
	2/7/2006	0.118	1	0.0058	2720	184	-	-	-	0.0289	41.5	<0.004	0.0758	0.012	0.338
	2/7/2006 Dup	0.117	0.929	0.0051	2600	189	-	-	-	0.0285	36.5	<0.004	0.0644	0.0107	0.344
	7/26/2006	0.288	0.763	<0.005	-	5.41	-	-	-	<0.015	10.4	-	<0.02	<0.005	<0.02
	3/27/2007	0.203	-	-	784	16.4	-	-	-	-	6.21	-	-	-	-
	4/12/2007	0.16	-	-	637	10.1	-	-	-	-	3.6	-	-	-	-
	4/1/2008	0.129	-	-	597	8.04	219	181	264	-	6.46	-	-	-	-
IW007	3/19/2009	0.0761	-	-	-	6.9	-	-	-	-	5.59	-	-	-	-
	3/4/2010	<0.05	-	-	-	1.67	-	-	-	-	4.69	-	-	-	-
	12/18/2003	<0.05	-	-	277	3.8	104	9.4	167	-	0.05	-	-	-	-
	2/26/2004	<0.01	0.05	<0.01	337	0.73	116	6.93	146	<0.01	0.01	<0.002	0.02	<0.005	-
	6/9/2004	<0.01	-	-	2710	39.9	430	1840	194	-	7.56	-	-	-	-
	7/20/2004	<0.01	-	-	4500	74.6	662	2770	240	-	15.1	-	-	-	-
	8/19/2004	<0.01	-	-	4570	96.2	634	3630	260	-	7.15	-	-	-	-
	10/13/2004	<0.1	-	-	3400	217	452	2900	438	-	11.2	-	-	-	-
	12/2/2004	<0.1	-	-	3610	181	562	2190	438	-	15.8	-	-	-	-
	1/10/2005	<0.1	-	-	1930	137	297	1060	188	-	7.6	-	-	-	-
	1/31/2005	<0.1	-	-	1680	95.8	224	815	153	-	6.2	-	-	-	-
	2/22/2005	<0.1	-	-	2580	160	352	871	162	-	11.9	-	-	-	-
	4/20/2005	<0.1	-	-	1820	105	266	612	130	-	8.2	-	-	-	-
	5/31/2005	<0.1	-	-	1930	122	281	608	155	-	9.9	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/22/2005	<0.05	-	-	1500	84.2	215	628	161	-	5.95	-	-	-	-
	7/13/2005	<0.1	-	-	1400	90.7	225	744	172	-	5.5	-	-	-	-
	2/7/2006	0.125	0.756	0.0058	3930	213	-	-	-	0.0425	21.5	<0.004	0.075	0.008	0.432
	7/26/2006	0.0599	0.741	<0.005	-	44.9	-	-	-	<0.015	16.2	-	0.0774	<0.005	0.259
	3/26/2007	0.0622	-	-	5090	69.3	-	-	-	-	27.5	-	-	-	-
	4/1/2008	0.0464	-	-	3410	93.5	887	303	331	-	31.8	-	-	-	-
	3/19/2009	0.299	-	-	-	14	-	-	-	-	2.03	-	-	-	-
	3/4/2010	<0.5	-	-	-	23.4	-	-	-	-	5.83	-	-	-	-
IW008	2/26/2004	<0.01	0.17	<0.01	125	10.3	46.7	9.7	87.7	0.01	0.18	<0.002	<0.01	<0.005	-
	6/9/2004	<0.01	-	-	1530	37.2	373	1260	180	-	6.56	-	-	-	-
	7/20/2004	<0.01	-	-	3690	96.1	649	1880	236	-	16	-	-	-	-
	8/19/2004	<0.01	-	-	1610	65.6	350	1860	180	-	6.57	-	-	-	-
	10/13/2004	<0.1	-	-	2330	221	459	2270	449	-	10.3	-	-	-	-
	12/2/2004	<0.1	-	-	1080	134	246	948	228	-	10.5	-	-	-	-
	1/11/2005	<0.1	-	-	1320	106	297	764	178	-	7.5	-	-	-	-
	2/2/2005	<0.1	-	-	137	227	27	71	19	-	11.8	-	-	-	-
	2/23/2005	<0.1	-	-	1250	141	225	563	120	-	5.8	-	-	-	-
	3/22/2005	<0.1	-	-	1080	121	208	563	133	-	4.4	-	-	-	-
	4/25/2005	<0.01	-	-	897	114	173	378	101	-	4.01	-	-	-	-
	5/31/2005	<0.1	-	-	829	98.1	168	390	121	-	4	-	-	-	-
	6/22/2005	<0.05	-	-	655	68.9	138	372	125	-	2.2	-	-	-	-
	2/7/2006	0.0674	0.472	<0.005	1280	156	-	-	-	<0.02	10.4	<0.004	0.022	<0.005	0.287
	7/26/2006	0.161	0.438	<0.005	-	3	-	-	-	<0.015	2.86	-	<0.02	<0.005	<0.02
	7/26/2006 Dup	0.163	0.43	<0.005	-	3.24	-	-	-	<0.015	2.95	-	<0.02	<0.005	<0.02
	3/23/2007	0.287	-	-	623	21.2	-	-	-	-	4.09	-	-	-	-
	4/1/2008	0.144	-	-	566	20.3	242	111	242	-	4.17	-	-	-	-
	3/19/2009	0.0783	-	-	-	13.3	-	-	-	-	3.7	-	-	-	-
	3/4/2010	<0.05	-	-	-	2.11	-	-	-	-	3.88	-	-	-	-
IW009	6/9/2004	<0.01	-	-	3280	107	737	2840	344	-	10.1	-	-	-	-
	7/20/2004	<0.01	-	-	5370	165	767	2910	282	-	15.9	-	-	-	-
	8/19/2004	<0.01	-	-	2570	88.3	379	2430	238	-	3.74	-	-	-	-
	10/14/2004	<0.1	-	-	3700	236	541	2550	444	-	15.2	-	-	-	-
	12/6/2004	<0.1	-	-	4500	350	676	1950	461	-	23.3	-	-	-	-
	1/11/2005	<0.1	-	-	3470	230	481	1250	280	-	13.1	-	-	-	-
	2/2/2005	<0.01	-	-	375	26	47	142	28	-	1.36	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/23/2005	<0.1	-	-	2970	205	334	885	172	-	9.4	-	-	-	-
	3/23/2005	<0.1	-	-	3270	247	368	864	174	-	12.7	-	-	-	-
	4/25/2005	<0.01	-	-	2580	181	317	739	155	-	9.66	-	-	-	-
	5/31/2005	<0.1	-	-	2680	193	306	711	161	-	10.3	-	-	-	-
	6/23/2005	<0.05	-	-	2830	150	294	956	200	-	8.12	-	-	-	-
	7/13/2005	<0.1	-	-	1940	114	258	888	195	-	6.2	-	-	-	-
	2/7/2006	0.138	0.718	<0.005	1760	180	-	-	-	<0.02	18.1	<0.01	0.115	0.0067	0.414
	7/27/2006	0.0982	0.683	<0.005	-	79.8	-	-	-	0.0242	13.3	-	0.134	<0.005	0.574
	3/31/2008	0.0562	-	-	2370	52.6	810	234	362	-	24.3	-	-	-	-
	3/19/2009	<0.1	-	-	-	46.1	-	-	-	-	25.9	-	-	-	-
	3/4/2010	<0.5	-	-	-	34.1	-	-	-	-	36.9	-	-	-	-
IW010	12/18/2003	<0.05	-	-	330	2	136	11	411	-	0.05	-	-	-	-
	2/26/2004	<0.01	0.11	<0.01	419	6.04	163	11.9	495	<0.01	0.12	<0.002	0.02	<0.005	-
	6/9/2004	<0.01	-	-	3170	27.2	801	1920	400	-	46	-	-	-	-
	7/21/2004	<0.01	-	-	669	67.3	1130	175	449	-	105	-	-	-	-
	8/19/2004	<0.01	-	-	5620	138	904	2500	288	-	58.6	-	-	-	-
	10/14/2004	<0.1	-	-	6590	354	1130	2220	561	-	<0.5	-	-	-	-
	12/7/2004	<0.05	-	-	12500	580	2750	2990	1210	-	236	-	-	-	-
	1/11/2005	<0.1	-	-	4980	344	1190	850	469	-	134	-	-	-	-
	2/2/2005	<0.1	-	-	435	639	112	<100	45	-	13.8	-	-	-	-
	2/24/2005	<0.1	-	-	5150	397	1290	830	521	-	147	-	-	-	-
	3/23/2005	<0.1	-	-	3520	352	1070	571	463	-	<0.1	-	-	-	-
	4/25/2005	<0.01	-	-	3190	359	982	498	457	-	125	-	-	-	-
	5/31/2005	<0.1	-	-	29100	622	1630	1010	887	-	<0.1	-	-	-	-
	6/23/2005	<0.05	-	-	3890	353	842	650	416	-	<0.05	-	-	-	-
	7/13/2005	<0.1	-	-	3310	355	724	658	357	-	81.4	-	-	-	-
	2/7/2006	0.0906	1.07	<0.005	1560	117	-	-	-	<0.02	42.4	<0.004	<0.02	0.0117	<0.02
	7/27/2006	0.0605	0.754	<0.005	-	5.43	-	-	-	<0.015	9.86	-	<0.02	<0.005	<0.02
	3/23/2007	0.397	-	-	500	15.3	-	-	-	-	10.9	-	-	-	-
	3/31/2008	0.0411	-	-	403	17.4	162	86	412	-	11	-	-	-	-
	3/19/2009	0.0208	-	-	-	18.1	-	-	-	-	11.7	-	-	-	-
	3/4/2010	0.074	-	-	-	6.88	-	-	-	-	11.4	-	-	-	-
IW011	12/18/2003	<0.05	-	-	420	2	1720	96	2370	-	<0.5	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/8/2004	<0.01	-	-	2180	36.5	266	2800	152	-	6.36	-	-	-	-
	7/21/2004	<0.01	-	-	537	89.3	389	382	175	-	21.5	-	-	-	-
	8/19/2004	<0.01	-	-	3150	57.6	324	3520	240	-	4.23	-	-	-	-
	10/14/2004	<0.1	-	-	1720	63	201	2640	428	-	4.7	-	-	-	-
	12/7/2004	<0.05	-	-	9830	403	694	8330	1290	-	41.8	-	-	-	-
	1/12/2005	<0.01	-	-	1830	97.8	123	1030	128	-	0.38	-	-	-	-
	2/2/2005	<0.1	-	-	202	147	16	106	15	-	13.5	-	-	-	-
	2/24/2005	<0.1	-	-	2980	104	200	1110	123	-	8.8	-	-	-	-
	3/23/2005	<0.1	-	-	1920	62.7	118	661	88	-	5.9	-	-	-	-
	4/26/2005	<0.1	-	-	2880	97.3	177	897	92	-	8.2	-	-	-	-
	5/26/2005	<0.1	-	-	2990	84.6	177	985	173	-	10.3	-	-	-	-
	6/23/2005	<0.05	-	-	1530	39.1	92.1	550	107	-	3.11	-	-	-	-
	7/14/2005	<0.1	-	-	1820	48.1	133	854	196	-	2.4	-	-	-	-
	2/8/2006	0.0537	0.751	<0.005	3890	161	-	-	-	<0.02	11.6	<0.004	0.0451	<0.005	0.334
	7/26/2006	0.0257	0.257	<0.005	-	57	-	-	-	<0.015	11.8	-	0.0353	<0.005	<0.02
	3/22/2007	0.108	-	-	1090	10.8	-	-	-	-	2.41	-	-	-	-
	3/31/2008	0.187	-	-	913	8.03	204	182	239	-	2.7	-	-	-	-
	3/18/2009	0.0874	-	-	-	4.4	-	-	-	-	2.18	-	-	-	-
	3/4/2010	<0.5	-	-	-	7.14	-	-	-	-	3.2	-	-	-	-
IW012	6/8/2004	<0.01	-	-	3780	51.3	399	4470	197	-	9.97	-	-	-	-
	8/19/2004	<0.01	-	-	2720	69.5	274	3090	220	-	1.1	-	-	-	-
	10/14/2004	<0.1	-	-	1650	91	163	1970	288	-	4.6	-	-	-	-
	2/3/2005	<0.1	-	-	365	280	22	157	19	-	15	-	-	-	-
	3/30/2005	<0.1	-	-	4080	110	173	980	88	-	3.6	-	-	-	-
	6/23/2005	<0.05	-	-	2670	56.2	135	912	133	-	2.4	-	-	-	-
	7/14/2005	<0.1	-	-	2430	65.7	131	776	179	-	2.6	-	-	-	-
IW013	2/10/2004	<0.05	0.11	<0.01	460	2.6	156	7.3	390	<0.01	0.09	<0.0002	0.02	<0.05	-
	6/8/2004	<0.01	-	-	2790	14.4	759	3800	370	-	7.7	-	-	-	-
	7/21/2004	<0.01	-	-	2150	63.8	584	2290	285	-	12.9	-	-	-	-
	8/19/2004	<0.01	-	-	2640	78.3	309	2360	166	-	7.54	-	-	-	-
	10/19/2004	<0.01	-	-	4080	360	692	4580	441	-	19.5	-	-	-	-
	12/7/2004	<0.05	-	-	9610	<0.4	1240	7960	913	-	44.6	-	-	-	-
	1/12/2005	<0.1	-	-	2700	309	482	1940	263	-	18.5	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/3/2005	<0.1	-	-	197	476	35	151	24	-	22	-	-	-	-
	2/24/2005	<0.1	-	-	2730	334	411	1540	210	-	13.5	-	-	-	-
	3/24/2005	<0.1	-	-	208	295	40.7	122	17.2	-	12	-	-	-	-
	4/26/2005	<0.1	-	-	2820	359	443	1190	153	-	12.7	-	-	-	-
	5/25/2005	<0.01	-	-	232	21.1	28.5	94	12.5	-	0.76	-	-	-	-
	6/23/2005	<0.05	-	-	2450	236	345	1070	172	-	8.25	-	-	-	-
	7/14/2005	<0.1	-	-	2300	254	346	921	217	-	6.2	-	-	-	-
	2/8/2006	0.0405	0.517	<0.005	1960	295	-	-	-	<0.02	6.79	<0.004	0.0626	<0.005	0.511
	2/8/2006 Dup	0.0424	0.499	<0.005	1950	291	-	-	-	<0.02	6.74	<0.004	0.0655	<0.005	0.514
	7/27/2006	0.033	0.78	<0.005	-	47.7	-	-	-	<0.015	1.35	-	<0.02	<0.005	<0.02
	7/27/2006 Dup	0.0325	0.774	<0.005	-	49	-	-	-	<0.015	1.38	-	<0.02	<0.005	<0.02
	3/22/2007	0.0342	-	-	674	10.1	-	-	-	-	1.03	-	-	-	-
	3/26/2008	<0.02	-	-	347	0.247	143	52.2	412	-	0.315	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.282	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.323	-	-	-	-	0.291	-	-	-	-
IW014	2/11/2004	<0.05	0.09	<0.01	360	1.3	125	8.1	900	<0.01	<0.05	<0.0002	<0.01	<0.05	-
	6/10/2004	<0.01	-	-	233	67	391	340	221	-	5.2	-	-	-	-
	7/21/2004	<0.01	-	-	2770	151	312	2610	153	-	7.11	-	-	-	-
	8/19/2004	<0.01	-	-	1390	35	147	1490	119	-	0.9	-	-	-	-
	10/19/2004	<0.1	-	-	2150	1160	234	2400	329	-	62.3	-	-	-	-
	12/7/2004	<0.05	-	-	5840	<0.4	618	8350	1110	-	15.1	-	-	-	-
	1/13/2005	<0.1	-	-	1770	147	192	1260	150	-	1.1	-	-	-	-
	2/3/2005	<0.1	-	-	218	105	175	100	119	-	3.3	-	-	-	-
	2/24/2005	<0.1	-	-	2970	78.4	280	1320	128	-	3.4	-	-	-	-
	3/24/2005	<0.1	-	-	1980	56.7	155	648	74	-	1.1	-	-	-	-
	4/26/2005	<0.1	-	-	2280	83.3	187	679	74	-	1.1	-	-	-	-
	5/25/2005	<0.01	-	-	285	5.52	16.7	54	8.3	-	0.09	-	-	-	-
	6/28/2005	<0.05	-	-	3280	96.4	188	666	98.4	-	1.54	-	-	-	-
	7/14/2005	<0.1	-	-	2600	65.9	197	745	210	-	0.7	-	-	-	-
	2/13/2006	0.0518	0.816	<0.005	4120	466	-	-	-	<0.02	5.3	<0.004	0.068	<0.005	1.24
	2/13/2006 Dup	0.0524	0.819	<0.005	4190	485	-	-	-	<0.02	5.32	<0.004	0.0713	<0.005	1.24
	7/25/2006	0.047	0.304	0.0081	-	228	-	-	-	<0.015	3.34	-	<0.02	<0.005	0.0299
	7/25/2006 Dup	0.0484	0.323	0.0083	-	218	-	-	-	<0.015	3.48	-	<0.02	<0.005	0.0584

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/26/2007	0.0877	-	-	2440	144	-	-	-	-	2.43	-	-	-	-
	3/28/2007	0.0819	-	-	-	141	-	-	-	-	2.4	-	-	-	-
	3/26/2008	0.173	-	-	1590	14.9	152	294	779	-	0.678	-	-	-	-
	3/18/2009	0.229	-	-	-	1.59	-	-	-	-	0.413	-	-	-	-
	3/3/2010	<0.50	-	-	-	8.19	-	-	-	-	<0.50	-	-	-	-
IW015	2/25/2004	<0.05	-	-	610	6.5	190	11.1	500	-	0.19	-	-	-	-
	6/3/2004	<0.01	-	-	2900	21.7	335	2690	169	-	7.27	-	-	-	-
	7/8/2004	<0.01	-	-	4720	76.4	590	5520	270	-	11.3	-	-	-	-
	8/18/2004	<0.01	-	-	3850	51.7	349	3200	250	-	2.91	-	-	-	-
	10/11/2004	<0.1	-	-	7160	121	485	4600	537	-	11.6	-	-	-	-
	1/5/2005	<0.1	-	-	6360	86.2	415	2450	311	-	7.1	-	-	-	-
	2/21/2005	<0.1	-	-	4750	77.8	266	1140	141	-	8.4	-	-	-	-
	3/17/2005	<0.1	-	-	4530	55.3	235	1260	140	-	3.8	-	-	-	-
	4/19/2005	<0.1	-	-	4500	48.8	237	980	112	-	3.4	-	-	-	-
	6/1/2005	<0.05	-	-	4660	39.6	248	863	145	-	3.52	-	-	-	-
	6/21/2005	<0.05	-	-	3970	54.6	263	1060	166	-	8.26	-	-	-	-
	7/21/2005	<0.05	-	-	6490	55	299	1110	153	-	3.62	-	-	-	-
	2/9/2006	0.0806	1.34	<0.005	8070	53.1	-	-	-	<0.02	4.4	<0.01	0.0446	<0.005	0.216
	7/25/2006	0.216	1.33	<0.005	-	10.4	-	-	-	<0.015	0.786	-	<0.02	<0.005	<0.02
	4/9/2007	0.485	-	-	1000	21	-	-	-	-	0.443	-	-	-	-
	4/3/2008	0.236	-	-	531	20.3	189	391	344	-	0.402	-	-	-	-
	3/23/2009	0.107	-	-	-	14.8	-	-	-	-	0.339	-	-	-	-
	3/3/2010	<0.50	-	-	-	19.4	-	-	-	-	<0.50	-	-	-	-
IW016	2/11/2004	<0.05	0.14	<0.01	590	1.9	135	8.2	620	<0.01	0.05	<0.0002	0.02	<0.05	-
	6/3/2004	<0.01	-	-	2820	42.4	318	3450	165	-	5.69	-	-	-	-
	7/7/2004	<0.1	-	-	2980	81.1	336	3400	170	-	5.8	-	-	-	-
	8/17/2004	<0.1	-	-	841	40	77.1	1060	56.2	-	1.7	-	-	-	-
	10/10/2004	<0.1	-	-	3320	185	293	3690	521	-	4.1	-	-	-	-
	11/22/2004	<0.1	-	-	6340	287	466	4240	655	-	14.7	-	-	-	-
	1/4/2005	<0.1	-	-	4700	211	248	1560	230	-	7.6	-	-	-	-
	1/27/2005	<0.1	-	-	4430	213	246	1740	180	-	12	-	-	-	-
	2/16/2005	<0.1	-	-	3930	261	230	1290	150	-	10	-	-	-	-
	3/15/2005	<0.1	-	-	4870	112	170	880	95	-	3.9	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	4/19/2005	<0.1	-	-	4030	200	186	977	95	-	13.7	-	-	-	-
	6/1/2005	<0.05	-	-	5530	205	252	1290	172	-	14	-	-	-	-
	6/21/2005	<0.01	-	-	3690	75	124	1060	114	-	4.22	-	-	-	-
	7/20/2005	<0.05	-	-	3530	108	165	807	178	-	5.2	-	-	-	-
	2/8/2006	0.185	1.25	<0.005	5890	270	-	-	-	0.0272	13.1	<0.004	0.142	<0.005	0.524
	7/25/2006	0.133	0.672	<0.005	-	117	-	-	-	<0.015	13.4	-	<0.02	<0.005	<0.02
	3/28/2007	0.06	-	-	926	13.4	-	-	-	-	1.42	-	-	-	-
	4/2/2008	0.0586	-	-	551	11.5	107	377	313	-	1	-	-	-	-
	3/24/2009	0.0537	-	-	-	14.4	-	-	-	-	0.978	-	-	-	-
	3/3/2010	<0.50	-	-	-	19.1	-	-	-	-	0.99	-	-	-	-
IW018	2/6/2006	0.112	0.147	<0.005	204	10.1	-	-	-	<0.02	0.512	<0.0002	0.0274	<0.005	<0.02
	7/21/2006	<0.02	0.104	<0.005	-	<0.2	-	-	-	<0.015	0.295	-	<0.02	<0.005	<0.02
	4/9/2007	<0.02	-	-	108	0.705	-	-	-	-	0.5	-	-	-	-
	4/9/2008	0.051	-	-	171	3.16	67.3	26.7	975	-	0.438	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.92	-	-	-	-
	3/25/2010	<0.05	-	-	-	0.14	-	-	-	-	0.527	-	-	-	-
IW019	2/7/2006	<0.02	0.0589	<0.005	333	<0.2	-	-	-	<0.02	0.0405	<0.0002	0.0432	<0.005	<0.02
	7/24/2006	<0.02	0.0498	<0.005	-	<0.2	-	-	-	<0.015	0.0314	-	0.0504	<0.005	<0.02
	4/6/2007	<0.02	-	-	356	<0.2	-	-	-	-	0.0268	-	-	-	-
	4/8/2008	<0.02	-	-	359	<0.2	163	20.8	1140	-	0.0283	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0297	-	-	-	-
	3/25/2010	<0.05	-	-	-	0.065	-	-	-	-	<0.050	-	-	-	-
IW020	2/7/2006	<0.02	0.0368	<0.005	280	<0.2	-	-	-	<0.02	0.017	<0.0002	0.0352	<0.005	<0.02
	7/24/2006	<0.02	0.037	<0.005	-	<0.2	-	-	-	<0.015	0.0077	-	0.0416	<0.005	<0.02
	4/10/2007	<0.02	-	-	455	3.23	-	-	-	-	0.124	-	-	-	-
	4/8/2008	<0.02	-	-	415	<0.2	179	18.2	828	-	0.0295	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	1.29	-	-	-	-	0.083	-	-	-	-
IW021	2/7/2006	<0.02	0.0391	<0.005	300	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0441	<0.005	<0.02
	7/24/2006	<0.02	0.0327	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0511	<0.005	<0.02
	4/5/2007	<0.02	-	-	317	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	434	<0.2	128	14.3	569	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.171	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
IW022	2/7/2006	<0.02	0.0515	<0.005	273	0.298	-	-	-	<0.02	0.0103	<0.0002	0.0264	<0.005	<0.02
	7/25/2006	<0.02	0.0451	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0324	<0.005	<0.02
	4/10/2007	<0.02	-	-	345	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/7/2008	<0.02	-	-	408	<0.2	109	11.2	428	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.135	-	-	-	-	<0.050	-	-	-	-
IW023	2/7/2006	<0.02	0.0654	<0.005	282	1.08	-	-	-	<0.02	0.0441	<0.0002	0.0389	<0.005	<0.02
	7/25/2006	<0.02	0.0347	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.031	<0.005	<0.02
	4/10/2007	<0.02	-	-	311	0.215	-	-	-	-	0.0069	-	-	-	-
	4/7/2008	<0.02	-	-	376	2.02	104	10.5	377	-	0.0342	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	351	-	<0.005	-	-	-	-
	8/11/2009	<0.02	-	-	-	<0.3	-	-	343	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	<0.05	-	-	-	-	<0.050	-	-	-	-
IW024	2/8/2006	<0.02	0.0399	<0.005	453	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0594	<0.005	<0.02
	7/21/2006	<0.02	0.0357	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0597	<0.005	<0.02
	4/3/2007	<0.02	-	-	458	<0.2	-	-	-	-	0.0061	-	-	-	-
	4/15/2008	<0.02	-	-	403	<0.2	133	15.1	518	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	609	-	0.847	-	-	-	-
	8/11/2009	<0.02	-	-	-	<0.2	-	-	601	-	0.398	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.132	-	-	-	-	<0.050	-	-	-	-
IW025	2/8/2006	<0.02	0.0445	<0.005	284	0.4	-	-	-	<0.02	0.0077	<0.0002	0.0392	<0.005	<0.02
	7/21/2006	<0.02	0.0405	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0523	<0.005	<0.02
	4/3/2007	<0.02	-	-	391	0.978	-	-	-	-	0.0146	-	-	-	-
	4/14/2008	<0.02	-	-	439	0.451	131	15.3	477	-	0.0066	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	661	-	0.157	-	-	-	-
	8/13/2009	<0.02	-	-	-	<0.2	-	-	563	-	0.263	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.162	-	-	-	-	0.46	-	-	-	-
IW026	2/8/2006	<0.02	0.0362	<0.005	348	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.049	<0.005	<0.02
	7/21/2006	<0.02	0.0336	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0499	<0.005	<0.02
	4/3/2007	<0.02	-	-	216	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/14/2008	<0.02	-	-	221	0.648	74.9	6.97	246	-	0.0178	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	279	-	<0.005	-	-	-	-
	8/13/2009	<0.02	-	-	-	<0.2	-	-	246	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.135	-	-	-	-	<0.05	-	-	-	-
IW027	2/8/2006	<0.02	0.0396	<0.005	412	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0516	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	7/21/2006	<0.02	0.0386	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0543	<0.005	<0.02
	4/4/2007	<0.02	-	-	114	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/14/2008	<0.02	-	-	358	0.254	115	11.1	442	-	0.008	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	0.3	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
IW028	6/16/2005	<0.01	-	-	255	<0.4	87.5	8.4	432	-	0.02	-	-	-	-
	2/8/2006	<0.02	0.0338	<0.005	304	<0.2	-	-	-	<0.02	0.0079	<0.0002	0.0488	<0.005	<0.02
	7/21/2006	<0.02	0.0352	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.038	<0.005	<0.02
	4/4/2007	<0.02	-	-	234	0.653	-	-	-	-	0.0202	-	-	-	-
	4/15/2008	<0.02	-	-	255	<0.2	102	12.8	434	-	<0.005	-	-	-	-
	4/7/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
RW004A	2/4/2002	-	-	-	460	<0.1	193	14	750	<0.005	<0.05	-	-	-	-
	6/9/2003	<0.05	-	-	341	<0.1	144	10.6	424	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	1200	11.5	144	3060	356	-	1.73	-	-	-	-
	7/9/2003	<0.05	-	-	2040	22.2	291	6090	474	-	2.47	-	-	-	-
	7/15/2003	<0.05	-	-	1050	22.3	141	2500	201	-	1.95	-	-	-	-
	7/28/2003	<0.5	-	-	1170	19.6	178	2370	192	-	1.59	-	-	-	-
	8/21/2003	<0.05	-	-	1870	75.8	206	2630	213	-	4.23	-	-	-	-
	10/1/2003	<0.05	-	-	3500	54.4	411	6770	383	-	4.94	-	-	-	-
	10/29/2003	<0.05	-	-	3950	145	426	5770	390	-	21.9	-	-	-	-
	12/9/2003	<0.05	-	-	16900	123	2220	27900	2710	-	17.9	-	-	-	-
	1/8/2004	<0.5	-	-	2140	84	490	5840	400	-	8.8	-	-	<0.5	-
	3/2/2004	<0.05	-	-	4400	543	398	2830	409	-	82.5	-	-	-	-
	4/1/2004	<0.01	0.88	<0.01	2010	84.1	192	2130	181	0.04	4.99	<0.002	0.23	<0.005	-
	5/4/2004	<0.1	-	-	3490	179	373	3630	291	-	25	-	-	-	-
	6/8/2004	<0.01	-	-	4700	225	446	4960	243	-	36.4	-	-	-	-
	7/8/2004	<0.01	-	-	3370	291	412	3350	270	-	35.1	-	-	-	-
	8/11/2004	<0.01	-	-	541	35.1	78.9	687	42	-	3.11	-	-	-	-
	9/16/2004	<0.05	-	-	1580	166	183	2230	168	-	5.2	-	-	-	-
	10/5/2004	<0.01	-	-	1510	80	262	3420	260	-	0.6	-	-	-	-
	11/9/2004	<0.1	-	-	64.6	82.1	11.9	163	25.4	-	9.2	-	-	-	-
	12/20/2004	<0.1	-	-	1530	76.8	276	2340	197	-	11.3	-	-	-	-
	1/18/2005	<0.1	-	-	722	78.5	70.2	808	70	-	14.9	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/14/2005	<0.1	-	-	749	54.4	90	760	101	-	8.5	-	-	-	-
	3/8/2005	<0.01	-	-	51.5	2.91	7.3	48.2	6.9	-	0.52	-	-	-	-
	4/11/2005	<0.1	-	-	916	66.1	121	911	126	-	10	-	-	-	-
	5/12/2005	<0.1	-	-	742	46.7	122	976	164	-	4.9	-	-	-	-
	6/8/2005	<0.05	-	-	715	49.3	89	622	134	-	5.68	-	-	-	-
	7/7/2005	<0.05	-	-	726	51.8	89.8	674	125	-	7.7	-	-	-	-
	2/10/2006	0.0207	0.363	<0.005	430	70.3	-	-	-	<0.02	3.1	<0.004	<0.02	<0.005	0.281
	7/19/2006	<0.02	0.565	<0.005	-	223	-	-	-	<0.015	4.77	-	<0.02	<0.005	0.376
	4/11/2007	0.1	-	-	1840	478	-	-	-	-	7.68	-	-	-	-
	4/16/2008	0.0672	-	-	2090	697	178	384	124	-	9.38	-	-	-	-
	3/31/2009	0.0257	-	-	-	986	-	-	-	-	13	-	-	-	-
	3/10/2010	<0.50	-	-	-	661	-	-	-	-	13.3	-	-	-	-
EPWW1	1/26/2006	<0.02	0.0683	<0.005	75.9	0.475	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/6/2006	<0.02	0.0615	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.251	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.062	-	-	-	-	<0.050	-	-	-	-
GOPWW2	1/19/2006	<0.02	0.103	<0.005	161	10.3	-	-	-	<0.02	0.787	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	<0.02	0.0992	<0.005	-	<0.2	-	-	-	<0.02	0.597	-	<0.02	<0.005	<0.02
	4/23/2007	<0.02	-	-	162	6.3	-	-	-	-	0.26	-	-	-	-
	9/10/2007	<0.02	-	-	-	13.8	-	-	-	-	0.405	-	-	-	-
	3/24/2008	<0.02	-	-	262	5.39	233	16.6	630	-	0.559	-	-	-	-
	8/5/2008	<0.02	-	-	-	1.06	-	-	-	-	0.354	-	-	-	-
	3/17/2009	<0.02	-	-	-	2.18	-	-	-	-	0.513	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.577	-	-	-	-
	3/2/2010	<0.05	-	-	-	<0.05	-	-	-	-	0.569	-	-	-	-
	8/3/2010	<0.01	-	-	-	6.41	-	-	-	-	1.08	-	-	-	-
	1/23/2006	<0.02	0.0368	<0.005	465	9.2	-	-	-	<0.02	0.0466	<0.0002	0.0463	<0.005	<0.02
LordWW	6/27/2006	<0.02	0.0627	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	6/27/2006 Dup	<0.02	0.0643	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	0.0214
	4/5/2007	<0.02	-	-	406	31.3	-	-	-	-	0.34	-	-	-	-
	9/18/2007	7.32	-	-	-	7.32	-	-	-	-	0.192	-	-	-	-
	3/26/2008	<0.02	-	-	438	28.1	248	18.6	521	-	0.272	-	-	-	-
	8/13/2008	<0.02	-	-	-	4.17	-	-	-	-	0.144	-	-	-	-
	3/19/2009	<0.02	-	-	-	4.2	-	-	-	-	0.138	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/21/2009	<0.02	-	-	-	1.34	-	-	-	-	0.139	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.23	-	-	-	-	<0.05	-	-	-	-
	8/18/2010	0.014	-	-	-	0.591	-	-	-	-	0.11	-	-	-	-
	1/24/2006	<0.02	0.036	<0.005	321	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0226	<0.005	<0.02
WoodellWW	6/27/2006	<0.02	0.0391	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	0.184
	3/29/2007	<0.02	-	-	317	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	<130.0	1.14	49.1	7.74	142	-	<0.02	-	-	-	-
	8/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.098	-	-	-	-	<0.050	-	-	-	-
	8/18/2010	0.022	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
MW001	5/31/2001	-	-	-	2180	-	-	880	15.1	-	-
	5/31/2001 Dup	-	-	-	2120	-	-	870	15.2	-	-
	2/7/2002	-	-	-	2620	14	0.05	1000	-	-	-
	1/27/2006	7.8	<2	379	2160	-	-	744	-	-	-
	1/27/2006 Dup	7.2	<2	390	2160	-	-	758	-	-	-
	7/13/2006	7.1	<2	396	2290	-	-	745	-	-	-
	4/17/2008	7.2	<2.0	472	3050	-	-	1600	-	472	<2.0
	3/16/2010	-	-	-	2950	-	-	-	-	-	-
MW002	5/22/2001	-	-	-	1210	-	-	290	3.78	-	-
	1/24/2002	-	-	-	1460	3	<0.05	290	-	-	-
	1/24/2006	7.2	<2	182	1700	-	-	375	-	-	-
	7/6/2006	7.2	<2	197	1790	-	-	373	-	-	-
	4/2/2008	7.3	<2.0	188	2730	-	-	679	-	188	<2.0
	3/31/2009	-	-	-	3290	-	-	-	-	-	-
	3/8/2010	-	-	-	3500	-	-	-	-	-	-
MW003	5/24/2001	-	-	-	4700	-	-	1720	5.99	-	-
	1/30/2002	-	-	-	2320	10	<0.05	1130	-	-	-
	1/30/2002 Dup	-	-	-	3580	10	<0.05	680	-	-	-
	9/18/2002	-	-	-	3960	-	-	1390	-	-	-
	1/25/2006	7.2	<2	247	2420	-	-	999	-	-	-
	7/7/2006	7.5	<2	240	2400	-	-	988	-	-	-
	4/3/2008	7.4	<2.0	262	2180	-	-	815	-	262	<2.0
MW004	5/24/2001	-	-	-	3360	-	-	1110	5.37	-	-
	1/28/2002	-	-	-	3990	10	<0.05	1310	-	-	-
	1/25/2006	6.9	<2	289	3320	-	-	1130	-	-	-
	7/7/2006	7.1	<2	286	3320	-	-	1200	-	-	-
	4/15/2008	7.1	<2.0	230	3360	-	-	1370	-	230	<2.0
	3/30/2009	-	-	-	3940	-	-	-	-	-	-
	3/8/2010	-	-	-	3520	-	-	-	-	-	-
MW005	2/11/2002	-	-	-	2390	7100	0.16	600	-	-	-
	2/11/2002 Dup	-	-	-	2270	20	0.18	500	-	-	-
	1/27/2006	7.1	<2	587	2830	-	-	511	-	-	-
	7/13/2006	7	<2	477	2900	-	-	558	-	-	-
	4/17/2008	6.9	<2.0	439	4010	-	-	867	-	439	<2.0
	4/7/2009	-	-	-	2680	-	-	-	-	-	-
	3/16/2010	-	-	-	3430	-	-	-	-	-	-
MW006	2/11/2002	-	-	-	3760	2400	1	700	-	-	-
	4/17/2008	6.8	<2.0	577	5660	-	-	99.8	-	577	<2.0
	4/7/2009	-	-	-	4340	-	-	-	-	-	-
	3/16/2010	-	-	-	4270	-	-	-	-	-	-
MW007	5/24/2001	-	-	-	2980	-	-	1150	6.9	-	-
	1/30/2002	-	-	-	2370	12	<0.05	710	-	-	-
	1/24/2006	7.6	<2	247	2450	-	-	1060	-	-	-
	7/7/2006	7.5	<2	264	1890	-	-	808	-	-	-
	4/3/2008	7.5	<2.0	273	1390	-	-	480	-	273	<2.0
MW008	5/31/2001	-	-	-	5090	-	-	1900	12.8	-	-
	8/29/2001	-	-	-	-	6	-	-	-	-	-
	2/4/2002	-	-	-	3780	9	0.06	1400	-	-	-
	6/9/2003	-	-	-	-	10	0.08	1600	10.9	-	-
	6/9/2003 Dup	-	-	-	-	-	-	1600	-	-	-
	6/30/2003	-	-	-	-	6	<0.05	1430	9	-	-
	7/9/2003	-	-	-	-	9	<0.05	1550	10.8	-	-
	7/15/2003	-	-	-	-	5	<0.05	1450	8	-	-
	7/28/2003	-	-	-	-	5	0.1	1450	1.4	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/21/2003	-	-	-	-	5	0.06	1790	10.9	-	-
	9/29/2003	-	-	-	-	5	0.06	1620	16.6	-	-
	10/27/2003	-	-	-	-	5	0.07	1700	8.9	-	-
	12/4/2003	-	-	-	-	6	0.05	1410	21	-	-
	1/5/2004	-	-	-	-	6	0.05	1170	5.9	-	-
	3/1/2004	-	-	-	-	4	<0.05	1320	8	-	-
	3/31/2004	-	-	-	3960	5	0.06	1420	7.2	-	-
	5/4/2004	-	-	-	-	5	0.06	1930	10.4	-	-
	6/7/2004	-	-	-	-	5	0.06	1560	17.2	-	-
	7/7/2004	-	-	-	-	7	<0.05	1500	9	-	-
	8/10/2004	-	-	-	-	5	0.05	1300	7.2	-	-
	9/16/2004	-	-	-	-	6	0.05	1500	9.9	-	-
	10/4/2004	-	-	-	-	8	0.06	1240	9	-	-
	11/8/2004	-	-	-	4230	14	<0.05	1400	8.5	-	-
	12/16/2004	-	-	-	4210	10	<0.05	1400	10.1	-	-
	1/13/2005	-	-	-	3610	19	<0.05	1200	7.4	-	-
	2/8/2005	-	-	-	4370	21	0.06	1400	7.2	-	-
	3/8/2005	-	-	-	3200	41	<0.05	700	5	-	-
	4/6/2005	-	-	-	3180	87	0.08	700	1.3	-	-
	5/11/2005	-	-	-	3620	386	3.5	600	0.6	-	-
	6/7/2005	-	-	-	4140	247	2.3	900	-	-	-
	7/6/2005	-	-	-	4040	254	7	1100	-	-	-
	2/9/2006	6.3	<2	838	3740	-	-	890	-	-	-
	7/18/2006	6.5	<2	1120	3610	-	-	757	-	-	-
	4/15/2008	6.5	<2.0	905	3140	-	-	599	-	905	<2.0
	3/30/2009	-	-	-	3730	-	-	-	-	-	-
	3/10/2010	-	-	-	4030	-	-	-	-	-	-
MW008M	10/1/2001	-	-	-	4670	4	-	1610	-	-	-
	2/4/2002	-	-	-	5190	4	0.07	2000	-	-	-
	2/4/2002 Dup	-	-	-	3860	9	0.06	96	-	-	-
	6/9/2003	-	-	-	-	5	0.07	1700	12.6	-	-
	6/9/2003 Dup	-	-	-	-	-	-	1700	-	-	-
	6/30/2003	-	-	-	-	7	<0.05	2000	10.3	-	-
	7/9/2003	-	-	-	-	8	<0.05	1690	9.4	-	-
	7/15/2003	-	-	-	-	5	<0.05	1770	9	-	-
	7/29/2003	-	-	-	-	5	0.11	1990	1.3	-	-
	8/21/2003	-	-	-	-	5	0.07	1870	10.3	-	-
	9/29/2003	-	-	-	-	5	<0.05	1600	9.6	-	-
	10/27/2003	-	-	-	-	5	<0.05	1700	9.2	-	-
	12/4/2003	-	-	-	-	5	0.06	1650	10.5	-	-
	1/6/2004	-	-	-	-	5	0.06	1860	12.4	-	-
	3/1/2004	-	-	-	-	4	<0.05	1780	9	-	-
	4/1/2004	-	-	-	5010	5	0.05	1870	9	-	-
	5/4/2004	-	-	-	-	5	<0.05	2050	11.5	-	-
	6/7/2004	-	-	-	-	40	0.05	1670	15.9	-	-
	7/7/2004	-	-	-	-	430	9	1000	<0.4	-	-
	8/10/2004	-	-	-	-	260	10	1000	2.7	-	-
	9/16/2004	-	-	-	-	900	24	400	<0.4	-	-
	10/4/2004	-	-	-	-	1090	23	420	1.6	-	-
	11/9/2004	-	-	-	6280	830	42	200	<0.4	-	-
	12/16/2004	-	-	-	6080	930	22	50	<0.4	-	-
	1/17/2005	-	-	-	6350	83	4	<10	<0.2	-	-
	2/8/2005	-	-	-	5890	820	6	2	<2	-	-
	3/8/2005	-	-	-	5410	680	3.7	3	18.2	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	4/6/2005	-	-	-	5050	570	14	3	<0.4	-	-
	5/11/2005	-	-	-	5070	394	0.56	8	<0.4	-	-
	6/7/2005	-	-	-	5270	510	60	10	-	-	-
	7/6/2005	-	-	-	4150	379	64	600	-	-	-
	2/10/2006	6.5	<2	2700	7160	-	-	<200	-	-	-
	2/10/2006 Dup	6.5	<2	2630	7400	-	-	<200	-	-	-
	7/19/2006	6.9	<2	3050	5980	-	-	<20	-	-	-
	4/16/2008	6.8	<2.0	2770	5730	-	-	<5.0	-	2770	<2.0
	3/31/2009	-	-	-	5300	-	-	-	-	-	-
	3/10/2010	-	-	-	3940	-	-	-	-	-	-
MW009	5/31/2001	-	-	-	2760	-	-	1170	8.4	-	-
	1/29/2002	-	-	-	2710	6	<0.05	1200	-	-	-
	2/2/2006	7.3	<2	297	1510	-	-	463	-	-	-
	7/13/2006	7.4	<2	270	1460	-	-	419	-	-	-
	4/15/2008	7.3	<2.0	268	1990	-	-	700	-	268	<2.0
	3/26/2009	-	-	-	2100	-	-	-	-	-	-
	3/8/2010	-	-	-	1750	-	-	-	-	-	-
MW010	5/24/2001	-	-	-	5130	-	-	1040	6.7	-	-
	1/29/2002	-	-	-	4750	8	<0.05	940	-	-	-
	1/24/2006	7	<2	202	5780	-	-	707	-	-	-
	6/30/2006	7	<2	196	5850	-	-	701	-	-	-
	6/30/2006 Dup	7	<2	197	5970	-	-	705	-	-	-
	4/7/2008	7	<2.0	207	5140	-	-	693	-	207	<2.0
	8/13/2008	6.9	<2.0	202	5460	-	-	866	-	-	-
	3/26/2009	-	-	-	5670	-	-	-	-	-	-
	3/3/2010	-	-	-	5410	-	-	-	-	-	-
	8/6/2010	-	-	-	7090	-	-	-	-	-	-
MW011	5/31/2001	-	-	-	4950	-	-	1770	11.3	-	-
	8/30/2001	-	-	-	-	4	-	-	-	-	-
	1/31/2002	-	-	-	4770	7	0.06	1800	-	-	-
	9/19/2002	-	-	-	4980	-	-	1650	-	-	-
	6/10/2003	-	-	-	-	12	0.07	1600	9.1	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1940	-	-	-
	7/1/2003	-	-	-	-	8	0.05	1780	9	-	-
	7/8/2003	-	-	-	-	8	<0.05	1650	9.2	-	-
	7/14/2003	-	-	-	-	5	0.08	1600	10	-	-
	7/29/2003	-	-	-	-	5	0.08	2000	1.2	-	-
	8/19/2003	-	-	-	-	5	0.05	1770	0.9	-	-
	9/29/2003	-	-	-	-	5	0.05	1800	<0.4	-	-
	10/28/2003	-	-	-	-	5	<0.05	1700	<0.4	-	-
	12/8/2003	-	-	-	-	5	0.06	1520	11	-	-
	1/6/2004	-	-	-	-	9	<0.05	1820	11.3	-	-
	3/2/2004	-	-	-	-	4 / 4	<0.05	1720	8	-	-
	4/1/2004	-	-	-	4820	5	<0.05	1880	8.4	-	-
	5/13/2004	-	-	-	-	5	-	-	-	-	-
	5/18/2004	-	-	-	-	6	<0.05	1870	8	-	-
	6/10/2004	-	-	-	-	4	-	-	-	-	-
	6/14/2004	-	-	-	-	4	<0.05	2200	9.2	-	-
	7/8/2004	-	-	-	-	6	-	-	-	-	-
	7/13/2004	-	-	-	-	6	0.06	1750	9.9	-	-
	8/11/2004	-	-	-	-	3	-	-	-	-	-
	8/12/2004	-	-	-	-	4	0.06	1500	10.1	-	-
	9/14/2004	-	-	-	-	3	-	-	-	-	-
	9/15/2004	-	-	-	-	3	0.05	1600	8.8	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID											
	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	10/5/2004	-	-	-	-	6 / 7	0.06	1600	8.9	-	-
	11/11/2004	-	-	-	-	9	-	-	-	-	-
	11/16/2004	-	-	-	4490	11	<0.05	1600	7.9	-	-
	12/20/2004	-	-	-	-	11	-	-	-	-	-
	12/29/2004	-	-	-	4590	12	<0.05	1600	6.4	-	-
	1/25/2005	-	-	-	4560	17	<0.05	1600	5.3	-	-
	2/8/2005	-	-	-	4690	18	0.05	1600	4.3	-	-
	3/9/2005	-	-	-	4550	22	<0.05	1200	10	-	-
	4/12/2005	-	-	-	11200	2710	<1	<1	<0.4	-	-
	5/12/2005	-	-	-	5000	45	0.05	1500	9.9	-	-
	6/8/2005	-	-	-	5270	26	<0.05	1500	-	-	-
	7/11/2005	-	-	-	5310	31	0.09	1400	-	-	-
	2/9/2006	7	<2	245	5230	-	-	1490	-	-	-
	7/19/2006	7	<2	198	5280	-	-	1850	-	-	-
	4/16/2008	6.9	<2.0	201	5040	-	-	1470	-	201	<2.0
MW011M	3/31/2009	-	-	-	5530	-	-	-	-	-	-
	3/10/2010	-	-	-	4630	-	-	-	-	-	-
	10/1/2001	-	-	-	4710	4	-	1720	-	-	-
	2/4/2002	-	-	-	5020	4	0.05	2200	-	-	-
	6/10/2003	-	-	-	-	12	0.06	2000	10	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1800	-	-	-
	7/1/2003	-	-	-	-	7	<0.05	1800	11.7	-	-
	7/8/2003	-	-	-	-	11	<0.05	1900	7.3	-	-
	7/14/2003	-	-	-	-	6	0.06	2010	8.5	-	-
	7/30/2003	-	-	-	-	6	0.07	2210	0.9	-	-
	8/19/2003	-	-	-	-	6	0.05	2060	8.7	-	-
	9/29/2003	-	-	-	-	6	<0.05	2100	8	-	-
	10/28/2003	-	-	-	-	5	<0.05	1900	6.5	-	-
	12/4/2003	-	-	-	-	6	<0.05	1760	9.1	-	-
	1/6/2004	-	-	-	-	6	<0.05	2170	9.8	-	-
	3/2/2004	-	-	-	-	5 / 5	<0.05	2170	8	-	-
	4/1/2004	-	-	-	5840	5	<0.05	2200	7.3	-	-
	5/13/2004	-	-	-	-	41	-	-	-	-	-
	5/18/2004	-	-	-	-	113	0.07	2090	3.1	-	-
	6/10/2004	-	-	-	-	100	-	-	-	-	-
	6/14/2004	-	-	-	-	38	0.05	1400	0.8	-	-
	7/8/2004	-	-	-	-	480	-	-	-	-	-
	7/13/2004	-	-	-	-	77	4	1640	<0.4	-	-
	8/11/2004	-	-	-	-	710	-	-	-	-	-
	8/16/2004	-	-	-	-	200	7	1100	<0.4	-	-
	9/14/2004	-	-	-	-	700	-	-	-	-	-
	9/15/2004	-	-	-	-	1000	8	1200	1.8	-	-
	10/5/2004	-	-	-	-	650 / 1310	28	800	1.2	-	-
	11/11/2004	-	-	-	-	8	-	-	-	-	-
	11/16/2004	-	-	-	5870	691	90	500	<0.4	-	-
	12/20/2004	-	-	-	-	1970	-	-	-	-	-
	12/29/2004	-	-	-	7850	1330	4	800	1.1	-	-
	1/25/2005	-	-	-	9010	1730	69	200	<2	-	-
	2/9/2005	-	-	-	10000	1910	64	112	<2	-	-
	3/9/2005	-	-	-	11000	2390	13	30	<0.4	-	-
	4/12/2005	-	-	-	4990	10	0.05	<10	9.6	-	-
	5/12/2005	-	-	-	9670	2440	3	<1	<2	-	-
	6/8/2005	-	-	-	8280	1810	0.17	<10	-	-	-
	7/11/2005	-	-	-	7400	1650	3	<10	-	-	-
	2/10/2006	7	<2	2050	6120	-	-	166	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/19/2006	7.1	<2	2130	5640	-	-	<10	-	-	-
	7/19/2006 Dup	7.2	<2	2130	5500	-	-	16.7	-	-	-
	4/16/2008	7.1	<2.0	1510	4680	-	-	597	-	1510	<2.0
	3/31/2009	-	-	-	5250	-	-	-	-	-	-
	3/10/2010	-	-	-	3820	-	-	-	-	-	-
MW012	5/30/2001	-	-	-	4020	-	-	1630	9.3	-	-
	5/30/2001 Dup	-	-	-	4020	-	-	1690	8.1	-	-
	8/27/2001	-	-	-	-	4	-	-	-	-	-
	1/31/2002	-	-	-	3780	6	0.06	1700	-	-	-
	1/31/2002 Dup	-	-	-	3840	6	0.05	1700	-	-	-
	6/10/2003	-	-	-	-	5	0.06	1130	4.8	-	-
	7/2/2003	-	-	-	-	7	<0.05	1060	6.7	-	-
	7/7/2003	-	-	-	-	6	<0.05	1270	6.3	-	-
	7/14/2003	-	-	-	-	6	0.05	1150	5.2	-	-
	7/30/2003	-	-	-	-	4	0.1	1320	0.8	-	-
	8/20/2003	-	-	-	-	-	0.06	1140	0.9	-	-
	9/30/2003	-	-	-	-	5	0.06	1400	5.9	-	-
	10/28/2003	-	-	-	-	5	<0.05	1500	8.2	-	-
	12/8/2003	-	-	-	-	5	0.05	1150	10.4	-	-
	1/7/2004	-	-	-	3090	8	<0.05	2350	6.2	-	-
	2/18/2004	-	-	-	-	5	0.05	1330	5.9	-	-
	4/6/2004	-	-	-	-	5	0.06	1430	6	-	-
	5/6/2004	-	-	-	-	6	<0.05	1640	6.4	-	-
	6/8/2004	-	-	-	-	5	<0.05	1480	6.8	-	-
	7/13/2004	-	-	-	-	6	0.05	1260	6.1	-	-
	8/12/2004	-	-	-	-	5	0.06	1400	6.2	-	-
	9/9/2004	-	-	-	-	5	0.05	1300	6.2	-	-
	10/6/2004	-	-	-	-	8	0.07	1000	4.2	-	-
	11/10/2004	-	-	-	2960	13	<0.05	1100	4.3	-	-
	12/28/2004	-	-	-	2850	16	<0.05	1000	4	-	-
	1/18/2005	-	-	-	2700	8	<0.05	1100	4.9	-	-
	2/9/2005	-	-	-	3180	15	0.05	1200	5.1	-	-
	3/10/2005	-	-	-	2970	17	<0.05	900	5.2	-	-
	4/13/2005	-	-	-	2860	65	<0.05	900	5.4	-	-
	5/17/2005	-	-	-	2770	78	0.4	860	5	-	-
	6/9/2005	-	-	-	2950	43	<0.05	1000	-	-	-
	7/11/2005	-	-	-	2860	54	0.06	900	-	-	-
	2/10/2006	6.7	<2	744	2480	-	-	671	-	-	-
	7/20/2006	6.7	<2	1030	2160	-	-	320	-	-	-
	4/17/2008	6.6	<2.0	947	2640	-	-	93	-	947	<2.0
	4/1/2009	-	-	-	2220	-	-	-	-	-	-
	3/11/2010	-	-	-	1900	-	-	-	-	-	-
MW012M	2/4/2002	-	-	-	2200	3	<0.05	800	-	-	-
	6/10/2003	-	-	-	-	3	0.06	1070	6.1	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1160 / 730	-	-	-
	7/2/2003	-	-	-	-	6	<0.05	1070	6	-	-
	7/7/2003	-	-	-	-	6	<0.05	950	4.8	-	-
	7/14/2003	-	-	-	-	6	<0.05	980	17	-	-
	7/30/2003	-	-	-	-	4	0.06	1120	0.6	-	-
	8/20/2003	-	-	-	-	11	0.06	1320	1	-	-
	9/30/2003	-	-	-	-	4	<0.05	1000	4	-	-
	10/28/2003	-	-	-	-	3	<0.05	1000	5.3	-	-
	12/9/2003	-	-	-	-	4	<0.05	960	6.5	-	-
	1/7/2004	-	-	-	2690	4	<0.05	2060	5	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID											
	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	2/19/2004	-	-	-	-	3	0.05	1100	5	-	-
	4/6/2004	-	-	-	-	3	<0.05	1130	5.8	-	-
	5/6/2004	-	-	-	-	3	<0.05	1200	6	-	-
	6/8/2004	-	-	-	-	2	<0.05	1140	5.3	-	-
	7/14/2004	-	-	-	-	8	0.07	900	2.1	-	-
	8/12/2004	-	-	-	-	160	37	700	0.7	-	-
	9/9/2004	-	-	-	-	340	130	200	<0.4	-	-
	10/6/2004	-	-	-	-	142	180	80	<0.4	-	-
	11/10/2004	-	-	-	2420	220	62	7	<0.4	-	-
	12/28/2004	-	-	-	1940	80	80	73	<0.4	-	-
	1/18/2005	-	-	-	1780	70	60	100	<0.2	-	-
	2/9/2005	-	-	-	1880	6	68	100	<0.4	-	-
	3/10/2005	-	-	-	1870	39	53	100	<0.4	-	-
	4/13/2005	-	-	-	1860	98	3.1	200	<0.4	-	-
	5/18/2005	-	-	-	1750	92	35	320	<0.4	-	-
	6/14/2005	-	-	-	1850	68	45	300	-	-	-
	7/12/2005	-	-	-	2050	97	46	100	-	-	-
	2/13/2006	6.5	<2	4040	12800	5480	0.74	<200	-	-	-
	7/20/2006	6.3	<2	5530	17100	-	-	107	-	-	-
	4/17/2008	6.4	<2.0	5770	18000	-	-	<5.0	-	5770	<2.0
	4/1/2009	-	-	-	8270	-	-	-	-	-	-
	3/11/2010	-	-	-	4420	-	-	-	-	-	-
MW013	5/23/2001	-	-	-	4810	-	-	1430	7.2	-	-
	8/27/2001	-	-	-	-	<1	-	-	-	-	-
	1/29/2002	-	-	-	4360	14	<0.05	1430	-	-	-
	1/26/2006	7.1	<2	201	3730	-	-	1290	-	-	-
	7/5/2006	6.9	<2	206	3720	-	-	1320	-	-	-
	4/15/2008	7.3	<2.0	230	1990	-	-	1090	-	230	<2.0
	8/21/2008	7.2	<2.0	239	3480	-	-	1330	-	-	-
	4/1/2009	-	-	-	3390	-	-	-	-	-	-
	8/10/2009	-	-	-	3360	-	-	-	-	-	-
	3/9/2010	-	-	-	3300	-	-	-	-	-	-
	8/9/2010	-	-	-	3210	-	-	-	-	-	-
MW014	5/24/2001	-	-	-	4890	-	-	690	13.9	-	-
	8/27/2001	-	-	-	-	16	-	-	-	-	-
	1/30/2002	-	-	-	4430	20	<0.05	740	-	-	-
	1/30/2002 Dup	-	-	-	4540	29	<0.05	1350	-	-	-
	1/26/2006	7.1	<2	392	4460	-	-	715	-	-	-
	6/29/2006	7	<2	392	4560	-	-	589	-	-	-
	4/7/2008	7	<2.0	400	4230	-	-	594	-	400	<2.0
	3/30/2009	-	-	-	4170	-	-	-	-	-	-
	8/10/2009	-	-	-	647	-	-	-	-	-	-
	3/9/2010	-	-	-	3750	-	-	-	-	-	-
	8/9/2010	-	-	-	3650	-	-	-	-	-	-
MW015	5/17/2001	-	-	-	6890	-	-	730	5.86	-	-
	1/22/2002	-	-	-	6900	18	<0.05	840	-	-	-
	1/25/2006	6.9	<2	248	6450	-	-	644	-	-	-
	6/29/2006	7.1	<2	260	7100	-	-	549	-	-	-
	3/24/2008	6.8	<2.0	252	5310	-	-	736	-	252	<2.0
	8/6/2008	7.1	<2.0	258	4730	-	-	874	-	-	-
	3/19/2009	-	-	-	4840	-	-	-	-	-	-
	8/20/2009	-	-	-	3930	-	-	-	-	-	-
	3/10/2010	-	-	-	3550	-	-	-	-	-	-
	8/11/2010	-	-	-	3480	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
MW017A	5/17/2001	-	-	-	540	-	-	104	1.93	-	-
	1/23/2002	-	-	-	520	-	<0.05	120	-	-	-
	1/24/2006	7.8	<2	216	545	-	-	108	-	-	-
	6/29/2006	7.7	<2	208	567	-	-	109	-	-	-
MW018	5/17/2001	-	-	-	1280	-	-	332	2.45	-	-
	1/23/2002	-	-	-	1410	-	<0.05	310	-	-	-
	1/23/2006	7.4	<2	313	1300	-	-	357	-	-	-
	1/23/2006 Dup	7.3	<2	306	1380	-	-	394	-	-	-
	6/29/2006	7.3	<2	307	1460	-	-	354	-	-	-
	3/24/2008	7.3	<2.0	304	1240	-	-	315	-	304	<2.0
	3/19/2009	-	-	-	1390	-	-	-	-	-	-
	3/10/2010	-	-	-	1290	-	-	-	-	-	-
	8/10/2010	-	-	-	1300	-	-	-	-	-	-
MW020	6/7/2001	-	-	-	1770	-	-	292	1.88	-	-
	2/6/2002	-	-	-	1720	4	0.06	190	-	-	-
	1/25/2006	7.2	<2	221	2460	-	-	353	-	-	-
	1/25/2006 Dup	7.1	<2	219	2410	-	-	342	-	-	-
	6/30/2006	7.4	<2	228	2370	-	-	336	-	-	-
	3/26/2008	7.2	<2.0	238	1820	-	-	382	-	238	<2.0
	8/6/2008	7.2	<2.0	234	1940	-	-	343	-	-	-
	3/19/2009	-	-	-	2190	-	-	-	-	-	-
	3/12/2010	-	-	-	2540	-	-	-	-	-	-
MW021	5/18/2001	-	-	-	2630	-	-	730	3.68	-	-
	1/23/2002	-	-	-	2420	22	<0.05	310	-	-	-
	1/24/2006	7.2	<2	629	1680	-	-	309	-	-	-
	6/30/2006	7.4	<2	668	1800	-	-	329	-	-	-
	4/1/2008	7.1	<2.0	696	1540	-	-	268	-	696	<2.0
	8/7/2008	7.2	<2.0	682	1530	-	-	242	-	-	-
	3/24/2009	-	-	-	1460	-	-	-	-	-	-
	8/6/2009	-	-	-	1490	-	-	-	-	-	-
	3/2/2010	-	-	-	1900	-	-	-	-	-	-
MW023	8/16/2010	-	-	-	1700	-	-	-	-	-	-
	6/23/1999	-	-	-	-	-	-	1300	-	-	-
	5/29/2001	-	-	-	4390	-	-	1490	8.5	-	-
	5/29/2001 Dup	-	-	-	4420	-	-	1500	8.7	-	-
	8/30/2001	-	-	-	-	44	-	-	-	-	-
	2/7/2002	-	-	-	4300	330	0.07	1600	-	-	-
	1/26/2006	7.1	<2	238	4070	-	-	1180	-	-	-
	6/26/2006	7.2	<2	259	3780	-	-	1330	-	-	-
	4/9/2008	7.2	<2.0	251	3660	-	-	1400	-	251	<2.0
MW024	8/21/2008	7.1	<2.0	256	3920	-	-	1580	-	-	-
	3/31/2009	-	-	-	3940	-	-	-	-	-	-
	8/12/2009	-	-	-	3890	-	-	-	-	-	-
	3/9/2010	-	-	-	3660	-	-	-	-	-	-
	8/6/2010	-	-	-	3640	-	-	-	-	-	-
	1/9/2003	-	-	-	1290	-	-	240	-	-	-
	1/24/2006	7.4	<2	190	1550	-	-	217	-	-	-
	6/27/2006	7.3	<2	231	1610	-	-	254	-	-	-
	4/7/2008	7	<2.0	307	2180	-	-	580	-	307	<2.0
	8/13/2008	7.1	<2.0	274	1780	-	-	499	-	-	-
	3/25/2009	-	-	-	1800	-	-	-	-	-	-
	3/3/2010	-	-	-	1870	-	-	-	-	-	-
	8/6/2010	-	-	-	1800	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
MW025	5/29/2001	-	-	-	3440	-	-	1050	10.3	-	-
	8/27/2001	-	-	-	-	6	-	-	-	-	-
	1/31/2002	-	-	-	2540	12	<0.05	700	-	-	-
	1/24/2006	7.1	<2	427	1470	-	-	276	-	-	-
	7/5/2006	6.7	<2	455	1660	-	-	309	-	-	-
	3/24/2008	7.1	<2.0	401	1610	-	-	326	-	401	<2.0
	8/7/2008	7.1	<2.0	371	1550	-	-	346	-	-	-
	3/19/2009	-	-	-	120	-	-	-	-	-	-
	8/20/2009	-	-	-	1690	-	-	-	-	-	-
	3/9/2010	-	-	-	1600	-	-	-	-	-	-
MW026	8/11/2010	-	-	-	1790	-	-	-	-	-	-
	5/18/2001	-	-	-	2120	-	-	460	1.83	-	-
	1/23/2002	-	-	-	1850	-	0.05	420	-	-	-
	1/19/2006	7.3	<2	179	1780	-	-	437	-	-	-
	6/23/2006	7.2	<2	202	2020	-	-	454	-	-	-
	3/25/2008	7.2	<2.0	191	2240	-	-	661	-	191	<2.0
	8/11/2008	7.1	<2.0	188	2320	-	-	749	-	-	-
	8/24/2009	-	-	-	2620	-	-	-	-	-	-
MW027	8/13/2010	-	-	-	2730	-	-	-	-	-	-
	5/18/2001	-	-	-	1260	-	-	330	2.51	-	-
	1/24/2002	-	-	-	1370	-	<0.05	370	-	-	-
	1/23/2006	7.3	<2	212	1440	-	-	352	-	-	-
	6/23/2006	7.5	<2	314	1420	-	-	416	-	-	-
	3/12/2010	-	-	-	1440	-	-	-	-	-	-
MW028	8/3/2010	-	-	-	1710	-	-	-	-	-	-
	5/22/2001	-	-	-	3040	-	-	400	3.1	-	-
	1/24/2002	-	-	-	2800	-	<0.05	330	-	-	-
	1/18/2006	7.4	<2	430	2070	-	-	279	-	-	-
	6/20/2006	7.5	<2	449	2060	-	-	347	-	-	-
	3/19/2008	7.7	<2.0	353	1520	-	-	372	-	353	<2.0
	8/12/2008	7.6	<2.0	365	1450	-	-	413	-	-	-
	3/19/2009	-	-	-	1450	-	-	-	-	-	-
	8/24/2009	-	-	-	1470	-	-	-	-	-	-
MW029	3/11/2010	-	-	-	1600	-	-	-	-	-	-
	8/11/2010	-	-	-	1780	-	-	-	-	-	-
	5/18/2001	-	-	-	810	-	-	188	2.04	-	-
	2/6/2002	-	-	-	1380	-	<0.05	170	-	-	-
	1/18/2006	7.5	<2	164	823	-	-	190	-	-	-
	6/20/2006	7.7	<2	168	792	-	-	185	-	-	-
	3/20/2008	7.6	<2.0	170	749	-	-	165	-	170	<2.0
	8/5/2008	7.5	<2.0	187	767	-	-	165	-	-	-
MW030	3/16/2009	-	-	-	728	-	-	-	-	-	-
	8/24/2009	-	-	-	706	-	-	-	-	-	-
	3/10/2010	-	-	-	512	-	-	-	-	-	-
	8/13/2010	-	-	-	660	-	-	-	-	-	-
	4/24/2002	-	-	-	1980	610	<0.05	110	-	-	-
	1/20/2006	7.5	<2	167	1110	-	-	140	-	-	-
	6/22/2006	7.3	<2	187	1060	-	-	141	-	-	-
	3/25/2008	7.4	<2.0	165	964	-	-	137	-	165	<2.0
	8/5/2008	7.4	<2.0	170	962	-	-	363	-	-	-
MW031	3/16/2009	-	-	-	952	-	-	-	-	-	-
	8/20/2009	-	-	-	986	-	-	-	-	-	-
	3/16/2010	-	-	-	1350	-	-	-	-	-	-
	8/13/2010	-	-	-	1110	-	-	-	-	-	-
	4/25/2002	-	-	-	990	14	0.06	140	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	1/19/2006	7.2	<2	415	794	-	-	107	-	-	-
	6/21/2006	7.2	<2	382	781	-	-	103	-	-	-
	3/20/2008	7.4	<2.0	301	724	-	-	115	-	301	<2.0
	8/5/2008	7.2	<2.0	300	714	-	-	312	-	-	-
	3/24/2009	-	-	-	703	-	-	-	-	-	-
	8/4/2009	-	-	-	711	-	-	-	-	-	-
	3/2/2010	-	-	-	836	-	-	-	-	-	-
	8/5/2010	-	-	-	666	-	-	-	-	-	-
MW032	4/2/2002	-	-	-	1320	9	0.06	340	-	-	-
	1/19/2006	7.3	<2	255	1010	-	-	173	-	-	-
	6/21/2006	7.3	<2	366	1060	-	-	207	-	-	-
	4/7/2008	7.2	<2.0	246	1180	-	-	271	-	246	<2.0
	8/14/2008	7.4	<2.0	255	1160	-	-	290	-	-	-
	3/30/2009	-	-	-	1250	-	-	-	-	-	-
	8/6/2009	-	-	-	1160	-	-	-	-	-	-
	3/3/2010	-	-	-	1260	-	-	-	-	-	-
MW033	8/5/2010	-	-	-	1100	-	-	-	-	-	-
	4/3/2002	-	-	-	2280	14	0.11	320	-	-	-
	4/3/2002 Dup	-	-	-	2250	16	0.1	370	-	-	-
	1/27/2006	7.4	<2	364	2010	-	-	393	-	-	-
	1/27/2006 Dup	7.4	<2	355	2100	-	-	365	-	-	-
	6/26/2006	7.3	<2	393	2070	-	-	350	-	-	-
	3/19/2008	7.5	<2.0	397	1950	-	-	422	-	397	<2.0
	8/13/2008	7.3	<2.0	386	2050	-	-	464	-	-	-
	4/1/2009	-	-	-	1940	-	-	-	-	-	-
	8/24/2009	-	-	-	1870	-	-	-	-	-	-
MW034	3/17/2010	-	-	-	2160	-	-	-	-	-	-
	8/18/2010	-	-	-	1920	-	-	-	-	-	-
	4/3/2002	-	-	-	2200	7	0.06	550	-	-	-
	1/25/2006	7	<2	343	1810	-	-	512	-	-	-
	7/7/2006	7.3	<2	353	1690	-	-	389	-	-	-
	4/1/2008	7.2	<2.0	328	1380	-	-	331	-	328	<2.0
MW035	3/25/2009	-	-	-	1360	-	-	-	-	-	-
	3/3/2010	-	-	-	1510	-	-	-	-	-	-
	8/30/2001	-	-	-	620	2	-	700	-	-	-
	1/29/2002	-	-	-	1230	12	<0.05	230	-	-	-
	1/23/2006	7.1	<2	354	612	-	-	89.3	-	-	-
	6/22/2006	7	<2	427	917	-	-	131	-	-	-
	4/2/2008	7	<2.0	477	766	-	-	86.6	-	477	<2.0
MW036	3/24/2009	-	-	-	1320	-	-	-	-	-	-
	3/3/2010	-	-	-	1100	-	-	-	-	-	-
	8/29/2001	-	-	-	1000	10	-	10	-	-	-
	2/7/2002	-	-	-	1100	16	0.08	2	-	-	-
	1/26/2006	6.8	<2	551	1970	-	-	174	-	-	-
	7/12/2006	6.8	<2	583	1740	-	-	95.1	-	-	-
	4/16/2008	7	<2.0	663	1040	-	-	<5.0	-	663	<2.0
MW037	4/7/2009	-	-	-	1320	-	-	-	-	-	-
	3/16/2010	-	-	-	1270	-	-	-	-	-	-
	8/29/2001	-	-	-	2140	9	-	30	-	-	-
	2/7/2002	-	-	-	2050	16	0.73	6	-	-	-
	2/7/2002 Dup	-	-	-	2070	106	0.67	6	-	-	-
	1/27/2006	7.1	<2	768	1900	-	-	63.8	-	-	-
	7/13/2006	7	<2	792	2130	-	-	129	-	-	-
	4/16/2008	7	<2.0	839	2950	-	-	92.6	-	839	<2.0
	4/7/2009	-	-	-	3840	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
MW038	3/16/2010	-	-	-	2130	-	-	-	-	-	-
	8/29/2001	-	-	-	1030	6	-	90	-	-	-
	2/7/2002	-	-	-	1160	24	0.05	33	-	-	-
	9/19/2002	-	-	-	1070	-	-	3	-	-	-
	1/26/2006	6.9	<2	406	2300	-	-	681	-	-	-
	7/13/2006	7	<2	422	2270	-	-	676	-	-	-
	4/16/2008	7.2	<2.0	465	2060	-	-	482	-	465	<2.0
	4/7/2009	-	-	-	1760	-	-	-	-	-	-
	3/12/2010	-	-	-	1410	-	-	-	-	-	-
MW043	4/25/2002	-	-	-	1940	15	0.06	320	-	-	-
	1/23/2006	7.1	<2	437	3040	-	-	1160	-	-	-
	6/30/2006	7.8	<2	320	1160	-	-	353	-	-	-
	3/26/2008	7.5	<2.0	552	1250	-	-	193	-	552	<2.0
	3/24/2009	-	-	-	1410	-	-	-	-	-	-
	3/3/2010	-	-	-	1690	-	-	-	-	-	-
MW044	4/3/2002	-	-	-	3260	14	0.05	730	-	-	-
	9/18/2002	-	-	-	3500	-	-	940	-	-	-
	2/2/2006	6.9	<2	475	2310	-	-	536	-	-	-
	7/21/2006	7.1	<2	556	1670	-	-	169	-	-	-
	4/9/2008	7	<2.0	518	1900	-	-	462	-	518	<2.0
	3/25/2009	-	-	-	1700	-	-	-	-	-	-
	3/25/2010	-	-	-	1300	-	-	-	-	-	-
MW045	4/4/2002	-	-	-	1920	5	0.05	170	-	-	-
	1/27/2006	7.3	<2	547	1490	-	-	198	-	-	-
	7/12/2006	6.8	<2	527	1650	-	-	205	-	-	-
	7/12/2006 Dup	6.9	<2	521	1730	-	-	206	-	-	-
	4/2/2008	7	<2.0	563	1520	-	-	145	-	563	<2.0
	3/24/2009	-	-	-	1220	-	-	-	-	-	-
	3/3/2010	-	-	-	1280	-	-	-	-	-	-
MW046	4/4/2002	-	-	-	1640	49	0.06	180	-	-	-
	1/26/2006	7.1	<2	605	1220	-	-	5.2	-	-	-
	7/12/2006	7	<2	641	1360	-	-	20.5	-	-	-
	4/17/2008	7.1	<2.0	645	1760	-	-	32	-	645	<2.0
	4/7/2009	-	-	-	1700	-	-	-	-	-	-
	3/12/2010	-	-	-	1840	-	-	-	-	-	-
MW047	4/4/2002	-	-	-	2000	9	0.05	710	-	-	-
	1/25/2006	7.2	<2	276	1700	-	-	584	-	-	-
	7/7/2006	7.4	<2	303	1430	-	-	418	-	-	-
	4/3/2008	7.4	<2.0	287	1190	-	-	318	-	287	<2.0
	3/16/2010	-	-	-	2630	-	-	-	-	-	-
MW058	1/28/2003	-	-	-	2270	-	-	850	-	-	-
	1/24/2006	7.4	<2	147	2500	-	-	872	-	-	-
	7/6/2006	7.4	<2	148	2100	-	-	843	-	-	-
	4/15/2008	7.3	<2.0	156	3660	-	-	1530	-	156	<2.0
	8/21/2008	7.1	<2.0	153	4490	-	-	1850	-	-	-
	4/2/2009	-	-	-	3680	-	-	-	-	-	-
	3/8/2010	-	-	-	2580	-	-	-	-	-	-
	8/6/2010	-	-	-	4130	-	-	-	-	-	-
MW059	1/29/2003	-	-	-	1820	-	-	640	-	-	-
	1/20/2006	7.5	<2	151	1840	-	-	642	-	-	-
	6/26/2006	7.6	<2	144	1780	-	-	657	-	-	-
	4/3/2008	7.9	<2.0	137	2040	-	-	726	-	137	<2.0
	8/14/2008	7.2	<2.0	124	4140	-	-	1800	-	-	-
	3/31/2009	-	-	-	2300	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/12/2009	-	-	-	2260	-	-	-	-	-	-
	3/9/2010	-	-	-	1980	-	-	-	-	-	-
	8/6/2010	-	-	-	4190	-	-	-	-	-	-
MW060	1/8/2003	-	-	-	2010	-	-	600	-	-	-
	1/24/2006	7.4	<2	130	3510	-	-	1500	-	-	-
	1/24/2006 Dup	7.3	<2	135	3370	-	-	1540	-	-	-
	7/6/2006	7.1	<2	149	3280	-	-	1130	-	-	-
	3/25/2008	7.2	<2.0	143	3430	-	-	1270	-	143	<2.0
	8/11/2008	7.2	<2.0	129	3680	-	-	1500	-	-	-
	3/18/2009	-	-	-	3420	-	-	-	-	-	-
	8/24/2009	-	-	-	3450	-	-	-	-	-	-
	3/10/2010	-	-	-	3860	-	-	-	-	-	-
	8/13/2010	-	-	-	4560	-	-	-	-	-	-
MW061	1/8/2003	-	-	-	2160	-	-	800	-	-	-
	1/26/2006	7.3	<2	138	3580	-	-	1410	-	-	-
	7/5/2006	7	<2	156	3260	-	-	1420	-	-	-
	8/7/2008	7.3	<2.0	173	3140	-	-	1250	-	-	-
	4/1/2009	-	-	-	2950	-	-	-	-	-	-
	3/9/2010	-	-	-	2910	-	-	-	-	-	-
	8/11/2010	-	-	-	4300	-	-	-	-	-	-
MW068	3/5/2003	-	-	-	1160	-	-	200	-	-	-
	3/26/2003	-	-	-	60900	-	-	-	-	-	-
	1/19/2006	7.4	<2	250	4210	-	-	350	-	-	-
	6/21/2006	7.4	<2	234	2280	-	-	339	-	-	-
	3/25/2008	7.2	<2.0	254	4550	-	-	337	-	254	<2.0
	8/11/2008	7.1	<2.0	282	17800	-	-	404	-	-	-
	3/18/2009	-	-	-	2610	-	-	-	-	-	-
	8/24/2009	-	-	-	3500	-	-	-	-	-	-
	3/9/2010	-	-	-	3110	-	-	-	-	-	-
	8/11/2010	-	-	-	3860	-	-	-	-	-	-
MW069	3/5/2003	-	-	-	2600	-	-	320	-	-	-
	3/25/2003	-	-	-	54000	-	-	-	-	-	-
	1/19/2006	6.8	<2	341	9030	-	-	313	-	-	-
	6/21/2006	6.9	<2	354	5470	-	-	335	-	-	-
	8/24/2009	-	-	-	6690	-	-	-	-	-	-
MW070	3/6/2003	-	-	-	670	-	-	70	-	-	-
	1/27/2006	7.7	<2	186	682	-	-	171	-	-	-
	6/22/2006	7.6	<2	198	703	-	-	52.3	-	-	-
	3/25/2008	7.4	<2.0	211	896	-	-	149	-	211	<2.0
	8/5/2008	7.3	<2.0	216	912	-	-	354	-	-	-
	3/16/2009	-	-	-	902	-	-	-	-	-	-
	8/20/2009	-	-	-	827	-	-	-	-	-	-
	3/17/2010	-	-	-	856	-	-	-	-	-	-
	8/13/2010	-	-	-	908	-	-	-	-	-	-
MW088M	9/18/2004	-	-	-	-	6000	0.6	700	<2	-	-
	10/7/2004	-	-	-	-	7800	3	1200	<2	-	-
	11/10/2004	-	-	-	15900	11000	<1	1200	<2	-	-
	12/28/2004	-	-	-	12000	8000	1	1300	-	-	-
	1/19/2005	-	-	-	21400	12000	<1	1100	<2	-	-
	2/10/2005	-	-	-	19900	11	1	1000	<2	-	-
	3/10/2005	-	-	-	15400	5000	2	800	<2	-	-
	4/13/2005	-	-	-	16000	12000	0.18	800	<2	-	-
	5/17/2005	-	-	-	41500	9000	3	800	<2	-	-
	5/31/2005	-	-	-	4010	711	1.5	1000	-	-	-
	7/12/2005	-	-	-	23700	12000	4	600	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID											
	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	2/6/2006	5.9	<2	7480	24900	-	-	386	-	-	-
	7/20/2006	7.1	<2	857	3980	-	-	1010	-	-	-
	4/21/2008	5.8	<2.0	6480	21000	-	-	127	-	6480	<2.0
	4/1/2009	-	-	-	17100	-	-	-	-	-	-
	3/11/2010	-	-	-	11000	-	-	-	-	-	-
IW001	8/1/2002	-	-	-	4720	-	-	1510	-	-	-
	6/10/2003	-	-	-	-	5	<0.05	1900	10.3	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1800	-	-	-
	7/1/2003	-	-	-	-	18000	<1	279	<1	-	-
	7/9/2003	-	-	-	-	28000	<1	1350	5	-	-
	7/15/2003	-	-	-	-	26000	<1	1010	<4	-	-
	7/30/2003	-	-	-	-	13000	2	820	<2	-	-
	10/1/2003	-	-	-	-	37000	1	1100	<2	-	-
	10/29/2003	-	-	-	-	21000	<1	1000	<2	-	-
	12/9/2003	-	-	-	-	22000	<1	1370	<2	-	-
	1/8/2004	-	-	-	24500	21000	<1	750	4	-	-
	3/4/2004	-	-	-	-	12000 / 12000	1	2390	<2	-	-
	4/1/2004	-	-	-	21800	20000	1	1220	<2	-	-
	5/17/2004	-	-	-	-	23300	<1	970	<2	-	-
	6/10/2004	-	-	-	-	26000	<1	1700	<2	-	-
	7/14/2004	-	-	-	-	42400	1	1400	<2	-	-
	8/11/2004	-	-	-	-	19000	1	1190	<2	-	-
	9/15/2004	-	-	-	-	23000	<1	900	<2	-	-
	10/6/2004	-	-	-	-	21000	3	600	<2	-	-
	11/15/2004	-	-	-	20600	28000	<1	700	<2	-	-
	12/28/2004	-	-	-	-	20	<1	600	<2	-	-
	1/26/2005	-	-	-	-	27000	<1	300	<2	-	-
	2/9/2005	-	-	-	-	21000	<1	300	<2	-	-
	3/10/2005	-	-	-	-	10000	1	200	-	-	-
	4/12/2005	-	-	-	-	24000	<1	200	<2	-	-
	5/12/2005	-	-	-	-	42000	<0.05	300	-	-	-
	6/9/2005	-	-	-	-	26000	<1	400	-	-	-
	7/7/2005	-	-	-	-	17000	<1	300	-	-	-
	2/6/2006	4.7	<2	1220	8350	-	-	218	-	-	-
	7/20/2006	4.9	<2	2520	11400	-	-	118	-	-	-
	4/17/2008	6.9	<2.0	5610	11200	-	-	<20.0	-	5610	<2.0
	3/31/2009	-	-	-	6510	-	-	-	-	-	-
	3/11/2010	-	-	-	3240	-	-	-	-	-	-
IW002	9/19/2002	-	-	-	3180	-	-	990	-	-	-
	6/11/2003	-	-	-	-	18	0.06	1360	7.3	-	-
	6/11/2003 Dup	-	-	-	-	-	-	1370	-	-	-
	7/2/2003	-	-	-	-	16000	<1	900	1	-	-
	7/8/2003	-	-	-	-	28000	<1	1170	11	-	-
	7/15/2003	-	-	-	-	11	<1	1160	5	-	-
	7/30/2003	-	-	-	-	18000	2	860	3	-	-
	8/21/2003	-	-	-	-	16000	1	750	<2	-	-
	9/30/2003	-	-	-	-	39000	<1	1000	<2	-	-
	10/29/2003	-	-	-	-	20000	<1	600	<2	-	-
	12/10/2003	-	-	-	-	24000	<1	300	<2	-	-
	1/8/2004	-	-	-	17900	16000	<1	960	<2	-	-
	2/23/2004	-	-	-	-	7000	2	970	2	-	-
	4/6/2004	-	-	-	-	20000	1	650	<2	-	-
	5/13/2004	-	-	-	-	26400	2	750	<2	-	-
	6/10/2004	-	-	-	-	6000	1	600	<2	-	-
	7/8/2004	-	-	-	-	34000	1	1220	2	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID											
	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/16/2004	-	-	-	-	24000	1	800	<2	-	-
	9/9/2004	-	-	-	-	6000	1	400	<2	-	-
	10/7/2004	-	-	-	-	29000	4	900	<2	-	-
	11/11/2004	-	-	-	24400	21000	<1	780	5	-	-
	12/29/2004	-	-	-	-	18	<1	600	<2	-	-
	1/19/2005	-	-	-	-	15000	<1	300	<2	-	-
	1/27/2005	-	-	-	-	29000	<1	500	<2	-	-
	2/10/2005	-	-	-	3160	21	<1	300	<2	-	-
	3/15/2005	-	-	-	-	16000	<1	120	<2	-	-
	4/14/2005	-	-	-	-	20	<0.05	200	<2	-	-
	5/17/2005	-	-	-	-	38000	<1	120	<2	-	-
	6/15/2005	-	-	-	-	41000	<1	400	-	-	-
	7/12/2005	-	-	-	-	18000	1	300	-	-	-
	2/6/2006	4.5	<2	710	6750	-	-	227	-	-	-
	7/20/2006	4.9	<2	2600	11200	-	-	100	-	-	-
	4/21/2008	7.1	<2.0	5400	5700	-	-	<5.0	-	5400	<2.0
	4/6/2009	-	-	-	5090	-	-	-	-	-	-
	3/12/2010	-	-	-	2920	-	-	-	-	-	-
RW002	10/1/2001	-	-	-	4730	6	-	1500	-	-	-
	2/4/2002	-	-	-	4990	660	0.05	1900	-	-	-
	6/10/2003	-	-	-	-	5	0.06	1600	9.1	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1600	-	-	-
	7/1/2003	-	-	-	-	9	0.05	1500	14.3	-	-
	7/9/2003	-	-	-	-	9	<0.05	1630	8.6	-	-
	7/15/2003	-	-	-	-	5	0.05	1870	8	-	-
	7/30/2003	-	-	-	-	5	0.08	100	1.2	-	-
	8/20/2003	-	-	-	-	5	0.06	2130	12.4	-	-
	9/30/2003	-	-	-	-	6	<0.05	2000	7.8	-	-
	10/28/2003	-	-	-	-	5	<0.05	1600	7.3	-	-
	12/8/2003	-	-	-	-	6	0.06	1580	8.8	-	-
	1/7/2004	-	-	-	4870	6	<0.05	1890	10.3	-	-
	3/4/2004	-	-	-	-	5 / 4	0.06	1770	14	-	-
	4/1/2004	-	-	-	4660	5	<0.05	1670	7.3	-	-
	5/17/2004	-	-	-	-	14	-	-	-	-	-
	5/18/2004	-	-	-	-	11	<0.05	1900	7	-	-
	6/10/2004	-	-	-	-	4	-	-	-	-	-
	6/14/2004	-	-	-	-	4	<0.05	1700	8.9	-	-
	7/8/2004	-	-	-	-	11	-	-	-	-	-
	7/13/2004	-	-	-	-	7	<0.05	1730	7.9	-	-
	8/11/2004	-	-	-	-	6	-	-	-	-	-
	8/16/2004	-	-	-	-	4	0.06	1600	9	-	-
	9/15/2004	-	-	-	-	8	-	-	-	-	-
	9/16/2004	-	-	-	-	4	<0.05	1500	7.3	-	-
	10/6/2004	-	-	-	-	5	-	-	-	-	-
	10/7/2004	-	-	-	-	23	0.06	1600	4.7	-	-
	11/17/2004	-	-	-	4930	22	<0.05	1600	3.6	-	-
	12/20/2004	-	-	-	-	30	-	-	-	-	-
	12/29/2004	-	-	-	4960	44	0.21	1500	2.2	-	-
	1/25/2005	-	-	-	4640	50	<0.05	1600	0.7	-	-
	2/9/2005	-	-	-	4710	21000	<0.05	1500	1.4	-	-
	3/9/2005	-	-	-	4850	32	<0.05	1400	1.2	-	-
	4/12/2005	-	-	-	4780	21	0.15	1400	0.5	-	-
	5/12/2005	-	-	-	4780	171	2.8	1500	<0.4	-	-
	6/8/2005	-	-	-	4630	76	5.9	1500	-	-	-
	7/7/2005	-	-	-	4640	271	14	1300	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	2/10/2006	6.1	<2	1070	5700	-	-	1370	-	-	-
	7/20/2006	6.2	<2	438	4980	-	-	1680	-	-	-
	4/17/2008	6.6	<2.0	245	4590	-	-	1830	-	245	<2.0
	3/31/2009	-	-	-	5160	-	-	-	-	-	-
	3/11/2010	-	-	-	3500	-	-	-	-	-	-
RW003	2/4/2002	-	-	-	3930	480	<0.05	1600	-	-	-
	6/10/2003	-	-	-	-	6	0.08	1360	5.9	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1590	-	-	-
	7/2/2003	-	-	-	-	7	<0.05	1200	5.8	-	-
	7/8/2003	-	-	-	-	6	<0.05	1180	5.8	-	-
	7/15/2003	-	-	-	-	5	<0.05	1400	6	-	-
	7/30/2003	-	-	-	-	4	0.07	1210	2	-	-
	8/21/2003	-	-	-	-	4	0.07	1130	10.6	-	-
	9/30/2003	-	-	-	-	5	<0.05	1000	4	-	-
	10/28/2003	-	-	-	-	5	<0.05	1200	<0.4	-	-
	12/9/2003	-	-	-	-	6	0.06	1200	12.5	-	-
	1/7/2004	-	-	-	3640	6	<0.05	1580	6.7	-	-
	2/19/2004	-	-	-	-	5	<0.05	800	3	-	-
	4/6/2004	-	-	-	-	5	<0.05	1010	3.5	-	-
	5/6/2004	-	-	-	-	6	<0.05	1230	4	-	-
	6/8/2004	-	-	-	-	5	<0.05	1100	3.6	-	-
	7/14/2004	-	-	-	-	15	<0.05	900	3.6	-	-
	8/16/2004	-	-	-	-	7	0.06	1200	5.2	-	-
	9/9/2004	-	-	-	-	8	0.05	900	3.7	-	-
	10/7/2004	-	-	-	-	7	0.06	800	4.2	-	-
	11/10/2004	-	-	-	2820	19	<0.05	800	1.6	-	-
	12/28/2004	-	-	-	2760	28	<0.05	900	1.8	-	-
	1/18/2005	-	-	-	2960	70	0.22	800	1.4	-	-
	2/10/2005	-	-	-	3340	18	2.5	600	<0.4	-	-
	3/10/2005	-	-	-	2930	330	5.2	400	<0.4	-	-
	4/13/2005	-	-	-	2760	343	4.3	300	0.4	-	-
	5/18/2005	-	-	-	2720	375	34	150	<0.4	-	-
	6/14/2005	-	-	-	2620	262	34	200	-	-	-
	7/12/2005	-	-	-	2580	267	31	81	-	-	-
	2/10/2006	6.8	<2	1480	3130	-	-	388	-	-	-
	7/20/2006	7	<2	1320	2730	-	-	<20	-	-	-
	4/21/2008	7.1	<2.0	1080	2700	-	-	469	-	1080	<2.0
	4/1/2009	-	-	-	2170	-	-	-	-	-	-
	3/11/2010	-	-	-	1900	-	-	-	-	-	-
MW002A	12/9/2002	-	-	-	1330	-	-	200	-	-	-
	1/24/2006	7.5	<2	165	1340	-	-	192	-	-	-
	7/6/2006	7.4	<2	171	1980	-	-	256	-	-	-
	4/2/2008	7.2	<2.0	165	2820	-	-	500	-	165	<2.0
	3/31/2009	-	-	-	2750	-	-	-	-	-	-
MW004A	3/8/2010	-	-	-	1660	-	-	-	-	-	-
	5/23/2001	-	-	-	1320	-	-	410	3.47	-	-
	1/28/2002	-	-	-	1540	2	<0.05	450	-	-	-
	1/25/2006	7.4	<2	166	1440	-	-	446	-	-	-
	7/7/2006	7.7	<2	178	1460	-	-	371	-	-	-
	4/3/2008	7.5	<2.0	175	1740	-	-	580	-	175	<2.0
	3/31/2009	-	-	-	1700	-	-	-	-	-	-
MW007A	3/8/2010	-	-	-	1740	-	-	-	-	-	-
	5/23/2001	-	-	-	1020	-	-	350	2.76	-	-
	5/23/2001 Dup	-	-	-	1050	-	-	330	2.73	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	1/29/2002	-	-	-	1640	3	<0.05	570	-	-	-
	1/26/2006	7.3	<2	156	2410	-	-	921	-	-	-
	7/7/2006	7.7	<2	164	1770	-	-	629	-	-	-
	4/3/2008	7.8	<2.0	155	2840	-	-	1120	-	155	<2.0
MW008A	5/29/2001	-	-	-	4670	-	-	1760	11.7	-	-
	8/29/2001	-	-	-	-	4	-	-	-	-	-
	2/4/2002	-	-	-	4870	7	0.07	1900	-	-	-
	6/9/2003	-	-	-	-	11	0.08	1600	9.8	-	-
	6/9/2003 Dup	-	-	-	-	-	-	1600	-	-	-
	6/30/2003	-	-	-	-	10	<0.05	1830	5.8	-	-
	7/9/2003	-	-	-	-	12	<0.05	1600	6.5	-	-
	7/15/2003	-	-	-	-	7	<0.05	1710	4	-	-
	7/29/2003	-	-	-	-	6	0.08	1780	1.8	-	-
	8/21/2003	-	-	-	-	7	0.06	1730	9	-	-
	9/29/2003	-	-	-	-	6	<0.05	1730	0.5	-	-
	10/27/2003	-	-	-	-	6	<0.05	1600	0.8	-	-
	12/4/2003	-	-	-	-	17	0.05	1450	6.3	-	-
	1/5/2004	-	-	-	-	7	<0.05	1390	9.1	-	-
	3/1/2004	-	-	-	-	5	0.06	1850	7	-	-
	3/31/2004	-	-	-	4440	5	<0.05	1830	8.9	-	-
	5/4/2004	-	-	-	-	6	<0.05	2040	7	-	-
	6/7/2004	-	-	-	-	5	0.13	2100	6.5	-	-
	7/7/2004	-	-	-	-	7	0.06	1700	7.1	-	-
	8/10/2004	-	-	-	-	3	0.06	1820	7.6	-	-
	9/16/2004	-	-	-	-	5	0.05	1700	6.4	-	-
	10/4/2004	-	-	-	-	12	0.06	1710	6.1	-	-
	11/8/2004	-	-	-	4730	38	<0.05	1700	5.2	-	-
	12/16/2004	-	-	-	4830	28	<0.05	1600	5	-	-
	1/6/2005	-	-	-	4520	32	<0.05	1600	2.1	-	-
	2/7/2005	-	-	-	4830	23	<0.05	1500	1.3	-	-
	3/8/2005	-	-	-	4570	37	<0.05	1200	0.7	-	-
	4/6/2005	-	-	-	4510	35	0.26	1300	<0.4	-	-
	5/10/2005	-	-	-	4450	174	25	1060	<0.4	-	-
	6/7/2005	-	-	-	4320	184	36	900	-	-	-
	7/6/2005	-	-	-	4900	550	41	15	-	-	-
	2/9/2006	6.8	<2	1920	4190	-	-	<10	-	-	-
	7/18/2006	7.2	<2	2070	4580	-	-	<10	-	-	-
	4/15/2008	6.7	<2.0	2520	6460	-	-	<5.0	-	2520	<2.0
	3/26/2009	-	-	-	7330	-	-	-	-	-	-
	3/10/2010	-	-	-	6880	-	-	-	-	-	-
MW009A	5/24/2001	-	-	-	3260	-	-	1000	9.7	-	-
	1/28/2002	-	-	-	3470	6	<0.05	1350	-	-	-
	2/2/2006	7.3	<2	193	2420	-	-	833	-	-	-
	7/13/2006	7.7	<2	210	2530	-	-	782	-	-	-
	4/15/2008	7.4	<2.0	216	2580	-	-	1100	-	216	<2.0
	3/26/2009	-	-	-	2410	-	-	-	-	-	-
	3/8/2010	-	-	-	2240	-	-	-	-	-	-
MW011A	5/22/2001	-	-	-	840	-	-	220	2.23	-	-
	1/28/2002	-	-	-	1000	3	<0.05	320	-	-	-
	6/10/2003	-	-	-	-	3	0.06	610	2.6	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1790	-	-	-
	7/1/2003	-	-	-	-	3	<0.05	280	1.1	-	-
	7/8/2003	-	-	-	-	8	0.06	470	1.3	-	-
	7/14/2003	-	-	-	-	5	<0.05	490	<0.4	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/29/2003	-	-	-	-	4	0.24	570	1.4	-	-
	8/19/2003	-	-	-	-	7	4.7	500	6.4	-	-
	9/29/2003	-	-	-	-	3	1.1	530	<0.4	-	-
	10/28/2003	-	-	-	-	3	0.12	500	<0.4	-	-
	12/8/2003	-	-	-	-	3	<0.05	520	<0.4	-	-
	1/6/2004	-	-	-	-	4	<0.05	670	<0.4	-	-
	3/4/2004	-	-	-	-	4	<0.05	1700	4	-	-
	4/1/2004	-	-	-	5220	6	<0.05	2040	7.9	-	-
	5/13/2004	-	-	-	-	7	-	-	-	-	-
	5/18/2004	-	-	-	-	7	<0.05	2040	7	-	-
	6/10/2004	-	-	-	-	5	-	-	-	-	-
	6/14/2004	-	-	-	-	6	<0.05	1600	7	-	-
	7/8/2004	-	-	-	-	5	-	-	-	-	-
	7/12/2004	-	-	-	-	4	<0.05	1470	6.7	-	-
	8/11/2004	-	-	-	-	3	-	-	-	-	-
	8/12/2004	-	-	-	-	5	0.06	1300	7.8	-	-
	9/15/2004	-	-	-	-	3 / 3	0.06	1300	6.7	-	-
	10/5/2004	-	-	-	-	6	-	-	-	-	-
	10/7/2004	-	-	-	-	5	0.06	1100	5.8	-	-
	11/11/2004	-	-	-	-	1860	-	-	-	-	-
	11/16/2004	-	-	-	3370	8	<0.05	1200	6	-	-
	12/20/2004	-	-	-	-	12	-	-	-	-	-
	12/29/2004	-	-	-	2950	9	<0.05	1000	5.5	-	-
	1/19/2005	-	-	-	-	8	-	-	-	-	-
	1/25/2005	-	-	-	4390	-	<0.05	1700	7.5	-	-
	2/8/2005	-	-	-	4790	9	0.05	1700	8.9	-	-
	3/9/2005	-	-	-	5150	11	<0.05	1700	12.5	-	-
	4/11/2005	-	-	-	5340	6	0.06	1700	10.8	-	-
	5/11/2005	-	-	-	5330	16	0.05	1800	10.6	-	-
	6/8/2005	-	-	-	5260	15	<0.05	1900	-	-	-
	7/11/2005	-	-	-	5310	10	0.09	1800	-	-	-
	2/10/2006	7.8	<2	148	5320	-	-	2000	-	-	-
	7/19/2006	7.2	<2	140	5290	-	-	1820	-	-	-
	4/16/2008	7.2	<2.0	157	5640	-	-	2020	-	157	<2.0
	3/31/2009	-	-	-	6130	-	-	-	-	-	-
	3/10/2010	-	-	-	5430	-	-	-	-	-	-
MW012A	5/22/2001	-	-	-	500	-	-	89	2.09	-	-
	1/28/2002	-	-	-	530	2	<0.05	110	-	-	-
	6/10/2003	-	-	-	-	9	0.05	88	1.1	-	-
	6/10/2003 Dup	-	-	-	-	-	-	95	-	-	-
	7/2/2003	-	-	-	-	1	<0.05	90	2.1	-	-
	7/7/2003	-	-	-	-	8	0.65	90	<0.4	-	-
	7/14/2003	-	-	-	-	7	0.8	90	<0.4	-	-
	7/30/2003	-	-	-	-	8	2.3	100	1.2	-	-
	8/20/2003	-	-	-	-	11	5.9	90	1.1	-	-
	9/30/2003	-	-	-	-	4	15	68	13	-	-
	10/28/2003	-	-	-	-	4	7	74	<1	-	-
	12/9/2003	-	-	-	-	4	7.3	70	<0.4	-	-
	1/7/2004	-	-	-	700	4	5	150	23	-	-
	2/19/2004	-	-	-	-	<1	<0.05	110	1	-	-
	4/6/2004	-	-	-	-	<1	0.05	110	1	-	-
	5/6/2004	-	-	-	-	<1	<0.05	150	1	-	-
	6/8/2004	-	-	-	-	<1	0.08	110	1.4	-	-
	7/14/2004	-	-	-	-	2	0.07	100	1.5	-	-
	8/12/2004	-	-	-	-	<1	0.06	100	1.5	-	-
	9/9/2004	-	-	-	-	<1	0.06	99	1.8	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	10/6/2004	-	-	-	-	3	0.06	100	1.6	-	-
	11/10/2004	-	-	-	530	5	<0.05	103	1.3	-	-
	12/28/2004	-	-	-	560	5	<0.05	96	1.5	-	-
	1/18/2005	-	-	-	580	8	<0.05	100	1.8	-	-
	2/10/2005	-	-	-	520	7	<0.05	103	1.4	-	-
	3/10/2005	-	-	-	530	7	<0.05	90	2.3	-	-
	4/13/2005	-	-	-	540	25	<0.05	97	1.8	-	-
	5/17/2005	-	-	-	530	27	0.09	100	1.4	-	-
	6/14/2005	-	-	-	530	13	<0.05	100	-	-	-
	7/12/2005	-	-	-	550	12	0.07	112	-	-	-
	2/10/2006	8.1	<2	219	533	-	-	92.7	-	-	-
	7/20/2006	7.9	<2	239	549	-	-	77.7	-	-	-
	4/21/2008	7.9	<2.0	272	517	-	-	33.2	-	272	<2.0
	4/1/2009	-	-	-	509	-	-	-	-	-	-
	3/11/2010	-	-	-	496	-	-	-	-	-	-
MW013A	5/22/2001	-	-	-	600	-	-	119	2.06	-	-
	1/28/2002	-	-	-	760	1	<0.05	190	-	-	-
	1/26/2006	7.6	<2	195	647	-	-	161	-	-	-
	7/5/2006	7.5	<2	201	587	-	-	120	-	-	-
	4/7/2008	7.5	<2.0	201	589	-	-	117	-	201	<2.0
	8/21/2008	7.5	<2.0	200	588	-	-	128	-	-	-
	3/30/2009	-	-	-	540	-	-	-	-	-	-
	8/4/2009	-	-	-	540	-	-	-	-	-	-
	3/2/2010	-	-	-	1220	-	-	-	-	-	-
MW014A	8/4/2010	-	-	-	498	-	-	-	-	-	-
	5/23/2001	-	-	-	520	-	-	130	2.33	-	-
	1/24/2002	-	-	-	540	-	<0.05	110	-	-	-
	1/23/2006	7.7	<2	225	512	-	-	107	-	-	-
	6/29/2006	7.7	<2	223	506	-	-	99.1	-	-	-
	3/24/2008	7.6	<2.0	219	523	-	-	107	-	219	<2.0
	3/18/2009	-	-	-	30	-	-	-	-	-	-
	8/20/2009	-	-	-	507	-	-	-	-	-	-
	3/16/2010	-	-	-	828	-	-	-	-	-	-
MW015A	8/9/2010	-	-	-	458	-	-	-	-	-	-
	5/17/2001	-	-	-	780	-	-	102	1.88	-	-
	1/22/2002	-	-	-	1020	-	<0.05	120	-	-	-
	1/23/2006	7.2	<2	167	2410	-	-	114	-	-	-
	6/29/2006	7.2	<2	151	3140	-	-	121	-	-	-
	3/24/2008	7.1	<2.0	142	3620	-	-	160	-	142	<2.0
	8/6/2008	7.3	<2.0	143	3140	-	-	131	-	-	-
	3/19/2009	-	-	-	4190	-	-	-	-	-	-
	3/10/2010	-	-	-	5080	-	-	-	-	-	-
MW016A	8/11/2010	-	-	-	5540	-	-	-	-	-	-
	5/17/2001	-	-	-	900	-	-	256	2.07	-	-
	1/22/2002	-	-	-	1040	-	<0.05	230	-	-	-
	1/20/2006	7.6	<2	175	916	-	-	209	-	-	-
	6/29/2006	7.5	<2	174	934	-	-	207	-	-	-
	3/19/2008	7.6	<2.0	171	976	-	-	214	-	171	<2.0
	8/7/2008	7.5	<2.0	172	1030	-	-	206	-	-	-
	3/17/2009	-	-	-	1090	-	-	-	-	-	-
	3/10/2010	-	-	-	1030	-	-	-	-	-	-
MW018A	8/11/2010	-	-	-	1200	-	-	-	-	-	-
	5/17/2001	-	-	-	1300	-	-	460	0.31	-	-
	1/23/2002	-	-	-	1260	-	<0.05	390	-	-	-
	1/20/2006	7.6	<2	185	1040	-	-	335	-	-	-
	6/29/2006	7.4	<2	188	1350	-	-	340	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	3/24/2008	7.4	<2.0	189	1080	-	-	331	-	189	<2.0
	3/17/2009	-	-	-	1050	-	-	-	-	-	-
	3/10/2010	-	-	-	968	-	-	-	-	-	-
	8/10/2010	-	-	-	858	-	-	-	-	-	-
MW019A	5/17/2001	-	-	-	1450	-	-	358	3.67	-	-
	1/23/2002	-	-	-	1340	-	<0.05	280	-	-	-
	1/23/2006	7.4	<2	197	1350	-	-	286	-	-	-
	6/30/2006	7.5	<2	223	1190	-	-	257	-	-	-
	3/26/2008	7.4	<2.0	202	1180	-	-	355	-	202	<2.0
	8/7/2008	7.4	<2.0	216	1220	-	-	266	-	-	-
	3/17/2009	-	-	-	1150	-	-	-	-	-	-
	3/16/2010	-	-	-	1460	-	-	-	-	-	-
	8/16/2010	-	-	-	1190	-	-	-	-	-	-
MW020A	6/7/2001	-	-	-	1330	-	-	378	2.97	-	-
	2/6/2002	-	-	-	1320	2	0.06	370	-	-	-
	1/24/2006	7.5	<2	153	1510	-	-	354	-	-	-
	6/30/2006	7.4	<2	162	1550	-	-	372	-	-	-
	3/26/2008	7.4	<2.0	163	1570	-	-	429	-	163	<2.0
	8/6/2008	7.3	<2.0	160	1950	-	-	534	-	-	-
	3/19/2009	-	-	-	2600	-	-	-	-	-	-
	3/12/2010	-	-	-	2550	-	-	-	-	-	-
	8/10/2010	-	-	-	2580	-	-	-	-	-	-
MW021A	5/23/2001	-	-	-	13400	-	-	740	2.67	-	-
	1/24/2002	-	-	-	9900	13	<0.05	1080	-	-	-
	1/24/2006	6.9	<2	340	12300	-	-	950	-	-	-
	6/30/2006	7	<2	303	14000	-	-	810	-	-	-
	4/1/2008	6.8	<2.0	354	11900	-	-	888	-	354	<2.0
	3/24/2009	-	-	-	11300	-	-	-	-	-	-
	8/6/2009	-	-	-	13300	-	-	-	-	-	-
	3/2/2010	-	-	-	19100	-	-	-	-	-	-
	8/16/2010	-	-	-	10900	-	-	-	-	-	-
MW022A	5/23/2001	-	-	-	2200	-	-	410	8.5	-	-
	1/24/2002	-	-	-	1590	7	<0.05	250	-	-	-
	1/24/2006	7.5	<2	170	439	-	-	66.4	-	-	-
	7/6/2006	7.6	<2	169	212	-	-	57.5	-	-	-
	4/2/2008	7.7	<2.0	176	449	-	-	66.6	-	176	<2.0
	8/13/2008	7.6	<2.0	175	437	-	-	64.9	-	-	-
	3/18/2009	-	-	-	445	-	-	-	-	-	-
	3/11/2010	-	-	-	336	-	-	-	-	-	-
	8/18/2010	-	-	-	478	-	-	-	-	-	-
MW023A	1/9/2003	-	-	-	500	-	-	110	-	-	-
	1/20/2006	7.9	<2	198	516	-	-	113	-	-	-
	1/20/2006 Dup	7.8	<2	196	520	-	-	112	-	-	-
	6/26/2006	7.8	<2	215	506	-	-	108	-	-	-
	3/25/2008	7.7	<2.0	211	524	-	-	112	-	211	<2.0
	8/12/2008	7.7	<2.0	208	502	-	-	114	-	-	-
	3/18/2009	-	-	-	520	-	-	-	-	-	-
	8/20/2009	-	-	-	526	-	-	-	-	-	-
	3/17/2010	-	-	-	552	-	-	-	-	-	-
MW024A	8/16/2010	-	-	-	546	-	-	-	-	-	-
	6/23/1999	-	-	-	-	-	-	140	-	-	-
	5/23/2001	-	-	-	1250	-	-	170	1.76	-	-
	2/6/2002	-	-	-	1080	<1	<0.05	190	-	-	-
	1/25/2006	7.6	<2	176	747	-	-	186	-	-	-
	6/27/2006	7.7	<2	189	781	-	-	140	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	6/27/2006 Dup	7.6	<2	188	770	-	-	139	-	-	-
	4/7/2008	7.6	<2.0	183	757	-	-	132	-	183	<2.0
	8/13/2008	7.5	<2.0	190	1160	-	-	194	-	-	-
	3/25/2009	-	-	-	1350	-	-	-	-	-	-
	8/12/2009	-	-	-	452	-	-	-	-	-	-
	3/5/2010	-	-	-	1300	-	-	-	-	-	-
	8/6/2010	-	-	-	1430	-	-	-	-	-	-
MW039A	8/30/2001	-	-	-	550	<1	-	110	-	-	-
	1/31/2002	-	-	-	840	2	<0.05	250	-	-	-
	1/25/2006	7.6	<2	158	1390	-	-	439	-	-	-
	7/6/2006	7.6	<2	163	1450	-	-	476	-	-	-
	7/6/2006 Dup	7.8	<2	162	1470	-	-	478	-	-	-
	4/3/2008	7.5	<2.0	150	1390	-	-	542	-	150	<2.0
	4/2/2009	-	-	-	1660	-	-	-	-	-	-
	3/8/2010	-	-	-	1510	-	-	-	-	-	-
MW040A	4/2/2002	-	-	-	540	7	0.05	100	-	-	-
	1/20/2006	7.8	<2	191	491	-	-	99.8	-	-	-
	6/28/2006	7.8	<2	199	486	-	-	99.1	-	-	-
	3/24/2008	7.7	<2.0	202	509	-	-	102	-	202	<2.0
	8/7/2008	7.7	<2.0	204	510	-	-	107	-	-	-
	3/17/2009	-	-	-	506	-	-	-	-	-	-
	3/10/2010	-	-	-	364	-	-	-	-	-	-
	8/11/2010	-	-	-	558	-	-	-	-	-	-
MW041A	4/29/2002	-	-	-	2330	3	0.07	810	-	-	-
	1/26/2006	7.2	<2	225	2560	-	-	935	-	-	-
	1/26/2006 Dup	7.1	<2	238	2650	-	-	1220	-	-	-
	7/7/2006	7.4	<2	232	2600	-	-	789	-	-	-
	4/15/2008	7.3	<2.0	224	1830	-	-	692	-	224	<2.0
	4/1/2009	-	-	-	1880	-	-	-	-	-	-
	3/11/2010	-	-	-	2180	-	-	-	-	-	-
MW042A	8/30/2001	-	-	-	11900	2	-	530	-	-	-
	1/29/2002	-	-	-	11700	3	<0.05	640	-	-	-
	1/19/2006	8.3	<2	55.2	80	-	-	9.3	-	-	-
	6/22/2006	7.1	<2	242	8440	-	-	874	-	-	-
	6/22/2006 Dup	7.2	<2	241	8740	-	-	850	-	-	-
	4/2/2008	7.2	<2.0	249	7040	-	-	897	-	249	<2.0
	3/31/2009	-	-	-	7200	-	-	-	-	-	-
	3/8/2010	-	-	-	6370	-	-	-	-	-	-
MW046A	12/9/2002	-	-	-	1470	-	-	250	-	-	-
	1/26/2006	6.9	<2	385	2740	-	-	840	-	-	-
	7/12/2006	7	<2	354	2540	-	-	798	-	-	-
	4/2/2008	7.1	<2.0	319	2330	-	-	823	-	319	<2.0
	3/31/2009	-	-	-	2590	-	-	-	-	-	-
	3/8/2010	-	-	-	2280	-	-	-	-	-	-
MW048SA	8/1/2002	-	-	-	1690	-	-	300	-	-	-
	1/25/2006	7.4	<2	171	1430	-	-	380	-	-	-
	7/11/2006	7.5	<2	190	1900	-	-	383	-	-	-
	4/1/2008	7.3	<2.0	174	1640	-	-	509	-	174	<2.0
	8/20/2008	7.4	<2.0	176	1720	-	-	495	-	-	-
	3/26/2009	-	-	-	1740	-	-	-	-	-	-
	8/12/2009	-	-	-	1740	-	-	-	-	-	-
	3/5/2010	-	-	-	2060	-	-	-	-	-	-
	8/9/2010	-	-	-	1880	-	-	-	-	-	-
MW049SA	7/30/2002	-	-	-	6940	-	-	480	-	-	-
	1/25/2006	7.1	<2	201	5860	-	-	414	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/11/2006	7	<2	230	5790	-	-	502	-	-	-
	4/8/2008	7.2	<2.0	219	4320	-	-	533	-	219	<2.0
	3/26/2009	-	-	-	2210	-	-	-	-	-	-
	3/5/2010	-	-	-	4570	-	-	-	-	-	-
MW050SA	7/30/2002	-	-	-	4190	-	-	850	-	-	-
	1/25/2006	7.2	<2	266	3220	-	-	695	-	-	-
	7/10/2006	7.3	<2	312	4470	-	-	1040	-	-	-
	4/1/2008	7.1	<2.0	300	3810	-	-	1050	-	300	<2.0
	3/25/2009	-	-	-	4130	-	-	-	-	-	-
	3/4/2010	-	-	-	3730	-	-	-	-	-	-
MW051SA	10/10/2002	-	-	-	3840	-	-	910	-	-	-
	1/26/2006	7.2	<2	223	4200	-	-	1070	-	-	-
	7/11/2006	7.2	<2	241	4270	-	-	968	-	-	-
	4/9/2008	7.1	<2.0	241	3710	-	-	1150	-	241	<2.0
	4/2/2009	-	-	-	4140	-	-	-	-	-	-
	3/4/2010	-	-	-	3870	-	-	-	-	-	-
MW052SA	10/10/2002	-	-	-	3400	-	-	640	-	-	-
	1/26/2006	6.9	<2	223	4280	-	-	931	-	-	-
	7/11/2006	7.1	<2	234	4240	-	-	865	-	-	-
	7/11/2006 Dup	7.1	<2	232	4140	-	-	762	-	-	-
	4/8/2008	7.2	<2.0	230	4110	-	-	908	-	230	<2.0
	3/26/2009	-	-	-	4210	-	-	-	-	-	-
	3/5/2010	-	-	-	4690	-	-	-	-	-	-
MW053SA	9/18/2002	-	-	-	1250	-	-	230	-	-	-
	1/26/2006	7.6	<2	266	1110	-	-	595	-	-	-
	7/11/2006	7.5	<2	272	1050	-	-	200	-	-	-
	3/26/2008	7.4	<2.0	277	816	-	-	85.3	-	277	<2.0
	3/18/2009	-	-	-	938	-	-	-	-	-	-
	8/20/2009	-	-	-	944	-	-	-	-	-	-
	8/10/2010	-	-	-	998	-	-	-	-	-	-
MW054SA	1/27/2003	-	-	-	2750	-	-	660	-	-	-
	1/26/2006	7.3	<2	201	2260	-	-	597	-	-	-
	7/11/2006	7.4	<2	195	2150	-	-	450	-	-	-
	4/8/2008	7.2	<2.0	210	6010	-	-	540	-	210	<2.0
	8/20/2008	7.5	<2.0	204	2170	-	-	497	-	-	-
	3/26/2009	-	-	-	2360	-	-	-	-	-	-
	8/10/2009	-	-	-	2350	-	-	-	-	-	-
	3/5/2010	-	-	-	2640	-	-	-	-	-	-
	8/9/2010	-	-	-	2410	-	-	-	-	-	-
MW055SA	1/6/2003	-	-	-	1680	-	-	380	-	-	-
	3/10/2004	-	-	-	-	3	<0.05	430	0.9	-	-
	1/25/2006	7.3	<2	177	1730	-	-	422	-	-	-
	6/28/2006	7.4	<2	185	1310	-	-	354	-	-	-
	6/28/2006 Dup	7.3	<2	183	1440	-	-	330	-	-	-
	4/9/2008	7.3	<2.0	185	1610	-	-	433	-	185	<2.0
	8/19/2008	7.3	<2.0	186	1810	-	-	438	-	-	-
	3/26/2009	-	-	-	1810	-	-	-	-	-	-
	8/12/2009	-	-	-	1830	-	-	-	-	-	-
	3/4/2010	-	-	-	2070	-	-	-	-	-	-
	8/9/2010	-	-	-	1900	-	-	-	-	-	-
MW056SA	1/7/2003	-	-	-	3500	-	-	700	-	-	-
	1/26/2006	7.3	<2	242	3640	-	-	838	-	-	-
	7/12/2006	7.1	<2	225	3240	-	-	672	-	-	-
	4/9/2008	7.3	<2.0	244	3590	-	-	1090	-	244	<2.0

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/19/2008	7.2	<2.0	256	3880	-	-	804	-	-	-
	3/25/2009	-	-	-	3930	-	-	-	-	-	-
	8/12/2009	-	-	-	4020	-	-	-	-	-	-
	3/4/2010	-	-	-	4100	-	-	-	-	-	-
	8/9/2010	-	-	-	3920	-	-	-	-	-	-
MW057SA	1/28/2003	-	-	-	2020	-	-	450	-	-	-
	1/20/2006	7.4	<2	258	1050	-	-	-	-	-	-
	6/28/2006	7.4	<2	259	876	-	-	167	-	-	-
	3/27/2008	7.2	<2.0	295	1990	-	-	520	-	295	<2.0
	8/6/2008	7.3	<2.0	302	1720	-	-	490	-	-	-
	3/17/2009	-	-	-	1620	-	-	-	-	-	-
	3/11/2010	-	-	-	1300	-	-	-	-	-	-
	8/10/2010	-	-	-	1120	-	-	-	-	-	-
MW062A	1/24/2006	7.8	<2	172	512	-	-	123	-	-	-
	6/27/2006	7.9	<2	186	514	-	-	96	-	-	-
	4/9/2008	7.7	<2.0	190	487	-	-	93.4	-	190	<2.0
	8/18/2008	7.7	<2.0	191	516	-	-	99.6	-	-	-
	4/2/2009	-	-	-	495	-	-	-	-	-	-
	8/3/2009	-	-	-	504	-	-	-	-	-	-
	3/2/2010	-	-	-	1000	-	-	-	-	-	-
	8/5/2010	-	-	-	432	-	-	-	-	-	-
MW062SA	1/14/2003	-	-	-	520	-	-	90	-	-	-
MW063A	1/13/2003	-	-	-	490	-	-	90	-	-	-
	1/20/2006	7.8	<2	211	480	-	-	92.9	-	-	-
	6/27/2006	7.8	<2	200	495	-	-	89.2	-	-	-
	4/9/2008	7.7	<2.0	197	466	-	-	89.8	-	197	<2.0
	8/18/2008	7.6	<2.0	197	503	-	-	94.2	-	-	-
	4/2/2009	-	-	-	488	-	-	-	-	-	-
	8/4/2009	-	-	-	502	-	-	-	-	-	-
	3/2/2010	-	-	-	668	-	-	-	-	-	-
MW064SA	8/5/2010	-	-	-	416	-	-	-	-	-	-
	2/26/2003	-	-	-	3100	-	-	600	-	-	-
	3/10/2004	-	-	-	-	8	<0.05	680	11	-	-
	6/7/2004	-	-	-	-	5	0.05	840	12	-	-
	7/22/2004	-	-	-	-	7	0.06	700	10.2	-	-
	8/24/2004	-	-	-	-	4	0.06	600	10.5	-	-
	10/20/2004	-	-	-	-	13	<0.05	600	12.6	-	-
	12/9/2004	-	-	-	3420	11	<0.05	600	11	-	-
	1/12/2005	-	-	-	3340	14	<0.05	690	13.9	-	-
	2/2/2005	-	-	-	3220	13	<0.05	500	11.2	-	-
	3/1/2005	-	-	-	3160	13	0.06	600	12.2	-	-
	3/24/2005	-	-	-	3230	6	<0.05	600	11.2	-	-
	4/27/2005	-	-	-	3180	36	<0.05	600	13.7	-	-
	5/24/2005	-	-	-	3200	34	0.05	700	-	-	-
	7/14/2005	-	-	-	3240	24	0.14	700	-	-	-
	2/2/2006	7.2	<2	272	3010	6.4	<0.1	665	-	-	-
	7/14/2006	7.4	<2	280	3420	-	-	662	-	-	-
	3/25/2008	7	<2.0	340	3600	-	-	719	-	340	<2.0
	8/5/2008	7.1	<2.0	354	3890	-	-	846	-	-	-
	3/17/2009	-	-	-	3200	-	-	-	-	-	-
	8/17/2009	-	-	-	3320	-	-	-	-	-	-
	3/2/2010	-	-	-	4460	-	-	-	-	-	-
	8/3/2010	-	-	-	2680	-	-	-	-	-	-
MW065SA	2/27/2003	-	-	-	2880	-	-	400	-	-	-
	6/2/2005	-	-	-	3140	21	<0.05	500	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	1/20/2006	7.3	<2	194	2730	-	-	488	-	-	-
	6/28/2006	7.2	<2	193	3100	-	-	464	-	-	-
	4/8/2008	7.2	<2.0	187	2630	-	-	510	-	187	<2.0
	8/19/2008	7.2	<2.0	186	3190	-	-	495	-	-	-
	3/25/2009	-	-	-	2810	-	-	-	-	-	-
	8/6/2009	-	-	-	2920	-	-	-	-	-	-
	3/4/2010	-	-	-	2900	-	-	-	-	-	-
	8/5/2010	-	-	-	3230	-	-	-	-	-	-
MW066SA	3/3/2003	-	-	-	3640	-	-	600	-	-	-
	1/26/2005	-	-	-	-	13	-	-	-	-	-
	2/23/2005	-	-	-	-	10	-	-	-	-	-
	3/30/2005	-	-	-	-	6	-	-	-	-	-
	4/25/2005	-	-	-	-	23	-	-	-	-	-
	5/25/2005	-	-	-	4100	32	0.05	1100	-	-	-
	6/30/2005	-	-	-	-	26	-	-	-	-	-
	7/18/2005	-	-	-	-	19	-	-	-	-	-
	1/25/2006	6.9	<2	280	4150	4.4	<0.1	731	-	-	-
	1/25/2006 Dup	7	<2	275	4300	-	-	743	-	-	-
	7/11/2006	7	<2	459	3930	-	-	361	-	-	-
	8/19/2008	7	<2.0	384	3000	-	-	684	-	-	-
	3/26/2009	-	-	-	2980	-	-	-	-	-	-
	8/6/2009	-	-	-	3060	-	-	-	-	-	-
	3/3/2010	-	-	-	3080	-	-	-	-	-	-
	8/4/2010	-	-	-	2790	-	-	-	-	-	-
MW067SA	3/4/2003	-	-	-	1350	-	-	300	-	-	-
	1/20/2006	7.4	<2	289	1190	-	-	314	-	-	-
	7/10/2006	7.4	<2	310	1230	-	-	341	-	-	-
	3/27/2008	7.6	<2.0	321	1120	-	-	291	-	321	<2.0
	8/11/2008	7.3	<2.0	327	1170	-	-	284	-	-	-
	3/19/2009	-	-	-	1120	-	-	-	-	-	-
	8/20/2009	-	-	-	1050	-	-	-	-	-	-
	3/11/2010	-	-	-	956	-	-	-	-	-	-
	8/10/2010	-	-	-	1000	-	-	-	-	-	-
MW070A	3/6/2003	-	-	-	490	-	-	100	-	-	-
	1/27/2006	7.8	<2	209	540	-	-	120	-	-	-
	6/22/2006	7.8	<2	214	506	-	-	104	-	-	-
	3/25/2008	7.8	<2.0	218	515	-	-	122	-	218	<2.0
	8/5/2008	7.7	<2.0	222	542	-	-	287	-	-	-
	3/16/2009	-	-	-	510	-	-	-	-	-	-
	8/20/2009	-	-	-	545	-	-	-	-	-	-
	3/17/2010	-	-	-	636	-	-	-	-	-	-
MW071SA	5/1/2003	-	-	-	1720	-	-	350	-	-	-
	6/9/2004	-	-	-	-	2	<0.05	120	0.4	-	-
	8/24/2004	-	-	-	-	3	-	-	-	-	-
	10/5/2004	-	-	-	-	6	-	-	-	-	-
	10/20/2004	-	-	-	-	12	-	-	-	-	-
	11/4/2004	-	-	-	-	10	-	-	-	-	-
	11/17/2004	-	-	-	-	8	-	-	-	-	-
	12/2/2004	-	-	-	-	10	-	-	-	-	-
	1/6/2005	-	-	-	-	13	-	-	-	-	-
	2/7/2005	-	-	-	-	11	-	-	-	-	-
	3/7/2005	-	-	-	-	14	-	-	-	-	-
	4/14/2005	-	-	-	-	45	-	-	-	-	-
	5/10/2005	-	-	-	-	39	-	-	-	-	-
	6/2/2005	-	-	-	2160	41	<0.05	63	-	-	-
	7/7/2005	-	-	-	-	53	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	1/25/2006	7.1	<2	333	2000	-	-	122	-	-	-
	7/12/2006	7.3	<2	219	1900	-	-	315	-	-	-
	3/28/2008	7.3	<2.0	217	2600	-	-	420	-	217	<2.0
	8/12/2008	6.9	<2.0	286	2900	-	-	591	-	-	-
	3/24/2009	-	-	-	2440	-	-	-	-	-	-
	8/10/2009	-	-	-	2810	-	-	-	-	-	-
	3/4/2010	-	-	-	2470	-	-	-	-	-	-
	8/5/2010	-	-	-	2380	-	-	-	-	-	-
MW072SA	5/1/2003	-	-	-	1690	-	-	530	-	-	-
	2/23/2005	-	-	-	-	9	-	-	-	-	-
	3/30/2005	-	-	-	-	5	-	-	-	-	-
	4/25/2005	-	-	-	-	34	-	-	-	-	-
	5/25/2005	-	-	-	1650	36	0.05	530	-	-	-
	6/30/2005	-	-	-	-	27	-	-	-	-	-
	7/18/2005	-	-	-	-	26	-	-	-	-	-
	1/23/2006	7.4	<2	286	1490	-	-	392	-	-	-
	6/28/2006	7.4	<2	267	1430	-	-	397	-	-	-
	3/27/2008	7.2	<2.0	282	1420	-	-	388	-	282	<2.0
	8/12/2008	7.2	<2.0	313	1400	-	-	337	-	-	-
	3/17/2009	-	-	-	1370	-	-	-	-	-	-
MW073SA	3/16/2010	-	-	-	1540	-	-	-	-	-	-
	8/16/2010	-	-	-	1240	-	-	-	-	-	-
	4/30/2003	-	-	-	1220	-	-	149	-	-	-
	1/20/2006	7.2	<2	273	1270	-	-	282	-	-	-
	6/28/2006	7.2	<2	305	1290	-	-	266	-	-	-
	3/27/2008	7.3	<2.0	325	1230	-	-	279	-	325	<2.0
	8/12/2008	7.1	<2.0	318	1260	-	-	282	-	-	-
	3/17/2009	-	-	-	1190	-	-	-	-	-	-
MW074SA	3/12/2010	-	-	-	1290	-	-	-	-	-	-
	8/9/2010	-	-	-	1190	-	-	-	-	-	-
	2/4/2004	-	-	-	2550	4	0.1	830	7	-	-
	1/18/2006	7.1	<2	274	2740	-	-	697	-	-	-
	6/20/2006	7.1	<2	234	2910	-	-	872	-	-	-
	3/20/2008	7.2	<2.0	281	2560	-	-	823	-	281	<2.0
	8/6/2008	7.2	<2.0	282	2190	-	-	771	-	-	-
	3/16/2009	-	-	-	2060	-	-	-	-	-	-
MW075SA	8/24/2009	-	-	-	2020	-	-	-	-	-	-
	3/16/2010	-	-	-	2100	-	-	-	-	-	-
	8/16/2010	-	-	-	2180	-	-	-	-	-	-
	2/5/2004	-	-	-	2790	4	<0.05	690	29	-	-
	1/19/2006	7.3	<2	207	2780	-	-	740	-	-	-
	6/21/2006	7.2	<2	209	2660	-	-	767	-	-	-
	8/6/2008	7.3	<2.0	251	2330	-	-	778	-	-	-
	3/16/2009	-	-	-	2400	-	-	-	-	-	-
MW076SA	8/24/2009	-	-	-	2400	-	-	-	-	-	-
	3/16/2010	-	-	-	2450	-	-	-	-	-	-
	8/16/2010	-	-	-	2270	-	-	-	-	-	-
	2/4/2004	-	-	-	1730	4	<0.05	490	8	-	-
	1/19/2006	7.3	<2	272	2220	-	-	726	-	-	-
	1/19/2006 Dup	7.3	<2	241	2230	-	-	728	-	-	-
	6/21/2006	7.3	<2	264	2100	-	-	787	-	-	-
	3/20/2008	7.7	<2.0	266	2280	-	-	740	-	266	<2.0
	8/6/2008	7.2	<2.0	261	2120	-	-	876	-	-	-
	3/16/2009	-	-	-	2140	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	3/16/2010	-	-	-	2180	-	-	-	-	-	-
	8/16/2010	-	-	-	2110	-	-	-	-	-	-
MW077SA	2/3/2004	-	-	-	1700	3	<0.05	160	1	-	-
	1/19/2006	7.1	<2	236	4470	-	-	675	-	-	-
	6/21/2006	7.1	<2	241	4140	-	-	731	-	-	-
	6/21/2006 Dup	7	<2	249	4260	-	-	705	-	-	-
	4/8/2008	7.1	<2.0	253	3940	-	-	676	-	253	<2.0
	8/19/2008	7.1	<2.0	255	5010	-	-	675	-	-	-
	3/25/2009	-	-	-	3100	-	-	-	-	-	-
	8/18/2009	-	-	-	2690	-	-	-	-	-	-
	3/4/2010	-	-	-	2600	-	-	-	-	-	-
	8/5/2010	-	-	-	2400	-	-	-	-	-	-
MW078SA	3/24/2004	-	-	-	1100	5	0.08	250	14	-	-
	1/19/2006	7.4	<2	284	897	-	-	148	-	-	-
	6/21/2006	7.3	<2	266	936	-	-	147	-	-	-
	3/26/2008	7.3	<2.0	275	823	-	-	165	-	275	<2.0
	8/11/2008	7.3	<2.0	274	855	-	-	158	-	-	-
	3/18/2009	-	-	-	845	-	-	-	-	-	-
	8/20/2009	-	-	-	790	-	-	-	-	-	-
	3/11/2010	-	-	-	716	-	-	-	-	-	-
MW079SA	8/10/2010	-	-	-	794	-	-	-	-	-	-
	3/18/2004	-	-	-	2490	4	<0.05	600	2.5	-	-
	4/23/2004	-	-	-	-	8000	-	-	-	-	-
	6/3/2004	-	-	-	-	50	5	630	3.4	-	-
	7/7/2004	-	-	-	-	4900	14	500	<2	-	-
	8/17/2004	-	-	-	-	3000	5	500	<0.4	-	-
	10/10/2004	-	-	-	-	5200	5	500	<2	-	-
	11/22/2004	-	-	-	3620	109	21	400	<0.4	-	-
	1/5/2005	-	-	-	3400	420	13	300	<0.4	-	-
	1/27/2005	-	-	-	4570	890	<1	200	<2	-	-
	2/16/2005	-	-	-	5400	4000	7	100	0.5	-	-
	3/15/2005	-	-	-	4040	690	9	109	<0.4	-	-
	4/18/2005	-	-	-	4040	1050	4.6	23	1	-	-
	6/2/2005	-	-	-	3760	593	25	66	-	-	-
	6/20/2005	-	-	-	3860	600	26	41	-	-	-
	7/20/2005	-	-	-	3600	570	12.9	14	-	-	-
	2/3/2006	6.7	<2	921	2560	35.3	<0.1	120	-	-	-
	7/18/2006	6.9	<2	653	2190	-	-	232	-	-	-
	4/2/2008	7.1	<2.0	438	1420	-	-	231	-	438	<2.0
	8/6/2008	7	<2.0	384	1320	-	-	272	-	-	-
	3/24/2009	-	-	-	1290	-	-	-	-	-	-
	8/18/2009	-	-	-	1240	-	-	-	-	-	-
	3/3/2010	-	-	-	1250	-	-	-	-	-	-
	8/4/2010	-	-	-	1270	-	-	-	-	-	-
MW080SA	3/17/2004	-	-	-	1850	4	<0.05	480	2.9	-	-
	6/3/2004	-	-	-	-	3	0.06	580	14.2	-	-
	7/7/2004	-	-	-	-	310	9	490	<0.05	1400	<4
	8/17/2004	-	-	-	-	3	0.06	500	3.9	-	-
	10/11/2004	-	-	-	-	13	0.07	500	6	-	-
	11/23/2004	-	-	-	2390	8	<0.05	640	3.3	-	-
	1/5/2005	-	-	-	2100	9	0.08	500	3.4	-	-
	1/27/2005	-	-	-	2370	17	<0.05	500	2.5	-	-
	2/16/2005	-	-	-	2360	14	0.13	500	1.5	-	-
	3/16/2005	-	-	-	2110	11	0.12	510	1.9	-	-
	4/18/2005	-	-	-	1800	33	<0.05	500	3.4	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	6/2/2005	-	-	-	2330	25	<0.05	500	-	-	-
	6/20/2005	-	-	-	2350	31	0.16	600	-	-	-
	6/20/2005 Dup	-	-	-	2360	45	0.27	600	-	-	-
	7/20/2005	-	-	-	2200	22	0.1	500	-	-	-
	2/2/2006	7.1	<2	251	1850	3.5	<0.1	490	-	-	-
	7/18/2006	7.4	<2	277	1800	-	-	366	-	-	-
	4/2/2008	7.1	<2.0	455	1370	-	-	222	-	455	<2.0
	8/6/2008	7	<2.0	357	1220	-	-	322	-	-	-
	3/23/2009	-	-	-	1250	-	-	-	-	-	-
	8/18/2009	-	-	-	1160	-	-	-	-	-	-
	3/3/2010	-	-	-	1170	-	-	-	-	-	-
	8/4/2010	-	-	-	1100	-	-	-	-	-	-
MW081SA	3/25/2004	-	-	-	2780	4	0.12	640	3.2	-	-
	6/3/2004	-	-	-	-	1100	12	520	12	-	-
	7/7/2004	-	-	-	-	2.7	<2	820	2	-	<4
	8/17/2004	-	-	-	-	5000	8	100	<2	-	-
	10/10/2004	-	-	-	-	90	7	600	<0.4	-	-
	11/23/2004	-	-	-	3850	452	41	400	<0.4	-	-
	1/5/2005	-	-	-	3110	140	24	500	<0.4	-	-
	1/13/2005	-	-	-	2960	157	4	600	1.7	-	-
	1/27/2005	-	-	-	3120	41	13	500	<0.4	-	-
	2/16/2005	-	-	-	3340	400	16	400	0.7	-	-
	3/16/2005	-	-	-	2070	110	12	400	<0.4	-	-
	4/19/2005	-	-	-	3060	189	5.5	400	<0.4	-	-
	6/2/2005	-	-	-	3000	151	27	500	-	-	-
	6/21/2005	-	-	-	3160	50	15	500	-	-	-
	7/20/2005	-	-	-	3020	120	11.5	500	-	-	-
	2/2/2006	6.7	<2	429	2820	7.2	<0.1	580	-	-	-
	7/18/2006	7	<2	332	2550	-	-	551	-	-	-
	4/2/2008	7.3	<2.0	337	1640	-	-	342	-	337	<2.0
	8/6/2008	7.1	<2.0	367	1520	-	-	320	-	-	-
	3/23/2009	-	-	-	1940	-	-	-	-	-	-
	8/18/2009	-	-	-	1640	-	-	-	-	-	-
	3/3/2010	-	-	-	1760	-	-	-	-	-	-
	8/4/2010	-	-	-	1710	-	-	-	-	-	-
MW082SA	3/25/2004	-	-	-	3420	8	0.06	730	17.7	-	-
	6/8/2004	-	-	-	-	4000	<1	850	<2	-	-
	7/21/2004	-	-	-	-	14000	1	900	<2	-	-
	8/23/2004	-	-	-	-	13000	1	1000	<2	-	-
	10/19/2004	-	-	-	-	8000	6	800	<2	-	-
	12/8/2004	-	-	-	8360	5000	16	600	<2	-	-
	1/12/2005	-	-	-	4880	60	5	600	<2	-	-
	2/2/2005	-	-	-	8270	4000	<1	300	<2	-	-
	3/1/2005	-	-	-	7310	7000	20	400	<0.4	-	-
	3/24/2005	-	-	-	7290	3520	13	400	<0.4	-	-
	4/27/2005	-	-	-	7340	4070	21	400	<2	-	-
	5/25/2005	-	-	-	6950	4440	13	590	-	-	-
	6/28/2005	-	-	-	6880	3570	33	300	-	-	-
	7/14/2005	-	-	-	7970	2790	21	300	-	-	-
	2/3/2006	6.9	<2	1510	3440	80.9	<0.1	168	-	-	-
	7/14/2006	6.7	<2	758	3620	-	-	522	-	-	-
	3/26/2008	6.8	<2.0	457	3240	-	-	704	-	457	<2.0
	8/6/2008	6.9	<2.0	524	3210	-	-	790	-	-	-
	3/18/2009	-	-	-	3480	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/17/2009	-	-	-	4070	-	-	-	-	-	-
	3/3/2010	-	-	-	3080	-	-	-	-	-	-
	8/4/2010	-	-	-	3940	-	-	-	-	-	-
MW083SA	3/25/2004	-	-	-	3740	8	<0.05	750	23	-	-
	6/8/2004	-	-	-	-	1500	<1	710	<2	-	-
	7/22/2004	-	-	-	-	15900	1	830	<2	-	-
	8/23/2004	-	-	-	-	15000	1	900	<2	-	-
	10/19/2004	-	-	-	-	6000	5	800	<2	-	-
	12/8/2004	-	-	-	8840	7000	11	700	<2	-	-
	1/13/2005	-	-	-	5090	650	4	700	5	-	-
	2/2/2005	-	-	-	9800	4000	<1	300	<2	-	-
	3/1/2005	-	-	-	12200	9000	9	200	<0.4	-	-
	3/24/2005	-	-	-	7090	3050	10	200	0.4	-	-
	4/27/2005	-	-	-	7490	3670	16	400	<2	-	-
	5/25/2005	-	-	-	6700	4890	13	600	-	-	-
	6/28/2005	-	-	-	6510	5340	11	400	-	-	-
	7/14/2005	-	-	-	7190	3630	41	400	-	-	-
	2/3/2006	6.9	<2	510	4580	465	<0.1	<20	-	-	-
	7/14/2006	7.1	<2	1640	4170	-	-	40.7	-	-	-
	7/14/2006 Dup	7.2	<2	1590	4270	-	-	73.4	-	-	-
	3/25/2008	6.7	<2.0	807	3520	-	-	590	-	807	<2.0
	8/6/2008	7	<2.0	353	3780	-	-	865	-	-	-
	3/18/2009	-	-	-	4020	-	-	-	-	-	-
	8/17/2009	-	-	-	4170	-	-	-	-	-	-
	3/3/2010	-	-	-	3530	-	-	-	-	-	-
	8/4/2010	-	-	-	3740	-	-	-	-	-	-
MW084SA	3/24/2004	-	-	-	4380	-	<0.05	710	23	-	-
	4/6/2004	-	-	-	-	3	-	-	-	-	-
	6/7/2004	-	-	-	-	6	<0.05	680	7.5	-	-
	7/22/2004	-	-	-	-	7	0.06	700	7.4	-	-
	8/24/2004	-	-	-	-	3	<0.05	800	7	-	-
	10/20/2004	-	-	-	-	12	<0.05	700	11	-	-
	12/9/2004	-	-	-	6020	12	<0.05	800	7.2	-	-
	1/13/2005	-	-	-	5160	14	<0.05	800	8.9	-	-
	2/3/2005	-	-	-	-	14	<0.05	600	9.8	-	-
	3/2/2005	-	-	-	4510	12	<0.05	700	11.5	-	-
	3/24/2005	-	-	-	4670	9	<0.05	700	10.5	-	-
	4/27/2005	-	-	-	5520	35	<0.05	700	9.5	-	-
	5/24/2005	-	-	-	4510	34	<0.05	730	-	-	-
	6/28/2005	-	-	-	5090	28	<0.05	800	-	-	-
	7/18/2005	-	-	-	4870	30	<0.05	700	-	-	-
	2/3/2006	7.2	<2	252	5600	5.7	<0.1	785	-	-	-
	7/14/2006	7.3	<2	269	4140	-	-	678	-	-	-
	3/25/2008	7	<2.0	258	4860	-	-	782	-	258	<2.0
	8/5/2008	6.9	<2.0	261	5720	-	-	820	-	-	-
	3/17/2009	-	-	-	5310	-	-	-	-	-	-
	8/13/2009	-	-	-	4760	-	-	-	-	-	-
	3/2/2010	-	-	-	6280	-	-	-	-	-	-
	8/3/2010	-	-	-	5550	-	-	-	-	-	-
MW085SA	3/25/2004	-	-	-	3600	8	<0.05	800	10	-	-
	6/7/2004	-	-	-	-	5	<0.05	720	3.1	-	-
	7/22/2004	-	-	-	-	8	<0.05	700	2.9	-	-
	8/23/2004	-	-	-	-	4	0.06	700	3	-	-
	10/20/2004	-	-	-	-	12	<0.05	700	3	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	12/9/2004	-	-	-	3820	16	<0.05	700	5.8	-	-
	1/13/2005	-	-	-	4060	15	<0.05	700	6	-	-
	2/2/2005	-	-	-	4200	15	<0.05	500	3.2	-	-
	3/1/2005	-	-	-	3930	13	0.06	700	4	-	-
	3/24/2005	-	-	-	3630	10	<0.05	600	4.5	-	-
	4/27/2005	-	-	-	3750	51	<0.05	700	5.3	-	-
	5/24/2005	-	-	-	3690	55	0.05	750	-	-	-
	6/20/2005	-	-	-	4080	44	<0.05	800	-	-	-
	6/20/2005 Dup	-	-	-	3950	46	<0.05	800	-	-	-
	7/18/2005	-	-	-	4030	52	0.13	700	-	-	-
	2/3/2006	7	<2	2050	3940	125	<0.1	894	-	-	-
	7/14/2006	7.1	<2	334	4250	-	-	755	-	-	-
	3/25/2008	7	<2.0	342	4150	-	-	785	-	342	<2.0
	8/5/2008	6.9	<2.0	357	4160	-	-	894	-	-	-
	3/18/2009	-	-	-	3450	-	-	-	-	-	-
	8/17/2009	-	-	-	4140	-	-	-	-	-	-
	3/3/2010	-	-	-	3220	-	-	-	-	-	-
	8/4/2010	-	-	-	3690	-	-	-	-	-	-
MW086SA	9/14/2004	-	-	-	-	3	0.05	600	10.3	-	-
	1/13/2005	-	-	-	5050	15	<0.05	600	10.3	-	-
	1/13/2005 Dup	-	-	-	4850	11	<0.05	700	10.5	-	-
	6/2/2005	-	-	-	4370	30	<0.05	600	-	-	-
	1/27/2006	7.2	<2	210	2680	-	-	473	-	-	-
	7/12/2006	7.1	<2	202	2460	-	-	421	-	-	-
	4/8/2008	7.1	<2.0	208	2640	-	-	419	-	208	<2.0
	8/19/2008	7.1	<2.0	224	2900	-	-	464	-	-	-
	3/25/2009	-	-	-	3650	-	-	-	-	-	-
	8/10/2009	-	-	-	4120	-	-	-	-	-	-
MW087A	3/4/2010	-	-	-	3780	-	-	-	-	-	-
	8/5/2010	-	-	-	3860	-	-	-	-	-	-
	9/14/2004	-	-	-	-	3	0.06	1500	8.5	-	-
	10/5/2004	-	-	-	-	5	0.07	1300	8.1	-	-
	11/9/2004	-	-	-	4210	8	<0.05	1500	9.8	-	-
	12/16/2004	-	-	-	4520	12	<0.05	1600	9.9	-	-
	1/13/2005	-	-	-	4710	13	<0.05	1700	8	-	-
	2/8/2005	-	-	-	4730	18	<0.05	1500	1.5	-	-
	3/8/2005	-	-	-	4610	27	<0.05	1300	3.2	-	-
	4/6/2005	-	-	-	4510	19	<0.05	1200	2	-	-
	5/11/2005	-	-	-	4510	70	0.1	1200	<0.4	-	-
	6/7/2005	-	-	-	4380	60	0.48	1300	-	-	-
	7/6/2005	-	-	-	4180	86	0.33	1100	-	-	-
	2/6/2006	6.8	<2	1930	5910	-	-	<200	-	-	-
	7/18/2006	7.2	<2	1850	4620	-	-	101	-	-	-
MW089SA	4/15/2008	7	<2.0	2150	4520	-	-	9.7	-	2150	-
	3/30/2009	-	-	-	4380	-	-	-	-	-	-
	3/10/2010	-	-	-	3500	-	-	-	-	-	-
	2/9/2006	7.3	<2	232	2810	-	-	978	-	-	-
	2/9/2006 Dup	7.3	<2	199	2880	-	-	1020	-	-	-
	7/21/2006	7.4	<2	212	3220	-	-	1170	-	-	-
	7/21/2006 Dup	7.3	<2	211	3200	-	-	1190	-	-	-
MW090SA	4/9/2008	7.2	<2.0	206	3850	-	-	1460	-	206	<2.0
	3/26/2009	-	-	-	3790	-	-	-	-	-	-
	3/8/2010	-	-	-	3780	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/21/2006	7.2	<2	240	2990	-	-	1110	-	-	-
	4/14/2008	7.3	<2.0	243	3100	-	-	1170	-	243	<2.0
	3/17/2009	7.1	<2.0	234	3230	-	-	-	-	-	-
	8/11/2009	7.1	<2.0	231	3290	5.5	<0.16	1170	-	-	-
	3/2/2010	-	-	-	3160	6.01	<5.00	-	-	-	-
MW091SA	2/9/2006	7.2	<2	226	2530	-	-	789	-	-	-
	7/24/2006	7.1	<2	261	2920	-	-	912	-	-	-
	4/7/2008	7	<2.0	236	2970	-	-	1050	-	236	<2.0
	3/24/2009	-	-	-	3540	-	-	-	-	-	-
	3/8/2010	-	-	-	3360	-	-	-	-	-	-
MW092SA	2/9/2006	7.2	<2	254	2910	-	-	953	-	-	-
	7/24/2006	7.1	<2	292	2660	-	-	846	-	-	-
	4/8/2008	7.2	<2.0	257	2860	-	-	1020	-	257	<2.0
	3/24/2009	-	-	-	3480	-	-	-	-	-	-
	3/8/2010	-	-	-	3570	-	-	-	-	-	-
MW093SA	2/9/2006	7	<2	335	2820	-	-	847	-	-	-
	7/24/2006	6.9	<2	380	2580	-	-	860	-	-	-
	4/8/2008	7.1	<2.0	273	3000	-	-	1040	-	273	<2.0
	3/24/2009	-	-	-	3750	-	-	-	-	-	-
	3/8/2010	-	-	-	3960	-	-	-	-	-	-
IW003	12/17/2003	-	-	-	4380	5	<0.05	650	2.5	-	-
	6/3/2004	-	-	-	-	30000	1	1620	<2	-	-
	7/8/2004	-	-	-	-	30000	1	1000	<2	-	-
	8/18/2004	-	-	-	-	40000	1	1500	<2	-	-
	10/11/2004	-	-	-	-	27000	2	1200	<2	-	-
	1/6/2005	-	-	-	-	32000	1	500	<0.4	-	-
	1/27/2005	-	-	-	-	31000	<1	400	<2	-	-
	2/21/2005	-	-	-	-	48000	<1	600	<2	-	-
	3/17/2005	-	-	-	-	23000	<1	350	<2	-	-
	4/19/2005	-	-	-	-	31000	<0.05	300	<2	-	-
	6/1/2005	-	-	-	-	30000	<1	300	-	-	-
	6/21/2005	-	-	-	-	43000	<1	400	-	-	-
	7/21/2005	-	-	-	-	55000	1	400	-	-	-
	2/6/2006	5.5	<2	4630	34600	19000	<0.2	1020	-	-	-
	2/6/2006 Dup	5.5	<2	4580	35300	-	-	<500	-	-	-
	7/25/2006	6.8	<2	4100	10600	-	-	<50	-	-	-
	4/3/2008	7.1	<2.0	1870	4440	-	-	<5.0	-	1870	<2.0
	3/23/2009	-	-	-	4400	-	-	-	-	-	-
	3/3/2010	-	-	-	2160	-	-	-	-	-	-
IW004	12/18/2003	-	-	-	2450	4	<0.05	640	1.6	-	-
	6/9/2004	-	-	-	-	16000	<1	1240	<2	-	-
	7/8/2004	-	-	-	-	46700	1	1650	<2	-	-
	8/18/2004	-	-	-	-	34000	1	1200	<2	-	-
	10/11/2004	-	-	-	-	21000	2	800	6	-	-
	1/6/2005	-	-	-	-	28000	2	400	<2	-	-
	1/27/2005	-	-	-	-	35000	1	300	<2	-	-
	2/22/2005	-	-	-	-	42000	5	500	<2	-	-
	3/21/2005	-	-	-	-	33000	<1	200	<2	-	-
	4/19/2005	-	-	-	-	20000	0.27	400	<2	-	-
	6/1/2005	-	-	-	-	25000	0.2	300	-	-	-
	6/21/2005	-	-	-	-	29000	2	400	-	-	-
	7/21/2005	-	-	-	-	51000	1	400	-	-	-
	2/6/2006	5.1	<2	715	16300	9050	1.7	307	-	-	-
	7/25/2006	6.6	<2	2080	7590	-	-	198	-	-	-
	4/3/2008	6.8	<2.0	713	3960	-	-	541	-	713	<2.0

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	3/23/2009	-	-	-	4490	-	-	-	-	-	-
	3/4/2010	-	-	-	4100	-	-	-	-	-	-
IW005	12/18/2003	-	-	-	1940	-	-	360	-	-	-
	2/25/2004	-	-	-	-	3	0.05	-	<1	-	-
	6/9/2004	-	-	-	-	14000	<1	1100	<2	-	-
	7/8/2004	-	-	-	-	69	1	1210	<2	-	-
	10/11/2004	-	-	-	-	31000	1	900	2	-	-
	12/1/2004	-	-	-	25000	25000	<1	800	<2	-	-
	1/6/2005	-	-	-	-	32000	<1	400	<2	-	-
	1/27/2005	-	-	-	-	22000	<1	200	<2	-	-
	2/22/2005	-	-	-	-	38000	<1	400	<2	-	-
	3/21/2005	-	-	-	-	32000	<1	200	<2	-	-
	4/20/2005	-	-	-	-	26000	<1	200	<2	-	-
	6/1/2005	-	-	-	-	27000	<1	300	-	-	-
	6/22/2005	-	-	-	-	29000	<1	300	-	-	-
	7/13/2005	-	-	-	-	45000	1	400	-	-	-
	2/6/2006	4.6	<2	1320	24500	16900	<0.2	353	-	-	-
	7/26/2006	5.3	<2	4080	14300	-	-	124	-	-	-
	4/1/2008	7	<2.0	2480	4890	-	-	<5.0	-	2480	<2.0
	3/23/2009	-	-	-	4790	-	-	-	-	-	-
	3/4/2010	-	-	-	3860	-	-	-	-	-	-
IW006	12/18/2003	-	-	-	1640	-	-	270	-	-	-
	2/25/2004	-	-	-	-	2	0.13	-	<1	-	-
	6/9/2004	-	-	-	-	20000	<1	1500	<2	-	-
	7/20/2004	-	-	-	-	42800	1	2300	<2	-	-
	8/18/2004	-	-	-	-	38000	<1	1200	<2	-	-
	10/13/2004	-	-	-	-	37000	2	1100	10	-	-
	12/1/2004	-	-	-	41500	40000	<1	1000	6	-	-
	1/10/2005	-	-	-	-	30000	<1	600	4	-	-
	1/31/2005	-	-	-	-	37000	<1	400	<2	-	-
	2/22/2005	-	-	-	-	25000	1	500	<2	-	-
	3/22/2005	-	-	-	-	24000	<1	300	<2	-	-
	4/20/2005	-	-	-	-	28000	1	200	<2	-	-
	5/31/2005	-	-	-	-	36000	<1	400	-	-	-
	6/22/2005	-	-	-	-	38000	<1	300	-	-	-
	7/13/2005	-	-	-	-	42000	1	400	-	-	-
	2/7/2006	4.8	<2	1770	37300	22400	<0.2	231	-	-	-
	2/7/2006 Dup	4.8	<2	2220	37300	-	-	754	-	-	-
	7/26/2006	7.2	<2	3940	6450	-	-	<25	-	-	-
	4/1/2008	6.9	<2.0	1760	3660	-	-	119	-	1760	<2.0
	3/19/2009	-	-	-	3400	-	-	-	-	-	-
	3/4/2010	-	-	-	3640	-	-	-	-	-	-
IW007	2/26/2004	-	-	-	2120	2	0.05	400	<1	-	-
	6/9/2004	-	-	-	-	14000	<1	800	<2	-	-
	7/20/2004	-	-	-	-	35400	1	1100	<2	-	-
	8/19/2004	-	-	-	-	34000	1	1500	<2	-	-
	10/13/2004	-	-	-	-	29000	1	1100	<2	-	-
	12/2/2004	-	-	-	27100	28000	<1	900	<2	-	-
	1/10/2005	-	-	-	-	24000	<1	500	2	-	-
	1/31/2005	-	-	-	-	30000	<1	300	<2	-	-
	2/22/2005	-	-	-	-	28000	<1	400	<2	-	-
	4/20/2005	-	-	-	-	26000	<1	200	<2	-	-
	5/31/2005	-	-	-	-	29000	<1	300	-	-	-
	6/22/2005	-	-	-	-	34000	<1	300	-	-	-
	7/13/2005	-	-	-	-	42000	1	300	-	-	-
	2/7/2006	4.9	<2	2500	49600	26600	<0.2	297	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/26/2006	5.7	<2	9180	26800	-	-	239	-	-	-
	4/1/2008	5.8	<2.0	7270	26300	-	-	149	-	7270	<2.0
	3/19/2009	-	-	-	5550	-	-	-	-	-	-
	3/4/2010	-	-	-	4500	-	-	-	-	-	-
IW008	2/26/2004	-	-	-	880	4	<0.05	170	1	-	-
	6/9/2004	-	-	-	-	8000	<1	500	<2	-	-
	7/20/2004	-	-	-	-	26800	<1	1000	<2	-	-
	8/19/2004	-	-	-	-	15000	1	600	<2	-	-
	10/13/2004	-	-	-	-	26000	2	700	<2	-	-
	12/2/2004	-	-	-	14400	13000	<1	500	<2	-	-
	1/11/2005	-	-	-	-	16000	<1	300	<2	-	-
	2/2/2005	-	-	-	-	15000	<1	2	<2	-	-
	2/23/2005	-	-	-	-	38000	<1	400	<2	-	-
	3/22/2005	-	-	-	-	21000	<1	200	<2	-	-
	4/25/2005	-	-	-	-	21000	<1	200	<2	-	-
	5/31/2005	-	-	-	-	16000	<1	300	-	-	-
	6/22/2005	-	-	-	-	17000	<1	200	-	-	-
	2/7/2006	4.5	<2	<2	12300	10900	<0.2	349	-	-	-
	7/26/2006	7.1	<2	3020	4590	-	-	<25	-	-	-
	7/26/2006 Dup	7.1	<2	3070	4660	-	-	<25	-	-	-
	4/1/2008	7.1	<2.0	2130	3480	-	-	<5.0	-	2130	<2.0
	3/19/2009	-	-	-	3030	-	-	-	-	-	-
	3/4/2010	-	-	-	2780	-	-	-	-	-	-
IW009	6/9/2004	-	-	-	-	20000	1	1300	<2	-	-
	7/20/2004	-	-	-	-	38400	<1	2800	<2	-	-
	8/19/2004	-	-	-	-	27000	1	1100	<2	-	-
	10/14/2004	-	-	-	-	38000	1	1300	4	-	-
	12/6/2004	-	-	-	35800	31000	<1	1200	<2	-	-
	1/11/2005	-	-	-	-	39000	<1	600	<2	-	-
	2/2/2005	-	-	-	-	26000	<1	500	<2	-	-
	2/23/2005	-	-	-	-	28000	<1	500	<2	-	-
	3/23/2005	-	-	-	-	39000	<1	400	<2	-	-
	4/25/2005	-	-	-	-	49000	<1	300	<2	-	-
	5/31/2005	-	-	-	-	29000	<1	400	-	-	-
	6/23/2005	-	-	-	-	49000	<1	400	-	-	-
	7/13/2005	-	-	-	-	55000	1	400	-	-	-
	2/7/2006	4.8	<2	2060	59500	33700	<0.2	705	-	-	-
	7/27/2006	5	<2	2970	18100	-	-	257	-	-	-
	3/31/2008	5.6	<2.0	5430	20000	-	-	149	-	5430	<2.0
	3/4/2010	-	-	-	17500	-	-	-	-	-	-
	12/18/2003	-	-	-	2780	-	-	220	-	-	-
IW010	2/26/2004	-	-	-	-	4	<0.05	-	<1	-	-
	6/9/2004	-	-	-	-	13000	<1	1000	<2	-	-
	7/21/2004	-	-	-	-	33500	1	1200	<2	-	-
	8/19/2004	-	-	-	-	29000	1	1200	<2	-	-
	10/14/2004	-	-	-	-	35000	2	1300	<2	-	-
	12/7/2004	-	-	-	-	23000	<1	1100	<2	-	-
	1/11/2005	-	-	-	-	22000	<1	900	<2	-	-
	2/2/2005	-	-	-	-	20000	<1	700	<2	-	-
	2/24/2005	-	-	-	-	12000	1	700	<2	-	-
	3/23/2005	-	-	-	-	26000	<1	500	<2	-	-
	4/25/2005	-	-	-	-	23000	<1	500	<2	-	-
	5/31/2005	-	-	-	-	20000	<1	500	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	6/23/2005	-	-	-	-	22000	5	600	-	-	-
	7/13/2005	-	-	-	-	29000	1	600	-	-	-
	2/7/2006	5.8	<2	3130	12500	5800	<0.2	<200	-	-	-
	7/27/2006	6.9	<2	1770	3990	-	-	51.8	-	-	-
	3/31/2008	7.2	<2.0	682	2860	-	-	523	-	682	<2.0
	3/19/2009	-	-	-	3290	-	-	-	-	-	-
	3/4/2010	-	-	-	3180	-	-	-	-	-	-
IW011	12/18/2003	-	-	-	2960	3	<0.05	410	<0.4	-	-
	6/8/2004	-	-	-	-	11000	<1	840	<2	-	-
	7/21/2004	-	-	-	-	32200	2	1100	<2	-	-
	8/19/2004	-	-	-	-	37000	1	1200	<2	-	-
	10/14/2004	-	-	-	-	32000	2	500	<2	-	-
	12/7/2004	-	-	-	-	31000	<1	700	2	-	-
	1/12/2005	-	-	-	-	22000	<1	300	4	-	-
	2/2/2005	-	-	-	-	12000	<1	300	<2	-	-
	2/24/2005	-	-	-	-	54000	1	500	<2	-	-
	3/23/2005	-	-	-	-	28000	<1	200	<2	-	-
	4/26/2005	-	-	-	-	39000	<1	200	<2	-	-
	5/26/2005	-	-	-	-	45000	<1	300	-	-	-
	6/23/2005	-	-	-	-	21000	<1	300	-	-	-
	7/14/2005	-	-	-	-	60000	1	400	-	-	-
	2/8/2006	4.9	<2	2810	25000	14700	<0.2	247	-	-	-
	7/26/2006	5.6	<2	3570	13600	-	-	55.1	-	-	-
	3/31/2008	7.1	<2.0	2520	5340	-	-	<5.0	-	2520	<2.0
	3/18/2009	-	-	-	4320	-	-	-	-	-	-
	3/4/2010	-	-	-	3800	-	-	-	-	-	-
IW012	6/8/2004	-	-	-	-	10000	1	1250	<2	-	-
	8/19/2004	-	-	-	-	27000	1	900	<2	-	-
	10/14/2004	-	-	-	-	34000	1	600	<2	-	-
	2/3/2005	-	-	-	-	30000	<1	4	<2	-	-
	3/30/2005	-	-	-	-	-	-	-	2	-	-
	6/23/2005	-	-	-	-	32000	-	-	-	-	-
	7/14/2005	-	-	-	-	50000	1	300	-	-	-
IW013	2/10/2004	-	-	-	2710	3	0.09	550	2	-	-
	6/8/2004	-	-	-	-	11000	1	1450	<2	-	-
	7/21/2004	-	-	-	-	24200	2	1100	<2	-	-
	8/19/2004	-	-	-	-	21000	1	700	<2	-	-
	10/19/2004	-	-	-	-	33000	<1	1000	<2	-	-
	12/7/2004	-	-	-	-	31000	<1	1000	3	-	-
	1/12/2005	-	-	-	-	26000	<1	700	2	-	-
	2/3/2005	-	-	-	-	9000	<1	500	<2	-	-
	2/24/2005	-	-	-	-	63000	<1	600	<2	-	-
	3/24/2005	-	-	-	-	39000	<1	260	<2	-	-
	4/26/2005	-	-	-	-	48000	<1	300	<2	-	-
	5/25/2005	-	-	-	-	30000	<1	410	-	-	-
	6/23/2005	-	-	-	-	36000	1	400	-	-	-
	7/14/2005	-	-	-	-	50000	1	400	-	-	-
	2/8/2006	4.1	<2	<2	26400	15300	<0.2	444	-	-	-
	2/8/2006 Dup	4.2	<2	<2	22100	-	-	419	-	-	-
	7/27/2006	5.3	<2	789	4730	-	-	<25	-	-	-
	7/27/2006 Dup	5.3	<2	767	4710	-	-	<20	-	-	-
	3/26/2008	6.6	<2.0	531	2810	-	-	426	-	531	<2.0
	3/18/2009	-	-	-	2960	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
IW014	3/5/2010	-	-	-	3180	-	-	-	-	-	-
	2/11/2004	-	-	-	3810	9	<0.05	670	7	-	-
	6/10/2004	-	-	-	-	9000	<1	1000	<2	-	-
	7/21/2004	-	-	-	-	26600	1	1100	<2	-	-
	8/19/2004	-	-	-	-	13000	1	500	<2	-	-
	10/19/2004	-	-	-	-	25000	<1	800	<2	-	-
	12/7/2004	-	-	-	-	35000	<1	1000	<2	-	-
	1/13/2005	-	-	-	-	27000	<1	500	<2	-	-
	2/3/2005	-	-	-	-	17000	<1	36	<2	-	-
	2/24/2005	-	-	-	-	27000	1	500	<2	-	-
	3/24/2005	-	-	-	-	27000	<1	140	<2	-	-
	4/26/2005	-	-	-	-	32000	<1	200	<2	-	-
	5/25/2005	-	-	-	-	18000	<1	320	-	-	-
	6/28/2005	-	-	-	-	19000	<1	300	-	-	-
	7/14/2005	-	-	-	-	58000	1	400	-	-	-
	2/13/2006	4.4	<2	<2	34100	21900	<0.2	514	-	-	-
	2/13/2006 Dup	4.4	<2	<2	33000	-	-	366	-	-	-
	7/25/2006	5.4	<2	5020	18600	-	-	105	-	-	-
	7/25/2006 Dup	5.4	<2	5080	19000	-	-	<100	-	-	-
	3/26/2008	7.2	<2.0	3600	6360	-	-	<5.0	-	3600	<2.0
	3/18/2009	-	-	-	5750	-	-	-	-	-	-
	3/3/2010	-	-	-	4140	-	-	-	-	-	-
IW015	2/25/2004	-	-	-	-	4	<0.05	720	5	-	-
	6/3/2004	-	-	-	-	12000	1	900	<2	-	-
	7/8/2004	-	-	-	-	46900	1	1560	<2	-	-
	8/18/2004	-	-	-	-	33000	1	900	<2	-	-
	10/11/2004	-	-	-	-	41000	1	1400	4	-	-
	1/5/2005	-	-	-	-	32000	<1	900	<2	-	-
	2/21/2005	-	-	-	-	32000	1	600	<2	-	-
	3/17/2005	-	-	-	-	31000	<1	290	<2	-	-
	4/19/2005	-	-	-	-	28000	<0.05	200	<2	-	-
	6/1/2005	-	-	-	-	29000	1	400	-	-	-
	6/21/2005	-	-	-	-	38000	<1	400	-	-	-
	7/21/2005	-	-	-	-	43000	1	500	-	-	-
	2/9/2006	5.5	<2	8570	46700	22600	<0.5	330	-	-	-
	7/25/2006	6.7	<2	5370	15100	-	-	<25	-	-	-
	4/3/2008	7.1	<2.0	1820	4410	-	-	<5.0	-	1820	<2.0
	3/23/2009	-	-	-	4040	-	-	-	-	-	-
	3/3/2010	-	-	-	2960	-	-	-	-	-	-
IW016	2/11/2004	-	-	-	2710	5	0.06	590	3	-	-
	6/3/2004	-	-	-	-	30000	1	1190	<2	-	-
	7/7/2004	-	-	-	-	28300	1	1000	<2	-	-
	8/17/2004	-	-	-	-	64000	1	1500	<2	-	-
	10/10/2004	-	-	-	-	41000	2	1300	3	-	-
	11/22/2004	-	-	-	47400	26000	<1	1100	<2	-	-
	1/4/2005	-	-	-	-	30000	<1	700	<2	-	-
	1/27/2005	-	-	-	-	42000	19	400	<0.4	-	-
	2/16/2005	-	-	-	-	56000	1	18	<0.4	-	-
	3/15/2005	-	-	-	-	28000	<1	200	<2	-	-
	4/19/2005	-	-	-	-	41000	<0.05	200	<2	-	-
	6/1/2005	-	-	-	-	37000	<1	400	-	-	-
	6/21/2005	-	-	-	-	43000	1	400	-	-	-
	7/20/2005	-	-	-	-	54000	1	400	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	2/8/2006	4.8	<2	2550	71600	37300	<0.2	440	-	-	-
	7/25/2006	6.8	<2	6510	18100	-	-	<50	-	-	-
	4/2/2008	7	<2.0	2370	4150	-	-	<5.0	-	2370	<2.0
	3/24/2009	-	-	-	3240	-	-	-	-	-	-
	3/3/2010	-	-	-	2980	-	-	-	-	-	-
IW018	2/6/2006	7	<2	595	4040	-	-	569	-	-	-
	7/21/2006	7.1	<2	660	1700	-	-	139	-	-	-
	4/9/2008	7.1	<2.0	603	3260	-	-	537	-	603	<2.0
	3/24/2009	-	-	-	3080	-	-	-	-	-	-
	3/25/2010	-	-	-	1870	-	-	-	-	-	-
IW019	2/7/2006	7	<2	350	4960	-	-	893	-	-	-
	7/24/2006	7	<2	363	5030	-	-	1030	-	-	-
	4/8/2008	7	<2.0	340	4470	-	-	1400	-	340	<2.0
	3/25/2009	-	-	-	4680	-	-	-	-	-	-
	3/25/2010	-	-	-	2390	-	-	-	-	-	-
IW020	2/7/2006	7.4	<2	355	2990	-	-	901	-	-	-
	7/24/2006	7.1	<2	357	2660	-	-	817	-	-	-
	4/8/2008	7.1	<2.0	260	4170	-	-	1460	-	260	<2.0
	3/25/2009	-	-	-	4980	-	-	-	-	-	-
	3/5/2010	-	-	-	2260	-	-	-	-	-	-
IW021	2/7/2006	7.1	<2	284	2530	-	-	926	-	-	-
	7/24/2006	7	<2	305	2660	-	-	921	-	-	-
	4/8/2008	7.3	<2.0	285	3370	-	-	1100	-	285	<2.0
	3/25/2009	-	-	-	3880	-	-	-	-	-	-
	3/5/2010	-	-	-	3730	-	-	-	-	-	-
IW022	2/7/2006	7.1	<2	268	2240	-	-	605	-	-	-
	7/25/2006	7	<2	256	2080	-	-	619	-	-	-
	4/7/2008	7	<2.0	235	2700	-	-	977	-	235	<2.0
	3/25/2009	-	-	-	2750	-	-	-	-	-	-
	3/5/2010	-	-	-	2460	-	-	-	-	-	-
IW023	2/7/2006	7.2	<2	256	2400	-	-	769	-	-	-
	7/25/2006	7.1	<2	256	1950	-	-	660	-	-	-
	4/7/2008	7.1	<2.0	250	2350	-	-	847	-	250	<2.0
	3/16/2009	7	<2.0	246	2560	3.9	<0.16	-	-	-	-
	8/11/2009	7.1	<2.0	240	2700	4.4	<0.16	774	-	-	-
	3/2/2010	-	-	-	3130	5.7	<5.00	-	-	-	-
IW024	2/8/2006	7	<2	226	3490	-	-	1300	-	-	-
	7/21/2006	7.1	<2	226	3710	-	-	1370	-	-	-
	4/15/2008	7.2	<2.0	262	3440	-	-	1370	-	262	<2.0
	3/16/2009	7	<2.0	212	4080	-	<0.16	-	-	-	-
	8/11/2009	7.2	<2.0	210	4840	6.3	<0.16	1670	-	-	-
	3/2/2010	-	-	-	4360	5.7	<5.00	-	-	-	-
IW025	2/8/2006	7.3	<2	258	2380	-	-	821	-	-	-
	7/21/2006	7.1	<2	253	2670	-	-	984	-	-	-
	4/14/2008	7.2	<2.0	233	3220	-	-	1160	-	233	<2.0
	3/16/2009	6.6	<2.0	998	3290	238	49.8	-	-	-	-
	8/13/2009	6.6	<2.0	799	3220	60.8	254	866	-	-	-
	3/2/2010	-	-	-	3710	6.92	<5.00	-	-	-	-
IW026	2/8/2006	7.2	<2	228	2930	-	-	1060	-	-	-
	7/21/2006	7.2	<2	236	2990	-	-	1160	-	-	-
	4/14/2008	7.3	<2.0	257	1630	-	-	264	-	257	<2.0
	3/16/2009	7.3	<2.0	234	1790	2.7	<0.16	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
IW027	8/13/2009	7.2	<2.0	256	1640	-	-	390	-	-	-
	3/2/2010	-	-	-	-	5.23	-	-	-	-	-
	3/17/2010	-	-	-	760	-	<5.00	-	-	-	-
	2/8/2006	7.2	<2	219	3430	-	-	1440	-	-	-
	7/21/2006	7.2	<2	230	3570	-	-	1380	-	-	-
	4/14/2008	7.2	<2.0	239	3090	-	-	1140	-	239	<2.0
	3/25/2009	-	-	-	2880	-	-	-	-	-	-
	3/8/2010	-	-	-	2760	-	-	-	-	-	-
IW028	6/16/2005	-	-	-	-	17	<0.05	1100	-	-	-
	2/8/2006	7.3	<2	243	3100	-	-	1100	-	-	-
	7/21/2006	7.3	<2	254	2700	-	-	1000	-	-	-
	4/15/2008	7.3	<2.0	250	2670	-	-	1010	-	250	<2.0
	4/7/2009	-	-	-	2640	-	-	-	-	-	-
	3/8/2010	-	-	-	2920	-	-	-	-	-	-
RW004A	10/1/2001	-	-	-	2000	8	-	1400	-	-	-
	2/4/2002	-	-	-	4250	5	0.06	1900	-	-	-
	6/9/2003	-	-	-	-	4	0.05	1490	5.7	-	-
	6/9/2003 Dup	-	-	-	-	-	-	1400	-	-	-
	7/1/2003	-	-	-	-	21000	<1	910	7	-	-
	7/9/2003	-	-	-	-	23000	4	1310	9	-	-
	7/15/2003	-	-	-	-	14000	<1	750	4	-	-
	7/28/2003	-	-	-	-	13000	1	610	<2	-	-
	8/21/2003	-	-	-	-	21000	<1	660	<2	-	-
	10/1/2003	-	-	-	-	51000	<1	1600	4	-	-
	10/29/2003	-	-	-	-	37000	<1	1200	2	-	-
	12/9/2003	-	-	-	-	21000	1	1160	<2	-	-
	1/8/2004	-	-	-	32600	23000	<1	670	<2	-	-
	3/2/2004	-	-	-	-	23000	1	1620	<2	-	-
	4/1/2004	-	-	-	22400	20000	<1	700	<2	-	-
	5/4/2004	-	-	-	-	41000	<1	1280	2	-	-
	6/8/2004	-	-	-	-	25000	<1	1500	<2	-	-
	7/8/2004	-	-	-	-	40900	1	1030	<2	-	-
	8/11/2004	-	-	-	-	22000	1	1140	<2	-	-
	9/16/2004	-	-	-	-	24000	<1	800	<2	-	-
	10/5/2004	-	-	-	-	39000	3	1100	<2	-	-
	11/9/2004	-	-	-	34000	37000	<1	800	19	-	-
	11/15/2004	-	-	-	-	68	-	-	-	-	-
	12/20/2004	-	-	-	-	23000	1	730	<0.4	-	-
	1/18/2005	-	-	-	-	33000	1	300	4	-	-
	2/14/2005	-	-	-	-	21000	<1	200	<2	-	-
	3/8/2005	-	-	-	-	27000	<1	220	<2	-	-
	4/11/2005	-	-	-	-	32000	<1	300	5	-	-
	5/12/2005	-	-	-	-	47000	<1	300	3	-	-
	6/8/2005	-	-	-	-	30000	<1	400	-	-	-
	7/7/2005	-	-	-	-	23000	<1	300	-	-	-
	2/10/2006	4.2	<2	<2	3420	-	-	237	-	-	-
	7/19/2006	4.5	<2	<2	4890	-	-	83.4	-	-	-
	4/16/2008	4.9	<2.0	3110	13900	-	-	154	-	3110	<2.0
	3/31/2009	-	-	-	14900	-	-	-	-	-	-
	3/10/2010	-	-	-	14600	-	-	-	-	-	-
EPWW1	1/26/2006	7.6	<2	166	449	-	-	63.9	-	-	-
	7/6/2006	7.5	<2	203	385	-	-	<250	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	4/6/2009	-	-	-	914	-	-	-	-	-	-
	3/3/2010	-	-	-	408	-	-	-	-	-	-
GOPWW2	1/19/2006	7.9	<2	380	1930	-	-	<5	-	-	-
	6/28/2006	7.8	<2	292	1970	-	-	38.4	-	-	-
	3/24/2008	7.4	<2.0	32.6	3680	-	-	118	-	32.6	<2.0
	8/5/2008	8.1	<2.0	23.8	2910	-	-	13.8	-	-	-
	3/17/2009	-	-	-	2260	-	-	-	-	-	-
	8/18/2009	-	-	-	3060	-	-	-	-	-	-
	3/2/2010	-	-	-	3190	-	-	-	-	-	-
	8/3/2010	-	-	-	3460	-	-	-	-	-	-
LordWW	1/23/2006	7.1	<2	168	3690	-	-	1260	-	-	-
	6/27/2006	8.1	<2	176	422	-	-	57.2	-	-	-
	6/27/2006 Dup	8	<2	177	430	-	-	59.1	-	-	-
	3/26/2008	7	<2.0	141	3600	-	-	1240	-	141	<2.0
	8/13/2008	7.2	<2.0	29.7	3400	-	-	968	-	-	-
	3/19/2009	-	-	-	4270	-	-	-	-	-	-
	3/12/2010	-	-	-	4060	-	-	-	-	-	-
	8/18/2010	-	-	-	4110	-	-	-	-	-	-
WoodellWW	1/24/2006	7	<2	285	2390	-	-	666	-	-	-
	6/27/2006	7.3	<2	263	1900	-	-	548	-	-	-
	4/15/2008	7.4	<2.0	193	1060	-	-	274	-	193	<2.0
	8/21/2008	7.1	<2.0	243	1820	-	-	477	-	-	-
	3/24/2009	-	-	-	1780	-	-	-	-	-	-
	8/24/2009	-	-	-	1480	-	-	-	-	-	-
	3/2/2010	-	-	-	2620	-	-	-	-	-	-
	8/18/2010	-	-	-	2120	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW001	4/23/1997	0.384	<0.001	0.075	0.049	-	-	-	-	200
	1/20/1999	0.006	0.019	0.029	0.029	-	-	-	-	-
	11/17/1999	0.008	0.018	0.140	0.042	-	-	-	-	-
	5/31/2001	0.06	0.02	0.54	0.09	-	-	<0.05 / <0.05	<0.005 / 0.03	260
	5/31/2001 Dup	0.07	<0.02	0.58	0.1	-	-	<0.05	<0.005	250
	2/7/2002	0.002	0.009	0.059	0.084	<0.26	0.489	-	-	540
	9/23/2002	<0.002	0.004	0.08	0.17	0.28	0.93	-	-	400
	9/23/2002 Dup	0.002	0.006	0.085	0.18	0.3	1	-	-	350
	1/8/2003	<0.002	0.003	0.018	0.026	<0.25	0.22	-	-	500
	1/8/2003 Dup	<0.002	0.002	0.017	0.024	<0.25	0.28	-	-	510
	3/27/2003	<0.002	<0.002	0.016	0.023	<0.25	0.15	-	-	380
	3/27/2003 Dup	<0.002	<0.002	0.018	0.024	<0.25	0.14	-	-	270
	6/5/2003	0.003	0.004	0.052	0.069	<0.24	0.39	-	-	510
	6/5/2003 Dup	<0.002	0.003	0.04	0.054	0.32	0.32	-	-	530
	1/26/2004	0.02	0.02	0.63	0.2	7.2	2.8	-	-	90
	1/26/2004 Dup	0.02	0.03	0.61	0.19	4.4	2.3	-	-	90
	7/28/2004	0.01	0.008	0.15	0.057	<2.5	1.6	-	-	630
	1/12/2005	0.004	<0.002	0.047	<0.006	<0.25	0.22	-	-	200
	5/26/2005	0.02	0.004	0.073	0.023	<0.25	0.44	-	-	230
	1/27/2006	0.0017	<0.001	0.044	0.0033	-	-	0.0343	<0.02	338
	1/27/2006 Dup	0.0017	<0.001	0.046	0.0032	-	-	0.0349	<0.02	346
	7/13/2006	0.089	<0.001	0.037	0.0042	0.54	0.3	0.0308	<0.02	368
	4/19/2007	0.036	<0.001	0.110	0.0095	0.500	0.380	<0.015	<0.02	327
	4/17/2008	<0.001	<0.001	0.0016	<0.003	0.410	<0.05	<0.015	<0.2	112
	3/16/2010	<0.001	<0.001	0.00156	<0.001	0.416	<0.05	<0.050	0.024	120
MW002	4/22/1997	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.039	490
	1/24/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	470
	9/16/2002	<0.002	0.002	<0.002	<0.002	<0.25	<0.05	-	-	460
	12/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	510
	3/13/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	470
	5/28/2003	<0.002	<0.002	<0.002	<0.002	<0.23	<0.05	-	-	430
	1/20/2004	<0.002	<0.002	<0.002	<0.006	<0.27	<0.05	-	-	400
	6/23/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	410
	6/23/2004 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	400
	1/4/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	440
	1/4/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	430
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	410
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0642	0.058	552
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0339	0.037	553
	4/12/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0699	0.064	817
	4/2/2008	0.0045	0.0014	<0.001	<0.003	<0.097	<0.05	0.147	0.15	934
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.190	<0.05	0.137	0.13	1040
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.234	<0.05	0.145	0.15	998
MW003	4/22/1997	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	2.9	3	1100
	1/30/2002	-	-	-	-	-	-	-	-	900
	1/30/2002 Dup	-	-	-	-	-	-	-	-	1900
	9/18/2002	-	-	-	-	-	-	-	-	850
	1/6/2003	-	-	-	-	-	-	-	-	640
	3/19/2003	-	-	-	-	-	-	-	-	1050
	6/4/2003	-	-	-	-	-	-	-	-	950
	1/20/2004	-	-	-	-	-	-	-	-	500
	6/29/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	740
	1/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	570
	6/3/2005	-	-	-	-	-	-	-	-	480
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.194	0.2	514
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.187	0.17	530

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW004	4/16/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.116	0.10	372
	4/3/2008	0.0037	0.0012	<0.001	<0.003	<0.096	<0.05	0.085	0.052	317
	4/23/1997	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-
	1/21/1999	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-
	11/18/1999	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.67 / <0.05	<0.005 / 0.61	800
	1/28/2002	<0.002	<0.002	<0.002	<0.002	<0.27	<0.05	-	-	1030
	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	610
	12/30/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	700
	3/18/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	730
	6/4/2003	<0.002	<0.002	<0.002	<0.002	<0.24	<0.05	-	-	680
	1/19/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	650
	6/24/2004	-	-	-	-	-	-	-	-	370
	1/4/2005	-	-	-	-	-	-	-	-	560
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	760
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.5	0.14	904
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.79	1.8	776
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.92	0.51	1130
	4/15/2008	0.0028	<0.001	<0.001	<0.003	0.140	<0.05	2.28	1.9	1030
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.230	<0.05	1.46	1.5	852
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.196	<0.05	1.18	1.17	781
MW005	4/22/1997	0.54	0.31	0.093	0.245	-	-	-	-	-
	2/11/2002	0.62	<0.04	0.09	0.14	15	1.79	-	-	460
	2/11/2002 Dup	0.6	<0.02	0.08	0.13	27	1.83	-	-	460
	6/30/2005	0.81	<0.01	0.07	<0.03	3.9	2.6	-	-	910
	1/27/2006	0.52	<0.005	0.064	<0.005	-	-	0.0202	<0.02	1010
	7/13/2006	0.44	<0.001	0.072	0.0078	2.3	1.5	0.0344	<0.02	894
	4/19/2007	0.810	0.0013	0.064	0.012	3.2	2.4	<0.015	<0.02	1080
	4/17/2008	0.004	<0.001	0.0012	<0.003	2.8	0.230	0.0151	<0.2	1500
	4/7/2009	0.095	<0.001	0.0110	<0.003	3.2	0.290	<0.015	<0.02	1160
	3/16/2010	0.0125	<0.001	0.0063	<0.001	1.68	<0.05	<0.050	0.21	823
MW006	4/22/1997	0.34	0.28	0.11	0.33	-	-	-	-	-
	2/11/2002	0.68	0.67	0.11	0.26	71	3.58	-	-	1400
	4/23/2007	1.50	0.36	0.10	0.84	6.3	4.2	<0.015	<0.02	2970
	4/17/2008	0.036	<0.001	0.0039	0.0036	3.1	0.400	<0.015	<0.20	2780
	4/7/2009	0.510	<0.005	0.0420	0.1500	3.4	1.6	<0.015	<0.02	2310
	3/16/2010	0.878	<0.001	0.0132	<0.001	1.88	0.742	<0.050	0.012	1250
MW007	8/19/1997	<0.001	0.001	0.001	0.001	-	-	-	-	-
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05 / 0.45	0.02 / 0.4	600
	1/30/2002	-	-	-	-	-	-	-	-	390
	9/12/2002	-	-	-	-	-	-	-	-	710
	12/19/2002	-	-	-	-	-	-	-	-	450
	3/13/2003	-	-	-	-	-	-	-	-	410
	6/3/2003	-	-	-	-	-	-	-	-	390
	1/21/2004	-	-	-	-	-	-	-	-	410
	6/23/2004	-	-	-	-	-	-	-	-	370
	1/4/2005	-	-	-	-	-	-	-	-	290
	6/3/2005	-	-	-	-	-	-	-	-	310
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	274
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0232	<0.02	206
	4/16/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0152	<0.02	193
	4/3/2008	0.0027	<0.001	<0.001	<0.003	<0.096	<0.05	0.036	0.034	185
	8/20/1997	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/31/2001	<0.002	<0.002	<0.002	<0.002	-	-	5.66	9	1400
	8/29/2001	-	-	-	-	-	-	0.68 / 0.79	0.6 / 0.8	-
	2/4/2002	-	-	-	-	-	-	-	-	970
MW008	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1250
	1/6/2003	-	-	-	-	-	-	-	-	970

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/26/2003	-	-	-	-	-	-	-	-	1400
	6/5/2003	-	-	-	-	-	-	-	-	1300
	6/9/2003	-	-	-	-	-	-	5.22	-	1300
	6/9/2003 Dup	-	-	-	-	-	-	-	-	1340
	6/30/2003	-	-	-	-	-	-	3.37	-	1020
	7/9/2003	-	-	-	-	-	-	4.02	-	1200
	7/15/2003	-	-	-	-	-	-	3.85	-	1110
	7/28/2003	-	-	-	-	-	-	2.1	-	1100
	8/21/2003	-	-	-	-	-	-	4.67	-	1400
	9/29/2003	-	-	-	-	-	-	4.9	-	1200
	10/27/2003	-	-	-	-	-	-	5.55	-	1300
	12/4/2003	-	-	-	-	-	-	4.79	-	1090
	1/5/2004	-	-	-	-	-	-	3.34	-	950
	3/1/2004	-	-	-	-	-	-	3.81	-	1020
	3/31/2004	-	-	-	-	-	-	3.31	-	1070
	5/4/2004	-	-	-	-	-	-	3.67	-	1300
	6/7/2004	-	-	-	-	-	-	4.35	-	1220
	7/7/2004	-	-	-	-	-	-	3.33	-	1200
	8/10/2004	-	-	-	-	-	-	2.42	-	1050
	9/16/2004	-	-	-	-	-	-	3.92	-	1290
	10/4/2004	-	-	-	-	-	-	3.08	-	920
	11/8/2004	-	-	-	-	-	-	3.04	-	1050
	12/16/2004	-	-	-	-	-	-	4.27	-	1050
	1/13/2005	-	-	-	-	-	-	2.13	-	890
	2/8/2005	-	-	-	-	-	-	2.32	-	1070
	3/8/2005	-	-	-	-	-	-	0.57	-	600
	4/6/2005	-	-	-	-	-	-	0.42	-	500
	5/11/2005	-	-	-	-	-	-	0.13	-	610
	6/7/2005	-	-	-	-	-	-	0.09	-	820
	7/6/2005	-	-	-	-	-	-	0.05	-	920
	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0515	<0.08	702
	7/18/2006	<0.001	<0.001	<0.001	<0.003	0.33	<0.05	0.0221	<0.02	802
	4/3/2007	<0.001	<0.001	<0.001	<0.003	0.480	0.120	0.0391	<0.02	701
	4/15/2008	<0.005	<0.005	<0.005	<0.015	0.410	<0.25	0.0162	<0.50	844
	3/30/2009	<0.001	<0.001	<0.001	<0.003	0.180	<0.05	<0.015	<0.02	799
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.180	<0.05	<0.05	<0.10	824
MW008M	10/1/2001	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	2.8	1500
	2/4/2002	-	-	-	-	-	-	-	-	1600
	2/4/2002 Dup	-	-	-	-	-	-	-	-	910
	6/9/2003	-	-	-	-	-	-	5.43	-	1500
	6/9/2003 Dup	-	-	-	-	-	-	-	-	1490
	6/30/2003	-	-	-	-	-	-	5.24	-	1400
	7/9/2003	-	-	-	-	-	-	4.29	-	1300
	7/15/2003	-	-	-	-	-	-	5.78	-	1400
	7/29/2003	-	-	-	-	-	-	5.33	-	1400
	8/21/2003	-	-	-	-	-	-	5.32	-	1400
	9/29/2003	-	-	-	-	-	-	5.7	-	1400
	10/27/2003	-	-	-	-	-	-	5.49	-	1400
	12/4/2003	-	-	-	-	-	-	5.77	-	1500
	1/6/2004	-	-	-	-	-	-	5.45	-	1600
	3/1/2004	-	-	-	-	-	-	5.29	-	1500
	4/1/2004	-	-	-	-	-	-	3.18	-	1500
	5/4/2004	-	-	-	-	-	-	4.91	-	1500
	6/7/2004	-	-	-	-	-	-	2.4	-	1370
	7/7/2004	-	-	-	-	-	-	0.44	-	1400
	8/10/2004	-	-	-	-	-	-	1.78	-	1400
	9/16/2004	-	-	-	-	-	-	0.75	-	1370

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	10/4/2004	-	-	-	-	-	-	0.59	-	1330
	11/9/2004	-	-	-	-	-	-	0.5	-	1380
	12/16/2004	-	-	-	-	-	-	0.22	-	1400
	1/17/2005	-	-	-	-	-	-	0.17	-	1460
	2/8/2005	-	-	-	-	-	-	0.13	-	1470
	3/8/2005	-	-	-	-	-	-	0.14	-	1480
	4/6/2005	-	-	-	-	-	-	0.13	-	1320
	5/11/2005	-	-	-	-	-	-	0.1	-	1380
	6/7/2005	-	-	-	-	-	-	0.1	-	1370
	7/6/2005	-	-	-	-	-	-	0.37	-	1050
	2/10/2006	<0.01	<0.01	<0.01	<0.03	-	-	0.215	<0.08	1300
	2/10/2006 Dup	<0.01	<0.01	<0.01	<0.03	-	-	0.219	<0.08	1330
	7/19/2006	<0.005	<0.005	<0.005	<0.015	14	1	0.165	<0.02	1290
	4/13/2007	<0.002	<0.001	<0.001	<0.003	18.0	1.3	0.163	<0.02	1200
	4/16/2008	<0.002	<0.001	<0.001	<0.003	10.0	0.640	0.153	<1	1280
	3/31/2009	<0.005	<0.005	<0.005	<0.015	2.5	<0.25	0.145	<0.2	1230
	3/10/2010	<0.001	<0.001	<0.001	<0.001	1.0	<0.05	<0.25	0.16	934
MW009	8/20/1997	0.002	<0.001	<0.001	<0.001	-	-	-	-	-
	5/31/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.08	0.095	560
	1/29/2002	-	-	-	-	-	-	-	-	630
	9/17/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	530
	12/19/2002	<0.002	<0.002	<0.002	<0.002	0.63	<0.05	-	-	550
	3/13/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	410
	6/4/2003	<0.002	<0.002	<0.002	<0.002	0.3	<0.05	-	-	500
	1/20/2004	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	-	-	280
	6/24/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	240
	1/4/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	340
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	300
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0728	0.062	253
	7/13/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	<0.015	<0.02	255
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0198	<0.02	384
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.0219	<0.02	584
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.05	<0.05	<0.05	0.045	261
MW010	9/16/1997	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05 / 0.22	0.036 / 0.28	1800
	1/29/2002	-	-	-	-	-	-	-	-	1700
	9/17/2002	-	-	-	-	-	-	-	-	1700
	12/30/2002	-	-	-	-	-	-	-	-	2100
	3/17/2003	-	-	-	-	-	-	-	-	2200
	6/2/2003	-	-	-	-	-	-	-	-	2200
	1/21/2004	-	-	-	-	-	-	-	-	1140
	6/23/2004	-	-	-	-	-	-	-	-	1250
	1/3/2005	-	-	-	-	-	-	-	-	2090
	6/6/2005	-	-	-	-	-	-	-	-	2060
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0586	0.055	2200
	6/30/2006	<0.001	<0.001	<0.001	<0.003	0.15	<0.05	0.062	0.048	2220
	6/30/2006 Dup	<0.001	<0.001	0.0011	<0.003	0.15	<0.05	0.0598	0.06	2250
	4/11/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	0.0483	0.043	2170
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0445	0.023	2430
	4/7/2008	0.0041	0.0011	<0.001	<0.003	<0.1	<0.05	0.0517	<0.02	2300
	8/13/2008	0.0042	0.0055	0.013	<0.003	<0.1	0.059	0.0511	<0.02	2570
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0412	0.033	2590
	8/19/2009	<0.001	<0.001	<0.001	<0.003	0.66	<0.05	0.0387	0.028	2960
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.191	<0.05	<0.05	0.040	2390
	8/6/2010	<0.001	<0.002	<0.001	<0.001	0.193	<0.05	<0.05	0.046	2350
MW011	5/31/2001	<0.002	<0.002	<0.002	<0.002	-	-	4.4	6.3	1600
	8/30/2001	-	-	-	-	-	-	4.21 / 4.25	2.6 / 2.6	-
	1/31/2002	-	-	-	-	-	-	-	-	1500

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/19/2002	-	-	-	-	-	-	-	-	1300
	1/7/2003	-	-	-	-	-	-	-	-	1190
	3/26/2003	-	-	-	-	-	-	-	-	1240
	6/2/2003	-	-	-	-	-	-	-	-	1300
	6/10/2003	-	-	-	-	-	-	4.67	-	1200
	6/10/2003 Dup	-	-	-	-	-	-	-	-	1220
	7/1/2003	-	-	-	-	-	-	4.41	-	1300
	7/8/2003	-	-	-	-	-	-	4.51	-	1300
	7/14/2003	-	-	-	-	-	-	4.4	-	1210
	7/29/2003	-	-	-	-	-	-	5.02	-	1300
	8/19/2003	-	-	-	-	-	-	4.33	-	1200
	9/29/2003	-	-	-	-	-	-	4.4	-	1300
	10/28/2003	-	-	-	-	-	-	4.52	-	1300
	12/8/2003	-	-	-	-	-	-	4.36	-	1170
	1/6/2004	-	-	-	-	-	-	4.68	-	1400
	3/2/2004	-	-	-	-	-	-	4.06	-	1070
	4/1/2004	-	-	-	-	-	-	4.28	-	1230
	5/18/2004	-	-	-	-	-	-	4.31	-	1200
	6/14/2004	-	-	-	-	-	-	3.93	-	1000
	7/13/2004	-	-	-	-	-	-	3.96	-	1200
	8/12/2004	-	-	-	-	-	-	3.92	-	1000
	9/15/2004	-	-	-	-	-	-	4.21	-	1200
	10/5/2004	-	-	-	-	-	-	3.88	-	1160
	11/16/2004	-	-	-	-	-	-	3.87	2.9	1060
	12/29/2004	-	-	-	-	-	-	3.86	-	1200
	1/25/2005	-	-	-	-	-	-	3.14	-	1100
	2/8/2005	-	-	-	-	-	-	2.79	-	1050
	3/9/2005	-	-	-	-	-	-	2.92	-	1160
	4/12/2005	-	-	-	-	-	-	0.43	-	1600
	5/12/2005	-	-	-	-	-	-	3.38	-	1400
	6/8/2005	-	-	-	-	-	-	3.08	-	1530
	7/11/2005	-	-	-	-	-	-	3.52	-	1670
	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	3.9	3.2	1450
	7/19/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	3.81	3.5	1360
	3/29/2007	0.0013	<0.001	<0.001	<0.003	<0.095	<0.05	4.15	3.3	1200
	4/16/2008	<0.001	<0.001	<0.001	<0.003	0.10	<0.05	3.59	0.86	1660
	3/31/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	3.67	3.8	1380
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.086	<0.05	0.086	0.015	1010
MW011M	10/1/2001	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	1.7	1400
	2/4/2002	-	-	-	-	-	-	-	-	1400
	6/10/2003	-	-	-	-	-	-	2.81	-	1400
	6/10/2003 Dup	-	-	-	-	-	-	-	-	1350
	7/1/2003	-	-	-	-	-	-	3.38	-	1500
	7/8/2003	-	-	-	-	-	-	2.94	-	1400
	7/14/2003	-	-	-	-	-	-	2.93	-	1400
	7/30/2003	-	-	-	-	-	-	3.26	-	1400
	8/19/2003	-	-	-	-	-	-	3.15	-	1400
	9/29/2003	-	-	-	-	-	-	2.79	-	1600
	10/28/2003	-	-	-	-	-	-	2.8	-	1400
	12/4/2003	-	-	-	-	-	-	2.93	-	1400
	1/6/2004	-	-	-	-	-	-	2.66	-	1500
	3/2/2004	-	-	-	-	-	-	4	-	1600
	4/1/2004	-	-	-	-	-	-	4.92	-	1600
	5/18/2004	-	-	-	-	-	-	2.34	-	1800
	6/14/2004	-	-	-	-	-	-	0.67	-	700
	7/13/2004	-	-	-	-	-	-	0.44	-	1300
	8/16/2004	-	-	-	-	-	-	0.24	-	900

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/15/2004	-	-	-	-	-	-	0.15	-	1590
	10/5/2004	-	-	-	-	-	-	0.17	-	1570
	11/16/2004	-	-	-	-	-	-	0.15	-	1320
	12/29/2004	-	-	-	-	-	-	0.2	-	1550
	1/25/2005	-	-	-	-	-	-	0.29	-	1600
	2/9/2005	-	-	-	-	-	-	0.06	-	1580
	3/9/2005	-	-	-	-	-	-	0.42	-	1490
	4/12/2005	-	-	-	-	-	-	3.28	-	1600
	5/12/2005	-	-	-	-	-	-	0.41	-	1620
	6/8/2005	-	-	-	-	-	-	0.44	-	1180
	7/11/2005	-	-	-	-	-	-	0.42	-	1590
	2/10/2006	<0.01	<0.01	<0.01	<0.03	-	-	0.319	<0.08	1540
	7/19/2006	<0.005	<0.005	<0.005	<0.015	1.7	<0.25	0.267	<0.02	1470
	7/19/2006 Dup	<0.005	<0.005	<0.005	<0.015	1.8	<0.25	0.266	<0.02	1400
	3/29/2007	<0.005	0.0012	<0.001	<0.003	0.860	<0.05	0.205	<0.2	1410
	4/16/2008	<0.002	<0.001	<0.001	<0.003	0.560	<0.05	0.092	<1	1370
	3/31/2009	<0.005	<0.005	<0.005	<0.015	0.300	<0.25	0.0672	<0.2	1330
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.139	0.158	<0.05	<0.1	2040
MW012	5/30/2001	<0.002	<0.002	<0.002	<0.002	-	-	3.35	2.5	910
	5/30/2001 Dup	<0.002	<0.002	<0.002	<0.002	-	-	3.3	2.4	800
	8/27/2001	-	-	-	-	-	-	3.06 / 3.06	4.6 / 2.1	-
	1/31/2002	-	-	-	-	-	-	-	-	960
	1/31/2002 Dup	-	-	-	-	-	-	-	-	960
	9/18/2002	-	-	-	-	-	-	-	-	830
	1/6/2003	-	-	-	-	-	-	-	-	540
	3/26/2003	-	-	-	-	-	-	-	-	820
	6/3/2003	-	-	-	-	-	-	-	-	670
	6/10/2003	-	-	-	-	-	-	2.96	-	780
	7/2/2003	-	-	-	-	-	-	2.54	-	680
	7/7/2003	-	-	-	-	-	-	3	-	760
	7/14/2003	-	-	-	-	-	-	3.64	-	680
	7/30/2003	-	-	-	-	-	-	3.28	-	770
	8/20/2003	-	-	-	-	-	-	1.66	-	730
	9/30/2003	-	-	-	-	-	-	3.95	-	800
	10/28/2003	-	-	-	-	-	-	4.27	-	800
	12/8/2003	-	-	-	-	-	-	3.29	-	680
	1/7/2004	-	-	-	-	-	-	2.82	-	700
	2/18/2004	-	-	-	-	-	-	3.76	-	760
	4/6/2004	-	-	-	-	-	-	2.98	-	820
	5/6/2004	-	-	-	-	-	-	2.94	-	930
	6/8/2004	-	-	-	-	-	-	3.29	-	830
	7/13/2004	-	-	-	-	-	-	2.95	-	750
	8/12/2004	-	-	-	-	-	-	3.49	-	800
	9/9/2004	-	-	-	-	-	-	3.08	-	730
	10/6/2004	-	-	-	-	-	-	1.47	-	560
	11/10/2004	-	-	-	-	-	-	1.42	-	600
	12/28/2004	-	-	-	-	-	-	1.24	-	600
	1/18/2005	-	-	-	-	-	-	1.47	-	640
	2/9/2005	-	-	-	-	-	-	2.9	-	710
	3/10/2005	-	-	-	-	-	-	1.34	-	540
	4/13/2005	-	-	-	-	-	-	1.92	-	560
	5/17/2005	-	-	-	-	-	-	1.14	-	520
	6/9/2005	-	-	-	-	-	-	1.44	-	560
	7/11/2005	-	-	-	-	-	-	1.27	-	510
	2/10/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.104	0.083	439
	7/20/2006	<0.001	<0.001	<0.001	<0.003	0.44	0.063	0.0284	<0.02	408
	4/2/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.079	<0.02	436

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	4/17/2008	<0.005	<0.005	<0.005	<0.005	0.56	<0.25	<0.015	<0.5	848
	4/1/2009	<0.001	<0.001	<0.001	<0.003	0.39	<0.05	<0.015	<0.02	447
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.31	<0.05	<0.050	<0.10	320
MW012M	2/4/2002	-	-	-	-	-	-	-	-	550
	6/10/2003	-	-	-	-	-	-	1.81	-	720
	6/10/2003 Dup	-	-	-	-	-	-	-	-	460 / 830
	7/2/2003	-	-	-	-	-	-	1.81	-	720
	7/7/2003	-	-	-	-	-	-	1.29	-	610
	7/14/2003	-	-	-	-	-	-	1.52	-	630
	7/30/2003	-	-	-	-	-	-	1.55	-	710
	8/20/2003	-	-	-	-	-	-	3.12	-	770
	9/30/2003	-	-	-	-	-	-	1.37	-	600
	10/28/2003	-	-	-	-	-	-	1.48	-	600
	12/9/2003	-	-	-	-	-	-	1.59	-	620
	1/7/2004	-	-	-	-	-	-	1.15	-	600
	2/19/2004	-	-	-	-	-	-	1.66	-	730
	4/6/2004	-	-	-	-	-	-	1.68	-	720
	5/6/2004	-	-	-	-	-	-	1.54	-	750
	6/8/2004	-	-	-	-	-	-	1.37	-	700
	7/14/2004	-	-	-	-	-	-	0.69	-	600
	8/12/2004	-	-	-	-	-	-	<0.05	-	600
	9/9/2004	-	-	-	-	-	-	<0.05	-	620
	10/6/2004	-	-	-	-	-	-	0.07	-	540
	11/10/2004	-	-	-	-	-	-	0.04	-	550
	12/28/2004	-	-	-	-	-	-	0.04	-	630
	1/18/2005	-	-	-	-	-	-	0.03	-	520
	2/9/2005	-	-	-	-	-	-	0.02	-	490
	3/10/2005	-	-	-	-	-	-	0.02	-	440
	4/13/2005	-	-	-	-	-	-	0.02	-	410
	5/18/2005	-	-	-	-	-	-	0.02	-	450
	6/14/2005	-	-	-	-	-	-	0.02	-	450
	7/12/2005	-	-	-	-	-	-	0.03	-	440
	2/13/2006	<0.05	<0.05	<0.05	<0.15	-	-	0.255	<2	833
	7/20/2006	<0.05	<0.05	<0.05	<0.15	<950	4.9	0.259	<0.02	906
	4/5/2007	<0.005	<0.005	<0.005	<0.015	140.0	0.640	0.287	<2	871
	4/17/2008	<0.02	<0.02	<0.02	<0.06	2.89	3.90	0.124	<2	781
	4/1/2009	<0.005	<0.005	<0.005	<0.015	170	3.1	0.0782	<0.02	691
	3/11/2010	<0.001	<0.001	<0.001	<0.001	3.86	1.02	<0.050	0.131	279
MW013	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.31 / 0.26	0.3 / 0.2	1700
	8/27/2001	-	-	-	-	-	-	0.22 / 0.22	<0.5 / <0.5	-
	1/29/2002	-	-	-	-	-	-	-	-	1220
	9/17/2002	-	-	-	-	-	-	-	-	930
	12/19/2002	-	-	-	-	-	-	-	-	970
	3/18/2003	-	-	-	-	-	-	-	-	980
	6/3/2003	-	-	-	-	-	-	-	-	960
	1/19/2004	-	-	-	-	-	-	-	-	790
	6/30/2004	-	-	-	-	-	-	-	-	980
	1/10/2005	-	-	-	-	-	-	-	-	400
	6/3/2005	-	-	-	-	-	-	-	-	890
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.733	0.68	935
	7/5/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.638	0.61	946
	4/18/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.741	0.58	925
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.673	0.62	784
	4/15/2008	0.0018	<0.001	<0.001	<0.003	<0.099	<0.05	0.197	0.088	616
	8/21/2008	<0.001	<0.001	0.0011	<0.003	<0.096	<0.05	0.604	0.3	819
	4/1/2009	<0.001	<0.001	0.0011	<0.003	<0.096	<0.05	0.855	0.82	771
	8/10/2009	<0.001	<0.001	<0.001	<0.003	0.10	<0.05	0.83	0.84	760

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.333	<0.05	0.968	1.17	717
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.108	<0.05	0.915	0.119	746
MW014	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.78	0.71	1800
	8/27/2001	-	-	-	-	-	-	0.5 / 0.5	0.9 / 1	-
	1/30/2002	-	-	-	-	-	-	-	-	2100
	1/30/2002 Dup	-	-	-	-	-	-	-	-	800
	9/17/2002	-	-	-	-	-	-	-	-	1600
	1/2/2003	-	-	-	-	-	-	-	-	1900
	3/18/2003	-	-	-	-	-	-	-	-	1800
	6/3/2003	-	-	-	-	-	-	-	-	1800
	1/6/2004	-	-	-	-	-	-	-	-	1700
	6/30/2004	-	-	-	-	-	-	-	-	1800
	1/10/2005	-	-	-	-	-	-	-	-	1890
	6/8/2005	-	-	-	-	-	-	-	-	1790
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.325	0.29	2070
	6/29/2006	<0.001	0.0011	0.0014	<0.003	1.2	<0.05	0.273	0.25	1880
	4/13/2007	<0.001	<0.001	<0.001	<0.003	0.980	<0.05	0.242	0.23	1720
	9/20/2007	<0.001	<0.001	<0.001	<0.003	1.100	<0.05	0.235	0.18	1630
	4/7/2008	0.0019	<0.001	<0.001	<0.003	1.400	<0.05	0.231	0.11 *	1600
	3/30/2009	<0.001	<0.001	<0.001	<0.003	1.500	<0.05	0.201	0.2	1460
	8/10/2009	0.0011	<0.001	<0.001	<0.003	0.650	<0.05	<0.015	<0.020	133
	3/9/2010	<0.001	<0.001	<0.001	<0.001	2.140	<0.05	<0.05	<0.10	1350
	8/9/2010	<0.001	<0.002	<0.001	<0.001	2.570	<0.05	<0.05	0.027	1230
MW015	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.033	3200
	1/22/2002	-	-	-	-	-	-	<0.05	0.005	3200
	9/4/2002	-	-	-	-	-	-	-	-	2700
	12/11/2002	-	-	-	-	-	-	-	-	3100
	3/11/2003	-	-	-	-	-	-	-	-	2900
	5/29/2003	-	-	-	-	-	-	-	-	2800
	12/30/2003	-	-	-	-	-	-	-	-	310
	6/24/2004	-	-	-	-	-	-	-	-	2100
	1/4/2005	-	-	-	-	-	-	-	-	2800
	6/3/2005	-	-	-	-	-	-	-	-	2490
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	2720
	6/29/2006	<0.001	<0.001	0.0012	<0.003	0.11	<0.05	<0.015	<0.02	2900
	3/22/2007	<0.001	<0.001	<0.001	<0.003	0.130	<0.05	<0.015	<0.02	2570
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	2380
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	2230
	8/6/2008	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	2380
	3/19/2009	0.0029	0.0012	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	1850
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	1590
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.071	<0.05	<0.05	<0.01	1100
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.076	<0.05	<0.05	<0.01	824
MW017A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.007	80
	1/23/2002	-	-	-	-	-	-	-	-	67
	9/4/2002	-	-	-	-	-	-	-	-	50
	12/12/2002	-	-	-	-	-	-	-	-	49
	3/4/2003	-	-	-	-	-	-	-	-	54
	5/21/2003	-	-	-	-	-	-	-	-	56
	12/30/2003	-	-	-	-	-	-	-	-	60
	6/23/2004	-	-	-	-	-	-	-	-	80
	1/4/2005	-	-	-	-	-	-	-	-	80
	6/3/2005	-	-	-	-	-	-	-	-	70
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	69.7
	6/29/2006	<0.001	0.0012	0.0014	<0.003	<0.095	<0.05	<0.015	<0.02	87.8
	3/21/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.005	<0.015	<0.02	83.7
MW018	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05 / <0.05	<0.005 / <0.005	330
	1/23/2002	-	-	-	-	-	-	-	-	360

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/4/2002	-	-	-	-	-	-	-	-	220
	12/12/2002	-	-	-	-	-	-	-	-	220
	3/4/2003	-	-	-	-	-	-	-	-	180
	5/27/2003	-	-	-	-	-	-	-	-	230
	12/30/2003	-	-	-	-	-	-	-	-	180
	6/17/2004	-	-	-	-	-	-	-	-	240
	12/20/2004	-	-	-	-	-	-	-	-	250
	5/31/2005	-	-	-	-	-	-	-	-	250
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	284
	1/23/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	288
	6/29/2006	<0.001	0.003	0.0032	<0.003	0.15	<0.05	<0.015	<0.02	318
	4/2/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	<0.015	<0.02	283
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	212
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	223
	3/19/2009	0.0026	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	181
	8/19/2009	<0.001	<0.001	<0.001	<0.003	0.15	<0.05	<0.015	<0.02	200
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.103	<0.05	<0.05	<0.01	183
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.102	<0.05	<0.05	0.02	249
MW020	6/7/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	700
	2/6/2002	-	-	-	-	-	-	-	0.026	450
	9/9/2002	-	-	-	-	-	-	-	-	600
	12/9/2002	-	-	-	-	-	-	-	-	610
	3/6/2003	-	-	-	-	-	-	-	-	610
	6/5/2003	-	-	-	-	-	-	-	-	710
	1/22/2004	-	-	-	-	-	-	-	-	800
	6/23/2004	-	-	-	-	-	-	-	-	760
	1/3/2005	-	-	-	-	-	-	-	-	850
	5/26/2005	-	-	-	-	-	-	-	-	890
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	992
	1/25/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1010
	6/30/2006	<0.001	0.0012	0.0015	<0.003	0.14	<0.05	<0.015	<0.02	908
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	824
	9/18/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	826
	3/26/2008	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	887
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	785
	3/19/2009	0.0049	0.0020	<0.001	<0.003	0.150	<0.05	<0.015	<0.02	817
	8/21/2009	<0.001	<0.001	<0.001	<0.003	0.2	<0.05	<0.015	<0.02	1180
	3/12/2010	<0.001	<0.001	<0.001	<0.001	0.134	<0.05	<0.050	0.012	727
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.199	<0.05	<0.050	<0.01	826
MW021	1/18/1999	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	11/17/1999	<0.001	<0.001	<0.001	<0.001	-	-	-	-	-
	5/18/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	660
	1/23/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	250
	9/5/2002	-	-	-	-	-	-	-	-	370
	12/11/2002	<0.002	<0.002	<0.002	<0.002	<0.5	<0.05	-	-	410
	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	390
	5/21/2003	<0.002	<0.002	<0.002	<0.002	<0.24	<0.05	-	-	480
	1/21/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	180
	6/22/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	160
	12/21/2004	<0.002	<0.002	<0.002	<0.006	0.63	<0.05	-	-	320
	5/27/2005	<0.002	<0.002	0.003	<0.006	0.4	<0.05	-	-	290
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	272
	6/30/2006	<0.001	<0.001	<0.001	<0.003	0.78	<0.05	<0.015	<0.02	346
	4/9/2007	<0.001	<0.001	<0.001	<0.003	0.460	<0.05	<0.015	<0.02	215
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.380	<0.05	<0.015	<0.02	242
	4/1/2008	0.017	0.0039	0.0015	<0.003	0.570	0.054	<0.015	<0.02	234
	8/7/2008	<0.001	<0.001	<0.001	<0.003	0.510	<0.05	<0.015	<0.02	197
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.520	<0.05	<0.015	<0.02	216
	8/6/2009	<0.001	<0.001	<0.001	<0.003	0.670	<0.05	<0.015	<0.02	193

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW023	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.206	<0.05	<0.05	<0.01	148
	8/16/2010	<0.001	<0.002	<0.001	<0.001	0.500	<0.05	<0.05	<0.01	113
	6/23/1999	-	-	-	-	-	-	-	-	910
MW023	5/29/2001	<0.002	<0.002	<0.002	<0.002	-	-	2.76 / 2.55	<0.005 / 0.015	1100
	5/29/2001 Dup	<0.002	<0.002	<0.002	<0.002	-	-	2.73	<0.005	1100
	8/30/2001	-	-	-	-	-	-	2.29 / 2.3	2.5 / 2	-
MW023	2/7/2002	-	-	-	-	-	-	-	-	1300
	9/17/2002 Dup	-	-	-	-	-	-	-	-	690
	9/18/2002	-	-	-	-	-	-	-	-	1150
MW023	12/16/2002	-	-	-	-	-	-	-	-	1300
	12/16/2002 Dup	-	-	-	-	-	-	-	-	1300
	3/26/2003	-	-	-	-	-	-	-	-	1300
MW023	3/26/2003 Dup	-	-	-	-	-	-	-	-	1300
	5/28/2003	-	-	-	-	-	-	-	-	1300
	5/28/2003 Dup	-	-	-	-	-	-	-	-	1300
MW023	1/21/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	1240
	1/21/2004 Dup	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	-	-	1240
	7/7/2004	-	-	-	-	-	-	-	-	1200
MW023	1/12/2005	-	-	-	-	-	-	-	-	1290
	6/1/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	1210
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.459	0.43	1290
MW023	6/26/2006	<0.001	<0.001	<0.001	<0.003	0.1	<0.05	0.549	0.55	1180
	4/18/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.33	1.2	965
	9/21/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	1.65	1.6	975
MW023	4/9/2008	0.0048	0.0012	<0.001	<0.003	<0.097	<0.05	1.66	1.7	862
	8/21/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	1.62	1.7	879
	3/31/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	1.69	1.7	949
MW023	8/12/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	1.69	1.6	771
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.117	<0.05	1.62	1.87	787
	8/6/2010	<0.001	<0.002	<0.001	<0.001	<0.052	<0.05	1.44	<0.10	760
MW024	1/9/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	360
	3/12/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	350
	5/28/2003	<0.002	<0.002	<0.002	<0.002	<0.24	<0.05	-	-	340
MW024	1/15/2004	<0.002	<0.002	<0.002	<0.006	<0.24	<0.05	-	-	500
	6/22/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	620
	12/28/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	450
MW024	6/2/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	330
	6/2/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	340
	7/18/2005	<0.002	<0.002	<0.002	<0.006	<0.5	15	-	-	380
MW024	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.184	0.18	636
	6/27/2006	<0.001	0.0038	0.0047	0.0039	<0.096	<0.05	0.125	0.1	613
	4/11/2007	<0.001	<0.001	<0.001	<0.003	0.14	<0.05	0.0289	0.027	577
MW024	9/14/2007	<0.001	<0.001	<0.001	<0.003	0.27	<0.05	0.0443	0.043	560
	4/7/2008	0.0019	<0.001	<0.001	<0.003	0.4	<0.05	0.0399	0.046 *	590
	8/13/2008	0.0036	0.0043	0.0099	<0.003	0.13	<0.05	0.0547	0.026	653
MW024	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.0462	0.041	717
	8/19/2009	<0.001	<0.001	<0.001	<0.003	0.18	<0.05	0.0454	0.037	719
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.17	<0.05	<0.05	0.035	456
MW025	8/6/2010	<0.001	<0.002	<0.001	<0.001	0.242	<0.05	<0.05	0.061	590
	5/29/2001	<0.002	<0.002	<0.002	<0.002	-	-	4.18	<0.005	1000
	8/27/2001	-	-	-	-	-	-	<0.05 / <0.05	0.03 / 0.037	-
MW025	1/31/2002	-	-	-	-	-	-	-	-	810
	9/17/2002	-	-	-	-	-	-	-	-	710
	1/2/2003	-	-	-	-	-	-	-	-	140
MW025	3/11/2003	-	-	-	-	-	-	-	-	430
	5/29/2003	-	-	-	-	-	-	-	-	460
	6/3/2003	-	-	-	-	-	-	-	-	690
MW025	1/7/2004	-	-	-	-	-	-	-	-	230

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/22/2004	-	-	-	-	-	-	-	-	60
	1/3/2005	-	-	-	-	-	-	-	-	380
	6/2/2005	-	-	-	-	-	-	-	-	380
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0403	0.036	281
	7/5/2006	<0.001	0.0013	0.0012	<0.003	1.3	<0.05	<0.015	<0.02	397
	3/22/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	375
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.430	<0.05	<0.015	<0.02	320
	3/24/2008	<0.001	<0.001	<0.001	<0.003	0.570	<0.05	<0.015	<0.02	393
	8/7/2008	<0.001	<0.001	<0.001	<0.003	0.290	<0.05	<0.015	<0.02	392
	3/19/2009	0.0035	0.0014	<0.001	<0.003	0.330	<0.05	<0.015	<0.02	418
	8/20/2009	<0.001	<0.001	<0.001	<0.003	0.410	<0.05	<0.015	<0.02	432
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.598	<0.05	<0.05	0.220	359
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.436	<0.05	<0.05	<0.01	243
MW026	5/18/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.014	750
	1/23/2002	-	-	-	-	-	-	-	-	670
	9/4/2002	-	-	-	-	-	-	-	-	700
	12/17/2002	-	-	-	-	-	-	-	-	730
	3/11/2003	-	-	-	-	-	-	-	-	700
	5/27/2003	-	-	-	-	-	-	-	-	670
	1/6/2004	-	-	-	-	-	-	-	-	1120
	6/15/2004	-	-	-	-	-	-	-	-	650
	12/13/2004	-	-	-	-	-	-	-	-	680
	6/3/2005	-	-	-	-	-	-	-	-	630
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0176	<0.02	766
	6/23/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	708
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	737
	9/11/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	731
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	805
	8/11/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	825
	8/24/2009	<0.001	<0.001	<0.001	<0.003	0.15	<0.05	<0.015	<0.02	866
	8/13/2010	<0.001	<0.002	<0.001	<0.001	0.423	<0.05	<0.050	<0.01	505
MW027	5/18/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.026	370
	1/24/2002	-	-	-	-	-	-	-	-	320
	9/4/2002	-	-	-	-	-	-	-	-	170
	12/17/2002	-	-	-	-	-	-	-	-	350
	3/11/2003	-	-	-	-	-	-	-	-	360
	5/22/2003	-	-	-	-	-	-	-	-	510
	1/6/2004	-	-	-	-	-	-	-	-	300
	6/17/2004	-	-	-	-	-	-	-	-	300
	12/20/2004	-	-	-	-	-	-	-	-	400
	6/2/2005	-	-	-	-	-	-	-	-	330
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0557	<0.02	355
	6/23/2006	<0.001	<0.001	<0.001	<0.003	0.27	<0.05	<0.015	<0.02	408
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0221	<0.02	399
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0216	<0.02	370
	8/19/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	344
	3/12/2010	<0.001	<0.001	<0.001	<0.001	<0.056	<0.05	<0.050	0.013	279
	8/3/2010	<0.001	<0.002	<0.001	<0.001	<0.098	<0.05	<0.050	0.021	363
MW028	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	1400
	1/24/2002	-	-	-	-	-	-	-	<0.005	1200
	9/4/2002	-	-	-	-	-	-	-	-	1200
	12/18/2002	-	-	-	-	-	-	-	-	1070
	3/10/2003	-	-	-	-	-	-	-	-	1040
	5/22/2003	-	-	-	-	-	-	-	-	1030
	1/28/2004	-	-	-	-	-	-	-	<0.005	990
	6/9/2004	-	-	-	-	-	-	-	-	1120
	12/6/2004	-	-	-	-	-	-	-	-	880
	5/25/2005	-	-	-	-	-	-	-	-	750

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/18/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0301	<0.02	655
	6/20/2006	<0.001	<0.001	<0.001	<0.003	0.32	<0.05	<0.015	<0.02	629
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	<0.015	<0.02	418
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.290	<0.05	<0.015	<0.02	389
	3/19/2008	<0.001	<0.001	<0.001	<0.003	0.140	<0.05	<0.015	<0.02	292
	8/12/2008	<0.001	<0.001	<0.001	<0.003	0.250	<0.05	<0.015	<0.02	333
	3/19/2009	0.0085	0.0028	0.0012	<0.003	<0.095	<0.05	<0.015	<0.02	253
	8/24/2009	<0.001	<0.001	<0.001	<0.003	0.490	0.12	<0.015	<0.02	438
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.145	<0.05	<0.050	<0.01	377
MW029	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.199	<0.05	<0.050	0.012	336
	5/18/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	180
	2/6/2002	-	-	-	-	-	-	<0.05	-	160
	9/9/2002	-	-	-	-	-	-	-	-	160
	12/18/2002	-	-	-	-	-	-	-	-	130
	3/10/2003	-	-	-	-	-	-	-	-	150
	5/27/2003	-	-	-	-	-	-	-	-	160
	1/13/2004	-	-	-	-	-	-	-	-	150
	6/10/2004	-	-	-	-	-	-	-	-	100
	12/7/2004	-	-	-	-	-	-	-	-	140
	5/24/2005	-	-	-	-	-	-	-	-	140
	1/18/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	147
	6/20/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	155
	3/28/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	145
	9/6/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	138
	3/20/2008	<0.001	<0.001	0.003	<0.003	<0.096	<0.05	<0.015	<0.02	138
	8/5/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	142
	3/16/2009	0.0079	0.0031	0.0013	<0.003	<0.096	<0.05	<0.015	<0.02	138
	8/24/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	136
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.05	<0.05	<0.05	<0.01	102
MW030	8/13/2010	<0.001	<0.002	<0.001	<0.001	0.075	<0.05	<0.05	0.017	110
	4/24/2002	-	-	-	-	-	-	-	-	430
	9/9/2002	-	-	-	-	-	-	-	-	290
	12/18/2002	-	-	-	-	-	-	-	-	240
	3/10/2003	-	-	-	-	-	-	-	-	220
	5/27/2003	-	-	-	-	-	-	-	-	250
	1/13/2004	-	-	-	-	-	-	-	-	150
	6/15/2004	-	-	-	-	-	-	-	-	100
	12/13/2004	-	-	-	-	-	-	-	-	440
	5/26/2005	-	-	-	-	-	-	-	-	390
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	411
	6/22/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	248
	3/28/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	387
	9/11/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	360
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	363
	8/5/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	328
	3/16/2009	0.012	0.0043	0.0017	<0.003	<0.094	<0.05	<0.015	<0.02	346
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	180
	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	273
MW031	8/13/2010	<0.001	<0.002	<0.001	<0.001	0.084	<0.05	<0.050	<0.01	274
	4/25/2002	-	-	-	-	-	-	-	-	200
	9/10/2002	-	-	-	-	-	-	-	-	70
	12/18/2002	-	-	-	-	-	-	-	-	70
	3/10/2003	-	-	-	-	-	-	-	-	150
	5/28/2003	-	-	-	-	-	-	-	-	100
	1/12/2004	-	-	-	-	-	-	-	-	100
	6/15/2004	-	-	-	-	-	-	-	-	80
	12/9/2004	-	-	-	-	-	-	-	-	110
	5/24/2005	-	-	-	-	-	-	-	-	110
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	113

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/21/2006	<0.001	<0.001	<0.001	<0.003	0.36	<0.05	<0.015	<0.02	131
	3/28/2007	<0.001	<0.001	<0.001	<0.003	0.210	<0.05	<0.015	<0.02	97.3
	9/11/2007	<0.001	<0.001	<0.001	<0.003	0.230	<0.05	<0.015	<0.02	104
	3/20/2008	<0.001	0.0011	0.0031	<0.003	0.230	<0.05	<0.015	<0.02	103
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.260	<0.05	<0.015	<0.02	90.4
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.150	<0.05	<0.015	<0.02	121
	8/4/2009	<0.001	<0.001	<0.001	<0.003	0.170	<0.05	<0.015	<0.02	95.9
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.120	<0.05	<0.05	<0.01	92
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.240	<0.05	<0.05	<0.01	90.3
MW032	4/2/2002	-	-	-	-	-	-	<0.05	<0.005	280
	9/4/2002	-	-	-	-	-	-	-	-	400
	12/18/2002	-	-	-	-	-	-	-	-	480
	3/10/2003	-	-	-	-	-	-	-	-	450
	5/22/2003	-	-	-	-	-	-	-	-	640
	1/7/2004	-	-	-	-	-	-	-	-	820
	6/15/2004	-	-	-	-	-	-	-	-	220
	12/8/2004	-	-	-	-	-	-	-	-	360
	5/24/2005	-	-	-	-	-	-	-	-	380
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0405	<0.02	279
	6/21/2006	<0.001	<0.001	<0.001	<0.003	0.14	<0.05	0.0261	<0.02	249
	4/13/2007	<0.001	<0.001	<0.001	<0.003	0.190	<0.05	0.0195	<0.02	246
	9/7/2007	<0.001	<0.001	<0.001	<0.003	0.210	<0.05	<0.015	<0.02	228
	4/7/2008	0.010	0.0022	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	255
	8/14/2008	0.0012	0.0012	0.0023	<0.003	<0.1	<0.05	<0.015	<0.02	268
	3/30/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	255
	8/6/2009	<0.001	<0.001	<0.001	<0.003	0.490	0.24	<0.015	<0.02	227
	3/3/2010	<0.001	<0.002	0.0018	0.0023	0.108	<0.05	<0.05	<0.01	236
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.081	<0.05	<0.05	<0.01	214
MW033	4/3/2002	0.35	3.2	0.4	0.8	0.58	11	-	-	750
	4/3/2002 Dup	0.3	2.9	0.4	0.7	0.68	12.4	-	-	790
	9/23/2002	0.7	8	1	1.5	0.64	28	-	-	850
	1/8/2003	0.8	5.4	0.9	1.1	0.57	18	-	-	840
	3/27/2003	0.57	0.52	0.64	0.31	0.54	4.2	-	-	780
	6/5/2003	0.48	0.07	0.48	0.03	0.61	2.3	-	-	710
	1/7/2004	0.49	1	0.3	0.33	0.54	6	-	-	730
	7/28/2004	0.44	0.087	0.28	0.05	0.56	3.2	-	-	610
	7/28/2004 Dup	0.44	0.27	0.3	0.12	0.66	3.3	-	-	660
	1/13/2005	0.49	1.6	0.47	0.53	0.49	9.8	-	-	840
	1/13/2005 Dup	0.53	1.8	0.53	0.57	0.37	10	-	-	880
	5/25/2005	0.38	1.3	0.4	0.43	0.47	9.3	-	-	770
	1/27/2006	0.37	0.96	0.42	0.45	-	-	<0.015	<0.02	795
	1/27/2006 Dup	0.36	0.92	0.4	0.43	-	-	<0.015	<0.02	790
	6/26/2006	0.25	0.68	0.34	0.35	0.88	4.6	<0.015	<0.02	779
	4/23/2007	0.190	0.320	0.380	0.200	1.100	3.100	<0.015	<0.02	495
	9/21/2007	0.180	0.380	0.400	0.190	1.400	2.900	<0.015	<0.02	539
	3/19/2008	0.170	0.380	0.420	0.200	1.30	3.40	<0.015	<0.02	723
	8/13/2008	0.140	0.093	0.210	0.049	0.730	1.500	<0.015	<0.02	818
	4/1/2009	0.180	0.190	0.280	0.110	0.990	2.400	<0.015	<0.02	699
	8/24/2009	0.180	0.150	0.260	0.085	0.890	2.000	<0.015	<0.02	915
	3/17/2010	0.126	0.115	0.217	0.082	0.586	1.110	<0.050	0.042	637
	8/18/2010	0.1085	0.0817	0.1777	0.0662	0.487	1.120	<0.050	0.052	542
MW034	4/3/2002	-	-	-	-	-	-	-	-	440
	5/20/2002	-	-	-	-	-	-	-	0.31	-
	9/17/2002	-	-	-	-	-	-	-	-	470
	12/5/2002	<0.002	<0.002	<0.002	<0.002	<0.5	<0.05	-	-	500
	3/18/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	580
	6/2/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	620
	1/19/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	550

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/24/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	490
	1/5/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	540
	6/7/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	480
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0838	0.08	443
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0533	0.045	412
	4/9/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0491	0.033	343
	4/1/2008	0.008	0.0022	0.001	<0.003	<0.097	<0.05	0.0612	0.049	363
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0883	0.078	414
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.0930	<0.05	0.091	0.108	296
MW035	8/30/2001	-	-	-	-	-	-	-	0.024	85
	1/29/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	300
	9/11/2002	<0.002	<0.002	<0.002	<0.002	0.25	<0.05	-	-	80
	12/19/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	28
	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	100
	5/27/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	150
	1/20/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	90
	6/22/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	20
	12/21/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	70
	5/25/2005	0.002	0.018	0.011	0.01	<0.25	0.19	-	-	30
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	33.3
	6/22/2006	<0.001	<0.001	<0.001	<0.003	0.7	<0.05	<0.015	<0.02	80.3
	4/2/2007	<0.001	<0.001	<0.001	<0.003	0.260	<0.05	<0.015	<0.02	59.2
	4/2/2008	0.0053	0.0015	<0.001	<0.003	0.740	<0.05	<0.015	<0.02	54.9
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.580	<0.05	<0.015	<0.02	225
	3/3/2010	<0.001	<0.002	<0.001	0.0017	0.359	<0.05	<0.05	<0.01	42.9
MW036	8/29/2001	<0.002	0.005	<0.002	0.047	-	-	-	<0.005	180
	2/7/2002	<0.002	<0.002	<0.002	0.047	1.2	0.723	-	-	260
	9/19/2002	<0.002	<0.002	<0.002	0.019	1.1	0.71	-	-	1070
	1/7/2003	0.003	<0.002	<0.002	0.11	1.6	0.9	-	-	500
	3/26/2003	0.002	<0.002	0.003	0.051	0.89	0.8	-	-	840
	6/5/2003	<0.002	<0.002	<0.002	0.019	0.69	0.7	-	-	590
	1/27/2004	0.006	0.002	<0.002	0.31	2.7	2.5	-	-	450
	7/27/2004	0.007	<0.002	0.004	0.36	1.6	2.4	-	-	430
	1/12/2005	<0.002	<0.002	<0.002	<0.006	1.5	0.42	-	-	760
	5/31/2005	<0.002	<0.002	0.003	0.049	2.1	0.51	-	-	610
	1/26/2006	0.0019	<0.001	<0.001	0.07	-	-	0.0172	<0.02	685
	7/12/2006	0.0096	0.0013	0.0026	0.098	3.2	0.85	<0.015	<0.02	663
	4/19/2007	0.018	<0.001	0.030	0.400	2.000	2.300	<0.015	<0.02	460
	4/16/2008	0.026	<0.001	0.0046	0.440	3.20	3.70	<0.015	<0.02	183
	4/7/2009	0.014	0.001	0.0033	0.420	3.20	2.70	<0.015	<0.02	460
	3/16/2010	0.027	0.0015	0.0039	0.5689	1.24	2.34	<0.050	<0.01	50
MW037	8/29/2001	2	<0.1	0.4	0.7	0.56	6.48	-	<0.005	740
	2/7/2002	1.7	<0.04	0.36	0.19	0.71	3.82	-	-	770
	2/7/2002 Dup	1.5	<0.04	0.31	0.15	0.69	3.69	-	-	760
	9/19/2002	3.4	<0.08	0.32	0.1	1.3	2.5	-	-	380
	9/19/2002 Dup	3.6	<0.1	0.3	0.1	1.3	2	-	-	440
	1/8/2003	3.7	<0.1	0.4	0.4	1.8	11	-	-	330
	1/8/2003 Dup	3.7	<0.1	0.4	0.4	1.7	11	-	-	340
	3/27/2003	2.8	<0.08	0.42	0.49	1.1	2.6	-	-	280
	3/27/2003 Dup	2.9	<0.08	0.43	0.52	1.4	2.9	-	-	280
	6/5/2003	2.1	<0.08	0.35	0.27	1.3	4.4	-	-	350
	6/5/2003 Dup	2.3	<0.08	0.38	0.28	1.2	4.4	-	-	380
	1/27/2004	3.6	<0.04	0.61	0.7	1.6	13	-	-	350
	1/27/2004 Dup	3.7	<0.04	0.61	0.6	1.5	9.5	-	-	360
	7/28/2004	4.3	<0.1	0.6	0.6	5.9	15	-	-	400
	1/12/2005	1.8	<0.02	0.56	0.23	2.3	7	-	-	460
	5/26/2005	1.9	<0.02	0.31	0.18	3.5	8	-	-	530
	1/27/2006	3	0.017	0.42	0.079	-	-	<0.015	<0.02	605

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	7/13/2006	2.2	<0.005	0.14	0.02	5.3	5.7	<0.015	<0.02	585
	4/19/2007	2.4	<0.005	0.25	0.033	3.90	6.5	<0.015	0.02	669
	4/16/2008	1.80	<0.005	0.100	0.022	6.90	4.60	<0.015	<0.08	1020
	4/7/2009	0.073	<0.001	0.040	0.004	2.70	0.50	<0.015	<0.02	1810
	3/16/2010	2.944	<0.010	0.5529	0.035	2.14	5.21	<0.050	<0.01	370
MW038	8/29/2001	<0.002	<0.002	<0.002	<0.002	0.34	<0.05	-	0.019	180
	2/7/2002	0.003	<0.002	<0.002	<0.002	0.43	-	-	-	170
	9/19/2002	0.088	<0.004	<0.004	<0.004	0.62	0.11	-	-	150
	1/7/2003	0.024	<0.002	<0.002	<0.002	0.71	0.16	-	-	180
	3/19/2003	0.017	<0.002	<0.002	<0.002	0.62	0.07	-	-	180
	6/5/2003	0.011	<0.002	<0.002	<0.002	0.6	0.14	-	-	180
	1/27/2004	0.007	<0.002	<0.002	<0.006	0.83	0.06	-	-	150
	7/28/2004	0.013	<0.002	<0.002	<0.006	0.29	0.08	-	-	600
	1/12/2005	0.005	<0.002	<0.002	<0.006	0.31	<0.05	-	-	530
	5/31/2005	0.005	<0.002	<0.002	<0.006	0.3	<0.05	-	-	490
	1/26/2006	0.0042	<0.001	<0.001	<0.003	-	-	0.216	<0.02	508
	7/13/2006	0.0084	<0.001	<0.001	<0.003	0.45	<0.05	0.121	<0.02	510
	4/19/2007	0.020	<0.001	0.0029	0.0063	0.690	0.110	0.313	<0.02	414
	4/16/2008	<0.001	<0.001	<0.001	<0.003	0.390	<0.05	0.179	0.13	260
	4/7/2009	<0.001	<0.001	<0.001	<0.003	0.350	<0.05	0.185	0.13	301
	3/12/2010	<0.0119	<0.001	<0.001	<0.001	1.830	<0.05	<0.05	0.052	180
MW043	4/25/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	240
	9/11/2002	<0.002	<0.002	<0.002	<0.002	0.25	<0.05	-	-	130
	12/19/2002	<0.002	<0.002	<0.002	<0.002	0.44	<0.05	-	-	820
	3/19/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	180
	5/27/2003	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	200
	1/21/2004	<0.002	<0.002	<0.002	<0.006	<0.25	0.07	-	-	100
	6/22/2004	<0.002	<0.002	<0.002	<0.006	0.27	0.05	-	-	80
	12/28/2004	<0.002	<0.002	<0.002	<0.006	0.79	0.062	-	-	220
	5/27/2005	<0.002	<0.002	0.002	<0.006	0.43	0.058	-	-	180
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	746
	6/30/2006	<0.001	<0.001	<0.001	<0.003	0.2	<0.05	<0.015	<0.02	170
	4/9/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	103
	3/26/2008	<0.001	<0.001	<0.001	<0.003	0.870	<0.05	<0.015	<0.02	212
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.930	<0.05	<0.015	<0.02	240
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.501	<0.05	<0.05	<0.01	280
MW044	4/3/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1110
	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	680
	1/2/2003	<0.002	<0.002	<0.002	<0.002	0.42	<0.05	-	-	790
	3/17/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	990
	6/4/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	810
	1/19/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	460
	6/24/2004	<0.002	<0.002	<0.002	<0.006	0.41	<0.05	-	-	420
	1/5/2005	<0.002	<0.002	<0.002	<0.006	0.72	<0.05	-	-	860
	6/9/2005	<0.002	<0.002	<0.002	<0.006	0.61	<0.05	-	-	880
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.242	0.16	695
	7/21/2006	<0.001	<0.001	<0.001	<0.003	2.7	<0.05	<0.015	<0.02	540
	4/6/2007	<0.001	<0.001	<0.001	<0.003	3.10	<0.05	<0.015	<0.02	430
	4/9/2008	<0.001	<0.001	<0.001	<0.003	1.10	<0.05	0.130	0.11	448
	3/25/2009	<0.001	<0.001	<0.001	<0.003	2.40	<0.05	0.108	0.084	505
	3/25/2010	<0.001	<0.001	<0.001	<0.001	0.215	0.067	<0.050	<0.01	127
MW045	4/4/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	430
	9/12/2002	<0.002	0.002	<0.002	<0.002	<0.24	<0.05	-	-	550
	12/19/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	540
	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	540
	5/27/2003	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	520
	1/22/2004	<0.002	<0.002	<0.002	<0.006	<0.24	<0.05	-	-	510
	7/27/2004	-	-	-	-	-	-	-	-	450

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/12/2005	-	-	-	-	-	-	-	-	410
	5/27/2005	0.003	<0.002	0.004	<0.006	0.32	0.1	-	-	330
	1/27/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	328
	7/12/2006	<0.001	<0.001	0.0016	0.0042	2.8	0.11	<0.015	<0.02	373
	7/12/2006 Dup	<0.001	<0.001	0.0018	0.0046	2.6	0.11	<0.015	<0.02	371
	4/2/2007	<0.001	<0.001	<0.001	<0.003	2.800	-	<0.015	-	376
	4/17/2007	<0.001	<0.001	<0.001	<0.003	2.400	0.170	<0.015	<0.02	340
	4/2/2008	0.0068	0.0021	0.0012	0.003	3.300	0.190	<0.015	<0.02	351
	3/24/2009	<0.001	<0.001	<0.001	<0.003	3.200	0.160	<0.015	<0.02	256
MW046	3/3/2010	0.0013	<0.002	0.0057	0.0208	1.630	0.189	<0.05	<0.05	148
	4/4/2002	<0.002	<0.002	<0.002	0.02	0.77	0.194	-	-	210
	9/19/2002	<0.002	<0.002	<0.002	0.006	1	0.35	-	-	140
	9/19/2002 Dup	<0.002	<0.002	<0.002	0.008	0.92	0.34	-	-	140
	1/7/2003	0.002	0.017	<0.002	0.016	1.9	0.43	-	-	150
	1/7/2003 Dup	0.003	0.016	<0.002	0.018	0.66	<0.5	-	-	160
	3/20/2003	0.005	<0.002	<0.002	0.027	1.2	0.45	-	-	140
	3/20/2003 Dup	0.005	<0.002	<0.002	0.025	1.5	0.4	-	-	150
	6/4/2003	0.006	<0.002	<0.002	0.012	1.3	0.3	-	-	120
	6/4/2003 Dup	0.006	<0.002	<0.002	0.012	2.4	0.4	-	-	120
	1/27/2004	0.006	<0.002	0.01	0.061	2.5	0.5	-	-	130
	1/27/2004 Dup	0.004	<0.002	0.007	0.044	2.5	0.45	-	-	130
	7/27/2004	0.002	<0.002	0.007	0.018	2.8	0.31	-	-	140
	1/12/2005	<0.002	<0.002	<0.002	<0.006	3.4	0.25	-	-	170
	5/26/2005	0.005	0.003	0.009	0.027	2.7	0.4	-	-	130
	5/26/2005 Dup	0.009	0.003	0.01	0.027	2.6	0.41	-	-	120
	1/26/2006	0.0025	<0.001	0.0035	0.011	-	-	<0.015	<0.02	296
	7/12/2006	0.006	0.0017	0.01	0.027	4.3	0.33	<0.015	<0.02	376
	4/19/2007	<0.001	<0.001	<0.001	<0.003	3.300	0.400	<0.015	<0.02	550
	4/17/2008	0.021	0.0011	0.052	0.026	4.60	0.550	<0.015	<0.02	580
	4/7/2009	0.022	0.0014	0.055	0.089	5.20	0.650	<0.015	<0.02	551
	3/12/2010	0.0308	0.0018	0.074	0.0616	2.60	1.190	<0.050	0.016	534
MW047	4/4/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	440
	9/17/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	460
	1/2/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	580
	3/17/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	420
	6/2/2003	<0.002	<0.002	<0.002	<0.002	<0.24	<0.05	-	-	480
	1/20/2004	<0.002	<0.002	<0.002	<0.006	<0.27	<0.05	-	-	290
	6/24/2004	-	-	-	-	-	-	-	-	230
	1/5/2005	-	-	-	-	-	-	-	-	460
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	510
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0854	0.077	356
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.0573	0.043	232
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0511	0.03	206
	4/3/2008	0.0041	0.0013	<0.001	<0.003	<0.097	<0.05	0.107	0.11	212
	3/16/2010	<0.001	<0.001	<0.001	<0.001	0.145	<0.05	0.141	0.015	340
MW058	1/28/2003	<0.005	0.008	<0.005	<0.005	<0.25	<0.05	-	-	610
	3/19/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	930
	6/3/2003	-	-	-	-	-	-	-	-	1070
	1/13/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	200
	6/22/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	150
	1/3/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	580
	6/8/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	590
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.581	0.54	610
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.599	0.57	639
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.835	0.86	694
	4/15/2008	0.0023	<0.001	<0.001	<0.003	<0.095	<0.05	1.7	1.7	1040
	8/21/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	2.26	2.2	1140
	4/2/2009	<0.001	<0.001	0.0016	<0.003	<0.094	<0.05	2	1.9	876

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	8/19/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	2.22	1.1	1050
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.07	<0.05	1.75	1.65	667
	8/6/2010	<0.001	<0.002	<0.001	<0.001	0.071	<0.05	2	2.91	963
MW059	1/29/2003	<0.005	0.003	<0.005	<0.005	<0.25	<0.05	-	-	440
	3/20/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	600
	5/29/2003	-	-	-	-	-	-	-	-	910
	1/15/2004	-	-	-	-	-	-	-	-	90
	6/16/2004	-	-	-	-	-	-	-	-	80
	12/14/2004	-	-	-	-	-	-	-	-	420
	6/8/2005	-	-	-	-	-	-	-	-	420
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.101	0.095	435
	6/26/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.124	0.12	446
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.185	0.19	255
	4/3/2008	0.0032	0.001	<0.001	<0.003	<0.096	<0.05	0.200	<0.02	499
	8/14/2008	0.0016	0.0016	0.0028	<0.003	<0.1	<0.05	0.546	0.45	1010
	3/31/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.206	0.2	517
	8/12/2009	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.210	0.22	497
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.61	<0.05	0.205	0.237	493
	8/6/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	0.450	0.193	915
MW060	1/8/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	530
	3/24/2003	-	-	-	-	-	-	-	-	840
	5/27/2003	-	-	-	-	-	-	-	-	950
	1/12/2004	-	-	-	-	-	-	-	-	370
	6/23/2004	-	-	-	-	-	-	-	-	360
	1/4/2005	-	-	-	-	-	-	-	-	760
	6/30/2005	-	-	-	-	-	-	-	-	740
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	961
	1/24/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	950
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	842
	3/28/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.005	<0.015	<0.02	876
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	983
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	1030
	8/11/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	1130
	3/18/2009	0.0052	0.0021	0.0010	<0.003	<0.098	<0.05	<0.015	<0.02	1160
	8/24/2009	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	<0.015	<0.02	1450
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.06	<0.05	<0.05	<0.01	994
	8/13/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.05	<0.01	1090
MW061	1/8/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	430
	3/24/2003	-	-	-	-	-	-	-	-	1020
	3/24/2003 Dup	-	-	-	-	-	-	-	-	1040
	6/4/2003	-	-	-	-	-	-	-	-	1100 / 870
	6/4/2003 Dup	-	-	-	-	-	-	-	-	1050
	1/8/2004	-	-	-	-	-	-	-	-	1160
	1/8/2004 Dup	-	-	-	-	-	-	-	-	1150
	7/8/2004	-	-	-	-	-	-	-	-	580
	1/11/2005	-	-	-	-	-	-	-	-	810
	6/9/2005	-	-	-	-	-	-	-	-	740
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	4.07	0.38	844
	7/5/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	3.91	3.6	766
	4/18/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.005	3.81	3.4	756
	9/21/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	3.45	3.1	697
	8/7/2008	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	2.95	2.6	707
	4/1/2009	0.002	0.013	0.0046	0.0036	0.140	0.078	2.7	2.7	651
	8/19/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	4.24	4.4	716
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.112	<0.05	2.24	2.58	569
	8/11/2010	<0.001	<0.002	<0.001	<0.001	<0.053	<0.05	1.82	2.29	636
MW068	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	320
	3/26/2003	-	-	-	-	-	-	-	-	40000

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	5/29/2003	-	-	-	-	-	-	-	-	37000
	1/8/2004	-	-	-	-	-	-	-	-	300
	6/15/2004	-	-	-	-	-	-	-	-	220
	12/9/2004	-	-	-	-	-	-	-	-	2180
	5/24/2005	-	-	-	-	-	-	-	-	1800
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1910
	6/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	932
	3/22/2007	<0.001	<0.001	<0.001	<0.003	-	<0.05	<0.015	<0.02	128
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	1250
	3/25/2008	0.0015	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	2340
	8/11/2008	0.0032	<0.001	<0.001	<0.003	0.680	<0.05	<0.015	<0.02	5690
	3/18/2009	0.0053	0.0022	0.0011	<0.003	0.096	<0.05	<0.015	<0.02	1170
	8/24/2009	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	2110
	3/9/2010	<0.001	<0.001	<0.001	<0.001	0.113	<0.05	<0.05	<0.01	1420
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.068	<0.05	<0.05	<0.01	1450
MW069	3/5/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1040
	3/25/2003	-	-	-	-	-	-	-	-	32000
	5/29/2003	-	-	-	-	-	-	-	-	28000
	1/8/2004	-	-	-	-	-	-	-	-	1030
	6/15/2004	-	-	-	-	-	-	-	-	890
	6/15/2004 Dup	-	-	-	-	-	-	-	-	840
	12/9/2004	-	-	-	-	-	-	-	-	4700
	12/9/2004 Dup	-	-	-	-	-	-	-	-	4100
	5/26/2005	-	-	-	-	-	-	-	-	3300
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0481	<0.02	4330
	6/21/2006	<0.001	<0.001	<0.001	<0.003	0.26	<0.05	<0.015	<0.02	2400
	3/22/2007	<0.001	<0.001	<0.001	<0.003	0.490	<0.05	<0.015	<0.02	1490
	9/7/2007	<0.001	<0.001	<0.001	<0.003	0.500	<0.05	<0.015	<0.02	2600
	8/24/2009	0.0063	0.01	0.022	0.0064	0.610	0.12	<0.015	<0.02	3470
	3/6/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	58
MW070	3/25/2003	-	-	-	-	-	-	-	-	110
	5/29/2003	-	-	-	-	-	-	-	-	130
	1/13/2004	-	-	-	-	-	-	-	-	150
	6/15/2004	-	-	-	-	-	-	-	-	130
	12/9/2004	-	-	-	-	-	-	-	-	120
	5/24/2005	-	-	-	-	-	-	-	-	130
	1/27/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	155
	6/22/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	163
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	191
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	46
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	275
	8/5/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	237
	3/16/2009	0.022	0.0068	0.0022	<0.003	<0.095	0.062	<0.015	<0.02	232
	8/20/2009	<0.001	<0.001	<0.001	<0.003	0.28	<0.05	<0.015	<0.02	197
	3/17/2010	<0.001	<0.001	<0.001	<0.001	0.058	<0.05	<0.050	<0.01	168
	8/13/2010	<0.001	<0.002	<0.001	<0.001	<0.05	<0.05	<0.050	0.012	191
	9/13/2004	<0.04	<0.04	<0.04	<0.1	39	7	-	-	-
	9/18/2004	-	-	-	-	-	-	0.53	-	670
	10/7/2004	-	-	-	-	-	-	1.1	-	1180
	11/10/2004	-	-	-	-	-	-	1	-	1080
MW088M	12/28/2004	-	-	-	-	-	-	0.9	-	1220
	1/19/2005	-	-	-	-	-	-	0.76	-	1440
	2/10/2005	-	-	-	-	-	-	1	-	1300
	3/10/2005	-	-	-	-	-	-	0.9	-	930
	4/13/2005	-	-	-	-	-	-	0.7	-	930
	5/17/2005	-	-	-	-	-	-	4	-	1230
	5/31/2005	-	-	-	-	-	-	0.6	-	670
	7/12/2005	-	-	-	-	-	-	0.7	-	1140

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	2/6/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.691	<2	626
	7/20/2006	<0.001	<0.001	<0.001	<0.003	<4.8	<0.05	0.108	<0.02	879
	4/5/2007	<0.005	<0.001	<0.001	<0.003	<0.11	<0.05	0.0346	<0.02	701
	4/21/2008	<0.02	<0.02	<0.02	<0.06	71.00	4.70	0.273	<2.0	801
	4/1/2009	<0.05	<0.05	<0.05	<0.15	1500	4.90	0.186	<2	720
	3/11/2010	<0.005	<0.005	<0.005	<0.005	69.6	0.949	<0.500	0.124	509
IW001	8/1/2002	<0.002	0.002	<0.002	<0.002	<0.27	<0.05	3.31	-	1160
	6/10/2003	-	-	-	-	-	-	3.99	-	1800
	6/10/2003 Dup	-	-	-	-	-	-	-	-	1700
	7/1/2003	-	-	-	-	-	-	0.1	-	140
	7/9/2003	-	-	-	-	-	-	0.19	-	3400
	7/15/2003	-	-	-	-	-	-	0.1	-	2600
	7/30/2003	-	-	-	-	-	-	<0.5	-	2000
	10/1/2003	-	-	-	-	-	-	0.65	-	2800
	10/29/2003	-	-	-	-	-	-	0.38	-	2300
	12/9/2003	-	-	-	-	-	-	0.32	-	1400
	1/8/2004	-	-	-	-	-	-	<0.5	-	1300
	3/4/2004	-	-	-	-	-	-	0.33	-	1300
	4/1/2004	-	-	-	-	-	-	0.1	-	1220
	5/17/2004	-	-	-	-	-	-	<0.2	-	1100
	6/10/2004	-	-	-	-	-	-	0.14	-	3800
	7/14/2004	-	-	-	-	-	-	0.1	-	2800
	8/11/2004	-	-	-	-	-	-	<0.05	-	2100
	9/15/2004	-	-	-	-	-	-	<0.2	-	1320
	10/6/2004	-	-	-	-	-	-	<0.5	-	880
	11/15/2004	-	-	-	-	-	-	<0.01	-	1030
	12/28/2004	-	-	-	-	-	-	0.1	-	1070
	1/26/2005	-	-	-	-	-	-	<0.1	-	350
	2/9/2005	-	-	-	-	-	-	<0.1	-	400
	3/10/2005	-	-	-	-	-	-	<0.1	-	270
	4/12/2005	-	-	-	-	-	-	<0.1	-	250
	5/12/2005	-	-	-	-	-	-	<0.1	-	510
	6/9/2005	-	-	-	-	-	-	0.07	-	390
	7/7/2005	-	-	-	-	-	-	0.05	-	340
	2/6/2006	<0.025	<0.025	<0.025	<0.075	-	-	<0.015	<2	146
	7/20/2006	<0.01	<0.01	<0.01	<0.03	<480	6.2	0.02	<0.02	240
	4/16/2007	<0.05	<0.05	<0.05	0.150	550	4.500	<0.015	<2	689
	4/17/2008	<0.02	<0.02	<0.02	<0.06	230	2.800	<0.375	<2	686
	3/31/2009	0.0059	0.0053	<0.005	<0.015	35	0.250	<0.015	<2	738
	3/11/2010	<0.001	<0.001	<0.001	<0.001	2.69	<0.05	<0.500	0.648	638
IW002	9/19/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	760
	6/11/2003	-	-	-	-	-	-	3.92	-	920
	6/11/2003 Dup	-	-	-	-	-	-	-	-	940
	7/2/2003	-	-	-	-	-	-	<0.5	-	2200
	7/8/2003	-	-	-	-	-	-	0.09	-	3200
	7/15/2003	-	-	-	-	-	-	<0.05	-	3000
	7/30/2003	-	-	-	-	-	-	<0.5	-	2200
	8/21/2003	-	-	-	-	-	-	0.13	-	1500
	9/30/2003	-	-	-	-	-	-	4.13	-	300
	10/29/2003	-	-	-	-	-	-	0.11	-	1600
	12/10/2003	-	-	-	-	-	-	0.16	-	1230
	1/8/2004	-	-	-	-	-	-	<0.5	-	1150
	2/23/2004	-	-	-	-	-	-	0.11	-	860
	4/6/2004	-	-	-	-	-	-	<0.5	-	1190
	5/13/2004	-	-	-	-	-	-	<0.5	-	1600
	6/10/2004	-	-	-	-	-	-	0.09	-	1200
	7/8/2004	-	-	-	-	-	-	0.11	-	2200
	8/16/2004	-	-	-	-	-	-	1.2	-	1700

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/9/2004	-	-	-	-	-	-	<0.05	-	640
	10/7/2004	-	-	-	-	-	-	<0.5	-	1640
	11/11/2004	-	-	-	-	-	-	<0.1	-	246
	12/29/2004	-	-	-	-	-	-	<0.1	-	1160
	1/19/2005	-	-	-	-	-	-	0.04	-	380
	1/27/2005	-	-	-	-	-	-	0.2	-	490
	2/10/2005	-	-	-	-	-	-	<0.1	-	280
	3/15/2005	-	-	-	-	-	-	<0.1	-	210
	4/14/2005	-	-	-	-	-	-	<0.1	-	200
	5/17/2005	-	-	-	-	-	-	1.1	-	390
	6/15/2005	-	-	-	-	-	-	0.07	-	490
	7/12/2005	-	-	-	-	-	-	<0.05	-	280
	2/6/2006	0.03	<0.02	<0.02	<0.06	-	-	0.0166	<2	126
	7/20/2006	<0.01	<0.01	<0.01	<0.05	<960	6.6	0.0154	<0.02	133
	4/11/2007	<0.1	<0.1	<0.1	<0.3	17	<5	<0.075	<2	317
	4/21/2008	<0.02	<0.02	<0.02	<0.06	310	<0.1	<0.075	<2	371
	4/6/2009	<0.05	<0.05	<0.05	<0.15	6	<2.5	<0.075	<2	501
	3/12/2010	<0.001	<0.0014	<0.001	<0.001	1.83	<0.05	<0.50	<0.61	183
RW002	10/1/2001	<0.002	<0.002	<0.002	<0.002	<0.25	0.12	-	2.6	1600
	12/11/2001	-	-	-	-	-	-	4.2	3.6	-
	12/12/2001	-	-	-	-	-	-	4.15	4.1	-
	12/13/2001	-	-	-	-	-	-	4.09 / 4.09	3.6 / 3.5	-
	2/4/2002	-	-	-	-	-	-	-	-	1400
	6/10/2003	-	-	-	-	-	-	4.05	-	1300
	6/10/2003 Dup	-	-	-	-	-	-	-	-	1320
	7/1/2003	-	-	-	-	-	-	3.58	-	1300
	7/9/2003	-	-	-	-	-	-	4.11	-	1400
	7/15/2003	-	-	-	-	-	-	4.31	-	1400
	7/30/2003	-	-	-	-	-	-	4.22	-	60
	8/20/2003	-	-	-	-	-	-	4.07	-	1300
	9/30/2003	-	-	-	-	-	-	3.95	-	1700
	10/28/2003	-	-	-	-	-	-	3.78	-	1200
	12/8/2003	-	-	-	-	-	-	3.67	-	1400
	1/7/2004	-	-	-	-	-	-	4.51	-	1400
	3/4/2004	-	-	-	-	-	-	4.15	-	1080
	4/1/2004	-	-	-	-	-	-	3.6	-	1100
	5/18/2004	-	-	-	-	-	-	3.83	-	1200
	6/14/2004	-	-	-	-	-	-	3.9	-	1000
	7/13/2004	-	-	-	-	-	-	3.58	-	1190
	8/16/2004	-	-	-	-	-	-	3.47	-	1000
	9/16/2004	-	-	-	-	-	-	3.09	-	1080
	10/7/2004	-	-	-	-	-	-	2.11	-	1110
	11/17/2004	-	-	-	-	-	-	1.81	-	1030
	12/29/2004	-	-	-	-	-	-	0.94	-	1040
	1/25/2005	-	-	-	-	-	-	0.19	-	1050
	2/9/2005	-	-	-	-	-	-	0.08	-	1000
	3/9/2005	-	-	-	-	-	-	0.08	-	1040
	4/12/2005	-	-	-	-	-	-	0.07	-	1000
	5/12/2005	-	-	-	-	-	-	0.06	-	1050
	6/8/2005	-	-	-	-	-	-	0.07	-	1080
	7/7/2005	-	-	-	-	-	-	0.09	-	1090
	2/10/2006	<0.01	<0.01	<0.01	<0.03	-	-	0.295	<0.02	1390
	7/20/2006	<0.001	<0.001	<0.001	<0.003	0.38	<0.05	0.0581	<0.02	1220
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.205	<0.02	1080
	4/17/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.0523	<0.02	1220
	3/31/2009	<0.005	<0.005	<0.005	<0.015	6.6	<0.25	0.0662	<2.00	942
	3/11/2010	<0.001	<0.001	<0.001	<0.001	1.0	<0.05	<0.05	0.152	369
RW003	12/18/2001	-	-	-	-	-	-	3.55	2.4	-

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	12/20/2001	-	-	-	-	-	-	3.08	2.4	-
	2/4/2002	-	-	-	-	-	-	-	-	980
	6/10/2003	-	-	-	-	-	-	3.51	-	890
	6/10/2003 Dup	-	-	-	-	-	-	-	-	900
	7/2/2003	-	-	-	-	-	-	3.35	-	800
	7/8/2003	-	-	-	-	-	-	3.08	-	700
	7/15/2003	-	-	-	-	-	-	3.87	-	890
	7/30/2003	-	-	-	-	-	-	2.75	-	770
	8/21/2003	-	-	-	-	-	-	3.32	-	740
	9/30/2003	-	-	-	-	-	-	3.2	-	700
	10/28/2003	-	-	-	-	-	-	2.85	-	700
	12/9/2003	-	-	-	-	-	-	2.94	-	760
	1/7/2004	-	-	-	-	-	-	2.97	-	970
	2/19/2004	-	-	-	-	-	-	0.99	-	500
	4/6/2004	-	-	-	-	-	-	1.27	-	600
	5/6/2004	-	-	-	-	-	-	1.87	-	730
	6/8/2004	-	-	-	-	-	-	1.11	-	640
	7/14/2004	-	-	-	-	-	-	0.59	-	400
	8/16/2004	-	-	-	-	-	-	2.01	-	700
	9/9/2004	-	-	-	-	-	-	1.02	-	540
	10/7/2004	-	-	-	-	-	-	0.27	-	430
	11/10/2004	-	-	-	-	-	-	0.27	-	480
	12/28/2004	-	-	-	-	-	-	0.14	-	490
	1/18/2005	-	-	-	-	-	-	0.14	-	510
	2/10/2005	-	-	-	-	-	-	0.06	-	550
	3/10/2005	-	-	-	-	-	-	0.07	-	430
	4/13/2005	-	-	-	-	-	-	0.04	-	390
	5/18/2005	-	-	-	-	-	-	0.03	-	430
	6/14/2005	-	-	-	-	-	-	0.03	-	460
	7/12/2005	-	-	-	-	-	-	0.02	-	430
	2/10/2006	<0.01	<0.01	<0.01	<0.03	-	-	<0.015	<0.02	545
	7/20/2006	<0.005	<0.005	<0.005	<0.015	<2.4	<0.25	<0.015	<0.02	585
	4/2/2007	<0.005	<0.005	<0.005	<0.015	1.10	<0.25	<0.015	<0.2	627
	4/21/2008	<0.005	<0.005	<0.005	<0.0015	0.67	0.25	<0.015	<0.5	441
	4/1/2009	<0.005	<0.005	<0.005	<0.0150	0.76	<0.25	<0.015	<0.2	487
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.138	<0.05	<0.500	<0.1	299
MW002A	12/9/2002	<0.002	<0.002	<0.002	<0.002	<0.5	<0.05	-	-	450
	3/12/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	670
	5/28/2003	-	-	-	-	-	-	-	-	730
	1/20/2004	-	-	-	-	-	-	-	-	430
	6/23/2004	-	-	-	-	-	-	-	-	510
	1/4/2005	-	-	-	-	-	-	-	-	510
	6/6/2005	-	-	-	-	-	-	-	-	450
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0268	0.026	506
	7/6/2006	<0.001	<0.001	<0.001	<0.003	0.46	<0.05	0.0787	0.068	848
	4/12/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0586	0.045	729
	4/2/2008	0.015	0.0032	0.0012	<0.003	0.740	<0.05	0.278	0.27	1460
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.510	<0.05	0.333	0.34	1160
	3/8/2010	0.0011	<0.001	<0.001	<0.001	0.515	<0.05	0.431	0.437	1170
MW004A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.13	0.14	470
	1/28/2002	<0.002	<0.002	<0.002	<0.002	<0.27	<0.05	-	-	490
	9/17/2002	-	-	-	-	-	-	-	-	440
	12/30/2002	-	-	-	-	-	-	-	-	480
	3/13/2003	-	-	-	-	-	-	-	-	480
	6/4/2003	-	-	-	-	-	-	-	-	490
	1/19/2004	-	-	-	-	-	-	-	-	280
	6/24/2004	-	-	-	-	-	-	-	-	580

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/4/2005	-	-	-	-	-	-	-	-	360
	6/6/2005	-	-	-	-	-	-	-	-	340
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.175	0.18	483
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.177	0.18	373
	4/16/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	0.265	0.28	523
	4/3/2008	0.012	0.0025	<0.001	<0.003	<0.096	<0.05	0.334	0.23	571
	3/30/2009	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.271	0.25	465
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.091	<0.05	0.309	0.295	473
MW007A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.103	260
	5/23/2001 Dup	<0.002	<0.002	<0.002	<0.002	-	-	0.09	0.098	270
	1/29/2002	-	-	-	-	-	-	-	-	350
	9/17/2002	-	-	-	-	-	-	-	-	380
	12/30/2002	-	-	-	-	-	-	-	-	440
	3/17/2003	-	-	-	-	-	-	-	-	340
	6/3/2003	-	-	-	-	-	-	-	-	490
	1/21/2004	-	-	-	-	-	-	-	-	340
	6/29/2004	-	-	-	-	-	-	-	-	230
	1/10/2005	-	-	-	-	-	-	-	-	430
	6/3/2005	-	-	-	-	-	-	-	-	310
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.53	0.52	585
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.367	0.38	409
	4/16/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	0.641	0.69	710
	4/3/2008	0.0099	0.0021	<0.001	<0.003	<0.096	<0.05	0.732	0.68	689
MW008A	5/29/2001	<0.002	<0.002	<0.002	<0.002	-	-	5.63	<0.005	1100
	8/29/2001	-	-	-	-	-	-	4.89 / 5.01	4.2 / 4	-
	2/4/2002	-	-	-	-	-	-	-	-	1400
	9/18/2002	-	-	-	-	-	-	-	-	1200
	9/18/2002 Dup	-	-	-	-	-	-	-	-	1150
	1/6/2003	-	-	-	-	-	-	-	-	1220
	1/6/2003 Dup	-	-	-	-	-	-	-	-	1210
	3/26/2003	-	-	-	-	-	-	-	-	1230
	3/26/2003 Dup	-	-	-	-	-	-	-	-	1230
	6/5/2003	-	-	-	-	-	-	-	-	1200
	6/5/2003 Dup	-	-	-	-	-	-	-	-	1300
	6/9/2003	-	-	-	-	-	-	5.47	-	1200
	6/9/2003 Dup	-	-	-	-	-	-	-	-	1240
	6/30/2003	-	-	-	-	-	-	5.21	-	1300
	7/9/2003	-	-	-	-	-	-	2.01	-	1100
	7/15/2003	-	-	-	-	-	-	4.95	-	1220
	7/29/2003	-	-	-	-	-	-	4.52	-	1240
	8/21/2003	-	-	-	-	-	-	3.86	-	1220
	9/29/2003	-	-	-	-	-	-	3	-	1100
	10/27/2003	-	-	-	-	-	-	3.16	-	1100
	12/4/2003	-	-	-	-	-	-	3.18	-	1030
	1/5/2004	-	-	-	-	-	-	3.33	-	1050
	3/1/2004	-	-	-	-	-	-	3.18	-	1110
	3/31/2004	-	-	-	-	-	-	3.66	-	1100
	5/4/2004	-	-	-	-	-	-	3.73	-	1250
	6/7/2004	-	-	-	-	-	-	3.93	-	1000
	7/7/2004	-	-	-	-	-	-	4.08	-	1100
	8/10/2004	-	-	-	-	-	-	3.83	-	1120
	9/16/2004	-	-	-	-	-	-	3.83	-	1050
	10/4/2004	-	-	-	-	-	-	3.75	-	1040
	11/8/2004	-	-	-	-	-	-	3.75	-	1070
	12/16/2004	-	-	-	-	-	-	3.51	-	1100
	1/6/2005	-	-	-	-	-	-	3.31	-	1110
	2/7/2005	-	-	-	-	-	-	2.77	-	1090
	3/8/2005	-	-	-	-	-	-	1.95	-	1040

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	4/6/2005	-	-	-	-	-	-	1.49	-	1040
	5/10/2005	-	-	-	-	-	-	0.42	-	1040
	6/7/2005	-	-	-	-	-	-	0.21	-	1060
	7/6/2005	-	-	-	-	-	-	0.13	-	1330
	2/9/2006	<0.025	<0.025	<0.025	<0.075	-	-	0.205	<0.08	996
	7/18/2006	<0.005	<0.005	<0.005	<0.015	6.5	0.6	0.151	<0.02	1020
	4/3/2007	<0.005	<0.001	<0.001	<0.003	20.0	2.2	0.204	<0.2	1010
	4/15/2008	<0.025	<0.025	<0.025	<0.075	56.0	2.4	0.18	<1	1030
	3/26/2009	<0.005	<0.005	<0.005	<0.015	56.0	1.2	0.149	<0.2	1130
MW009A	3/10/2010	<0.001	<0.001	<0.001	<0.001	5.93	0.79	<0.250	0.134	658
	5/24/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	1.4	700
	1/28/2002	-	-	-	-	-	-	-	-	1190
	9/18/2002	-	-	-	-	-	-	-	-	590
	9/18/2002 Dup	-	-	-	-	-	-	-	-	790
	1/6/2003	-	-	-	-	-	-	-	-	790
	1/6/2003 Dup	-	-	-	-	-	-	-	-	820
	3/20/2003	-	-	-	-	-	-	-	-	830
	3/20/2003 Dup	-	-	-	-	-	-	-	-	730
	6/4/2003	-	-	-	-	-	-	-	-	820
	6/4/2003 Dup	-	-	-	-	-	-	-	-	840
	1/20/2004	-	-	-	-	-	-	-	-	880
	1/20/2004 Dup	-	-	-	-	-	-	-	-	860
	7/8/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	370
	1/11/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	740
	6/6/2005	-	-	-	-	-	-	-	-	840
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.938	0.9	644
	7/13/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.88	0.78	642
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.916	0.84	356
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.902	0.92	706
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.803	0.86	683
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.053	<0.05	0.884	0.792	547
MW011A	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.029	210
	1/28/2002	-	-	-	-	-	-	-	-	210
	9/12/2002	-	-	-	-	-	-	-	-	270
	12/26/2002	-	-	-	-	-	-	-	-	320
	3/18/2003	-	-	-	-	-	-	-	-	220
	6/2/2003	-	-	-	-	-	-	-	-	320
	6/10/2003	-	-	-	-	-	-	0.4	-	340
	6/10/2003 Dup	-	-	-	-	-	-	-	-	340
	7/1/2003	-	-	-	-	-	-	0.39	-	200
	7/8/2003	-	-	-	-	-	-	0.34	-	290
	7/14/2003	-	-	-	-	-	-	0.29	-	300
	7/29/2003	-	-	-	-	-	-	0.21	-	340
	8/19/2003	-	-	-	-	-	-	0.17	-	320
	9/29/2003	-	-	-	-	-	-	0.13	-	340
	10/28/2003	-	-	-	-	-	-	0.13	-	300
	12/8/2003	-	-	-	-	-	-	0.12	-	310
	1/6/2004	-	-	-	-	-	-	0.19	-	400
	3/4/2004	-	-	-	-	-	-	<0.05	-	710
	4/1/2004	-	-	-	-	-	-	3.62	-	1300
	5/18/2004	-	-	-	-	-	-	2.84	-	1210
	6/14/2004	-	-	-	-	-	-	3.18	-	1400
	7/12/2004	-	-	-	-	-	-	2.37	-	920
	8/12/2004	-	-	-	-	-	-	3.5	-	900
	9/15/2004	-	-	-	-	-	-	2.45	-	810
	10/7/2004	-	-	-	-	-	-	1.67	-	640
	11/16/2004	-	-	-	-	-	-	2.24	-	790
	12/29/2004	-	-	-	-	-	-	1.71	-	710

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/25/2005	-	-	-	-	-	-	3.17	-	1200
	2/8/2005	-	-	-	-	-	-	3.27	-	1270
	3/9/2005	-	-	-	-	-	-	4	-	1310
	4/11/2005	-	-	-	-	-	-	3.91	-	1330
	5/11/2005	-	-	-	-	-	-	3.64	-	1400
	6/8/2005	-	-	-	-	-	-	3.47	-	1350
	7/11/2005	-	-	-	-	-	-	3.59	-	1370
	2/10/2006	<0.001	<0.001	<0.001	<0.003	-	-	3.75	3.5	1350
	7/19/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	4.32	4.2	1480
	3/29/2007	0.0017	<0.001	<0.001	<0.003	0.140	<0.05	3.94	3.4	1370
	4/16/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	3.88	3.8	1460
	3/31/2009	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	3.77	3.7	1420
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.059	<0.05	3.77	4.04	660
MW012A	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	80
	1/28/2002	-	-	-	-	-	-	-	-	60
	9/5/2002	-	-	-	-	-	-	-	-	50
	12/19/2002	-	-	-	-	-	-	-	-	87 / 71
	3/3/2003	-	-	-	-	-	-	-	-	64
	5/21/2003	-	-	-	-	-	-	-	-	54
	6/10/2003	-	-	-	-	-	-	<0.05	-	53
	6/10/2003 Dup	-	-	-	-	-	-	-	-	57
	7/2/2003	-	-	-	-	-	-	<0.05	-	50
	7/7/2003	-	-	-	-	-	-	<0.05	-	60
	7/14/2003	-	-	-	-	-	-	<0.05	-	60
	7/30/2003	-	-	-	-	-	-	<0.05	-	60
	8/20/2003	-	-	-	-	-	-	<0.05	-	70
	9/30/2003	-	-	-	-	-	-	<0.05	-	67
	10/28/2003	-	-	-	-	-	-	<0.05	-	60
	12/9/2003	-	-	-	-	-	-	<0.05	-	60
	1/7/2004	-	-	-	-	-	-	<0.05	-	120
	2/19/2004	-	-	-	-	-	-	<0.05	-	60
	4/6/2004	-	-	-	-	-	-	<0.05	-	60
	5/6/2004	-	-	-	-	-	-	<0.05	-	60
	6/8/2004	-	-	-	-	-	-	<0.05	-	60
	7/14/2004	-	-	-	-	-	-	<0.05	-	70
	8/12/2004	-	-	-	-	-	-	<0.05	-	59
	9/9/2004	-	-	-	-	-	-	<0.05	-	70
	10/6/2004	-	-	-	-	-	-	<0.05	-	60
	11/10/2004	-	-	-	-	-	-	<0.01	-	70
	12/28/2004	-	-	-	-	-	-	<0.01	-	63
	1/18/2005	-	-	-	-	-	-	<0.01	-	80
	2/10/2005	-	-	-	-	-	-	<0.01	-	70
	3/10/2005	-	-	-	-	-	-	<0.01	-	70
	4/13/2005	-	-	-	-	-	-	<0.01	-	70
	5/17/2005	-	-	-	-	-	-	<0.01	-	70
	6/14/2005	-	-	-	-	-	-	<0.01	-	90
	7/12/2005	-	-	-	-	-	-	<0.01	-	80
	2/10/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	72.6
	7/20/2006	<0.001	<0.001	<0.001	<0.003	0.16	<0.05	<0.015	<0.02	88.1
	4/5/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	<0.015	<0.02	99
	4/21/2008	<0.001	<0.001	<0.001	<0.003	0.180	<0.05	<0.015	<0.02	81.8
	4/1/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	100
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.071	<0.05	<0.050	<0.01	65.1
MW013A	5/22/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.021	100
	1/28/2002	-	-	-	-	-	-	-	-	130
	9/5/2002	-	-	-	-	-	-	-	-	90
	3/12/2003	-	-	-	-	-	-	-	-	82
	5/28/2003	-	-	-	-	-	-	-	-	70
	1/19/2004	-	-	-	-	-	-	-	-	690
	7/7/2004	-	-	-	-	-	-	-	-	700

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	7/7/2004 Dup	-	-	-	-	-	-	-	-	500
	1/11/2005	-	-	-	-	-	-	-	-	110
	1/11/2005 Dup	-	-	-	-	-	-	-	-	110
	6/3/2005	-	-	-	-	-	-	-	-	80
	6/3/2005 Dup	-	-	-	-	-	-	-	-	80
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0492	0.039	111
	7/5/2006	<0.001	<0.001	<0.001	<0.003	0.1	<0.05	0.0308	0.021	84
	4/16/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0626	0.043	122
	9/21/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0295	0.028	86
	4/7/2008	0.0074	0.0017	<0.001	<0.003	<0.096	<0.05	0.0245	0.04 *	87.5
	8/21/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.0269	0.023	85.3
	3/30/2009	<0.001	<0.001	<0.001	<0.003	0.160	<0.05	<0.015	<0.020	68
	8/4/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.020	72.5
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.081	<0.05	<0.05	0.012	71.5
	8/4/2010	0.0014	<0.002	<0.001	<0.001	0.073	<0.05	<0.05	0.018	65
MW014A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.006	80
	1/24/2002	-	-	-	-	-	-	-	-	50
	9/5/2002	-	-	-	-	-	-	-	-	40
	12/19/2002	-	-	-	-	-	-	-	-	44
	3/10/2003	-	-	-	-	-	-	-	-	46
	5/21/2003	-	-	-	-	-	-	-	-	44
	12/29/2003	-	-	-	-	-	-	-	-	50
	6/17/2004	-	-	-	-	-	-	-	-	50
	12/16/2004	-	-	-	-	-	-	-	-	70
	6/2/2005	-	-	-	-	-	-	-	-	50
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	45.8
	6/29/2006	<0.001	0.001	0.0014	<0.003	<0.095	<0.05	<0.015	<0.02	47.9
	3/21/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	45.6
	9/13/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	46.2
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	47.9
	3/18/2009	0.017	0.0058	0.0019	<0.003	<0.096	<0.06	<0.015	<0.02	44.9
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	45.6
	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.05	<0.050	0.011	38.3
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.052	<0.05	<0.050	0.021	40.2
MW015A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.006	270
	1/22/2002	-	-	-	-	-	-	<0.05	<0.005	390
	9/4/2002	-	-	-	-	-	-	-	-	350
	12/11/2002	-	-	-	-	-	-	-	-	320
	3/3/2003	-	-	-	-	-	-	-	-	370
	5/21/2003	-	-	-	-	-	-	-	-	530
	12/29/2003	-	-	-	-	-	-	-	-	970
	6/17/2004	-	-	-	-	-	-	-	-	1130
	12/20/2004	-	-	-	-	-	-	-	-	960
	6/2/2005	-	-	-	-	-	-	-	-	1030
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1130
	6/29/2006	<0.001	0.0018	0.0019	<0.003	<0.095	<0.05	<0.015	<0.02	1440
	3/22/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	1320
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	1400
	3/24/2008	<0.001	<0.001	0.0014	<0.003	<0.096	<0.05	<0.015	<0.02	1910
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	2020
	3/19/2009	0.0098	0.0027	0.0011	<0.003	<0.096	<0.05	<0.015	<0.02	2010
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	2270
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.065	<0.05	<0.05	0.012	1930
	8/11/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.05	<0.01	1610
MW016A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.006	230
	1/22/2002	-	-	-	-	-	-	<0.05	<0.005	240
	9/4/2002	-	-	-	-	-	-	-	-	130
	12/12/2002	-	-	-	-	-	-	-	-	230
	3/4/2003	-	-	-	-	-	-	-	-	240

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	5/21/2003	-	-	-	-	-	-	-	-	300
	12/29/2003	-	-	-	-	-	-	-	-	260
	6/17/2004	-	-	-	-	-	-	-	-	270
	12/16/2004	-	-	-	-	-	-	-	-	320
	6/2/2005	-	-	-	-	-	-	-	-	260
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	255
	6/29/2006	<0.001	<0.001	0.0013	<0.003	<0.096	<0.05	<0.015	<0.02	267
	3/22/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	260
	9/13/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	269
	3/19/2008	<0.001	0.0053	0.014	0.0051	<0.097	0.070	<0.015	<0.02	289
	8/7/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	352
	3/17/2009	0.0076	0.0030	0.0012	<0.003	<0.094	<0.05	<0.015	<0.02	368
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	509
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.050	<0.050	<0.01	306
	8/11/2010	<0.001	<0.002	<0.001	<0.001	0.196	<0.050	<0.050	<0.01	305
MW018A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	330
	1/23/2002	-	-	-	-	-	-	-	-	280
	9/4/2002	-	-	-	-	-	-	-	-	240
	12/16/2002	-	-	-	-	-	-	-	-	260
	3/4/2003	-	-	-	-	-	-	-	-	250
	5/27/2003	-	-	-	-	-	-	-	-	250
	12/30/2003	-	-	-	-	-	-	-	-	210
	6/16/2004	-	-	-	-	-	-	-	-	170
	12/16/2004	-	-	-	-	-	-	-	-	220
	5/31/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	200
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	233
	6/29/2006	<0.001	0.0023	0.0027	<0.003	<0.095	<0.05	<0.015	<0.02	236
	4/2/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	283
	9/13/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	<0.015	<0.02	212
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	233
	3/18/2009	0.0079	0.0029	0.0013	<0.003	<0.094	<0.05	<0.015	<0.02	219
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	304
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.050	<0.050	<0.01	154
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.062	<0.050	<0.050	0.012	140
MW019A	5/17/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	<0.005	490
	1/23/2002	-	-	-	-	-	-	-	-	420
	9/5/2002	-	-	-	-	-	-	-	-	330
	12/2/2002	-	-	-	-	-	-	-	-	360
	3/11/2003	-	-	-	-	-	-	-	-	350
	5/27/2003	-	-	-	-	-	-	-	-	380
	12/30/2003	-	-	-	-	-	-	-	-	290
	6/17/2004	-	-	-	-	-	-	-	-	290
	6/17/2004 Dup	-	-	-	-	-	-	-	-	320
	12/20/2004	-	-	-	-	-	-	-	-	350
	12/20/2004 Dup	-	-	-	-	-	-	-	-	340
	5/31/2005	-	-	-	-	-	-	-	-	340
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	385
	6/30/2006	<0.001	0.0023	0.0022	<0.003	<0.094	<0.05	<0.015	<0.02	360
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	343
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	306
	3/26/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	398
	8/7/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	394
	3/17/2009	0.011	0.0039	0.0015	<0.003	<0.096	<0.05	<0.015	<0.02	321
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	491
MW020A	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	231
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	257
	6/7/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.012	390
	2/6/2002	-	-	-	-	-	-	-	0.014	350

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/9/2002	-	-	-	-	-	-	-	-	340
	12/9/2002	-	-	-	-	-	-	-	-	370
	3/6/2003	-	-	-	-	-	-	-	-	370
	6/5/2003	-	-	-	-	-	-	-	-	430
	1/22/2004	-	-	-	-	-	-	-	-	230
	6/22/2004	-	-	-	-	-	-	-	-	200
	1/3/2005	-	-	-	-	-	-	-	-	480
	5/31/2005	-	-	-	-	-	-	-	-	430
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	521
	6/30/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	579
	4/4/2007	<0.001	<0.001	<0.001	<0.003	0.120	<0.05	0.0185	<0.02	862
	9/18/2007	<0.001	<0.001	<0.001	<0.003	0.100	<0.05	<0.015	0.024	708
	3/26/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	789
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	867
	3/19/2009	0.0056	0.0022	<0.001	<0.003	0.150	<0.05	0.0173	<0.02	1060
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	1110
	3/12/2010	<0.001	<0.001	<0.001	<0.001	0.091	<0.05	<0.050	0.019	834
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.106	<0.05	<0.050	0.025	947
MW021A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.022	7000
	1/24/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	5800
	9/5/2002	-	-	-	-	-	-	-	-	4900
	12/11/2002	-	-	-	-	-	-	-	-	5800
	3/11/2003	-	-	-	-	-	-	-	-	5300
	5/21/2003	-	-	-	-	-	-	-	-	5900
	1/21/2004	-	-	-	-	-	-	-	-	3800
	6/22/2004	-	-	-	-	-	-	-	-	3400
	12/21/2004	-	-	-	-	-	-	-	-	400
	6/6/2005	-	-	-	-	-	-	-	-	7600
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0307	0.026	6110
	6/30/2006	<0.001	<0.001	<0.001	<0.003	0.4	<0.05	0.0326	0.033	7720
	4/9/2007	<0.001	<0.001	<0.001	<0.003	1.200	<0.05	<0.015	<0.020	3350
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.560	<0.05	0.0261	0.027	6180
	4/1/2008	0.031	0.0057	0.0017	<0.003	0.700	0.091	0.0365	0.023	6440
	3/24/2009	<0.001	<0.001	<0.001	<0.003	0.560	<0.05	0.0264	<0.020	6370
	8/6/2009	<0.001	<0.001	<0.001	<0.003	0.810	0.054	0.0318	0.031	6020
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.488	<0.05	<0.05	0.030	7720
	8/16/2010	<0.001	<0.002	<0.001	<0.001	0.670	<0.05	<0.05	0.023	5030
MW022A	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	<0.05	0.027	930
	1/24/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	490
	9/5/2002	-	-	-	-	-	-	-	-	400
	12/16/2002	-	-	-	-	-	-	-	-	530
	3/12/2003	-	-	-	-	-	-	-	-	560
	5/29/2003	-	-	-	-	-	-	-	-	510
	1/22/2004	-	-	-	-	-	-	-	-	490
	6/23/2004	-	-	-	-	-	-	-	-	440
	1/6/2005	-	-	-	-	-	-	-	-	460
	6/3/2005	-	-	-	-	-	-	-	-	510
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0217	<0.02	70.5
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	65.2
	3/30/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0181	<0.02	69
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0211	<0.02	61.3
	4/2/2008	0.024	0.0049	0.0015	<0.003	<0.095	0.068	0.0305	<0.02	67.9
	8/13/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0306	0.026	75.3
	3/18/2009	0.0036	0.0016	<0.001	<0.003	<0.097	<0.05	0.0275	0.022	61
	8/25/2009	<0.001	<0.001	0.0026	<0.003	<0.096	<0.05	0.0315	0.026	68.7
	3/11/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.05	0.048	44
	8/18/2010	0.0014	0.0027	<0.001	<0.001	0.255	<0.05	<0.05	0.06	41.2
MW023A	1/9/2003	<0.002	0.009	<0.002	<0.002	<0.25	<0.05	-	-	52

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/11/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	52
	5/28/2003	-	-	-	-	-	-	-	-	27
	1/15/2004	-	-	-	-	-	-	-	-	60
	6/16/2004	-	-	-	-	-	-	-	-	50
	12/14/2004	-	-	-	-	-	-	-	-	60
	6/2/2005	-	-	-	-	-	-	-	-	60
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	50.1
	1/20/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	50.5
	6/26/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	48.5
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	48.4
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	46.2
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	52.2
	8/12/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	52.3
	3/18/2009	0.031	0.0073	0.002	<0.003	0.099	0.094	<0.015	<0.02	46.6
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	50.6
	3/17/2010	<0.001	<0.001	<0.001	<0.001	0.090	<0.05	<0.050	<0.01	45.4
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	0.018	37.5
MW024A	6/23/1999	-	-	-	-	-	-	-	-	140
	5/23/2001	<0.002	<0.002	<0.002	<0.002	-	-	0.09	0.095	440
	2/6/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	320
	9/10/2002	-	-	-	-	-	-	-	-	500
	12/17/2002	-	-	-	-	-	-	-	-	640
	3/17/2003	-	-	-	-	-	-	-	-	790
	5/28/2003	-	-	-	-	-	-	-	-	910
	1/15/2004	-	-	-	-	-	-	-	-	310
	6/24/2004	-	-	-	-	-	-	-	-	750
	1/6/2005	-	-	-	-	-	-	-	-	740
	7/18/2005	<0.002	<0.002	<0.002	<0.006	<0.52	18	-	-	310
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.043	0.04	181
	6/27/2006	<0.001	0.0035	0.0043	0.0035	<0.096	<0.05	0.0446	<0.02	203
	6/27/2006 Dup	<0.001	0.0034	0.004	0.0034	<0.096	<0.05	0.0466	0.04	191
	4/11/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0242	0.021	170
	9/19/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0254	0.023	180
	4/7/2008	0.0046	0.0012	<0.001	<0.003	<0.095	<0.05	0.0279	0.044 *	195
	8/13/2008	0.0043	0.0047	0.010	<0.003	<0.1	<0.05	0.134	0.091	474
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.162	0.15	530
	8/12/2009	0.002	0.0013	<0.001	<0.003	0.24	<0.05	0.0307	0.034	63.5
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.053	<0.05	0.125	0.13	422
	8/6/2010	<0.001	<0.002	<0.001	<0.001	0.076	<0.05	0.118	0.162	433
MW039A	8/30/2001	-	-	-	-	-	-	-	0.14	73
	1/31/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	-	-	190
	9/10/2002	-	-	-	-	-	-	-	-	180
	12/26/2002	-	-	-	-	-	-	-	-	210
	3/17/2003	-	-	-	-	-	-	-	-	190
	6/2/2003	-	-	-	-	-	-	-	-	200
	1/20/2004	-	-	-	-	-	-	-	-	150
	6/24/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	360
	6/24/2004 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	350
	1/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	180
	1/6/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	180
	6/8/2005	-	-	-	-	-	-	-	-	230
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.198	0.18	312
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.217	0.21	324
	7/6/2006 Dup	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.22	0.21	328
	4/12/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.178	0.18	299
	4/3/2008	0.038	0.0059	0.0015	<0.003	<0.095	0.100	0.265	0.24	405
	4/2/2009	<0.001	<0.001	0.0022	<0.003	<0.096	<0.05	0.297	0.28	365
	3/8/2010	0.0012	<0.001	<0.001	<0.001	0.164	<0.05	0.318	0.308	335
MW040A	4/2/2002	-	-	-	-	-	-	-	-	59

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/5/2002	-	-	-	-	-	-	-	-	50
	12/18/2002	-	-	-	-	-	-	-	-	50
	3/11/2003	-	-	-	-	-	-	-	-	49
	5/22/2003	-	-	-	-	-	-	-	-	40
	1/19/2004	-	-	-	-	-	-	-	-	50
	6/16/2004	-	-	-	-	-	-	-	-	50
	6/16/2004 Dup	-	-	-	-	-	-	-	-	50
	12/15/2004	-	-	-	-	-	-	-	-	60
	12/15/2004 Dup	-	-	-	-	-	-	-	-	60
	5/24/2005	-	-	-	-	-	-	-	-	50
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	53.9
	6/28/2006	<0.001	0.0021	0.0026	<0.003	<0.095	<0.05	<0.015	<0.02	52.8
	4/2/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	63.1
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	54
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	58.8
	8/7/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	55.3
	3/17/2009	0.0068	0.0025	0.0011	<0.003	<0.098	<0.05	<0.015	<0.02	54.1
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	54.1
	3/10/2010	<0.001	<0.001	<0.001	<0.001	<0.05	<0.05	<0.05	<0.01	40.5
	8/11/2010	<0.001	<0.002	<0.001	<0.001	<0.052	<0.05	<0.05	<0.01	34.3
MW041A	4/29/2002	-	-	-	-	-	-	-	-	690
	5/20/2002	-	-	-	-	-	-	-	0.39	-
	9/17/2002	-	-	-	-	-	-	-	-	420
	12/5/2002	-	-	-	-	-	-	-	-	410
	3/18/2003	-	-	-	-	-	-	-	-	420
	6/2/2003	-	-	-	-	-	-	-	-	390
	1/19/2004	-	-	-	-	-	-	-	-	640
	7/1/2004	-	-	-	-	-	-	-	-	630
	1/10/2005	-	-	-	-	-	-	-	-	640
	6/7/2005	-	-	-	-	-	-	-	-	640
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.663	0.6	686
	1/26/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	0.631	0.62	787
	7/7/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.52	0.53	616
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.415	0.4	509
	4/15/2008	0.0038	<0.001	<0.001	<0.003	1.50	<0.05	0.393	0.35	530
	4/1/2009	0.0019	0.004	0.011	0.0031	<0.096	0.072	0.380	0.35	449
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.078	<0.05	<0.05	0.443	408
MW042A	8/30/2001	-	-	-	-	-	-	-	0.13	6000
	1/29/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	5400
	9/5/2002	-	-	-	-	-	-	-	-	5100
	12/18/2002	-	-	-	-	-	-	-	-	4800
	3/12/2003	-	-	-	-	-	-	-	-	3600
	5/28/2003	-	-	-	-	-	-	-	-	3900
	1/20/2004	-	-	-	-	-	-	-	-	390
	6/15/2004	-	-	-	-	-	-	-	-	660
	12/9/2004	-	-	-	-	-	-	-	-	4700
	6/3/2005	-	-	-	-	-	-	-	-	1930
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	5.3
	6/22/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.156	0.14	3730
	6/22/2006 Dup	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.157	0.13	3790
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.172	0.16	4010
	4/2/2008	0.010	0.0025	<0.001	<0.003	<0.095	<0.05	0.268	0.26	3520
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.120	<0.05	0.351	0.31	2990
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.126	<0.05	0.46	0.478	2760
MW046A	12/9/2002	<0.002	0.003	<0.002	<0.002	<0.5	0.07	-	-	340
	3/13/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	510
	5/29/2003	<0.002	<0.002	<0.002	<0.002	0.27	0.07	-	-	560
	1/27/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	530
	7/27/2004	<0.002	<0.002	<0.002	<0.006	0.4	<0.05	-	-	400

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	1/11/2005	<0.002	<0.002	<0.002	<0.006	0.46	<0.05	-	-	580
	5/24/2005	0.003	<0.002	<0.002	<0.006	0.35	<0.05	-	-	570
	5/24/2005 Dup	0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	550
	1/26/2006	0.0019	<0.001	<0.001	<0.003	-	-	0.387	0.38	676
	7/12/2006	<0.001	<0.001	<0.001	<0.003	0.33	<0.05	0.441	0.44	637
	4/17/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.586	0.45	595
	4/2/2008	0.0087	0.0024	<0.001	<0.003	0.097	<0.05	0.485	0.48	676
	3/31/2009	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.591	0.56	568
MW048SA	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.138	<0.05	0.784	0.747	468
	8/1/2002	<0.002	0.004	<0.002	<0.002	<0.28	<0.05	0.16	-	490
	9/16/2002	<0.002	0.003	<0.002	<0.002	-	-	-	-	430
	12/4/2002	<0.002	<0.002	<0.002	<0.002	1.5	<0.05	-	-	430
	3/17/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	450
	6/2/2003	<0.002	<0.002	<0.002	<0.002	<0.23	<0.05	-	-	470
	12/17/2003	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	-	-	400
	6/29/2004	-	-	-	-	-	-	-	-	470
	1/6/2005	-	-	-	-	-	-	-	-	480
	6/7/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	540
	6/7/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	620
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.171	0.17	437
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.176	0.17	586
	4/10/2007	<0.001	<0.001	<0.001	<0.003	-	<0.05	0.228	0.21	453
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.253	0.23	464
	4/1/2008	0.0069	0.0019	<0.001	<0.003	<0.099	<0.05	0.272	0.26	497
	8/20/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.305	0.32	510
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.294	0.3	589
	8/12/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.31	0.32	492
	3/5/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	0.345	0.348	510
	8/9/2010	<0.001	<0.002	<0.001	<0.001	<0.053	<0.05	0.3	0.339	485
MW049SA	7/30/2002	<0.002	0.88	<0.002	<0.002	<0.26	<0.05	0.05	-	3200
	9/16/2002	<0.002	0.002	<0.002	<0.002	-	-	-	-	2900
	12/4/2002	<0.002	<0.002	<0.002	<0.002	0.63	<0.05	-	-	3300
	3/13/2003	-	-	-	-	-	-	-	-	3300
	5/28/2003	<0.002	<0.002	<0.002	<0.002	<0.27	<0.05	-	-	3200
	12/17/2003	<0.002	<0.002	<0.002	<0.006	<0.24	<0.05	-	-	1860
	6/29/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	3100
	1/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	3200
	6/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	2700
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0624	0.06	2770
	7/11/2006	<0.001	<0.001	<0.001	<0.003	0.17	<0.05	0.0701	0.061	2480
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0823	0.078	2320
	4/8/2008	0.0023	<0.001	<0.001	<0.003	<0.098	<0.05	0.0953	0.094	2260
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.103	0.11	2210
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.076	<0.05	0.11	0.128	1840
MW050SA	7/30/2002	<0.002	<0.002	<0.002	<0.002	<0.26	<0.05	0.16	-	1600
	9/10/2002	<0.002	<0.002	<0.002	<0.002	-	-	-	-	1160
	12/5/2002	-	-	-	-	-	-	-	-	850
	3/12/2003	-	-	-	-	-	-	-	-	1190
	6/2/2003	-	-	-	-	-	-	-	-	1500
	12/17/2003	-	-	-	-	-	-	-	-	1010
	6/24/2004	-	-	-	-	-	-	-	-	1470
	1/5/2005	-	-	-	-	-	-	-	-	1080
	6/8/2005	-	-	-	-	-	-	-	-	1320
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.187	0.19	1210
	7/10/2006	<0.001	<0.001	<0.001	<0.003	0.69	<0.05	0.215	0.2	1500
	4/9/2007	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.285	0.22	1230
	4/1/2008	0.017	0.0041	0.0015	<0.003	0.560	0.052	0.27	0.22	1500

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW051SA	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.74	<0.05	0.262	0.24	1260
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.43	<0.05	0.232	0.25	1210
	10/10/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1300
	12/3/2002	-	-	-	-	-	-	-	-	1500
	3/19/2003	-	-	-	-	-	-	-	-	1500
	6/3/2003	-	-	-	-	-	-	-	-	1500
	12/17/2003	-	-	-	-	-	-	-	-	1400
	7/1/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	1220
	1/11/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	1530
	6/7/2005	-	-	-	-	-	-	-	-	1420
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.694	0.66	1490
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.688	0.69	1630
	4/17/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.895	0.68	1540
	4/9/2008	0.0013	<0.001	<0.001	<0.003	<0.095	<0.05	0.654	0.63	1370
	4/2/2009	<0.001	<0.001	0.0023	<0.003	0.210	<0.05	0.721	0.70	1240
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.145	<0.05	0.767	0.78	1250
MW052SA	10/10/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1300
	12/3/2002	-	-	-	-	-	-	-	-	1200
	3/18/2003	-	-	-	-	-	-	-	-	1300
	6/2/2003	-	-	-	-	-	-	-	-	1300
	12/18/2003	-	-	-	-	-	-	-	-	1500
	7/1/2004	-	-	-	-	-	-	-	-	1510
	1/11/2005	-	-	-	-	-	-	-	-	1600
	6/1/2005	-	-	-	-	-	-	-	-	1560
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.4	0.39	2440
	7/11/2006	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.373	0.36	1590
	7/11/2006 Dup	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.372	0.36	1580
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.378	0.36	1600
	4/8/2008	0.0014	<0.001	<0.001	<0.003	0.260	<0.05	0.376	0.30	1690
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.34	0.35	1980
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.054	<0.05	0.393	0.39	1530
MW053SA	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	300
	12/2/2002	-	-	-	-	-	-	-	-	380
	3/12/2003	-	-	-	-	-	-	-	-	440
	5/21/2003	-	-	-	-	-	-	-	-	530
	12/18/2003	-	-	-	-	-	-	-	-	230
	7/7/2004	-	-	-	-	-	-	-	-	200
	1/11/2005	-	-	-	-	-	-	-	-	280
	6/1/2005	-	-	-	-	-	-	-	-	230
	6/1/2005 Dup	-	-	-	-	-	-	-	-	240
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	266
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	249
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	228
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	193
	3/26/2008	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	161
	3/18/2009	0.0035	0.0015	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	194
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	205
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.058	<0.05	<0.050	<0.01	241
MW054SA	1/27/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1030
	3/19/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	670
	5/21/2003	-	-	-	-	-	-	-	-	1040
	12/16/2003	-	-	-	-	-	-	-	-	990
	6/30/2004	-	-	-	-	-	-	-	-	940
	1/10/2005	-	-	-	-	-	-	-	-	1000
	6/7/2005	-	-	-	-	-	-	-	-	900
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.262	0.27	838
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.148	0.15	807
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.145	0.14	868

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.138	0.12	844
	4/8/2008	0.0013	<0.001	<0.001	<0.003	<0.097	<0.05	0.121	0.11	925
	8/20/2008	<0.001	<0.001	0.0011	<0.003	<0.1	<0.05	0.121	0.13	985
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.111	0.11	978
	8/10/2009	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.107	0.1	834
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.088	<0.05	0.122	0.12	858
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.052	<0.05	0.106	0.143	764
MW055SA	1/6/2003	<0.002	0.003	<0.002	<0.002	<0.25	<0.05	-	-	610
	3/19/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	550
	5/21/2003	-	-	-	-	-	-	-	-	820
	12/16/2003	-	-	-	-	-	-	-	-	550
	3/10/2004	-	-	-	-	-	-	0.13	-	600
	6/29/2004	-	-	-	-	-	-	-	-	610
	1/6/2005	-	-	-	-	-	-	-	-	610
	6/7/2005	-	-	-	-	-	-	-	-	600
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.213	0.21	705
	6/28/2006	<0.001	0.0039	0.0038	0.0032	<0.097	<0.05	0.145	0.15	113
	6/28/2006 Dup	<0.001	0.0045	0.0043	0.0036	<0.097	<0.05	0.151	0.15	560
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.202	0.19	593
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.227	0.19	576
	4/9/2008	0.0016	<0.001	<0.001	<0.003	<0.095	<0.05	0.230	0.22	589
	8/19/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.224	0.22	582
	3/26/2009	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.228	0.25	719
	8/12/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.243	0.25	589
	3/4/2010	<0.001	<0.001	<0.001	<0.001	<0.050	<0.05	0.252	0.274	634
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.077	<0.05	0.220	0.25	531
MW056SA	1/7/2003	<0.002	0.016	<0.002	<0.002	<0.25	<0.05	-	-	1300
	3/17/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	200
	5/21/2003	-	-	-	-	-	-	-	-	1300
	9/10/2003	-	-	-	-	-	-	-	0.22	-
	12/16/2003	-	-	-	-	-	-	-	-	1220
	12/16/2003 Dup	-	-	-	-	-	-	-	-	1240
	7/1/2004	-	-	-	-	-	-	-	-	1310
	1/11/2005	-	-	-	-	-	-	-	-	1380
	6/6/2005	-	-	-	-	-	-	-	-	1360
	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.432	0.4	1330
	7/12/2006	<0.001	0.0012	0.0011	<0.003	0.22	<0.05	0.375	0.42	1460
	4/11/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.323	0.28	1320
	9/21/2007	<0.001	<0.001	<0.001	<0.003	0.170	<0.05	0.445	0.41	1470
	4/9/2008	0.0016	<0.001	<0.001	<0.003	<0.095	<0.05	0.417	0.40	1400
	8/19/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.365	0.35	1540
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.402	0.41	1230
	8/12/2009	<0.001	<0.001	<0.001	<0.003	0.160	<0.05	0.398	0.41	1330
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.102	<0.05	0.421	0.44	1390
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.140	<0.05	0.357	0.45	1280
MW057SA	1/28/2003	<0.005	0.002	<0.005	<0.005	<0.25	<0.05	-	-	610
	3/12/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1300
	5/20/2003	-	-	-	-	-	-	-	-	320
	9/10/2003	-	-	-	-	-	-	-	<0.005	-
	12/17/2003	-	-	-	-	-	-	-	-	210
	6/16/2004	-	-	-	-	-	-	-	-	240
	12/15/2004	-	-	-	-	-	-	-	-	390
	6/1/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	240
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	196
	6/28/2006	<0.001	0.0031	0.0035	0.0031	<0.097	<0.05	<0.015	<0.02	139
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	218
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0201	<0.02	232
	3/27/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0493	0.034	548

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW062A	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0478	0.052	472
	3/17/2009	0.0062	0.0024	0.0011	<0.003	<0.099	<0.05	0.0404	0.03	324
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0393	0.034	581
	3/11/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.05	0.03	149
	8/10/2010	<0.001	<0.002	<0.001	<0.001	<0.051	<0.05	<0.05	<0.01	160
	3/6/2003	-	-	-	-	-	-	-	-	63
	5/22/2003	-	-	-	-	-	-	-	-	50
	1/15/2004	-	-	-	-	-	-	-	-	70
	6/17/2004	-	-	-	-	-	-	-	-	80
	12/21/2004	-	-	-	-	-	-	-	-	80
	5/25/2005	-	-	-	-	-	-	-	-	60
	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	64
	6/27/2006	0.0019	0.011	0.01	0.0086	<0.096	0.097	<0.015	<0.02	64.5
	4/20/2007	0.0034	<0.001	0.0023	<0.003	<0.097	<0.05	<0.015	<0.02	56.8
	9/14/2007	0.001	0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	60.4
	4/9/2008	0.003	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	62.5
MW062SA	8/18/2008	<0.001	<0.001	0.0013	<0.003	<0.096	<0.05	<0.015	<0.02	60.2
	4/2/2009	<0.001	<0.001	0.0029	<0.003	<0.096	<0.05	<0.015	<0.02	57.2
	8/3/2009	<0.001	<0.001	<0.001	<0.003	0.44	0.11	<0.015	<0.02	62.1
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.164	<0.05	<0.05	<0.01	60.8
	8/5/2010	<0.001	0.0022	<0.001	<0.001	0.277	<0.05	<0.05	<0.01	64
MW063A	1/14/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	70
	1/13/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	55
	3/6/2003	-	-	-	-	-	-	-	-	53
	5/22/2003	-	-	-	-	-	-	-	-	50
	1/14/2004	-	-	-	-	-	-	-	-	60
	6/15/2004	-	-	-	-	-	-	-	-	60
	12/14/2004	-	-	-	-	-	-	-	-	60
	5/24/2005	-	-	-	-	-	-	-	-	50
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	56
	6/27/2006	0.004	0.02	0.014	0.012	<0.095	0.14	<0.015	<0.02	55.1
	4/20/2007	0.0086	<0.001	<0.003	<0.003	<0.098	<0.05	<0.015	<0.02	54.3
	9/11/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	121
	4/9/2008	0.0052	0.0012	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	55.9
	8/18/2008	<0.001	<0.001	0.0014	<0.003	<0.096	<0.05	<0.015	<0.02	55.5
	4/2/2009	<0.001	<0.001	0.0025	<0.003	<0.095	<0.05	<0.015	<0.02	66.2
	8/4/2009	<0.001	<0.001	<0.001	<0.003	0.14	0.051	<0.015	<0.02	56.1
MW064SA	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.19	<0.05	<0.05	<0.01	51.9
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.128	<0.05	<0.05	0.013	51.4
	2/26/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1400
	3/24/2003	-	-	-	-	-	-	-	-	1150
	5/20/2003	-	-	-	-	-	-	-	-	1300
	9/10/2003	-	-	-	-	-	-	-	0.051	-
	12/10/2003	-	-	-	-	-	-	-	-	1080
	12/10/2003 Dup	-	-	-	-	-	-	-	-	1070
	3/10/2004	-	-	-	-	-	-	0.21	-	1200
	6/7/2004	-	-	-	-	-	-	0.18	-	2300
	7/22/2004	-	-	-	-	-	-	0.07	-	1300
	8/24/2004	-	-	-	-	-	-	0.08	-	1230
	10/20/2004	-	-	-	-	-	-	0.08	-	1230
	12/9/2004	-	-	-	-	-	-	0.08	-	1260
	1/12/2005	-	-	-	-	-	-	0.17	-	1210
	2/2/2005	-	-	-	-	-	-	0.13	-	1120
	3/1/2005	-	-	-	-	-	-	0.07	-	1240
	3/24/2005	-	-	-	-	-	-	0.06	-	1110
	4/27/2005	-	-	-	-	-	-	0.16	-	1120
	5/24/2005	-	-	-	-	-	-	0.15	-	1140

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/28/2005	-	-	-	-	-	-	-	-	1160
	7/14/2005	-	-	-	-	-	-	0.6	-	1170
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.169	0.14	1150
	7/14/2006	<0.001	<0.001	<0.001	<0.003	0.15	<0.05	0.128	0.14	1200
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.170	<0.005	0.179	0.16	1090
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.220	<0.05	0.164	0.15	1130
	3/25/2008	<0.001	<0.001	<0.001	<0.003	0.560	<0.05	0.0393	0.066	1540
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.730	<0.05	0.0386	0.073	1390
	3/17/2009	<0.001	<0.001	<0.001	<0.003	0.270	<0.05	0.127	0.11	1190
	8/17/2009	<0.001	<0.001	<0.001	<0.003	0.410	<0.05	0.097	0.098	1500
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.292	<0.05	0.092	0.109	1070
MW065SA	8/3/2010	<0.001	<0.002	<0.001	<0.001	0.291	<0.05	0.09	<0.01	858
	2/27/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1300
	3/25/2003	-	-	-	-	-	-	-	-	1190
	5/20/2003	-	-	-	-	-	-	-	-	1200
	12/10/2003	-	-	-	-	-	-	-	-	960
	6/16/2004	-	-	-	-	-	-	-	-	930
	12/15/2004	-	-	-	-	-	-	-	-	1190
	6/2/2005	-	-	-	-	-	-	0.03	-	1170
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0439	0.037	1400
	6/28/2006	<0.001	0.0034	0.0038	0.0032	<0.096	<0.05	0.0397	0.032	1180
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0571	0.058	1140
	9/12/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0675	0.065	599
	4/8/2008	0.0014	<0.001	<0.001	<0.003	<0.099	<0.05	0.0839	0.045	1140
	8/19/2008	<0.001	<0.001	0.0011	<0.003	<0.1	<0.05	0.0893	0.083	1120
	3/25/2009	<0.001	<0.001	0.0011	<0.003	<0.096	<0.05	0.0884	0.079	1070
	8/6/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.0741	0.066	967
	3/4/2010	<0.001	<0.001	<0.001	<0.001	<0.05	<0.05	<0.05	0.062	1070
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.069	<0.05	<0.05	0.033	1060
MW066SA	3/3/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	1600
	3/25/2003	-	-	-	-	-	-	-	-	1500
	5/20/2003	-	-	-	-	-	-	-	-	1600
	5/20/2003 Dup	-	-	-	-	-	-	-	-	1500
	12/16/2003	-	-	-	-	-	-	-	-	1560
	6/30/2004	-	-	-	-	-	-	-	-	1500
	6/30/2004 Dup	-	-	-	-	-	-	-	-	1500
	1/10/2005	-	-	-	-	-	-	-	-	1560
	1/10/2005 Dup	-	-	-	-	-	-	-	-	1570
	5/25/2005	-	-	-	-	-	-	0.18	-	1500
	1/25/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.177	0.19	1780
	1/25/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	0.177	0.18	1860
	7/11/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0317	0.021	1580
	9/20/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	1160
	8/19/2008	<0.001	<0.001	0.0011	<0.003	<0.1	<0.05	<0.015	<0.02	1090
	3/26/2009	<0.001	<0.001	0.0011	<0.003	<0.097	<0.05	<0.015	<0.02	1160
	8/6/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	966
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.0900	<0.05	<0.05	<0.01	949
	8/4/2010	0.0019	<0.002	<0.001	<0.001	0.083	<0.05	<0.05	<0.01	1000
MW067SA	3/4/2003	<0.002	<0.002	<0.002	<0.002	4.1	<0.05	-	-	340
	3/25/2003	-	-	-	-	-	-	-	-	350
	5/20/2003	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	480
	12/10/2003	-	-	-	-	-	-	-	-	310
	6/16/2004	-	-	-	-	-	-	-	-	280
	12/16/2004	-	-	-	-	-	-	-	-	260
	6/1/2005	-	-	-	-	-	-	-	-	240
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	233
	7/10/2006	<0.001	<0.001	<0.001	<0.003	<0.12	<0.05	<0.015	<0.02	229
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	210

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	9/13/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	187
	3/27/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	194
	8/11/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	199
	3/19/2009	0.0032	0.0014	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	198
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	186
	3/11/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	129
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.063	<0.05	<0.050	<0.01	165
	3/6/2003	<0.002	0.005	<0.002	<0.002	<0.25	<0.05	-	-	53
MW070A	3/25/2003	-	-	-	-	-	-	-	-	47
	5/29/2003	-	-	-	-	-	-	-	-	47
	1/13/2004	-	-	-	-	-	-	-	-	60
	6/16/2004	-	-	-	-	-	-	-	-	50
	12/15/2004	-	-	-	-	-	-	-	-	60
	6/1/2005	-	-	-	-	-	-	-	-	50
	1/27/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	61.8
	6/22/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	45.7
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	46.4
	9/11/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	283
	3/25/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	54.2
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	<0.015	<0.02	45
	3/16/2009	0.038	0.010	0.0032	<0.003	<0.096	0.110	<0.015	<0.02	45.6
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	46.3
	3/17/2010	<0.001	<0.001	<0.001	<0.001	0.077	<0.05	<0.050	<0.01	<25
MW071SA	5/1/2003	<0.002	<0.002	<0.002	<0.002	<0.25	0.07	-	-	860
	5/20/2003	-	-	-	-	-	-	-	-	750
	12/15/2003	-	-	-	-	-	-	-	-	360
	6/9/2004	-	-	-	-	-	-	<0.01	-	140
	6/23/2004	-	-	-	-	-	-	-	-	140
	7/8/2004	-	-	-	-	-	-	-	-	140
	7/27/2004	-	-	-	-	-	-	-	-	130
	8/9/2004	-	-	-	-	-	-	-	-	140
	1/6/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	920
	6/2/2005	-	-	-	-	-	-	<0.01	-	1050
	1/25/2006	0.031	0.0011	0.003	0.03	-	-	<0.015	<0.02	1050
	7/12/2006	<0.001	<0.001	<0.001	<0.003	0.48	0.095	<0.015	<0.02	1080
	4/3/2007	<0.001	<0.001	<0.001	<0.003	0.480	<0.05	<0.015	<0.02	998
	9/19/2007	<0.001	<0.001	<0.001	<0.003	0.700	<0.05	<0.015	<0.02	1040
	3/27/2008	<0.001	<0.001	<0.001	<0.003	0.200	<0.05	<0.015	<0.02	1180
	8/12/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0193	<0.02	1170
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.106	0.097	929
	8/10/2009	<0.001	<0.001	<0.001	<0.003	0.150	<0.05	0.094	0.100	1000
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.053	<0.05	0.214	0.238	763
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.074	<0.05	0.193	0.206	623
MW072SA	5/1/2003	<0.002	<0.002	<0.002	<0.002	<0.23	<0.05	-	-	590
	5/20/2003	-	-	-	-	-	-	-	-	550
	12/15/2003	-	-	-	-	-	-	-	-	320
	6/17/2004	-	-	-	-	-	-	-	-	350
	12/20/2004	-	-	-	-	-	-	-	-	400
	5/25/2005	-	-	-	-	-	-	<0.01	-	360
	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	340
	6/28/2006	<0.001	0.0025	0.003	<0.003	<0.096	<0.05	<0.015	<0.02	389
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	331
	9/14/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	306
	3/27/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	327
	8/12/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	344
	3/17/2009	0.014	0.0044	0.0016	<0.003	<0.097	<0.05	<0.015	<0.02	301
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	351
	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	218
	8/16/2010	<0.001	<0.002	<0.001	<0.001	0.062	<0.05	<0.050	<0.01	225

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW073SA	4/30/2003	<0.002	0.002	<0.002	<0.002	<0.23	<0.05	-	-	370
	5/20/2003	-	-	-	-	-	-	-	-	490
	12/15/2003	-	-	-	-	-	-	-	-	320
	6/17/2004	-	-	-	-	-	-	-	-	390
	12/16/2004	-	-	-	-	-	-	-	-	320
	5/31/2005	-	-	-	-	-	-	-	-	310
	1/20/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	355
	6/28/2006	<0.001	0.0024	0.0029	<0.003	<0.097	<0.05	<0.015	<0.02	376
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	302
	9/13/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	283
	3/27/2008	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	287
	8/12/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	273
	3/17/2009	0.0078	0.0029	0.0013	<0.003	<0.098	<0.05	<0.015	<0.02	283
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	732
	3/12/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	219
	8/9/2010	<0.001	<0.002	<0.001	<0.001	0.059	<0.05	<0.050	<0.01	257
MW074SA	2/4/2004	<0.002	<0.002	<0.002	<0.006	<0.3	<0.05	<0.05	-	650
	6/10/2004	-	-	-	-	-	-	-	-	600
	12/7/2004	<0.002	<0.002	<0.002	<0.006	-	<0.05	-	-	670
	5/31/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	590
	5/31/2005 Dup	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	590
	1/18/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	623
	6/20/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	659
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	653
	9/6/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	638
	3/20/2008	<0.001	<0.001	0.0018	<0.003	<0.096	<0.05	<0.015	<0.02	607
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	586
	3/16/2009	0.023	0.0068	0.0022	<0.003	0.120	0.069	<0.015	<0.02	491
	8/24/2009	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	<0.015	<0.02	634
	3/16/2010	0.0014	<0.001	0.0011	<0.001	0.216	<0.05	<0.050	<0.01	406
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	361
MW075SA	2/5/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	<0.05	-	930
	6/10/2004	-	-	-	-	-	-	-	-	800
	12/7/2004	-	-	-	-	-	-	-	-	930
	6/1/2005	-	-	-	-	-	-	-	-	800
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	795
	6/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	826
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	641
	9/6/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	607
	3/20/2008	<0.001	<0.001	0.0013	<0.003	<0.096	<0.05	<0.015	<0.02	660
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	645
	3/16/2009	0.015	0.0049	0.0018	<0.003	<0.095	<0.05	<0.015	<0.02	598
	8/24/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	586
	3/16/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	<0.01	354
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	375
MW076SA	2/4/2004	<0.002	<0.002	<0.002	<0.006	0.31	<0.05	<0.05	-	440
	6/10/2004	-	-	-	-	-	-	-	-	400
	12/7/2004	-	-	-	-	-	-	-	-	470
	6/1/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	450
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	463
	1/19/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	463
	6/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	500
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	489
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	506
	3/20/2008	<0.001	<0.001	0.0016	<0.003	<0.098	<0.05	<0.015	<0.02	547
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	533
	3/16/2009	0.012	0.0041	0.0016	<0.003	<0.095	<0.05	<0.015	<0.02	536
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	819

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
MW077SA	3/16/2010	<0.001	<0.001	<0.001	<0.001	0.055	<0.05	<0.050	<0.01	465
	8/16/2010	<0.001	<0.002	<0.001	<0.001	<0.050	<0.05	<0.050	<0.01	460
	2/3/2004	<0.002	<0.002	<0.002	<0.006	0.46	<0.05	<0.05	-	880
	6/14/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	340
	12/8/2004	0.052	0.071	0.039	0.25	<0.25	<0.05	-	-	390
	6/1/2005	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	2080
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.03	0.028	1760
	6/21/2006	<0.001	<0.001	<0.001	<0.003	0.12	<0.05	0.0343	0.023	1660
	6/21/2006 Dup	<0.001	<0.001	<0.001	<0.003	0.12	<0.05	0.0317	<0.02	1710
	4/11/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0301	0.028	1900
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0197	<0.02	1760
	4/8/2008	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0233	0.029	1680
	8/19/2008	<0.001	<0.001	0.0014	<0.003	0.110	<0.05	0.0481	0.044	1960
	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.097	<0.05	0.0294	0.022	1170
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0157	<0.02	755
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.051	<0.05	<0.05	<0.01	701
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.061	<0.05	<0.05	<0.01	609
MW078SA	3/24/2004	<0.002	<0.002	<0.002	<0.006	0.94	<0.05	<0.05	-	220
	4/6/2004	-	-	-	-	-	-	<0.05	-	-
	6/14/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	220
	12/8/2004	0.05	0.084	0.069	0.22	<0.25	<0.05	-	-	220
	6/1/2005	-	-	-	-	-	-	-	-	170
	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	191
	6/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	201
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	191
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	155
	3/26/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	191
	8/11/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.005	<0.02	158
	3/18/2009	0.0032	0.0013	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	172
	8/20/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	159
	3/11/2010	<0.001	<0.001	<0.001	<0.001	0.072	<0.05	<0.050	<0.01	137
	8/10/2010	<0.001	<0.002	<0.001	<0.001	0.123	<0.05	<0.050	0.01	183
MW079SA	3/18/2004	<0.002	<0.002	<0.002	<0.006	<0.27	<0.05	0.11	-	970
	6/3/2004	-	-	-	-	-	-	<0.05	-	1010
	7/7/2004	-	-	-	-	-	-	<0.2	-	1100
	8/17/2004	-	-	-	-	-	-	<0.5	-	800
	10/10/2004	-	-	-	-	-	-	0.1	-	1130
	11/22/2004	-	-	-	-	-	-	0.016	-	860
	1/5/2005	-	-	-	-	-	-	<0.01	-	850
	1/27/2005	-	-	-	-	-	-	0.02	-	810
	2/16/2005	-	-	-	-	-	-	0.03	-	840
	3/15/2005	-	-	-	-	-	-	0.02	-	720
	4/18/2005	-	-	-	-	-	-	0.02	-	730
	6/2/2005	-	-	-	-	-	-	0.01	-	740
	6/20/2005	-	-	-	-	-	-	0.01	-	800
	7/20/2005	-	-	-	-	-	-	0.01	-	710
	2/3/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	917
	7/18/2006	<0.001	<0.001	<0.001	<0.003	0.14	<0.05	<0.015	<0.02	774
	3/28/2007	<0.001	<0.001	<0.001	<0.003	0.140	<0.05	<0.015	<0.02	508
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	418
	4/2/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	373
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0195	<0.02	340
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	322
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	398
	3/3/2010	<0.001	<0.002	<0.001	<0.001	<0.052	<0.05	<0.05	<0.01	249
	8/4/2010	0.055	0.042	<0.020	<0.020	0.09	0.093	<0.05	<0.01	287
MW080SA	3/17/2004	<0.002	<0.002	<0.002	<0.006	0.28	<0.05	<0.05	-	660
	6/3/2004	-	-	-	-	-	-	<0.05	-	800

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	7/7/2004	-	-	-	-	-	-	0.022	-	1400
	8/17/2004	-	-	-	-	-	-	<0.05	-	700
	10/11/2004	-	-	-	-	-	-	<0.05	-	720
	11/23/2004	-	-	-	-	-	-	0.03	-	980
	1/5/2005	-	-	-	-	-	-	0.03	-	760
	1/27/2005	-	-	-	-	-	-	0.02	-	680
	2/16/2005	-	-	-	-	-	-	0.02	-	830
	3/16/2005	-	-	-	-	-	-	0.02	-	710
	4/18/2005	-	-	-	-	-	-	0.03	-	700
	6/2/2005	-	-	-	-	-	-	0.02	-	720
	6/20/2005	-	-	-	-	-	-	0.02	-	730
	6/20/2005 Dup	-	-	-	-	-	-	0.01	-	750
	7/20/2005	-	-	-	-	-	-	0.02	-	700
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	615
	7/18/2006	<0.001	<0.001	<0.001	<0.003	0.13	<0.05	<0.015	<0.02	504
	3/28/2007	<0.001	<0.001	<0.001	<0.003	0.260	0.059	<0.015	<0.02	403
	9/7/2007	<0.001	<0.001	<0.001	<0.003	0.130	<0.05	<0.015	<0.02	344
	4/2/2008	<0.001	<0.001	<0.001	<0.003	0.250	0.071	<0.015	<0.02	332
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0195	<0.02	305
	3/23/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	280
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	735
	3/3/2010	<0.001	<0.002	<0.001	<0.001	<0.053	<0.05	<0.05	<0.01	229
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.058	<0.05	<0.05	<0.01	235
MW081SA	3/25/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.16	-	1020
	6/3/2004	-	-	-	-	-	-	0.05	-	1010
	7/7/2004	-	-	-	-	-	-	0.022	-	1100
	8/17/2004	-	-	-	-	-	-	0.08	-	1000
	10/10/2004	-	-	-	-	-	-	<0.05	-	950
	11/23/2004	-	-	-	-	-	-	0.04	-	1070
	1/5/2005	-	-	-	-	-	-	0.03	-	1020
	1/13/2005	-	-	-	-	-	-	0.03	-	1030
	1/27/2005	-	-	-	-	-	-	0.02	-	920
	2/16/2005	-	-	-	-	-	-	0.03	-	1060
	3/16/2005	-	-	-	-	-	-	0.01	-	950
	4/19/2005	-	-	-	-	-	-	0.01	-	920
	6/2/2005	-	-	-	-	-	-	<0.01	-	970
	6/21/2005	-	-	-	-	-	-	<0.05	-	1000
	7/20/2005	-	-	-	-	-	-	<0.01	-	990
	2/2/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1060
	7/18/2006	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	1120
	3/28/2007	<0.001	<0.001	<0.001	<0.003	0.170	<0.05	<0.015	<0.02	765
	9/7/2007	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.02	582
	4/2/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	<0.015	<0.02	483
	8/6/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.0195	<0.02	439
	3/23/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.02	510
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	1340
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.101	<0.05	<0.05	<0.01	485
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.069	<0.05	<0.05	<0.01	515
MW082SA	3/25/2004	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	<0.05	-	1200
	6/8/2004	-	-	-	-	-	-	<0.05	-	1300
	7/21/2004	-	-	-	-	-	-	0.12	-	1600
	8/23/2004	-	-	-	-	-	-	0.2	-	1950
	10/19/2004	-	-	-	-	-	-	1.8	-	1280
	12/8/2004	-	-	-	-	-	-	4	-	1340
	1/12/2005	-	-	-	-	-	-	0.07	-	1310
	2/2/2005	-	-	-	-	-	-	3.3	-	1230
	3/1/2005	-	-	-	-	-	-	0.2	-	1170
	3/24/2005	-	-	-	-	-	-	0.2	-	900

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID										
	Collection Date	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	4/27/2005	-	-	-	-	-	-	0.17	-	980
	5/25/2005	-	-	-	-	-	-	0.02	-	1000
	6/28/2005	-	-	-	-	-	-	0.11	-	990
	7/14/2005	-	-	-	-	-	-	0.09	-	910
	2/3/2006	<0.01	<0.01	<0.01	<0.03	-	-	0.0364	<0.02	940
	7/14/2006	<0.001	<0.001	<0.001	<0.003	0.48	<0.05	<0.015	<0.02	1210
	3/22/2007	0.0015	<0.001	<0.001	<0.003	0.370	<0.05	<0.0151	<0.02	1120
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.450	<0.05	<0.015	<0.2	1120
	3/26/2008	<0.005	<0.005	<0.005	<0.015	0.420	0.270	<0.015	<0.02	1200
	8/6/2008	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.0195	<0.02	1180
	3/18/2009	<0.001	<0.001	<0.001	<0.003	0.300	0.073	<0.015	<0.02	1380
	8/17/2009	<0.001	<0.001	<0.001	<0.003	0.250	<0.05	<0.015	<0.02	366
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.280	<0.05	<0.05	<0.01	968
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.329	<0.05	<0.05	<0.01	1600
MW083SA	3/25/2004	<0.002	<0.002	<0.002	<0.006	<0.27	<0.05	<0.05	-	1400
	6/8/2004	-	-	-	-	-	-	<0.05	-	1120
	7/22/2004	-	-	-	-	-	-	<0.5	-	830
	8/23/2004	-	-	-	-	-	-	0.2	-	1940
	10/19/2004	-	-	-	-	-	-	3.3	-	1560
	12/8/2004	-	-	-	-	-	-	3.7	-	1640
	1/13/2005	-	-	-	-	-	-	0.04	-	1420
	2/2/2005	-	-	-	-	-	-	2.1	-	1610
	3/1/2005	-	-	-	-	-	-	0.2	-	1720
	3/24/2005	-	-	-	-	-	-	0.1	-	1140
	4/27/2005	-	-	-	-	-	-	0.22	-	1100
	5/25/2005	-	-	-	-	-	-	0.03	-	1080
	6/28/2005	-	-	-	-	-	-	0.16	-	1080
	7/14/2005	-	-	-	-	-	-	0.13	-	1080
	2/3/2006	0.011	<0.005	0.008	<0.015	-	-	0.0466	<0.02	1080
	7/14/2006	<0.001	<0.001	<0.001	<0.003	1	0.055	0.0183	<0.02	1170
	7/14/2006 Dup	<0.001	<0.001	<0.001	<0.003	1.2	0.052	0.0232	<0.02	1260
	3/22/2007	0.0062	<0.001	<0.001	<0.003	0.430	<0.05	0.0189	0.08	1080
	9/6/2007	0.0018	<0.001	<0.001	<0.003	0.510	<0.05	<0.015	<0.5	1090
	3/25/2008	<0.005	<0.005	<0.005	<0.015	0.690	<0.25	<0.015	<0.2	1160
	8/6/2008	<0.001	<0.001	<0.001	<0.003	0.460	<0.05	0.0195	<0.02	1710
	3/18/2009	<0.001	<0.001	<0.001	<0.003	0.360	<0.05	<0.015	<0.02	1470
	8/17/2009	<0.001	<0.001	<0.001	<0.003	0.420	<0.05	<0.015	<0.02	1980
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.289	<0.05	<0.05	<0.01	241
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.381	<0.05	<0.05	<0.01	1360
MW084SA	3/24/2004	<0.002	<0.002	<0.002	<0.006	<0.29	<0.05	0.08	-	1800
	6/7/2004	-	-	-	-	-	-	0.1	-	1100
	7/22/2004	-	-	-	-	-	-	0.11	-	2800
	8/24/2004	-	-	-	-	-	-	0.1	-	2500
	10/20/2004	-	-	-	-	-	-	0.1	-	1990
	12/9/2004	-	-	-	-	-	-	0.1	-	2490
	1/13/2005	-	-	-	-	-	-	0.1	-	2320
	2/3/2005	-	-	-	-	-	-	0.09	-	1800
	3/2/2005	-	-	-	-	-	-	0.17	-	1890
	3/24/2005	-	-	-	-	-	-	0.1	-	2000
	4/27/2005	-	-	-	-	-	-	0.11	-	2330
	5/24/2005	-	-	-	-	-	-	0.1	-	1860
	6/28/2005	-	-	-	-	-	-	0.09	-	2220
	7/18/2005	-	-	-	-	-	-	0.11	-	2070
	2/3/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.151	0.16	2500
	7/14/2006	<0.001	<0.001	<0.001	<0.003	0.14	<0.05	0.129	0.13	1720
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.120	<0.05	0.187	0.15	2090
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.130	<0.05	0.192	0.18	2290
	3/25/2008	<0.001	<0.001	<0.001	<0.003	0.150	<0.05	0.192	0.2	2720

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.300	<0.05	0.18	0.17	2430
	3/17/2009	<0.001	<0.001	<0.001	<0.003	0.150	<0.05	0.176	0.17	2530
	8/13/2009	<0.001	<0.001	<0.001	<0.003	0.210	<0.05	0.0982	0.11	1980
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.178	<0.05	0.14	0.157	2350
MW0855A	8/3/2010	<0.001	<0.002	<0.001	<0.001	0.250	<0.05	0.102	0.127	2140
	3/25/2004	<0.002	<0.002	<0.002	<0.006	<0.26	<0.05	0.16	-	1180
	6/7/2004	-	-	-	-	-	-	<0.01	-	1660
	7/22/2004	-	-	-	-	-	-	<0.05	-	1700
	8/23/2004	-	-	-	-	-	-	0.01	-	1740
	10/20/2004	-	-	-	-	-	-	<0.05	-	1680
	12/9/2004	-	-	-	-	-	-	0.09	-	1510
	1/13/2005	-	-	-	-	-	-	0.07	-	1600
	2/2/2005	-	-	-	-	-	-	0.1	-	1520
	3/1/2005	-	-	-	-	-	-	0.01	-	1720
	3/24/2005	-	-	-	-	-	-	0.03	-	1350
	4/27/2005	-	-	-	-	-	-	0.07	-	1390
	5/24/2005	-	-	-	-	-	-	0.14	-	1330
	6/20/2005	-	-	-	-	-	-	0.04	-	1580
	6/20/2005 Dup	-	-	-	-	-	-	0.14	-	1410
	7/18/2005	-	-	-	-	-	-	0.1	-	1610
	2/3/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.103	<0.02	1480
	7/14/2006	<0.001	<0.001	<0.001	<0.003	0.31	<0.05	0.0191	<0.02	1840
	3/21/2007	<0.001	<0.001	<0.001	<0.003	0.480	<0.05	0.0256	<0.02	1380
	9/6/2007	<0.001	<0.001	<0.001	<0.003	0.880	<0.05	0.0176	<0.02	1270
	3/25/2008	<0.001	<0.001	<0.001	<0.003	0.490	<0.05	0.0266	<0.02	1740
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.0238	<0.02	1620
	3/18/2009	<0.001	<0.001	<0.001	<0.003	7.2	<0.05	0.0199	<0.02	1160
	8/17/2009	<0.001	<0.001	<0.001	<0.003	0.44	<0.05	0.0156	<0.02	1300
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.217	<0.05	<0.05	<0.01	921
	8/4/2010	<0.001	<0.002	<0.001	<0.001	0.479	<0.05	<0.05	<0.01	1460
MW0865A	9/14/2004	-	-	-	-	-	-	<0.05	-	2290
	10/7/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	-
	1/13/2005	-	-	-	-	-	-	0.02	-	2120
	1/13/2005 Dup	-	-	-	-	-	-	0.02	-	2300
	6/2/2005	-	-	-	-	-	-	0.01	-	1780
	1/27/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.058	0.052	1170
	7/12/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.115	0.13	1300
	4/11/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0787	0.075	1220
	9/21/2007	<0.001	0.0032	0.0089	<0.003	<0.095	<0.05	0.121	0.12	1010
	4/8/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0578	0.057	1090
	8/19/2008	<0.001	<0.001	0.0011	<0.003	<0.1	<0.05	0.0762	0.078	1250
	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.110	<0.05	0.0512	0.047	1390
	8/10/2009	<0.001	<0.001	<0.001	<0.001	0.120	<0.05	0.0601	0.063	1330
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.105	<0.05	0.055	0.074	1490
	8/5/2010	<0.001	<0.002	<0.001	<0.001	0.154	<0.05	<0.05	0.048	1430
MW087A	9/14/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	4.23	-	900
	10/5/2004	-	-	-	-	-	-	3.82	-	800
	11/9/2004	-	-	-	-	-	-	4.62	-	1060
	12/16/2004	-	-	-	-	-	-	4.78	-	1160
	1/13/2005	-	-	-	-	-	-	3.97	-	1260
	2/8/2005	-	-	-	-	-	-	2.23	-	1220
	3/8/2005	-	-	-	-	-	-	2.03	-	1180
	4/6/2005	-	-	-	-	-	-	1.99	-	1150
	5/11/2005	-	-	-	-	-	-	1.59	-	1150
	6/7/2005	-	-	-	-	-	-	1.56	-	1120
	7/6/2005	-	-	-	-	-	-	1.73	-	1140
	2/6/2006	<0.005	<0.005	<0.005	<0.015	-	-	0.449	<0.5	1560
	7/18/2006	<0.005	<0.005	<0.005	<0.015	6.4	0.27	0.144	<0.02	1100

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	4/13/2007	<0.002	<0.001	<0.001	<0.003	5.100	2.400	0.173	<0.02	1160
	4/15/2008	<0.005	<0.005	<0.005	<0.015	4.80	<0.25	0.187	<1	1550
	3/30/2009	<0.005	<0.005	<0.005	<0.015	1.7	<0.25	0.233	<0.2	1060
	3/10/2010	<0.001	<0.001	<0.001	<0.001	0.522	0.072	0.095	0.316	35.5
MW089SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.36	0.95	709
	2/9/2006 Dup	<0.001	<0.001	<0.001	<0.003	-	-	1.19	0.96	744
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	1.11	1.1	787
	7/21/2006 Dup	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	1.09	1.1	800
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.591	1.0	785
	4/9/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.15	1.1	909
	3/26/2009	<0.001	<0.001	<0.001	<0.003	<0.10	<0.05	1.07	1.1	1010
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.056	<0.05	1.24	1.24	714
MW090SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.437	0.45	575
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.42	0.52	630
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.484	0.49	633
	4/14/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	0.569	0.59	650
	3/17/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.634	0.54	652
	8/11/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.58	0.52	648
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.058	<0.05	0.488	0.452	596
MW091SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.746	0.67	679
	7/24/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.856	0.77	732
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	1.05	1.1	864
	4/7/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	1.16	0.57 *	819
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.821	0.88	834
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.054	<0.05	0.912	0.851	672
MW092SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.16	1	662
	7/24/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.901	0.76	607
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	1.3	1.4	841
	4/9/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.61	1.3	740
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.46	1.5	905
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.054	<0.05	1.48	1.46	751
MW093SA	2/9/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.689	0.62	684
	7/24/2006	<0.001	<0.001	<0.001	<0.003	0.11	<0.05	0.477	0.42	564
	4/5/2007	<0.001	<0.001	<0.001	<0.003	0.340	<0.05	0.615	0.97	732
	4/9/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.96	1.7	831
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	2	2	949
	3/8/2010	<0.001	<0.001	<0.001	<0.001	0.143	<0.05	2.37	2.42	877
IW003	12/17/2003	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.27	-	1800
	6/3/2004	-	-	-	-	-	-	0.13	-	3100
	7/8/2004	-	-	-	-	-	-	0.17	-	1500
	8/18/2004	-	-	-	-	-	-	0.16	-	2300
	10/11/2004	-	-	-	-	-	-	<0.5	-	1600
	1/6/2005	-	-	-	-	-	-	0.2	-	640
	1/27/2005	-	-	-	-	-	-	<0.1	-	500
	2/21/2005	-	-	-	-	-	-	0.2	-	660
	3/17/2005	-	-	-	-	-	-	0.2	-	550
	4/19/2005	-	-	-	-	-	-	0.2	-	560
	6/1/2005	-	-	-	-	-	-	0.1	-	460
	6/21/2005	-	-	-	-	-	-	0.07	-	650
	7/21/2005	-	-	-	-	-	-	0.1	-	600
	2/6/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.136	<2	1100
	2/6/2006 Dup	<0.1	<0.1	<0.1	<0.3	-	-	0.135	<2	1130
	7/25/2006	<0.01	<0.01	<0.01	<0.2	720	3.2	0.0305	<2	1080
	4/9/2007	<0.05	<0.05	<0.05	<0.015	2.400	<2.5	0.075	<2	1130
	4/3/2008	<0.01	<0.01	<0.01	<0.03	3.100	<0.5	0.075	<2	1130
	3/23/2009	<0.005	<0.005	<0.005	<0.015	2.100	<0.25	0.0152	<0.20	1050
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.625	<0.05	<0.50	<0.01	850

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
IW004	12/18/2003	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.62	-	680
	6/9/2004	-	-	-	-	-	-	0.17	-	2080
	7/8/2004	-	-	-	-	-	-	0.17	-	2900
	8/18/2004	-	-	-	-	-	-	0.14	-	1900
	10/11/2004	-	-	-	-	-	-	<0.5	-	1150
	1/6/2005	-	-	-	-	-	-	0.2	-	550
	1/27/2005	-	-	-	-	-	-	<0.1	-	310
	2/22/2005	-	-	-	-	-	-	0.1	-	660
	3/21/2005	-	-	-	-	-	-	0.1	-	350
	4/19/2005	-	-	-	-	-	-	0.1	-	590
	6/1/2005	-	-	-	-	-	-	0.09	-	470
	6/21/2005	-	-	-	-	-	-	<0.05	-	510
	7/21/2005	-	-	-	-	-	-	0.1	-	730
	2/6/2006	<0.025	<0.025	<0.025	<0.075	-	-	0.0693	<2	1430
	7/25/2006	<0.01	<0.01	<0.01	<0.03	440	1.6	0.0216	<2	1320
	4/9/2007	<0.005	<0.005	<0.005	<0.015	0.720	<0.25	0.0176	<0.2	1400
	4/3/2008	<0.005	<0.005	<0.005	<0.015	0.350	<0.25	<0.015	-	1610
	3/23/2009	<0.001	<0.001	<0.001	<0.003	0.390	<0.05	0.0182	<0.02	1570
	3/4/2010	<0.001	<0.001	<0.001	<0.001	-	<0.05	<0.05	<0.01	1760
	3/17/2010	-	-	-	-	0.147	-	-	-	-
IW005	12/18/2003	-	-	-	-	-	-	-	-	620
	2/25/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.19	-	-
	6/9/2004	-	-	-	-	-	-	0.12	-	1920
	7/8/2004	-	-	-	-	-	-	0.12	-	2100
	10/11/2004	-	-	-	-	-	-	<0.5	-	1340
	12/1/2004	-	-	-	-	-	-	0.51	-	1160
	1/6/2005	-	-	-	-	-	-	0.4	-	490
	1/27/2005	-	-	-	-	-	-	<0.1	-	190
	2/22/2005	-	-	-	-	-	-	0.3	-	430
	3/21/2005	-	-	-	-	-	-	0.1	-	270
	4/20/2005	-	-	-	-	-	-	0.1	-	270
	6/1/2005	-	-	-	-	-	-	0.2	-	330
	6/22/2005	-	-	-	-	-	-	0.09	-	370
	7/13/2005	-	-	-	-	-	-	0.3	-	430
	2/6/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.591	<2	781
	7/26/2006	<0.01	<0.01	<0.01	<0.03	1500	24	0.252	<2	887
	3/27/2007	<0.1	<0.1	<0.1	<0.3	3600	5000	0.135	<2	964
	4/12/2007	<0.1	<0.1	<0.1	<0.3	3,600	<5	0.102	<2	1210
	4/1/2008	<0.005	<0.005	<0.005	<0.015	3,200	<0.25	0.0781	<1	1140
	3/23/2009	<0.005	<0.005	<0.005	<0.015	1,500	<0.25	0.0311	<0.2	1690
	3/4/2010	<0.001	0.0014	<0.001	<0.001	-	<0.05	<0.50	0.148	1010
	3/16/2010	-	-	-	-	0.704	-	-	-	-
IW006	12/18/2003	-	-	-	-	-	-	0.06	-	550
	2/25/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	-	-	-
	6/9/2004	-	-	-	-	-	-	0.17	-	2700
	7/20/2004	-	-	-	-	-	-	0.17	-	2600
	8/18/2004	-	-	-	-	-	-	0.11	-	2100
	10/13/2004	-	-	-	-	-	-	<0.5	-	1620
	12/1/2004	-	-	-	-	-	-	0.41	-	1740
	1/10/2005	-	-	-	-	-	-	0.3	-	880
	1/31/2005	-	-	-	-	-	-	0.2	-	470
	2/22/2005	-	-	-	-	-	-	0.3	-	650
	3/22/2005	-	-	-	-	-	-	0.2	-	470
	4/20/2005	-	-	-	-	-	-	0.2	-	520
	5/31/2005	-	-	-	-	-	-	0.2	-	590
	6/22/2005	-	-	-	-	-	-	0.16	-	510
	7/13/2005	-	-	-	-	-	-	0.2	-	590
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.286	<2	628

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	2/7/2006 Dup	<0.1	<0.1	<0.1	<0.3	-	-	0.319	<2	622
	7/26/2006	<0.01	<0.01	<0.01	<0.03	32	2.4	0.0643	<2	772
	3/27/2007	<0.1	<0.1	<0.1	<0.3	2.1	5000	0.0592	<2	832
	4/12/2007	<0.1	<0.1	<0.1	<0.3	2.100	<5	0.04	<2	900
	4/1/2008	<0.005	<0.005	<0.005	<0.015	1.400	0.310	0.0287	<1	1000
	3/19/2009	<0.005	<0.005	<0.005	<0.015	0.670	<0.25	0.016	<1	915
	3/4/2010	<0.001	<0.001	<0.001	<0.001	-	<0.05	<0.05	0.065	887
	3/16/2010	-	-	-	-	0.206	-	-	-	-
	12/18/2003	-	-	-	-	-	-	<0.05	-	-
	2/26/2004	<0.002	<0.002	<0.002	<0.006	<0.3	<0.05	<0.01	-	840
IW007	6/9/2004	-	-	-	-	-	-	0.08	-	1630
	7/20/2004	-	-	-	-	-	-	0.11	-	2300
	8/19/2004	-	-	-	-	-	-	0.13	-	2500
	10/13/2004	-	-	-	-	-	-	<0.5	-	1590
	12/2/2004	-	-	-	-	-	-	0.2	-	1370
	1/10/2005	-	-	-	-	-	-	0.1	-	510
	1/31/2005	-	-	-	-	-	-	<0.1	-	300
	2/22/2005	-	-	-	-	-	-	0.1	-	450
	4/20/2005	-	-	-	-	-	-	<0.1	-	300
	5/31/2005	-	-	-	-	-	-	<0.1	-	420
	6/22/2005	-	-	-	-	-	-	0.07	-	470
	7/13/2005	-	-	-	-	-	-	<0.1	-	540
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.185	<2	572
	7/26/2006	<0.025	<0.025	<0.025	<0.075	3600	21	0.118	<2	527
	3/26/2007	<0.1	<0.1	<0.1	<0.3	3600	13,000	0.171	<2	637
	4/1/2008	<0.01	<0.01	<0.01	<0.03	3000	8,300	0.114	<2	714
	3/19/2009	0.0069	<0.005	<0.005	<0.015	6.6	0.400	0.0706	<2	880
	3/4/2010	<0.001	0.0014	0.0011	<0.001	2.46	<0.05	<0.50	0.469	821
	2/26/2004	-	-	-	-	-	-	0.02	-	210
	6/9/2004	-	-	-	-	-	-	0.07	-	1010
	7/20/2004	-	-	-	-	-	-	0.18	-	1800
IW008	8/19/2004	-	-	-	-	-	-	0.07	-	1200
	10/13/2004	-	-	-	-	-	-	<0.5	-	1090
	12/2/2004	-	-	-	-	-	-	0.1	-	730
	1/11/2005	-	-	-	-	-	-	<0.1	-	490
	2/2/2005	-	-	-	-	-	-	1.6	-	260
	2/23/2005	-	-	-	-	-	-	0.1	-	370
	3/22/2005	-	-	-	-	-	-	0.1	-	230
	4/25/2005	-	-	-	-	-	-	0.11	-	240
	5/31/2005	-	-	-	-	-	-	<0.1	-	260
	6/22/2005	-	-	-	-	-	-	0.06	-	240
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.128	<2	382
	7/26/2006	<0.025	<0.025	<0.025	<0.075	6.1	7.7	0.023	<2	572
	7/26/2006 Dup	<0.025	<0.025	<0.025	<0.075	6.2	4.1	0.0244	<2	531
	3/23/2007	<0.001	<0.001	<0.001	<0.003	3.900	0.082	0.0249	0.1	574
	4/1/2008	<0.005	<0.005	<0.005	<0.015	1.700	0.360	0.0166	<1	576
	3/19/2009	<0.005	<0.005	<0.005	<0.015	0.910	<0.250	<0.015	<1	604
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.409	<0.05	<0.05	0.087	64.7
	6/9/2004	-	-	-	-	-	-	0.11	-	2250
	7/20/2004	-	-	-	-	-	-	0.13	-	2600
	8/19/2004	-	-	-	-	-	-	0.08	-	1800
IW009	10/14/2004	-	-	-	-	-	-	<0.5	-	1730
	12/6/2004	-	-	-	-	-	-	0.24	-	1500
	1/11/2005	-	-	-	-	-	-	0.2	-	810
	2/2/2005	-	-	-	-	-	-	0.11	-	590
	2/23/2005	-	-	-	-	-	-	0.1	-	580
	3/23/2005	-	-	-	-	-	-	0.1	-	480
	4/25/2005	-	-	-	-	-	-	0.12	-	510

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>	<i>DRO</i>	<i>GRO</i>	<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	5/31/2005	-	-	-	-	-	-	0.2	-	430
	6/23/2005	-	-	-	-	-	-	0.09	-	580
	7/13/2005	-	-	-	-	-	-	<0.1	-	680
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.121	<2	606
	7/27/2006	<0.025	<0.025	<0.025	<0.075	2100	3.9	0.0557	<2	434
	3/23/2007	<0.025	<0.001	0.0048	<0.01	<5000	14.000	-	<0.4	-
	3/31/2008	<0.01	<0.005	<0.005	<0.015	-	6.000	0.0438	-	694
	3/19/2009	0.012	<0.010	0.0059	<0.030	-	3.400	<0.075	-	-
	3/4/2010	0.0021	<0.001	<0.001	<0.001	-	0.785	<0.50	0.586	1000
IW010	12/18/2003	-	-	-	-	-	-	0.09	-	330
	2/26/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.14	-	-
	6/9/2004	-	-	-	-	-	-	0.09	-	2050
	7/21/2004	-	-	-	-	-	-	0.17	-	2300
	8/19/2004	-	-	-	-	-	-	0.23	-	2300
	10/14/2004	-	-	-	-	-	-	<0.5	-	2000
	12/7/2004	-	-	-	-	-	-	0.79	-	1930
	1/11/2005	-	-	-	-	-	-	0.4	-	1510
	2/2/2005	-	-	-	-	-	-	2.1	-	1380
	2/24/2005	-	-	-	-	-	-	0.4	-	1400
	3/23/2005	-	-	-	-	-	-	0.4	-	1110
	4/25/2005	-	-	-	-	-	-	0.44	-	1190
	5/31/2005	-	-	-	-	-	-	1.5	-	1140
	6/23/2005	-	-	-	-	-	-	0.42	-	1120
	7/13/2005	-	-	-	-	-	-	0.4	-	940
	2/7/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.11	<2	970
	7/27/2006	<0.025	<0.025	<0.025	<0.075	1.2	<1.3	0.0236	<2	971
	3/23/2007	<0.005	<0.001	<0.001	<0.003	0.650	<0.05	0.0198	0.2	1020
	3/31/2008	<0.005	<0.005	<0.005	<0.015	<0.19	<0.025	<0.015	<0.5	1130
	3/19/2009	<0.005	<0.005	<0.005	<0.015	0.120	<0.250	<0.015	<0.02	1150
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.126	0.330	<0.050	<0.050	1100
IW011	12/18/2003	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	<0.05	-	1050
	6/8/2004	-	-	-	-	-	-	0.05	-	1500
	7/21/2004	-	-	-	-	-	-	0.09	-	2100
	8/19/2004	-	-	-	-	-	-	0.06	-	2000
	10/14/2004	-	-	-	-	-	-	<0.5	-	740
	12/7/2004	-	-	-	-	-	-	0.26	-	1100
	1/12/2005	-	-	-	-	-	-	<0.1	-	350
	2/2/2005	-	-	-	-	-	-	1.4	-	330
	2/24/2005	-	-	-	-	-	-	<0.1	-	470
	3/23/2005	-	-	-	-	-	-	<0.1	-	230
	4/26/2005	-	-	-	-	-	-	<0.1	-	360
	5/26/2005	-	-	-	-	-	-	<0.1	-	380
	6/23/2005	-	-	-	-	-	-	<0.05	-	320
	7/14/2005	-	-	-	-	-	-	<0.1	-	490
	2/8/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.0694	<2	624
	7/26/2006	<0.025	<0.025	<0.025	<0.075	1700	18	0.0272	<2	908
	3/22/2007	<0.1	<0.1	<0.1	<0.3	110	<5	0.0317	<1	980
	3/31/2008	<0.005	<0.005	<0.005	<0.015	5.100	<0.025	0.0263	<2.0	1080
	3/18/2009	<0.005	<0.005	<0.005	<0.015	2.200	<0.250	<0.015	<0.002	1000
	3/4/2010	<0.001	<0.001	<0.001	<0.001	0.997	0.188	<0.500	0.147	999
IW012	6/8/2004	-	-	-	-	-	-	0.08	-	2300
	8/19/2004	-	-	-	-	-	-	0.06	-	1600
	10/14/2004	-	-	-	-	-	-	<0.5	-	1020
	2/3/2005	-	-	-	-	-	-	0.2	-	430

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/30/2005	-	-	-	-	-	-	<0.1	-	-
	6/23/2005	-	-	-	-	-	-	0.05	-	-
	7/14/2005	-	-	-	-	-	-	<0.1	-	380
IW013	2/10/2004	<0.002	0.003	<0.002	<0.006	<0.25	<0.05	0.15	-	1080
	6/8/2004	-	-	-	-	-	-	0.3	-	2700
	7/21/2004	-	-	-	-	-	-	0.45	-	2000
	8/19/2004	-	-	-	-	-	-	0.19	-	1300
	10/19/2004	-	-	-	-	-	-	0.75	-	1620
	12/7/2004	-	-	-	-	-	-	1.29	-	1640
	1/12/2005	-	-	-	-	-	-	0.7	-	900
	2/3/2005	-	-	-	-	-	-	1	-	570
	2/24/2005	-	-	-	-	-	-	0.6	-	670
	3/24/2005	-	-	-	-	-	-	0.5	-	430
	4/26/2005	-	-	-	-	-	-	0.7	-	540
	5/25/2005	-	-	-	-	-	-	0.04	-	340
	6/23/2005	-	-	-	-	-	-	0.42	-	510
	7/14/2005	-	-	-	-	-	-	0.5	-	540
	2/8/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.418	<2	1160
	2/8/2006 Dup	<0.1	<0.1	<0.1	<0.3	-	-	0.411	<2	988
	7/27/2006	<0.025	<0.025	<0.025	<0.075	190	<1.3	0.0585	<2	952
	7/27/2006 Dup	<0.025	<0.025	<0.025	<0.075	220	<1.3	0.0592	<2	965
	3/22/2007	<0.002	<0.001	0.0027	<0.02	390	0.86	0.0311	<1	890
	3/26/2008	<0.005	<0.005	<0.005	<0.015	0.690	<0.025	<0.015	<0.2	1050
	3/18/2009	<0.001	<0.001	<0.001	<0.003	0.120	<0.050	<0.015	<0.02	1020
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.086	<0.050	<0.050	<0.01	976
IW014	2/11/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	<0.05	-	1400
	6/10/2004	-	-	-	-	-	-	0.07	-	1800
	7/21/2004	-	-	-	-	-	-	0.08	-	1800
	8/19/2004	-	-	-	-	-	-	<0.05	-	900
	10/19/2004	-	-	-	-	-	-	0.9	-	1140
	12/7/2004	-	-	-	-	-	-	0.32	-	1460
	1/13/2005	-	-	-	-	-	-	<0.1	-	490
	2/3/2005	-	-	-	-	-	-	0.1	-	340
	2/24/2005	-	-	-	-	-	-	<0.1	-	520
	3/24/2005	-	-	-	-	-	-	<0.1	-	220
	4/26/2005	-	-	-	-	-	-	<0.1	-	230
	5/25/2005	-	-	-	-	-	-	<0.01	-	180
	6/28/2005	-	-	-	-	-	-	0.08	-	330
	7/14/2005	-	-	-	-	-	-	<0.1	-	460
	2/13/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.199	<10	666
	2/13/2006 Dup	<0.1	<0.1	<0.1	<0.3	-	-	0.202	<2	565
	7/25/2006	0.098	<0.025	<0.5	<0.075	2400	70	0.072	<2	964
	7/25/2006 Dup	0.031	<0.02	<0.5	<0.5	2600	56	0.0755	<2	1010
	3/26/2007	<0.1	<0.1	<0.1	<0.3	1700	9.9	0.0494	<2	1080
	3/26/2008	<0.05	<0.05	<0.05	<0.15	170.000	<2.5	0.075	<1	1170
	3/18/2009	<0.005	<0.005	<0.005	<0.015	4.100	<0.25	0.0188	<0.002	1190
	3/3/2010	<0.001	0.0023	<0.001	<0.001	1.490	<0.05	<0.50	-	1090
IW015	2/25/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.24	-	1300
	6/3/2004	-	-	-	-	-	-	0.1	-	1700
	7/8/2004	-	-	-	-	-	-	0.27	-	2200
	8/18/2004	-	-	-	-	-	-	0.15	-	1700
	10/11/2004	-	-	-	-	-	-	<0.5	-	1990
	1/5/2005	-	-	-	-	-	-	0.3	-	1070
	2/21/2005	-	-	-	-	-	-	0.3	-	630

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	3/17/2005	-	-	-	-	-	-	0.2	-	450
	4/19/2005	-	-	-	-	-	-	0.2	-	370
	6/1/2005	-	-	-	-	-	-	0.17	-	420
	6/21/2005	-	-	-	-	-	-	0.24	-	490
	7/21/2005	-	-	-	-	-	-	0.21	-	810
	2/9/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.301	<2	1000
	7/25/2006	<0.01	<0.01	<0.01	<0.2	1600	5.2	0.157	<2	1050
	4/9/2007	<0.05	<0.05	<0.05	<0.003	20	<2.5	0.165	<2	1060
	4/3/2008	<0.01	<0.01	<0.01	<0.003	3.100	<0.5	0.075	<2	1040
	3/23/2009	0.0076	<0.005	<0.005	<0.015	2.600	<0.25	0.0566	<2	984
	3/3/2010	<0.001	<0.002	<0.001	<0.001	1.270	<0.05	<0.50	<0.01	849
IW016	2/11/2004	<0.002	<0.002	<0.002	<0.006	<0.25	<0.05	0.13	-	980
	6/3/2004	-	-	-	-	-	-	0.07	-	2300
	7/7/2004	-	-	-	-	-	-	<0.5	-	2100
	8/17/2004	-	-	-	-	-	-	<0.5	-	2500
	10/10/2004	-	-	-	-	-	-	<0.5	-	1750
	11/22/2004	-	-	-	-	-	-	0.2	-	143
	1/4/2005	-	-	-	-	-	-	0.1	-	630
	1/27/2005	-	-	-	-	-	-	0.2	-	340
	2/16/2005	-	-	-	-	-	-	0.2	-	510
	3/15/2005	-	-	-	-	-	-	<0.1	-	320
	4/19/2005	-	-	-	-	-	-	0.2	-	350
	6/1/2005	-	-	-	-	-	-	0.14	-	400
	6/21/2005	-	-	-	-	-	-	0.07	-	520
	7/20/2005	-	-	-	-	-	-	0.09	-	450
	2/8/2006	<0.1	<0.1	<0.1	<0.3	-	-	0.138	<2	848
	7/25/2006	<0.01	<0.01	<0.01	<0.03	2600	4.4	0.0484	<2	987
IW018	3/28/2007	<0.1	<0.1	<0.1	<0.003	19	<5	0.0293	<1	846
	4/2/2008	<0.005	<0.005	<0.005	<0.015	3.500	<0.250	0.0221	<2	769
	3/24/2009	<0.005	<0.005	<0.005	<0.015	4.500	<0.25	0.0202	<2	677
	3/3/2010	<0.001	<0.002	<0.001	<0.001	1.100	<0.05	<0.50	<0.01	486
	2/6/2006	0.0022	<0.001	<0.001	<0.003	-	-	2.88	0.27	1340
	7/21/2006	<0.001	<0.001	<0.001	<0.003	3.8	<0.05	<0.015	<0.02	400
	4/9/2007	<0.001	<0.001	<0.001	<0.003	2.2	<0.05	<0.015	<0.02	175
	4/9/2008	<0.001	<0.001	<0.001	<0.003	2.300	<0.05	1.08	0.29	1140
	3/24/2009	<0.001	<0.001	<0.001	<0.003	3.100	<0.05	0.248	0.18	1130
	3/25/2010	<0.001	<0.001	<0.001	<0.001	1.740	0.065	0.305	0.218	535
IW019	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.06	0.88	1780
	7/24/2006	<0.001	<0.001	<0.001	<0.003	0.93	<0.05	1.14	0.99	1800
	4/6/2007	<0.001	<0.001	<0.001	<0.003	0.740	<0.05	1.24	1.1	1620
	4/8/2008	<0.001	<0.001	<0.001	<0.003	0.47	<0.05	1.51	1.4	1680
	3/25/2009	<0.001	<0.001	<0.001	<0.003	0.61	<0.05	1.57	1.4	1730
	3/25/2010	<0.001	<0.001	<0.001	<0.001	0.724	<0.074	0.328	0.425	803
IW020	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.777	0.76	999
	7/24/2006	<0.001	<0.001	<0.001	<0.003	0.31	<0.05	0.898	0.8	521
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.51	1.5	1200
	4/8/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.79	1.7	1180
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	2	1.9	1350
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.116	<0.05	<0.05	1.29	1000
IW021	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.701	0.68	692
	7/24/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.93	0.81	673
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	1.14	1.2	753
	4/8/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	1.73	1.6	859
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	1.74	1.6	1000

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
IW022	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.1	<0.05	1.34	1.35	817
	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.526	0.5	624
	7/25/2006	<0.001	<0.001	<0.001	<0.003	<0.094	<0.05	0.489	0.46	662
	4/10/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.505	0.52	713
	4/7/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.785	0.82 *	781
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.525	0.53	670
	3/5/2010	<0.001	<0.001	<0.001	<0.001	0.085	<0.05	0.477	0.445	460
IW023	2/7/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.552	0.52	506
	7/25/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.158	0.15	500
	4/10/2007	0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.206	0.21	620
	4/7/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.248	0.20 *	659
	3/16/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.285	0.25	650
	8/11/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.3	0.28	637
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.052	<0.05	0.32	0.325	629
IW024	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	1.28	1.2	868
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	1.29	0.27	934
	4/3/2007	<0.001	<0.001	<0.001	<0.003	0.120	<0.05	1.12	1.3	827
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	1.41	1.3	808
	3/16/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	1.31	0.91	985
	8/11/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	1.47	1.2	1020
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.053	<0.05	1.35	1.44	910
IW025	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.377	0.39	584
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.645	0.63	632
	4/14/2008	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	1.19	1.2	801
	3/16/2009	<0.001	0.0015	0.001	0.0054	<0.097	<0.05	0.0479	<0.020	502
	8/13/2009	<0.001	<0.001	0.001	0.0058	0.19	<0.05	0.0387	<0.020	582
	3/2/2010	<0.001	<0.002	<0.001	0.0023	<0.051	<0.05	<0.050	0.217	627
IW026	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.499	0.47	612
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.618	0.6	583
	4/3/2007	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0403	0.035	467
	3/16/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	<0.015	<0.020	518
	8/13/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	<0.015	<0.020	460
	3/2/2010	<0.001	<0.002	<0.001	<0.001	0.075	<0.05	<0.050	-	-
	3/17/2010	-	-	-	-	-	-	-	<0.010	205
IW027	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.591	0.57	789
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.699	0.69	732
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.0352	0.023	197
	4/14/2008	<0.001	<0.001	<0.001	<0.003	<0.11	<0.05	0.41	0.42	575
	3/25/2009	<0.001	<0.001	<0.001	<0.003	<0.098	<0.05	0.383	0.38	2880
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.052	<0.05	0.347	0.383	497
IW028	6/16/2005	-	-	-	-	-	-	0.49	-	530
	2/8/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.991	0.99	682
	7/21/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.652	0.62	549
	4/4/2007	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.526	0.67	522
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	0.727	0.74	625
	4/7/2009	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.354	0.35	583
	3/8/2010	<0.001	<0.001	<0.001	<0.001	<0.055	<0.05	0.509	0.547	633
RW004A	10/1/2001	0.4	1.2	<0.002	<0.002	<0.25	0.63	-	2	1120
	12/6/2001	-	-	-	-	-	-	4.26 / 4.19	2 / 1.9	-
	12/7/2001	-	-	-	-	-	-	4.17	-	-
	12/8/2001	-	-	-	-	-	-	4.28	-	-
	2/4/2002	-	-	-	-	-	-	-	-	1100
	9/18/2002	<0.002	<0.002	<0.002	<0.002	<0.25	<0.05	-	-	860
	6/9/2003	-	-	-	-	-	-	2.61	-	860

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	DRO	GRO	Chromium	Chromium VI (hexavalent)	Chloride
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	6/9/2003 Dup	-	-	-	-	-	-	-	-	880
	7/1/2003	-	-	-	-	-	-	0.07	-	2300
	7/9/2003	-	-	-	-	-	-	0.08	-	3000
	7/15/2003	-	-	-	-	-	-	0.07	-	1900
	7/28/2003	-	-	-	-	-	-	0.6	-	1500
	8/21/2003	-	-	-	-	-	-	0.12	-	1500
	10/1/2003	-	-	-	-	-	-	0.41	-	4500
	10/29/2003	-	-	-	-	-	-	0.24	-	3000
	12/9/2003	-	-	-	-	-	-	0.21	-	1400
	1/8/2004	-	-	-	-	-	-	<0.5	-	1300
	3/2/2004	-	-	-	-	-	-	0.77	-	1800
	4/1/2004	-	-	-	-	-	-	0.1	-	1240
	5/4/2004	-	-	-	-	-	-	<0.5	-	2200
	6/8/2004	-	-	-	-	-	-	0.26	-	2700
	7/8/2004	-	-	-	-	-	-	0.3	-	1900
	8/11/2004	-	-	-	-	-	-	<0.05	-	2000
	9/16/2004	-	-	-	-	-	-	<0.2	-	1240
	10/5/2004	-	-	-	-	-	-	<0.05	-	1740
	11/9/2004	-	-	-	-	-	-	0.1	-	1170
	12/20/2004	-	-	-	-	-	-	<0.1	-	1140
	1/18/2005	-	-	-	-	-	-	<0.1	-	390
	2/14/2005	-	-	-	-	-	-	<0.1	-	260
	3/8/2005	-	-	-	-	-	-	<0.01	-	220
	4/11/2005	-	-	-	-	-	-	<0.1	-	410
	5/12/2005	-	-	-	-	-	-	<0.1	-	640
	6/8/2005	-	-	-	-	-	-	0.06	-	400
	7/7/2005	-	-	-	-	-	-	0.05	-	440
	2/10/2006	<0.05	<0.05	<0.05	<0.15	-	-	<0.015	<0.08	138
	7/19/2006	<0.01	<0.01	<0.01	<0.03	130	9.9	0.0213	<0.02	147
	4/11/2007	<0.1	<0.1	<0.1	<0.3	340	23	<0.075	<2.0	209
	4/16/2008	<0.01	<0.005	<0.005	<0.015	890	22	0.0712	<1	256
	3/31/2009	0.290	<0.01	0.230	0.034	710	19	0.0436	<0.2	291
	3/10/2010	<0.005	<0.005	<0.005	<0.005	1300	9.83	<0.050	0.842	126
EPWW1	1/26/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.125	<0.02	79.6
	7/6/2006	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	0.0259	<0.02	49.2
	4/6/2009	<0.001	<0.001	<0.001	<0.003	0.520	<0.05	<0.015	<0.02	255
	3/3/2010	<0.001	<0.002	<0.001	<0.001	0.093	<0.05	<0.05	<0.01	67.6
GOPWW2	1/19/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	1000
	6/28/2006	0.002	0.0079	0.0058	0.0048	0.15	0.082	<0.015	<0.02	1140
	4/23/2007	0.0027	<0.001	0.0015	-	<0.098	<0.05	<0.015	<0.02	1130
	9/10/2007	<0.001	<0.001	<0.001	<0.003	0.110	0.063	<0.015	<0.02	1320
	3/24/2008	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	2130
	8/5/2008	<0.001	<0.001	<0.001	<0.003	0.220	<0.05	<0.015	<0.02	1690
	3/17/2009	<0.001	<0.001	<0.001	<0.003	<0.1	<0.05	<0.015	<0.02	1600
	8/18/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	1420
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.054	<0.05	<0.05	<0.01	1530
	8/3/2010	<0.001	<0.002	<0.001	<0.001	0.941	<0.05	<0.05	0.121	1520
LordWW	1/23/2006	<0.001	<0.001	<0.001	<0.003	-	-	0.0677	<0.02	1260
	6/27/2006	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	71.3
	6/27/2006 Dup	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	<0.015	<0.02	62.6
	4/5/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	0.148	<0.02	1540
	9/18/2007	<0.001	<0.001	<0.001	<0.003	0.930	<0.5	<0.015	<0.02	1320
	3/26/2008	<0.001	<0.001	<0.001	<0.003	0.280	<0.05	0.0664	<0.02	1470
	8/13/2008	0.0083	0.0094	0.019	0.0039	<0.1	0.092	<0.015	<0.02	1380
	3/19/2009	0.018	0.0045	0.0014	<0.003	<0.3	0.080	<0.015	<0.02	1610

**ANALYTICAL RESULTS GROUNDWATER SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID		<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Xylenes (total)</i>			<i>Chromium</i>	<i>Chromium VI (hexavalent)</i>	<i>Chloride</i>
	Collection Date									
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.01	0.750	0.750	0.620	--	--	0.05	0.05	250
	8/21/2009	<0.001	<0.001	<0.001	<0.003	<0.095	<0.05	<0.015	<0.02	2040
	3/12/2010	<0.001	<0.001	<0.001	<0.001	<0.051	<0.05	<0.050	0.016	583
	8/18/2010	<0.001	<0.002	<0.001	<0.001	0.055	<0.05	<0.050	<0.01	1220
WoodellWW	1/24/2006	<0.001	<0.001	<0.001	<0.003	-	-	<0.015	<0.02	699
	6/27/2006	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	602
	3/29/2007	<0.001	<0.001	<0.001	<0.003	<0.097	<0.05	<0.015	<0.02	621
	4/15/2008	<0.001	<0.001	<0.001	<0.003	<0.099	<0.05	0.0523	0.035	305
	8/21/2008	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0254	<0.02	558
	3/24/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0296	0.022	690
	8/24/2009	<0.001	<0.001	<0.001	<0.003	<0.096	<0.05	0.0561	0.058	615
	3/2/2010	<0.001	<0.002	<0.001	<0.001	<0.051	<0.05	<0.05	0.035	478
	8/18/2010	<0.001	<0.002	<0.001	<0.001	0.073	<0.05	<0.05	0.019	380

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW001	5/31/2001	<0.05	<0.05	<0.05	267	-	66.2	8.1	418	<0.05	-	<0.002	<0.05	<0.05	-
	5/31/2001 Dup	<0.05	<0.05	<0.05	262	-	58.9	7.5	375	<0.05	-	<0.002	<0.05	<0.05	-
	2/7/2002	-	-	-	290	0.9	64.9	9	474	<0.005	0.99	-	-	-	-
	1/27/2006	<0.02	0.0575	<0.005	276	2.74	-	-	-	<0.02	0.832	<0.0002	<0.02	<0.005	<0.02
	1/27/2006 Dup	<0.02	0.0599	<0.005	277	2.9	-	-	-	<0.02	0.828	<0.0002	<0.02	<0.005	<0.02
	7/13/2006	<0.02	0.0587	<0.005	-	2.18	-	-	-	<0.015	0.766	-	0.0252	<0.005	<0.02
	4/19/2007	<0.02	-	-	281	4.09	-	-	-	-	0.895	-	-	-	-
	4/17/2008	<0.02	-	-	429	0.644	98.8	15	410	-	1.53	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.205	-	-	-	-	1.08	-	-	-	-
MW002	5/22/2001	<0.05	<0.05	<0.05	142	-	66.9	6.8	169	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	165	<0.1	74.2	7	187	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.058	<0.005	208	0.999	-	-	-	<0.02	0.0147	<0.0002	0.0222	<0.005	<0.02
	7/6/2006	<0.02	0.0441	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0235	<0.005	<0.02
	4/12/2007	<0.02	-	-	285	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/2/2008	<0.02	-	-	355	<0.2	160	12.1	320	-	<0.005	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
MW003	5/24/2001	<0.05	<0.05	<0.05	563	-	161	14	683	<0.05	-	<0.002	<0.05	<0.05	-
	1/30/2002	-	-	-	410	<0.1	112	8	590	<0.005	<0.05	-	-	-	-
	1/30/2002 Dup	-	-	-	420	<0.1	104	8	630	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0297	<0.005	257	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0396	<0.005	<0.02
	7/7/2006	<0.02	0.0251	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0486	<0.005	<0.02
	4/16/2007	<0.02	-	-	216	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	217	<0.2	62.4	7.27	390	-	<0.005	-	-	-	-
MW004	5/24/2001	<0.05	<0.05	<0.05	402	-	110	16	496	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	410	<0.1	109	12	590	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0374	<0.005	422	<0.2	-	-	-	<0.02	0.0209	<0.0002	0.0592	<0.005	<0.02
	7/7/2006	<0.02	0.0376	<0.005	-	<0.2	-	-	-	<0.015	0.0184	-	0.0619	<0.005	<0.02
	4/17/2007	<0.02	-	-	482	<0.2	-	-	-	-	0.0163	-	-	-	-
	4/15/2008	<0.02	-	-	517	<0.2	136	15.2	577	-	0.0055	-	-	-	-
	3/30/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0192	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
MW005	2/11/2002	-	-	-	222	6.4	86	17	404	<0.005	0.4	-	-	-	-
	2/11/2002 Dup	-	-	-	231	6.9	89.2	17	425	<0.005	0.37	-	-	-	-
	1/27/2006	<0.02	0.464	<0.005	269	5.8	-	-	-	<0.02	0.916	<0.0002	<0.02	<0.005	0.0358

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	7/13/2006	<0.02	0.366	<0.005	-	5.32	-	-	-	<0.015	0.807	-	<0.02	<0.005	<0.02
	4/19/2007	<0.02	-	-	302	9.94	-	-	-	-	0.837	-	-	-	-
	4/17/2008	<0.02	-	-	473	10.1	188	44.4	620	-	1.88	-	-	-	-
	4/7/2009	<0.02	-	-	-	8.04	-	-	-	-	0.807	-	-	-	-
	3/16/2010	<0.05	-	-	-	2.22	-	-	-	-	1.11	-	-	-	-
MW006	2/11/2002	-	-	-	300	2.4	103	44	890	<0.005	0.53	-	-	-	-
	4/23/2007	0.0264	-	-	375	29	-	-	-	-	3.24	-	-	-	-
	4/17/2008	0.0254	-	-	235	12.9	134	64.8	1460	-	3.84	-	-	-	-
	4/7/2009	0.0255	-	-	-	16.1	-	-	-	-	2.13	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.313	-	-	-	-	1.91	-	-	-	-
MW007	5/24/2001	<0.05	<0.05	<0.05	342	-	97.7	10	487	<0.05	-	<0.002	<0.05	<0.05	-
	1/30/2002	-	-	-	310	0.2	68.6	6	367	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.0373	<0.005	200	0.287	-	-	-	<0.02	0.0054	<0.0002	0.107	<0.005	<0.02
	7/7/2006	<0.02	0.0247	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0764	<0.005	<0.02
	4/16/2007	<0.02	-	-	169	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	128	<0.2	42.6	5.69	265	-	<0.005	-	-	-	-
MW008	5/31/2001	<0.05	<0.05	<0.05	739	-	165	16.2	778	<0.05	-	<0.002	0.08	<0.05	-
	8/29/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	2/4/2002	-	-	-	510	0.2	99	13	710	<0.005	<0.05	-	-	-	-
	6/9/2003	<0.05	-	-	612	<0.1	138	15.6	755	-	<0.05	-	-	-	-
	6/30/2003	<0.05	-	-	519	<0.1	98.5	13.1	757	-	<0.05	-	-	-	-
	7/9/2003	<0.05	-	-	641	<0.1	125	14.9	831	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	472	<0.1	122	18	647	-	<0.05	-	-	-	-
	7/28/2003	<0.02	-	-	537	<0.1	109	13.7	718	-	<0.05	-	-	-	-
	8/21/2003	<0.05	-	-	1230	<0.1	122	14.1	1530	-	<0.05	-	-	-	-
	9/29/2003	<0.05	-	-	570	<0.1	127	14.4	739	-	<0.05	-	-	-	-
	10/27/2003	<0.05	-	-	270	0.1	273	30.3	330	-	<0.05	-	-	-	-
	12/4/2003	<0.05	-	-	685	<0.1	131	15.3	6470	-	<0.05	-	-	-	-
	1/5/2004	<0.05	-	-	570	0.2	113	8.7	650	-	<0.05	-	-	-	-
	3/1/2004	<0.05	-	-	620	0.8	113	12.9	3380	-	<0.05	-	-	-	-
	3/31/2004	<0.01	0.05	<0.01	678	0.6	112	10.6	797	<0.01	<0.05	<0.002	0.07	<0.005	-
	5/4/2004	<0.01	-	-	557	0.1	119	11.7	789	-	<0.05	-	-	-	-
	6/7/2004	<0.01	-	-	698	0.2	169	16	787	-	<0.05	-	-	-	-
	7/7/2004	<0.01	-	-	575	0.94	114	12.7	798	-	0.02	-	-	-	-
	8/10/2004	<0.01	-	-	618	0.1	115	12.4	794	-	<0.05	-	-	-	-
	9/16/2004	<0.01	-	-	646	<0.1	145	12.4	824	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	10/4/2004	<0.01	-	-	605	<0.1	101	10.9	703	-	<0.05	-	-	-	-
	11/8/2004	<0.01	-	-	432	<0.4	92.7	10.5	634	-	<0.01	-	-	-	-
	12/16/2004	<0.01	-	-	549	<0.4	147	<100	826	-	<0.01	-	-	-	-
	1/13/2005	<0.01	-	-	449	<0.4	91.7	12.2	669	-	0.02	-	-	-	-
	2/8/2005	<0.01	-	-	541	<0.4	136	11	758	-	0.06	-	-	-	-
	3/8/2005	<0.01	-	-	469	3.84	84.6	13.6	620	-	0.33	-	-	-	-
	4/6/2005	<0.01	-	-	549	13.4	84.3	57	743	-	0.94	-	-	-	-
	5/11/2005	<0.01	-	-	422	23.9	91	14	598	-	1.73	-	-	-	-
	6/7/2005	<0.01	-	-	458	20.4	96.2	9.9	697	-	4.02	-	-	-	-
	7/6/2005	<0.01	-	-	506	16	107	9.3	841	-	4.18	-	-	-	-
	2/9/2006	<0.02	0.388	<0.005	414	69	-	-	-	<0.02	4.12	<0.0002	<0.02	<0.005	<0.02
	7/18/2006	0.0202	0.228	<0.005	-	60.1	-	-	-	<0.015	3.79	-	<0.02	<0.005	<0.02
	4/3/2007	0.0263	-	-	417	59.7	-	-	-	-	1.26	-	-	-	-
	4/15/2008	<0.02	-	-	405	36.3	127	14.4	513	-	0.508	-	-	-	-
	3/30/2009	0.0363	-	-	-	52.9	-	-	-	-	1.36	-	-	-	-
	3/10/2010	<0.05	-	-	-	4.56	-	-	-	-	1.51	-	-	-	-
MW008M	2/4/2002	-	-	-	560	<0.1	157	21	730	<0.005	<0.05	-	-	-	-
	2/4/2002 Dup	-	-	-	460	<1	105	20	650	<0.005	<0.05	-	-	-	-
	6/9/2003	<0.05	-	-	609	<0.1	161	23.7	692	-	<0.05	-	-	-	-
	6/30/2003	<0.05	-	-	485	<0.1	154	23.3	567	-	<0.05	-	-	-	-
	7/9/2003	<0.05	-	-	672	<0.1	147	22.3	818	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	589	<1	177	26	734	-	<0.05	-	-	-	-
	7/29/2003	<0.05	-	-	640	<0.1	147	21.8	740	-	<0.05	-	-	-	-
	8/21/2003	<0.05	-	-	826	<0.1	153	23.5	955	-	<0.05	-	-	-	-
	9/29/2003	<0.05	-	-	654	<0.1	149	22.3	772	-	<0.05	-	-	-	-
	10/27/2003	<0.05	-	-	656	<0.1	155	24.1	783	-	<0.05	-	-	-	-
	12/4/2003	<0.05	-	-	734	<0.1	164	28	6470	-	<0.05	-	-	-	-
	1/6/2004	<0.05	-	-	740	<0.1	181	17	760	-	<0.05	-	-	-	-
	3/1/2004	<0.05	-	-	667	0.2	164	20.5	774	-	<0.05	-	-	-	-
	4/1/2004	<0.01	-	-	759	1.4	199	16.2	873	-	0.2	<0.002	-	-	-
	5/4/2004	<0.01	-	-	685	0.5	153	19.4	785	-	<0.05	-	-	-	-
	6/7/2004	0.01	-	-	680	0.45	193	26.9	769	-	0.91	-	-	-	-
	7/7/2004	0.04	-	-	693	6.71	233	23.4	862	-	5.05	-	-	-	-
	8/10/2004	0.04	-	-	757	0.4	199	18.7	821	-	3.58	-	-	-	-
	9/16/2004	<0.01	-	-	645	2.4	220	16.3	804	-	<0.05	-	-	-	-
	10/4/2004	<0.01	-	-	660	7.3	212	14.6	698	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	11/9/2004	<0.01	-	-	800	19.7	350	18.6	950	-	<0.01	-	-	-	-
	12/16/2004	<0.01	-	-	756	11.5	336	<100	888	-	<0.01	-	-	-	-
	1/17/2005	<0.01	-	-	841	24.2	389	14.9	953	-	<0.01	-	-	-	-
	2/8/2005	<0.01	-	-	729	26.7	376	15	907	-	<0.01	-	-	-	-
	3/8/2005	0.01	-	-	669	19.6	334	15.6	928	-	3.57	-	-	-	-
	4/6/2005	0.01	-	-	567	11.5	428	14.4	1050	-	1.53	-	-	-	-
	5/11/2005	<0.01	-	-	475	8.69	320	17	774	-	1.56	-	-	-	-
	6/7/2005	<0.01	-	-	456	6.64	308	14.9	747	-	1.57	-	-	-	-
	7/6/2005	<0.01	-	-	502	2.54	205	14.6	674	-	2.14	-	-	-	-
	2/10/2006	0.0244	2.48	<0.005	860	17.4	-	-	-	<0.02	4.99	<0.002	<0.02	<0.005	<0.02
	2/10/2006 Dup	0.0229	2.62	<0.005	823	17.6	-	-	-	<0.02	5.2	<0.002	<0.02	<0.005	<0.02
	7/19/2006	<0.02	3.07	<0.005	-	5.26	-	-	-	<0.015	3.79	-	<0.02	<0.005	<0.02
	4/13/2007	0.0261	-	-	465	55.8	-	-	-	-	0.869	-	-	-	-
	4/16/2008	0.0322	-	-	390	31	533	32.4	802	-	0.457	-	-	-	-
	3/31/2009	0.0458	-	-	-	22.8	-	-	-	-	0.318	-	-	-	-
	3/10/2010	<0.25	-	-	-	3.99	-	-	-	-	<0.25	-	-	-	-
MW009	5/31/2001	<0.05	0.05	<0.05	292	-	71.8	8.1	412	<0.05	-	<0.002	0.06	<0.05	-
	1/29/2002	-	-	-	280	<0.1	83.3	8	442	<0.005	<0.05	-	-	-	-
	2/2/2006	<0.02	0.0524	<0.005	131	0.54	-	-	-	<0.02	0.007	<0.0002	0.0214	<0.005	<0.02
	7/13/2006	<0.02	0.0539	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/15/2008	<0.02	-	-	248	0.591	74.7	10.3	324	-	0.0085	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
MW010	5/24/2001	<0.05	<0.05	<0.05	680	-	288	17	529	<0.05	-	<0.002	<0.05	<0.05	-
	1/29/2002	-	-	-	670	<0.1	210	14	670	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.0573	<0.005	607	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0239	<0.005	<0.02
	6/30/2006	<0.02	0.057	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	6/30/2006 Dup	<0.02	0.0569	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0222	<0.005	<0.02
	4/11/2007	<0.02	-	-	641	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/18/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/7/2008	<0.02	-	-	624	<0.2	255	20.2	703	-	<0.005	-	-	-	-
	8/13/2008	0.024	-	-	-	<0.2	-	-	-	-	0.0071	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.097	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	0.013	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW011	5/31/2001	<0.05	<0.05	<0.05	688	-	124	14.4	637	<0.05	-	<0.002	0.07	<0.05	-
	8/30/2001	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-
	1/31/2002	-	-	-	630	0.5	142	15	730	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	638	<0.1	135	16.2	739	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	592	<0.1	127	16.3	707	-	<0.05	-	-	-	-
	7/8/2003	<0.05	-	-	640	<1	168	19	804	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	572	<0.1	140	16.8	757	-	<0.05	-	-	-	-
	7/29/2003	<0.05	-	-	640	0.1	135	16.4	740	-	<0.05	-	-	-	-
	8/19/2003	<0.05	-	-	649	<0.1	135	17.2	771	-	0.1	-	-	-	-
	9/29/2003	<0.05	-	-	596	<0.1	131	17	729	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	334	<0.1	83.9	11.4	408	-	<0.05	-	-	-	-
	12/8/2003	<0.05	-	-	578	<0.1	131	15.4	702	-	<0.05	-	-	-	-
	1/6/2004	<0.05	-	-	770	<0.1	156	11.7	710	-	<0.05	-	-	-	-
	3/2/2004	<0.05	-	-	540	0.6	120	11.1	661	-	1.75	-	-	-	-
	4/1/2004	0.01	-	-	644	<0.1	152	16	661	-	<0.05	<0.002	-	-	-
	5/18/2004	<0.01	-	-	635	0.5	137	12.3	667	-	<0.05	-	-	-	-
	6/14/2004	<0.01	-	-	540	0.2	124	10.5	638	-	<0.05	-	-	-	-
	7/13/2004	<0.01	-	-	577	0.3	138	13	712	-	<0.05	-	-	-	-
	8/12/2004	<0.01	-	-	571	0.1	123	10.1	618	-	<0.05	-	-	-	-
	9/15/2004	<0.01	-	-	627	<0.1	136	13.5	836	-	<0.05	-	-	-	-
	10/5/2004	<0.01	-	-	990	<0.1	135	13.1	1320	-	<0.05	-	-	-	-
	11/16/2004	<0.01	-	-	618	0.89	128	11.6	761	-	0.05	-	-	-	-
	12/29/2004	<0.01	-	-	490	<0.4	150	12.8	660	-	0.03	-	-	-	-
	1/25/2005	<0.01	-	-	490	<0.4	171	<100	769	-	0.01	-	-	-	-
	2/8/2005	<0.01	-	-	544	<0.4	183	18	761	-	0.01	-	-	-	-
	3/9/2005	<0.01	-	-	652	<0.4	175	17.7	815	-	0.01	-	-	-	-
	4/12/2005	<0.01	-	-	1330	4.13	578	14.1	826	-	<0.01	-	-	-	-
	5/12/2005	<0.01	-	-	639	<0.4	195	16	622	-	0.03	-	-	-	-
	6/8/2005	<0.01	-	-	676	<0.4	167	12.3	655	-	0.03	-	-	-	-
	7/11/2005	<0.01	-	-	818	<0.4	175	14.2	792	-	0.04	-	-	-	-
	2/9/2006	<0.02	0.0666	<0.005	712	0.94	-	-	-	<0.02	0.187	<0.0002	0.0665	<0.005	0.036
	7/19/2006	<0.02	0.0269	<0.005	-	<0.2	-	-	-	<0.015	0.11	-	0.0751	<0.005	<0.02
	3/29/2007	<0.02	-	-	543	<0.2	-	-	-	-	0.0204	-	-	-	-
	4/16/2008	<0.02	-	-	705	<0.2	195	27.7	719	-	0.0333	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0337	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.052	-	-	-	-	0.486	-	-	-	-
MW011M	2/4/2002	-	-	-	670	<0.1	262	17	760	<0.005	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/10/2003	<0.05	-	-	596	<0.1	220	18.9	634	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	670	<0.1	224	17.9	730	-	0.05	-	-	-	-
	7/8/2003	<0.05	-	-	580	<1	258	24	670	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	592	<0.1	229	21.8	709	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	1290	<0.1	219	19.5	1380	-	0.06	-	-	-	-
	8/19/2003	<0.05	-	-	4240	<0.1	227	20.7	5330	-	0.12	-	-	-	-
	9/29/2003	<0.05	-	-	574	<0.1	228	19	648	-	0.06	-	-	-	-
	10/28/2003	<0.05	-	-	326	<0.1	143	14.4	371	-	0.05	-	-	-	-
	12/4/2003	<0.05	-	-	610	<0.1	270	14	687	-	0.06	-	-	-	-
	1/6/2004	<0.05	-	-	760	<0.1	284	10.6	550	-	<5	-	-	-	-
	3/2/2004	<0.05	-	-	618	0.7	187	17.5	856	-	<0.05	-	-	-	-
	4/1/2004	<0.01	-	-	554	0.1	162	19.4	619	-	<0.05	<0.002	-	-	-
	5/18/2004	<0.01	-	-	677	<0.1	212	16.1	777	-	4.82	-	-	-	-
	6/14/2004	<0.01	-	-	436	7.3	137	14	468	-	1.86	-	-	-	-
	7/13/2004	<0.01	-	-	584	3.2	163	19.9	623	-	3.26	-	-	-	-
	8/16/2004	<0.01	-	-	679	1	165	16.2	698	-	3.64	-	-	-	-
	9/15/2004	0.01	-	-	835	16.4	383	12.3	850	-	<0.05	-	-	-	-
	10/5/2004	<0.01	-	-	1660	17.2	731	13.2	1480	-	<0.05	-	-	-	-
	11/16/2004	0.04	-	-	840	14.1	380	11.7	840	-	<0.01	-	-	-	-
	12/29/2004	<0.01	-	-	1330	52.9	570	16.4	1050	-	<0.01	-	-	-	-
	1/25/2005	<0.01	-	-	1060	2.62	477	<100	870	-	<0.01	-	-	-	-
	2/9/2005	<0.01	-	-	1280	2.18	533	16	871	-	0.81	-	-	-	-
	3/9/2005	<0.01	-	-	1440	2.22	604	14.6	923	-	34.4	-	-	-	-
	4/12/2005	<0.01	-	-	2650	<0.4	169	13.4	720	-	0.02	-	-	-	-
	5/12/2005	<0.01	-	-	999	7.98	585	13	821	-	7.85	-	-	-	-
	6/8/2005	<0.05	-	-	679	10.5	559	63.2	766	-	3.33	-	-	-	-
	7/11/2005	<0.05	-	-	660	15.5	640	16	890	-	2.81	-	-	-	-
	2/10/2006	<0.02	0.733	<0.005	419	6.61	-	-	-	<0.02	0.985	<0.004	<0.02	<0.005	<0.02
	7/19/2006	0.0203	0.546	<0.005	-	<0.2	-	-	-	<0.015	0.128	-	<0.02	<0.005	<0.02
	7/19/2006 Dup	0.0225	0.546	<0.005	-	<0.2	-	-	-	<0.015	0.131	-	<0.02	<0.005	<0.02
	3/29/2007	0.0327	-	-	209	<0.275	-	-	-	-	0.0449	-	-	-	-
	4/16/2008	<0.02	-	-	343	5.71	373	39.5	691	-	0.869	-	-	-	-
	3/31/2009	<0.02	-	-	-	6.21	-	-	-	-	0.628	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.547	-	-	-	-	0.786	-	-	-	-
MW012	5/30/2001	<0.05	<0.05	<0.05	541	-	108	45.1	461	<0.05	-	<0.002	0.05	<0.05	-
	5/30/2001 Dup	<0.05	<0.05	<0.05	606	-	106	44.5	457	<0.05	-	<0.002	0.05	<0.05	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/27/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/31/2002	-	-	-	430	0.3	119	40	540	<0.005	<0.05	-	-	-	-
	1/31/2002 Dup	-	-	-	490	0.3	120	39	580	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	447	0.1	90.7	35	485	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	400	0.3	86.6	33	485	-	<0.05	-	-	-	-
	7/7/2003	<0.05	-	-	383	0.1	104	25	467	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	438	0.3	106	26	522	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	430	0.7	89.9	24.5	490	-	<0.05	-	-	-	-
	8/20/2003	<0.05	-	-	320	<0.1	138	12.3	318	-	<0.05	-	-	-	-
	9/30/2003	<0.05	-	-	604	0.3	106	33	706	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	514	0.2	141	31	593	-	<0.05	-	-	-	-
	12/8/2003	<0.05	-	-	310	<0.1	96.4	23.2	362	-	<0.05	-	-	-	-
	1/7/2004	<0.05	-	-	385	0.3	109	21	416	-	<0.05	-	-	-	-
	2/18/2004	<0.05	-	-	560	0.5	119	18.5	640	-	<0.05	-	-	-	-
	4/6/2004	0.01	-	-	437	0.4	107	16.8	490	-	<0.05	-	-	-	-
	5/6/2004	0.01	-	-	451	0.1	113	17.7	533	-	<0.05	-	-	-	-
	6/8/2004	0.02	-	-	526	0.6	122	17	513	-	<0.05	-	-	-	-
	7/13/2004	0.01	-	-	534	1.3	125	20.1	544	-	<0.05	-	-	-	-
	8/12/2004	0.01	-	-	539	0.2	121	17.3	518	-	<0.05	-	-	-	-
	9/9/2004	0.01	-	-	416	0.1	108	16.9	467	-	<0.05	-	-	-	-
	10/6/2004	<0.01	-	-	3850	<0.1	88.1	19.5	4640	-	<0.05	-	-	-	-
	11/10/2004	<0.01	-	-	343	<0.4	86.5	19.2	434	-	<0.01	-	-	-	-
	12/28/2004	<0.01	-	-	401	<0.4	81.4	18.6	504	-	<0.01	-	-	-	-
	1/18/2005	<0.01	-	-	393	<0.4	87.5	17.7	505	-	<0.01	-	-	-	-
	2/9/2005	<0.01	-	-	440	<4	130	25	522	-	<0.1	-	-	-	-
	3/10/2005	<0.01	-	-	428	0.57	105	23	422	-	0.01	-	-	-	-
	4/13/2005	<0.01	-	-	370	<0.4	86.1	17.1	382	-	<0.01	-	-	-	-
	5/17/2005	<0.01	-	-	392	<0.4	82.8	19.3	394	-	<0.01	-	-	-	-
	6/9/2005	<0.01	-	-	398	<0.4	94	19.6	407	-	<0.01	-	-	-	-
	7/11/2005	<0.01	-	-	392	<0.4	90.8	20.2	392	-	<0.01	-	-	-	-
	2/10/2006	<0.02	0.0612	<0.005	393	<0.2	-	-	-	<0.02	0.0798	<0.0002	0.0249	<0.005	<0.02
	7/20/2006	<0.02	0.737	<0.005	-	11.1	-	-	-	<0.015	0.95	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	327	1.54	-	-	-	-	0.0517	-	-	-	-
	4/17/2008	0.0316	-	-	381	18.7	135	14	341	-	4.05	-	-	-	-
	4/1/2009	0.0335	-	-	-	5.95	-	-	-	-	6.9	-	-	-	-
	3/11/2010	0.053	-	-	-	0.376	-	-	-	-	5.76	-	-	-	-
MW012M	2/4/2002	-	-	-	290	<0.1	118	12	250	<0.005	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/10/2003	<0.05	-	-	347	<0.1	142	11	323	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	361	<0.1	147	11.8	358	-	<0.05	-	-	-	-
	7/7/2003	<0.05	-	-	291	<0.1	119	12.2	298	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	325	<0.1	138	13	340	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	340	<0.1	128	12.3	330	-	<0.05	-	-	-	-
	8/20/2003	<0.05	-	-	404	<0.1	91.3	29	482	-	<0.05	-	-	-	-
	9/30/2003	<0.05	-	-	305	<0.1	148	11	301	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	155	<0.1	76.4	8.4	158	-	<0.05	-	-	-	-
	12/9/2003	<0.05	-	-	335	<0.1	136	10.6	321	-	<0.05	-	-	-	-
	1/7/2004	<0.05	-	-	333	<0.1	127	8.5	215	-	<0.05	-	-	-	-
	2/19/2004	<0.05	-	-	400	1.6	135	9.9	400	-	<0.05	-	-	-	-
	4/6/2004	<0.01	-	-	336	0.2	131	9	249	-	<0.05	-	-	-	-
	5/6/2004	<0.01	-	-	299	0.2	130	9.9	319	-	<0.05	-	-	-	-
	6/8/2004	<0.01	-	-	360	0.2	129	9.5	249	-	<0.05	-	-	-	-
	7/14/2004	0.02	-	-	309	0.3	132	10.4	317	-	0.58	-	-	-	-
	8/12/2004	0.07	-	-	331	0.2	133	7	242	-	4.61	-	-	-	-
	9/9/2004	0.11	-	-	281	0.1	166	7.2	282	-	<0.05	-	-	-	-
	10/6/2004	0.08	-	-	275	0.3	158	8.1	335	-	2.37	-	-	-	-
	11/10/2004	0.06	-	-	230	<0.4	164	<10	297	-	2.82	-	-	-	-
	12/28/2004	0.03	-	-	191	<0.4	173	<100	287	-	1.36	-	-	-	-
	1/18/2005	0.04	-	-	169	<0.4	153	<10	245	-	1.01	-	-	-	-
	2/9/2005	<0.01	-	-	202	5.33	167	<10	251	-	0.65	-	-	-	-
	3/10/2005	0.05	-	-	205	<0.4	158	<10	251	-	0.61	-	-	-	-
	4/13/2005	0.03	-	-	188	<0.4	115	7.3	180	-	0.61	-	-	-	-
	5/18/2005	0.02	-	-	159	<0.4	124	7.7	201	-	0.54	-	-	-	-
	6/14/2005	0.02	-	-	174	<0.4	140	8.4	223	-	0.67	-	-	-	-
	7/12/2005	0.01	-	-	169	<0.4	141	7.5	210	-	0.59	-	-	-	-
	2/13/2006	0.0393	2.84	<0.005	1590	271	-	-	-	<0.02	50.2	<0.004	<0.02	<0.005	<0.02
	7/20/2006	0.0497	3.42	0.0315	-	514	-	-	-	0.0176	72.5	-	<0.1	<0.005	<0.02
	4/5/2007	0.1	-	-	2890	1130	-	-	-	-	92.6	-	-	-	-
	4/17/2008	0.139	-	-	2890	899	600	40.6	372	-	44.4	-	-	-	-
	4/1/2009	0.137	-	-	-	91.8	-	-	-	-	2.06	-	-	-	-
	3/11/2010	<0.05	-	-	-	1.23	-	-	-	-	<0.050	-	-	-	-
MW013	5/23/2001	<0.05	<0.05	<0.05	494	-	136	11.4	659	<0.05	-	<0.002	0.11	<0.05	-
	8/27/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/29/2002	-	-	-	480	0.1	131	12	740	<0.005	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/26/2006	<0.02	0.0258	<0.005	467	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0632	<0.005	<0.02
	7/5/2006	<0.02	0.0233	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0626	<0.005	<0.02
	4/18/2007	<0.02	-	-	425	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/20/2007	<0.02	-	-	-	0.399	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	299	<0.2	92.3	11.3	384	-	<0.005	-	-	-	-
	8/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/1/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/10/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.065	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	<0.01	-	-	-	0.165	-	-	-	-	<0.050	-	-	-	-
	5/24/2001	<0.05	0.05	<0.05	281	-	80.5	30	1260	<0.05	-	<0.002	<0.05	<0.05	-
MW014	8/27/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/30/2002	-	-	-	250	0.2	69.6	15	1360	<0.005	<0.05	-	-	-	-
	1/30/2002 Dup	-	-	-	230	<0.1	68.2	15	1280	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0614	<0.005	296	<0.2	-	-	-	<0.02	0.0337	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0508	<0.005	-	<0.2	-	-	-	<0.02	0.037	-	<0.02	<0.005	<0.02
	4/13/2007	<0.02	-	-	237	<0.2	-	-	-	-	0.037	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.289	-	-	-	-	0.0457	-	-	-	-
	4/7/2008	0.0203	-	-	270	<0.2	101	15.5	996	-	0.0488	-	-	-	-
	4/1/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/10/2009	0.0283	-	-	-	<0.2	-	-	-	-	0.354	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.135	-	-	-	-	0.629	-	-	-	-
	8/9/2010	0.034	-	-	-	<0.1	-	-	-	-	0.385	-	-	-	-
MW015	5/17/2001	<0.05	0.06	<0.05	433	-	124	21.5	1460	<0.05	-	<0.002	<0.05	<0.05	-
	1/22/2002	-	-	-	500	0.2	156	33	1650	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0675	<0.005	569	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0353	<0.005	<0.02
	6/29/2006	<0.02	0.0701	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0272	<0.005	<0.02
	3/22/2007	<0.02	-	-	531	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	<0.02	-	-	523	<0.2	186	17.3	884	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.084	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW017A	5/17/2001	<0.05	<0.05	<0.05	34.9	-	16.9	7.1	101	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	38	<0.05	18.1	7	114	<0.005	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/24/2006	0.0226	0.0412	<0.005	38.4	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	0.0206	0.0342	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/21/2007	0.0226	-	-	48.5	<0.2	-	-	-	-	<0.005	-	-	-	-
MW018	5/17/2001	<0.05	<0.05	<0.05	135	-	50.3	6.1	165	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	152	<0.05	57	7	218	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.0483	<0.005	119	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	1/23/2006 Dup	0.021	0.0517	<0.005	121	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0422	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	133	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	<0.02	-	-	104	<0.2	44.8	6.29	263	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW020	6/7/2001	<0.05	0.06	<0.05	132	-	63.5	7.6	252	<0.05	-	<0.002	<0.05	<0.05	-
	2/6/2002	-	-	-	166	0.2	81.1	9	314	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0573	<0.005	233	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	1/25/2006 Dup	<0.02	0.0582	<0.005	235	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0583	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/4/2007	0.202	-	-	200	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/18/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2008	<0.02	-	-	229	0.862	103	11.7	371	-	0.0104	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.095	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.019	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/18/2001	<0.05	<0.05	<0.05	109	-	39.5	7.4	614	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	96	<0.1	36.3	8	658	<0.005	0.1	-	-	-	-
MW021	1/24/2006	0.0202	0.0484	<0.005	71.7	0.374	-	-	-	<0.02	0.215	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0433	<0.005	-	<0.2	-	-	-	<0.02	0.15	-	<0.02	<0.005	<0.02
	4/9/2007	<0.02	-	-	65.2	<0.2	-	-	-	-	0.173	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.173	-	-	-	-
	4/1/2008	0.0276	-	-	56.4	<0.2	22.1	6.66	500	-	0.231	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.198	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.396	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.172	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.102	-	-	-	-	0.291	-	-	-	-
	8/16/2010	0.026	-	-	-	<0.1	-	-	-	-	0.099	-	-	-	-
MW023	5/29/2001	<0.05	<0.05	<0.05	519	-	134	10.5	869	<0.05	-	<0.002	<0.05	<0.05	-
	5/29/2001 Dup	<0.05	<0.05	<0.05	422	-	136	11	708	<0.05	-	<0.002	<0.05	<0.05	-
	8/30/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	2/7/2002	-	-	-	480	<0.1	173	14	860	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0279	<0.005	408	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0216	<0.005	<0.02
	6/26/2006	<0.02	0.0273	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0227	<0.005	<0.02
	4/18/2007	<0.02	-	-	398	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/21/2007	0.0212	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	<0.02	-	-	394	<0.2	168	14.9	527	-	<0.005	-	-	-	-
	8/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	0.0218	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.067	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW024	1/9/2003	<0.05	0.94	<0.05	282	-	68.4	10.5	183	<0.05	-	<0.0002	<0.05	<0.05	-
	1/24/2006	<0.02	0.0972	<0.005	189	<0.2	-	-	-	<0.02	0.0266	<0.0002	<0.02	<0.005	<0.02
	6/27/2006	<0.02	0.0916	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/11/2007	<0.02	-	-	229	<0.2	-	-	-	-	0.0682	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.0144	-	-	-	-
	4/7/2008	<0.02	-	-	256	<0.2	136	13.1	259	-	0.0267	-	-	-	-
	8/13/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0114	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.007	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.091	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	0.013	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/29/2001	<0.05	<0.05	<0.05	402	-	132	10.4	390	<0.05	-	<0.002	<0.05	<0.05	-
	8/27/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/31/2002	-	-	-	310	<0.1	111	11	380	<0.005	<0.05	-	-	-	-
MW025	1/24/2006	<0.02	0.0508	<0.005	163	<0.2	-	-	-	<0.02	0.009	<0.0002	<0.02	<0.005	<0.02
	7/5/2006	<0.02	0.0606	<0.005	-	<0.2	-	-	-	<0.015	0.0104	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	232	<0.2	-	-	-	-	7	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.011	-	-	-	-
	3/24/2008	<0.02	-	-	226	<0.2	95.5	10	189	-	0.0112	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0105	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW026	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0129	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0125	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.033	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/18/2001	<0.05	<0.05	<0.05	338	-	100	8.8	186	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	270	<0.05	70.4	12	176	<0.005	<0.05	-	-	-	-
	1/19/2006	<0.02	0.0673	<0.005	290	0.664	-	-	-	<0.02	0.0095	<0.0002	0.0237	<0.005	<0.02
	6/23/2006	<0.02	0.0537	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0256	<0.005	<0.02
	4/5/2007	<0.02	-	-	293	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW027	3/25/2008	<0.02	-	-	365	<0.2	126	11.1	206	-	<0.05	-	-	-	-
	8/11/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.006	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/13/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	5/18/2001	<0.05	0.07	<0.05	139	-	38	6.5	159	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	178	0.11	47.8	7	170	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.0578	<0.005	174	0.528	-	-	-	<0.02	0.0104	<0.0002	<0.02	<0.005	<0.02
	6/23/2006	<0.02	0.0493	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	0.0407
	3/21/2007	<0.02	-	-	203	1.03	-	-	-	-	0.0207	-	-	-	-
	9/14/2007	<0.02	-	-	-	4.24	-	-	-	-	0.0949	-	-	-	-
MW028	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.139	-	-	-	-	<0.050	-	-	-	-
	8/3/2010	<0.01	-	-	-	0.125	-	-	-	-	<0.050	-	-	-	-
	5/22/2001	<0.05	0.07	<0.05	139	-	42.3	7.7	723	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	158	<0.05	45.9	8	791	<0.005	<0.05	-	-	-	-
	1/18/2006	<0.02	0.0571	<0.005	70.4	0.318	-	-	-	<0.02	0.0079	<0.0002	<0.02	<0.005	<0.02
	6/20/2006	<0.02	0.039	<0.005	-	<0.2	-	-	-	<0.02	0.0076	-	<0.02	<0.005	<0.02
	3/21/2007	<0.02	-	-	50.9	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2008	0.0275	-	-	44.9	<0.2	12	5.15	442	-	<0.005	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0071	-	-	-	-
	3/19/2009	0.0211	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW029	8/24/2009	0.0255	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.177	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	0.025	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW029	5/18/2001	<0.05	0.14	<0.05	132	-	36.6	11	106	<0.05	-	<0.002	<0.05	<0.05	-
	2/6/2002	-	-	-	400	0.7	39.5	7	111	<0.005	0.11	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/18/2006	<0.02	0.0856	<0.005	111	1.27	-	-	-	<0.02	0.0183	<0.0002	0.025	<0.005	<0.02
	6/20/2006	0.0243	0.0437	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/28/2007	0.0243	-	-	85	0.222	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	0.0208	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/20/2008	0.021	-	-	85.8	<0.2	36.1	5.46	93.6	-	<0.005	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/24/2009	0.0239	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.037	-	-	-	-	<0.050	-	-	-	-
	8/13/2010	0.021	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW030	4/24/2002	-	-	-	450	1.5	72	<10	140	0.007	0.25	-	-	-	-
	1/20/2006	<0.02	0.115	<0.005	135	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.112	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/28/2007	<0.02	-	-	124	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	0.0259	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	117	0.261	55.2	7.15	125	-	0.0051	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0072	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.058	-	-	-	-	<0.050	-	-	-	-
	8/13/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW031	4/25/2002	-	-	-	136	0.2	41.9	6	179	<0.005	0.14	-	-	-	-
	1/19/2006	<0.02	0.102	<0.005	89.6	0.205	-	-	-	<0.02	0.488	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	0.0212	0.103	<0.005	-	<0.2	-	-	-	<0.02	0.566	-	<0.02	<0.005	<0.02
	3/28/2007	0.0227	-	-	87.9	0.02	-	-	-	-	0.567	-	-	-	-
	9/11/2007	0.0205	-	-	-	0.329	-	-	-	-	0.557	-	-	-	-
	3/20/2008	<0.02	-	-	78.6	0.384	30.1	3.44	116	-	0.533	-	-	-	-
	8/5/2008	0.0243	-	-	-	0.321	-	-	-	-	0.518	-	-	-	-
	3/24/2009	0.0257	-	-	-	0.482	-	-	-	-	0.513	-	-	-	-
	8/4/2009	0.0253	-	-	-	<0.2	-	-	-	-	0.532	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.158	-	-	-	-	0.535	-	-	-	-
	8/5/2010	0.022	-	-	-	<0.1	-	-	-	-	0.4	-	-	-	-
MW032	4/2/2002	-	-	-	203	0.2	58	7	132	<0.005	<0.05	-	-	-	-
	1/19/2006	<0.02	0.0669	<0.005	167	0.354	-	-	-	<0.02	0.0051	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	<0.02	0.0557	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/13/2007	<0.02	-	-	173	0.517	-	-	-	-	0.0183	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	9/7/2007	<0.02	-	-	-	0.217	-	-	-	-	0.0059	-	-	-	-
	4/7/2008	<0.02	-	-	152	<0.2	44.5	7.23	153	-	<0.005	-	-	-	-
	8/14/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0114	-	-	-	-
	3/30/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0059	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.281	-	-	-	-	<0.050	-	-	-	-
	8/5/2010	0.012	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW033	4/3/2002	-	-	-	330	0.5	121	7	348	<0.005	0.52	-	-	-	-
	4/3/2002 Dup	-	-	-	300	0.7	116	7	339	<0.005	0.52	-	-	-	-
	1/27/2006	<0.02	0.291	<0.005	237	1.31	-	-	-	<0.02	0.525	<0.0002	<0.02	<0.005	<0.02
	1/27/2006 Dup	<0.02	0.28	<0.005	231	1.23	-	-	-	<0.02	0.482	<0.0002	<0.02	<0.005	<0.02
	6/26/2006	<0.02	0.271	<0.005	-	1.03	-	-	-	<0.02	0.5	-	<0.02	<0.005	<0.02
	4/23/2007	<0.02	-	-	203	0.661	-	-	-	-	0.478	-	-	-	-
	9/21/2007	<0.02	-	-	-	0.515	-	-	-	-	0.725	-	-	-	-
	3/19/2008	<0.02	-	-	272	0.689	141	5.15	263	-	1.44	-	-	-	-
	8/13/2008	<0.02	-	-	-	0.314	-	-	-	-	1.73	-	-	-	-
	4/1/2009	<0.02	-	-	-	0.389	-	-	-	-	1.15	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	1.04	-	-	-	-
	3/17/2010	<0.05	-	-	-	0.193	-	-	-	-	1.44	-	-	-	-
	8/18/2010	<0.01	-	-	-	<0.1	-	-	-	-	0.886	-	-	-	-
MW034	4/3/2002	-	-	-	320	0.2	104	10	422	<0.005	0.06	-	-	-	-
	1/25/2006	<0.02	0.03	<0.005	162	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0271	<0.005	<0.02
	7/7/2006	<0.02	0.031	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0265	<0.005	<0.02
	4/9/2007	<0.02	-	-	139	0.205	-	-	-	-	<0.005	-	-	-	-
	4/1/2008	<0.02	-	-	127	<0.2	55.8	7.6	312	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.056	-	-	-	-	<0.050	-	-	-	-
MW035	8/30/2001	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-
	1/29/2002	-	-	-	220	<0.1	33	4	161	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.138	<0.005	110	0.298	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.11	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	122	<0.2	-	-	-	-	0.0052	-	-	-	-
	4/2/2008	<0.02	-	-	119	<0.2	24.6	3.97	97.5	-	0.016	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0482	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.04	-	-	-	-	<0.050	-	-	-	-
MW036	8/29/2001	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/7/2002	-	-	-	152	1.4	54.3	9	180	<0.005	0.21	-	-	-	-
	1/26/2006	<0.02	0.397	<0.005	238	3.55	-	-	-	<0.02	0.643	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.438	<0.005	-	3.54	-	-	-	<0.015	0.607	-	<0.02	<0.005	<0.02
	4/19/2007	0.0242	-	-	186	4.35	-	-	-	-	0.624	-	-	-	-
	4/16/2008	0.0405	-	-	99.8	6.17	44.6	5.58	211	-	0.327	-	-	-	-
	4/7/2009	0.0292	-	-	-	5.07	-	-	-	-	0.879	-	-	-	-
	3/16/2010	0.054	-	-	-	0.748	-	-	-	-	0.204	-	-	-	-
MW037	8/29/2001	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	2/7/2002	-	-	-	90	4	45.2	49	627	<0.005	0.75	-	-	-	-
	2/7/2002 Dup	-	-	-	91	4.2	45.5	48	620	<0.005	0.74	-	-	-	-
	1/27/2006	0.0504	0.505	<0.005	84.6	8.41	-	-	-	<0.02	0.882	<0.0002	<0.02	<0.005	<0.02
	7/13/2006	0.055	0.307	<0.005	-	5.66	-	-	-	<0.015	1.05	-	<0.02	<0.005	<0.02
	4/19/2007	0.058	-	-	118	8.49	-	-	-	-	0.984	-	-	-	-
	4/16/2008	0.0794	-	-	130	10.1	101	16.9	851	-	1.27	-	-	-	-
	4/7/2009	0.0732	-	-	-	13.6	-	-	-	-	1.17	-	-	-	-
MW038	3/16/2010	<0.05	-	-	-	0.14	-	-	-	-	0.121	-	-	-	-
	8/29/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	2/7/2002	-	-	-	115	1	49.9	4	253	<0.005	0.33	-	-	-	-
	1/26/2006	<0.02	0.117	<0.005	308	2.39	-	-	-	<0.02	0.274	<0.0002	<0.02	<0.005	<0.02
	7/13/2006	<0.02	0.102	<0.005	-	0.841	-	-	-	<0.015	0.211	-	0.0252	<0.005	<0.02
	4/19/2007	<0.02	-	-	250	2.63	-	-	-	-	0.209	-	-	-	-
	4/16/2008	<0.02	-	-	192	0.598	84.8	12.3	253	-	0.177	-	-	-	-
	4/7/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.163	-	-	-	-
MW043	3/12/2010	<0.05	-	-	-	0.214	-	-	-	-	0.148	-	-	-	-
	4/25/2002	-	-	-	60	0.5	12.8	16	578	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.0905	<0.005	362	<0.2	-	-	-	<0.02	2.15	<0.0002	0.0573	<0.005	<0.02
	6/30/2006	0.04	0.0718	<0.005	-	<0.2	-	-	-	<0.02	0.0452	-	<0.02	<0.005	<0.02
	4/9/2007	0.0468	-	-	35.2	<0.2	-	-	-	-	0.0894	-	-	-	-
	3/26/2008	0.0345	-	-	65.2	<0.2	23.6	16.3	353	-	0.188	-	-	-	-
	3/24/2009	0.022	-	-	-	<0.2	-	-	-	-	0.311	-	-	-	-
MW044	3/3/2010	<0.05	-	-	-	0.264	-	-	-	-	0.358	-	-	-	-
	4/3/2002	-	-	-	410	0.2	155	14	540	<0.005	0.22	-	-	-	-
	2/2/2006	<0.02	0.0568	<0.005	233	<0.2	-	-	-	<0.02	0.283	<0.0002	<0.02	<0.005	<0.02
	7/21/2006	<0.02	0.0766	<0.005	-	<0.2	-	-	-	<0.015	0.251	-	<0.02	<0.005	<0.02
	4/6/2007	<0.02	-	-	145	0.217	-	-	-	-	0.288	-	-	-	-
	4/9/2008	<0.02	-	-	172	<0.2	85.9	11.4	422	-	0.548	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.393	-	-	-	-
	3/25/2010	<0.05	-	-	-	0.117	-	-	-	-	<0.05	-	-	-	-
MW045	4/4/2002	-	-	-	304	0.2	52.2	9	246	<0.005	0.3	-	-	-	-
	1/27/2006	<0.02	0.0988	<0.005	213	<0.2	-	-	-	<0.02	0.332	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.1	<0.005	-	<0.2	-	-	-	<0.015	0.305	-	<0.02	<0.005	<0.02
	7/12/2006 Dup	<0.02	0.104	<0.005	-	<0.2	-	-	-	<0.015	0.312	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	222	<0.2	-	-	-	-	0.333	-	-	-	-
	4/17/2007	<0.02	-	-	190	<0.2	-	-	-	-	0.227	-	-	-	-
	4/2/2008	<0.02	-	-	178	0.248	42.4	10.8	272	-	0.312	-	-	-	-
	3/24/2009	<0.02	-	-	-	1.83	-	-	-	-	0.354	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.207	-	-	-	-	0.316	-	-	-	-
MW046	4/4/2002	-	-	-	190	0.1	42.6	6	360	<0.005	0.52	-	-	-	-
	1/26/2006	0.043	0.38	<0.005	116	2.34	-	-	-	<0.02	1.22	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	0.0386	0.387	<0.005	-	2.51	-	-	-	<0.015	1.32	-	<0.02	<0.005	<0.02
	4/19/2007	0.0427	-	-	151	3.1	-	-	-	-	1.71	-	-	-	-
	4/17/2008	0.0388	-	-	164	3.31	59.5	4.33	364	-	1.6	-	-	-	-
	4/7/2009	0.0325	-	-	-	2.76	-	-	-	-	1.81	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.136	-	-	-	-	1.35	-	-	-	-
MW047	4/4/2002	-	-	-	233	<0.1	44.9	8	381	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0424	<0.005	171	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/7/2006	<0.02	0.0327	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/16/2007	<0.02	-	-	101	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	132	<0.2	29.3	5.68	215	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.039	-	-	-	-	<0.050	-	-	-	-
MW058	1/28/2003	<0.05	0.11	<0.05	291	-	128	9.7	223	<0.05	-	<0.0002	<0.05	<0.05	-
	1/24/2006	<0.02	0.0361	<0.005	313	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0455	<0.005	<0.02
	7/6/2006	<0.02	0.0381	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0455	<0.005	<0.02
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	467	0.338	221	18	457	-	<0.005	-	-	-	-
	8/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/2/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
	8/6/2010	<0.01	-	-	-	<0.10	-	-	-	-	<0.05	-	-	-	-
MW059	1/29/2003	<0.05	0.07	<0.05	260	-	101	8.4	160	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	<0.02	0.0413	<0.005	230	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0372	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/26/2006	<0.02	0.0422	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0353	<0.005	<0.02
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	289	<0.2	139	10.5	172	-	<0.005	-	-	-	-
	8/14/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0091	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	0.0232	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.117	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW060	1/8/2003	<0.05	0.25	<0.05	301	-	83.9	8.6	292	<0.05	-	<0.0002	0.06	<0.05	-
	1/24/2006	<0.02	0.0468	<0.005	503	0.24	-	-	-	<0.02	0.0543	<0.0002	0.0332	<0.005	<0.02
	1/24/2006 Dup	<0.02	0.044	<0.005	500	<0.2	-	-	-	<0.02	0.0538	<0.0002	0.0362	<0.005	<0.02
	7/6/2006	<0.02	0.0592	<0.005	-	<0.2	-	-	-	<0.015	0.354	-	0.0225	<0.005	<0.02
	3/28/2007	<0.02	-	-	554	0.286	-	-	-	-	0.423	-	-	-	-
	9/14/2007	<0.02	-	-	-	0.399	-	-	-	-	0.635	-	-	-	-
	3/25/2008	<0.02	-	-	484	0.357	220	13.6	272	-	0.734	-	-	-	-
	8/11/2008	<0.02	-	-	-	0.361	-	-	-	-	0.914	-	-	-	-
	3/18/2009	<0.02	-	-	-	0.451	-	-	-	-	0.956	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	1.11	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.249	-	-	-	-	1.42	-	-	-	-
	8/13/2010	0.011	-	-	-	<0.1	-	-	-	-	1.42	-	-	-	-
MW061	1/8/2003	<0.05	1.52	<0.05	590	-	124	14.4	480	<0.05	-	<0.0002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0409	<0.005	352	<0.2	-	-	-	<0.02	0.296	<0.0002	0.0616	<0.005	<0.02
	7/5/2006	<0.02	0.0274	<0.005	-	<0.2	-	-	-	<0.015	0.3	-	0.049	<0.005	<0.02
	4/18/2007	<0.02	-	-	343	<0.2	-	-	-	-	0.29	-	-	-	-
	9/21/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.267	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.186	-	-	-	-
	4/1/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.158	-	-	-	-
	8/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0615	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.036	-	-	-	-	0.121	-	-	-	-
	8/11/2010	<0.01	-	-	-	<0.1	-	-	-	-	0.058	-	-	-	-
MW068	3/5/2003	<0.05	0.67	<0.05	361	-	52.3	20.5	163	<0.05	-	<0.0002	<0.05	<0.05	-
	1/19/2006	<0.02	0.0647	<0.005	259	<0.2	-	-	-	<0.02	0.819	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	<0.02	0.0566	<0.005	-	<0.2	-	-	-	<0.02	0.244	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	120	<0.2	-	-	-	-	0.0894	-	-	-	<0.02
	9/7/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.367	-	-	-	<0.02
	3/25/2008	<0.02	-	-	279	<0.2	80.9	35.8	1170	-	1.02	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/11/2008	<0.02	-	-	-	<0.2	-	-	-	-	1.95	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.396	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.588	-	-	-	-
	3/9/2010	<0.05	-	-	-	0.054	-	-	-	-	0.531	-	-	-	-
	8/11/2010	0.022	-	-	-	<0.1	-	-	-	-	0.607	-	-	-	-
MW069	3/5/2003	<0.05	0.54	<0.05	528	-	140	14.6	384	<0.05	-	<0.0002	<0.05	<0.05	-
	1/19/2006	<0.02	0.167	<0.005	677	0.847	-	-	-	<0.02	0.118	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	<0.02	0.134	<0.005	-	<0.2	-	-	-	<0.02	0.114	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	303	0.62	-	-	-	-	1.55	-	-	-	<0.02
	9/7/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.208	-	-	-	<0.02
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.288	-	-	-	-
MW070	3/6/2003	<0.05	0.43	<0.05	182	-	37.8	7.8	92.8	<0.05	-	<0.0002	<0.05	<0.05	-
	1/27/2006	<0.02	0.0659	<0.005	68.8	<0.2	-	-	-	<0.02	0.0059	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.0606	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	79.9	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	106	<0.2	51.3	6.71	111	-	<0.005	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0058	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
	8/13/2010	0.011	-	-	-	<0.10	-	-	-	-	<0.050	-	-	-	-
	9/18/2004	<0.01	-	-	1460	259	293	27.3	286	-	<0.05	-	-	-	-
	10/7/2004	<0.1	-	-	3010	584	554	79	542	-	73.4	-	-	-	-
	11/10/2004	<0.1	-	-	3430	666	557	152	581	-	64.7	-	-	-	-
MW088M	12/28/2004	<0.1	-	-	3720	695	590	<1000	580	-	62.4	-	-	-	-
	1/19/2005	<0.01	-	-	4050	942	461	278	450	-	<0.01	-	-	-	-
	2/10/2005	<0.1	-	-	1850	856	263	189	258	-	62.3	-	-	-	-
	3/10/2005	<0.1	-	-	3710	681	490	407	497	-	47.5	-	-	-	-
	4/13/2005	<0.1	-	-	2940	742	397	418	378	-	49.5	-	-	-	-
	5/17/2005	<0.1	-	-	2830	626	392	424	433	-	38.2	-	-	-	-
	5/31/2005	<0.01	-	-	719	44.2	129	58	504	-	5.07	-	-	-	-
	7/12/2005	<0.05	-	-	405	<2	41.6	68	43.9	-	43.2	-	-	-	-
	2/6/2006	0.144	1.04	<0.025	3480	1330	-	-	-	<0.1	36	<0.004	<0.1	<0.025	<0.1
	7/20/2006	<0.02	0.0905	<0.005	-	0.405	-	-	-	<0.015	2.12	-	<0.02	<0.005	<0.02
	4/5/2007	<0.02	-	-	362	2.44	-	-	-	-	0.0385	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	4/21/2008	0.154	-	-	3270	1420	406	624	338	-	58.7	-	-	-	-
	4/1/2009	0.117	-	-	-	1030	-	-	-	-	52.7	-	-	-	-
	3/11/2010	<0.5	-	-	-	261	-	-	-	-	50	-	-	-	-
IW001	8/1/2002	<0.01	0.17	<0.01	590	-	216	30	710	<0.005	-	<0.0002	<0.05	<0.01	-
	6/10/2003	<0.05	-	-	690	<0.1	233	18.4	823	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	981	8.5	116	2250	171	-	1.84	-	-	-	-
	7/9/2003	<0.05	-	-	3040	44	299	5080	477	-	2.93	-	-	-	-
	7/15/2003	<0.05	-	-	2260	30.8	242	4250	288	-	2.11	-	-	-	-
	7/30/2003	<0.5	-	-	2430	43	198	3350	254	-	1.9	-	-	-	-
	10/1/2003	<0.05	-	-	4630	244	409	4190	328	-	6.43	-	-	-	-
	10/29/2003	<0.5	-	-	4180	279	277	4630	366	-	6.09	-	-	-	-
	12/9/2003	<0.05	-	-	4240	244	247	3330	280	-	6.42	-	-	-	-
	1/8/2004	<0.5	-	-	5870	91	624	5010	416	-	4.5	-	-	-	-
	3/4/2004	<0.05	-	-	2640	229	184	1890	710	-	4.42	-	-	-	-
	4/1/2004	<0.01	0.91	<0.01	2180	89.8	200	2340	201	<0.01	2.03	<0.002	0.18	<0.005	-
	5/17/2004	<0.05	-	-	2070	160	202	2350	176	-	5	-	-	-	-
	6/10/2004	<0.01	-	-	3340	123	653	6590	321	-	3.17	-	-	-	-
	7/14/2004	<0.01	-	-	2080	75.2	450	4620	214	-	1.63	-	-	-	-
	8/11/2004	<0.01	-	-	364	30.2	66.2	713	34	-	0.98	-	-	-	-
	9/15/2004	<0.05	-	-	1420	115	224	2830	203	-	2.9	-	-	-	-
	10/6/2004	<0.1	-	-	585	97	91.6	1200	88	-	1.8	-	-	-	-
	11/15/2004	<0.01	-	-	159	116	25.8	388	55.2	-	0.51	-	-	-	-
	12/28/2004	<0.1	-	-	1250	172	232	2110	163	-	3.7	-	-	-	-
	1/26/2005	<0.1	-	-	679	77.8	93	805	80	-	0.4	-	-	-	-
	2/9/2005	<0.1	-	-	82	50.4	12	85	<10	-	0.2	-	-	-	-
	3/10/2005	<0.1	-	-	1130	74.1	105	717	75	-	0.8	-	-	-	-
	4/12/2005	<0.1	-	-	1230	98	108	670	69	-	1.4	-	-	-	-
	5/12/2005	<0.1	-	-	1550	106	146	960	143	-	1.8	-	-	-	-
	6/9/2005	<0.05	-	-	1760	93.8	134	680	134	-	0.98	-	-	-	-
	7/7/2005	<0.05	-	-	1160	82.5	105	677	116	-	0.94	-	-	-	-
	2/6/2006	0.0274	0.993	<0.005	1520	145	-	-	-	<0.02	3.49	<0.002	<0.02	<0.005	0.381
	7/20/2006	0.0287	1.33	0.0122	-	208	-	-	-	<0.015	4.55	-	<0.02	<0.005	0.341
	4/16/2007	<0.02	-	-	514	71.9	-	-	-	-	1.32	-	-	-	-
	4/17/2008	<0.5	-	-	2250	197	174	393	301	-	5.12	-	-	-	-
	3/31/2009	0.0519	-	-	-	49.8	-	-	-	-	2.45	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
IW002	3/11/2010	<0.5	-	-	-	7.58	-	-	-	-	1.1	-	-	-	-
	9/19/2002	<0.05	<0.05	<0.05	410	-	146	11.2	366	<0.05	-	<0.002	<0.05	<0.05	-
	6/11/2003	<0.05	-	-	504	<0.1	157	15.3	477	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	882	12	103	1730	186	-	8.2	-	-	-	-
	7/8/2003	<0.05	-	-	1630	22.7	158	2890	221	-	1.97	-	-	-	-
	7/15/2003	<0.05	-	-	2600	40.1	271	4760	317	-	2.54	-	-	-	-
	7/30/2003	<0.5	-	-	2040	42	198	3520	259	-	1.4	-	-	-	-
	8/21/2003	<0.05	-	-	2270	176	184	2990	275	-	5.59	-	-	-	-
	9/30/2003	<0.05	-	-	207	158	18.8	250	15.8	-	5.23	-	-	-	-
	10/29/2003	<0.05	-	-	5750	208	275	4190	224	-	5.93	-	-	-	-
	12/10/2003	<0.05	-	-	40900	247	204	26800	178	-	4.19	-	-	-	-
	1/8/2004	<0.5	-	-	4930	118	329	4810	318	-	3.2	-	-	-	-
	2/23/2004	<0.05	-	-	1420	140	96.4	1760	259	-	2.69	-	-	-	-
	4/6/2004	<0.1	-	-	1900	266	205	2220	175	-	4	-	-	-	-
	5/13/2004	<0.1	-	-	3630	322	344	3510	242	-	5.7	-	-	-	-
	6/10/2004	<0.01	-	-	1520	133	246	2580	143	-	2.99	-	-	-	-
	7/8/2004	<0.01	-	-	1590	128	326	3270	165	-	3.91	-	-	-	-
	8/16/2004	<0.1	-	-	1410	177	219	2990	109	-	7	-	-	-	-
	9/9/2004	<0.01	-	-	68.6	6	9.51	129	9.6	-	0.2	-	-	-	-
	10/7/2004	<0.1	-	-	1460	118	227	3530	223	-	1.7	-	-	-	-
	11/11/2004	<0.1	-	-	966	101	176	2630	383	-	2.16	-	-	-	-
	12/29/2004	<0.1	-	-	1490	172	270	2490	190	-	5.2	-	-	-	-
	1/19/2005	<0.01	-	-	547	82	76.4	694	70.5	-	0.32	-	-	-	-
	1/27/2005	<0.1	-	-	4340	64.9	303	1660	218	-	5.4	-	-	-	-
	2/10/2005	<0.1	-	-	428	86.6	49	363	40	-	0.4	-	-	-	-
	3/15/2005	<0.1	-	-	39.6	93.8	4.3	28.2	3.4	-	1.4	-	-	-	-
	4/14/2005	<0.1	-	-	979	96.8	90	514	61	-	1	-	-	-	-
	5/17/2005	<0.1	-	-	1710	153	152	732	69	-	1.9	-	-	-	-
	6/15/2005	<0.1	-	-	1510	<0.4	103	839	100	-	1.17	-	-	-	-
	7/12/2005	<0.05	-	-	942	90.9	91	604	104	-	0.53	-	-	-	-
	2/6/2006	0.0264	0.755	<0.005	1080	265	-	-	-	<0.02	4.62	<0.001	<0.02	<0.005	0.589
	7/20/2006	0.0314	0.888	0.0198	-	365	-	-	-	<0.015	4.58	-	<0.02	<0.005	0.372
	4/11/2007	0.1	-	-	1680	79.8	-	-	-	-	1.47	-	-	-	-
	4/21/2008	<0.10	-	-	1290	37.8	85.5	250	162	-	1.04	-	-	-	-
	4/6/2009	<0.10	-	-	-	27.9	-	-	-	-	0.993	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/12/2010	<0.50	-	-	-	3.62	-	-	-	-	<0.5	-	-	-	-
	7/1/2003	<0.05	-	-	582	<0.1	145	17	730	-	<0.05	-	-	-	-
	7/9/2003	<0.05	-	-	604	<1	168	20	745	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	655	0.2	189	25.3	816	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	670	<0.1	147	18.2	770	-	<0.05	-	-	-	-
	8/20/2003	<0.05	-	-	613	<0.1	142	16.8	772	-	0.08	-	-	-	-
	9/30/2003	<0.05	-	-	580	<0.1	147	18.7	741	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	291	<0.1	85.1	10.2	377	-	<0.05	-	-	-	-
	12/8/2003	<0.05	-	-	635	<0.1	141	17.1	736	-	<0.05	-	-	-	-
	1/7/2004	<0.05	-	-	728	<0.1	162	12.5	686	-	<0.05	-	-	-	-
	3/4/2004	<0.05	-	-	632	0.1	152	11.9	763	-	0.08	-	-	-	-
	4/1/2004	<0.01	-	-	700	<0.1	129	11.8	712	-	0.1	<0.002	-	-	-
	5/18/2004	<0.01	-	-	638	<0.1	153	11.7	710	-	0.07	-	-	-	-
	6/14/2004	<0.01	-	-	536	0.2	145	10.7	736	-	0.05	-	-	-	-
	7/13/2004	<0.01	-	-	575	0.2	159	12.3	737	-	0.06	-	-	-	-
	8/16/2004	<0.01	-	-	594	<0.1	151	11	673	-	0.07	-	-	-	-
	9/16/2004	<0.01	-	-	599	<0.1	150	11.8	814	-	0.16	-	-	-	-
	10/7/2004	<0.01	-	-	1010	1.4	152	12.8	1150	-	0.81	-	-	-	-
	11/17/2004	<0.01	-	-	740	1.27	157	12.4	730	-	0.69	-	-	-	-
	12/29/2004	<0.01	-	-	790	1.51	180	14.7	820	-	0.7	-	-	-	-
	1/25/2005	<0.01	-	-	597	3.69	168	<100	556	-	0.88	-	-	-	-
	2/9/2005	<0.01	-	-	702	1.96	170	12	602	-	0.82	-	-	-	-
	3/9/2005	<0.01	-	-	664	3.13	135	11.6	675	-	0.96	-	-	-	-
	4/12/2005	<0.01	-	-	598	3.71	129	11.7	640	-	1.02	-	-	-	-
	5/12/2005	<0.01	-	-	597	5.47	132	12	727	-	1.27	-	-	-	-
	6/8/2005	<0.01	-	-	609	7.16	134	10.5	739	-	1.26	-	-	-	-
	7/7/2005	<0.01	-	-	595	7.66	141	11.1	744	-	1.44	-	-	-	-
	2/10/2006	<0.02	0.151	<0.005	952	23.7	-	-	-	<0.02	6.42	<0.0002	<0.02	<0.005	<0.02
	7/20/2006	<0.02	0.0733	<0.005	-	21.8	-	-	-	<0.015	1.79	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	554	40.7	-	-	-	-	1.51	-	-	-	-
	4/17/2008	<0.02	-	-	547	24.6	133	16.7	539	-	1.23	-	-	-	-
	3/31/2009	<0.02	-	-	-	14.8	-	-	-	-	1.64	-	-	-	-
	3/11/2010	<0.05	-	-	-	8.85	-	-	-	-	2.96	-	-	-	-
RW003	2/4/2002	-	-	-	550	0.1	144	14	499	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	483	<0.1	112	12.8	523	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	454	<0.1	118	12.5	506	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	7/8/2003	<0.05	-	-	387	<0.1	125	13	443	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	421	<1	138	15	460	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	360	<0.1	92.7	10.7	410	-	<0.05	-	-	-	-
	8/21/2003	<0.05	-	-	464	<0.1	114	12.3	494	-	<0.05	-	-	-	-
	9/30/2003	<0.05	-	-	480	<0.1	108	11.8	482	-	<0.05	-	-	-	-
	10/28/2003	<0.05	-	-	541	<0.1	102	12.2	495	-	<0.05	-	-	-	-
	12/9/2003	<0.05	-	-	489	<0.1	109	12.3	457	-	<0.05	-	-	-	-
	1/7/2004	<0.05	-	-	660	<0.1	130	11	689	-	<0.05	-	-	-	-
	2/19/2004	<0.05	-	-	440	0.4	90.2	8.4	440	-	<0.05	-	-	-	-
	4/6/2004	<0.01	-	-	473	<0.1	92.9	9.2	420	-	<0.05	-	-	-	-
	5/6/2004	<0.01	-	-	512	<0.1	105	10.9	513	-	<0.05	-	-	-	-
	6/8/2004	<0.01	-	-	533	<0.1	98.1	10.1	443	-	<0.05	-	-	-	-
	7/14/2004	<0.01	-	-	477	0.6	98.9	10.5	358	-	<0.05	-	-	-	-
	8/16/2004	<0.01	-	-	621	0.2	111	11.4	466	-	<0.05	-	-	-	-
	9/9/2004	<0.01	-	-	468	<0.1	90.7	10.6	423	-	0.06	-	-	-	-
	10/7/2004	<0.01	-	-	400	<0.1	89.7	9.5	350	-	<0.05	-	-	-	-
	11/10/2004	<0.01	-	-	422	<0.4	104	13	437	-	0.67	-	-	-	-
	12/28/2004	<0.01	-	-	376	0.8	110	<100	362	-	0.74	-	-	-	-
	1/18/2005	<0.01	-	-	590	4.2	167	10.5	531	-	1.9	-	-	-	-
	2/10/2005	<0.01	-	-	535	11.7	180	15	478	-	<0.01	-	-	-	-
	3/10/2005	<0.01	-	-	513	24.7	171	<10	395	-	6.82	-	-	-	-
	4/13/2005	<0.01	-	-	414	11.3	117	8.8	314	-	3.94	-	-	-	-
	5/18/2005	<0.01	-	-	430	12	122	7.7	311	-	4.01	-	-	-	-
	6/14/2005	<0.01	-	-	438	14.2	128	8	339	-	4.28	-	-	-	-
	7/12/2005	<0.01	-	-	408	12.6	120	7.1	308	-	3.71	-	-	-	-
	2/10/2006	0.0367	1.48	<0.005	476	94.9	-	-	-	<0.02	11.7	<0.0002	<0.02	<0.005	<0.02
	7/20/2006	0.0656	1.47	<0.005	-	73.8	-	-	-	<0.015	1.15	-	<0.02	<0.005	<0.02
	4/2/2007	0.128	-	-	418	44.9	-	-	-	-	0.889	-	-	-	-
	4/21/2008	0.12	-	-	426	40.4	85.7	35.7	419	-	0.833	-	-	-	-
	4/1/2009	0.101	-	-	-	53.3	-	-	-	-	0.05	-	-	-	-
	3/11/2010	<0.5	-	-	-	3.71	-	-	-	-	4.55	-	-	-	-
MW002A	12/9/2002	<0.05	0.07	<0.05	121	-	65.3	7.7	193	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2006	<0.02	0.04	<0.005	131	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/6/2006	0.0202	0.0408	<0.005	-	<0.2	-	-	-	<0.015	0.0051	-	<0.02	<0.005	<0.02
	4/12/2007	<0.02	-	-	179	<0.2	-	-	-	-	0.0115	-	-	-	-
	4/2/2008	0.0222	-	-	340	<0.2	195	16.6	414	-	0.0363	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0228	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
MW004A	5/23/2001	<0.05	<0.05	<0.05	127	-	79.2	7.3	175	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	143	<0.1	90.9	9	190	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0282	<0.005	143	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0249	<0.005	<0.02
	7/7/2006	<0.02	0.0251	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/16/2007	<0.02	-	-	173	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	0.0203	-	-	215	<0.2	131	10.7	222	-	<0.005	-	-	-	-
	3/31/2009	0.0257	-	-	-	986	-	-	-	-	13	-	-	-	-
	3/8/2010	<0.05	-	-	-	0.137	-	-	-	-	<0.05	-	-	-	-
MW007A	5/23/2001	<0.05	<0.05	<0.05	75.1	-	47.5	11.4	145	<0.05	-	<0.002	<0.05	<0.05	-
	5/23/2001 Dup	<0.05	<0.05	<0.05	76	-	47.7	11.1	144	<0.05	-	<0.002	<0.05	<0.05	-
	1/29/2002	-	-	-	143	<0.1	69.3	10	218	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0338	<0.005	301	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0322	<0.005	<0.02
	7/7/2006	<0.02	0.0254	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0275	<0.005	<0.02
	4/16/2007	<0.02	-	-	283	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	339	<0.2	151	14	369	-	0.0112	-	-	-	-
MW008A	5/29/2001	<0.05	<0.05	<0.05	555	-	140	15.5	613	<0.05	-	<0.002	0.05	<0.05	-
	8/29/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	2/4/2002	-	-	-	610	<0.1	164	20	730	<0.005	<0.05	-	-	-	-
	6/9/2003	<0.05	-	-	656	<0.1	161	24.1	772	-	<0.05	-	-	-	-
	6/30/2003	<0.05	-	-	613	<0.1	192	27	716	-	<0.05	-	-	-	-
	7/9/2003	<0.05	-	-	538	<1	177	22	658	-	<0.05	-	-	-	-
	7/15/2003	<0.05	-	-	533	<0.1	174	20.2	632	-	<0.05	-	-	-	-
	7/29/2003	<0.05	-	-	570	<0.1	155	19.9	670	-	<0.05	-	-	-	-
	8/21/2003	<0.05	-	-	556	<0.1	157	21.5	644	-	<0.05	-	-	-	-
	9/29/2003	<0.05	-	-	479	<0.1	148	19.4	579	-	<0.05	-	-	-	-
	10/27/2003	<0.05	-	-	449	<0.1	147	19.1	594	-	<0.05	-	-	-	-
	12/4/2003	<0.05	-	-	622	<0.1	218	22	757	-	<0.05	-	-	-	-
	1/5/2004	<0.05	-	-	680	<0.1	173	11.6	590	-	<0.05	-	-	-	-
	3/1/2004	<0.05	-	-	530	<0.1	198	14.9	740	-	<0.05	-	-	-	-
	3/31/2004	<0.01	0.02	<0.01	610	0.2	1880	125	660	<0.01	<0.05	<0.002	0.09	<0.005	-
	5/4/2004	<0.01	-	-	552	0.3	188	14.9	658	-	<0.05	-	-	-	-
	6/7/2004	<0.01	-	-	717	3.4	188	15.5	689	-	0.11	-	-	-	-
	7/7/2004	<0.01	-	-	603	1.01	185	16.3	694	-	0.08	-	-	-	-
	8/10/2004	<0.01	-	-	644	0.1	199	14.7	692	-	<0.05	-	-	-	-
	9/16/2004	<0.01	-	-	617	0.1	183	14.6	736	-	0.06	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	10/4/2004	<0.01	-	-	716	0.1	166	12.6	690	-	0.07	-	-	-	-
	11/8/2004	<0.01	-	-	2720	<0.4	187	16	1420	-	0.09	-	-	-	-
	12/16/2004	<0.01	-	-	589	<0.4	167	15.8	630	-	0.13	-	-	-	-
	1/6/2005	<0.01	-	-	617	0.61	175	17.2	640	-	0.22	-	-	-	-
	2/7/2005	<0.01	-	-	634	<0.4	229	23	742	-	0.59	-	-	-	-
	3/8/2005	<0.01	-	-	595	0.92	194	16.8	686	-	1.13	-	-	-	-
	4/6/2005	<0.01	-	-	550	3.66	186	18.5	664	-	1.91	-	-	-	-
	5/10/2005	<0.01	-	-	495	2.13	174	14.2	635	-	2.21	-	-	-	-
	6/7/2005	<0.01	-	-	496	1.52	198	14.4	664	-	2.24	-	-	-	-
	7/6/2005	<0.02	-	-	123	22.3	83.3	4.2	200	-	1.75	-	-	-	-
	2/9/2006	0.0329	13.6	<0.005	575	29.5	-	-	-	<0.02	2.36	<0.002	<0.02	<0.005	<0.02
	7/18/2006	0.0236	11.2	<0.005	-	11.5	-	-	-	<0.015	1.09	-	<0.02	<0.005	<0.02
	4/3/2007	0.0753	-	-	615	70.6	-	-	-	-	1.49	-	-	-	-
	4/15/2008	0.0981	-	-	733	113	385	31.6	582	-	1.54	-	-	-	-
	3/26/2009	0.106	-	-	-	155	-	-	-	-	1.84	-	-	-	-
	3/10/2010	<0.25	-	-	-	0.755	-	-	-	-	1.25	-	-	-	-
MW009A	5/24/2001	<0.05	<0.05	<0.05	343	-	179	11	441	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	380	<0.1	171	13	479	<0.005	<0.05	-	-	-	-
	2/2/2006	<0.02	0.0192	<0.005	269	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0361	<0.005	<0.02
	7/13/2006	<0.02	0.0185	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0451	<0.005	<0.02
	4/4/2007	<0.02	-	-	252	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	249	<0.2	128	16	373	-	<0.005	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
MW011A	5/22/2001	<0.05	<0.05	<0.05	60.3	-	34.3	6.5	122	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	95	<0.1	48.5	7	157	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	206	<0.1	70.9	9.4	193	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	145	<0.1	66.6	17.8	204	-	<0.05	-	-	-	-
	7/8/2003	<0.05	-	-	175	<1	80.3	21	241	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	168	0.2	67.6	19.8	211	-	<0.05	-	-	-	-
	7/29/2003	<0.05	-	-	141	<0.1	64.3	17.7	197	-	0.09	-	-	-	-
	8/19/2003	<0.05	-	-	144	0.2	66.7	21.6	211	-	0.23	-	-	-	-
	9/29/2003	<0.05	-	-	185	0.2	66.8	16.4	205	-	0.28	-	-	-	-
	10/28/2003	<0.05	-	-	89.4	0.2	40.7	9.3	125	-	0.21	-	-	-	-
	12/8/2003	<0.05	-	-	165	<0.1	75.1	14.1	230	-	0.15	-	-	-	-
	1/6/2004	<0.05	-	-	220	<0.1	93	12.6	270	-	0.12	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/4/2004	<0.05	-	-	446	11.5	86	11.1	615	-	0.22	-	-	-	-
	4/1/2004	0.01	-	-	681	<0.1	173	14.8	701	-	0.16	<0.002	-	-	-
	5/18/2004	<0.01	-	-	584	<0.1	153	13.2	632	-	0.09	-	-	-	-
	6/14/2004	<0.01	-	-	1750	0.7	111	13.5	1560	-	0.08	-	-	-	-
	7/12/2004	0.01	-	-	499	<0.1	132	13.9	584	-	<0.05	-	-	-	-
	8/12/2004	<0.01	-	-	702	<0.1	121	14.3	744	-	<0.05	-	-	-	-
	9/15/2004	<0.01	-	-	398	<0.1	115	11.8	504	-	<0.05	-	-	-	-
	10/7/2004	<0.01	-	-	640	<0.1	99.4	11	730	-	<0.05	-	-	-	-
	11/16/2004	<0.01	-	-	427	<0.2	56.5	6.21	504	-	0.03	-	-	-	-
	12/29/2004	<0.01	-	-	430	<0.4	80.9	<10	400	-	0.02	-	-	-	-
	1/25/2005	<0.01	-	-	469	<0.4	171	<100	639	-	0.02	-	-	-	-
	2/8/2005	<0.01	-	-	564	<0.4	192	20	693	-	0.03	-	-	-	-
	3/9/2005	<0.01	-	-	610	<0.4	216	20	790	-	0.03	-	-	-	-
	4/11/2005	<0.01	-	-	588	<0.4	165	16.2	730	-	0.03	-	-	-	-
	5/11/2005	<0.01	-	-	570	<0.4	195	20	728	-	0.03	-	-	-	-
	6/8/2005	<0.01	-	-	628	<0.4	176	16.6	827	-	0.03	-	-	-	-
	7/11/2005	<0.01	-	-	620	<0.4	209	28	814	-	0.03	-	-	-	-
	2/10/2006	<0.02	0.0273	<0.005	589	<0.2	-	-	-	<0.02	0.0263	<0.0002	0.0818	<0.005	0.168
	7/19/2006	<0.02	0.0297	<0.005	-	<0.2	-	-	-	<0.015	0.0299	-	0.0761	<0.005	0.155
	3/29/2007	<0.02	-	-	551	<0.2	-	-	-	-	0.0407	-	-	-	-
	4/16/2008	<0.02	-	-	513	<0.2	247	36.7	821	-	0.0441	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0151	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.382	-	-	-	-	<0.05	-	-	-	-
MW012A	5/22/2001	<0.05	0.06	<0.05	31.1	-	15.8	10.6	97.4	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	34	<0.1	19.4	12	115	<0.005	<0.05	-	-	-	-
	6/10/2003	<0.05	-	-	118	<0.1	32.6	13.7	110	-	<0.05	-	-	-	-
	7/2/2003	<0.05	-	-	127	<0.1	36.2	14.1	124	-	<0.05	-	-	-	-
	7/7/2003	<0.05	-	-	107	<0.1	30.1	29	124	-	<0.05	-	-	-	-
	7/14/2003	<0.05	-	-	91.4	<0.1	27.4	22.3	116	-	<0.05	-	-	-	-
	7/30/2003	<0.05	-	-	84.8	0.2	25.4	18.3	106	-	0.18	-	-	-	-
	8/20/2003	<0.05	-	-	81.6	0.3	24.2	24.4	108	-	0.22	-	-	-	-
	9/30/2003	<0.05	-	-	82.5	0.3	23.5	24.6	106	-	0.21	-	-	-	-
	10/28/2003	<0.05	-	-	48.5	0.3	13.6	14.7	60.2	-	0.25	-	-	-	-
	12/9/2003	<0.05	-	-	78.4	0.2	23.8	18.2	105	-	0.27	-	-	-	-
	1/7/2004	<0.05	-	-	68.3	0.3	21.7	13.4	84.7	-	0.29	-	-	-	-
	2/19/2004	<0.05	-	-	35.7	0.2	16.5	5.5	94.9	-	<0.05	-	-	-	-
	4/6/2004	0.01	-	-	38.2	0.3	16.8	5.6	91.5	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	5/6/2004	0.01	-	-	39.9	1	17.8	6.2	100	-	<0.05	-	-	-	-
	6/8/2004	0.02	-	-	42.8	2.2	17.2	6	87.9	-	0.05	-	-	-	-
	7/14/2004	0.02	-	-	34.7	0.1	16	9.1	111	-	<0.05	-	-	-	-
	8/12/2004	0.03	-	-	37.6	1	16.2	6.9	99.7	-	<0.05	-	-	-	-
	9/9/2004	0.02	-	-	39	2.4	17.5	8.1	103	-	<0.05	-	-	-	-
	10/6/2004	0.02	-	-	38.4	0.2	17.1	7.5	109	-	<0.05	-	-	-	-
	11/10/2004	0.02	-	-	36.4	<0.4	16.8	<10	108	-	<0.01	-	-	-	-
	12/28/2004	<0.01	-	-	41	<0.4	19	<100	122	-	<0.01	-	-	-	-
	1/18/2005	0.02	-	-	39.7	<0.4	17.8	<10	112	-	<0.01	-	-	-	-
	2/10/2005	0.02	-	-	38.7	<0.4	17.2	8.5	109	-	0.01	-	-	-	-
	3/10/2005	0.02	-	-	45	<0.4	19	<10	122	-	<0.01	-	-	-	-
	4/13/2005	0.02	-	-	38.2	1.61	15.7	7.5	91	-	0.03	-	-	-	-
	5/17/2005	0.01	-	-	34.5	<0.4	15.1	7.5	96.3	-	<0.01	-	-	-	-
	6/14/2005	0.01	-	-	38.2	<0.4	17.2	8.2	111	-	<0.01	-	-	-	-
	7/12/2005	0.01	-	-	37.9	<0.4	16.4	7.8	104	-	<0.01	-	-	-	-
	2/10/2006	<0.02	0.14	<0.005	49.2	<0.2	-	-	-	<0.02	0.039	<0.0002	<0.02	<0.005	<0.02
	7/20/2006	<0.02	0.174	<0.005	-	<0.2	-	-	-	<0.015	0.0638	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	65	<0.2	-	-	-	-	0.081	-	-	-	-
	4/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0174	-	-	-	-
	4/1/2009	0.02	-	-	-	0.2	-	-	-	-	0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.253	-	-	-	-	<0.05	-	-	-	-
MW013A	5/22/2001	<0.05	<0.05	<0.05	42.7	-	19.7	4.3	98.2	<0.05	-	<0.002	<0.05	<0.05	-
	1/28/2002	-	-	-	70	<0.1	34.6	6	133	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0359	<0.005	53.4	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/5/2006	<0.02	0.0325	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/16/2007	0.0204	-	-	53.5	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/21/2007	0.0259	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/7/2008	0.0223	-	-	45.2	<0.2	23.5	5	107	-	<0.005	-	-	-	-
	8/21/2008	0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/30/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/4/2009	0.0243	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.186	-	-	-	-	<0.050	-	-	-	-
	8/4/2010	0.017	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW014A	5/23/2001	<0.05	<0.05	<0.05	28.9	-	15.5	5.4	108	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	36	0.06	18.3	6	117	<0.005	<0.05	-	-	-	-
	1/23/2006	0.0261	0.0371	<0.005	33.7	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0343	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/21/2007	0.0236	-	-	31.3	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/13/2007	0.0207	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	0.0256	-	-	31.9	<0.2	19.8	6.03	121	-	<0.005	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0065	-	-	-	-
	8/20/2009	0.0214	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.056	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.02	-	-	-	0.106	-	-	-	-	<0.050	-	-	-	-
MW015A	5/17/2001	<0.05	0.05	<0.05	52.8	-	29.4	9.1	143	<0.05	-	<0.002	<0.05	<0.05	-
	1/22/2002	-	-	-	510	<1	176	30	1660	<0.005	<0.5	-	-	-	-
	1/23/2006	<0.02	0.126	<0.005	235	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.133	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	249	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	<0.02	-	-	347	<0.2	234	20.7	550	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.171	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW016A	5/17/2001	<0.05	<0.05	<0.05	78.6	-	40.6	6.2	127	<0.05	-	<0.002	<0.05	<0.05	-
	1/22/2002	-	-	-	130	<1	49.2	10	150	<0.005	<0.5	-	-	-	-
	1/20/2006	<0.02	0.0246	<0.005	90.1	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0248	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	95	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/13/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2008	<0.02	-	-	90.9	<0.2	50.8	7.5	156	-	<0.005	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.074	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	0.02	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW018A	5/17/2001	<0.05	<0.05	<0.05	116	-	61.7	7.7	161	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	121	<0.05	65.7	13	182	<0.005	<0.05	-	-	-	-
	1/20/2006	<0.02	0.0273	<0.005	100	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/29/2006	<0.02	0.0267	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	0.0241
	4/2/2007	<0.02	-	-	105	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/13/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/24/2008	<0.02	-	-	105	<0.2	63	8.77	171	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	105	<0.2	63	8.77	171	-	<0.005	-	-	-	-
	8/21/2009	0.0209	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.071	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.015	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW019A	5/17/2001	<0.05	<0.05	<0.05	141	-	67.2	7.3	191	<0.05	-	<0.002	<0.05	<0.05	-
	1/23/2002	-	-	-	125	<0.05	66.9	8	206	<0.005	<0.05	-	-	-	-
	1/23/2006	<0.02	0.0302	<0.005	126	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0291	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/4/2007	<0.02	-	-	118	0.212	-	-	-	-	0.0083	-	-	-	-
	9/14/2007	<0.02	-	-	-	0.486	-	-	-	-	0.0186	-	-	-	-
	3/26/2008	<0.02	-	-	127	<0.2	69.7	8.88	189	-	<0.005	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	<0.05	-	-	-	-	<0.010	-	-	-	-
	8/16/2010	0.022	-	-	-	<0.10	-	-	-	-	<0.050	-	-	-	-
MW020A	6/7/2001	<0.05	<0.05	<0.05	133	-	65.1	7	150	<0.05	-	<0.002	<0.05	<0.05	-
	2/6/2002	-	-	-	154	0.2	83.1	8	179	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.0247	<0.005	181	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0242	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0203	<0.005	<0.02
	4/4/2007	<0.02	-	-	236	0.421	-	-	-	-	0.0068	-	-	-	-
	9/18/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2008	<0.02	-	-	233	0.347	126	12.6	248	-	0.0058	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.085	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.014	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW021A	5/23/2001	<0.05	0.06	<0.05	634	-	262	24.2	2890	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	600	<0.1	242	26	2700	<0.005	<0.05	-	-	-	-
	1/24/2006	<0.02	0.0368	<0.005	626	<0.2	-	-	-	<0.02	0.0103	<0.0002	<0.02	<0.005	<0.02
	6/30/2006	<0.02	0.0381	<0.005	-	<0.2	-	-	-	<0.02	0.0077	-	<0.02	<0.005	<0.02
	4/9/2007	<0.02	-	-	465	<0.2	-	-	-	-	0.0112	-	-	-	-
	9/19/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.0139	-	-	-	-
	4/1/2008	<0.02	-	-	595	<0.2	295	48.3	3620	-	0.0158	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0152	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0114	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.197	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.034	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW022A	5/23/2001	<0.05	<0.05	<0.05	244	-	99.2	10.6	292	<0.05	-	<0.002	<0.05	<0.05	-
	1/24/2002	-	-	-	174	4.1	91.4	10	238	<0.005	0.17	-	-	-	-
	1/24/2006	<0.02	0.0535	<0.005	65.2	<0.2	-	-	-	<0.02	0.0058	<0.0002	<0.02	<0.005	<0.02
	7/6/2006	<0.02	0.0649	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	3/30/2007	<0.02	-	-	69.9	0.28	-	-	-	-	0.0112	-	-	-	-
	9/14/2007	<0.02	-	-	-	0.508	-	-	-	-	0.0219	-	-	-	-
	4/2/2008	<0.02	-	-	70.1	0.607	12.2	3.42	52.4	-	0.0216	-	-	-	-
	8/13/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0143	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0059	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.071	-	-	-	-	<0.05	-	-	-	-
MW023A	8/18/2010	0.013	-	-	-	<0.1	-	-	-	-	<0.05	-	-	-	-
	1/9/2003	<0.05	0.06	<0.05	37.6	-	18.5	4.3	98.7	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	0.0246	0.0387	<0.005	35.8	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	1/20/2006 Dup	0.0251	0.0376	<0.005	36.5	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/26/2006	<0.02	0.0372	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	34.1	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	0.0287	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	33.8	<0.2	18.5	4.94	102	-	<0.005	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0073	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW024A	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.028	-	-	-	<0.10	-	-	-	-	<0.050	-	-	-	-
	5/23/2001	<0.05	0.08	<0.05	110	-	64.3	7.2	132	<0.05	-	<0.002	<0.05	<0.05	-
	2/6/2002	-	-	-	118	0.4	65.6	7	136	<0.005	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0377	<0.005	72.1	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/27/2006	<0.02	0.0407	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	6/27/2006 Dup	0.0202	0.0422	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/11/2007	0.0206	-	-	66.1	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/7/2008	<0.02	-	-	72.8	<0.2	41.2	6.84	120	-	<0.005	-	-	-	-
	8/13/2008	0.0251	-	-	-	<0.2	-	-	-	-	0.0139	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW039A	3/5/2010	<0.05	-	-	-	0.324	-	-	-	-	<0.050	-	-	-	-
	8/6/2010	0.011	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	8/30/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/31/2002	-	-	-	76	<0.1	40.4	6	133	<0.005	<0.05	-	-	-	-
	1/25/2006	0.0219	0.0333	<0.005	134	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0243	<0.005	<0.02
	7/6/2006	0.0229	0.0338	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0292	<0.005	<0.02
	7/6/2006 Dup	0.0251	0.0341	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0244	<0.005	<0.02
	4/12/2007	<0.02	-	-	117	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/3/2008	<0.02	-	-	159	<0.2	87.2	9.17	201	-	<0.005	-	-	-	-
	4/2/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW040A	3/8/2010	<0.05	-	-	-	0.042	-	-	-	-	<0.050	-	-	-	-
	4/2/2002	-	-	-	44	0.2	20.8	5	111	<0.005	<0.05	-	-	-	-
	1/20/2006	0.0234	0.0332	<0.005	35	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	0.0203	0.0348	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/2/2007	<0.02	-	-	34.8	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2008	0.0223	-	-	33	<0.2	21.6	5.52	106	-	<0.005	-	-	-	-
	8/7/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	0.0304	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW041A	3/10/2010	<0.05	-	-	-	0.898	-	-	-	-	<0.050	-	-	-	-
	8/11/2010	0.015	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	4/29/2002	-	-	-	213	0.2	104	11	303	<0.005	<0.05	-	-	-	-
	1/26/2006	<0.02	0.0181	<0.005	268	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0425	<0.005	<0.02
	1/26/2006 Dup	<0.02	0.0193	<0.005	272	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.042	<0.005	<0.02
	7/7/2006	<0.02	0.0191	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.032	<0.005	<0.02
	4/17/2007	<0.02	-	-	185	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	201	<0.2	106	11.8	287	-	<0.005	-	-	-	-
	4/1/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.388	-	-	-	-	0.075	-	-	-	-
MW042A	8/30/2001	-	-	-	-	<0.1	-	-	-	-	-	-	-	-	-
	1/29/2002	-	-	-	500	0.2	226	46	3350	<0.005	<0.05	-	-	-	-
	1/19/2006	<0.02	0.0526	<0.005	18.3	0.89	-	-	-	<0.02	0.0091	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.0328	<0.005	-	<0.2	-	-	-	<0.02	0.0056	-	0.0477	<0.005	0.0206
	6/22/2006 Dup	<0.02	0.0331	<0.005	-	<0.2	-	-	-	<0.02	0.0057	-	0.0489	<0.005	<0.02
	4/17/2007	<0.02	-	-	345	<0.2	-	-	-	-	0.0135	-	-	-	-
	4/2/2008	<0.02	-	-	317	<0.2	165	46.3	1840	-	0.0094	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0073	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.05	-	-	-	-
MW046A	12/9/2002	<0.05	0.18	<0.05	187	-	66.6	9.8	198	<0.05	-	<0.002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0204	<0.005	282	<0.2	-	-	-	<0.02	0.0539	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.0179	<0.005	-	<0.2	-	-	-	<0.015	0.0339	-	0.0318	<0.005	<0.02
	4/17/2007	<0.02	-	-	314	<0.2	-	-	-	-	0.0257	-	-	-	-
	4/2/2008	<0.02	-	-	225	<0.2	128	13.5	333	-	0.0159	-	-	-	-
	3/31/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0167	-	-	-	-
	3/8/2010	<0.05	-	-	-	0.067	-	-	-	-	<0.05	-	-	-	-
MW048SA	8/1/2002	<0.01	0.11	<0.01	194	-	93	9	222	<0.005	-	<0.0002	<0.05	<0.01	-
	1/25/2006	<0.02	0.041	<0.005	162	1.16	-	-	-	<0.02	0.0173	<0.0002	0.0256	<0.005	<0.02
	7/11/2006	<0.02	0.0255	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0226	<0.005	<0.02
	4/10/2007	<0.02	-	-	183	<0.295	-	-	-	-	0.0072	-	-	-	-
	9/20/2007	0.0207	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/1/2008	<0.02	-	-	181	0.264	101	13.3	194	-	<0.005	-	-	-	-
	8/20/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	0.053	-	-	-	0.115	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.011	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW049SA	7/30/2002	<0.01	0.12	<0.01	600	-	298	24	1100	<0.005	-	<0.0002	<0.01	<0.01	-
	1/25/2006	<0.02	0.0335	<0.005	468	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/11/2006	<0.02	0.0314	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/10/2007	<0.02	-	-	419	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	368	0.303	197	23.7	1130	-	0.0071	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.229	-	-	-	-	<0.050	-	-	-	-
MW050SA	7/30/2002	<0.01	0.12	<0.01	300	-	119	14	1100	<0.005	-	<0.0002	<1	<0.01	-
	1/25/2006	<0.02	0.0497	<0.005	239	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.023	<0.005	<0.02
	7/10/2006	<0.02	0.0466	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.03	<0.005	<0.02
	4/9/2007	<0.02	-	-	286	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/1/2008	<0.02	-	-	286	<0.2	134	15	870	-	0.0072	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0057	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.144	-	-	-	-	<0.050	-	-	-	-
MW051SA	10/10/2002	<0.05	0.13	<0.05	418	-	124	34	1400	<0.05	-	<0.002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0308	<0.005	361	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0482	<0.005	<0.02
	7/11/2006	<0.02	0.0288	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0509	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW052SA	4/17/2007	<0.02	-	-	450	0.272	-	-	-	-	0.007	-	-	-	-
	4/9/2008	<0.02	-	-	345	<0.2	164	17.5	754	-	<0.005	-	-	-	-
	4/2/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.115	-	-	-	-	<0.050	-	-	-	-
	10/10/2002	<0.05	0.16	<0.05	498	-	176	26.2	542	<0.05	-	<0.002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0339	<0.005	495	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0262	<0.005	<0.02
	7/11/2006	<0.02	0.0301	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.029	<0.005	<0.02
	7/11/2006 Dup	<0.02	0.0303	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0326	<0.005	<0.02
	4/10/2007	<0.02	-	-	457	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	471	<0.2	234	18	652	-	<0.005	-	-	-	-
MW053SA	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.096	-	-	-	-	<0.050	-	-	-	-
	9/18/2002	<0.05	0.07	<0.05	116	-	54.2	7.2	213	<0.05	-	<0.002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0307	<0.005	105	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/11/2006	<0.02	0.0294	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/5/2007	<0.02	-	-	84.2	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/20/2007	0.0201	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2008	<0.02	-	-	79.9	<0.2	38.1	6.41	173	-	<0.005	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0073	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW054SA	8/10/2010	0.019	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	1/27/2003	<0.05	<0.05	<0.05	303	-	155	13	420	<0.05	-	<0.0002	<0.05	<0.05	-
	1/26/2006	<0.02	0.0481	<0.005	254	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0306	<0.005	<0.02
	7/11/2006	<0.02	0.048	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/10/2007	<0.02	-	-	248	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/20/2007	0.0217	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	270	<0.2	150	12.5	337	-	<0.005	-	-	-	-
	8/20/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/10/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
MW055SA	3/5/2010	<0.05	-	-	-	0.091	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.013	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	1/6/2003	<0.05	0.18	<0.05	191	-	96.1	10.2	222	<0.05	-	<0.0002	<0.05	<0.05	-
	3/10/2004	<0.05	-	-	134	0.2	83.1	7.7	202	-	<0.05	-	-	-	-
	1/25/2006	<0.02	0.0206	<0.005	175	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0225	<0.005	<0.02
	6/28/2006	<0.02	0.0282	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	6/28/2006 Dup	<0.02	0.0276	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	4/10/2007	<0.02	-	-	179	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/20/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	<0.02	-	-	181	<0.2	110	10.4	250	-	<0.005	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.147	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.01	-	-	-	0.121	-	-	-	-	<0.050	-	-	-	-
MW056SA	1/7/2003	<0.05	0.3	<0.05	331	-	120	15.4	745	<0.05	-	<0.0002	<0.05	<0.05	-
	1/26/2006	<0.02	0.028	<0.005	274	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0379	<0.005	<0.02
	7/12/2006	<0.02	0.0343	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0338	<0.005	0.0238
	4/11/2007	<0.02	-	-	245	0.414	-	-	-	-	<0.005	-	-	-	-
	9/21/2007	0.0216	-	-	-	0.209	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	<0.02	-	-	257	<0.2	131	17.4	865	-	<0.005	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/12/2009	0.0254	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.091	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.023	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW057SA	1/28/2003	<0.05	<0.05	<0.05	243	-	105	9.4	313	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	<0.02	0.0657	<0.005	117	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	<0.02	0.0582	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	139	0.255	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/27/2008	<0.02	-	-	248	<0.2	98.6	7.78	304	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.082	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.017	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW062A	1/24/2006	0.0277	0.0412	<0.005	39.3	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/27/2006	0.0224	0.0414	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/20/2007	0.0276	-	-	46.1	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	0.0305	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	0.0252	-	-	38.9	<0.2	22.8	5.12	88.6	-	<0.005	-	-	-	-
	8/18/2008	0.0265	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/2/2009	0.0268	-	-	-	<0.2	-	-	-	-	0.0065	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/3/2009	0.0235	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.103	-	-	-	-	<0.050	-	-	-	-
	8/5/2010	0.035	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW062SA	1/14/2003	<0.05	<0.05	<0.05	39.5	-	24.1	5.1	89.2	<0.05	-	0.0004	<0.05	<0.05	-
MW063A	1/13/2003	<0.05	<0.05	<0.05	31.9	-	19.9	4.3	87.9	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	0.0239	0.0406	<0.005	36.7	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/27/2006	0.0235	0.0425	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/20/2007	0.0243	-	-	43.5	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/9/2008	0.0246	-	-	36.7	<0.2	20.6	4.87	92.7	-	<0.005	-	-	-	-
	8/18/2008	0.0259	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/2/2009	0.0272	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/4/2009	0.0264	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.145	-	-	-	-	<0.05	-	-	-	-
	8/5/2010	0.023	-	-	-	<0.1	-	-	-	-	<0.05	-	-	-	-
MW064SA	2/26/2003	<0.05	0.07	<0.05	308	-	142	11	576	<0.05	-	<0.0002	<0.05	<0.05	-
	3/10/2004	<0.05	-	-	274	<0.1	118	9.2	656	-	<0.05	-	-	-	-
	6/7/2004	<0.01	-	-	314	1.3	143	13	596	-	<0.05	-	-	-	-
	7/22/2004	<0.01	-	-	439	3.5	170	11	652	-	0.12	-	-	-	-
	8/24/2004	<0.01	-	-	383	3.08	138	9.14	592	-	0.1	-	-	-	-
	10/20/2004	<0.01	-	-	333	<0.1	170	9.9	588	-	<0.05	-	-	-	-
	12/9/2004	<0.01	-	-	321	<4	168	<100	585	-	<0.1	-	-	-	-
	1/12/2005	<0.01	-	-	268	<0.4	120	<10	558	-	1.75	-	-	-	-
	2/2/2005	<0.01	-	-	305	2.11	154	11.4	641	-	0.08	-	-	-	-
	3/1/2005	<0.01	-	-	312	0.9	167	9.6	586	-	0.03	-	-	-	-
	3/24/2005	<0.01	-	-	365	1.68	172	12	639	-	0.04	-	-	-	-
	4/27/2005	<0.01	-	-	361	1.84	123	10.4	701	-	0.07	-	-	-	-
	5/24/2005	<0.01	-	-	418	1.18	127	10.4	847	-	0.04	-	-	-	-
	7/14/2005	<0.1	-	-	144	1.75	73.4	6.5	301	-	0.5	-	-	-	-
	2/2/2006	<0.02	0.0758	<0.005	304	2.82	-	-	-	<0.02	0.0721	<0.0002	0.0248	<0.005	<0.02
	7/14/2006	<0.02	0.0415	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0261	<0.005	<0.02
	3/21/2007	<0.02	-	-	276	0.252	-	-	-	-	0.007	-	-	-	-
	9/6/2007	<0.02	-	-	-	220	-	-	-	-	-	-	-	-	-
	3/25/2008	<0.02	-	-	302	0.307	154	17.5	754	-	0.0129	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0053	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.061	-	-	-	-	<0.050	-	-	-	-
	8/3/2010	0.02	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW065SA	2/27/2003	<0.05	0.07	<0.05	398	-	177	11	348	<0.05	-	<0.0002	<0.05	<0.05	-
	6/2/2005	<0.01	-	-	389	<0.4	158	10.5	422	-	<0.01	-	-	-	-
	1/20/2006	<0.02	0.0579	<0.005	342	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0238	<0.005	<0.02
	6/28/2006	<0.02	0.0565	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0249	<0.005	<0.02
	4/10/2007	<0.02	-	-	327	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	340	<0.2	192	13.3	395	-	<0.005	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0071	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.12	-	-	-	-	<0.05	-	-	-	-
	8/5/2010	<0.01	-	-	-	<0.1	-	-	-	-	<0.05	-	-	-	-
MW066SA	3/3/2003	<0.05	0.17	<0.05	570	-	219	14.4	420	<0.05	-	<0.0002	<0.05	<0.05	-
	5/25/2005	<0.01	-	-	568	<0.4	196	11	526	-	<0.01	-	-	-	-
	1/25/2006	<0.02	0.0506	<0.005	482	0.203	-	-	-	<0.02	<0.005	<0.0002	0.0293	<0.005	<0.02
	1/25/2006 Dup	<0.02	0.0489	<0.005	485	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0325	<0.005	<0.02
	7/11/2006	<0.02	0.0526	<0.005	-	<0.2	-	-	-	<0.015	0.0061	-	<0.02	<0.005	<0.02
	9/20/2007	<0.02	-	-	-	0.277	-	-	-	-	0.221	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.259	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.345	-	-	-	-
	8/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.381	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.12	-	-	-	-	0.445	-	-	-	-
	8/4/2010	0.015	-	-	-	<0.1	-	-	-	-	0.555	-	-	-	-
MW067SA	3/4/2003	<0.05	0.13	<0.05	171	-	57.5	9.7	318	<0.05	-	<0.0002	<0.05	<0.05	-
	1/20/2006	0.0211	0.0317	<0.005	93.7	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/10/2006	<0.02	0.0283	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/5/2007	0.0209	-	-	93.5	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/13/2007	0.0209	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/27/2008	0.0201	-	-	96.3	0.226	48.1	6.54	227	-	<0.005	-	-	-	-
	8/11/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/19/2009	0.0202	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.12	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.021	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW070A	3/6/2003	<0.05	0.06	<0.05	41.1	-	19.7	5	95.2	<0.05	-	<0.0002	<0.05	<0.05	-
	1/27/2006	<0.02	0.0347	<0.005	34.9	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/22/2006	<0.02	0.0334	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	3/29/2007	<0.02	-	-	32.3	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/11/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	34.1	<0.2	19	4.59	108	-	<0.005	-	-	-	-
	8/5/2008	0.0236	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0081	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2010	<0.05	-	-	-	0.219	-	-	-	-	<0.050	-	-	-	-
MW071SA	5/1/2003	<0.05	0.06	<0.05	170	-	95.5	6.7	205	<0.05	-	<0.0002	<0.05	<0.05	-
	6/9/2004	<0.01	-	-	<0.625	<0.25	<0.625	5.53	102	-	<0.01	-	-	-	-
	6/2/2005	<0.01	-	-	230	<0.4	126	5.5	382	-	1.3	-	-	-	-
	1/25/2006	0.0242	0.308	<0.005	179	<0.2	-	-	-	<0.02	4.06	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.0931	<0.005	-	<0.2	-	-	-	<0.015	4.93	-	<0.02	<0.005	<0.02
	4/3/2007	<0.02	-	-	277	0.238	-	-	-	-	4.73	-	-	-	-
	9/19/2007	0.022	-	-	-	0.274	-	-	-	-	4.86	-	-	-	-
	3/27/2008	<0.02	-	-	370	<0.2	190	8.73	309	-	4.81	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	2.44	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.638	-	-	-	-
	8/10/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.668	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.135	-	-	-	-	<0.05	-	-	-	-
	8/5/2010	0.01	-	-	-	<0.1	-	-	-	-	0.285	-	-	-	-
MW072SA	5/1/2003	<0.05	<0.05	<0.05	132	-	66.8	7.3	268	<0.05	-	<0.0002	<0.05	<0.05	-
	5/25/2005	0.01	-	-	114	<0.4	58.8	6.7	319	-	<0.01	-	-	-	-
	1/23/2006	0.0216	0.0258	<0.005	121	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	<0.02	0.0285	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/3/2007	0.0205	-	-	125	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/14/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/27/2008	<0.02	-	-	125	<0.2	60.7	8.2	274	-	<0.005	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0051	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.12	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.03	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW073SA	4/30/2003	<0.05	<0.05	<0.05	111	-	53	7.6	184	<0.05	-	<0.0002	<0.05	<0.05	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/20/2006	<0.02	0.0444	<0.005	160	0.219	-	-	-	<0.02	0.0066	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	<0.02	0.0403	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/3/2007	<0.02	-	-	150	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/27/2008	<0.02	-	-	144	<0.2	64.7	8.07	189	-	0.0077	-	-	-	-
	8/12/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.008	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/21/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.138	-	-	-	-	<0.050	-	-	-	-
	8/9/2010	0.016	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	2/4/2004	<0.05	0.06	<0.01	250	0.9	116	7.7	422	<0.01	<0.05	<0.0002	0.01	<0.05	-
MW074SA	1/18/2006	<0.02	0.0479	<0.005	242	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0388	<0.005	<0.02
	6/20/2006	<0.02	0.0449	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0347	<0.005	<0.02
	4/3/2007	<0.02	-	-	222	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/20/2008	<0.02	-	-	209	<0.2	141	12	433	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0067	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.077	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.023	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW075SA	2/5/2004	<0.05	0.08	<0.01	397	1.6	141	7.2	406	<0.01	<0.05	<0.0002	0.04	<0.05	-
	1/19/2006	<0.02	0.0273	<0.005	252	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0456	<0.005	<0.02
	6/21/2006	<0.02	0.0282	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0443	<0.005	<0.02
	4/3/2007	<0.02	-	-	235	0.224	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/20/2008	<0.02	-	-	220	<0.2	136	13.2	455	-	<0.0005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.101	-	-	-	-	<0.050	-	-	-	-
MW076SA	8/16/2010	0.024	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	2/4/2004	<0.05	0.25	<0.01	354	8.5	77	8.7	207	<0.01	0.14	<0.0002	<0.01	<0.05	-
	1/19/2006	<0.02	0.0198	<0.005	171	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0315	<0.005	<0.02
	1/19/2006 Dup	<0.02	0.0202	<0.005	175	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0311	<0.005	<0.02
	6/21/2006	<0.02	0.0205	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0269	<0.005	<0.02
	4/3/2007	<0.02	-	-	178	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/7/2007	0.015	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/20/2008	<0.02	-	-	176	<0.2	111	11.2	449	-	<0.005	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0057	-	-	-	-
	3/16/2010	<0.05	-	-	-	0.111	-	-	-	-	<0.050	-	-	-	-
	8/16/2010	0.025	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW077SA	2/3/2004	<0.05	0.16	<0.01	307	4.6	87.4	7.3	243	<0.01	0.12	<0.0002	<0.01	<0.05	-
	1/19/2006	<0.02	0.0336	<0.005	388	<0.2	-	-	-	<0.02	0.0095	<0.0002	0.0332	<0.005	<0.02
	6/21/2006	<0.02	0.0345	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0352	<0.005	0.0239
	6/21/2006 Dup	<0.02	0.0323	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	0.0295	<0.005	<0.02
	4/11/2007	<0.02	-	-	402	<0.2	-	-	-	-	0.0136	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.0136	-	-	-	-
	4/8/2008	<0.02	-	-	407	<0.2	219	18.9	856	-	0.0156	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0054	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0051	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	0.44	-	-	-	0.098	-	-	-	-	<0.050	-	-	-	-
	8/5/2010	0.015	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW078SA	3/24/2004	<0.01	0.03	<0.01	170	0.3	1.28	23.7	118	<0.01	<0.05	<0.002	0.01	<0.005	-
	4/6/2004	<0.01	0.05	<0.01	96.9	0.2	43.3	5.8	110	<0.01	<0.05	-	<0.01	<0.005	-
	1/19/2006	<0.02	0.0429	<0.005	98	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	6/21/2006	<0.02	0.0437	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	4/5/2007	<0.02	-	-	93.3	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/26/2008	<0.02	-	-	86.1	<0.2	40	6.32	134	-	<0.005	-	-	-	-
	8/11/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.005	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0069	-	-	-	-
	8/20/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/11/2010	<0.05	-	-	-	0.117	-	-	-	-	<0.050	-	-	-	-
	8/10/2010	0.015	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW079SA	3/18/2004	0.01	0.16	<0.01	366	2.4	122	10	469	<0.01	0.06	<0.002	0.04	<0.005	-
	6/3/2004	0.02	-	-	441	18.9	123	34	425	-	0.89	-	-	-	-
	7/7/2004	<0.05	-	-	2050	66.3	275	585	403	-	22.6	-	-	-	-
	8/17/2004	<0.1	-	-	2910	46	263	537	336	-	20	-	-	-	-
	10/10/2004	<0.01	-	-	826	<0.1	132	357	227	-	3.41	-	-	-	-
	11/22/2004	0.006	-	-	599	8.2	137	117	351	-	2.3	-	-	-	-
	1/5/2005	<0.01	-	-	630	4.43	155	67.2	420	-	1.35	-	-	-	-
	1/27/2005	<0.01	-	-	550	9.28	126	49.5	370	-	0.96	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/16/2005	<0.01	-	-	1010	49.5	230	160	490	-	1.42	-	-	-	-
	3/15/2005	<0.01	-	-	603	9.63	152	66	378	-	1.12	-	-	-	-
	4/18/2005	<0.01	-	-	659	10.2	145	120	375	-	1.35	-	-	-	-
	6/2/2005	<0.01	-	-	650	5.31	131	97	399	-	1.16	-	-	-	-
	6/20/2005	<0.01	-	-	650	4.69	128	100	421	-	0.97	-	-	-	-
	7/20/2005	<0.01	-	-	729	4.53	131	103	450	-	0.91	-	-	-	-
	2/3/2006	<0.02	0.417	<0.005	347	1.63	-	-	-	<0.02	0.435	<0.0002	<0.02	<0.005	<0.02
	7/18/2006	<0.02	0.226	<0.005	-	0.3	-	-	-	<0.015	0.269	-	<0.02	<0.005	<0.02
	3/28/2007	<0.02	-	-	220	2.21	-	-	-	-	0.176	-	-	-	-
	9/7/2007	<0.02	-	-	-	0.257	-	-	-	-	0.178	-	-	-	-
	4/2/2008	<0.02	-	-	113	2.43	59.7	18.4	246	-	0.128	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.153	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.146	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0893	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.219	-	-	-	-	0.059	-	-	-	-
	8/4/2010	<0.01	-	-	-	0.244	-	-	-	-	0.054	-	-	-	-
MW080SA	3/17/2004	<0.01	0.05	<0.01	243	<0.1	94.2	8	336	<0.01	<0.05	<0.002	0.02	<0.005	-
	6/3/2004	<0.01	-	-	135	1	109	7.9	182	-	<0.05	-	-	-	-
	7/7/2004	0.038	-	-	520	21	150	250	350	-	9.8	-	-	-	-
	8/17/2004	<0.01	-	-	245	1.5	120	9.6	313	-	<0.05	-	-	-	-
	10/11/2004	<0.01	-	-	244	<0.1	115	9.2	384	-	<0.05	-	-	-	-
	11/23/2004	<0.01	-	-	297	<0.4	108	<10	448	-	<0.01	-	-	-	-
	1/5/2005	<0.01	-	-	220	<0.4	107	<10	330	-	<0.01	-	-	-	-
	1/27/2005	<0.01	-	-	276	<0.4	104	8.63	400	-	0.01	-	-	-	-
	2/16/2005	<0.01	-	-	282	<0.4	141	9.6	394	-	0.01	-	-	-	-
	3/16/2005	<0.01	-	-	221	<0.4	115	9.1	328	-	0.02	-	-	-	-
	4/18/2005	<0.01	-	-	210	<0.4	103	9	304	-	<0.01	-	-	-	-
	6/2/2005	<0.01	-	-	251	<0.4	129	11	363	-	<0.01	-	-	-	-
	6/20/2005	<0.01	-	-	247	1.1	99.8	8.6	335	-	0.03	-	-	-	-
	6/20/2005 Dup	0.01	-	-	263	1.59	102	9	353	-	0.07	-	-	-	-
	7/20/2005	<0.01	-	-	202	<0.4	106	8.9	313	-	<0.01	-	-	-	-
	2/2/2006	<0.02	0.0412	<0.005	206	<0.2	-	-	-	<0.02	0.0275	<0.0002	<0.02	<0.005	<0.02
	7/18/2006	<0.02	0.0419	<0.005	-	<0.2	-	-	-	<0.015	0.0135	-	<0.02	<0.005	<0.02
	3/28/2007	<0.02	-	-	151	<0.2	-	-	-	-	0.0168	-	-	-	-
	9/7/2007	<0.02	-	-	-	<0.2	-	-	-	-	0.0134	-	-	-	-
	4/2/2008	<0.02	-	-	118	<0.2	60.8	10.6	258	-	0.0214	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW081SA	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0246	-	-	-	-
	3/23/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.048	-	-	-	-	<0.050	-	-	-	-
	8/4/2010	0.012	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	3/25/2004	<0.01	0.18	<0.01	372	9.8	142	13.3	419	<0.01	0.18	<0.002	0.04	<0.005	-
	6/3/2004	0.06	-	-	792	24.4	255	138	366	-	12.2	-	-	-	-
	7/7/2004	0.012	-	-	180	1	100	9.7	180	-	0.02	-	-	-	-
	8/17/2004	0.03	-	-	1510	35.5	452	132	467	-	<0.05	-	-	-	-
	10/10/2004	<0.01	-	-	412	2.4	169	16.8	507	-	2.75	-	-	-	-
	11/23/2004	<0.01	-	-	688	0.81	193	19.8	544	-	<0.01	-	-	-	-
	1/5/2005	<0.01	-	-	345	0.77	157	12.9	510	-	3.16	-	-	-	-
	1/13/2005	<0.01	-	-	402	2.59	162	11.9	438	-	2.24	-	-	-	-
	1/27/2005	<0.01	-	-	411	0.4	136	11.9	498	-	1.96	-	-	-	-
	2/16/2005	0.01	-	-	578	0.9	241	26	512	-	<0.01	-	-	-	-
	3/16/2005	0.01	-	-	411	1.06	165	13.1	402	-	4.31	-	-	-	-
	4/19/2005	0.01	-	-	433	0.65	147	11.1	458	-	4.64	-	-	-	-
	6/2/2005	<0.01	-	-	400	0.82	153	12.7	439	-	3.21	-	-	-	-
	6/21/2005	<0.05	-	-	377	0.93	150	11.1	482	-	14	-	-	-	-
	7/20/2005	<0.01	-	-	364	1.55	156	12.6	442	-	1.11	-	-	-	-
	2/2/2006	<0.02	0.108	<0.005	340	2.24	-	-	-	<0.02	0.356	<0.0002	<0.02	<0.005	<0.02
	7/18/2006	<0.02	0.111	<0.005	-	0.511	-	-	-	<0.015	0.301	-	<0.02	<0.005	<0.02
MW082SA	3/28/2007	<0.02	-	-	288	4.07	-	-	-	-	0.506	-	-	-	-
	9/7/2007	<0.02	-	-	-	1.13	-	-	-	-	0.23	-	-	-	-
	4/2/2008	<0.02	-	-	139	4.56	69.1	12.4	286	-	0.0919	-	-	-	-
	8/6/2008	<0.02	-	-	-	1.76	-	-	-	-	0.0916	-	-	-	-
	3/23/2009	<0.02	-	-	-	0.297	-	-	-	-	0.0821	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0742	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.095	-	-	-	-	0.055	-	-	-	-
	8/4/2010	0.011	-	-	-	3.61	-	-	-	-	0.063	-	-	-	-
	3/25/2004	<0.01	0.11	<0.01	263	3.3	101	10.2	673	<0.01	0.09	<0.002	0.03	<0.005	-
	6/8/2004	<0.01	-	-	1520	13	361	11	535	-	9.12	-	-	-	-
	7/21/2004	<0.01	-	-	2010	51	545	719	668	-	30.5	-	-	-	-
	8/23/2004	<0.1	-	-	2110	154	523	575	649	-	27.8	-	-	-	-
	10/19/2004	<0.1	-	-	1430	1600	326	602	412	-	94.4	-	-	-	-
	12/8/2004	<0.01	-	-	2130	184	420	<1000	690	-	<0.1	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	1/12/2005	<0.01	-	-	438	15.7	129	<100	807	-	<0.01	-	-	-	-
	2/2/2005	<0.1	-	-	2930	327	735	761	1740	-	21	-	-	-	-
	3/1/2005	<0.1	-	-	1410	305	307	375	651	-	9.9	-	-	-	-
	3/24/2005	<0.1	-	-	540	220	206	172	629	-	3.5	-	-	-	-
	4/27/2005	<0.01	-	-	814	<0.4	196	241	699	-	3.54	-	-	-	-
	5/25/2005	<0.01	-	-	132	38.7	26.1	28.9	58.3	-	0.66	-	-	-	-
	6/28/2005	<0.05	-	-	817	66.2	276	80.6	631	-	3.67	-	-	-	-
	7/14/2005	<0.01	-	-	973	<0.4	224	123	774	-	2.89	-	-	-	-
	2/3/2006	0.0809	0.482	<0.005	425	2.2	-	-	-	<0.02	1.06	<0.0002	<0.02	<0.005	<0.02
	7/14/2006	0.0226	0.323	<0.005	-	<0.2	-	-	-	<0.015	1.15	-	<0.02	<0.005	<0.02
	3/22/2007	<0.02	-	-	303	0.62	-	-	-	-	1.55	-	-	-	-
	9/6/2007	<0.02	-	-	-	1.97	-	-	-	-	1.9	-	-	-	-
	3/26/2008	<0.02	-	-	317	4.16	152	28.8	572	-	2.07	-	-	-	-
	8/6/2008	<0.02	-	-	-	1.66	-	-	-	-	2.1	-	-	-	-
	3/18/2009	<0.02	-	-	-	4.56	-	-	-	-	2.61	-	-	-	-
	8/17/2009	<0.02	-	-	-	0.565	-	-	-	-	3.15	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.651	-	-	-	-	1.11	-	-	-	-
	8/4/2010	<0.01	-	-	-	6.45	-	-	-	-	3.52	-	-	-	-
MW083SA	3/25/2004	<0.01	0.1	<0.01	302	4.6	115	10.9	746	<0.01	0.1	<0.002	0.03	<0.005	-
	6/8/2004	<0.01	-	-	548	17	207	12.3	679	-	5.47	-	-	-	-
	7/22/2004	<0.1	-	-	3120	40	708	21	713	-	31.6	-	-	-	-
	8/23/2004	<0.1	-	-	2560	299	646	88.9	639	-	37.6	-	-	-	-
	10/19/2004	<0.1	-	-	1720	2970	537	965	792	-	255	-	-	-	-
	12/8/2004	<0.01	-	-	970	235	310	<1000	750	-	176	-	-	-	-
	1/13/2005	<0.01	-	-	504	26.2	190	153	927	-	1.98	-	-	-	-
	2/2/2005	<0.1	-	-	2210	398	613	1700	1520	-	17.1	-	-	-	-
	3/1/2005	<0.1	-	-	1630	198	315	510	643	-	17.6	-	-	-	-
	3/24/2005	1.3	-	-	609	132	206	225	683	-	6.2	-	-	-	-
	4/27/2005	<0.01	-	-	847	<0.4	179	419	946	-	4.24	-	-	-	-
	5/25/2005	<0.01	-	-	55.7	33.5	19.1	25.5	61.1	-	0.5	-	-	-	-
	6/28/2005	<0.05	-	-	816	305	223	219	672	-	5.4	-	-	-	-
	7/14/2005	<0.01	-	-	788	<0.4	193	258	844	-	3.6	-	-	-	-
	2/3/2006	0.0899	0.6	<0.005	596	2.94	-	-	-	<0.02	6.98	<0.002	<0.02	<0.005	<0.02
	7/14/2006	0.0486	0.523	<0.005	-	<0.2	-	-	-	<0.015	5.04	-	<0.02	<0.005	<0.02
	7/14/2006 Dup	0.0526	0.586	<0.005	-	<0.2	-	-	-	<0.015	5.67	-	<0.02	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/22/2007	0.0281	-	-	413	1.29	-	-	-	-	2.55	-	-	-	-
	9/6/2007	0.0204	-	-	-	0.2	-	-	-	-	2.01	-	-	-	-
	3/25/2008	<0.02	-	-	337	0.456	196	29.6	631	-	1.26	-	-	-	-
	8/6/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0103	-	-	-	-
	3/18/2009	<0.02	-	-	-	8.65	-	-	-	-	1.12	-	-	-	-
	8/17/2009	<0.02	-	-	-	0.52	-	-	-	-	1.09	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.108	-	-	-	-	0.464	-	-	-	-
	8/4/2010	0.022	-	-	-	4.49	-	-	-	-	0.536	-	-	-	-
MW084SA	3/24/2004	<0.01	0.09	<0.01	513	3.8	209	15.1	781	<0.01	0.1	<0.002	0.03	<0.005	-
	6/7/2004	<0.01	-	-	645	1	302	19	896	-	<0.05	-	-	-	-
	7/22/2004	<0.01	-	-	620	2.1	294	14.8	833	-	<0.05	-	-	-	-
	8/24/2004	<0.01	-	-	704	3.43	330	15	966	-	0.07	-	-	-	-
	10/20/2004	<0.01	-	-	550	0.2	274	14.7	930	-	<0.05	-	-	-	-
	12/9/2004	<0.01	-	-	561	<0.4	218	15.4	918	-	0.01	-	-	-	-
	1/13/2005	<0.01	-	-	522	1.61	278	15.7	947	-	0.02	-	-	-	-
	2/3/2005	<0.01	-	-	429	<0.4	223	16	804	-	0.02	-	-	-	-
	3/2/2005	<0.01	-	-	437	0.58	199	15.4	854	-	0.01	-	-	-	-
	3/24/2005	<0.01	-	-	521	2.26	223	16.3	956	-	0.04	-	-	-	-
	4/27/2005	<0.01	-	-	602	0.6	215	15.8	1050	-	<0.01	-	-	-	-
	5/24/2005	<0.01	-	-	516	0.59	213	15.7	875	-	0.01	-	-	-	-
	6/28/2005	<0.01	-	-	2020	<0.4	986	59	3310	-	<0.01	-	-	-	-
	7/18/2005	<0.01	-	-	418	<0.4	191	14.2	743	-	<0.01	-	-	-	-
	2/3/2006	<0.02	0.0679	<0.005	495	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0338	<0.005	<0.02
	7/14/2006	<0.02	0.0525	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0264	<0.005	<0.02
	3/21/2007	<0.02	-	-	452	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/6/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2008	<0.02	-	-	534	<0.2	276	24.2	999	-	<0.005	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/13/2009	0.0229	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.133	-	-	-	-	<0.050	-	-	-	-
	8/3/2010	0.02	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
MW085SA	3/25/2004	<0.01	0.1	<0.01	319	2.8	128	11.2	730	<0.01	<0.05	<0.002	0.03	<0.005	-
	6/7/2004	<0.01	-	-	388	<0.25	180	15.2	841	-	<0.01	-	-	-	-
	7/22/2004	<0.01	-	-	373	0.5	159	11.1	859	-	<0.05	-	-	-	-
	8/23/2004	<0.01	-	-	442	<0.25	152	10.5	929	-	0.01	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	10/20/2004	<0.01	-	-	420	0.1	208	12.1	930	-	<0.05	-	-	-	-
	12/9/2004	<0.01	-	-	333	<0.4	140	11.8	765	-	<0.01	-	-	-	-
	1/13/2005	<0.01	-	-	339	0.44	144	12.2	787	-	<0.01	-	-	-	-
	2/2/2005	<0.01	-	-	349	<0.4	181	17	833	-	<0.01	-	-	-	-
	3/1/2005	<0.01	-	-	342	0.41	142	11.5	781	-	0.02	-	-	-	-
	3/24/2005	<0.01	-	-	390	<0.4	170	12.8	907	-	0.04	-	-	-	-
	4/27/2005	<0.01	-	-	333	<0.4	142	11.5	768	-	0.04	-	-	-	-
	5/24/2005	<0.01	-	-	402	<0.4	137	11.3	919	-	0.03	-	-	-	-
	6/20/2005	<0.01	-	-	432	<0.4	149	12	948	-	0.02	-	-	-	-
	6/20/2005 Dup	<0.01	-	-	340	<0.4	136	11.2	773	-	0.02	-	-	-	-
	7/18/2005	<0.01	-	-	330	<0.4	133	10.9	764	-	0.03	-	-	-	-
	2/3/2006	<0.02	0.224	<0.005	336	0.89	-	-	-	<0.02	0.24	<0.0002	0.0238	<0.005	<0.02
	7/14/2006	<0.02	0.0657	<0.005	-	<0.2	-	-	-	<0.015	0.0221	-	<0.02	<0.005	<0.02
	3/21/2007	<0.02	-	-	315	1.52	-	-	-	-	0.0917	-	-	-	-
	9/6/2007	<0.02	-	-	-	1.31	-	-	-	-	0.111	-	-	-	-
	3/25/2008	<0.02	-	-	309	<0.2	159	15.5	836	-	0.0089	-	-	-	-
	8/5/2008	<0.02	-	-	-	<0.2	-	-	-	-	0.0061	-	-	-	-
	3/18/2009	<0.02	-	-	-	0.435	-	-	-	-	0.197	-	-	-	-
	8/17/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.28	-	-	-	-	0.184	-	-	-	-
	8/4/2010	0.036	-	-	-	0.137	-	-	-	-	<0.050	-	-	-	-
MW086SA	9/14/2004	<0.01	-	-	491	0.1	227	14.4	848	-	<0.05	-	-	-	-
	1/13/2005	<0.01	-	-	486	<0.4	195	13.8	906	-	<0.01	-	-	-	-
	1/13/2005 Dup	<0.01	-	-	460	<0.4	194	13.8	887	-	<0.01	-	-	-	-
	6/2/2005	<0.01	-	-	383	<0.4	171	12.8	709	-	<0.01	-	-	-	-
	1/27/2006	<0.02	0.0339	<0.005	304	<0.2	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/12/2006	<0.02	0.0386	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/11/2007	<0.02	-	-	327	<0.2	-	-	-	-	<0.005	-	-	-	-
	9/21/2007	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	313	<0.2	170	11.8	383	-	<0.005	-	-	-	-
	8/19/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/10/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.314	-	-	-	-	<0.050	-	-	-	-
MW087A	8/5/2010	0.016	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-
	9/14/2004	<0.01	-	-	452	0.2	172	12.5	686	-	<0.05	-	-	-	-
	10/5/2004	<0.01	-	-	400	<0.1	136	10.7	520	-	<0.05	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	11/9/2004	<0.01	-	-	500	<0.4	153	15.3	710	-	0.01	-	-	-	-
	12/16/2004	<0.01	-	-	602	<0.4	207	<100	808	-	0.02	-	-	-	-
	1/13/2005	<0.01	-	-	525	<0.4	156	17	690	-	0.42	-	-	-	-
	2/8/2005	<0.01	-	-	533	1	189	18	723	-	1.89	-	-	-	-
	3/8/2005	<0.01	-	-	605	0.65	178	17.8	795	-	1.64	-	-	-	-
	4/6/2005	<0.01	-	-	511	0.67	152	15.1	792	-	1.55	-	-	-	-
	5/11/2005	<0.01	-	-	516	<0.4	195	20	749	-	1.41	-	-	-	-
	6/7/2005	<0.01	-	-	400	<0.4	155	14.4	625	-	1.11	-	-	-	-
	7/6/2005	0.01	-	-	449	0.94	155	14.5	707	-	1.11	-	-	-	-
	2/6/2006	0.0222	4.52	<0.005	558	14.5	-	-	-	<0.02	6.61	<0.001	<0.02	<0.005	<0.02
	7/18/2006	<0.02	2.92	<0.005	-	0.217	-	-	-	<0.015	3.5	-	<0.02	<0.005	<0.02
	4/13/2007	<0.02	-	-	393	13	-	-	-	-	1.72	-	-	-	-
	4/15/2008	0.0276	-	-	378	4.27	345	17.4	737	-	1.4	-	-	-	-
	3/30/2009	0.0241	-	-	-	1.23	-	-	-	-	0.786	-	-	-	-
	3/10/2010	<0.05	-	-	-	0.064	-	-	-	-	0.261	-	-	-	-
MW089SA	2/9/2006	<0.02	0.0401	<0.005	397	0.284	-	-	-	<0.02	0.0131	<0.0002	0.038	<0.005	0.0289
	2/9/2006 Dup	<0.02	0.0349	<0.005	346	0.213	-	-	-	<0.02	0.0104	<0.0002	0.0384	<0.005	0.0251
	7/21/2006	<0.02	0.0219	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0532	<0.005	<0.02
	7/21/2006 Dup	<0.02	0.0218	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0491	<0.005	<0.02
	4/4/2007	<0.02	-	-	277	<0.2	-	-	-	-	0.0056	-	-	-	-
	4/9/2008	<0.02	-	-	407	<0.2	193	16.5	548	-	0.0118	-	-	-	-
	3/26/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
MW090SA	2/9/2006	<0.02	0.0458	<0.005	327	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0383	<0.005	<0.02
	7/21/2006	<0.02	0.0375	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0408	<0.005	<0.02
	4/3/2007	<0.02	-	-	366	<0.2	-	-	-	-	0.0051	-	-	-	-
	4/14/2008	<0.02	-	-	381	<0.2	118	11.2	461	-	<0.005	-	-	-	-
	3/17/2009	<0.02	-	-	-	<0.2	-	-	492	-	<0.005	-	-	-	-
	8/11/2009	<0.02	-	-	-	<0.2	-	-	472	-	<0.005	-	-	-	-
MW091SA	3/2/2010	<0.05	-	-	-	0.066	-	-	-	-	<0.050	-	-	-	-
	2/9/2006	<0.02	0.0452	<0.005	334	<0.2	-	-	-	<0.02	0.0051	<0.0002	0.0325	<0.005	<0.02
	7/24/2006	<0.02	0.0387	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0417	<0.005	<0.02
	4/5/2007	<0.02	-	-	351	<0.2	-	-	-	-	0.0075	-	-	-	-
	4/7/2008	<0.02	-	-	465	<0.2	133	14.3	446	-	<0.005	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
MW092SA	2/9/2006	<0.02	0.051	<0.005	337	0.536	-	-	-	<0.02	0.0102	<0.0002	0.0413	<0.005	<0.02
	7/24/2006	<0.02	0.0307	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0483	<0.005	<0.02
	4/5/2007	<0.02	-	-	350	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	427	0.282	130	14.5	595	-	<0.005	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	0.041	-	-	-	-	<0.050	-	-	-	-
MW093SA	2/9/2006	<0.02	0.084	<0.005	349	1.66	-	-	-	<0.02	0.0457	<0.0002	0.0399	<0.005	<0.02
	7/24/2006	<0.02	0.0308	<0.005	-	<0.2	-	-	-	<0.015	0.0053	-	0.0387	<0.005	<0.02
	4/5/2007	<0.02	-	-	235	0.883	-	-	-	-	0.0731	-	-	-	-
	4/8/2008	<0.02	-	-	413	<0.2	120	14.9	569	-	<0.005	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	0.052	-	-	-	-	<0.050	-	-	-	-
IW003	12/17/2003	<0.05	-	-	560	<0.1	237	12.4	500	-	<0.05	-	-	-	-
	6/3/2004	<0.01	-	-	4090	32.8	586	4230	281	-	36.8	-	-	-	-
	7/8/2004	0.06	-	-	5340	76.1	602	2090	266	-	61.2	-	-	-	-
	8/18/2004	<0.01	-	-	5550	75.6	587	3640	330	-	31	-	-	-	-
	10/11/2004	<0.1	-	-	5860	149	482	2280	271	-	51.1	-	-	-	-
	1/6/2005	<0.1	-	-	5000	149	496	1650	296	-	51	-	-	-	-
	1/27/2005	<0.1	-	-	2250	61.6	260	917	164	-	24	-	-	-	-
	2/21/2005	<0.1	-	-	4240	107	357	1120	180	-	33.9	-	-	-	-
	3/17/2005	<0.1	-	-	4000	125	376	1030	175	-	54.9	-	-	-	-
	4/19/2005	<0.1	-	-	3720	91.9	360	650	166	-	37.5	-	-	-	-
	6/1/2005	<0.05	-	-	3060	91.3	355	759	193	-	41.9	-	-	-	-
	6/21/2005	<0.05	-	-	3120	104	448	947	289	-	40.3	-	-	-	-
	7/21/2005	<0.05	-	-	2090	83.3	253	840	221	-	17.2	-	-	-	-
	2/6/2006	0.278	1.03	<0.005	3980	158	-	-	-	<0.02	48.5	<0.01	0.0796	0.0131	0.252
	2/6/2006 Dup	0.278	1.02	<0.005	4000	155	-	-	-	<0.02	47.9	<0.01	0.0786	0.0129	0.247
	7/25/2006	0.205	1.71	<0.005	-	4.69	-	-	-	<0.015	33.5	-	<0.02	<0.005	<0.02
	4/9/2007	0.358	-	-	1000	27.3	-	-	-	-	14.8	-	-	-	-
	4/3/2008	0.254	-	-	756	26.1	256	209	306	-	15.3	-	-	-	-
	3/23/2009	0.188	-	-	-	22.5	-	-	-	-	12.5	-	-	-	-
	3/3/2010	0.55	-	-	-	9.25	-	-	-	-	15.8	-	-	-	-
IW004	12/18/2003	<0.05	-	-	83	0.3	126	8.3	208	-	<0.05	-	-	-	-
	6/9/2004	<0.01	-	-	3580	61.2	66.8	218	29	-	49.8	-	-	-	-
	7/8/2004	<0.01	-	-	4550	103	774	3570	319	-	38.8	-	-	-	-
	8/18/2004	<0.01	-	-	3140	95.9	393	2130	220	-	37.6	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	10/11/2004	<0.1	-	-	1470	66	282	1250	344	-	14.7	-	-	-	-
	1/6/2005	<0.1	-	-	2630	303	376	992	249	-	46.7	-	-	-	-
	1/27/2005	<0.1	-	-	798	53.9	116	356	87	-	11	-	-	-	-
	2/22/2005	<0.1	-	-	2010	99.4	266	772	188	-	22.9	-	-	-	-
	3/21/2005	<0.1	-	-	1080	133	183	612	106	-	43.9	-	-	-	-
	4/19/2005	<0.1	-	-	2100	109	277	660	174	-	32.8	-	-	-	-
	6/1/2005	<0.05	-	-	2510	112	321	702	218	-	38.7	-	-	-	-
	6/21/2005	<0.05	-	-	1150	54.1	173	590	161	-	18.1	-	-	-	-
	7/21/2005	<0.05	-	-	3810	71.2	330	950	226	-	24	-	-	-	-
	2/6/2006	0.0547	0.443	<0.005	1300	42.9	-	-	-	<0.02	8.19	<0.001	0.0507	<0.005	0.0673
	7/25/2006	0.0618	0.882	<0.005	-	1.92	-	-	-	<0.015	16.7	-	<0.02	<0.005	<0.02
	4/9/2007	0.0612	-	-	569	4.09	-	-	-	-	6.84	-	-	-	-
	4/3/2008	0.0218	-	-	551	<0.2	233	87	507	-	5.85	-	-	-	-
	3/23/2009	<0.02	-	-	-	<0.2	-	-	-	-	3.83	-	-	-	-
	3/4/2010	<0.05	-	-	-	0.218	-	-	-	-	1.68	-	-	-	-
IW005	2/25/2004	<0.05	0.06	<0.01	346	0.9	116	8	171	<0.01	<0.05	<0.002	0.03	<0.005	-
	6/9/2004	<0.01	-	-	2740	61.2	543	2340	254	-	16.8	-	-	-	-
	7/8/2004	<0.01	-	-	2510	64.3	504	3220	226	-	9.3	-	-	-	-
	10/11/2004	<0.1	-	-	1840	170	328	1960	426	-	11.1	-	-	-	-
	12/1/2004	<0.01	-	-	2320	226	477	1960	440	-	22.8	-	-	-	-
	1/6/2005	<0.1	-	-	1840	163	334	1060	207	-	11.7	-	-	-	-
	1/27/2005	<0.1	-	-	768	34.2	121	442	106	-	2.1	-	-	-	-
	2/22/2005	<0.1	-	-	1660	111	261	825	137	-	7.4	-	-	-	-
	3/21/2005	<0.1	-	-	2350	60.5	328	863	182	-	6	-	-	-	-
	4/20/2005	<0.1	-	-	972	64.1	166	527	95	-	6.1	-	-	-	-
	6/1/2005	<0.05	-	-	1430	101	233	579	141	-	8.15	-	-	-	-
	6/22/2005	<0.05	-	-	905	56.9	146	553	132	-	3.75	-	-	-	-
	7/13/2005	<0.1	-	-	1110	95.3	216	550	172	-	3.9	-	-	-	-
	2/6/2006	0.0595	0.675	<0.005	2200	197	-	-	-	<0.02	15.6	<0.002	0.0636	<0.005	0.339
	7/26/2006	0.096	0.675	<0.005	-	49.3	-	-	-	<0.015	19	-	0.0428	<0.005	0.0909
	3/27/2007	0.272	-	-	875	13.8	-	-	-	-	3.14	-	-	-	-
	4/12/2007	0.329	-	-	726	6.33	-	-	-	-	2.15	-	-	-	-
	4/1/2008	0.154	-	-	681	23.5	302	221	277	-	4.69	-	-	-	-
	3/23/2009	0.0971	-	-	-	6.21	-	-	-	-	1.8	-	-	-	-
	3/4/2010	<0.5	-	-	-	8.16	-	-	-	-	5.98	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
IW006	12/18/2003	<0.05	-	-	274	1.7	84.9	8.7	160	-	0.07	-	-	-	-
	2/25/2004	-	0.19	<0.01	-	-	-	-	-	<0.01	-	<0.002	0.02	<0.005	-
	6/9/2004	<0.01	-	-	4790	114	797	2840	492	-	50.1	-	-	-	-
	7/20/2004	<0.01	-	-	4840	135	698	2530	326	-	35.8	-	-	-	-
	8/18/2004	0.04	-	-	3050	93.1	533	2530	1110	-	18.5	-	-	-	-
	10/13/2004	<0.1	-	-	3560	202	535	2710	481	-	26.5	-	-	-	-
	12/1/2004	<0.01	-	-	4720	313	738	3020	646	-	41.3	-	-	-	-
	1/10/2005	<0.1	-	-	3110	240	503	1370	309	-	35.3	-	-	-	-
	1/31/2005	<0.1	-	-	2390	168	395	1230	267	-	30	-	-	-	-
	2/22/2005	<0.1	-	-	2630	173	406	967	196	-	24.4	-	-	-	-
	3/22/2005	<0.1	-	-	2690	181	407	901	207	-	33.1	-	-	-	-
	4/20/2005	<0.1	-	-	2190	137	387	797	174	-	22.7	-	-	-	-
	5/31/2005	<0.1	-	-	2400	151	389	752	196	-	25.9	-	-	-	-
	6/22/2005	<0.05	-	-	1670	104	278	659	179	-	17.6	-	-	-	-
	7/13/2005	<0.1	-	-	1770	114	296	846	200	-	17.4	-	-	-	-
	2/7/2006	0.118	1	0.0058	2720	184	-	-	-	0.0289	41.5	<0.004	0.0758	0.012	0.338
	2/7/2006 Dup	0.117	0.929	0.0051	2600	189	-	-	-	0.0285	36.5	<0.004	0.0644	0.0107	0.344
	7/26/2006	0.288	0.763	<0.005	-	5.41	-	-	-	<0.015	10.4	-	<0.02	<0.005	<0.02
	3/27/2007	0.203	-	-	784	16.4	-	-	-	-	6.21	-	-	-	-
	4/12/2007	0.16	-	-	637	10.1	-	-	-	-	3.6	-	-	-	-
	4/1/2008	0.129	-	-	597	8.04	219	181	264	-	6.46	-	-	-	-
	3/19/2009	0.0761	-	-	-	6.9	-	-	-	-	5.59	-	-	-	-
	3/4/2010	<0.05	-	-	-	1.67	-	-	-	-	4.69	-	-	-	-
IW007	12/18/2003	<0.05	-	-	277	3.8	104	9.4	167	-	0.05	-	-	-	-
	2/26/2004	<0.01	0.05	<0.01	337	0.73	116	6.93	146	<0.01	0.01	<0.002	0.02	<0.005	-
	6/9/2004	<0.01	-	-	2710	39.9	430	1840	194	-	7.56	-	-	-	-
	7/20/2004	<0.01	-	-	4500	74.6	662	2770	240	-	15.1	-	-	-	-
	8/19/2004	<0.01	-	-	4570	96.2	634	3630	260	-	7.15	-	-	-	-
	10/13/2004	<0.1	-	-	3400	217	452	2900	438	-	11.2	-	-	-	-
	12/2/2004	<0.1	-	-	3610	181	562	2190	438	-	15.8	-	-	-	-
	1/10/2005	<0.1	-	-	1930	137	297	1060	188	-	7.6	-	-	-	-
	1/31/2005	<0.1	-	-	1680	95.8	224	815	153	-	6.2	-	-	-	-
	2/22/2005	<0.1	-	-	2580	160	352	871	162	-	11.9	-	-	-	-
	4/20/2005	<0.1	-	-	1820	105	266	612	130	-	8.2	-	-	-	-
	5/31/2005	<0.1	-	-	1930	122	281	608	155	-	9.9	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/22/2005	<0.05	-	-	1500	84.2	215	628	161	-	5.95	-	-	-	-
	7/13/2005	<0.1	-	-	1400	90.7	225	744	172	-	5.5	-	-	-	-
	2/7/2006	0.125	0.756	0.0058	3930	213	-	-	-	0.0425	21.5	<0.004	0.075	0.008	0.432
	7/26/2006	0.0599	0.741	<0.005	-	44.9	-	-	-	<0.015	16.2	-	0.0774	<0.005	0.259
	3/26/2007	0.0622	-	-	5090	69.3	-	-	-	-	27.5	-	-	-	-
	4/1/2008	0.0464	-	-	3410	93.5	887	303	331	-	31.8	-	-	-	-
	3/19/2009	0.299	-	-	-	14	-	-	-	-	2.03	-	-	-	-
	3/4/2010	<0.5	-	-	-	23.4	-	-	-	-	5.83	-	-	-	-
IW008	2/26/2004	<0.01	0.17	<0.01	125	10.3	46.7	9.7	87.7	0.01	0.18	<0.002	<0.01	<0.005	-
	6/9/2004	<0.01	-	-	1530	37.2	373	1260	180	-	6.56	-	-	-	-
	7/20/2004	<0.01	-	-	3690	96.1	649	1880	236	-	16	-	-	-	-
	8/19/2004	<0.01	-	-	1610	65.6	350	1860	180	-	6.57	-	-	-	-
	10/13/2004	<0.1	-	-	2330	221	459	2270	449	-	10.3	-	-	-	-
	12/2/2004	<0.1	-	-	1080	134	246	948	228	-	10.5	-	-	-	-
	1/11/2005	<0.1	-	-	1320	106	297	764	178	-	7.5	-	-	-	-
	2/2/2005	<0.1	-	-	137	227	27	71	19	-	11.8	-	-	-	-
	2/23/2005	<0.1	-	-	1250	141	225	563	120	-	5.8	-	-	-	-
	3/22/2005	<0.1	-	-	1080	121	208	563	133	-	4.4	-	-	-	-
	4/25/2005	<0.01	-	-	897	114	173	378	101	-	4.01	-	-	-	-
	5/31/2005	<0.1	-	-	829	98.1	168	390	121	-	4	-	-	-	-
	6/22/2005	<0.05	-	-	655	68.9	138	372	125	-	2.2	-	-	-	-
	2/7/2006	0.0674	0.472	<0.005	1280	156	-	-	-	<0.02	10.4	<0.004	0.022	<0.005	0.287
	7/26/2006	0.161	0.438	<0.005	-	3	-	-	-	<0.015	2.86	-	<0.02	<0.005	<0.02
	7/26/2006 Dup	0.163	0.43	<0.005	-	3.24	-	-	-	<0.015	2.95	-	<0.02	<0.005	<0.02
	3/23/2007	0.287	-	-	623	21.2	-	-	-	-	4.09	-	-	-	-
	4/1/2008	0.144	-	-	566	20.3	242	111	242	-	4.17	-	-	-	-
	3/19/2009	0.0783	-	-	-	13.3	-	-	-	-	3.7	-	-	-	-
	3/4/2010	<0.05	-	-	-	2.11	-	-	-	-	3.88	-	-	-	-
IW009	6/9/2004	<0.01	-	-	3280	107	737	2840	344	-	10.1	-	-	-	-
	7/20/2004	<0.01	-	-	5370	165	767	2910	282	-	15.9	-	-	-	-
	8/19/2004	<0.01	-	-	2570	88.3	379	2430	238	-	3.74	-	-	-	-
	10/14/2004	<0.1	-	-	3700	236	541	2550	444	-	15.2	-	-	-	-
	12/6/2004	<0.1	-	-	4500	350	676	1950	461	-	23.3	-	-	-	-
	1/11/2005	<0.1	-	-	3470	230	481	1250	280	-	13.1	-	-	-	-
	2/2/2005	<0.01	-	-	375	26	47	142	28	-	1.36	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/23/2005	<0.1	-	-	2970	205	334	885	172	-	9.4	-	-	-	-
	3/23/2005	<0.1	-	-	3270	247	368	864	174	-	12.7	-	-	-	-
	4/25/2005	<0.01	-	-	2580	181	317	739	155	-	9.66	-	-	-	-
	5/31/2005	<0.1	-	-	2680	193	306	711	161	-	10.3	-	-	-	-
	6/23/2005	<0.05	-	-	2830	150	294	956	200	-	8.12	-	-	-	-
	7/13/2005	<0.1	-	-	1940	114	258	888	195	-	6.2	-	-	-	-
	2/7/2006	0.138	0.718	<0.005	1760	180	-	-	-	<0.02	18.1	<0.01	0.115	0.0067	0.414
	7/27/2006	0.0982	0.683	<0.005	-	79.8	-	-	-	0.0242	13.3	-	0.134	<0.005	0.574
	3/31/2008	0.0562	-	-	2370	52.6	810	234	362	-	24.3	-	-	-	-
	3/19/2009	<0.1	-	-	-	46.1	-	-	-	-	25.9	-	-	-	-
	3/4/2010	<0.5	-	-	-	34.1	-	-	-	-	36.9	-	-	-	-
IW010	12/18/2003	<0.05	-	-	330	2	136	11	411	-	0.05	-	-	-	-
	2/26/2004	<0.01	0.11	<0.01	419	6.04	163	11.9	495	<0.01	0.12	<0.002	0.02	<0.005	-
	6/9/2004	<0.01	-	-	3170	27.2	801	1920	400	-	46	-	-	-	-
	7/21/2004	<0.01	-	-	669	67.3	1130	175	449	-	105	-	-	-	-
	8/19/2004	<0.01	-	-	5620	138	904	2500	288	-	58.6	-	-	-	-
	10/14/2004	<0.1	-	-	6590	354	1130	2220	561	-	<0.5	-	-	-	-
	12/7/2004	<0.05	-	-	12500	580	2750	2990	1210	-	236	-	-	-	-
	1/11/2005	<0.1	-	-	4980	344	1190	850	469	-	134	-	-	-	-
	2/2/2005	<0.1	-	-	435	639	112	<100	45	-	13.8	-	-	-	-
	2/24/2005	<0.1	-	-	5150	397	1290	830	521	-	147	-	-	-	-
	3/23/2005	<0.1	-	-	3520	352	1070	571	463	-	<0.1	-	-	-	-
	4/25/2005	<0.01	-	-	3190	359	982	498	457	-	125	-	-	-	-
	5/31/2005	<0.1	-	-	29100	622	1630	1010	887	-	<0.1	-	-	-	-
	6/23/2005	<0.05	-	-	3890	353	842	650	416	-	<0.05	-	-	-	-
	7/13/2005	<0.1	-	-	3310	355	724	658	357	-	81.4	-	-	-	-
	2/7/2006	0.0906	1.07	<0.005	1560	117	-	-	-	<0.02	42.4	<0.004	<0.02	0.0117	<0.02
	7/27/2006	0.0605	0.754	<0.005	-	5.43	-	-	-	<0.015	9.86	-	<0.02	<0.005	<0.02
	3/23/2007	0.397	-	-	500	15.3	-	-	-	-	10.9	-	-	-	-
	3/31/2008	0.0411	-	-	403	17.4	162	86	412	-	11	-	-	-	-
	3/19/2009	0.0208	-	-	-	18.1	-	-	-	-	11.7	-	-	-	-
	3/4/2010	0.074	-	-	-	6.88	-	-	-	-	11.4	-	-	-	-
IW011	12/18/2003	<0.05	-	-	420	2	1720	96	2370	-	<0.5	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	6/8/2004	<0.01	-	-	2180	36.5	266	2800	152	-	6.36	-	-	-	-
	7/21/2004	<0.01	-	-	537	89.3	389	382	175	-	21.5	-	-	-	-
	8/19/2004	<0.01	-	-	3150	57.6	324	3520	240	-	4.23	-	-	-	-
	10/14/2004	<0.1	-	-	1720	63	201	2640	428	-	4.7	-	-	-	-
	12/7/2004	<0.05	-	-	9830	403	694	8330	1290	-	41.8	-	-	-	-
	1/12/2005	<0.01	-	-	1830	97.8	123	1030	128	-	0.38	-	-	-	-
	2/2/2005	<0.1	-	-	202	147	16	106	15	-	13.5	-	-	-	-
	2/24/2005	<0.1	-	-	2980	104	200	1110	123	-	8.8	-	-	-	-
	3/23/2005	<0.1	-	-	1920	62.7	118	661	88	-	5.9	-	-	-	-
	4/26/2005	<0.1	-	-	2880	97.3	177	897	92	-	8.2	-	-	-	-
	5/26/2005	<0.1	-	-	2990	84.6	177	985	173	-	10.3	-	-	-	-
	6/23/2005	<0.05	-	-	1530	39.1	92.1	550	107	-	3.11	-	-	-	-
	7/14/2005	<0.1	-	-	1820	48.1	133	854	196	-	2.4	-	-	-	-
	2/8/2006	0.0537	0.751	<0.005	3890	161	-	-	-	<0.02	11.6	<0.004	0.0451	<0.005	0.334
	7/26/2006	0.0257	0.257	<0.005	-	57	-	-	-	<0.015	11.8	-	0.0353	<0.005	<0.02
	3/22/2007	0.108	-	-	1090	10.8	-	-	-	-	2.41	-	-	-	-
	3/31/2008	0.187	-	-	913	8.03	204	182	239	-	2.7	-	-	-	-
	3/18/2009	0.0874	-	-	-	4.4	-	-	-	-	2.18	-	-	-	-
	3/4/2010	<0.5	-	-	-	7.14	-	-	-	-	3.2	-	-	-	-
IW012	6/8/2004	<0.01	-	-	3780	51.3	399	4470	197	-	9.97	-	-	-	-
	8/19/2004	<0.01	-	-	2720	69.5	274	3090	220	-	1.1	-	-	-	-
	10/14/2004	<0.1	-	-	1650	91	163	1970	288	-	4.6	-	-	-	-
	2/3/2005	<0.1	-	-	365	280	22	157	19	-	15	-	-	-	-
	3/30/2005	<0.1	-	-	4080	110	173	980	88	-	3.6	-	-	-	-
	6/23/2005	<0.05	-	-	2670	56.2	135	912	133	-	2.4	-	-	-	-
	7/14/2005	<0.1	-	-	2430	65.7	131	776	179	-	2.6	-	-	-	-
IW013	2/10/2004	<0.05	0.11	<0.01	460	2.6	156	7.3	390	<0.01	0.09	<0.0002	0.02	<0.05	-
	6/8/2004	<0.01	-	-	2790	14.4	759	3800	370	-	7.7	-	-	-	-
	7/21/2004	<0.01	-	-	2150	63.8	584	2290	285	-	12.9	-	-	-	-
	8/19/2004	<0.01	-	-	2640	78.3	309	2360	166	-	7.54	-	-	-	-
	10/19/2004	<0.01	-	-	4080	360	692	4580	441	-	19.5	-	-	-	-
	12/7/2004	<0.05	-	-	9610	<0.4	1240	7960	913	-	44.6	-	-	-	-
	1/12/2005	<0.1	-	-	2700	309	482	1940	263	-	18.5	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/3/2005	<0.1	-	-	197	476	35	151	24	-	22	-	-	-	-
	2/24/2005	<0.1	-	-	2730	334	411	1540	210	-	13.5	-	-	-	-
	3/24/2005	<0.1	-	-	208	295	40.7	122	17.2	-	12	-	-	-	-
	4/26/2005	<0.1	-	-	2820	359	443	1190	153	-	12.7	-	-	-	-
	5/25/2005	<0.01	-	-	232	21.1	28.5	94	12.5	-	0.76	-	-	-	-
	6/23/2005	<0.05	-	-	2450	236	345	1070	172	-	8.25	-	-	-	-
	7/14/2005	<0.1	-	-	2300	254	346	921	217	-	6.2	-	-	-	-
	2/8/2006	0.0405	0.517	<0.005	1960	295	-	-	-	<0.02	6.79	<0.004	0.0626	<0.005	0.511
	2/8/2006 Dup	0.0424	0.499	<0.005	1950	291	-	-	-	<0.02	6.74	<0.004	0.0655	<0.005	0.514
	7/27/2006	0.033	0.78	<0.005	-	47.7	-	-	-	<0.015	1.35	-	<0.02	<0.005	<0.02
	7/27/2006 Dup	0.0325	0.774	<0.005	-	49	-	-	-	<0.015	1.38	-	<0.02	<0.005	<0.02
	3/22/2007	0.0342	-	-	674	10.1	-	-	-	-	1.03	-	-	-	-
	3/26/2008	<0.02	-	-	347	0.247	143	52.2	412	-	0.315	-	-	-	-
	3/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.282	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.323	-	-	-	-	0.291	-	-	-	-
IW014	2/11/2004	<0.05	0.09	<0.01	360	1.3	125	8.1	900	<0.01	<0.05	<0.0002	<0.01	<0.05	-
	6/10/2004	<0.01	-	-	233	67	391	340	221	-	5.2	-	-	-	-
	7/21/2004	<0.01	-	-	2770	151	312	2610	153	-	7.11	-	-	-	-
	8/19/2004	<0.01	-	-	1390	35	147	1490	119	-	0.9	-	-	-	-
	10/19/2004	<0.1	-	-	2150	1160	234	2400	329	-	62.3	-	-	-	-
	12/7/2004	<0.05	-	-	5840	<0.4	618	8350	1110	-	15.1	-	-	-	-
	1/13/2005	<0.1	-	-	1770	147	192	1260	150	-	1.1	-	-	-	-
	2/3/2005	<0.1	-	-	218	105	175	100	119	-	3.3	-	-	-	-
	2/24/2005	<0.1	-	-	2970	78.4	280	1320	128	-	3.4	-	-	-	-
	3/24/2005	<0.1	-	-	1980	56.7	155	648	74	-	1.1	-	-	-	-
	4/26/2005	<0.1	-	-	2280	83.3	187	679	74	-	1.1	-	-	-	-
	5/25/2005	<0.01	-	-	285	5.52	16.7	54	8.3	-	0.09	-	-	-	-
	6/28/2005	<0.05	-	-	3280	96.4	188	666	98.4	-	1.54	-	-	-	-
	7/14/2005	<0.1	-	-	2600	65.9	197	745	210	-	0.7	-	-	-	-
	2/13/2006	0.0518	0.816	<0.005	4120	466	-	-	-	<0.02	5.3	<0.004	0.068	<0.005	1.24
	2/13/2006 Dup	0.0524	0.819	<0.005	4190	485	-	-	-	<0.02	5.32	<0.004	0.0713	<0.005	1.24
	7/25/2006	0.047	0.304	0.0081	-	228	-	-	-	<0.015	3.34	-	<0.02	<0.005	0.0299
	7/25/2006 Dup	0.0484	0.323	0.0083	-	218	-	-	-	<0.015	3.48	-	<0.02	<0.005	0.0584

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	3/26/2007	0.0877	-	-	2440	144	-	-	-	-	2.43	-	-	-	-
	3/28/2007	0.0819	-	-	-	141	-	-	-	-	2.4	-	-	-	-
	3/26/2008	0.173	-	-	1590	14.9	152	294	779	-	0.678	-	-	-	-
	3/18/2009	0.229	-	-	-	1.59	-	-	-	-	0.413	-	-	-	-
	3/3/2010	<0.50	-	-	-	8.19	-	-	-	-	<0.50	-	-	-	-
IW015	2/25/2004	<0.05	-	-	610	6.5	190	11.1	500	-	0.19	-	-	-	-
	6/3/2004	<0.01	-	-	2900	21.7	335	2690	169	-	7.27	-	-	-	-
	7/8/2004	<0.01	-	-	4720	76.4	590	5520	270	-	11.3	-	-	-	-
	8/18/2004	<0.01	-	-	3850	51.7	349	3200	250	-	2.91	-	-	-	-
	10/11/2004	<0.1	-	-	7160	121	485	4600	537	-	11.6	-	-	-	-
	1/5/2005	<0.1	-	-	6360	86.2	415	2450	311	-	7.1	-	-	-	-
	2/21/2005	<0.1	-	-	4750	77.8	266	1140	141	-	8.4	-	-	-	-
	3/17/2005	<0.1	-	-	4530	55.3	235	1260	140	-	3.8	-	-	-	-
	4/19/2005	<0.1	-	-	4500	48.8	237	980	112	-	3.4	-	-	-	-
	6/1/2005	<0.05	-	-	4660	39.6	248	863	145	-	3.52	-	-	-	-
	6/21/2005	<0.05	-	-	3970	54.6	263	1060	166	-	8.26	-	-	-	-
	7/21/2005	<0.05	-	-	6490	55	299	1110	153	-	3.62	-	-	-	-
	2/9/2006	0.0806	1.34	<0.005	8070	53.1	-	-	-	<0.02	4.4	<0.01	0.0446	<0.005	0.216
	7/25/2006	0.216	1.33	<0.005	-	10.4	-	-	-	<0.015	0.786	-	<0.02	<0.005	<0.02
	4/9/2007	0.485	-	-	1000	21	-	-	-	-	0.443	-	-	-	-
	4/3/2008	0.236	-	-	531	20.3	189	391	344	-	0.402	-	-	-	-
	3/23/2009	0.107	-	-	-	14.8	-	-	-	-	0.339	-	-	-	-
	3/3/2010	<0.50	-	-	-	19.4	-	-	-	-	<0.50	-	-	-	-
IW016	2/11/2004	<0.05	0.14	<0.01	590	1.9	135	8.2	620	<0.01	0.05	<0.0002	0.02	<0.05	-
	6/3/2004	<0.01	-	-	2820	42.4	318	3450	165	-	5.69	-	-	-	-
	7/7/2004	<0.1	-	-	2980	81.1	336	3400	170	-	5.8	-	-	-	-
	8/17/2004	<0.1	-	-	841	40	77.1	1060	56.2	-	1.7	-	-	-	-
	10/10/2004	<0.1	-	-	3320	185	293	3690	521	-	4.1	-	-	-	-
	11/22/2004	<0.1	-	-	6340	287	466	4240	655	-	14.7	-	-	-	-
	1/4/2005	<0.1	-	-	4700	211	248	1560	230	-	7.6	-	-	-	-
	1/27/2005	<0.1	-	-	4430	213	246	1740	180	-	12	-	-	-	-
	2/16/2005	<0.1	-	-	3930	261	230	1290	150	-	10	-	-	-	-
	3/15/2005	<0.1	-	-	4870	112	170	880	95	-	3.9	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	4/19/2005	<0.1	-	-	4030	200	186	977	95	-	13.7	-	-	-	-
	6/1/2005	<0.05	-	-	5530	205	252	1290	172	-	14	-	-	-	-
	6/21/2005	<0.01	-	-	3690	75	124	1060	114	-	4.22	-	-	-	-
	7/20/2005	<0.05	-	-	3530	108	165	807	178	-	5.2	-	-	-	-
	2/8/2006	0.185	1.25	<0.005	5890	270	-	-	-	0.0272	13.1	<0.004	0.142	<0.005	0.524
	7/25/2006	0.133	0.672	<0.005	-	117	-	-	-	<0.015	13.4	-	<0.02	<0.005	<0.02
	3/28/2007	0.06	-	-	926	13.4	-	-	-	-	1.42	-	-	-	-
	4/2/2008	0.0586	-	-	551	11.5	107	377	313	-	1	-	-	-	-
	3/24/2009	0.0537	-	-	-	14.4	-	-	-	-	0.978	-	-	-	-
	3/3/2010	<0.50	-	-	-	19.1	-	-	-	-	0.99	-	-	-	-
IW018	2/6/2006	0.112	0.147	<0.005	204	10.1	-	-	-	<0.02	0.512	<0.0002	0.0274	<0.005	<0.02
	7/21/2006	<0.02	0.104	<0.005	-	<0.2	-	-	-	<0.015	0.295	-	<0.02	<0.005	<0.02
	4/9/2007	<0.02	-	-	108	0.705	-	-	-	-	0.5	-	-	-	-
	4/9/2008	0.051	-	-	171	3.16	67.3	26.7	975	-	0.438	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.92	-	-	-	-
	3/25/2010	<0.05	-	-	-	0.14	-	-	-	-	0.527	-	-	-	-
IW019	2/7/2006	<0.02	0.0589	<0.005	333	<0.2	-	-	-	<0.02	0.0405	<0.0002	0.0432	<0.005	<0.02
	7/24/2006	<0.02	0.0498	<0.005	-	<0.2	-	-	-	<0.015	0.0314	-	0.0504	<0.005	<0.02
	4/6/2007	<0.02	-	-	356	<0.2	-	-	-	-	0.0268	-	-	-	-
	4/8/2008	<0.02	-	-	359	<0.2	163	20.8	1140	-	0.0283	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.0297	-	-	-	-
	3/25/2010	<0.05	-	-	-	0.065	-	-	-	-	<0.050	-	-	-	-
IW020	2/7/2006	<0.02	0.0368	<0.005	280	<0.2	-	-	-	<0.02	0.017	<0.0002	0.0352	<0.005	<0.02
	7/24/2006	<0.02	0.037	<0.005	-	<0.2	-	-	-	<0.015	0.0077	-	0.0416	<0.005	<0.02
	4/10/2007	<0.02	-	-	455	3.23	-	-	-	-	0.124	-	-	-	-
	4/8/2008	<0.02	-	-	415	<0.2	179	18.2	828	-	0.0295	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	1.29	-	-	-	-	0.083	-	-	-	-
IW021	2/7/2006	<0.02	0.0391	<0.005	300	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0441	<0.005	<0.02
	7/24/2006	<0.02	0.0327	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0511	<0.005	<0.02
	4/5/2007	<0.02	-	-	317	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/8/2008	<0.02	-	-	434	<0.2	128	14.3	569	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.171	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
IW022	2/7/2006	<0.02	0.0515	<0.005	273	0.298	-	-	-	<0.02	0.0103	<0.0002	0.0264	<0.005	<0.02
	7/25/2006	<0.02	0.0451	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0324	<0.005	<0.02
	4/10/2007	<0.02	-	-	345	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/7/2008	<0.02	-	-	408	<0.2	109	11.2	428	-	<0.005	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/5/2010	<0.05	-	-	-	0.135	-	-	-	-	<0.050	-	-	-	-
IW023	2/7/2006	<0.02	0.0654	<0.005	282	1.08	-	-	-	<0.02	0.0441	<0.0002	0.0389	<0.005	<0.02
	7/25/2006	<0.02	0.0347	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.031	<0.005	<0.02
	4/10/2007	<0.02	-	-	311	0.215	-	-	-	-	0.0069	-	-	-	-
	4/7/2008	<0.02	-	-	376	2.02	104	10.5	377	-	0.0342	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	351	-	<0.005	-	-	-	-
	8/11/2009	<0.02	-	-	-	<0.3	-	-	343	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	<0.05	-	-	-	-	<0.050	-	-	-	-
IW024	2/8/2006	<0.02	0.0399	<0.005	453	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0594	<0.005	<0.02
	7/21/2006	<0.02	0.0357	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0597	<0.005	<0.02
	4/3/2007	<0.02	-	-	458	<0.2	-	-	-	-	0.0061	-	-	-	-
	4/15/2008	<0.02	-	-	403	<0.2	133	15.1	518	-	<0.005	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	609	-	0.847	-	-	-	-
	8/11/2009	<0.02	-	-	-	<0.2	-	-	601	-	0.398	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.132	-	-	-	-	<0.050	-	-	-	-
IW025	2/8/2006	<0.02	0.0445	<0.005	284	0.4	-	-	-	<0.02	0.0077	<0.0002	0.0392	<0.005	<0.02
	7/21/2006	<0.02	0.0405	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0523	<0.005	<0.02
	4/3/2007	<0.02	-	-	391	0.978	-	-	-	-	0.0146	-	-	-	-
	4/14/2008	<0.02	-	-	439	0.451	131	15.3	477	-	0.0066	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	661	-	0.157	-	-	-	-
	8/13/2009	<0.02	-	-	-	<0.2	-	-	563	-	0.263	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.162	-	-	-	-	0.46	-	-	-	-
IW026	2/8/2006	<0.02	0.0362	<0.005	348	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.049	<0.005	<0.02
	7/21/2006	<0.02	0.0336	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0499	<0.005	<0.02
	4/3/2007	<0.02	-	-	216	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/14/2008	<0.02	-	-	221	0.648	74.9	6.97	246	-	0.0178	-	-	-	-
	3/16/2009	<0.02	-	-	-	<0.2	-	-	279	-	<0.005	-	-	-	-
	8/13/2009	<0.02	-	-	-	<0.2	-	-	246	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.135	-	-	-	-	<0.05	-	-	-	-
IW027	2/8/2006	<0.02	0.0396	<0.005	412	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0516	<0.005	<0.02

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	7/21/2006	<0.02	0.0386	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.0543	<0.005	<0.02
	4/4/2007	<0.02	-	-	114	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/14/2008	<0.02	-	-	358	0.254	115	11.1	442	-	0.008	-	-	-	-
	3/25/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	0.3	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
IW028	6/16/2005	<0.01	-	-	255	<0.4	87.5	8.4	432	-	0.02	-	-	-	-
	2/8/2006	<0.02	0.0338	<0.005	304	<0.2	-	-	-	<0.02	0.0079	<0.0002	0.0488	<0.005	<0.02
	7/21/2006	<0.02	0.0352	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	0.038	<0.005	<0.02
	4/4/2007	<0.02	-	-	234	0.653	-	-	-	-	0.0202	-	-	-	-
	4/15/2008	<0.02	-	-	255	<0.2	102	12.8	434	-	<0.005	-	-	-	-
	4/7/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/8/2010	<0.05	-	-	-	<0.03	-	-	-	-	<0.050	-	-	-	-
RW004A	2/4/2002	-	-	-	460	<0.1	193	14	750	<0.005	<0.05	-	-	-	-
	6/9/2003	<0.05	-	-	341	<0.1	144	10.6	424	-	<0.05	-	-	-	-
	7/1/2003	<0.05	-	-	1200	11.5	144	3060	356	-	1.73	-	-	-	-
	7/9/2003	<0.05	-	-	2040	22.2	291	6090	474	-	2.47	-	-	-	-
	7/15/2003	<0.05	-	-	1050	22.3	141	2500	201	-	1.95	-	-	-	-
	7/28/2003	<0.5	-	-	1170	19.6	178	2370	192	-	1.59	-	-	-	-
	8/21/2003	<0.05	-	-	1870	75.8	206	2630	213	-	4.23	-	-	-	-
	10/1/2003	<0.05	-	-	3500	54.4	411	6770	383	-	4.94	-	-	-	-
	10/29/2003	<0.05	-	-	3950	145	426	5770	390	-	21.9	-	-	-	-
	12/9/2003	<0.05	-	-	16900	123	2220	27900	2710	-	17.9	-	-	-	-
	1/8/2004	<0.5	-	-	2140	84	490	5840	400	-	8.8	-	-	<0.5	-
	3/2/2004	<0.05	-	-	4400	543	398	2830	409	-	82.5	-	-	-	-
	4/1/2004	<0.01	0.88	<0.01	2010	84.1	192	2130	181	0.04	4.99	<0.002	0.23	<0.005	-
	5/4/2004	<0.1	-	-	3490	179	373	3630	291	-	25	-	-	-	-
	6/8/2004	<0.01	-	-	4700	225	446	4960	243	-	36.4	-	-	-	-
	7/8/2004	<0.01	-	-	3370	291	412	3350	270	-	35.1	-	-	-	-
	8/11/2004	<0.01	-	-	541	35.1	78.9	687	42	-	3.11	-	-	-	-
	9/16/2004	<0.05	-	-	1580	166	183	2230	168	-	5.2	-	-	-	-
	10/5/2004	<0.01	-	-	1510	80	262	3420	260	-	0.6	-	-	-	-
	11/9/2004	<0.1	-	-	64.6	82.1	11.9	163	25.4	-	9.2	-	-	-	-
	12/20/2004	<0.1	-	-	1530	76.8	276	2340	197	-	11.3	-	-	-	-
	1/18/2005	<0.1	-	-	722	78.5	70.2	808	70	-	14.9	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	2/14/2005	<0.1	-	-	749	54.4	90	760	101	-	8.5	-	-	-	-
	3/8/2005	<0.01	-	-	51.5	2.91	7.3	48.2	6.9	-	0.52	-	-	-	-
	4/11/2005	<0.1	-	-	916	66.1	121	911	126	-	10	-	-	-	-
	5/12/2005	<0.1	-	-	742	46.7	122	976	164	-	4.9	-	-	-	-
	6/8/2005	<0.05	-	-	715	49.3	89	622	134	-	5.68	-	-	-	-
	7/7/2005	<0.05	-	-	726	51.8	89.8	674	125	-	7.7	-	-	-	-
	2/10/2006	0.0207	0.363	<0.005	430	70.3	-	-	-	<0.02	3.1	<0.004	<0.02	<0.005	0.281
	7/19/2006	<0.02	0.565	<0.005	-	223	-	-	-	<0.015	4.77	-	<0.02	<0.005	0.376
	4/11/2007	0.1	-	-	1840	478	-	-	-	-	7.68	-	-	-	-
	4/16/2008	0.0672	-	-	2090	697	178	384	124	-	9.38	-	-	-	-
	3/31/2009	0.0257	-	-	-	986	-	-	-	-	13	-	-	-	-
	3/10/2010	<0.50	-	-	-	661	-	-	-	-	13.3	-	-	-	-
EPWW1	1/26/2006	<0.02	0.0683	<0.005	75.9	0.475	-	-	-	<0.02	<0.005	<0.0002	<0.02	<0.005	<0.02
	7/6/2006	<0.02	0.0615	<0.005	-	<0.2	-	-	-	<0.015	<0.005	-	<0.02	<0.005	<0.02
	4/6/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.251	-	-	-	-
	3/3/2010	<0.05	-	-	-	0.062	-	-	-	-	<0.050	-	-	-	-
GOPWW2	1/19/2006	<0.02	0.103	<0.005	161	10.3	-	-	-	<0.02	0.787	<0.0002	<0.02	<0.005	<0.02
	6/28/2006	<0.02	0.0992	<0.005	-	<0.2	-	-	-	<0.02	0.597	-	<0.02	<0.005	<0.02
	4/23/2007	<0.02	-	-	162	6.3	-	-	-	-	0.26	-	-	-	-
	9/10/2007	<0.02	-	-	-	13.8	-	-	-	-	0.405	-	-	-	-
	3/24/2008	<0.02	-	-	262	5.39	233	16.6	630	-	0.559	-	-	-	-
	8/5/2008	<0.02	-	-	-	1.06	-	-	-	-	0.354	-	-	-	-
	3/17/2009	<0.02	-	-	-	2.18	-	-	-	-	0.513	-	-	-	-
	8/18/2009	<0.02	-	-	-	<0.2	-	-	-	-	0.577	-	-	-	-
	3/2/2010	<0.05	-	-	-	<0.05	-	-	-	-	0.569	-	-	-	-
	8/3/2010	<0.01	-	-	-	6.41	-	-	-	-	1.08	-	-	-	-
	1/23/2006	<0.02	0.0368	<0.005	465	9.2	-	-	-	<0.02	0.0466	<0.0002	0.0463	<0.005	<0.02
LordWW	6/27/2006	<0.02	0.0627	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	<0.02
	6/27/2006 Dup	<0.02	0.0643	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	0.0214
	4/5/2007	<0.02	-	-	406	31.3	-	-	-	-	0.34	-	-	-	-
	9/18/2007	7.32	-	-	-	7.32	-	-	-	-	0.192	-	-	-	-
	3/26/2008	<0.02	-	-	438	28.1	248	18.6	521	-	0.272	-	-	-	-
	8/13/2008	<0.02	-	-	-	4.17	-	-	-	-	0.144	-	-	-	-
	3/19/2009	<0.02	-	-	-	4.2	-	-	-	-	0.138	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER INORGANICS SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	Arsenic	Barium	Cadmium	Calcium	Iron	Magnesium	Potassium	Sodium	Lead	Manganese	Mercury	Selenium	Silver	Zinc
	Standard Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	0.1	1.0	0.01	--	1.0	--	--	--	0.05	0.2	0.002	0.05	0.05	10
	8/21/2009	<0.02	-	-	-	1.34	-	-	-	-	0.139	-	-	-	-
	3/12/2010	<0.05	-	-	-	0.23	-	-	-	-	<0.05	-	-	-	-
	8/18/2010	0.014	-	-	-	0.591	-	-	-	-	0.11	-	-	-	-
	1/24/2006	<0.02	0.036	<0.005	321	<0.2	-	-	-	<0.02	<0.005	<0.0002	0.0226	<0.005	<0.02
WoodellWW	6/27/2006	<0.02	0.0391	<0.005	-	<0.2	-	-	-	<0.02	<0.005	-	<0.02	<0.005	0.184
	3/29/2007	<0.02	-	-	317	<0.2	-	-	-	-	<0.005	-	-	-	-
	4/15/2008	<0.02	-	-	<130.0	1.14	49.1	7.74	142	-	<0.02	-	-	-	-
	8/21/2008	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	8/24/2009	<0.02	-	-	-	<0.2	-	-	-	-	<0.005	-	-	-	-
	3/2/2010	<0.05	-	-	-	0.098	-	-	-	-	<0.050	-	-	-	-
	8/18/2010	0.022	-	-	-	<0.1	-	-	-	-	<0.050	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
MW001	5/31/2001	-	-	-	2180	-	-	880	15.1	-	-
	5/31/2001 Dup	-	-	-	2120	-	-	870	15.2	-	-
	2/7/2002	-	-	-	2620	14	0.05	1000	-	-	-
	1/27/2006	7.8	<2	379	2160	-	-	744	-	-	-
	1/27/2006 Dup	7.2	<2	390	2160	-	-	758	-	-	-
	7/13/2006	7.1	<2	396	2290	-	-	745	-	-	-
	4/17/2008	7.2	<2.0	472	3050	-	-	1600	-	472	<2.0
	3/16/2010	-	-	-	2950	-	-	-	-	-	-
MW002	5/22/2001	-	-	-	1210	-	-	290	3.78	-	-
	1/24/2002	-	-	-	1460	3	<0.05	290	-	-	-
	1/24/2006	7.2	<2	182	1700	-	-	375	-	-	-
	7/6/2006	7.2	<2	197	1790	-	-	373	-	-	-
	4/2/2008	7.3	<2.0	188	2730	-	-	679	-	188	<2.0
	3/31/2009	-	-	-	3290	-	-	-	-	-	-
	3/8/2010	-	-	-	3500	-	-	-	-	-	-
MW003	5/24/2001	-	-	-	4700	-	-	1720	5.99	-	-
	1/30/2002	-	-	-	2320	10	<0.05	1130	-	-	-
	1/30/2002 Dup	-	-	-	3580	10	<0.05	680	-	-	-
	9/18/2002	-	-	-	3960	-	-	1390	-	-	-
	1/25/2006	7.2	<2	247	2420	-	-	999	-	-	-
	7/7/2006	7.5	<2	240	2400	-	-	988	-	-	-
	4/3/2008	7.4	<2.0	262	2180	-	-	815	-	262	<2.0
MW004	5/24/2001	-	-	-	3360	-	-	1110	5.37	-	-
	1/28/2002	-	-	-	3990	10	<0.05	1310	-	-	-
	1/25/2006	6.9	<2	289	3320	-	-	1130	-	-	-
	7/7/2006	7.1	<2	286	3320	-	-	1200	-	-	-
	4/15/2008	7.1	<2.0	230	3360	-	-	1370	-	230	<2.0
	3/30/2009	-	-	-	3940	-	-	-	-	-	-
	3/8/2010	-	-	-	3520	-	-	-	-	-	-
MW005	2/11/2002	-	-	-	2390	7100	0.16	600	-	-	-
	2/11/2002 Dup	-	-	-	2270	20	0.18	500	-	-	-
	1/27/2006	7.1	<2	587	2830	-	-	511	-	-	-
	7/13/2006	7	<2	477	2900	-	-	558	-	-	-
	4/17/2008	6.9	<2.0	439	4010	-	-	867	-	439	<2.0
	4/7/2009	-	-	-	2680	-	-	-	-	-	-
	3/16/2010	-	-	-	3430	-	-	-	-	-	-
MW006	2/11/2002	-	-	-	3760	2400	1	700	-	-	-
	4/17/2008	6.8	<2.0	577	5660	-	-	99.8	-	577	<2.0
	4/7/2009	-	-	-	4340	-	-	-	-	-	-
	3/16/2010	-	-	-	4270	-	-	-	-	-	-
MW007	5/24/2001	-	-	-	2980	-	-	1150	6.9	-	-
	1/30/2002	-	-	-	2370	12	<0.05	710	-	-	-
	1/24/2006	7.6	<2	247	2450	-	-	1060	-	-	-
	7/7/2006	7.5	<2	264	1890	-	-	808	-	-	-
	4/3/2008	7.5	<2.0	273	1390	-	-	480	-	273	<2.0
MW008	5/31/2001	-	-	-	5090	-	-	1900	12.8	-	-
	8/29/2001	-	-	-	-	6	-	-	-	-	-
	2/4/2002	-	-	-	3780	9	0.06	1400	-	-	-
	6/9/2003	-	-	-	-	10	0.08	1600	10.9	-	-
	6/9/2003 Dup	-	-	-	-	-	-	1600	-	-	-
	6/30/2003	-	-	-	-	6	<0.05	1430	9	-	-
	7/9/2003	-	-	-	-	9	<0.05	1550	10.8	-	-
	7/15/2003	-	-	-	-	5	<0.05	1450	8	-	-
	7/28/2003	-	-	-	-	5	0.1	1450	1.4	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/21/2003	-	-	-	-	5	0.06	1790	10.9	-	-
	9/29/2003	-	-	-	-	5	0.06	1620	16.6	-	-
	10/27/2003	-	-	-	-	5	0.07	1700	8.9	-	-
	12/4/2003	-	-	-	-	6	0.05	1410	21	-	-
	1/5/2004	-	-	-	-	6	0.05	1170	5.9	-	-
	3/1/2004	-	-	-	-	4	<0.05	1320	8	-	-
	3/31/2004	-	-	-	3960	5	0.06	1420	7.2	-	-
	5/4/2004	-	-	-	-	5	0.06	1930	10.4	-	-
	6/7/2004	-	-	-	-	5	0.06	1560	17.2	-	-
	7/7/2004	-	-	-	-	7	<0.05	1500	9	-	-
	8/10/2004	-	-	-	-	5	0.05	1300	7.2	-	-
	9/16/2004	-	-	-	-	6	0.05	1500	9.9	-	-
	10/4/2004	-	-	-	-	8	0.06	1240	9	-	-
	11/8/2004	-	-	-	4230	14	<0.05	1400	8.5	-	-
	12/16/2004	-	-	-	4210	10	<0.05	1400	10.1	-	-
	1/13/2005	-	-	-	3610	19	<0.05	1200	7.4	-	-
	2/8/2005	-	-	-	4370	21	0.06	1400	7.2	-	-
	3/8/2005	-	-	-	3200	41	<0.05	700	5	-	-
	4/6/2005	-	-	-	3180	87	0.08	700	1.3	-	-
	5/11/2005	-	-	-	3620	386	3.5	600	0.6	-	-
	6/7/2005	-	-	-	4140	247	2.3	900	-	-	-
	7/6/2005	-	-	-	4040	254	7	1100	-	-	-
	2/9/2006	6.3	<2	838	3740	-	-	890	-	-	-
	7/18/2006	6.5	<2	1120	3610	-	-	757	-	-	-
	4/15/2008	6.5	<2.0	905	3140	-	-	599	-	905	<2.0
	3/30/2009	-	-	-	3730	-	-	-	-	-	-
	3/10/2010	-	-	-	4030	-	-	-	-	-	-
MW008M	10/1/2001	-	-	-	4670	4	-	1610	-	-	-
	2/4/2002	-	-	-	5190	4	0.07	2000	-	-	-
	2/4/2002 Dup	-	-	-	3860	9	0.06	96	-	-	-
	6/9/2003	-	-	-	-	5	0.07	1700	12.6	-	-
	6/9/2003 Dup	-	-	-	-	-	-	1700	-	-	-
	6/30/2003	-	-	-	-	7	<0.05	2000	10.3	-	-
	7/9/2003	-	-	-	-	8	<0.05	1690	9.4	-	-
	7/15/2003	-	-	-	-	5	<0.05	1770	9	-	-
	7/29/2003	-	-	-	-	5	0.11	1990	1.3	-	-
	8/21/2003	-	-	-	-	5	0.07	1870	10.3	-	-
	9/29/2003	-	-	-	-	5	<0.05	1600	9.6	-	-
	10/27/2003	-	-	-	-	5	<0.05	1700	9.2	-	-
	12/4/2003	-	-	-	-	5	0.06	1650	10.5	-	-
	1/6/2004	-	-	-	-	5	0.06	1860	12.4	-	-
	3/1/2004	-	-	-	-	4	<0.05	1780	9	-	-
	4/1/2004	-	-	-	5010	5	0.05	1870	9	-	-
	5/4/2004	-	-	-	-	5	<0.05	2050	11.5	-	-
	6/7/2004	-	-	-	-	40	0.05	1670	15.9	-	-
	7/7/2004	-	-	-	-	430	9	1000	<0.4	-	-
	8/10/2004	-	-	-	-	260	10	1000	2.7	-	-
	9/16/2004	-	-	-	-	900	24	400	<0.4	-	-
	10/4/2004	-	-	-	-	1090	23	420	1.6	-	-
	11/9/2004	-	-	-	6280	830	42	200	<0.4	-	-
	12/16/2004	-	-	-	6080	930	22	50	<0.4	-	-
	1/17/2005	-	-	-	6350	83	4	<10	<0.2	-	-
	2/8/2005	-	-	-	5890	820	6	2	<2	-	-
	3/8/2005	-	-	-	5410	680	3.7	3	18.2	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	4/6/2005	-	-	-	5050	570	14	3	<0.4	-	-
	5/11/2005	-	-	-	5070	394	0.56	8	<0.4	-	-
	6/7/2005	-	-	-	5270	510	60	10	-	-	-
	7/6/2005	-	-	-	4150	379	64	600	-	-	-
	2/10/2006	6.5	<2	2700	7160	-	-	<200	-	-	-
	2/10/2006 Dup	6.5	<2	2630	7400	-	-	<200	-	-	-
	7/19/2006	6.9	<2	3050	5980	-	-	<20	-	-	-
	4/16/2008	6.8	<2.0	2770	5730	-	-	<5.0	-	2770	<2.0
	3/31/2009	-	-	-	5300	-	-	-	-	-	-
	3/10/2010	-	-	-	3940	-	-	-	-	-	-
MW009	5/31/2001	-	-	-	2760	-	-	1170	8.4	-	-
	1/29/2002	-	-	-	2710	6	<0.05	1200	-	-	-
	2/2/2006	7.3	<2	297	1510	-	-	463	-	-	-
	7/13/2006	7.4	<2	270	1460	-	-	419	-	-	-
	4/15/2008	7.3	<2.0	268	1990	-	-	700	-	268	<2.0
	3/26/2009	-	-	-	2100	-	-	-	-	-	-
	3/8/2010	-	-	-	1750	-	-	-	-	-	-
MW010	5/24/2001	-	-	-	5130	-	-	1040	6.7	-	-
	1/29/2002	-	-	-	4750	8	<0.05	940	-	-	-
	1/24/2006	7	<2	202	5780	-	-	707	-	-	-
	6/30/2006	7	<2	196	5850	-	-	701	-	-	-
	6/30/2006 Dup	7	<2	197	5970	-	-	705	-	-	-
	4/7/2008	7	<2.0	207	5140	-	-	693	-	207	<2.0
	8/13/2008	6.9	<2.0	202	5460	-	-	866	-	-	-
	3/26/2009	-	-	-	5670	-	-	-	-	-	-
	3/3/2010	-	-	-	5410	-	-	-	-	-	-
	8/6/2010	-	-	-	7090	-	-	-	-	-	-
MW011	5/31/2001	-	-	-	4950	-	-	1770	11.3	-	-
	8/30/2001	-	-	-	-	4	-	-	-	-	-
	1/31/2002	-	-	-	4770	7	0.06	1800	-	-	-
	9/19/2002	-	-	-	4980	-	-	1650	-	-	-
	6/10/2003	-	-	-	-	12	0.07	1600	9.1	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1940	-	-	-
	7/1/2003	-	-	-	-	8	0.05	1780	9	-	-
	7/8/2003	-	-	-	-	8	<0.05	1650	9.2	-	-
	7/14/2003	-	-	-	-	5	0.08	1600	10	-	-
	7/29/2003	-	-	-	-	5	0.08	2000	1.2	-	-
	8/19/2003	-	-	-	-	5	0.05	1770	0.9	-	-
	9/29/2003	-	-	-	-	5	0.05	1800	<0.4	-	-
	10/28/2003	-	-	-	-	5	<0.05	1700	<0.4	-	-
	12/8/2003	-	-	-	-	5	0.06	1520	11	-	-
	1/6/2004	-	-	-	-	9	<0.05	1820	11.3	-	-
	3/2/2004	-	-	-	-	4 / 4	<0.05	1720	8	-	-
	4/1/2004	-	-	-	4820	5	<0.05	1880	8.4	-	-
	5/13/2004	-	-	-	-	5	-	-	-	-	-
	5/18/2004	-	-	-	-	6	<0.05	1870	8	-	-
	6/10/2004	-	-	-	-	4	-	-	-	-	-
	6/14/2004	-	-	-	-	4	<0.05	2200	9.2	-	-
	7/8/2004	-	-	-	-	6	-	-	-	-	-
	7/13/2004	-	-	-	-	6	0.06	1750	9.9	-	-
	8/11/2004	-	-	-	-	3	-	-	-	-	-
	8/12/2004	-	-	-	-	4	0.06	1500	10.1	-	-
	9/14/2004	-	-	-	-	3	-	-	-	-	-
	9/15/2004	-	-	-	-	3	0.05	1600	8.8	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID											
	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	10/5/2004	-	-	-	-	6 / 7	0.06	1600	8.9	-	-
	11/11/2004	-	-	-	-	9	-	-	-	-	-
	11/16/2004	-	-	-	4490	11	<0.05	1600	7.9	-	-
	12/20/2004	-	-	-	-	11	-	-	-	-	-
	12/29/2004	-	-	-	4590	12	<0.05	1600	6.4	-	-
	1/25/2005	-	-	-	4560	17	<0.05	1600	5.3	-	-
	2/8/2005	-	-	-	4690	18	0.05	1600	4.3	-	-
	3/9/2005	-	-	-	4550	22	<0.05	1200	10	-	-
	4/12/2005	-	-	-	11200	2710	<1	<1	<0.4	-	-
	5/12/2005	-	-	-	5000	45	0.05	1500	9.9	-	-
	6/8/2005	-	-	-	5270	26	<0.05	1500	-	-	-
	7/11/2005	-	-	-	5310	31	0.09	1400	-	-	-
	2/9/2006	7	<2	245	5230	-	-	1490	-	-	-
	7/19/2006	7	<2	198	5280	-	-	1850	-	-	-
	4/16/2008	6.9	<2.0	201	5040	-	-	1470	-	201	<2.0
MW011M	3/31/2009	-	-	-	5530	-	-	-	-	-	-
	3/10/2010	-	-	-	4630	-	-	-	-	-	-
	10/1/2001	-	-	-	4710	4	-	1720	-	-	-
	2/4/2002	-	-	-	5020	4	0.05	2200	-	-	-
	6/10/2003	-	-	-	-	12	0.06	2000	10	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1800	-	-	-
	7/1/2003	-	-	-	-	7	<0.05	1800	11.7	-	-
	7/8/2003	-	-	-	-	11	<0.05	1900	7.3	-	-
	7/14/2003	-	-	-	-	6	0.06	2010	8.5	-	-
	7/30/2003	-	-	-	-	6	0.07	2210	0.9	-	-
	8/19/2003	-	-	-	-	6	0.05	2060	8.7	-	-
	9/29/2003	-	-	-	-	6	<0.05	2100	8	-	-
	10/28/2003	-	-	-	-	5	<0.05	1900	6.5	-	-
	12/4/2003	-	-	-	-	6	<0.05	1760	9.1	-	-
	1/6/2004	-	-	-	-	6	<0.05	2170	9.8	-	-
	3/2/2004	-	-	-	-	5 / 5	<0.05	2170	8	-	-
	4/1/2004	-	-	-	5840	5	<0.05	2200	7.3	-	-
	5/13/2004	-	-	-	-	41	-	-	-	-	-
	5/18/2004	-	-	-	-	113	0.07	2090	3.1	-	-
	6/10/2004	-	-	-	-	100	-	-	-	-	-
	6/14/2004	-	-	-	-	38	0.05	1400	0.8	-	-
	7/8/2004	-	-	-	-	480	-	-	-	-	-
	7/13/2004	-	-	-	-	77	4	1640	<0.4	-	-
	8/11/2004	-	-	-	-	710	-	-	-	-	-
	8/16/2004	-	-	-	-	200	7	1100	<0.4	-	-
	9/14/2004	-	-	-	-	700	-	-	-	-	-
	9/15/2004	-	-	-	-	1000	8	1200	1.8	-	-
	10/5/2004	-	-	-	-	650 / 1310	28	800	1.2	-	-
	11/11/2004	-	-	-	-	8	-	-	-	-	-
	11/16/2004	-	-	-	5870	691	90	500	<0.4	-	-
	12/20/2004	-	-	-	-	1970	-	-	-	-	-
	12/29/2004	-	-	-	7850	1330	4	800	1.1	-	-
	1/25/2005	-	-	-	9010	1730	69	200	<2	-	-
	2/9/2005	-	-	-	10000	1910	64	112	<2	-	-
	3/9/2005	-	-	-	11000	2390	13	30	<0.4	-	-
	4/12/2005	-	-	-	4990	10	0.05	<10	9.6	-	-
	5/12/2005	-	-	-	9670	2440	3	<1	<2	-	-
	6/8/2005	-	-	-	8280	1810	0.17	<10	-	-	-
	7/11/2005	-	-	-	7400	1650	3	<10	-	-	-
	2/10/2006	7	<2	2050	6120	-	-	166	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/19/2006	7.1	<2	2130	5640	-	-	<10	-	-	-
	7/19/2006 Dup	7.2	<2	2130	5500	-	-	16.7	-	-	-
	4/16/2008	7.1	<2.0	1510	4680	-	-	597	-	1510	<2.0
	3/31/2009	-	-	-	5250	-	-	-	-	-	-
	3/10/2010	-	-	-	3820	-	-	-	-	-	-
MW012	5/30/2001	-	-	-	4020	-	-	1630	9.3	-	-
	5/30/2001 Dup	-	-	-	4020	-	-	1690	8.1	-	-
	8/27/2001	-	-	-	-	4	-	-	-	-	-
	1/31/2002	-	-	-	3780	6	0.06	1700	-	-	-
	1/31/2002 Dup	-	-	-	3840	6	0.05	1700	-	-	-
	6/10/2003	-	-	-	-	5	0.06	1130	4.8	-	-
	7/2/2003	-	-	-	-	7	<0.05	1060	6.7	-	-
	7/7/2003	-	-	-	-	6	<0.05	1270	6.3	-	-
	7/14/2003	-	-	-	-	6	0.05	1150	5.2	-	-
	7/30/2003	-	-	-	-	4	0.1	1320	0.8	-	-
	8/20/2003	-	-	-	-	-	0.06	1140	0.9	-	-
	9/30/2003	-	-	-	-	5	0.06	1400	5.9	-	-
	10/28/2003	-	-	-	-	5	<0.05	1500	8.2	-	-
	12/8/2003	-	-	-	-	5	0.05	1150	10.4	-	-
	1/7/2004	-	-	-	3090	8	<0.05	2350	6.2	-	-
	2/18/2004	-	-	-	-	5	0.05	1330	5.9	-	-
	4/6/2004	-	-	-	-	5	0.06	1430	6	-	-
	5/6/2004	-	-	-	-	6	<0.05	1640	6.4	-	-
	6/8/2004	-	-	-	-	5	<0.05	1480	6.8	-	-
	7/13/2004	-	-	-	-	6	0.05	1260	6.1	-	-
	8/12/2004	-	-	-	-	5	0.06	1400	6.2	-	-
	9/9/2004	-	-	-	-	5	0.05	1300	6.2	-	-
	10/6/2004	-	-	-	-	8	0.07	1000	4.2	-	-
	11/10/2004	-	-	-	2960	13	<0.05	1100	4.3	-	-
	12/28/2004	-	-	-	2850	16	<0.05	1000	4	-	-
	1/18/2005	-	-	-	2700	8	<0.05	1100	4.9	-	-
	2/9/2005	-	-	-	3180	15	0.05	1200	5.1	-	-
	3/10/2005	-	-	-	2970	17	<0.05	900	5.2	-	-
	4/13/2005	-	-	-	2860	65	<0.05	900	5.4	-	-
	5/17/2005	-	-	-	2770	78	0.4	860	5	-	-
	6/9/2005	-	-	-	2950	43	<0.05	1000	-	-	-
	7/11/2005	-	-	-	2860	54	0.06	900	-	-	-
	2/10/2006	6.7	<2	744	2480	-	-	671	-	-	-
	7/20/2006	6.7	<2	1030	2160	-	-	320	-	-	-
	4/17/2008	6.6	<2.0	947	2640	-	-	93	-	947	<2.0
	4/1/2009	-	-	-	2220	-	-	-	-	-	-
	3/11/2010	-	-	-	1900	-	-	-	-	-	-
MW012M	2/4/2002	-	-	-	2200	3	<0.05	800	-	-	-
	6/10/2003	-	-	-	-	3	0.06	1070	6.1	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1160 / 730	-	-	-
	7/2/2003	-	-	-	-	6	<0.05	1070	6	-	-
	7/7/2003	-	-	-	-	6	<0.05	950	4.8	-	-
	7/14/2003	-	-	-	-	6	<0.05	980	17	-	-
	7/30/2003	-	-	-	-	4	0.06	1120	0.6	-	-
	8/20/2003	-	-	-	-	11	0.06	1320	1	-	-
	9/30/2003	-	-	-	-	4	<0.05	1000	4	-	-
	10/28/2003	-	-	-	-	3	<0.05	1000	5.3	-	-
	12/9/2003	-	-	-	-	4	<0.05	960	6.5	-	-
	1/7/2004	-	-	-	2690	4	<0.05	2060	5	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	2/19/2004	-	-	-	-	3	0.05	1100	5	-	-
	4/6/2004	-	-	-	-	3	<0.05	1130	5.8	-	-
	5/6/2004	-	-	-	-	3	<0.05	1200	6	-	-
	6/8/2004	-	-	-	-	2	<0.05	1140	5.3	-	-
	7/14/2004	-	-	-	-	8	0.07	900	2.1	-	-
	8/12/2004	-	-	-	-	160	37	700	0.7	-	-
	9/9/2004	-	-	-	-	340	130	200	<0.4	-	-
	10/6/2004	-	-	-	-	142	180	80	<0.4	-	-
	11/10/2004	-	-	-	2420	220	62	7	<0.4	-	-
	12/28/2004	-	-	-	1940	80	80	73	<0.4	-	-
	1/18/2005	-	-	-	1780	70	60	100	<0.2	-	-
	2/9/2005	-	-	-	1880	6	68	100	<0.4	-	-
	3/10/2005	-	-	-	1870	39	53	100	<0.4	-	-
	4/13/2005	-	-	-	1860	98	3.1	200	<0.4	-	-
	5/18/2005	-	-	-	1750	92	35	320	<0.4	-	-
	6/14/2005	-	-	-	1850	68	45	300	-	-	-
	7/12/2005	-	-	-	2050	97	46	100	-	-	-
	2/13/2006	6.5	<2	4040	12800	5480	0.74	<200	-	-	-
	7/20/2006	6.3	<2	5530	17100	-	-	107	-	-	-
	4/17/2008	6.4	<2.0	5770	18000	-	-	<5.0	-	5770	<2.0
	4/1/2009	-	-	-	8270	-	-	-	-	-	-
	3/11/2010	-	-	-	4420	-	-	-	-	-	-
MW013	5/23/2001	-	-	-	4810	-	-	1430	7.2	-	-
	8/27/2001	-	-	-	-	<1	-	-	-	-	-
	1/29/2002	-	-	-	4360	14	<0.05	1430	-	-	-
	1/26/2006	7.1	<2	201	3730	-	-	1290	-	-	-
	7/5/2006	6.9	<2	206	3720	-	-	1320	-	-	-
	4/15/2008	7.3	<2.0	230	1990	-	-	1090	-	230	<2.0
	8/21/2008	7.2	<2.0	239	3480	-	-	1330	-	-	-
	4/1/2009	-	-	-	3390	-	-	-	-	-	-
	8/10/2009	-	-	-	3360	-	-	-	-	-	-
	3/9/2010	-	-	-	3300	-	-	-	-	-	-
MW014	8/9/2010	-	-	-	3210	-	-	-	-	-	-
	5/24/2001	-	-	-	4890	-	-	690	13.9	-	-
	8/27/2001	-	-	-	-	16	-	-	-	-	-
	1/30/2002	-	-	-	4430	20	<0.05	740	-	-	-
	1/30/2002 Dup	-	-	-	4540	29	<0.05	1350	-	-	-
	1/26/2006	7.1	<2	392	4460	-	-	715	-	-	-
	6/29/2006	7	<2	392	4560	-	-	589	-	-	-
	4/7/2008	7	<2.0	400	4230	-	-	594	-	400	<2.0
	3/30/2009	-	-	-	4170	-	-	-	-	-	-
	8/10/2009	-	-	-	647	-	-	-	-	-	-
MW015	3/9/2010	-	-	-	3750	-	-	-	-	-	-
	8/9/2010	-	-	-	3650	-	-	-	-	-	-
	5/17/2001	-	-	-	6890	-	-	730	5.86	-	-
	1/22/2002	-	-	-	6900	18	<0.05	840	-	-	-
	1/25/2006	6.9	<2	248	6450	-	-	644	-	-	-
	6/29/2006	7.1	<2	260	7100	-	-	549	-	-	-
	3/24/2008	6.8	<2.0	252	5310	-	-	736	-	252	<2.0
	8/6/2008	7.1	<2.0	258	4730	-	-	874	-	-	-
	3/19/2009	-	-	-	4840	-	-	-	-	-	-
	8/20/2009	-	-	-	3930	-	-	-	-	-	-
	3/10/2010	-	-	-	3550	-	-	-	-	-	-
	8/11/2010	-	-	-	3480	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
MW017A	5/17/2001	-	-	-	540	-	-	104	1.93	-	-
	1/23/2002	-	-	-	520	-	<0.05	120	-	-	-
	1/24/2006	7.8	<2	216	545	-	-	108	-	-	-
	6/29/2006	7.7	<2	208	567	-	-	109	-	-	-
MW018	5/17/2001	-	-	-	1280	-	-	332	2.45	-	-
	1/23/2002	-	-	-	1410	-	<0.05	310	-	-	-
	1/23/2006	7.4	<2	313	1300	-	-	357	-	-	-
	1/23/2006 Dup	7.3	<2	306	1380	-	-	394	-	-	-
	6/29/2006	7.3	<2	307	1460	-	-	354	-	-	-
	3/24/2008	7.3	<2.0	304	1240	-	-	315	-	304	<2.0
	3/19/2009	-	-	-	1390	-	-	-	-	-	-
	3/10/2010	-	-	-	1290	-	-	-	-	-	-
	8/10/2010	-	-	-	1300	-	-	-	-	-	-
MW020	6/7/2001	-	-	-	1770	-	-	292	1.88	-	-
	2/6/2002	-	-	-	1720	4	0.06	190	-	-	-
	1/25/2006	7.2	<2	221	2460	-	-	353	-	-	-
	1/25/2006 Dup	7.1	<2	219	2410	-	-	342	-	-	-
	6/30/2006	7.4	<2	228	2370	-	-	336	-	-	-
	3/26/2008	7.2	<2.0	238	1820	-	-	382	-	238	<2.0
	8/6/2008	7.2	<2.0	234	1940	-	-	343	-	-	-
	3/19/2009	-	-	-	2190	-	-	-	-	-	-
	3/12/2010	-	-	-	2540	-	-	-	-	-	-
MW021	5/18/2001	-	-	-	2630	-	-	730	3.68	-	-
	1/23/2002	-	-	-	2420	22	<0.05	310	-	-	-
	1/24/2006	7.2	<2	629	1680	-	-	309	-	-	-
	6/30/2006	7.4	<2	668	1800	-	-	329	-	-	-
	4/1/2008	7.1	<2.0	696	1540	-	-	268	-	696	<2.0
	8/7/2008	7.2	<2.0	682	1530	-	-	242	-	-	-
	3/24/2009	-	-	-	1460	-	-	-	-	-	-
	8/6/2009	-	-	-	1490	-	-	-	-	-	-
	3/2/2010	-	-	-	1900	-	-	-	-	-	-
MW023	5/16/2010	-	-	-	1700	-	-	-	-	-	-
	6/23/1999	-	-	-	-	-	-	1300	-	-	-
	5/29/2001	-	-	-	4390	-	-	1490	8.5	-	-
	5/29/2001 Dup	-	-	-	4420	-	-	1500	8.7	-	-
	8/30/2001	-	-	-	-	44	-	-	-	-	-
	2/7/2002	-	-	-	4300	330	0.07	1600	-	-	-
	1/26/2006	7.1	<2	238	4070	-	-	1180	-	-	-
	6/26/2006	7.2	<2	259	3780	-	-	1330	-	-	-
	4/9/2008	7.2	<2.0	251	3660	-	-	1400	-	251	<2.0
MW024	8/21/2008	7.1	<2.0	256	3920	-	-	1580	-	-	-
	3/31/2009	-	-	-	3940	-	-	-	-	-	-
	8/12/2009	-	-	-	3890	-	-	-	-	-	-
	3/9/2010	-	-	-	3660	-	-	-	-	-	-
	8/6/2010	-	-	-	3640	-	-	-	-	-	-
	1/9/2003	-	-	-	1290	-	-	240	-	-	-
	1/24/2006	7.4	<2	190	1550	-	-	217	-	-	-
	6/27/2006	7.3	<2	231	1610	-	-	254	-	-	-
	4/7/2008	7	<2.0	307	2180	-	-	580	-	307	<2.0
	8/13/2008	7.1	<2.0	274	1780	-	-	499	-	-	-
	3/25/2009	-	-	-	1800	-	-	-	-	-	-
	3/3/2010	-	-	-	1870	-	-	-	-	-	-
	8/6/2010	-	-	-	1800	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
MW025	5/29/2001	-	-	-	3440	-	-	1050	10.3	-	-
	8/27/2001	-	-	-	-	6	-	-	-	-	-
	1/31/2002	-	-	-	2540	12	<0.05	700	-	-	-
	1/24/2006	7.1	<2	427	1470	-	-	276	-	-	-
	7/5/2006	6.7	<2	455	1660	-	-	309	-	-	-
	3/24/2008	7.1	<2.0	401	1610	-	-	326	-	401	<2.0
	8/7/2008	7.1	<2.0	371	1550	-	-	346	-	-	-
	3/19/2009	-	-	-	120	-	-	-	-	-	-
	8/20/2009	-	-	-	1690	-	-	-	-	-	-
	3/9/2010	-	-	-	1600	-	-	-	-	-	-
MW026	8/11/2010	-	-	-	1790	-	-	-	-	-	-
	5/18/2001	-	-	-	2120	-	-	460	1.83	-	-
	1/23/2002	-	-	-	1850	-	0.05	420	-	-	-
	1/19/2006	7.3	<2	179	1780	-	-	437	-	-	-
	6/23/2006	7.2	<2	202	2020	-	-	454	-	-	-
	3/25/2008	7.2	<2.0	191	2240	-	-	661	-	191	<2.0
	8/11/2008	7.1	<2.0	188	2320	-	-	749	-	-	-
	8/24/2009	-	-	-	2620	-	-	-	-	-	-
MW027	8/13/2010	-	-	-	2730	-	-	-	-	-	-
	5/18/2001	-	-	-	1260	-	-	330	2.51	-	-
	1/24/2002	-	-	-	1370	-	<0.05	370	-	-	-
	1/23/2006	7.3	<2	212	1440	-	-	352	-	-	-
	6/23/2006	7.5	<2	314	1420	-	-	416	-	-	-
	3/12/2010	-	-	-	1440	-	-	-	-	-	-
MW028	8/3/2010	-	-	-	1710	-	-	-	-	-	-
	5/22/2001	-	-	-	3040	-	-	400	3.1	-	-
	1/24/2002	-	-	-	2800	-	<0.05	330	-	-	-
	1/18/2006	7.4	<2	430	2070	-	-	279	-	-	-
	6/20/2006	7.5	<2	449	2060	-	-	347	-	-	-
	3/19/2008	7.7	<2.0	353	1520	-	-	372	-	353	<2.0
	8/12/2008	7.6	<2.0	365	1450	-	-	413	-	-	-
	3/19/2009	-	-	-	1450	-	-	-	-	-	-
	8/24/2009	-	-	-	1470	-	-	-	-	-	-
MW029	3/11/2010	-	-	-	1600	-	-	-	-	-	-
	8/11/2010	-	-	-	1780	-	-	-	-	-	-
	5/18/2001	-	-	-	810	-	-	188	2.04	-	-
	2/6/2002	-	-	-	1380	-	<0.05	170	-	-	-
	1/18/2006	7.5	<2	164	823	-	-	190	-	-	-
	6/20/2006	7.7	<2	168	792	-	-	185	-	-	-
	3/20/2008	7.6	<2.0	170	749	-	-	165	-	170	<2.0
	8/5/2008	7.5	<2.0	187	767	-	-	165	-	-	-
MW030	3/16/2009	-	-	-	728	-	-	-	-	-	-
	8/24/2009	-	-	-	706	-	-	-	-	-	-
	3/10/2010	-	-	-	512	-	-	-	-	-	-
	8/13/2010	-	-	-	660	-	-	-	-	-	-
	4/24/2002	-	-	-	1980	610	<0.05	110	-	-	-
	1/20/2006	7.5	<2	167	1110	-	-	140	-	-	-
	6/22/2006	7.3	<2	187	1060	-	-	141	-	-	-
	3/25/2008	7.4	<2.0	165	964	-	-	137	-	165	<2.0
	8/5/2008	7.4	<2.0	170	962	-	-	363	-	-	-
MW031	3/16/2009	-	-	-	952	-	-	-	-	-	-
	8/20/2009	-	-	-	986	-	-	-	-	-	-
	3/16/2010	-	-	-	1350	-	-	-	-	-	-
	8/13/2010	-	-	-	1110	-	-	-	-	-	-
	4/25/2002	-	-	-	990	14	0.06	140	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	1/19/2006	7.2	<2	415	794	-	-	107	-	-	-
	6/21/2006	7.2	<2	382	781	-	-	103	-	-	-
	3/20/2008	7.4	<2.0	301	724	-	-	115	-	301	<2.0
	8/5/2008	7.2	<2.0	300	714	-	-	312	-	-	-
	3/24/2009	-	-	-	703	-	-	-	-	-	-
	8/4/2009	-	-	-	711	-	-	-	-	-	-
	3/2/2010	-	-	-	836	-	-	-	-	-	-
	8/5/2010	-	-	-	666	-	-	-	-	-	-
MW032	4/2/2002	-	-	-	1320	9	0.06	340	-	-	-
	1/19/2006	7.3	<2	255	1010	-	-	173	-	-	-
	6/21/2006	7.3	<2	366	1060	-	-	207	-	-	-
	4/7/2008	7.2	<2.0	246	1180	-	-	271	-	246	<2.0
	8/14/2008	7.4	<2.0	255	1160	-	-	290	-	-	-
	3/30/2009	-	-	-	1250	-	-	-	-	-	-
	8/6/2009	-	-	-	1160	-	-	-	-	-	-
	3/3/2010	-	-	-	1260	-	-	-	-	-	-
MW033	8/5/2010	-	-	-	1100	-	-	-	-	-	-
	4/3/2002	-	-	-	2280	14	0.11	320	-	-	-
	4/3/2002 Dup	-	-	-	2250	16	0.1	370	-	-	-
	1/27/2006	7.4	<2	364	2010	-	-	393	-	-	-
	1/27/2006 Dup	7.4	<2	355	2100	-	-	365	-	-	-
	6/26/2006	7.3	<2	393	2070	-	-	350	-	-	-
	3/19/2008	7.5	<2.0	397	1950	-	-	422	-	397	<2.0
	8/13/2008	7.3	<2.0	386	2050	-	-	464	-	-	-
	4/1/2009	-	-	-	1940	-	-	-	-	-	-
	8/24/2009	-	-	-	1870	-	-	-	-	-	-
MW034	3/17/2010	-	-	-	2160	-	-	-	-	-	-
	8/18/2010	-	-	-	1920	-	-	-	-	-	-
	4/3/2002	-	-	-	2200	7	0.06	550	-	-	-
	1/25/2006	7	<2	343	1810	-	-	512	-	-	-
	7/7/2006	7.3	<2	353	1690	-	-	389	-	-	-
	4/1/2008	7.2	<2.0	328	1380	-	-	331	-	328	<2.0
MW035	3/25/2009	-	-	-	1360	-	-	-	-	-	-
	3/3/2010	-	-	-	1510	-	-	-	-	-	-
	8/30/2001	-	-	-	620	2	-	700	-	-	-
	1/29/2002	-	-	-	1230	12	<0.05	230	-	-	-
	1/23/2006	7.1	<2	354	612	-	-	89.3	-	-	-
	6/22/2006	7	<2	427	917	-	-	131	-	-	-
	4/2/2008	7	<2.0	477	766	-	-	86.6	-	477	<2.0
MW036	3/24/2009	-	-	-	1320	-	-	-	-	-	-
	3/3/2010	-	-	-	1100	-	-	-	-	-	-
	8/29/2001	-	-	-	1000	10	-	10	-	-	-
	2/7/2002	-	-	-	1100	16	0.08	2	-	-	-
	1/26/2006	6.8	<2	551	1970	-	-	174	-	-	-
	7/12/2006	6.8	<2	583	1740	-	-	95.1	-	-	-
	4/16/2008	7	<2.0	663	1040	-	-	<5.0	-	663	<2.0
MW037	4/7/2009	-	-	-	1320	-	-	-	-	-	-
	3/16/2010	-	-	-	1270	-	-	-	-	-	-
	8/29/2001	-	-	-	2140	9	-	30	-	-	-
	2/7/2002	-	-	-	2050	16	0.73	6	-	-	-
	2/7/2002 Dup	-	-	-	2070	106	0.67	6	-	-	-
	1/27/2006	7.1	<2	768	1900	-	-	63.8	-	-	-
	7/13/2006	7	<2	792	2130	-	-	129	-	-	-
	4/16/2008	7	<2.0	839	2950	-	-	92.6	-	839	<2.0
	4/7/2009	-	-	-	3840	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
MW038	3/16/2010	-	-	-	2130	-	-	-	-	-	-
	8/29/2001	-	-	-	1030	6	-	90	-	-	-
	2/7/2002	-	-	-	1160	24	0.05	33	-	-	-
	9/19/2002	-	-	-	1070	-	-	3	-	-	-
	1/26/2006	6.9	<2	406	2300	-	-	681	-	-	-
	7/13/2006	7	<2	422	2270	-	-	676	-	-	-
	4/16/2008	7.2	<2.0	465	2060	-	-	482	-	465	<2.0
	4/7/2009	-	-	-	1760	-	-	-	-	-	-
	3/12/2010	-	-	-	1410	-	-	-	-	-	-
MW043	4/25/2002	-	-	-	1940	15	0.06	320	-	-	-
	1/23/2006	7.1	<2	437	3040	-	-	1160	-	-	-
	6/30/2006	7.8	<2	320	1160	-	-	353	-	-	-
	3/26/2008	7.5	<2.0	552	1250	-	-	193	-	552	<2.0
	3/24/2009	-	-	-	1410	-	-	-	-	-	-
	3/3/2010	-	-	-	1690	-	-	-	-	-	-
MW044	4/3/2002	-	-	-	3260	14	0.05	730	-	-	-
	9/18/2002	-	-	-	3500	-	-	940	-	-	-
	2/2/2006	6.9	<2	475	2310	-	-	536	-	-	-
	7/21/2006	7.1	<2	556	1670	-	-	169	-	-	-
	4/9/2008	7	<2.0	518	1900	-	-	462	-	518	<2.0
	3/25/2009	-	-	-	1700	-	-	-	-	-	-
	3/25/2010	-	-	-	1300	-	-	-	-	-	-
MW045	4/4/2002	-	-	-	1920	5	0.05	170	-	-	-
	1/27/2006	7.3	<2	547	1490	-	-	198	-	-	-
	7/12/2006	6.8	<2	527	1650	-	-	205	-	-	-
	7/12/2006 Dup	6.9	<2	521	1730	-	-	206	-	-	-
	4/2/2008	7	<2.0	563	1520	-	-	145	-	563	<2.0
	3/24/2009	-	-	-	1220	-	-	-	-	-	-
	3/3/2010	-	-	-	1280	-	-	-	-	-	-
MW046	4/4/2002	-	-	-	1640	49	0.06	180	-	-	-
	1/26/2006	7.1	<2	605	1220	-	-	5.2	-	-	-
	7/12/2006	7	<2	641	1360	-	-	20.5	-	-	-
	4/17/2008	7.1	<2.0	645	1760	-	-	32	-	645	<2.0
	4/7/2009	-	-	-	1700	-	-	-	-	-	-
	3/12/2010	-	-	-	1840	-	-	-	-	-	-
MW047	4/4/2002	-	-	-	2000	9	0.05	710	-	-	-
	1/25/2006	7.2	<2	276	1700	-	-	584	-	-	-
	7/7/2006	7.4	<2	303	1430	-	-	418	-	-	-
	4/3/2008	7.4	<2.0	287	1190	-	-	318	-	287	<2.0
	3/16/2010	-	-	-	2630	-	-	-	-	-	-
MW058	1/28/2003	-	-	-	2270	-	-	850	-	-	-
	1/24/2006	7.4	<2	147	2500	-	-	872	-	-	-
	7/6/2006	7.4	<2	148	2100	-	-	843	-	-	-
	4/15/2008	7.3	<2.0	156	3660	-	-	1530	-	156	<2.0
	8/21/2008	7.1	<2.0	153	4490	-	-	1850	-	-	-
	4/2/2009	-	-	-	3680	-	-	-	-	-	-
	3/8/2010	-	-	-	2580	-	-	-	-	-	-
	8/6/2010	-	-	-	4130	-	-	-	-	-	-
MW059	1/29/2003	-	-	-	1820	-	-	640	-	-	-
	1/20/2006	7.5	<2	151	1840	-	-	642	-	-	-
	6/26/2006	7.6	<2	144	1780	-	-	657	-	-	-
	4/3/2008	7.9	<2.0	137	2040	-	-	726	-	137	<2.0
	8/14/2008	7.2	<2.0	124	4140	-	-	1800	-	-	-
	3/31/2009	-	-	-	2300	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/12/2009	-	-	-	2260	-	-	-	-	-	-
	3/9/2010	-	-	-	1980	-	-	-	-	-	-
	8/6/2010	-	-	-	4190	-	-	-	-	-	-
MW060	1/8/2003	-	-	-	2010	-	-	600	-	-	-
	1/24/2006	7.4	<2	130	3510	-	-	1500	-	-	-
	1/24/2006 Dup	7.3	<2	135	3370	-	-	1540	-	-	-
	7/6/2006	7.1	<2	149	3280	-	-	1130	-	-	-
	3/25/2008	7.2	<2.0	143	3430	-	-	1270	-	143	<2.0
	8/11/2008	7.2	<2.0	129	3680	-	-	1500	-	-	-
	3/18/2009	-	-	-	3420	-	-	-	-	-	-
	8/24/2009	-	-	-	3450	-	-	-	-	-	-
	3/10/2010	-	-	-	3860	-	-	-	-	-	-
	8/13/2010	-	-	-	4560	-	-	-	-	-	-
MW061	1/8/2003	-	-	-	2160	-	-	800	-	-	-
	1/26/2006	7.3	<2	138	3580	-	-	1410	-	-	-
	7/5/2006	7	<2	156	3260	-	-	1420	-	-	-
	8/7/2008	7.3	<2.0	173	3140	-	-	1250	-	-	-
	4/1/2009	-	-	-	2950	-	-	-	-	-	-
	3/9/2010	-	-	-	2910	-	-	-	-	-	-
	8/11/2010	-	-	-	4300	-	-	-	-	-	-
MW068	3/5/2003	-	-	-	1160	-	-	200	-	-	-
	3/26/2003	-	-	-	60900	-	-	-	-	-	-
	1/19/2006	7.4	<2	250	4210	-	-	350	-	-	-
	6/21/2006	7.4	<2	234	2280	-	-	339	-	-	-
	3/25/2008	7.2	<2.0	254	4550	-	-	337	-	254	<2.0
	8/11/2008	7.1	<2.0	282	17800	-	-	404	-	-	-
	3/18/2009	-	-	-	2610	-	-	-	-	-	-
	8/24/2009	-	-	-	3500	-	-	-	-	-	-
	3/9/2010	-	-	-	3110	-	-	-	-	-	-
	8/11/2010	-	-	-	3860	-	-	-	-	-	-
MW069	3/5/2003	-	-	-	2600	-	-	320	-	-	-
	3/25/2003	-	-	-	54000	-	-	-	-	-	-
	1/19/2006	6.8	<2	341	9030	-	-	313	-	-	-
	6/21/2006	6.9	<2	354	5470	-	-	335	-	-	-
	8/24/2009	-	-	-	6690	-	-	-	-	-	-
MW070	3/6/2003	-	-	-	670	-	-	70	-	-	-
	1/27/2006	7.7	<2	186	682	-	-	171	-	-	-
	6/22/2006	7.6	<2	198	703	-	-	52.3	-	-	-
	3/25/2008	7.4	<2.0	211	896	-	-	149	-	211	<2.0
	8/5/2008	7.3	<2.0	216	912	-	-	354	-	-	-
	3/16/2009	-	-	-	902	-	-	-	-	-	-
	8/20/2009	-	-	-	827	-	-	-	-	-	-
	3/17/2010	-	-	-	856	-	-	-	-	-	-
	8/13/2010	-	-	-	908	-	-	-	-	-	-
MW088M	9/18/2004	-	-	-	-	6000	0.6	700	<2	-	-
	10/7/2004	-	-	-	-	7800	3	1200	<2	-	-
	11/10/2004	-	-	-	15900	11000	<1	1200	<2	-	-
	12/28/2004	-	-	-	12000	8000	1	1300	-	-	-
	1/19/2005	-	-	-	21400	12000	<1	1100	<2	-	-
	2/10/2005	-	-	-	19900	11	1	1000	<2	-	-
	3/10/2005	-	-	-	15400	5000	2	800	<2	-	-
	4/13/2005	-	-	-	16000	12000	0.18	800	<2	-	-
	5/17/2005	-	-	-	41500	9000	3	800	<2	-	-
	5/31/2005	-	-	-	4010	711	1.5	1000	-	-	-
	7/12/2005	-	-	-	23700	12000	4	600	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID											
	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	2/6/2006	5.9	<2	7480	24900	-	-	386	-	-	-
	7/20/2006	7.1	<2	857	3980	-	-	1010	-	-	-
	4/21/2008	5.8	<2.0	6480	21000	-	-	127	-	6480	<2.0
	4/1/2009	-	-	-	17100	-	-	-	-	-	-
	3/11/2010	-	-	-	11000	-	-	-	-	-	-
IW001	8/1/2002	-	-	-	4720	-	-	1510	-	-	-
	6/10/2003	-	-	-	-	5	<0.05	1900	10.3	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1800	-	-	-
	7/1/2003	-	-	-	-	18000	<1	279	<1	-	-
	7/9/2003	-	-	-	-	28000	<1	1350	5	-	-
	7/15/2003	-	-	-	-	26000	<1	1010	<4	-	-
	7/30/2003	-	-	-	-	13000	2	820	<2	-	-
	10/1/2003	-	-	-	-	37000	1	1100	<2	-	-
	10/29/2003	-	-	-	-	21000	<1	1000	<2	-	-
	12/9/2003	-	-	-	-	22000	<1	1370	<2	-	-
	1/8/2004	-	-	-	24500	21000	<1	750	4	-	-
	3/4/2004	-	-	-	-	12000 / 12000	1	2390	<2	-	-
	4/1/2004	-	-	-	21800	20000	1	1220	<2	-	-
	5/17/2004	-	-	-	-	23300	<1	970	<2	-	-
	6/10/2004	-	-	-	-	26000	<1	1700	<2	-	-
	7/14/2004	-	-	-	-	42400	1	1400	<2	-	-
	8/11/2004	-	-	-	-	19000	1	1190	<2	-	-
	9/15/2004	-	-	-	-	23000	<1	900	<2	-	-
	10/6/2004	-	-	-	-	21000	3	600	<2	-	-
	11/15/2004	-	-	-	20600	28000	<1	700	<2	-	-
	12/28/2004	-	-	-	-	20	<1	600	<2	-	-
	1/26/2005	-	-	-	-	27000	<1	300	<2	-	-
	2/9/2005	-	-	-	-	21000	<1	300	<2	-	-
	3/10/2005	-	-	-	-	10000	1	200	-	-	-
	4/12/2005	-	-	-	-	24000	<1	200	<2	-	-
	5/12/2005	-	-	-	-	42000	<0.05	300	-	-	-
	6/9/2005	-	-	-	-	26000	<1	400	-	-	-
	7/7/2005	-	-	-	-	17000	<1	300	-	-	-
	2/6/2006	4.7	<2	1220	8350	-	-	218	-	-	-
	7/20/2006	4.9	<2	2520	11400	-	-	118	-	-	-
	4/17/2008	6.9	<2.0	5610	11200	-	-	<20.0	-	5610	<2.0
	3/31/2009	-	-	-	6510	-	-	-	-	-	-
	3/11/2010	-	-	-	3240	-	-	-	-	-	-
IW002	9/19/2002	-	-	-	3180	-	-	990	-	-	-
	6/11/2003	-	-	-	-	18	0.06	1360	7.3	-	-
	6/11/2003 Dup	-	-	-	-	-	-	1370	-	-	-
	7/2/2003	-	-	-	-	16000	<1	900	1	-	-
	7/8/2003	-	-	-	-	28000	<1	1170	11	-	-
	7/15/2003	-	-	-	-	11	<1	1160	5	-	-
	7/30/2003	-	-	-	-	18000	2	860	3	-	-
	8/21/2003	-	-	-	-	16000	1	750	<2	-	-
	9/30/2003	-	-	-	-	39000	<1	1000	<2	-	-
	10/29/2003	-	-	-	-	20000	<1	600	<2	-	-
	12/10/2003	-	-	-	-	24000	<1	300	<2	-	-
	1/8/2004	-	-	-	17900	16000	<1	960	<2	-	-
	2/23/2004	-	-	-	-	7000	2	970	2	-	-
	4/6/2004	-	-	-	-	20000	1	650	<2	-	-
	5/13/2004	-	-	-	-	26400	2	750	<2	-	-
	6/10/2004	-	-	-	-	6000	1	600	<2	-	-
	7/8/2004	-	-	-	-	34000	1	1220	2	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID											
	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/16/2004	-	-	-	-	24000	1	800	<2	-	-
	9/9/2004	-	-	-	-	6000	1	400	<2	-	-
	10/7/2004	-	-	-	-	29000	4	900	<2	-	-
	11/11/2004	-	-	-	24400	21000	<1	780	5	-	-
	12/29/2004	-	-	-	-	18	<1	600	<2	-	-
	1/19/2005	-	-	-	-	15000	<1	300	<2	-	-
	1/27/2005	-	-	-	-	29000	<1	500	<2	-	-
	2/10/2005	-	-	-	3160	21	<1	300	<2	-	-
	3/15/2005	-	-	-	-	16000	<1	120	<2	-	-
	4/14/2005	-	-	-	-	20	<0.05	200	<2	-	-
	5/17/2005	-	-	-	-	38000	<1	120	<2	-	-
	6/15/2005	-	-	-	-	41000	<1	400	-	-	-
	7/12/2005	-	-	-	-	18000	1	300	-	-	-
	2/6/2006	4.5	<2	710	6750	-	-	227	-	-	-
	7/20/2006	4.9	<2	2600	11200	-	-	100	-	-	-
	4/21/2008	7.1	<2.0	5400	5700	-	-	<5.0	-	5400	<2.0
	4/6/2009	-	-	-	5090	-	-	-	-	-	-
	3/12/2010	-	-	-	2920	-	-	-	-	-	-
RW002	10/1/2001	-	-	-	4730	6	-	1500	-	-	-
	2/4/2002	-	-	-	4990	660	0.05	1900	-	-	-
	6/10/2003	-	-	-	-	5	0.06	1600	9.1	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1600	-	-	-
	7/1/2003	-	-	-	-	9	0.05	1500	14.3	-	-
	7/9/2003	-	-	-	-	9	<0.05	1630	8.6	-	-
	7/15/2003	-	-	-	-	5	0.05	1870	8	-	-
	7/30/2003	-	-	-	-	5	0.08	100	1.2	-	-
	8/20/2003	-	-	-	-	5	0.06	2130	12.4	-	-
	9/30/2003	-	-	-	-	6	<0.05	2000	7.8	-	-
	10/28/2003	-	-	-	-	5	<0.05	1600	7.3	-	-
	12/8/2003	-	-	-	-	6	0.06	1580	8.8	-	-
	1/7/2004	-	-	-	4870	6	<0.05	1890	10.3	-	-
	3/4/2004	-	-	-	-	5 / 4	0.06	1770	14	-	-
	4/1/2004	-	-	-	4660	5	<0.05	1670	7.3	-	-
	5/17/2004	-	-	-	-	14	-	-	-	-	-
	5/18/2004	-	-	-	-	11	<0.05	1900	7	-	-
	6/10/2004	-	-	-	-	4	-	-	-	-	-
	6/14/2004	-	-	-	-	4	<0.05	1700	8.9	-	-
	7/8/2004	-	-	-	-	11	-	-	-	-	-
	7/13/2004	-	-	-	-	7	<0.05	1730	7.9	-	-
	8/11/2004	-	-	-	-	6	-	-	-	-	-
	8/16/2004	-	-	-	-	4	0.06	1600	9	-	-
	9/15/2004	-	-	-	-	8	-	-	-	-	-
	9/16/2004	-	-	-	-	4	<0.05	1500	7.3	-	-
	10/6/2004	-	-	-	-	5	-	-	-	-	-
	10/7/2004	-	-	-	-	23	0.06	1600	4.7	-	-
	11/17/2004	-	-	-	4930	22	<0.05	1600	3.6	-	-
	12/20/2004	-	-	-	-	30	-	-	-	-	-
	12/29/2004	-	-	-	4960	44	0.21	1500	2.2	-	-
	1/25/2005	-	-	-	4640	50	<0.05	1600	0.7	-	-
	2/9/2005	-	-	-	4710	21000	<0.05	1500	1.4	-	-
	3/9/2005	-	-	-	4850	32	<0.05	1400	1.2	-	-
	4/12/2005	-	-	-	4780	21	0.15	1400	0.5	-	-
	5/12/2005	-	-	-	4780	171	2.8	1500	<0.4	-	-
	6/8/2005	-	-	-	4630	76	5.9	1500	-	-	-
	7/7/2005	-	-	-	4640	271	14	1300	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	2/10/2006	6.1	<2	1070	5700	-	-	1370	-	-	-
	7/20/2006	6.2	<2	438	4980	-	-	1680	-	-	-
	4/17/2008	6.6	<2.0	245	4590	-	-	1830	-	245	<2.0
	3/31/2009	-	-	-	5160	-	-	-	-	-	-
	3/11/2010	-	-	-	3500	-	-	-	-	-	-
RW003	2/4/2002	-	-	-	3930	480	<0.05	1600	-	-	-
	6/10/2003	-	-	-	-	6	0.08	1360	5.9	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1590	-	-	-
	7/2/2003	-	-	-	-	7	<0.05	1200	5.8	-	-
	7/8/2003	-	-	-	-	6	<0.05	1180	5.8	-	-
	7/15/2003	-	-	-	-	5	<0.05	1400	6	-	-
	7/30/2003	-	-	-	-	4	0.07	1210	2	-	-
	8/21/2003	-	-	-	-	4	0.07	1130	10.6	-	-
	9/30/2003	-	-	-	-	5	<0.05	1000	4	-	-
	10/28/2003	-	-	-	-	5	<0.05	1200	<0.4	-	-
	12/9/2003	-	-	-	-	6	0.06	1200	12.5	-	-
	1/7/2004	-	-	-	3640	6	<0.05	1580	6.7	-	-
	2/19/2004	-	-	-	-	5	<0.05	800	3	-	-
	4/6/2004	-	-	-	-	5	<0.05	1010	3.5	-	-
	5/6/2004	-	-	-	-	6	<0.05	1230	4	-	-
	6/8/2004	-	-	-	-	5	<0.05	1100	3.6	-	-
	7/14/2004	-	-	-	-	15	<0.05	900	3.6	-	-
	8/16/2004	-	-	-	-	7	0.06	1200	5.2	-	-
	9/9/2004	-	-	-	-	8	0.05	900	3.7	-	-
	10/7/2004	-	-	-	-	7	0.06	800	4.2	-	-
	11/10/2004	-	-	-	2820	19	<0.05	800	1.6	-	-
	12/28/2004	-	-	-	2760	28	<0.05	900	1.8	-	-
	1/18/2005	-	-	-	2960	70	0.22	800	1.4	-	-
	2/10/2005	-	-	-	3340	18	2.5	600	<0.4	-	-
	3/10/2005	-	-	-	2930	330	5.2	400	<0.4	-	-
	4/13/2005	-	-	-	2760	343	4.3	300	0.4	-	-
	5/18/2005	-	-	-	2720	375	34	150	<0.4	-	-
	6/14/2005	-	-	-	2620	262	34	200	-	-	-
	7/12/2005	-	-	-	2580	267	31	81	-	-	-
	2/10/2006	6.8	<2	1480	3130	-	-	388	-	-	-
	7/20/2006	7	<2	1320	2730	-	-	<20	-	-	-
	4/21/2008	7.1	<2.0	1080	2700	-	-	469	-	1080	<2.0
	4/1/2009	-	-	-	2170	-	-	-	-	-	-
	3/11/2010	-	-	-	1900	-	-	-	-	-	-
MW002A	12/9/2002	-	-	-	1330	-	-	200	-	-	-
	1/24/2006	7.5	<2	165	1340	-	-	192	-	-	-
	7/6/2006	7.4	<2	171	1980	-	-	256	-	-	-
	4/2/2008	7.2	<2.0	165	2820	-	-	500	-	165	<2.0
	3/31/2009	-	-	-	2750	-	-	-	-	-	-
MW004A	3/8/2010	-	-	-	1660	-	-	-	-	-	-
	5/23/2001	-	-	-	1320	-	-	410	3.47	-	-
	1/28/2002	-	-	-	1540	2	<0.05	450	-	-	-
	1/25/2006	7.4	<2	166	1440	-	-	446	-	-	-
	7/7/2006	7.7	<2	178	1460	-	-	371	-	-	-
	4/3/2008	7.5	<2.0	175	1740	-	-	580	-	175	<2.0
	3/31/2009	-	-	-	1700	-	-	-	-	-	-
MW007A	3/8/2010	-	-	-	1740	-	-	-	-	-	-
	5/23/2001	-	-	-	1020	-	-	350	2.76	-	-
	5/23/2001 Dup	-	-	-	1050	-	-	330	2.73	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	1/29/2002	-	-	-	1640	3	<0.05	570	-	-	-
	1/26/2006	7.3	<2	156	2410	-	-	921	-	-	-
	7/7/2006	7.7	<2	164	1770	-	-	629	-	-	-
	4/3/2008	7.8	<2.0	155	2840	-	-	1120	-	155	<2.0
MW008A	5/29/2001	-	-	-	4670	-	-	1760	11.7	-	-
	8/29/2001	-	-	-	-	4	-	-	-	-	-
	2/4/2002	-	-	-	4870	7	0.07	1900	-	-	-
	6/9/2003	-	-	-	-	11	0.08	1600	9.8	-	-
	6/9/2003 Dup	-	-	-	-	-	-	1600	-	-	-
	6/30/2003	-	-	-	-	10	<0.05	1830	5.8	-	-
	7/9/2003	-	-	-	-	12	<0.05	1600	6.5	-	-
	7/15/2003	-	-	-	-	7	<0.05	1710	4	-	-
	7/29/2003	-	-	-	-	6	0.08	1780	1.8	-	-
	8/21/2003	-	-	-	-	7	0.06	1730	9	-	-
	9/29/2003	-	-	-	-	6	<0.05	1730	0.5	-	-
	10/27/2003	-	-	-	-	6	<0.05	1600	0.8	-	-
	12/4/2003	-	-	-	-	17	0.05	1450	6.3	-	-
	1/5/2004	-	-	-	-	7	<0.05	1390	9.1	-	-
	3/1/2004	-	-	-	-	5	0.06	1850	7	-	-
	3/31/2004	-	-	-	4440	5	<0.05	1830	8.9	-	-
	5/4/2004	-	-	-	-	6	<0.05	2040	7	-	-
	6/7/2004	-	-	-	-	5	0.13	2100	6.5	-	-
	7/7/2004	-	-	-	-	7	0.06	1700	7.1	-	-
	8/10/2004	-	-	-	-	3	0.06	1820	7.6	-	-
	9/16/2004	-	-	-	-	5	0.05	1700	6.4	-	-
	10/4/2004	-	-	-	-	12	0.06	1710	6.1	-	-
	11/8/2004	-	-	-	4730	38	<0.05	1700	5.2	-	-
	12/16/2004	-	-	-	4830	28	<0.05	1600	5	-	-
	1/6/2005	-	-	-	4520	32	<0.05	1600	2.1	-	-
	2/7/2005	-	-	-	4830	23	<0.05	1500	1.3	-	-
	3/8/2005	-	-	-	4570	37	<0.05	1200	0.7	-	-
	4/6/2005	-	-	-	4510	35	0.26	1300	<0.4	-	-
	5/10/2005	-	-	-	4450	174	25	1060	<0.4	-	-
	6/7/2005	-	-	-	4320	184	36	900	-	-	-
	7/6/2005	-	-	-	4900	550	41	15	-	-	-
	2/9/2006	6.8	<2	1920	4190	-	-	<10	-	-	-
	7/18/2006	7.2	<2	2070	4580	-	-	<10	-	-	-
	4/15/2008	6.7	<2.0	2520	6460	-	-	<5.0	-	2520	<2.0
	3/26/2009	-	-	-	7330	-	-	-	-	-	-
	3/10/2010	-	-	-	6880	-	-	-	-	-	-
MW009A	5/24/2001	-	-	-	3260	-	-	1000	9.7	-	-
	1/28/2002	-	-	-	3470	6	<0.05	1350	-	-	-
	2/2/2006	7.3	<2	193	2420	-	-	833	-	-	-
	7/13/2006	7.7	<2	210	2530	-	-	782	-	-	-
	4/15/2008	7.4	<2.0	216	2580	-	-	1100	-	216	<2.0
	3/26/2009	-	-	-	2410	-	-	-	-	-	-
	3/8/2010	-	-	-	2240	-	-	-	-	-	-
MW011A	5/22/2001	-	-	-	840	-	-	220	2.23	-	-
	1/28/2002	-	-	-	1000	3	<0.05	320	-	-	-
	6/10/2003	-	-	-	-	3	0.06	610	2.6	-	-
	6/10/2003 Dup	-	-	-	-	-	-	1790	-	-	-
	7/1/2003	-	-	-	-	3	<0.05	280	1.1	-	-
	7/8/2003	-	-	-	-	8	0.06	470	1.3	-	-
	7/14/2003	-	-	-	-	5	<0.05	490	<0.4	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/29/2003	-	-	-	-	4	0.24	570	1.4	-	-
	8/19/2003	-	-	-	-	7	4.7	500	6.4	-	-
	9/29/2003	-	-	-	-	3	1.1	530	<0.4	-	-
	10/28/2003	-	-	-	-	3	0.12	500	<0.4	-	-
	12/8/2003	-	-	-	-	3	<0.05	520	<0.4	-	-
	1/6/2004	-	-	-	-	4	<0.05	670	<0.4	-	-
	3/4/2004	-	-	-	-	4	<0.05	1700	4	-	-
	4/1/2004	-	-	-	5220	6	<0.05	2040	7.9	-	-
	5/13/2004	-	-	-	-	7	-	-	-	-	-
	5/18/2004	-	-	-	-	7	<0.05	2040	7	-	-
	6/10/2004	-	-	-	-	5	-	-	-	-	-
	6/14/2004	-	-	-	-	6	<0.05	1600	7	-	-
	7/8/2004	-	-	-	-	5	-	-	-	-	-
	7/12/2004	-	-	-	-	4	<0.05	1470	6.7	-	-
	8/11/2004	-	-	-	-	3	-	-	-	-	-
	8/12/2004	-	-	-	-	5	0.06	1300	7.8	-	-
	9/15/2004	-	-	-	-	3 / 3	0.06	1300	6.7	-	-
	10/5/2004	-	-	-	-	6	-	-	-	-	-
	10/7/2004	-	-	-	-	5	0.06	1100	5.8	-	-
	11/11/2004	-	-	-	-	1860	-	-	-	-	-
	11/16/2004	-	-	-	3370	8	<0.05	1200	6	-	-
	12/20/2004	-	-	-	-	12	-	-	-	-	-
	12/29/2004	-	-	-	2950	9	<0.05	1000	5.5	-	-
	1/19/2005	-	-	-	-	8	-	-	-	-	-
	1/25/2005	-	-	-	4390	-	<0.05	1700	7.5	-	-
	2/8/2005	-	-	-	4790	9	0.05	1700	8.9	-	-
	3/9/2005	-	-	-	5150	11	<0.05	1700	12.5	-	-
	4/11/2005	-	-	-	5340	6	0.06	1700	10.8	-	-
	5/11/2005	-	-	-	5330	16	0.05	1800	10.6	-	-
	6/8/2005	-	-	-	5260	15	<0.05	1900	-	-	-
	7/11/2005	-	-	-	5310	10	0.09	1800	-	-	-
	2/10/2006	7.8	<2	148	5320	-	-	2000	-	-	-
	7/19/2006	7.2	<2	140	5290	-	-	1820	-	-	-
	4/16/2008	7.2	<2.0	157	5640	-	-	2020	-	157	<2.0
	3/31/2009	-	-	-	6130	-	-	-	-	-	-
	3/10/2010	-	-	-	5430	-	-	-	-	-	-
MW012A	5/22/2001	-	-	-	500	-	-	89	2.09	-	-
	1/28/2002	-	-	-	530	2	<0.05	110	-	-	-
	6/10/2003	-	-	-	-	9	0.05	88	1.1	-	-
	6/10/2003 Dup	-	-	-	-	-	-	95	-	-	-
	7/2/2003	-	-	-	-	1	<0.05	90	2.1	-	-
	7/7/2003	-	-	-	-	8	0.65	90	<0.4	-	-
	7/14/2003	-	-	-	-	7	0.8	90	<0.4	-	-
	7/30/2003	-	-	-	-	8	2.3	100	1.2	-	-
	8/20/2003	-	-	-	-	11	5.9	90	1.1	-	-
	9/30/2003	-	-	-	-	4	15	68	13	-	-
	10/28/2003	-	-	-	-	4	7	74	<1	-	-
	12/9/2003	-	-	-	-	4	7.3	70	<0.4	-	-
	1/7/2004	-	-	-	700	4	5	150	23	-	-
	2/19/2004	-	-	-	-	<1	<0.05	110	1	-	-
	4/6/2004	-	-	-	-	<1	0.05	110	1	-	-
	5/6/2004	-	-	-	-	<1	<0.05	150	1	-	-
	6/8/2004	-	-	-	-	<1	0.08	110	1.4	-	-
	7/14/2004	-	-	-	-	2	0.07	100	1.5	-	-
	8/12/2004	-	-	-	-	<1	0.06	100	1.5	-	-
	9/9/2004	-	-	-	-	<1	0.06	99	1.8	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	10/6/2004	-	-	-	-	3	0.06	100	1.6	-	-
	11/10/2004	-	-	-	530	5	<0.05	103	1.3	-	-
	12/28/2004	-	-	-	560	5	<0.05	96	1.5	-	-
	1/18/2005	-	-	-	580	8	<0.05	100	1.8	-	-
	2/10/2005	-	-	-	520	7	<0.05	103	1.4	-	-
	3/10/2005	-	-	-	530	7	<0.05	90	2.3	-	-
	4/13/2005	-	-	-	540	25	<0.05	97	1.8	-	-
	5/17/2005	-	-	-	530	27	0.09	100	1.4	-	-
	6/14/2005	-	-	-	530	13	<0.05	100	-	-	-
	7/12/2005	-	-	-	550	12	0.07	112	-	-	-
	2/10/2006	8.1	<2	219	533	-	-	92.7	-	-	-
	7/20/2006	7.9	<2	239	549	-	-	77.7	-	-	-
	4/21/2008	7.9	<2.0	272	517	-	-	33.2	-	272	<2.0
	4/1/2009	-	-	-	509	-	-	-	-	-	-
	3/11/2010	-	-	-	496	-	-	-	-	-	-
MW013A	5/22/2001	-	-	-	600	-	-	119	2.06	-	-
	1/28/2002	-	-	-	760	1	<0.05	190	-	-	-
	1/26/2006	7.6	<2	195	647	-	-	161	-	-	-
	7/5/2006	7.5	<2	201	587	-	-	120	-	-	-
	4/7/2008	7.5	<2.0	201	589	-	-	117	-	201	<2.0
	8/21/2008	7.5	<2.0	200	588	-	-	128	-	-	-
	3/30/2009	-	-	-	540	-	-	-	-	-	-
	8/4/2009	-	-	-	540	-	-	-	-	-	-
	3/2/2010	-	-	-	1220	-	-	-	-	-	-
MW014A	8/4/2010	-	-	-	498	-	-	-	-	-	-
	5/23/2001	-	-	-	520	-	-	130	2.33	-	-
	1/24/2002	-	-	-	540	-	<0.05	110	-	-	-
	1/23/2006	7.7	<2	225	512	-	-	107	-	-	-
	6/29/2006	7.7	<2	223	506	-	-	99.1	-	-	-
	3/24/2008	7.6	<2.0	219	523	-	-	107	-	219	<2.0
	3/18/2009	-	-	-	30	-	-	-	-	-	-
	8/20/2009	-	-	-	507	-	-	-	-	-	-
	3/16/2010	-	-	-	828	-	-	-	-	-	-
MW015A	8/9/2010	-	-	-	458	-	-	-	-	-	-
	5/17/2001	-	-	-	780	-	-	102	1.88	-	-
	1/22/2002	-	-	-	1020	-	<0.05	120	-	-	-
	1/23/2006	7.2	<2	167	2410	-	-	114	-	-	-
	6/29/2006	7.2	<2	151	3140	-	-	121	-	-	-
	3/24/2008	7.1	<2.0	142	3620	-	-	160	-	142	<2.0
	8/6/2008	7.3	<2.0	143	3140	-	-	131	-	-	-
	3/19/2009	-	-	-	4190	-	-	-	-	-	-
	3/10/2010	-	-	-	5080	-	-	-	-	-	-
MW016A	8/11/2010	-	-	-	5540	-	-	-	-	-	-
	5/17/2001	-	-	-	900	-	-	256	2.07	-	-
	1/22/2002	-	-	-	1040	-	<0.05	230	-	-	-
	1/20/2006	7.6	<2	175	916	-	-	209	-	-	-
	6/29/2006	7.5	<2	174	934	-	-	207	-	-	-
	3/19/2008	7.6	<2.0	171	976	-	-	214	-	171	<2.0
	8/7/2008	7.5	<2.0	172	1030	-	-	206	-	-	-
	3/17/2009	-	-	-	1090	-	-	-	-	-	-
	3/10/2010	-	-	-	1030	-	-	-	-	-	-
MW018A	8/11/2010	-	-	-	1200	-	-	-	-	-	-
	5/17/2001	-	-	-	1300	-	-	460	0.31	-	-
	1/23/2002	-	-	-	1260	-	<0.05	390	-	-	-
	1/20/2006	7.6	<2	185	1040	-	-	335	-	-	-
	6/29/2006	7.4	<2	188	1350	-	-	340	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	3/24/2008	7.4	<2.0	189	1080	-	-	331	-	189	<2.0
	3/17/2009	-	-	-	1050	-	-	-	-	-	-
	3/10/2010	-	-	-	968	-	-	-	-	-	-
	8/10/2010	-	-	-	858	-	-	-	-	-	-
MW019A	5/17/2001	-	-	-	1450	-	-	358	3.67	-	-
	1/23/2002	-	-	-	1340	-	<0.05	280	-	-	-
	1/23/2006	7.4	<2	197	1350	-	-	286	-	-	-
	6/30/2006	7.5	<2	223	1190	-	-	257	-	-	-
	3/26/2008	7.4	<2.0	202	1180	-	-	355	-	202	<2.0
	8/7/2008	7.4	<2.0	216	1220	-	-	266	-	-	-
	3/17/2009	-	-	-	1150	-	-	-	-	-	-
	3/16/2010	-	-	-	1460	-	-	-	-	-	-
	8/16/2010	-	-	-	1190	-	-	-	-	-	-
MW020A	6/7/2001	-	-	-	1330	-	-	378	2.97	-	-
	2/6/2002	-	-	-	1320	2	0.06	370	-	-	-
	1/24/2006	7.5	<2	153	1510	-	-	354	-	-	-
	6/30/2006	7.4	<2	162	1550	-	-	372	-	-	-
	3/26/2008	7.4	<2.0	163	1570	-	-	429	-	163	<2.0
	8/6/2008	7.3	<2.0	160	1950	-	-	534	-	-	-
	3/19/2009	-	-	-	2600	-	-	-	-	-	-
	3/12/2010	-	-	-	2550	-	-	-	-	-	-
	8/10/2010	-	-	-	2580	-	-	-	-	-	-
MW021A	5/23/2001	-	-	-	13400	-	-	740	2.67	-	-
	1/24/2002	-	-	-	9900	13	<0.05	1080	-	-	-
	1/24/2006	6.9	<2	340	12300	-	-	950	-	-	-
	6/30/2006	7	<2	303	14000	-	-	810	-	-	-
	4/1/2008	6.8	<2.0	354	11900	-	-	888	-	354	<2.0
	3/24/2009	-	-	-	11300	-	-	-	-	-	-
	8/6/2009	-	-	-	13300	-	-	-	-	-	-
	3/2/2010	-	-	-	19100	-	-	-	-	-	-
	8/16/2010	-	-	-	10900	-	-	-	-	-	-
MW022A	5/23/2001	-	-	-	2200	-	-	410	8.5	-	-
	1/24/2002	-	-	-	1590	7	<0.05	250	-	-	-
	1/24/2006	7.5	<2	170	439	-	-	66.4	-	-	-
	7/6/2006	7.6	<2	169	212	-	-	57.5	-	-	-
	4/2/2008	7.7	<2.0	176	449	-	-	66.6	-	176	<2.0
	8/13/2008	7.6	<2.0	175	437	-	-	64.9	-	-	-
	3/18/2009	-	-	-	445	-	-	-	-	-	-
	3/11/2010	-	-	-	336	-	-	-	-	-	-
	8/18/2010	-	-	-	478	-	-	-	-	-	-
MW023A	1/9/2003	-	-	-	500	-	-	110	-	-	-
	1/20/2006	7.9	<2	198	516	-	-	113	-	-	-
	1/20/2006 Dup	7.8	<2	196	520	-	-	112	-	-	-
	6/26/2006	7.8	<2	215	506	-	-	108	-	-	-
	3/25/2008	7.7	<2.0	211	524	-	-	112	-	211	<2.0
	8/12/2008	7.7	<2.0	208	502	-	-	114	-	-	-
	3/18/2009	-	-	-	520	-	-	-	-	-	-
	8/20/2009	-	-	-	526	-	-	-	-	-	-
	3/17/2010	-	-	-	552	-	-	-	-	-	-
MW024A	8/16/2010	-	-	-	546	-	-	-	-	-	-
	6/23/1999	-	-	-	-	-	-	140	-	-	-
	5/23/2001	-	-	-	1250	-	-	170	1.76	-	-
	2/6/2002	-	-	-	1080	<1	<0.05	190	-	-	-
	1/25/2006	7.6	<2	176	747	-	-	186	-	-	-
	6/27/2006	7.7	<2	189	781	-	-	140	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	6/27/2006 Dup	7.6	<2	188	770	-	-	139	-	-	-
	4/7/2008	7.6	<2.0	183	757	-	-	132	-	183	<2.0
	8/13/2008	7.5	<2.0	190	1160	-	-	194	-	-	-
	3/25/2009	-	-	-	1350	-	-	-	-	-	-
	8/12/2009	-	-	-	452	-	-	-	-	-	-
	3/5/2010	-	-	-	1300	-	-	-	-	-	-
	8/6/2010	-	-	-	1430	-	-	-	-	-	-
MW039A	8/30/2001	-	-	-	550	<1	-	110	-	-	-
	1/31/2002	-	-	-	840	2	<0.05	250	-	-	-
	1/25/2006	7.6	<2	158	1390	-	-	439	-	-	-
	7/6/2006	7.6	<2	163	1450	-	-	476	-	-	-
	7/6/2006 Dup	7.8	<2	162	1470	-	-	478	-	-	-
	4/3/2008	7.5	<2.0	150	1390	-	-	542	-	150	<2.0
	4/2/2009	-	-	-	1660	-	-	-	-	-	-
MW040A	3/8/2010	-	-	-	1510	-	-	-	-	-	-
	4/2/2002	-	-	-	540	7	0.05	100	-	-	-
	1/20/2006	7.8	<2	191	491	-	-	99.8	-	-	-
	6/28/2006	7.8	<2	199	486	-	-	99.1	-	-	-
	3/24/2008	7.7	<2.0	202	509	-	-	102	-	202	<2.0
	8/7/2008	7.7	<2.0	204	510	-	-	107	-	-	-
	3/17/2009	-	-	-	506	-	-	-	-	-	-
MW041A	3/10/2010	-	-	-	364	-	-	-	-	-	-
	8/11/2010	-	-	-	558	-	-	-	-	-	-
	4/29/2002	-	-	-	2330	3	0.07	810	-	-	-
	1/26/2006	7.2	<2	225	2560	-	-	935	-	-	-
	1/26/2006 Dup	7.1	<2	238	2650	-	-	1220	-	-	-
	7/7/2006	7.4	<2	232	2600	-	-	789	-	-	-
	4/15/2008	7.3	<2.0	224	1830	-	-	692	-	224	<2.0
MW042A	4/1/2009	-	-	-	1880	-	-	-	-	-	-
	3/11/2010	-	-	-	2180	-	-	-	-	-	-
	8/30/2001	-	-	-	11900	2	-	530	-	-	-
	1/29/2002	-	-	-	11700	3	<0.05	640	-	-	-
	1/19/2006	8.3	<2	55.2	80	-	-	9.3	-	-	-
	6/22/2006	7.1	<2	242	8440	-	-	874	-	-	-
	6/22/2006 Dup	7.2	<2	241	8740	-	-	850	-	-	-
MW046A	4/2/2008	7.2	<2.0	249	7040	-	-	897	-	249	<2.0
	3/31/2009	-	-	-	7200	-	-	-	-	-	-
	3/8/2010	-	-	-	6370	-	-	-	-	-	-
	12/9/2002	-	-	-	1470	-	-	250	-	-	-
	1/26/2006	6.9	<2	385	2740	-	-	840	-	-	-
	7/12/2006	7	<2	354	2540	-	-	798	-	-	-
	4/2/2008	7.1	<2.0	319	2330	-	-	823	-	319	<2.0
MW048SA	3/31/2009	-	-	-	2590	-	-	-	-	-	-
	3/8/2010	-	-	-	2280	-	-	-	-	-	-
	8/1/2002	-	-	-	1690	-	-	300	-	-	-
	1/25/2006	7.4	<2	171	1430	-	-	380	-	-	-
	7/11/2006	7.5	<2	190	1900	-	-	383	-	-	-
	4/1/2008	7.3	<2.0	174	1640	-	-	509	-	174	<2.0
	8/20/2008	7.4	<2.0	176	1720	-	-	495	-	-	-
MW049SA	3/26/2009	-	-	-	1740	-	-	-	-	-	-
	8/12/2009	-	-	-	1740	-	-	-	-	-	-
	3/5/2010	-	-	-	2060	-	-	-	-	-	-
	8/9/2010	-	-	-	1880	-	-	-	-	-	-
	7/30/2002	-	-	-	6940	-	-	480	-	-	-
	1/25/2006	7.1	<2	201	5860	-	-	414	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/11/2006	7	<2	230	5790	-	-	502	-	-	-
	4/8/2008	7.2	<2.0	219	4320	-	-	533	-	219	<2.0
	3/26/2009	-	-	-	2210	-	-	-	-	-	-
	3/5/2010	-	-	-	4570	-	-	-	-	-	-
MW050SA	7/30/2002	-	-	-	4190	-	-	850	-	-	-
	1/25/2006	7.2	<2	266	3220	-	-	695	-	-	-
	7/10/2006	7.3	<2	312	4470	-	-	1040	-	-	-
	4/1/2008	7.1	<2.0	300	3810	-	-	1050	-	300	<2.0
	3/25/2009	-	-	-	4130	-	-	-	-	-	-
	3/4/2010	-	-	-	3730	-	-	-	-	-	-
MW051SA	10/10/2002	-	-	-	3840	-	-	910	-	-	-
	1/26/2006	7.2	<2	223	4200	-	-	1070	-	-	-
	7/11/2006	7.2	<2	241	4270	-	-	968	-	-	-
	4/9/2008	7.1	<2.0	241	3710	-	-	1150	-	241	<2.0
	4/2/2009	-	-	-	4140	-	-	-	-	-	-
	3/4/2010	-	-	-	3870	-	-	-	-	-	-
MW052SA	10/10/2002	-	-	-	3400	-	-	640	-	-	-
	1/26/2006	6.9	<2	223	4280	-	-	931	-	-	-
	7/11/2006	7.1	<2	234	4240	-	-	865	-	-	-
	7/11/2006 Dup	7.1	<2	232	4140	-	-	762	-	-	-
	4/8/2008	7.2	<2.0	230	4110	-	-	908	-	230	<2.0
	3/26/2009	-	-	-	4210	-	-	-	-	-	-
	3/5/2010	-	-	-	4690	-	-	-	-	-	-
MW053SA	9/18/2002	-	-	-	1250	-	-	230	-	-	-
	1/26/2006	7.6	<2	266	1110	-	-	595	-	-	-
	7/11/2006	7.5	<2	272	1050	-	-	200	-	-	-
	3/26/2008	7.4	<2.0	277	816	-	-	85.3	-	277	<2.0
	3/18/2009	-	-	-	938	-	-	-	-	-	-
	8/20/2009	-	-	-	944	-	-	-	-	-	-
	8/10/2010	-	-	-	998	-	-	-	-	-	-
MW054SA	1/27/2003	-	-	-	2750	-	-	660	-	-	-
	1/26/2006	7.3	<2	201	2260	-	-	597	-	-	-
	7/11/2006	7.4	<2	195	2150	-	-	450	-	-	-
	4/8/2008	7.2	<2.0	210	6010	-	-	540	-	210	<2.0
	8/20/2008	7.5	<2.0	204	2170	-	-	497	-	-	-
	3/26/2009	-	-	-	2360	-	-	-	-	-	-
	8/10/2009	-	-	-	2350	-	-	-	-	-	-
	3/5/2010	-	-	-	2640	-	-	-	-	-	-
	8/9/2010	-	-	-	2410	-	-	-	-	-	-
MW055SA	1/6/2003	-	-	-	1680	-	-	380	-	-	-
	3/10/2004	-	-	-	-	3	<0.05	430	0.9	-	-
	1/25/2006	7.3	<2	177	1730	-	-	422	-	-	-
	6/28/2006	7.4	<2	185	1310	-	-	354	-	-	-
	6/28/2006 Dup	7.3	<2	183	1440	-	-	330	-	-	-
	4/9/2008	7.3	<2.0	185	1610	-	-	433	-	185	<2.0
	8/19/2008	7.3	<2.0	186	1810	-	-	438	-	-	-
	3/26/2009	-	-	-	1810	-	-	-	-	-	-
	8/12/2009	-	-	-	1830	-	-	-	-	-	-
	3/4/2010	-	-	-	2070	-	-	-	-	-	-
	8/9/2010	-	-	-	1900	-	-	-	-	-	-
MW056SA	1/7/2003	-	-	-	3500	-	-	700	-	-	-
	1/26/2006	7.3	<2	242	3640	-	-	838	-	-	-
	7/12/2006	7.1	<2	225	3240	-	-	672	-	-	-
	4/9/2008	7.3	<2.0	244	3590	-	-	1090	-	244	<2.0

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/19/2008	7.2	<2.0	256	3880	-	-	804	-	-	-
	3/25/2009	-	-	-	3930	-	-	-	-	-	-
	8/12/2009	-	-	-	4020	-	-	-	-	-	-
	3/4/2010	-	-	-	4100	-	-	-	-	-	-
	8/9/2010	-	-	-	3920	-	-	-	-	-	-
MW057SA	1/28/2003	-	-	-	2020	-	-	450	-	-	-
	1/20/2006	7.4	<2	258	1050	-	-	-	-	-	-
	6/28/2006	7.4	<2	259	876	-	-	167	-	-	-
	3/27/2008	7.2	<2.0	295	1990	-	-	520	-	295	<2.0
	8/6/2008	7.3	<2.0	302	1720	-	-	490	-	-	-
	3/17/2009	-	-	-	1620	-	-	-	-	-	-
	3/11/2010	-	-	-	1300	-	-	-	-	-	-
	8/10/2010	-	-	-	1120	-	-	-	-	-	-
MW062A	1/24/2006	7.8	<2	172	512	-	-	123	-	-	-
	6/27/2006	7.9	<2	186	514	-	-	96	-	-	-
	4/9/2008	7.7	<2.0	190	487	-	-	93.4	-	190	<2.0
	8/18/2008	7.7	<2.0	191	516	-	-	99.6	-	-	-
	4/2/2009	-	-	-	495	-	-	-	-	-	-
	8/3/2009	-	-	-	504	-	-	-	-	-	-
	3/2/2010	-	-	-	1000	-	-	-	-	-	-
	8/5/2010	-	-	-	432	-	-	-	-	-	-
MW062SA	1/14/2003	-	-	-	520	-	-	90	-	-	-
MW063A	1/13/2003	-	-	-	490	-	-	90	-	-	-
	1/20/2006	7.8	<2	211	480	-	-	92.9	-	-	-
	6/27/2006	7.8	<2	200	495	-	-	89.2	-	-	-
	4/9/2008	7.7	<2.0	197	466	-	-	89.8	-	197	<2.0
	8/18/2008	7.6	<2.0	197	503	-	-	94.2	-	-	-
	4/2/2009	-	-	-	488	-	-	-	-	-	-
	8/4/2009	-	-	-	502	-	-	-	-	-	-
	3/2/2010	-	-	-	668	-	-	-	-	-	-
MW064SA	8/5/2010	-	-	-	416	-	-	-	-	-	-
	2/26/2003	-	-	-	3100	-	-	600	-	-	-
	3/10/2004	-	-	-	-	8	<0.05	680	11	-	-
	6/7/2004	-	-	-	-	5	0.05	840	12	-	-
	7/22/2004	-	-	-	-	7	0.06	700	10.2	-	-
	8/24/2004	-	-	-	-	4	0.06	600	10.5	-	-
	10/20/2004	-	-	-	-	13	<0.05	600	12.6	-	-
	12/9/2004	-	-	-	3420	11	<0.05	600	11	-	-
	1/12/2005	-	-	-	3340	14	<0.05	690	13.9	-	-
	2/2/2005	-	-	-	3220	13	<0.05	500	11.2	-	-
	3/1/2005	-	-	-	3160	13	0.06	600	12.2	-	-
	3/24/2005	-	-	-	3230	6	<0.05	600	11.2	-	-
	4/27/2005	-	-	-	3180	36	<0.05	600	13.7	-	-
	5/24/2005	-	-	-	3200	34	0.05	700	-	-	-
	7/14/2005	-	-	-	3240	24	0.14	700	-	-	-
	2/2/2006	7.2	<2	272	3010	6.4	<0.1	665	-	-	-
	7/14/2006	7.4	<2	280	3420	-	-	662	-	-	-
	3/25/2008	7	<2.0	340	3600	-	-	719	-	340	<2.0
	8/5/2008	7.1	<2.0	354	3890	-	-	846	-	-	-
	3/17/2009	-	-	-	3200	-	-	-	-	-	-
	8/17/2009	-	-	-	3320	-	-	-	-	-	-
	3/2/2010	-	-	-	4460	-	-	-	-	-	-
	8/3/2010	-	-	-	2680	-	-	-	-	-	-
MW065SA	2/27/2003	-	-	-	2880	-	-	400	-	-	-
	6/2/2005	-	-	-	3140	21	<0.05	500	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	1/20/2006	7.3	<2	194	2730	-	-	488	-	-	-
	6/28/2006	7.2	<2	193	3100	-	-	464	-	-	-
	4/8/2008	7.2	<2.0	187	2630	-	-	510	-	187	<2.0
	8/19/2008	7.2	<2.0	186	3190	-	-	495	-	-	-
	3/25/2009	-	-	-	2810	-	-	-	-	-	-
	8/6/2009	-	-	-	2920	-	-	-	-	-	-
	3/4/2010	-	-	-	2900	-	-	-	-	-	-
	8/5/2010	-	-	-	3230	-	-	-	-	-	-
MW066SA	3/3/2003	-	-	-	3640	-	-	600	-	-	-
	1/26/2005	-	-	-	-	13	-	-	-	-	-
	2/23/2005	-	-	-	-	10	-	-	-	-	-
	3/30/2005	-	-	-	-	6	-	-	-	-	-
	4/25/2005	-	-	-	-	23	-	-	-	-	-
	5/25/2005	-	-	-	4100	32	0.05	1100	-	-	-
	6/30/2005	-	-	-	-	26	-	-	-	-	-
	7/18/2005	-	-	-	-	19	-	-	-	-	-
	1/25/2006	6.9	<2	280	4150	4.4	<0.1	731	-	-	-
	1/25/2006 Dup	7	<2	275	4300	-	-	743	-	-	-
	7/11/2006	7	<2	459	3930	-	-	361	-	-	-
	8/19/2008	7	<2.0	384	3000	-	-	684	-	-	-
	3/26/2009	-	-	-	2980	-	-	-	-	-	-
	8/6/2009	-	-	-	3060	-	-	-	-	-	-
	3/3/2010	-	-	-	3080	-	-	-	-	-	-
	8/4/2010	-	-	-	2790	-	-	-	-	-	-
MW067SA	3/4/2003	-	-	-	1350	-	-	300	-	-	-
	1/20/2006	7.4	<2	289	1190	-	-	314	-	-	-
	7/10/2006	7.4	<2	310	1230	-	-	341	-	-	-
	3/27/2008	7.6	<2.0	321	1120	-	-	291	-	321	<2.0
	8/11/2008	7.3	<2.0	327	1170	-	-	284	-	-	-
	3/19/2009	-	-	-	1120	-	-	-	-	-	-
	8/20/2009	-	-	-	1050	-	-	-	-	-	-
	3/11/2010	-	-	-	956	-	-	-	-	-	-
MW070A	8/10/2010	-	-	-	1000	-	-	-	-	-	-
	3/6/2003	-	-	-	490	-	-	100	-	-	-
	1/27/2006	7.8	<2	209	540	-	-	120	-	-	-
	6/22/2006	7.8	<2	214	506	-	-	104	-	-	-
	3/25/2008	7.8	<2.0	218	515	-	-	122	-	218	<2.0
	8/5/2008	7.7	<2.0	222	542	-	-	287	-	-	-
	3/16/2009	-	-	-	510	-	-	-	-	-	-
	8/20/2009	-	-	-	545	-	-	-	-	-	-
MW071SA	3/17/2010	-	-	-	636	-	-	-	-	-	-
	5/1/2003	-	-	-	1720	-	-	350	-	-	-
	6/9/2004	-	-	-	-	2	<0.05	120	0.4	-	-
	8/24/2004	-	-	-	-	3	-	-	-	-	-
	10/5/2004	-	-	-	-	6	-	-	-	-	-
	10/20/2004	-	-	-	-	12	-	-	-	-	-
	11/4/2004	-	-	-	-	10	-	-	-	-	-
	11/17/2004	-	-	-	-	8	-	-	-	-	-
	12/2/2004	-	-	-	-	10	-	-	-	-	-
	1/6/2005	-	-	-	-	13	-	-	-	-	-
	2/7/2005	-	-	-	-	11	-	-	-	-	-
	3/7/2005	-	-	-	-	14	-	-	-	-	-
	4/14/2005	-	-	-	-	45	-	-	-	-	-
	5/10/2005	-	-	-	-	39	-	-	-	-	-
	6/2/2005	-	-	-	2160	41	<0.05	63	-	-	-
	7/7/2005	-	-	-	-	53	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID											
	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	1/25/2006	7.1	<2	333	2000	-	-	122	-	-	-
	7/12/2006	7.3	<2	219	1900	-	-	315	-	-	-
	3/28/2008	7.3	<2.0	217	2600	-	-	420	-	217	<2.0
	8/12/2008	6.9	<2.0	286	2900	-	-	591	-	-	-
	3/24/2009	-	-	-	2440	-	-	-	-	-	-
	8/10/2009	-	-	-	2810	-	-	-	-	-	-
	3/4/2010	-	-	-	2470	-	-	-	-	-	-
	8/5/2010	-	-	-	2380	-	-	-	-	-	-
MW072SA	5/1/2003	-	-	-	1690	-	-	530	-	-	-
	2/23/2005	-	-	-	-	9	-	-	-	-	-
	3/30/2005	-	-	-	-	5	-	-	-	-	-
	4/25/2005	-	-	-	-	34	-	-	-	-	-
	5/25/2005	-	-	-	1650	36	0.05	530	-	-	-
	6/30/2005	-	-	-	-	27	-	-	-	-	-
	7/18/2005	-	-	-	-	26	-	-	-	-	-
	1/23/2006	7.4	<2	286	1490	-	-	392	-	-	-
	6/28/2006	7.4	<2	267	1430	-	-	397	-	-	-
	3/27/2008	7.2	<2.0	282	1420	-	-	388	-	282	<2.0
	8/12/2008	7.2	<2.0	313	1400	-	-	337	-	-	-
	3/17/2009	-	-	-	1370	-	-	-	-	-	-
MW073SA	3/16/2010	-	-	-	1540	-	-	-	-	-	-
	8/16/2010	-	-	-	1240	-	-	-	-	-	-
	4/30/2003	-	-	-	1220	-	-	149	-	-	-
	1/20/2006	7.2	<2	273	1270	-	-	282	-	-	-
	6/28/2006	7.2	<2	305	1290	-	-	266	-	-	-
	3/27/2008	7.3	<2.0	325	1230	-	-	279	-	325	<2.0
	8/12/2008	7.1	<2.0	318	1260	-	-	282	-	-	-
	3/17/2009	-	-	-	1190	-	-	-	-	-	-
MW074SA	3/12/2010	-	-	-	1290	-	-	-	-	-	-
	8/9/2010	-	-	-	1190	-	-	-	-	-	-
	2/4/2004	-	-	-	2550	4	0.1	830	7	-	-
	1/18/2006	7.1	<2	274	2740	-	-	697	-	-	-
	6/20/2006	7.1	<2	234	2910	-	-	872	-	-	-
	3/20/2008	7.2	<2.0	281	2560	-	-	823	-	281	<2.0
	8/6/2008	7.2	<2.0	282	2190	-	-	771	-	-	-
	3/16/2009	-	-	-	2060	-	-	-	-	-	-
MW075SA	8/24/2009	-	-	-	2020	-	-	-	-	-	-
	3/16/2010	-	-	-	2100	-	-	-	-	-	-
	8/16/2010	-	-	-	2180	-	-	-	-	-	-
	2/5/2004	-	-	-	2790	4	<0.05	690	29	-	-
	1/19/2006	7.3	<2	207	2780	-	-	740	-	-	-
	6/21/2006	7.2	<2	209	2660	-	-	767	-	-	-
	8/6/2008	7.3	<2.0	251	2330	-	-	778	-	-	-
	3/16/2009	-	-	-	2400	-	-	-	-	-	-
MW076SA	8/24/2009	-	-	-	2400	-	-	-	-	-	-
	3/16/2010	-	-	-	2450	-	-	-	-	-	-
	8/16/2010	-	-	-	2270	-	-	-	-	-	-
	2/4/2004	-	-	-	1730	4	<0.05	490	8	-	-
	1/19/2006	7.3	<2	272	2220	-	-	726	-	-	-
	1/19/2006 Dup	7.3	<2	241	2230	-	-	728	-	-	-
	6/21/2006	7.3	<2	264	2100	-	-	787	-	-	-
	3/20/2008	7.7	<2.0	266	2280	-	-	740	-	266	<2.0
	8/6/2008	7.2	<2.0	261	2120	-	-	876	-	-	-
	3/16/2009	-	-	-	2140	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	3/16/2010	-	-	-	2180	-	-	-	-	-	-
	8/16/2010	-	-	-	2110	-	-	-	-	-	-
MW077SA	2/3/2004	-	-	-	1700	3	<0.05	160	1	-	-
	1/19/2006	7.1	<2	236	4470	-	-	675	-	-	-
	6/21/2006	7.1	<2	241	4140	-	-	731	-	-	-
	6/21/2006 Dup	7	<2	249	4260	-	-	705	-	-	-
	4/8/2008	7.1	<2.0	253	3940	-	-	676	-	253	<2.0
	8/19/2008	7.1	<2.0	255	5010	-	-	675	-	-	-
	3/25/2009	-	-	-	3100	-	-	-	-	-	-
	8/18/2009	-	-	-	2690	-	-	-	-	-	-
	3/4/2010	-	-	-	2600	-	-	-	-	-	-
	8/5/2010	-	-	-	2400	-	-	-	-	-	-
MW078SA	3/24/2004	-	-	-	1100	5	0.08	250	14	-	-
	1/19/2006	7.4	<2	284	897	-	-	148	-	-	-
	6/21/2006	7.3	<2	266	936	-	-	147	-	-	-
	3/26/2008	7.3	<2.0	275	823	-	-	165	-	275	<2.0
	8/11/2008	7.3	<2.0	274	855	-	-	158	-	-	-
	3/18/2009	-	-	-	845	-	-	-	-	-	-
	8/20/2009	-	-	-	790	-	-	-	-	-	-
	3/11/2010	-	-	-	716	-	-	-	-	-	-
MW079SA	8/10/2010	-	-	-	794	-	-	-	-	-	-
	3/18/2004	-	-	-	2490	4	<0.05	600	2.5	-	-
	4/23/2004	-	-	-	-	8000	-	-	-	-	-
	6/3/2004	-	-	-	-	50	5	630	3.4	-	-
	7/7/2004	-	-	-	-	4900	14	500	<2	-	-
	8/17/2004	-	-	-	-	3000	5	500	<0.4	-	-
	10/10/2004	-	-	-	-	5200	5	500	<2	-	-
	11/22/2004	-	-	-	3620	109	21	400	<0.4	-	-
	1/5/2005	-	-	-	3400	420	13	300	<0.4	-	-
	1/27/2005	-	-	-	4570	890	<1	200	<2	-	-
	2/16/2005	-	-	-	5400	4000	7	100	0.5	-	-
	3/15/2005	-	-	-	4040	690	9	109	<0.4	-	-
	4/18/2005	-	-	-	4040	1050	4.6	23	1	-	-
	6/2/2005	-	-	-	3760	593	25	66	-	-	-
	6/20/2005	-	-	-	3860	600	26	41	-	-	-
	7/20/2005	-	-	-	3600	570	12.9	14	-	-	-
	2/3/2006	6.7	<2	921	2560	35.3	<0.1	120	-	-	-
	7/18/2006	6.9	<2	653	2190	-	-	232	-	-	-
	4/2/2008	7.1	<2.0	438	1420	-	-	231	-	438	<2.0
	8/6/2008	7	<2.0	384	1320	-	-	272	-	-	-
	3/24/2009	-	-	-	1290	-	-	-	-	-	-
	8/18/2009	-	-	-	1240	-	-	-	-	-	-
	3/3/2010	-	-	-	1250	-	-	-	-	-	-
	8/4/2010	-	-	-	1270	-	-	-	-	-	-
MW080SA	3/17/2004	-	-	-	1850	4	<0.05	480	2.9	-	-
	6/3/2004	-	-	-	-	3	0.06	580	14.2	-	-
	7/7/2004	-	-	-	-	310	9	490	<0.05	1400	<4
	8/17/2004	-	-	-	-	3	0.06	500	3.9	-	-
	10/11/2004	-	-	-	-	13	0.07	500	6	-	-
	11/23/2004	-	-	-	2390	8	<0.05	640	3.3	-	-
	1/5/2005	-	-	-	2100	9	0.08	500	3.4	-	-
	1/27/2005	-	-	-	2370	17	<0.05	500	2.5	-	-
	2/16/2005	-	-	-	2360	14	0.13	500	1.5	-	-
	3/16/2005	-	-	-	2110	11	0.12	510	1.9	-	-
	4/18/2005	-	-	-	1800	33	<0.05	500	3.4	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	6/2/2005	-	-	-	2330	25	<0.05	500	-	-	-
	6/20/2005	-	-	-	2350	31	0.16	600	-	-	-
	6/20/2005 Dup	-	-	-	2360	45	0.27	600	-	-	-
	7/20/2005	-	-	-	2200	22	0.1	500	-	-	-
	2/2/2006	7.1	<2	251	1850	3.5	<0.1	490	-	-	-
	7/18/2006	7.4	<2	277	1800	-	-	366	-	-	-
	4/2/2008	7.1	<2.0	455	1370	-	-	222	-	455	<2.0
	8/6/2008	7	<2.0	357	1220	-	-	322	-	-	-
	3/23/2009	-	-	-	1250	-	-	-	-	-	-
	8/18/2009	-	-	-	1160	-	-	-	-	-	-
	3/3/2010	-	-	-	1170	-	-	-	-	-	-
	8/4/2010	-	-	-	1100	-	-	-	-	-	-
MW081SA	3/25/2004	-	-	-	2780	4	0.12	640	3.2	-	-
	6/3/2004	-	-	-	-	1100	12	520	12	-	-
	7/7/2004	-	-	-	-	2.7	<2	820	2	-	<4
	8/17/2004	-	-	-	-	5000	8	100	<2	-	-
	10/10/2004	-	-	-	-	90	7	600	<0.4	-	-
	11/23/2004	-	-	-	3850	452	41	400	<0.4	-	-
	1/5/2005	-	-	-	3110	140	24	500	<0.4	-	-
	1/13/2005	-	-	-	2960	157	4	600	1.7	-	-
	1/27/2005	-	-	-	3120	41	13	500	<0.4	-	-
	2/16/2005	-	-	-	3340	400	16	400	0.7	-	-
	3/16/2005	-	-	-	2070	110	12	400	<0.4	-	-
	4/19/2005	-	-	-	3060	189	5.5	400	<0.4	-	-
	6/2/2005	-	-	-	3000	151	27	500	-	-	-
	6/21/2005	-	-	-	3160	50	15	500	-	-	-
	7/20/2005	-	-	-	3020	120	11.5	500	-	-	-
	2/2/2006	6.7	<2	429	2820	7.2	<0.1	580	-	-	-
	7/18/2006	7	<2	332	2550	-	-	551	-	-	-
	4/2/2008	7.3	<2.0	337	1640	-	-	342	-	337	<2.0
	8/6/2008	7.1	<2.0	367	1520	-	-	320	-	-	-
	3/23/2009	-	-	-	1940	-	-	-	-	-	-
	8/18/2009	-	-	-	1640	-	-	-	-	-	-
	3/3/2010	-	-	-	1760	-	-	-	-	-	-
	8/4/2010	-	-	-	1710	-	-	-	-	-	-
MW082SA	3/25/2004	-	-	-	3420	8	0.06	730	17.7	-	-
	6/8/2004	-	-	-	-	4000	<1	850	<2	-	-
	7/21/2004	-	-	-	-	14000	1	900	<2	-	-
	8/23/2004	-	-	-	-	13000	1	1000	<2	-	-
	10/19/2004	-	-	-	-	8000	6	800	<2	-	-
	12/8/2004	-	-	-	8360	5000	16	600	<2	-	-
	1/12/2005	-	-	-	4880	60	5	600	<2	-	-
	2/2/2005	-	-	-	8270	4000	<1	300	<2	-	-
	3/1/2005	-	-	-	7310	7000	20	400	<0.4	-	-
	3/24/2005	-	-	-	7290	3520	13	400	<0.4	-	-
	4/27/2005	-	-	-	7340	4070	21	400	<2	-	-
	5/25/2005	-	-	-	6950	4440	13	590	-	-	-
	6/28/2005	-	-	-	6880	3570	33	300	-	-	-
	7/14/2005	-	-	-	7970	2790	21	300	-	-	-
	2/3/2006	6.9	<2	1510	3440	80.9	<0.1	168	-	-	-
	7/14/2006	6.7	<2	758	3620	-	-	522	-	-	-
	3/26/2008	6.8	<2.0	457	3240	-	-	704	-	457	<2.0
	8/6/2008	6.9	<2.0	524	3210	-	-	790	-	-	-
	3/18/2009	-	-	-	3480	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	8/17/2009	-	-	-	4070	-	-	-	-	-	-
	3/3/2010	-	-	-	3080	-	-	-	-	-	-
	8/4/2010	-	-	-	3940	-	-	-	-	-	-
MW083SA	3/25/2004	-	-	-	3740	8	<0.05	750	23	-	-
	6/8/2004	-	-	-	-	1500	<1	710	<2	-	-
	7/22/2004	-	-	-	-	15900	1	830	<2	-	-
	8/23/2004	-	-	-	-	15000	1	900	<2	-	-
	10/19/2004	-	-	-	-	6000	5	800	<2	-	-
	12/8/2004	-	-	-	8840	7000	11	700	<2	-	-
	1/13/2005	-	-	-	5090	650	4	700	5	-	-
	2/2/2005	-	-	-	9800	4000	<1	300	<2	-	-
	3/1/2005	-	-	-	12200	9000	9	200	<0.4	-	-
	3/24/2005	-	-	-	7090	3050	10	200	0.4	-	-
	4/27/2005	-	-	-	7490	3670	16	400	<2	-	-
	5/25/2005	-	-	-	6700	4890	13	600	-	-	-
	6/28/2005	-	-	-	6510	5340	11	400	-	-	-
	7/14/2005	-	-	-	7190	3630	41	400	-	-	-
	2/3/2006	6.9	<2	510	4580	465	<0.1	<20	-	-	-
	7/14/2006	7.1	<2	1640	4170	-	-	40.7	-	-	-
	7/14/2006 Dup	7.2	<2	1590	4270	-	-	73.4	-	-	-
	3/25/2008	6.7	<2.0	807	3520	-	-	590	-	807	<2.0
	8/6/2008	7	<2.0	353	3780	-	-	865	-	-	-
	3/18/2009	-	-	-	4020	-	-	-	-	-	-
	8/17/2009	-	-	-	4170	-	-	-	-	-	-
	3/3/2010	-	-	-	3530	-	-	-	-	-	-
	8/4/2010	-	-	-	3740	-	-	-	-	-	-
MW084SA	3/24/2004	-	-	-	4380	-	<0.05	710	23	-	-
	4/6/2004	-	-	-	-	3	-	-	-	-	-
	6/7/2004	-	-	-	-	6	<0.05	680	7.5	-	-
	7/22/2004	-	-	-	-	7	0.06	700	7.4	-	-
	8/24/2004	-	-	-	-	3	<0.05	800	7	-	-
	10/20/2004	-	-	-	-	12	<0.05	700	11	-	-
	12/9/2004	-	-	-	6020	12	<0.05	800	7.2	-	-
	1/13/2005	-	-	-	5160	14	<0.05	800	8.9	-	-
	2/3/2005	-	-	-	-	14	<0.05	600	9.8	-	-
	3/2/2005	-	-	-	4510	12	<0.05	700	11.5	-	-
	3/24/2005	-	-	-	4670	9	<0.05	700	10.5	-	-
	4/27/2005	-	-	-	5520	35	<0.05	700	9.5	-	-
	5/24/2005	-	-	-	4510	34	<0.05	730	-	-	-
	6/28/2005	-	-	-	5090	28	<0.05	800	-	-	-
	7/18/2005	-	-	-	4870	30	<0.05	700	-	-	-
	2/3/2006	7.2	<2	252	5600	5.7	<0.1	785	-	-	-
	7/14/2006	7.3	<2	269	4140	-	-	678	-	-	-
	3/25/2008	7	<2.0	258	4860	-	-	782	-	258	<2.0
	8/5/2008	6.9	<2.0	261	5720	-	-	820	-	-	-
	3/17/2009	-	-	-	5310	-	-	-	-	-	-
	8/13/2009	-	-	-	4760	-	-	-	-	-	-
	3/2/2010	-	-	-	6280	-	-	-	-	-	-
	8/3/2010	-	-	-	5550	-	-	-	-	-	-
MW085SA	3/25/2004	-	-	-	3600	8	<0.05	800	10	-	-
	6/7/2004	-	-	-	-	5	<0.05	720	3.1	-	-
	7/22/2004	-	-	-	-	8	<0.05	700	2.9	-	-
	8/23/2004	-	-	-	-	4	0.06	700	3	-	-
	10/20/2004	-	-	-	-	12	<0.05	700	3	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO ₃ pH=8.3)	Alkalinity (as CaCO ₃ pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	12/9/2004	-	-	-	3820	16	<0.05	700	5.8	-	-
	1/13/2005	-	-	-	4060	15	<0.05	700	6	-	-
	2/2/2005	-	-	-	4200	15	<0.05	500	3.2	-	-
	3/1/2005	-	-	-	3930	13	0.06	700	4	-	-
	3/24/2005	-	-	-	3630	10	<0.05	600	4.5	-	-
	4/27/2005	-	-	-	3750	51	<0.05	700	5.3	-	-
	5/24/2005	-	-	-	3690	55	0.05	750	-	-	-
	6/20/2005	-	-	-	4080	44	<0.05	800	-	-	-
	6/20/2005 Dup	-	-	-	3950	46	<0.05	800	-	-	-
	7/18/2005	-	-	-	4030	52	0.13	700	-	-	-
	2/3/2006	7	<2	2050	3940	125	<0.1	894	-	-	-
	7/14/2006	7.1	<2	334	4250	-	-	755	-	-	-
	3/25/2008	7	<2.0	342	4150	-	-	785	-	342	<2.0
	8/5/2008	6.9	<2.0	357	4160	-	-	894	-	-	-
	3/18/2009	-	-	-	3450	-	-	-	-	-	-
	8/17/2009	-	-	-	4140	-	-	-	-	-	-
	3/3/2010	-	-	-	3220	-	-	-	-	-	-
	8/4/2010	-	-	-	3690	-	-	-	-	-	-
MW086SA	9/14/2004	-	-	-	-	3	0.05	600	10.3	-	-
	1/13/2005	-	-	-	5050	15	<0.05	600	10.3	-	-
	1/13/2005 Dup	-	-	-	4850	11	<0.05	700	10.5	-	-
	6/2/2005	-	-	-	4370	30	<0.05	600	-	-	-
	1/27/2006	7.2	<2	210	2680	-	-	473	-	-	-
	7/12/2006	7.1	<2	202	2460	-	-	421	-	-	-
	4/8/2008	7.1	<2.0	208	2640	-	-	419	-	208	<2.0
	8/19/2008	7.1	<2.0	224	2900	-	-	464	-	-	-
	3/25/2009	-	-	-	3650	-	-	-	-	-	-
	8/10/2009	-	-	-	4120	-	-	-	-	-	-
MW087A	3/4/2010	-	-	-	3780	-	-	-	-	-	-
	8/5/2010	-	-	-	3860	-	-	-	-	-	-
	9/14/2004	-	-	-	-	3	0.06	1500	8.5	-	-
	10/5/2004	-	-	-	-	5	0.07	1300	8.1	-	-
	11/9/2004	-	-	-	4210	8	<0.05	1500	9.8	-	-
	12/16/2004	-	-	-	4520	12	<0.05	1600	9.9	-	-
	1/13/2005	-	-	-	4710	13	<0.05	1700	8	-	-
	2/8/2005	-	-	-	4730	18	<0.05	1500	1.5	-	-
	3/8/2005	-	-	-	4610	27	<0.05	1300	3.2	-	-
	4/6/2005	-	-	-	4510	19	<0.05	1200	2	-	-
	5/11/2005	-	-	-	4510	70	0.1	1200	<0.4	-	-
	6/7/2005	-	-	-	4380	60	0.48	1300	-	-	-
	7/6/2005	-	-	-	4180	86	0.33	1100	-	-	-
	2/6/2006	6.8	<2	1930	5910	-	-	<200	-	-	-
	7/18/2006	7.2	<2	1850	4620	-	-	101	-	-	-
MW089SA	4/15/2008	7	<2.0	2150	4520	-	-	9.7	-	2150	-
	3/30/2009	-	-	-	4380	-	-	-	-	-	-
	3/10/2010	-	-	-	3500	-	-	-	-	-	-
	2/9/2006	7.3	<2	232	2810	-	-	978	-	-	-
	2/9/2006 Dup	7.3	<2	199	2880	-	-	1020	-	-	-
	7/21/2006	7.4	<2	212	3220	-	-	1170	-	-	-
	7/21/2006 Dup	7.3	<2	211	3200	-	-	1190	-	-	-
MW090SA	4/9/2008	7.2	<2.0	206	3850	-	-	1460	-	206	<2.0
	3/26/2009	-	-	-	3790	-	-	-	-	-	-
	3/8/2010	-	-	-	3780	-	-	-	-	-	-

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	7/21/2006	7.2	<2	240	2990	-	-	1110	-	-	-
	4/14/2008	7.3	<2.0	243	3100	-	-	1170	-	243	<2.0
	3/17/2009	7.1	<2.0	234	3230	-	-	-	-	-	-
	8/11/2009	7.1	<2.0	231	3290	5.5	<0.16	1170	-	-	-
	3/2/2010	-	-	-	3160	6.01	<5.00	-	-	-	-
MW091SA	2/9/2006	7.2	<2	226	2530	-	-	789	-	-	-
	7/24/2006	7.1	<2	261	2920	-	-	912	-	-	-
	4/7/2008	7	<2.0	236	2970	-	-	1050	-	236	<2.0
	3/24/2009	-	-	-	3540	-	-	-	-	-	-
	3/8/2010	-	-	-	3360	-	-	-	-	-	-
MW092SA	2/9/2006	7.2	<2	254	2910	-	-	953	-	-	-
	7/24/2006	7.1	<2	292	2660	-	-	846	-	-	-
	4/8/2008	7.2	<2.0	257	2860	-	-	1020	-	257	<2.0
	3/24/2009	-	-	-	3480	-	-	-	-	-	-
	3/8/2010	-	-	-	3570	-	-	-	-	-	-
MW093SA	2/9/2006	7	<2	335	2820	-	-	847	-	-	-
	7/24/2006	6.9	<2	380	2580	-	-	860	-	-	-
	4/8/2008	7.1	<2.0	273	3000	-	-	1040	-	273	<2.0
	3/24/2009	-	-	-	3750	-	-	-	-	-	-
	3/8/2010	-	-	-	3960	-	-	-	-	-	-
IW003	12/17/2003	-	-	-	4380	5	<0.05	650	2.5	-	-
	6/3/2004	-	-	-	-	30000	1	1620	<2	-	-
	7/8/2004	-	-	-	-	30000	1	1000	<2	-	-
	8/18/2004	-	-	-	-	40000	1	1500	<2	-	-
	10/11/2004	-	-	-	-	27000	2	1200	<2	-	-
	1/6/2005	-	-	-	-	32000	1	500	<0.4	-	-
	1/27/2005	-	-	-	-	31000	<1	400	<2	-	-
	2/21/2005	-	-	-	-	48000	<1	600	<2	-	-
	3/17/2005	-	-	-	-	23000	<1	350	<2	-	-
	4/19/2005	-	-	-	-	31000	<0.05	300	<2	-	-
	6/1/2005	-	-	-	-	30000	<1	300	-	-	-
	6/21/2005	-	-	-	-	43000	<1	400	-	-	-
	7/21/2005	-	-	-	-	55000	1	400	-	-	-
	2/6/2006	5.5	<2	4630	34600	19000	<0.2	1020	-	-	-
	2/6/2006 Dup	5.5	<2	4580	35300	-	-	<500	-	-	-
	7/25/2006	6.8	<2	4100	10600	-	-	<50	-	-	-
	4/3/2008	7.1	<2.0	1870	4440	-	-	<5.0	-	1870	<2.0
	3/23/2009	-	-	-	4400	-	-	-	-	-	-
	3/3/2010	-	-	-	2160	-	-	-	-	-	-
IW004	12/18/2003	-	-	-	2450	4	<0.05	640	1.6	-	-
	6/9/2004	-	-	-	-	16000	<1	1240	<2	-	-
	7/8/2004	-	-	-	-	46700	1	1650	<2	-	-
	8/18/2004	-	-	-	-	34000	1	1200	<2	-	-
	10/11/2004	-	-	-	-	21000	2	800	6	-	-
	1/6/2005	-	-	-	-	28000	2	400	<2	-	-
	1/27/2005	-	-	-	-	35000	1	300	<2	-	-
	2/22/2005	-	-	-	-	42000	5	500	<2	-	-
	3/21/2005	-	-	-	-	33000	<1	200	<2	-	-
	4/19/2005	-	-	-	-	20000	0.27	400	<2	-	-
	6/1/2005	-	-	-	-	25000	0.2	300	-	-	-
	6/21/2005	-	-	-	-	29000	2	400	-	-	-
	7/21/2005	-	-	-	-	51000	1	400	-	-	-
	2/6/2006	5.1	<2	715	16300	9050	1.7	307	-	-	-
	7/25/2006	6.6	<2	2080	7590	-	-	198	-	-	-
	4/3/2008	6.8	<2.0	713	3960	-	-	541	-	713	<2.0

**ANALYTICAL RESULTS GROUNDWATER O SUMMARY
FORMER EUNICE NORTH GAS PLANT**

Well ID	Collection Date	pH	Alkalinity (as CaCO3 pH=8.3)	Alkalinity (as CaCO3 pH=4.5)	TDS	TOC	Sulfide	Sulfate	Nitrite/Nitrate	Alkalinity bicarbonate	Alkalinity carbonate
	Standard Units	s.u.	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	NM WQCC Standard	6-9	--	--	1000	--	--	600	10	--	--
	3/23/2009	-	-	-	4490	-	-	-	-	-	-
	3/4/2010	-	-	-	4100	-	-	-	-	-	-
IW005	12/18/2003	-	-	-	1940	-	-	360	-	-	-
	2/25/2004	-	-	-	-	3	0.05	-	<1	-	-
	6/9/2004	-	-	-	-	14000	<1	1100	<2	-	-
	7/8/2004	-	-	-	-	69	1	1210	<2	-	-
	10/11/2004	-	-	-	-	31000	1	900	2	-	-
	12/1/2004	-	-	-	25000	25000	<1	800	<2	-	-
	1/6/2005	-	-	-	-	32000	<1	400	<2	-	-
	1/27/2005	-	-	-	-	22000	<1	200	<2	-	-
	2/22/2005	-	-	-	-	38000	<1	400	<2	-	-
	3/21/2005	-	-	-	-	32000	<1	200	<2	-	-
	4/20/2005	-	-	-	-	26000	<1	200	<2	-	-
	6/1/2005	-	-	-	-	27000	<1	300	-	-	-
	6/22/2005	-	-	-	-	29000	<1	300	-	-	-
	7/13/2005	-	-	-	-	45000	1	400	-	-	-
	2/6/2006	4.6	<2	1320	24500	16900	<0.2	353	-	-	-
	7/26/2006	5.3	<2	4080	14300	-	-	124	-	-	-
	4/1/2008	7	<2.0	2480	4890	-	-	<5.0	-	2480	<2.0
	3/23/2009	-	-	-	4790	-	-	-	-	-	-
	3/4/2010	-	-	-	3860	-	-	-	-	-	-
IW006	12/18/2003	-	-	-	1640	-	-	270	-	-	-
	2/25/2004	-	-	-	-	2	0.13	-	<1	-	-
	6/9/2004	-	-	-	-	20000	<1	1500	<2	-	-
	7/20/2004	-	-	-	-	42800	1	2300	<2	-	-
	8/18/2004	-	-	-	-	38000	<1	1200	<2	-	-
	10/13/2004	-	-	-	-	37000	2	1100	10	-	-
	12/1/2004	-	-	-	41500	40000	<1	1000	6	-	-
	1/10/2005	-	-	-	-	30000	<1	600	4	-	-
	1/31/2005	-	-	-	-	37000	<1	400	<2	-	-
	2/22/2005	-	-	-	-	25000	1	500	<2	-	-
	3/22/2005	-	-	-	-	24000	<1	300	<2	-	-
	4/20/2005	-	-	-	-	28000	1	200	<2	-	-
	5/31/2005	-	-	-	-	36000	<1	400	-	-	-
	6/22/2005	-	-	-	-	38000	<1	300	-	-	-
	7/13/2005	-	-	-	-	42000	1	400	-	-	-
	2/7/2006	4.8	<2	1770	37300	22400	<0.2	231	-	-	-
	2/7/2006 Dup	4.8	<2	2220	37300	-	-	754	-	-	-
	7/26/2006	7.2	<2	3940	6450	-	-	<25	-	-	-
	4/1/2008	6.9	<2.0	1760	3660	-	-	119	-	1760	<2.0
	3/19/2009	-	-	-	3400	-	-	-	-	-	-
	3/4/2010	-	-	-	3640	-	-	-	-	-	-
IW007	2/26/2004	-	-	-	2120	2	0.05	400	<1	-	-
	6/9/2004	-	-	-	-	14000	<1	800	<2	-	-
	7/20/2004	-	-	-	-	35400	1	1100	<2	-	-
	8/19/2004	-	-	-	-	34000	1	1500	<2	-	-
	10/13/2004	-	-	-	-	29000	1	1100	<2	-	-
	12/2/2004	-	-	-	27100	28000	<1	900	<2	-	-
	1/10/2005	-	-	-	-	24000	<1	500	2	-	-
	1/31/2005	-	-	-	-	30000	<1	300	<2	-	-
	2/22/2005	-	-	-	-	28000	<1	400	<2	-	-
	4/20/2005	-	-	-	-	26000	<1	200	<2	-	-
	5/31/2005	-	-	-	-	29000	<1	300	-	-	-
	6/22/2005	-	-	-	-	34000	<1	300	-	-	-
	7/13/2005	-	-	-	-	42000	1	300	-	-	-
	2/7/2006	4.9	<2	2500	49600	26600	<0.2	297	-	-	-