

w Inject mw2



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: TEXAS Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WD1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N 33 deg, 40 min, 282 sec
 Longitude: W 103 deg, 17 min, 531 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 85 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

mw
w Inject 2

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water		Poured + Hydrated	Plugged From Total Depth to surface and completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	85' TD	17	17		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough
Signature of Well Driller

8-10-15
Date



WJ MW3

PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: TEXAS Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WP1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N 33 deg, 40 min, 307 sec
 Longitude: W-103 deg, 17 min, 495 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 98 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

WJ MW 3

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water	17.6	Poured ↓ Hydrated	Plugged From Total Depth to surface and completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	TP 88"	17.6	17.6		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough

Signature of Well Driller

8-10-15

Date

w i m w 4



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: TEXAS Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WD1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N33 deg, 40 min, 251 sec
 Longitude: W-103 deg, 17 min, 507 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 80 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

W I m w 4

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water	17.6	Poured ↓ Hydrated	Plugged From Total Depth to Surface and Completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	+ D 88'	17.6	17.6		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x 7.4805	=	gallons
cubic yards x 201.97	=	gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough
Signature of Well Driller

8-10-15
Date

WZ mws



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: TEXAS Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WD1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N 33 deg, 40 min, 229 sec
 Longitude: W 103 deg, 17 min, 456 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 89 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

WT mws

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines, as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water	17.8	Poured ↓ Hydrated	Plugged From Total Depth to Surface and Completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	TD 89'	17.8	17.8		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x 7.4805	=	gallons
cubic yards x 201.97	=	gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough
Signature of Well Driller

8-10-15
Date



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: Texas Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WD1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N 33 deg, 40 min, 222 sec
 Longitude: W-103 deg, 17 min, 546 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 89 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

WT mwb

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water		Poured ↓ Hydrated	Plugged From Total Depth to Surface and Completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	TD 89	17.8	17.8		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough

Signature of Well Driller

8-10-15

Date



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: Texas Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WD1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N 33 deg, 40 min, 307 sec
 Longitude: W 103 deg, 17 min, 556 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 88 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

WI MW7

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water	17.6	Poured ↓ Hydrated	Plugged From Total Depth to Surface and Completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	TD 88	17.6	17.6		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x 7.4805	=	gallons
cubic yards x 201.97	=	gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough

Signature of Well Driller

8-10-15

Date

wt mwb



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: TEXAS Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WD1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N33 deg, 40 min, 307 sec
 Longitude: W-103 deg, 12 min, 467 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 09 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

WI m 8

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water		Poured ↓ Hydrated	Plugged From Total Depth to Surface and Completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	TD 89'	17.8	17.8		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough
Signature of Well Driller

8-10-15
Date



WI MW 9

PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: TEXAS Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WD1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N 33 deg, 40 min, 326 sec
 Longitude: W-103 deg, 17 min, 435 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 92' ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

W I m m 9

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water	18.4	Poured ↓ Hydrated	Plugged From Total Depth to Surface and Completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	+ D 92'	18.4	18.4		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x 7.4805	=	gallons
cubic yards x 201.97	=	gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough

Signature of Well Driller

8-10-15

Date

WZ mu 10



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
Well owner: Oxy Phone No.: 432-685-5600
Mailing address: 6 Besta Drive Suite 6000
City: Midland State: TEXAS Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WP1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N 33 deg, 40 min, 236 sec
Longitude: W-103 deg, 17 min, 404 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 90 ft below ground level (bgl),
by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

WI MW 10

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water		Poured ↓ Hydrated	Plugged From Total Depth to Surface and Completion Removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	TD - 90'	18	18		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x 7.4805	=	gallons
cubic yards x 201.97	=	gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough

Signature of Well Driller

8-10-15

Date



WF mull

PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: Todd Water Injection Station
 Well owner: Oxy Phone No.: 432-685-5600
 Mailing address: 6 Besta Drive Suite 6000
 City: Midland State: Texas Zip code: 79705

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: John Scarborough Drilling
- 2) New Mexico Well Driller License No.: WD1188 Expiration Date: 3-31-16
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
LANE SCARBOROUGH
- 4) Date well plugging began: 7-28-15 Date well plugging concluded: 7-28-15
- 5) GPS Well Location: Latitude: N33 deg, 40 min, 197 sec
 Longitude: W-103 deg, 17 min, 590 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 82 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: 0 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 6-16-15
- 9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

WI m well

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
5	3/8 Benonite Chips + water	Benonite Hydrated Every 10' 1 gal of water		Poured ↓ Hydrated	Plugged From Total Depth to surface and completion removed
10					
15					
20					
25					
30					
35					
40					
45					
50					
55	82' TO	16.4	16.4		
60					
65					
70					
75					
80					
85					
90					
95					
100					

MULTIPLY	BY	AND OBTAIN
cubic feet x 7.4805	=	gallons
cubic yards x 201.97	=	gallons

III. SIGNATURE:

I, LANE SCARBOROUGH, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Lane Scarborough
Signature of Well Driller

8-10-15
Date