



El Paso Natural Gas
Company, L.L.C.
a Kinder Morgan company



APPROVED

By OCD Dr Oberding at 3:18 pm, Nov 29, 2016

Kristen D. Lynch
Environmental Specialist, District 1
Oil Conservation Division, EMNRD
1625 N. French Drive
Hobbs, New Mexico 88240

RE: El Paso Natural Gas Company Line No. 3031 Inadvertent Release – Rupture No. 7
Request for Closure of RP No. 4415

Dear Ms. Lynch,

El Paso Natural Gas Company (EPNG) is formally requesting the closure of RP No. 4415. This RP number was assigned to the notification record for the inadvertent release of hydrostatic test water (Rupture No. 7) during the spike test of EPNG's Line No. 3031 located in Lea County, New Mexico. The attached document includes all of the documentation and email correspondence related to the rupture event which took place on August 9, 2016.

Included in the attached document:

- Final Form C-141_with signature
- Initial Form C-141_with signature
- Email Correspondence related to the assignment of RP#
- Email Correspondence granting permission to backfill the open trench at rupture site
- Soil Analysis Report
- Water Analysis Report

Thank you very much for your assistance with the NMOCD process and documentation of this hydrostatic test rupture event. Please feel free to contact me if you have any questions or require any additional information.

Sincerely,

KINDER MORGAN

Sheila Castellano - Contractor Consultant
2 North Nevada Ave
Colorado Springs, CO 80903
o: 719 520-3719
c: 719 352-1367

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

RUPTURE #7 4415(RP#)

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company El Paso Natural Gas Company, LLC (a Kinder Morgan owned company)	Contact Sheila Castellano	
Address 2 N. Nevada Avenue, Colorado Springs, CO 80919	Telephone No. (719) 520-3719	
Facility Name El Paso Natural Gas Company Line 3031	Facility Type 8-inch Natural Gas Pipeline	
Surface Owner Tanya Beeman, et al	Mineral Owner	API No.

LOCATION OF RELEASE – RUPTURE #7

Unit Letter	Section SW/4 Sec19	Township 14S	Range 38E	Feet from the 1630	North/South Line South	Feet from the 475	East/West Line West	County Lea County, NM
-------------	--------------------	--------------	-----------	--------------------	------------------------	-------------------	---------------------	-----------------------

Latitude 33.087110 Longitude -103.143550

NATURE OF RELEASE

Type of Release Inadvertent release of hydrostatic test water	Volume of Release approximately 1500 gallons	Volume Recovered none
Source of Release 8-inch natural gas pipeline	Date and Hour of Occurrence 8/09/16 9:18a MDT	Date and Hour of Discovery 8/09/16 9:18a MDT
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? NMOCD Santa Fe Office: Jim Griswold (505) 476-3465 NMOCD Santa Fe Office: Tomas Oberding (505) 476-3403 NMOCD District 1 Office: Maxey Brown (575) 393-6161 x102	
By Whom? Sheila Castellano	Date and Hour 8/09/16 2:30p MDT	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.* EPNG was conducting a hydrostatic spike test of the existing L3031 and the pipeline failed during the test. Test was stopped. Water and soil samples were collected for analysis using Test 8260B.		
Describe Area Affected and Cleanup Action Taken.* Test water release flowed along to the existing right of way and to the east, approximately 35-feet beyond EPNG's existing right of way boundary.		

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<u>OIL CONSERVATION DIVISION</u>	
Printed Name: Sheila F. Castellano	Approved by Environmental Specialist:	
Title: Consultant/Contractor	Approval Date:	Expiration Date:
E-mail Address: sheila_castellano@kindermorgan.com	Conditions of Approval:	Attached ☐
Date: November 9, 2016 Phone: (719) 520-3719		

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company El Paso Natural Gas Company, LLC (a Kinder Morgan owned company)	Contact Sheila Castellano	
Address	Telephone No. (719) 520-3719	
Facility Name El Paso Natural Gas Company Line 3031	Facility Type 8-inch Natural Gas Pipeline	
Surface Owner Tanya Beeman, et al	Mineral Owner	API No.

LOCATION OF RELEASE – RUPTURE #7

Unit Letter	Section SW/4 Sec19	Township 14S	Range 38E	Feet from the 1630	North/South Line South	Feet from the 475	East/West Line West	County Lea County, NM
-------------	--------------------	--------------	-----------	--------------------	------------------------	-------------------	---------------------	-----------------------

Latitude 33.087110 Longitude -103.143550

NATURE OF RELEASE

Type of Release Inadvertent release of hydrostatic test water	Volume of Release approximately 1500 gallons	Volume Recovered none
Source of Release 8-inch natural gas pipeline	Date and Hour of Occurrence 8/09/16 9:18a MDT	Date and Hour of Discovery 8/09/16 9:18a MDT
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? NMOCD Santa Fe Office: Jim Griswold (505) 476-3465 NMOCD Santa Fe Office: Tomas Oberding (505) 476-3403 NMOCD District 1 Office: Maxey Brown (575) 393-6161 x102	
By Whom? Sheila Castellano	Date and Hour 8/09/16 2:30p MDT	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

EPNG was conducting a hydrostatic spike test of the existing L3031 and the pipeline failed during the test. Test was stopped. Water and soil samples were collected for analysis using Test 8260B.

Describe Area Affected and Cleanup Action Taken.*

Test water release flowed along to the existing right of way and to the east, approximately 35-feet beyond EPNG's existing right of way boundary.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION		
Printed Name: Sheila F. Castellano	Approved by Environmental Specialist:		
Title: Consultant/Contractor	Approval Date:	Expiration Date:	
E-mail Address: sheila.castellano@kindermorgan.com	Conditions of Approval:		Attached ☐
Date: August 24, 2016	Phone: (719) 520-3719		

Castellano, Sheila Fennell (Contractor)

From: Castellano, Sheila Fennell (Contractor)
Sent: Wednesday, August 24, 2016 2:26 PM
To: Jim.Griswold@state.nm.us
Cc: tomas.oberding@state.nm.us; MaxeyG.Brown@state.nm.us; Lynch, Kristen, EMNRD; Keyes, Jamie, EMNRD
Subject: El Paso Natural Gas Company_Line No. 3031 Spike Test_Form C141 Release Notification_Rupture Nos. 7 and 8
Attachments: NMOCD_Form C-141_Rupture #7.pdf; NMOCD_Form C-141_Rupture #8.pdf; EPNG Sample Tracking Table_all rupture locations.pdf

Mr. Griswold,

Attached are El Paso Natural Gas Company's (EPNG) submittal of Form C-141, as NMOCD's required Written Notification, for the unauthorized releases of hydrostatic test water in Lea County, New Mexico. The events (**RUPTURES #7 and #8**) occurred during a hydrostatic spike test of EPNG's existing 8-inch O.D. Tipperary – Denten Crossover Line (Line No. 3031) on August 9 and 11, 2016.


Also included in this email is EPNG's Soil and Water Analysis Tracking Table. This table summarizes the results for all of the water and soil samples collected at each of the rupture locations. The water and soil analysis reports for Rupture Nos. 5 – 8 will be forwarded in a follow up email.

Please feel free to contact me directly if you have any questions.

Thank you,
Sheila Castellano

KINDER MORGAN

Sheila Castellano - Contractor Consultant
2 North Nevada Ave
Colorado Springs, CO 80903
o: 719 520-3719
c: 719 352-1367



Certifications

WBE HUB NCTRCA DBE NELAP DoD LELAP Kansas Oklahoma ISO 17025

Analytical and Quality Control Report

Mary Martino
Kinder Morgan-Colorado Springs
2 North Nevada Avenue
Colorado Springs, CO, 80903

Report Date: August 18, 2016

Work Order: 16081207



Project Location: Lea County, NM
Project Name: EPNG Line 3031 Spike Test
Project Number: AFE 403828


Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
426311	Rupture #7 Background	soil	2016-08-09	10:00	2016-08-11
426312	Rupture #7 Contaminated	soil	2016-08-09	10:00	2016-08-11
426314	Rupture #8 Background	soil	2016-08-11	09:30	2016-08-11
426315	Rupture #8 Contaminated	soil	2016-08-11	09:30	2016-08-11

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

TraceAnalysis, Inc. uses the attached chain of custody (COC) as the laboratory check-in documentation which includes sample receipt, temperature, sample preservation method and condition, collection date and time, testing requested, company, sampler, contacts and any special remarks.

This report consists of a total of 35 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

A handwritten signature in black ink, reading "Blair Leftwich". The signature is written in a cursive style with a prominent horizontal line underneath the name.

Dr. Blair Leftwich, Director
James Taylor, Assistant Director
Johnny Grindstaff, Operations Manager

Report Contents

Case Narrative	4
Analytical Report	5
Sample 426311 (Rupture #7 Background)	5
Sample 426312 (Rupture #7 Contaminated)	8
Sample 426314 (Rupture #8 Background)	10
Sample 426315 (Rupture #8 Contaminated)	13
Method Blanks	17
QC Batch 132102 - Method Blank (1)	17
QC Batch 132108 - Method Blank (1)	17
QC Batch 132145 - Method Blank (1)	17
QC Batch 132150 - Method Blank (1)	19
Laboratory Control Spikes	20
QC Batch 132102 - LCS (1)	20
QC Batch 132108 - LCS (1)	20
QC Batch 132145 - LCS (1)	21
QC Batch 132150 - LCS (1)	24
Matrix Spikes	25
QC Batch 132102 - MS (1)	25
QC Batch 132108 - MS (1)	25
QC Batch 132145 - MS (1)	26
QC Batch 132150 - MS (1)	29
Calibration Standards	30
QC Batch 132102 - CCV (1)	30
QC Batch 132102 - CCV (2)	30
QC Batch 132102 - CCV (3)	30
QC Batch 132108 - CCV (1)	30
QC Batch 132108 - CCV (2)	30
QC Batch 132145 - CCV (1)	31
QC Batch 132150 - ICV (1)	32
QC Batch 132150 - CCV (1)	33
Appendix	34
Report Definitions	34
Laboratory Certifications	34
Standard Flags	34
Attachments	34

Case Narrative

Samples for project EPNG Line 3031 Spike Test were received by TraceAnalysis, Inc. on 2016-08-11 and assigned to work order 16081207. Samples for work order 16081207 were received intact at a temperature of 29.0 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
Chloride (Titration)	SM 4500-Cl B	111992	2016-08-15 at 13:30	132150	2016-08-16 at 15:00
TPH DRO	S 8015 D	111953	2016-08-12 at 13:00	132108	2016-08-15 at 11:40
TPH GRO	S 8015 D	111948	2016-08-12 at 16:15	132102	2016-08-12 at 16:15
Volatiles	S 8260 C	111989	2016-08-15 at 12:00	132145	2016-08-15 at 12:00

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 16081207 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Analytical Report

Sample: 426311 - Rupture #7 Background

Laboratory: Lubbock
Analysis: Chloride (Titration) Analytical Method: SM 4500-Cl B Prep Method: N/A
QC Batch: 132150 Date Analyzed: 2016-08-16 Analyzed By: CF
Prep Batch: 111992 Sample Preparation: 2016-08-15 Prepared By: CF

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	U	1	<250	mg/Kg	5	50.0

Sample: 426311 - Rupture #7 Background

Laboratory: Lubbock
Analysis: TPH DRO Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 132108 Date Analyzed: 2016-08-15 Analyzed By: HJ
Prep Batch: 111953 Sample Preparation: 2016-08-12 Prepared By: HJ

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	U	1,2,3	<50.0	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			27.5	mg/Kg	1	25.0	110	58.2 - 150

Sample: 426311 - Rupture #7 Background

Laboratory: Lubbock
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5035
QC Batch: 132102 Date Analyzed: 2016-08-12 Analyzed By: MT
Prep Batch: 111948 Sample Preparation: 2016-08-12 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	U	1,2,3	<4.00	mg/Kg	1	4.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.43	mg/Kg	1	2.00	122	76.4 - 123

continued ...

sample continued ...

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
4-Bromofluorobenzene (4-BFB)			2.29	mg/Kg	1	2.00	114	69.4 - 120

Sample: 426311 - Rupture #7 Background

Laboratory: Lubbock
Analysis: Volatiles
QC Batch: 132145
Prep Batch: 111989

Analytical Method: S 8260 C
Date Analyzed: 2016-08-15
Sample Preparation: 2016-08-15

Prep Method: S 5030B
Analyzed By: KB
Prepared By: KB

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Bromochloromethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dichlorodifluoromethane	Qc,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chloromethane (methyl chloride)	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Vinyl Chloride	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromomethane (methyl bromide)	U	1,2,3,4	<100	µg/Kg	1	100
Chloroethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Trichlorofluoromethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Acetone	Qc,U	1,2,3,4	<200	µg/Kg	1	200
Iodomethane (methyl iodide)	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Carbon Disulfide	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Acrylonitrile	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Butanone (MEK)	Qc,Qr,U	1,2,3,4	<100	µg/Kg	1	100
4-Methyl-2-pentanone (MIBK)	U	1,2,3,4	<100	µg/Kg	1	100
2-Hexanone	Qc,U	1,2,3,4	<100	µg/Kg	1	100
trans 1,4-Dichloro-2-butene	U	1,2,3,4	<200	µg/Kg	1	200
1,1-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Methylene chloride	B,Jb,Qr	1,2,3,4	<100	µg/Kg	1	100
MTBE	U	1,2,3,4	<20.0	µg/Kg	1	20.0
trans-1,2-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1-Dichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
cis-1,2-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2,2-Dichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichloroethane (EDC)	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chloroform	U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,1-Trichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Benzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Carbon Tetrachloride	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichloropropane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Trichloroethene (TCE)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dibromomethane (methylene bromide)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromodichloromethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0

continued ...

sample 426311 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
2-Chloroethyl vinyl ether	U	1,2,3,4	<20.0	µg/Kg	1	20.0
cis-1,3-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
trans-1,3-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Toluene	Qr	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,2-Trichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3-Dichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dibromochloromethane	Qr,U	1,3,4	<20.0	µg/Kg	1	20.0
1,2-Dibromoethane (EDB)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Tetrachloroethene (PCE)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chlorobenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,1,2-Tetrachloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Ethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
m,p-Xylene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromoform	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Styrene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
o-Xylene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,2,2-Tetrachloroethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Chlorotoluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2,3-Trichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Isopropylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromobenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
n-Propylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3,5-Trimethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
tert-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2,4-Trimethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,4-Dichlorobenzene (para)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
sec-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3-Dichlorobenzene (meta)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
p-Isopropyltoluene	Qr,U	1,2,3	<20.0	µg/Kg	1	20.0
4-Chlorotoluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichlorobenzene (ortho)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
n-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dibromo-3-chloropropane	Qr,U	1,3,4	<100	µg/Kg	1	100
1,2,3-Trichlorobenzene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
1,2,4-Trichlorobenzene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Naphthalene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Hexachlorobutadiene	Qr,U	1,2,3,4	<100	µg/Kg	1	100

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Dibromofluoromethane		4	804	µg/Kg	1	880	91	78 - 119
Toluene-d8			834	µg/Kg	1	880	95	85 - 116
4-Bromofluorobenzene (4-BFB)			802	µg/Kg	1	880	91	79 - 119

Report Date: August 18, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 8 of 35
Lea County, NM

Sample: 426312 - Rupture #7 Contaminated

Laboratory:	Lubbock		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	132150	Date Analyzed:	2016-08-16
Prep Batch:	111992	Sample Preparation:	2016-08-15
		Prep Method:	N/A
		Analyzed By:	CF
		Prepared By:	CF

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	U	1	<250	mg/Kg	5	50.0

Sample: 426312 - Rupture #7 Contaminated

Laboratory:	Lubbock		
Analysis:	TPH DRO	Analytical Method:	S 8015 D
QC Batch:	132108	Date Analyzed:	2016-08-15
Prep Batch:	111953	Sample Preparation:	2016-08-12
		Prep Method:	N/A
		Analyzed By:	HJ
		Prepared By:	HJ

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	U	1,2,3	<50.0	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			24.4	mg/Kg	1	25.0	98	58.2 - 150

Sample: 426312 - Rupture #7 Contaminated

Laboratory:	Lubbock		
Analysis:	TPH GRO	Analytical Method:	S 8015 D
QC Batch:	132102	Date Analyzed:	2016-08-12
Prep Batch:	111948	Sample Preparation:	2016-08-12
		Prep Method:	S 5035
		Analyzed By:	MT
		Prepared By:	MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	U	1,2,3	<4.00	mg/Kg	1	4.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.00	mg/Kg	1	2.00	100	76.4 - 123
4-Bromofluorobenzene (4-BFB)			1.90	mg/Kg	1	2.00	95	69.4 - 120

Sample: 426312 - Rupture #7 Contaminated

Laboratory: Lubbock
Analysis: Volatiles
QC Batch: 132145
Prep Batch: 111989

Analytical Method: S 8260 C
Date Analyzed: 2016-08-15
Sample Preparation: 2016-08-15

Prep Method: S 5030B
Analyzed By: KB
Prepared By: KB

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Bromochloromethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dichlorodifluoromethane	Qc,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chloromethane (methyl chloride)	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Vinyl Chloride	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromomethane (methyl bromide)	U	1,2,3,4	<100	µg/Kg	1	100
Chloroethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Trichlorofluoromethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Acetone	Qc,U	1,2,3,4	<200	µg/Kg	1	200
Iodomethane (methyl iodide)	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Carbon Disulfide	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Acrylonitrile	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Butanone (MEK)	Qc,Qr,U	1,2,3,4	<100	µg/Kg	1	100
4-Methyl-2-pentanone (MIBK)	U	1,2,3,4	<100	µg/Kg	1	100
2-Hexanone	Qc,U	1,2,3,4	<100	µg/Kg	1	100
trans 1,4-Dichloro-2-butene	U	1,2,3,4	<200	µg/Kg	1	200
1,1-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Methylene chloride	B,Jb,Qr	1,2,3,4	<100	µg/Kg	1	100
MTBE	U	1,2,3,4	<20.0	µg/Kg	1	20.0
trans-1,2-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1-Dichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
cis-1,2-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2,2-Dichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichloroethane (EDC)	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chloroform	U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,1-Trichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Benzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Carbon Tetrachloride	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichloropropane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Trichloroethene (TCE)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dibromomethane (methylene bromide)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromodichloromethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Chloroethyl vinyl ether	U	1,2,3,4	<20.0	µg/Kg	1	20.0
cis-1,3-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
trans-1,3-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Toluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,2-Trichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3-Dichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dibromochloromethane	Qr,U	1,3,4	<20.0	µg/Kg	1	20.0

continued ...

sample 426312 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
1,2-Dibromoethane (EDB)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Tetrachloroethene (PCE)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chlorobenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,1,2-Tetrachloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Ethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
m,p-Xylene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromoform	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Styrene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
o-Xylene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,2,2-Tetrachloroethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Chlorotoluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2,3-Trichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Isopropylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromobenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
n-Propylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3,5-Trimethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
tert-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2,4-Trimethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,4-Dichlorobenzene (para)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
sec-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3-Dichlorobenzene (meta)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
p-Isopropyltoluene	Qr,U	1,2,3	<20.0	µg/Kg	1	20.0
4-Chlorotoluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichlorobenzene (ortho)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
n-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dibromo-3-chloropropane	Qr,U	1,3,4	<100	µg/Kg	1	100
1,2,3-Trichlorobenzene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
1,2,4-Trichlorobenzene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Naphthalene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Hexachlorobutadiene	Qr,U	1,2,3,4	<100	µg/Kg	1	100

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Dibromofluoromethane		4	878	µg/Kg	1	970	90	78 - 119
Toluene-d8			922	µg/Kg	1	970	95	85 - 116
4-Bromofluorobenzene (4-BFB)			877	µg/Kg	1	970	90	79 - 119

Report Date: August 18, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 11 of 35
Lea County, NM

Sample: 426314 - Rupture #8 Background

Laboratory:	Lubbock		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	132150	Date Analyzed:	2016-08-16
Prep Batch:	111992	Sample Preparation:	2016-08-15
		Prep Method:	N/A
		Analyzed By:	CF
		Prepared By:	CF

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	U	1	<250	mg/Kg	5	50.0

Sample: 426314 - Rupture #8 Background

Laboratory:	Lubbock		
Analysis:	TPH DRO	Analytical Method:	S 8015 D
QC Batch:	132108	Date Analyzed:	2016-08-15
Prep Batch:	111953	Sample Preparation:	2016-08-12
		Prep Method:	N/A
		Analyzed By:	HJ
		Prepared By:	HJ

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	U	1,2,3	<50.0	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			23.1	mg/Kg	1	25.0	92	58.2 - 150

Sample: 426314 - Rupture #8 Background

Laboratory:	Lubbock		
Analysis:	TPH GRO	Analytical Method:	S 8015 D
QC Batch:	132102	Date Analyzed:	2016-08-12
Prep Batch:	111948	Sample Preparation:	2016-08-12
		Prep Method:	S 5035
		Analyzed By:	MT
		Prepared By:	MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	U	1,2,3	<4.00	mg/Kg	1	4.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.37	mg/Kg	1	2.00	118	76.4 - 123
4-Bromofluorobenzene (4-BFB)			2.26	mg/Kg	1	2.00	113	69.4 - 120

Sample: 426314 - Rupture #8 Background

Laboratory: Lubbock
Analysis: Volatiles
QC Batch: 132145
Prep Batch: 111989

Analytical Method: S 8260 C
Date Analyzed: 2016-08-15
Sample Preparation: 2016-08-15

Prep Method: S 5030B
Analyzed By: KB
Prepared By: KB

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Bromochloromethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dichlorodifluoromethane	Qc,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chloromethane (methyl chloride)	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Vinyl Chloride	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromomethane (methyl bromide)	U	1,2,3,4	<100	µg/Kg	1	100
Chloroethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Trichlorofluoromethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Acetone	Qc,U	1,2,3,4	<200	µg/Kg	1	200
Iodomethane (methyl iodide)	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Carbon Disulfide	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Acrylonitrile	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Butanone (MEK)	Qc,Qr,U	1,2,3,4	<100	µg/Kg	1	100
4-Methyl-2-pentanone (MIBK)	U	1,2,3,4	<100	µg/Kg	1	100
2-Hexanone	Qc,U	1,2,3,4	<100	µg/Kg	1	100
trans 1,4-Dichloro-2-butene	U	1,2,3,4	<200	µg/Kg	1	200
1,1-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Methylene chloride	B,Jb,Qr	1,2,3,4	<100	µg/Kg	1	100
MTBE	U	1,2,3,4	<20.0	µg/Kg	1	20.0
trans-1,2-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1-Dichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
cis-1,2-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2,2-Dichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichloroethane (EDC)	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chloroform	U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,1-Trichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Benzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Carbon Tetrachloride	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichloropropane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Trichloroethene (TCE)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dibromomethane (methylene bromide)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromodichloromethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Chloroethyl vinyl ether	U	1,2,3,4	<20.0	µg/Kg	1	20.0
cis-1,3-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
trans-1,3-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Toluene	Qr	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,2-Trichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3-Dichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dibromochloromethane	Qr,U	1,3,4	<20.0	µg/Kg	1	20.0

continued ...

sample 426314 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
1,2-Dibromoethane (EDB)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Tetrachloroethene (PCE)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chlorobenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,1,2-Tetrachloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Ethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
m,p-Xylene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromoform	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Styrene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
o-Xylene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,2,2-Tetrachloroethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Chlorotoluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2,3-Trichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Isopropylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromobenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
n-Propylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3,5-Trimethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
tert-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2,4-Trimethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,4-Dichlorobenzene (para)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
sec-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3-Dichlorobenzene (meta)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
p-Isopropyltoluene	Qr,U	1,2,3	<20.0	µg/Kg	1	20.0
4-Chlorotoluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichlorobenzene (ortho)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
n-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dibromo-3-chloropropane	Qr,U	1,3,4	<100	µg/Kg	1	100
1,2,3-Trichlorobenzene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
1,2,4-Trichlorobenzene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Naphthalene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Hexachlorobutadiene	Qr,U	1,2,3,4	<100	µg/Kg	1	100

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Dibromofluoromethane		4	782	µg/Kg	1	850	92	78 - 119
Toluene-d8			803	µg/Kg	1	850	94	85 - 116
4-Bromofluorobenzene (4-BFB)			778	µg/Kg	1	850	92	79 - 119

Report Date: August 18, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 14 of 35
Lea County, NM

Sample: 426315 - Rupture #8 Contaminated

Laboratory:	Lubbock		
Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B
QC Batch:	132150	Date Analyzed:	2016-08-16
Prep Batch:	111992	Sample Preparation:	2016-08-15
		Prep Method:	N/A
		Analyzed By:	CF
		Prepared By:	CF

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	U	1	<250	mg/Kg	5	50.0

Sample: 426315 - Rupture #8 Contaminated

Laboratory:	Lubbock		
Analysis:	TPH DRO	Analytical Method:	S 8015 D
QC Batch:	132108	Date Analyzed:	2016-08-15
Prep Batch:	111953	Sample Preparation:	2016-08-12
		Prep Method:	N/A
		Analyzed By:	HJ
		Prepared By:	HJ

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	U	1,2,3	<50.0	mg/Kg	1	50.0

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			23.6	mg/Kg	1	25.0	94	58.2 - 150

Sample: 426315 - Rupture #8 Contaminated

Laboratory:	Lubbock		
Analysis:	TPH GRO	Analytical Method:	S 8015 D
QC Batch:	132102	Date Analyzed:	2016-08-12
Prep Batch:	111948	Sample Preparation:	2016-08-12
		Prep Method:	S 5035
		Analyzed By:	MT
		Prepared By:	MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO		1,2,3	<4.00	mg/Kg	1	4.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.90	mg/Kg	1	2.00	95	76.4 - 123
4-Bromofluorobenzene (4-BFB)			2.01	mg/Kg	1	2.00	100	69.4 - 120

Sample: 426315 - Rupture #8 Contaminated

Laboratory: Lubbock
Analysis: Volatiles
QC Batch: 132145
Prep Batch: 111989

Analytical Method: S 8260 C
Date Analyzed: 2016-08-15
Sample Preparation: 2016-08-15

Prep Method: S 5030B
Analyzed By: KB
Prepared By: KB

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Bromochloromethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dichlorodifluoromethane	Qc,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chloromethane (methyl chloride)	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Vinyl Chloride	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromomethane (methyl bromide)	U	1,2,3,4	<100	µg/Kg	1	100
Chloroethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Trichlorofluoromethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Acetone	Qc,U	1,2,3,4	<200	µg/Kg	1	200
Iodomethane (methyl iodide)	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Carbon Disulfide	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Acrylonitrile	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Butanone (MEK)	Qc,Qr,U	1,2,3,4	<100	µg/Kg	1	100
4-Methyl-2-pentanone (MIBK)	U	1,2,3,4	<100	µg/Kg	1	100
2-Hexanone	Qc,U	1,2,3,4	<100	µg/Kg	1	100
trans 1,4-Dichloro-2-butene	U	1,2,3,4	<200	µg/Kg	1	200
1,1-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Methylene chloride	B,Jb,Qr	1,2,3,4	<100	µg/Kg	1	100
MTBE	U	1,2,3,4	<20.0	µg/Kg	1	20.0
trans-1,2-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1-Dichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
cis-1,2-Dichloroethene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2,2-Dichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichloroethane (EDC)	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chloroform	U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,1-Trichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Benzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Carbon Tetrachloride	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichloropropane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
Trichloroethene (TCE)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dibromomethane (methylene bromide)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromodichloromethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Chloroethyl vinyl ether	U	1,2,3,4	<20.0	µg/Kg	1	20.0
cis-1,3-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
trans-1,3-Dichloropropene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Toluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,2-Trichloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3-Dichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Dibromochloromethane	Qr,U	1,3,4	<20.0	µg/Kg	1	20.0

continued ...

sample 426315 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
1,2-Dibromoethane (EDB)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Tetrachloroethene (PCE)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Chlorobenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,1,2-Tetrachloroethane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Ethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
m,p-Xylene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromoform	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Styrene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
o-Xylene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,1,2,2-Tetrachloroethane	U	1,2,3,4	<20.0	µg/Kg	1	20.0
2-Chlorotoluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2,3-Trichloropropane	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Isopropylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
Bromobenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
n-Propylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3,5-Trimethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
tert-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2,4-Trimethylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,4-Dichlorobenzene (para)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
sec-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,3-Dichlorobenzene (meta)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
p-Isopropyltoluene	Qr,U	1,2,3	<20.0	µg/Kg	1	20.0
4-Chlorotoluene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dichlorobenzene (ortho)	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
n-Butylbenzene	Qr,U	1,2,3,4	<20.0	µg/Kg	1	20.0
1,2-Dibromo-3-chloropropane	Qr,U	1,3,4	<100	µg/Kg	1	100
1,2,3-Trichlorobenzene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
1,2,4-Trichlorobenzene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Naphthalene	Qr,U	1,2,3,4	<100	µg/Kg	1	100
Hexachlorobutadiene	Qr,U	1,2,3,4	<100	µg/Kg	1	100

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Dibromofluoromethane		4	834	µg/Kg	1	930	90	78 - 119
Toluene-d8			874	µg/Kg	1	930	94	85 - 116
4-Bromofluorobenzene (4-BFB)			808	µg/Kg	1	930	87	79 - 119

Report Date: August 18, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 17 of 35
Lea County, NM

Method Blanks

Method Blank (1) QC Batch: 132102

QC Batch: 132102 Date Analyzed: 2016-08-12 Analyzed By: MT
Prep Batch: 111948 QC Preparation: 2016-08-12 Prepared By: MT

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		1,2,3	<0.271	mg/Kg	4

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.25	mg/Kg	1	2.00	112	76.4 - 123
4-Bromofluorobenzene (4-BFB)			2.15	mg/Kg	1	2.00	108	69.4 - 120

Method Blank (1) QC Batch: 132108

QC Batch: 132108 Date Analyzed: 2016-08-15 Analyzed By: HJ
Prep Batch: 111953 QC Preparation: 2016-08-12 Prepared By: HJ

Parameter	Flag	Cert	MDL Result	Units	RL
DRO		1,2,3	<8.47	mg/Kg	50

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			19.9	mg/Kg	1	25.0	80	58.2 - 150

Method Blank (1) QC Batch: 132145

QC Batch: 132145 Date Analyzed: 2016-08-15 Analyzed By: KB
Prep Batch: 111989 QC Preparation: 2016-08-15 Prepared By: KB

Parameter	Flag	Cert	MDL Result	Units	RL
Bromochloromethane		1,2,3,4	<9.28	µg/Kg	20
Dichlorodifluoromethane		1,2,3,4	<9.82	µg/Kg	20
Chloromethane (methyl chloride)		1,2,3,4	<11.7	µg/Kg	20

continued ...

method blank continued ...

Parameter	Flag	Cert	MDL Result	Units	RL
Vinyl Chloride		1,2,3,4	<10.6	µg/Kg	20
Bromomethane (methyl bromide)		1,2,3,4	<13.5	µg/Kg	100
Chloroethane		1,2,3,4	<9.16	µg/Kg	20
Trichlorofluoromethane		1,2,3,4	<12.4	µg/Kg	20
Acetone		1,2,3,4	<7.34	µg/Kg	200
Iodomethane (methyl iodide)		1,2,3,4	<8.64	µg/Kg	100
Carbon Disulfide		1,2,3,4	<9.90	µg/Kg	20
Acrylonitrile		1,2,3,4	<9.14	µg/Kg	20
2-Butanone (MEK)		1,2,3,4	<13.4	µg/Kg	100
4-Methyl-2-pentanone (MIBK)		1,2,3,4	<14.1	µg/Kg	100
2-Hexanone		1,2,3,4	<10.6	µg/Kg	100
trans 1,4-Dichloro-2-butene		1,2,3,4	<8.49	µg/Kg	200
1,1-Dichloroethene		1,2,3,4	<10.4	µg/Kg	20
Methylene chloride	B	B	30.7	µg/Kg	100
MTBE		1,2,3,4	<11.4	µg/Kg	20
trans-1,2-Dichloroethene		1,2,3,4	<9.80	µg/Kg	20
1,1-Dichloroethane		1,2,3,4	<9.82	µg/Kg	20
cis-1,2-Dichloroethene		1,2,3,4	<9.58	µg/Kg	20
2,2-Dichloropropane		1,2,3,4	<8.99	µg/Kg	20
1,2-Dichloroethane (EDC)		1,2,3,4	<9.58	µg/Kg	20
Chloroform		1,2,3,4	<9.68	µg/Kg	20
1,1,1-Trichloroethane		1,2,3,4	<10.6	µg/Kg	20
1,1-Dichloropropene		1,2,3,4	<9.74	µg/Kg	20
Benzene		1,2,3,4	<10.3	µg/Kg	20
Carbon Tetrachloride		1,2,3,4	<8.88	µg/Kg	20
1,2-Dichloropropane		1,2,3,4	<9.48	µg/Kg	20
Trichloroethene (TCE)		1,2,3,4	<10.4	µg/Kg	20
Dibromomethane (methylene bromide)		1,2,3,4	<9.65	µg/Kg	20
Bromodichloromethane		1,2,3,4	<9.23	µg/Kg	20
2-Chloroethyl vinyl ether		1,2,3,4	<10.8	µg/Kg	20
cis-1,3-Dichloropropene		1,2,3,4	<9.76	µg/Kg	20
trans-1,3-Dichloropropene		1,2,3,4	<9.24	µg/Kg	20
Toluene		1,2,3,4	<9.74	µg/Kg	20
1,1,2-Trichloroethane		1,2,3,4	<11.1	µg/Kg	20
1,3-Dichloropropane		1,2,3,4	<10.4	µg/Kg	20
Dibromochloromethane		1,3,4	<9.66	µg/Kg	20
1,2-Dibromoethane (EDB)		1,2,3,4	<10.8	µg/Kg	20
Tetrachloroethene (PCE)		1,2,3,4	<6.38	µg/Kg	20
Chlorobenzene		1,2,3,4	<10.5	µg/Kg	20
1,1,1,2-Tetrachloroethane		1,2,3,4	<10.2	µg/Kg	20
Ethylbenzene		1,2,3,4	<10.8	µg/Kg	20
m,p-Xylene		1,2,3,4	<11.0	µg/Kg	20
Bromoform		1,2,3,4	<8.43	µg/Kg	20
Styrene		1,2,3,4	<9.62	µg/Kg	20

continued ...

method blank continued ...

Parameter	Flag	Cert	MDL Result	Units	RL
o-Xylene		1,2,3,4	<11.0	µg/Kg	20
1,1,2,2-Tetrachloroethane		1,2,3,4	<10.2	µg/Kg	20
2-Chlorotoluene		1,2,3,4	<11.5	µg/Kg	20
1,2,3-Trichloropropane		1,2,3,4	<9.22	µg/Kg	20
Isopropylbenzene		1,2,3,4	<10.2	µg/Kg	20
Bromobenzene		1,2,3,4	<11.2	µg/Kg	20
n-Propylbenzene		1,2,3,4	<10.6	µg/Kg	20
1,3,5-Trimethylbenzene		1,2,3,4	<11.5	µg/Kg	20
tert-Butylbenzene		1,2,3,4	<10.3	µg/Kg	20
1,2,4-Trimethylbenzene		1,2,3,4	<11.0	µg/Kg	20
1,4-Dichlorobenzene (para)		1,2,3,4	<12.0	µg/Kg	20
sec-Butylbenzene		1,2,3,4	<11.3	µg/Kg	20
1,3-Dichlorobenzene (meta)		1,2,3,4	<11.6	µg/Kg	20
p-Isopropyltoluene		1,2,3	<11.1	µg/Kg	20
4-Chlorotoluene		1,2,3,4	<11.7	µg/Kg	20
1,2-Dichlorobenzene (ortho)		1,2,3,4	<12.0	µg/Kg	20
n-Butylbenzene		1,2,3,4	<11.0	µg/Kg	20
1,2-Dibromo-3-chloropropane		1,3,4	<9.07	µg/Kg	100
1,2,3-Trichlorobenzene		1,2,3,4	<12.6	µg/Kg	100
1,2,4-Trichlorobenzene		1,2,3,4	<12.4	µg/Kg	100
Naphthalene		1,2,3,4	<10.7	µg/Kg	100
Hexachlorobutadiene		1,2,3,4	<17.2	µg/Kg	100

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Dibromofluoromethane		4	940	µg/Kg	1	1000	94	78 - 119
Toluene-d8			959	µg/Kg	1	1000	96	85 - 116
4-Bromofluorobenzene (4-BFB)			936	µg/Kg	1	1000	94	79 - 119

Method Blank (1) QC Batch: 132150

QC Batch: 132150
Prep Batch: 111992

Date Analyzed: 2016-08-16
QC Preparation: 2016-08-15

Analyzed By: CF
Prepared By: RL

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride		1	<31.4	mg/Kg	50

Report Date: August 18, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 20 of 35
Lea County, NM

Laboratory Control Spikes

Laboratory Control Spike (LCS-1)

QC Batch: 132102
Prep Batch: 111948

Date Analyzed: 2016-08-12
QC Preparation: 2016-08-12

Analyzed By: MT
Prepared By: MT

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1,2,3	17.0	mg/Kg	1	20.0	<0.271	85	64.2 - 120

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1,2,3	18.2	mg/Kg	1	20.0	<0.271	91	64.2 - 120	7	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.08	2.22	mg/Kg	1	2.00	104	111	76.4 - 123
4-Bromofluorobenzene (4-BFB)	2.28	2.24	mg/Kg	1	2.00	114	112	69.4 - 120

Laboratory Control Spike (LCS-1)

QC Batch: 132108
Prep Batch: 111953

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-12

Analyzed By: HJ
Prepared By: HJ

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		1,2,3	241	mg/Kg	1	250	<8.47	96	68.5 - 136

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		1,2,3	231	mg/Kg	1	250	<8.47	92	68.5 - 136	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
n-Tricosane	14.1	12.9	mg/Kg	1	20.0	70	64	58.2 - 150

Laboratory Control Spike (LCS-1)

QC Batch: 132145
Prep Batch: 111989

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: KB
Prepared By: KB

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Bromochloromethane		1,2,3,4	1010	µg/Kg	1	1000	<9.28	101	78 - 125
Dichlorodifluoromethane		1,2,3,4	583	µg/Kg	1	1000	<9.82	58	29 - 149
Chloromethane (methyl chloride)		1,2,3,4	884	µg/Kg	1	1000	<11.7	88	50 - 136
Vinyl Chloride		1,2,3,4	853	µg/Kg	1	1000	<10.6	85	56 - 135
Bromomethane (methyl bromide)		1,2,3,4	927	µg/Kg	1	1000	<13.5	93	53 - 143
Chloroethane		1,2,3,4	930	µg/Kg	1	1000	<9.16	93	59 - 139
Trichlorofluoromethane		1,2,3,4	870	µg/Kg	1	1000	<12.4	87	62 - 140
Acetone		1,2,3,4	674	µg/Kg	1	1000	<7.34	67	36 - 164
Iodomethane (methyl iodide)		1,2,3,4	1000	µg/Kg	1	1000	<8.64	100	71 - 131
Carbon Disulfide		1,2,3,4	970	µg/Kg	1	1000	<9.90	97	63 - 132
Acrylonitrile		1,2,3,4	855	µg/Kg	1	1000	<9.14	86	65 - 134
2-Butanone (MEK)		1,2,3,4	604	µg/Kg	1	1000	<13.4	60	51 - 148
4-Methyl-2-pentanone (MIBK)		1,2,3,4	907	µg/Kg	1	1000	<14.1	91	65 - 135
2-Hexanone		1,2,3,4	680	µg/Kg	1	1000	<10.6	68	53 - 145
trans 1,4-Dichloro-2-butene		1,2,3,4	790	µg/Kg	1	1000	<8.49	79	62 - 136
1,1-Dichloroethene		1,2,3,4	1000	µg/Kg	1	1000	<10.4	100	70 - 131
Methylene chloride		1,2,3,4	971	µg/Kg	1	1000	30.7	94	70 - 128
MTBE		1,2,3,4	924	µg/Kg	1	1000	<11.4	92	73 - 125
trans-1,2-Dichloroethene		1,2,3,4	1010	µg/Kg	1	1000	<9.80	101	74 - 125
1,1-Dichloroethane		1,2,3,4	939	µg/Kg	1	1000	<9.82	94	76 - 125
cis-1,2-Dichloroethene		1,2,3,4	1020	µg/Kg	1	1000	<9.58	102	77 - 123
2,2-Dichloropropane		1,2,3,4	770	µg/Kg	1	1000	<8.99	77	67 - 133
1,2-Dichloroethane (EDC)		1,2,3,4	840	µg/Kg	1	1000	<9.58	84	73 - 128
Chloroform		1,2,3,4	961	µg/Kg	1	1000	<9.68	96	78 - 123
1,1,1-Trichloroethane		1,2,3,4	927	µg/Kg	1	1000	<10.6	93	73 - 130
1,1-Dichloropropene		1,2,3,4	964	µg/Kg	1	1000	<9.74	96	76 - 125
Benzene		1,2,3,4	1100	µg/Kg	1	1000	<10.3	110	77 - 121
Carbon Tetrachloride		1,2,3,4	891	µg/Kg	1	1000	<8.88	89	80 - 120
1,2-Dichloropropane		1,2,3,4	1020	µg/Kg	1	1000	<9.48	102	76 - 123
Trichloroethene (TCE)		1,2,3,4	1030	µg/Kg	1	1000	<10.4	103	77 - 123
Dibromomethane (methylene bromide)		1,2,3,4	922	µg/Kg	1	1000	<9.65	92	78 - 125
Bromodichloromethane		1,2,3,4	935	µg/Kg	1	1000	<9.23	94	75 - 127
2-Chloroethyl vinyl ether		1,2,3,4	958	µg/Kg	1	1000	<10.8	96	43 - 149
cis-1,3-Dichloropropene		1,2,3,4	864	µg/Kg	1	1000	<9.76	86	74 - 126
trans-1,3-Dichloropropene		1,2,3,4	797	µg/Kg	1	1000	<9.24	80	71 - 130
Toluene	Qs	Qs	1380	µg/Kg	1	1000	<9.74	138	77 - 121
1,1,2-Trichloroethane		1,2,3,4	857	µg/Kg	1	1000	<11.1	86	78 - 121
1,3-Dichloropropane		1,2,3,4	843	µg/Kg	1	1000	<10.4	84	77 - 121
Dibromochloromethane		1,3,4	844	µg/Kg	1	1000	<9.66	84	74 - 126
1,2-Dibromoethane (EDB)		1,2,3,4	868	µg/Kg	1	1000	<10.8	87	78 - 122

continued ...

control spikes continued ...

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Tetrachloroethene (PCE)		1,2,3,4	864	µg/Kg	1	1000	<6.38	86	73 - 128
Chlorobenzene		1,2,3,4	969	µg/Kg	1	1000	<10.5	97	79 - 120
1,1,1,2-Tetrachloroethane		1,2,3,4	922	µg/Kg	1	1000	<10.2	92	78 - 125
Ethylbenzene		1,2,3,4	948	µg/Kg	1	1000	<10.8	95	76 - 122
m,p-Xylene		1,2,3,4	1960	µg/Kg	1	2000	<11.0	98	77 - 124
Bromoform		1,2,3,4	826	µg/Kg	1	1000	<8.43	83	67 - 132
Styrene		1,2,3,4	906	µg/Kg	1	1000	<9.62	91	76 - 124
o-Xylene		1,2,3,4	1000	µg/Kg	1	1000	<11.0	100	77 - 123
1,1,2,2-Tetrachloroethane		1,2,3,4	816	µg/Kg	1	1000	<10.2	82	70 - 124
2-Chlorotoluene		1,2,3,4	901	µg/Kg	1	1000	<11.5	90	75 - 122
1,2,3-Trichloropropane		1,2,3,4	781	µg/Kg	1	1000	<9.22	78	73 - 125
Isopropylbenzene		1,2,3,4	916	µg/Kg	1	1000	<10.2	92	68 - 134
Bromobenzene		1,2,3,4	861	µg/Kg	1	1000	<11.2	86	78 - 121
n-Propylbenzene		1,2,3,4	905	µg/Kg	1	1000	<10.6	90	73 - 125
1,3,5-Trimethylbenzene		1,2,3,4	938	µg/Kg	1	1000	<11.5	94	73 - 124
tert-Butylbenzene		1,2,3,4	938	µg/Kg	1	1000	<10.3	94	73 - 125
1,2,4-Trimethylbenzene		1,2,3,4	974	µg/Kg	1	1000	<11.0	97	75 - 123
1,4-Dichlorobenzene (para)		1,2,3,4	976	µg/Kg	1	1000	<12.0	98	75 - 120
sec-Butylbenzene		1,2,3,4	929	µg/Kg	1	1000	<11.3	93	73 - 126
1,3-Dichlorobenzene (meta)		1,2,3,4	975	µg/Kg	1	1000	<11.6	98	77 - 121
p-Isopropyltoluene		1,2,3	940	µg/Kg	1	1000	<11.1	94	73 - 127
4-Chlorotoluene		1,2,3,4	883	µg/Kg	1	1000	<11.7	88	72 - 124
1,2-Dichlorobenzene (ortho)		1,2,3,4	965	µg/Kg	1	1000	<12.0	96	78 - 121
n-Butylbenzene		1,2,3,4	907	µg/Kg	1	1000	<11.0	91	70 - 128
1,2-Dibromo-3-chloropropane		1,3,4	750	µg/Kg	1	1000	<9.07	75	61 - 132
1,2,3-Trichlorobenzene		1,2,3,4	981	µg/Kg	1	1000	<12.6	98	66 - 130
1,2,4-Trichlorobenzene		1,2,3,4	1010	µg/Kg	1	1000	<12.4	101	67 - 129
Naphthalene		1,2,3,4	1110	µg/Kg	1	1000	<10.7	111	62 - 129
Hexachlorobutadiene		1,2,3,4	911	µg/Kg	1	1000	<17.2	91	31 - 135

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Bromochloromethane		1,2,3,4	1070	µg/Kg	1	1000	<9.28	107	78 - 125	6	20
Dichlorodifluoromethane		1,2,3,4	613	µg/Kg	1	1000	<9.82	61	29 - 149	5	20
Chloromethane (methyl chloride)		1,2,3,4	854	µg/Kg	1	1000	<11.7	85	50 - 136	3	20
Vinyl Chloride		1,2,3,4	903	µg/Kg	1	1000	<10.6	90	56 - 135	6	20
Bromomethane (methyl bromide)		1,2,3,4	958	µg/Kg	1	1000	<13.5	96	53 - 143	3	20
Chloroethane		1,2,3,4	954	µg/Kg	1	1000	<9.16	95	59 - 139	2	20
Trichlorofluoromethane		1,2,3,4	884	µg/Kg	1	1000	<12.4	88	62 - 140	2	20
Acetone		1,2,3,4	681	µg/Kg	1	1000	<7.34	68	36 - 164	1	20
Iodomethane (methyl iodide)		1,2,3,4	1020	µg/Kg	1	1000	<8.64	102	71 - 131	2	20
Carbon Disulfide		1,2,3,4	990	µg/Kg	1	1000	<9.90	99	63 - 132	2	20
Acrylonitrile		1,2,3,4	862	µg/Kg	1	1000	<9.14	86	65 - 134	1	20

continued ...

control spikes continued ...

Param			LCSD		Dil.	Spike Amount	Matrix Result	Rec.	Rec.		RPD	
	F	C	Result	Units					Limit	RPD	Limit	
2-Butanone (MEK)	Qr	Qr	1,2,3,4	756	µg/Kg	1	1000	<13.4	76	51 - 148	22	20
4-Methyl-2-pentanone (MIBK)			1,2,3,4	853	µg/Kg	1	1000	<14.1	85	65 - 135	6	20
2-Hexanone			1,2,3,4	700	µg/Kg	1	1000	<10.6	70	53 - 145	3	20
trans 1,4-Dichloro-2-butene			1,2,3,4	747	µg/Kg	1	1000	<8.49	75	62 - 136	6	20
1,1-Dichloroethene			1,2,3,4	1020	µg/Kg	1	1000	<10.4	102	70 - 131	2	20
Methylene chloride			1,2,3,4	965	µg/Kg	1	1000	30.7	93	70 - 128	1	20
MTBE			1,2,3,4	925	µg/Kg	1	1000	<11.4	92	73 - 125	0	20
trans-1,2-Dichloroethene			1,2,3,4	1050	µg/Kg	1	1000	<9.80	105	74 - 125	4	20
1,1-Dichloroethane			1,2,3,4	964	µg/Kg	1	1000	<9.82	96	76 - 125	3	20
cis-1,2-Dichloroethene			1,2,3,4	1030	µg/Kg	1	1000	<9.58	103	77 - 123	1	20
2,2-Dichloropropane			1,2,3,4	755	µg/Kg	1	1000	<8.99	76	67 - 133	2	20
1,2-Dichloroethane (EDC)			1,2,3,4	838	µg/Kg	1	1000	<9.58	84	73 - 128	0	20
Chloroform			1,2,3,4	979	µg/Kg	1	1000	<9.68	98	78 - 123	2	20
1,1,1-Trichloroethane			1,2,3,4	954	µg/Kg	1	1000	<10.6	95	73 - 130	3	20
1,1-Dichloropropene			1,2,3,4	976	µg/Kg	1	1000	<9.74	98	76 - 125	1	20
Benzene			1,2,3,4	1000	µg/Kg	1	1000	<10.3	100	77 - 121	10	20
Carbon Tetrachloride			1,2,3,4	913	µg/Kg	1	1000	<8.88	91	80 - 120	2	20
1,2-Dichloropropane			1,2,3,4	1020	µg/Kg	1	1000	<9.48	102	76 - 123	0	20
Trichloroethene (TCE)			1,2,3,4	1050	µg/Kg	1	1000	<10.4	105	77 - 123	2	20
Dibromomethane (methylene bromide)			1,2,3,4	924	µg/Kg	1	1000	<9.65	92	78 - 125	0	20
Bromodichloromethane			1,2,3,4	948	µg/Kg	1	1000	<9.23	95	75 - 127	1	20
2-Chloroethyl vinyl ether			1,2,3,4	936	µg/Kg	1	1000	<10.8	94	43 - 149	2	20
cis-1,3-Dichloropropene			1,2,3,4	880	µg/Kg	1	1000	<9.76	88	74 - 126	2	20
trans-1,3-Dichloropropene			1,2,3,4	812	µg/Kg	1	1000	<9.24	81	71 - 130	2	20
Toluene	Qr	Qr	1,2,3,4	1060	µg/Kg	1	1000	<9.74	106	77 - 121	26	20
1,1,2-Trichloroethane			1,2,3,4	861	µg/Kg	1	1000	<11.1	86	78 - 121	0	20
1,3-Dichloropropane			1,2,3,4	849	µg/Kg	1	1000	<10.4	85	77 - 121	1	20
Dibromochloromethane			1,3,4	862	µg/Kg	1	1000	<9.66	86	74 - 126	2	20
1,2-Dibromoethane (EDB)			1,2,3,4	872	µg/Kg	1	1000	<10.8	87	78 - 122	0	20
Tetrachloroethene (PCE)			1,2,3,4	901	µg/Kg	1	1000	<6.38	90	73 - 128	4	20
Chlorobenzene			1,2,3,4	976	µg/Kg	1	1000	<10.5	98	79 - 120	1	20
1,1,1,2-Tetrachloroethane			1,2,3,4	934	µg/Kg	1	1000	<10.2	93	78 - 125	1	20
Ethylbenzene			1,2,3,4	940	µg/Kg	1	1000	<10.8	94	76 - 122	1	20
m,p-Xylene			1,2,3,4	1880	µg/Kg	1	2000	<11.0	94	77 - 124	4	20
Bromoform			1,2,3,4	877	µg/Kg	1	1000	<8.43	88	67 - 132	6	20
Styrene			1,2,3,4	918	µg/Kg	1	1000	<9.62	92	76 - 124	1	20
o-Xylene			1,2,3,4	952	µg/Kg	1	1000	<11.0	95	77 - 123	5	20
1,1,2,2-Tetrachloroethane			1,2,3,4	820	µg/Kg	1	1000	<10.2	82	70 - 124	0	20
2-Chlorotoluene			1,2,3,4	924	µg/Kg	1	1000	<11.5	92	75 - 122	2	20
1,2,3-Trichloropropane			1,2,3,4	804	µg/Kg	1	1000	<9.22	80	73 - 125	3	20
Isopropylbenzene			1,2,3,4	944	µg/Kg	1	1000	<10.2	94	68 - 134	3	20
Bromobenzene			1,2,3,4	885	µg/Kg	1	1000	<11.2	88	78 - 121	3	20
n-Propylbenzene			1,2,3,4	928	µg/Kg	1	1000	<10.6	93	73 - 125	2	20
1,3,5-Trimethylbenzene			1,2,3,4	954	µg/Kg	1	1000	<11.5	95	73 - 124	2	20

continued ...

control spikes continued ...

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
tert-Butylbenzene		1,2,3,4	969	µg/Kg	1	1000	<10.3	97	73 - 125	3	20
1,2,4-Trimethylbenzene		1,2,3,4	956	µg/Kg	1	1000	<11.0	96	75 - 123	2	20
1,4-Dichlorobenzene (para)		1,2,3,4	1000	µg/Kg	1	1000	<12.0	100	75 - 120	2	20
sec-Butylbenzene		1,2,3,4	960	µg/Kg	1	1000	<11.3	96	73 - 126	3	20
1,3-Dichlorobenzene (meta)		1,2,3,4	985	µg/Kg	1	1000	<11.6	98	77 - 121	1	20
p-Isopropyltoluene		1,2,3	965	µg/Kg	1	1000	<11.1	96	73 - 127	3	20
4-Chlorotoluene		1,2,3,4	900	µg/Kg	1	1000	<11.7	90	72 - 124	2	20
1,2-Dichlorobenzene (ortho)		1,2,3,4	978	µg/Kg	1	1000	<12.0	98	78 - 121	1	20
n-Butylbenzene		1,2,3,4	944	µg/Kg	1	1000	<11.0	94	70 - 128	4	20
1,2-Dibromo-3-chloropropane		1,3,4	776	µg/Kg	1	1000	<9.07	78	61 - 132	3	20
1,2,3-Trichlorobenzene		1,2,3,4	1170	µg/Kg	1	1000	<12.6	117	66 - 130	18	20
1,2,4-Trichlorobenzene		1,2,3,4	1090	µg/Kg	1	1000	<12.4	109	67 - 129	8	20
Naphthalene		1,2,3,4	1150	µg/Kg	1	1000	<10.7	115	62 - 129	4	20
Hexachlorobutadiene		1,2,3,4	1020	µg/Kg	1	1000	<17.2	102	31 - 135	11	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate		LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Dibromofluoromethane	4	962	978	µg/Kg	1	1000	96	98	78 - 119
Toluene-d8		934	938	µg/Kg	1	1000	93	94	85 - 116
4-Bromofluorobenzene (4-BFB)		945	929	µg/Kg	1	1000	94	93	79 - 119

Laboratory Control Spike (LCS-1)

QC Batch: 132150
Prep Batch: 111992

Date Analyzed: 2016-08-16
QC Preparation: 2016-08-15

Analyzed By: CF
Prepared By: RL

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride		1	2570	mg/Kg	5	2500	<157	103	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride		1	2570	mg/Kg	5	2500	<157	103	85 - 115	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spikes

Matrix Spike (MS-1) Spiked Sample: 426311

QC Batch: 132102
Prep Batch: 111948

Date Analyzed: 2016-08-12
QC Preparation: 2016-08-12

Analyzed By: MT
Prepared By: MT

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1,2,3	16.0	mg/Kg	1	20.0	<0.271	80	35.3 - 129

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1,2,3	18.0	mg/Kg	1	20.0	<0.271	90	35.3 - 129	12	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.18	2.21	mg/Kg	1	2	109	110	76.4 - 123
4-Bromofluorobenzene (4-BFB)	2.37	2.59	mg/Kg	1	2	118	130	69.4 - 120

Matrix Spike (MS-1) Spiked Sample: 426216

QC Batch: 132108
Prep Batch: 111953

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-12

Analyzed By: HJ
Prepared By: HJ

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		1,2,3	459	mg/Kg	1	500	<8.47	92	49.3 - 138

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		1,2,3	464	mg/Kg	1	500	<8.47	93	49.3 - 138	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	27.2	27.3	mg/Kg	1	25	109	109	58.2 - 150

Matrix Spike (MS-1) Spiked Sample: 426388

QC Batch: 132145
Prep Batch: 111989

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: KB
Prepared By: KB

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Bromochloromethane	Qs	Qs	1,2,3,4	1100	µg/Kg	1	870	<9.28	126 78 - 125
Dichlorodifluoromethane			1,2,3,4	631	µg/Kg	1	870	<9.82	72 29 - 149
Chloromethane (methyl chloride)			1,2,3,4	837	µg/Kg	1	870	<11.7	96 50 - 136
Vinyl Chloride			1,2,3,4	874	µg/Kg	1	870	<10.6	100 56 - 135
Bromomethane (methyl bromide)			1,2,3,4	637	µg/Kg	1	870	<13.5	73 53 - 143
Chloroethane	Qs	Qs	1,2,3,4	462	µg/Kg	1	870	<9.16	53 59 - 139
Trichlorofluoromethane			1,2,3,4	819	µg/Kg	1	870	<12.4	94 62 - 140
Acetone			1,2,3,4	694	µg/Kg	1	870	<7.34	80 36 - 164
Iodomethane (methyl iodide)			1,2,3,4	1040	µg/Kg	1	870	<8.64	120 71 - 131
Carbon Disulfide			1,2,3,4	894	µg/Kg	1	870	<9.90	103 63 - 132
Acrylonitrile			1,2,3,4	897	µg/Kg	1	870	<9.14	103 65 - 134
2-Butanone (MEK)			1,2,3,4	756	µg/Kg	1	870	<13.4	87 51 - 148
4-Methyl-2-pentanone (MIBK)			1,2,3,4	868	µg/Kg	1	870	<14.1	100 65 - 135
2-Hexanone			1,2,3,4	721	µg/Kg	1	870	<10.6	83 53 - 145
trans 1,4-Dichloro-2-butene	Qs	Qs	1,2,3,4	528	µg/Kg	1	870	<8.49	61 62 - 136
1,1-Dichloroethene			1,2,3,4	1060	µg/Kg	1	870	<10.4	122 70 - 131
Methylene chloride			1,2,3,4	982	µg/Kg	1	870	12.2	111 70 - 128
MTBE			1,2,3,4	929	µg/Kg	1	870	<11.4	107 73 - 125
trans-1,2-Dichloroethene			1,2,3,4	1060	µg/Kg	1	870	<9.80	122 74 - 125
1,1-Dichloroethane			1,2,3,4	971	µg/Kg	1	870	<9.82	112 76 - 125
cis-1,2-Dichloroethene			1,2,3,4	1050	µg/Kg	1	870	<9.58	121 77 - 123
2,2-Dichloropropane	Qs	Qs	1,2,3,4	567	µg/Kg	1	870	<8.99	65 67 - 133
1,2-Dichloroethane (EDC)			1,2,3,4	844	µg/Kg	1	870	<9.58	97 73 - 128
Chloroform			1,2,3,4	982	µg/Kg	1	870	<9.68	113 78 - 123
1,1,1-Trichloroethane			1,2,3,4	806	µg/Kg	1	870	<10.6	93 73 - 130
1,1-Dichloropropene			1,2,3,4	1020	µg/Kg	1	870	<9.74	117 76 - 125
Benzene			1,2,3,4	1030	µg/Kg	1	870	<10.3	118 77 - 121
Carbon Tetrachloride	Qs	Qs	1,2,3,4	613	µg/Kg	1	870	<8.88	70 80 - 120
1,2-Dichloropropane			1,2,3,4	1060	µg/Kg	1	870	<9.48	122 76 - 123
Trichloroethene (TCE)	Qs	Qs	1,2,3,4	1790	µg/Kg	1	870	<10.4	206 77 - 123
Dibromomethane (methylene bromide)			1,2,3,4	891	µg/Kg	1	870	<9.65	102 78 - 125
Bromodichloromethane			1,2,3,4	763	µg/Kg	1	870	<9.23	88 75 - 127
2-Chloroethyl vinyl ether			1,2,3,4	1190	µg/Kg	1	870	<10.8	137 43 - 149
cis-1,3-Dichloropropene			1,2,3,4	815	µg/Kg	1	870	<9.76	94 74 - 126
trans-1,3-Dichloropropene			1,2,3,4	757	µg/Kg	1	870	<9.24	87 71 - 130
Toluene	Qs	Qs	1,2,3,4	1070	µg/Kg	1	870	<9.74	123 77 - 121
1,1,2-Trichloroethane			1,2,3,4	813	µg/Kg	1	870	<11.1	93 78 - 121
1,3-Dichloropropane			1,2,3,4	832	µg/Kg	1	870	<10.4	96 77 - 121
Dibromochloromethane	Qs	Qs	1,3,4	606	µg/Kg	1	870	<9.66	70 74 - 126
1,2-Dibromoethane (EDB)			1,2,3,4	848	µg/Kg	1	870	<10.8	97 78 - 122

continued ...

matrix spikes continued ...

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Tetrachloroethene (PCE)	Qs	Qs	1,2,3,4	1740	µg/Kg	1	870	<6.38	200 73 - 128
Chlorobenzene			1,2,3,4	1000	µg/Kg	1	870	<10.5	115 79 - 120
1,1,1,2-Tetrachloroethane			1,2,3,4	765	µg/Kg	1	870	<10.2	88 78 - 125
Ethylbenzene			1,2,3,4	956	µg/Kg	1	870	<10.8	110 76 - 122
m,p-Xylene			1,2,3,4	1910	µg/Kg	1	1740	<11.0	110 77 - 124
Bromoform	Qs	Qs	1,2,3,4	472	µg/Kg	1	870	<8.43	54 67 - 132
Styrene			1,2,3,4	948	µg/Kg	1	870	<9.62	109 76 - 124
o-Xylene			1,2,3,4	957	µg/Kg	1	870	<11.0	110 77 - 123
1,1,2,2-Tetrachloroethane	Qs	Qs	1,2,3,4	92.0	µg/Kg	1	870	<10.2	10 70 - 124
2-Chlorotoluene			1,2,3,4	912	µg/Kg	1	870	<11.5	105 75 - 122
1,2,3-Trichloropropane			1,2,3,4	706	µg/Kg	1	870	<9.22	81 73 - 125
Isopropylbenzene			1,2,3,4	927	µg/Kg	1	870	<10.2	106 68 - 134
Bromobenzene			1,2,3,4	805	µg/Kg	1	870	<11.2	92 78 - 121
n-Propylbenzene			1,2,3,4	941	µg/Kg	1	870	<10.6	108 73 - 125
1,3,5-Trimethylbenzene			1,2,3,4	966	µg/Kg	1	870	<11.5	111 73 - 124
tert-Butylbenzene			1,2,3,4	1000	µg/Kg	1	870	<10.3	115 73 - 125
1,2,4-Trimethylbenzene			1,2,3,4	984	µg/Kg	1	870	<11.0	113 75 - 123
1,4-Dichlorobenzene (para)			1,2,3,4	1010	µg/Kg	1	870	<12.0	116 75 - 120
sec-Butylbenzene			1,2,3,4	1030	µg/Kg	1	870	<11.3	118 73 - 126
1,3-Dichlorobenzene (meta)			1,2,3,4	1010	µg/Kg	1	870	<11.6	116 77 - 121
p-Isopropyltoluene			1,2,3	1070	µg/Kg	1	870	<11.1	123 73 - 127
4-Chlorotoluene			1,2,3,4	897	µg/Kg	1	870	<11.7	103 72 - 124
1,2-Dichlorobenzene (ortho)			1,2,3,4	947	µg/Kg	1	870	<12.0	109 78 - 121
n-Butylbenzene			1,2,3,4	1060	µg/Kg	1	870	<11.0	122 70 - 128
1,2-Dibromo-3-chloropropane	Qs	Qs	1,3,4	509	µg/Kg	1	870	<9.07	58 61 - 132
1,2,3-Trichlorobenzene			1,2,3,4	950	µg/Kg	1	870	<12.6	109 66 - 130
1,2,4-Trichlorobenzene			1,2,3,4	1100	µg/Kg	1	870	<12.4	126 67 - 129
Naphthalene			1,2,3,4	818	µg/Kg	1	870	<10.7	94 62 - 129
Hexachlorobutadiene			1,2,3,4	1120	µg/Kg	1	870	<17.2	129 31 - 135

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Bromochloromethane	Qr, Qs	Qr, Qs	1,2,3,4	1360	µg/Kg	1	990	<9.28	137 78 - 125	21	20
Dichlorodifluoromethane			1,2,3,4	732	µg/Kg	1	990	<9.82	74 29 - 149	15	20
Chloromethane (methyl chloride)			1,2,3,4	999	µg/Kg	1	990	<11.7	101 50 - 136	18	20
Vinyl Chloride	Qr	Qr	1,2,3,4	1090	µg/Kg	1	990	<10.6	110 56 - 135	22	20
Bromomethane (methyl bromide)			1,2,3,4	718	µg/Kg	1	990	<13.5	72 53 - 143	12	20
Chloroethane	Qs	Qs	1,2,3,4	501	µg/Kg	1	990	<9.16	51 59 - 139	8	20
Trichlorofluoromethane			1,2,3,4	988	µg/Kg	1	990	<12.4	100 62 - 140	19	20
Acetone			1,2,3,4	812	µg/Kg	1	990	<7.34	82 36 - 164	16	20
Iodomethane (methyl iodide)	Qr, Qs	Qr, Qs	1,2,3,4	1300	µg/Kg	1	990	<8.64	131 71 - 131	22	20
Carbon Disulfide	Qr	Qr	1,2,3,4	1130	µg/Kg	1	990	<9.90	114 63 - 132	23	20
Acrylonitrile	Qr	Qr	1,2,3,4	1120	µg/Kg	1	990	<9.14	113 65 - 134	22	20

continued ...

matrix spikes continued . . .

Param			MSD		Dil.	Spike Amount	Matrix Result	Rec.		RPD	
	F	C	Result	Units				Rec.	Limit	RPD	Limit
2-Butanone (MEK)		1,2,3,4	815	µg/Kg	1	990	<13.4	82	51 - 148	8	20
4-Methyl-2-pentanone (MIBK)		1,2,3,4	1060	µg/Kg	1	990	<14.1	107	65 - 135	20	20
2-Hexanone		1,2,3,4	854	µg/Kg	1	990	<10.6	86	53 - 145	17	20
trans 1,4-Dichloro-2-butene		1,2,3,4	642	µg/Kg	1	990	<8.49	65	62 - 136	20	20
1,1-Dichloroethene	Qr, Qs	Qr, Qs	1330	µg/Kg	1	990	<10.4	134	70 - 131	23	20
Methylene chloride	Qr	Qr	1210	µg/Kg	1	990	12.2	121	70 - 128	21	20
MTBE		1,2,3,4	1130	µg/Kg	1	990	<11.4	114	73 - 125	20	20
trans-1,2-Dichloroethene	Qr, Qs	Qr, Qs	1340	µg/Kg	1	990	<9.80	135	74 - 125	23	20
1,1-Dichloroethane	Qr	Qr	1210	µg/Kg	1	990	<9.82	122	76 - 125	22	20
cis-1,2-Dichloroethene	Qr, Qs	Qr, Qs	1300	µg/Kg	1	990	<9.58	131	77 - 123	21	20
2,2-Dichloropropane	Qr	Qr	722	µg/Kg	1	990	<8.99	73	67 - 133	24	20
1,2-Dichloroethane (EDC)		1,2,3,4	1000	µg/Kg	1	990	<9.58	101	73 - 128	17	20
Chloroform		1,2,3,4	1200	µg/Kg	1	990	<9.68	121	78 - 123	20	20
1,1,1-Trichloroethane	Qr	Qr	1040	µg/Kg	1	990	<10.6	105	73 - 130	25	20
1,1-Dichloropropene	Qr, Qs	Qr, Qs	1250	µg/Kg	1	990	<9.74	126	76 - 125	20	20
Benzene	Qr, Qs	Qr, Qs	1280	µg/Kg	1	990	<10.3	129	77 - 121	22	20
Carbon Tetrachloride	Qr	Qr	839	µg/Kg	1	990	<8.88	85	80 - 120	31	20
1,2-Dichloropropane	Qs	Qs	1290	µg/Kg	1	990	<9.48	130	76 - 123	20	20
Trichloroethene (TCE)	Qr, Qs	Qr, Qs	2250	µg/Kg	1	990	<10.4	227	77 - 123	23	20
Dibromomethane (methylene bromide)	Qr	Qr	1090	µg/Kg	1	990	<9.65	110	78 - 125	20	20
Bromodichloromethane	Qr	Qr	988	µg/Kg	1	990	<9.23	100	75 - 127	26	20
2-Chloroethyl vinyl ether		1,2,3,4	1440	µg/Kg	1	990	<10.8	145	43 - 149	19	20
cis-1,3-Dichloropropene	Qr	Qr	1030	µg/Kg	1	990	<9.76	104	74 - 126	23	20
trans-1,3-Dichloropropene	Qr	Qr	948	µg/Kg	1	990	<9.24	96	71 - 130	22	20
Toluene	Qr, Qs	Qr, Qs	1330	µg/Kg	1	990	<9.74	134	77 - 121	22	20
1,1,2-Trichloroethane	Qr	Qr	1020	µg/Kg	1	990	<11.1	103	78 - 121	23	20
1,3-Dichloropropane	Qr	Qr	1020	µg/Kg	1	990	<10.4	103	77 - 121	20	20
Dibromochloromethane	Qr	Qr	784	µg/Kg	1	990	<9.66	79	74 - 126	26	20
1,2-Dibromoethane (EDB)	Qr	Qr	1060	µg/Kg	1	990	<10.8	107	78 - 122	22	20
Tetrachloroethene (PCE)	Qr, Qs	Qr, Qs	2180	µg/Kg	1	990	<6.38	220	73 - 128	22	20
Chlorobenzene	Qr, Qs	Qr, Qs	1270	µg/Kg	1	990	<10.5	128	79 - 120	24	20
1,1,1,2-Tetrachloroethane	Qr	Qr	979	µg/Kg	1	990	<10.2	99	78 - 125	24	20
Ethylbenzene	Qr	Qr	1180	µg/Kg	1	990	<10.8	119	76 - 122	21	20
m,p-Xylene	Qr	Qr	2370	µg/Kg	1	1980	<11.0	120	77 - 124	22	20
Bromoform	Qr, Qs	Qr, Qs	647	µg/Kg	1	990	<8.43	65	67 - 132	31	20
Styrene	Qr	Qr	1180	µg/Kg	1	990	<9.62	119	76 - 124	22	20
o-Xylene	Qr	Qr	1180	µg/Kg	1	990	<11.0	119	77 - 123	21	20
1,1,2,2-Tetrachloroethane	Qs	Qs	104	µg/Kg	1	990	<10.2	10	70 - 124	12	20
2-Chlorotoluene	Qr	Qr	1190	µg/Kg	1	990	<11.5	120	75 - 122	26	20
1,2,3-Trichloropropane	Qr	Qr	897	µg/Kg	1	990	<9.22	91	73 - 125	24	20
Isopropylbenzene	Qr	Qr	1220	µg/Kg	1	990	<10.2	123	68 - 134	27	20
Bromobenzene	Qr	Qr	1060	µg/Kg	1	990	<11.2	107	78 - 121	27	20
n-Propylbenzene	Qr, Qs	Qr, Qs	1240	µg/Kg	1	990	<10.6	125	73 - 125	27	20
1,3,5-Trimethylbenzene	Qr, Qs	Qr, Qs	1260	µg/Kg	1	990	<11.5	127	73 - 124	26	20

continued . . .

matrix spikes continued ...

Param				MSD		Dil.	Spike Amount	Matrix Result	Rec.	Rec.		RPD	Limit
	F	C		Result	Units					Limit	RPD		
tert-Butylbenzene	Qr, Qs	Qr, Qs	1,2,3,4	1320	µg/Kg	1	990	<10.3	133	73 - 125	28	20	
1,2,4-Trimethylbenzene	Qr, Qs	Qr, Qs	1,2,3,4	1290	µg/Kg	1	990	<11.0	130	75 - 123	27	20	
1,4-Dichlorobenzene (para)	Qr, Qs	Qr, Qs	1,2,3,4	1310	µg/Kg	1	990	<12.0	132	75 - 120	26	20	
sec-Butylbenzene	Qr, Qs	Qr, Qs	1,2,3,4	1370	µg/Kg	1	990	<11.3	138	73 - 126	28	20	
1,3-Dichlorobenzene (meta)	Qr, Qs	Qr, Qs	1,2,3,4	1330	µg/Kg	1	990	<11.6	134	77 - 121	27	20	
p-Isopropyltoluene	Qr, Qs	Qr, Qs	1,2,3	1410	µg/Kg	1	990	<11.1	142	73 - 127	27	20	
4-Chlorotoluene	Qr	Qr	1,2,3,4	1160	µg/Kg	1	990	<11.7	117	72 - 124	26	20	
1,2-Dichlorobenzene (ortho)	Qr, Qs	Qr, Qs	1,2,3,4	1230	µg/Kg	1	990	<12.0	124	78 - 121	26	20	
n-Butylbenzene	Qr, Qs	Qr, Qs	1,2,3,4	1420	µg/Kg	1	990	<11.0	143	70 - 128	29	20	
1,2-Dibromo-3-chloropropane	Qr	Qr	1,3,4	666	µg/Kg	1	990	<9.07	67	61 - 132	27	20	
1,2,3-Trichlorobenzene	Qr, Qs	Qr, Qs	1,2,3,4	1380	µg/Kg	1	990	<12.6	139	66 - 130	37	20	
1,2,4-Trichlorobenzene	Qr, Qs	Qr, Qs	1,2,3,4	1510	µg/Kg	1	990	<12.4	152	67 - 129	31	20	
Naphthalene	Qr	Qr	1,2,3,4	1150	µg/Kg	1	990	<10.7	116	62 - 129	34	20	
Hexachlorobutadiene	Qr, Qs	Qr, Qs	1,2,3,4	1560	µg/Kg	1	990	<17.2	158	31 - 135	33	20	

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate			MS	MSD	Units	Dil.	Spike Amount	MS	MSD	Rec. Limit
			Result	Result				Rec.	Rec.	
Dibromofluoromethane	4		805	906	µg/Kg	1	870	92	92	78 - 119
Toluene-d8			809	906	µg/Kg	1	870	93	92	85 - 116
4-Bromofluorobenzene (4-BFB)			811	879	µg/Kg	1	870	93	89	79 - 119

Matrix Spike (MS-1) Spiked Sample: 426318

QC Batch: 132150
Prep Batch: 111992

Date Analyzed: 2016-08-16
QC Preparation: 2016-08-15

Analyzed By: CF
Prepared By: RL

Param			MS	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
	F	C	Result						
Chloride		1	4100	mg/Kg	5	2500	1714	95	80 - 120

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param			MSD	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	Limit
	F	C	Result								
Chloride		1	4100	mg/Kg	5	2500	1714	95	80 - 120	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Calibration Standards

Standard (CCV-1)

QC Batch: 132102

Date Analyzed: 2016-08-12

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1,2,3	mg/Kg	1.00	1.04	104	80 - 120	2016-08-12

Standard (CCV-2)

QC Batch: 132102

Date Analyzed: 2016-08-12

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1,2,3	mg/Kg	1.00	0.795	80	80 - 120	2016-08-12

Standard (CCV-3)

QC Batch: 132102

Date Analyzed: 2016-08-12

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1,2,3	mg/Kg	1.00	1.02	102	80 - 120	2016-08-12

Standard (CCV-1)

QC Batch: 132108

Date Analyzed: 2016-08-15

Analyzed By: HJ

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		1,2,3	mg/Kg	250	234	94	80 - 120	2016-08-15

Standard (CCV-2)

QC Batch: 132108

Date Analyzed: 2016-08-15

Analyzed By: HJ

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		1,2,3	mg/Kg	250	250	100	80 - 120	2016-08-15

Standard (CCV-1)

QC Batch: 132145

Date Analyzed: 2016-08-15

Analyzed By: KB

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed	
Bromochloromethane		1,2,3,4	µg/Kg	50.0	52.6	105	80 - 120	2016-08-15	
Dichlorodifluoromethane	Qc	Qc	1,2,3,4	µg/Kg	50.0	31.5	63	80 - 120	2016-08-15
Chloromethane (methyl chloride)		1,2,3,4	µg/Kg	50.0	41.9	84	80 - 120	2016-08-15	
Vinyl Chloride		1,2,3,4	µg/Kg	50.0	42.8	86	80 - 120	2016-08-15	
Bromomethane (methyl bromide)		1,2,3,4	µg/Kg	50.0	46.4	93	80 - 120	2016-08-15	
Chloroethane		1,2,3,4	µg/Kg	50.0	46.2	92	80 - 120	2016-08-15	
Trichlorofluoromethane		1,2,3,4	µg/Kg	50.0	45.3	91	80 - 120	2016-08-15	
Acetone	Qc	Qc	1,2,3,4	µg/Kg	50.0	29.6	59	80 - 120	2016-08-15
Iodomethane (methyl iodide)		1,2,3,4	µg/Kg	50.0	49.7	99	80 - 120	2016-08-15	
Carbon Disulfide		1,2,3,4	µg/Kg	50.0	48.6	97	80 - 120	2016-08-15	
Acrylonitrile		1,2,3,4	µg/Kg	50.0	43.3	87	80 - 120	2016-08-15	
2-Butanone (MEK)	Qc	Qc	1,2,3,4	µg/Kg	50.0	38.5	77	80 - 120	2016-08-15
4-Methyl-2-pentanone (MIBK)		1,2,3,4	µg/Kg	50.0	45.6	91	80 - 120	2016-08-15	
2-Hexanone	Qc	Qc	1,2,3,4	µg/Kg	50.0	35.9	72	80 - 120	2016-08-15
trans 1,4-Dichloro-2-butene		1,2,3,4	µg/Kg	50.0	42.8	86	80 - 120	2016-08-15	
1,1-Dichloroethene		1,2,3,4	µg/Kg	50.0	50.5	101	80 - 120	2016-08-15	
Methylene chloride		1,2,3,4	µg/Kg	50.0	47.8	96	80 - 120	2016-08-15	
MTBE		1,2,3,4	µg/Kg	50.0	47.8	96	80 - 120	2016-08-15	
trans-1,2-Dichloroethene		1,2,3,4	µg/Kg	50.0	51.7	103	80 - 120	2016-08-15	
1,1-Dichloroethane		1,2,3,4	µg/Kg	50.0	48.2	96	80 - 120	2016-08-15	
cis-1,2-Dichloroethene		1,2,3,4	µg/Kg	50.0	50.6	101	80 - 120	2016-08-15	
2,2-Dichloropropane		1,2,3,4	µg/Kg	50.0	46.9	94	80 - 120	2016-08-15	
1,2-Dichloroethane (EDC)		1,2,3,4	µg/Kg	50.0	45.5	91	80 - 120	2016-08-15	
Chloroform		1,2,3,4	µg/Kg	50.0	50.2	100	80 - 120	2016-08-15	
1,1,1-Trichloroethane		1,2,3,4	µg/Kg	50.0	50.5	101	80 - 120	2016-08-15	
1,1-Dichloropropene		1,2,3,4	µg/Kg	50.0	49.7	99	80 - 120	2016-08-15	
Benzene		1,2,3,4	µg/Kg	50.0	49.9	100	80 - 120	2016-08-15	
Carbon Tetrachloride		1,2,3,4	µg/Kg	50.0	48.3	97	80 - 120	2016-08-15	
1,2-Dichloropropane		1,2,3,4	µg/Kg	50.0	50.4	101	80 - 120	2016-08-15	

continued . . .

standard continued ...

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Trichloroethene (TCE)		1,2,3,4	µg/Kg	50.0	51.2	102	80 - 120	2016-08-15
Dibromomethane (methylene bromide)		1,2,3,4	µg/Kg	50.0	47.3	95	80 - 120	2016-08-15
Bromodichloromethane		1,2,3,4	µg/Kg	50.0	49.6	99	80 - 120	2016-08-15
2-Chloroethyl vinyl ether		1,2,3,4	µg/Kg	50.0	45.6	91	80 - 120	2016-08-15
cis-1,3-Dichloropropene		1,2,3,4	µg/Kg	50.0	45.1	90	80 - 120	2016-08-15
trans-1,3-Dichloropropene		1,2,3,4	µg/Kg	50.0	43.9	88	80 - 120	2016-08-15
Toluene		1,2,3,4	µg/Kg	50.0	51.4	103	80 - 120	2016-08-15
1,1,2-Trichloroethane		1,2,3,4	µg/Kg	50.0	44.3	89	80 - 120	2016-08-15
1,3-Dichloropropane		1,2,3,4	µg/Kg	50.0	44.4	89	80 - 120	2016-08-15
Dibromochloromethane		1,3,4	µg/Kg	50.0	45.4	91	80 - 120	2016-08-15
1,2-Dibromoethane (EDB)		1,2,3,4	µg/Kg	50.0	44.9	90	80 - 120	2016-08-15
Tetrachloroethene (PCE)		1,2,3,4	µg/Kg	50.0	44.4	89	80 - 120	2016-08-15
Chlorobenzene		1,2,3,4	µg/Kg	50.0	49.3	99	80 - 120	2016-08-15
1,1,1,2-Tetrachloroethane		1,2,3,4	µg/Kg	50.0	47.3	95	80 - 120	2016-08-15
Ethylbenzene		1,2,3,4	µg/Kg	50.0	47.6	95	80 - 120	2016-08-15
m,p-Xylene		1,2,3,4	µg/Kg	100	96.5	96	80 - 120	2016-08-15
Bromoform		1,2,3,4	µg/Kg	50.0	45.8	92	80 - 120	2016-08-15
Styrene		1,2,3,4	µg/Kg	50.0	46.8	94	80 - 120	2016-08-15
o-Xylene		1,2,3,4	µg/Kg	50.0	48.8	98	80 - 120	2016-08-15
1,1,2,2-Tetrachloroethane		1,2,3,4	µg/Kg	50.0	42.4	85	80 - 120	2016-08-15
2-Chlorotoluene		1,2,3,4	µg/Kg	50.0	47.1	94	80 - 120	2016-08-15
1,2,3-Trichloropropane		1,2,3,4	µg/Kg	50.0	41.4	83	80 - 120	2016-08-15
Isopropylbenzene		1,2,3,4	µg/Kg	50.0	46.8	94	80 - 120	2016-08-15
Bromobenzene		1,2,3,4	µg/Kg	50.0	44.6	89	80 - 120	2016-08-15
n-Propylbenzene		1,2,3,4	µg/Kg	50.0	46.7	93	80 - 120	2016-08-15
1,3,5-Trimethylbenzene		1,2,3,4	µg/Kg	50.0	48.1	96	80 - 120	2016-08-15
tert-Butylbenzene		1,2,3,4	µg/Kg	50.0	48.0	96	80 - 120	2016-08-15
1,2,4-Trimethylbenzene		1,2,3,4	µg/Kg	50.0	47.8	96	80 - 120	2016-08-15
1,4-Dichlorobenzene (para)		1,2,3,4	µg/Kg	50.0	49.9	100	80 - 120	2016-08-15
sec-Butylbenzene		1,2,3,4	µg/Kg	50.0	48.1	96	80 - 120	2016-08-15
1,3-Dichlorobenzene (meta)		1,2,3,4	µg/Kg	50.0	49.1	98	80 - 120	2016-08-15
p-Isopropyltoluene		1,2,3	µg/Kg	50.0	48.1	96	80 - 120	2016-08-15
4-Chlorotoluene		1,2,3,4	µg/Kg	50.0	45.5	91	80 - 120	2016-08-15
1,2-Dichlorobenzene (ortho)		1,2,3,4	µg/Kg	50.0	49.1	98	80 - 120	2016-08-15
n-Butylbenzene		1,2,3,4	µg/Kg	50.0	47.4	95	80 - 120	2016-08-15
1,2-Dibromo-3-chloropropane		1,3,4	µg/Kg	50.0	41.1	82	80 - 120	2016-08-15
1,2,3-Trichlorobenzene		1,2,3,4	µg/Kg	50.0	53.2	106	80 - 120	2016-08-15
1,2,4-Trichlorobenzene		1,2,3,4	µg/Kg	50.0	53.8	108	80 - 120	2016-08-15
Naphthalene		1,2,3,4	µg/Kg	50.0	51.2	102	80 - 120	2016-08-15
Hexachlorobutadiene		1,2,3,4	µg/Kg	50.0	50.5	101	80 - 120	2016-08-15

Report Date: August 18, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 33 of 35
Lea County, NM

Standard (ICV-1)

QC Batch: 132150

Date Analyzed: 2016-08-16

Analyzed By: CF

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		1	mg/Kg	100	100	100	85 - 115	2016-08-16

Standard (CCV-1)

QC Batch: 132150

Date Analyzed: 2016-08-16

Analyzed By: CF

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		1	mg/Kg	100	100	100	85 - 115	2016-08-16

Appendix

Report Definitions

Name	Definition
MDL	Method Detection Limit
MQL	Minimum Quantitation Limit
SDL	Sample Detection Limit

Laboratory Certifications

C	Certifying Authority	Certification Number	Laboratory Location
-	NCTRCA	WFWB384444Y0909	TraceAnalysis
-	DBE	VN 20657	TraceAnalysis
-	HUB	1752439743100-86536	TraceAnalysis
-	WBE	237019	TraceAnalysis
1	L-A-B	L2418	Lubbock
2	Kansas	Kansas E-10317	Lubbock
3	NELAP	T104704219-16-12	Lubbock
4		2015-066	Lubbock

Standard Flags

F	Description
B	Analyte detected in the corresponding method blank above the method detection limit
H	Analyzed out of hold time
J	Estimated concentration
Jb	The analyte is positively identified and the value is approximated between the SDL and MQL. Sample contains less than ten times the concentration found in the method blank. The result should be considered non-detect to the SDL.
Je	Estimated concentration exceeding calibration range.
MI1	Split peak or shoulder peak
MI2	Instrument software did not integrate
MI3	Instrument software misidentified the peak
MI4	Instrument software integrated improperly
MI5	Baseline correction
Qc	Calibration check outside of laboratory limits.
Qr	RPD outside of laboratory limits
Qs	Spike recovery outside of laboratory limits.
Qsr	Surrogate recovery outside of laboratory limits.
U	The analyte is not detected above the SDL

Attachments

The scanned attachments will follow this page.
Please note, each attachment may consist of more than one page.

Brandon & Clark
3403 Industrial Blvd.
Hobbs, NM 88240
Tel (575) 392-7561
Fax (575) 392-4508

Tel (912) 242-1150

ANALYSIS REQUEST

Q

9/0

[illegible]

29	LAB USE ONLY
	Initialed <u>Y</u> <u>N</u> Headspace <u>Y</u> <u>N</u> Log-in-Review <u>Y</u> <u>N</u>

710042

ORIGINAL COPY

Summary Report

Mary Martino
Kinder Morgan-Colorado Springs
2 North Nevada Avenue
Colorado Springs, CO 80903

Report Date: August 18, 2016

Work Order: 16081207



Project Location: Lea County, NM
Project Name: EPNG Line 3031 Spike Test
Project Number: AFE 403828

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
426311	Rupture #7 Background	soil	2016-08-09	10:00	2016-08-11
426312	Rupture #7 Contaminated	soil	2016-08-09	10:00	2016-08-11
426314	Rupture #8 Background	soil	2016-08-11	09:30	2016-08-11
426315	Rupture #8 Contaminated	soil	2016-08-11	09:30	2016-08-11

Sample - Field Code	TPH DRO DRO (mg/Kg)	TPH GRO GRO (mg/Kg)
426311 - Rupture #7 Background	<50.0	<4.00
426312 - Rupture #7 Contaminated	<50.0	<4.00
426314 - Rupture #8 Background	<50.0	<4.00
426315 - Rupture #8 Contaminated	<50.0	<4.00

Sample: 426311 - Rupture #7 Background

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	50
Bromochloromethane	Q _r	<20.0	μg/Kg	20
Dichlorodifluoromethane	Q _c	<20.0	μg/Kg	20
Chloromethane (methyl chloride)		<20.0	μg/Kg	20
Vinyl Chloride	Q _r	<20.0	μg/Kg	20
Bromomethane (methyl bromide)		<100	μg/Kg	100
Chloroethane		<20.0	μg/Kg	20
Trichlorofluoromethane		<20.0	μg/Kg	20
Acetone	Q _c	<200	μg/Kg	200
Iodomethane (methyl iodide)	Q _r	<100	μg/Kg	100
Carbon Disulfide	Q _r	<20.0	μg/Kg	20

continued ...

sample 426311 continued ...

Param	Flag	Result	Units	RL
Acrylonitrile	Q _r	<20.0	µg/Kg	20
2-Butanone (MEK)	Q _c , Q _r	<100	µg/Kg	100
4-Methyl-2-pentanone (MIBK)		<100	µg/Kg	100
2-Hexanone	Q _c	<100	µg/Kg	100
trans 1,4-Dichloro-2-butene		<200	µg/Kg	200
1,1-Dichloroethene	Q _r	<20.0	µg/Kg	20
Methylene chloride	B, Q _r	<100	µg/Kg	100
MTBE		<20.0	µg/Kg	20
trans-1,2-Dichloroethene	Q _r	<20.0	µg/Kg	20
1,1-Dichloroethane	Q _r	<20.0	µg/Kg	20
cis-1,2-Dichloroethene	Q _r	<20.0	µg/Kg	20
2,2-Dichloropropane	Q _r	<20.0	µg/Kg	20
1,2-Dichloroethane (EDC)		<20.0	µg/Kg	20
Chloroform		<20.0	µg/Kg	20
1,1,1-Trichloroethane	Q _r	<20.0	µg/Kg	20
1,1-Dichloropropene	Q _r	<20.0	µg/Kg	20
Benzene	Q _r	<20.0	µg/Kg	20
Carbon Tetrachloride	Q _r	<20.0	µg/Kg	20
1,2-Dichloropropane		<20.0	µg/Kg	20
Trichloroethene (TCE)	Q _r	<20.0	µg/Kg	20
Dibromomethane (methylene bromide)	Q _r	<20.0	µg/Kg	20
Bromodichloromethane	Q _r	<20.0	µg/Kg	20
2-Chloroethyl vinyl ether		<20.0	µg/Kg	20
cis-1,3-Dichloropropene	Q _r	<20.0	µg/Kg	20
trans-1,3-Dichloropropene	Q _r	<20.0	µg/Kg	20
Toluene	Q _r	<20.0	µg/Kg	20
1,1,2-Trichloroethane	Q _r	<20.0	µg/Kg	20
1,3-Dichloropropane	Q _r	<20.0	µg/Kg	20
Dibromochloromethane	Q _r	<20.0	µg/Kg	20
1,2-Dibromoethane (EDB)	Q _r	<20.0	µg/Kg	20
Tetrachloroethene (PCE)	Q _r	<20.0	µg/Kg	20
Chlorobenzene	Q _r	<20.0	µg/Kg	20
1,1,1,2-Tetrachloroethane	Q _r	<20.0	µg/Kg	20
Ethylbenzene	Q _r	<20.0	µg/Kg	20
m,p-Xylene	Q _r	<20.0	µg/Kg	20
Bromoform	Q _r	<20.0	µg/Kg	20
Styrene	Q _r	<20.0	µg/Kg	20
o-Xylene	Q _r	<20.0	µg/Kg	20
1,1,2,2-Tetrachloroethane		<20.0	µg/Kg	20
2-Chlorotoluene	Q _r	<20.0	µg/Kg	20
1,2,3-Trichloropropane	Q _r	<20.0	µg/Kg	20
Isopropylbenzene	Q _r	<20.0	µg/Kg	20
Bromobenzene	Q _r	<20.0	µg/Kg	20
n-Propylbenzene	Q _r	<20.0	µg/Kg	20
1,3,5-Trimethylbenzene	Q _r	<20.0	µg/Kg	20
tert-Butylbenzene	Q _r	<20.0	µg/Kg	20
1,2,4-Trimethylbenzene	Q _r	<20.0	µg/Kg	20

continued ...

sample 426311 continued ...

Param	Flag	Result	Units	RL
1,4-Dichlorobenzene (para)	Q _r	<20.0	µg/Kg	20
sec-Butylbenzene	Q _r	<20.0	µg/Kg	20
1,3-Dichlorobenzene (meta)	Q _r	<20.0	µg/Kg	20
p-Isopropyltoluene	Q _r	<20.0	µg/Kg	20
4-Chlorotoluene	Q _r	<20.0	µg/Kg	20
1,2-Dichlorobenzene (ortho)	Q _r	<20.0	µg/Kg	20
n-Butylbenzene	Q _r	<20.0	µg/Kg	20
1,2-Dibromo-3-chloropropane	Q _r	<100	µg/Kg	100
1,2,3-Trichlorobenzene	Q _r	<100	µg/Kg	100
1,2,4-Trichlorobenzene	Q _r	<100	µg/Kg	100
Naphthalene	Q _r	<100	µg/Kg	100
Hexachlorobutadiene	Q _r	<100	µg/Kg	100

Sample: 426312 - Rupture #7 Contaminated

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	50
Bromochloromethane	Q _r	<20.0	µg/Kg	20
Dichlorodifluoromethane	Q _c	<20.0	µg/Kg	20
Chloromethane (methyl chloride)		<20.0	µg/Kg	20
Vinyl Chloride	Q _r	<20.0	µg/Kg	20
Bromomethane (methyl bromide)		<100	µg/Kg	100
Chloroethane		<20.0	µg/Kg	20
Trichlorofluoromethane		<20.0	µg/Kg	20
Acetone	Q _c	<200	µg/Kg	200
Iodomethane (methyl iodide)	Q _r	<100	µg/Kg	100
Carbon Disulfide	Q _r	<20.0	µg/Kg	20
Acrylonitrile	Q _r	<20.0	µg/Kg	20
2-Butanone (MEK)	Q _c , Q _r	<100	µg/Kg	100
4-Methyl-2-pentanone (MIBK)		<100	µg/Kg	100
2-Hexanone	Q _c	<100	µg/Kg	100
trans 1,4-Dichloro-2-butene		<200	µg/Kg	200
1,1-Dichloroethene	Q _r	<20.0	µg/Kg	20
Methylene chloride	B, Q _r	<100	µg/Kg	100
MTBE		<20.0	µg/Kg	20
trans-1,2-Dichloroethene	Q _r	<20.0	µg/Kg	20
1,1-Dichloroethane	Q _r	<20.0	µg/Kg	20
cis-1,2-Dichloroethene	Q _r	<20.0	µg/Kg	20
2,2-Dichloropropane	Q _r	<20.0	µg/Kg	20
1,2-Dichloroethane (EDC)		<20.0	µg/Kg	20
Chloroform		<20.0	µg/Kg	20
1,1,1-Trichloroethane	Q _r	<20.0	µg/Kg	20
1,1-Dichloropropene	Q _r	<20.0	µg/Kg	20
Benzene	Q _r	<20.0	µg/Kg	20
Carbon Tetrachloride	Q _r	<20.0	µg/Kg	20
1,2-Dichloropropane		<20.0	µg/Kg	20

continued ...

sample 426312 continued ...

Param	Flag	Result	Units	RL
Trichloroethene (TCE)	Qr	<20.0	µg/Kg	20
Dibromomethane (methylene bromide)	Qr	<20.0	µg/Kg	20
Bromodichloromethane	Qr	<20.0	µg/Kg	20
2-Chloroethyl vinyl ether		<20.0	µg/Kg	20
cis-1,3-Dichloropropene	Qr	<20.0	µg/Kg	20
trans-1,3-Dichloropropene	Qr	<20.0	µg/Kg	20
Toluene	Qr	<20.0	µg/Kg	20
1,1,2-Trichloroethane	Qr	<20.0	µg/Kg	20
1,3-Dichloropropane	Qr	<20.0	µg/Kg	20
Dibromochloromethane	Qr	<20.0	µg/Kg	20
1,2-Dibromoethane (EDB)	Qr	<20.0	µg/Kg	20
Tetrachloroethene (PCE)	Qr	<20.0	µg/Kg	20
Chlorobenzene	Qr	<20.0	µg/Kg	20
1,1,1,2-Tetrachloroethane	Qr	<20.0	µg/Kg	20
Ethylbenzene	Qr	<20.0	µg/Kg	20
m,p-Xylene	Qr	<20.0	µg/Kg	20
Bromoform	Qr	<20.0	µg/Kg	20
Styrene	Qr	<20.0	µg/Kg	20
o-Xylene	Qr	<20.0	µg/Kg	20
1,1,2,2-Tetrachloroethane		<20.0	µg/Kg	20
2-Chlorotoluene	Qr	<20.0	µg/Kg	20
1,2,3-Trichloropropane	Qr	<20.0	µg/Kg	20
Isopropylbenzene	Qr	<20.0	µg/Kg	20
Bromobenzene	Qr	<20.0	µg/Kg	20
n-Propylbenzene	Qr	<20.0	µg/Kg	20
1,3,5-Trimethylbenzene	Qr	<20.0	µg/Kg	20
tert-Butylbenzene	Qr	<20.0	µg/Kg	20
1,2,4-Trimethylbenzene	Qr	<20.0	µg/Kg	20
1,4-Dichlorobenzene (para)	Qr	<20.0	µg/Kg	20
sec-Butylbenzene	Qr	<20.0	µg/Kg	20
1,3-Dichlorobenzene (meta)	Qr	<20.0	µg/Kg	20
p-Isopropyltoluene	Qr	<20.0	µg/Kg	20
4-Chlorotoluene	Qr	<20.0	µg/Kg	20
1,2-Dichlorobenzene (ortho)	Qr	<20.0	µg/Kg	20
n-Butylbenzene	Qr	<20.0	µg/Kg	20
1,2-Dibromo-3-chloropropane	Qr	<100	µg/Kg	100
1,2,3-Trichlorobenzene	Qr	<100	µg/Kg	100
1,2,4-Trichlorobenzene	Qr	<100	µg/Kg	100
Naphthalene	Qr	<100	µg/Kg	100
Hexachlorobutadiene	Qr	<100	µg/Kg	100

Sample: 426314 - Rupture #8 Background

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	50
Bromochloromethane	Qr	<20.0	µg/Kg	20

continued ...

sample 426314 continued ...

Param	Flag	Result	Units	RL
Dichlorodifluoromethane	Qc	<20.0	µg/Kg	20
Chloromethane (methyl chloride)		<20.0	µg/Kg	20
Vinyl Chloride	Qr	<20.0	µg/Kg	20
Bromomethane (methyl bromide)		<100	µg/Kg	100
Chloroethane		<20.0	µg/Kg	20
Trichlorofluoromethane		<20.0	µg/Kg	20
Acetone	Qc	<200	µg/Kg	200
Iodomethane (methyl iodide)	Qr	<100	µg/Kg	100
Carbon Disulfide	Qr	<20.0	µg/Kg	20
Acrylonitrile	Qr	<20.0	µg/Kg	20
2-Butanone (MEK)	Qc, Qr	<100	µg/Kg	100
4-Methyl-2-pentanone (MIBK)		<100	µg/Kg	100
2-Hexanone	Qc	<100	µg/Kg	100
trans 1,4-Dichloro-2-butene		<200	µg/Kg	200
1,1-Dichloroethene	Qr	<20.0	µg/Kg	20
Methylene chloride	B, Qr	<100	µg/Kg	100
MTBE		<20.0	µg/Kg	20
trans-1,2-Dichloroethene	Qr	<20.0	µg/Kg	20
1,1-Dichloroethane	Qr	<20.0	µg/Kg	20
cis-1,2-Dichloroethene	Qr	<20.0	µg/Kg	20
2,2-Dichloropropane	Qr	<20.0	µg/Kg	20
1,2-Dichloroethane (EDC)		<20.0	µg/Kg	20
Chloroform		<20.0	µg/Kg	20
1,1,1-Trichloroethane	Qr	<20.0	µg/Kg	20
1,1-Dichloropropene	Qr	<20.0	µg/Kg	20
Benzene	Qr	<20.0	µg/Kg	20
Carbon Tetrachloride	Qr	<20.0	µg/Kg	20
1,2-Dichloropropane		<20.0	µg/Kg	20
Trichloroethene (TCE)	Qr	<20.0	µg/Kg	20
Dibromomethane (methylene bromide)	Qr	<20.0	µg/Kg	20
Bromodichloromethane	Qr	<20.0	µg/Kg	20
2-Chloroethyl vinyl ether		<20.0	µg/Kg	20
cis-1,3-Dichloropropene	Qr	<20.0	µg/Kg	20
trans-1,3-Dichloropropene	Qr	<20.0	µg/Kg	20
Toluene	Qr	<20.0	µg/Kg	20
1,1,2-Trichloroethane	Qr	<20.0	µg/Kg	20
1,3-Dichloropropane	Qr	<20.0	µg/Kg	20
Dibromochloromethane	Qr	<20.0	µg/Kg	20
1,2-Dibromoethane (EDB)	Qr	<20.0	µg/Kg	20
Tetrachloroethene (PCE)	Qr	<20.0	µg/Kg	20
Chlorobenzene	Qr	<20.0	µg/Kg	20
1,1,1,2-Tetrachloroethane	Qr	<20.0	µg/Kg	20
Ethylbenzene	Qr	<20.0	µg/Kg	20
m,p-Xylene	Qr	<20.0	µg/Kg	20
Bromoform	Qr	<20.0	µg/Kg	20
Styrene	Qr	<20.0	µg/Kg	20
o-Xylene	Qr	<20.0	µg/Kg	20

continued ...

sample 426314 continued ...

Param	Flag	Result	Units	RL
1,1,2,2-Tetrachloroethane		<20.0	µg/Kg	20
2-Chlorotoluene	Qr	<20.0	µg/Kg	20
1,2,3-Trichloropropane	Qr	<20.0	µg/Kg	20
Isopropylbenzene	Qr	<20.0	µg/Kg	20
Bromobenzene	Qr	<20.0	µg/Kg	20
n-Propylbenzene	Qr	<20.0	µg/Kg	20
1,3,5-Trimethylbenzene	Qr	<20.0	µg/Kg	20
tert-Butylbenzene	Qr	<20.0	µg/Kg	20
1,2,4-Trimethylbenzene	Qr	<20.0	µg/Kg	20
1,4-Dichlorobenzene (para)	Qr	<20.0	µg/Kg	20
sec-Butylbenzene	Qr	<20.0	µg/Kg	20
1,3-Dichlorobenzene (meta)	Qr	<20.0	µg/Kg	20
p-Isopropyltoluene	Qr	<20.0	µg/Kg	20
4-Chlorotoluene	Qr	<20.0	µg/Kg	20
1,2-Dichlorobenzene (ortho)	Qr	<20.0	µg/Kg	20
n-Butylbenzene	Qr	<20.0	µg/Kg	20
1,2-Dibromo-3-chloropropane	Qr	<100	µg/Kg	100
1,2,3-Trichlorobenzene	Qr	<100	µg/Kg	100
1,2,4-Trichlorobenzene	Qr	<100	µg/Kg	100
Naphthalene	Qr	<100	µg/Kg	100
Hexachlorobutadiene	Qr	<100	µg/Kg	100

Sample: 426315 - Rupture #8 Contaminated

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	50
Bromochloromethane	Qr	<20.0	µg/Kg	20
Dichlorodifluoromethane	Qc	<20.0	µg/Kg	20
Chloromethane (methyl chloride)		<20.0	µg/Kg	20
Vinyl Chloride	Qr	<20.0	µg/Kg	20
Bromomethane (methyl bromide)		<100	µg/Kg	100
Chloroethane		<20.0	µg/Kg	20
Trichlorofluoromethane		<20.0	µg/Kg	20
Acetone	Qc	<200	µg/Kg	200
Iodomethane (methyl iodide)	Qr	<100	µg/Kg	100
Carbon Disulfide	Qr	<20.0	µg/Kg	20
Acrylonitrile	Qr	<20.0	µg/Kg	20
2-Butanone (MEK)	Qc, Qr	<100	µg/Kg	100
4-Methyl-2-pentanone (MIBK)		<100	µg/Kg	100
2-Hexanone	Qc	<100	µg/Kg	100
trans 1,4-Dichloro-2-butene		<200	µg/Kg	200
1,1-Dichloroethene	Qr	<20.0	µg/Kg	20
Methylene chloride	B, Qr	<100	µg/Kg	100
MTBE		<20.0	µg/Kg	20
trans-1,2-Dichloroethene	Qr	<20.0	µg/Kg	20
1,1-Dichloroethane	Qr	<20.0	µg/Kg	20

continued ...


sample 426315 continued ...

Param	Flag	Result	Units	RL
cis-1,2-Dichloroethene	Qr	<20.0	µg/Kg	20
2,2-Dichloropropane	Qr	<20.0	µg/Kg	20
1,2-Dichloroethane (EDC)		<20.0	µg/Kg	20
Chloroform		<20.0	µg/Kg	20
1,1,1-Trichloroethane	Qr	<20.0	µg/Kg	20
1,1-Dichloropropene	Qr	<20.0	µg/Kg	20
Benzene	Qr	<20.0	µg/Kg	20
Carbon Tetrachloride	Qr	<20.0	µg/Kg	20
1,2-Dichloropropane		<20.0	µg/Kg	20
Trichloroethene (TCE)	Qr	<20.0	µg/Kg	20
Dibromomethane (methylene bromide)	Qr	<20.0	µg/Kg	20
Bromodichloromethane	Qr	<20.0	µg/Kg	20
2-Chloroethyl vinyl ether		<20.0	µg/Kg	20
cis-1,3-Dichloropropene	Qr	<20.0	µg/Kg	20
trans-1,3-Dichloropropene	Qr	<20.0	µg/Kg	20
Toluene	Qr	<20.0	µg/Kg	20
1,1,2-Trichloroethane	Qr	<20.0	µg/Kg	20
1,3-Dichloropropane	Qr	<20.0	µg/Kg	20
Dibromochloromethane	Qr	<20.0	µg/Kg	20
1,2-Dibromoethane (EDB)	Qr	<20.0	µg/Kg	20
Tetrachloroethene (PCE)	Qr	<20.0	µg/Kg	20
Chlorobenzene	Qr	<20.0	µg/Kg	20
1,1,1,2-Tetrachloroethane	Qr	<20.0	µg/Kg	20
Ethylbenzene	Qr	<20.0	µg/Kg	20
m,p-Xylene	Qr	<20.0	µg/Kg	20
Bromoform	Qr	<20.0	µg/Kg	20
Styrene	Qr	<20.0	µg/Kg	20
o-Xylene	Qr	<20.0	µg/Kg	20
1,1,2,2-Tetrachloroethane		<20.0	µg/Kg	20
2-Chlorotoluene	Qr	<20.0	µg/Kg	20
1,2,3-Trichloropropane	Qr	<20.0	µg/Kg	20
Isopropylbenzene	Qr	<20.0	µg/Kg	20
Bromobenzene	Qr	<20.0	µg/Kg	20
n-Propylbenzene	Qr	<20.0	µg/Kg	20
1,3,5-Trimethylbenzene	Qr	<20.0	µg/Kg	20
tert-Butylbenzene	Qr	<20.0	µg/Kg	20
1,2,4-Trimethylbenzene	Qr	<20.0	µg/Kg	20
1,4-Dichlorobenzene (para)	Qr	<20.0	µg/Kg	20
sec-Butylbenzene	Qr	<20.0	µg/Kg	20
1,3-Dichlorobenzene (meta)	Qr	<20.0	µg/Kg	20
p-Isopropyltoluene	Qr	<20.0	µg/Kg	20
4-Chlorotoluene	Qr	<20.0	µg/Kg	20
1,2-Dichlorobenzene (ortho)	Qr	<20.0	µg/Kg	20
n-Butylbenzene	Qr	<20.0	µg/Kg	20
1,2-Dibromo-3-chloropropane	Qr	<100	µg/Kg	100
1,2,3-Trichlorobenzene	Qr	<100	µg/Kg	100
1,2,4-Trichlorobenzene	Qr	<100	µg/Kg	100

continued ...

sample 426315 continued ...

Param	Flag	Result	Units	RL
Naphthalene	Q _r	<100	μg/Kg	100
Hexachlorobutadiene	Q _r	<100	μg/Kg	100



Certifications

WBE HUB NCTRCA DBE NELAP DoD LELAP Kansas Oklahoma ISO 17025

Analytical and Quality Control Report

Mary Martino
Kinder Morgan-Colorado Springs
2 North Nevada Avenue
Colorado Springs, CO, 80903

Report Date: August 17, 2016

Work Order: 16081207



Project Location: Lea County, NM
Project Name: EPNG Line 3031 Spike Test
Project Number: AFE 403828


Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
426313	Rupture #7 Release	water	2016-08-09	10:00	2016-08-11
426316	Rupture #8 Release	water	2016-08-11	09:30	2016-08-11

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

TraceAnalysis, Inc. uses the attached chain of custody (COC) as the laboratory check-in documentation which includes sample receipt, temperature, sample preservation method and condition, collection date and time, testing requested, company, sampler, contacts and any special remarks.

This report consists of a total of 34 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

A handwritten signature in black ink, reading "Blair Leftwich". The signature is written in a cursive style with a prominent horizontal stroke at the end.

Dr. Blair Leftwich, Director
James Taylor, Assistant Director
Johnny Grindstaff, Operations Manager

Report Contents

Case Narrative	4
Analytical Report	5
Sample 426313 (Rupture #7 Release)	5
Sample 426316 (Rupture #8 Release)	8
Method Blanks	11
QC Batch 132100 - Method Blank (1)	11
QC Batch 132122 - Method Blank (1)	11
QC Batch 132123 - Method Blank (1)	11
QC Batch 132127 - Method Blank (1)	11
QC Batch 132144 - Method Blank (1)	12
Laboratory Control Spikes	15
QC Batch 132100 - LCS (1)	15
QC Batch 132122 - LCS (1)	15
QC Batch 132123 - LCS (1)	15
QC Batch 132127 - LCS (1)	16
QC Batch 132144 - LCS (1)	16
Matrix Spikes	21
QC Batch 132100 - MS (1)	21
QC Batch 132122 - MS (1)	21
QC Batch 132123 - MS (1)	21
QC Batch 132127 - MS (1)	22
QC Batch 132144 - MS (1)	22
Calibration Standards	27
QC Batch 132100 - CCV (1)	27
QC Batch 132100 - CCV (2)	27
QC Batch 132122 - CCV (1)	27
QC Batch 132122 - CCV (2)	27
QC Batch 132123 - CCV (1)	27
QC Batch 132123 - CCV (2)	28
QC Batch 132127 - CCV (1)	28
QC Batch 132127 - CCV (2)	28
QC Batch 132144 - CCV (1)	28
QC Batch 132144 - CCV (2)	30
Appendix	33
Report Definitions	33
Laboratory Certifications	33
Standard Flags	33
Attachments	33

Case Narrative

Samples for project EPNG Line 3031 Spike Test were received by TraceAnalysis, Inc. on 2016-08-11 and assigned to work order 16081207. Samples for work order 16081207 were received intact at a temperature of 29.0 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
Chloride (IC)	E 300.0	111971	2016-08-15 at 09:00	132122	2016-08-15 at 09:36
Chloride (IC)	E 300.0	111972	2016-08-15 at 09:00	132123	2016-08-15 at 09:36
TPH DRO	S 8015 D	111970	2016-08-15 at 13:00	132127	2016-08-16 at 09:03
TPH GRO	S 8015 D	111947	2016-08-12 at 16:15	132100	2016-08-12 at 16:15
Volatiles	S 8260 C	111988	2016-08-15 at 12:00	132144	2016-08-15 at 12:00

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 16081207 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Analytical Report

Sample: 426313 - Rupture #7 Release

Laboratory: Lubbock
Analysis: Chloride (IC) Analytical Method: E 300.0 Prep Method: N/A
QC Batch: 132122 Date Analyzed: 2016-08-15 Analyzed By: RL
Prep Batch: 111971 Sample Preparation: 2016-08-15 Prepared By: RL

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride		1,2,3,4	82.1	mg/L	5	2.50

Sample: 426313 - Rupture #7 Release

Laboratory: Lubbock
Analysis: TPH DRO Analytical Method: S 8015 D Prep Method: N/A
QC Batch: 132127 Date Analyzed: 2016-08-16 Analyzed By: HJ
Prep Batch: 111970 Sample Preparation: 2016-08-15 Prepared By: HJ

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO		1,2,3	<5.00	mg/L	1	5.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			3.08	mg/L	1	2.50	123	70 - 130

Sample: 426313 - Rupture #7 Release

Laboratory: Lubbock
Analysis: TPH GRO Analytical Method: S 8015 D Prep Method: S 5030B
QC Batch: 132100 Date Analyzed: 2016-08-12 Analyzed By: MT
Prep Batch: 111947 Sample Preparation: 2016-08-12 Prepared By: MT

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO		1,2,3	6.36	mg/L	10	0.200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.23	mg/L	10	1.00	123	72.8 - 136

continued ...

Report Date: August 17, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 6 of 34
Lea County, NM

sample continued ...

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
4-Bromofluorobenzene (4-BFB)	Q _{sr}	Q _{sr}	1.37	mg/L	10	1.00	137	73.3 - 120

Sample: 426313 - Rupture #7 Release

Laboratory: Lubbock
Analysis: Volatiles
QC Batch: 132144
Prep Batch: 111988

Analytical Method: S 8260 C
Date Analyzed: 2016-08-15
Sample Preparation: 2016-08-15

Prep Method: S 5030B
Analyzed By: KB
Prepared By: KB

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Bromochloromethane	U	1,2,3,4	<5.00	µg/L	5	1.00
Dichlorodifluoromethane	Qc, Qr, U	1,2,3,4	<5.00	µg/L	5	1.00
Chloromethane (methyl chloride)	U	1,2,3,4	<5.00	µg/L	5	1.00
Vinyl Chloride	U	1,2,3,4	<5.00	µg/L	5	1.00
Bromomethane (methyl bromide)	U	1,2,3,4	<25.0	µg/L	5	5.00
Chloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
Trichlorofluoromethane	U	1,2,3,4	<5.00	µg/L	5	1.00
Acetone	Qc, U	1,2,3,4	<50.0	µg/L	5	10.0
Iodomethane (methyl iodide)	U	1,2,3,4	<25.0	µg/L	5	5.00
Carbon Disulfide		1,2,3,4	18.4	µg/L	5	1.00
Acrylonitrile	U	1,2,3,4	<5.00	µg/L	5	1.00
2-Butanone (MEK)	Qc, Qr, U	1,2,3,4	<25.0	µg/L	5	5.00
4-Methyl-2-pentanone (MIBK)	U	1,2,3,4	<25.0	µg/L	5	5.00
2-Hexanone	Qc, U	1,2,3,4	<25.0	µg/L	5	5.00
trans 1,4-Dichloro-2-butene	Qc, U	1,2,3,4	<50.0	µg/L	5	10.0
1,1-Dichloroethene	U	1,2,3,4	<5.00	µg/L	5	1.00
Methylene chloride	U	1,2,3,4	<25.0	µg/L	5	5.00
MTBE	U	1,2,3,4	<5.00	µg/L	5	1.00
trans-1,2-Dichloroethene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1-Dichloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
cis-1,2-Dichloroethene	U	1,2,3,4	<5.00	µg/L	5	1.00
2,2-Dichloropropane	Qc, U	1,2,3,4	<5.00	µg/L	5	1.00
1,2-Dichloroethane (EDC)	U	1,2,3,4	<5.00	µg/L	5	1.00
Chloroform	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1,1-Trichloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1-Dichloropropene	U	1,2,3,4	<5.00	µg/L	5	1.00
Benzene		1,2,3,4	37.2	µg/L	5	1.00
Carbon Tetrachloride	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2-Dichloropropane	U	1,2,3,4	<5.00	µg/L	5	1.00
Trichloroethene (TCE)	U	1,2,3,4	<5.00	µg/L	5	1.00
Dibromomethane (methylene bromide)	U	1,2,3,4	<5.00	µg/L	5	1.00
Bromodichloromethane	U	1,2,3,4	<5.00	µg/L	5	1.00

continued ...

sample 426313 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
2-Chloroethyl vinyl ether	U	1,2,3,4	<25.0	µg/L	5	5.00
cis-1,3-Dichloropropene	U	1,2,3,4	<5.00	µg/L	5	1.00
trans-1,3-Dichloropropene	U	1,2,3,4	<5.00	µg/L	5	1.00
Toluene		1,2,3,4	6.81	µg/L	5	1.00
1,1,2-Trichloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
1,3-Dichloropropane	U	1,2,3,4	<5.00	µg/L	5	1.00
Dibromochloromethane	U	1,3,4	<5.00	µg/L	5	1.00
1,2-Dibromoethane (EDB)	U	1,2,3,4	<5.00	µg/L	5	1.00
Tetrachloroethene (PCE)	U	1,2,3,4	<5.00	µg/L	5	1.00
Chlorobenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1,1,2-Tetrachloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
Ethylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
m,p-Xylene	U	1,2,3,4	<5.00	µg/L	5	1.00
Bromoform	U	1,2,3,4	<5.00	µg/L	5	1.00
Styrene	U	1,2,3,4	<5.00	µg/L	5	1.00
o-Xylene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1,2,2-Tetrachloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
2-Chlorotoluene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2,3-Trichloropropane	U	1,2,3,4	<5.00	µg/L	5	1.00
Isopropylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
Bromobenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
n-Propylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,3,5-Trimethylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
tert-Butylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2,4-Trimethylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,4-Dichlorobenzene (para)	U	1,2,3,4	<5.00	µg/L	5	1.00
sec-Butylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,3-Dichlorobenzene (meta)	U	1,2,3,4	<5.00	µg/L	5	1.00
p-Isopropyltoluene	U	1,2,3	<5.00	µg/L	5	1.00
4-Chlorotoluene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2-Dichlorobenzene (ortho)	U	1,2,3,4	<5.00	µg/L	5	1.00
n-Butylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2-Dibromo-3-chloropropane	U	1,3	<25.0	µg/L	5	5.00
1,2,3-Trichlorobenzene	U	1,2,3,4	<25.0	µg/L	5	5.00
1,2,4-Trichlorobenzene	U	1,2,3,4	<25.0	µg/L	5	5.00
Naphthalene	U	1,2,3,4	<25.0	µg/L	5	5.00
Hexachlorobutadiene	U	1,2,3,4	<25.0	µg/L	5	5.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Dibromofluoromethane			268	µg/L	5	250	107	70 - 130
Toluene-d8			233	µg/L	5	250	93	70 - 130
4-Bromofluorobenzene (4-BFB)			249	µg/L	5	250	100	70 - 130

Report Date: August 17, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 8 of 34
Lea County, NM

Sample: 426316 - Rupture #8 Release

Laboratory:	Lubbock	Analytical Method:	E 300.0	Prep Method:	N/A
Analysis:	Chloride (IC)	Date Analyzed:	2016-08-15	Analyzed By:	RL
QC Batch:	132123	Sample Preparation:	2016-08-15	Prepared By:	RL
Prep Batch:	111972				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride		1,2,3,4	94.1	mg/L	5	2.50

Sample: 426316 - Rupture #8 Release

Laboratory:	Lubbock	Analytical Method:	S 8015 D	Prep Method:	N/A
Analysis:	TPH DRO	Date Analyzed:	2016-08-16	Analyzed By:	HJ
QC Batch:	132127	Sample Preparation:	2016-08-15	Prepared By:	HJ
Prep Batch:	111970				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	U	1,2,3	<5.00	mg/L	1	5.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			2.95	mg/L	1	2.50	118	70 - 130

Sample: 426316 - Rupture #8 Release

Laboratory:	Lubbock	Analytical Method:	S 8015 D	Prep Method:	S 5030B
Analysis:	TPH GRO	Date Analyzed:	2016-08-12	Analyzed By:	MT
QC Batch:	132100	Sample Preparation:	2016-08-12	Prepared By:	MT
Prep Batch:	111947				

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO		1,2,3	6.13	mg/L	10	0.200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			1.21	mg/L	10	1.00	121	72.8 - 136
4-Bromofluorobenzene (4-BFB)	Q _{sr}	Q _{sr}	1.34	mg/L	10	1.00	134	73.3 - 120

Sample: 426316 - Rupture #8 Release

Laboratory: Lubbock

Analysis: Volatiles

QC Batch: 132144

Prep Batch: 111988

Analytical Method: S 8260 C

Date Analyzed: 2016-08-15

Sample Preparation: 2016-08-15

Prep Method: S 5030B

Analyzed By: KB

Prepared By: KB

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Bromochloromethane	U	1,2,3,4	<5.00	µg/L	5	1.00
Dichlorodifluoromethane	Qc,Qr,U	1,2,3,4	<5.00	µg/L	5	1.00
Chloromethane (methyl chloride)	U	1,2,3,4	<5.00	µg/L	5	1.00
Vinyl Chloride	U	1,2,3,4	<5.00	µg/L	5	1.00
Bromomethane (methyl bromide)	U	1,2,3,4	<25.0	µg/L	5	5.00
Chloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
Trichlorofluoromethane	U	1,2,3,4	<5.00	µg/L	5	1.00
Acetone	Qc,U	1,2,3,4	<50.0	µg/L	5	10.0
Iodomethane (methyl iodide)	U	1,2,3,4	<25.0	µg/L	5	5.00
Carbon Disulfide		1,2,3,4	16.1	µg/L	5	1.00
Acrylonitrile	U	1,2,3,4	<5.00	µg/L	5	1.00
2-Butanone (MEK)	Qc,Qr,U	1,2,3,4	<25.0	µg/L	5	5.00
4-Methyl-2-pentanone (MIBK)	U	1,2,3,4	<25.0	µg/L	5	5.00
2-Hexanone	Qc,U	1,2,3,4	<25.0	µg/L	5	5.00
trans 1,4-Dichloro-2-butene	Qc,U	1,2,3,4	<50.0	µg/L	5	10.0
1,1-Dichloroethene	U	1,2,3,4	<5.00	µg/L	5	1.00
Methylene chloride	U	1,2,3,4	<25.0	µg/L	5	5.00
MTBE	U	1,2,3,4	<5.00	µg/L	5	1.00
trans-1,2-Dichloroethene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1-Dichloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
cis-1,2-Dichloroethene	U	1,2,3,4	<5.00	µg/L	5	1.00
2,2-Dichloropropane	Qc,U	1,2,3,4	<5.00	µg/L	5	1.00
1,2-Dichloroethane (EDC)	U	1,2,3,4	<5.00	µg/L	5	1.00
Chloroform	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1,1-Trichloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1-Dichloropropene	U	1,2,3,4	<5.00	µg/L	5	1.00
Benzene		1,2,3,4	32.9	µg/L	5	1.00
Carbon Tetrachloride	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2-Dichloropropane	U	1,2,3,4	<5.00	µg/L	5	1.00
Trichloroethene (TCE)	U	1,2,3,4	<5.00	µg/L	5	1.00
Dibromomethane (methylene bromide)	U	1,2,3,4	<5.00	µg/L	5	1.00
Bromodichloromethane	U	1,2,3,4	<5.00	µg/L	5	1.00
2-Chloroethyl vinyl ether	U	1,2,3,4	<25.0	µg/L	5	5.00
cis-1,3-Dichloropropene	U	1,2,3,4	<5.00	µg/L	5	1.00
trans-1,3-Dichloropropene	U	1,2,3,4	<5.00	µg/L	5	1.00
Toluene		1,2,3,4	6.75	µg/L	5	1.00
1,1,2-Trichloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
1,3-Dichloropropane	U	1,2,3,4	<5.00	µg/L	5	1.00
Dibromochloromethane	U	1,3,4	<5.00	µg/L	5	1.00

continued ...

sample 426316 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
1,2-Dibromoethane (EDB)	U	1,2,3,4	<5.00	µg/L	5	1.00
Tetrachloroethene (PCE)	U	1,2,3,4	<5.00	µg/L	5	1.00
Chlorobenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1,1,2-Tetrachloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
Ethylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
m,p-Xylene	U	1,2,3,4	<5.00	µg/L	5	1.00
Bromoform	U	1,2,3,4	<5.00	µg/L	5	1.00
Styrene	U	1,2,3,4	<5.00	µg/L	5	1.00
o-Xylene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,1,2,2-Tetrachloroethane	U	1,2,3,4	<5.00	µg/L	5	1.00
2-Chlorotoluene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2,3-Trichloropropane	U	1,2,3,4	<5.00	µg/L	5	1.00
Isopropylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
Bromobenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
n-Propylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,3,5-Trimethylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
tert-Butylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2,4-Trimethylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,4-Dichlorobenzene (para)	U	1,2,3,4	<5.00	µg/L	5	1.00
sec-Butylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,3-Dichlorobenzene (meta)	U	1,2,3,4	<5.00	µg/L	5	1.00
p-Isopropyltoluene	U	1,2,3	<5.00	µg/L	5	1.00
4-Chlorotoluene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2-Dichlorobenzene (ortho)	U	1,2,3,4	<5.00	µg/L	5	1.00
n-Butylbenzene	U	1,2,3,4	<5.00	µg/L	5	1.00
1,2-Dibromo-3-chloropropane	U	1,3	<25.0	µg/L	5	5.00
1,2,3-Trichlorobenzene	U	1,2,3,4	<25.0	µg/L	5	5.00
1,2,4-Trichlorobenzene	U	1,2,3,4	<25.0	µg/L	5	5.00
Naphthalene	U	1,2,3,4	<25.0	µg/L	5	5.00
Hexachlorobutadiene	U	1,2,3,4	<25.0	µg/L	5	5.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Dibromofluoromethane			261	µg/L	5	250	104	70 - 130
Toluene-d8			242	µg/L	5	250	97	70 - 130
4-Bromofluorobenzene (4-BFB)			251	µg/L	5	250	100	70 - 130

Method Blanks

Method Blank (1) QC Batch: 132100

QC Batch: 132100 Date Analyzed: 2016-08-12 Analyzed By: MT
Prep Batch: 111947 QC Preparation: 2016-08-12 Prepared By: MT

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		1,2,3	<0.0369	mg/L	0.2

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			0.119	mg/L	1	0.100	119	72.8 - 136
4-Bromofluorobenzene (4-BFB)			0.102	mg/L	1	0.100	102	73.3 - 120

Method Blank (1) QC Batch: 132122

QC Batch: 132122 Date Analyzed: 2016-08-15 Analyzed By: RL
Prep Batch: 111971 QC Preparation: 2016-08-15 Prepared By: RL

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride		1,2,3,4	<0.297	mg/L	2.5

Method Blank (1) QC Batch: 132123

QC Batch: 132123 Date Analyzed: 2016-08-15 Analyzed By: RL
Prep Batch: 111972 QC Preparation: 2016-08-15 Prepared By: RL

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride		1,2,3,4	<0.297	mg/L	2.5

Report Date: August 17, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 12 of 34
Lea County, NM

Method Blank (1) QC Batch: 132127

QC Batch: 132127
Prep Batch: 111970

Date Analyzed: 2016-08-16
QC Preparation: 2016-08-15

Analyzed By: HJ
Prepared By: HJ

Parameter	Flag	Cert	MDL Result	Units	RL
DRO		1,2,3	<0.890	mg/L	5

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			2.82	mg/L	1	2.50	113	70 - 130

Method Blank (1) QC Batch: 132144

QC Batch: 132144
Prep Batch: 111988

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: KB
Prepared By: KB

Parameter	Flag	Cert	MDL Result	Units	RL
Bromochloromethane		1,2,3,4	<0.330	µg/L	1
Dichlorodifluoromethane		1,2,3,4	<0.350	µg/L	1
Chloromethane (methyl chloride)		1,2,3,4	<0.330	µg/L	1
Vinyl Chloride		1,2,3,4	<0.410	µg/L	1
Bromomethane (methyl bromide)		1,2,3,4	<1.69	µg/L	5
Chloroethane		1,2,3,4	<0.420	µg/L	1
Trichlorofluoromethane		1,2,3,4	<0.410	µg/L	1
Acetone		1,2,3,4	<1.09	µg/L	10
Iodomethane (methyl iodide)		1,2,3,4	<2.47	µg/L	5
Carbon Disulfide		1,2,3,4	<0.400	µg/L	1
Acrylonitrile		1,2,3,4	<0.360	µg/L	1
2-Butanone (MEK)		1,2,3,4	<1.67	µg/L	5
4-Methyl-2-pentanone (MIBK)		1,2,3,4	<2.14	µg/L	5
2-Hexanone		1,2,3,4	<1.49	µg/L	5
trans 1,4-Dichloro-2-butene		1,2,3,4	<1.75	µg/L	10
1,1-Dichloroethene		1,2,3,4	<0.330	µg/L	1
Methylene chloride		1,2,3,4	<2.04	µg/L	5
MTBE		1,2,3,4	<0.320	µg/L	1
trans-1,2-Dichloroethene		1,2,3,4	<0.360	µg/L	1
1,1-Dichloroethane		1,2,3,4	<0.330	µg/L	1
cis-1,2-Dichloroethene		1,2,3,4	<0.330	µg/L	1
2,2-Dichloropropane		1,2,3,4	<0.380	µg/L	1
1,2-Dichloroethane (EDC)		1,2,3,4	<0.280	µg/L	1
Chloroform		1,2,3,4	<0.390	µg/L	1

continued ...

method blank continued ...

Parameter	Flag	Cert	MDL Result	Units	RL
1,1,1-Trichloroethane		1,2,3,4	<0.370	µg/L	1
1,1-Dichloropropene		1,2,3,4	<0.320	µg/L	1
Benzene		1,2,3,4	<0.340	µg/L	1
Carbon Tetrachloride		1,2,3,4	<0.350	µg/L	1
1,2-Dichloropropane		1,2,3,4	<0.270	µg/L	1
Trichloroethene (TCE)		1,2,3,4	<0.310	µg/L	1
Dibromomethane (methylene bromide)		1,2,3,4	<0.230	µg/L	1
Bromodichloromethane		1,2,3,4	<0.320	µg/L	1
2-Chloroethyl vinyl ether		1,2,3,4	<0.480	µg/L	5
cis-1,3-Dichloropropene		1,2,3,4	<0.210	µg/L	1
trans-1,3-Dichloropropene		1,2,3,4	<0.310	µg/L	1
Toluene		1,2,3,4	<0.350	µg/L	1
1,1,2-Trichloroethane		1,2,3,4	<0.390	µg/L	1
1,3-Dichloropropane		1,2,3,4	<0.310	µg/L	1
Dibromochloromethane		1,3,4	<0.370	µg/L	1
1,2-Dibromoethane (EDB)		1,2,3,4	<0.310	µg/L	1
Tetrachloroethene (PCE)		1,2,3,4	<0.190	µg/L	1
Chlorobenzene		1,2,3,4	<0.290	µg/L	1
1,1,1,2-Tetrachloroethane		1,2,3,4	<0.300	µg/L	1
Ethylbenzene		1,2,3,4	<0.260	µg/L	1
m,p-Xylene		1,2,3,4	<0.480	µg/L	1
Bromoform		1,2,3,4	<0.480	µg/L	1
Styrene		1,2,3,4	<0.250	µg/L	1
o-Xylene		1,2,3,4	<0.260	µg/L	1
1,1,2,2-Tetrachloroethane		1,2,3,4	<0.560	µg/L	1
2-Chlorotoluene		1,2,3,4	<0.250	µg/L	1
1,2,3-Trichloropropane		1,2,3,4	<0.450	µg/L	1
Isopropylbenzene		1,2,3,4	<0.260	µg/L	1
Bromobenzene		1,2,3,4	<0.280	µg/L	1
n-Propylbenzene		1,2,3,4	<0.240	µg/L	1
1,3,5-Trimethylbenzene		1,2,3,4	<0.260	µg/L	1
tert-Butylbenzene		1,2,3,4	<0.270	µg/L	1
1,2,4-Trimethylbenzene		1,2,3,4	<0.270	µg/L	1
1,4-Dichlorobenzene (para)		1,2,3,4	<0.310	µg/L	1
sec-Butylbenzene		1,2,3,4	<0.200	µg/L	1
1,3-Dichlorobenzene (meta)		1,2,3,4	<0.280	µg/L	1
p-Isopropyltoluene		1,2,3	<0.200	µg/L	1
4-Chlorotoluene		1,2,3,4	<0.290	µg/L	1
1,2-Dichlorobenzene (ortho)		1,2,3,4	<0.250	µg/L	1
n-Butylbenzene		1,2,3,4	<0.170	µg/L	1
1,2-Dibromo-3-chloropropane		1,3	<1.70	µg/L	5
1,2,3-Trichlorobenzene		1,2,3,4	<0.400	µg/L	5
1,2,4-Trichlorobenzene		1,2,3,4	<2.12	µg/L	5
Naphthalene		1,2,3,4	<2.23	µg/L	5

continued ...

method blank continued ...

Parameter	Flag	Cert	MDL Result	Units	RL
Hexachlorobutadiene		1,2,3,4	<0.760	µg/L	5

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Dibromofluoromethane			53.6	µg/L	1	50.0	107	70 - 130
Toluene-d8			48.4	µg/L	1	50.0	97	70 - 130
4-Bromofluorobenzene (4-BFB)			50.5	µg/L	1	50.0	101	70 - 130

Report Date: August 17, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 15 of 34
Lea County, NM

Laboratory Control Spikes

Laboratory Control Spike (LCS-1)

QC Batch: 132100
Prep Batch: 111947

Date Analyzed: 2016-08-12
QC Preparation: 2016-08-12

Analyzed By: MT
Prepared By: MT

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1,2,3	0.998	mg/L	1	1.00	<0.0369	100	74.6 - 123

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1,2,3	1.03	mg/L	1	1.00	<0.0369	103	74.6 - 123	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	0.112	0.114	mg/L	1	0.100	112	114	72.8 - 136
4-Bromofluorobenzene (4-BFB)	0.111	0.110	mg/L	1	0.100	111	110	73.3 - 120

Laboratory Control Spike (LCS-1)

QC Batch: 132122
Prep Batch: 111971

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: RL
Prepared By: RL

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride		1,2,3,4	24.7	mg/L	1	25.0	<0.297	99	90 - 110

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride		1,2,3,4	24.2	mg/L	1	25.0	<0.297	97	90 - 110	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: August 17, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 16 of 34
Lea County, NM

Laboratory Control Spike (LCS-1)

QC Batch: 132123
Prep Batch: 111972

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: RL
Prepared By: RL

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride		1,2,3,4	24.5	mg/L	1	25.0	<0.297	98	90 - 110

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride		1,2,3,4	25.5	mg/L	1	25.0	<0.297	102	90 - 110	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 132127
Prep Batch: 111970

Date Analyzed: 2016-08-16
QC Preparation: 2016-08-15

Analyzed By: HJ
Prepared By: HJ

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		1,2,3	56.9	mg/L	1	50.0	<0.890	114	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		1,2,3	50.6	mg/L	1	50.0	<0.890	101	70 - 130	12	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
n-Tricosane	3.10	3.00	mg/L	1	2.50	124	120	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 132144
Prep Batch: 111988

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: KB
Prepared By: KB

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Bromochloromethane		1,2,3,4	56.8	µg/L	1	50.0	<0.330	114	74.4 - 128
Dichlorodifluoromethane		1,2,3,4	46.4	µg/L	1	50.0	<0.350	93	46.8 - 148
Chloromethane (methyl chloride)		1,2,3,4	53.3	µg/L	1	50.0	<0.330	107	63.8 - 125
Vinyl Chloride		1,2,3,4	56.8	µg/L	1	50.0	<0.410	114	60.3 - 129
Bromomethane (methyl bromide)		1,2,3,4	54.2	µg/L	1	50.0	<1.69	108	49.7 - 141
Chloroethane		1,2,3,4	55.4	µg/L	1	50.0	<0.420	111	62.4 - 131
Trichlorofluoromethane		1,2,3,4	62.1	µg/L	1	50.0	<0.410	124	53.5 - 152
Acetone		1,2,3,4	36.3	µg/L	1	50.0	<1.09	73	20 - 190
Iodomethane (methyl iodide)		1,2,3,4	55.9	µg/L	1	50.0	<2.47	112	67.8 - 135
Carbon Disulfide		1,2,3,4	55.8	µg/L	1	50.0	<0.400	112	68.9 - 136
Acrylonitrile		1,2,3,4	48.7	µg/L	1	50.0	<0.360	97	67.6 - 131
2-Butanone (MEK)		1,2,3,4	42.4	µg/L	1	50.0	<1.67	85	45 - 137
4-Methyl-2-pentanone (MIBK)		1,2,3,4	48.3	µg/L	1	50.0	<2.14	97	61.4 - 142
2-Hexanone		1,2,3,4	43.0	µg/L	1	50.0	<1.49	86	51.7 - 145
trans 1,4-Dichloro-2-butene	Qs	Qs	72.8	µg/L	1	50.0	<1.75	146	44.3 - 137
1,1-Dichloroethene		1,2,3,4	57.0	µg/L	1	50.0	<0.330	114	70.6 - 132
Methylene chloride		1,2,3,4	53.9	µg/L	1	50.0	<2.04	108	66.5 - 135
MTBE		1,2,3,4	56.0	µg/L	1	50.0	<0.320	112	72.1 - 130
trans-1,2-Dichloroethene		1,2,3,4	57.1	µg/L	1	50.0	<0.360	114	75.5 - 127
1,1-Dichloroethane		1,2,3,4	57.1	µg/L	1	50.0	<0.330	114	73.7 - 129
cis-1,2-Dichloroethene		1,2,3,4	56.7	µg/L	1	50.0	<0.330	113	75.5 - 127
2,2-Dichloropropane		1,2,3,4	65.6	µg/L	1	50.0	<0.380	131	24.3 - 158
1,2-Dichloroethane (EDC)		1,2,3,4	56.8	µg/L	1	50.0	<0.280	114	71 - 134
Chloroform		1,2,3,4	60.4	µg/L	1	50.0	<0.390	121	74 - 131
1,1,1-Trichloroethane		1,2,3,4	61.6	µg/L	1	50.0	<0.370	123	59.2 - 150
1,1-Dichloropropene		1,2,3,4	57.9	µg/L	1	50.0	<0.320	116	77.7 - 128
Benzene		1,2,3,4	55.6	µg/L	1	50.0	<0.340	111	73 - 124
Carbon Tetrachloride		1,2,3,4	61.8	µg/L	1	50.0	<0.350	124	61.2 - 146
1,2-Dichloropropane		1,2,3,4	58.7	µg/L	1	50.0	<0.270	117	78 - 125
Trichloroethene (TCE)		1,2,3,4	56.3	µg/L	1	50.0	<0.310	113	70.9 - 137
Dibromomethane (methylene bromide)		1,2,3,4	55.8	µg/L	1	50.0	<0.230	112	76.2 - 127
Bromodichloromethane		1,2,3,4	60.1	µg/L	1	50.0	<0.320	120	73.6 - 130
2-Chloroethyl vinyl ether		1,2,3,4	53.5	µg/L	1	50.0	<0.480	107	61.1 - 136
cis-1,3-Dichloropropene		1,2,3,4	55.4	µg/L	1	50.0	<0.210	111	79 - 125
trans-1,3-Dichloropropene		1,2,3,4	55.3	µg/L	1	50.0	<0.310	111	77.1 - 128
Toluene		1,2,3,4	58.1	µg/L	1	50.0	<0.350	116	75.4 - 126
1,1,2-Trichloroethane		1,2,3,4	49.2	µg/L	1	50.0	<0.390	98	72.9 - 122
1,3-Dichloropropane		1,2,3,4	50.8	µg/L	1	50.0	<0.310	102	75 - 120
Dibromochloromethane		1,3,4	54.1	µg/L	1	50.0	<0.370	108	64.8 - 128
1,2-Dibromoethane (EDB)		1,2,3,4	49.6	µg/L	1	50.0	<0.310	99	74.6 - 121
Tetrachloroethene (PCE)		1,2,3,4	49.8	µg/L	1	50.0	<0.190	100	28.6 - 177
Chlorobenzene		1,2,3,4	54.4	µg/L	1	50.0	<0.290	109	73.5 - 120
1,1,1,2-Tetrachloroethane		1,2,3,4	56.5	µg/L	1	50.0	<0.300	113	67 - 128
Ethylbenzene		1,2,3,4	54.2	µg/L	1	50.0	<0.260	108	73 - 123
m,p-Xylene		1,2,3,4	112	µg/L	1	100	<0.480	112	71 - 126

continued ...

control spikes continued ...

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Bromoform		1,2,3,4	58.0	µg/L	1	50.0	<0.480	116	55.5 - 131
Styrene		1,2,3,4	53.2	µg/L	1	50.0	<0.250	106	75.7 - 122
o-Xylene		1,2,3,4	56.6	µg/L	1	50.0	<0.260	113	70.2 - 125
1,1,2,2-Tetrachloroethane		1,2,3,4	49.0	µg/L	1	50.0	<0.560	98	61.1 - 133
2-Chlorotoluene		1,2,3,4	51.7	µg/L	1	50.0	<0.250	103	71.8 - 120
1,2,3-Trichloropropane		1,2,3,4	45.7	µg/L	1	50.0	<0.450	91	67.2 - 132
Isopropylbenzene		1,2,3,4	50.1	µg/L	1	50.0	<0.260	100	72.2 - 123
Bromobenzene		1,2,3,4	49.5	µg/L	1	50.0	<0.280	99	66.7 - 121
n-Propylbenzene		1,2,3,4	51.0	µg/L	1	50.0	<0.240	102	72.9 - 121
1,3,5-Trimethylbenzene		1,2,3,4	52.4	µg/L	1	50.0	<0.260	105	68.4 - 126
tert-Butylbenzene		1,2,3,4	52.2	µg/L	1	50.0	<0.270	104	68.7 - 128
1,2,4-Trimethylbenzene		1,2,3,4	52.8	µg/L	1	50.0	<0.270	106	70.4 - 124
1,4-Dichlorobenzene (para)		1,2,3,4	54.1	µg/L	1	50.0	<0.310	108	73.5 - 120
sec-Butylbenzene		1,2,3,4	52.2	µg/L	1	50.0	<0.200	104	69.6 - 128
1,3-Dichlorobenzene (meta)		1,2,3,4	53.3	µg/L	1	50.0	<0.280	107	74.2 - 120
p-Isopropyltoluene		1,2,3	53.0	µg/L	1	50.0	<0.200	106	73.1 - 124
4-Chlorotoluene		1,2,3,4	50.5	µg/L	1	50.0	<0.290	101	72.8 - 120
1,2-Dichlorobenzene (ortho)		1,2,3,4	53.7	µg/L	1	50.0	<0.250	107	65.2 - 126
n-Butylbenzene		1,2,3,4	54.3	µg/L	1	50.0	<0.170	109	70.1 - 127
1,2-Dibromo-3-chloropropane		1,3	49.9	µg/L	1	50.0	<1.70	100	50.5 - 136
1,2,3-Trichlorobenzene		1,2,3,4	63.2	µg/L	1	50.0	<0.400	126	43.3 - 153
1,2,4-Trichlorobenzene		1,2,3,4	61.6	µg/L	1	50.0	<2.12	123	59.6 - 134
Naphthalene		1,2,3,4	60.0	µg/L	1	50.0	<2.23	120	38.5 - 159
Hexachlorobutadiene		1,2,3,4	56.9	µg/L	1	50.0	<0.760	114	35.8 - 175

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Bromochloromethane		1,2,3,4	52.5	µg/L	1	50.0	<0.330	105	74.4 - 128	8	20
Dichlorodifluoromethane	Qr	1,2,3,4	36.6	µg/L	1	50.0	<0.350	73	46.8 - 148	24	20
Chloromethane (methyl chloride)		1,2,3,4	46.6	µg/L	1	50.0	<0.330	93	63.8 - 125	13	20
Vinyl Chloride		1,2,3,4	51.6	µg/L	1	50.0	<0.410	103	60.3 - 129	10	20
Bromomethane (methyl bromide)		1,2,3,4	49.5	µg/L	1	50.0	<1.69	99	49.7 - 141	9	20
Chloroethane		1,2,3,4	50.0	µg/L	1	50.0	<0.420	100	62.4 - 131	10	20
Trichlorofluoromethane		1,2,3,4	53.8	µg/L	1	50.0	<0.410	108	53.5 - 152	14	20
Acetone		1,2,3,4	38.0	µg/L	1	50.0	<1.09	76	20 - 190	5	20
Iodomethane (methyl iodide)		1,2,3,4	51.5	µg/L	1	50.0	<2.47	103	67.8 - 135	8	20
Carbon Disulfide		1,2,3,4	50.7	µg/L	1	50.0	<0.400	101	68.9 - 136	10	20
Acrylonitrile		1,2,3,4	45.2	µg/L	1	50.0	<0.360	90	67.6 - 131	7	20
2-Butanone (MEK)		1,2,3,4	35.5	µg/L	1	50.0	<1.67	71	45 - 137	18	20
4-Methyl-2-pentanone (MIBK)		1,2,3,4	44.0	µg/L	1	50.0	<2.14	88	61.4 - 142	9	20
2-Hexanone		1,2,3,4	39.5	µg/L	1	50.0	<1.49	79	51.7 - 145	8	20
trans 1,4-Dichloro-2-butene		1,2,3,4	67.7	µg/L	1	50.0	<1.75	135	44.3 - 137	7	20
1,1-Dichloroethene		1,2,3,4	51.8	µg/L	1	50.0	<0.330	104	70.6 - 132	10	20

continued ...

control spikes continued ...

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Methylene chloride		1,2,3,4	49.1	µg/L	1	50.0	<2.04	98	66.5 - 135	9	20
MTBE		1,2,3,4	50.1	µg/L	1	50.0	<0.320	100	72.1 - 130	11	20
trans-1,2-Dichloroethene		1,2,3,4	53.1	µg/L	1	50.0	<0.360	106	75.5 - 127	7	20
1,1-Dichloroethane		1,2,3,4	52.4	µg/L	1	50.0	<0.330	105	73.7 - 129	9	20
cis-1,2-Dichloroethene		1,2,3,4	53.2	µg/L	1	50.0	<0.330	106	75.5 - 127	6	20
2,2-Dichloropropane		1,2,3,4	60.4	µg/L	1	50.0	<0.380	121	24.3 - 158	8	20
1,2-Dichloroethane (EDC)		1,2,3,4	49.8	µg/L	1	50.0	<0.280	100	71 - 134	13	20
Chloroform		1,2,3,4	54.3	µg/L	1	50.0	<0.390	109	74 - 131	11	20
1,1,1-Trichloroethane		1,2,3,4	55.8	µg/L	1	50.0	<0.370	112	59.2 - 150	10	20
1,1-Dichloropropene		1,2,3,4	53.4	µg/L	1	50.0	<0.320	107	77.7 - 128	8	20
Benzene		1,2,3,4	51.4	µg/L	1	50.0	<0.340	103	73 - 124	8	20
Carbon Tetrachloride		1,2,3,4	54.9	µg/L	1	50.0	<0.350	110	61.2 - 146	12	20
1,2-Dichloropropane		1,2,3,4	53.2	µg/L	1	50.0	<0.270	106	78 - 125	10	20
Trichloroethene (TCE)		1,2,3,4	50.9	µg/L	1	50.0	<0.310	102	70.9 - 137	10	20
Dibromomethane (methylene bromide)		1,2,3,4	49.7	µg/L	1	50.0	<0.230	99	76.2 - 127	12	20
Bromodichloromethane		1,2,3,4	54.0	µg/L	1	50.0	<0.320	108	73.6 - 130	11	20
2-Chloroethyl vinyl ether		1,2,3,4	47.7	µg/L	1	50.0	<0.480	95	61.1 - 136	12	20
cis-1,3-Dichloropropene		1,2,3,4	50.5	µg/L	1	50.0	<0.210	101	79 - 125	9	20
trans-1,3-Dichloropropene		1,2,3,4	49.4	µg/L	1	50.0	<0.310	99	77.1 - 128	11	20
Toluene		1,2,3,4	52.7	µg/L	1	50.0	<0.350	105	75.4 - 126	10	20
1,1,2-Trichloroethane		1,2,3,4	45.1	µg/L	1	50.0	<0.390	90	72.9 - 122	9	20
1,3-Dichloropropane		1,2,3,4	46.4	µg/L	1	50.0	<0.310	93	75 - 120	9	20
Dibromochloromethane		1,3,4	49.5	µg/L	1	50.0	<0.370	99	64.8 - 128	9	20
1,2-Dibromoethane (EDB)		1,2,3,4	46.0	µg/L	1	50.0	<0.310	92	74.6 - 121	8	20
Tetrachloroethene (PCE)		1,2,3,4	46.0	µg/L	1	50.0	<0.190	92	28.6 - 177	8	20
Chlorobenzene		1,2,3,4	51.4	µg/L	1	50.0	<0.290	103	73.5 - 120	6	20
1,1,1,2-Tetrachloroethane		1,2,3,4	51.9	µg/L	1	50.0	<0.300	104	67 - 128	8	20
Ethylbenzene		1,2,3,4	50.2	µg/L	1	50.0	<0.260	100	73 - 123	8	20
m,p-Xylene		1,2,3,4	102	µg/L	1	100	<0.480	102	71 - 126	9	20
Bromoform		1,2,3,4	52.9	µg/L	1	50.0	<0.480	106	55.5 - 131	9	20
Styrene		1,2,3,4	49.0	µg/L	1	50.0	<0.250	98	75.7 - 122	8	20
o-Xylene		1,2,3,4	51.2	µg/L	1	50.0	<0.260	102	70.2 - 125	10	20
1,1,2,2-Tetrachloroethane		1,2,3,4	43.5	µg/L	1	50.0	<0.560	87	61.1 - 133	12	20
2-Chlorotoluene		1,2,3,4	47.6	µg/L	1	50.0	<0.250	95	71.8 - 120	8	20
1,2,3-Trichloropropane		1,2,3,4	42.5	µg/L	1	50.0	<0.450	85	67.2 - 132	7	20
Isopropylbenzene		1,2,3,4	46.0	µg/L	1	50.0	<0.260	92	72.2 - 123	8	20
Bromobenzene		1,2,3,4	46.5	µg/L	1	50.0	<0.280	93	66.7 - 121	6	20
n-Propylbenzene		1,2,3,4	47.0	µg/L	1	50.0	<0.240	94	72.9 - 121	8	20
1,3,5-Trimethylbenzene		1,2,3,4	48.2	µg/L	1	50.0	<0.260	96	68.4 - 126	8	20
tert-Butylbenzene		1,2,3,4	47.9	µg/L	1	50.0	<0.270	96	68.7 - 128	9	20
1,2,4-Trimethylbenzene		1,2,3,4	48.6	µg/L	1	50.0	<0.270	97	70.4 - 124	8	20
1,4-Dichlorobenzene (para)		1,2,3,4	49.4	µg/L	1	50.0	<0.310	99	73.5 - 120	9	20
sec-Butylbenzene		1,2,3,4	48.1	µg/L	1	50.0	<0.200	96	69.6 - 128	8	20
1,3-Dichlorobenzene (meta)		1,2,3,4	50.2	µg/L	1	50.0	<0.280	100	74.2 - 120	6	20

continued ...

control spikes continued ...

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
p-Isopropyltoluene		1,2,3	49.1	µg/L	1	50.0	<0.200	98	73.1 - 124	8	20
4-Chlorotoluene		1,2,3,4	46.6	µg/L	1	50.0	<0.290	93	72.8 - 120	8	20
1,2-Dichlorobenzene (ortho)		1,2,3,4	49.3	µg/L	1	50.0	<0.250	99	65.2 - 126	8	20
n-Butylbenzene		1,2,3,4	48.7	µg/L	1	50.0	<0.170	97	70.1 - 127	11	20
1,2-Dibromo-3-chloropropane		1,3	45.1	µg/L	1	50.0	<1.70	90	50.5 - 136	10	20
1,2,3-Trichlorobenzene		1,2,3,4	58.2	µg/L	1	50.0	<0.400	116	43.3 - 153	8	20
1,2,4-Trichlorobenzene		1,2,3,4	55.2	µg/L	1	50.0	<2.12	110	59.6 - 134	11	20
Naphthalene		1,2,3,4	55.1	µg/L	1	50.0	<2.23	110	38.5 - 159	8	20
Hexachlorobutadiene		1,2,3,4	52.8	µg/L	1	50.0	<0.760	106	35.8 - 175	8	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Dibromofluoromethane	52.2	50.7	µg/L	1	50.0	104	101	70 - 130
Toluene-d8	48.1	47.8	µg/L	1	50.0	96	96	70 - 130
4-Bromofluorobenzene (4-BFB)	52.5	51.3	µg/L	1	50.0	105	103	70 - 130

Report Date: August 17, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 21 of 34
Lea County, NM

Matrix Spikes

Matrix Spike (MS-1) Spiked Sample: 426316

QC Batch: 132100
Prep Batch: 111947

Date Analyzed: 2016-08-12
QC Preparation: 2016-08-12

Analyzed By: MT
Prepared By: MT

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1,2,3	14.4	mg/L	10	10.0	6.13	83	57 - 134

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1,2,3	15.1	mg/L	10	10.0	6.13	90	57 - 134	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate			MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)			1.08	1.09	mg/L	10	1	108	109	72.8 - 136
4-Bromofluorobenzene (4-BFB)	Q _{sr}	Q _{sr}	1.47	1.45	mg/L	10	1	147	145	73.3 - 120

Matrix Spike (MS-1) Spiked Sample: 426201

QC Batch: 132122
Prep Batch: 111971

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: RL
Prepared By: RL

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride		1,2,3,4	3000	mg/L	100	2500	513	99	80 - 120

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride		1,2,3,4	2970	mg/L	100	2500	513	98	80 - 120	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: August 17, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 22 of 34
Lea County, NM

Matrix Spike (MS-1) Spiked Sample: 426316

QC Batch: 132123
Prep Batch: 111972

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: RL
Prepared By: RL

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride		1,2,3,4	215	mg/L	5	125	94.1	97	80 - 120

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride		1,2,3,4	216	mg/L	5	125	94.1	98	80 - 120	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 426116

QC Batch: 132127
Prep Batch: 111970

Date Analyzed: 2016-08-16
QC Preparation: 2016-08-15

Analyzed By: HJ
Prepared By: HJ

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		1,2,3	46.7	mg/L	1	50.0	<0.890	93	70 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		1,2,3	48.1	mg/L	1	50.0	<0.890	96	70 - 130	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	3.04	3.13	mg/L	1	2.5	122	125	70 - 130

Matrix Spike (MS-1) Spiked Sample: 426376

QC Batch: 132144
Prep Batch: 111988

Date Analyzed: 2016-08-15
QC Preparation: 2016-08-15

Analyzed By: KB
Prepared By: KB

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Bromochloromethane		1,2,3,4	48.6	µg/L	1	50.0	<0.330	97	64.4 - 146
Dichlorodifluoromethane		1,2,3,4	31.2	µg/L	1	50.0	<0.350	62	36.2 - 162
Chloromethane (methyl chloride)		1,2,3,4	42.7	µg/L	1	50.0	<0.330	85	56.1 - 142
Vinyl Chloride		1,2,3,4	41.2	µg/L	1	50.0	<0.410	82	12 - 172
Bromomethane (methyl bromide)		1,2,3,4	47.0	µg/L	1	50.0	<1.69	94	43.6 - 159
Chloroethane		1,2,3,4	48.5	µg/L	1	50.0	<0.420	97	58 - 148
Trichlorofluoromethane		1,2,3,4	46.8	µg/L	1	50.0	<0.410	94	52.2 - 163
Acetone		1,2,3,4	29.3	µg/L	1	50.0	<1.09	59	12.8 - 120
Iodomethane (methyl iodide)		1,2,3,4	49.1	µg/L	1	50.0	<2.47	98	10 - 200
Carbon Disulfide		1,2,3,4	47.6	µg/L	1	50.0	<0.400	95	57.6 - 149
Acrylonitrile		1,2,3,4	42.5	µg/L	1	50.0	<0.360	85	67.2 - 134
2-Butanone (MEK)		1,2,3,4	28.4	µg/L	1	50.0	<1.67	57	31.3 - 124
4-Methyl-2-pentanone (MIBK)		1,2,3,4	44.8	µg/L	1	50.0	<2.14	90	56.5 - 143
2-Hexanone		1,2,3,4	34.4	µg/L	1	50.0	<1.49	69	29 - 144
trans 1,4-Dichloro-2-butene		1,2,3,4	35.3	µg/L	1	50.0	<1.75	71	10 - 143
1,1-Dichloroethene		1,2,3,4	48.4	µg/L	1	50.0	<0.330	97	34.6 - 166
Methylene chloride		1,2,3,4	44.9	µg/L	1	50.0	<2.04	90	64.3 - 140
MTBE		1,2,3,4	45.8	µg/L	1	50.0	<0.320	92	41.6 - 161
trans-1,2-Dichloroethene		1,2,3,4	49.9	µg/L	1	50.0	<0.360	100	63.2 - 146
1,1-Dichloroethane		1,2,3,4	46.5	µg/L	1	50.0	<0.330	93	69.2 - 143
cis-1,2-Dichloroethene		1,2,3,4	49.6	µg/L	1	50.0	<0.330	99	64.8 - 144
2,2-Dichloropropane		1,2,3,4	45.7	µg/L	1	50.0	<0.380	91	21.7 - 152
1,2-Dichloroethane (EDC)		1,2,3,4	44.0	µg/L	1	50.0	1.09	86	62 - 157
Chloroform		1,2,3,4	49.0	µg/L	1	50.0	<0.390	98	64.9 - 150
1,1,1-Trichloroethane		1,2,3,4	48.0	µg/L	1	50.0	<0.370	96	62.3 - 163
1,1-Dichloropropene		1,2,3,4	49.0	µg/L	1	50.0	<0.320	98	31 - 174
Benzene		1,2,3,4	49.8	µg/L	1	50.0	0.49	99	62 - 139
Carbon Tetrachloride		1,2,3,4	45.7	µg/L	1	50.0	<0.350	91	58 - 164
1,2-Dichloropropane		1,2,3,4	49.3	µg/L	1	50.0	<0.270	99	68.1 - 140
Trichloroethene (TCE)		1,2,3,4	48.6	µg/L	1	50.0	<0.310	97	49.9 - 163
Dibromomethane (methylene bromide)		1,2,3,4	45.3	µg/L	1	50.0	<0.230	91	66.8 - 142
Bromodichloromethane		1,2,3,4	47.2	µg/L	1	50.0	<0.320	94	63.9 - 152
2-Chloroethyl vinyl ether		1,2,3,4	<0.480	µg/L	1	50.0	<0.480	0	0 - 120
cis-1,3-Dichloropropene		1,2,3,4	44.1	µg/L	1	50.0	<0.210	88	32.6 - 160
trans-1,3-Dichloropropene		1,2,3,4	41.5	µg/L	1	50.0	<0.310	83	31.4 - 163
Toluene		1,2,3,4	50.1	µg/L	1	50.0	1.26	98	40.7 - 160
1,1,2-Trichloroethane		1,2,3,4	43.3	µg/L	1	50.0	<0.390	87	66 - 130
1,3-Dichloropropane		1,2,3,4	42.4	µg/L	1	50.0	<0.310	85	66.2 - 131
Dibromochloromethane		1,3,4	43.2	µg/L	1	50.0	<0.370	86	58.8 - 143
1,2-Dibromoethane (EDB)		1,2,3,4	43.2	µg/L	1	50.0	<0.310	86	66.8 - 132
Tetrachloroethene (PCE)		1,2,3,4	42.2	µg/L	1	50.0	<0.190	84	28.8 - 126
Chlorobenzene		1,2,3,4	48.6	µg/L	1	50.0	<0.290	97	61.6 - 134
1,1,1,2-Tetrachloroethane		1,2,3,4	46.3	µg/L	1	50.0	<0.300	93	63.1 - 139
Ethylbenzene		1,2,3,4	46.3	µg/L	1	50.0	0.38	92	43 - 148
m,p-Xylene		1,2,3,4	93.1	µg/L	1	100	0.82	92	21.5 - 165

continued ...

matrix spikes continued ...

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Bromoform		1,2,3,4	43.9	µg/L	1	50.0	<0.480	88	49 - 144
Styrene	Qs	Qs	1.27	µg/L	1	50.0	<0.250	2	10 - 192
o-Xylene		1,2,3,4	47.4	µg/L	1	50.0	0.43	94	28.4 - 160
1,1,2,2-Tetrachloroethane		1,2,3,4	40.4	µg/L	1	50.0	<0.560	81	65.3 - 133
2-Chlorotoluene		1,2,3,4	44.0	µg/L	1	50.0	<0.250	88	56 - 134
1,2,3-Trichloropropane		1,2,3,4	39.5	µg/L	1	50.0	<0.450	79	62.8 - 126
Isopropylbenzene		1,2,3,4	44.0	µg/L	1	50.0	<0.260	88	31.4 - 156
Bromobenzene		1,2,3,4	43.3	µg/L	1	50.0	<0.280	87	57.8 - 128
n-Propylbenzene		1,2,3,4	44.0	µg/L	1	50.0	0.29	87	30.5 - 154
1,3,5-Trimethylbenzene		1,2,3,4	44.6	µg/L	1	50.0	<0.260	89	10 - 183
tert-Butylbenzene		1,2,3,4	44.3	µg/L	1	50.0	<0.270	89	42.8 - 148
1,2,4-Trimethylbenzene		1,2,3,4	45.7	µg/L	1	50.0	0.35	91	10 - 179
1,4-Dichlorobenzene (para)		1,2,3,4	47.7	µg/L	1	50.0	<0.310	95	66 - 123
sec-Butylbenzene		1,2,3,4	45.3	µg/L	1	50.0	<0.200	91	30.8 - 155
1,3-Dichlorobenzene (meta)		1,2,3,4	46.5	µg/L	1	50.0	<0.280	93	66 - 124
p-Isopropyltoluene		1,2,3	45.0	µg/L	1	50.0	<0.200	90	20.9 - 164
4-Chlorotoluene		1,2,3,4	43.6	µg/L	1	50.0	<0.290	87	54.8 - 136
1,2-Dichlorobenzene (ortho)		1,2,3,4	46.2	µg/L	1	50.0	<0.250	92	65.9 - 124
n-Butylbenzene		1,2,3,4	45.2	µg/L	1	50.0	<0.170	90	31.3 - 153
1,2-Dibromo-3-chloropropane		1,3	37.6	µg/L	1	50.0	<1.70	75	49.3 - 138
1,2,3-Trichlorobenzene		1,2,3,4	50.5	µg/L	1	50.0	<0.400	101	37.5 - 146
1,2,4-Trichlorobenzene		1,2,3,4	50.1	µg/L	1	50.0	<2.12	100	55.3 - 132
Naphthalene		1,2,3,4	49.7	µg/L	1	50.0	<2.23	99	10 - 169
Hexachlorobutadiene		1,2,3,4	45.6	µg/L	1	50.0	<0.760	91	47.4 - 146

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Bromochloromethane		1,2,3,4	51.5	µg/L	1	50.0	<0.330	103	64.4 - 146	6	20
Dichlorodifluoromethane		1,2,3,4	30.2	µg/L	1	50.0	<0.350	60	36.2 - 162	3	20
Chloromethane (methyl chloride)		1,2,3,4	42.1	µg/L	1	50.0	<0.330	84	56.1 - 142	1	20
Vinyl Chloride		1,2,3,4	41.9	µg/L	1	50.0	<0.410	84	12 - 172	2	20
Bromomethane (methyl bromide)		1,2,3,4	46.2	µg/L	1	50.0	<1.69	92	43.6 - 159	2	20
Chloroethane		1,2,3,4	45.5	µg/L	1	50.0	<0.420	91	58 - 148	6	20
Trichlorofluoromethane		1,2,3,4	43.2	µg/L	1	50.0	<0.410	86	52.2 - 163	8	20
Acetone		1,2,3,4	29.5	µg/L	1	50.0	<1.09	59	12.8 - 120	1	20
Iodomethane (methyl iodide)		1,2,3,4	50.3	µg/L	1	50.0	<2.47	101	10 - 200	2	20
Carbon Disulfide		1,2,3,4	49.3	µg/L	1	50.0	<0.400	99	57.6 - 149	4	20
Acrylonitrile		1,2,3,4	43.1	µg/L	1	50.0	<0.360	86	67.2 - 134	1	20
2-Butanone (MEK)	Qr	Qr	35.6	µg/L	1	50.0	<1.67	71	31.3 - 124	22	20
4-Methyl-2-pentanone (MIBK)		1,2,3,4	42.6	µg/L	1	50.0	<2.14	85	56.5 - 143	5	20
2-Hexanone		1,2,3,4	33.4	µg/L	1	50.0	<1.49	67	29 - 144	3	20
trans 1,4-Dichloro-2-butene		1,2,3,4	38.4	µg/L	1	50.0	<1.75	77	10 - 143	8	20
1,1-Dichloroethene		1,2,3,4	49.8	µg/L	1	50.0	<0.330	100	34.6 - 166	3	20

continued ...

matrix spikes continued ...

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec. Rec.	Rec. Limit	RPD	RPD Limit
Methylene chloride		1,2,3,4	46.3	µg/L	1	50.0	<2.04	93	64.3 - 140	3	20
MTBE		1,2,3,4	45.3	µg/L	1	50.0	<0.320	91	41.6 - 161	1	20
trans-1,2-Dichloroethene		1,2,3,4	51.1	µg/L	1	50.0	<0.360	102	63.2 - 146	2	20
1,1-Dichloroethane		1,2,3,4	46.5	µg/L	1	50.0	<0.330	93	69.2 - 143	0	20
cis-1,2-Dichloroethene		1,2,3,4	51.3	µg/L	1	50.0	<0.330	103	64.8 - 144	3	20
2,2-Dichloropropane		1,2,3,4	44.8	µg/L	1	50.0	<0.380	90	21.7 - 152	2	20
1,2-Dichloroethane (EDC)		1,2,3,4	41.6	µg/L	1	50.0	1.09	81	62 - 157	6	20
Chloroform		1,2,3,4	47.7	µg/L	1	50.0	<0.390	95	64.9 - 150	3	20
1,1,1-Trichloroethane		1,2,3,4	47.0	µg/L	1	50.0	<0.370	94	62.3 - 163	2	20
1,1-Dichloropropene		1,2,3,4	48.3	µg/L	1	50.0	<0.320	97	31 - 174	1	20
Benzene		1,2,3,4	49.2	µg/L	1	50.0	0.49	97	62 - 139	1	20
Carbon Tetrachloride		1,2,3,4	45.5	µg/L	1	50.0	<0.350	91	58 - 164	0	20
1,2-Dichloropropane		1,2,3,4	50.2	µg/L	1	50.0	<0.270	100	68.1 - 140	2	20
Trichloroethene (TCE)		1,2,3,4	50.2	µg/L	1	50.0	<0.310	100	49.9 - 163	3	20
Dibromomethane (methylene bromide)		1,2,3,4	45.1	µg/L	1	50.0	<0.230	90	66.8 - 142	0	20
Bromodichloromethane		1,2,3,4	46.2	µg/L	1	50.0	<0.320	92	63.9 - 152	2	20
2-Chloroethyl vinyl ether		1,2,3,4	<0.480	µg/L	1	50.0	<0.480	0	0 - 120	0	20
cis-1,3-Dichloropropene		1,2,3,4	44.1	µg/L	1	50.0	<0.210	88	32.6 - 160	0	20
trans-1,3-Dichloropropene		1,2,3,4	40.9	µg/L	1	50.0	<0.310	82	31.4 - 163	1	20
Toluene		1,2,3,4	50.2	µg/L	1	50.0	1.26	98	40.7 - 160	0	20
1,1,2-Trichloroethane		1,2,3,4	42.3	µg/L	1	50.0	<0.390	85	66 - 130	2	20
1,3-Dichloropropane		1,2,3,4	42.1	µg/L	1	50.0	<0.310	84	66.2 - 131	1	20
Dibromochloromethane		1,3,4	42.8	µg/L	1	50.0	<0.370	86	58.8 - 143	1	20
1,2-Dibromoethane (EDB)		1,2,3,4	43.5	µg/L	1	50.0	<0.310	87	66.8 - 132	1	20
Tetrachloroethene (PCE)		1,2,3,4	43.9	µg/L	1	50.0	<0.190	88	28.8 - 126	4	20
Chlorobenzene		1,2,3,4	48.0	µg/L	1	50.0	<0.290	96	61.6 - 134	1	20
1,1,1,2-Tetrachloroethane		1,2,3,4	46.4	µg/L	1	50.0	<0.300	93	63.1 - 139	0	20
Ethylbenzene		1,2,3,4	46.4	µg/L	1	50.0	0.38	92	43 - 148	0	20
m,p-Xylene		1,2,3,4	91.9	µg/L	1	100	0.82	91	21.5 - 165	1	20
Bromoform		1,2,3,4	42.6	µg/L	1	50.0	<0.480	85	49 - 144	3	20
Styrene	Qs	Qs 1,2,3,4	1.37	µg/L	1	50.0	<0.250	3	10 - 192	8	20
o-Xylene		1,2,3,4	47.0	µg/L	1	50.0	0.43	93	28.4 - 160	1	20
1,1,2,2-Tetrachloroethane		1,2,3,4	40.7	µg/L	1	50.0	<0.560	81	65.3 - 133	1	20
2-Chlorotoluene		1,2,3,4	43.9	µg/L	1	50.0	<0.250	88	56 - 134	0	20
1,2,3-Trichloropropane		1,2,3,4	39.7	µg/L	1	50.0	<0.450	79	62.8 - 126	0	20
Isopropylbenzene		1,2,3,4	44.6	µg/L	1	50.0	<0.260	89	31.4 - 156	1	20
Bromobenzene		1,2,3,4	42.2	µg/L	1	50.0	<0.280	84	57.8 - 128	3	20
n-Propylbenzene		1,2,3,4	44.7	µg/L	1	50.0	0.29	89	30.5 - 154	2	20
1,3,5-Trimethylbenzene		1,2,3,4	45.7	µg/L	1	50.0	<0.260	91	10 - 183	2	20
tert-Butylbenzene		1,2,3,4	46.4	µg/L	1	50.0	<0.270	93	42.8 - 148	5	20
1,2,4-Trimethylbenzene		1,2,3,4	45.8	µg/L	1	50.0	0.35	91	10 - 179	0	20
1,4-Dichlorobenzene (para)		1,2,3,4	48.6	µg/L	1	50.0	<0.310	97	66 - 123	2	20
sec-Butylbenzene		1,2,3,4	46.3	µg/L	1	50.0	<0.200	93	30.8 - 155	2	20
1,3-Dichlorobenzene (meta)		1,2,3,4	48.4	µg/L	1	50.0	<0.280	97	66 - 124	4	20

continued ...

matrix spikes continued ...

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
p-Isopropyltoluene		1,2,3	46.8	µg/L	1	50.0	<0.200	94	20.9 - 164	4	20
4-Chlorotoluene		1,2,3,4	43.2	µg/L	1	50.0	<0.290	86	54.8 - 136	1	20
1,2-Dichlorobenzene (ortho)		1,2,3,4	47.3	µg/L	1	50.0	<0.250	95	65.9 - 124	2	20
n-Butylbenzene		1,2,3,4	46.1	µg/L	1	50.0	<0.170	92	31.3 - 153	2	20
1,2-Dibromo-3-chloropropane		1,3	40.4	µg/L	1	50.0	<1.70	81	49.3 - 138	7	20
1,2,3-Trichlorobenzene		1,2,3,4	57.2	µg/L	1	50.0	<0.400	114	37.5 - 146	12	20
1,2,4-Trichlorobenzene		1,2,3,4	55.5	µg/L	1	50.0	<2.12	111	55.3 - 132	10	20
Naphthalene		1,2,3,4	56.8	µg/L	1	50.0	<2.23	114	10 - 169	13	20
Hexachlorobutadiene		1,2,3,4	49.1	µg/L	1	50.0	<0.760	98	47.4 - 146	7	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Dibromofluoromethane	49.1	48.7	µg/L	1	50	98	97	70 - 130
Toluene-d8	47.3	46.4	µg/L	1	50	95	93	70 - 130
4-Bromofluorobenzene (4-BFB)	48.3	47.0	µg/L	1	50	97	94	70 - 130

Calibration Standards

Standard (CCV-1)

QC Batch: 132100

Date Analyzed: 2016-08-12

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1,2,3	mg/L	1.00	1.17	117	80 - 120	2016-08-12

Standard (CCV-2)

QC Batch: 132100

Date Analyzed: 2016-08-12

Analyzed By: MT

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1,2,3	mg/L	1.00	1.05	105	80 - 120	2016-08-12

Standard (CCV-1)

QC Batch: 132122

Date Analyzed: 2016-08-15

Analyzed By: RL

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		1,2,3,4	mg/L	25.0	25.1	100	90 - 110	2016-08-15

Standard (CCV-2)

QC Batch: 132122

Date Analyzed: 2016-08-15

Analyzed By: RL

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		1,2,3,4	mg/L	25.0	27.2	109	90 - 110	2016-08-15

Report Date: August 17, 2016
AFE 403828

Work Order: 16081207
EPNG Line 3031 Spike Test

Page Number: 28 of 34
Lea County, NM

Standard (CCV-1)

QC Batch: 132123

Date Analyzed: 2016-08-15

Analyzed By: RL

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		1,2,3,4	mg/L	25.0	27.2	109	90 - 110	2016-08-15

Standard (CCV-2)

QC Batch: 132123

Date Analyzed: 2016-08-15

Analyzed By: RL

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		1,2,3,4	mg/L	25.0	25.5	102	90 - 110	2016-08-15

Standard (CCV-1)

QC Batch: 132127

Date Analyzed: 2016-08-16

Analyzed By: HJ

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		1,2,3	mg/L	500	561	112	80 - 120	2016-08-16

Standard (CCV-2)

QC Batch: 132127

Date Analyzed: 2016-08-16

Analyzed By: HJ

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		1,2,3	mg/L	500	570	114	80 - 120	2016-08-16

Standard (CCV-1)

QC Batch: 132144

Date Analyzed: 2016-08-15

Analyzed By: KB

Param	Flag	Cert	Units	CCVs	CCVs	CCVs	Percent	Date
				True	Found	Percent	Recovery	
				Conc.	Conc.	Recovery	Limits	Analyzed
Bromochloromethane		1,2,3,4	µg/L	50.0	50.4	101	80 - 120	2016-08-15
Dichlorodifluoromethane	Qc	Qc	1,2,3,4	µg/L	50.0	39.9	80	2016-08-15
Chloromethane (methyl chloride)		1,2,3,4	µg/L	50.0	46.2	92	80 - 120	2016-08-15
Vinyl Chloride		1,2,3,4	µg/L	50.0	51.2	102	80 - 120	2016-08-15
Bromomethane (methyl bromide)		1,2,3,4	µg/L	50.0	49.8	100	80 - 120	2016-08-15
Chloroethane		1,2,3,4	µg/L	50.0	51.1	102	80 - 120	2016-08-15
Trichlorofluoromethane		1,2,3,4	µg/L	50.0	60.0	120	80 - 120	2016-08-15
Acetone	Qc	Qc	1,2,3,4	µg/L	50.0	31.3	63	2016-08-15
Iodomethane (methyl iodide)		1,2,3,4	µg/L	50.0	49.5	99	80 - 120	2016-08-15
Carbon Disulfide		1,2,3,4	µg/L	50.0	49.6	99	80 - 120	2016-08-15
Acrylonitrile		1,2,3,4	µg/L	50.0	44.6	89	80 - 120	2016-08-15
2-Butanone (MEK)	Qc	Qc	1,2,3,4	µg/L	50.0	35.7	71	2016-08-15
4-Methyl-2-pentanone (MIBK)		1,2,3,4	µg/L	50.0	40.5	81	80 - 120	2016-08-15
2-Hexanone	Qc	Qc	1,2,3,4	µg/L	50.0	38.7	77	2016-08-15
trans 1,4-Dichloro-2-butene	Qc	Qc	1,2,3,4	µg/L	50.0	66.1	132	2016-08-15
1,1-Dichloroethene		1,2,3,4	µg/L	50.0	50.4	101	80 - 120	2016-08-15
Methylene chloride		1,2,3,4	µg/L	50.0	48.4	97	80 - 120	2016-08-15
MTBE		1,2,3,4	µg/L	50.0	51.0	102	80 - 120	2016-08-15
trans-1,2-Dichloroethene		1,2,3,4	µg/L	50.0	51.8	104	80 - 120	2016-08-15
1,1-Dichloroethane		1,2,3,4	µg/L	50.0	52.2	104	80 - 120	2016-08-15
cis-1,2-Dichloroethene		1,2,3,4	µg/L	50.0	51.0	102	80 - 120	2016-08-15
2,2-Dichloropropane	Qc	Qc	1,2,3,4	µg/L	50.0	63.2	126	2016-08-15
1,2-Dichloroethane (EDC)		1,2,3,4	µg/L	50.0	52.5	105	80 - 120	2016-08-15
Chloroform		1,2,3,4	µg/L	50.0	55.8	112	80 - 120	2016-08-15
1,1,1-Trichloroethane		1,2,3,4	µg/L	50.0	57.0	114	80 - 120	2016-08-15
1,1-Dichloropropene		1,2,3,4	µg/L	50.0	53.0	106	80 - 120	2016-08-15
Benzene		1,2,3,4	µg/L	50.0	50.2	100	80 - 120	2016-08-15
Carbon Tetrachloride		1,2,3,4	µg/L	50.0	56.3	113	80 - 120	2016-08-15
1,2-Dichloropropane		1,2,3,4	µg/L	50.0	52.2	104	80 - 120	2016-08-15
Trichloroethene (TCE)		1,2,3,4	µg/L	50.0	50.0	100	80 - 120	2016-08-15
Dibromomethane (methylene bromide)		1,2,3,4	µg/L	50.0	50.5	101	80 - 120	2016-08-15
Bromodichloromethane		1,2,3,4	µg/L	50.0	55.4	111	80 - 120	2016-08-15
2-Chloroethyl vinyl ether		1,2,3,4	µg/L	50.0	49.7	99	80 - 120	2016-08-15
cis-1,3-Dichloropropene		1,2,3,4	µg/L	50.0	50.1	100	80 - 120	2016-08-15
trans-1,3-Dichloropropene		1,2,3,4	µg/L	50.0	50.5	101	80 - 120	2016-08-15
Toluene		1,2,3,4	µg/L	50.0	52.4	105	80 - 120	2016-08-15
1,1,2-Trichloroethane		1,2,3,4	µg/L	50.0	43.4	87	80 - 120	2016-08-15
1,3-Dichloropropane		1,2,3,4	µg/L	50.0	46.6	93	80 - 120	2016-08-15
Dibromochloromethane		1,3,4	µg/L	50.0	48.7	97	80 - 120	2016-08-15
1,2-Dibromoethane (EDB)		1,2,3,4	µg/L	50.0	44.6	89	80 - 120	2016-08-15
Tetrachloroethene (PCE)		1,2,3,4	µg/L	50.0	44.8	90	80 - 120	2016-08-15
Chlorobenzene		1,2,3,4	µg/L	50.0	49.9	100	80 - 120	2016-08-15
1,1,1,2-Tetrachloroethane		1,2,3,4	µg/L	50.0	51.7	103	80 - 120	2016-08-15
Ethylbenzene		1,2,3,4	µg/L	50.0	49.6	99	80 - 120	2016-08-15

continued . . .

standard continued ...

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
m,p-Xylene		1,2,3,4	µg/L	100	103	103	80 - 120	2016-08-15
Bromoform		1,2,3,4	µg/L	50.0	51.8	104	80 - 120	2016-08-15
Styrene		1,2,3,4	µg/L	50.0	49.4	99	80 - 120	2016-08-15
o-Xylene		1,2,3,4	µg/L	50.0	52.3	105	80 - 120	2016-08-15
1,1,2,2-Tetrachloroethane		1,2,3,4	µg/L	50.0	44.1	88	80 - 120	2016-08-15
2-Chlorotoluene		1,2,3,4	µg/L	50.0	46.5	93	80 - 120	2016-08-15
1,2,3-Trichloropropane		1,2,3,4	µg/L	50.0	41.2	82	80 - 120	2016-08-15
Isopropylbenzene		1,2,3,4	µg/L	50.0	44.5	89	80 - 120	2016-08-15
Bromobenzene		1,2,3,4	µg/L	50.0	44.7	89	80 - 120	2016-08-15
n-Propylbenzene		1,2,3,4	µg/L	50.0	45.6	91	80 - 120	2016-08-15
1,3,5-Trimethylbenzene		1,2,3,4	µg/L	50.0	46.9	94	80 - 120	2016-08-15
tert-Butylbenzene		1,2,3,4	µg/L	50.0	45.6	91	80 - 120	2016-08-15
1,2,4-Trimethylbenzene		1,2,3,4	µg/L	50.0	48.1	96	80 - 120	2016-08-15
1,4-Dichlorobenzene (para)		1,2,3,4	µg/L	50.0	49.2	98	80 - 120	2016-08-15
sec-Butylbenzene		1,2,3,4	µg/L	50.0	46.7	93	80 - 120	2016-08-15
1,3-Dichlorobenzene (meta)		1,2,3,4	µg/L	50.0	48.7	97	80 - 120	2016-08-15
p-Isopropyltoluene		1,2,3	µg/L	50.0	47.5	95	80 - 120	2016-08-15
4-Chlorotoluene		1,2,3,4	µg/L	50.0	46.0	92	80 - 120	2016-08-15
1,2-Dichlorobenzene (ortho)		1,2,3,4	µg/L	50.0	48.0	96	80 - 120	2016-08-15
n-Butylbenzene		1,2,3,4	µg/L	50.0	48.0	96	80 - 120	2016-08-15
1,2-Dibromo-3-chloropropane		1,3	µg/L	50.0	41.7	83	80 - 120	2016-08-15
1,2,3-Trichlorobenzene		1,2,3,4	µg/L	50.0	48.5	97	80 - 120	2016-08-15
1,2,4-Trichlorobenzene		1,2,3,4	µg/L	50.0	50.6	101	80 - 120	2016-08-15
Naphthalene		1,2,3,4	µg/L	50.0	45.2	90	80 - 120	2016-08-15
Hexachlorobutadiene		1,2,3,4	µg/L	50.0	50.1	100	80 - 120	2016-08-15

Standard (CCV-2)

QC Batch: 132144

Date Analyzed: 2016-08-15

Analyzed By: KB

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Bromochloromethane		1,2,3,4	µg/L	50.0	52.6	105	80 - 120	2016-08-15
Dichlorodifluoromethane	Qc	Qc	µg/L	50.0	31.5	63	80 - 120	2016-08-15
Chloromethane (methyl chloride)		1,2,3,4	µg/L	50.0	41.9	84	80 - 120	2016-08-15
Vinyl Chloride		1,2,3,4	µg/L	50.0	42.8	86	80 - 120	2016-08-15
Bromomethane (methyl bromide)		1,2,3,4	µg/L	50.0	46.4	93	80 - 120	2016-08-15
Chloroethane		1,2,3,4	µg/L	50.0	46.2	92	80 - 120	2016-08-15
Trichlorofluoromethane		1,2,3,4	µg/L	50.0	45.3	91	80 - 120	2016-08-15
Acetone	Qc	Qc	µg/L	50.0	29.6	59	80 - 120	2016-08-15

continued ...

standard continued ...

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Iodomethane (methyl iodide)		1,2,3,4	µg/L	50.0	49.7	99	80 - 120	2016-08-15
Carbon Disulfide		1,2,3,4	µg/L	50.0	48.6	97	80 - 120	2016-08-15
Acrylonitrile		1,2,3,4	µg/L	50.0	43.3	87	80 - 120	2016-08-15
2-Butanone (MEK)	Qc	Qc	µg/L	50.0	38.5	77	80 - 120	2016-08-15
4-Methyl-2-pentanone (MIBK)		1,2,3,4	µg/L	50.0	45.6	91	80 - 120	2016-08-15
2-Hexanone	Qc	Qc	µg/L	50.0	35.9	72	80 - 120	2016-08-15
trans 1,4-Dichloro-2-butene		1,2,3,4	µg/L	50.0	42.8	86	80 - 120	2016-08-15
1,1-Dichloroethene		1,2,3,4	µg/L	50.0	50.5	101	80 - 120	2016-08-15
Methylene chloride		1,2,3,4	µg/L	50.0	47.8	96	80 - 120	2016-08-15
MTBE		1,2,3,4	µg/L	50.0	47.8	96	80 - 120	2016-08-15
trans-1,2-Dichloroethene		1,2,3,4	µg/L	50.0	51.7	103	80 - 120	2016-08-15
1,1-Dichloroethane		1,2,3,4	µg/L	50.0	48.2	96	80 - 120	2016-08-15
cis-1,2-Dichloroethene		1,2,3,4	µg/L	50.0	50.6	101	80 - 120	2016-08-15
2,2-Dichloropropane		1,2,3,4	µg/L	50.0	46.9	94	80 - 120	2016-08-15
1,2-Dichloroethane (EDC)		1,2,3,4	µg/L	50.0	45.5	91	80 - 120	2016-08-15
Chloroform		1,2,3,4	µg/L	50.0	50.2	100	80 - 120	2016-08-15
1,1,1-Trichloroethane		1,2,3,4	µg/L	50.0	50.5	101	80 - 120	2016-08-15
1,1-Dichloropropene		1,2,3,4	µg/L	50.0	49.7	99	80 - 120	2016-08-15
Benzene		1,2,3,4	µg/L	50.0	49.9	100	80 - 120	2016-08-15
Carbon Tetrachloride		1,2,3,4	µg/L	50.0	48.3	97	80 - 120	2016-08-15
1,2-Dichloropropane		1,2,3,4	µg/L	50.0	50.4	101	80 - 120	2016-08-15
Trichloroethene (TCE)		1,2,3,4	µg/L	50.0	51.2	102	80 - 120	2016-08-15
Dibromomethane (methylene bromide)		1,2,3,4	µg/L	50.0	47.3	95	80 - 120	2016-08-15
Bromodichloromethane		1,2,3,4	µg/L	50.0	49.6	99	80 - 120	2016-08-15
2-Chloroethyl vinyl ether		1,2,3,4	µg/L	50.0	45.6	91	80 - 120	2016-08-15
cis-1,3-Dichloropropene		1,2,3,4	µg/L	50.0	45.1	90	80 - 120	2016-08-15
trans-1,3-Dichloropropene		1,2,3,4	µg/L	50.0	43.9	88	80 - 120	2016-08-15
Toluene		1,2,3,4	µg/L	50.0	51.4	103	80 - 120	2016-08-15
1,1,2-Trichloroethane		1,2,3,4	µg/L	50.0	44.3	89	80 - 120	2016-08-15
1,3-Dichloropropane		1,2,3,4	µg/L	50.0	44.4	89	80 - 120	2016-08-15
Dibromochloromethane		1,3,4	µg/L	50.0	45.4	91	80 - 120	2016-08-15
1,2-Dibromoethane (EDB)		1,2,3,4	µg/L	50.0	44.9	90	80 - 120	2016-08-15
Tetrachloroethene (PCE)		1,2,3,4	µg/L	50.0	44.4	89	80 - 120	2016-08-15
Chlorobenzene		1,2,3,4	µg/L	50.0	49.3	99	80 - 120	2016-08-15
1,1,1,2-Tetrachloroethane		1,2,3,4	µg/L	50.0	47.3	95	80 - 120	2016-08-15
Ethylbenzene		1,2,3,4	µg/L	50.0	47.6	95	80 - 120	2016-08-15
m,p-Xylene		1,2,3,4	µg/L	100	96.5	96	80 - 120	2016-08-15
Bromoform		1,2,3,4	µg/L	50.0	45.8	92	80 - 120	2016-08-15
Styrene		1,2,3,4	µg/L	50.0	46.8	94	80 - 120	2016-08-15
o-Xylene		1,2,3,4	µg/L	50.0	48.8	98	80 - 120	2016-08-15
1,1,2,2-Tetrachloroethane		1,2,3,4	µg/L	50.0	42.4	85	80 - 120	2016-08-15
2-Chlorotoluene		1,2,3,4	µg/L	50.0	47.1	94	80 - 120	2016-08-15
1,2,3-Trichloropropane		1,2,3,4	µg/L	50.0	41.4	83	80 - 120	2016-08-15

continued ...

standard continued ...

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Isopropylbenzene		1,2,3,4	µg/L	50.0	46.8	94	80 - 120	2016-08-15
Bromobenzene		1,2,3,4	µg/L	50.0	44.6	89	80 - 120	2016-08-15
n-Propylbenzene		1,2,3,4	µg/L	50.0	46.7	93	80 - 120	2016-08-15
1,3,5-Trimethylbenzene		1,2,3,4	µg/L	50.0	48.1	96	80 - 120	2016-08-15
tert-Butylbenzene		1,2,3,4	µg/L	50.0	48.0	96	80 - 120	2016-08-15
1,2,4-Trimethylbenzene		1,2,3,4	µg/L	50.0	47.8	96	80 - 120	2016-08-15
1,4-Dichlorobenzene (para)		1,2,3,4	µg/L	50.0	49.9	100	80 - 120	2016-08-15
sec-Butylbenzene		1,2,3,4	µg/L	50.0	48.1	96	80 - 120	2016-08-15
1,3-Dichlorobenzene (meta)		1,2,3,4	µg/L	50.0	49.1	98	80 - 120	2016-08-15
p-Isopropyltoluene		1,2,3	µg/L	50.0	48.1	96	80 - 120	2016-08-15
4-Chlorotoluene		1,2,3,4	µg/L	50.0	45.5	91	80 - 120	2016-08-15
1,2-Dichlorobenzene (ortho)		1,2,3,4	µg/L	50.0	49.1	98	80 - 120	2016-08-15
n-Butylbenzene		1,2,3,4	µg/L	50.0	47.4	95	80 - 120	2016-08-15
1,2-Dibromo-3-chloropropane		1,3	µg/L	50.0	41.1	82	80 - 120	2016-08-15
1,2,3-Trichlorobenzene		1,2,3,4	µg/L	50.0	53.2	106	80 - 120	2016-08-15
1,2,4-Trichlorobenzene		1,2,3,4	µg/L	50.0	53.8	108	80 - 120	2016-08-15
Naphthalene		1,2,3,4	µg/L	50.0	51.2	102	80 - 120	2016-08-15
Hexachlorobutadiene		1,2,3,4	µg/L	50.0	50.5	101	80 - 120	2016-08-15

Appendix

Report Definitions

Name	Definition
MDL	Method Detection Limit
MQL	Minimum Quantitation Limit
SDL	Sample Detection Limit

Laboratory Certifications

C	Certifying Authority	Certification Number	Laboratory Location
-	NCTRCA	WFWB384444Y0909	TraceAnalysis
-	DBE	VN 20657	TraceAnalysis
-	HUB	1752439743100-86536	TraceAnalysis
-	WBE	237019	TraceAnalysis
1	L-A-B	L2418	Lubbock
2	Kansas	Kansas E-10317	Lubbock
3	NELAP	T104704219-16-12	Lubbock
4		2015-066	Lubbock

Standard Flags

F	Description
B	Analyte detected in the corresponding method blank above the method detection limit
H	Analyzed out of hold time
J	Estimated concentration
Jb	The analyte is positively identified and the value is approximated between the SDL and MQL. Sample contains less than ten times the concentration found in the method blank. The result should be considered non-detect to the SDL.
Je	Estimated concentration exceeding calibration range.
MI1	Split peak or shoulder peak
MI2	Instrument software did not integrate
MI3	Instrument software misidentified the peak
MI4	Instrument software integrated improperly
MI5	Baseline correction
Qc	Calibration check outside of laboratory limits.
Qr	RPD outside of laboratory limits
Qs	Spike recovery outside of laboratory limits.
Qsr	Surrogate recovery outside of laboratory limits.
U	The analyte is not detected above the SDL

Attachments

The scanned attachments will follow this page.
Please note, each attachment may consist of more than one page.

Brandon & Clark
3403 Industrial Blvd.
Hobbs, NM 88240
Tel (575) 392-7561
Fax (575) 392-4508

1 (888) 588-3443

ANALYSIS REQUEST
(Circle or Specify Method No.)

if different from

OS, EC

N, NO₂-N, PO₄-P

608

8270 / 625

/ 624

les

As Ba Cd Cr Pb Hg

a Cd Cr Pb Se Hg

DRO / TVHC

005 / TX1005 E

8260 / 624

8260 / 624

[illegible]

LAB USE ONLY	REMARKS:
Infect Y N Headspace Y N/A	Email results to: mary_martino@kindermorgan.com glen_thompson@kindermorgan.com elisabeth_westcott@kindermorgan.com
Log-in-Review	☐ Dry Weight Basis Required ☐ TRRP Report Required ☐ Check if Special Reporting Limits Are Needed

71008426

ORIGINAL COPY

Summary Report

Mary Martino
Kinder Morgan-Colorado Springs
2 North Nevada Avenue
Colorado Springs, CO 80903

Report Date: August 17, 2016

Work Order: 16081207



Project Location: Lea County, NM
Project Name: EPNG Line 3031 Spike Test
Project Number: AFE 403828

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
426313	Rupture #7 Release	water	2016-08-09	10:00	2016-08-11
426316	Rupture #8 Release	water	2016-08-11	09:30	2016-08-11

Sample - Field Code	TPH DRO DRO (mg/L)	TPH GRO GRO (mg/L)
426313 - Rupture #7 Release	<5.00	6.36
426316 - Rupture #8 Release	<5.00	6.13

Sample: 426313 - Rupture #7 Release

Param	Flag	Result	Units	RL
Chloride		82.1	mg/L	2.5
Bromochloromethane		<5.00	µg/L	1
Dichlorodifluoromethane	Qc, Qr	<5.00	µg/L	1
Chloromethane (methyl chloride)		<5.00	µg/L	1
Vinyl Chloride		<5.00	µg/L	1
Bromomethane (methyl bromide)		<25.0	µg/L	5
Chloroethane		<5.00	µg/L	1
Trichlorofluoromethane		<5.00	µg/L	1
Acetone	Qc	<50.0	µg/L	10
Iodomethane (methyl iodide)		<25.0	µg/L	5
Carbon Disulfide		18.4	µg/L	1
Acrylonitrile		<5.00	µg/L	1
2-Butanone (MEK)	Qc, Qr	<25.0	µg/L	5
4-Methyl-2-pentanone (MIBK)		<25.0	µg/L	5
2-Hexanone	Qc	<25.0	µg/L	5

continued ...

sample 426313 continued ...

Param	Flag	Result	Units	RL
trans 1,4-Dichloro-2-butene	Qc	<50.0	µg/L	10
1,1-Dichloroethene		<5.00	µg/L	1
Methylene chloride		<25.0	µg/L	5
MTBE		<5.00	µg/L	1
trans-1,2-Dichloroethene		<5.00	µg/L	1
1,1-Dichloroethane		<5.00	µg/L	1
cis-1,2-Dichloroethene		<5.00	µg/L	1
2,2-Dichloropropane	Qc	<5.00	µg/L	1
1,2-Dichloroethane (EDC)		<5.00	µg/L	1
Chloroform		<5.00	µg/L	1
1,1,1-Trichloroethane		<5.00	µg/L	1
1,1-Dichloropropene		<5.00	µg/L	1
Benzene		37.2	µg/L	1
Carbon Tetrachloride		<5.00	µg/L	1
1,2-Dichloropropane		<5.00	µg/L	1
Trichloroethene (TCE)		<5.00	µg/L	1
Dibromomethane (methylene bromide)		<5.00	µg/L	1
Bromodichloromethane		<5.00	µg/L	1
2-Chloroethyl vinyl ether		<25.0	µg/L	5
cis-1,3-Dichloropropene		<5.00	µg/L	1
trans-1,3-Dichloropropene		<5.00	µg/L	1
Toluene		6.81	µg/L	1
1,1,2-Trichloroethane		<5.00	µg/L	1
1,3-Dichloropropane		<5.00	µg/L	1
Dibromochloromethane		<5.00	µg/L	1
1,2-Dibromoethane (EDB)		<5.00	µg/L	1
Tetrachloroethene (PCE)		<5.00	µg/L	1
Chlorobenzene		<5.00	µg/L	1
1,1,1,2-Tetrachloroethane		<5.00	µg/L	1
Ethylbenzene		<5.00	µg/L	1
m,p-Xylene		<5.00	µg/L	1
Bromoform		<5.00	µg/L	1
Styrene		<5.00	µg/L	1
o-Xylene		<5.00	µg/L	1
1,1,2,2-Tetrachloroethane		<5.00	µg/L	1
2-Chlorotoluene		<5.00	µg/L	1
1,2,3-Trichloropropane		<5.00	µg/L	1
Isopropylbenzene		<5.00	µg/L	1
Bromobenzene		<5.00	µg/L	1
n-Propylbenzene		<5.00	µg/L	1
1,3,5-Trimethylbenzene		<5.00	µg/L	1
tert-Butylbenzene		<5.00	µg/L	1
1,2,4-Trimethylbenzene		<5.00	µg/L	1
1,4-Dichlorobenzene (para)		<5.00	µg/L	1
sec-Butylbenzene		<5.00	µg/L	1
1,3-Dichlorobenzene (meta)		<5.00	µg/L	1
p-Isopropyltoluene		<5.00	µg/L	1

continued ...

sample 426313 continued ...

Param	Flag	Result	Units	RL
4-Chlorotoluene		<5.00	µg/L	1
1,2-Dichlorobenzene (ortho)		<5.00	µg/L	1
n-Butylbenzene		<5.00	µg/L	1
1,2-Dibromo-3-chloropropane		<25.0	µg/L	5
1,2,3-Trichlorobenzene		<25.0	µg/L	5
1,2,4-Trichlorobenzene		<25.0	µg/L	5
Naphthalene		<25.0	µg/L	5
Hexachlorobutadiene		<25.0	µg/L	5

Sample: 426316 - Rupture #8 Release

Param	Flag	Result	Units	RL
Chloride		94.1	mg/L	2.5
Bromochloromethane		<5.00	µg/L	1
Dichlorodifluoromethane	Qc, Qr	<5.00	µg/L	1
Chloromethane (methyl chloride)		<5.00	µg/L	1
Vinyl Chloride		<5.00	µg/L	1
Bromomethane (methyl bromide)		<25.0	µg/L	5
Chloroethane		<5.00	µg/L	1
Trichlorofluoromethane		<5.00	µg/L	1
Acetone	Qc	<50.0	µg/L	10
Iodomethane (methyl iodide)		<25.0	µg/L	5
Carbon Disulfide		16.1	µg/L	1
Acrylonitrile		<5.00	µg/L	1
2-Butanone (MEK)	Qc, Qr	<25.0	µg/L	5
4-Methyl-2-pentanone (MIBK)		<25.0	µg/L	5
2-Hexanone	Qc	<25.0	µg/L	5
trans 1,4-Dichloro-2-butene	Qc	<50.0	µg/L	10
1,1-Dichloroethene		<5.00	µg/L	1
Methylene chloride		<25.0	µg/L	5
MTBE		<5.00	µg/L	1
trans-1,2-Dichloroethene		<5.00	µg/L	1
1,1-Dichloroethane		<5.00	µg/L	1
cis-1,2-Dichloroethene		<5.00	µg/L	1
2,2-Dichloropropane	Qc	<5.00	µg/L	1
1,2-Dichloroethane (EDC)		<5.00	µg/L	1
Chloroform		<5.00	µg/L	1
1,1,1-Trichloroethane		<5.00	µg/L	1
1,1-Dichloropropene		<5.00	µg/L	1
Benzene		32.9	µg/L	1
Carbon Tetrachloride		<5.00	µg/L	1
1,2-Dichloropropane		<5.00	µg/L	1
Trichloroethene (TCE)		<5.00	µg/L	1
Dibromomethane (methylene bromide)		<5.00	µg/L	1
Bromodichloromethane		<5.00	µg/L	1
2-Chloroethyl vinyl ether		<25.0	µg/L	5

continued ...

sample 426316 continued ...

Param	Flag	Result	Units	RL
cis-1,3-Dichloropropene		<5.00	µg/L	1
trans-1,3-Dichloropropene		<5.00	µg/L	1
Toluene		6.75	µg/L	1
1,1,2-Trichloroethane		<5.00	µg/L	1
1,3-Dichloropropane		<5.00	µg/L	1
Dibromochloromethane		<5.00	µg/L	1
1,2-Dibromoethane (EDB)		<5.00	µg/L	1
Tetrachloroethene (PCE)		<5.00	µg/L	1
Chlorobenzene		<5.00	µg/L	1
1,1,1,2-Tetrachloroethane		<5.00	µg/L	1
Ethylbenzene		<5.00	µg/L	1
m,p-Xylene		<5.00	µg/L	1
Bromoform		<5.00	µg/L	1
Styrene		<5.00	µg/L	1
o-Xylene		<5.00	µg/L	1
1,1,2,2-Tetrachloroethane		<5.00	µg/L	1
2-Chlorotoluene		<5.00	µg/L	1
1,2,3-Trichloropropane		<5.00	µg/L	1
Isopropylbenzene		<5.00	µg/L	1
Bromobenzene		<5.00	µg/L	1
n-Propylbenzene		<5.00	µg/L	1
1,3,5-Trimethylbenzene		<5.00	µg/L	1
tert-Butylbenzene		<5.00	µg/L	1
1,2,4-Trimethylbenzene		<5.00	µg/L	1
1,4-Dichlorobenzene (para)		<5.00	µg/L	1
sec-Butylbenzene		<5.00	µg/L	1
1,3-Dichlorobenzene (meta)		<5.00	µg/L	1
p-Isopropyltoluene		<5.00	µg/L	1
4-Chlorotoluene		<5.00	µg/L	1
1,2-Dichlorobenzene (ortho)		<5.00	µg/L	1
n-Butylbenzene		<5.00	µg/L	1
1,2-Dibromo-3-chloropropane		<25.0	µg/L	5
1,2,3-Trichlorobenzene		<25.0	µg/L	5
1,2,4-Trichlorobenzene		<25.0	µg/L	5
Naphthalene		<25.0	µg/L	5
Hexachlorobutadiene		<25.0	µg/L	5

From: Lynch, Kristen, EMNRD [mailto:Kristen.Lynch@state.nm.us]
Sent: Wednesday, August 31, 2016 12:51 PM
To: Castellano, Sheila Fennell (Contractor); Keyes, Jamie, EMNRD
Subject: RE: El Paso Natural Gas Company_Line No. 3031 Spike Test_Soil and Water Analysis Reports for Rupture Nos. 5-8

Sheila,

After review of your data, permission to backfill Rupture Sites 5,6,7, & 8 is granted. Please submit final C-141s for final approval following backfill of your sites.

Thank You,

*Kristen D. Lynch
Environmental Specialist, District 1
Oil Conservation Division, EMNRD
(575) 393-6161 ext. 111
575-370-3180 (emergency-cell)*

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Castellano, Sheila Fennell (Contractor) [mailto:Sheila_Castellano@KinderMorgan.com]
Sent: Monday, August 29, 2016 5:12 PM
To: Keyes, Jamie, EMNRD
Cc: Lynch, Kristen, EMNRD
Subject: FW: El Paso Natural Gas Company_Line No. 3031 Spike Test_Soil and Water Analysis Reports for Rupture Nos. 5-8

Mr. Keyes,

EPNG would like to request permission to close the open trench at rupture site numbers 5, 6, 7 and 8.
I would also like to speak with you regarding rupture site #2 and OCD's request for delineation at that location.
Please let me know when would be a good time to give you a call.

Thank you,
Sheila Castellano



Sheila Castellano - Contractor Consultant
2 North Nevada Ave
Colorado Springs, CO 80903

o: 719 520-3719
c: 719 352-1367

From: Keyes, Jamie, EMNRD [mailto:Jamie.Keyes@state.nm.us]
Sent: Wednesday, August 24, 2016 3:21 PM
To: Castellano, Sheila Fennell (Contractor)
Cc: Oberding, Tomas, EMNRD; Lynch, Kristen, EMNRD
Subject: RE: El Paso Natural Gas Company_Line No. 3031 Spike Test_Form C141 Release Notification_Rupture Nos. 7 and 8

4415	8/24/2016	A	El Paso Natural Gas	El Paso Natural Gas Company line 3031 (Rupture #7)	14S 38E 19 SW/4	8/9/2016
4416	8/24/2016	A	El Paso Natural Gas	El Paso Natural Gas Company line 3031 (Rupture #8)	14S 38E 8 W/2	8/11/2016

Good afternoon,

The C-141s have been received and the respective RP #s can be found above.

Thank you,

Jamie R. Keyes
Environmental Specialist, District 1
Oil Conservation Division, EMNRD
(575) 393-6161 ext. 113
575-370-3188 (emergency-cell)

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Castellano, Sheila Fennell (Contractor) [mailto:Sheila_Castellano@KinderMorgan.com]
Sent: Wednesday, August 24, 2016 2:26 PM
To: Griswold, Jim, EMNRD
Cc: Oberding, Tomas, EMNRD; Brown, Maxey G, EMNRD; Lynch, Kristen, EMNRD; Keyes, Jamie, EMNRD
Subject: El Paso Natural Gas Company_Line No. 3031 Spike Test_Form C141 Release Notification_Rupture Nos. 7 and 8

Mr. Griswold,

Attached are El Paso Natural Gas Company's (EPNG) submittal of Form C-141, as NMOCD's required Written Notification, for the unauthorized releases of hydrostatic test water in Lea County, New Mexico. The events (**RUPTURES #7 and #8**) occurred during a hydrostatic spike test of EPNG's existing 8-inch O.D. Tipperary – Denton Crossover Line (Line No. 3031) on August 9 and 11 , 2016.

Also included in this email is EPNG's Soil and Water Analysis Tracking Table. This table summarizes the results for all of the water and soil samples collected at each of the rupture locations. The water and soil analysis reports for Rupture Nos. 5 – 8 will be forwarded in a follow up email.

Please feel free to contact me directly if you have any questions.

Thank you,
Sheila Castellano



Sheila Castellano - Contractor Consultant
2 North Nevada Ave
Colorado Springs, CO 80903
o: 719 520-3719
c: 719 352-1367

From: Lynch, Kristen, EMNRD [mailto:Kristen.Lynch@state.nm.us]
Sent: Wednesday, August 31, 2016 12:51 PM
To: Castellano, Sheila Fennell (Contractor); Keyes, Jamie, EMNRD
Subject: RE: El Paso Natural Gas Company_Line No. 3031 Spike Test_Soil and Water Analysis Reports for Rupture Nos. 5-8

Sheila,

After review of your data, permission to backfill Rupture Sites 5,6,7, & 8 is granted. Please submit final C-141s for final approval following backfill of your sites.

Thank You,

*Kristen D. Lynch
Environmental Specialist, District 1
Oil Conservation Division, EMNRD
(575) 393-6161 ext. 111
575-370-3180 (emergency-cell)*

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Castellano, Sheila Fennell (Contractor) [mailto:Sheila_Castellano@KinderMorgan.com]
Sent: Monday, August 29, 2016 5:12 PM
To: Keyes, Jamie, EMNRD
Cc: Lynch, Kristen, EMNRD
Subject: FW: El Paso Natural Gas Company_Line No. 3031 Spike Test_Soil and Water Analysis Reports for Rupture Nos. 5-8

Mr. Keyes,

EPNG would like to request permission to close the open trench at rupture site numbers 5, 6, 7 and 8.
I would also like to speak with you regarding rupture site #2 and OCD's request for delineation at that location.
Please let me know when would be a good time to give you a call.

Thank you,
Sheila Castellano



Sheila Castellano - Contractor Consultant
2 North Nevada Ave
Colorado Springs, CO 80903

o: 719 520-3719
c: 719 352-1367

From: Keyes, Jamie, EMNRD [mailto:Jamie.Keyes@state.nm.us]
Sent: Wednesday, August 24, 2016 3:21 PM
To: Castellano, Sheila Fennell (Contractor)
Cc: Oberding, Tomas, EMNRD; Lynch, Kristen, EMNRD
Subject: RE: El Paso Natural Gas Company_Line No. 3031 Spike Test_Form C141 Release Notification_Rupture Nos. 7 and 8

4415	8/24/2016	A	El Paso Natural Gas	El Paso Natural Gas Company line 3031 (Rupture #7)	14S 38E 19 SW/4	8/9/2016
4416	8/24/2016	A	El Paso Natural Gas	El Paso Natural Gas Company line 3031 (Rupture #8)	14S 38E 8 W/2	8/11/2016

Good afternoon,

The C-141s have been received and the respective RP #s can be found above.

Thank you,

Jamie R. Keyes
Environmental Specialist, District 1
Oil Conservation Division, EMNRD
(575) 393-6161 ext. 113
575-370-3188 (emergency-cell)

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Castellano, Sheila Fennell (Contractor) [mailto:Sheila_Castellano@KinderMorgan.com]
Sent: Wednesday, August 24, 2016 2:26 PM
To: Griswold, Jim, EMNRD
Cc: Oberding, Tomas, EMNRD; Brown, Maxey G, EMNRD; Lynch, Kristen, EMNRD; Keyes, Jamie, EMNRD
Subject: El Paso Natural Gas Company_Line No. 3031 Spike Test_Form C141 Release Notification_Rupture Nos. 7 and 8

Mr. Griswold,

Attached are El Paso Natural Gas Company's (EPNG) submittal of Form C-141, as NMOCD's required Written Notification, for the unauthorized releases of hydrostatic test water in Lea County, New Mexico. The events (**RUPTURES #7 and #8**) occurred during a hydrostatic spike test of EPNG's existing 8-inch O.D. Tipperary – Denten Crossover Line (Line No. 3031) on August 9 and 11 , 2016.

Also included in this email is EPNG's Soil and Water Analysis Tracking Table. This table summarizes the results for all of the water and soil samples collected at each of the rupture locations. The water and soil analysis reports for Rupture Nos. 5 – 8 will be forwarded in a follow up email.

Please feel free to contact me directly if you have any questions.

Thank you,
Sheila Castellano



Sheila Castellano - Contractor Consultant
2 North Nevada Ave
Colorado Springs, CO 80903
o: 719 520-3719
c: 719 352-1367