

1RP - 5153

**CLOSURE
REPORT**

2019

Chavez, Carl J, EMNRD

From: Chavez, Carl J, EMNRD
Sent: Thursday, May 2, 2019 9:43 AM
To: Denton, Scott (Scott.Denton@HollyFrontier.com)
Cc: Combs, Robert (Robert.Combs@hollyfrontier.com)
Subject: HollyFrontier 1RP-5153 Characterization, Remediation & Closure Report 4-30-19: OCD Approval
Attachments: OCD 1RP-5153 Closure Approval 5-2-19.pdf

Scott and Robert:

Good morning. Nice job!

Approved (see attachment). OCD is updating the 1RP-5153 Administrative Record and OCD Online to close the release.

Please contact me if you have questions. Thank you.

Mr. Carl J. Chavez, CHMM (#13099)
New Mexico Oil Conservation Division
Energy Minerals and Natural Resources Department
1220 South St Francis Drive
Santa Fe, New Mexico 87505
Ph. (505) 476-3490
E-mail: CarlJ.Chavez@state.nm.us

“Why not prevent pollution, minimize waste to reduce operating costs, reuse or recycle, and move forward with the rest of the Nation?” (To see how, go to: <http://www.emnrd.state.nm.us/OCD> and see “Publications”)

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>114.58</u> (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring? The release extent is located within 1000 feet of two refinery water supply wells (WW-North and WW-South). These wells are not used for drinking water. The release extent is not located within 1000 feet of any other fresh water wells other than potential water wells drilled for the purposes of oil exploration.	☒ Yes ☐ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field? The release extent is located within Lovington city limits. The release extent is not located within a defined municipal fresh water well field; the nearest municipal well (City of Lovington Well No. 9) is located approximately 2300 feet north and upgradient of the release area extent.	☒ Yes ☐ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*



- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data **Not Applicable**
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs **Not Applicable**
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Robert CombsTitle: Environmental SpecialistSignature: Date: 4/30/19email: Robert.Combs@hollyfrontier.comTelephone: 575-746-5382**OCD Only**Received by: Date: 5/1/2019

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	


Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities


I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Robert Combs Title: Environmental Specialist
 Signature:  Date: 4/30/19
 email: Robert.Combs@hollvfrontier.com Telephone: 575-746-5382

OCD Only

Received by:  Date: 5/1/2019

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by:  Date: 5/2/2019
 Printed Name: Paul J. Chavez Title: Environmental Engineer



April 30, 2019

Mr. Carl Chavez
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Crude Pipeline Release 1RP-5153, Site Characterization, Remediation, and Closure Report, HollyFrontier Navajo Refining LLC, Lovington Refinery, Lovington, New Mexico, AP-110

HollyFrontier Navajo Refining LLC (Navajo) is submitting this letter to document site characterization and remediation results of the crude pipeline release that was discovered on July 9, 2018, at the Lovington Refinery (refinery) located in Lovington, New Mexico. This letter also serves as the closure report for this release. The release occurred from an above ground out-of-service pipeline at the location shown on the attached Figure 1. The initial Form C-141 for this release was submitted to the New Mexico Oil Conservation Division (OCD) on August 9, 2018. The final Form C-141 is provided as Attachment A.

INITIAL RELEASE RESPONSE ACTIVITIES

The release was first observed from the air by a pipeline pilot, who then notified Holly Energy Partners (HEP) and HEP then notified Navajo. Navajo completed the following activities immediately upon discovery of the release:

- The release area was secured and blind flanges were installed on the 12-inch diameter, out-of-service pipe to stop the leak. The pipeline was de-inventoried.
- Free liquids were recovered by vacuum truck and returned to the refinery. Approximately three barrels were recovered of the total estimated five to six barrels of crude oil released.
- Surface soil was excavated based on visual and olfactory indications of impacts (i.e., staining, odor, and moisture content). Approximately 68 cubic yards of impacted soil was removed and loaded in covered roll-off boxes and transported to Gandy Marley, Inc. in Roswell, New Mexico for disposal. Waste documentation is provided in Attachment B.
- Microbes were applied to the open excavation to address any potential residual hydrocarbons. The excavation was left open pending assessment as described below. The approximate extent of the initial excavation is shown on Inset Maps 1 and 2 of Figure 1.

SITE CHARACTERIZATION

Site characterization information for the release is provided below in accordance with 19.15.29.11 New Mexico Administrative Code (NMAC).

- Depth to Groundwater: Monitoring well MW-18 (nearest monitoring well) is located approximately 400 feet northeast/east from the release area, and is gauged on a semi-annual basis as part of the facility-wide groundwater monitoring program. The depth to groundwater measured at MW-18 during the October 2018 semi-annual event was 116.08 feet below ground surface (bgs). The average depth to water measured across the Refinery in October 2018 was 112.14 feet bgs. Groundwater gauging records were provided to the OCD in the *2018 Groundwater Monitoring Report* on April 15, 2019.
- Distance to Nearest Watercourse: No significant watercourses as defined in Subsection P of 19.15.17.7 NMAC are located within 0.5-miles of any horizontal boundary of the release location.
- Distance to Nearest Fresh Water Well or Spring: There are no known fresh water springs within 0.5-miles of the release location. As described on Form C-141 (provided as Attachment A), there are two refinery fresh water supply wells (WW-North and WW-South) located within 1,000 feet of the release area. There is a third refinery fresh water supply well (WW-East) and a City of Lovington municipal water well (LW-9) located within 0.5-miles of the release area. The locations of these refinery water supply wells and the City of Lovington municipal well are shown on Attachment C1. From the release area, WW-North is located approximately 500 feet to the northeast, WW-South is located approximately 700 feet to the east, WW-East is located approximately 1,800 feet to the northeast, and LW-9 is located approximately 2,300 feet to the north. The refinery water supply wells are solely used by the refinery for non-potable purposes including in refinery processes, refinery restrooms (toilets and hand washing), and safety showers (the wells are not used for drinking water). Navajo samples the three refinery water supply wells on a quarterly basis in accordance with the November 2017 *Revised Facility-Wide Groundwater Monitoring Work Plan* and the results are reported to the OCD in annual facility-wide groundwater monitoring reports. LW-9 is located upgradient of the refinery and release area.

New Mexico Office of the State Engineer (NMOSE) online records indicate there are additional potential water wells, or Points of Diversion (PODs), located within 0.5-miles of the release area. A screenshot from the NMOSE ArcGIS Online tool showing potential wells located within 0.5-miles of the release area is provided as Attachment C2. A majority of the potential wells identified within 0.5-miles in the NMOSE online database are monitoring wells or wells installed for “prospecting or development of natural resource” (PRO Well as shown on Attachment C2). The municipal wells identified in the NMOSE online database are

associated with the three refinery water supply wells or City of Lovington wells discussed above. The location data for these refinery water supply wells and City of Lovington wells as shown on Attachment C2 are not consistent with the known locations of these wells as shown on Attachment C1.

INITIAL SOIL ASSESSMENT

TRC Environmental Corporation (TRC) conducted initial soil assessment activities on behalf of Navajo on September 25, 2018. Discrete grab surface soil samples were collected from the excavation floor (designated as EF-01 through EF-06) and excavation sidewalls (designated as ES-01 through ES-07) at the locations shown on Inset Map 1 of Figure 1. Excavation floor samples were collected at an approximate spacing of one per 200 square feet. Excavation sidewall samples were collected at an approximate spacing of one per 20 linear feet. The locations of the soil samples were adjusted as necessary to ensure any areas with the strongest indications of hydrocarbon impacts were assessed (based on staining, odor, hydrocarbon sheen, and photoionization detector [PID] readings). All soil samples were collected using a decontaminated shovel. Two field duplicate soil samples were collected for data quality assurance/quality control (QA/QC) purposes. The depth of each soil sample is shown on Table 1.

Each soil sample was submitted for the following laboratory analysis:

- Total petroleum hydrocarbons (TPH) gasoline range organics (GRO), diesel range organics (DRO), and motor oil range organics (MRO) by Method 8015M;
- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by Method 8260B; and
- Chloride by Method 300.

Laboratory analytical results of the initial soil samples are summarized and compared to applicable closure criteria in Table 1. The closure criteria used for this comparison was selected from Table 1 of 19.15.29 NMAC for a minimum depth of >100 feet to groundwater below the horizontal boundary of the release. Laboratory analytical reports are provided as Attachment D. Analytical results indicate benzene, BTEX, and chloride are not present in soil at concentrations that exceed their respective closure criteria. As highlighted on Table 1, analytical results indicated the following constituents were present in surface soil at concentrations that exceeded their respective closure criteria:

- TPH GRO + DRO: Analytical results exceeded the TPH GRO + DRO closure criteria of 1,000 milligrams per kilogram (mg/kg) in excavation sidewall samples ES-01 and ES-05 and excavation floor samples EF-01 through EF-06, with a maximum detected concentration of 43,507 mg/kg in EF-05.

- TPH GRO + DRO + MRO: Analytical results exceeded the TPH GRO + DRO + MRO closure criteria of 2,500 mg/kg in excavation sidewall sample ES-01 and excavation floor samples EF-01 through EF-06, with a maximum detected concentration of 58,807 mg/kg in EF-05.

SOIL REMEDIATION AND CONFIRMATION SAMPLING ACTIVITIES

TRC conducted soil remediation activities on behalf of Navajo from January 21 to January 25, 2019, and on March 15, 2019, that included the removal of impacted soil with an excavator. Soil with indications of hydrocarbon impacts based on visual and olfactory observations (i.e., staining and odors) was removed with the excavator and placed in a roll off container. A PID was also used to field screen for the presence of hydrocarbons, but the PID is limited in its ability to detect higher range organics (i.e., DRO and MRO). The location and total extent of the January and March 2019 excavations are shown on Map Inset 2 of Figure 1. The final excavation ranged in depth from 0.25 to 3 feet bgs as shown on Map Inset 2 of Figure 1.

During the January 2019 excavation activities, the initial excavation was extended deeper and laterally to the northeast, north, northwest, west, and southwest as shown on Inset Map 2 of Figure 1. Approximately 119 cubic yards of soil were removed in January 2019. Discrete grab surface soil samples were collected from the excavation floor (designated as EF-01-R through EF-06-R) and excavation sidewalls (designated as ES-01-R and ES-05-R) to confirm the September 2018 sample locations that exceeded 19.15.29 NMAC closure criteria were removed. The location of each soil sample is shown on Map Inset 2 of Figure 1 and the depth of each soil sample is shown on Table 1. One field duplicate soil sample was collected for data QA/QC purposes. The January 2019 soil samples were submitted for laboratory analysis of TPH GRO, DRO, and MRO by Method 8015M, and the results are summarized on Table 1. Analytical results indicated TPH GRO + DRO and TPH GRO + DRO + MRO were present in one excavation sidewall sample (EF-01-R) and two excavation floor samples (EF-02-R and EF-03-R) at concentrations exceeding their respective closure criteria.

Additional excavation was conducted in March 2019 to address the remaining soil in exceedance of the closure criteria (floor samples EF-02-R and EF-03-R and sidewall sample ES-01-R). The excavation was extended (1) one foot deeper across excavation floor sample locations EF-02-R and EF-03-R and (2) approximately 2 feet laterally to the northeast and east of excavation sidewall sample ES-01-R. Approximately 17 cubic yards of soil were removed in March 2019. Discrete grab soil samples were collected from the excavation sidewall (designated as ES-01-R2) and floor (designated as EF-02-R2 and EF-03-R2) at respective locations to the January 2019 sample locations that exceeded 19.15.29 NMAC closure criteria, as shown on Map Inset 2 of Figure 1. The depth of each soil sample is shown on Table 1. The March 2019 soil samples were submitted for laboratory analysis of TPH GRO, DRO, and MRO by Method 8015M, and the results are summarized on Table 1. Analytical results indicated TPH was not present in any of the soil samples

at concentrations exceeding their respective closure criteria. Therefore, all sidewall and floor samples collected at the excavation extent were below their respective closure criteria and no further excavation was needed.

The excavation was backfilled with clean soil, compacted, and graded so that the ground surface was restored to the original condition prior to the release. Geo-tagged photos of the excavation prior to and after backfilling are provided in Attachment E.

The excavated soil was transported to Gandy Marley, Inc. in Roswell, New Mexico for disposal. Soil waste disposal documentation is provided as Attachment E.

REQUEST FOR CLOSURE

Navajo requests no further action be required of the July 2018 crude oil pipeline release as the release was remediated to 19.15.29 NMAC closure criteria. A final Form C-141 is included as Attachment A. If you have any questions or comments regarding this release, please feel free to contact me at 575-746-5487 or Robert Combs at 575-746-5382.

Sincerely,



Scott M. Denton
Environmental Manager

Attachments:

Figure 1 – July 2018 Release Location and Soil Sample Location Map

Table 1 – Soil Analytical Results, July 2018 Crude Oil Release

Attachment A – Site Assessment/Characterization and Closure Form C-141

Attachment B – Soil Waste Documentation

Attachment C1 – Known Fresh Water Wells Located within 0.5-miles of the Release Area


Attachment C2 – Summary of NMOSE Records of Potential Fresh Water Wells Located within 0.5-miles of the Release Location

Attachment D – Analytical Laboratory Reports

Attachment E – Photographic Log

cc: HollyFrontier: R. Combs, A. Sahba
TRC: J. Speer, C. Smith, J. Leik

Document Path: \\apaer\file01\GIS\1-PROJECT\SHOLLY ENERGY PARTNERS\Navajo Lovington\314537 2018 Release Response\314537 2019_1.mxd



LEGEND

EXCAVATION SIDEWALL SOIL SAMPLE LOCATION

EXCAVATION FLOOR SOIL SAMPLE LOCATION

APPROXIMATE RELEASE AREA EXTENT

APPROXIMATE INITIAL (JULY TO SEPTEMBER 2018) EXCAVATION EXTENT (UP TO 1 FOOT DEEP)

APPROXIMATE JANUARY AND MARCH 2019 EXCAVATION EXTENT (UP TO 3 FEET DEEP, AS MARKED)

MONITORING WELL

WATER WELL

ES-02

EXCAVATION SIDEWALL SOIL SAMPLE LOCATION IDENTIFICATION

EF-02

EXCAVATION FLOOR SOIL SAMPLE LOCATION IDENTIFICATION

+++++

RAIL

x - x

FENCE

N

1 inch = 500 feet

0

125

250

500

Feet

JULY 2018 RELEASE LOCATION AND SOIL SAMPLE LOCATION MAP

HOLLYFRONTIER NAVAJO REFINING LLC
AP-110, LOVINGTON REFINERY, LOVINGTON, NM

PROJECT NO: 314537.2019

MXD: 314537.2019_1

AUTHOR: MHORN

DATE: 4/26/2019

TRC

505 EAST HUNTLAND DRIVE
SUITE 250
AUSTIN, TEXAS 78752
(512) 329-6080

FIGURE

1

Table 1. Soil Analytical Results, July 2018 Crude Oil Release
HollyFrontier Navajo Refining LLC, AP-110, Lovington, New Mexico

Grab Sample Location	Sample Interval (feet bgs)	Sample Date	Benzene (mg/kg)	Ethylbenzene (mg/kg)	Toluene (mg/kg)	Total Xylenes (mg/kg)	BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH GRO + DRO (mg/kg)	TPH MRO (mg/kg)	TPH GRO + DRO + MRO (mg/kg)	Chloride (mg/kg)	Soil Status
Closure Criteria ⁽¹⁾ (Table 1 of 19.15.29.12 NMAC)			10	--	--	--	50	--	--	1,000	--	2,500	20,000	
ES-01	0.25	9/25/2018	0.000634 J	0.0235	0.0119	0.300	0.3360	1.54	8,890	8,892	3,040	11,932	111	Removed
ES-01-R	0.50	1/24/2019	--	--	--	--	--	14.8	8,600	8,615	3,780	12,395	--	Removed
ES-01-R Dup	0.50	1/24/2019	--	--	--	--	--	37.8	6,790	6,828	3,210	10,038	--	Removed
ES-01-R2	0.50	3/15/2019	--	--	--	--	--	0.0291 J	14.2	14	15.0	29	--	In Place
ES-02	0.25	9/25/2018	0.00221	0.00984	0.00887	0.00726 J	0.0282	0.0452 J	60.0	60.0	87.5	148	160	In Place
ES-02 Dup	0.25	3/15/2019	0.000705 U	0.00637	0.00564 J	0.00842 U	0.0211	0.0286 J	37.6	37.6	78.1	116	283	In Place
ES-03	0.25	9/25/2018	0.000433 U	0.00194 J	0.00203 J	0.00517 U	0.0096	0.0557 J	250	250	199	449	12,100	In Place
ES-04	0.25	9/25/2018	0.000822 J	0.00155 J	0.00545 J	0.00572 U	0.0135	0.0222 U	831	831	683	1,514	68.4	In Place
ES-05	0.25	9/25/2018	0.000715 J	0.00142 J	0.00359 J	0.00671 U	0.0124	0.0385 J	1,170	1,170	988	2,158	54.2	Removed
ES-05-R	0.25	1/24/2019	--	--	--	--	--	0.651 J	9.04	10	8.76	18	--	In Place
ES-06	0.25	9/25/2018	0.000475 J	0.00119 J	0.00226 J	0.00517 U	0.0091	0.0517 J	20	20	44	64	874	In Place
ES-07	0.25	9/25/2018	0.000487 U	0.00214 J	0.00152 U	0.00582 U	0.0100	0.0482 J	23	23	70	94	153	In Place
EF-01	0.25	9/25/2018	0.000811 J	0.00287	0.00434	0.00832	0.0163	0.0817 J	9,410	9,410	4,390	13,800	297	Removed
EF-01-R	3.0	1/24/2019	--	--	--	--	--	1.66 J	102	104	44	147	--	In Place
EF-02	0.25	9/25/2018	0.000484 U	0.00625	0.00555 J	0.0557	0.0680	7.73	31,700	31,708	10,000	41,708	212	Removed
EF-02 Dup	0.25	9/25/2018	0.000537 U	0.0138	0.00168 U	0.0634	0.0794	4.90	29,900	29,905	10,100	40,005	170	Removed
EF-02-R	1.0	1/24/2019	--	--	--	--	--	75.3	1,280	1,355	455	1,810	--	Removed
EF-02-R2	2.0	3/15/2019	--	--	--	--	--	0.0681 J	2.71 J	2.78	2.00 J	4.78	--	In Place
EF-03	0.25	9/25/2018	0.000445 U	0.00206 J	0.00352 J	0.00643 J	0.0125	0.128	9,840	9,840	4,380	14,220	141	Removed
EF-03-R	2.0	1/24/2019	--	--	--	--	--	0.561 U	2,290	2,290	1,230	3,521	--	Removed
EF-03-R2	3.0	3/15/2019	--	--	--	--	--	0.0239 U	1.770 U	U	0.761 J	0.761	--	In Place
EF-04	0.25	9/25/2018	0.000475 U	0.0119	0.00811	0.04440	0.0649	0.0988 J	4,770	4,770	2,740	7,510	77.8	Removed
EF-04-R	1.00	1/24/2019	--	--	--	--	--	0.589 J	50.8	51	28	79	--	In Place
EF-05	0.50	9/25/2018	0.000437 U	2.07	0.334	10.6	13.00	6.85	43,500	43,507	15,300	58,807	574	Removed
EF-05-R	3.0	1/24/2019	--	--	--	--	--	0.580 J	128	129	53	181	--	In Place
EF-06	0.50	9/25/2018	0.000435 U	0.0270	0.00940	0.232	0.2688	1.04	37,800	37,801	16,200	54,001	335	Removed
EF-06-R	3.0	1/24/2019	--	--	--	--	--	0.591 J	152	153	56.8	209	--	In Place

Notes:

⁽¹⁾ Closure Criteria based on an average depth to water of 112.14 feet below ground surface measured at the site in October 2018.

Yellow highlighting indicates analytical results exceeds Closure Criteria.

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

DRO = Diesel Range Organics (>C10-C28)

Dup = Duplicate Sample

feet bgs = feet below ground surface

GRO = Gasoline Range Organics (C6-C10)

J = Analyte detected above sample detection limit, but below method quantitation limit. Estimated concentration.

MRO = Motor Oil Range Organics (>C28-C40)

mg/kg - milligrams per kilogram

NMAC = New Mexico Administrative Code

TPH = Total Petroleum Hydrocarbons

U = Analyte not detected above sample detection limit

ATTACHMENT A

Form C-141 – Site Assessment/Characterization and Closure

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>114.58</u> (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring? The release extent is located within 1000 feet of two refinery water supply wells (WW-North and WW-South). These wells are not used for drinking water. The release extent is not located within 1000 feet of any other fresh water wells other than potential water wells drilled for the purposes of oil exploration.	☒ Yes ☐ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field? The release extent is located within Lovington city limits. The release extent is not located within a defined municipal fresh water well field; the nearest municipal well (City of Lovington Well No. 9) is located approximately 2300 feet north and upgradient of the release area extent.	☒ Yes ☐ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data **Not Applicable**
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs **Not Applicable**
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Robert CombsTitle: Environmental SpecialistSignature: Date: 4/30/19email: Robert.Combs@hollyfrontier.comTelephone: 575-746-5382**OCD Only**

Received by: _____

Date: _____

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Robert Combs Title: Environmental Specialist
 Signature:  Date: 4/30/19
 email: Robert.Combs@hollvfrontier.com Telephone: 575-746-5382

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

ATTACHMENT B
Soil Waste Documentation

N.M.E.D. — DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18492

Date of Receipt: 9-1-18 Time of Receipt: AM PM Cell Placement: 11-1-18

Quantity: 17 T/CY: Description: Soil

Name/Address of Generator: 11411 S. B. ...

Origin of Materials (if different)

Transporter Name: S. B. ... BIN-143 SCC ID No.

Name of Laboratory Performing Sample Analysis

TCLP (EPA Method 1311) BTEX MTBE TPH Non-Hazardous ☒ Exempt ☒

Verification of No Free Liquids Paint Filter Liquids Test Performed

Verification of Property Completed Manifest ☒ Generator Manifest Number 2018 - 008

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: [Signature] Print Name Signature

GMI Employee: Print Name Signature

Contaminated Soils Shipment Manifest

1. Manifest Document No.

2018/10/08

2. Page

of

3. Generator's Name and Mailing Address

Navajo Refining Co. LLC
PO Box 158
Artesia, NM 88211-0158

4. Generator Phone No.

575-748-3311

5. Generator Contact

Richard L. Orozco

6. Transporter 1 Company Name

S Brothers Waste Services Inc.

7. ID No.

3

8. Transporter 2 Company Name

9. ID No.

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

12. Facility Phone No.

(575) 398-0107

13. Description of Waste

14. Containers

No

Type

15. Total
Quantity

16. Unit
Wt. Vol.

a.

Oily Dirt

19.989

1

CM

17

Y

b.

c.

17. Special Handling Instructions and Additional Information

Unit 81

Bin # 143

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Richard L. Orozco

Signature

Richard L. Orozco

Date

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Abel Gomez Jr

Signature

Abel Gomez Jr

Date

09/11/2018

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

21. Discrepancy Information

G
M
I

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Signature

Date

G
E
N
E
R
A
T
O
R

T
R
A
N
S
P
O
R
T
E
R

N.M.E.D. — DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202LOAD INSPECTION FORM **18493**Date of Receipt: _____ Time of Receipt: _____ AM
PM Cell Placement: U.S.Quantity 17 T/CY: _____ Description: _____Name/Address of Generator: N.M. - L

Origin of Materials (if different) _____

Transporter Name: Bob SCC ID No. _____

Name of Laboratory Performing Sample Analysis _____

TCLP (EPA Method 1311) _____ BTEX _____ MTBE _____ TPH _____ Non-Hazardous ☒ Exempt ☒

Verification of No Free Liquids _____ Paint Filter Liquids Test Performed _____

Verification of Property Completed Manifest ☒ Generator Manifest Number 500 119

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: _____ Print Name _____ Signature _____

GMI Employee: _____ Print Name _____ Signature _____

Contaminated Soils Shipment Manifest

1. Manifest Document No.

20180169

2. Page ____ of ____

3. Generator's Name and Mailing Address

Holly, Thomas M. 111
PO Box 158
Roswell, NM 88201

4. Generator Phone No.

505-746-1011

5. Generator Contact

Richard L. Thomas

6. Transporter 1 Company Name

U. S. Environmental Services, Inc.

7. ID No.

3

8. Transporter 2 Company Name

9. ID No.

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

12. Facility Phone No.

(575) 398-0107

13. Description of Waste

a.

Oily Dirt

14. Containers

No

Type

15. Total Quantity

16. Unit Wt. Vol.

11 1/2

Y

b.

c.

17. Special Handling Instructions and Additional Information

None

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Signature

Date

Richard L. Thomas

10/1/07

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Richard L. Thomas

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

21. Discrepancy Information

G M I

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Signature

Date

GENERATOR

TRANSPORTER

N.M.E.D. — DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM

18595

Date of Receipt: 9-15-15 Time of Receipt: _____ AM
PM Cell Placement: VST-N-1Quantity 17 T/CY: _____ Description: SolidName/Address of Generator: Navajo Refinery, Lovington

Origin of Materials (if different) _____

Transporter Name: S. G. Brown, L.V.-141 SCC ID No. _____

Name of Laboratory Performing Sample Analysis _____

TCLP (EPA Method 1311) _____ BTEX _____ MTBE _____ TPH _____ Non-Hazardous ☒ Exempt ☒

Verification of No Free Liquids _____ Paint Filter Liquids Test Performed _____

Verification of Property Completed Manifest ☒ Generator Manifest Number 2015-168

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: _____
Print Name SignatureGMI Employee: _____
Print Name Signature

Contaminated Soils Shipment Manifest

1. Manifest Document No.

20180168

2. Page

of

3. Generator's Name and Mailing Address

Midway Environmental Services LLC
PO Box 189
Albuquerque, NM 87103-0189

4. Generator Phone No.

505-746-0311

5. Generator Contact

Robert L. Gomez

6. Transporter 1 Company Name

W. D. Edwards Waste Services Inc

7. ID No.

15

8. Transporter 2 Company Name

9. ID No.

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

12. Facility Phone No.

(575) 398-0107

13. Description of Waste

14. Containers

No

Type

15. Total
Quantity

16. Unit
Wt. Vol.

a.

Oil & Dirt

11 117

b.

c.

17. Special Handling Instructions and Additional Information

Env 81
Env 141

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Signature

Date

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

21. Discrepancy Information

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Signature

Date

GENERATOR

TRANSPORTER

GMI

N.M.E.D. — DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM

18596

Date of Receipt: 9-18-18 Time of Receipt: _____ AM
PM Cell Placement: 201-10-1Quantity 17 T/CY: _____ Description: SOILName/Address of Generator: New, Arroyo, L. Arroyo

Origin of Materials (if different) _____

Transporter Name: Smith, L. 101 SCC ID No. _____

Name of Laboratory Performing Sample Analysis _____

TCLP (EPA Method 1311) _____ BTEX _____ MTBE _____ TPH _____ Non-Hazardous ☒ Exempt ☒

Verification of No Free Liquids _____ Paint Filter Liquids Test Performed _____

Verification of Property Completed Manifest ☒ Generator Manifest Number 2018-170

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: _____
Print Name SignatureGMI Employee: _____
Print Name Signature

Contaminated Soils Shipment Manifest

1. Manifest Document No.

121011301170

2. Page ____ of ____

3. Generator's Name and Mailing Address

HollyFrontier Management LLC
PO Box 145
Roswell, NM 88201-0145

4. Generator Phone No.

505-748-3011

5. Generator Contact

Richard L. Brown

6. Transporter 1 Company Name

C. D. Stewart & Sons, Inc.

7. ID No.

5

8. Transporter 2 Company Name

9. ID No.

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

12. Facility Phone No.

(575) 398-0107

13. Description of Waste

a.

Oily Dirt

19.3 cu yd

14. Containers

No

Type

15. Total Quantity

16. Unit Wt. Vol.

11

17

17

b.

c.

17. Special Handling Instructions and Additional Information

U.S. 91
Date 10/1

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Signature

Date

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

21. Discrepancy Information

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Signature

Date

GENERATOR

TRANSPORTER

GMI

N.M.E.D. - DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18873

Date of Receipt: 1-28-19 Time of Receipt: AM Cell Placement: 11/1
Quantity: 17 T/CY: 1 Description: 1 white

Name/Address of Generator: Holly Frontier Navajo LLCOrigin of Materials (if different): ~~Albuquerque NM~~ Lovington NM 88260Transporter Name: 2 Birlings F19 SCC ID No. 190072

Name of Laboratory Performing Sample Analysis: _____

TCLP (EPA Method 1311) _____ BTEX _____ MTBE _____ TPH _____ Non-Hazardous ☒ Exempt ☒Verification of No Free Liquids ☒ Paint Filter Liquids Test Performed _____

Verification of Property Completed Manifest _____ Generator Manifest Number _____

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: Joe Smith Print Name [Signature] SignatureGMI Employee: [Signature] Print Name _____ Signature _____

Contaminated Soils Shipment Manifest			1. Manifest Document No. 20190073		2. Page ____ of ____	
GENERATOR	3. Generator's Name and Mailing Address HollyFrontier Navajo LLC PO Box 159 Artesia, NM 88211-0159			4. Generator Phone No. 575-748-3311		
				5. Generator Contact Richard L. Orosco		
	6. Transporter 1 Company Name S Brothers Waste Services Inc.			7. ID No. 7		
	8. Transporter 2 Company Name			9. ID No. 14		
	10. Designated Disposal Facility Name and Site Address Gandy Marley, Inc. Contaminated Soils Landfarm 7200 East Second Street PO Box 1658 Roswell, NM 88201			11. Facility Permit Number DP1041		
				12. Facility Phone No. 575-347-0434		
	13. Description of Waste			14. Containers		15. Total
				No	Type	Quantity
	a. Soil with oil			11	drum	17 Yards
	b.					
c.						
17. Special Handling Instructions and Additional Information Unit Bin #						
18. Generator's Certification: <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i> <i>FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>						
Printed/Typed Name Richard L. Orosco			Signature <i>[Signature]</i>		Date 01/15/10	
TRANSPORTER	19. Transporter 1 Acknowledgement of Receipt of Materials					
	Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Date 01/15/10	
	20. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name			Signature		Date	
GMI	21. Discrepancy Information					
	22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.					
	Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Date 01/15/10	

N.M.E.D. - DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18874

Date of Receipt: 1-25-17 Time of Receipt: 7:38 AM Cell Placement: UST-N-1

Quantity: 17 T/CY: yards Description: Soil

Name/Address of Generator: Holly Frontier Navajo

Origin of Materials (if different): Lovington, NM Field Yard

Transporter Name: SCC ID No.

Name of Laboratory Performing Sample Analysis

TCLP (EPA Method 1311) BTEX MTBE TPH Non-Hazardous ☒ Exempt ☒

Verification of No Free Liquids Paint Filter Liquids Test Performed

Verification of Property Completed Manifest ☒ Generator Manifest Number 2019-0071

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: J. Clark Print Name Signature

GMI Employee: Kimberly Murphy Print Name Signature

Contaminated Soils Shipment Manifest		1. Manifest Document No. 20190071		2. Page ____ of ____		
GENERATOR	3. Generator's Name and Mailing Address HollyFrontier Navajo LLC PO Box 159 Artesia, NM 88211-0159			4. Generator Phone No. 575-748-3311		
				5. Generator Contact Richard L. Orosco		
	6. Transporter 1 Company Name S Brothers Waste Services Inc.			7. ID No. 9		
	8. Transporter 2 Company Name			9. ID No. 14		
	10. Designated Disposal Facility Name and Site Address Gandy Marley, Inc. Contaminated Soils Landfarm 7200 East Second Street PO Box 1658 Roswell, NM 88201			11. Facility Permit Number DP1041		
				12. Facility Phone No. 575-347-0434		
	13. Description of Waste		14. Containers		15. Total Quantity	16. Unit Wt. Vol.
			No	Type		
	a. Soil with oil		1	can	10 pails	
	b.					
c.						
17. Special Handling Instructions and Additional Information Unit outside P.A. line Bin # 8						
18. Generator's Certification: <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i> <i>FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>						
Printed/Typed Name Richard L. Orosco		Signature <i>[Signature]</i>		Date 01/25/19		
TRANSPORTER	19. Transporter 1 Acknowledgement of Receipt of Materials					
	Printed/Typed Name Joe Clark		Signature <i>[Signature]</i>		Date 01/25/19	
	20. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date		
GMI	21. Discrepancy Information					
	22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.					
	Printed/Typed Name Kimberly Murphy		Signature <i>[Signature]</i>		Date 01/25/19	

N.M.E.D. - DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18901

Date of Receipt: 1-25-19 Time of Receipt: 12:49 AM Cell Placement: UST-N-1
Quantity: 17 T/CY: yards Description: Soil

Name/Address of Generator:

Holly Frontier
Livingston, N.M.Navajo
Field Yard

Origin of Materials (if different)

Transporter Name:

S. Brothers

Truck #9

SCC ID No.

Name of Laboratory Performing Sample Analysis

TCLP (EPA Method 1311)

BTEX

MTBE

TPH

Non-Hazardous

Exempt

Verification of No Free Liquids

Paint Filter Liquids Test Performed

Verification of Property Completed Manifest

Generator Manifest Number

249-0072

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter:

Joe Clark

Print Name

Signature

GMI Employee:

Kimberly Murphy

Print Name

Signature

Contaminated Soils Shipment Manifest		1. Manifest Document No. 20190072		2. Page ____ of ____	
3. Generator's Name and Mailing Address HollyFrontier Navajo LLC PO Box 159 Artesia, NM 88211-0159				4. Generator Phone No. 575-748-3311	
				5. Generator Contact Richard L. Orosco	
6. Transporter 1 Company Name S Brothers Waste Services Inc.				7. ID No. 7	
8. Transporter 2 Company Name				9. ID No. 14	
10. Designated Disposal Facility Name and Site Address Gandy Marley, Inc. Contaminated Soils Landfarm 7200 East Second Street PO Box 1658 Roswell, NM 88201				11. Facility Permit Number DP1041	
				12. Facility Phone No. 575-347-0434	
13. Description of Waste		14. Containers		15. Total Quantity	16. Unit Wt. Vol.
		No	Type		
a. Soil with oil		1	CM	17755	
b.					
c.					
17. Special Handling Instructions and Additional Information Unit Bin # 136					
18. Generator's Certification: <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i> <i>FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>					
Printed/Typed Name Richard L. Orosco		Signature <i>[Signature]</i>		Date 01/25/17	
19. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name Joe Clark		Signature <i>[Signature]</i>		Date 01/25/17	
20. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date	
21. Discrepancy Information					
22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.					
Printed/Typed Name Kimberly Murphy		Signature <i>[Signature]</i>		Date 01/25/17	

GENERATOR

TRANSPORTER

GMI

N.M.E.D. - DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18910

Date of Receipt: 2-4-19 Time of Receipt: 12:18 AM Cell Placement: UST-N-1
Quantity: 17 T/CY: yards Description: Contaminated SoilName/Address of Generator: Holly Frontier Navajo
Origin of Materials (if different): Lovington Field Yard
Transporter Name: S. Brothers Bin # 40 SCC ID No.:Name of Laboratory Performing Sample Analysis:
TCLP (EPA Method 1311) BTEX MTBE TPH Non-Hazardous ☒ Exempt ☒
Verification of No Free Liquids Paint Filter Liquids Test PerformedVerification of Property Completed Manifest ☒ Generator Manifest Number: 2019-0065

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: Joe Clark Print Name Signature
GMI Employee: Kimberly Murphy Print Name Signature

Contaminated Soils Shipment Manifest

1. Manifest Document No.

20190065

2. Page ____ of ____

3. Generator's Name and Mailing Address

HollyFrontier Navajo LLC
PO Box 159
Artesia, NM 88211-0159

4. Generator Phone No.

575-748-3311

5. Generator Contact

Richard L. Orosco

6. Transporter 1 Company Name

S Brothers Waste Services Inc.

7. ID No.

7

8. Transporter 2 Company Name

9. ID No.

14

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

DP1041

12. Facility Phone No.

575-347-0434

13. Description of Waste

14. Containers

No

Type

15. Total

Quantity

16. Unit

Wt. Vol.

a.

Contaminated Soil

1 CT 17.126

b.

1 1

c.

1 1

17. Special Handling Instructions and Additional Information

Unit

Bin # 40

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Richard L. Orosco

Signature

Richard L. Orosco

Date

01/20/19

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

S. B. Orosco

Signature

S. B. Orosco

Date

01/20/19

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

01/20/19

21. Discrepancy Information

G
M
I

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Kimberly Murphy

Signature

Kimberly Murphy

Date

01/20/19

G
E
N
E
R
A
T
O
R

T
R
A
N
S
P
O
R
T
E
R

N.M.E.D. — DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18884

Date of Receipt: 2/11/15 Time of Receipt: AM PM Cell Placement: UST-N

Quantity: 17 T/CY: yards Description: Dirty Dirt from Crane Leak
Bin #161

Name/Address of Generator: Holly Frontier

Origin of Materials (if different): Lea Refinery (Lawington)

Transporter Name: S Brothers Tank #114 SCC ID No.:

Name of Laboratory Performing Sample Analysis:

TCLP (EPA Method 1311) BTEX MTBE TPH Non-Hazardous Exempt

Verification of No Free Liquids Paint Filter Liquids Test Performed

Verification of Property Completed Manifest Generator Manifest Number 2019 0107

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: [Signature] Print Name Signature

GMI Employee: Kimberly Murphy Print Name Signature

Contaminated Soils Shipment Manifest

1. Manifest Document No.

20190107

2. Page ____ of ____

3. Generator's Name and Mailing Address

HollyFrontier Navajo LLC
PO Box 159
Artesia, NM 88211-0159

4. Generator Phone No.

575-748-3311

5. Generator Contact

Richard L. Orosco

6. Transporter 1 Company Name

S Brothers Waste Services Inc.

7. ID No.

TR1-1

8. Transporter 2 Company Name

9. ID No.

TR1-1

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

DP1041

12. Facility Phone No.

575-347-0434

13. Description of Waste

14. Containers

15. Total

16. Unit

No

Type

Quantity

Wt. Vol.

a.

Oil & Diesel Fuel Cause Leak

1

CM

17.5 gal

b.

(Lounington)

c.

17. Special Handling Instructions and Additional Information

Unit - Lea Refinery
Bin # 161

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Richard L. Orosco

Signature

[Signature]

Date

01/21/19

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Berry Schell

Signature

[Signature]

Date

01/21/19

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

21. Discrepancy Information

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Kimberly Murphy

Signature

[Signature]

Date

01/21/19

GENERATOR

TRANSPORTER

GMI

N.M.E.D. - DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18900

Date of Receipt: 3/1/92Time of Receipt: 5:15

PM

Cell Placement: UST NQuantity: 17T/CY: yearsDescription: Oil, Dirt
Navajo Bin #15Name/Address of Generator: Holly FrontierOrigin of Materials (if different): LCA Refinery (Livingston)Transporter Name: S Brothers Tel #4

SCC ID No. _____

Name of Laboratory Performing Sample Analysis _____

TCLP (EPA Method 1311) _____

BTEX _____

MTBE _____

TPH _____

Non-Hazardous ☒Exempt ☒Verification of No Free Liquids ☒

Paint Filter Liquids Test Performed _____

Verification of Property Completed Manifest ☒Generator Manifest Number 2019 0147

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: Darryl Smith

Print Name

Signature

GMI Employee: _____

Print Name

Signature

Contaminated Soils Shipment Manifest

1. Manifest Document No.

20190147

2. Page ____ of ____

3. Generator's Name and Mailing Address

HollyFrontier Navajo LLC
PO Box 159
Artesia, NM 88211-0159

4. Generator Phone No.

575-748-3311

5. Generator Contact

Richard L. Orosco

6. Transporter 1 Company Name

S Brothers Waste Services Inc.

7. ID No.

TRK-4

8. Transporter 2 Company Name

9. ID No.

TRL-1

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

DP1041

12. Facility Phone No.

575-347-0434

13. Description of Waste

14. Containers

No

Type

15. Total

Quantity

16. Unit

Wt. Vol.

a.

Oil & Dirt

1

55 gal

1

19 gal

b.

1

55 gal

1

c.

1

55 gal

1

17. Special Handling Instructions and Additional Information

Unit Cask 1rak

Bin # Navajo Bin #18

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Richard L. Orosco

Signature

R. Orosco

Date 3-1-19

03/01/19

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Brian Schell

Signature

B. Schell

Date 3-1-19

03/01/19

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

21. Discrepancy Information

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Signature

Date

GENERATOR

TRANSPORTER

GMI

N.M.E.D. — DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18721

Date of Receipt: 3-29-94 Time of Receipt: 2:15 PM Cell Placement: US + N-1
Quantity: 17 yards T/CY: Description: Dirty Dirt

Name/Address of Generator: Lea Clouston, 2111

Origin of Materials (if different)

Transporter Name: S. Brown, 14500 SCC ID No.

Name of Laboratory Performing Sample Analysis

TCLEP (EPA Method 1311) BTEX MTBE TPH Non-Hazardous ☒ Exempt ☒

Verification of No Free Liquids Paint Filter Liquids Test Performed

Verification of Property Completed Manifest Generator Manifest Number

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: Alex C. Print Name Signature

GMI Employee: Kimberly Murphy Print Name Signature

Contaminated Soils Shipment Manifest

1. Manifest Document No.

2. Page ____ of ____

3. Generator's Name and Mailing Address

HollyFrontier Navajo LLC
PO Box 159
Artesia, NM 88211-0159

2014-0016

4. Generator Phone No.

575-748-3311

5. Generator Contact

Richard L. Orosco

6. Transporter 1 Company Name

S Brothers Waste Services Inc.

7. ID No.

11

8. Transporter 2 Company Name

S. Brothers Services Bin # 08

9. ID No.

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

DP1041

12. Facility Phone No.

575-347-0434

13. Description of Waste

oily dirt

14. Containers

No

Type

15. Total
Quantity

16. Unit
Wt. Vol.

a.

1

CM

1

1

1

1

1

1

b.

c.

17. Special Handling Instructions and Additional Information

Unit grade oil leak
Bin # 08

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Richard L. Orosco

Signature

Richard L. Orosco

Date

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Abel Gomez Jr

Signature

Abel Gomez Jr

Date

03/29/17

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

21. Discrepancy Information

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Kimberly Murphy

Signature

Kimberly Murphy

Date

03/29/17

GENERATOR

TRANSPORTER

GMI

N.M.E.D. — DP-1041

Gandy Marley, Inc.
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM

19056

Date of Receipt: 4-29-19 Time of Receipt 8 AM Cell Placement: UST - N1

Quantity 17 T/CY: yards Description: CS

Name/Address of Generator: Holly Frontier - Navajo

Origin of Materials (if different) Lovington, NM

Transporter Name: S Brothers Trucking SCC ID No.

Name of Laboratory Performing Sample Analysis

TCLP (EPA Method 1311) BTEX MTBE TPH Non-Hazardous Exempt

Verification of No Free Liquids Paint Filter Liquids Test Performed

Verification of Property Completed Manifest Generator Manifest Number 2019-0091

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: [Signature] Print Name Joe Clark Signature

GMI Employee: [Signature] Print Name [Signature] Signature

Contaminated Soils Shipment Manifest

1. Manifest Document No.

20190091

2.

Page ____ of ____

3. Generator's Name and Mailing Address

HollyFrontier Navajo LLC
PO Box 159
Artesia, NM 88211-0159

4. Generator Phone No.

575-748-3311

5. Generator Contact

Richard L. Orosco

6. Transporter 1 Company Name

S Brothers Waste Services Inc.

7. ID No.

7

8. Transporter 2 Company Name

9. ID No.

14

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm
7200 East Second Street
PO Box 1658
Roswell, NM 88201

11. Facility Permit Number

DP1041

12. Facility Phone No.

575-347-0434

13. Description of Waste

14. Containers

No

Type

15. Total

Quantity

16. Unit

Wt. Vol.

a.

Constructive Soil

1 CM 10

b.

c.

17. Special Handling Instructions and Additional Information

Unit Outsole P. Relative

Bin # 18

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Richard L. Orosco

Signature

Richard L. Orosco

Date

04/29/19

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Joe Clark

Signature

Joe Clark

Date

04/29/19

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

21. Discrepancy Information

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Brian Schumacher

Signature

Brian Schumacher

Date

04/29/19

GENERATOR

TRANSPORTER

GMI

ATTACHMENT C1

Known Fresh Water Wells Located within 0.5-miles of the Release Area


Attachment C1

Known Fresh Water Wells Located within 0.5-miles of the Release Area

Legend

- CITY OF LOVINGTON WELL
- REFINERY WATER SUPPLY WELL

0.5-MILE RADIUS OF
PIPELINE RELEASE AREA
DENOTES WELL ID AND
APPROXIMATE DISTANCE/
DIRECTION FROM RELEASE
DIRECTION OF
GROUNDWATER FLOW



ATTACHMENT C2

**Summary of NMOSE Records of Potential Fresh Water Wells Location within
0.5-miles of the Release Location**



ATTACHMENT D
Analytical Laboratory Reports
(on compact disc)

October 04, 2018

TRC Solutions - Austin, TX

Sample Delivery Group: L1028950
Samples Received: 09/26/2018
Project Number: 294319.0000.00000 5
Description: Lovington Lea Refinery

Report To: Julie Speer
505 E. Huntland Drive, Suite 250
Austin, TX 78752

Entire Report Reviewed By:



Chris McCord
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	6
Sr: Sample Results	7
ES-01 L1028950-01	7
ES-02 L1028950-02	8
DUP-01 L1028950-03	9
ES-03 L1028950-04	10
ES-04 L1028950-05	11
ES-05 L1028950-06	12
ES-06 L1028950-07	13
ES-07 L1028950-08	14
EF-01 L1028950-09	15
EF-02 L1028950-10	16
DUP-02 L1028950-11	17
EF-03 L1028950-12	18
EF-04 L1028950-13	19
EF-05 L1028950-14	20
EF-06 L1028950-15	21
Qc: Quality Control Summary	22
Total Solids by Method 2540 G-2011	22
Wet Chemistry by Method 300.0	25
Volatile Organic Compounds (GC) by Method 8015D/GRO	26
Volatile Organic Compounds (GC/MS) by Method 8260B	28
Semi-Volatile Organic Compounds (GC) by Method 8015	33
Gl: Glossary of Terms	34
Al: Accreditations & Locations	35
Sc: Sample Chain of Custody	36



SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



ES-01 L1028950-01 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:15	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172946	1	09/28/18 14:42	09/28/18 14:51	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 02:30	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:15	10/01/18 17:15	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172557	1.33	09/25/18 12:15	09/28/18 03:12	LRL
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173019	1.33	09/25/18 12:15	09/29/18 17:38	BMB
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	20	10/02/18 07:36	10/03/18 01:44	MG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 15:00	MTJ

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

ES-02 L1028950-02 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:20	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 02:47	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:20	10/01/18 17:36	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172557	1.12	09/25/18 12:20	09/28/18 03:32	LRL
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173019	1.12	09/25/18 12:20	09/29/18 17:58	BMB
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 00:36	MG

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

DUP-01 L1028950-03 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:22	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 02:56	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:22	10/01/18 17:57	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172557	1.51	09/25/18 12:22	09/28/18 03:51	LRL
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173019	1.51	09/25/18 12:22	09/29/18 18:17	BMB
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 00:50	MG

ES-03 L1028950-04 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:25	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	20	09/26/18 23:52	09/27/18 03:05	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:25	10/01/18 18:18	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172557	1	09/25/18 12:25	09/28/18 04:11	LRL
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173019	1	09/25/18 12:25	09/29/18 18:37	BMB
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 00:09	MG

ES-04 L1028950-05 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:30	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 03:14	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:30	10/01/18 18:39	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1.17	09/25/18 12:30	09/28/18 01:28	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	10	10/02/18 07:36	10/03/18 01:17	MG

SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



ES-05 L1028950-06 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:35	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 03:40	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1.05	09/25/18 12:35	10/01/18 19:00	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1.35	09/25/18 12:35	09/28/18 01:48	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	10	10/02/18 07:36	10/03/18 01:30	MG

¹ Cp

² Tc

³ Ss

⁴ Cn

ES-06 L1028950-07 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:40	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	5	09/26/18 23:52	09/27/18 03:49	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:40	10/01/18 19:21	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1.02	09/25/18 12:40	09/28/18 02:09	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 00:22	MG

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

ES-07 L1028950-08 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:45	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 03:57	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 12:45	10/02/18 02:58	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1.12	09/25/18 12:45	09/28/18 02:29	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 01:03	MG

⁹ Sc

EF-01 L1028950-09 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 12:55	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:06	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1.14	09/25/18 12:55	10/02/18 03:19	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1	09/25/18 12:55	09/28/18 02:49	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	20	10/02/18 07:36	10/03/18 01:58	MG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 14:32	MTJ

EF-02 L1028950-10 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 13:00	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:15	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 13:00	10/02/18 03:39	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1	09/25/18 13:00	09/29/18 09:13	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 03:19	MG

ACCOUNT:

TRC Solutions - Austin, TX

PROJECT:

294319.0000.00000 5

SDG:

L1028950

DATE/TIME:

10/04/18 10:30

PAGE:

4 of 37

SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



DUP-02 L1028950-11 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 13:05	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:41	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 13:05	10/02/18 04:00	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1.11	09/25/18 13:05	09/29/18 09:33	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 03:05	MG

¹ Cp

² Tc

³ Ss

⁴ Cn

EF-03 L1028950-12 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 14:00	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172949	1	09/29/18 10:45	09/29/18 10:57	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:50	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1.09	09/25/18 14:00	10/02/18 04:21	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1.08	09/25/18 14:00	09/29/18 09:52	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	20	10/02/18 07:36	10/03/18 02:11	MG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 14:46	MTJ

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

EF-04 L1028950-13 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 14:10	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172949	1	09/29/18 10:45	09/29/18 10:57	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:59	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1.11	09/25/18 14:10	10/02/18 07:59	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1.16	09/25/18 14:10	09/29/18 10:10	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	20	10/02/18 07:36	10/03/18 02:24	MG

EF-05 L1028950-14 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 14:20	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172949	1	09/29/18 10:45	09/29/18 10:57	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 05:25	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 14:20	10/02/18 08:20	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1	09/25/18 14:20	09/29/18 10:29	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173790	8	09/25/18 14:20	10/01/18 09:02	JAH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 02:52	MG

EF-06 L1028950-15 Solid

			Collected by	Collected date/time	Received date/time
				09/25/18 14:25	09/26/18 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172949	1	09/29/18 10:45	09/29/18 10:57	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 05:34	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 14:25	10/02/18 08:49	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1	09/25/18 14:25	09/29/18 10:48	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173790	1	09/25/18 14:25	10/01/18 08:43	JAH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 02:38	MG

ACCOUNT:

TRC Solutions - Austin, TX

PROJECT:

294319.0000.00000 5

SDG:

L1028950

DATE/TIME:

10/04/18 10:30

PAGE:

5 of 37



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris McCord
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	91.7		1	09/28/2018 14:51	WG1172946

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	111		0.867	10.0	10.9	1	09/27/2018 02:30	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	1.54		0.0237	0.100	0.109	1	10/01/2018 17:15	WG1174037
(S) a,a,a-Trifluorotoluene(FID)	87.5				77.0-120		10/01/2018 17:15	WG1174037

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.000634	J	0.000580	0.00100	0.00145	1.33	09/28/2018 03:12	WG1172557
Toluene	0.0119		0.00181	0.00500	0.00725	1.33	09/28/2018 03:12	WG1172557
Ethylbenzene	0.0235		0.000768	0.00250	0.00362	1.33	09/28/2018 03:12	WG1172557
Total Xylenes	0.300		0.00693	0.00650	0.00942	1.33	09/29/2018 17:38	WG1173019
(S) Toluene-d8	124				75.0-131		09/28/2018 03:12	WG1172557
(S) Toluene-d8	126				75.0-131		09/29/2018 17:38	WG1173019
(S) Dibromofluoromethane	86.0				65.0-129		09/28/2018 03:12	WG1172557
(S) Dibromofluoromethane	99.3				65.0-129		09/29/2018 17:38	WG1173019
(S) a,a,a-Trifluorotoluene	96.0				80.0-120		09/28/2018 03:12	WG1172557
(S) a,a,a-Trifluorotoluene	106				80.0-120		09/29/2018 17:38	WG1173019
(S) 4-Bromofluorobenzene	107				67.0-138		09/28/2018 03:12	WG1172557
(S) 4-Bromofluorobenzene	104				67.0-138		09/29/2018 17:38	WG1173019

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	8890		351	4.00	872	200	10/03/2018 15:00	WG1174082
C28-C40 Oil Range	3040		5.97	4.00	87.2	20	10/03/2018 01:44	WG1174082
(S) o-Terphenyl	896	J7			18.0-148		10/03/2018 01:44	WG1174082
(S) o-Terphenyl	0.000	J7			18.0-148		10/03/2018 15:00	WG1174082



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	87.1		1	09/28/2018 14:37	WG1172947

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	160		0.913	10.0	11.5	1	09/27/2018 02:47	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0452	J	0.0249	0.100	0.115	1	10/01/2018 17:36	WG1174037
(S) a,a,a-Trifluorotoluene(FID)	93.7				77.0-120		10/01/2018 17:36	WG1174037

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.00221		0.000514	0.00100	0.00129	1.12	09/28/2018 03:32	WG1172557
Toluene	0.00887		0.00161	0.00500	0.00643	1.12	09/28/2018 03:32	WG1172557
Ethylbenzene	0.00984		0.000681	0.00250	0.00321	1.12	09/28/2018 03:32	WG1172557
Total Xylenes	0.00726	J	0.00615	0.00650	0.00836	1.12	09/29/2018 17:58	WG1173019
(S) Toluene-d8	119				75.0-131		09/28/2018 03:32	WG1172557
(S) Toluene-d8	117				75.0-131		09/29/2018 17:58	WG1173019
(S) Dibromofluoromethane	84.0				65.0-129		09/28/2018 03:32	WG1172557
(S) Dibromofluoromethane	91.8				65.0-129		09/29/2018 17:58	WG1173019
(S) a,a,a-Trifluorotoluene	95.3				80.0-120		09/28/2018 03:32	WG1172557
(S) a,a,a-Trifluorotoluene	100				80.0-120		09/29/2018 17:58	WG1173019
(S) 4-Bromofluorobenzene	105				67.0-138		09/28/2018 03:32	WG1172557
(S) 4-Bromofluorobenzene	100				67.0-138		09/29/2018 17:58	WG1173019

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	60.0		3.70	4.00	9.18	2	10/03/2018 00:36	WG1174082
C28-C40 Oil Range	87.5		0.629	4.00	9.18	2	10/03/2018 00:36	WG1174082
(S) o-Terphenyl	44.8				18.0-148		10/03/2018 00:36	WG1174082



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	85.7		1	09/28/2018 14:37	WG1172947

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	283		0.928	10.0	11.7	1	09/27/2018 02:56	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0286	J	0.0253	0.100	0.117	1	10/01/2018 17:57	WG1174037
(S) a,a,a-Trifluorotoluene(FID)	93.8				77.0-120		10/01/2018 17:57	WG1174037

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000705	0.00100	0.00176	1.51	09/28/2018 03:51	WG1172557
Toluene	0.00564	J	0.00220	0.00500	0.00881	1.51	09/28/2018 03:51	WG1172557
Ethylbenzene	0.00637		0.000934	0.00250	0.00441	1.51	09/28/2018 03:51	WG1172557
Total Xylenes	U		0.00842	0.00650	0.0115	1.51	09/29/2018 18:17	WG1173019
(S) Toluene-d8	122				75.0-131		09/28/2018 03:51	WG1172557
(S) Toluene-d8	115				75.0-131		09/29/2018 18:17	WG1173019
(S) Dibromofluoromethane	84.9				65.0-129		09/28/2018 03:51	WG1172557
(S) Dibromofluoromethane	89.9				65.0-129		09/29/2018 18:17	WG1173019
(S) a,a,a-Trifluorotoluene	97.4				80.0-120		09/28/2018 03:51	WG1172557
(S) a,a,a-Trifluorotoluene	105				80.0-120		09/29/2018 18:17	WG1173019
(S) 4-Bromofluorobenzene	97.3				67.0-138		09/28/2018 03:51	WG1172557
(S) 4-Bromofluorobenzene	99.5				67.0-138		09/29/2018 18:17	WG1173019

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	37.6		3.76	4.00	9.34	2	10/03/2018 00:50	WG1174082
C28-C40 Oil Range	78.1		0.640	4.00	9.34	2	10/03/2018 00:50	WG1174082
(S) o-Terphenyl	41.0				18.0-148		10/03/2018 00:50	WG1174082

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.5		1	09/28/2018 14:37	WG1172947

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	12100		17.2	10.0	216	20	09/27/2018 03:05	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0557	J	0.0235	0.100	0.108	1	10/01/2018 18:18	WG1174037
(S) a,a,a-Trifluorotoluene(FID)	91.5				77.0-120		10/01/2018 18:18	WG1174037

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000433	0.00100	0.00108	1	09/28/2018 04:11	WG1172557
Toluene	0.00203	J	0.00135	0.00500	0.00541	1	09/28/2018 04:11	WG1172557
Ethylbenzene	0.00194	J	0.000573	0.00250	0.00270	1	09/28/2018 04:11	WG1172557
Total Xylenes	U		0.00517	0.00650	0.00703	1	09/29/2018 18:37	WG1173019
(S) Toluene-d8	121				75.0-131		09/28/2018 04:11	WG1172557
(S) Toluene-d8	117				75.0-131		09/29/2018 18:37	WG1173019
(S) Dibromofluoromethane	84.9				65.0-129		09/28/2018 04:11	WG1172557
(S) Dibromofluoromethane	91.1				65.0-129		09/29/2018 18:37	WG1173019
(S) a,a,a-Trifluorotoluene	97.2				80.0-120		09/28/2018 04:11	WG1172557
(S) a,a,a-Trifluorotoluene	103				80.0-120		09/29/2018 18:37	WG1173019
(S) 4-Bromofluorobenzene	100				67.0-138		09/28/2018 04:11	WG1172557
(S) 4-Bromofluorobenzene	84.6				67.0-138		09/29/2018 18:37	WG1173019

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	250		3.48	4.00	8.65	2	10/03/2018 00:09	WG1174082
C28-C40 Oil Range	199		0.593	4.00	8.65	2	10/03/2018 00:09	WG1174082
(S) o-Terphenyl	59.7				18.0-148		10/03/2018 00:09	WG1174082



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.8		1	09/28/2018 14:37	WG1172947

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	68.4		0.813	10.0	10.2	1	09/27/2018 03:14	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0222	0.100	0.102	1	10/01/2018 18:39	WG1174037
(S) a,a,a-Trifluorotoluene(FID)	93.8				77.0-120		10/01/2018 18:39	WG1174037

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.000822	J	0.000478	0.00100	0.00120	1.17	09/28/2018 01:28	WG1172655
Toluene	0.00545	J	0.00149	0.00500	0.00598	1.17	09/28/2018 01:28	WG1172655
Ethylbenzene	0.00155	J	0.000634	0.00250	0.00299	1.17	09/28/2018 01:28	WG1172655
Total Xylenes	U		0.00572	0.00650	0.00777	1.17	09/28/2018 01:28	WG1172655
(S) Toluene-d8	115				75.0-131		09/28/2018 01:28	WG1172655
(S) Dibromofluoromethane	104				65.0-129		09/28/2018 01:28	WG1172655
(S) a,a,a-Trifluorotoluene	94.3				80.0-120		09/28/2018 01:28	WG1172655
(S) 4-Bromofluorobenzene	106				67.0-138		09/28/2018 01:28	WG1172655

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	831		16.5	4.00	40.9	10	10/03/2018 01:17	WG1174082
C28-C40 Oil Range	683		2.80	4.00	40.9	10	10/03/2018 01:17	WG1174082
(S) o-Terphenyl	91.0				18.0-148		10/03/2018 01:17	WG1174082

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.2		1	09/28/2018 14:37	WG1172947

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	54.2		0.826	10.0	10.4	1	09/27/2018 03:40	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0385	J	0.0237	0.100	0.109	1.05	10/01/2018 19:00	WG1174037
(S) a,a,a-Trifluorotoluene(FID)	93.9				77.0-120		10/01/2018 19:00	WG1174037

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.000715	J	0.000561	0.00100	0.00140	1.35	09/28/2018 01:48	WG1172655
Toluene	0.00359	J	0.00175	0.00500	0.00701	1.35	09/28/2018 01:48	WG1172655
Ethylbenzene	0.00142	J	0.000743	0.00250	0.00351	1.35	09/28/2018 01:48	WG1172655
Total Xylenes	U		0.00671	0.00650	0.00912	1.35	09/28/2018 01:48	WG1172655
(S) Toluene-d8	116				75.0-131		09/28/2018 01:48	WG1172655
(S) Dibromofluoromethane	104				65.0-129		09/28/2018 01:48	WG1172655
(S) a,a,a-Trifluorotoluene	93.0				80.0-120		09/28/2018 01:48	WG1172655
(S) 4-Bromofluorobenzene	107				67.0-138		09/28/2018 01:48	WG1172655

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1170		16.7	4.00	41.6	10	10/03/2018 01:30	WG1174082
C28-C40 Oil Range	988		2.85	4.00	41.6	10	10/03/2018 01:30	WG1174082
(S) o-Terphenyl	59.3				18.0-148		10/03/2018 01:30	WG1174082

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.2		1	09/28/2018 14:37	WG1172947

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	874		4.22	10.0	53.1	5	09/27/2018 03:49	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0517	J	0.0230	0.100	0.106	1	10/01/2018 19:21	WG1174037
(S) a,a,a-Trifluorotoluene(FID)	94.1				77.0-120		10/01/2018 19:21	WG1174037

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.000475	J	0.000433	0.00100	0.00108	1.02	09/28/2018 02:09	WG1172655
Toluene	0.00226	J	0.00135	0.00500	0.00541	1.02	09/28/2018 02:09	WG1172655
Ethylbenzene	0.00119	J	0.000574	0.00250	0.00271	1.02	09/28/2018 02:09	WG1172655
Total Xylenes	U		0.00517	0.00650	0.00704	1.02	09/28/2018 02:09	WG1172655
(S) Toluene-d8	109				75.0-131		09/28/2018 02:09	WG1172655
(S) Dibromofluoromethane	108				65.0-129		09/28/2018 02:09	WG1172655
(S) a,a,a-Trifluorotoluene	93.6				80.0-120		09/28/2018 02:09	WG1172655
(S) 4-Bromofluorobenzene	109				67.0-138		09/28/2018 02:09	WG1172655

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	20.2		3.42	4.00	8.49	2	10/03/2018 00:22	WG1174082
C28-C40 Oil Range	43.8		0.582	4.00	8.49	2	10/03/2018 00:22	WG1174082
(S) o-Terphenyl	64.8				18.0-148		10/03/2018 00:22	WG1174082

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.0		1	09/28/2018 14:37	WG1172947

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	153		0.864	10.0	10.9	1	09/27/2018 03:57	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0482	J	0.0236	0.100	0.109	1	10/02/2018 02:58	WG1174113
(S) a,a,a-Trifluorotoluene(FID)	91.3				77.0-120		10/02/2018 02:58	WG1174113

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000487	0.00100	0.00122	1.12	09/28/2018 02:29	WG1172655
Toluene	U		0.00152	0.00500	0.00609	1.12	09/28/2018 02:29	WG1172655
Ethylbenzene	0.00214	J	0.000645	0.00250	0.00304	1.12	09/28/2018 02:29	WG1172655
Total Xylenes	U		0.00582	0.00650	0.00791	1.12	09/28/2018 02:29	WG1172655
(S) Toluene-d8	112				75.0-131		09/28/2018 02:29	WG1172655
(S) Dibromofluoromethane	107				65.0-129		09/28/2018 02:29	WG1172655
(S) a,a,a-Trifluorotoluene	92.3				80.0-120		09/28/2018 02:29	WG1172655
(S) 4-Bromofluorobenzene	109				67.0-138		09/28/2018 02:29	WG1172655

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	23.3		3.50	4.00	8.69	2	10/03/2018 01:03	WG1174082
C28-C40 Oil Range	70.3		0.596	4.00	8.69	2	10/03/2018 01:03	WG1174082
(S) o-Terphenyl	56.2				18.0-148		10/03/2018 01:03	WG1174082

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.7		1	09/28/2018 14:37	WG1172947

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	297		0.840	10.0	10.6	1	09/27/2018 04:06	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO


Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0817	J	0.0261	0.100	0.120	1.14	10/02/2018 03:19	WG1174113
(S) a,a,a-Trifluorotoluene(FID)	89.1				77.0-120		10/02/2018 03:19	WG1174113

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.000811	J	0.000422	0.00100	0.00106	1	09/28/2018 02:49	WG1172655
Toluene	0.00434	J	0.00132	0.00500	0.00528	1	09/28/2018 02:49	WG1172655
Ethylbenzene	0.00287		0.000560	0.00250	0.00264	1	09/28/2018 02:49	WG1172655
Total Xylenes	0.00832		0.00505	0.00650	0.00686	1	09/28/2018 02:49	WG1172655
(S) Toluene-d8	110				75.0-131		09/28/2018 02:49	WG1172655
(S) Dibromofluoromethane	108				65.0-129		09/28/2018 02:49	WG1172655
(S) a,a,a-Trifluorotoluene	93.6				80.0-120		09/28/2018 02:49	WG1172655
(S) 4-Bromofluorobenzene	104				67.0-138		09/28/2018 02:49	WG1172655

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	9410		340	4.00	845	200	10/03/2018 14:32	WG1174082
C28-C40 Oil Range	4390		5.79	4.00	84.5	20	10/03/2018 01:58	WG1174082
(S) o-Terphenyl	1210	J7			18.0-148		10/03/2018 01:58	WG1174082
(S) o-Terphenyl	0.000	J7			18.0-148		10/03/2018 14:32	WG1174082





Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	82.6		1	09/28/2018 14:37	WG1172947

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	212		0.962	10.0	12.1	1	09/27/2018 04:15	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	7.73		0.0263	0.100	0.121	1	10/02/2018 03:39	WG1174113
(S) a,a,a-Trifluorotoluene(FID)	82.7				77.0-120		10/02/2018 03:39	WG1174113

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000484	0.00100	0.00121	1	09/29/2018 09:13	WG1172723
Toluene	0.00555	J	0.00151	0.00500	0.00605	1	09/29/2018 09:13	WG1172723
Ethylbenzene	0.00625		0.000641	0.00250	0.00303	1	09/29/2018 09:13	WG1172723
Total Xylenes	0.0557		0.00578	0.00650	0.00787	1	09/29/2018 09:13	WG1172723
(S) Toluene-d8	121				75.0-131		09/29/2018 09:13	WG1172723
(S) Dibromofluoromethane	112				65.0-129		09/29/2018 09:13	WG1172723
(S) a,a,a-Trifluorotoluene	99.5				80.0-120		09/29/2018 09:13	WG1172723
(S) 4-Bromofluorobenzene	157	J1			67.0-138		09/29/2018 09:13	WG1172723

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	31700		390	4.00	968	200	10/03/2018 03:19	WG1174082
C28-C40 Oil Range	10000		66.3	4.00	968	200	10/03/2018 03:19	WG1174082
(S) o-Terphenyl	3030	J7			18.0-148		10/03/2018 03:19	WG1174082



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	82.6		1	09/28/2018 14:37	WG1172947

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	170		0.963	10.0	12.1	1	09/27/2018 04:41	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	4.90		0.0263	0.100	0.121	1	10/02/2018 04:00	WG1174113
(S) a,a,a-Trifluorotoluene(FID)	84.4				77.0-120		10/02/2018 04:00	WG1174113

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000537	0.00100	0.00134	1.11	09/29/2018 09:33	WG1172723
Toluene	U		0.00168	0.00500	0.00672	1.11	09/29/2018 09:33	WG1172723
Ethylbenzene	0.0138		0.000712	0.00250	0.00336	1.11	09/29/2018 09:33	WG1172723
Total Xylenes	0.0634		0.00642	0.00650	0.00873	1.11	09/29/2018 09:33	WG1172723
(S) Toluene-d8	117				75.0-131		09/29/2018 09:33	WG1172723
(S) Dibromofluoromethane	106				65.0-129		09/29/2018 09:33	WG1172723
(S) a,a,a-Trifluorotoluene	104				80.0-120		09/29/2018 09:33	WG1172723
(S) 4-Bromofluorobenzene	120				67.0-138		09/29/2018 09:33	WG1172723

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	29900		390	4.00	968	200	10/03/2018 03:05	WG1174082
C28-C40 Oil Range	10100		66.3	4.00	968	200	10/03/2018 03:05	WG1174082
(S) o-Terphenyl	2880	J7			18.0-148		10/03/2018 03:05	WG1174082

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.1		1	09/29/2018 10:57	WG1172949

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	141		0.819	10.0	10.3	1	09/27/2018 04:50	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.128		0.0244	0.100	0.112	1.09	10/02/2018 04:21	WG1174113
(S) a,a,a-Trifluorotoluene(FID)	85.9				77.0-120		10/02/2018 04:21	WG1174113

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000445	0.00100	0.00111	1.08	09/29/2018 09:52	WG1172723
Toluene	0.00352	J	0.00139	0.00500	0.00556	1.08	09/29/2018 09:52	WG1172723
Ethylbenzene	0.00206	J	0.000589	0.00250	0.00278	1.08	09/29/2018 09:52	WG1172723
Total Xylenes	0.00643	J	0.00532	0.00650	0.00723	1.08	09/29/2018 09:52	WG1172723
(S) Toluene-d8	110				75.0-131		09/29/2018 09:52	WG1172723
(S) Dibromofluoromethane	103				65.0-129		09/29/2018 09:52	WG1172723
(S) a,a,a-Trifluorotoluene	102				80.0-120		09/29/2018 09:52	WG1172723
(S) 4-Bromofluorobenzene	105				67.0-138		09/29/2018 09:52	WG1172723

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	9840		332	4.00	824	200	10/03/2018 14:46	WG1174082
C28-C40 Oil Range	4380		5.64	4.00	82.4	20	10/03/2018 02:11	WG1174082
(S) o-Terphenyl	1540	J7			18.0-148		10/03/2018 02:11	WG1174082
(S) o-Terphenyl	0.000	J7			18.0-148		10/03/2018 14:46	WG1174082

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.8		1	09/29/2018 10:57	WG1172949

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	77.8		0.813	10.0	10.2	1	09/27/2018 04:59	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0988	<u>J</u>	0.0246	0.100	0.114	1.11	10/02/2018 07:59	WG1174113
(S) a,a,a-Trifluorotoluene(FID)	84.9				77.0-120		10/02/2018 07:59	WG1174113

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000475	0.00100	0.00119	1.16	09/29/2018 10:10	WG1172723
Toluene	0.00811		0.00148	0.00500	0.00593	1.16	09/29/2018 10:10	WG1172723
Ethylbenzene	0.0119		0.000629	0.00250	0.00297	1.16	09/29/2018 10:10	WG1172723
Total Xylenes	0.0444		0.00567	0.00650	0.00771	1.16	09/29/2018 10:10	WG1172723
(S) Toluene-d8	109				75.0-131		09/29/2018 10:10	WG1172723
(S) Dibromofluoromethane	108				65.0-129		09/29/2018 10:10	WG1172723
(S) a,a,a-Trifluorotoluene	104				80.0-120		09/29/2018 10:10	WG1172723
(S) 4-Bromofluorobenzene	97.8				67.0-138		09/29/2018 10:10	WG1172723

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	4770		32.9	4.00	81.8	20	10/03/2018 02:24	WG1174082
C28-C40 Oil Range	2740		5.60	4.00	81.8	20	10/03/2018 02:24	WG1174082
(S) o-Terphenyl	723	<u>J7</u>			18.0-148		10/03/2018 02:24	WG1174082

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	91.5		1	09/29/2018 10:57	WG1172949

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	574		0.869	10.0	10.9	1	09/27/2018 05:25	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO


Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	6.85		0.0237	0.100	0.109	1	10/02/2018 08:20	WG1174113
(S) a,a,a-Trifluorotoluene(FID)	83.8				77.0-120		10/02/2018 08:20	WG1174113

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000437	0.00100	0.00109	1	09/29/2018 10:29	WG1172723
Toluene	0.334		0.00137	0.00500	0.00546	1	09/29/2018 10:29	WG1172723
Ethylbenzene	2.07		0.000579	0.00250	0.00273	1	09/29/2018 10:29	WG1172723
Total Xylenes	10.6		0.0418	0.00650	0.0568	8	10/01/2018 09:02	WG1173790
(S) Toluene-d8	110				75.0-131		09/29/2018 10:29	WG1172723
(S) Toluene-d8	107				75.0-131		10/01/2018 09:02	WG1173790
(S) Dibromofluoromethane	105				65.0-129		09/29/2018 10:29	WG1172723
(S) Dibromofluoromethane	106				65.0-129		10/01/2018 09:02	WG1173790
(S) a,a,a-Trifluorotoluene	103				80.0-120		09/29/2018 10:29	WG1172723
(S) a,a,a-Trifluorotoluene	106				80.0-120		10/01/2018 09:02	WG1173790
(S) 4-Bromofluorobenzene	169	J1			67.0-138		09/29/2018 10:29	WG1172723
(S) 4-Bromofluorobenzene	116				67.0-138		10/01/2018 09:02	WG1173790

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	43500		352	4.00	874	200	10/03/2018 02:52	WG1174082
C28-C40 Oil Range	15300		59.9	4.00	874	200	10/03/2018 02:52	WG1174082
(S) o-Terphenyl	6800	J7			18.0-148		10/03/2018 02:52	WG1174082





Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.0		1	09/29/2018 10:57	WG1172949

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	335		0.864	10.0	10.9	1	09/27/2018 05:34	WG1172063

Volatile Organic Compounds (GC) by Method 8015D/GRO


Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	1.04		0.0236	0.100	0.109	1	10/02/2018 08:49	WG1174113
(S) a,a,a-Trifluorotoluene(FID)	93.3				77.0-120		10/02/2018 08:49	WG1174113

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000435	0.00100	0.00109	1	09/29/2018 10:48	WG1172723
Toluene	0.00940		0.00136	0.00500	0.00544	1	10/01/2018 08:43	WG1173790
Ethylbenzene	0.0270		0.000576	0.00250	0.00272	1	10/01/2018 08:43	WG1173790
Total Xylenes	0.232		0.00520	0.00650	0.00707	1	10/01/2018 08:43	WG1173790
(S) Toluene-d8	110				75.0-131		09/29/2018 10:48	WG1172723
(S) Toluene-d8	103				75.0-131		10/01/2018 08:43	WG1173790
(S) Dibromofluoromethane	107				65.0-129		09/29/2018 10:48	WG1172723
(S) Dibromofluoromethane	105				65.0-129		10/01/2018 08:43	WG1173790
(S) a,a,a-Trifluorotoluene	101				80.0-120		09/29/2018 10:48	WG1172723
(S) a,a,a-Trifluorotoluene	104				80.0-120		10/01/2018 08:43	WG1173790
(S) 4-Bromofluorobenzene	113				67.0-138		09/29/2018 10:48	WG1172723
(S) 4-Bromofluorobenzene	110				67.0-138		10/01/2018 08:43	WG1173790

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	37800		350	4.00	870	200	10/03/2018 02:38	WG1174082
C28-C40 Oil Range	16200		59.6	4.00	870	200	10/03/2018 02:38	WG1174082
(S) o-Terphenyl	5810	J7			18.0-148		10/03/2018 02:38	WG1174082





Method Blank (MB)

(MB) R3346499-1 09/28/18 14:51

Analyte	MB Result		<u>MB Qualifier</u>		MB MDL		MB RDL	
	%		%		%		%	
Total Solids	0.000							

L1028940-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1028940-06 09/28/18 14:51 • (DUP) R3346499-3 09/28/18 14:51

Analyte	Original Result		DUP Result		Dilution		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	%		%				%				%	
Total Solids	78.2		78.7		1		0.622				10	

Laboratory Control Sample (LCS)

(LCS) R3346499-2 09/28/18 14:51

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		<u>LCS Qualifier</u>	
	%		%		%		%			
Total Solids	50.0		50.0		100		85.0-115			

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



Method Blank (MB)

(MB) R3346495-1 09/28/18 14:37

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.00100			

L1028950-11 Original Sample (OS) • Duplicate (DUP)

(OS) L1028950-11 09/28/18 14:37 • (DUP) R3346495-3 09/28/18 14:37

Analyte	Original Result		DUP Result		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	%		%		%				%	
Total Solids	82.6		83.0		1	0.460			10	

Laboratory Control Sample (LCS)

(LCS) R3346495-2 09/28/18 14:37

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		<u>LCS Qualifier</u>	
	%		%		%		%			
Total Solids	50.0		50.0		100		85.0-115			

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



Method Blank (MB)

(MB) R3346520-1 09/29/18 10:57

Analyte	MB Result		<u>MB Qualifier</u>		MB MDL		MB RDL	
	%		%		%		%	
Total Solids	0.00100							

L1028982-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1028982-01 09/29/18 10:57 • (DUP) R3346520-3 09/29/18 10:57

Analyte	Original Result		DUP Result		Dilution		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	%		%				%				%	
Total Solids	83.5		85.5		1		2.34				10	

Laboratory Control Sample (LCS)

(LCS) R3346520-2 09/29/18 10:57

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		<u>LCS Qualifier</u>	
	%		%		%		%			
Total Solids	50.0		50.0		100		85.0-115			

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3345568-1 09/27/18 01:32

Analyte	MB Result mg/kg	<u>MB Qualifier</u> mg/kg	MB MDL mg/kg	MB RDL mg/kg
Chloride	2.40	↓ 0.795	10.0	

L1028950-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1028950-01 09/27/18 02:30 • (DUP) R3345568-4 09/27/18 02:38

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Chloride	111	132	1	17.1		20

L1028982-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1028982-05 09/27/18 06:18 • (DUP) R3345568-7 09/27/18 06:27

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	<u>DUP Qualifier</u> %	DUP RPD Limits %
Chloride	1580	1630	5	2.66		20

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3345568-2 09/27/18 01:41 • (LCSD) R3345568-3 09/27/18 01:50

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %	<u>LCSD Qualifier</u> %	RPD %	RPD Limits %
Chloride	200	208	205	104	103	90.0-110		1.32	20	

L1028950-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1028950-10 09/27/18 04:15 • (MS) R3345568-5 09/27/18 04:24 • (MSD) R3345568-6 09/27/18 04:33

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD Limits %
Chloride	605	212	814	832	99.4	102	1	80.0-120		2.24	20



Method Blank (MB)

(MB) R3346845-2 10/01/18 14:26					
Analyte	MB Result	MB Qualifier	MB MDL	MB RDL	
	mg/kg	mg/kg	mg/kg	mg/kg	
TPH (GC/FID) Low Fraction	U	0.0217		0.100	
(S) a,a,α-Trifluorotoluene(FID)	99.5			77.0-120	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3346845-1 10/01/18 13:24 • (LCSD) R3346845-3 10/01/18 20:23									
Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD Limits
	mg/kg	mg/kg	mg/kg	%	%	%	%	%	%
TPH (GC/FID) Low Fraction	5.50	5.40	4.68	98.2	85.1	72.0-127		14.4	20
(S) a,a,α-Trifluorotoluene(FID)				113	108	77.0-120			

L1028940-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1028940-01 10/01/18 15:10 • (MS) R3346845-4 10/01/18 23:51 • (MSD) R3346845-5 10/02/18 00:12									
Analyte	Spike Amount (dry)	Original Result (dry)	MS Result (dry)	MSD Result (dry)	MS Rec.	MSD Rec.	Dilution	Rec. Limits	RPD Limits
	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%	%
TPH (GC/FID) Low Fraction	7.16	0.0309	3.30	2.50	45.7	34.5	1	10.0-151	27.8
(S) a,a,α-Trifluorotoluene(FID)					97.5	95.6		77.0-120	28



Method Blank (MB)

(MB) R3346763-4 10/02/18 02:16				
Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U	0.0217	0.0217	0.100
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	98.9			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3346763-2 10/02/18 01:14				
Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %
TPH (GC/FID) Low Fraction	5.50	5.04	91.6	72.0-127
(S) <i>a,a,a</i> -Trifluorotoluene(FID)		110		77.0-120

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



Method Blank (MB)

(MB) R3346037-2 09/27/18 21:34

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
(S) Toluene-d8	117			75.0-131
(S) Dibromofluoromethane	86.8			65.0-129
(S) a,a,-Trifluorotoluene	101			80.0-120
(S) 4-Bromofluorobenzene	86.8			67.0-138

Laboratory Control Sample (LCS)

(LCS) R3346037-1 09/27/18 20:25

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.119	95.2	70.0-123	
Ethylbenzene	0.125	0.111	89.1	74.0-126	
Toluene	0.125	0.129	103	75.0-121	
(S) Toluene-d8			108	75.0-131	
(S) Dibromofluoromethane			104	65.0-129	
(S) a,a,-Trifluorotoluene			99.5	80.0-120	
(S) 4-Bromofluorobenzene			104	67.0-138	

L1028294-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1028294-13 09/28/18 04:51 • (MS) R3346037-3 09/28/18 05:11 • (MSD) R3346037-4 09/28/18 05:30

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.228	2.32	2.41	83.7	87.4	20	10.0-149			3.93	37
Ethylbenzene	0.125	3.09	7.61	7.52	181	177	20	10.0-160	J5	J5	1.21	38
Toluene	0.125	8.09	15.5	15.0	296	278	20	10.0-156	J5	J5	2.97	38
(S) Toluene-d8					112	112		75.0-131				
(S) Dibromofluoromethane					95.7	96.0		65.0-129				
(S) a,a,-Trifluorotoluene					96.8	97.6		80.0-120				
(S) 4-Bromofluorobenzene					112	95.0		67.0-138				



Method Blank (MB)

(MB) R3345933-2 09/27/18 21:43

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	108			75.0-131
(S) Dibromofluoromethane	109			65.0-129
(S) a,a,a-Trifluorotoluene	93.9			80.0-120
(S) 4-Bromofluorobenzene	106			67.0-138

Laboratory Control Sample (LCS)

(LCS) R3345933-1 09/27/18 20:31

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Benzene	0.125	0.135	108	70.0-123	
Ethylbenzene	0.125	0.131	105	74.0-126	
Toluene	0.125	0.132	105	75.0-121	
Xylenes, Total	0.375	0.364	97.1	72.0-127	
(S) Toluene-d8			104	75.0-131	
(S) Dibromofluoromethane			112	65.0-129	
(S) a,a,a-Trifluorotoluene			98.9	80.0-120	
(S) 4-Bromofluorobenzene			105	67.0-138	

L1029326-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1029326-03 09/28/18 03:51 • (MS) R3345933-3 09/27/18 22:03 • (MSD) R3345933-4 09/27/18 22:24

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD	RPD Limits %
Benzene	0.140	U	0.125	0.126	89.4	89.8	1	10.0-149		0.511	37	
Ethylbenzene	0.140	U	0.124	0.119	88.3	85.1	1	10.0-160		3.72	38	
Toluene	0.140	U	0.126	0.120	89.7	85.8	1	10.0-156		4.42	38	
Xylenes, Total	0.420	U	0.341	0.328	81.1	78.1	1	10.0-160		3.69	38	
(S) Toluene-d8				106	102			75.0-131				
(S) Dibromofluoromethane				114	114			65.0-129				
(S) a,a,a-Trifluorotoluene				94.2	94.8			80.0-120				
(S) 4-Bromofluorobenzene				108	103			67.0-138				



Method Blank (MB)

(MB) R3346391-3 09/29/18 08:55

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	114			75.0-131
(S) Dibromofluoromethane	97.5			65.0-129
(S) a,a,a-Trifluorotoluene	101			80.0-120
(S) 4-Bromofluorobenzene	99.9			67.0-138

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3346391-1 09/29/18 07:39 • (LCSD) R3346391-2 09/29/18 07:58

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.124	0.129	99.2	103	70.0-123			3.91	20
Ethylbenzene	0.125	0.122	0.123	97.7	98.2	74.0-126			0.500	20
Toluene	0.125	0.122	0.123	97.6	98.8	75.0-121			1.16	20
Xylenes, Total	0.375	0.361	0.364	96.3	97.1	72.0-127			0.828	20
(S) Toluene-d8				108	105	75.0-131				
(S) Dibromofluoromethane				110	112	65.0-129				
(S) a,a,a-Trifluorotoluene				102	106	80.0-120				
(S) 4-Bromofluorobenzene				94.9	95.7	67.0-138				

L1029004-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1029004-13 09/29/18 14:55 • (MS) R3346391-4 09/29/18 15:14 • (MSD) R3346391-5 09/29/18 15:33

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	3.71	10.5	7.98	135	85.3	40	10.0-149			27.0	37
Ethylbenzene	0.125	43.2	57.6	55.7	288	250	40	10.0-160	V	V	3.32	38
Toluene	0.125	1.23	6.55	4.47	106	64.7	40	10.0-156			37.7	38
Xylenes, Total	0.375	151	199	194	319	288	40	10.0-160	V	V	2.42	38
(S) Toluene-d8					99.9	99.1		75.0-131				
(S) Dibromofluoromethane					108	106		65.0-129				
(S) a,a,a-Trifluorotoluene					103	103		80.0-120				
(S) 4-Bromofluorobenzene					98.8	102		67.0-138				



Method Blank (MB)

(MB) R3346347-2 09/29/18 16:19

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	110			75.0-131
(S) Dibromofluoromethane	93.4			65.0-129
(S) a,a,a-Trifluorotoluene	109			80.0-120
(S) 4-Bromofluorobenzene	97.8			67.0-138

Laboratory Control Sample (LCS)

(LCS) R3346347-1 09/29/18 14:42

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Xylenes, Total	0.375	0.317	84.5	72.0-127	
(S) Toluene-d8			102	75.0-131	
(S) Dibromofluoromethane			112	65.0-129	
(S) a,a,a-Trifluorotoluene			105	80.0-120	
(S) 4-Bromofluorobenzene			84.9	67.0-138	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



Method Blank (MB)

(MB) R3346770-2 10/01/18 03:30

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	114			75.0-131
(S) Dibromofluoromethane	87.6			65.0-129
(S) a,a,a-Trifluorotoluene	112			80.0-120
(S) 4-Bromofluorobenzene	84.2			67.0-138

Laboratory Control Sample (LCS)

(LCS) R3346770-1 10/01/18 02:11

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Ethylbenzene	0.125	0.137	110	74.0-126	
Toluene	0.125	0.127	102	75.0-121	
Xylenes, Total	0.375	0.420	112	72.0-127	
(S) Toluene-d8			104	75.0-131	
(S) Dibromofluoromethane			102	65.0-129	
(S) a,a,a-Trifluorotoluene			107	80.0-120	
(S) 4-Bromofluorobenzene			92.4	67.0-138	



Method Blank (MB)

(MB) R3347149-1 10/02/18 22:47

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U	1.61	4.00	4.00
C28-C40 Oil Range	U	0.274	4.00	4.00
(S) o-Terphenyl	80.3		18.0-148	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3347149-2 10/02/18 23:01 • (LCSD) R3347149-3 10/02/18 23:14

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
C10-C28 Diesel Range	50.0	43.6	42.5	87.2	85.0	50.0-150			2.56	20
(S) o-Terphenyl				81.4	81.7	18.0-148				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MQL (dry)	Method Quantitation Limit.
MQL	Method Quantitation Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
SDL	Sample Detection Limit.
SDL (dry)	Sample Detection Limit.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Sample Detection Limit.
Unadj. MQL	Unadjusted Method Quantitation Limit.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
J7	Surrogate recovery cannot be used for control limit evaluation due to dilution.
V	The sample concentration is too high to evaluate accurate spike recoveries.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gi

8 Ai

9 Sc



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



ACCOUNT:

TRC Solutions - Austin, TX

PROJECT:

294319.0000.00000 5

SDG:


L1028950

DATE/TIME:

10/04/18 10:30

PAGE:

35 of 37

TRC Solutions - Austin, TX				Billing Information:				Analysis / Container / Preservative				Chain of Custody			
505 E. Huntland Drive, Suite 250 Austin, TX 78752				Accounts Payable 21 Griffin Road North Windsor, CT 06095								Page <u> </u> of <u> </u>			
Report to: Julie Speer				Email To: jspeer@trcsolutions.com								 Pace Analytical National Center for Testing & Inspection			
Project Description: Lovington Lea Refinery				City/State Collected:								 12065 Lebanon Rd Mount Juliet, TN 37122 Phone: 615-758-5858 Phone: 800-762-5859 Fax: 615-758-5859			
Phone: 512-684-3176				Lab Project #								L# <u>L1028950</u>			
Fax:				TRCATX-LOVINGTON NAV								F194			
Collected by (print):				P.O. #								Accnum: TRCATX Template: T141033 Prelogin: P673604 TSR: 526 - Chris McCord PB:			
Collected by (signature):				Quote #								Shipped Via:			
Rush? (Lab MUST Be Notified)				Date Results Needed								Remarks			
☐ Same Day ☐ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day				No of Cntrs								Sample # (lab only)			
Immediately Packed on Ice: N <u> </u> Y <u> </u>				Time											
Sample ID				Comp/Grab				Matrix				Depth			
ES-01				6				SS				1215			
ES-02				1				SS				1220			
DUP-01				1				SS				1222			
ES-03				1				SS				1230			
ES-04				1				SS				1235			
ES-05				1				SS				1240			
ES-06				1				SS				1245			
ES-07				1				SS				1255			
EF-01				1				SS				1300			
EF-02				1				SS				1300			
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - Waste Water DW - Drinking Water OT - Other				Tracking # <u>4430 3429 1907</u> Received by: (Signature) _____ Received by: (Signature) _____ Received for lab by: (Signature) <u>JS</u> Date: <u>9/25/18</u> Date: _____ Date: _____				Temp _____ pH _____ RAD SCREEN: <u><0.5 mR/hr</u>				Sample Receipt Checklist COC Seal Present/Intact: <u> </u> Y <u> </u> N COC Signed/Accurate: <u> </u> Y <u> </u> N Bottles arrive intact: <u> </u> Y <u> </u> N Correct bottles used: <u> </u> Y <u> </u> N Sufficient volume sent: <u> </u> Y <u> </u> N IF Applicable VOA Zero Headspace: <u> </u> Y <u> </u> N Preservation Correct/Checked: <u> </u> Y <u> </u> N			
Relinquished by: (Signature) <u>[Signature]</u> Date: <u>9/25/18</u> Time: _____				Trip Blank Received: Yes / No HCL / MeOH TBR				Temp: <u>40°C</u> Bottles Received: <u>75</u>				If preservation required by Login: Date/Time			
Relinquished by: (Signature) <u>[Signature]</u> Date: _____ Time: _____				Date: <u>9/26/18</u> Time: <u>900</u>				Hold:				Condition: NCF / <u>QW</u>			
Relinquished by: (Signature) _____ Date: _____ Time: _____															

TRC Solutions - Austin, TX 505 E. Huntland Drive, Suite 250 Austin, TX 78752			Billing Information: Accounts Payable 21 Griffin Road North Windsor, CT 06095 Email To: jspeer@trcsolutions.com			Chain of Custody Page <u> </u> of <u> </u>		
Report to: Julie Speer			Project: Description: Lovington Lea Refinery			Analysis / Container / Preservative		
Phone: 512-684-3176 Fax:			Client Project # 294319.0000.00000 5			Pres Chk		
Collected by (print):			Site/Facility ID #			DRO/ORO 4ozClr-NoPres CHLORIDE-300 4ozClr-NoPres GRO,V8260BTEX 40ml/NaHSO4/Syr/MeOH		
Collected by (signature):			Rush? (Lab MUST Be Notified) Same Day ☐ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day ☐			L# <u>L1028950</u>		
Immediately Packed on Ice N ☐ Y ☐			Date Results Needed			Table #		
Sample ID			Comp/Grab			Acctnum: TRCATX Template: T141033 Prelogin: P673604 TSN: 526 - Chris McCord PB:		
EDUP-02 CF-103 CF-04 CF-05 CF-06			Matrix *			Shipped Via:		
6 SS SS SS SS SS SS			Depth			Remarks		
1305 1400 1410 1420 1425			No. of Cntrs			Sample # (lab only)		
5 5 5 5 5 5			Time			Sample Receipt Checklist COC Seal Present/Intact: <u> </u> Y <u> </u> N COC Signed/Accurate: <u> </u> Y <u> </u> N Bottles arrive intact: <u> </u> Y <u> </u> N Correct bottles used: <u> </u> Y <u> </u> N Sufficient volume sent: <u> </u> Y <u> </u> N If Applicable VOA Zero Headpace: <u> </u> Y <u> </u> N Preservation Correct/Checked: <u> </u> Y <u> </u> N		
Remarks: If any question please contact Don PO Wed @ (918) 404-9411 RAD SCREEN: <0.5 mR/hr Temp <u> </u> °C Flow <u> </u>			Trip Blank Received: Yes / No HCL / MeOH TBR			If preservation required by Login: Date/Time		
Samples returned via: <u> </u> UPS <u> </u> FedEx <u> </u> Courier <u> </u>			Tracking #			Hold:		
Relinquished by: (Signature)			Date: 9/18/18			Condition: NCF / OK		
Relinquished by: (Signature)			Date:			Time: 75		
Relinquished by: (Signature)			Date:			Time: 900		

TRC Solutions - Austin, TX

Sample Delivery Group: L1064599
Samples Received: 01/26/2019
Project Number: 314537.0000
Description: Tank 1206 Release

Report To: Julie Speer
505 E. Huntland Dr, Ste 250
Austin, TX 78752

Entire Report Reviewed By:



Chris McCord
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	4
Cn: Case Narrative	10
Tr: TRRP Summary	11
TRRP form R	12
TRRP form S	13
TRRP Exception Reports	14
Sr: Sample Results	15
TK1206-S-02 L1064599-01	15
TK1206-S-03 L1064599-02	16
TK1206-S-04 L1064599-03	17
TK1206-S-05 L1064599-04	18
TK1206-S-06 L1064599-05	19
TK1206-S-07 L1064599-06	20
TK1206-S-08 L1064599-07	21
TK1206-S-09 L1064599-08	22
TK1206-DUP-01 L1064599-09	23
TK1206-DUP-02 L1064599-10	24
TK1206-F-01 L1064599-11	25
TK1206-F-02 L1064599-12	26
TK1206-F-03 L1064599-13	27
TK1206-F-04 L1064599-14	28
TK1206-F-05 L1064599-15	29
TK1206-F-05-COMP L1064599-16	30
TK1206-F-06 L1064599-17	31
TK1206-F-07 L1064599-18	32
TK1206-F-08 L1064599-19	33
TK1206-S-01 L1064599-20	34
EF-1-R L1064599-21	35
EF-2-R L1064599-22	36
EF-3-R L1064599-23	37
EF-4-R L1064599-24	38
EF-5-R L1064599-25	39
EF-6-R L1064599-26	40
ES-1-R L1064599-27	41
ES-5-R L1064599-28	42
DUP-01 L1064599-29	43
Qc: Quality Control Summary	44
Total Solids by Method 2540 G-2011	44

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Tr
⁶ Sr
⁷ Qc
⁸ Gl
⁹ Al
¹⁰ Sc



Wet Chemistry by Method 300.0	48
Volatile Organic Compounds (GC) by Method 8015D/GRO	49
Volatile Organic Compounds (GC/MS) by Method 8260B	52
Semi-Volatile Organic Compounds (GC) by Method 8015	58
Gl: Glossary of Terms	60
Al: Accreditations & Locations	61
Sc: Sample Chain of Custody	62



SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



TK1206-S-02 L1064599-01 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 12:25

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230166	1	02/01/19 10:35	02/01/19 10:50	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 14:22	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	30.25	01/22/19 12:25	02/01/19 00:36	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1.21	01/22/19 12:25	01/29/19 15:30	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	100	01/29/19 08:22	01/30/19 16:36	MTJ
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/29/19 23:39	TH

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

TK1206-S-03 L1064599-02 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 12:30

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 14:30	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 12:30	01/31/19 19:46	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 12:30	01/29/19 15:50	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/29/19 23:51	TH

TK1206-S-04 L1064599-03 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 12:35

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 14:47	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 12:35	01/31/19 20:09	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 12:35	01/29/19 16:09	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 00:04	TH

TK1206-S-05 L1064599-04 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 12:40

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 14:55	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	26	01/22/19 12:40	01/31/19 20:31	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1.04	01/22/19 12:40	01/29/19 16:29	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 21:49	TH

TK1206-S-06 L1064599-05 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 12:45

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:04	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 12:45	01/31/19 20:53	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 12:45	01/29/19 16:49	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:02	TH

SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



TK1206-S-07 L1064599-06 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 12:50

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:29	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 12:50	01/31/19 21:15	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 12:50	01/29/19 17:09	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:14	TH

¹ Cp

² Tc

³ Ss

⁴ Cn

TK1206-S-08 L1064599-07 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 12:55

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:38	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	26.75	01/22/19 12:55	01/31/19 21:37	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1.07	01/22/19 12:55	01/29/19 17:28	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:26	TH

⁵ Tr

⁶ Sr

⁷ Qc

⁸ Gl

TK1206-S-09 L1064599-08 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 13:00

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:46	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 13:00	01/31/19 21:59	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 13:00	01/29/19 17:48	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 00:16	TH

⁹ Al

¹⁰ Sc

TK1206-DUP-01 L1064599-09 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 00:00

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:55	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	287.5	01/22/19 00:00	01/31/19 22:22	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	23	01/22/19 00:00	01/29/19 18:08	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	100	01/29/19 08:22	01/30/19 16:48	MTJ

TK1206-DUP-02 L1064599-10 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 00:00

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 16:03	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 00:00	01/31/19 22:44	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1230243	2	01/22/19 00:00	02/03/19 16:52	JAH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:38	TH

SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



TK1206-F-01 L1064599-11 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 11:35

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 16:29	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 11:35	01/31/19 23:07	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1	01/22/19 11:35	01/29/19 18:36	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 00:40	TH

¹ Cp

² Tc

³ Ss

⁴ Cn

TK1206-F-02 L1064599-12 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 11:40

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 16:38	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	27	01/22/19 11:40	01/31/19 23:29	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1.08	01/22/19 11:40	01/29/19 18:55	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 01:19	TH

⁵ Tr

⁶ Sr

⁷ Qc

⁸ Gl

TK1206-F-03 L1064599-13 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 11:45

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 16:46	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	32.75	01/22/19 11:45	01/31/19 23:51	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1.31	01/22/19 11:45	01/29/19 19:14	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:50	TH

⁹ Al

¹⁰ Sc

TK1206-F-04 L1064599-14 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 11:50

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:12	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 11:50	02/01/19 00:13	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1	01/22/19 11:50	01/29/19 19:33	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 23:03	TH

TK1206-F-05 L1064599-15 Solid

Collected by
Jared Stoffel

Collected date/time
01/22/19 11:55

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:20	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	28.75	01/22/19 11:55	02/01/19 11:59	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	2.3	01/22/19 11:55	01/29/19 19:52	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	100	01/29/19 08:22	01/30/19 17:00	MTJ

SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



TK1206-F-05-COMP L1064599-16 Solid

Collected by
Jared StoffelCollected date/time
01/22/19 12:00Received date/time
01/26/19 08:00¹Cp

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:29	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	27.75	01/22/19 12:00	02/01/19 12:21	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1.11	01/22/19 12:00	01/29/19 20:11	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 01:59	TH

²Tc³Ss⁴Cn

TK1206-F-06 L1064599-17 Solid

Collected by
Jared StoffelCollected date/time
01/22/19 12:05Received date/time
01/26/19 08:00⁵Tr

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:37	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	25	01/22/19 12:05	02/01/19 12:44	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1	01/22/19 12:05	01/29/19 20:30	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 23:15	TH

⁶Sr⁷Qc⁸Gl

TK1206-F-07 L1064599-18 Solid

Collected by
Jared StoffelCollected date/time
01/22/19 12:10Received date/time
01/26/19 08:00⁹Al

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:46	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	26.75	01/22/19 12:15	02/01/19 13:06	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229378	1.07	01/22/19 12:15	01/28/19 19:52	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	100	01/29/19 08:22	01/30/19 17:13	MTJ
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 02:11	TH

¹⁰Sc

TK1206-F-08 L1064599-19 Solid

Collected by
Jared StoffelCollected date/time
01/22/19 12:15Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:54	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	25	01/22/19 12:20	02/01/19 13:28	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229959	1	01/22/19 12:20	01/30/19 21:58	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	5	01/29/19 08:22	01/29/19 23:27	TH

TK1206-S-01 L1064599-20 Solid

Collected by
Jared StoffelCollected date/time
01/22/19 12:20Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 18:03	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	25	01/22/19 12:20	02/01/19 13:50	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229959	1	01/22/19 12:20	01/30/19 22:18	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	200	01/30/19 09:19	01/30/19 23:18	TH

ACCOUNT:

TRC Solutions - Austin, TX

PROJECT:

314537.0000

SDG:

L1064599

DATE/TIME:

02/05/19 16:18

PAGE:

7 of 64

SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



EF-1-R L1064599-21 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 11:00

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	27	01/24/19 11:00	01/31/19 06:25	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	1	01/30/19 09:19	01/30/19 20:41	TH

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Tr

⁶ Sr

⁷ Qc

⁸ Gl

⁹ Al

¹⁰ Sc

EF-2-R L1064599-22 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 11:05

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25.5	01/24/19 11:05	01/31/19 03:28	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	10	01/30/19 09:19	01/30/19 22:30	TH

EF-3-R L1064599-23 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 11:10

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25	01/24/19 11:10	01/31/19 03:50	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	50	01/30/19 09:19	01/30/19 22:42	TH

EF-4-R L1064599-24 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 11:15

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25	01/24/19 11:15	01/31/19 04:12	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	1	01/30/19 09:19	01/30/19 22:18	TH

EF-5-R L1064599-25 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 11:20

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25.5	01/24/19 11:20	01/31/19 04:34	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	2	01/30/19 09:19	01/30/19 21:41	TH

EF-6-R L1064599-26 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 11:25

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25.75	01/24/19 11:25	01/31/19 04:56	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	1	01/30/19 09:19	01/30/19 21:53	TH

SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



ES-1-R L1064599-27 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 11:30

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25.25	01/24/19 11:30	01/31/19 05:19	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	100	01/30/19 09:19	01/30/19 22:54	TH

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Tr

⁶ Sr

⁷ Qc

⁸ Gl

⁹ Al

¹⁰ Sc

ES-5-R L1064599-28 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 11:35

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	27.25	01/24/19 11:35	01/31/19 05:41	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	1	01/30/19 09:19	01/31/19 00:56	TH

DUP-01 L1064599-29 Solid

Collected by
Jared Stoffel

Collected date/time
01/24/19 00:00

Received date/time
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25	01/24/19 00:00	01/31/19 06:03	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	100	01/30/19 09:19	01/30/19 23:06	TH



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris McCord
Project Manager

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc



This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
 - a. Items consistent with NELAC Chapter 5,
 - b. dilution factors,
 - c. preparation methods,
 - d. cleanup methods, and
 - e. if required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
 - a. Calculated recovery (%R), and
 - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
 - a. LCS spiking amounts,
 - b. Calculated %R for each analyte, and
 - c. The laboratory's LCS QC limits.
- R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a. Samples associated with the MS/MSD clearly identified,
 - b. MS/MSD spiking amounts,
 - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d. Calculated %Rs and relative percent differences (RPDs), and
 - e. The laboratory's MS/MSD QC limits
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
 - a. The amount of analyte measured in the duplicate,
 - b. The calculated RPD, and
 - c. The laboratory's QC limits for analytical duplicates.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Chris McCord
Project Manager

Laboratory Review Checklist: Reportable Data



Laboratory Name: ESC Lab Sciences			LRC Date: 02/05/2019 16:18				
Project Name: Tank 1206 Release			Laboratory Job Number: L1064599-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 and 29				
Reviewer Name: Chris McCord			Prep Batch Number(s): WG1229328, WG1229323, WG1229063, WG1229959, WG1230174, WG1229062, WG1230171, WG1230598, WG1230800, WG1231258, WG1229378, WG1230167, WG1230166, WG1230243 and WG1228893				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?			X		
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?	X				
		If required for the project, are TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?		X			2
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?		X			3
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
3. NA = Not applicable;
4. NR = Not reviewed;
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Supporting Data



Laboratory Name: ESC Lab Sciences			LRC Date: 02/05/2019 16:18				
Project Name: Tank 1206 Release			Laboratory Job Number: L1064599-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 and 29				
Reviewer Name: Chris McCord			Prep Batch Number(s): WG1229328, WG1229323, WG1229063, WG1229959, WG1230174, WG1229062, WG1230171, WG1230598, WG1230800, WG1231258, WG1229378, WG1230167, WG1230166, WG1230243 and WG1228893				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?	X				
S3	O	Mass spectral tuning					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed	X				
1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).							

Laboratory Review Checklist: Exception Reports



Laboratory Name: ESC Lab Sciences		LRC Date: 02/05/2019 16:18	
Project Name: Tank 1206 Release		Laboratory Job Number: L1064599-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 and 29	
Reviewer Name: Chris McCord		Prep Batch Number(s): WG1229328, WG1229323, WG1229063, WG1229959, WG1230174, WG1229062, WG1230171, WG1230598, WG1230800, WG1231258, WG1229378, WG1230167, WG1230166, WG1230243 and WG1228893	
ER #¹	Description		
1	8015 WG1229062 o-Terphenyl L1064599-20, 23, 27 and 29: Percent Recovery is outside of established control limits. 8015 WG1229063 o-Terphenyl L1064599-01, 02, 03, 08, 09, 11, 12, 15, 16 and 18: Percent Recovery is outside of established control limits.		
2	8260B WG1229323 Toluene, Xylenes, Total: Relative Percent Difference is outside of established control limits. 8260B WG1229378 Benzene, Ethylbenzene, Toluene: Relative Percent Difference is outside of established control limits.		
3	300.0 WG1228893 Chloride: Relative Percent Difference is outside of established control limits.		
1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).			



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.3		1	02/01/2019 10:50	WG1230166

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	11.6		0.843	10.0	10.6	1	02/02/2019 14:22	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.696	0.100	3.21	30.25	02/01/2019 00:36	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		02/01/2019 00:36	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.000705	J	0.000513	0.00100	0.00128	1.21	01/29/2019 15:30	WG1229323
Toluene	0.00413	J	0.00160	0.00500	0.00641	1.21	01/29/2019 15:30	WG1229323
Ethylbenzene	0.00800		0.000680	0.00250	0.00321	1.21	01/29/2019 15:30	WG1229323
Total Xylenes	0.0298		0.00613	0.00650	0.00834	1.21	01/29/2019 15:30	WG1229323
(S) Toluene-d8	117				75.0-131		01/29/2019 15:30	WG1229323
(S) Dibromofluoromethane	97.6				65.0-129		01/29/2019 15:30	WG1229323
(S) a,a,a-Trifluorotoluene	82.9				80.0-120		01/29/2019 15:30	WG1229323
(S) 4-Bromofluorobenzene	98.9				67.0-138		01/29/2019 15:30	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	10400		171	4.00	424	100	01/30/2019 16:36	WG1229063
C28-C40 Oil Range	5570		5.81	4.00	84.8	20	01/29/2019 23:39	WG1229063
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 16:36	WG1229063
(S) o-Terphenyl	914	J7			18.0-148		01/29/2019 23:39	WG1229063



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.5		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	10.2	J P1	0.860	10.0	10.8	1	02/02/2019 14:30	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.586	0.100	2.70	25	01/31/2019 19:46	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	103				77.0-120		01/31/2019 19:46	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000432	0.00100	0.00108	1	01/29/2019 15:50	WG1229323
Toluene	0.00214	J	0.00135	0.00500	0.00541	1	01/29/2019 15:50	WG1229323
Ethylbenzene	0.00201	J	0.000573	0.00250	0.00270	1	01/29/2019 15:50	WG1229323
Total Xylenes	U		0.00517	0.00650	0.00703	1	01/29/2019 15:50	WG1229323
(S) Toluene-d8	114				75.0-131		01/29/2019 15:50	WG1229323
(S) Dibromofluoromethane	97.1				65.0-129		01/29/2019 15:50	WG1229323
(S) a,a,a-Trifluorotoluene	85.2				80.0-120		01/29/2019 15:50	WG1229323
(S) 4-Bromofluorobenzene	102				67.0-138		01/29/2019 15:50	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2800		34.8	4.00	86.5	20	01/29/2019 23:51	WG1229063
C28-C40 Oil Range	1900		5.92	4.00	86.5	20	01/29/2019 23:51	WG1229063
(S) o-Terphenyl	246	J7			18.0-148		01/29/2019 23:51	WG1229063





Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.1		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	12.0		0.828	10.0	10.4	1	02/02/2019 14:47	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.565	0.100	2.60	25	01/31/2019 20:09	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	103				77.0-120		01/31/2019 20:09	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000416	0.00100	0.00104	1	01/29/2019 16:09	WG1229323
Toluene	0.00268	J	0.00130	0.00500	0.00521	1	01/29/2019 16:09	WG1229323
Ethylbenzene	0.00152	J	0.000552	0.00250	0.00260	1	01/29/2019 16:09	WG1229323
Total Xylenes	U		0.00498	0.00650	0.00677	1	01/29/2019 16:09	WG1229323
(S) Toluene-d8	118				75.0-131		01/29/2019 16:09	WG1229323
(S) Dibromofluoromethane	97.7				65.0-129		01/29/2019 16:09	WG1229323
(S) a,a,a-Trifluorotoluene	83.9				80.0-120		01/29/2019 16:09	WG1229323
(S) 4-Bromofluorobenzene	99.4				67.0-138		01/29/2019 16:09	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1790		33.5	4.00	83.3	20	01/30/2019 00:04	WG1229063
C28-C40 Oil Range	1460		5.71	4.00	83.3	20	01/30/2019 00:04	WG1229063
(S) o-Terphenyl	168	J7			18.0-148		01/30/2019 00:04	WG1229063

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.1		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	21.1		0.845	10.0	10.6	1	02/02/2019 14:55	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.599	0.100	2.76	26	01/31/2019 20:31	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 20:31	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000442	0.00100	0.00110	1.04	01/29/2019 16:29	WG1229323
Toluene	0.00163	J	0.00138	0.00500	0.00552	1.04	01/29/2019 16:29	WG1229323
Ethylbenzene	0.00226	J	0.000586	0.00250	0.00276	1.04	01/29/2019 16:29	WG1229323
Total Xylenes	U		0.00528	0.00650	0.00718	1.04	01/29/2019 16:29	WG1229323
(S) Toluene-d8	118				75.0-131		01/29/2019 16:29	WG1229323
(S) Dibromofluoromethane	94.5				65.0-129		01/29/2019 16:29	WG1229323
(S) a,a,a-Trifluorotoluene	84.2				80.0-120		01/29/2019 16:29	WG1229323
(S) 4-Bromofluorobenzene	96.8				67.0-138		01/29/2019 16:29	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	969		17.1	4.00	42.5	10	01/29/2019 21:49	WG1229063
C28-C40 Oil Range	727		2.91	4.00	42.5	10	01/29/2019 21:49	WG1229063
(S) o-Terphenyl	104				18.0-148		01/29/2019 21:49	WG1229063

1	Cp
2	Tc
3	Ss
4	Cn
5	Tr
6	Sr
7	Qc
8	Gl
9	Al
10	Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.5		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	10.3		0.816	10.0	10.3	1	02/02/2019 15:04	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.556	0.100	2.56	25	01/31/2019 20:53	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 20:53	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000410	0.00100	0.00103	1	01/29/2019 16:49	WG1229323
Toluene	0.00270	J	0.00128	0.00500	0.00513	1	01/29/2019 16:49	WG1229323
Ethylbenzene	0.00426		0.000544	0.00250	0.00256	1	01/29/2019 16:49	WG1229323
Total Xylenes	0.00937		0.00490	0.00650	0.00667	1	01/29/2019 16:49	WG1229323
(S) Toluene-d8	118				75.0-131		01/29/2019 16:49	WG1229323
(S) Dibromofluoromethane	95.9				65.0-129		01/29/2019 16:49	WG1229323
(S) a,a,a-Trifluorotoluene	84.7				80.0-120		01/29/2019 16:49	WG1229323
(S) 4-Bromofluorobenzene	107				67.0-138		01/29/2019 16:49	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1050		16.5	4.00	41.0	10	01/29/2019 22:02	WG1229063
C28-C40 Oil Range	759		2.81	4.00	41.0	10	01/29/2019 22:02	WG1229063
(S) o-Terphenyl	112				18.0-148		01/29/2019 22:02	WG1229063

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.6		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	7.56	J	0.823	10.0	10.4	1	02/02/2019 15:29	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.562	0.100	2.59	25	01/31/2019 21:15	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 21:15	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000414	0.00100	0.00104	1	01/29/2019 17:09	WG1229323
Toluene	0.00184	J	0.00129	0.00500	0.00518	1	01/29/2019 17:09	WG1229323
Ethylbenzene	0.00169	J	0.000549	0.00250	0.00259	1	01/29/2019 17:09	WG1229323
Total Xylenes	U		0.00495	0.00650	0.00673	1	01/29/2019 17:09	WG1229323
(S) Toluene-d8	116				75.0-131		01/29/2019 17:09	WG1229323
(S) Dibromofluoromethane	93.6				65.0-129		01/29/2019 17:09	WG1229323
(S) a,a,a-Trifluorotoluene	82.5				80.0-120		01/29/2019 17:09	WG1229323
(S) 4-Bromofluorobenzene	107				67.0-138		01/29/2019 17:09	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1120		16.7	4.00	41.4	10	01/29/2019 22:14	WG1229063
C28-C40 Oil Range	837		2.84	4.00	41.4	10	01/29/2019 22:14	WG1229063
(S) o-Terphenyl	115				18.0-148		01/29/2019 22:14	WG1229063





Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.2		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	5.87	J	0.835	10.0	10.5	1	02/02/2019 15:38	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.610	0.100	2.81	26.75	01/31/2019 21:37	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 21:37	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000450	0.00100	0.00112	1.07	01/29/2019 17:28	WG1229323
Toluene	0.00171	J	0.00141	0.00500	0.00562	1.07	01/29/2019 17:28	WG1229323
Ethylbenzene	0.000956	J	0.000596	0.00250	0.00281	1.07	01/29/2019 17:28	WG1229323
Total Xylenes	U		0.00537	0.00650	0.00731	1.07	01/29/2019 17:28	WG1229323
(S) Toluene-d8	117				75.0-131		01/29/2019 17:28	WG1229323
(S) Dibromofluoromethane	95.5				65.0-129		01/29/2019 17:28	WG1229323
(S) a,a,a-Trifluorotoluene	84.4				80.0-120		01/29/2019 17:28	WG1229323
(S) 4-Bromofluorobenzene	98.3				67.0-138		01/29/2019 17:28	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	215		16.9	4.00	42.0	10	01/29/2019 22:26	WG1229063
C28-C40 Oil Range	216		2.88	4.00	42.0	10	01/29/2019 22:26	WG1229063
(S) o-Terphenyl	67.7				18.0-148		01/29/2019 22:26	WG1229063





Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	93.0		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	7.21	<u>J</u>	0.855	10.0	10.8	1	02/02/2019 15:46	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.584	0.100	2.69	25	01/31/2019 21:59	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 21:59	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000430	0.00100	0.00108	1	01/29/2019 17:48	WG1229323
Toluene	U		0.00134	0.00500	0.00538	1	01/29/2019 17:48	WG1229323
Ethylbenzene	0.00121	<u>J</u>	0.000570	0.00250	0.00269	1	01/29/2019 17:48	WG1229323
Total Xylenes	U		0.00514	0.00650	0.00699	1	01/29/2019 17:48	WG1229323
(S) Toluene-d8	118				75.0-131		01/29/2019 17:48	WG1229323
(S) Dibromofluoromethane	92.6				65.0-129		01/29/2019 17:48	WG1229323
(S) a,a,a-Trifluorotoluene	84.2				80.0-120		01/29/2019 17:48	WG1229323
(S) 4-Bromofluorobenzene	102				67.0-138		01/29/2019 17:48	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	794		34.6	4.00	86.0	20	01/30/2019 00:16	WG1229063
C28-C40 Oil Range	689		5.89	4.00	86.0	20	01/30/2019 00:16	WG1229063
(S) o-Terphenyl	112	<u>J7</u>			18.0-148		01/30/2019 00:16	WG1229063

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	91.7		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	10.1	J	0.867	10.0	10.9	1	02/02/2019 15:55	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	164		6.81	0.100	31.4	287.5	01/31/2019 22:22	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	101				77.0-120		01/31/2019 22:22	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.327		0.0100	0.00100	0.0251	23	01/29/2019 18:08	WG1229323
Toluene	4.11		0.0314	0.00500	0.125	23	01/29/2019 18:08	WG1229323
Ethylbenzene	3.77		0.0133	0.00250	0.0627	23	01/29/2019 18:08	WG1229323
Total Xylenes	6.72		0.120	0.00650	0.163	23	01/29/2019 18:08	WG1229323
(S) Toluene-d8	113				75.0-131		01/29/2019 18:08	WG1229323
(S) Dibromofluoromethane	107				65.0-129		01/29/2019 18:08	WG1229323
(S) a,a,a-Trifluorotoluene	87.1				80.0-120		01/29/2019 18:08	WG1229323
(S) 4-Bromofluorobenzene	105				67.0-138		01/29/2019 18:08	WG1229323

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	20800		176	4.00	436	100	01/30/2019 16:48	WG1229063
C28-C40 Oil Range	13700		29.9	4.00	436	100	01/30/2019 16:48	WG1229063
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 16:48	WG1229063

1	Cp
2	Tc
3	Ss
4	Cn
5	Tr
6	Sr
7	Qc
8	Gl
9	Al
10	Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.4		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	5.81	J	0.825	10.0	10.4	1	02/02/2019 16:03	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.563	0.100	2.59	25	01/31/2019 22:44	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		01/31/2019 22:44	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000830	0.00100	0.00207	2	02/03/2019 16:52	WG1230243
Toluene	0.0116		0.00259	0.00500	0.0104	2	02/03/2019 16:52	WG1230243
Ethylbenzene	0.00290	J	0.00110	0.00250	0.00519	2	02/03/2019 16:52	WG1230243
Total Xylenes	U		0.00992	0.00650	0.0135	2	02/03/2019 16:52	WG1230243
(S) Toluene-d8	108				75.0-131		02/03/2019 16:52	WG1230243
(S) Dibromofluoromethane	86.5				65.0-129		02/03/2019 16:52	WG1230243
(S) a,a,a-Trifluorotoluene	104				80.0-120		02/03/2019 16:52	WG1230243
(S) 4-Bromofluorobenzene	99.4				67.0-138		02/03/2019 16:52	WG1230243

Sample Narrative:

L1064599-10 WG1230243: Lowest possible dilution due to sample matrix.

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	808		16.7	4.00	41.5	10	01/29/2019 22:38	WG1229063
C28-C40 Oil Range	561		2.84	4.00	41.5	10	01/29/2019 22:38	WG1229063
(S) o-Terphenyl	119				18.0-148		01/29/2019 22:38	WG1229063

1	Cp
2	Tc
3	Ss
4	Cn
5	Tr
6	Sr
7	Qc
8	Gl
9	Al
10	Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.2		1	02/01/2019 10:32	WG1230167

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	14.4		0.844	10.0	10.6	1	02/02/2019 16:29	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.576	0.100	2.65	25	01/31/2019 23:07	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 23:07	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000424	0.00100	0.00106	1	01/29/2019 18:36	WG1229328
Toluene	0.00397	J	0.00133	0.00500	0.00531	1	01/29/2019 18:36	WG1229328
Ethylbenzene	0.00465		0.000562	0.00250	0.00265	1	01/29/2019 18:36	WG1229328
Total Xylenes	0.0482		0.00507	0.00650	0.00690	1	01/29/2019 18:36	WG1229328
(S) Toluene-d8	106				75.0-131		01/29/2019 18:36	WG1229328
(S) Dibromofluoromethane	84.1				65.0-129		01/29/2019 18:36	WG1229328
(S) a,a,a-Trifluorotoluene	101				80.0-120		01/29/2019 18:36	WG1229328
(S) 4-Bromofluorobenzene	103				67.0-138		01/29/2019 18:36	WG1229328

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	6510		34.2	4.00	84.9	20	01/30/2019 00:40	WG1229063
C28-C40 Oil Range	4110		5.81	4.00	84.9	20	01/30/2019 00:40	WG1229063
(S) o-Terphenyl	791	J7			18.0-148		01/30/2019 00:40	WG1229063





Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.2		1	01/30/2019 15:12	WG1230171

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	8.32	J	0.836	10.0	10.5	1	02/02/2019 16:38	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.616	0.100	2.84	27	01/31/2019 23:29	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 23:29	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000454	0.00100	0.00113	1.08	01/29/2019 18:55	WG1229328
Toluene	0.00416	J	0.00142	0.00500	0.00567	1.08	01/29/2019 18:55	WG1229328
Ethylbenzene	0.00352		0.000602	0.00250	0.00284	1.08	01/29/2019 18:55	WG1229328
Total Xylenes	0.00859		0.00543	0.00650	0.00738	1.08	01/29/2019 18:55	WG1229328
(S) Toluene-d8	111				75.0-131		01/29/2019 18:55	WG1229328
(S) Dibromofluoromethane	81.2				65.0-129		01/29/2019 18:55	WG1229328
(S) a,a,a-Trifluorotoluene	103				80.0-120		01/29/2019 18:55	WG1229328
(S) 4-Bromofluorobenzene	104				67.0-138		01/29/2019 18:55	WG1229328

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	49.5	J	33.8	4.00	84.1	20	01/30/2019 01:19	WG1229063
C28-C40 Oil Range	139		5.76	4.00	84.1	20	01/30/2019 01:19	WG1229063
(S) o-Terphenyl	73.0	J7			18.0-148		01/30/2019 01:19	WG1229063

Sample Narrative:

L1064599-12 WG1229063: Cannot run at lower dilution due to viscosity of extract



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.1		1	01/30/2019 15:12	WG1230171

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	6.25	J	0.863	10.0	10.9	1	02/02/2019 16:46	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.772	0.100	3.56	32.75	01/31/2019 23:51	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		01/31/2019 23:51	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.00222		0.000569	0.00100	0.00142	1.31	01/29/2019 19:14	WG1229328
Toluene	0.0469		0.00178	0.00500	0.00711	1.31	01/29/2019 19:14	WG1229328
Ethylbenzene	0.00920		0.000754	0.00250	0.00356	1.31	01/29/2019 19:14	WG1229328
Total Xylenes	0.0354		0.00680	0.00650	0.00925	1.31	01/29/2019 19:14	WG1229328
(S) Toluene-d8	111				75.0-131		01/29/2019 19:14	WG1229328
(S) Dibromofluoromethane	82.3				65.0-129		01/29/2019 19:14	WG1229328
(S) a,a,a-Trifluorotoluene	101				80.0-120		01/29/2019 19:14	WG1229328
(S) 4-Bromofluorobenzene	99.3				67.0-138		01/29/2019 19:14	WG1229328

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	530		17.5	4.00	43.4	10	01/29/2019 22:50	WG1229063
C28-C40 Oil Range	431		2.98	4.00	43.4	10	01/29/2019 22:50	WG1229063
(S) o-Terphenyl	71.4				18.0-148		01/29/2019 22:50	WG1229063





Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	88.3		1	01/30/2019 15:12	WG1230171

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	4.32	J	0.900	10.0	11.3	1	02/02/2019 17:12	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.614	0.100	2.83	25	02/01/2019 00:13	WG1230800
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		02/01/2019 00:13	WG1230800

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000453	0.00100	0.00113	1	01/29/2019 19:33	WG1229328
Toluene	0.00188	J	0.00142	0.00500	0.00566	1	01/29/2019 19:33	WG1229328
Ethylbenzene	0.000636	J	0.000600	0.00250	0.00283	1	01/29/2019 19:33	WG1229328
Total Xylenes	U		0.00541	0.00650	0.00736	1	01/29/2019 19:33	WG1229328
(S) Toluene-d8	108				75.0-131		01/29/2019 19:33	WG1229328
(S) Dibromofluoromethane	76.8				65.0-129		01/29/2019 19:33	WG1229328
(S) a,a,a-Trifluorotoluene	102				80.0-120		01/29/2019 19:33	WG1229328
(S) 4-Bromofluorobenzene	104				67.0-138		01/29/2019 19:33	WG1229328

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	3110		18.2	4.00	45.3	10	01/29/2019 23:03	WG1229063
C28-C40 Oil Range	1890		3.10	4.00	45.3	10	01/29/2019 23:03	WG1229063
(S) o-Terphenyl	69.6				18.0-148		01/29/2019 23:03	WG1229063





Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	93.0		1	01/30/2019 15:12	WG1230171

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	13.8		0.855	10.0	10.8	1	02/02/2019 17:20	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	188		0.671	0.100	3.09	28.75	02/01/2019 11:59	WG1231258
(S) a,a,a-Trifluorotoluene(FID)	100				77.0-120		02/01/2019 11:59	WG1231258

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.283		0.000990	0.00100	0.00247	2.3	01/29/2019 19:52	WG1229328
Toluene	3.30		0.00309	0.00500	0.0124	2.3	01/29/2019 19:52	WG1229328
Ethylbenzene	3.68		0.00131	0.00250	0.00618	2.3	01/29/2019 19:52	WG1229328
Total Xylenes	5.38		0.0118	0.00650	0.0161	2.3	01/29/2019 19:52	WG1229328
(S) Toluene-d8	110				75.0-131		01/29/2019 19:52	WG1229328
(S) Dibromofluoromethane	92.4				65.0-129		01/29/2019 19:52	WG1229328
(S) a,a,a-Trifluorotoluene	103				80.0-120		01/29/2019 19:52	WG1229328
(S) 4-Bromofluorobenzene	110				67.0-138		01/29/2019 19:52	WG1229328

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	19800		173	4.00	430	100	01/30/2019 17:00	WG1229063
C28-C40 Oil Range	13100		29.5	4.00	430	100	01/30/2019 17:00	WG1229063
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 17:00	WG1229063

1 Cp
2 Tc
3 Ss
4 Cn
5 Tr
6 Sr
7 Qc
8 Gl
9 Al
10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.3		1	01/30/2019 15:12	WG1230171

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	7.27	J	0.834	10.0	10.5	1	02/02/2019 17:29	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	24.2		0.632	0.100	2.91	27.75	02/01/2019 12:21	WG1231258
(S) a,a,a-Trifluorotoluene(FID)	100				77.0-120		02/01/2019 12:21	WG1231258

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.0151		0.000466	0.00100	0.00116	1.11	01/29/2019 20:11	WG1229328
Toluene	0.266		0.00146	0.00500	0.00582	1.11	01/29/2019 20:11	WG1229328
Ethylbenzene	0.296		0.000617	0.00250	0.00291	1.11	01/29/2019 20:11	WG1229328
Total Xylenes	0.490		0.00557	0.00650	0.00757	1.11	01/29/2019 20:11	WG1229328
(S) Toluene-d8	111				75.0-131		01/29/2019 20:11	WG1229328
(S) Dibromofluoromethane	80.9				65.0-129		01/29/2019 20:11	WG1229328
(S) a,a,a-Trifluorotoluene	101				80.0-120		01/29/2019 20:11	WG1229328
(S) 4-Bromofluorobenzene	106				67.0-138		01/29/2019 20:11	WG1229328

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	4430		33.8	4.00	83.9	20	01/30/2019 01:59	WG1229063
C28-C40 Oil Range	3580		5.75	4.00	83.9	20	01/30/2019 01:59	WG1229063
(S) o-Terphenyl	356	J7			18.0-148		01/30/2019 01:59	WG1229063

1	Cp
2	Tc
3	Ss
4	Cn
5	Tr
6	Sr
7	Qc
8	Gl
9	Al
10	Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.3		1	01/30/2019 15:12	WG1230171

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
Chloride	7.23	J	0.826	10.0	10.4	1	02/02/2019 17:37	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.563	0.100	2.60	25	02/01/2019 12:44	WG1231258
(S) a,a,a-Trifluorotoluene(FID)	107				77.0-120		02/01/2019 12:44	WG1231258

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000415	0.00100	0.00104	1	01/29/2019 20:30	WG1229328
Toluene	0.00207	J	0.00130	0.00500	0.00519	1	01/29/2019 20:30	WG1229328
Ethylbenzene	0.00124	J	0.000550	0.00250	0.00260	1	01/29/2019 20:30	WG1229328
Total Xylenes	U		0.00496	0.00650	0.00675	1	01/29/2019 20:30	WG1229328
(S) Toluene-d8	108				75.0-131		01/29/2019 20:30	WG1229328
(S) Dibromofluoromethane	80.3				65.0-129		01/29/2019 20:30	WG1229328
(S) a,a,a-Trifluorotoluene	101				80.0-120		01/29/2019 20:30	WG1229328
(S) 4-Bromofluorobenzene	102				67.0-138		01/29/2019 20:30	WG1229328

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	446		16.7	4.00	41.5	10	01/29/2019 23:15	WG1229063
C28-C40 Oil Range	397		2.85	4.00	41.5	10	01/29/2019 23:15	WG1229063
(S) o-Terphenyl	66.0				18.0-148		01/29/2019 23:15	WG1229063

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.7		1	01/30/2019 15:12	WG1230171

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	6.73	J	0.823	10.0	10.3	1	02/02/2019 17:46	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	7.66		0.600	0.100	2.77	26.75	02/01/2019 13:06	WG1231258
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		02/01/2019 13:06	WG1231258

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	0.000718	J	0.000443	0.00100	0.00111	1.07	01/28/2019 19:52	WG1229378
Toluene	0.0196		0.00138	0.00500	0.00553	1.07	01/28/2019 19:52	WG1229378
Ethylbenzene	0.0988		0.000587	0.00250	0.00277	1.07	01/28/2019 19:52	WG1229378
Total Xylenes	0.183		0.00529	0.00650	0.00719	1.07	01/28/2019 19:52	WG1229378
(S) Toluene-d8	114				75.0-131		01/28/2019 19:52	WG1229378
(S) Dibromofluoromethane	99.2				65.0-129		01/28/2019 19:52	WG1229378
(S) a,a,a-Trifluorotoluene	84.2				80.0-120		01/28/2019 19:52	WG1229378
(S) 4-Bromofluorobenzene	104				67.0-138		01/28/2019 19:52	WG1229378

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	7150		167	4.00	414	100	01/30/2019 17:13	WG1229063
C28-C40 Oil Range	4410		5.67	4.00	82.8	20	01/30/2019 02:11	WG1229063
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 17:13	WG1229063
(S) o-Terphenyl	667	J7			18.0-148		01/30/2019 02:11	WG1229063



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	91.2		1	01/30/2019 15:12	WG1230171

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	5.93	J	0.872	10.0	11.0	1	02/02/2019 17:54	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.595	0.100	2.74	25	02/01/2019 13:28	WG1231258
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		02/01/2019 13:28	WG1231258

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000439	0.00100	0.00110	1	01/30/2019 21:58	WG1229959
Toluene	0.00137	J	0.00137	0.00500	0.00548	1	01/30/2019 21:58	WG1229959
Ethylbenzene	U		0.000581	0.00250	0.00274	1	01/30/2019 21:58	WG1229959
Total Xylenes	U		0.00524	0.00650	0.00713	1	01/30/2019 21:58	WG1229959
(S) Toluene-d8	114				75.0-131		01/30/2019 21:58	WG1229959
(S) Dibromofluoromethane	95.8				65.0-129		01/30/2019 21:58	WG1229959
(S) a,a,a-Trifluorotoluene	107				80.0-120		01/30/2019 21:58	WG1229959
(S) 4-Bromofluorobenzene	91.7				67.0-138		01/30/2019 21:58	WG1229959

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	29.9		8.82	4.00	21.9	5	01/29/2019 23:27	WG1229063
C28-C40 Oil Range	50.5	B	1.50	4.00	21.9	5	01/29/2019 23:27	WG1229063
(S) o-Terphenyl	55.5				18.0-148		01/29/2019 23:27	WG1229063



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.8		1	01/30/2019 15:12	WG1230171

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Chloride	10.3	J	0.839	10.0	10.6	1	02/02/2019 18:03	WG1228893

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.572	0.100	2.64	25	02/01/2019 13:50	WG1231258
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		02/01/2019 13:50	WG1231258

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
Benzene	U		0.000422	0.00100	0.00106	1	01/30/2019 22:18	WG1229959
Toluene	0.00149	J	0.00132	0.00500	0.00528	1	01/30/2019 22:18	WG1229959
Ethylbenzene	U		0.000559	0.00250	0.00264	1	01/30/2019 22:18	WG1229959
Total Xylenes	U		0.00504	0.00650	0.00686	1	01/30/2019 22:18	WG1229959
(S) Toluene-d8	110				75.0-131		01/30/2019 22:18	WG1229959
(S) Dibromofluoromethane	96.2				65.0-129		01/30/2019 22:18	WG1229959
(S) a,a,a-Trifluorotoluene	104				80.0-120		01/30/2019 22:18	WG1229959
(S) 4-Bromofluorobenzene	89.4				67.0-138		01/30/2019 22:18	WG1229959

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2600		340	4.00	844	200	01/30/2019 23:18	WG1229062
C28-C40 Oil Range	2620		57.8	4.00	844	200	01/30/2019 23:18	WG1229062
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 23:18	WG1229062



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	93.5		1	01/30/2019 15:12	WG1230171

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	1.66	J	0.627	0.100	2.89	27	01/31/2019 06:25	WG1230598
(S) a,a,a-Trifluorotoluene(FID)	103				77.0-120		01/31/2019 06:25	WG1230598

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	102		1.72	4.00	4.28	1	01/30/2019 20:41	WG1229062
C28-C40 Oil Range	43.8		0.293	4.00	4.28	1	01/30/2019 20:41	WG1229062
(S) o-Terphenyl	58.3				18.0-148		01/30/2019 20:41	WG1229062

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.4		1	01/30/2019 14:21	WG1230174

¹ Cp² Tc

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	75.3		0.586	0.100	2.70	25.5	01/31/2019 03:28	WG1230598
(S) a,a,a-Trifluorotoluene(FID)	103				77.0-120		01/31/2019 03:28	WG1230598

³ Ss⁴ Cn⁵ Tr

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	1280		17.1	4.00	42.4	10	01/30/2019 22:30	WG1229062
C28-C40 Oil Range	455		2.90	4.00	42.4	10	01/30/2019 22:30	WG1229062
(S) o-Terphenyl	88.0				18.0-148		01/30/2019 22:30	WG1229062

⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.7		1	01/30/2019 14:21	WG1230174

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.561	0.100	2.58	25	01/31/2019 03:50	WG1230598
(S) o,a,a-Trifluorotoluene(FID)	103				77.0-120		01/31/2019 03:50	WG1230598

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	2290		83.2	4.00	207	50	01/30/2019 22:42	WG1229062
C28-C40 Oil Range	1230		14.2	4.00	207	50	01/30/2019 22:42	WG1229062
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 22:42	WG1229062

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	92.1		1	01/30/2019 14:21	WG1230174

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.589	0.100	2.71	25	01/31/2019 04:12	WG1230598
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		01/31/2019 04:12	WG1230598

3 Ss

4 Cn

5 Tr

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	50.8		1.75	4.00	4.34	1	01/30/2019 22:18	WG1229062
C28-C40 Oil Range	27.5		0.298	4.00	4.34	1	01/30/2019 22:18	WG1229062
(S) o-Terphenyl	97.8				18.0-148		01/30/2019 22:18	WG1229062

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.4		1	01/30/2019 14:21	WG1230174

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.580	0.100	2.67	25.5	01/31/2019 04:34	WG1230598
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 04:34	WG1230598

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	128		3.38	4.00	8.39	2	01/30/2019 21:41	WG1229062
C28-C40 Oil Range	52.9		0.574	4.00	8.39	2	01/30/2019 21:41	WG1229062
(S) o-Terphenyl	78.0				18.0-148		01/30/2019 21:41	WG1229062

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.5		1	01/30/2019 14:21	WG1230174

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.591	0.100	2.72	25.75	01/31/2019 04:56	WG1230598
(S) a,a,a-Trifluorotoluene(FID)	103				77.0-120		01/31/2019 04:56	WG1230598

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	152		1.70	4.00	4.23	1	01/30/2019 21:53	WG1229062
C28-C40 Oil Range	56.8		0.290	4.00	4.23	1	01/30/2019 21:53	WG1229062
(S) o-Terphenyl	61.9				18.0-148		01/30/2019 21:53	WG1229062

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.7		1	01/30/2019 14:21	WG1230174

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	14.8		0.572	0.100	2.64	25.25	01/31/2019 05:19	WG1230598
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 05:19	WG1230598

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	8600		168	4.00	418	100	01/30/2019 22:54	WG1229062
C28-C40 Oil Range	3780		28.6	4.00	418	100	01/30/2019 22:54	WG1229062
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 22:54	WG1229062

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	90.8		1	01/30/2019 14:21	WG1230174

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.651	0.100	3.00	27.25	01/31/2019 05:41	WG1230598
(S) a,a,a-Trifluorotoluene(FID)	103				77.0-120		01/31/2019 05:41	WG1230598

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	9.04		1.77	4.00	4.41	1	01/31/2019 00:56	WG1229062
C28-C40 Oil Range	8.76		0.302	4.00	4.41	1	01/31/2019 00:56	WG1229062
(S) o-Terphenyl	77.1				18.0-148		01/31/2019 00:56	WG1229062

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	95.6		1	01/30/2019 14:21	WG1230174

¹ Cp² Tc

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	37.8		0.568	0.100	2.62	25	01/31/2019 06:03	WG1230598
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 06:03	WG1230598

³ Ss⁴ Cn⁵ Tr

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	6790		168	4.00	419	100	01/30/2019 23:06	WG1229062
C28-C40 Oil Range	3210		28.7	4.00	419	100	01/30/2019 23:06	WG1229062
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 23:06	WG1229062

⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc



Method Blank (MB)

(MB) R3380903-1 02/01/19 10:50

Analyte	MB Result		<u>MB Qualifier</u>		MB MDL		MB RDL	
	%		%		%		%	
Total Solids	0.000							

L1064596-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1064596-06 02/01/19 10:50 • (DUP) R3380903-3 02/01/19 10:50

Analyte	Original Result		DUP Result		Dilution		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	%		%				%				%	
Total Solids	79.4		79.4		1		0.0291				10	

Laboratory Control Sample (LCS)

(LCS) R3380903-2 02/01/19 10:50

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		<u>LCS Qualifier</u>	
	%		%		%		%			
Total Solids	50.0		50.0		100		85.0-115			

1	Cp
2	Tc
3	Ss
4	Cn
5	Tr
6	Sr
7	Qc
8	Gl
9	Al
10	Sc



Method Blank (MB)

(MB) R3380901-1 02/01/19 10:32

Analyte	MB Result		<u>MB Qualifier</u>		MB MDL		MB RDL	
	%		%		%		%	
Total Solids	0.00100							

L1064599-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1064599-02 02/01/19 10:32 • (DUP) R3380901-3 02/01/19 10:32

Analyte	Original Result		DUP Result		Dilution		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	%		%				%				%	
Total Solids	92.5		93.1		1		0.660				10	

Laboratory Control Sample (LCS)

(LCS) R3380901-2 02/01/19 10:32

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		<u>LCS Qualifier</u>	
	%		%		%		%			
Total Solids	50.0		50.0		100		85.0-115			

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc



Method Blank (MB)

(MB) R3380150-1 01/30/19 15:12

Analyte	MB Result		<u>MB Qualifier</u>		MB MDL		MB RDL	
	%		%		%		%	
Total Solids	0.00100							

L1064599-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1064599-12 01/30/19 15:12 • (DUP) R3380150-3 01/30/19 15:12

Analyte	Original Result		DUP Result		Dilution		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	%		%				%				%	
Total Solids	95.2		94.3		1		0.885				10	

Laboratory Control Sample (LCS)

(LCS) R3380150-2 01/30/19 15:12

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		<u>LCS Qualifier</u>	
	%		%		%		%			
Total Solids	50.0		50.0		100		85.0-115			

1 Cp	2 Tc	3 Ss	4 Cn	5 Tr	6 Sr	7 Qc	8 Gl	9 Al	10 Sc
------	------	------	------	------	------	------	------	------	-------



Method Blank (MB)

(MB) R3380146-1 01/30/19 14:21

Analyte	MB Result		<u>MB Qualifier</u>		MB MDL		MB RDL	
	%		%		%		%	
Total Solids	0.000							

L1064630-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1064630-01 01/30/19 14:21 • (DUP) R3380146-3 01/30/19 14:21

Analyte	Original Result		DUP Result		Dilution		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	%		%				%				%	
Total Solids	83.3		82.9		1		0.469				10	

Laboratory Control Sample (LCS)

(LCS) R3380146-2 01/30/19 14:21

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		<u>LCS Qualifier</u>	
	%		%		%		%			
Total Solids	50.0		50.0		100		85.0-115			

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc



Method Blank (MB)

(MB) R3380997-1 02/02/19 13:42

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Chloride	U	0.795	10.0	

L1064599-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1064599-02 02/02/19 14:30 • (DUP) R3380997-3 02/02/19 14:38

Analyte	Original Result (dry)		DUP Result (dry)		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	mg/kg		mg/kg		Dilution	%			%	
Chloride	10.2		6.12		1	49.8	<u>J P1</u>		20	

L1064599-20 Original Sample (OS) • Duplicate (DUP)

(OS) L1064599-20 02/02/19 18:03 • (DUP) R3380997-6 02/02/19 18:11

Analyte	Original Result (dry)		DUP Result (dry)		DUP RPD		<u>DUP Qualifier</u>		DUP RPD Limits	
	mg/kg		mg/kg		Dilution	%			%	
Chloride	10.3		9.09		1	12.7	<u>J</u>		20	

Laboratory Control Sample (LCS)

(LCS) R3380997-2 02/02/19 13:50

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		<u>LCS Qualifier</u>	
	mg/kg		mg/kg		%		%			
Chloride	200		201		101		90.0-110			

L1064599-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064599-10 02/02/19 16:03 • (MS) R3380997-4 02/02/19 16:12 • (MSD) R3380997-5 02/02/19 16:21

Analyte	Spike Amount (dry)		Original Result (dry)		MS Result (dry)		MSD Result (dry)		MS Rec.		MSD Rec.		Dilution		Rec. Limits		<u>MS Qualifier</u>		<u>MSD Qualifier</u>		RPD		RPD Limits	
	mg/kg		mg/kg		mg/kg		mg/kg		%		%		%		%		%			%		%		%
Chloride	519		5.81		517		509		98.5		97.0		1		80.0-120		1.55				20			



Method Blank (MB)

(MB) R3380281-3 01/30/19 22:23

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U	0.0217	0.100	
^(S) <i>a,a,α-Trifluorotoluene(FID)</i>	102		77.0-120	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3380281-1 01/30/19 21:17 • (LCSD) R3380281-2 01/30/19 21:39

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	5.23	5.43	95.1	98.8	72.0-127			3.76	20
^(S) <i>a,a,α-Trifluorotoluene(FID)</i>				107	106	77.0-120				

L1064599-21 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064599-21 01/31/19 06:25 • (MS) R3380281-4 01/31/19 06:48 • (MSD) R3380281-5 01/31/19 07:10

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.88	1.66	98.6	100	61.1	619	27	10.0-151		1.36	28
^(S) <i>a,a,α-Trifluorotoluene(FID)</i>					90.0	89.5		77.0-120			



Method Blank (MB)

(MB) R3380374-3 01/31/19 16:33

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U	0.0217	0.100	
(S) a,a,α-Trifluorotoluene(FID)	104		77.0-120	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3380374-1 01/31/19 15:26 • (LCSD) R3380374-2 01/31/19 15:48

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	5.42	6.35	98.5	115	72.0-127			15.8	20
(S) a,a,α-Trifluorotoluene(FID)				110	110	77.0-120				

L1064599-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064599-01 02/01/19 00:36 • (MS) R3380374-4 02/01/19 00:58 • (MSD) R3380374-5 02/01/19 01:20

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.83	U	136	129	77.2	72.9	30.25	10.0-151		5.68	28
(S) a,a,α-Trifluorotoluene(FID)					109	109		77.0-120			



Method Blank (MB)

(MB) R3380795-3 02/01/19 11:04

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U	0.0217	0.100	
(S) a,a,α-Trifluorotoluene(FID)	103		77.0-120	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3380795-1 02/01/19 09:57 • (LCSD) R3380795-2 02/01/19 10:19

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	6.14	5.96	108	72.0-127		2.90	20	
(S) a,a,α-Trifluorotoluene(FID)		109	109	109	77.0-120				

L1065039-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1065039-01 02/01/19 17:33 • (MS) R3380795-4 02/01/19 19:50 • (MSD) R3380795-5 02/01/19 20:12

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	ND	111	130	81.0	94.7	25	10.0-151		15.6	28	
(S) a,a,α-Trifluorotoluene(FID)			110	109	110	109	77.0-120					



Method Blank (MB)

(MB) R3379890-2 01/29/19 11:47

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	113			75.0-131
(S) Dibromofluoromethane	101			65.0-129
(S) a,a,a-Trifluorotoluene	91.0			80.0-120
(S) 4-Bromofluorobenzene	101			67.0-138

Laboratory Control Sample (LCS)

(LCS) R3379890-1 01/29/19 10:48

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.120	95.9	70.0-123	
Ethylbenzene	0.125	0.107	85.4	74.0-126	
Toluene	0.125	0.149	120	75.0-121	
Xylenes, Total	0.375	0.374	99.7	72.0-127	
(S) Toluene-d8			100	75.0-131	
(S) Dibromofluoromethane			113	65.0-129	
(S) a,a,a-Trifluorotoluene			93.3	80.0-120	
(S) 4-Bromofluorobenzene			99.4	67.0-138	

L1064326-27 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064326-27 01/29/19 15:10 • (MS) R3379890-3 01/29/19 19:07 • (MSD) R3379890-4 01/29/19 19:27

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.0141	0.144	0.112	104	78.2	1	10.0-149			24.9	37
Ethylbenzene	0.125	0.00750	0.157	0.108	120	80.1	1	10.0-160			37.3	38
Toluene	0.125	ND	0.142	0.0842	113	67.3	1	10.0-156		J3	50.8	38
Xylenes, Total	0.375	0.0218	0.506	0.344	129	85.9	1	10.0-160		J3	38.2	38
(S) Toluene-d8					111	111		75.0-131				
(S) Dibromofluoromethane					97.5	97.1		65.0-129				
(S) a,a,a-Trifluorotoluene					85.7	84.7		80.0-120				
(S) 4-Bromofluorobenzene					98.4	111		67.0-138				



Method Blank (MB)

(MB) R3379795-3 01/29/19 10:38

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	109			75.0-131
(S) Dibromofluoromethane	85.8			65.0-129
(S) a,a,a-Trifluorotoluene	103			80.0-120
(S) 4-Bromofluorobenzene	95.9			67.0-138

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3379795-1 01/29/19 09:22 • (LCSD) R3379795-2 01/29/19 09:41

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Benzene	0.125	0.102	0.0981	81.8	78.5	70.0-123			4.10	20
Ethylbenzene	0.125	0.114	0.112	91.4	89.8	74.0-126			1.77	20
Toluene	0.125	0.114	0.115	91.3	92.3	75.0-121			1.08	20
Xylenes, Total	0.375	0.307	0.309	81.9	82.4	72.0-127			0.649	20
(S) Toluene-d8				104	104	75.0-131				
(S) Dibromofluoromethane				99.4	96.0	65.0-129				
(S) a,a,a-Trifluorotoluene				107	107	80.0-120				
(S) 4-Bromofluorobenzene				97.3	97.4	67.0-138				



Method Blank (MB)

(MB) R3380822-2 01/28/19 14:22

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	108			75.0-131
(S) Dibromofluoromethane	101			65.0-129
(S) a,a,a-Trifluorotoluene	96.8			80.0-120
(S) 4-Bromofluorobenzene	99.6			67.0-138

Laboratory Control Sample (LCS)

(LCS) R3380822-1 01/28/19 13:22

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.0973	77.9	70.0-123	
Ethylbenzene	0.125	0.109	87.4	74.0-126	
Toluene	0.125	0.140	112	75.0-121	
Xylenes, Total	0.375	0.377	101	72.0-127	
(S) Toluene-d8			103	75.0-131	
(S) Dibromofluoromethane			101	65.0-129	
(S) a,a,a-Trifluorotoluene			104	80.0-120	
(S) 4-Bromofluorobenzene			90.8	67.0-138	

L1064574-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064574-14 01/28/19 21:11 • (MS) R3380822-3 01/28/19 21:31 • (MSD) R3380822-4 01/28/19 21:51

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD	RPD Limits %
Benzene	0.140	U	1.24	1.82	44.4	65.0	20	10.0-149		J3	37.6	37
Ethylbenzene	0.140	0.0126	1.30	1.94	45.9	68.6	20	10.0-160		J3	39.4	38
Toluene	0.140	U	1.64	2.46	58.3	87.8	20	10.0-156		J3	40.3	38
Xylenes, Total	0.421	U	4.61	6.64	54.8	78.9	20	10.0-160			36.1	38
(S) Toluene-d8					101	100		75.0-131				
(S) Dibromofluoromethane					114	113		65.0-129				
(S) a,a,a-Trifluorotoluene				95.3	94.9			80.0-120				
(S) 4-Bromofluorobenzene				102	118			67.0-138				

Sample Narrative:

ACCOUNT:
TRC Solutions - Austin, TX

PROJECT:
314537.0000

SDG:
L1064599

DATE/TIME:
02/05/19 16:18

PAGE:
54 of 64



L1064574-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064574-14 01/28/19 21:11 • (MS) R3380822-3 01/28/19 21:31 • (MSD) R3380822-4 01/28/19 21:51

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD	RPD Limits %
---------	--------------------------------	-----------------------------------	--------------------------	------------------------------	--------------	---------------	----------	------------------	---------------------	----------------------	-----	-----------------

OS: Non-target compounds too high to run at a lower dilution.

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc



Method Blank (MB)

(MB) R3380094-4 01/30/19 15:27

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	114			75.0-131
(S) Dibromofluoromethane	93.6			65.0-129
(S) a,a,a-Trifluorotoluene	104			80.0-120
(S) 4-Bromofluorobenzene	93.7			67.0-138

Laboratory Control Sample (LCS)

(LCS) R3380094-3 01/30/19 14:30

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.105	84.1	70.0-123	
Ethylbenzene	0.125	0.120	96.2	74.0-126	
Toluene	0.125	0.121	96.8	75.0-121	
Xylenes, Total	0.375	0.407	109	72.0-127	
(S) Toluene-d8			105	75.0-131	
(S) Dibromofluoromethane			105	65.0-129	
(S) a,a,a-Trifluorotoluene			107	80.0-120	
(S) 4-Bromofluorobenzene			97.6	67.0-138	

L1064599-20 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064599-20 01/30/19 22:18 • (MS) R3380094-5 01/30/19 22:39 • (MSD) R3380094-6 01/30/19 22:59

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MS Rec. %	MSD Result (dry) mg/kg	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD	RPD Limits %
Benzene	0.132	U	0.103	78.3	0.0961	72.9	1	10.0-149		7.12	7.12	37
Ethylbenzene	0.132	U	0.123	93.0	0.104	78.9	1	10.0-160		16.4	16.4	38
Toluene	0.132	0.00149	0.125	94.0	0.107	80.2	1	10.0-156		15.7	15.7	38
Xylenes, Total	0.396	U	0.392	99.2	0.367	92.8	1	10.0-160		6.67	6.67	38
(S) Toluene-d8				112	104			75.0-131				
(S) Dibromofluoromethane				100	99.4			65.0-129				
(S) a,a,a-Trifluorotoluene				107	101			80.0-120				
(S) 4-Bromofluorobenzene				96.6	95.7			67.0-138				



Method Blank (MB)

(MB) R3380987-2 02/03/19 11:20

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	112			75.0-131
(S) Dibromofluoromethane	83.7			65.0-129
(S) a,a,a-Trifluorotoluene	108			80.0-120
(S) 4-Bromofluorobenzene	95.6			67.0-138

Laboratory Control Sample (LCS)

(LCS) R3380987-1 02/03/19 09:54

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.107	85.5	70.0-123	
Ethylbenzene	0.125	0.123	98.4	74.0-126	
Toluene	0.125	0.120	96.4	75.0-121	
Xylenes, Total	0.375	0.389	104	72.0-127	
(S) Toluene-d8			107	75.0-131	
(S) Dibromofluoromethane			93.0	65.0-129	
(S) a,a,a-Trifluorotoluene			103	80.0-120	
(S) 4-Bromofluorobenzene			101	67.0-138	



Method Blank (MB)

(MB) R3380147-1 01/30/19 18:01

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U	1.61	4.00	4.00
C28-C40 Oil Range	U	0.274	4.00	4.00
(S) o-Terphenyl	78.2		18.0-148	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3380147-2 01/30/19 18:13 • (LCSD) R3380147-3 01/30/19 18:26

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Extractable Petroleum Hydrocarbon	50.0	28.0	28.1	56.0	50.0-150			0.357	20
C10-C28 Diesel Range	50.0	32.0	32.1	64.0	50.0-150			0.312	20
(S) o-Terphenyl				98.8	18.0-148				

L1064437-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064437-01 01/30/19 18:38 • (MS) R3380147-4 01/30/19 18:50 • (MSD) R3380147-5 01/30/19 19:02

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	RPD %	RPD Limits %
Extractable Petroleum Hydrocarbon	47.6	ND	26.9	25.2	56.5	51.6	1	50.0-150		6.53	20
C10-C28 Diesel Range	47.6	ND	29.3	28.6	61.6	58.6	1	50.0-150		2.42	20
(S) o-Terphenyl				93.7	87.1			18.0-148			



Method Blank (MB)

(MB) R3379952-1 01/29/19 20:58

Analyte	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U	1.61	4.00	4.00
C28-C40 Oil Range	1.59	└ 0.274	4.00	4.00
(S) o-Terphenyl	63.2		18.0-148	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3379952-2 01/29/19 21:10 • (LCSD) R3379952-3 01/29/19 21:22

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
C10-C28 Diesel Range	50.0	28.4	27.6	56.8	55.2	50.0-150			2.86	20
(S) o-Terphenyl				83.5	71.3	18.0-148				

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MQL (dry)	Method Quantitation Limit.
MQL	Method Quantitation Limit.
ND	Not detected at the Method Quantitation Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
SDL	Sample Detection Limit.
SDL (dry)	Sample Detection Limit.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Sample Detection Limit.
Unadj. MQL	Unadjusted Method Quantitation Limit.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J7	Surrogate recovery cannot be used for control limit evaluation due to dilution.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.





Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



TRC Solutions - Austin, TX

505 E. Huntland Dr, Ste 250
Austin, TX 78752

Accounts Payable
21 Griffin Road North
Windsor, CT 06095

Email To: jspeer@trcsolutions.com

Report to:
Julie Speer

Project:
Description: **Crude Pipeline Release**

Client Project #
314537.0000

Phone: **512-684-3170**

Fax:

Collected by (print):
Jas. Stoffer

Collected by (signature):
Jas. Stoffer

Immediately
Packed on ice N ☒ Y ☒

Rush? (Lab MUST Be Notified)
☐ Same Day ☐ Five Day
☐ Next Day ☐ 5 Day (Rad Only)
☐ Two Day ☐ 10 Day (Rad Only)
☐ Three Day

Quote #

City/State
Collected:

Lab Project #
TRCATX-CRUDE


P.O. #

Billing Information:

Analysis / Container / Preservative

Chain of Custody

Page 1 of 1



12055 Libanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-787-5858
Fax: 615-758-5858



L# **1064597**

Table #

Account: **TRCATX**

Template: **T145264**

Prelogin: **P690535**

TSR: **526 - Chris McCord**

P8:

Shipped Via:

Remarks

Sample # (lab only)

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

Sample Receipt Checklist
 OGC Seal Present/Intact: ☒ Y
 OGC Signed/Accurate: ☒ Y
 Bottles arrive intact: ☒ Y
 Correct bottles used: ☒ Y
 Sufficient volume sent: ☒ Y
 If Applicable
 VOA Zero HeadSpace: ☒ Y
 Preservation Correct/Checked: ☒ Y
PAS SCREEN - SUBMIT

If preservation required by Login: Date/Time

Condition: NCF / OK

Tracking #

Received by: (Signature)

Received by: (Signature)

Received for lab by: (Signature)

Date: 1/25/19

Date: 1/26/19

Date: 1/26/19

Date: 1/26/19

Date: 1/26/19

Remarks:

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - Wastewater
 DW - Drinking Water
 OT - Other

Samples returned via:
 UPS FedEx Courier

SVA

Date: 1/25/19

Date: 1/25/19

Date: 1/25/19

Date: 1/25/19

Date: 1/25/19

Date: 1/25/19

Date: 1/25/19

Date: 1/25/19

Temp: 43.8°C

2.3 x 1 = 2.4

78

Time: 08:00

Time: 08:00

Time: 08:00

Time: 08:00

Time: 08:00

Time: 08:00

Time: 08:00

March 25, 2019

TRC Solutions - Austin, TX

Sample Delivery Group: L1079716
Samples Received: 03/16/2019
Project Number: 314537.0000
Description: Crude Pipeline Release


Report To: Julie Speer
505 E. Huntland Dr, Ste 250
Austin, TX 78752

Entire Report Reviewed By:



Chris McCord
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.





Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Tr: TRRP Summary	5
TRRP form R	6
TRRP form S	7
TRRP Exception Reports	8
Sr: Sample Results	9
ES-01-R2 L1079716-01	9
EF-02-R2 L1079716-02	10
EF-03-R2 L1079716-03	11
DUP-01 L1079716-04	12
Qc: Quality Control Summary	13
Total Solids by Method 2540 G-2011	13
Volatile Organic Compounds (GC) by Method 8015D/GRO	14
Semi-Volatile Organic Compounds (GC) by Method 8015	15
Gl: Glossary of Terms	16
Al: Accreditations & Locations	17
Sc: Sample Chain of Custody	18





ES-01-R2 L1079716-01 Solid

Collected by
Jared Stoffel

Collected date/time
03/15/19 11:00

Received date/time
03/16/19 12:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1252784	1	03/21/19 15:50	03/21/19 16:04	JD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1251954	1	03/15/19 11:00	03/19/19 20:01	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1253079	1	03/20/19 11:54	03/21/19 06:19	KME	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn⁵ Tr⁶ Sr⁷ Qc⁸ Gl⁹ Al¹⁰ Sc

EF-02-R2 L1079716-02 Solid

Collected by
Jared Stoffel

Collected date/time
03/15/19 10:00

Received date/time
03/16/19 12:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1252784	1	03/21/19 15:50	03/21/19 16:04	JD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1251954	2.15	03/15/19 10:00	03/19/19 20:21	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1253079	1	03/20/19 11:54	03/21/19 05:45	KME	Mt. Juliet, TN

EF-03-R2 L1079716-03 Solid

Collected by
Jared Stoffel

Collected date/time
03/15/19 10:30

Received date/time
03/16/19 12:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1252784	1	03/21/19 15:50	03/21/19 16:04	JD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1251954	1	03/15/19 10:30	03/19/19 20:42	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1253079	1	03/20/19 11:54	03/21/19 06:02	KME	Mt. Juliet, TN

DUP-01 L1079716-04 Solid

Collected by
Jared Stoffel

Collected date/time
03/15/19 00:00

Received date/time
03/16/19 12:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1252784	1	03/21/19 15:50	03/21/19 16:04	JD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1251954	1	03/15/19 00:00	03/19/19 21:02	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1253079	1	03/20/19 11:54	03/21/19 06:35	KME	Mt. Juliet, TN



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris McCord
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Tr

⁶ Sr

⁷ Qc

⁸ Gl

⁹ Al

¹⁰ Sc



This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
 - a. Items consistent with NELAC Chapter 5,
 - b. dilution factors,
 - c. preparation methods,
 - d. cleanup methods, and
 - e. if required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
 - a. Calculated recovery (%R), and
 - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
 - a. LCS spiking amounts,
 - b. Calculated %R for each analyte, and
 - c. The laboratory's LCS QC limits.
- R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a. Samples associated with the MS/MSD clearly identified,
 - b. MS/MSD spiking amounts,
 - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d. Calculated %Rs and relative percent differences (RPDs), and
 - e. The laboratory's MS/MSD QC limits
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
 - a. The amount of analyte measured in the duplicate,
 - b. The calculated RPD, and
 - c. The laboratory's QC limits for analytical duplicates.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Chris McCord
Project Manager

Laboratory Review Checklist: Reportable Data



Laboratory Name: Pace Analytical National			LRC Date: 03/25/2019 21:34				
Project Name: Crude Pipeline Release			Laboratory Job Number: L1079716-01, 02, 03 and 04				
Reviewer Name: Chris McCord			Prep Batch Number(s): WG1251954, WG1253079 and WG1252784				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?			X		
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?	X				
		If required for the project, are TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
3. NA = Not applicable;
4. NR = Not reviewed;
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Supporting Data



Laboratory Name: Pace Analytical National		LRC Date: 03/25/2019 21:34					
Project Name: Crude Pipeline Release		Laboratory Job Number: L1079716-01, 02, 03 and 04					
Reviewer Name: Chris McCord		Prep Batch Number(s): WG1251954, WG1253079 and WG1252784					
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?			X		
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning					
		Was the appropriate compound for the method used for tuning?			X		
		Were ion abundance data within the method-required QC limits?			X		
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed	X				
1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).							



Laboratory Name: Pace Analytical National		LRC Date: 03/25/2019 21:34	
Project Name: Crude Pipeline Release		Laboratory Job Number: L1079716-01, 02, 03 and 04	
Reviewer Name: Chris McCord		Prep Batch Number(s): WG1251954, WG1253079 and WG1252784	
ER #¹	Description		
1	8015 / WG1253079 o-Terphenyl L1079716-02, 2 and 3: Percent Recovery is outside of established control limits.		
1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).			



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	91.5		1	03/21/2019 16:04	WG1252784

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0291	J	0.0237	0.100	0.109	1	03/19/2019 20:01	WG1251954
(S) a,a,a-Trifluorotoluene(FID)	97.8				77.0-120		03/19/2019 20:01	WG1251954

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	14.2		1.76	4.00	4.37	1	03/21/2019 06:19	WG1253079
C28-C40 Oil Range	15.0		0.299	4.00	4.37	1	03/21/2019 06:19	WG1253079
(S) o-Terphenyl	79.9				18.0-148		03/21/2019 06:19	WG1253079

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	89.9		1	03/21/2019 16:04	WG1252784

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0681	J	0.0519	0.100	0.239	2.15	03/19/2019 20:21	WG1251954
(S) o,a,a-Trifluorotoluene(FID)	98.8				77.0-120		03/19/2019 20:21	WG1251954

3 Ss

4 Cn

5 Tr

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	2.71	J	1.79	4.00	4.45	1	03/21/2019 05:45	WG1253079
C28-C40 Oil Range	2.00	J	0.305	4.00	4.45	1	03/21/2019 05:45	WG1253079
(S) o-Terphenyl	151	J1			18.0-148		03/21/2019 05:45	WG1253079

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	90.9		1	03/21/2019 16:04	WG1252784

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0239	0.100	0.110	1	03/19/2019 20:42	WG1251954
(S) a,a,a-Trifluorotoluene(FID)	100				77.0-120		03/19/2019 20:42	WG1251954

3 Ss

4 Cn

5 Tr

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.77	4.00	4.40	1	03/21/2019 06:02	WG1253079
C28-C40 Oil Range	0.761	J	0.301	4.00	4.40	1	03/21/2019 06:02	WG1253079
(S) o-Terphenyl	79.3				18.0-148		03/21/2019 06:02	WG1253079

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	86.2		1	03/21/2019 16:04	WG1252784

1 Cp

2 Tc

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0337	J	0.0252	0.100	0.116	1	03/19/2019 21:02	WG1251954
(S) o,a,a-Trifluorotoluene(FID)	98.2				77.0-120		03/19/2019 21:02	WG1251954

3 Ss

4 Cn

5 Tr

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	SDL (dry)	Unadj. MQL	MQL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	49.5		1.87	4.00	4.64	1	03/21/2019 06:35	WG1253079
C28-C40 Oil Range	25.7		0.318	4.00	4.64	1	03/21/2019 06:35	WG1253079
(S) o-Terphenyl	64.9				18.0-148		03/21/2019 06:35	WG1253079

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Method Blank (MB)

(MB) R3394104-1 03/21/19 16:04

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.00100			

L1079716-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1079716-03 03/21/19 16:04 • (DUP) R3394104-3 03/21/19 16:04

Analyte	Original Result		DUP Result		Dilution		DUP RPD		DUP Qualifier	DUP RPD Limits
	%		%				%			%
Total Solids	90.9		91.7		1		0.911			10

Laboratory Control Sample (LCS)

(LCS) R3394104-2 03/21/19 16:04

Analyte	Spike Amount		LCS Result		LCS Rec.		Rec. Limits		LCS Qualifier
	%		%		%		%		
Total Solids	50.0		50.0		100		85.0-115		

1	Cp
2	Tc
3	Ss
4	Cn
5	Tr
6	Sr
7	Qc
8	Gl
9	Al
10	Sc



Method Blank (MB)

(MB) R3393163-3 03/19/19 12:08

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U	0.0217	0.100	
^(S) <i>a,a,α-Trifluorotoluene(FID)</i>	103		77.0-120	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3393163-1 03/19/19 11:07 • (LCSD) R3393163-2 03/19/19 11:27

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.50	4.49	4.38	81.6	79.6	72.0-127			2.52	20
^(S) <i>a,a,α-Trifluorotoluene(FID)</i>				90.3	90.0	77.0-120				

L1079660-22 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1079660-22 03/19/19 19:41 • (MS) R3393163-4 03/19/19 21:30 • (MSD) R3393163-5 03/19/19 21:51

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	6.50	0.0306	4.73	5.19	72.3	79.4	1	10.0-151		9.35	28
^(S) <i>a,a,α-Trifluorotoluene(FID)</i>					94.0	93.6		77.0-120			



Method Blank (MB)

(MB) R3393575-1 03/21/19 01:16

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U	1.61	4.00	4.00
C28-C40 Oil Range	U	0.274	4.00	4.00
(S) o-Terphenyl	144		18.0-148	

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3393575-2 03/21/19 01:32 • (LCSD) R3393575-3 03/21/19 01:49

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	50.0	50.0	49.3	100	98.6	50.0-150	J1	J1	1.41	20
(S) o-Terphenyl				186	186	18.0-148	J1	J1		

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MQL (dry)	Method Quantitation Limit.
MQL	Method Quantitation Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
SDL	Sample Detection Limit.
SDL (dry)	Sample Detection Limit.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Sample Detection Limit.
Unadj. MQL	Unadjusted Method Quantitation Limit.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.





Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana ¹	LA180010	Texas	T104704245-18-15
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



[illegible]

ATTACHMENT E
Photographic Log

ATTACHMENT E – PHOTOGRAPHIC LOG



Photo 1. Release area prior to January/March excavation. October 1, 2018.



Photo 2. Southwest/south sides of excavation. January 24, 2019.



Photo3. Northeast/east side of excavation. January 23, 2019.



Photo 4. Northeast side of excavation. January 24, 2019.



Photo 5: Additional soil removal along northeast/east corner of excavation (ES-01-R2). March 15, 2019.




Photo 6. Backfilled excavation. March 15, 2019.