

**1RP - 5153**

**CLOSURE  
REPORT**

**2019**

## **Chavez, Carl J, EMNRD**

---

**From:** Chavez, Carl J, EMNRD  
**Sent:** Thursday, May 2, 2019 9:43 AM  
**To:** Denton, Scott (Scott.Denton@HollyFrontier.com)  
**Cc:** Combs, Robert (Robert.Combs@hollyfrontier.com)  
**Subject:** HollyFrontier 1RP-5153 Characterization, Remediation & Closure Report 4-30-19: OCD Approval  
**Attachments:** OCD 1RP-5153 Closure Approval 5-2-19.pdf

Scott and Robert:

Good morning. Nice job!

Approved (see attachment). OCD is updating the 1RP-5153 Administrative Record and OCD Online to close the release.

Please contact me if you have questions. Thank you.

Mr. Carl J. Chavez, CHMM (#13099)  
New Mexico Oil Conservation Division  
Energy Minerals and Natural Resources Department  
1220 South St Francis Drive  
Santa Fe, New Mexico 87505  
Ph. (505) 476-3490  
E-mail: [CarlJ.Chavez@state.nm.us](mailto:CarlJ.Chavez@state.nm.us)

**“Why not prevent pollution, minimize waste to reduce operating costs, reuse or recycle, and move forward with the rest of the Nation?” (To see how, go to: <http://www.emnrd.state.nm.us/OCD> and see “Publications”)**

Incident ID	
District RP	
Facility ID	
Application ID	

## Site Assessment/Characterization

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>114.58</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring? <b>The release extent is located within 1000 feet of two refinery water supply wells (WW-North and WW-South). These wells are not used for drinking water. The release extent is not located within 1000 feet of any other fresh water wells other than potential water wells drilled for the purposes of oil exploration.</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field? <b>The release extent is located within Lovington city limits. The release extent is not located within a defined municipal fresh water well field; the nearest municipal well (City of Lovington Well No. 9) is located approximately 2300 feet north and upgradient of the release area extent.</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

**Characterization Report Checklist:** *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data **Not Applicable**
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs **Not Applicable**
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

State of New Mexico  
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Robert Combs Title: Environmental Specialist

Signature:  Date: 4/30/19

email: [Robert.Combs@hollyfrontier.com](mailto:Robert.Combs@hollyfrontier.com) Telephone: 575-746-5382

**OCD Only**

Received by:  Date: 5/1/2019

**State of New Mexico  
Oil Conservation Division**

Incident ID	
District RP	
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Robert Combs

Title: Environmental Specialist

Signature: Robert Combs

Date: 4/30/19

email: Robert.Combs@hollyfrontier.com

Telephone: 575-746-5382

**OCD Only**

Received by: Carl J. Chavez

Date: 5/1/2019

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does it relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Carl J. Chavez

Date: 5/2/2019

Printed Name: Carl J. Chavez

Title: Environmental Engineer



April 30, 2019

Mr. Carl Chavez  
New Mexico Energy, Minerals and Natural Resources Department  
Oil Conservation Division  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

**RE: Crude Pipeline Release 1RP-5153, Site Characterization, Remediation, and Closure Report, HollyFrontier Navajo Refining LLC, Lovington Refinery, Lovington, New Mexico, AP-110**

HollyFrontier Navajo Refining LLC (Navajo) is submitting this letter to document site characterization and remediation results of the crude pipeline release that was discovered on July 9, 2018, at the Lovington Refinery (refinery) located in Lovington, New Mexico. This letter also serves as the closure report for this release. The release occurred from an above ground out-of-service pipeline at the location shown on the attached Figure 1. The initial Form C-141 for this release was submitted to the New Mexico Oil Conservation Division (OCD) on August 9, 2018. The final Form C-141 is provided as Attachment A.

**INITIAL RELEASE RESPONSE ACTIVITIES**

The release was first observed from the air by a pipeline pilot, who then notified Holly Energy Partners (HEP) and HEP then notified Navajo. Navajo completed the following activities immediately upon discovery of the release:

- The release area was secured and blind flanges were installed on the 12-inch diameter, out-of-service pipe to stop the leak. The pipeline was de-inventoryed.
- Free liquids were recovered by vacuum truck and returned to the refinery. Approximately three barrels were recovered of the total estimated five to six barrels of crude oil released.
- Surface soil was excavated based on visual and olfactory indications of impacts (i.e., staining, odor, and moisture content). Approximately 68 cubic yards of impacted soil was removed and loaded in covered roll-off boxes and transported to Gandy Marley, Inc. in Roswell, New Mexico for disposal. Waste documentation is provided in Attachment B.
- Microbes were applied to the open excavation to address any potential residual hydrocarbons. The excavation was left open pending assessment as described below. The approximate extent of the initial excavation is shown on Inset Maps 1 and 2 of Figure 1.

## SITE CHARACTERIZATION

Site characterization information for the release is provided below in accordance with 19.15.29.11 New Mexico Administrative Code (NMAC).

- Depth to Groundwater: Monitoring well MW-18 (nearest monitoring well) is located approximately 400 feet northeast/east from the release area, and is gauged on a semi-annual basis as part of the facility-wide groundwater monitoring program. The depth to groundwater measured at MW-18 during the October 2018 semi-annual event was 116.08 feet below ground surface (bgs). The average depth to water measured across the Refinery in October 2018 was 112.14 feet bgs. Groundwater gauging records were provided to the OCD in the *2018 Groundwater Monitoring Report* on April 15, 2019.
- Distance to Nearest Watercourse: No significant watercourses as defined in Subsection P of 19.15.17.7 NMAC are located within 0.5-miles of any horizontal boundary of the release location.
- Distance to Nearest Fresh Water Well or Spring: There are no known fresh water springs within 0.5-miles of the release location. As described on Form C-141 (provided as Attachment A), there are two refinery fresh water supply wells (WW-North and WW-South) located within 1,000 feet of the release area. There is a third refinery fresh water supply well (WW-East) and a City of Lovington municipal water well (LW-9) located within 0.5-miles of the release area. The locations of these refinery water supply wells and the City of Lovington municipal well are shown on Attachment C1. From the release area, WW-North is located approximately 500 feet to the northeast, WW-South is located approximately 700 feet to the east, WW-East is located approximately 1,800 feet to the northeast, and LW-9 is located approximately 2,300 feet to the north. The refinery water supply wells are solely used by the refinery for non-potable purposes including in refinery processes, refinery restrooms (toilets and hand washing), and safety showers (the wells are not used for drinking water). Navajo samples the three refinery water supply wells on a quarterly basis in accordance with the November 2017 *Revised Facility-Wide Groundwater Monitoring Work Plan* and the results are reported to the OCD in annual facility-wide groundwater monitoring reports. LW-9 is located upgradient of the refinery and release area.

New Mexico Office of the State Engineer (NMOSE) online records indicate there are additional potential water wells, or Points of Diversion (PODs), located within 0.5-miles of the release area. A screenshot from the NMOSE ArcGIS Online tool showing potential wells located within 0.5-miles of the release area is provided as Attachment C2. A majority of the potential wells identified within 0.5-miles in the NMOSE online database are monitoring wells or wells installed for “prospecting or development of natural resource” (PRO Well as shown on Attachment C2). The municipal wells identified in the NMOSE online database are

associated with the three refinery water supply wells or City of Lovington wells discussed above. The location data for these refinery water supply wells and City of Lovington wells as shown on Attachment C2 are not consistent with the known locations of these wells as shown on Attachment C1.

## INITIAL SOIL ASSESSMENT

TRC Environmental Corporation (TRC) conducted initial soil assessment activities on behalf of Navajo on September 25, 2018. Discrete grab surface soil samples were collected from the excavation floor (designated as EF-01 through EF-06) and excavation sidewalls (designated as ES-01 through ES-07) at the locations shown on Inset Map 1 of Figure 1. Excavation floor samples were collected at an approximate spacing of one per 200 square feet. Excavation sidewall samples were collected at an approximate spacing of one per 20 linear feet. The locations of the soil samples were adjusted as necessary to ensure any areas with the strongest indications of hydrocarbon impacts were assessed (based on staining, odor, hydrocarbon sheen, and photoionization detector [PID] readings). All soil samples were collected using a decontaminated shovel. Two field duplicate soil samples were collected for data quality assurance/quality control (QA/QC) purposes. The depth of each soil sample is shown on Table 1.

Each soil sample was submitted for the following laboratory analysis:

- Total petroleum hydrocarbons (TPH) gasoline range organics (GRO), diesel range organics (DRO), and motor oil range organics (MRO) by Method 8015M;
- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by Method 8260B; and
- Chloride by Method 300.

Laboratory analytical results of the initial soil samples are summarized and compared to applicable closure criteria in Table 1. The closure criteria used for this comparison was selected from Table 1 of 19.15.29 NMAC for a minimum depth of >100 feet to groundwater below the horizontal boundary of the release. Laboratory analytical reports are provided as Attachment D. Analytical results indicate benzene, BTEX, and chloride are not present in soil at concentrations that exceed their respective closure criteria. As highlighted on Table 1, analytical results indicated the following constituents were present in surface soil at concentrations that exceeded their respective closure criteria:

- TPH GRO + DRO: Analytical results exceeded the TPH GRO + DRO closure criteria of 1,000 milligrams per kilogram (mg/kg) in excavation sidewall samples ES-01 and ES-05 and excavation floor samples EF-01 through EF-06, with a maximum detected concentration of 43,507 mg/kg in EF-05.

- TPH GRO + DRO + MRO: Analytical results exceeded the TPH GRO + DRO + MRO closure criteria of 2,500 mg/kg in excavation sidewall sample ES-01 and excavation floor samples EF-01 through EF-06, with a maximum detected concentration of 58,807 mg/kg in EF-05.

## **SOIL REMEDIATION AND CONFIRMATION SAMPLING ACTIVITIES**

TRC conducted soil remediation activities on behalf of Navajo from January 21 to January 25, 2019, and on March 15, 2019, that included the removal of impacted soil with an excavator. Soil with indications of hydrocarbon impacts based on visual and olfactory observations (i.e., staining and odors) was removed with the excavator and placed in a roll off container. A PID was also used to field screen for the presence of hydrocarbons, but the PID is limited in its ability to detect higher range organics (i.e., DRO and MRO). The location and total extent of the January and March 2019 excavations are shown on Map Inset 2 of Figure 1. The final excavation ranged in depth from 0.25 to 3 feet bgs as shown on Map Inset 2 of Figure 1.

During the January 2019 excavation activities, the initial excavation was extended deeper and laterally to the northeast, north, northwest, west, and southwest as shown on Inset Map 2 of Figure 1. Approximately 119 cubic yards of soil were removed in January 2019. Discrete grab surface soil samples were collected from the excavation floor (designated as EF-01-R through EF-06-R) and excavation sidewalls (designated as ES-01-R and ES-05-R) to confirm the September 2018 sample locations that exceeded 19.15.29 NMAC closure criteria were removed. The location of each soil sample is shown on Map Inset 2 of Figure 1 and the depth of each soil sample is shown on Table 1. One field duplicate soil sample was collected for data QA/QC purposes. The January 2019 soil samples were submitted for laboratory analysis of TPH GRO, DRO, and MRO by Method 8015M, and the results are summarized on Table 1. Analytical results indicated TPH GRO + DRO and TPH GRO + DRO + MRO were present in one excavation sidewall sample (EF-01-R) and two excavation floor samples (EF-02-R and EF-03-R) at concentrations exceeding their respective closure criteria.

Additional excavation was conducted in March 2019 to address the remaining soil in exceedance of the closure criteria (floor samples EF-02-R and EF-03-R and sidewall sample ES-01-R). The excavation was extended (1) one foot deeper across excavation floor sample locations EF-02-R and EF-03-R and (2) approximately 2 feet laterally to the northeast and east of excavation sidewall sample ES-01-R. Approximately 17 cubic yards of soil were removed in March 2019. Discrete grab soil samples were collected from the excavation sidewall (designated as ES-01-R2) and floor (designated as EF-02-R2 and EF-03-R2) at respective locations to the January 2019 sample locations that exceeded 19.15.29 NMAC closure criteria, as shown on Map Inset 2 of Figure 1. The depth of each soil sample is shown on Table 1. The March 2019 soil samples were submitted for laboratory analysis of TPH GRO, DRO, and MRO by Method 8015M, and the results are summarized on Table 1. Analytical results indicated TPH was not present in any of the soil samples

Mr. Carl Chavez  
April 30, 2019  
Page 5

at concentrations exceeding their respective closure criteria. Therefore, all sidewall and floor samples collected at the excavation extent were below their respective closure criteria and no further excavation was needed.

The excavation was backfilled with clean soil, compacted, and graded so that the ground surface was restored to the original condition prior to the release. Geo-tagged photos of the excavation prior to and after backfilling are provided in Attachment E.

The excavated soil was transported to Gandy Marley, Inc. in Roswell, New Mexico for disposal. Soil waste disposal documentation is provided as Attachment E.

### **REQUEST FOR CLOSURE**

Navajo requests no further action be required of the July 2018 crude oil pipeline release as the release was remediated to 19.15.29 NMAC closure criteria. A final Form C-141 is included as Attachment A. If you have any questions or comments regarding this release, please feel free to contact me at 575-746-5487 or Robert Combs at 575-746-5382.

Sincerely,



Scott M. Denton  
Environmental Manager

**Attachments:**

Figure 1 – July 2018 Release Location and Soil Sample Location Map

Table 1 – Soil Analytical Results, July 2018 Crude Oil Release

Attachment A – Site Assessment/Characterization and Closure Form C-141

Attachment B – Soil Waste Documentation


Attachment C1 – Known Fresh Water Wells Located within 0.5-miles of the Release Area

Attachment C2 – Summary of NMOSE Records of Potential Fresh Water Wells Located within 0.5-miles of the Release Location

Attachment D – Analytical Laboratory Reports

Attachment E – Photographic Log

cc: HollyFrontier; R. Combs, A. Sahba  
TRC: J. Speer, C. Smith, J. Leik



#### LEGEND

- ⊗ EXCAVATION SIDEWALL SOIL SAMPLE LOCATION
- ⊗ EXCAVATION FLOOR SOIL SAMPLE LOCATION
- ████████ APPROXIMATE INITIAL (JULY TO SEPTEMBER 2018) EXCAVATION EXTENT (UP TO 1 FOOT DEEP)
- ████████ APPROXIMATE JANUARY AND MARCH 2019 EXCAVATION EXTENT (UP TO 3 FEET DEEP AS MARKED)
- ◆ MONITORING WELL
- WATER WELL
- ||||| RAIL
- × FENCE
- EXCAVATION SIDEWALL SOIL SAMPLE LOCATION IDENTIFICATION
- EXCAVATION FLOOR SOIL SAMPLE LOCATION IDENTIFICATION
- EF-02 IDENTIFICATION
- EF-04 IDENTIFICATION
- 1 inch = 500 feet

BASEMAP: GOOGLE EARTH AND THEIR DATA PARTNERS, 11/2/2017.



0 125 250 500  
Feet

#### JULY 2018 RELEASE LOCATION AND SOIL SAMPLE LOCATION MAP

HOLLYFRONTIER NAVAJO REFINERY LLC  
AP-110, LOVINGTON REFINERY, LOVINGTON, NM

PROJECT NO: 314537.2019	MXD: 314537.2019_1
AUTHOR: MHORN	DATE: 4/26/2019
605 EAST HUNTLAND DRIVE SUITE 250 AUSTIN, TEXAS 78752 (512) 329-6080	FIGURE 1



**Table 1. Soil Analytical Results, July 2018 Crude Oil Release**  
HollyFrontier Navajo Refining LLC, AP-110, Lovington, New Mexico

Grab Sample Location	Sample Interval (feet bgs)	Sample Date	Benzene (mg/kg)	Ethylbenzene (mg/kg)	Toluene (mg/kg)	Total Xylenes (mg/kg)	BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH GRO + DRO (mg/kg)	TPH MRO (mg/kg)	TPH GRO + DRO + MRO (mg/kg)	Chloride (mg/kg)	Soil Status	
<b>Closure Criteria<sup>(1)</sup></b>															
			10	--	--	--	50	--	--	1,000	--	2,500	20,000		
<b>(Table 1 of 19.15.29.12 NMAC)</b>															
ES-01	0.25	9/25/2018	0.000634	J	0.0235	0.0119	0.300	0.3360	1.54	8.890	8.892	3,040	11.932	111	
ES-01-R	0.50	1/24/2019	--	--	--	--	--	--	14.8	8,600	8,615	3,780	12,395	--	
ES-01-R Dup	0.50	1/24/2019	--	--	--	--	--	6,790	6,828	3,210	10,038	--	Removed		
ES-01-R2	0.50	3/15/2019	--	--	--	--	--	0.0291	J	14.2	14	15.0	29	--	
ES-02	0.25	9/25/2018	0.00221	0.00984	0.00887	0.00726	J	0.0282	0.0452	J	60.0	87.5	148	160	
ES-02 Dup	0.25	3/15/2019	0.000705	U	0.00637	0.00564	J	0.00842	U	0.0211	0.0286	J	37.6	78.1	
ES-03	0.25	9/25/2018	0.000433	U	0.00194	J	0.00203	J	0.00517	U	0.0096	0.0557	J	250	199
ES-04	0.25	9/25/2018	0.000822	J	0.00155	J	0.00545	J	0.00572	U	0.0135	0.0222	U	831	683
ES-05	0.25	9/25/2018	0.000715	J	0.00142	J	0.00339	J	0.00671	U	0.0124	0.0385	J	1,170	988
ES-05-R	0.25	1/24/2019	--	--	--	--	--	--	0.651	J	9.04	10	8.76	18	--
ES-06	0.25	9/25/2018	0.000475	J	0.00119	J	0.00226	J	0.00517	U	0.0091	0.0517	J	20	20
ES-07	0.25	9/25/2018	0.000487	U	0.00214	J	0.00152	U	0.00582	U	0.0100	0.0482	J	23	70
EF-01	0.25	9/25/2018	0.000811	J	0.00287	0.00434	0.00832	0.0163	0.0817	J	9,410	9,410	4,390	13,800	297
EF-01-R	3.0	1/24/2019	--	--	--	--	--	--	1.66	J	102	104	44	147	--
EF-02	0.25	9/25/2018	0.000484	U	0.00625	0.00555	J	0.0557	0.0680	7.73	31,700	31,708	10,000	41,708	212
EF-02 Dup	0.25	9/25/2018	0.000537	U	0.0138	0.00168	U	0.0634	0.0794	4.90	29,900	29,905	10,100	40,005	170
EF-02-R	1.0	1/24/2019	--	--	--	--	--	--	75.3	1,280	1,355	455	1,810	--	Removed
EF-02-R2	2.0	3/15/2019	--	--	--	--	--	--	0.0681	J	2.71	J	2.78	2.00	J
EF-03	0.25	9/25/2018	0.000445	U	0.00206	J	0.00352	J	0.00643	J	0.0125	0.128	9,840	9,840	4,380
EF-03-R	2.0	1/24/2019	--	--	--	--	--	--	0.561	U	2,290	2,290	1,230	3,521	--
EF-03-R2	3.0	3/15/2019	--	--	--	--	--	--	0.0239	U	1,770	U	0.761	J	0.761
EF-04	0.25	9/25/2018	0.000475	U	0.0119	0.00811	0.04440	0.0649	0.0988	J	4,770	4,770	2,740	7,510	77.8
EF-04-R	1.00	1/24/2019	--	--	--	--	--	--	0.589	J	50.8	51	28	79	--
EF-05	0.50	9/25/2018	0.000437	U	2.07	0.334	10.6	13.00	6.85	43,500	43,507	15,300	58,807	574	
EF-05-R	3.0	1/24/2019	--	--	--	--	--	--	0.580	J	128	129	53	181	--
EF-06	0.50	9/25/2018	0.000435	U	0.0270	0.00940	0.232	0.2688	1.04	37,800	37,801	16,200	54,001	335	
EF-06-R	3.0	1/24/2019	--	--	--	--	--	--	0.591	J	152	153	56.8	209	--

**Notes:**

<sup>(1)</sup> Closure Criteria based on an average depth to water of 112.14 feet below ground surface measured at the site in October 2018.  
Yellow highlighting indicates analytical results exceeds Closure Criteria.

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

DRO = Diesel Range Organics (>C10-C28)

Dup = Duplicate Sample

feet bgs = feet below ground surface

GRO = Gasoline Range Organics (C6-C10)

J = Analyte detected above sample detection limit, but below method quantitation limit. Estimated concentration.

MRO = Motor Oil Range Organics (>C28-C40)

TPH = Total Petroleum Hydrocarbons

mg/kg = milligrams per kilogram

NMAC = New Mexico Administrative Code

mg/kg - milligrams per kilogram

U = Analyte not detected above sample detection limit

**ATTACHMENT A**

**Form C-141 – Site Assessment/Characterization and Closure**

**State of New Mexico  
Oil Conservation Division**

Incident ID	
District RP	
Facility ID	
Application ID	

## **Site Assessment/Characterization**

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>114.58</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring? <b>The release extent is located within 1000 feet of two refinery water supply wells (WW-North and WW-South). These wells are not used for drinking water. The release extent is not located within 1000 feet of any other fresh water wells other than potential water wells drilled for the purposes of oil exploration.</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field? <b>The release extent is located within Lovington city limits. The release extent is not located within a defined municipal fresh water well field; the nearest municipal well (City of Lovington Well No. 9) is located approximately 2300 feet north and upgradient of the release area extent.</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

**Characterization Report Checklist: Each of the following items must be included in the report.**

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data **Not Applicable**
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs **Not Applicable**
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

State of New Mexico  
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Robert Combs

Title: Environmental Specialist

Signature: 

Date: 4/30/11

email: [Robert.Combs@hollyfrontier.com](mailto:Robert.Combs@hollyfrontier.com)

Telephone: 575-746-5382

**OCD Only**

Received by: \_\_\_\_\_

Date: \_\_\_\_\_

Incident ID	
District RP	
Facility ID	
Application ID	


## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Robert CombsTitle: Environmental SpecialistSignature: Date: 4/30/19email: [Robert.Combs@hollyfrontier.com](mailto:Robert.Combs@hollyfrontier.com)Telephone: 575-746-5382**OCD Only**

Received by: \_\_\_\_\_

Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does it relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Title: \_\_\_\_\_

**ATTACHMENT B**  
**Soil Waste Documentation**

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18492

Date of Receipt: 9/27 Time of Receipt \_\_\_\_\_ AM \_\_\_\_\_ PM Cell Placement: (11-1-1)

Quantity 17 T/CY: \_\_\_\_\_ Description: SCL

Name/Address of Generator: 114V PTC 1000

Origin of Materials (if different) \_\_\_\_\_

Transporter Name: S.D. WIRE Bin - 1413 SCC ID No. \_\_\_\_\_

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt 

Verification of No Free Liquids \_\_\_\_\_ Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest  Generator Manifest Number 2018 - 008

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter:  Print Name \_\_\_\_\_ Signature \_\_\_\_\_GMI Employee:  Print Name \_\_\_\_\_ Signature \_\_\_\_\_

# Contaminated Soils Shipment Manifest

1. Manifest Document No.

2018110108

2. Page \_\_\_\_ of \_\_\_\_

3. Generator's Name and Mailing Address

**Havajo Refining Co. LLC**  
**PO Box 158**  
**Artesia, NM 88211-0158**

4. Generator Phone No.

**575-748-3311**

5. Generator Contact

**Richard L. Orozco**

6. Transporter 1 Company Name

**S Brothers Waste Services Inc.**

7. ID No.

31 | | | | | | | |

8. Transporter 2 Company Name

9. ID No.

| | | | | | | |

10. Designated Disposal Facility Name and Site Address

**Gandy Marley, Inc. Contaminated Soils Landfarm**  
**7200 East Second Street**  
**PO Box 1658**  
**Roswell, NM 88201**

11. Facility Permit Number

12. Facility Phone No.  
**(575) 398-0107**

13. Description of Waste

14. Containers

15. Total

16. Unit  
Wt.Vol.

No

Type

a.

**Oily Dirt****19.989**

CM

117

Y

b.

c.

17. Special Handling Instructions and Additional Information

**Unit 81****Bin # 143**

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Signature

Date

**Richard L. Orozco***[Signature]*

| | | | | |

TRANSPORTER

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

**Abel Gomez Jr***[Signature]*

019 | | | | | |

GMI

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

| | | | | |

21. Discrepancy Information

Printed/Typed Name

Signature

Date

| | | | | |

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202LOAD INSPECTION FORM **18493**Date of Receipt: \_\_\_\_\_ Time of Receipt: \_\_\_\_\_ AM \_\_\_\_\_ PM \_\_\_\_\_ Cell Placement: *LL 5* \_\_\_\_\_Quantity *17* T/CY: \_\_\_\_\_ Description: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_Name/Address of Generator: *NL* \_\_\_\_\_

Origin of Materials (if different) \_\_\_\_\_

Transporter Name: \_\_\_\_\_ SCC ID No. \_\_\_\_\_

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt \_\_\_\_\_

Verification of No Free Liquids \_\_\_\_\_ Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest *V* \_\_\_\_\_ Generator Manifest Number *S 119* \_\_\_\_\_

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: \_\_\_\_\_ Print Name \_\_\_\_\_ Signature \_\_\_\_\_

GMI Employee: \_\_\_\_\_ Print Name \_\_\_\_\_ Signature \_\_\_\_\_

# Contaminated Soils Shipment Manifest

1. Manifest Document No.

101B 01/69

2. Page \_\_\_\_ of \_\_\_\_

3. Generator's Name and Mailing Address

Health, Safety & Environmental  
PO Box 1658  
Roswell, NM 88201

4. Generator Phone No.

510-748-5311

5. Generator Contact

Randy Marley, President

6. Transporter 1 Company Name

Gandy Marley, Inc. Contaminated Soils Landfarm

7. ID No.

3 | | | | | | | |

8. Transporter 2 Company Name

9. ID No.

| | | | | | | |

10. Designated Disposal Facility Name and Site Address

**Gandy Marley, Inc. Contaminated Soils Landfarm**  
**7200 East Second Street**  
**PO Box 1658**  
**Roswell, NM 88201**

11. Facility Permit Number

12. Facility Phone No.  
(575) 398-0107

13. Description of Waste

14. Containers

15. Total

16. Unit

No

Type

Quantity

Wt.Vol.

a.

*Oily Dirt*

| |

| |

| |

| |

| |

| |

b.

| |

| |

| |

| |

| |

| |

c.

| |

| |

| |

| |

| |

| |

17. Special Handling Instructions and Additional Information

None

None

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Signature

Date

*Randy Marley**Randy Marley*

| | | | | |

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

*Tony C.**Tony C.*

| | | | | |

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

*Tony C.**Tony C.*

| | | | | |

21. Discrepancy Information

TRANSPORTER

GMI

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Signature

Date

*Randy Marley**Randy Marley*

| | | | | |

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
 P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18595

Date of Receipt: 9-15-15 Time of Receipt \_\_\_\_\_ AM \_\_\_\_\_ PM Cell Placement: VST-N-1

Quantity 17 T/CY: \_\_\_\_\_ Description: 500L

Name/Address of Generator: New Mexico Laboratory

Origin of Materials (if different) \_\_\_\_\_

Transporter Name: S. Gandy D.V.-141 SCC ID No. \_\_\_\_\_

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt

Verification of No Free Liquids \_\_\_\_\_ Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest  Generator Manifest Number 5-15-168

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: J. C. Print Name \_\_\_\_\_ Signature \_\_\_\_\_

GMI Employee:  Print Name \_\_\_\_\_ Signature \_\_\_\_\_

# Contaminated Soils Shipment Manifest

1. Manifest Document No.

120118

2. Page \_\_\_\_ of \_\_\_\_

3. Generator's Name and Mailing Address

Hazardous Materials, Inc.  
P.O. Box 141  
Albuquerque, NM 87103-1410

4. Generator Phone No.

505-243-2344

5. Generator Contact

Randy Marley, Manager

6. Transporter 1 Company Name

Hazardous Materials, Inc.

7. ID No.

1511111111111111

8. Transporter 2 Company Name

9. ID No.

1111111111111111

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm  
7200 East Second Street  
PO Box 1658  
Roswell, NM 88201

11. Facility Permit Number

12. Facility Phone No.  
(575) 398-0107

13. Description of Waste

14. Containers

15. Total

16. Unit

No

Type

Quantity

Wt.Vol.

a.

Oily Dirt

1111111111111111

15

117

b.

1111111111111111

1

117

c.

1111111111111111

1

117

17. Special Handling Instructions and Additional Information

81  
Case # 1411

18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Signature

Date

F. Marley, Inc., Manager

120118/ECO

1111111111111111

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Hazardous Materials, Inc.

120118/ECO

1111111111111111

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Hazardous Materials, Inc.

120118/ECO

1111111111111111

21. Discrepancy Information

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

Signature

Date

Randy Marley, Manager

120118/ECO

1111111111111111

G  
E  
N  
E  
R  
A  
T  
O  
RT  
R  
A  
N  
S  
P  
O  
R  
T  
E  
RG  
M  
I

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18596

Date of Receipt: 9-15-12 Time of Receipt \_\_\_\_\_ AM \_\_\_\_\_ PM Cell Placement: 123-456-789

Quantity 17 T/CY: \_\_\_\_\_ Description: L

Name/Address of Generator: New Mexico Landfill

Origin of Materials (if different) \_\_\_\_\_

Transporter Name: SOUTHERN RECYCLING SCC ID No. \_\_\_\_\_

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt

Verification of No Free Liquids \_\_\_\_\_ Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest  Generator Manifest Number 015-170

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: \_\_\_\_\_ Print Name \_\_\_\_\_ Signature \_\_\_\_\_

GMI Employee: \_\_\_\_\_ Print Name \_\_\_\_\_ Signature \_\_\_\_\_

Contaminated Soils Shipment Manifest		1. Manifest Document No. 123456789101170	2. Page ____ of ____	
G E N E R A T O R	3. Generator's Name and Mailing Address  HARDWARE & EQUIPMENT LTD P.O. BOX 145 ALBUQUERQUE, NEW MEXICO 87103	4. Generator Phone No. 505-243-2221	5. Generator Contact Paul Marley 505-243-2221	
	6. Transporter 1 Company Name  C. L. C. RECYCLING & DISPOSAL, INC.	7. ID No. 15	8. Transporter 2 Company Name	9. ID No.
	10. Designated Disposal Facility Name and Site Address  Gandy Marley, Inc. Contaminated Soils Landfarm 7200 East Second Street PO Box 1658 Roswell, NM 88201	11. Facility Permit Number	12. Facility Phone No. (575) 398-0107	
	13. Description of Waste  <i>Oily Dirt</i>	14. Containers No	15. Total Quantity	16. Unit Wt.Vol.
	a.		17	
	b.			
	c.			
	17. Special Handling Instructions and Additional Information  None Other # 101			
	18. Generator's Certification:  I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.	FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.		
	Printed/Typed Name  John Marley	Signature <i>John Marley</i>		Date 10/1/05
T R A N S P O R T E R	19. Transporter 1 Acknowledgement of Receipt of Materials  Printed/Typed Name	Signature		Date 10/1/05
	20. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name	Signature		Date 10/1/05
	21. Discrepancy Information			
G M I	22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.  Printed/Typed Name	Signature		Date

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202LOAD INSPECTION FORM **18873**

Date of Receipt: 1-25-18 Time of Receipt 8 AM PM Cell Placement: 1 1  
Quantity 17 T/CY: 1 Description: 1 cu ft

Name/Address of Generator: Holly Frontier Navajo LLC

Origin of Materials (if different) Albuquerque ~~88260~~ Lovington NM 88260

Transporter Name: C. Bellis F# 9 SCC ID No. 1196072

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt

Verification of No Free Liquids  Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest \_\_\_\_\_ Generator Manifest Number \_\_\_\_\_

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: C. Bellis Print Name \_\_\_\_\_ Signature \_\_\_\_\_

GMI Employee: \_\_\_\_\_ Print Name \_\_\_\_\_ Signature \_\_\_\_\_

Contaminated Soils Shipment Manifest		1. Manifest Document No. <b>120190073</b>	2. Page _____ of _____	
<b>G E N E R A T O R</b>	3. Generator's Name and Mailing Address  HollyFrontier Navajo LLC PO Box 159 Artesia, NM 88211-0159	4. Generator Phone No.  <b>575-748-3311</b>		
		5. Generator Contact  <b>Richard L. Orosco</b>		
<b>T R A N S P O R T E R</b>	6. Transporter 1 Company Name  <b>S Brothers Waste Services Inc.</b>	7. ID No.  <b>1</b>		
	8. Transporter 2 Company Name	9. ID No.  <b>141</b>		
<b>F A C I L I T Y</b>	10. Designated Disposal Facility Name and Site Address  Gandy Marley, Inc. Contaminated Soils Landfarm 7200 East Second Street PO Box 1658 Roswell, NM 88201	11. Facility Permit Number  <b>DP1041</b>		
		12. Facility Phone No.  <b>575-347-0434</b>		
<b>G E N E R A T O R</b>	13. Description of Waste  a.  <i>Soil 1 w. 4 ft 0. 1</i>	14. Containers  No  <b>11</b>	15. Total Quantity  <b>(1 cu m)</b>	16. Unit Wt. Vol.  <b>17 Yards</b>
	b.			
	c.			
17. Special Handling Instructions and Additional Information  Unit Bin #				
<b>18. Generator's Certification:</b> I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.  <i>FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>				
<b>T R A N S P O R T E R</b>	Printed/Typed Name  <b>Richard L. Orosco</b>	Signature  <i>R. L. Orosco</i>	Date  <b>01/17/11</b>	
	19. Transporter 1 Acknowledgement of Receipt of Materials  Printed/Typed Name  <i>Joe C. C. C.</i>	Signature  <i>[Signature]</i>	Date  <b>01/17/11</b>	
	20. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name	Signature	Date	
<b>G M I</b>	21. Discrepancy Information			
	22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.  Printed/Typed Name	Signature	Date	

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

**LOAD INSPECTION FORM**

Date of Receipt: 1-5-17 Time of Receipt 4:38 PM Cell Placement: 455T-N-1  
Quantity 17 T/CY: yards Description: Soil

Name/Address of Generator: Holly Frontier Navajo

Origin of Materials (if different) Levingson, NY Field Ward

Transporter Name: \_\_\_\_\_ SCC ID No. \_\_\_\_\_

**Name of Laboratory Performing Sample Analysis**

TCLP (EPA Method 1311)       RTEX       MTBE       TPH       Non-Hazardous

## Verification of No Error Limit

Verification of No Free Liquids \_\_\_\_\_ Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest ✓ Generator Manifest Number 2019-EC-71

*As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361-001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.*

*Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.*

**THIS WILL CERTIFY** that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. **THIS WILL CERTIFY** that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: \_\_\_\_\_ Print Name \_\_\_\_\_

Signatures

GMI Employee

**Print Name**

GMI Employees: \_\_\_\_\_ Print Name: \_\_\_\_\_ Signature: \_\_\_\_\_

GMI Employees: \_\_\_\_\_ Print Name: \_\_\_\_\_

<b>Contaminated Soils Shipment Manifest</b>		I. Manifest Document No. <b>20190071</b>	2. Page ____ of ____		
3. Generator's Name and Mailing Address <b>HollyFrontier Navajo LLC PO Box 159 Artesia, NM 88211-0159</b>		4. Generator Phone No. <b>575-748-3311</b>			
		5. Generator Contact <b>Richard L. Orosco</b>			
6. Transporter 1 Company Name <b>S Brothers Waste Services Inc.</b>		7. ID No. <b>19</b>			
8. Transporter 2 Company Name		9. ID No. <b>14</b>			
10. Designated Disposal Facility Name and Site Address <b>Gandy Marley, Inc. Contaminated Soils Landfarm 7200 East Second Street PO Box 1658 Roswell, NM 88201</b>		11. Facility Permit Number <b>DP1041</b>			
12. Facility Phone No. <b>575-347-0434</b>					
<b>G E N E R A T O R</b>	13. Description of Waste  a. <i>Soil with oil</i>	14. Containers No 1	15. Total Quantity <i>10蒲式耳</i>	16. Unit Wt.Vol.	
	b.				
	c.				
<b>T R A N S P O R T E R</b>	17. Special Handling Instructions and Additional Information  Unit <i>Outside Pipe line</i> Bin # <i>8</i>				
	18. Generator's Certification:  <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i>				
	<i>FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>				
	Printed/Typed Name <b>Richard L. Orosco</b>	Signature <i>R. L. Orosco</i>	Date <b>01/15/19</b>		
19. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name <i>Joe Clark</i>	Signature <i>J. Clark</i>	Date <b>01/15/19</b>			
20. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name	Signature	Date			
21. Discrepancy Information					
22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.					
Printed/Typed Name <i>Kimberly Murphy</i>	Signature <i>Kimberly Murphy</i>	Date <b>01/15/19</b>			

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18901

Date of Receipt: 1-25-19 Time of Receipt: 1:49 AM Cell Placement: U5T-N-1  
 Quantity 17 T/CY: 42.02 Description: Soil

Name/Address of Generator: Helly Frontier Navajo  
 Origin of Materials (if different) Lovington, NM Field Yard

Transporter Name: S. Brothers Truck #4 SCC ID No. \_\_\_\_\_

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt

Verification of No Free Liquids \_\_\_\_\_ Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest ✓ Generator Manifest Number 19-0072

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: Joe Clark

Print Name

✓

Signature

GMI Employee: Kimberly Murphy

Print Name

Kimberly Murphy

Signature

<b>Contaminated Soils Shipment Manifest</b>		1. Manifest Document No. <u>120190072</u>	2. Page _____ of _____	
3. Generator's Name and Mailing Address HollyFrontier Navajo LLC PO Box 159 Artesia, NM 88211-0159		4. Generator Phone No. <u>575-748-3311</u>		
		5. Generator Contact <u>Richard L. Orosco</u>		
6. Transporter 1 Company Name <b>S Brothers Waste Services Inc.</b>		7. ID No. <u>7</u>		
8. Transporter 2 Company Name		9. ID No. <u>111</u>		
10. Designated Disposal Facility Name and Site Address Gandy Marley, Inc. Contaminated Soils Landfarm 7200 East Second Street PO Box 1658 Roswell, NM 88201		11. Facility Permit Number <u>DP1041</u>		
		12. Facility Phone No. <u>575-347-0434</u>		
<b>G E N E R A T O R</b>  <b>T R A N S P O R T E R</b>  <b>G M I</b>	13. Description of Waste  a. <u>Soil</u>	14. Containers No <u>1</u>	15. Total Quantity <u>cm 1775</u>	16. Unit Wt.Vol. <u>1</u>
	b.			
	c.			
17. Special Handling Instructions and Additional Information  Unit <u>Bin # 136</u>				
18. Generator's Certification: <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i>  <i>FURTHER, I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>				
Printed/Typed Name <u>Richard L. Orosco</u>		Signature <u>RLOosco</u>	Date <u>01/12/17</u>	
19. Transporter 1 Acknowledgement of Receipt of Materials  Printed/Typed Name <u>Jesse Clark</u>				
Printed/Typed Name <u>Jesse Clark</u>		Signature <u>Jesse Clark</u>	Date <u>01/12/17</u>	
20. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name				
Printed/Typed Name		Signature	Date	
21. Discrepancy Information				
22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.  Printed/Typed Name <u>Kimberly Murphy</u>				
Printed/Typed Name <u>Kimberly Murphy</u>		Signature <u>Kimberly Murphy</u>	Date <u>01/12/17</u>	

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM

18910

Date of Receipt: 2-4-19Time of Receipt 12:18

AM

Cell Placement:

15T-N-1Quantity 17

T/CY:

yards

Description:

Contaminated Soil

Name/Address of Generator:

Holly Frontier, Navajo  
Lorington Field Yard

Origin of Materials (if different)

Transporter Name:

S. BrothersBin # 40

SCC ID No.

Name of Laboratory Performing Sample Analysis

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt Verification of No Free Liquids Paint Filter Liquids Test Performed 

Verification of Property Completed Manifest

Generator Manifest Number

2019-0065

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter:

Print Name

Signature

J. Clark

GMI Employee:

Kimberly Murphy

Print Name

Kimberly Murphy

Signature

# Contaminated Soils Shipment Manifest

1. Manifest Document No.

20190065

2. Page \_\_\_\_ of \_\_\_\_

3. Generator's Name and Mailing Address

HollyFrontier Navajo LLC  
 PO Box 159  
 Artesia, NM 88211-0159

4. Generator Phone No.

575-748-3311

6. Transporter 1 Company Name

S Brothers Waste Services Inc.

7. ID No.

111111111111111111

8. Transporter 2 Company Name

9. ID No.

111111111111111111

10. Designated Disposal Facility Name and Site Address

Gandy Marley, Inc. Contaminated Soils Landfarm  
 7200 East Second Street  
 PO Box 1658  
 Roswell, NM 88201

11. Facility Permit Number

DP1041

G  
E  
N  
E  
R  
A  
T  
O  
RT  
R  
A  
N  
S  
P  
O  
R  
T  
E  
RG  
M  
I

13. Description of Waste

14. Containers

No

Type

15. Total

Quantity

16. Unit

Wt.Vol.

a.

b.

c.

17. Special Handling Instructions and Additional Information

Unit

Bin # 40

## 18. Generator's Certification:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.

FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Printed/Typed Name

Richard L. Orosco

Signature

*Richard L. Orosco*

Date

01201119

19. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

*S Brothers Waste Services Inc.*

Signature

*S Brothers Waste Services Inc.*

Date

01201119

20. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

01201119

21. Discrepancy Information

22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.

Printed/Typed Name

*Kimberly Murphy*

Signature

*Kimberly Murphy*

Date

01201119

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18884

Date of Receipt: 2/11/11 Time of Receipt \_\_\_\_\_ AM \_\_\_\_\_ PM \_\_\_\_\_ Cell Placement: UST-NQuantity 17 T/CY: gallons Description: Oily Dirt from Casing Leak  
Bld #161Name/Address of Generator: Holly FrontierOrigin of Materials (if different) Len Refinery (Lowington)Transporter Name: S Brothers TR 4111 SCC ID No. \_\_\_\_\_

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt Verification of No Free Liquids  Paint Filter Liquids Test Performed \_\_\_\_\_Verification of Property Completed Manifest  Generator Manifest Number 2014 0107

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: Leslie Schubert Signature \_\_\_\_\_ Print Name: Leslie Schubert Signature \_\_\_\_\_GMI Employee: Kimberly Murphy Signature \_\_\_\_\_ Print Name: Kimberly Murphy Signature \_\_\_\_\_

<b>Contaminated Soils Shipment Manifest</b>		1. Manifest Document No. <b>1201190107</b>	2. Page _____ of _____			
G E N E R A T O R	3. Generator's Name and Mailing Address <b>HollyFrontier Navajo LLC</b> <b>PO Box 159</b> <b>Artesia, NM 88211-0159</b>		4. Generator Phone No. <b>575-748-3311</b>			
			5. Generator Contact <b>Richard L. Orosco</b>			
T R A N S P O R T E R	6. Transporter 1 Company Name <b>S Brothers Waste Services Inc.</b>		7. ID No. <b>TRK-1</b>			
	8. Transporter 2 Company Name		9. ID No. <b>TKL-1</b>			
G M I	10. Designated Disposal Facility Name and Site Address <b>Gandy Marley, Inc. Contaminated Soils Landfarm</b> <b>7200 East Second Street</b> <b>PO Box 1658</b> <b>Roswell, NM 88201</b>		11. Facility Permit Number <b>DP1041</b>			
			12. Facility Phone No. <b>575-347-0434</b>			
G E N E R A T O R	13. Description of Waste		14. Containers	15. Total Quantity	16. Unit Wt.Vol.	
	No	Type				
	a.		<b>1</b>	<b>CM</b>	<b>17.000</b>	
	b.					
c.						
T R A N S P O R T E R	17. Special Handling Instructions and Additional Information <b>Unit - Lea County</b> <b>Bin # 161</b>					
G M I	18. Generator's Certification: <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i>					
	<i>FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>					
	Printed/Typed Name <b>Richard L. Orosco</b>		Signature <i>Richard L. Orosco</i>	Date <b>03/11/15</b>		
T R A N S P O R T E R	19. Transporter 1 Acknowledgement of Receipt of Materials					
	Printed/Typed Name <i>Berry Sch. 1</i>		Signature <i>Berry Sch. 1</i>	Date <b>03/11/15</b>		
G M I	20. Transporter 2 Acknowledgement of Receipt of Materials					
	Printed/Typed Name		Signature	Date		
21. Discrepancy Information						
22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.						
G M I	Printed/Typed Name <i>Kimberly Pfeiffer</i>		Signature <i>Kimberly Pfeiffer</i>	Date <b>03/11/15</b>		

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18-00

Date of Receipt: 3/1/19Time of Receipt: 5:15

AM

PM

Cell Placement:

UST NQuantity 11T/CY: Yards

Description:

Oily Dirt  
Nearby Bin # 15Name/Address of Generator: Holly FrontierOrigin of Materials (if different) Lea Refinery (Lorington)Transporter Name: S Brothers Tel #1

SCC ID No. \_\_\_\_\_

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt Verification of No Free Liquids 

Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest Generator Manifest Number 2019 0117

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: Billy Sch. I

Print Name

Signature

GMI Employee: \_\_\_\_\_

Print Name

Signature

<b>Contaminated Soils Shipment Manifest</b>		1. Manifest Document No. <b>20190147</b>	2. Page _____ of _____
3. Generator's Name and Mailing Address <b>HollyFrontier Navajo LLC</b> <b>PO Box 159</b> <b>Artesia, NM 88211-0159</b>		4. Generator Phone No. <b>575-748-3311</b>	
6. Transporter 1 Company Name <b>S Brothers Waste Services Inc.</b>		7. ID No. <b>TRK-14</b>	
8. Transporter 2 Company Name		9. ID No. <b>TRL-1</b>	
10. Designated Disposal Facility Name and Site Address <b>Gandy Marley, Inc. Contaminated Soils Landfarm</b> <b>7200 East Second Street</b> <b>PO Box 1658</b> <b>Roswell, NM 88201</b>		11. Facility Permit Number <b>DP1041</b>	
13. Description of Waste  a. <i>Oil Dirt</i>		14. Containers	15. Total Quantity
		No	Type
		1	1
		1	1
b.		1	1
		1	1
c.		1	1
		1	1
		1	1
17. Special Handling Instructions and Additional Information  Unit <i>Coke tank</i> Bin # <i>Navajo Unit #18</i>			
18. Generator's Certification:  <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i>		<i>FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>	
Printed/Typed Name <b>Richard L. Orosco</b>		Signature <i>RLOrosco</i>	Date <i>3-1-19</i>
19. Transporter 1 Acknowledgement of Receipt of Materials  Printed/Typed Name <i>Berry Schell</i>		Signature <i>BS</i>	Date <i>3-1-19</i>
20. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name		Signature	Date
21. Discrepancy Information			
22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.  Printed/Typed Name		Signature	Date

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

LOAD INSPECTION FORM 18721

Date of Receipt: 3/29/91 Time of Receipt: 11:15 AM / PM Cell Placement: VS + N-1  
Quantity: 17 yards T/CY: 0.24 Description: dry dirt

Name/Address of Generator: Lea Clayton

Origin of Materials (if different) \_\_\_\_\_

Transporter Name: Brian

SCC ID No. \_\_\_\_\_

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_ BTEX \_\_\_\_\_ MTBE \_\_\_\_\_ TPH \_\_\_\_\_ Non-Hazardous  Exempt

Verification of No Free Liquids \_\_\_\_\_

Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest

Generator Manifest Number \_\_\_\_\_

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361.001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: Attn: Compt

Print Name

Signature

GMI Employee: Kimberly Nettles

Print Name

Signature

<b>Contaminated Soils Shipment Manifest</b>		1. Manifest Document No. <i>2014-0513</i>	2. Page ____ of ____	
G E N E R A T O R	3. Generator's Name and Mailing Address <b>HollyFrontier Navajo LLC</b> PO Box 159 Artesia, NM 88211-0159	4. Generator Phone No. <b>575-748-3311</b>		
	5. Generator Contact <b>Richard L. Orosco</b>			
	6. Transporter 1 Company Name <b>S Brothers Waste Services Inc.</b>	7. ID No. <i>11</i>		
	8. Transporter 2 Company Name <i>S. Brothers Services</i> <i>Bin # 08</i>	9. ID No.		
	10. Designated Disposal Facility Name and Site Address <b>Gandy Marley, Inc. Contaminated Soils Landfarm</b> 7200 East Second Street PO Box 1658 Roswell, NM 88201	11. Facility Permit Number <b>DP1041</b>		
	12. Facility Phone No. <b>575-347-0434</b>			
	13. Description of Waste <i>Oily Dirt</i>	14. Containers No	15. Total Quantity	16. Unit Wt.Vol.
	a.	<i>1</i>	<i>cu</i>	<i>17 yards</i>
b.				
c.				
17. Special Handling Instructions and Additional Information <i>Unit 9 Rude Oil Leek</i> <i>Bin # 08</i>				
18. Generator's Certification: <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i>				
<i>FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>				
Printed/Typed Name <b>Richard L. Orosco</b>	Signature <i>R. L. Orosco</i>		Date	
19. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <i>Abel Gomez Jr</i>	Signature <i>Abel Gomez Jr</i>		Date <i>0329117</i>	
20. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	Signature		Date	
21. Discrepancy Information				
22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21. Printed/Typed Name <i>Kimberly Murphy</i>	Signature <i>Kimberly Murphy</i>		Date <i>3-27-14</i>	

N.M.E.D. - DP-1041

**Gandy Marley, Inc.**  
P.O. BOX 1658 • ROSWELL, NM 88202

**LOAD INSPECTION FORM 19056**

Date of Receipt: 4-29-19

Time of Receipt: 2 AM

Cell Placement: WEST - N1

Quantity 17

T/CY:

Description: C59

Name/Address of Generator: Holly Structure - Maunig

Origin of Materials (if different) Loving Twp, NM

Transporter Name: S. Section 23 Texaco

Name of Laboratory Performing Sample Analysis \_\_\_\_\_

TCLP (EPA Method 1311) \_\_\_\_\_

BTEX

MTBE

TPH

Non-Hazardous

Exempt

Verification of No Free Liquids \_\_\_\_\_

Paint Filter Liquids Test Performed \_\_\_\_\_

Verification of Property Completed Manifest \_\_\_\_\_

Generator Manifest Number 2019-00091

As a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Generator represents and warrants that the waste material shipped herewith is exempt from the Resource Conservation and Recovery Act of 1976, as amended from time to time, 40 U.S.C. Section 6901, et seq., The New Mexico Health and Safety Code, section 361-001, et seq., and regulations related thereto, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.

Further, as a condition to Gandy Marley, Inc.'s acceptance of the materials shipped as represented on this Load Inspection Form, Transporter represents and warrants that only the material delivered by Generator to Transporter is now delivered by Transporter to Gandy Marley, Inc.'s facility for disposal.

THIS WILL CERTIFY that the above Transporter loaded the material as represented on this Load Inspection Form at the above described location, and that it was tendered by the above described Generator. THIS WILL CERTIFY that no additional materials were added to this load, and that the material was delivered without incident.

Transporter: J. C. Clark

Print Name

GMI Employee: R. J. S. S.

Print Name

Signature

Signature

<b>Contaminated Soils Shipment Manifest</b>		1. Manifest Document No. <b>20190091</b>	2. Page _____ of _____	
G E N E R A T O R	3. Generator's Name and Mailing Address <b>HollyFrontier Navajo LLC</b> <b>PO Box 159</b> <b>Artesia, NM 88211-0159</b>		4. Generator Phone No. <b>575-748-3311</b>	
			5. Generator Contact <b>Richard L. Orosco</b>	
6. Transporter 1 Company Name <b>S Brothers Waste Services Inc.</b>		7. ID No. <b>7</b>		
8. Transporter 2 Company Name		9. ID No. <b>14</b>		
10. Designated Disposal Facility Name and Site Address <b>Gandy Marley, Inc. Contaminated Soils Landfarm</b> <b>7200 East Second Street</b> <b>PO Box 1658</b> <b>Roswell, NM 88201</b>		11. Facility Permit Number <b>DP1041</b>		
13. Description of Waste		14. Containers No	15. Total Quantity	16. Unit Wt.Vol.
a.	<i>Construction Soil</i>	<b>1</b>	<b>CM</b>	<b>10</b>
b.				
c.				
17. Special Handling Instructions and Additional Information <b>Unit Outside P.B.Live</b> <b>Bin # 18</b>				
18. Generator's Certification: <i>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state, and international laws.</i>  <i>FURTHER. I represent and warrant that the waste material as described on this manifest is either exempt from the Resource Conservation and Recovery Act of 1976, OR has been characterized as non-hazardous material by virtue of appropriate laboratory analysis done in accordance with EPA-approved testing methods.</i>				
T R A N S P O R T E R	Printed/Typed Name <b>Richard L. Orosco</b>	Signature <i>Richard L. Orosco</i>	Date <b>04/29/19</b>	
	19. Transporter 1 Acknowledgement of Receipt of Materials			
G M I	Printed/Typed Name <b>Sue Clark</b>	Signature <i>Sue Clark</i>	Date <b>04/29/19</b>	
	20. Transporter 2 Acknowledgement of Receipt of Materials			
21. Discrepancy Information				
22. Facility Owner or Operator Certification of receipt of materials described on this manifest except as noted in item 21.				
G E N E R A T O R	Printed/Typed Name <b>Karen Johnson</b>	Signature <i>Karen Johnson</i>	Date <b>04/29/19</b>	


**ATTACHMENT C1**

**Known Fresh Water Wells Located within 0.5-miles of the Release Area**

## Attachment C1 Known Fresh Water Wells Located within 0.5-miles of the Release Area


### Legend

- CITY OF LOVINGTON WELL
- REFINERY WATER SUPPLY WELL



**ATTACHMENT C2**

**Summary of NMOSE Records of Potential Fresh Water Wells Location within  
0.5-miles of the Release Location**



-103.291 32.877 Degrees  
600ft

-103.291 32.877 Degrees

www.helic.com state nm un/joinnow/now need location!

All Rights Reserved

**Attachment C2:**  
**Summary of NMOSE Records of Potential Fresh Water Wells**  
Located within 0.5-miles of the Release Location

**ATTACHMENT D**  
**Analytical Laboratory Reports**  
**(on compact disc)**

# ANALYTICAL REPORT


October 04, 2018

## TRC Solutions - Austin, TX

Sample Delivery Group: L1028950  
Samples Received: 09/26/2018  
Project Number: 294319.0000.00000 5  
Description: Lovington Lea Refinery

Report To: Julie Speer  
505 E. Huntland Drive, Suite 250  
Austin, TX 78752

Entire Report Reviewed By:



Chris McCord  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

# TABLE OF CONTENTS

ONE LAB. NATIONWIDE.



<b>Cp: Cover Page</b>	<b>1</b>	<b>1 Cp</b>
<b>Tc: Table of Contents</b>	<b>2</b>	<b>2 Tc</b>
<b>Ss: Sample Summary</b>	<b>3</b>	<b>3 Ss</b>
<b>Cn: Case Narrative</b>	<b>6</b>	<b>4 Cn</b>
<b>Sr: Sample Results</b>	<b>7</b>	<b>5 Sr</b>
ES-01 L1028950-01	7	
ES-02 L1028950-02	8	
DUP-01 L1028950-03	9	
ES-03 L1028950-04	10	
ES-04 L1028950-05	11	
ES-05 L1028950-06	12	
ES-06 L1028950-07	13	
ES-07 L1028950-08	14	
EF-01 L1028950-09	15	
EF-02 L1028950-10	16	
DUP-02 L1028950-11	17	
EF-03 L1028950-12	18	
EF-04 L1028950-13	19	
EF-05 L1028950-14	20	
EF-06 L1028950-15	21	
<b>Qc: Quality Control Summary</b>	<b>22</b>	
Total Solids by Method 2540 G-2011	22	
Wet Chemistry by Method 300.0	25	
Volatile Organic Compounds (GC) by Method 8015D/GRO	26	
Volatile Organic Compounds (GC/MS) by Method 8260B	28	
Semi-Volatile Organic Compounds (GC) by Method 8015	33	
<b>Gl: Glossary of Terms</b>	<b>34</b>	
<b>Al: Accreditations &amp; Locations</b>	<b>35</b>	
<b>Sc: Sample Chain of Custody</b>	<b>36</b>	

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



## ES-01 L1028950-01 Solid

Collected by  
09/25/18 12:15

Received date/time  
09/26/18 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172946	1	09/28/18 14:42	09/28/18 14:51	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 02:30	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:15	10/01/18 17:15	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172557	1.33	09/25/18 12:15	09/28/18 03:12	LRL
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173019	1.33	09/25/18 12:15	09/29/18 17:38	BMB
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	20	10/02/18 07:36	10/03/18 01:44	MG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 15:00	MTJ

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

## ES-02 L1028950-02 Solid

Collected by  
09/25/18 12:20

Received date/time  
09/26/18 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 02:47	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:20	10/01/18 17:36	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172557	1.12	09/25/18 12:20	09/28/18 03:32	LRL
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173019	1.12	09/25/18 12:20	09/29/18 17:58	BMB
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 00:36	MG

## DUP-01 L1028950-03 Solid

Collected by  
09/25/18 12:22

Received date/time  
09/26/18 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 02:56	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:22	10/01/18 17:57	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172557	1.51	09/25/18 12:22	09/28/18 03:51	LRL
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173019	1.51	09/25/18 12:22	09/29/18 18:17	BMB
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 00:50	MG

## ES-03 L1028950-04 Solid

Collected by  
09/25/18 12:25

Received date/time  
09/26/18 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	20	09/26/18 23:52	09/27/18 03:05	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:25	10/01/18 18:18	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172557	1	09/25/18 12:25	09/28/18 04:11	LRL
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173019	1	09/25/18 12:25	09/29/18 18:37	BMB
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 00:09	MG

## ES-04 L1028950-05 Solid

Collected by  
09/25/18 12:30

Received date/time  
09/26/18 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 03:14	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:30	10/01/18 18:39	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1.17	09/25/18 12:30	09/28/18 01:28	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	10	10/02/18 07:36	10/03/18 01:17	MG

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



## ES-05 L1028950-06 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 03:40	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1.05	09/25/18 12:35	10/01/18 19:00	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1.35	09/25/18 12:35	09/28/18 01:48	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	10	10/02/18 07:36	10/03/18 01:30	MG

## ES-06 L1028950-07 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	5	09/26/18 23:52	09/27/18 03:49	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174037	1	09/25/18 12:40	10/01/18 19:21	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1.02	09/25/18 12:40	09/28/18 02:09	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 00:22	MG

## ES-07 L1028950-08 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 03:57	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 12:45	10/02/18 02:58	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1.12	09/25/18 12:45	09/28/18 02:29	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	2	10/02/18 07:36	10/03/18 01:03	MG

## EF-01 L1028950-09 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:06	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1.14	09/25/18 12:55	10/02/18 03:19	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172655	1	09/25/18 12:55	09/28/18 02:49	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	20	10/02/18 07:36	10/03/18 01:58	MG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 14:32	MTJ

## EF-02 L1028950-10 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:15	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 13:00	10/02/18 03:39	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1	09/25/18 13:00	09/29/18 09:13	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 03:19	MG

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



## DUP-02 L1028950-11 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172947	1	09/28/18 14:24	09/28/18 14:37	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:41	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 13:05	10/02/18 04:00	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1.11	09/25/18 13:05	09/29/18 09:33	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 03:05	MG

## EF-03 L1028950-12 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172949	1	09/29/18 10:45	09/29/18 10:57	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:50	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1.09	09/25/18 14:00	10/02/18 04:21	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1.08	09/25/18 14:00	09/29/18 09:52	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	20	10/02/18 07:36	10/03/18 02:11	MG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 14:46	MTJ

## EF-04 L1028950-13 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172949	1	09/29/18 10:45	09/29/18 10:57	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 04:59	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1.11	09/25/18 14:10	10/02/18 07:59	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1.16	09/25/18 14:10	09/29/18 10:10	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	20	10/02/18 07:36	10/03/18 02:24	MG

## EF-05 L1028950-14 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172949	1	09/29/18 10:45	09/29/18 10:57	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 05:25	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 14:20	10/02/18 08:20	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1	09/25/18 14:20	09/29/18 10:29	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173790	8	09/25/18 14:20	10/01/18 09:02	JAH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 02:52	MG

## EF-06 L1028950-15 Solid

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time
			Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1172949	1	09/29/18 10:45	09/29/18 10:57	JD
Wet Chemistry by Method 300.0	WG1172063	1	09/26/18 23:52	09/27/18 05:34	ELN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1174113	1	09/25/18 14:25	10/02/18 08:49	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1172723	1	09/25/18 14:25	09/29/18 10:48	DWR
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1173790	1	09/25/18 14:25	10/01/18 08:43	JAH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1174082	200	10/02/18 07:36	10/03/18 02:38	MG

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris McCord  
Project Manager

- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Sr
- <sup>6</sup> Qc
- <sup>7</sup> GI
- <sup>8</sup> AI
- <sup>9</sup> Sc



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Total Solids	91.7		1	09/28/2018 14:51	<a href="#">WG1172946</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Chloride	111		0.867	10.0	10.9	1	09/27/2018 02:30	<a href="#">WG1172063</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
TPH (GC/FID) Low Fraction	1.54		0.0237	0.100	0.109	1	10/01/2018 17:15	<a href="#">WG1174037</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	87.5				77.0-120		10/01/2018 17:15	<a href="#">WG1174037</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Benzene	0.000634	J	0.000580	0.00100	0.00145	1.33	09/28/2018 03:12	<a href="#">WG1172557</a>	
Toluene	0.0119		0.00181	0.00500	0.00725	1.33	09/28/2018 03:12	<a href="#">WG1172557</a>	
Ethylbenzene	0.0235		0.000768	0.00250	0.00362	1.33	09/28/2018 03:12	<a href="#">WG1172557</a>	
Total Xylenes	0.300		0.00693	0.00650	0.00942	1.33	09/29/2018 17:38	<a href="#">WG1173019</a>	
(S) Toluene-d8	124				75.0-131		09/28/2018 03:12	<a href="#">WG1172557</a>	
(S) Toluene-d8	126				75.0-131		09/29/2018 17:38	<a href="#">WG1173019</a>	
(S) Dibromofluoromethane	86.0				65.0-129		09/28/2018 03:12	<a href="#">WG1172557</a>	
(S) Dibromofluoromethane	99.3				65.0-129		09/29/2018 17:38	<a href="#">WG1173019</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	96.0				80.0-120		09/28/2018 03:12	<a href="#">WG1172557</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	106				80.0-120		09/29/2018 17:38	<a href="#">WG1173019</a>	
(S) 4-Bromofluorobenzene	107				67.0-138		09/28/2018 03:12	<a href="#">WG1172557</a>	
(S) 4-Bromofluorobenzene	104				67.0-138		09/29/2018 17:38	<a href="#">WG1173019</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
C10-C28 Diesel Range	8890		351	4.00	872	200	10/03/2018 15:00	<a href="#">WG1174082</a>	
C28-C40 Oil Range	3040		5.97	4.00	87.2	20	10/03/2018 01:44	<a href="#">WG1174082</a>	
(S) <i>o</i> -Terphenyl	896	J7			18.0-148		10/03/2018 01:44	<a href="#">WG1174082</a>	
(S) <i>o</i> -Terphenyl	0.000	J7			18.0-148		10/03/2018 15:00	<a href="#">WG1174082</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	87.1		1	09/28/2018 14:37	<a href="#">WG1172947</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	160		0.913	10.0	11.5	1	09/27/2018 02:47	<a href="#">WG1172063</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	0.0452	J	0.0249	0.100	0.115	1	10/01/2018 17:36	<a href="#">WG1174037</a>
(S) a,a,a-Trifluorotoluene(FID)	93.7				77.0-120		10/01/2018 17:36	<a href="#">WG1174037</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.00221		0.000514	0.00100	0.00129	1.12	09/28/2018 03:32	<a href="#">WG1172557</a>
Toluene	0.00887		0.00161	0.00500	0.00643	1.12	09/28/2018 03:32	<a href="#">WG1172557</a>
Ethylbenzene	0.00984		0.000681	0.00250	0.00321	1.12	09/28/2018 03:32	<a href="#">WG1172557</a>
Total Xylenes	0.00726	J	0.00615	0.00650	0.00836	1.12	09/29/2018 17:58	<a href="#">WG1173019</a>
(S) Toluene-d8	119				75.0-131		09/28/2018 03:32	<a href="#">WG1172557</a>
(S) Toluene-d8	117				75.0-131		09/29/2018 17:58	<a href="#">WG1173019</a>
(S) Dibromofluoromethane	84.0				65.0-129		09/28/2018 03:32	<a href="#">WG1172557</a>
(S) Dibromofluoromethane	91.8				65.0-129		09/29/2018 17:58	<a href="#">WG1173019</a>
(S) a,a,a-Trifluorotoluene	95.3				80.0-120		09/28/2018 03:32	<a href="#">WG1172557</a>
(S) a,a,a-Trifluorotoluene	100				80.0-120		09/29/2018 17:58	<a href="#">WG1173019</a>
(S) 4-Bromofluorobenzene	105				67.0-138		09/28/2018 03:32	<a href="#">WG1172557</a>
(S) 4-Bromofluorobenzene	100				67.0-138		09/29/2018 17:58	<a href="#">WG1173019</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	60.0		3.70	4.00	9.18	2	10/03/2018 00:36	<a href="#">WG1174082</a>
C28-C40 Oil Range	87.5		0.629	4.00	9.18	2	10/03/2018 00:36	<a href="#">WG1174082</a>
(S) o-Terphenyl	44.8				18.0-148		10/03/2018 00:36	<a href="#">WG1174082</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<sup>1</sup> Cp
Total Solids	85.7		1	09/28/2018 14:37	<a href="#">WG1172947</a>	<sup>2</sup> Tc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<sup>3</sup> Ss
Chloride	283		0.928	10.0	11.7	1	09/27/2018 02:56	<a href="#">WG1172063</a>	<sup>4</sup> Cn

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<sup>5</sup> Sr
TPH (GC/FID) Low Fraction	0.0286	J	0.0253	0.100	0.117	1	10/01/2018 17:57	<a href="#">WG1174037</a>	<sup>6</sup> Qc
(S) a,a,a-Trifluorotoluene(FID)	93.8				77.0-120		10/01/2018 17:57	<a href="#">WG1174037</a>	<sup>7</sup> GI

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<sup>8</sup> AI
Benzene	U		0.000705	0.00100	0.00176	1.51	09/28/2018 03:51	<a href="#">WG1172557</a>	<sup>9</sup> Sc
Toluene	0.00564	J	0.00220	0.00500	0.00881	1.51	09/28/2018 03:51	<a href="#">WG1172557</a>	
Ethylbenzene	0.00637		0.000934	0.00250	0.00441	1.51	09/28/2018 03:51	<a href="#">WG1172557</a>	
Total Xylenes	U		0.00842	0.00650	0.0115	1.51	09/29/2018 18:17	<a href="#">WG1173019</a>	
(S) Toluene-d8	122				75.0-131		09/28/2018 03:51	<a href="#">WG1172557</a>	
(S) Toluene-d8	115				75.0-131		09/29/2018 18:17	<a href="#">WG1173019</a>	
(S) Dibromofluoromethane	84.9				65.0-129		09/28/2018 03:51	<a href="#">WG1172557</a>	
(S) Dibromofluoromethane	89.9				65.0-129		09/29/2018 18:17	<a href="#">WG1173019</a>	
(S) a,a,a-Trifluorotoluene	97.4				80.0-120		09/28/2018 03:51	<a href="#">WG1172557</a>	
(S) a,a,a-Trifluorotoluene	105				80.0-120		09/29/2018 18:17	<a href="#">WG1173019</a>	
(S) 4-Bromofluorobenzene	97.3				67.0-138		09/28/2018 03:51	<a href="#">WG1172557</a>	
(S) 4-Bromofluorobenzene	99.5				67.0-138		09/29/2018 18:17	<a href="#">WG1173019</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	37.6		3.76	4.00	9.34	2	10/03/2018 00:50	<a href="#">WG1174082</a>
C28-C40 Oil Range	78.1		0.640	4.00	9.34	2	10/03/2018 00:50	<a href="#">WG1174082</a>
(S) o-Terphenyl	41.0				18.0-148		10/03/2018 00:50	<a href="#">WG1174082</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	92.5		1	09/28/2018 14:37	<a href="#">WG1172947</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	12100		17.2	10.0	216	20	09/27/2018 03:05	<a href="#">WG1172063</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	0.0557	J	0.0235	0.100	0.108	1	10/01/2018 18:18	<a href="#">WG1174037</a>
(S) a,a,a-Trifluorotoluene(FID)	91.5				77.0-120		10/01/2018 18:18	<a href="#">WG1174037</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.000433	0.00100	0.00108	1	09/28/2018 04:11	<a href="#">WG1172557</a>
Toluene	0.00203	J	0.00135	0.00500	0.00541	1	09/28/2018 04:11	<a href="#">WG1172557</a>
Ethylbenzene	0.00194	J	0.000573	0.00250	0.00270	1	09/28/2018 04:11	<a href="#">WG1172557</a>
Total Xylenes	U		0.00517	0.00650	0.00703	1	09/29/2018 18:37	<a href="#">WG1173019</a>
(S) Toluene-d8	121			75.0-131			09/28/2018 04:11	<a href="#">WG1172557</a>
(S) Toluene-d8	117			75.0-131			09/29/2018 18:37	<a href="#">WG1173019</a>
(S) Dibromofluoromethane	84.9			65.0-129			09/28/2018 04:11	<a href="#">WG1172557</a>
(S) Dibromofluoromethane	91.1			65.0-129			09/29/2018 18:37	<a href="#">WG1173019</a>
(S) a,a,a-Trifluorotoluene	97.2			80.0-120			09/28/2018 04:11	<a href="#">WG1172557</a>
(S) a,a,a-Trifluorotoluene	103			80.0-120			09/29/2018 18:37	<a href="#">WG1173019</a>
(S) 4-Bromofluorobenzene	100			67.0-138			09/28/2018 04:11	<a href="#">WG1172557</a>
(S) 4-Bromofluorobenzene	84.6			67.0-138			09/29/2018 18:37	<a href="#">WG1173019</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	250		3.48	4.00	8.65	2	10/03/2018 00:09	<a href="#">WG1174082</a>
C28-C40 Oil Range	199		0.593	4.00	8.65	2	10/03/2018 00:09	<a href="#">WG1174082</a>
(S) o-Terphenyl	59.7			18.0-148			10/03/2018 00:09	<a href="#">WG1174082</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: cyan;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: gray;">9 Sc</span>
Total Solids	97.8		1	09/28/2018 14:37	<a href="#">WG1172947</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: cyan;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: gray;">9 Sc</span>
Chloride	68.4		0.813	10.0	10.2	1	09/27/2018 03:14	<a href="#">WG1172063</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: cyan;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: gray;">9 Sc</span>
TPH (GC/FID) Low Fraction	U		0.0222	0.100	0.102	1	10/01/2018 18:39	<a href="#">WG1174037</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	93.8				77.0-120		10/01/2018 18:39	<a href="#">WG1174037</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: cyan;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: gray;">9 Sc</span>
Benzene	0.000822	J	0.000478	0.00100	0.00120	1.17	09/28/2018 01:28	<a href="#">WG1172655</a>	
Toluene	0.00545	J	0.00149	0.00500	0.00598	1.17	09/28/2018 01:28	<a href="#">WG1172655</a>	
Ethylbenzene	0.00155	J	0.000634	0.00250	0.00299	1.17	09/28/2018 01:28	<a href="#">WG1172655</a>	
Total Xylenes	U		0.00572	0.00650	0.00777	1.17	09/28/2018 01:28	<a href="#">WG1172655</a>	
(S) <i>Toluene-d8</i>	115				75.0-131		09/28/2018 01:28	<a href="#">WG1172655</a>	
(S) <i>Dibromofluoromethane</i>	104				65.0-129		09/28/2018 01:28	<a href="#">WG1172655</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	94.3				80.0-120		09/28/2018 01:28	<a href="#">WG1172655</a>	
(S) <i>4-Bromofluorobenzene</i>	106				67.0-138		09/28/2018 01:28	<a href="#">WG1172655</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	831		16.5	4.00	40.9	10	10/03/2018 01:17	<a href="#">WG1174082</a>
C28-C40 Oil Range	683		2.80	4.00	40.9	10	10/03/2018 01:17	<a href="#">WG1174082</a>
(S) <i>o-Terphenyl</i>	91.0				18.0-148		10/03/2018 01:17	<a href="#">WG1174082</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<sup>1</sup> Cp
Total Solids	96.2		1	09/28/2018 14:37	<a href="#">WG1172947</a>	<sup>2</sup> Tc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<sup>3</sup> Ss
Chloride	54.2		0.826	10.0	10.4	1	09/27/2018 03:40	<a href="#">WG1172063</a>	<sup>4</sup> Cn

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<sup>5</sup> Sr
TPH (GC/FID) Low Fraction	0.0385	J	0.0237	0.100	0.109	1.05	10/01/2018 19:00	<a href="#">WG1174037</a>	<sup>6</sup> Qc
(S) a,a,a-Trifluorotoluene(FID)	93.9				77.0-120		10/01/2018 19:00	<a href="#">WG1174037</a>	<sup>7</sup> GI

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<sup>8</sup> AI
Benzene	0.000715	J	0.000561	0.00100	0.00140	1.35	09/28/2018 01:48	<a href="#">WG1172655</a>	<sup>9</sup> Sc
Toluene	0.00359	J	0.00175	0.00500	0.00701	1.35	09/28/2018 01:48	<a href="#">WG1172655</a>	
Ethylbenzene	0.00142	J	0.000743	0.00250	0.00351	1.35	09/28/2018 01:48	<a href="#">WG1172655</a>	
Total Xylenes	U		0.00671	0.00650	0.00912	1.35	09/28/2018 01:48	<a href="#">WG1172655</a>	
(S) Toluene-d8	116				75.0-131		09/28/2018 01:48	<a href="#">WG1172655</a>	
(S) Dibromofluoromethane	104				65.0-129		09/28/2018 01:48	<a href="#">WG1172655</a>	
(S) a,a,a-Trifluorotoluene	93.0				80.0-120		09/28/2018 01:48	<a href="#">WG1172655</a>	
(S) 4-Bromofluorobenzene	107				67.0-138		09/28/2018 01:48	<a href="#">WG1172655</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	1170		16.7	4.00	41.6	10	10/03/2018 01:30	<a href="#">WG1174082</a>
C28-C40 Oil Range	988		2.85	4.00	41.6	10	10/03/2018 01:30	<a href="#">WG1174082</a>
(S) o-Terphenyl	59.3				18.0-148		10/03/2018 01:30	<a href="#">WG1174082</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
Total Solids	94.2		1	09/28/2018 14:37	<a href="#">WG1172947</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
Chloride	874		4.22	10.0	53.1	5	09/27/2018 03:49	<a href="#">WG1172063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">5</span> Sr
TPH (GC/FID) Low Fraction	0.0517	J	0.0230	0.100	0.106	1	10/01/2018 19:21	<a href="#">WG1174037</a>	<span style="border: 1px solid green; border-radius: 50%; padding: 2px;">6</span> Qc
(S) a,a,a-Trifluorotoluene(FID)	94.1				77.0-120		10/01/2018 19:21	<a href="#">WG1174037</a>	<span style="border: 1px solid green; border-radius: 50%; padding: 2px;">7</span> GI

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">8</span> Al
Benzene	0.000475	J	0.000433	0.00100	0.00108	1.02	09/28/2018 02:09	<a href="#">WG1172655</a>	<span style="border: 1px solid green; border-radius: 50%; padding: 2px;">9</span> Sc
Toluene	0.00226	J	0.00135	0.00500	0.00541	1.02	09/28/2018 02:09	<a href="#">WG1172655</a>	
Ethylbenzene	0.00119	J	0.000574	0.00250	0.00271	1.02	09/28/2018 02:09	<a href="#">WG1172655</a>	
Total Xylenes	U		0.00517	0.00650	0.00704	1.02	09/28/2018 02:09	<a href="#">WG1172655</a>	
(S) Toluene-d8	109				75.0-131		09/28/2018 02:09	<a href="#">WG1172655</a>	
(S) Dibromofluoromethane	108				65.0-129		09/28/2018 02:09	<a href="#">WG1172655</a>	
(S) a,a,a-Trifluorotoluene	93.6				80.0-120		09/28/2018 02:09	<a href="#">WG1172655</a>	
(S) 4-Bromofluorobenzene	109				67.0-138		09/28/2018 02:09	<a href="#">WG1172655</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	
C10-C28 Diesel Range	20.2		3.42	4.00	8.49	2	10/03/2018 00:22	<a href="#">WG1174082</a>	
C28-C40 Oil Range	43.8		0.582	4.00	8.49	2	10/03/2018 00:22	<a href="#">WG1174082</a>	
(S) o-Terphenyl	64.8				18.0-148		10/03/2018 00:22	<a href="#">WG1174082</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Total Solids	92.0		1	09/28/2018 14:37	<a href="#">WG1172947</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Chloride	153		0.864	10.0	10.9	1	09/27/2018 03:57	<a href="#">WG1172063</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
TPH (GC/FID) Low Fraction	0.0482	J	0.0236	0.100	0.109	1	10/02/2018 02:58	<a href="#">WG1174113</a>	
(S) a,a,a-Trifluorotoluene(FID)	91.3				77.0-120		10/02/2018 02:58	<a href="#">WG1174113</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Benzene	U		0.000487	0.00100	0.00122	1.12	09/28/2018 02:29	<a href="#">WG1172655</a>	
Toluene	U		0.00152	0.00500	0.00609	1.12	09/28/2018 02:29	<a href="#">WG1172655</a>	
Ethylbenzene	0.00214	J	0.000645	0.00250	0.00304	1.12	09/28/2018 02:29	<a href="#">WG1172655</a>	
Total Xylenes	U		0.00582	0.00650	0.00791	1.12	09/28/2018 02:29	<a href="#">WG1172655</a>	
(S) Toluene-d8	112				75.0-131		09/28/2018 02:29	<a href="#">WG1172655</a>	
(S) Dibromofluoromethane	107				65.0-129		09/28/2018 02:29	<a href="#">WG1172655</a>	
(S) a,a,a-Trifluorotoluene	92.3				80.0-120		09/28/2018 02:29	<a href="#">WG1172655</a>	
(S) 4-Bromofluorobenzene	109				67.0-138		09/28/2018 02:29	<a href="#">WG1172655</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	23.3		3.50	4.00	8.69	2	10/03/2018 01:03	<a href="#">WG1174082</a>
C28-C40 Oil Range	70.3		0.596	4.00	8.69	2	10/03/2018 01:03	<a href="#">WG1174082</a>
(S) o-Terphenyl	56.2				18.0-148		10/03/2018 01:03	<a href="#">WG1174082</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	94.7		1	09/28/2018 14:37	<a href="#">WG1172947</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	297		0.840	10.0	10.6	1	09/27/2018 04:06	<a href="#">WG1172063</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	0.0817	J	0.0261	0.100	0.120	1.14	10/02/2018 03:19	<a href="#">WG1174113</a>
(S) a,a,a-Trifluorotoluene(FID)	89.1				77.0-120		10/02/2018 03:19	<a href="#">WG1174113</a>

<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.000811	J	0.000422	0.00100	0.00106	1	09/28/2018 02:49	<a href="#">WG1172655</a>
Toluene	0.00434	J	0.00132	0.00500	0.00528	1	09/28/2018 02:49	<a href="#">WG1172655</a>
Ethylbenzene	0.00287		0.000560	0.00250	0.00264	1	09/28/2018 02:49	<a href="#">WG1172655</a>
Total Xylenes	0.00832		0.00505	0.00650	0.00686	1	09/28/2018 02:49	<a href="#">WG1172655</a>
(S) Toluene-d8	110				75.0-131		09/28/2018 02:49	<a href="#">WG1172655</a>
(S) Dibromofluoromethane	108				65.0-129		09/28/2018 02:49	<a href="#">WG1172655</a>
(S) a,a,a-Trifluorotoluene	93.6				80.0-120		09/28/2018 02:49	<a href="#">WG1172655</a>
(S) 4-Bromofluorobenzene	104				67.0-138		09/28/2018 02:49	<a href="#">WG1172655</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	9410		340	4.00	845	200	10/03/2018 14:32	<a href="#">WG1174082</a>
C28-C40 Oil Range	4390		5.79	4.00	84.5	20	10/03/2018 01:58	<a href="#">WG1174082</a>
(S) o-Terphenyl	1210	J7			18.0-148		10/03/2018 01:58	<a href="#">WG1174082</a>
(S) o-Terphenyl	0.000	J7			18.0-148		10/03/2018 14:32	<a href="#">WG1174082</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Total Solids	82.6		1	09/28/2018 14:37	<a href="#">WG1172947</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Chloride	212		0.962	10.0	12.1	1	09/27/2018 04:15	<a href="#">WG1172063</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
TPH (GC/FID) Low Fraction	7.73		0.0263	0.100	0.121	1	10/02/2018 03:39	<a href="#">WG1174113</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	82.7				77.0-120		10/02/2018 03:39	<a href="#">WG1174113</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Benzene	U		0.000484	0.00100	0.00121	1	09/29/2018 09:13	<a href="#">WG1172723</a>	
Toluene	0.00555	J	0.00151	0.00500	0.00605	1	09/29/2018 09:13	<a href="#">WG1172723</a>	
Ethylbenzene	0.00625		0.000641	0.00250	0.00303	1	09/29/2018 09:13	<a href="#">WG1172723</a>	
Total Xylenes	0.0557		0.00578	0.00650	0.00787	1	09/29/2018 09:13	<a href="#">WG1172723</a>	
(S) <i>Toluene-d8</i>	121				75.0-131		09/29/2018 09:13	<a href="#">WG1172723</a>	
(S) <i>Dibromofluoromethane</i>	112				65.0-129		09/29/2018 09:13	<a href="#">WG1172723</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	99.5				80.0-120		09/29/2018 09:13	<a href="#">WG1172723</a>	
(S) <i>4-Bromofluorobenzene</i>	157	J1			67.0-138		09/29/2018 09:13	<a href="#">WG1172723</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	31700		390	4.00	968	200	10/03/2018 03:19	<a href="#">WG1174082</a>
C28-C40 Oil Range	10000		66.3	4.00	968	200	10/03/2018 03:19	<a href="#">WG1174082</a>
(S) <i>o-Terphenyl</i>	3030	J7			18.0-148		10/03/2018 03:19	<a href="#">WG1174082</a>

DUP-02

Collected date/time: 09/25/18 13:05

## SAMPLE RESULTS - 11

L1028950

ONE LAB. NATIONWIDE.



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: lightgreen;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Total Solids	82.6		1	09/28/2018 14:37	<a href="#">WG1172947</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: lightgreen;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Chloride	170		0.963	10.0	12.1	1	09/27/2018 04:41	<a href="#">WG1172063</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: lightgreen;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
TPH (GC/FID) Low Fraction	4.90		0.0263	0.100	0.121	1	10/02/2018 04:00	<a href="#">WG1174113</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	84.4				77.0-120		10/02/2018 04:00	<a href="#">WG1174113</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: lightgreen;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Benzene	U		0.000537	0.00100	0.00134	1.11	09/29/2018 09:33	<a href="#">WG1172723</a>	
Toluene	U		0.00168	0.00500	0.00672	1.11	09/29/2018 09:33	<a href="#">WG1172723</a>	
Ethylbenzene	0.0138		0.000712	0.00250	0.00336	1.11	09/29/2018 09:33	<a href="#">WG1172723</a>	
Total Xylenes	0.0634		0.00642	0.00650	0.00873	1.11	09/29/2018 09:33	<a href="#">WG1172723</a>	
(S) <i>Toluene-d8</i>	117				75.0-131		09/29/2018 09:33	<a href="#">WG1172723</a>	
(S) <i>Dibromofluoromethane</i>	106				65.0-129		09/29/2018 09:33	<a href="#">WG1172723</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	104				80.0-120		09/29/2018 09:33	<a href="#">WG1172723</a>	
(S) <i>4-Bromofluorobenzene</i>	120				67.0-138		09/29/2018 09:33	<a href="#">WG1172723</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: lightgreen;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
C10-C28 Diesel Range	29900		390	4.00	968	200	10/03/2018 03:05	<a href="#">WG1174082</a>	
C28-C40 Oil Range	10100		66.3	4.00	968	200	10/03/2018 03:05	<a href="#">WG1174082</a>	
(S) <i>o-Terphenyl</i>	2880	J7			18.0-148		10/03/2018 03:05	<a href="#">WG1174082</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: black;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Total Solids	97.1		1	09/29/2018 10:57	<a href="#">WG1172949</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: black;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Chloride	141		0.819	10.0	10.3	1	09/27/2018 04:50	<a href="#">WG1172063</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: black;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
TPH (GC/FID) Low Fraction	0.128		0.0244	0.100	0.112	1.09	10/02/2018 04:21	<a href="#">WG1174113</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	85.9				77.0-120		10/02/2018 04:21	<a href="#">WG1174113</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: black;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
Benzene	U		0.000445	0.00100	0.00111	1.08	09/29/2018 09:52	<a href="#">WG1172723</a>	
Toluene	0.00352	J	0.00139	0.00500	0.00556	1.08	09/29/2018 09:52	<a href="#">WG1172723</a>	
Ethylbenzene	0.00206	J	0.000589	0.00250	0.00278	1.08	09/29/2018 09:52	<a href="#">WG1172723</a>	
Total Xylenes	0.00643	J	0.00532	0.00650	0.00723	1.08	09/29/2018 09:52	<a href="#">WG1172723</a>	
(S) <i>Toluene-d8</i>	110			75.0-131			09/29/2018 09:52	<a href="#">WG1172723</a>	
(S) <i>Dibromofluoromethane</i>	103			65.0-129			09/29/2018 09:52	<a href="#">WG1172723</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	102			80.0-120			09/29/2018 09:52	<a href="#">WG1172723</a>	
(S) <i>4-Bromofluorobenzene</i>	105			67.0-138			09/29/2018 09:52	<a href="#">WG1172723</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: black;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightgray;">7 GI</span> <span style="color: cyan;">8 Al</span> <span style="color: gray;">9 Sc</span>
C10-C28 Diesel Range	9840		332	4.00	824	200	10/03/2018 14:46	<a href="#">WG1174082</a>	
C28-C40 Oil Range	4380		5.64	4.00	82.4	20	10/03/2018 02:11	<a href="#">WG1174082</a>	
(S) <i>o-Terphenyl</i>	1540	J7			18.0-148		10/03/2018 02:11	<a href="#">WG1174082</a>	
(S) <i>o-Terphenyl</i>	0.000	J7			18.0-148		10/03/2018 14:46	<a href="#">WG1174082</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: orange;">2 Tc</span> <span style="color: orange;">3 Ss</span> <span style="color: orange;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: lightblue;">8 Al</span> <span style="color: gray;">9 Sc</span>
Total Solids	97.8		1	09/29/2018 10:57	<a href="#">WG1172949</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: orange;">2 Tc</span> <span style="color: orange;">3 Ss</span> <span style="color: orange;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: lightblue;">8 Al</span> <span style="color: gray;">9 Sc</span>
Chloride	77.8		0.813	10.0	10.2	1	09/27/2018 04:59	<a href="#">WG1172063</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: orange;">2 Tc</span> <span style="color: orange;">3 Ss</span> <span style="color: orange;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: lightblue;">8 Al</span> <span style="color: gray;">9 Sc</span>
TPH (GC/FID) Low Fraction	0.0988	J	0.0246	0.100	0.114	1.11	10/02/2018 07:59	<a href="#">WG1174113</a>	
(S) a,a,a-Trifluorotoluene(FID)	84.9				77.0-120		10/02/2018 07:59	<a href="#">WG1174113</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: orange;">2 Tc</span> <span style="color: orange;">3 Ss</span> <span style="color: orange;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: lightblue;">8 Al</span> <span style="color: gray;">9 Sc</span>
Benzene	U		0.000475	0.00100	0.00119	1.16	09/29/2018 10:10	<a href="#">WG1172723</a>	
Toluene	0.00811		0.00148	0.00500	0.00593	1.16	09/29/2018 10:10	<a href="#">WG1172723</a>	
Ethylbenzene	0.0119		0.000629	0.00250	0.00297	1.16	09/29/2018 10:10	<a href="#">WG1172723</a>	
Total Xylenes	0.0444		0.00567	0.00650	0.00771	1.16	09/29/2018 10:10	<a href="#">WG1172723</a>	
(S) Toluene-d8	109				75.0-131		09/29/2018 10:10	<a href="#">WG1172723</a>	
(S) Dibromofluoromethane	108				65.0-129		09/29/2018 10:10	<a href="#">WG1172723</a>	
(S) a,a,a-Trifluorotoluene	104				80.0-120		09/29/2018 10:10	<a href="#">WG1172723</a>	
(S) 4-Bromofluorobenzene	97.8				67.0-138		09/29/2018 10:10	<a href="#">WG1172723</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: orange;">2 Tc</span> <span style="color: orange;">3 Ss</span> <span style="color: orange;">4 Cn</span> <span style="color: purple;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: lightblue;">7 GI</span> <span style="color: lightblue;">8 Al</span> <span style="color: gray;">9 Sc</span>
C10-C28 Diesel Range	4770		32.9	4.00	81.8	20	10/03/2018 02:24	<a href="#">WG1174082</a>	
C28-C40 Oil Range	2740		5.60	4.00	81.8	20	10/03/2018 02:24	<a href="#">WG1174082</a>	
(S) o-Terphenyl	723	J7			18.0-148		10/03/2018 02:24	<a href="#">WG1174082</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	91.5		1	09/29/2018 10:57	<a href="#">WG1172949</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	574		0.869	10.0	10.9	1	09/27/2018 05:25	<a href="#">WG1172063</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	6.85		0.0237	0.100	0.109	1	10/02/2018 08:20	<a href="#">WG1174113</a>
(S) a,a,a-Trifluorotoluene(FID)	83.8				77.0-120		10/02/2018 08:20	<a href="#">WG1174113</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.000437	0.00100	0.00109	1	09/29/2018 10:29	<a href="#">WG1172723</a>
Toluene	0.334		0.00137	0.00500	0.00546	1	09/29/2018 10:29	<a href="#">WG1172723</a>
Ethylbenzene	2.07		0.000579	0.00250	0.00273	1	09/29/2018 10:29	<a href="#">WG1172723</a>
Total Xylenes	10.6		0.0418	0.00650	0.0568	8	10/01/2018 09:02	<a href="#">WG1173790</a>
(S) Toluene-d8	110				75.0-131		09/29/2018 10:29	<a href="#">WG1172723</a>
(S) Toluene-d8	107				75.0-131		10/01/2018 09:02	<a href="#">WG1173790</a>
(S) Dibromofluoromethane	105				65.0-129		09/29/2018 10:29	<a href="#">WG1172723</a>
(S) Dibromofluoromethane	106				65.0-129		10/01/2018 09:02	<a href="#">WG1173790</a>
(S) a,a,a-Trifluorotoluene	103				80.0-120		09/29/2018 10:29	<a href="#">WG1172723</a>
(S) a,a,a-Trifluorotoluene	106				80.0-120		10/01/2018 09:02	<a href="#">WG1173790</a>
(S) 4-Bromofluorobenzene	169	J1			67.0-138		09/29/2018 10:29	<a href="#">WG1172723</a>
(S) 4-Bromofluorobenzene	116				67.0-138		10/01/2018 09:02	<a href="#">WG1173790</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	43500		352	4.00	874	200	10/03/2018 02:52	<a href="#">WG1174082</a>
C28-C40 Oil Range	15300		59.9	4.00	874	200	10/03/2018 02:52	<a href="#">WG1174082</a>
(S) o-Terphenyl	6800	J7			18.0-148		10/03/2018 02:52	<a href="#">WG1174082</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: grey;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: grey;">9 Sc</span>
Total Solids	92.0		1	09/29/2018 10:57	<a href="#">WG1172949</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: grey;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: grey;">9 Sc</span>
Chloride	335		0.864	10.0	10.9	1	09/27/2018 05:34	<a href="#">WG1172063</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: grey;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: grey;">9 Sc</span>
TPH (GC/FID) Low Fraction	1.04		0.0236	0.100	0.109	1	10/02/2018 08:49	<a href="#">WG1174113</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	93.3				77.0-120		10/02/2018 08:49	<a href="#">WG1174113</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: grey;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: grey;">9 Sc</span>
Benzene	U		0.000435	0.00100	0.00109	1	09/29/2018 10:48	<a href="#">WG1172723</a>	
Toluene	0.00940		0.00136	0.00500	0.00544	1	10/01/2018 08:43	<a href="#">WG1173790</a>	
Ethylbenzene	0.0270		0.000576	0.00250	0.00272	1	10/01/2018 08:43	<a href="#">WG1173790</a>	
Total Xylenes	0.232		0.00520	0.00650	0.00707	1	10/01/2018 08:43	<a href="#">WG1173790</a>	
(S) Toluene-d8	110				75.0-131		09/29/2018 10:48	<a href="#">WG1172723</a>	
(S) Toluene-d8	103				75.0-131		10/01/2018 08:43	<a href="#">WG1173790</a>	
(S) Dibromofluoromethane	107				65.0-129		09/29/2018 10:48	<a href="#">WG1172723</a>	
(S) Dibromofluoromethane	105				65.0-129		10/01/2018 08:43	<a href="#">WG1173790</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	101				80.0-120		09/29/2018 10:48	<a href="#">WG1172723</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	104				80.0-120		10/01/2018 08:43	<a href="#">WG1173790</a>	
(S) 4-Bromofluorobenzene	113				67.0-138		09/29/2018 10:48	<a href="#">WG1172723</a>	
(S) 4-Bromofluorobenzene	110				67.0-138		10/01/2018 08:43	<a href="#">WG1173790</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: purple;">4 Cn</span> <span style="color: green;">5 Sr</span> <span style="color: green;">6 Qc</span> <span style="color: grey;">7 GI</span> <span style="color: blue;">8 Al</span> <span style="color: grey;">9 Sc</span>
C10-C28 Diesel Range	37800		350	4.00	870	200	10/03/2018 02:38	<a href="#">WG1174082</a>	
C28-C40 Oil Range	16200		59.6	4.00	870	200	10/03/2018 02:38	<a href="#">WG1174082</a>	
(S) <i>o</i> -Terphenyl	5810	J7			18.0-148		10/03/2018 02:38	<a href="#">WG1174082</a>	

**WG1172946**

Total Solids by Method 2540 G-2011

**QUALITY CONTROL SUMMARY**L1028940-01

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3346499-1	09/28/18 14:51	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%			%	%
Total Solids	0.000				

**L1028940-06 Original Sample (OS) • Duplicate (DUP)**

(OS) L1028940-06	09/28/18 14:51	• (DUP) R3346499-3	09/28/18 14:51	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RDL
Analyte	%	Original Result	DUP Result	%	%		%
Total Solids	78.2	78.7	1	0.622			10

**Laboratory Control Sample (LCS)**

(LCS) R3346499-2	09/28/18 14:51	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	%	
Total Solids	50.0	50.0	100		85.0-115	

**1 Cp****2 TC****3 SS****4 Cn****5 Sr****6 QC****7 GI****8 Al****9 Sc**

**WG1172947**

Total Solids by Method 2540 G-2011

**QUALITY CONTROL SUMMARY**L1028950-02,03,04,05,06,07,08,09,10,11

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3346495-1	09/28/18 14:37	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%			%	%
Total Solids	0.00100				

**L1028950-11 Original Sample (OS) • Duplicate (DUP)**

(OS) L1028950-11 09/28/18 14:37 • (DUP) R3346495-3		09/28/18 14:37	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RDL
Analyte	%	%	%	%	%		%
Total Solids	82.6	83.0	1	0.460			10

**Laboratory Control Sample (LCS)**

(LCS) R3346495-2 09/28/18 14:37		LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	Spike Amount %	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

**1 Cp****2 Tc****3 Ss****4 Cn****5 Sr****6 QC****7 Gl****8 Al****9 Sc**

**WG1172949**

Total Solids by Method 2540 G-2011

**QUALITY CONTROL SUMMARY**L1028982-01-12,13,14,15

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3346520-1	09/29/18	10:57	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%				%	%
Total Solids	0.00100					

**L1028982-01 Original Sample (OS) • Duplicate (DUP)**

(OS) L1028982-01	09/29/18	10:57	• (DUP) R3346520-3	09/29/18	10:57	DUP RPD	DUP RPD	DUP RPD
			Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD
Analyte	%	%			%			%
Total Solids	83.5	85.5	1	2.34			10	

**Laboratory Control Sample (LCS)**

(LCS) R3346520-2	09/29/18	10:57	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%			%	%	
Total Solids	50.0	50.0	100		85.0-115		

**1 Cp****2 TC****3 SS****4 Cn****5 Sr****6 QC****7 GI****8 Al****9 Sc**

# WG1172063

Wet Chemistry by Method 300.0

## QUALITY CONTROL SUMMARY

L1028950-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15

ONE LAB. NATIONWIDE.



### Method Blank (MB)

(MB) R3345568-1	09/27/18 01:32	MB Result mg/kg	<u>MB Qualifier</u> mg/kg	MB MDL mg/kg	MB RDL mg/kg
Analyte					
Chloride	2.40	<u>J</u>	0.795	10.0	

### L1028950-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1028950-01	09/27/18 02:30 • (DUP) R3345568-4	09/27/18 02:38	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Analyte								
Chloride	111	132	1	17.1		20		

### L1028982-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1028982-05	09/27/18 06:18 • (DUP) R3345568-7	09/27/18 06:27	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Analyte								
Chloride	1580	1630	5	2.66		20		

### Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3345568-2	09/27/18 01:41 • (LCS) R3345568-3	09/27/18 01:50	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	LCS Rec. %	<u>LCS Qualifier</u>	LCSD Qualifier %	RPD %	RPD Limits %
Analyte										
Chloride	200	208	205	104	103	90.0-110		132	20	

### L1028950-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1028950-10	09/27/18 04:15 • (MS) R3345568-5	09/27/18 04:24 • (MSD) R3345568-6	09/27/18 04:33	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MS Rec. %	<u>MS Qualifier</u>	MSD Qualifier %	RPD %	RPD Limits %
Analyte											
Chloride	605	212	814	832	99.4	102	1	80.0-120	2.24	20	

### Method Control (Cn)

(1) Cn	1	Cp
(2) Tc	2	Tc
(3) Ss	3	Ss

### Matrix Control (Sr)

(4) Cn	4	Cn
(5) Sr	5	Sr
(6) QC	6	QC

### Quality Control (Gl)

(7) Gl	7	Gl
(8) Al	8	Al
(9) Sc	9	Sc

# WG1174037

Volatile Organic Compounds (GC) by Method 8015D/GRO

## QUALITY CONTROL SUMMARY

L1028950-01,02,03,04,05,06,07

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3346845-2	10/01/18 14:26	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte		mg/kg		mg/kg	mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100	
(S) a,a-Trifluorotoluene(FID)	99.5			77.0-120	

### Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3346845-1	10/01/18 13:24	• (LCSD) R3346845-3	10/01/18 20:23	Spike Amount	LCS Result	LCSD Rec.	Rec. Limits	<u>LCS Qualifier</u>	LCSD Qualifier	RPD	RPD Limits
Analyte		mg/kg	mg/kg	%	%	%	%			%	%
TPH (GC/FID) Low Fraction	5.50	5.40	4.68	98.2	85.1	72.0-127				14.4	20
(S) a,a-Trifluorotoluene(FID)				113	108	77.0-120					

### L1028940-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1028940-01	10/01/18 15:10	• (MS) R3346845-4	10/01/18 23:51	• (MSD) R3346845-5	10/02/18 00:12	Spike Amount	Original Result (dry)	MS Result (dry)	MSD Result (dry)	MS Rec.	Dilution	Rec. Limits	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD	RPD Limits
Analyte		mg/kg	mg/kg	mg/kg		%	%	mg/kg	%	%		%			%	%
TPH (GC/FID) Low Fraction	7.16	0.0309	3.30	2.50	45.7	34.5	1	10.0-151				27.8	28			
(S) a,a-Trifluorotoluene(FID)					97.5	95.6	77.0-120									

**1 Cp**

**2 TC**

**3 SS**

**4 Cn**

**5 Sr**

**6 QC**

**7 Gl**

**8 Al**

**9 Sc**

**WG1174113**

Volatile Organic Compounds (GC) by Method 8015D/GRO

**QUALITY CONTROL SUMMARY**L1028950-08,09,10,11,12,13,14,15

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R33467634-10/02/18 02:16	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
<i>(S)</i> <i>a,a-Tri fluorotoluene(FID)</i>	98.9		77.0-120	

**Laboratory Control Sample (LCS)**

(LCS) R3346763-2 10/02/18 01:14	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	mg/kg	mg/kg	%	%	
TPH (GC/FID) Low Fraction	5.50	5.04	91.6	72.0-127	
<i>(S)</i> <i>a,a-Tri fluorotoluene(FID)</i>		110	77.0-120		



# WG1172557

Volatile Organic Compounds (GC/MS) by Method 8260B

## QUALITY CONTROL SUMMARY

L1028950-01.02.03.04

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3346037-2 09/27/18 21:34		MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Analyte		U		0.000400	0.00100
Benzene		U		0.000530	0.00250
Ethylbenzene		U		0.00125	0.00500
Toluene		U		75.0-131	
(S) Toluene-d8		117			
(S) Dibromofluoromethane		86.8		65.0-129	
(S) a,a,a-Trifluorotoluene		101		80.0-120	
(S) 4-Bromofluorobenzene		86.8		67.0-138	

### Laboratory Control Sample (LCS)

(LCS) R3346037-1 09/27/18 20:25		Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Analyte		0.125	0.119	95.2	70.0-123	
Benzene		0.125	0.111	89.1	74.0-126	
Ethylbenzene		0.125	0.129	103	75.0-121	
Toluene		0.125		108	75.0-131	
(S) Toluene-d8				104	65.0-129	
(S) Dibromofluoromethane				99.5	80.0-120	
(S) a,a,a-Trifluorotoluene				104	67.0-138	
(S) 4-Bromofluorobenzene						

### L1028294-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1028294-13 09/28/18 04:51 • (MS) R3346037-3 09/28/18 05:11 • (MSD) R3346037-4 09/28/18 05:30		Original Result mg/kg	MS Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte		mg/kg	mg/kg	mg/kg	mg/kg					%	%
Benzene		0.125	0.228	2.32	2.41	83.7	87.4	20	10.0-149	3.93	37
Ethylbenzene		0.125	3.09	7.61	7.52	181	177	20	10.0-160	1.21	38
Toluene		0.125	8.09	15.5	15.0	296	278	20	10.0-156	1.5	38
(S) Toluene-d8					112	112	75.0-131			2.97	
(S) Dibromofluoromethane					95.7	96.0	65.0-129				
(S) a,a,a-Trifluorotoluene					96.8	97.6	80.0-120				
(S) 4-Bromofluorobenzene					112	95.0	67.0-138				

**1 Cp**

**2 TC**

**3 SS**

**4 Cn**

**5 Sr**

**6 QC**

**7 GI**

**8 Al**

**9 Sc**

# WG1172655

Volatile Organic Compounds (GC/MS) by Method 8260B

## QUALITY CONTROL SUMMARY

L1028950-05\_06\_07\_08\_09

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3345933-2	09/27/18	21:43	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte			mg/kg	mg/kg	mg/kg	mg/kg
Benzene	U		0.000400	0.00100		
Ethylbenzene	U		0.000530	0.00250		
Toluene	U		0.00125	0.00500		
Xylenes, Total	U		0.00478	0.00650		
(S) Toluene-d8	108				75.0-131	
(S) Dibromofluoromethane	109				65.0-129	
(S) a,a,a-Trifluorotoluene	93.9				80.0-120	
(S) 4-Bromofluorobenzene	106				67.0-138	

### Laboratory Control Sample (LCS)

(LCS) R3345933-1	09/27/18	20:31	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte			mg/kg	mg/kg	%	%	
Benzene	0.125		0.135	108	70.0-123		
Ethylbenzene	0.125		0.131	105	74.0-126		
Toluene	0.125		0.132	105	75.0-121		
Xylenes, Total	0.375		0.364	97.1	72.0-127		
(S) Toluene-d8				104	75.0-131		
(S) Dibromofluoromethane				112	65.0-129		
(S) a,a,a-Trifluorotoluene				98.9	80.0-120		
(S) 4-Bromofluorobenzene				105	67.0-138		

### L1029326-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1029326-03	09/28/18	03:51	(MS) R3345933-3	09/27/18	22:03	(MSD) R3345933-4	09/27/18	22:24	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD	RPD Limits
Analyte			Spike Amount (dry)	Original Result	MS Result (dry)	MSD Result (dry)	MS Rec.	MSD Rec.	Dilution	Rec. Limits	%	%
			mg/kg	mg/kg	mg/kg	mg/kg	%	%				
Benzene	0.140	U	0.125	0.126	89.4	89.8	1	10.0-149		0.511	37	
Ethylbenzene	0.140	U	0.124	0.119	88.3	85.1	1	10.0-160		3.72	38	
Toluene	0.140	U	0.126	0.120	89.7	85.8	1	10.0-156		4.42	38	
Xylenes, Total	0.420	U	0.341	0.328	81.1	78.1	1	10.0-160		3.69	38	
(S) Toluene-d8					106	102			75.0-131			
(S) Dibromofluoromethane					114	114			65.0-129			
(S) a,a,a-Trifluorotoluene					94.2	94.8			80.0-120			
(S) 4-Bromofluorobenzene					108	103			67.0-138			

# WG1172723

Volatile Organic Compounds (GC/MS) by Method 8260B

## QUALITY CONTROL SUMMARY

L1028950-10,11,12,13,14,15

ONE LAB. NATIONWIDE.

### Method Blank (MB)

Method Blank (MB)										
Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	QC					
Benzene	U		0.000400	0.00100	<sup>1</sup> Cp	<sup>2</sup> Tc	<sup>3</sup> Ss			
Ethylbenzene	U		0.000530	0.00250						
Toluene	U		0.00125	0.00500						
Xylenes, Total	U		0.00478	0.00650						
(S) Toluene-d8	114			75.0-131						
(S) Dibromofluoromethane	97.5			65.0-129						
(S) a,a,a-Trifluorotoluene	101			80.0-120	<sup>4</sup> Cn	<sup>5</sup> Sr	<sup>6</sup> QC			
(S) 4-Bromofluorobenzene	99.9			67.0-138						
Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)										
(LCS) R3346391-1 09/29/18 07:39 • (LCSD) R3346391-2 09/29/18 07:58										
Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCSD Qualifier			
Benzene	0.125	0.124	0.129	99.2	103	70.0-123				
Ethylbenzene	0.125	0.122	0.123	97.7	98.2	74.0-126				
Toluene	0.125	0.122	0.123	97.6	98.8	75.0-121				
Xylenes, Total	0.375	0.361	0.364	96.3	97.1	72.0-127				
(S) Toluene-d8				108	105	75.0-131				
(S) Dibromofluoromethane				110	112	65.0-129				
(S) a,a,a-Trifluorotoluene				102	106	80.0-120				
(S) 4-Bromofluorobenzene				94.9	95.7	67.0-138				
(OS) L1029004-13 09/29/18 14:55 • (MS) R3346391-4 09/29/18 15:14 • (MSD) R3346391-5 09/29/18 15:33										
Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	MSD Result mg/kg	Dilution	Rec. Limits %			
Benzene	0.125	3.71	10.5	7.98	135	85.3	40 10-149			
Ethylbenzene	0.125	43.2	57.6	55.7	288	250	40 10-160			
Toluene	0.125	1.23	6.55	4.47	106	64.7	40 10-156			
Xylenes, Total	0.375	151	199	194	319	288	40 10-160			
(S) Toluene-d8					99.9	99.1	75.0-131			
(S) Dibromofluoromethane					108	106	65.0-129			
(S) a,a,a-Trifluorotoluene					103	103	80.0-120			
(S) 4-Bromofluorobenzene					98.8	102	67.0-138			
L1029004-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)										
(OS) L1029004-13 09/29/18 14:55 • (MS) R3346391-4 09/29/18 15:14 • (MSD) R3346391-5 09/29/18 15:33										
Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	MSD Rec. %	MS Qualifier	MSD Qualifier			
Benzene	0.125	3.71	10.5	7.98	135	85.3	40 10-149			
Ethylbenzene	0.125	43.2	57.6	55.7	288	250	40 10-160			
Toluene	0.125	1.23	6.55	4.47	106	64.7	40 10-156			
Xylenes, Total	0.375	151	199	194	319	288	40 10-160			
(S) Toluene-d8					99.9	99.1	75.0-131			
(S) Dibromofluoromethane					108	106	65.0-129			
(S) a,a,a-Trifluorotoluene					103	103	80.0-120			
(S) 4-Bromofluorobenzene					98.8	102	67.0-138			
8 Al 9 Sc										

**WG1173019**

Volatile Organic Compounds (GC/MS) by Method 8260B

**QUALITY CONTROL SUMMARY**L1028950-01.02.03.04

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3346347-2 09/29/18 16:19		MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte		mg/kg		mg/kg	mg/kg
Xylenes, Total	U			0.00478	0.00650
(S) Toluene-d8	110				75.0-131
(S) Dibromofluoromethane	93.4				65.0-129
(S) a,a-a-Trifluorotoluene	109				80.0-120
(S) 4-Bromofluorobenzene	97.8				67.0-138

**Laboratory Control Sample (LCS)**

(LCS) R3346347-1 09/29/18 14:42		Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte		mg/kg	mg/kg	%	%	
Xylenes, Total	0.375	0.317	84.5	102	72.0-127	
(S) Toluene-d8					75.0-131	
(S) Dibromofluoromethane				112	65.0-129	
(S) a,a-a-Trifluorotoluene				105	80.0-120	
(S) 4-Bromofluorobenzene			84.9	67.0-138		

**1 Cp****2 TC****3 SS****4 Cn****5 Sr****6 QC****7 GI****8 Al****9 SC**

**WG1173790**

Volatile Organic Compounds (GC/MS) by Method 8260B

**QUALITY CONTROL SUMMARY**L1028950-14.15

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3346770-2 10/01/18 03:30		<u>MB Result</u>	<u>MB Qualifier</u>	<u>MB MDL</u>	<u>MB RDL</u>
Analyte		mg/kg		mg/kg	mg/kg
Ethylbenzene	U		0.000530	0.00250	
Toluene	U		0.00125	0.00500	
Xylenes, Total	U		0.00478	0.00650	
(S) Toluene- <i>d</i> 8	114			75.0-131	
(S) Dibromofluoromethane	87.6			65.0-129	
(S) <i>a,a,a</i> -Trifluorotoluene	112			80.0-120	
(S) 4-Bromofluorobenzene	84.2			67.0-138	

**Laboratory Control Sample (LCS)**

(LCS) R3346770-1 10/01/18 02:11		<u>Spike Amount</u>	<u>LCS Result</u>	<u>LCS Rec.</u>	<u>Rec. Limits</u>	<u>LCS Qualifier</u>
Analyte		mg/kg	mg/kg	%	%	
Ethylbenzene	0.125	0.137	110	74.0-126		
Toluene	0.125	0.127	102	75.0-121		
Xylenes, Total	0.375	0.420	112	72.0-127		
(S) Toluene- <i>d</i> 8			104	75.0-131		
(S) Dibromofluoromethane			102	65.0-129		
(S) <i>a,a,a</i> -Trifluorotoluene			107	80.0-120		
(S) 4-Bromofluorobenzene			92.4	67.0-138		

**1 Cp****2 TC****3 SS****4 Cn****5 Sr****6 QC****7 GI****8 Al****9 Sc**

**WG1174082**

Semi-Volatile Organic Compounds (GC) by Method 8015

**QUALITY CONTROL SUMMARY**L1028950-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3347149-1	10/02/18 22:47	MB Result mg/kg	<u>MB Qualifier</u>	MB MDL mg/kg	MB RDL mg/kg
Analyte					
C10-C28 Diesel Range	U	1.61		4.00	
C28-C40 Oil Range	U	0.274		4.00	

*(S)-o-Terphenyl*

80.3

18.0-148

**Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)**

(LCS) R3347149-2		10/02/18 23:01 • (LCSD) R3347149-3		10/02/18 23:14		LCS Rec. %	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %							
C10-C28 Diesel Range	50.0	43.6	42.5	87.2	85.0	50.0-150			2.56	20		
<i>(S)-o-Terphenyl</i>				81.4	81.7	18.0-148						

ACCOUNT:  
TRC Solutions - Austin, TXPROJECT:  
294319.0000.00000 5SDG:  
L1028950DATE/TIME:  
10/04/18 10:30PAGE:  
33 of 37



## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

## Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MQL (dry)	Method Quantitation Limit.
MQL	Method Quantitation Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
SDL	Sample Detection Limit.
SDL (dry)	Sample Detection Limit.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Sample Detection Limit.
Unadj. MQL	Unadjusted Method Quantitation Limit.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

## Qualifier      Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
J7	Surrogate recovery cannot be used for control limit evaluation due to dilution.
V	The sample concentration is too high to evaluate accurate spike recoveries.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

- \* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
- \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

## State Accreditations

Alabama	40660
Alaska	17-026
Arizona	AZ0612
Arkansas	88-0469
California	2932
Colorado	TN00003
Connecticut	PH-0197
Florida	E87487
Georgia	NELAP
Georgia <sup>1</sup>	923
Idaho	TN00003
Illinois	200008
Indiana	C-TN-01
Iowa	364
Kansas	E-10277
Kentucky <sup>16</sup>	90010
Kentucky <sup>2</sup>	16
Louisiana	AI30792
Louisiana <sup>1</sup>	LA180010
Maine	TN0002
Maryland	324
Massachusetts	M-TN003
Michigan	9958
Minnesota	047-999-395
Mississippi	TN00003
Missouri	340
Montana	CERT0086

Nebraska	NE-OS-15-05
Nevada	TN-03-2002-34
New Hampshire	2975
New Jersey-NELAP	TN002
New Mexico <sup>1</sup>	n/a
New York	11742
North Carolina	Env375
North Carolina <sup>1</sup>	DW21704
North Carolina <sup>3</sup>	41
North Dakota	R-140
Ohio-VAP	CL0069
Oklahoma	9915
Oregon	TN200002
Pennsylvania	68-02979
Rhode Island	LA000356
South Carolina	84004
South Dakota	n/a
Tennessee <sup>14</sup>	2006
Texas	T 104704245-17-14
Texas <sup>5</sup>	LAB0152
Utah	TN00003
Vermont	VT2006
Virginia	460132
Washington	C847
West Virginia	233
Wisconsin	9980939910
Wyoming	A2LA

## Third Party Federal Accreditations

A2LA – ISO 17025	1461.01
A2LA – ISO 17025 <sup>5</sup>	1461.02
Canada	1461.01
EPA-Crypto	TN00003

AIHA-LAP,LLC EMLAP	100789
DOD	1461.01
USDA	P330-15-00234

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Sr
- <sup>6</sup> Qc
- <sup>7</sup> GI
- <sup>8</sup> AI
- <sup>9</sup> Sc

TRC Solutions - Austin, TX		Billing Information:		Analysis / Container / Preservative	
505 E. Huntland Drive, Suite 250 Austin, TX 78752		Accounts Payable 21 Griffin Road North Windsor, CT 06095		Pres Chk	
Report to: <b>Julie Speer</b>	Project Description: Lovington Lea Refinery	Email To: jspeer@trcsolutions.com			
Phone 512-684-3176 Fax:	Client Project # <b>294319.00000.00000 5</b>	City/State Collected:			
Collected by [print]:	Lan Project # <b>TRCATX-LOVINGTON NAV</b>	P.O. # <b>127674</b>	Quote #		
Immediately Packed on Ice N _____ Y _____	Rush? (Lab MUST Be Notified) Same Day Next Day Two Day Three Day	Five Day 5 Day (Rad Only) 10 Day (Rad Only)	Date Results Needed	No of Cntns	
Sample ID	Compl/Grab	Matrix *	Depth	2017	Time
ES-01	6	SS	9/25	1215	5 X X X
ES-02	1	SS		1220	5 X X X
DUP-01	1	SS		1222	5 X X X
ES-03	1	SS		1225	5 X X X
ES-04	1	SS		1230	5 X X X
ES-05	1	SS		1235	5 X X X
ES-06	1	SS		1240	5 X X X
ES-07	1	SS		1245	5 X X X
EF-01	1	SS		1250	5 X X X
EF-02	✓	SS		1250	5 X X X
Remarks: If Questions Arise Contact Jon R. O'Neal					
TRC (A18) 404-9413 RAD SCREEN: <0.5mR/hr					
Samples returned via: UPS ✓ FedEx Counter		Tracking #	4430 3429 1907	Trip Blank Received: Yes / No	
Relinquished by: (Signature) <i>J. O'Neal</i>		Date: 9/25/17	Received by: (Signature)	Temp: 24.4 °C	Bottles Received: 75
Relinquished by: (Signature)		Date: 9/26/18	Received for lab by: (Signature)	Date: 9/26/18	Hold: 900
Chain of Custody Page _____ of _____					
 <b>Page Analytical</b> Website: <a href="http://www.analytical.com">www.analytical.com</a> for testing & technology					
12065 Lebanon Rd Mount Juliet, TN 37122 Phone: 615-738-5858 Phone: 615-797-5859 Fax: 615-798-5859					
Acctnum: TRCATX Template: T141033 Prelogin: P673604 TSR: 526 - Chris McCord PB:					
Shipped Via: Remarks      Sample # (lab only)					
DRO/ORO 40zCL-Nopres CHLORIDE-300 40zCL-Nopres GRO,V8260BTEx 40ml/NaHSO4/Svr/MEOH					
COC Seal Present/Intact: <input checked="" type="checkbox"/> NP <input type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Inaccurate: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Correct bottle used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N If Applicable VOA Zero Readings: Preservation Correct/Checked: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N If preservation required by login: Date/Time					



# ANALYTICAL REPORT


February 05, 2019

## TRC Solutions - Austin, TX

Sample Delivery Group: L1064599  
Samples Received: 01/26/2019  
Project Number: 314537.0000  
Description: Tank 1206 Release

Report To: Julie Speer  
505 E. Huntland Dr, Ste 250  
Austin, TX 78752

Entire Report Reviewed By:



Chris McCord  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

# TABLE OF CONTENTS


ONE LAB. NATIONWIDE.



<b>Cp: Cover Page</b>	<b>1</b>	<b>1 Cp</b> <b>2 Tc</b> <b>3 Ss</b> <b>4 Cn</b> <b>5 Tr</b> <b>6 Sr</b> <b>7 Qc</b> <b>8 Gl</b> <b>9 Al</b> <b>10 Sc</b>
<b>Tc: Table of Contents</b>	<b>2</b>	
<b>Ss: Sample Summary</b>	<b>4</b>	
<b>Cn: Case Narrative</b>	<b>10</b>	
<b>Tr: TRRP Summary</b>	<b>11</b>	
<b>TRRP form R</b>	<b>12</b>	
<b>TRRP form S</b>	<b>13</b>	
<b>TRRP Exception Reports</b>	<b>14</b>	
<b>Sr: Sample Results</b>	<b>15</b>	
<b>TK1206-S-02 L1064599-01</b>	<b>15</b>	
<b>TK1206-S-03 L1064599-02</b>	<b>16</b>	
<b>TK1206-S-04 L1064599-03</b>	<b>17</b>	
<b>TK1206-S-05 L1064599-04</b>	<b>18</b>	
<b>TK1206-S-06 L1064599-05</b>	<b>19</b>	
<b>TK1206-S-07 L1064599-06</b>	<b>20</b>	
<b>TK1206-S-08 L1064599-07</b>	<b>21</b>	
<b>TK1206-S-09 L1064599-08</b>	<b>22</b>	
<b>TK1206-DUP-01 L1064599-09</b>	<b>23</b>	
<b>TK1206-DUP-02 L1064599-10</b>	<b>24</b>	
<b>TK1206-F-01 L1064599-11</b>	<b>25</b>	
<b>TK1206-F-02 L1064599-12</b>	<b>26</b>	
<b>TK1206-F-03 L1064599-13</b>	<b>27</b>	
<b>TK1206-F-04 L1064599-14</b>	<b>28</b>	
<b>TK1206-F-05 L1064599-15</b>	<b>29</b>	
<b>TK1206-F-05-COMP L1064599-16</b>	<b>30</b>	
<b>TK1206-F-06 L1064599-17</b>	<b>31</b>	
<b>TK1206-F-07 L1064599-18</b>	<b>32</b>	
<b>TK1206-F-08 L1064599-19</b>	<b>33</b>	
<b>TK1206-S-01 L1064599-20</b>	<b>34</b>	
<b>EF-1-R L1064599-21</b>	<b>35</b>	
<b>EF-2-R L1064599-22</b>	<b>36</b>	
<b>EF-3-R L1064599-23</b>	<b>37</b>	
<b>EF-4-R L1064599-24</b>	<b>38</b>	
<b>EF-5-R L1064599-25</b>	<b>39</b>	
<b>EF-6-R L1064599-26</b>	<b>40</b>	
<b>ES-1-R L1064599-27</b>	<b>41</b>	
<b>ES-5-R L1064599-28</b>	<b>42</b>	
<b>DUP-01 L1064599-29</b>	<b>43</b>	
<b>Qc: Quality Control Summary</b>	<b>44</b>	
<b>Total Solids by Method 2540 G-2011</b>	<b>44</b>	



<b>Wet Chemistry by Method 300.0</b>	<b>48</b>
<b>Volatile Organic Compounds (GC) by Method 8015D/GRO</b>	<b>49</b>
<b>Volatile Organic Compounds (GC/MS) by Method 8260B</b>	<b>52</b>
<b>Semi-Volatile Organic Compounds (GC) by Method 8015</b>	<b>58</b>
<b>Gl: Glossary of Terms</b>	<b>60</b>
<b>Al: Accreditations &amp; Locations</b>	<b>61</b>
<b>Sc: Sample Chain of Custody</b>	<b>62</b>



## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



			Collected by Jared Stoffel	Collected date/time 01/22/19 12:25	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230166	1	02/01/19 10:35	02/01/19 10:50	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 14:22	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	30.25	01/22/19 12:25	02/01/19 00:36	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1.21	01/22/19 12:25	01/29/19 15:30	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	100	01/29/19 08:22	01/30/19 16:36	MTJ
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/29/19 23:39	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:30	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 14:30	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 12:30	01/31/19 19:46	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 12:30	01/29/19 15:50	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/29/19 23:51	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:35	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 14:47	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 12:35	01/31/19 20:09	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 12:35	01/29/19 16:09	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 00:04	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:40	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 14:55	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	26	01/22/19 12:40	01/31/19 20:31	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1.04	01/22/19 12:40	01/29/19 16:29	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 21:49	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:45	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:04	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 12:45	01/31/19 20:53	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 12:45	01/29/19 16:49	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:02	TH

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



			Collected by Jared Stoffel	Collected date/time 01/22/19 12:50	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:29	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 12:50	01/31/19 21:15	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 12:50	01/29/19 17:09	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:14	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:55	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:38	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	26.75	01/22/19 12:55	01/31/19 21:37	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1.07	01/22/19 12:55	01/29/19 17:28	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:26	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 13:00	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:46	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 13:00	01/31/19 21:59	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	1	01/22/19 13:00	01/29/19 17:48	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 00:16	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 00:00	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 15:55	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	287.5	01/22/19 00:00	01/31/19 22:22	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229323	23	01/22/19 00:00	01/29/19 18:08	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	100	01/29/19 08:22	01/30/19 16:48	MTJ
			Collected by Jared Stoffel	Collected date/time 01/22/19 00:00	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 16:03	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 00:00	01/31/19 22:44	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1230243	2	01/22/19 00:00	02/03/19 16:52	JAH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:38	TH

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gi

9 Al

10 Sc

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



			Collected by Jared Stoffel	Collected date/time 01/22/19 11:35	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230167	1	02/01/19 10:23	02/01/19 10:32	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 16:29	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 11:35	01/31/19 23:07	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1	01/22/19 11:35	01/29/19 18:36	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 00:40	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 11:40	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 16:38	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	27	01/22/19 11:40	01/31/19 23:29	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1.08	01/22/19 11:40	01/29/19 18:55	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 01:19	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 11:45	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 16:46	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	32.75	01/22/19 11:45	01/31/19 23:51	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1.31	01/22/19 11:45	01/29/19 19:14	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 22:50	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 11:50	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:12	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230800	25	01/22/19 11:50	02/01/19 00:13	JAH
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1	01/22/19 11:50	01/29/19 19:33	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 23:03	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 11:55	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:20	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	28.75	01/22/19 11:55	02/01/19 11:59	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	2.3	01/22/19 11:55	01/29/19 19:52	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	100	01/29/19 08:22	01/30/19 17:00	MTJ

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gi

9 Al

10 Sc

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



			Collected by Jared Stoffel	Collected date/time 01/22/19 12:00	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:29	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	27.75	01/22/19 12:00	02/01/19 12:21	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1.11	01/22/19 12:00	01/29/19 20:11	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 01:59	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:05	Received date/time 01/26/19 08:00
TK1206-F-06 L1064599-17 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:37	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	25	01/22/19 12:05	02/01/19 12:44	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229328	1	01/22/19 12:05	01/29/19 20:30	JHH
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	10	01/29/19 08:22	01/29/19 23:15	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:10	Received date/time 01/26/19 08:00
TK1206-F-07 L1064599-18 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:46	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	26.75	01/22/19 12:15	02/01/19 13:06	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229378	1.07	01/22/19 12:15	01/28/19 19:52	ACG
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	100	01/29/19 08:22	01/30/19 17:13	MTJ
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	20	01/29/19 08:22	01/30/19 02:11	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:15	Received date/time 01/26/19 08:00
TK1206-F-08 L1064599-19 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 17:54	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	25	01/22/19 12:20	02/01/19 13:28	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229959	1	01/22/19 12:20	01/30/19 21:58	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229063	5	01/29/19 08:22	01/29/19 23:27	TH
			Collected by Jared Stoffel	Collected date/time 01/22/19 12:20	Received date/time 01/26/19 08:00
TK1206-S-01 L1064599-20 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Wet Chemistry by Method 300.0	WG1228893	1	02/02/19 10:00	02/02/19 18:03	MCG
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1231258	25	01/22/19 12:20	02/01/19 13:50	ACG
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1229959	1	01/22/19 12:20	01/30/19 22:18	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	200	01/30/19 09:19	01/30/19 23:18	TH

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



			Collected by Jared Stoffel	Collected date/time 01/24/19 11:00	Received date/time 01/26/19 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230171	1	01/30/19 14:59	01/30/19 15:12	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	27	01/24/19 11:00	01/31/19 06:25	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	1	01/30/19 09:19	01/30/19 20:41	TH
			Collected by Jared Stoffel	Collected date/time 01/24/19 11:05	Received date/time 01/26/19 08:00
EF-2-R L1064599-22 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25.5	01/24/19 11:05	01/31/19 03:28	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	10	01/30/19 09:19	01/30/19 22:30	TH
			Collected by Jared Stoffel	Collected date/time 01/24/19 11:10	Received date/time 01/26/19 08:00
EF-3-R L1064599-23 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25	01/24/19 11:10	01/31/19 03:50	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	50	01/30/19 09:19	01/30/19 22:42	TH
			Collected by Jared Stoffel	Collected date/time 01/24/19 11:15	Received date/time 01/26/19 08:00
EF-4-R L1064599-24 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25	01/24/19 11:15	01/31/19 04:12	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	1	01/30/19 09:19	01/30/19 22:18	TH
			Collected by Jared Stoffel	Collected date/time 01/24/19 11:20	Received date/time 01/26/19 08:00
EF-5-R L1064599-25 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25.5	01/24/19 11:20	01/31/19 04:34	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	2	01/30/19 09:19	01/30/19 21:41	TH
			Collected by Jared Stoffel	Collected date/time 01/24/19 11:25	Received date/time 01/26/19 08:00
EF-6-R L1064599-26 Solid					
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25.75	01/24/19 11:25	01/31/19 04:56	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	1	01/30/19 09:19	01/30/19 21:53	TH

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gi

9 Al

10 Sc

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



ES-1-R L1064599-27 Solid

Collected by  
Jared Stoffel  
01/24/19 11:30  
Received date/time  
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25.25	01/24/19 11:30	01/31/19 05:19	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	100	01/30/19 09:19	01/30/19 22:54	TH

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gi

9 Al

10 Sc

ES-5-R L1064599-28 Solid

Collected by  
Jared Stoffel  
01/24/19 11:35  
Received date/time  
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	27.25	01/24/19 11:35	01/31/19 05:41	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	1	01/30/19 09:19	01/31/19 00:56	TH

DUP-01 L1064599-29 Solid

Collected by  
Jared Stoffel  
01/24/19 00:00  
Received date/time  
01/26/19 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Total Solids by Method 2540 G-2011	WG1230174	1	01/30/19 14:04	01/30/19 14:21	JD
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1230598	25	01/24/19 00:00	01/31/19 06:03	DWR
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1229062	100	01/30/19 09:19	01/30/19 23:06	TH



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris McCord  
Project Manager

- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Tr
- <sup>6</sup> Sr
- <sup>7</sup> Qc
- <sup>8</sup> GI
- <sup>9</sup> AI
- <sup>10</sup> Sc



This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

R1 - Field chain-of-custody documentation;

R2 - Sample identification cross-reference;

R3 - Test reports (analytical data sheets) for each environmental sample that includes:

- a. Items consistent with NELAC Chapter 5,
- b. dilution factors,
- c. preparation methods,
- d. cleanup methods, and
- e. if required for the project, tentatively identified compounds (TICs).

R4 - Surrogate recovery data including:

- a. Calculated recovery (%R), and
- b. The laboratory's surrogate QC limits.

R5 - Test reports/summary forms for blank samples;

R6 - Test reports/summary forms for laboratory control samples (LCSs) including:

- a. LCS spiking amounts,
- b. Calculated %R for each analyte, and
- c. The laboratory's LCS QC limits.

R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:

- a. Samples associated with the MS/MSD clearly identified,
- b. MS/MSD spiking amounts,
- c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
- d. Calculated %Rs and relative percent differences (RPDs), and
- e. The laboratory's MS/MSD QC limits

R8 - Laboratory analytical duplicate (if applicable) recovery and precision:

- a. The amount of analyte measured in the duplicate,
- b. The calculated RPD, and
- c. The laboratory's QC limits for analytical duplicates.

R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.

R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Chris McCord  
Project Manager

## Laboratory Review Checklist: Reportable Data

ONE LAB. NATIONWIDE.



Laboratory Name: ESC Lab Sciences			LRC Date: 02/05/2019 16:18				
Project Name: Tank 1206 Release			Laboratory Job Number: L1064599-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 and 29				
Reviewer Name: Chris McCord			Prep Batch Number(s): WG1229328, WG1229323, WG1229063, WG1229959, WG1230174, WG1229062, WG1230171, WG1230598, WG1230800, WG1231258, WG1229378, WG1230167, WG1230166, WG1230243 and WG1228893				
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?		X			
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?	X				
		If required for the project, are TICs reported?		X			
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?		X			2
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?		X			3
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

- Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
- O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
- NA = Not applicable;
- NR = Not reviewed;
- ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

## Laboratory Review Checklist: Supporting Data

ONE LAB. NATIONWIDE.



Laboratory Name: ESC Lab Sciences		LRC Date: 02/05/2019 16:18					
Project Name: Tank 1206 Release		Laboratory Job Number: L1064599-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 and 29					
Reviewer Name: Chris McCord		Prep Batch Number(s): WG1229328, WG1229323, WG1229063, WG1229959, WG1230174, WG1229062, WG1230171, WG1230598, WG1230800, WG1231258, WG1229378, WG1230167, WG1230166, WG1230243 and WG1228893					
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?	X				
S3	O	Mass spectral tuning					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?				X	
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?				X	
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?				X	
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?				X	
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
3. NA = Not applicable;
4. NR = Not reviewed;
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).



Laboratory Name: ESC Lab Sciences	LRC Date: 02/05/2019 16:18
Project Name: Tank 1206 Release	Laboratory Job Number: L1064599-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 and 29
Reviewer Name: Chris McCord	Prep Batch Number(s): WG1229328, WG1229323, WG1229063, WG1229959, WG1230174, WG1229062, WG1230171, WG1230598, WG1230800, WG1231258, WG1229378, WG1230167, WG1230166, WG1230243 and WG1228893
ER # <sup>1</sup>	Description
1	8015 WG1229062 o-Terphenyl L1064599-20, 23, 27 and 29: Percent Recovery is outside of established control limits. 8015 WG1229063 o-Terphenyl L1064599-01, 02, 03, 08, 09, 11, 12, 15, 16 and 18: Percent Recovery is outside of established control limits.
2	8260B WG1229323 Toluene, Xylenes, Total: Relative Percent Difference is outside of established control limits. 8260B WG1229378 Benzene, Ethylbenzene, Toluene: Relative Percent Difference is outside of established control limits.
3	300.0 WG1228893 Chloride: Relative Percent Difference is outside of established control limits.

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.  
 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);  
 3. NA = Not applicable;  
 4. NR = Not reviewed;  
 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	94.3		1	02/01/2019 10:50	<a href="#">WG1230166</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	11.6		0.843	10.0	10.6	1	02/02/2019 14:22	<a href="#">WG1228893</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.696	0.100	3.21	30.25	02/01/2019 00:36	<a href="#">WG1230800</a>
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		02/01/2019 00:36	<a href="#">WG1230800</a>

<sup>6</sup> Sr

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.000705	J	0.000513	0.00100	0.00128	1.21	01/29/2019 15:30	<a href="#">WG1229323</a>
Toluene	0.00413	J	0.00160	0.00500	0.00641	1.21	01/29/2019 15:30	<a href="#">WG1229323</a>
Ethylbenzene	0.00800		0.000680	0.00250	0.00321	1.21	01/29/2019 15:30	<a href="#">WG1229323</a>
Total Xylenes	0.0298		0.00613	0.00650	0.00834	1.21	01/29/2019 15:30	<a href="#">WG1229323</a>
(S) Toluene-d8	117				75.0-131		01/29/2019 15:30	<a href="#">WG1229323</a>
(S) Dibromofluoromethane	97.6				65.0-129		01/29/2019 15:30	<a href="#">WG1229323</a>
(S) a,a,a-Trifluorotoluene	82.9				80.0-120		01/29/2019 15:30	<a href="#">WG1229323</a>
(S) 4-Bromofluorobenzene	98.9				67.0-138		01/29/2019 15:30	<a href="#">WG1229323</a>

<sup>10</sup> Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	10400		171	4.00	424	100	01/30/2019 16:36	<a href="#">WG1229063</a>
C28-C40 Oil Range	5570		5.81	4.00	84.8	20	01/29/2019 23:39	<a href="#">WG1229063</a>
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 16:36	<a href="#">WG1229063</a>
(S) o-Terphenyl	914	J7			18.0-148		01/29/2019 23:39	<a href="#">WG1229063</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
Total Solids	92.5		1	02/01/2019 10:32	<a href="#">WG1230167</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
Chloride	10.2	J P1	0.860	10.0	10.8	1	02/02/2019 14:30	<a href="#">WG1228893</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">5</span> Tr
TPH (GC/FID) Low Fraction	U		0.586	0.100	2.70	25	01/31/2019 19:46	<a href="#">WG1230800</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">6</span> Sr
(S) a,a,a-Trifluorotoluene(FID)	103				77.0-120		01/31/2019 19:46	<a href="#">WG1230800</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">7</span> Qc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">8</span> Gl
Benzene	U		0.000432	0.00100	0.00108	1	01/29/2019 15:50	<a href="#">WG1229323</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">9</span> Al
Toluene	0.00214	J	0.00135	0.00500	0.00541	1	01/29/2019 15:50	<a href="#">WG1229323</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">10</span> Sc
Ethylbenzene	0.00201	J	0.000573	0.00250	0.00270	1	01/29/2019 15:50	<a href="#">WG1229323</a>	
Total Xylenes	U		0.00517	0.00650	0.00703	1	01/29/2019 15:50	<a href="#">WG1229323</a>	
(S) Toluene-d8	114			75.0-131			01/29/2019 15:50	<a href="#">WG1229323</a>	
(S) Dibromofluoromethane	97.1			65.0-129			01/29/2019 15:50	<a href="#">WG1229323</a>	
(S) a,a,a-Trifluorotoluene	85.2			80.0-120			01/29/2019 15:50	<a href="#">WG1229323</a>	
(S) 4-Bromofluorobenzene	102			67.0-138			01/29/2019 15:50	<a href="#">WG1229323</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
C10-C28 Diesel Range	2800		34.8	4.00	86.5	20	01/29/2019 23:51	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc
C28-C40 Oil Range	1900		5.92	4.00	86.5	20	01/29/2019 23:51	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
(S) o-Terphenyl	246	J7			18.0-148		01/29/2019 23:51	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
Total Solids	96.1		1	02/01/2019 10:32	<a href="#">WG1230167</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
Chloride	12.0		0.828	10.0	10.4	1	02/02/2019 14:47	<a href="#">WG1228893</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">5</span> Tr
TPH (GC/FID) Low Fraction	U		0.565	0.100	2.60	25	01/31/2019 20:09	<a href="#">WG1230800</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">6</span> Sr
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	103				77.0-120		01/31/2019 20:09	<a href="#">WG1230800</a>	<span style="border: 1px solid green; border-radius: 50%; padding: 2px;">7</span> Qc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">8</span> Gl
Benzene	U		0.000416	0.00100	0.00104	1	01/29/2019 16:09	<a href="#">WG1229323</a>	<span style="border: 1px solid blue; border-radius: 50%; padding: 2px;">9</span> Al
Toluene	0.00268	J	0.00130	0.00500	0.00521	1	01/29/2019 16:09	<a href="#">WG1229323</a>	
Ethylbenzene	0.00152	J	0.000552	0.00250	0.00260	1	01/29/2019 16:09	<a href="#">WG1229323</a>	
Total Xylenes	U		0.00498	0.00650	0.00677	1	01/29/2019 16:09	<a href="#">WG1229323</a>	<span style="border: 1px solid blue; border-radius: 50%; padding: 2px;">10</span> Sc
(S) Toluene-d8	118			75.0-131			01/29/2019 16:09	<a href="#">WG1229323</a>	
(S) Dibromofluoromethane	97.7			65.0-129			01/29/2019 16:09	<a href="#">WG1229323</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	83.9			80.0-120			01/29/2019 16:09	<a href="#">WG1229323</a>	
(S) 4-Bromofluorobenzene	99.4			67.0-138			01/29/2019 16:09	<a href="#">WG1229323</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	
C10-C28 Diesel Range	1790		33.5	4.00	83.3	20	01/30/2019 00:04	<a href="#">WG1229063</a>	
C28-C40 Oil Range	1460		5.71	4.00	83.3	20	01/30/2019 00:04	<a href="#">WG1229063</a>	
(S) <i>o</i> -Terphenyl	168	J7			18.0-148		01/30/2019 00:04	<a href="#">WG1229063</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Total Solids	94.1		1	02/01/2019 10:32	<a href="#">WG1230167</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Chloride	21.1		0.845	10.0	10.6	1	02/02/2019 14:55	<a href="#">WG1228893</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
TPH (GC/FID) Low Fraction	U		0.599	0.100	2.76	26	01/31/2019 20:31	<a href="#">WG1230800</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	104				77.0-120		01/31/2019 20:31	<a href="#">WG1230800</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Benzene	U		0.000442	0.00100	0.00110	1.04	01/29/2019 16:29	<a href="#">WG1229323</a>	
Toluene	0.00163	J	0.00138	0.00500	0.00552	1.04	01/29/2019 16:29	<a href="#">WG1229323</a>	
Ethylbenzene	0.00226	J	0.000586	0.00250	0.00276	1.04	01/29/2019 16:29	<a href="#">WG1229323</a>	
Total Xylenes	U		0.00528	0.00650	0.00718	1.04	01/29/2019 16:29	<a href="#">WG1229323</a>	
(S) <i>Toluene-d8</i>	118			75.0-131			01/29/2019 16:29	<a href="#">WG1229323</a>	
(S) <i>Dibromofluoromethane</i>	94.5			65.0-129			01/29/2019 16:29	<a href="#">WG1229323</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	84.2			80.0-120			01/29/2019 16:29	<a href="#">WG1229323</a>	
(S) <i>4-Bromofluorobenzene</i>	96.8			67.0-138			01/29/2019 16:29	<a href="#">WG1229323</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
C10-C28 Diesel Range	969		17.1	4.00	42.5	10	01/29/2019 21:49	<a href="#">WG1229063</a>	
C28-C40 Oil Range	727		2.91	4.00	42.5	10	01/29/2019 21:49	<a href="#">WG1229063</a>	
(S) <i>o-Terphenyl</i>	104			18.0-148			01/29/2019 21:49	<a href="#">WG1229063</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Total Solids	97.5		1	02/01/2019 10:32	<a href="#">WG1230167</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Chloride	10.3		0.816	10.0	10.3	1	02/02/2019 15:04	<a href="#">WG1228893</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
TPH (GC/FID) Low Fraction	U		0.556	0.100	2.56	25	01/31/2019 20:53	<a href="#">WG1230800</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	104				77.0-120		01/31/2019 20:53	<a href="#">WG1230800</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Benzene	U		0.000410	0.00100	0.00103	1	01/29/2019 16:49	<a href="#">WG1229323</a>	
Toluene	0.00270	J	0.00128	0.00500	0.00513	1	01/29/2019 16:49	<a href="#">WG1229323</a>	
Ethylbenzene	0.00426		0.000544	0.00250	0.00256	1	01/29/2019 16:49	<a href="#">WG1229323</a>	
Total Xylenes	0.00937		0.00490	0.00650	0.00667	1	01/29/2019 16:49	<a href="#">WG1229323</a>	
(S) <i>Toluene-d</i> 8	118			75.0-131			01/29/2019 16:49	<a href="#">WG1229323</a>	
(S) <i>Dibromofluoromethane</i>	95.9			65.0-129			01/29/2019 16:49	<a href="#">WG1229323</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	84.7			80.0-120			01/29/2019 16:49	<a href="#">WG1229323</a>	
(S) <i>4-Bromofluorobenzene</i>	107			67.0-138			01/29/2019 16:49	<a href="#">WG1229323</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
C10-C28 Diesel Range	1050		16.5	4.00	41.0	10	01/29/2019 22:02	<a href="#">WG1229063</a>	
C28-C40 Oil Range	759		2.81	4.00	41.0	10	01/29/2019 22:02	<a href="#">WG1229063</a>	
(S) <i>o-Terphenyl</i>	112			18.0-148			01/29/2019 22:02	<a href="#">WG1229063</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	96.6		1	02/01/2019 10:32	<a href="#">WG1230167</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	7.56	J	0.823	10.0	10.4	1	02/02/2019 15:29	<a href="#">WG1228893</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.562	0.100	2.59	25	01/31/2019 21:15	<a href="#">WG1230800</a>
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 21:15	<a href="#">WG1230800</a>

<sup>6</sup> Sr<sup>7</sup> Qc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.000414	0.00100	0.00104	1	01/29/2019 17:09	<a href="#">WG1229323</a>
Toluene	0.00184	J	0.00129	0.00500	0.00518	1	01/29/2019 17:09	<a href="#">WG1229323</a>
Ethylbenzene	0.00169	J	0.000549	0.00250	0.00259	1	01/29/2019 17:09	<a href="#">WG1229323</a>
Total Xylenes	U		0.00495	0.00650	0.00673	1	01/29/2019 17:09	<a href="#">WG1229323</a>
(S) Toluene-d8	116			75.0-131			01/29/2019 17:09	<a href="#">WG1229323</a>
(S) Dibromofluoromethane	93.6			65.0-129			01/29/2019 17:09	<a href="#">WG1229323</a>
(S) a,a,a-Trifluorotoluene	82.5			80.0-120			01/29/2019 17:09	<a href="#">WG1229323</a>
(S) 4-Bromofluorobenzene	107			67.0-138			01/29/2019 17:09	<a href="#">WG1229323</a>

<sup>10</sup> Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	1120		16.7	4.00	41.4	10	01/29/2019 22:14	<a href="#">WG1229063</a>
C28-C40 Oil Range	837		2.84	4.00	41.4	10	01/29/2019 22:14	<a href="#">WG1229063</a>
(S) o-Terphenyl	115			18.0-148			01/29/2019 22:14	<a href="#">WG1229063</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Total Solids	95.2		1	02/01/2019 10:32	<a href="#">WG1230167</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Chloride	5.87	J	0.835	10.0	10.5	1	02/02/2019 15:38	<a href="#">WG1228893</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
TPH (GC/FID) Low Fraction	U		0.610	0.100	2.81	26.75	01/31/2019 21:37	<a href="#">WG1230800</a>	
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 21:37	<a href="#">WG1230800</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Benzene	U		0.000450	0.00100	0.00112	1.07	01/29/2019 17:28	<a href="#">WG1229323</a>	
Toluene	0.00171	J	0.00141	0.00500	0.00562	1.07	01/29/2019 17:28	<a href="#">WG1229323</a>	
Ethylbenzene	0.000956	J	0.000596	0.00250	0.00281	1.07	01/29/2019 17:28	<a href="#">WG1229323</a>	
Total Xylenes	U		0.00537	0.00650	0.00731	1.07	01/29/2019 17:28	<a href="#">WG1229323</a>	
(S) Toluene-d8	117			75.0-131			01/29/2019 17:28	<a href="#">WG1229323</a>	
(S) Dibromofluoromethane	95.5			65.0-129			01/29/2019 17:28	<a href="#">WG1229323</a>	
(S) a,a,a-Trifluorotoluene	84.4			80.0-120			01/29/2019 17:28	<a href="#">WG1229323</a>	
(S) 4-Bromofluorobenzene	98.3			67.0-138			01/29/2019 17:28	<a href="#">WG1229323</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
C10-C28 Diesel Range	215		16.9	4.00	42.0	10	01/29/2019 22:26	<a href="#">WG1229063</a>	
C28-C40 Oil Range	216		2.88	4.00	42.0	10	01/29/2019 22:26	<a href="#">WG1229063</a>	
(S) o-Terphenyl	67.7			18.0-148			01/29/2019 22:26	<a href="#">WG1229063</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	93.0		1	02/01/2019 10:32	<a href="#">WG1230167</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	7.21	J	0.855	10.0	10.8	1	02/02/2019 15:46	<a href="#">WG1228893</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.584	0.100	2.69	25	01/31/2019 21:59	<a href="#">WG1230800</a>
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 21:59	<a href="#">WG1230800</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.000430	0.00100	0.00108	1	01/29/2019 17:48	<a href="#">WG1229323</a>
Toluene	U		0.00134	0.00500	0.00538	1	01/29/2019 17:48	<a href="#">WG1229323</a>
Ethylbenzene	0.00121	J	0.000570	0.00250	0.00269	1	01/29/2019 17:48	<a href="#">WG1229323</a>
Total Xylenes	U		0.00514	0.00650	0.00699	1	01/29/2019 17:48	<a href="#">WG1229323</a>
(S) Toluene-d8	118				75.0-131		01/29/2019 17:48	<a href="#">WG1229323</a>
(S) Dibromofluoromethane	92.6				65.0-129		01/29/2019 17:48	<a href="#">WG1229323</a>
(S) a,a,a-Trifluorotoluene	84.2				80.0-120		01/29/2019 17:48	<a href="#">WG1229323</a>
(S) 4-Bromofluorobenzene	102				67.0-138		01/29/2019 17:48	<a href="#">WG1229323</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	794		34.6	4.00	86.0	20	01/30/2019 00:16	<a href="#">WG1229063</a>
C28-C40 Oil Range	689		5.89	4.00	86.0	20	01/30/2019 00:16	<a href="#">WG1229063</a>
(S) o-Terphenyl	112	J7			18.0-148		01/30/2019 00:16	<a href="#">WG1229063</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Total Solids	91.7		1	02/01/2019 10:32	<a href="#">WG1230167</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Chloride	10.1	J	0.867	10.0	10.9	1	02/02/2019 15:55	<a href="#">WG1228893</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
TPH (GC/FID) Low Fraction	164		6.81	0.100	31.4	287.5	01/31/2019 22:22	<a href="#">WG1230800</a>	
(S) a,a,a-Trifluorotoluene(FID)	101				77.0-120		01/31/2019 22:22	<a href="#">WG1230800</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Benzene	0.327		0.0100	0.00100	0.0251	23	01/29/2019 18:08	<a href="#">WG1229323</a>	
Toluene	4.11		0.0314	0.00500	0.125	23	01/29/2019 18:08	<a href="#">WG1229323</a>	
Ethylbenzene	3.77		0.0133	0.00250	0.0627	23	01/29/2019 18:08	<a href="#">WG1229323</a>	
Total Xylenes	6.72		0.120	0.00650	0.163	23	01/29/2019 18:08	<a href="#">WG1229323</a>	
(S) Toluene-d8	113			75.0-131			01/29/2019 18:08	<a href="#">WG1229323</a>	
(S) Dibromofluoromethane	107			65.0-129			01/29/2019 18:08	<a href="#">WG1229323</a>	
(S) a,a,a-Trifluorotoluene	87.1			80.0-120			01/29/2019 18:08	<a href="#">WG1229323</a>	
(S) 4-Bromofluorobenzene	105			67.0-138			01/29/2019 18:08	<a href="#">WG1229323</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
C10-C28 Diesel Range	20800		176	4.00	436	100	01/30/2019 16:48	<a href="#">WG1229063</a>	
C28-C40 Oil Range	13700		29.9	4.00	436	100	01/30/2019 16:48	<a href="#">WG1229063</a>	
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 16:48	<a href="#">WG1229063</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	96.4		1	02/01/2019 10:32	<a href="#">WG1230167</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	5.81	J	0.825	10.0	10.4	1	02/02/2019 16:03	<a href="#">WG1228893</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.563	0.100	2.59	25	01/31/2019 22:44	<a href="#">WG1230800</a>
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		01/31/2019 22:44	<a href="#">WG1230800</a>

<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.000830	0.00100	0.00207	2	02/03/2019 16:52	<a href="#">WG1230243</a>
Toluene	0.0116		0.00259	0.00500	0.0104	2	02/03/2019 16:52	<a href="#">WG1230243</a>
Ethylbenzene	0.00290	J	0.00110	0.00250	0.00519	2	02/03/2019 16:52	<a href="#">WG1230243</a>
Total Xylenes	U		0.00992	0.00650	0.0135	2	02/03/2019 16:52	<a href="#">WG1230243</a>
(S) Toluene-d8	108				75.0-131		02/03/2019 16:52	<a href="#">WG1230243</a>
(S) Dibromofluoromethane	86.5				65.0-129		02/03/2019 16:52	<a href="#">WG1230243</a>
(S) a,a,a-Trifluorotoluene	104				80.0-120		02/03/2019 16:52	<a href="#">WG1230243</a>
(S) 4-Bromofluorobenzene	99.4				67.0-138		02/03/2019 16:52	<a href="#">WG1230243</a>

<sup>9</sup> Al<sup>10</sup> Sc

## Sample Narrative:

L1064599-10 WG1230243: Lowest possible dilution due to sample matrix.

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	808		16.7	4.00	41.5	10	01/29/2019 22:38	<a href="#">WG1229063</a>
C28-C40 Oil Range	561		2.84	4.00	41.5	10	01/29/2019 22:38	<a href="#">WG1229063</a>
(S) o-Terphenyl	119				18.0-148		01/29/2019 22:38	<a href="#">WG1229063</a>

TK1206-F-01

Collected date/time: 01/22/19 11:35

## SAMPLE RESULTS - 11

L1064599

ONE LAB. NATIONWIDE.



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Total Solids	94.2		1	02/01/2019 10:32	<a href="#">WG1230167</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Chloride	14.4		0.844	10.0	10.6	1	02/02/2019 16:29	<a href="#">WG1228893</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
TPH (GC/FID) Low Fraction	U		0.576	0.100	2.65	25	01/31/2019 23:07	<a href="#">WG1230800</a>	
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	104				77.0-120		01/31/2019 23:07	<a href="#">WG1230800</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
Benzene	U		0.000424	0.00100	0.00106	1	01/29/2019 18:36	<a href="#">WG1229328</a>	
Toluene	0.00397	J	0.00133	0.00500	0.00531	1	01/29/2019 18:36	<a href="#">WG1229328</a>	
Ethylbenzene	0.00465		0.000562	0.00250	0.00265	1	01/29/2019 18:36	<a href="#">WG1229328</a>	
Total Xylenes	0.0482		0.00507	0.00650	0.00690	1	01/29/2019 18:36	<a href="#">WG1229328</a>	
(S) <i>Toluene-d8</i>	106			75.0-131			01/29/2019 18:36	<a href="#">WG1229328</a>	
(S) <i>Dibromofluoromethane</i>	84.1			65.0-129			01/29/2019 18:36	<a href="#">WG1229328</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	101			80.0-120			01/29/2019 18:36	<a href="#">WG1229328</a>	
(S) 4-Bromofluorobenzene	103			67.0-138			01/29/2019 18:36	<a href="#">WG1229328</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: black;">10 Sc</span>
C10-C28 Diesel Range	6510		34.2	4.00	84.9	20	01/30/2019 00:40	<a href="#">WG1229063</a>	
C28-C40 Oil Range	4110		5.81	4.00	84.9	20	01/30/2019 00:40	<a href="#">WG1229063</a>	
(S) <i>o-Terphenyl</i>	791	J7			18.0-148		01/30/2019 00:40	<a href="#">WG1229063</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Total Solids	95.2		1	01/30/2019 15:12	<a href="#">WG1230171</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Chloride	8.32	J	0.836	10.0	10.5	1	02/02/2019 16:38	<a href="#">WG1228893</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
TPH (GC/FID) Low Fraction	U		0.616	0.100	2.84	27	01/31/2019 23:29	<a href="#">WG1230800</a>	
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		01/31/2019 23:29	<a href="#">WG1230800</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Benzene	U		0.000454	0.00100	0.00113	1.08	01/29/2019 18:55	<a href="#">WG1229328</a>	
Toluene	0.00416	J	0.00142	0.00500	0.00567	1.08	01/29/2019 18:55	<a href="#">WG1229328</a>	
Ethylbenzene	0.00352		0.000602	0.00250	0.00284	1.08	01/29/2019 18:55	<a href="#">WG1229328</a>	
Total Xylenes	0.00859		0.00543	0.00650	0.00738	1.08	01/29/2019 18:55	<a href="#">WG1229328</a>	
(S) Toluene-d8	111				75.0-131		01/29/2019 18:55	<a href="#">WG1229328</a>	
(S) Dibromofluoromethane	81.2				65.0-129		01/29/2019 18:55	<a href="#">WG1229328</a>	
(S) a,a,a-Trifluorotoluene	103				80.0-120		01/29/2019 18:55	<a href="#">WG1229328</a>	
(S) 4-Bromofluorobenzene	104				67.0-138		01/29/2019 18:55	<a href="#">WG1229328</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: blue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: lightblue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
C10-C28 Diesel Range	49.5	J	33.8	4.00	84.1	20	01/30/2019 01:19	<a href="#">WG1229063</a>	
C28-C40 Oil Range	139		5.76	4.00	84.1	20	01/30/2019 01:19	<a href="#">WG1229063</a>	
(S) o-Terphenyl	73.0	J7			18.0-148		01/30/2019 01:19	<a href="#">WG1229063</a>	

## Sample Narrative:

L1064599-12 WG1229063: Cannot run at lower dilution due to viscosity of extract



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
Total Solids	92.1		1	01/30/2019 15:12	<a href="#">WG1230171</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
Chloride	6.25	J	0.863	10.0	10.9	1	02/02/2019 16:46	<a href="#">WG1228893</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">5</span> Tr
TPH (GC/FID) Low Fraction	U		0.772	0.100	3.56	32.75	01/31/2019 23:51	<a href="#">WG1230800</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">6</span> Sr
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		01/31/2019 23:51	<a href="#">WG1230800</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">7</span> Qc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">8</span> Gl
Benzene	0.00222		0.000569	0.00100	0.00142	1.31	01/29/2019 19:14	<a href="#">WG1229328</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">9</span> Al
Toluene	0.0469		0.00178	0.00500	0.00711	1.31	01/29/2019 19:14	<a href="#">WG1229328</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">10</span> Sc
Ethylbenzene	0.00920		0.000754	0.00250	0.00356	1.31	01/29/2019 19:14	<a href="#">WG1229328</a>	
Total Xylenes	0.0354		0.00680	0.00650	0.00925	1.31	01/29/2019 19:14	<a href="#">WG1229328</a>	
(S) Toluene-d8	111				75.0-131		01/29/2019 19:14	<a href="#">WG1229328</a>	
(S) Dibromofluoromethane	82.3				65.0-129		01/29/2019 19:14	<a href="#">WG1229328</a>	
(S) a,a,a-Trifluorotoluene	101				80.0-120		01/29/2019 19:14	<a href="#">WG1229328</a>	
(S) 4-Bromofluorobenzene	99.3				67.0-138		01/29/2019 19:14	<a href="#">WG1229328</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
C10-C28 Diesel Range	530		17.5	4.00	43.4	10	01/29/2019 22:50	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc
C28-C40 Oil Range	431		2.98	4.00	43.4	10	01/29/2019 22:50	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
(S) o-Terphenyl	71.4				18.0-148		01/29/2019 22:50	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	88.3		1	01/30/2019 15:12	<a href="#">WG1230171</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	4.32	J	0.900	10.0	11.3	1	02/02/2019 17:12	<a href="#">WG1228893</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.614	0.100	2.83	25	02/01/2019 00:13	<a href="#">WG1230800</a>
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		02/01/2019 00:13	<a href="#">WG1230800</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.000453	0.00100	0.00113	1	01/29/2019 19:33	<a href="#">WG1229328</a>
Toluene	0.00188	J	0.00142	0.00500	0.00566	1	01/29/2019 19:33	<a href="#">WG1229328</a>
Ethylbenzene	0.000636	J	0.000600	0.00250	0.00283	1	01/29/2019 19:33	<a href="#">WG1229328</a>
Total Xylenes	U		0.00541	0.00650	0.00736	1	01/29/2019 19:33	<a href="#">WG1229328</a>
(S) Toluene-d8	108			75.0-131			01/29/2019 19:33	<a href="#">WG1229328</a>
(S) Dibromofluoromethane	76.8			65.0-129			01/29/2019 19:33	<a href="#">WG1229328</a>
(S) a,a,a-Trifluorotoluene	102			80.0-120			01/29/2019 19:33	<a href="#">WG1229328</a>
(S) 4-Bromofluorobenzene	104			67.0-138			01/29/2019 19:33	<a href="#">WG1229328</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	3110		18.2	4.00	45.3	10	01/29/2019 23:03	<a href="#">WG1229063</a>
C28-C40 Oil Range	1890		3.10	4.00	45.3	10	01/29/2019 23:03	<a href="#">WG1229063</a>
(S) o-Terphenyl	69.6			18.0-148			01/29/2019 23:03	<a href="#">WG1229063</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
Total Solids	93.0		1	01/30/2019 15:12	<a href="#">WG1230171</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
Chloride	13.8		0.855	10.0	10.8	1	02/02/2019 17:20	<a href="#">WG1228893</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">5</span> Tr
TPH (GC/FID) Low Fraction	188		0.671	0.100	3.09	28.75	02/01/2019 11:59	<a href="#">WG1231258</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">6</span> Sr
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	100				77.0-120		02/01/2019 11:59	<a href="#">WG1231258</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">7</span> Qc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">8</span> Gl
Benzene	0.283		0.000990	0.00100	0.00247	2.3	01/29/2019 19:52	<a href="#">WG1229328</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">9</span> Al
Toluene	3.30		0.00309	0.00500	0.0124	2.3	01/29/2019 19:52	<a href="#">WG1229328</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">10</span> Sc
Ethylbenzene	3.68		0.00131	0.00250	0.00618	2.3	01/29/2019 19:52	<a href="#">WG1229328</a>	
Total Xylenes	5.38		0.0118	0.00650	0.0161	2.3	01/29/2019 19:52	<a href="#">WG1229328</a>	
(S) <i>Toluene-d</i> 8	110				75.0-131		01/29/2019 19:52	<a href="#">WG1229328</a>	
(S) <i>Dibromofluoromethane</i>	92.4				65.0-129		01/29/2019 19:52	<a href="#">WG1229328</a>	
(S) <i>a,a,a</i> -Trifluorotoluene	103				80.0-120		01/29/2019 19:52	<a href="#">WG1229328</a>	
(S) <i>4-Bromofluorobenzene</i>	110				67.0-138		01/29/2019 19:52	<a href="#">WG1229328</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
C10-C28 Diesel Range	19800		173	4.00	430	100	01/30/2019 17:00	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc
C28-C40 Oil Range	13100		29.5	4.00	430	100	01/30/2019 17:00	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
(S) <i>o-Terphenyl</i>	0.000	J7			18.0-148		01/30/2019 17:00	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	95.3		1	01/30/2019 15:12	<a href="#">WG1230171</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	7.27	J	0.834	10.0	10.5	1	02/02/2019 17:29	<a href="#">WG1228893</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	24.2		0.632	0.100	2.91	27.75	02/01/2019 12:21	<a href="#">WG1231258</a>
(S) a,a,a-Trifluorotoluene(FID)	100				77.0-120		02/01/2019 12:21	<a href="#">WG1231258</a>

<sup>6</sup> Sr<sup>7</sup> Qc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	0.0151		0.000466	0.00100	0.00116	1.11	01/29/2019 20:11	<a href="#">WG1229328</a>
Toluene	0.266		0.00146	0.00500	0.00582	1.11	01/29/2019 20:11	<a href="#">WG1229328</a>
Ethylbenzene	0.296		0.000617	0.00250	0.00291	1.11	01/29/2019 20:11	<a href="#">WG1229328</a>
Total Xylenes	0.490		0.00557	0.00650	0.00757	1.11	01/29/2019 20:11	<a href="#">WG1229328</a>
(S) Toluene-d8	111				75.0-131		01/29/2019 20:11	<a href="#">WG1229328</a>
(S) Dibromofluoromethane	80.9				65.0-129		01/29/2019 20:11	<a href="#">WG1229328</a>
(S) a,a,a-Trifluorotoluene	101				80.0-120		01/29/2019 20:11	<a href="#">WG1229328</a>
(S) 4-Bromofluorobenzene	106				67.0-138		01/29/2019 20:11	<a href="#">WG1229328</a>

<sup>10</sup> Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	4430		33.8	4.00	83.9	20	01/30/2019 01:59	<a href="#">WG1229063</a>
C28-C40 Oil Range	3580		5.75	4.00	83.9	20	01/30/2019 01:59	<a href="#">WG1229063</a>
(S) o-Terphenyl	356	J7			18.0-148		01/30/2019 01:59	<a href="#">WG1229063</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	96.3		1	01/30/2019 15:12	<a href="#">WG1230171</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	7.23	J	0.826	10.0	10.4	1	02/02/2019 17:37	<a href="#">WG1228893</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.563	0.100	2.60	25	02/01/2019 12:44	<a href="#">WG1231258</a>
(S) a,a,a-Trifluorotoluene(FID)	107				77.0-120		02/01/2019 12:44	<a href="#">WG1231258</a>

<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.000415	0.00100	0.00104	1	01/29/2019 20:30	<a href="#">WG1229328</a>
Toluene	0.00207	J	0.00130	0.00500	0.00519	1	01/29/2019 20:30	<a href="#">WG1229328</a>
Ethylbenzene	0.00124	J	0.000550	0.00250	0.00260	1	01/29/2019 20:30	<a href="#">WG1229328</a>
Total Xylenes	U		0.00496	0.00650	0.00675	1	01/29/2019 20:30	<a href="#">WG1229328</a>
(S) Toluene-d8	108				75.0-131		01/29/2019 20:30	<a href="#">WG1229328</a>
(S) Dibromofluoromethane	80.3				65.0-129		01/29/2019 20:30	<a href="#">WG1229328</a>
(S) a,a,a-Trifluorotoluene	101				80.0-120		01/29/2019 20:30	<a href="#">WG1229328</a>
(S) 4-Bromofluorobenzene	102				67.0-138		01/29/2019 20:30	<a href="#">WG1229328</a>

<sup>9</sup> Al<sup>10</sup> Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	446		16.7	4.00	41.5	10	01/29/2019 23:15	<a href="#">WG1229063</a>
C28-C40 Oil Range	397		2.85	4.00	41.5	10	01/29/2019 23:15	<a href="#">WG1229063</a>
(S) o-Terphenyl	66.0				18.0-148		01/29/2019 23:15	<a href="#">WG1229063</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
Total Solids	96.7		1	01/30/2019 15:12	<a href="#">WG1230171</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
Chloride	6.73	J	0.823	10.0	10.3	1	02/02/2019 17:46	<a href="#">WG1228893</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">5</span> Tr
TPH (GC/FID) Low Fraction	7.66		0.600	0.100	2.77	26.75	02/01/2019 13:06	<a href="#">WG1231258</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">6</span> Sr
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		02/01/2019 13:06	<a href="#">WG1231258</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">7</span> Qc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">8</span> Gl
Benzene	0.000718	J	0.000443	0.00100	0.00111	1.07	01/28/2019 19:52	<a href="#">WG1229378</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">9</span> Al
Toluene	0.0196		0.00138	0.00500	0.00553	1.07	01/28/2019 19:52	<a href="#">WG1229378</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">10</span> Sc
Ethylbenzene	0.0988		0.000587	0.00250	0.00277	1.07	01/28/2019 19:52	<a href="#">WG1229378</a>	
Total Xylenes	0.183		0.00529	0.00650	0.00719	1.07	01/28/2019 19:52	<a href="#">WG1229378</a>	
(S) Toluene-d8	114				75.0-131		01/28/2019 19:52	<a href="#">WG1229378</a>	
(S) Dibromofluoromethane	99.2				65.0-129		01/28/2019 19:52	<a href="#">WG1229378</a>	
(S) a,a,a-Trifluorotoluene	84.2				80.0-120		01/28/2019 19:52	<a href="#">WG1229378</a>	
(S) 4-Bromofluorobenzene	104				67.0-138		01/28/2019 19:52	<a href="#">WG1229378</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">1</span> Cp
C10-C28 Diesel Range	7150		167	4.00	414	100	01/30/2019 17:13	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">2</span> Tc
C28-C40 Oil Range	4410		5.67	4.00	82.8	20	01/30/2019 02:11	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">3</span> Ss
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 17:13	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">4</span> Cn
(S) o-Terphenyl	667	J7			18.0-148		01/30/2019 02:11	<a href="#">WG1229063</a>	<span style="border: 1px solid orange; border-radius: 50%; padding: 2px;">5</span> Tr



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Total Solids	91.2		1	01/30/2019 15:12	<a href="#">WG1230171</a>	

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Chloride	5.93	J	0.872	10.0	11.0	1	02/02/2019 17:54	<a href="#">WG1228893</a>	

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
TPH (GC/FID) Low Fraction	U		0.595	0.100	2.74	25	02/01/2019 13:28	<a href="#">WG1231258</a>	
(S) a,a,a-Trifluorotoluene(FID)	105				77.0-120		02/01/2019 13:28	<a href="#">WG1231258</a>	

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
Benzene	U		0.000439	0.00100	0.00110	1	01/30/2019 21:58	<a href="#">WG1229959</a>	
Toluene	0.00137	J	0.00137	0.00500	0.00548	1	01/30/2019 21:58	<a href="#">WG1229959</a>	
Ethylbenzene	U		0.000581	0.00250	0.00274	1	01/30/2019 21:58	<a href="#">WG1229959</a>	
Total Xylenes	U		0.00524	0.00650	0.00713	1	01/30/2019 21:58	<a href="#">WG1229959</a>	
(S) Toluene-d8	114			75.0-131			01/30/2019 21:58	<a href="#">WG1229959</a>	
(S) Dibromofluoromethane	95.8			65.0-129			01/30/2019 21:58	<a href="#">WG1229959</a>	
(S) a,a,a-Trifluorotoluene	107			80.0-120			01/30/2019 21:58	<a href="#">WG1229959</a>	
(S) 4-Bromofluorobenzene	91.7			67.0-138			01/30/2019 21:58	<a href="#">WG1229959</a>	

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>	<span style="color: orange;">1 Cp</span> <span style="color: red;">2 Tc</span> <span style="color: brown;">3 Ss</span> <span style="color: green;">4 Cn</span> <span style="color: purple;">5 Tr</span> <span style="color: darkblue;">6 Sr</span> <span style="color: lightgreen;">7 Qc</span> <span style="color: blue;">8 Gl</span> <span style="color: cyan;">9 Al</span> <span style="color: grey;">10 Sc</span>
C10-C28 Diesel Range	29.9		8.82	4.00	21.9	5	01/29/2019 23:27	<a href="#">WG1229063</a>	
C28-C40 Oil Range	50.5	B	1.50	4.00	21.9	5	01/29/2019 23:27	<a href="#">WG1229063</a>	
(S) o-Terphenyl	55.5			18.0-148			01/29/2019 23:27	<a href="#">WG1229063</a>	



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	94.8		1	01/30/2019 15:12	<a href="#">WG1230171</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Chloride	10.3	J	0.839	10.0	10.6	1	02/02/2019 18:03	<a href="#">WG1228893</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.572	0.100	2.64	25	02/01/2019 13:50	<a href="#">WG1231258</a>
(S) a,a,a-Trifluorotoluene(FID)	104				77.0-120		02/01/2019 13:50	<a href="#">WG1231258</a>

<sup>6</sup> Sr<sup>7</sup> Qc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
Benzene	U		0.000422	0.00100	0.00106	1	01/30/2019 22:18	<a href="#">WG1229959</a>
Toluene	0.00149	J	0.00132	0.00500	0.00528	1	01/30/2019 22:18	<a href="#">WG1229959</a>
Ethylbenzene	U		0.000559	0.00250	0.00264	1	01/30/2019 22:18	<a href="#">WG1229959</a>
Total Xylenes	U		0.00504	0.00650	0.00686	1	01/30/2019 22:18	<a href="#">WG1229959</a>
(S) Toluene-d8	110				75.0-131		01/30/2019 22:18	<a href="#">WG1229959</a>
(S) Dibromofluoromethane	96.2				65.0-129		01/30/2019 22:18	<a href="#">WG1229959</a>
(S) a,a,a-Trifluorotoluene	104				80.0-120		01/30/2019 22:18	<a href="#">WG1229959</a>
(S) 4-Bromofluorobenzene	89.4				67.0-138		01/30/2019 22:18	<a href="#">WG1229959</a>

<sup>10</sup> Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	2600		340	4.00	844	200	01/30/2019 23:18	<a href="#">WG1229062</a>
C28-C40 Oil Range	2620		57.8	4.00	844	200	01/30/2019 23:18	<a href="#">WG1229062</a>
(S) o-Terphenyl	0.000	J7			18.0-148		01/30/2019 23:18	<a href="#">WG1229062</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	93.5		1	01/30/2019 15:12	<a href="#">WG1230171</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> Al<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	1.66	J	0.627	0.100	2.89	27	01/31/2019 06:25	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	103				77.0-120		01/31/2019 06:25	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	102		1.72	4.00	4.28	1	01/30/2019 20:41	<a href="#">WG1229062</a>
C28-C40 Oil Range	43.8		0.293	4.00	4.28	1	01/30/2019 20:41	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	58.3				18.0-148		01/30/2019 20:41	<a href="#">WG1229062</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	94.4		1	01/30/2019 14:21	<a href="#">WG1230174</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> Al<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	75.3		0.586	0.100	2.70	25.5	01/31/2019 03:28	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	103				77.0-120		01/31/2019 03:28	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	1280		17.1	4.00	42.4	10	01/30/2019 22:30	<a href="#">WG1229062</a>
C28-C40 Oil Range	455		2.90	4.00	42.4	10	01/30/2019 22:30	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	88.0				18.0-148		01/30/2019 22:30	<a href="#">WG1229062</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	96.7		1	01/30/2019 14:21	<a href="#">WG1230174</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> Al<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.561	0.100	2.58	25	01/31/2019 03:50	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	103				77.0-120		01/31/2019 03:50	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	2290		83.2	4.00	207	50	01/30/2019 22:42	<a href="#">WG1229062</a>
C28-C40 Oil Range	1230		14.2	4.00	207	50	01/30/2019 22:42	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	0.000	J7			18.0-148		01/30/2019 22:42	<a href="#">WG1229062</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	92.1		1	01/30/2019 14:21	<a href="#">WG1230174</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> AI<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.589	0.100	2.71	25	01/31/2019 04:12	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	105				77.0-120		01/31/2019 04:12	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	50.8		1.75	4.00	4.34	1	01/30/2019 22:18	<a href="#">WG1229062</a>
C28-C40 Oil Range	27.5		0.298	4.00	4.34	1	01/30/2019 22:18	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	97.8				18.0-148		01/30/2019 22:18	<a href="#">WG1229062</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	95.4		1	01/30/2019 14:21	<a href="#">WG1230174</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> AI<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.580	0.100	2.67	25.5	01/31/2019 04:34	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	104				77.0-120		01/31/2019 04:34	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	128		3.38	4.00	8.39	2	01/30/2019 21:41	<a href="#">WG1229062</a>
C28-C40 Oil Range	52.9		0.574	4.00	8.39	2	01/30/2019 21:41	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	78.0				18.0-148		01/30/2019 21:41	<a href="#">WG1229062</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	94.5		1	01/30/2019 14:21	<a href="#">WG1230174</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> AI<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.591	0.100	2.72	25.75	01/31/2019 04:56	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	103				77.0-120		01/31/2019 04:56	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	152		1.70	4.00	4.23	1	01/30/2019 21:53	<a href="#">WG1229062</a>
C28-C40 Oil Range	56.8		0.290	4.00	4.23	1	01/30/2019 21:53	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	61.9				18.0-148		01/30/2019 21:53	<a href="#">WG1229062</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	95.7		1	01/30/2019 14:21	<a href="#">WG1230174</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> Al<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	14.8		0.572	0.100	2.64	25.25	01/31/2019 05:19	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	104				77.0-120		01/31/2019 05:19	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	8600		168	4.00	418	100	01/30/2019 22:54	<a href="#">WG1229062</a>
C28-C40 Oil Range	3780		28.6	4.00	418	100	01/30/2019 22:54	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	0.000	J7			18.0-148		01/30/2019 22:54	<a href="#">WG1229062</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	90.8		1	01/30/2019 14:21	<a href="#">WG1230174</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> AI<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.651	0.100	3.00	27.25	01/31/2019 05:41	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	103				77.0-120		01/31/2019 05:41	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	9.04		1.77	4.00	4.41	1	01/31/2019 00:56	<a href="#">WG1229062</a>
C28-C40 Oil Range	8.76		0.302	4.00	4.41	1	01/31/2019 00:56	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	77.1				18.0-148		01/31/2019 00:56	<a href="#">WG1229062</a>

DUP-01

Collected date/time: 01/24/19 00:00

## SAMPLE RESULTS - 29

L1064599

ONE LAB. NATIONWIDE.



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	95.6		1	01/30/2019 14:21	<a href="#">WG1230174</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> AI<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	37.8		0.568	0.100	2.62	25	01/31/2019 06:03	<a href="#">WG1230598</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	104				77.0-120		01/31/2019 06:03	<a href="#">WG1230598</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	6790		168	4.00	419	100	01/30/2019 23:06	<a href="#">WG1229062</a>
C28-C40 Oil Range	3210		28.7	4.00	419	100	01/30/2019 23:06	<a href="#">WG1229062</a>
(S) <i>o-Terphenyl</i>	0.000	J7			18.0-148		01/30/2019 23:06	<a href="#">WG1229062</a>

**WG1230166**

Total Solids by Method 2540 G-2011

**QUALITY CONTROL SUMMARY**L1064599-01

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3380903-1	02/01/19 10:50	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%			%	%
Total Solids	0.000				

**L1064596-06 Original Sample (OS) • Duplicate (DUP)**

(OS) L1064596-06	02/01/19 10:50	• (DUP) R3380903-3	02/01/19 10:50	DUP RPD	DUP RPD	DUP RPD
Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD
	%	%	%	%		%
Total Solids	79.4	79.4	1	0.0291		10

**Laboratory Control Sample (LCS)**

(LCS) R3380903-2	02/01/19 10:50	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	%	
Total Solids	50.0	50.0	100	100	85.0-115	

**1 Cp****2 TC****3 SS****4 Cn****5 Tr****6 Sr****7 QC****8 GI****9 AI****10 SC**

**WG1230167**

Total Solids by Method 2540 G-2011

**QUALITY CONTROL SUMMARY**L1064599-02,03,04,05,06,07,08,09,10,11

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3380901-1	02/01/19 10:32	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%		%	%	%
Total Solids	0.00100				

**L1064599-02 Original Sample (OS) • Duplicate (DUP)**

(OS) L1064599-02	02/01/19 10:32	• (DUP) R3380901-3	02/01/19 10:32	DUP RPD	DUP RPD
Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD
Analyte	%	%	%	%	%
Total Solids	92.5	93.1	1	0.660	10

**Laboratory Control Sample (LCS)**

(LCS) R3380901-2	02/01/19 10:32	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	%	
Total Solids	50.0	50.0	100	100	85.0-115	

**1 Cp****2 TC****3 SS****4 Cn****5 Tr****6 Sr****7 QC****8 GI****9 AI****10 SC**

**WG1230171**

Total Solids by Method 2540 G-2011

**QUALITY CONTROL SUMMARY**L1064599-12,13,14,15,16,17,18,19,20,21

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3380150-1	01/30/19 15:12	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Analyte					
Total Solids	0.00100				

**L1064599-12 Original Sample (OS) • Duplicate (DUP)**

(OS) L1064599-12	01/30/19 15:12 • (DUP) R3380150-3	01/30/19 15:12	<u>DUP Result</u>	Dilution	<u>DUP RPD</u>	<u>DUP Qualifier</u>	DUP RDL %
Analyte	%	%					
Total Solids	95.2	94.3	1	0.885			10

**Laboratory Control Sample (LCS)**

(LCS) R3380150-2	01/30/19 15:12	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	
Analyte							
Total Solids	50.0	50.0	100		85.0-115		



**WG1230174**

Total Solids by Method 2540 G-2011

**QUALITY CONTROL SUMMARY**L1064599-22,23,24,25,26,27,28,29

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3380146-1	01/30/19 14:21	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Analyte					
Total Solids	0.000				

**L1064630-01 Original Sample (OS) • Duplicate (DUP)**

(OS) L1064630-01	01/30/19 14:21 • (DUP) R3380146-3	01/30/19 14:21	<u>DUP Result</u>	Dilution	<u>DUP RPD</u>	<u>DUP Qualifier</u>	<u>DUP RDL</u>
Analyte	%	%					
Total Solids	83.3	82.9	1	0.469			10

**Laboratory Control Sample (LCS)**

(LCS) R3380146-2	01/30/19 14:21	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Analyte						
Total Solids	50.0	50.0	100		85.0-115	

**1 Cp****2 TC****3 SS****4 Cn****5 Tr****6 Sr****7 QC****8 GI****9 AI****10 SC**

# WG1228893

Wet Chemistry by Method 300.0

## QUALITY CONTROL SUMMARY

L1064599-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18,19,20

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3380997-1	02/02/19 13:42	MB Result mg/kg	<u>MB Qualifier</u> mg/kg	MB MDL mg/kg	MB RDL mg/kg
Analyte	Chloride	U		0.795	10.0

### L1064599-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1064599-02	02/02/19 14:30 • (DUP) R3380997-3	02/02/19 14:38			
Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
mg/kg	mg/kg	%	%		%
Analyte	Chloride	10.2	6.12	1	49.8

### L1064599-20 Original Sample (OS) • Duplicate (DUP)

(OS) L1064599-20	02/02/19 18:03 • (DUP) R3380997-6	02/02/19 18:11			
Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
mg/kg	mg/kg	%	%		%
Analyte	Chloride	10.3	9.09	1	12.7

### Laboratory Control Sample (LCS)

(LCS) R3380997-2	02/02/19 13:50				
Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	
Analyte	Chloride	200	201	101	90.0-110

### L1064599-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064599-10	02/02/19 16:03 • (MS) R3380997-4	02/02/19 16:12 • (MSD) R3380997-5	02/02/19 16:21		
Spike Amount (dry)	Original Result (dry)	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec.	MSD Rec.
mg/kg	mg/kg	mg/kg	mg/kg	%	%
Analyte	Chloride	519	5.81	517	509

**1 Cp**

**2 Tc**

**3 Ss**

**4 Cn**

**5 Tr**

**6 Sr**

**7 QC**

**8 GI**

**9 AI**

**10 Sc**

**WG1230598**

Volatile Organic Compounds (GC) by Method 8015D/GRO

**QUALITY CONTROL SUMMARY**L1064599-21,22,23,24,25,26,27,28,29

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3380281-3	01/30/19 22:23	<u>MB Result</u>	<u>MB MDL</u>	<u>MB RDL</u>
Analyte	mg/kg	mg/kg	mg/kg	mg/kg
TPH (GC/FID) Low Fraction	U	0.0217	0.100	
(S) a,a-Tri fluorotoluene(FID)	102		77.0-120	

**Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)**

(LCS) R3380281-1	01/30/19 21:17 • (LCSD) R3380281-2	01/30/19 21:39	<u>Spike Amount</u>	<u>LCS Result</u>	<u>LCSD Rec.</u>	<u>Rec. Limits</u>	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	<u>RPD</u>	<u>RPD Limits</u>
Analyte	mg/kg	mg/kg	mg/kg	%	%	%	%	%	%	%
TPH (GC/FID) Low Fraction	5.50	5.23	5.43	95.1	98.8	72.0-127			3.76	20
(S) a,a-Tri fluorotoluene(FID)				107	106	77.0-120				

**L1064599-21 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)**

(OS) L1064599-21	01/31/19 06:25 • (MS) R3380281-4	01/31/19 06:48 • (MSD) R3380281-5	01/31/19 07:10	<u>Spike Amount (dry)</u>	<u>Original Result (dry)</u>	<u>MS Result (dry)</u>	<u>MSD Result (dry)</u>	<u>MS Rec.</u>	<u>MSD Rec.</u>	<u>Dilution</u>	<u>Rec. Limits</u>	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	<u>RPD</u>	<u>RPD Limits</u>
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	%	%	%	%
TPH (GC/FID) Low Fraction	5.88	1.66	98.6	100	61.1	61.9	27	10.0-151			1.36	28			
(S) a,a-Tri fluorotoluene(FID)					90.0	89.5	77.0-120								

**1 Cp****2 Tc****3 Ss****4 Cn****5 Tr****6 Sr****7 QC****8 GI****9 Al****10 Sc**

# WG1230800

Volatile Organic Compounds (GC) by Method 8015D/GRO

## QUALITY CONTROL SUMMARY

L1064599-01,02,03,04,05,06,07,08,09,10,11,12,13,14

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3380374-3	01/31/19 16:33	MB Result mg/kg	<u>MB Qualifier</u> mg/kg	MB MDL mg/kg	MB RDL mg/kg
Analyte TPH (GC/FID) Low Fraction	U	0.0217		0.100	
(S) <i>a,a-Tri fluorotoluene(FID)</i>	104			77.0-120	

### Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3380374-1	01/31/19 15:48	(LCSD) R3380374-2	01/31/19 15:48	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %	RPD %	RPD Limits %
Analyte TPH (GC/FID) Low Fraction	5.50	5.42	6.35	98.5	115	72.0-127			15.8	20
(S) <i>a,a-Tri fluorotoluene(FID)</i>				110	110	77.0-120				

### L1064599-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064599-01	02/01/19 00:36	• (MS) R3380374-4	02/01/19 00:58	• (MSD) R3380374-5	02/01/19 01:20	Spike Amount (dry)	Original Result (dry)	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD	RPD Limits %
Analyte TPH (GC/FID) Low Fraction	5.83	U	136	129	77.2	72.9				30.25	10.0-151			5.68	28	
(S) <i>a,a-Tri fluorotoluene(FID)</i>					109	109				77.0-120						

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>SS

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>QC

<sup>8</sup>GI

<sup>9</sup>AI

<sup>10</sup>SC

# WG1231258

Volatile Organic Compounds (GC) by Method 8015D/GRO

## QUALITY CONTROL SUMMARY

L1064399-15,16,17,18,19,20

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3380795-3	02/01/19 11:04	MB Result mg/kg	<u>MB Qualifier</u> mg/kg	MB MDL mg/kg	MB RDL mg/kg
Analyte TPH (GC/FID) Low Fraction	U			0.0217	0.100
<i>(S)</i> <i>a,a-Trifluorotoluene(FID)</i>	103			77.0-120	

### Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3380795-1	02/01/19 09:57 • (LCS) R3380795-2	02/01/19 10:19	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %	RPD %	RPD Limits %
Analyte TPH (GC/FID) Low Fraction	5.50	6.14	5.96	112	108	72.0-127		2.90	20
<i>(S)</i> <i>a,a-Trifluorotoluene(FID)</i>				109	109	77.0-120			

### L1065039-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1065039-01	02/01/19 17:33 • (MS) R3380795-4	02/01/19 19:50 • (MSD) R3380795-5	02/01/19 20:12	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	<u>MSD Rec.</u> %	Dilution %	Rec. Limits %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
Analyte TPH (GC/FID) Low Fraction	5.50	ND	111	130	810	94.7	25	10.0-151			15.6	28	
<i>(S)</i> <i>a,a-Trifluorotoluene(FID)</i>					110	109	77.0-120						

**1 Cp**

**2 Tc**

**3 Ss**

**4 Cn**

**5 Tr**

**6 Sr**

**7 Qc**

**8 Gl**

**9 Al**

**10 Sc**

# WG1229323

Volatile Organic Compounds (GC/MS) by Method 8260B

## QUALITY CONTROL SUMMARY

L1064599-01.02.03.04.05.06.07.08.09

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3379890-2 01/29/19 11:47		MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Analyte		U		0.000400	0.00100
Benzene		U		0.000530	0.00250
Ethylbenzene		U		0.00125	0.00500
Toluene		U		0.00478	0.00650
Xylenes, Total		U			
(S) Toluene-d8		113		75.0-131	
(S) Dibromofluoromethane	101			65.0-129	
(S) a,a,a-Trifluorotoluene	91.0			80.0-120	
(S) 4-Bromofluorobenzene	101			67.0-138	

### Laboratory Control Sample (LCS)

(LCS) R3379890-1 01/29/19 10:48		Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Analyte		0.125	0.120	95.9	70.0-123	
Benzene		0.125	0.107	85.4	74.0-126	
Ethylbenzene		0.125	0.149	120	75.0-121	
Toluene		0.125	0.374	99.7	72.0-127	
Xylenes, Total		0.375		100	75.0-131	
(S) Toluene-d8				65.0-129		
(S) Dibromofluoromethane				113		
(S) a,a,a-Trifluorotoluene				93.3	80.0-120	
(S) 4-Bromofluorobenzene				99.4	67.0-138	

### L1064326-27 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064326-27 01/29/19 15:10 • (MS) R3379890-3 01/29/19 19:07 • (MSD) R3379890-4 01/29/19 19:27		Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte		0.125	0.0141	0.144	0.112	104	78.2	1	10.0-149		24.9	37
Benzene		0.125	0.00750	0.157	0.108	120	80.1	1	10.0-160		37.3	38
Ethylbenzene		0.125	ND	0.142	0.0842	113	67.3	1	10.0-156	J3	50.8	38
Toluene		0.125	0.0218	0.506	0.344	129	85.9	1	10.0-160	J3	38.2	38
Xylenes, Total		0.375				111	111		75.0-131			
(S) Toluene-d8						97.5	97.1		65.0-129			
(S) Dibromofluoromethane						85.7	84.7		80.0-120			
(S) a,a,a-Trifluorotoluene						98.4	111		67.0-138			
(S) 4-Bromofluorobenzene												

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 QC

8 GI

9 AI

10 Sc

**WG1229328**

Volatile Organic Compounds (GC/MS) by Method 8260B

**QUALITY CONTROL SUMMARY**L1064599-11,12,13,14,15,16,17

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3379795-3 01/29/19 10:38	
Analyte	MB Result mg/kg
Benzene	U
Ethylbenzene	U
Toluene	U
Xylenes, Total	U
(S) Toluene-d8	109
(S) Dibromofluoromethane	85.8
(S) a,a,a-Trifluorotoluene	103
(S) 4-Bromofluorobenzene	95.9

**1 Cp****2 TC****3 SS****4 Cn****5 Tr****6 Sr****Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)**

(LCS) R3379795-1 01/29/19 09:22 • (LCSD) R3379795-2 01/29/19 09:41	
Analyte	Spike Amount mg/kg
Benzene	0.125
Ethylbenzene	0.125
Toluene	0.125
Xylenes, Total	0.375
(S) Toluene-d8	
(S) Dibromofluoromethane	
(S) a,a,a-Trifluorotoluene	
(S) 4-Bromofluorobenzene	

**7 QC****8 GI****9 AI****10 SC**

Analyte	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Benzene	0.102	0.0981	81.8	78.5	70.0-123			4.10	20
Ethylbenzene	0.114	0.112	91.4	89.8	74.0-126			1.77	20
Toluene	0.114	0.115	91.3	92.3	75.0-121			1.08	20
Xylenes, Total	0.307	0.309	81.9	82.4	72.0-127			0.649	20
(S) Toluene-d8			104	104	75.0-131				
(S) Dibromofluoromethane			99.4	96.0	65.0-129				
(S) a,a,a-Trifluorotoluene			107	107	80.0-120				
(S) 4-Bromofluorobenzene			97.3	97.4	67.0-138				

ACCOUNT:

TRC Solutions - Austin, TX

PROJECT:

SDG:

PAGE:  
53 of 64DATE/TIME:  
02/05/19 16:18

# WG1229378

Volatile Organic Compounds (GC/MS) by Method 8260B

## QUALITY CONTROL SUMMARY

L1064599-18

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3380822-2	01/28/19 14:22	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte		mg/kg	mg/kg	mg/kg	mg/kg
Benzene	U	0.000400	0.00100		
Ethylbenzene	U	0.000530	0.00250		
Toluene	U	0.00125	0.00500		
Xylenes, Total	U	0.00478	0.00650		
(S) Toluene-d8	108			75.0-131	
(S) Dibromofluoromethane	101			65.0-129	
(S) a,a,a-Trifluorotoluene	96.8			80.0-120	
(S) 4-Bromofluorobenzene	99.6			67.0-138	

### Laboratory Control Sample (LCS)

(LCS) R3380822-1	01/28/19 13:22	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>	7 QC
Analyte		mg/kg	mg/kg	%	%		
Benzene	0.125	0.0973	77.9	70.0-123			
Ethylbenzene	0.125	0.109	87.4	74.0-126			
Toluene	0.125	0.140	112	75.0-121			
Xylenes, Total	0.375	0.377	101	72.0-127			
(S) Toluene-d8			103	75.0-131			
(S) Dibromofluoromethane			101	65.0-129			
(S) a,a,a-Trifluorotoluene			104	80.0-120			
(S) 4-Bromofluorobenzene			90.8	67.0-138			

### L1064574-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064574-14	01/28/19 21:11 • (MS) R3380822-3	01/28/19 21:31 • (MSD) R3380822-4	01/28/19 21:51	Spike Amount	Original Result	MS Result (dry)	MS Result (dry)	MS Rec.	MSD Rec.	Dilution	Rec. Limits	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD	RPD
Analyte		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%			%	%
Benzene	0.140	U	1.24	1.82	44.4	65.0	20	10.0-149		J3	37.6	37			
Ethylbenzene	0.140	0.0126	1.30	1.94	45.9	63.6	20	10.0-160		J3	39.4	38			
Toluene	0.140	U	1.64	2.46	58.3	87.8	20	10.0-156		J3	40.3	38			
Xylenes, Total	0.421	U	4.61	6.64	54.8	78.9	20	10.0-160		J3	36.1	38			
(S) Toluene-d8				101	100					75.0-131					
(S) Dibromofluoromethane				114	113					65.0-129					
(S) a,a,a-Trifluorotoluene				95.3	94.9					80.0-120					
(S) 4-Bromofluorobenzene				102	118					67.0-138					

Sample Narrative:

ACCOUNT:  
TRC Solutions - Austin, TX

PROJECT:  
314537.0000

SDG:  
L1064599

**1 Cp**

**2 Tc**

**3 Ss**

**4 Cn**

**5 Tr**

**6 Sr**

**7 QC**

**8 Gl**

**9 Al**

**10 Sc**

**WG1229378**

Volatile Organic Compounds (GC/MS) by Method 8260B

**QUALITY CONTROL SUMMARY**L1064599-18**L1064574-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)**

(OS) L1064574-14 01/28/19 21:11 • (MS) R3380822-3 01/28/19 21:31 • (MSD) R3380822-4 01/28/19 21:51

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MS Rec. %	MSD Result (dry) mg/kg	MS Rec. %	Dilution	Rec. Limits %	MSD Qualifier	MSD Qualifier	RPD	RPD Limits %
CS: Non-target compounds too high to run at a lower dilution.												

ONE LAB. NATIONWIDE.

**1 Cp****2 TC****3 SS****4 Cn****5 Tr****6 Sr****7 QC****8 GI****9 AI****10 SC**ACCOUNT:  
TRC Solutions - Austin, TXPROJECT:  
314537.0000SDG:  
L1064599DATE/TIME:  
02/05/19 16:18PAGE:  
55 of 64

# WG1229959

Volatile Organic Compounds (GC/MS) by Method 8260B

## QUALITY CONTROL SUMMARY

[L1064599-19.20](#)

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3380094-4 01/30/19 15:27		MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg	7 QC
Analyte		U		0.000400	0.00100	<sup>1</sup> Cp
Benzene		U		0.000530	0.00250	<sup>2</sup> Tc
Ethylbenzene		U		0.00125	0.00500	<sup>3</sup> Ss
Toluene		U		0.00478	0.00650	<sup>4</sup> Cn
Xylenes, Total		U				<sup>5</sup> Tr
(S) Toluene-d8		114		75.0-131		<sup>6</sup> Sr
(S) Dibromofluoromethane		93.6		65.0-129		
(S) a,a,a-Trifluorotoluene		104		80.0-120		
(S) 4-Bromofluorobenzene		93.7		67.0-138		

### Laboratory Control Sample (LCS)

(LCS) R3380094-3 01/30/19 14:30		Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier	8 QC
Analyte		0.125	0.105	84.1	70.0-123		<sup>7</sup> Gl
Benzene		0.125	0.120	96.2	74.0-126		<sup>8</sup> Al
Ethylbenzene		0.125	0.121	96.8	75.0-121		<sup>9</sup> Sc
Toluene		0.375	0.407	109	72.0-127		
Xylenes, Total				105	75.0-131		
(S) Toluene-d8				105	65.0-129		
(S) Dibromofluoromethane				107	80.0-120		
(S) a,a,a-Trifluorotoluene				97.6	67.0-138		
(S) 4-Bromofluorobenzene							

### L1064599-20 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064599-20 01/30/19 22:18 • (MS) R3380094-5 01/30/19 22:39 • (MSD) R3380094-6 01/30/19 22:59		Spke Amount (dry) mg/kg	Original Result mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte		0.132	U	0.103	0.0961	78.3	72.9	1	10.0-149		7.12	37
Benzene		0.132	U	0.123	0.104	93.0	78.9	1	10.0-160		16.4	38
Ethylbenzene		0.132	U	0.00149	0.125	0.107	94.0	80.2	1	10.0-156	15.7	38
Toluene		0.132	U	0.396	0.392	0.367	99.2	92.8	1	10.0-160	6.67	38
Xylenes, Total							112	104	75.0-131			
(S) Toluene-d8							100	99.4	65.0-129			
(S) Dibromofluoromethane							107	101	80.0-120			
(S) a,a,a-Trifluorotoluene							96.6	95.7	67.0-138			
(S) 4-Bromofluorobenzene												

ACCOUNT:

TRC Solutions - Austin, TX

PROJECT:

SDG:  
L1064599-0000

PAGE:

56 of 64

DATE/TIME:

02/05/19 16:18

**WG1230243**

Volatile Organic Compounds (GC/MS) by Method 8260B

**QUALITY CONTROL SUMMARY****Method Blank (MB)**

(MB) R3380987-2 02/03/19 09:54

MB Result mg/kg

Analyte

Benzene

Ethylbenzene

Toluene

Xylenes, Total

*(S)* Toluene-d8*(S)* Dibromofluoromethane*(S)* a,a,a-Trifluorotoluene*(S)* 4-Bromofluorobenzene

MB Qualifier

U

U

U

U

112

83.7

108

95.6

mg/kg

0.125

0.125

0.125

0.375

0.389

0.120

0.123

0.107

0.123

85.5

98.4

104

107

93.0

103

101

75.5

104

96.4

107

101

75.0-123

74.0-126

75.0-121

72.0-127

65.0-129

80.0-120

67.0-138

MB MDL mg/kg

0.000400

0.000530

0.00125

0.00478

75.0-131

65.0-129

80.0-120

67.0-138

mg/kg

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

MB RDL mg/kg

0.000400

0.000530

0.00125

0.00478

75.0-131

65.0-129

80.0-120

67.0-138

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

0.00100

0.00250

0.00500

0.00650

0.00731

0.00929

0.01000

7 QC

8 GI

9 AI

10 SC

**<sup>1</sup>Cp****<sup>2</sup>Tc****<sup>3</sup>SS****<sup>4</sup>Cn****<sup>5</sup>Tr****<sup>6</sup>Sr****L1064599-10****Laboratory Control Sample (LCS)**

(LCS) R3380987-1 02/03/19 09:54

LCS Amount mg/kg

Analyte

Benzene

Ethylbenzene

Toluene

Xylenes, Total

*(S)* Toluene-d8*(S)* Dibromofluoromethane*(S)* a,a,a-Trifluorotoluene*(S)* 4-Bromofluorobenzene

LCS Result mg/kg

Rec. %

LCS Rec. %

Rec. Limits %

LCS Qualifier

0.125

85.5

70.0-123

74.0-126

0.123

98.4

74.0-126

0.120

96.4

75.0-121

0.375

0.389

104

72.0-127

0.389

107

75.0-131

0.389

93.0

65.0-129

0.389

103

80.0-120

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

101

67.0-138

0.389

10

# WG1229062

Semi-Volatile Organic Compounds (GC) by Method 8015

## QUALITY CONTROL SUMMARY

L1064437-01 01/30/19 18:38 • (OS) R3380147-4

ONE LAB. NATIONWIDE.

### Method Blank (MB)

(MB) R3380147-1	01/30/19 18:01	MB Result mg/kg	<u>MB Qualifier</u> mg/kg	MB MDL mg/kg	MB RDL mg/kg
Analyte					
C10-C28 Diesel Range	U	1.61		4.00	
C28-C40 Oil Range	U	0.274		4.00	

*(S)-o-Terphenyl*

### Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3380147-2	01/30/19 18:13 • (LCSD) R3380147-3	01/30/19 18:26	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %	LCSD Qualifier %	RPD %	RPD Limits %
Analyte											
Extractable Petroleum Hydrocarbon	50.0	28.0	28.1	56.0	56.2	50.0-150			0.357	20	
C10-C28 Diesel Range	50.0	32.0	32.1	64.0	64.2	50.0-150			0.312	20	

*(S)-o-Terphenyl*

### L1064437-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1064437-01	01/30/19 18:38 • (MS) R3380147-4	01/30/19 18:50 • (MSD) R3380147-5	01/30/19 19:02	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	<u>MSD Rec.</u> %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD %	RPD Limits %
Analyte														
Extractable Petroleum Hydrocarbon	47.6	ND	26.9	25.2	56.5	51.6	1	50.0-150			6.53	20		
C10-C28 Diesel Range	47.6	ND	29.3	28.6	61.6	58.6	1	50.0-150			2.42	20		

*(S)-o-Terphenyl*

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>SS

<sup>4</sup>Cn

<sup>5</sup>Tr

<sup>6</sup>Sr

<sup>7</sup>QC

<sup>8</sup>GI

<sup>9</sup>AI

<sup>10</sup>SC

**WG1229063**

Semi-Volatile Organic Compounds (GC) by Method 8015

**QUALITY CONTROL SUMMARY**L1064599\_01.02.03.04.05.06.07.08.09.10.11.12.13.14.15.16.17.18.19

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3379952-1	01/29/19 20:58	<u>MB Result</u>	<u>MB Qualifier</u>	<u>MB MDL</u>	<u>MB RDL</u>
Analyte		mg/kg		mg/kg	mg/kg
C10-C28 Diesel Range	U		1.61	4.00	
C28-C40 Oil Range	1.59	↓	0.274	4.00	
<i>(S)-o-Terphenyl</i>	63.2			18.0-148	

**Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)**

(LCS) R3379952-2		01/29/19 21:10 • (LCSD) R3379952-3		01/29/19 21:22	
Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.
	mg/kg	mg/kg	mg/kg	%	%
C10-C28 Diesel Range	50.0	28.4	27.6	56.8	55.2
<i>(S)-o-Terphenyl</i>				83.5	71.3
				18.0-148	

(LCS) R3379952-2		01/29/19 21:10 • (LCSD) R3379952-3		01/29/19 21:22	
Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.
	mg/kg	mg/kg	mg/kg	%	%
C10-C28 Diesel Range	50.0	28.4	27.6	56.8	55.2
<i>(S)-o-Terphenyl</i>				83.5	71.3
				18.0-148	

Rec. Limits %

50.0-150

18.0-148

2.86

20

RPD %

20





## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

## Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MQL (dry)	Method Quantitation Limit.
MQL	Method Quantitation Limit.
ND	Not detected at the Method Quantitation Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
SDL	Sample Detection Limit.
SDL (dry)	Sample Detection Limit.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Sample Detection Limit.
Unadj. MQL	Unadjusted Method Quantitation Limit.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J7	Surrogate recovery cannot be used for control limit evaluation due to dilution.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

- \* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
- \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

## State Accreditations

Alabama	40660
Alaska	17-026
Arizona	AZ0612
Arkansas	88-0469
California	2932
Colorado	TN00003
Connecticut	PH-0197
Florida	E87487
Georgia	NELAP
Georgia <sup>1</sup>	923
Idaho	TN00003
Illinois	200008
Indiana	C-TN-01
Iowa	364
Kansas	E-10277
Kentucky <sup>1,6</sup>	90010
Kentucky <sup>2</sup>	16
Louisiana	AI30792
Louisiana <sup>1</sup>	LA180010
Maine	TN0002
Maryland	324
Massachusetts	M-TN003
Michigan	9958
Minnesota	047-999-395
Mississippi	TN00003
Missouri	340
Montana	CERT0086

Nebraska	NE-OS-15-05
Nevada	TN-03-2002-34
New Hampshire	2975
New Jersey-NELAP	TN002
New Mexico <sup>1</sup>	n/a
New York	11742
North Carolina	Env375
North Carolina <sup>1</sup>	DW21704
North Carolina <sup>3</sup>	41
North Dakota	R-140
Ohio-VAP	CL0069
Oklahoma	9915
Oregon	TN200002
Pennsylvania	68-02979
Rhode Island	LA000356
South Carolina	84004
South Dakota	n/a
Tennessee <sup>1,4</sup>	2006
Texas	T 104704245-17-14
Texas <sup>5</sup>	LAB0152
Utah	TN00003
Vermont	VT2006
Virginia	460132
Washington	C847
West Virginia	233
Wisconsin	9980939910
Wyoming	A2LA

## Third Party Federal Accreditations

A2LA – ISO 17025	1461.01
A2LA – ISO 17025 <sup>5</sup>	1461.02
Canada	1461.01
EPA-Crypto	TN00003

AIHA-LAP,LLC EMLAP	100789
DOD	1461.01
USDA	P330-15-00234

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.





Peace Analytical®  
National Center for Testing & Treatment

**TRC Solutions - Austin, TX**  
**505 E. Huntland Dr, Ste 250**  
**Austin, TX 78752**

Report to:  
**Julie Speer**

## Billing Information:

Accounts Payable  
 21 Griffin Road North  
 Windsor, CT 06095

Email To: [j.speer@tresolutions.com](mailto:j.speer@tresolutions.com)

## Analysis / Container / Preservative

Pres:  
Chk

1205 Lebanon Rd.  
 Mount Juliet, TN 37122  
 Phone: 615-758-5858  
 Phone: 800-767-5859  
 Fax: 615-758-5859

L# **1004599**

Table #

Acctnum: TRCATX

Template: T145263

PrelabID: P690534

TSR: 526 - Chris McCord

PB:

Shipped Via:

Remarks: Sample # (lab only)

GRD,V8260BTEX 40mlAlmb/MEOH5ml/Svr

DRO/MRO 4ozCr-Nopres

CHLORIDE-300 4ozCl-Nopres

Project #: Tank 1206 Release

Client Project #: 314537.0000

Site/Facility ID #

P.O. #

Lab Project #: TRCATX-TANK1206

Collected by (print):

Collected by (signature): *J. Speer*

Rush? (Lab MUST Be Notified)

Same Day Five Day Next Day 5 Day (Rad Only) Two Day 10 Day (Rad Only) Three Day 

Remarks: Sample # (lab only)

Date Results Needed

No. of Ctns

Time

Depth

Matrix \*

Comp/Grab

City/State Collected:

Lab Project #: TRCATX-TANK1206

P.O. #

Quote #

Comments:

Sample Received:  Yes  No

Temp: \_\_\_\_\_

pH: \_\_\_\_\_

Flow: \_\_\_\_\_

Other: \_\_\_\_\_

Temp: \_\_\_\_\_

pH: \_\_\_\_\_

Other: \_\_\_\_\_

Temp: \_\_\_\_\_

pH:



# ANALYTICAL REPORT


March 25, 2019

## TRC Solutions - Austin, TX

Sample Delivery Group: L1079716  
Samples Received: 03/16/2019  
Project Number: 314537.0000  
Description: Crude Pipeline Release

Report To: Julie Speer  
505 E. Huntland Dr, Ste 250  
Austin, TX 78752

Entire Report Reviewed By:



Chris McCord  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

# TABLE OF CONTENTS

ONE LAB. NATIONWIDE.



Cp: Cover Page	1	1 Cp
Tc: Table of Contents	2	2 Tc
Ss: Sample Summary	3	3 Ss
Cn: Case Narrative	4	4 Cn
Tr: TRRP Summary	5	5 Tr
TRRP form R	6	
TRRP form S	7	
TRRP Exception Reports	8	
Sr: Sample Results	9	6 Sr
ES-01-R2 L1079716-01	9	
EF-02-R2 L1079716-02	10	7 Qc
EF-03-R2 L1079716-03	11	
DUP-01 L1079716-04	12	8 GI
Qc: Quality Control Summary	13	9 Al
Total Solids by Method 2540 G-2011	13	
Volatile Organic Compounds (GC) by Method 8015D/GRO	14	10 Sc
Semi-Volatile Organic Compounds (GC) by Method 8015	15	
Gl: Glossary of Terms	16	
Al: Accreditations & Locations	17	
Sc: Sample Chain of Custody	18	

## SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



## ES-01-R2 L1079716-01 Solid

Collected by  
Jared Stoffel  
03/15/19 11:00  
Received date/time  
03/16/19 12:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1252784	1	03/21/19 15:50	03/21/19 16:04	JD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1251954	1	03/15/19 11:00	03/19/19 20:01	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1253079	1	03/20/19 11:54	03/21/19 06:19	KME	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gi

9 Al

10 Sc

## EF-02-R2 L1079716-02 Solid

Collected by  
Jared Stoffel  
03/15/19 10:00  
Received date/time  
03/16/19 12:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1252784	1	03/21/19 15:50	03/21/19 16:04	JD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1251954	2.15	03/15/19 10:00	03/19/19 20:21	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1253079	1	03/20/19 11:54	03/21/19 05:45	KME	Mt. Juliet, TN

## EF-03-R2 L1079716-03 Solid

Collected by  
Jared Stoffel  
03/15/19 10:30  
Received date/time  
03/16/19 12:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1252784	1	03/21/19 15:50	03/21/19 16:04	JD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1251954	1	03/15/19 10:30	03/19/19 20:42	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1253079	1	03/20/19 11:54	03/21/19 06:02	KME	Mt. Juliet, TN

## DUP-01 L1079716-04 Solid

Collected by  
Jared Stoffel  
03/15/19 00:00  
Received date/time  
03/16/19 12:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1252784	1	03/21/19 15:50	03/21/19 16:04	JD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1251954	1	03/15/19 00:00	03/19/19 21:02	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1253079	1	03/20/19 11:54	03/21/19 06:35	KME	Mt. Juliet, TN



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris McCord  
Project Manager

- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Tr
- <sup>6</sup> Sr
- <sup>7</sup> Qc
- <sup>8</sup> GI
- <sup>9</sup> AI
- <sup>10</sup> Sc



This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

R1 - Field chain-of-custody documentation;

R2 - Sample identification cross-reference;

R3 - Test reports (analytical data sheets) for each environmental sample that includes:

- a. Items consistent with NELAC Chapter 5,
- b. dilution factors,
- c. preparation methods,
- d. cleanup methods, and
- e. if required for the project, tentatively identified compounds (TICs).

R4 - Surrogate recovery data including:

- a. Calculated recovery (%R), and
- b. The laboratory's surrogate QC limits.

R5 - Test reports/summary forms for blank samples;

R6 - Test reports/summary forms for laboratory control samples (LCSs) including:

- a. LCS spiking amounts,
- b. Calculated %R for each analyte, and
- c. The laboratory's LCS QC limits.

R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:

- a. Samples associated with the MS/MSD clearly identified,
- b. MS/MSD spiking amounts,
- c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
- d. Calculated %Rs and relative percent differences (RPDs), and
- e. The laboratory's MS/MSD QC limits

R8 - Laboratory analytical duplicate (if applicable) recovery and precision:

- a. The amount of analyte measured in the duplicate,
- b. The calculated RPD, and
- c. The laboratory's QC limits for analytical duplicates.

R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.

R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Chris McCord  
Project Manager

## Laboratory Review Checklist: Reportable Data

ONE LAB. NATIONWIDE.



Laboratory Name: Pace Analytical National		LRC Date: 03/25/2019 21:34					
Project Name: Crude Pipeline Release		Laboratory Job Number: L1079716-01, 02, 03 and 04					
Reviewer Name: Chris McCord		Prep Batch Number(s): WG1251954, WG1253079 and WG1252784					
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?		X			
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?	X				
		If required for the project, are TICs reported?				X	
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			1
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);

3. NA = Not applicable;

4. NR = Not reviewed;

5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

## Laboratory Review Checklist: Supporting Data

ONE LAB. NATIONWIDE.



Laboratory Name: Pace Analytical National		LRC Date: 03/25/2019 21:34					
Project Name: Crude Pipeline Release		Laboratory Job Number: L1079716-01, 02, 03 and 04					
Reviewer Name: Chris McCord		Prep Batch Number(s): WG1251954, WG1253079 and WG1252784					
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>
S1	OI	Initial calibration (ICAL)			X		
		Were response factors and/or relative response factors for each analyte within QC limits?					
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning			X		
		Was the appropriate compound for the method used for tuning?			X		
		Were ion abundance data within the method-required QC limits?			X		
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.

2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);

3. NA = Not applicable;

4. NR = Not reviewed;

5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).



Laboratory Name: Pace Analytical National	LRC Date: 03/25/2019 21:34
Project Name: Crude Pipeline Release	Laboratory Job Number: L1079716-01, 02, 03 and 04
Reviewer Name: Chris McCord	Prep Batch Number(s): WG1251954, WG1253079 and WG1252784
<b>ER #<sup>1</sup></b>	<b>Description</b>
1	8015 / WG1253079 o-Terphenyl L1079716-02, 2 and 3: Percent Recovery is outside of established control limits.

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.  
 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);  
 3. NA = Not applicable;  
 4. NR = Not reviewed;  
 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	91.5		1	03/21/2019 16:04	<a href="#">WG1252784</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	0.0291	J	0.0237	0.100	0.109	1	03/19/2019 20:01	<a href="#">WG1251954</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	97.8				77.0-120		03/19/2019 20:01	<a href="#">WG1251954</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	14.2		1.76	4.00	4.37	1	03/21/2019 06:19	<a href="#">WG1253079</a>
C28-C40 Oil Range	15.0		0.299	4.00	4.37	1	03/21/2019 06:19	<a href="#">WG1253079</a>
(S) <i>o-Terphenyl</i>	79.9				18.0-148		03/21/2019 06:19	<a href="#">WG1253079</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	89.9		1	03/21/2019 16:04	<a href="#">WG1252784</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> Gl<sup>9</sup> Al<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	0.0681	J	0.0519	0.100	0.239	2.15	03/19/2019 20:21	<a href="#">WG1251954</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	98.8				77.0-120		03/19/2019 20:21	<a href="#">WG1251954</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	2.71	J	1.79	4.00	4.45	1	03/21/2019 05:45	<a href="#">WG1253079</a>
C28-C40 Oil Range	2.00	J	0.305	4.00	4.45	1	03/21/2019 05:45	<a href="#">WG1253079</a>
(S) <i>o-Terphenyl</i>	151	J1			18.0-148		03/21/2019 05:45	<a href="#">WG1253079</a>



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	90.9		1	03/21/2019 16:04	<a href="#">WG1252784</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> Al<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	U		0.0239	0.100	0.110	1	03/19/2019 20:42	<a href="#">WG1251954</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	100				77.0-120		03/19/2019 20:42	<a href="#">WG1251954</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	U		1.77	4.00	4.40	1	03/21/2019 06:02	<a href="#">WG1253079</a>
C28-C40 Oil Range	0.761	J	0.301	4.00	4.40	1	03/21/2019 06:02	<a href="#">WG1253079</a>
(S) <i>o-Terphenyl</i>	79.3				18.0-148		03/21/2019 06:02	<a href="#">WG1253079</a>

DUP-01

Collected date/time: 03/15/19 00:00

## SAMPLE RESULTS - 04

L1079716

ONE LAB. NATIONWIDE.



## Total Solids by Method 2540 G-2011

Analyte	Result %	<u>Qualifier</u>	Dilution	Analysis date / time	<u>Batch</u>
Total Solids	86.2		1	03/21/2019 16:04	<a href="#">WG1252784</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Tr<sup>6</sup> Sr<sup>7</sup> Qc<sup>8</sup> GI<sup>9</sup> AI<sup>10</sup> Sc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
TPH (GC/FID) Low Fraction	0.0337	J	0.0252	0.100	0.116	1	03/19/2019 21:02	<a href="#">WG1251954</a>
(S) <i>a,a,a-Trifluorotoluene</i> (FID)	98.2				77.0-120		03/19/2019 21:02	<a href="#">WG1251954</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	<u>Qualifier</u>	SDL (dry) mg/kg	Unadj. MQL mg/kg	MQL (dry) mg/kg	Dilution	Analysis date / time	<u>Batch</u>
C10-C28 Diesel Range	49.5		1.87	4.00	4.64	1	03/21/2019 06:35	<a href="#">WG1253079</a>
C28-C40 Oil Range	25.7		0.318	4.00	4.64	1	03/21/2019 06:35	<a href="#">WG1253079</a>
(S) <i>o-Terphenyl</i>	64.9				18.0-148		03/21/2019 06:35	<a href="#">WG1253079</a>

**WG1252784**

Total Solids by Method 2540 G-2011

**QUALITY CONTROL SUMMARY**L1079716-01,02,03,04**Method Blank (MB)**

(MB) R3394104-1 03/21/19 16:04

Analyte	MB Result %	<u>MB Qualifier</u>	MB MDL %	MB RDL %
Total Solids	0.00100			

**L1079716-03 Original Sample (OS) • Duplicate (DUP)**

(OS) L1079716-03 03/21/19 16:04 • (DUP) R3394104-3 03/21/19 16:04

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD %
Total Solids	90.9	91.7	1	0.911		10

**Laboratory Control Sample (LCS)**

(LCS) R3394104-2 03/21/19 16:04

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Total Solids	50.0	50.0	100	85.0-115	

**1 Cp****2 TC****3 SS****4 Cn****5 Tr****6 Sr****7 QC****8 GI****9 AI****10 SC**

**WG1251954**

Volatile Organic Compounds (GC) by Method 8015D/GRO

**QUALITY CONTROL SUMMARY**L1079716-01,02,03,04

ONE LAB. NATIONWIDE.

**Method Blank (MB)**

(MB) R3393163-3	03/19/19 12:08	MB Result mg/kg	<u>MB Qualifier</u> mg/kg	MB MDL mg/kg	MB RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)**

(LCS) R3393163-1	03/19/19 11:07 • (LCSD) R3393163-2	03/19/19 11:27	Spike Amount mg/kg	LCS Result mg/kg	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u> %	LCSD Qualifier %	RPD %	RPD Limits %
Analyte										
TPH (GC/FID) Low Fraction	5.50	4.49	4.38	81.6	79.6	72.0-127		2.52	20	

*(S)**a,a-Trifluorotoluene(FID)**90.3**90.0**77.0-120***L1079660-22 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)**

(OS) L1079660-22	03/19/19 19:41 • (MS) R3393163-4	03/19/19 21:30 • (MSD) R3393163-5	03/19/19 21:51	Spike Amount (dry)	Original Result (dry)	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u> %	<u>MSD Qualifier</u> %	RPD	RPD Limits %
Analyte															
TPH (GC/FID) Low Fraction	6.50	0.0306	4.73	5.19	72.3	79.4	1	10.0-151			9.35	28			

*(S)**a,a-Trifluorotoluene(FID)**94.0**93.6**77.0-120***Method Control (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

*(S)**a,a-Trifluorotoluene(FID)**103**77.0-120***Method Control (QC) Duplicate (QC)**

(QC) R3393163-3	03/19/19 12:08	QC Result mg/kg	<u>QC Qualifier</u> mg/kg	QC MDL mg/kg	QC RDL mg/kg
Analyte					
TPH (GC/FID) Low Fraction	U	0.0217		0.100	

&lt;i

**WG1253079**

Semi-Volatile Organic Compounds (GC) by Method 8015

**QUALITY CONTROL SUMMARY**L1079716-01,02,03,04**Method Blank (MB)**

(MB) R3393575-1	03/21/19 01:16	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte		mg/kg		mg/kg	mg/kg
C10-C28 Diesel Range	U	1.61	4.00		
C28-C40 Oil Range	U	0.274	4.00		
<i>(S)-o-Terphenyl</i>	144	18.0-148			

**Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)**

(LCS) R3393575-2	03/21/19 01:32 • (LCSD) R3393575-3	03/21/19 01:49	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	<u>LCS Qualifier</u>	LCSD Qualifier	RPD	RPD Limits
Analyte			mg/kg	mg/kg	mg/kg	%	%	%			%	%
C10-C28 Diesel Range	50.0	50.0	49.3	49.3	100	98.6	98.6	50.0-150	J1	J1	1.41	20
<i>(S)-o-Terphenyl</i>			186	186	186	18.0-148	18.0-148					





## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

## Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].	<sup>1</sup> Cp
MDL	Method Detection Limit.	<sup>2</sup> Tc
MQL (dry)	Method Quantitation Limit.	<sup>3</sup> Ss
MQL	Method Quantitation Limit.	<sup>4</sup> Cn
RDL	Reported Detection Limit.	<sup>5</sup> Tr
Rec.	Recovery.	<sup>6</sup> Sr
RPD	Relative Percent Difference.	<sup>7</sup> Qc
SDG	Sample Delivery Group.	<sup>8</sup> Gl
SDL	Sample Detection Limit.	<sup>9</sup> Al
SDL (dry)	Sample Detection Limit.	<sup>10</sup> Sc
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	
U	Not detected at the Sample Detection Limit.	
Unadj. MQL	Unadjusted Method Quantitation Limit.	
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

- \* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
- \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

## State Accreditations

Alabama	40660
Alaska	17-026
Arizona	AZ0612
Arkansas	88-0469
California	2932
Colorado	TN00003
Connecticut	PH-0197
Florida	E87487
Georgia	NELAP
Georgia <sup>1</sup>	923
Idaho	TN00003
Illinois	200008
Indiana	C-TN-01
Iowa	364
Kansas	E-10277
Kentucky <sup>1,6</sup>	90010
Kentucky <sup>2</sup>	16
Louisiana	AI30792
Louisiana <sup>1</sup>	LA180010
Maine	TN0002
Maryland	324
Massachusetts	M-TN003
Michigan	9958
Minnesota	047-999-395
Mississippi	TN00003
Missouri	340
Montana	CERT0086

Nebraska	NE-OS-15-05
Nevada	TN-03-2002-34
New Hampshire	2975
New Jersey-NELAP	TN002
New Mexico <sup>1</sup>	n/a
New York	11742
North Carolina	Env375
North Carolina <sup>1</sup>	DW21704
North Carolina <sup>3</sup>	41
North Dakota	R-140
Ohio-VAP	CL0069
Oklahoma	9915
Oregon	TN200002
Pennsylvania	68-02979
Rhode Island	LA000356
South Carolina	84004
South Dakota	n/a
Tennessee <sup>1,4</sup>	2006
Texas	T104704245-18-15
Texas <sup>5</sup>	LAB0152
Utah	TN00003
Vermont	VT2006
Virginia	460132
Washington	C847
West Virginia	233
Wisconsin	9980939910
Wyoming	A2LA

## Third Party Federal Accreditations

A2LA – ISO 17025	1461.01
A2LA – ISO 17025 <sup>5</sup>	1461.02
Canada	1461.01
EPA-Crypto	TN00003

AIHA-LAP,LLC EMLAP	100789
DOD	1461.01
USDA	P330-15-00234

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.





**ATTACHMENT E**  
**Photographic Log**

**ATTACHMENT E – PHOTOGRAPHIC LOG**



Photo 1. Release area prior to January/March excavation. October 1, 2018.



Photo 2. Southwest/south sides of excavation. January 24, 2019.




Photo3. Northeast/east side of excavation. January 23, 2019.




Photo 4. Northeast side of excavation. January 24, 2019.



Photo 5: Additional soil removal along northeast/east corner of excavation (ES-01-R2). March 15, 2019.




Photo 6. Backfilled excavation. March 15, 2019.