

**THIRD ANNUAL GROUNDWATER
MONITORING REPORT
CHESAPEAKE ENERGY CORPORATION
STATE L LEASE (AP-73)
LEA COUNTY, NEW MEXICO**

Prepared for:

Chesapeake Energy Corporation

6100 North Western Avenue
Oklahoma City, Oklahoma 73118
(405) 935-3938

Prepared by:

Enviro Clean Cardinal, LLC

7060 South Yale Avenue, Suite 603
Tulsa, Oklahoma 74136
(918) 794-7828

May 25, 2017



TABLE OF CONTENTS

LIST OF TABLES	ii
LIST OF FIGURES	ii
LIST OF APPENDICES	ii
1.0 INTRODUCTION	1
2.0 QUARTERLY GROUNDWATER MONITORING	3
2.1 GROUNDWATER MONITORING METHODOLOGY	3
2.2 NINTH QUARTERLY GROUNDWATER SAMPLING RESULTS	4
2.3 TENTH QUARTERLY GROUNDWATER SAMPLING RESULTS	4
2.4 ELEVENTH QUARTERLY GROUNDWATER SAMPLING RESULTS	4
2.5 TWELFTH QUARTERLY GROUNDWATER SAMPLING RESULTS	4
3.0 CONCLUSIONS	6

LIST OF TABLES

- 1 Summary of Liquid Level Measurements
- 2 Summary of Laboratory Analyses of Groundwater Samples

LIST OF FIGURES

- 1 Site Location and Topographic Features
- 2 Site Base Map
- 3 Groundwater Potentiometric Surface, June 27, 2016
- 4 Groundwater Potentiometric Surface, September 20, 2016
- 5 Groundwater Potentiometric Surface, December 6, 2016
- 6 Groundwater Potentiometric Surface, March 7, 2017
- 7 Chloride Concentration Trend Graphs
- 8 MW-4 Benzene Concentration Trend Graph

LIST OF APPENDICES

- A Stage 2 Abatement Plan
- B NMOCD Approval of Stage 2 Abatement Plan
- C Laboratory Analytical Reports and Chain-of-Custody Documentation

**CHESAPEAKE ENERGY CORPORATION, INC.
STATE L LEASE (AP-73)
THIRD ANNUAL GROUNDWATER MONITORING REPORT
MAY 25, 2017**

1.0 INTRODUCTION

Chesapeake Energy Corporation (Chesapeake) retained Enviro Clean Cardinal, LLC (ECC), to perform chloride and benzene impacted groundwater monitoring at Chesapeake's former State L Lease (Site) located in Lea County, New Mexico. The Site is located approximately 8 miles south-southwest of Lovington, New Mexico in the C-NE-NW of Section 19, Township 17 South, Range 36 East, Lea County, New Mexico (coordinates 32.825319° latitude, -103.396361° longitude). The Site location and topographic features are shown on **Figure 1**. An oil and gas production tank battery was formerly located at the Site. Chesapeake purchased the Site in 2004, but never operated the tank battery. Chesapeake began abandonment and environmental investigation activities at the Site in 2007.

Initial Site investigation activities were conducted in May 2007. These investigation activities consisted of conducting EM-31 and EM-34 ground conductivity surveys, the collection of soil samples from nine boreholes, and the installation and sampling of five groundwater monitoring wells. Following the investigation in August 2007, Chesapeake submitted to the New Mexico Oil Conservation Division (NMOCD) a Stage 1 Abatement Plan for the Site. In May 2010, the NMOCD responded to Chesapeake that the agency was not adequately staffed to review the abatement plan in a timely manner and advised Chesapeake that they could proceed with abatement operations at risk. In July 2010, Chesapeake notified the NMOCD of their intent to proceed with the Stage 1 Abatement activities. On March 20, 2012, following implementation of these activities, Chesapeake submitted the Stage 1 Abatement Report for the Site.

On March 27, 2012, Chesapeake submitted to the NMOCD the **Stage 2 Abatement Plan** (Plan) for the Site. A copy of the Plan is provided in **Appendix A**. In this Plan, Chesapeake proposed the following abatement activities at the Site:

- Excavate and remove the near-surface soils at the Site containing concentrations of chloride exceeding 1,000 milligrams per kilogram (mg/kg),
- Excavate and remove the near-surface soils at the Site containing concentrations of TPH exceeding 1,000 mg/kg,

- Install clay liners in areas where chloride and/or TPH concentrations exceed 1,000 mg/kg at depths greater than five feet below ground level,
- Install one additional groundwater monitoring well downgradient of the Site,
- Monitor the groundwater at the Site until the concentrations of chloride and benzene are below the New Mexico Water Quality Control Commission standards.

On March 7, 2013, NMOCD notified Chesapeake that the Plan was administratively complete and that Chesapeake should proceed with public notice of the Plan. On March 30, 2013, Chesapeake published a notice of the proposed activities in the Albuquerque Journal, the Hobbs-Daily News Sun and the Lovington Leader. In addition, written notification of the Plan submittal was sent to all surface owners of record within a 1-mile radius of the Site. On June 27, 2013 upon completion of the notification activities, the NMOCD approved the Plan for the Site. A copy of the NMOCD correspondence approving the Plan is included in **Appendix B**.

The soil remediation activities outlined in the Plan were conducted at the Site during the period January 15, 2014 through March 27, 2014. The soil remediation activities were summarized in the document titled **Soil Remediation Summary Report**, submitted to the NMOCD on August 6, 2014.

This **Third Annual Groundwater Monitoring Report** (Report) summarizes the groundwater monitoring activities conducted at the Site during the following quarterly sampling events:

- Ninth Event - June 27, 2016,
- Tenth Event - September 20, 2016,
- Eleventh Event - December 6, 2016, and
- Twelfth Event - March 7, 2017.

2.0 QUARTERLY GROUNDWATER MONITORING

This Report describes the findings from four quarterly groundwater sampling events conducted at the Site from June 27, 2016 through March 7, 2017.

2.1 GROUNDWATER MONITORING METHODOLOGY

Prior to collecting groundwater samples during each quarterly event, ECC gauged all 6 monitoring wells (MW-1 through MW-6) at the Site using an electronic water level meter to determine the depth-to-water (DTW) within each monitoring well. The locations of these monitoring wells are shown on the attached **Figure 2**. DTWs were measured from the surveyed top-of-casing (TOC) of each well and converted to elevations relative to mean sea level. These data are presented in **Table 1**. Potentiometric surface maps were constructed utilizing these data to illustrate the groundwater flow direction within the shallow groundwater system beneath the Site. These potentiometric surface maps for each of the quarterly events are presented on **Figures 3** through **6**. As can be seen on the figures, groundwater flow at the Site is, in general, from the northwest to the southeast.

Upon completion of DTW measurement activities, ECC field personnel collected groundwater samples from monitoring wells MW-1 through MW-6. Groundwater samples were collected utilizing EPA approved low-flow purging/sampling methodologies. Field parameters consisting of pH, specific conductivity, temperature and dissolved oxygen (DO) were recorded during field activities utilizing an air-tight flow-through cell. Upon the stabilization of field parameters, groundwater samples were collected into laboratory prepared containers, labeled as to source and contents, placed on ice for preservation, placed under chain-of-custody control and shipped via overnight courier to the analytical laboratory (Test America Inc., Nashville, Tennessee). As per the Plan, the groundwater samples collected from monitoring wells MW-1 through MW-6 were analyzed for chloride (EPA Method 300.0). Groundwater samples collected from monitoring well MW-4 were analyzed for benzene (EPA Method 8260B) during each of the four quarterly events. In addition, the groundwater sample collected from monitoring well MW-2 during each quarterly sampling event was also analyzed for benzene. A summary of the laboratory analytical results for chloride and benzene analyses is presented in **Table 2**, and complete copies of the laboratory analytical reports and chain-of-custody documentation is provided in **Appendix C**. Chloride and benzene are the constituents of concern (COC) at the Site. As per the Plan, the laboratory analytical results from these sampling events were screened

against the New Mexico Administrative Code 20.6.2, Standards for Groundwater of 10,000 mg/L TDS Concentration or Less for chloride of 250 mg/L, and for benzene of 10 µg/L (Limits).

2.2 NINTH QUARTERLY GROUNDWATER SAMPLING RESULTS

The ninth quarterly groundwater sampling event was conducted at the Site on June 27, 2016. As can be seen in **Table 2**, the groundwater samples collected during this sampling event did not contain concentrations of chloride that exceed the Limit of 250 mg/L. Benzene was not detected in any of the groundwater samples collected during this monitoring event at concentrations exceeding the Limit of 10 µg/L.

2.3 TENTH QUARTERLY GROUNDWATER SAMPLING RESULTS

The tenth quarterly groundwater sampling event was conducted at the Site on September 20, 2016. As can be seen in **Table 2**, the groundwater samples collected during this sampling event did not contain concentrations of chloride that exceed the Limit of 250 mg/L. Benzene was detected in the groundwater sample collected from MW-4 (42.8 µg/L) during this monitoring event at a concentration exceeding the Limit of 10 µg/L.

To confirm the levels of chloride and benzene observed in the groundwater samples collected from monitoring well MW-4 during the September 2016 sampling event, this well was resampled on October 25, 2016. As can be seen in **Table 2**, the concentrations of chloride and benzene observed in the groundwater samples collected from monitoring well MW-4 during the October 2016 resampling event sample did not exceed the Limits of 250 mg/L and 10 µg/L, respectively.

2.4 ELEVENTH QUARTERLY GROUNDWATER SAMPLING RESULTS

The eleventh quarterly groundwater sampling event was conducted at the Site on December 6, 2016. As can be seen in **Table 2**, the groundwater samples collected during this sampling event did not contain concentrations of chloride that exceed the Limit of 250 mg/L. Benzene was not detected in any of the groundwater samples collected during this monitoring event at concentrations exceeding the Limit of 10 µg/L.

2.5 TWELFTH QUARTERLY GROUNDWATER SAMPLING RESULTS

The twelfth quarterly groundwater sampling event was conducted at the Site on March 7, 2017. As can be seen in **Table 2**, the groundwater samples collected during this sampling event did not contain concentrations of chloride that exceed the Limit of 250 mg/L. **Figure 7** presents chloride concentration trend graphs for each of the monitoring wells sampled at the Site. A review of this figure indicates that the levels of chloride observed in the groundwater samples

are decreasing in monitoring wells MW-2, MW-3, MW-4 and MW-5 and stable in monitoring wells MW-1 and MW-6. The soil remediation activities conducted in the first quarter of 2014 have removed the source of chloride impacts to the groundwater at the Site. Source removal has facilitated the physical natural attenuation mechanisms of dispersion and dilution on remnant chloride concentrations present in Site groundwater.

Benzene was detected in the groundwater sample collected from monitoring well MW-4 (25.6 mg/L) during this monitoring event at a concentration exceeding the Limit of 10 µg/L. **Figure 8** presents a benzene concentration trend graph for monitoring well MW-4. A review of this figure indicates that the levels of benzene observed in the groundwater samples collected from this monitoring well have been variable since June 2014. Benzene has never been detected in the groundwater samples collected from monitoring well MW-2, located downgradient of monitoring well MW-4.

3.0 CONCLUSIONS

Based upon the data presented herein, the following conclusions are presented:

- Groundwater beneath the Site is encountered at depths ranging from approximately 45 to 48 feet below ground level.
- The direction of groundwater flow at the Site is, in general, from the northwest to the southeast.
- During the reporting period, chloride was not detected at concentrations greater than the Limit of 250 mg/L collected from any monitoring well during the groundwater sampling events.
- The levels of chloride observed in the groundwater samples are decreasing in four monitoring wells (MW-2, MW-3, MW-4 and MW-5) and stable in two monitoring wells (MW-1 and MW-6).
- During the reporting period, concentrations of benzene was observed in the groundwater samples collected from monitoring well MW-4 during the tenth and twelfth quarterly monitoring event at levels greater than the Limit of 10 µg/L. The levels of benzene observed in the groundwater samples collected from monitoring well MW-4 have been variable since June 2014.
- Benzene has never been detected in the groundwater samples collected from monitoring well MW-2, which is located directly downgradient from MW-4.

TABLES

**Table 1 : Summary of Liquid Level Measurements
Chesapeake Energy Corporation, State L Lease (AP-73)
Lea County, New Mexico**

Monitoring Well	Top of Casing Elevation (AMSL-Feet)	Depth to Liquid Measurement Date	Depth to LNAPL (Feet-TOC)	Depth to Groundwater (Feet-TOC)	LNAPL Thickness (Feet)	Groundwater Elevation (AMSL-Feet)
MW-1	3895.34	06/03/14	--	47.58	--	3847.76
	3895.34	09/22/14	--	47.66	--	3847.68
	3895.34	12/09/14	--	46.84	--	3848.50
	3895.34	03/10/15	--	47.27	--	3848.07
	3895.34	06/09/15	--	47.58	--	3847.76
	3895.34	09/01/15	--	47.75	--	3847.59
	3895.34	12/08/15	--	47.85	--	3847.49
	3895.34	03/08/16	--	47.89	--	3847.45
	3895.34	06/27/16	--	48.03	--	3847.31
	3895.34	09/20/16	--	48.11	--	3847.23
	3895.34	12/06/16	--	48.17	--	3847.17
	3895.34	03/07/17	--	48.27	--	3847.07
MW-2	3893.79	06/03/14	--	47.71	--	3846.08
	3893.79	09/22/14	--	47.82	--	3845.97
	3893.79	12/09/14	--	47.17	--	3846.62
	3893.79	03/10/15	--	47.42	--	3846.37
	3893.79	06/09/15	--	47.76	--	3846.03
	3893.79	09/01/15	--	47.91	--	3845.88
	3893.79	12/08/15	--	48.02	--	3845.77
	3893.79	03/08/16	--	48.04	--	3845.75
	3893.79	06/27/16	--	48.01	--	3845.78
	3893.79	09/20/16	--	48.26	--	3845.53
	3893.79	12/06/16	--	48.31	--	3845.48
	3893.79	03/07/17	--	48.39	--	3845.40
MW-3	3891.87	06/03/14	--	46.67	--	3845.20
	3891.87	09/22/14	--	46.78	--	3845.09
	3891.87	12/09/14	--	46.16	--	3845.71
	3891.87	03/10/15	--	46.44	--	3845.43
	3891.87	06/09/15	--	46.71	--	3845.16
	3891.87	09/01/15	--	46.84	--	3845.03
	3891.87	12/08/15	--	46.91	--	3844.96
	3891.87	03/08/16	--	46.96	--	3844.91
	3891.87	06/27/16	--	47.12	--	3844.75
	3891.87	09/20/16	--	47.21	--	3844.66
	3891.87	12/06/16	--	47.05	--	3844.82
	3891.87	03/07/17	--	47.32	--	3844.55
MW-4	3894.08	06/03/14	--	47.56	--	3846.52
	3894.08	09/22/14	--	47.65	--	3846.43
	3894.08	12/09/14	--	46.96	--	3847.12
	3894.08	03/10/15	--	47.32	--	3846.76
	3894.08	06/09/15	--	47.62	--	3846.46
	3894.08	09/01/15	--	47.74	--	3846.34
	3894.08	12/08/15	--	47.83	--	3846.25
	3894.08	03/08/16	--	47.90	--	3846.18
	3894.08	06/27/16	--	48.17	--	3845.91
	3894.08	09/20/16	--	48.10	--	3845.98
	3894.08	12/06/16	--	48.19	--	3845.89
	3894.08	03/07/17	--	48.25	--	3845.83

**Table 1 : Summary of Liquid Level Measurements
Chesapeake Energy Corporation, State L Lease (AP-73)
Lea County, New Mexico**

Monitoring Well	Top of Casing Elevation (AMSL-Feet)	Depth to Liquid Measurement Date	Depth to LNAPL (Feet-TOC)	Depth to Groundwater (Feet-TOC)	LNAPL Thickness (Feet)	Groundwater Elevation (AMSL-Feet)
MW-5	3892.08	06/03/14	--	47.45	--	3844.63
	3892.08	09/22/14	--	46.56	--	3845.52
	3892.08	12/09/14	--	45.89	--	3846.19
	3892.08	03/10/15	--	46.27	--	3845.81
	3892.08	06/09/15	--	46.53	--	3845.55
	3892.08	09/01/15	--	46.62	--	3845.46
	3892.08	12/08/15	--	46.70	--	3845.38
	3892.08	03/08/16	--	46.77	--	3845.31
	3892.08	06/27/16	--	46.89	--	3845.19
	3892.08	09/20/16	--	47.02	--	3845.06
	3892.08	12/06/16	--	47.27	--	3844.81
	3892.08	03/07/17	--	47.11	--	3844.97
MW-6	3892.09	06/03/14	--	47.43	--	3844.66
	3892.09	09/22/14	--	46.54	--	3845.55
	3892.09	12/09/14	--	45.92	--	3846.17
	3892.09	03/10/15	--	46.24	--	3845.85
	3892.09	06/09/15	--	46.50	--	3845.59
	3892.09	09/01/15	--	46.58	--	3845.51
	3892.09	12/08/15	--	46.69	--	3845.40
	3892.09	03/08/16	--	46.74	--	3845.35
	3892.09	06/27/16	--	46.88	--	3845.21
	3892.09	09/20/16	--	46.96	--	3845.13
	3892.09	12/06/16	--	47.01	--	3845.08
	3892.09	03/07/17	--	47.10	--	3844.99

Notes:

1. TOC : Measured from top of casing.
2. LNAPL : Light non aqueous phase liquid.
3. -- : Denotes Not Measured.
4. AMSL : Denotes above mean sea level (AMSL)

Table 2 : Summary of Laboratory Analytical Results for Groundwater Samples
Chesapeake Energy Corporation, State L Tank Battery (AP-73)
Lea County, New Mexico

	Benzene (µg/L)												
	June 2014	September 2014	December 2014	March 2015	June 2015	September 2015	December 2015	March 2016	June 2016	September 2016	October 2016	December 2016	March 2017
MW-1	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	---	<1.00	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	---	<0.500	<0.500
MW-3	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-4	34.3	4.76	12.1	<0.500	<0.500	<0.500	1.42	1.20	<0.500	42.8	9.74	1.53	25.6
MW-5	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-6	---	---	---	---	---	---	---	---	---	---	---	---	---

	Toluene (µg/L)												
	June 2014	September 2014	December 2014	March 2015	June 2015	September 2015	December 2015	March 2016	June 2016	September 2016	October 2016	December 2016	March 2017
MW-1	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	---	---	<0.500	---	---	---	---	---	---	---	---	<0.500	---
MW-3	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-4	---	---	<0.500	---	---	---	---	---	---	---	---	<0.500	---
MW-5	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-6	---	---	---	---	---	---	---	---	---	---	---	---	---

	Ethylbenzene (µg/L)												
	June 2014	September 2014	December 2014	March 2015	June 2015	September 2015	December 2015	March 2016	June 2016	September 2016	October 2016	December 2016	March 2017
MW-1	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	---	---	<0.500	---	---	---	---	---	---	---	---	<0.500	---
MW-3	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-4	---	---	<0.500	---	---	---	---	---	---	---	---	<0.500	---
MW-5	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-6	---	---	---	---	---	---	---	---	---	---	---	---	---

	Xylenes (µg/L)												
	June 2014	September 2014	December 2014	March 2015	June 2015	September 2015	December 2015	March 2016	June 2016	September 2016	October 2016	December 2016	March 2017
MW-1	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	---	---	<1.50	---	---	---	---	---	---	---	---	<1.00	---
MW-3	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-4	---	---	<1.50	---	---	---	---	---	---	---	---	<1.00	---
MW-5	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-6	---	---	---	---	---	---	---	---	---	---	---	---	---


	Chloride (mg/L)												
	June 2014	September 2014	December 2014	March 2015	June 2015	September 2015	December 2015	March 2016	June 2016	September 2016	October 2016	December 2016	March 2017
MW-1	26.8	25.4	27.7	23.2	26.5	23.1	25.8	23.3	26.7	27.7	---	26.2	27.8
MW-2	357	327	319	263	264	265	247	243	229	208	---	210	196
MW-3	85.8	86.5	86.0	79.5	79.3	75.7	68.4	61.9	62.3	57.5	---	54.2	57.2
MW-4	192	239	300	238	318	288	284	200	193	181	150	132	118
MW-5	129	114	129	102	87.5	93.9	106	81.5	79.2	78.4	---	79.2	86.7
MW-6	133	167	149	160	146	148	147	148	154	164	---	160	162

Notes:

1. µg/L : micrograms per liter.
2. mg/L : milligrams per liter.
3. < : Analyte not detected at the laboratory reporting limit.
4. All analyses performed by TestAmerica Laboratories in Nashville, Tennessee.
5. Cells shaded in blue indicate results that are above the laboratory reporting limit.
6. Cells with text **bolded** indicate results exceed the New Mexico Administrative Code 20.6.2.3103, Standards for Groundwater: chloride (250.0 mg/L), benzene (10 µg/L), toluene (750 µg/L), ethylbenzene (750 µg/L), and xylenes (620 µg/L).
7. --- : Analysis not performed.
8. MW-4 resampled October 25, 2016 due to anomalous results from the September 2016 sampling event.



FIGURES


D:\Projects\Chesapeake\CHKHSTL201_StateL2well\04_CAD\FIG01_TOPO.dwg on May 22, 2017-12:03pm



SOURCE: U.S.G.S. 7.5 MINUTE TOPOGRAPHIC QUADRANGLES
LOVINGTON SW, NEW MEXICO - PROVISIONAL EDITION 1985 AND
LOVINGTON SE, NEW MEXICO - PROVISIONAL EDITION 1985

NEW MEXICO







CLIENT CHESAPEAKE ENERGY CORPORATION OKLAHOMA CITY, OKLAHOMA		FIGURE TITLE <i>SITE LOCATION AND TOPOGRAPHIC FEATURES</i>	
LOCATION STATE L LEASE (AP-73) SEC. 19, T17S, R36E, LEA COUNTY, NEW MEXICO		DOCUMENT TITLE THIRD ANNUAL GROUNDWATER MONITORING REPORT	
 Enviro Clean Cardinal, LLC 7060 South Yale Avenue, Suite 603 Tulsa, Oklahoma 74136 918.794.7828 www.ECGRP.com		DATE	5/26/2017
		SCALE	AS SHOWN
		PROJECT NUMBER	CHKHSTL201
		DESIGNED BY	BEM
		APPROVED BY	BEM
		DRAWN BY	SKG
		FIGURE NUMBER	1

D:\Projects\Chesapeake\CHKHSTL201_StateL2well\04_CAD\20170601_3rdAnnGMRptL_StateL.dwg on May 22, 2017-12:18pm



LEGEND

-  **MW-5** LOCATION OF MONITORING WELL
-  GRAVEL ROADWAY
-  PIPELINE



SOURCE: AERIAL PHOTOGRAPH DATED FEBRUARY 1, 2017,
GOOGLE EARTH PRO SCREEN CAPTURE




**ENVIRO CLEAN
CARDINAL**

Enviro Clean Cardinal, LLC

7060 South Yale Avenue, Suite 603
Tulsa, Oklahoma 74136
918.794.7828
www.ECCGRP.com

DOCUMENT TITLE		FIGURE TITLE					
THIRD ANNUAL GROUNDWATER MONITORING REPORT		SITE BASE MAP					
CLIENT	CHESAPEAKE ENERGY CORPORATION OKLAHOMA CITY, OKLAHOMA					PROJECT NUMBER	FIGURE NUMBER
		DESIGNED BY	BEM			CHKHSTL201	2
LOCATION	STATE L LEASE (AP-73) SEC. 19, T17S, R36E, LEA COUNTY, NEW MEXICO	APPROVED BY	BEM	SCALE	1"=60'		
		DRAWN BY	SKG	DATE	5/26/2017		

D:\Projects\Chesapeake\CHKHSTL201_StateL2well\04_CAD\20170601_3rdAnnGMRpt_StateL.dwg on May 22, 2017-12:17pm




**ENVIRO CLEAN
CARDINAL**

Enviro Clean Cardinal, LLC

7060 South Yale Avenue, Suite 603
Tulsa, Oklahoma 74136
918.794.7828
www.ECCGRP.com

DOCUMENT TITLE THIRD ANNUAL GROUNDWATER MONITORING REPORT				FIGURE TITLE <i>GROUNDWATER POTENTIOMETRIC SURFACE, JUNE 27, 2016</i>					
CLIENT	CHESAPEAKE ENERGY CORPORATION OKLAHOMA CITY, OKLAHOMA							PROJECT NUMBER CHKHSTL201	FIGURE NUMBER 3
LOCATION	STATE L LEASE (AP-73) SEC. 19, T17S, R36E, LEA COUNTY, NEW MEXICO			DESIGNED BY		BEM			
				APPROVED BY		BEM	SCALE	1"=60"	
				DRAWN BY		SKG	DATE	5/26/2017	

D:\Projects\Chesapeake\CHKHSTL201_StateL2well\04_CAD\20170601_3rdAnnGMRpt_StateL.dwg on May 22, 2017-12:17pm





**ENVIRO CLEAN
CARDINAL**

Enviro Clean Cardinal, LLC

7060 South Yale Avenue, Suite 603
Tulsa, Oklahoma 74136
918.794.7828
www.ECCGRP.com


DOCUMENT TITLE		FIGURE TITLE					
THIRD ANNUAL GROUNDWATER MONITORING REPORT		GROUNDWATER POTENTIOMETRIC SURFACE, SEPTEMBER 20, 2016					
CLIENT	CHESAPEAKE ENERGY CORPORATION OKLAHOMA CITY, OKLAHOMA					PROJECT NUMBER	FIGURE NUMBER
		DESIGNED BY	BEM			CHKHSTL201	4
LOCATION	STATE L LEASE (AP-73) SEC. 19, T17S, R36E, LEA COUNTY, NEW MEXICO	APPROVED BY	BEM	SCALE	1"=60'		
		DRAWN BY	SKG	DATE	5/26/2017		

D:\Projects\Chesapeake\CHKHSTL201_StateL2well\04_CAD\20170601_3rdAnnGMRpt_StateL.dwg on May 22, 2017-12:17pm



ENVIRO CLEAN CARDINAL Enviro Clean Cardinal, LLC 7060 South Yale Avenue, Suite 603 Tulsa, Oklahoma 74136 918.794.7828 www.ECCGRP.com	DOCUMENT TITLE THIRD ANNUAL GROUNDWATER MONITORING REPORT				FIGURE TITLE GROUNDWATER POTENTIOMETRIC SURFACE, DECEMBER 6, 2016			
	CLIENT	CHESAPEAKE ENERGY CORPORATION OKLAHOMA CITY, OKLAHOMA	DESIGNED BY	BEM	PROJECT NUMBER	FIGURE NUMBER		
LOCATION		STATE L LEASE (AP-73) SEC. 19, T17S, R36E, LEA COUNTY, NEW MEXICO	APPROVED BY	BEM	SCALE	1"=60'	CHKHSTL201	5
			DRAWN BY	SKG	DATE	5/26/2017		

D:\Projects\Chesapeake\CHKHSTL201_StateL2well\04_CAD\20170601_3rdAnnGMRpt_StateL.dwg on May 22, 2017-12:17pm



**ENVIRO CLEAN
CARDINAL**

Enviro Clean Cardinal, LLC

7060 South Yale Avenue, Suite 603
Tulsa, Oklahoma 74136
918.794.7828
www.ECCGRP.com

DOCUMENT TITLE
THIRD ANNUAL GROUNDWATER
MONITORING REPORT

FIGURE TITLE
**GROUNDWATER POTENTIOMETRIC
SURFACE, MARCH 7, 2017**


CLIENT CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA


LOCATION STATE L LEASE (AP-73)
SEC. 19, T17S, R36E, LEA COUNTY, NEW MEXICO

DESIGNED BY	BEM	SCALE	1"=60'
APPROVED BY	BEM	DATE	5/26/2017
DRAWN BY	SKG		

PROJECT NUMBER
CHKHSTL201

FIGURE NUMBER
6





Enviro Clean Cardinal, LLC

7060 South Yale Avenue, Suite 603
Tulsa, Oklahoma 74136
918.794.7828

www.ECCGRP.com

DOCUMENT TITLE
THIRD ANNUAL GROUNDWATER
MONITORING REPORT

FIGURE TITLE
MW-4 BENZENE CONCENTRATION TREND GRAPH

CLIENT CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA

LOCATION STATE L LEASE (AP-73)
SEC. 19, T17S, R36E, LEA COUNTY, NEW MEXICO

DESIGNED BY	CNA		
APPROVED BY	BEM	SCALE	NTS
DRAWN BY	SKG	DATE	5/26/2017

PROJECT NUMBER

CHKHSTL201

FIGURE NUMBER

8

APPENDIX A

STAGE 2 ABATEMENT PLAN



Mr. Glenn Von Gonten
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Subject:
State L-2 AP-073
Stage 2 Abatement Plan

Dear Mr. Von Gonten:

On behalf of Chesapeake Energy Corporation, ARCCADIS U.S. Inc. respectfully submits the enclosed Stage 2 Abatement plan for the State L-2 site (AP-073). A Stage 1 Abatement Plan Report was submitted on March 20, 2012. Your review and approval of this Abatement Plan will be appreciated. The landowner, Darr Angell, is anxious for us to complete soil remediation at this site.

If you have any questions please do not hesitate to contact Bradley Blevins at (575) 391-1462 or via e-mail at bblevins@chkenergy or me at (432) 687-5400, e-mail address shall@aracdis-us.com.

Sincerely,

ARCADIS U.S., Inc.

Sharon E. Hall
Associate Vice President

Copies:
Bradley Blevins- Chesapeake, Hobbs

ARCADIS U.S., Inc.
1004 North Big Spring Street
Suite 300
Midland
Texas 79701
Tel 432 687 5400
Fax 432 687 5401
www.arcadis-us.com

ENVIRONMENT

Date:
March 27, 2012

Contact:
Sharon Hall

Phone:
432 687-5400

Email:
shall@aracdis-us.com

Our ref:
MT001088

ARCADIS U.S., Inc.
TX Engineering License # F-533

Imagine the result

Chesapeake Energy Corporation

State L-2 AP-073

**Stage 2 Abatement
Plan Proposal**

Hobbs, New Mexico

March 27, 2012



Sharon E. Hall

Sharon Hall
Associate Vice President

State L-2 AP-073

**Stage 2 Abatement
Plan Proposal**

Prepared for:
Chesapeake Energy
Corporation
Hobbs, New Mexico

Prepared by:
ARCADIS U.S., Inc.
1004 North Big Spring Street
Suite 300
Midland
Texas 79701
Tel 432 687 5400
Fax 432 687 5401

Our Ref.:
MT001088.0001.00001

Date:
March 27, 2012

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

1. INTRODUCTION	1
2. SUMMARY OF STAGE 1 ABATEMENT ACTIVITIES	1
3. STAGE 2 ABATEMENT PLAN PROPOSAL	2
3.1 Soil Remediation	2
3.2 Groundwater Monitoring	3
3.3 Groundwater Remediation	3
4. PUBLIC NOTIFICATION	4
5. REMEDIATION WORK SCHEDULE	4
6. REFERENCES	5

Figures

- Figure 1 Soil and Groundwater Analyte Concentrations
- Figure 2 Proposed Excavations

Appendices

Appendix A Multi-Med Model Inputs and Outputs

Stage 2 Abatement
Plan Proposal



Chesapeake Energy
Corporation
Hobbs, New Mexico

1. INTRODUCTION

The subject site is a former tank battery site located east of Buckeye, New Mexico. The site was purchased by Chesapeake Energy Corporation (Chesapeake) in April 2004. Chesapeake did not operate the tank battery or the associated well field and began the process of facility abandonment in 2007.

Five monitor wells and nine soil borings have been drilled at the site. Elevated chloride concentrations and limited hydrocarbon compounds were detected in soil samples collected from soil borings and monitoring wells.

2. SUMMARY OF STAGE 1 ABATEMENT ACTIVITIES

Initial site investigation activities were conducted in May of 2007 following abandonment of the tank battery. Stage 1 Abatement activities were conducted during the period of May 2007 through September 2011. Stage 1 Abatement activities included drilling and soil sampling of nine boreholes, drilling and sampling of seven monitor wells, EM 31 and EM 34 surveys, conversion of one monitoring well into a recovery well and recovery of phase-separated hydrocarbons from the recovery well.

New Mexico Oil Conservation Division (NMOCD) was notified of impacts to groundwater at the site via e-mail on May 30, 2007. NMOCD notified Chesapeake in a letter dated June 19, 2007 that a Stage 1 Abatement Plan was required for the site in accordance with Rule 19.

The Stage 1 Abatement Plan was submitted to NMOCD on August 22, 2007. The plan summarized site activities taken to date. The plan proposed the drilling and sampling of a minimum of three additional soil borings and installation and sampling of nine groundwater monitoring wells.

BBC contacted NMOCD via email on April 24, 2010 to inquire about the status of the Stage 1 Abatement Plan approval and Chesapeake's desire to conduct the proposed Stage 1 Abatement Plan activities. On May 27, 2010, NMOCD responded via email that the State was not staffed to review the Abatement Plans (APs) in a timely manner. On June 23, 2010, BBC contacted NMOCD via email to request a waiver of the Public Notice requirement and inform NMOCD that Chesapeake and the landowner were anxious to move forward with the proposed AP activities. NMOCD replied via email on June 23, 2010 stating they were still understaffed to review the AP and could not waive the Public Notice requirement. They advised BBC that Chesapeake could proceed "at



Stage 2 Abatement Plan Proposal

**Chesapeake Energy
Corporation
Hobbs, New Mexico**

risk." On July 12, 2010 BBC informed NMOCD by registered letter that Chesapeake was planning to start the Stage 1 Assessment on or about August 23, 2010. They further informed NMOCD they would be submitting the required Public Notices, a copy of which was attached to the letter. NMOCD did not respond to the registered letter.

The public notices were published in the Hobbs News-Sun and Lovington Leader on July 22, 2010 and the Albuquerque Journal on July 24, 2010. No comments were received from the public or NMOCD during the 30-day comment period and Chesapeake proceeded with the proposed Stage 1 Abatement Plan activities on August 26, 2010. Copies of correspondence and Public Notice are included in Appendix A.

A detailed description of site activities and results can be found in the report submitted to NMOCD dated March 20, 2012 entitled State L-2 AP-073, Stage 1 Abatement Report (Site Assessment Investigation). Analytical results for soil and groundwater sampling are summarized on Figure 1.

3. STAGE 2 ABATEMENT PLAN PROPOSAL

After review of various remedial options, we propose the following Stage 2 Abatement Plan. The plan addresses soil and groundwater remediation.

3.1 Soil Remediation

The selected remedial option will be the excavation of near-surface soils and installation of clay liners. The anticipated extent and depth of excavation is based on assessment activities (laboratory analysis and visual observation) and is shown in Figure 2. Near surface soils (to a depth of 5 feet below ground surface) with chloride concentrations in excess of 1,000 milligrams per kilogram (mg/kg) and a Total Petroleum Hydrocarbons (TPH) concentration in excess of 1,000 mg/kg will be excavated and disposed. Excavated soils will be disposed at Lea Land Landfill.

Areas where chloride or TPH concentrations are expected to exceed 1,000 mg/kg at depths greater than 5 feet below ground surface soils will be excavated to a depth of 5 feet below ground surface. The area surrounding SB-1 will be excavated to a depth of 2 feet below ground surface. Subsurface chloride impacted soils are not evidenced in this area and elevated TPH concentrations at depth are not likely to inhibit growth of



Stage 2 Abatement Plan Proposal

**Chesapeake Energy
Corporation
Hobbs, New Mexico**

vegetation. Soils will be screened in the field for chlorides using chloride field test kits and for TPH using a photoionization. Critical samples (samples used to delineate the excavations) will be submitted for laboratory analysis of chlorides and/or TPH. Following excavation, a 12-inch compacted clay layer that meets or exceeds a permeability of equal to or less than 1×10^{-8} centimeters per second will be installed in the excavations. The lined excavations will be backfilled with four feet of locally obtained native soil. All of the excavated areas will be re-seeded with native vegetation. Areas that are supporting vegetation will not be disturbed.

Use of the USEPA Multi-Med model demonstrates that the clay liners will mitigate the leaching of chlorides to groundwater. The model predicts that after 7000 years of infiltration through the liner the maximum concentration of chlorides in groundwater will be 150 milligrams per liter (mg/L). The Multi-Med inputs and outputs are included in Appendix A.

3.2 Groundwater Monitoring

One additional groundwater monitoring well will be installed downgradient of the site. The monitoring well will be designated MW-6.

Groundwater samples will be collected from all of the monitoring wells and analyzed for chlorides using USEPA method 9056 for each of four quarters. Groundwater samples from MW-4 will also be analyzed for benzene. Based on sample results for one year (four quarters), sampling frequency will be reviewed and may be revised.

Sampling will be discontinued when eight quarters of sample results indicate chloride and benzene concentrations are below New Mexico Water Quality Control Commission, Title 20, Chapter 6, Part 2 standards. Sample results will be submitted to the NMOCD annually on June 15.

Proposed groundwater remediation is presented in Sections 3.3.

3.3 Groundwater Remediation

Chloride concentrations in groundwater exceed New Mexico Water Quality Control Commission standards in three wells (MW-2, 580 mg/L; MW-4, 548 mg/L and MW-5, 280 mg/L). Benzene concentrations exceed New Mexico Water Quality Control Commission standards in monitoring well MW-4 at a concentration of 0.224 mg/L.

**Stage 2 Abatement
Plan Proposal****Chesapeake Energy
Corporation
Hobbs, New Mexico**

Removal of near-surface soils that are a potential source of chlorides and hydrocarbons in groundwater and lining of excavations with chloride and TPH concentrations in excess of 1,000 mg/kg will mitigate leaching of chlorides to groundwater. Considering the relatively low concentrations of chlorides in groundwater and the fact that soil removal and clay liner infiltration barrier installation will be conducted at this site, we propose monitoring the site for a period of two years before considering pumping of groundwater at this site. With the proposed source removal and mitigation and the severe drought conditions being experienced in this area, we believe it prudent to evaluate if chloride mass removal by pumping is warranted at this site.

4. PUBLIC NOTIFICATION

Written notification of submittal of the Stage 2 Abatement Plan Proposal and site activities will be sent to all surface owners of record within a one-mile radius of the site. NMOCD will be supplied with a list of parties to be notified. Publication of notice of activities will be published in a state-wide circulated newspaper, the Albuquerque Journal, and two county newspapers, the Hobbs-Daily News Sun and the Lovington Leader.

5. REMEDIATION WORK SCHEDULE

Soil remediation activities are expected to be completed in 15 working days (Monday through Friday). Groundwater remediation activities will be ongoing. An estimated completion date for groundwater remediation is not available.



6. REFERENCES

Groundwater Handbook; United States Environmental Protection Agency, Office of Research and Development, Center for Environmental Research Information; 1992

New Mexico Water Quality Control Commission, Title 20 Chapter 6, Part 2, Subpart I


State L-2 AP-073 Stage 1 Abatement Report (Site Assessment Investigation);
ARCADIS; March 2012

State L-2 Salt Water Disposal Tank Battery, Stage 1 Abatement Plan (Ap-072), BBC International; August 2007

New Mexico Water Quality Control Commission, Title 20 Chapter 6, Part 2, Subpart I

**Chesapeake Energy
Corporation
Hobbs, New Mexico**





**PROPOSED
EXCAVATION MAP**

Appendix A

Multi-Med Model Inputs and Outputs


Chesapeake State L-2
Chesapeake Energy Corporation
Buckeye, Lea County, New Mexico
Multimed Model Input and Output (With Liner)

MODEL INPUT AND OUTPUT						MODEL RANGE	
INPUT PARAMETERS						Minimum	Maximum
Unsaturated Zone Flow Parameters							
Depth of Unsaturated Zone	m	46	feet	14.0	m	0.000000001	None
Hydraulic Conductivity	cm/hr	2	ft/day	2.54	cm/hr	0.00000000001	10,000
Unsaturated Zone Porosity	fraction	0.05	fraction	0.05	fraction	0.000000001	0.99
Residual Water Content	fraction	0.01	fraction	0.010	fraction	0.000000001	1
Unsaturated Zone Transport Parameters							
Thickness of Layer	m	46	feet	14.0	m	0.000000001	None
Percent of Organic Matter	%	2.6	%	2.6	%	0	100
Bulk Density	g/cm ³	1.35	g/cm ³	1.35	g/cm ³	0.01	5
Biological Decay Coefficient	1/yr	0	1/yr	0	1/yr	0	None
Aquifer Parameters							
Aquifer Porosity	fraction	0.25	fraction	0.25	fraction	0.000000001	0.99
Bulk Density	g/cm ³	1.35	g/cm ³	1.35	g/cm ³	0.01	5
Aquifer Thickness	m	15	ft	4.6	m	0.000000001	100,000
Hydraulic Conductivity	m/yr	2	ft/day	223	m/yr	0.0000001	100,000,000
Hydraulic Gradient	m/m	0.004	m/m	0.004	m/m	0.00000001	None
Organic Carbon Content	fraction	0.00315	fraction	0.00315	fraction	0.000001	1
Temperature of Aquifer	°C	14.4	°C	14.4	°C	0.00000001	None
pH		6.2		6.2		0.3	14
x-distance Radial Distance from Site to Receptor	m	1	m	1	m	1	None
Source Parameters							
Infiltration Rate from the Facility	m/yr	0.05	in/yr	0.0013	m/yr	0.0000000001	10,000,000,000
Area of Waste Disposal Unit	m ²	52,650	ft ²	4891	m ²	0.01	None
Length Scale of Facility	m	270	feet	82.3	m	0.000000001	10,000,000,000
Width Scale of Facility	m	195	feet	59.4	m	0.000000001	10,000,000,000
Recharge Rate into the Plume	m/yr	0	in/yr	0	m/yr	0	10,000,000,000
Duration of Pulse	yr	7,000	yr	7000	yr	0.000000001	None
Initial Concentration at Landfill	mg/L	5,040	mg/L	5,040	mg/L	0	None
Additional Parameters							
Method	Gaussian				Gaussian	Patch	
Name of Chemical Specified	Chloride						

MODEL OUTPUT			
Final Concentration at Landfill	mg/L	150.0	mg/L

MODEL OUTPUT			
Concentration at Landfill	0.0	mg/L	Time
	0.0	mg/L	1 yr
	0.0	mg/L	10 yr
	0.0	mg/L	20 yr
	0.0	mg/L	50 yr
	0.0	mg/L	70 yr
	2.2	mg/L	80 yr
	6.9	mg/L	100 yr
	30.8	mg/L	200 yr
	53.0	mg/L	300 yr
	70.6	mg/L	400 yr
	83.8	mg/L	500 yr
	94.3	mg/L	600 yr
	108.9	mg/L	800 yr
	118.8	mg/L	1,000 yr
	139.9	mg/L	2,000 yr
	146.1	mg/L	3,000 yr
	148.0	mg/L	4,000 yr
	149.3	mg/L	5,000 yr
	149.8	mg/L	6,000 yr
	150.0	mg/L	7,000 yr

Chesapeake State L-2
Chesapeake Energy Corporation
Buckeye, Lea County, New Mexico



Chesapeake State L-2
Chesapeake Energy Corporation
Buckeye, Lea County, New Mexico
Multimed Model Input and Output (Without Liner)

MODEL INPUT AND OUTPUT						MODEL RANGE	
INPUT PARAMETERS						Minimum	Maximum
Unsaturated Zone Flow Parameters							
Depth of Unsaturated Zone	m	46	feet	14.0	m	0.000000001	None
Hydraulic Conductivity	cm/hr	2	ft/day	2.54	cm/hr	0.00000000001	10,000
Unsaturated Zone Porosity	fraction	0.05	fraction	0.05	fraction	0.000000001	0.99
Residual Water Content	fraction	0.01	fraction	0.010	fraction	0.000000001	1
Unsaturated Zone Transport Parameters							
Thickness of Layer	m	45	feet	13.7	m	0.000000001	None
Percent of Organic Matter	%	2.6	%	2.6	%	0	100
Bulk Density	g/cm ³	1.35	g/cm ³	1.35	g/cm ³	0.01	5
Biological Decay Coefficient	1/yr	0	1/yr	0	1/yr	0	None
Aquifer Parameters							
Aquifer Porosity	fraction	0.25	fraction	0.25	fraction	0.000000001	0.99
Bulk Density	g/cm ³	1.35	g/cm ³	1.35	g/cm ³	0.01	5
Aquifer Thickness	m	15	ft	4.6	m	0.000000001	100,000
Hydraulic Conductivity	m/yr	2	ft/day	223	m/yr	0.0000001	100,000,000
Hydraulic Gradient	m/m	0.006	m/m	0.006	m/m	0.00000001	None
Organic Carbon Content	fraction	0.00315	fraction	0.00315	fraction	0.000001	1
Temperature of Aquifer	°C	14.4	°C	14.4	°C	0.00000001	None
pH		6.2		6.2		0.3	14
x-distance Radial Distance from Site to Receptor	m	1	m	1	m	1	None
Source Parameters							
Infiltration Rate from the Facility	m/yr	1.50	in/yr	0.0381	m/yr	0.0000000001	10,000,000,000
Area of Waste Disposal Unit	m ²	52,650	ft ²	4891	m ²	0.01	None
Length Scale of Facility	m	270	feet	82.3	m	0.000000001	10,000,000,000
Width Scale of Facility	m	195	feet	59.4	m	0.000000001	10,000,000,000
Recharge Rate into the Plume	m/yr	0	in/yr	0	m/yr	0	10,000,000,000
Duration of Pulse	yr	2,000	yr	2000	yr	0.000000001	None
Initial Concentration at Landfill	mg/L	5,040	mg/L	5,040	mg/L	0	None
Additional Parameters							
Method				Gaussian	Gaussian		
Name of Chemical Specified				Chloride			

MODEL OUTPUT				
Concentration at Landfill	mg/L	4,404	mg/L	1000.0 yr

MODEL OUTPUT						
Concentration at Landfill		0	mg/L	Time	1.0	yr
		0	mg/L		1.5	yr
		0	mg/L		2.0	yr
		0	mg/L		2.5	yr
		13	mg/L		3.0	yr
		522	mg/L		5.0	yr
		1,507	mg/L		10.0	yr
		2,700	mg/L		20.0	yr
		3,098	mg/L		30.0	yr
		3,229	mg/L		40.0	yr
		3,360	mg/L		50.0	yr
		4,016	mg/L		100.0	yr
		4,349	mg/L		150.0	yr
		4,380	mg/L		200.0	yr
		4,397	mg/L		250.0	yr
		4,401	mg/L		300.0	yr
		4,403	mg/L		400.0	yr
		4,404	mg/L		500.0	yr
		4,404	mg/L		800.0	yr
		4,404	mg/L		1,000.0	yr

Chesapeake State L-2
Chesapeake Energy Corporation
Buckeye, Lea County, New Mexico




TABLE 6-2. DESCRIPTIVE STATISTICS FOR SATURATED HYDRAULIC CONDUCTIVITY
(cm hr⁻¹)

Soil Type	Hydraulic Conductivity (Ks)*			n
	x	s	CV	
Clay**	0.2	0.42	210.3	114
Clay Loam	0.26	0.7	267.2	345
Loam	1.04	1.82	174.6	735
Loamy Sand	14.59	11.36	77.9	315
Silt	0.25	0.33	129.9	88
Silt Loam	0.45	1.23	275.1	1093
Silty Clay	0.02	0.11	453.3	126
Silty Clay Loam	0.07	0.19	288.7	592
Sand	29.7	15.6	52.4	246
Sandy Clay	0.12	0.28	234.1	46
Sandy Clay Loam	1.31	2.74	208.6	214
Sandy Loam	4.42	5.63	127	1183

* n = Sample size, \bar{x} = Mean, s = Standard deviation, CV = Coefficient of variation (percent)

** Agricultural soil, less than 60 percent clay

Sources: From Dean et al. (1989),
Original reference Carsel and Parrish (1988).

TABLE 6-3. TOTAL POROSITY OF VARIOUS MATERIALS

Material	No. of Analyses	Range	Arithmetic Mean
Igneous Rocks			
Weathered granite	8	0.34-0.57	0.45
Weathered gabbro	4	0.42-0.45	0.43
Basalt	94	0.03-0.35	0.17
Sedimentary Materials			
Sandstone	65	0.14-0.49	0.34
Siltstone	7	0.21-0.41	0.35
Sand (fine)	243	0.26-0.53	0.43
Sand (coarse)	26	0.31-0.46	0.39
Gravel (fine)	38	0.25-0.38	0.34
Gravel (coarse)	15	0.24-0.36	0.28
Silt	281	0.34-0.61	0.46
Clay	74	0.34-0.57	0.42
Limestone	74	0.07-0.56	0.3
Metamorphic Rocks			
Schist	18	0.04-0.49	0.38

Sources: From Mercer et al. (1982),
 McWhorter and Sunada (1977),
 Original reference Morris and Johnson, (1967).

Saturated water content is the maximum volumetric amount of water in the soil when all pores are filled with water. Very often it is assumed that saturated water content equals the porosity n . However, in many cases q_s is smaller than n due to the fact that small amounts of air will be trapped in very small pores. Residual water content can be defined as the asymptote of the pF-curve when h gets very high negative values. Usually q_R is very small - on the order of 0.001--0.02 for coarse soils but gets as high values as 0.15..0.25 for heavy clay soils. Air entry point h_a is

Soil texture. Fine-textured soils can hold much more organic matter than sandy soils for two reasons. First, clay particles form electrochemical bonds that hold organic compounds. Second, decomposition occurs faster in well-aerated sandy soils. A sandy loam rarely holds more than 2% organic matter.

The recharge rate in this model is the net amount of water that percolates directly into the aquifer system outside of the land disposal facility. The recharge is assumed to have no contamination and hence dilutes the groundwater contaminant plume. The recharge rate into the plume can be calculated in a variety of ways. One possibility is to use a model, such as HELP (Hydrologic Evaluation of Landfill Performance) (Schroeder et al., 1984), without any engineering controls (leachate collection system or a liner) to simulate the water balance for natural conditions.

The infiltration rate is the net amount of leachate that percolates into the aquifer system from a land disposal facility. Because of the use of engineering controls and the presence of non-native porous materials in the landfill facility, the infiltration rate will typically be different than the recharge rate. However, it can be estimated by similar

Most soils contain 2-10 percent organic matter. *The Importance of Soil Organic Matter: Key to Drought-Resistant Soil and Sustained Food Production.* <http://www.fao.org>

APPENDIX B

NMOCD APPROVAL OF STAGE 2 ABATEMENT PLAN

From: [Chase Acker](#)
To: [Bruce McKenzie](#)
Subject: FW: Stage 2 Abatement Plan Approval: AP-73 Former State L-2 Tank Battery located in Unit Letter C of Section 19 in Township 17 South, Range 36 East, NMPM in Lea County, NM
Date: Monday, April 14, 2014 1:56:03 PM

From: Griswold, Jim, EMNRD [mailto:Jim.Griswold@state.nm.us]
Sent: Thursday, June 27, 2013 5:17 PM
To: Larry Wooten
Cc: sharon.hall@arcadis-us.com; Chase Acker
Subject: Stage 2 Abatement Plan Approval: AP-73 Former State L-2 Tank Battery located in Unit Letter C of Section 19 in Township 17 South, Range 36 East, NMPM in Lea County, NM

Mr. Wooten,

The Oil Conservation Division (OCD) has reviewed the Stage 2 Abatement Plan for the above-referenced site submitted on your behalf by Arcadis and dated 3/27/12. That plan has substantially met the requirements of 19.15.30 NMAC and is hereby approved. Please proceed with field activities.

Be advised this approval does not relieve Chesapeake of responsibility should the situation continue to pose a threat to groundwater, surface water, human health, or the environment. Furthermore, this approval does not relieve your responsibility for compliance with any federal, state, or local laws and/or regulations. Please retain a copy of this email for your files, as no hardcopy will be sent. If you have any questions, please feel free to contact me at any time.

Jim Griswold

Senior Hydrologist

EMNRD/Oil Conservation Division

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

505.476.3465

email: jim.griswold@state.nm.us

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is confidential or privileged and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).

APPENDIX C

LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Drive

Nashville, TN 37204

Tel: (615)726-0177

TestAmerica Job ID: 490-106871-1

TestAmerica Sample Delivery Group: Property ID 890293

Client Project/Site: CHK State L-2

Sampling Event: CHK State L-2

For:

Enviro Clean Services LLC

7060 S. Yale Avenue, Suite 603

Tulsa, Oklahoma 74136

Attn: Ms. Julie Czech

Cathy Gartner

Authorized for release by:

7/18/2016 11:03:55 AM

Cathy Gartner, Project Manager I

(615)301-5041

cathy.gartner@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Definitions	4
Client Sample Results	5
QC Sample Results	14
QC Association	17
Chronicle	18
Method Summary	20
Certification Summary	21
Chain of Custody	22
Receipt Checklists	24

Sample Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-106871-1	EQ Blank	Water	06/27/16 08:30	06/30/16 10:30
490-106871-2	MW-1	Water	06/27/16 10:15	06/30/16 10:30
490-106871-3	MW-4	Water	06/27/16 11:55	06/30/16 10:30
490-106871-4	MW-2	Water	06/27/16 13:35	06/30/16 10:30
490-106871-5	MW-6	Water	06/27/16 14:50	06/30/16 10:30
490-106871-6	MW-3	Water	06/27/16 15:50	06/30/16 10:30
490-106871-7	MW-5	Water	06/27/16 16:40	06/30/16 10:30
490-106871-8	Dup	Water	06/27/16 00:01	06/30/16 10:30
490-106871-9	Trip Blank	Water	06/27/16 00:01	06/30/16 10:30

Definitions/Glossary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: EQ Blank

Lab Sample ID: 490-106871-1

Date Collected: 06/27/16 08:30

Matrix: Water

Date Received: 06/30/16 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			07/01/16 19:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130					07/01/16 19:32	1
4-Bromofluorobenzene (Surr)	109		70 - 130					07/01/16 19:32	1
Dibromofluoromethane (Surr)	110		70 - 130					07/01/16 19:32	1
Toluene-d8 (Surr)	97		70 - 130					07/01/16 19:32	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			07/13/16 21:30	1

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: MW-1

Date Collected: 06/27/16 10:15

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.7		2.00		mg/L			07/15/16 13:57	2

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: MW-4

Lab Sample ID: 490-106871-3

Date Collected: 06/27/16 11:55

Matrix: Water

Date Received: 06/30/16 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			07/01/16 19:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 130					07/01/16 19:58	1
4-Bromofluorobenzene (Surr)	108		70 - 130					07/01/16 19:58	1
Dibromofluoromethane (Surr)	112		70 - 130					07/01/16 19:58	1
Toluene-d8 (Surr)	97		70 - 130					07/01/16 19:58	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	193		10.0		mg/L			07/15/16 14:17	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: MW-2
Date Collected: 06/27/16 13:35
Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			07/01/16 20:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		70 - 130					07/01/16 20:24	1
4-Bromofluorobenzene (Surr)	109		70 - 130					07/01/16 20:24	1
Dibromofluoromethane (Surr)	113		70 - 130					07/01/16 20:24	1
Toluene-d8 (Surr)	96		70 - 130					07/01/16 20:24	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	229		20.0		mg/L			07/15/16 16:18	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: MW-6

Date Collected: 06/27/16 14:50

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	154		10.0		mg/L			07/15/16 14:57	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: MW-3

Date Collected: 06/27/16 15:50

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	62.3		5.00		mg/L			07/15/16 15:17	5

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: MW-5

Date Collected: 06/27/16 16:40

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	79.2		10.0		mg/L			07/15/16 15:37	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: Dup

Lab Sample ID: 490-106871-8

Date Collected: 06/27/16 00:01

Matrix: Water

Date Received: 06/30/16 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			07/01/16 20:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 130					07/01/16 20:50	1
4-Bromofluorobenzene (Surr)	109		70 - 130					07/01/16 20:50	1
Dibromofluoromethane (Surr)	111		70 - 130					07/01/16 20:50	1
Toluene-d8 (Surr)	95		70 - 130					07/01/16 20:50	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	218		20.0		mg/L			07/15/16 16:58	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: Trip Blank

Lab Sample ID: 490-106871-9

Date Collected: 06/27/16 00:01

Matrix: Water

Date Received: 06/30/16 10:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			07/01/16 16:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130					07/01/16 16:54	1
4-Bromofluorobenzene (Surr)	109		70 - 130					07/01/16 16:54	1
Dibromofluoromethane (Surr)	112		70 - 130					07/01/16 16:54	1
Toluene-d8 (Surr)	97		70 - 130					07/01/16 16:54	1

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-352302/7

Matrix: Water

Analysis Batch: 352302

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			07/01/16 16:28	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 130					07/01/16 16:28	1
4-Bromofluorobenzene (Surr)	108		70 - 130					07/01/16 16:28	1
Dibromofluoromethane (Surr)	112		70 - 130					07/01/16 16:28	1
Toluene-d8 (Surr)	96		70 - 130					07/01/16 16:28	1

Lab Sample ID: LCS 490-352302/3

Matrix: Water

Analysis Batch: 352302

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	50.71		ug/L		101	70 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	95		70 - 130				
4-Bromofluorobenzene (Surr)	106		70 - 130				
Dibromofluoromethane (Surr)	111		70 - 130				
Toluene-d8 (Surr)	96		70 - 130				

Lab Sample ID: LCSD 490-352302/4

Matrix: Water

Analysis Batch: 352302

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	51.61		ug/L		103	70 - 130	2	12
Surrogate	%Recovery	LCSD Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	99		70 - 130						
4-Bromofluorobenzene (Surr)	108		70 - 130						
Dibromofluoromethane (Surr)	109		70 - 130						
Toluene-d8 (Surr)	95		70 - 130						

Lab Sample ID: 490-106868-F-1 MS

Matrix: Water

Analysis Batch: 352302

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		50.0	48.84		ug/L		98	55 - 147
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	94		70 - 130						
4-Bromofluorobenzene (Surr)	110		70 - 130						
Dibromofluoromethane (Surr)	110		70 - 130						
Toluene-d8 (Surr)	96		70 - 130						

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-106868-G-1 MSD

Matrix: Water

Analysis Batch: 352302

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	ND		50.0	50.16		ug/L		100	55 - 147	3	22
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	93		70 - 130								
4-Bromofluorobenzene (Surr)	108		70 - 130								
Dibromofluoromethane (Surr)	110		70 - 130								
Toluene-d8 (Surr)	97		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 490-354988/3

Matrix: Water

Analysis Batch: 354988

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			07/13/16 20:39	1

Lab Sample ID: LCS 490-354988/4

Matrix: Water

Analysis Batch: 354988

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	10.48		mg/L		105	90 - 110

Lab Sample ID: LCSD 490-354988/5

Matrix: Water

Analysis Batch: 354988

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	10.37		mg/L		104	90 - 110	1	20

Lab Sample ID: 490-106871-1 MS

Matrix: Water

Analysis Batch: 354988

Client Sample ID: EQ Blank

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	ND		2.00	2.226		mg/L		111	80 - 120

Lab Sample ID: MB 490-355447/28

Matrix: Water

Analysis Batch: 355447

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			07/15/16 12:57	1

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 490-355447/29

Matrix: Water

Analysis Batch: 355447

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.758		mg/L		98	90 - 110

Lab Sample ID: LCSD 490-355447/30

Matrix: Water

Analysis Batch: 355447

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.786		mg/L		98	90 - 110	0	20

QC Association Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

GC/MS VOA

Analysis Batch: 352302

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-106868-F-1 MS	Matrix Spike	Total/NA	Water	8260B	
490-106868-G-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
490-106871-1	EQ Blank	Total/NA	Water	8260B	
490-106871-3	MW-4	Total/NA	Water	8260B	
490-106871-4	MW-2	Total/NA	Water	8260B	
490-106871-8	Dup	Total/NA	Water	8260B	
490-106871-9	Trip Blank	Total/NA	Water	8260B	
LCS 490-352302/3	Lab Control Sample	Total/NA	Water	8260B	
LCSD 490-352302/4	Lab Control Sample Dup	Total/NA	Water	8260B	
MB 490-352302/7	Method Blank	Total/NA	Water	8260B	

HPLC/IC

Analysis Batch: 354988

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-106871-1	EQ Blank	Total/NA	Water	300.0	
490-106871-1 MS	EQ Blank	Total/NA	Water	300.0	
LCS 490-354988/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-354988/5	Lab Control Sample Dup	Total/NA	Water	300.0	
MB 490-354988/3	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 355447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-106871-2	MW-1	Total/NA	Water	300.0	
490-106871-3	MW-4	Total/NA	Water	300.0	
490-106871-4	MW-2	Total/NA	Water	300.0	
490-106871-5	MW-6	Total/NA	Water	300.0	
490-106871-6	MW-3	Total/NA	Water	300.0	
490-106871-7	MW-5	Total/NA	Water	300.0	
490-106871-8	Dup	Total/NA	Water	300.0	
LCS 490-355447/29	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-355447/30	Lab Control Sample Dup	Total/NA	Water	300.0	
MB 490-355447/28	Method Blank	Total/NA	Water	300.0	

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: EQ Blank

Date Collected: 06/27/16 08:30

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	352302	07/01/16 19:32	L1L	TAL NSH
Total/NA	Analysis	300.0		1	10 mL		354988	07/13/16 21:30	JHS	TAL NSH

Client Sample ID: MW-1

Date Collected: 06/27/16 10:15

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	10 mL		355447	07/15/16 13:57	JHS	TAL NSH

Client Sample ID: MW-4

Date Collected: 06/27/16 11:55

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	352302	07/01/16 19:58	L1L	TAL NSH
Total/NA	Analysis	300.0		10	10 mL		355447	07/15/16 14:17	JHS	TAL NSH

Client Sample ID: MW-2

Date Collected: 06/27/16 13:35

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	352302	07/01/16 20:24	L1L	TAL NSH
Total/NA	Analysis	300.0		20	10 mL		355447	07/15/16 16:18	JHS	TAL NSH

Client Sample ID: MW-6

Date Collected: 06/27/16 14:50

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10	10 mL		355447	07/15/16 14:57	JHS	TAL NSH

Client Sample ID: MW-3

Date Collected: 06/27/16 15:50

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5	10 mL		355447	07/15/16 15:17	JHS	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Client Sample ID: MW-5

Date Collected: 06/27/16 16:40

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10	10 mL		355447	07/15/16 15:37	JHS	TAL NSH

Client Sample ID: Dup

Date Collected: 06/27/16 00:01

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	352302	07/01/16 20:50	L1L	TAL NSH
Total/NA	Analysis	300.0		20	10 mL		355447	07/15/16 16:58	JHS	TAL NSH

Client Sample ID: Trip Blank

Date Collected: 06/27/16 00:01

Date Received: 06/30/16 10:30

Lab Sample ID: 490-106871-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	352302	07/01/16 16:54	L1L	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
300.0	Anions, Ion Chromatography	MCAWW	TAL NSH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-106871-1
SDG: Property ID 890293

Laboratory: TestAmerica Nashville

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Oklahoma	State Program	6	9412	08-31-16



COOLER RECEIPT FORM

Cooler Received/Opened On 6/30/2016 @ 1030

Time Samples Removed From Cooler 1749 Time Samples Placed In Storage 1823 (2 Hour Window)

1. Tracking # 0597 (last 4 digits, FedEx) Courier: FedEx

IR Gun ID 17960358 pH Strip Lot HC564992 Chlorine Strip Lot 012516A

2. Temperature of rep. sample or temp blank when opened: 17 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO...NA

4. Were custody seals on outside of cooler?

If yes, how many and where: 1 front, 1 Back

5. Were the seals intact, signed, and dated correctly?

6. Were custody papers inside cooler?

I certify that I opened the cooler and answered questions 1-6 (initial) SR

7. Were custody seals on containers:

YES ☒ NO

and Intact

YES...NO...NA

Were these signed and dated correctly?

YES...NO...NA

8. Packing mat'I used? ☒ Bubblewrap ☐ Plastic bag ☐ Peanuts ☐ Vermiculite ☐ Foam Insert ☐ Paper ☐ Other ☐ None

9. Cooling process:

☒ Ice

Ice-pack

Ice (direct contact)

Dry ice

Other

None

10. Did all containers arrive in good condition (unbroken)?

YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)?

YES...NO...NA

12. Did all container labels and tags agree with custody papers?

YES...NO...NA

13a. Were VOA vials received?

YES...NO...NA

b. Was there any observable headspace present in any VOA vial?

YES...NO...NA

14. Was there a Trip Blank in this cooler? ☒ YES...NO...NA If multiple coolers, sequence # 1

I certify that I unloaded the cooler and answered questions 7-14 (initial) MBM

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used

YES...NO...NA

16. Was residual chlorine present?

YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) MBM

17. Were custody papers properly filled out (ink, signed, etc)?

YES...NO...NA

18. Did you sign the custody papers in the appropriate place?

YES...NO...NA

19. Were correct containers used for the analysis requested?

YES...NO...NA

20. Was sufficient amount of sample sent in each container?

YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) MBM

I certify that I attached a label with the unique LIMS number to each container (initial) MBM

21. Were there Non-Conformance issues at login? YES ☒ NO Was a NCM generated? YES ☒ NO...# 1

CHAIN OF CUSTODY RECORD

No. 00920



(918) 794-7828

SAMPLER'S PRINTED NAME:

TERRY FISHER

SAMPLER'S SIGNATURE:

Terry Fisher

PROJECT NUMBER:

CHKSTL201

PROJECT NAME:

CHK STATE L-2

COC _____ of _____

SHIPPED TO:

TA NASHVILLE

PROJECT MANAGER:

BRUCE MCKENZIE

TAT:

ASOW:

GENSUB: 750-521
PROP ID: 890293

STANDARD

490-106871

Date Time Sample ID

Sample Matrix

of Sample Containers

CHLORIDE (300)
BENZENE (B260C)
Temp.º

6-27-16	830	EQ Blank	W	4	1	3	-1
6-27-16	1015	MW-1	W	1	1		2
6-27-16	1155	MW-4	W	4	1	3	3
6-27-16	1335	MW-2	W	4	1	3	4
6-27-16	1450	MW-6	W	1	1		5
6-27-16	1550	MW-3	W	1	1		6
6-27-16	1640	MW-5	W	1	1		7
6-27-16	---	Dup	W	4	1	3	8
---	---	TRIP	W	2	2		9
---	---	Temp	W	1	1		---

TOTAL NUMBER OF CONTAINERS

23

RELINQUISHED BY:

Terry Fisher

DATE 6-28-16

RECEIVED BY: *Julie Czech*

DATE 6-30-16

RELINQUISHED BY:

DATE

RECEIVED BY:

DATE

METHOD OF SHIPMENT:

FED. EX

AIRBILL NUMBER:

RECEIVED IN LABORATORY BY:

DATE

Send PDF, EDD, and INVOICE (if applicable) to:

JULIE CZECH at jczech@envirocleans.com

LABORATORY CONTACT:

(918) 728-0177

LABORATORY ADDRESS:

2960 FOSTER CREIGHTON DR., NASHVILLE, TN 37204

POINT OF ORIGIN:

☐ OKLAHOMA CITY

☒ TULSA

☐ NORMAN

☐ WOODWARD

☐ ARLINGTON

☐ MIDLAND

☐ OTHER:

Login Sample Receipt Checklist

Client: Enviro Clean Services LLC

Job Number: 490-106871-1

SDG Number: Property ID 890293

Login Number: 106871

List Number: 1

Creator: McBride, Mike

List Source: TestAmerica Nashville

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Drive

Nashville, TN 37204

Tel: (615)726-0177

TestAmerica Job ID: 490-112465-1

TestAmerica Sample Delivery Group: Property ID 890293

Client Project/Site: CHK STATE L-2

Sampling Event: CHK State L-2

For:

Enviro Clean Services LLC

7060 S. Yale Avenue, Suite 603

Tulsa, Oklahoma 74136

Attn: Ms. Julie Czech

Cathy Gartner

Authorized for release by:

10/7/2016 3:21:48 PM

Cathy Gartner, Project Manager I

(615)301-5041

cathy.gartner@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	15
QC Association	18
Chronicle	19
Method Summary	21
Certification Summary	22
Chain of Custody	23
Receipt Checklists	25

Sample Summary

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-112465-1	MW-1	Water	09/20/16 08:45	09/23/16 09:25
490-112465-2	MW-4	Water	09/20/16 09:55	09/23/16 09:25
490-112465-3	MW-2	Water	09/20/16 11:19	09/23/16 09:25
490-112465-4	MW-6	Water	09/20/16 13:06	09/23/16 09:25
490-112465-5	MW-3	Water	09/20/16 14:11	09/23/16 09:25
490-112465-6	MW-5	Water	09/20/16 15:36	09/23/16 09:25
490-112465-7	EQ Blank	Water	09/20/16 07:56	09/23/16 09:25
490-112465-8	Dup	Water	09/20/16 00:01	09/23/16 09:25
490-112465-9	Trip Blank	Water	09/20/16 00:01	09/23/16 09:25

Case Narrative

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Job ID: 490-112465-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-112465-1

Comments

No additional comments.

Receipt

The samples were received on 9/23/2016 9:25 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.4° C.

GC/MS VOA

Method(s) 8260B: The %RPD of the laboratory control sample (LCS) and laboratory control standard duplicate (LCSD) for analytical batch 373784 recovered outside control limits for the following analytes: Benzene and Toluene.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

HPLC/IC

Method(s) 300.0: The matrix spike (MS) recoveries for analytical batch 490-375625 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) recoveries were within the acceptance limits.

Method(s) 300.0: The following samples was diluted due to the nature of the sample matrix: MW-1 (490-112465-1), MW-4 (490-112465-2), MW-2 (490-112465-3), MW-6 (490-112465-4), MW-3 (490-112465-5), MW-5 (490-112465-6) and EQ Blank (490-112465-7). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Definitions/Glossary

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	RPD of the LCS and LCSD exceeds the control limits

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: MW-1

Date Collected: 09/20/16 08:45

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27.7		2.00		mg/L			10/06/16 23:57	2

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: MW-4

Lab Sample ID: 490-112465-2

Date Collected: 09/20/16 09:55

Matrix: Water

Date Received: 09/23/16 09:25

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	42.8	*	0.500		ug/L			09/28/16 21:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 130					09/28/16 21:44	1
4-Bromofluorobenzene (Surr)	98		70 - 130					09/28/16 21:44	1
Dibromofluoromethane (Surr)	109		70 - 130					09/28/16 21:44	1
Toluene-d8 (Surr)	99		70 - 130					09/28/16 21:44	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	181		20.0		mg/L			10/07/16 00:31	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: MW-2
Date Collected: 09/20/16 11:19
Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND	*	0.500		ug/L			09/28/16 22:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 130					09/28/16 22:11	1
4-Bromofluorobenzene (Surr)	98		70 - 130					09/28/16 22:11	1
Dibromofluoromethane (Surr)	105		70 - 130					09/28/16 22:11	1
Toluene-d8 (Surr)	99		70 - 130					09/28/16 22:11	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	208		20.0		mg/L			10/07/16 01:05	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: MW-6

Date Collected: 09/20/16 13:06

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	164		10.0		mg/L			10/07/16 01:39	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: MW-3

Date Collected: 09/20/16 14:11

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	57.5		5.00		mg/L			10/07/16 02:13	5

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: MW-5

Date Collected: 09/20/16 15:36

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	78.4		10.0		mg/L			10/07/16 03:22	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: EQ Blank

Lab Sample ID: 490-112465-7

Date Collected: 09/20/16 07:56

Matrix: Water

Date Received: 09/23/16 09:25

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND	*	0.500		ug/L			09/28/16 15:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		70 - 130					09/28/16 15:44	1
4-Bromofluorobenzene (Surr)	99		70 - 130					09/28/16 15:44	1
Dibromofluoromethane (Surr)	103		70 - 130					09/28/16 15:44	1
Toluene-d8 (Surr)	98		70 - 130					09/28/16 15:44	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	214		20.0		mg/L			10/07/16 03:56	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: Dup

Lab Sample ID: 490-112465-8

Date Collected: 09/20/16 00:01

Matrix: Water

Date Received: 09/23/16 09:25

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND	*	0.500		ug/L			09/28/16 22:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		70 - 130					09/28/16 22:39	1
4-Bromofluorobenzene (Surr)	97		70 - 130					09/28/16 22:39	1
Dibromofluoromethane (Surr)	106		70 - 130					09/28/16 22:39	1
Toluene-d8 (Surr)	98		70 - 130					09/28/16 22:39	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			10/05/16 16:04	1

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: Trip Blank

Lab Sample ID: 490-112465-9

Date Collected: 09/20/16 00:01

Matrix: Water

Date Received: 09/23/16 09:25

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND	*	0.500		ug/L			09/28/16 15:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 130					09/28/16 15:17	1
4-Bromofluorobenzene (Surr)	99		70 - 130					09/28/16 15:17	1
Dibromofluoromethane (Surr)	106		70 - 130					09/28/16 15:17	1
Toluene-d8 (Surr)	99		70 - 130					09/28/16 15:17	1

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-373784/6

Matrix: Water

Analysis Batch: 373784

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			09/28/16 14:22	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		70 - 130					09/28/16 14:22	1
4-Bromofluorobenzene (Surr)	100		70 - 130					09/28/16 14:22	1
Dibromofluoromethane (Surr)	106		70 - 130					09/28/16 14:22	1
Toluene-d8 (Surr)	100		70 - 130					09/28/16 14:22	1

Lab Sample ID: LCS 490-373784/3

Matrix: Water

Analysis Batch: 373784

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	54.06		ug/L		108	70 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	98		70 - 130				
4-Bromofluorobenzene (Surr)	103		70 - 130				
Dibromofluoromethane (Surr)	103		70 - 130				
Toluene-d8 (Surr)	97		70 - 130				

Lab Sample ID: LCSD 490-373784/4

Matrix: Water

Analysis Batch: 373784

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	41.41	*	ug/L		83	70 - 130	27	12
Surrogate	%Recovery	LCSD Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	85		70 - 130						
4-Bromofluorobenzene (Surr)	84		70 - 130						
Dibromofluoromethane (Surr)	76		70 - 130						
Toluene-d8 (Surr)	91		70 - 130						

Lab Sample ID: 490-112305-A-1 MS

Matrix: Water

Analysis Batch: 373784

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND	*	50.0	47.81		ug/L		96	55 - 147
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	101		70 - 130						
4-Bromofluorobenzene (Surr)	100		70 - 130						
Dibromofluoromethane (Surr)	106		70 - 130						
Toluene-d8 (Surr)	99		70 - 130						

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-112305-A-1 MSD

Matrix: Water

Analysis Batch: 373784

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	ND	*	50.0	57.59		ug/L		115	55 - 147	19	22
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	99		70 - 130								
4-Bromofluorobenzene (Surr)	100		70 - 130								
Dibromofluoromethane (Surr)	105		70 - 130								
Toluene-d8 (Surr)	98		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 490-375625/6

Matrix: Water

Analysis Batch: 375625

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			10/05/16 12:56	1

Lab Sample ID: LCS 490-375625/7

Matrix: Water

Analysis Batch: 375625

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.817		mg/L		98	90 - 110

Lab Sample ID: LCSD 490-375625/8

Matrix: Water

Analysis Batch: 375625

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.982		mg/L		100	90 - 110	2	20

Lab Sample ID: 490-112465-A-1 MS

Matrix: Water

Analysis Batch: 375625

Client Sample ID: 490-112465-A-1 MS

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	30.0	E	2.00	25.88	E 4	mg/L		-205	80 - 120

Lab Sample ID: MB 490-376306/3

Matrix: Water

Analysis Batch: 376306

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			10/06/16 23:05	1

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 490-376306/4

Matrix: Water

Analysis Batch: 376306

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.811		mg/L		98	90 - 110

Lab Sample ID: LCSD 490-376306/5

Matrix: Water

Analysis Batch: 376306

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.716		mg/L		97	90 - 110	1	20

QC Association Summary

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

GC/MS VOA

Analysis Batch: 373784

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-112465-2	MW-4	Total/NA	Water	8260B	
490-112465-3	MW-2	Total/NA	Water	8260B	
490-112465-7	EQ Blank	Total/NA	Water	8260B	
490-112465-8	Dup	Total/NA	Water	8260B	
490-112465-9	Trip Blank	Total/NA	Water	8260B	
MB 490-373784/6	Method Blank	Total/NA	Water	8260B	
LCS 490-373784/3	Lab Control Sample	Total/NA	Water	8260B	
LCSD 490-373784/4	Lab Control Sample Dup	Total/NA	Water	8260B	
490-112305-A-1 MS	Matrix Spike	Total/NA	Water	8260B	
490-112305-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

HPLC/IC

Analysis Batch: 375625

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-112465-8	Dup	Total/NA	Water	300.0	
MB 490-375625/6	Method Blank	Total/NA	Water	300.0	
LCS 490-375625/7	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-375625/8	Lab Control Sample Dup	Total/NA	Water	300.0	
490-112465-A-1 MS	490-112465-A-1 MS	Total/NA	Water	300.0	

Analysis Batch: 376306

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-112465-1	MW-1	Total/NA	Water	300.0	
490-112465-2	MW-4	Total/NA	Water	300.0	
490-112465-3	MW-2	Total/NA	Water	300.0	
490-112465-4	MW-6	Total/NA	Water	300.0	
490-112465-5	MW-3	Total/NA	Water	300.0	
490-112465-6	MW-5	Total/NA	Water	300.0	
490-112465-7	EQ Blank	Total/NA	Water	300.0	
MB 490-376306/3	Method Blank	Total/NA	Water	300.0	
LCS 490-376306/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-376306/5	Lab Control Sample Dup	Total/NA	Water	300.0	

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: MW-1

Date Collected: 09/20/16 08:45

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2			376306	10/06/16 23:57	JHS	TAL NSH

Client Sample ID: MW-4

Date Collected: 09/20/16 09:55

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	373784	09/28/16 21:44	MJH	TAL NSH
Total/NA	Analysis	300.0		20			376306	10/07/16 00:31	JHS	TAL NSH

Client Sample ID: MW-2

Date Collected: 09/20/16 11:19

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	373784	09/28/16 22:11	MJH	TAL NSH
Total/NA	Analysis	300.0		20			376306	10/07/16 01:05	JHS	TAL NSH

Client Sample ID: MW-6

Date Collected: 09/20/16 13:06

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10			376306	10/07/16 01:39	JHS	TAL NSH

Client Sample ID: MW-3

Date Collected: 09/20/16 14:11

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5			376306	10/07/16 02:13	JHS	TAL NSH

Client Sample ID: MW-5

Date Collected: 09/20/16 15:36

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10			376306	10/07/16 03:22	JHS	TAL NSH

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Client Sample ID: EQ Blank

Date Collected: 09/20/16 07:56

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	373784	09/28/16 15:44	MJH	TAL NSH
Total/NA	Analysis	300.0		20			376306	10/07/16 03:56	JHS	TAL NSH

Client Sample ID: Dup

Date Collected: 09/20/16 00:01

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	373784	09/28/16 22:39	MJH	TAL NSH
Total/NA	Analysis	300.0		1			375625	10/05/16 16:04	KS	TAL NSH

Client Sample ID: Trip Blank

Date Collected: 09/20/16 00:01

Date Received: 09/23/16 09:25

Lab Sample ID: 490-112465-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	373784	09/28/16 15:17	MJH	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
300.0	Anions, Ion Chromatography	MCAWW	TAL NSH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Enviro Clean Services LLC
Project/Site: CHK STATE L-2

TestAmerica Job ID: 490-112465-1
SDG: Property ID 890293

Laboratory: TestAmerica Nashville

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Oklahoma	State Program	6	9412	08-31-17

COOLER RECEIPT FORM



490-112465 Chain of Custody

Cooler Received/Opened On 9/23/2016 @ 0925

Time Samples Removed From Cooler _____ Time Samples Placed In Storage _____ (2 Hour Window)

1. Tracking # 3235 (last 4 digits, FedEx) Courier: FedEx

IR Gun ID 17960357 pH Strip Lot HC58117 Chlorine Strip Lot 71130

2. Temperature of rep. sample or temp blank when opened: 1.4 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO...NA

4. Were custody seals on outside of cooler? YES...NO...NA

If yes, how many and where: @Front/Back

5. Were the seals intact, signed, and dated correctly? YES...NO...NA

6. Were custody papers inside cooler? YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial) MDM

7. Were custody seals on containers: YES NO and Intact YES...NO...NA

Were these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)? YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...NA

12. Did all container labels and tags agree with custody papers? YES...NO...NA

13a. Were VOA vials received? YES...NO...NA

b. Was there any observable headspace present in any VOA vial? YES...NO...NA

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence # NA

I certify that I unloaded the cooler and answered questions 7-14 (initial) EW

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used YES...NO...NA

16. Was residual chlorine present? YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) EW

17. Were custody papers properly filled out (ink, signed, etc)? YES...NO...NA

18. Did you sign the custody papers in the appropriate place? YES...NO...NA

19. Were correct containers used for the analysis requested? YES...NO...NA

20. Was sufficient amount of sample sent in each container? YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) EW

I certify that I attached a label with the unique LIMS number to each container (initial) EW

21. Were there Non-Conformance issues at login? YES...NO Was a NCM generated? YES...NO...# _____

Login Sample Receipt Checklist

Client: Enviro Clean Services LLC

Job Number: 490-112465-1

SDG Number: Property ID 890293

Login Number: 112465

List Number: 1

Creator: Abernathy, Eric

List Source: TestAmerica Nashville

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Drive

Nashville, TN 37204

Tel: (615)726-0177

TestAmerica Job ID: 490-114837-1

TestAmerica Sample Delivery Group: Property ID 89029

Client Project/Site: CHK State L-2

Sampling Event: CHK State L-2

For:

Enviro Clean Services LLC

7060 S. Yale Avenue, Suite 603

Tulsa, Oklahoma 74136

Attn: Ms. Julie Czech

Cathy Gartner

Authorized for release by:

11/7/2016 3:46:03 PM

Cathy Gartner, Project Manager I

(615)301-5041

cathy.gartner@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	10
QC Association	13
Chronicle	14
Method Summary	15
Certification Summary	16
Chain of Custody	17
Receipt Checklists	19



Sample Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-114837-1	EQ Blank	Water	10/25/16 07:30	10/26/16 09:25
490-114837-2	MW-4	Water	10/25/16 10:35	10/26/16 09:25
490-114837-3	Dup	Water	10/25/16 00:01	10/26/16 09:25
490-114837-4	Trip Blank	Water	10/25/16 00:01	10/26/16 09:25

Case Narrative

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Job ID: 490-114837-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-114837-1

Comments

No additional comments.

Receipt

The samples were received on 10/26/2016 9:25 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.1° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

HPLC/IC

Method(s) 300.0: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 490-382924 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method(s) 300.0: The following samples was diluted due to the nature of the sample matrix: MW-4 (490-114837-2) and Dup (490-114837-3). Elevated reporting limits (RLs) are provided.

Method(s) 300.0: The matrix spike (MS) recoveries for analytical batch 490-383417 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) recoveries were within the acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Definitions/Glossary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Client Sample ID: EQ Blank

Date Collected: 10/25/16 07:30

Date Received: 10/26/16 09:25

Lab Sample ID: 490-114837-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			10/29/16 02:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130					10/29/16 02:42	1
4-Bromofluorobenzene (Surr)	96		70 - 130					10/29/16 02:42	1
Dibromofluoromethane (Surr)	104		70 - 130					10/29/16 02:42	1
Toluene-d8 (Surr)	96		70 - 130					10/29/16 02:42	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			10/31/16 23:52	1

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Client Sample ID: MW-4
Date Collected: 10/25/16 10:35
Date Received: 10/26/16 09:25

Lab Sample ID: 490-114837-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	9.74		0.500		ug/L			10/29/16 03:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130					10/29/16 03:09	1
4-Bromofluorobenzene (Surr)	95		70 - 130					10/29/16 03:09	1
Dibromofluoromethane (Surr)	105		70 - 130					10/29/16 03:09	1
Toluene-d8 (Surr)	94		70 - 130					10/29/16 03:09	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	150		20.0		mg/L			11/01/16 13:59	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Client Sample ID: Dup
Date Collected: 10/25/16 00:01
Date Received: 10/26/16 09:25

Lab Sample ID: 490-114837-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	9.85		0.500		ug/L			10/29/16 03:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 130					10/29/16 03:36	1
4-Bromofluorobenzene (Surr)	92		70 - 130					10/29/16 03:36	1
Dibromofluoromethane (Surr)	106		70 - 130					10/29/16 03:36	1
Toluene-d8 (Surr)	97		70 - 130					10/29/16 03:36	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	150		20.0		mg/L			11/01/16 14:35	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Client Sample ID: Trip Blank

Date Collected: 10/25/16 00:01

Date Received: 10/26/16 09:25

Lab Sample ID: 490-114837-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			10/29/16 02:14	1
Ethylbenzene	ND		0.500		ug/L			10/29/16 02:14	1
Toluene	ND		0.500		ug/L			10/29/16 02:14	1
Xylenes, Total	ND		1.00		ug/L			10/29/16 02:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130		10/29/16 02:14	1
4-Bromofluorobenzene (Surr)	94		70 - 130		10/29/16 02:14	1
Dibromofluoromethane (Surr)	103		70 - 130		10/29/16 02:14	1
Toluene-d8 (Surr)	96		70 - 130		10/29/16 02:14	1

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-382126/6

Matrix: Water

Analysis Batch: 382126

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			10/29/16 00:53	1
Ethylbenzene	ND		0.500		ug/L			10/29/16 00:53	1
Toluene	ND		0.500		ug/L			10/29/16 00:53	1
Xylenes, Total	ND		1.00		ug/L			10/29/16 00:53	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 130		10/29/16 00:53	1
4-Bromofluorobenzene (Surr)	93		70 - 130		10/29/16 00:53	1
Dibromofluoromethane (Surr)	103		70 - 130		10/29/16 00:53	1
Toluene-d8 (Surr)	95		70 - 130		10/29/16 00:53	1

Lab Sample ID: LCS 490-382126/3

Matrix: Water

Analysis Batch: 382126

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	52.96		ug/L		106	70 - 130
Ethylbenzene	50.0	52.26		ug/L		105	70 - 130
Toluene	50.0	51.54		ug/L		103	70 - 130
Xylenes, Total	150	150.3		ug/L		100	70 - 132

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	100		70 - 130
Dibromofluoromethane (Surr)	102		70 - 130
Toluene-d8 (Surr)	94		70 - 130

Lab Sample ID: LCSD 490-382126/4

Matrix: Water

Analysis Batch: 382126

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	53.23		ug/L		106	70 - 130	0	12
Ethylbenzene	50.0	51.72		ug/L		103	70 - 130	1	12
Toluene	50.0	51.72		ug/L		103	70 - 130	0	13
Xylenes, Total	150	149.8		ug/L		100	70 - 132	0	11

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	98		70 - 130
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	92		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-114612-L-1 MSD

Matrix: Water

Analysis Batch: 382126

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	ND		50.0	45.80		ug/L		92	55 - 147	1	22
Ethylbenzene	ND		50.0	44.66		ug/L		89	65 - 139	3	18
Toluene	ND		50.0	43.95		ug/L		88	64 - 136	2	18
Xylenes, Total	ND		150	128.3		ug/L		86	69 - 132	3	17

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
4-Bromofluorobenzene (Surr)	99		70 - 130
Dibromofluoromethane (Surr)	106		70 - 130
Toluene-d8 (Surr)	93		70 - 130

Lab Sample ID: 490-114612-M-1 MS

Matrix: Water

Analysis Batch: 382126

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		50.0	46.27		ug/L		93	55 - 147
Ethylbenzene	ND		50.0	46.17		ug/L		92	65 - 139
Toluene	ND		50.0	45.02		ug/L		90	64 - 136
Xylenes, Total	ND		150	131.7		ug/L		88	69 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		70 - 130
4-Bromofluorobenzene (Surr)	96		70 - 130
Dibromofluoromethane (Surr)	105		70 - 130
Toluene-d8 (Surr)	94		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 490-382924/3

Matrix: Water

Analysis Batch: 382924

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			10/31/16 22:59	1

Lab Sample ID: LCS 490-382924/4

Matrix: Water

Analysis Batch: 382924

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	10.35		mg/L		104	90 - 110

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 490-382924/5

Matrix: Water

Analysis Batch: 382924

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	10.46		mg/L		105	90 - 110	1	20

Lab Sample ID: 490-114837-D-1 MS

Matrix: Water

Analysis Batch: 382924

Client Sample ID: 490-114837-D-1 MS

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	ND		2.00	2.035		mg/L		102	80 - 120

Lab Sample ID: MB 490-383417/6

Matrix: Water

Analysis Batch: 383417

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			11/01/16 13:05	1

Lab Sample ID: LCS 490-383417/7

Matrix: Water

Analysis Batch: 383417

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	10.12		mg/L		101	90 - 110

Lab Sample ID: LCSD 490-383417/8

Matrix: Water

Analysis Batch: 383417

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	10.38		mg/L		104	90 - 110	3	20

Lab Sample ID: 490-115050-A-8 MS

Matrix: Water

Analysis Batch: 383417

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16.3		2.00	15.01	4	mg/L		-63	80 - 120

QC Association Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

GC/MS VOA

Analysis Batch: 382126

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-114837-1	EQ Blank	Total/NA	Water	8260B	
490-114837-2	MW-4	Total/NA	Water	8260B	
490-114837-3	Dup	Total/NA	Water	8260B	
490-114837-4	Trip Blank	Total/NA	Water	8260B	
MB 490-382126/6	Method Blank	Total/NA	Water	8260B	
LCS 490-382126/3	Lab Control Sample	Total/NA	Water	8260B	
LCSD 490-382126/4	Lab Control Sample Dup	Total/NA	Water	8260B	
490-114612-L-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
490-114612-M-1 MS	Matrix Spike	Total/NA	Water	8260B	

HPLC/IC

Analysis Batch: 382924

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-114837-1	EQ Blank	Total/NA	Water	300.0	
MB 490-382924/3	Method Blank	Total/NA	Water	300.0	
LCS 490-382924/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-382924/5	Lab Control Sample Dup	Total/NA	Water	300.0	
490-114837-D-1 MS	490-114837-D-1 MS	Total/NA	Water	300.0	

Analysis Batch: 383417

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-114837-2	MW-4	Total/NA	Water	300.0	
490-114837-3	Dup	Total/NA	Water	300.0	
MB 490-383417/6	Method Blank	Total/NA	Water	300.0	
LCS 490-383417/7	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-383417/8	Lab Control Sample Dup	Total/NA	Water	300.0	
490-115050-A-8 MS	Matrix Spike	Total/NA	Water	300.0	

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Client Sample ID: EQ Blank

Date Collected: 10/25/16 07:30

Date Received: 10/26/16 09:25

Lab Sample ID: 490-114837-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	382126	10/29/16 02:42	AK1	TAL NSH
Total/NA	Analysis	300.0		1			382924	10/31/16 23:52	KS	TAL NSH

Client Sample ID: MW-4

Date Collected: 10/25/16 10:35

Date Received: 10/26/16 09:25

Lab Sample ID: 490-114837-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	382126	10/29/16 03:09	AK1	TAL NSH
Total/NA	Analysis	300.0		20			383417	11/01/16 13:59	JHS	TAL NSH

Client Sample ID: Dup

Date Collected: 10/25/16 00:01

Date Received: 10/26/16 09:25

Lab Sample ID: 490-114837-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	382126	10/29/16 03:36	AK1	TAL NSH
Total/NA	Analysis	300.0		20			383417	11/01/16 14:35	JHS	TAL NSH

Client Sample ID: Trip Blank

Date Collected: 10/25/16 00:01

Date Received: 10/26/16 09:25

Lab Sample ID: 490-114837-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	382126	10/29/16 02:14	AK1	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
300.0	Anions, Ion Chromatography	MCAWW	TAL NSH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-114837-1
SDG: Property ID 89029

Laboratory: TestAmerica Nashville

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Oklahoma	State Program	6	9412	08-31-17



COOLER RECEIPT FORM

Cooler Received/Opened On 10/26/2016 @ 09:25

Time Samples Removed From Cooler 1547 Time Samples Placed In Storage 1606 (2 Hour Window)

1. Tracking # 5460 (last 4 digits, FedEx) Courier: FedEx
IR Gun ID 31470366 pH Strip Lot HCS0117 Chlorine Strip Lot 060515C

2. Temperature of rep. sample or temp blank when opened: 1.1 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO NA

4. Were custody seals on outside of cooler? YES NO...NA

If yes, how many and where: one front & Back

5. Were the seals intact, signed, and dated correctly? YES NO...NA

6. Were custody papers inside cooler? YES NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial) DA

7. Were custody seals on containers: YES NO and Intact YES...NO...NA

Were these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)? YES NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)? YES NO...NA

12. Did all container labels and tags agree with custody papers? YES NO...NA

13a. Were VOA vials received? YES NO...NA

b. Was there any observable headspace present in any VOA vial? YES NO...NA

14. Was there a Trip Blank in this cooler? YES NO...NA If multiple coolers, sequence # _____

I certify that I unloaded the cooler and answered questions 7-14 (initial) man

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES NO...NA

b. Did the bottle labels indicate that the correct preservatives were used YES NO...NA

16. Was residual chlorine present? YES NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) man

17. Were custody papers properly filled out (ink, signed, etc)? YES NO...NA

18. Did you sign the custody papers in the appropriate place? YES NO...NA

19. Were correct containers used for the analysis requested? YES NO...NA

20. Was sufficient amount of sample sent in each container? YES NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) man

I certify that I attached a label with the unique LIMS number to each container (initial) man

21. Were there Non-Conformance issues at login? YES NO Was a NCM generated? YES NO...# _____

1
2
3
4
5
6
7
8
9
10
11
12
13

CHAIN OF CUSTODY RECORD

No. 00936



(916) 794-7828

SAMPLER'S PRINTED NAME:

TERREY FISHER

SAMPLER'S SIGNATURE:

Terrey Fisher

PROJECT NUMBER:

CHKHST1201

PROJECT NAME:

CHK STATE L-2

SHIPPED TO:

TA NASHVILLE

PROJECT MANAGER:

BRUCE MCKENZIE

TAT:

STANDARD

COC 1 of 1

ASOW:

GENSUB: 750-521
PROP ID: 89029

Loc: 490

114837

Date Time Sample ID

Sample Matrix

of Sample Containers

CHLORIDE (300)

BENZENE (8260C)

REMARKS

10-25-16 0730 EG BLANK W 4 X X -1

10-25-16 1035 MW-4 W 4 X X 2

10-25-16 — Dyp W 4 X X 3

10-25-16 — Temp Blank W 1 1 —

10-25-16 — Trip Blank W 2 X 1

TOTAL NUMBER OF CONTAINERS

15

RELINQUISHED BY:

Terrey Fisher

DATE 10-25-16

TIME 1300

RECEIVED BY:

Julie Czech

DATE 10-26-16

TIME 0905

RELINQUISHED BY:

Terrey Fisher

FED-EX

AIRBILL NUMBER:

RECEIVED IN LABORATORY BY:

DATE

TIME

Send PDF, EDD, and INVOICE (if applicable) to:

JULIE CZECH at jczech@envirocleans.com

LABORATORY CONTACT:

(615) 726-0177

LABORATORY ADDRESS:

2960 FOSTER CREIGHTON DR., NASHVILLE, TN 37204

POINT OF ORIGIN:

☐ OKLAHOMA CITY

☒ TULSA

☐ NORMAN

☐ WOODWARD

☐ ARLINGTON

☐ MIDLAND

☐ OTHER:

Login Sample Receipt Checklist

Client: Enviro Clean Services LLC

Job Number: 490-114837-1
SDG Number: Property ID 89029

Login Number: 114837

List Number: 1

Creator: McBride, Mike

List Source: TestAmerica Nashville

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Drive

Nashville, TN 37204

Tel: (615)726-0177

TestAmerica Job ID: 490-117956-1

TestAmerica Sample Delivery Group: Property ID 890293

Client Project/Site: CHK State L-2

Sampling Event: CHK State L-2

For:

Enviro Clean Services LLC

7060 S. Yale Avenue, Suite 603

Tulsa, Oklahoma 74136

Attn: Ms. Julie Czech



Authorized for release by:

12/23/2016 11:37:53 AM

Jennifer Gambill, Project Manager I

(615)301-5044

jennifer.gambill@testamericainc.com

Designee for

Cathy Gartner, Project Manager I

(615)301-5041

cathy.gartner@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com



Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	15
QC Association	18
Chronicle	19
Method Summary	21
Certification Summary	22
Chain of Custody	23
Receipt Checklists	25

Sample Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-117956-1	MW-1	Water	12/06/16 09:15	12/09/16 19:47
490-117956-2	EQ Blank	Water	12/06/16 08:50	12/09/16 19:47
490-117956-3	MW-4	Water	12/06/16 11:03	12/09/16 19:47
490-117956-4	MW-2	Water	12/06/16 12:10	12/09/16 19:47
490-117956-5	MW-6	Water	12/06/16 13:21	12/09/16 19:47
490-117956-6	MW-3	Water	12/06/16 14:27	12/09/16 19:47
490-117956-7	MW-5	Water	12/06/16 16:08	12/09/16 19:47
490-117956-8	Dup	Water	12/06/16 00:01	12/09/16 19:47
490-117956-9	Trip Blank	Water	12/06/16 00:01	12/09/16 10:25

Case Narrative

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Job ID: 490-117956-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-117956-1

Comments

No additional comments.

Receipt

The samples were received on 12/9/2016 10:25 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.3° C.

HPLC/IC

Method(s) 300.0: The matrix spike (MS) recoveries for analytical batch 490-395654 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) recovery was within acceptance limits.

Method(s) 300.0: The following samples were diluted due to the nature of the sample matrix: MW-1 (490-117956-1), MW-4 (490-117956-3), MW-2 (490-117956-4), MW-6 (490-117956-5), MW-3 (490-117956-6), MW-5 (490-117956-7) and Dup (490-117956-8). Elevated reporting limits (RLs) are provided.

Method(s) 300.0: Due to sample matrix, matrix spike/ matrix spike duplicate (MS/MSD) was not analyzed in 490-396493 . However, the laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) recoveries were within acceptance limits. (LCS 490-396493/4) and (LCSD 490-396493/5)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Definitions/Glossary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: MW-1

Date Collected: 12/06/16 09:15

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.2		5.00		mg/L			12/22/16 04:29	5

1

2

3

4

5

6

7

8

9

10

11

12

13

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: EQ Blank

Date Collected: 12/06/16 08:50

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			12/14/16 02:35	1
Ethylbenzene	ND		0.500		ug/L			12/14/16 02:35	1
Toluene	ND		0.500		ug/L			12/14/16 02:35	1
Xylenes, Total	ND		1.00		ug/L			12/14/16 02:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 130		12/14/16 02:35	1
4-Bromofluorobenzene (Surr)	94		70 - 130		12/14/16 02:35	1
Dibromofluoromethane (Surr)	102		70 - 130		12/14/16 02:35	1
Toluene-d8 (Surr)	96		70 - 130		12/14/16 02:35	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			12/20/16 09:11	1

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: MW-4
Date Collected: 12/06/16 11:03
Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.53		0.500		ug/L			12/14/16 05:18	1
Ethylbenzene	ND		0.500		ug/L			12/14/16 05:18	1
Toluene	ND		0.500		ug/L			12/14/16 05:18	1
Xylenes, Total	ND		1.00		ug/L			12/14/16 05:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 130		12/14/16 05:18	1
4-Bromofluorobenzene (Surr)	95		70 - 130		12/14/16 05:18	1
Dibromofluoromethane (Surr)	104		70 - 130		12/14/16 05:18	1
Toluene-d8 (Surr)	95		70 - 130		12/14/16 05:18	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	132		20.0		mg/L			12/22/16 04:47	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: MW-2
Date Collected: 12/06/16 12:10
Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			12/14/16 05:46	1
Ethylbenzene	ND		0.500		ug/L			12/14/16 05:46	1
Toluene	ND		0.500		ug/L			12/14/16 05:46	1
Xylenes, Total	ND		1.00		ug/L			12/14/16 05:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		70 - 130		12/14/16 05:46	1
4-Bromofluorobenzene (Surr)	97		70 - 130		12/14/16 05:46	1
Dibromofluoromethane (Surr)	103		70 - 130		12/14/16 05:46	1
Toluene-d8 (Surr)	102		70 - 130		12/14/16 05:46	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	210		20.0		mg/L			12/22/16 05:05	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: MW-6

Date Collected: 12/06/16 13:21

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-5

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	160		20.0		mg/L			12/22/16 05:23	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: MW-3

Date Collected: 12/06/16 14:27

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-6

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	54.2		10.0		mg/L			12/22/16 05:41	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: MW-5

Date Collected: 12/06/16 16:08

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-7

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	79.2		10.0		mg/L			12/22/16 05:59	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: Dup
Date Collected: 12/06/16 00:01
Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-8
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.50		0.500		ug/L			12/14/16 06:13	1
Ethylbenzene	ND		0.500		ug/L			12/14/16 06:13	1
Toluene	ND		0.500		ug/L			12/14/16 06:13	1
Xylenes, Total	ND		1.00		ug/L			12/14/16 06:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 130		12/14/16 06:13	1
4-Bromofluorobenzene (Surr)	98		70 - 130		12/14/16 06:13	1
Dibromofluoromethane (Surr)	103		70 - 130		12/14/16 06:13	1
Toluene-d8 (Surr)	94		70 - 130		12/14/16 06:13	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	133		20.0		mg/L			12/22/16 06:17	20

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: Trip Blank

Date Collected: 12/06/16 00:01

Date Received: 12/09/16 10:25

Lab Sample ID: 490-117956-9

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			12/14/16 01:40	1
Ethylbenzene	ND		0.500		ug/L			12/14/16 01:40	1
Toluene	ND		0.500		ug/L			12/14/16 01:40	1
Xylenes, Total	ND		1.00		ug/L			12/14/16 01:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 130		12/14/16 01:40	1
4-Bromofluorobenzene (Surr)	99		70 - 130		12/14/16 01:40	1
Dibromofluoromethane (Surr)	105		70 - 130		12/14/16 01:40	1
Toluene-d8 (Surr)	99		70 - 130		12/14/16 01:40	1

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-394049/7

Matrix: Water

Analysis Batch: 394049

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			12/14/16 01:13	1
Ethylbenzene	ND		0.500		ug/L			12/14/16 01:13	1
Toluene	ND		0.500		ug/L			12/14/16 01:13	1
Xylenes, Total	ND		1.00		ug/L			12/14/16 01:13	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 130		12/14/16 01:13	1
4-Bromofluorobenzene (Surr)	103		70 - 130		12/14/16 01:13	1
Dibromofluoromethane (Surr)	106		70 - 130		12/14/16 01:13	1
Toluene-d8 (Surr)	101		70 - 130		12/14/16 01:13	1

Lab Sample ID: LCS 490-394049/3

Matrix: Water

Analysis Batch: 394049

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	49.54		ug/L		99	70 - 130
Ethylbenzene	50.0	49.01		ug/L		98	70 - 130
Toluene	50.0	47.45		ug/L		95	70 - 130
Xylenes, Total	150	145.4		ug/L		97	70 - 132

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	114		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130
Dibromofluoromethane (Surr)	103		70 - 130
Toluene-d8 (Surr)	97		70 - 130

Lab Sample ID: LCSD 490-394049/4

Matrix: Water

Analysis Batch: 394049

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	47.38		ug/L		95	70 - 130	4	12
Ethylbenzene	50.0	45.83		ug/L		92	70 - 130	7	12
Toluene	50.0	43.93		ug/L		88	70 - 130	8	13
Xylenes, Total	150	135.6		ug/L		90	70 - 132	7	11

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	114		70 - 130
4-Bromofluorobenzene (Surr)	104		70 - 130
Dibromofluoromethane (Surr)	103		70 - 130
Toluene-d8 (Surr)	94		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-117873-A-4 MS

Matrix: Water

Analysis Batch: 394049

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	9050	E	1000	9352	E 4	ug/L		30	55 - 147
Ethylbenzene	80.1		1000	1177		ug/L		110	65 - 139
Toluene	ND		1000	1059		ug/L		106	64 - 136
Xylenes, Total	ND		3000	3179		ug/L		106	69 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	105		70 - 130
4-Bromofluorobenzene (Surr)	96		70 - 130
Dibromofluoromethane (Surr)	99		70 - 130
Toluene-d8 (Surr)	96		70 - 130

Lab Sample ID: 490-117873-A-4 MSD

Matrix: Water

Analysis Batch: 394049

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	9050	E	1000	9702	E 4	ug/L		65	55 - 147	4	22
Ethylbenzene	80.1		1000	1174		ug/L		109	65 - 139	0	18
Toluene	ND		1000	1044		ug/L		104	64 - 136	1	18
Xylenes, Total	ND		3000	3203		ug/L		107	69 - 132	1	17

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	110		70 - 130
4-Bromofluorobenzene (Surr)	100		70 - 130
Dibromofluoromethane (Surr)	104		70 - 130
Toluene-d8 (Surr)	94		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 490-395654/3

Matrix: Water

Analysis Batch: 395654

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			12/20/16 05:54	1

Lab Sample ID: LCS 490-395654/4

Matrix: Water

Analysis Batch: 395654

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	10.22		mg/L		102	90 - 110

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 490-395654/5

Matrix: Water

Analysis Batch: 395654

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	10.36		mg/L		104	90 - 110	1	20

Lab Sample ID: 490-117956-A-2 MS

Matrix: Water

Analysis Batch: 395654

Client Sample ID: 490-117956-A-2 MS

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	ND		2.00	2.102		mg/L		105	80 - 120

Lab Sample ID: MB 490-396493/3

Matrix: Water

Analysis Batch: 396493

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			12/21/16 23:40	1

Lab Sample ID: LCS 490-396493/4

Matrix: Water

Analysis Batch: 396493

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.701		mg/L		97	90 - 110

Lab Sample ID: LCSD 490-396493/5

Matrix: Water

Analysis Batch: 396493

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.609		mg/L		96	90 - 110	1	20

QC Association Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

GC/MS VOA

Analysis Batch: 394049

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-117956-2	EQ Blank	Total/NA	Water	8260B	
490-117956-3	MW-4	Total/NA	Water	8260B	
490-117956-4	MW-2	Total/NA	Water	8260B	
490-117956-8	Dup	Total/NA	Water	8260B	
490-117956-9	Trip Blank	Total/NA	Water	8260B	
MB 490-394049/7	Method Blank	Total/NA	Water	8260B	
LCS 490-394049/3	Lab Control Sample	Total/NA	Water	8260B	
LCSD 490-394049/4	Lab Control Sample Dup	Total/NA	Water	8260B	
490-117873-A-4 MS	Matrix Spike	Total/NA	Water	8260B	
490-117873-A-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

HPLC/IC

Analysis Batch: 395654

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-117956-2	EQ Blank	Total/NA	Water	300.0	
MB 490-395654/3	Method Blank	Total/NA	Water	300.0	
LCS 490-395654/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-395654/5	Lab Control Sample Dup	Total/NA	Water	300.0	
490-117956-A-2 MS	490-117956-A-2 MS	Total/NA	Water	300.0	

Analysis Batch: 396493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-117956-1	MW-1	Total/NA	Water	300.0	
490-117956-3	MW-4	Total/NA	Water	300.0	
490-117956-4	MW-2	Total/NA	Water	300.0	
490-117956-5	MW-6	Total/NA	Water	300.0	
490-117956-6	MW-3	Total/NA	Water	300.0	
490-117956-7	MW-5	Total/NA	Water	300.0	
490-117956-8	Dup	Total/NA	Water	300.0	
MB 490-396493/3	Method Blank	Total/NA	Water	300.0	
LCS 490-396493/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-396493/5	Lab Control Sample Dup	Total/NA	Water	300.0	

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: MW-1

Date Collected: 12/06/16 09:15

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5			396493	12/22/16 04:29	LDC	TAL NSH

Client Sample ID: EQ Blank

Date Collected: 12/06/16 08:50

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	394049	12/14/16 02:35	AQS	TAL NSH
Total/NA	Analysis	300.0		1			395654	12/20/16 09:11	LDC	TAL NSH

Client Sample ID: MW-4

Date Collected: 12/06/16 11:03

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	394049	12/14/16 05:18	AQS	TAL NSH
Total/NA	Analysis	300.0		20			396493	12/22/16 04:47	LDC	TAL NSH

Client Sample ID: MW-2

Date Collected: 12/06/16 12:10

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	394049	12/14/16 05:46	AQS	TAL NSH
Total/NA	Analysis	300.0		20			396493	12/22/16 05:05	LDC	TAL NSH

Client Sample ID: MW-6

Date Collected: 12/06/16 13:21

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		20			396493	12/22/16 05:23	LDC	TAL NSH

Client Sample ID: MW-3

Date Collected: 12/06/16 14:27

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10			396493	12/22/16 05:41	LDC	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Client Sample ID: MW-5

Date Collected: 12/06/16 16:08

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10			396493	12/22/16 05:59	LDC	TAL NSH

Client Sample ID: Dup

Date Collected: 12/06/16 00:01

Date Received: 12/09/16 19:47

Lab Sample ID: 490-117956-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	394049	12/14/16 06:13	AQS	TAL NSH
Total/NA	Analysis	300.0		20			396493	12/22/16 06:17	LDC	TAL NSH

Client Sample ID: Trip Blank

Date Collected: 12/06/16 00:01

Date Received: 12/09/16 10:25

Lab Sample ID: 490-117956-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	394049	12/14/16 01:40	AQS	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
300.0	Anions, Ion Chromatography	MCAWW	TAL NSH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Enviro Clean Services LLC
Project/Site: CHK State L-2

TestAmerica Job ID: 490-117956-1
SDG: Property ID 890293

Laboratory: TestAmerica Nashville

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Oklahoma	State Program	6	9412	08-31-17

1

2

3

4

5

6

7

8

9

10

11

12

13



THE LEADER IN ENVIRONMENTAL TESTING
Nashville, TN

COOLER RECEIPT FORM



490-117956 Chain of Custody

Cooler Received/Opened On 12/9/2016 @ 10:25

Time Samples Removed From Cooler 1844 Time Samples Placed In Storage 1958 (2 Hour Window)

1. Tracking # 0441 (last 4 digits, FedEx) Courier: FedEx
IR Gun ID 17960357 pH Strip Lot HC689794 Chlorine Strip Lot 081461

2. Temperature of rep. sample or temp blank when opened: 1.3 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO...NA

4. Were custody seals on outside of cooler?

If yes, how many and where:

1 (front) 1 (back) YES...NO...NA

5. Were the seals intact, signed, and dated correctly?

YES...NO...NA

6. Were custody papers inside cooler?

YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial) PM

7. Were custody seals on containers: YES NO and Intact

YES...NO...NA

Were these signed and dated correctly?

YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)?

YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)?

YES...NO...NA

12. Did all container labels and tags agree with custody papers?

YES...NO...NA

13a. Were VOA vials received?

YES...NO...NA

b. Was there any observable headspace present in any VOA vial?

YES...NO...NA

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence #

I certify that I unloaded the cooler and answered questions 7-14 (initial) PM

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used

YES...NO...NA

16. Was residual chlorine present?

YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) PM

17. Were custody papers properly filled out (ink, signed, etc)?

YES...NO...NA

18. Did you sign the custody papers in the appropriate place?

YES...NO...NA

19. Were correct containers used for the analysis requested?

YES...NO...NA

20. Was sufficient amount of sample sent in each container?

YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) PM

I certify that I attached a label with the unique LIMS number to each container (initial) PM

21. Were there Non-Conformance issues at login? YES...NO... Was a NCM generated? YES...NO...#

CHAIN OF CUSTODY RECORD

No. 00185

ENVIROCLEAN SERVICES, LLC (918) 794-7828		PROJECT NUMBER: CHKHSTL201		PROJECT NAME: CHK STATE L-2		COC 1 of 1	
SAMPLER'S PRINTED NAME: TERRY FISHER		SHIPPED TO: TAMASHVILLE		PROJECT MANAGER: BRUCE MCKENZIE		TAT:	
SAMPLER'S SIGNATURE: <i>Terry Fisher</i>		# of Sample Containers		BENZENE (250C)		ASOW:	
		Sample Matrix		CHLORIDE (300)		GEN/SUB: 750-521	
Date		Sample ID				PROP ID: 890283	
12-6-16 915	MW-1	W	1	X		REMARKS	
12-6-16 850	EQ Blank	W	4	X		Loc: 490	
12-6-16 1103	MW-4	W	4	X		117956	
12-6-16 1210	MW-2	W	4	X			
12-6-16 1521	MW-6 + F	W	1	X			
12-6-16 1321	MW-6	W	1	X			
12-6-16 1427	MW-3	W	1	X			
12-6-16 1608	MW-5	W	1	X			
12-6-16 --	Dup	W	4	X			
--	Trip Blank	W	2	X			
--	Temp	W	1				
TOTAL NUMBER OF CONTAINERS		23					
RELINQUISHED BY: <i>Terry Fisher</i>		DATE 12-8-16		RECEIVED BY:		DATE	
		TIME 1500				TIME	
RELINQUISHED BY:		DATE		RECEIVED BY:		DATE	
		TIME				TIME	
METHOD OF SHIPMENT:		FED-EX		AIRBILL NUMBER:		713072407872	
RECEIVED IN LABORATORY BY:		DATE		Send PDF, EDD, and INVOICE (if applicable) to:		JULIE CZECH at jczech@envirocleans.com	
		TIME		LABORATORY ADDRESS:		2980 FOSTER CREIGHTON DR., NASHVILLE, TN 37204	
LABORATORY CONTACT:		(815) 726-0177					

Login Sample Receipt Checklist

Client: Enviro Clean Services LLC

Job Number: 490-117956-1
SDG Number: Property ID 890293

Login Number: 117956

List Number: 1

Creator: Ngo, Phiet

List Source: TestAmerica Nashville

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Drive

Nashville, TN 37204

Tel: (615)726-0177

TestAmerica Job ID: 490-123555-1

TestAmerica Sample Delivery Group: Property ID 890293

Client Project/Site: STATE L-2

Sampling Event: CHK State L-2

Revision: 1

For:

Enviro Clean Services LLC

7060 S. Yale Avenue, Suite 603

Tulsa, Oklahoma 74136

Attn: Ms. Julie Czech



Authorized for release by:

4/11/2017 9:47:27 AM

Cathy Gartner, Project Manager I

(615)301-5041

cathy.gartner@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	15
QC Association	19
Chronicle	20
Method Summary	22
Certification Summary	23
Chain of Custody	24
Receipt Checklists	26

Sample Summary

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-123555-1	MW-1	Water	03/07/17 08:50	03/10/17 10:05
490-123555-2	MW-4	Water	03/07/17 10:25	03/10/17 10:05
490-123555-3	MW-2	Water	03/07/17 11:47	03/10/17 10:05
490-123555-4	MW-6	Water	03/07/17 13:20	03/10/17 10:05
490-123555-5	MW-3	Water	03/07/17 14:50	03/10/17 10:05
490-123555-6	MW-5	Water	03/07/17 16:15	03/10/17 10:05
490-123555-7	EQ Blank	Water	03/07/17 08:30	03/10/17 10:05
490-123555-8	Dup	Water	03/07/17 00:01	03/10/17 10:05
490-123555-9	Trip Blank	Water	03/07/17 00:01	03/10/17 10:05

Case Narrative

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Job ID: 490-123555-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-123555-1

Revised Report

MW-2 (490-123555-3) Chloride was reanalyzed out of hold per client request. Reanalysis results are reported. The replaces the report generated on 4/5/17.

Receipt

The samples were received on 3/10/2017 10:05 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.6° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

HPLC/IC

Method(s) 300.0: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 490-417628 were outside control limits for chloride and bromide. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) recoveries were within the acceptance limits.

Method(s) 300.0: The following samples was diluted due to the nature of the sample matrix: Elevated reporting limits (RLs) are provided.

Method(s) 300.0: The following samples was diluted due to the nature of the sample matrix: MW-1 (490-123555-1), MW-4 (490-123555-2), MW-3 (490-123555-5), MW-5 (490-123555-6), MW-2 (490-123555-3), MW-6 (490-123555-4) and Dup (490-123555-8). Elevated reporting limits (RLs) are provided.

Method(s) 300.0: The method blank for analytical batch 490-420467 contained chloride above the method detection limit (MDL). Associated sample(s) were not re-extracted and/or re-analyzed because results were greater than 10X the value found in the method blank.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Definitions/Glossary

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
H	Sample was prepped or analyzed beyond the specified holding time

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: MW-1

Date Collected: 03/07/17 08:50

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27.8		2.00		mg/L			03/28/17 12:37	2

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: MW-4
Date Collected: 03/07/17 10:25
Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	25.6		0.500		ug/L			03/14/17 20:21	1
Ethylbenzene	ND		0.500		ug/L			03/14/17 20:21	1
Toluene	ND		0.500		ug/L			03/14/17 20:21	1
Xylenes, Total	ND		1.00		ug/L			03/14/17 20:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		70 - 130		03/14/17 20:21	1
4-Bromofluorobenzene (Surr)	98		70 - 130		03/14/17 20:21	1
Dibromofluoromethane (Surr)	98		70 - 130		03/14/17 20:21	1
Toluene-d8 (Surr)	100		70 - 130		03/14/17 20:21	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	118		5.00		mg/L			03/28/17 01:54	5

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: MW-2
Date Collected: 03/07/17 11:47
Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			03/14/17 21:17	1
Ethylbenzene	ND		0.500		ug/L			03/14/17 21:17	1
Toluene	ND		0.500		ug/L			03/14/17 21:17	1
Xylenes, Total	ND		1.00		ug/L			03/14/17 21:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 130		03/14/17 21:17	1
4-Bromofluorobenzene (Surr)	102		70 - 130		03/14/17 21:17	1
Dibromofluoromethane (Surr)	103		70 - 130		03/14/17 21:17	1
Toluene-d8 (Surr)	101		70 - 130		03/14/17 21:17	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	196	H	10.0		mg/L			04/07/17 14:07	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: MW-6
Date Collected: 03/07/17 13:20
Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-4
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	162		10.0		mg/L			03/28/17 13:13	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: MW-3
Date Collected: 03/07/17 14:50
Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-5
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	57.2		2.00		mg/L			03/28/17 02:47	2

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: MW-5
Date Collected: 03/07/17 16:15
Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-6
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	86.7		5.00		mg/L			03/28/17 03:05	5

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: EQ Blank

Date Collected: 03/07/17 08:30

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-7

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			03/14/17 17:33	1
Ethylbenzene	ND		0.500		ug/L			03/14/17 17:33	1
Toluene	ND		0.500		ug/L			03/14/17 17:33	1
Xylenes, Total	ND		1.00		ug/L			03/14/17 17:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130		03/14/17 17:33	1
4-Bromofluorobenzene (Surr)	97		70 - 130		03/14/17 17:33	1
Dibromofluoromethane (Surr)	99		70 - 130		03/14/17 17:33	1
Toluene-d8 (Surr)	100		70 - 130		03/14/17 17:33	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			03/28/17 03:23	1

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: Dup
Date Collected: 03/07/17 00:01
Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-8
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			03/14/17 19:53	1
Ethylbenzene	ND		0.500		ug/L			03/14/17 19:53	1
Toluene	ND		0.500		ug/L			03/14/17 19:53	1
Xylenes, Total	ND		1.00		ug/L			03/14/17 19:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		70 - 130		03/14/17 19:53	1
4-Bromofluorobenzene (Surr)	99		70 - 130		03/14/17 19:53	1
Dibromofluoromethane (Surr)	104		70 - 130		03/14/17 19:53	1
Toluene-d8 (Surr)	100		70 - 130		03/14/17 19:53	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	208		10.0		mg/L			03/28/17 13:31	10

Client Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: Trip Blank

Date Collected: 03/07/17 00:01

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-9

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			03/14/17 16:10	1
Ethylbenzene	ND		0.500		ug/L			03/14/17 16:10	1
Toluene	ND		0.500		ug/L			03/14/17 16:10	1
Xylenes, Total	ND		1.00		ug/L			03/14/17 16:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 130		03/14/17 16:10	1
4-Bromofluorobenzene (Surr)	99		70 - 130		03/14/17 16:10	1
Dibromofluoromethane (Surr)	98		70 - 130		03/14/17 16:10	1
Toluene-d8 (Surr)	101		70 - 130		03/14/17 16:10	1

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-414181/12

Matrix: Water

Analysis Batch: 414181

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.500		ug/L			03/14/17 15:42	1
Ethylbenzene	ND		0.500		ug/L			03/14/17 15:42	1
Toluene	ND		0.500		ug/L			03/14/17 15:42	1
Xylenes, Total	ND		1.00		ug/L			03/14/17 15:42	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 130		03/14/17 15:42	1
4-Bromofluorobenzene (Surr)	102		70 - 130		03/14/17 15:42	1
Dibromofluoromethane (Surr)	103		70 - 130		03/14/17 15:42	1
Toluene-d8 (Surr)	100		70 - 130		03/14/17 15:42	1

Lab Sample ID: LCS 490-414181/8

Matrix: Water

Analysis Batch: 414181

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	47.72		ug/L		95	70 - 130
Ethylbenzene	50.0	47.83		ug/L		96	70 - 130
Toluene	50.0	47.87		ug/L		96	70 - 130
Xylenes, Total	150	138.4		ug/L		92	70 - 132

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130
Dibromofluoromethane (Surr)	98		70 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: LCSD 490-414181/9

Matrix: Water

Analysis Batch: 414181

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	47.64		ug/L		95	70 - 130	0	12
Ethylbenzene	50.0	48.00		ug/L		96	70 - 130	0	12
Toluene	50.0	47.52		ug/L		95	70 - 130	1	13
Xylenes, Total	150	138.3		ug/L		92	70 - 132	0	11

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		70 - 130
4-Bromofluorobenzene (Surr)	103		70 - 130
Dibromofluoromethane (Surr)	97		70 - 130
Toluene-d8 (Surr)	101		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-123595-B-4 MS

Matrix: Water

Analysis Batch: 414181

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		50.0	47.42		ug/L		95	55 - 147
Ethylbenzene	ND		50.0	47.08		ug/L		94	65 - 139
Toluene	ND		50.0	47.39		ug/L		95	64 - 136
Xylenes, Total	ND		150	134.6		ug/L		90	69 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	91		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	102		70 - 130

Lab Sample ID: 490-123595-C-4 MSD

Matrix: Water

Analysis Batch: 414181

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	ND		50.0	45.43		ug/L		91	55 - 147	4	22
Ethylbenzene	ND		50.0	44.93		ug/L		90	65 - 139	5	18
Toluene	ND		50.0	45.25		ug/L		90	64 - 136	5	18
Xylenes, Total	ND		150	128.5		ug/L		86	69 - 132	5	17

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		70 - 130
4-Bromofluorobenzene (Surr)	98		70 - 130
Dibromofluoromethane (Surr)	98		70 - 130
Toluene-d8 (Surr)	101		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 490-417628/3

Matrix: Water

Analysis Batch: 417628

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			03/27/17 20:32	1

Lab Sample ID: LCS 490-417628/4

Matrix: Water

Analysis Batch: 417628

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.432		mg/L		94	90 - 110

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 490-417628/5

Matrix: Water

Analysis Batch: 417628

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.657		mg/L		97	90 - 110	2	20

Lab Sample ID: 490-123552-C-5 MS

Matrix: Water

Analysis Batch: 417628

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	11.8		2.00	11.13	4	mg/L		-35	80 - 120		

Lab Sample ID: 490-123552-C-5 MSD

Matrix: Water

Analysis Batch: 417628

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	11.8		2.00	11.38	4	mg/L		-22	80 - 120	2	20

Lab Sample ID: MB 490-417639/3

Matrix: Water

Analysis Batch: 417639

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			03/28/17 05:46	1

Lab Sample ID: LCS 490-417639/4

Matrix: Water

Analysis Batch: 417639

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.497		mg/L		95	90 - 110		

Lab Sample ID: LCSD 490-417639/5

Matrix: Water

Analysis Batch: 417639

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.748		mg/L		97	90 - 110	3	20

Lab Sample ID: MB 490-420467/3

Matrix: Water

Analysis Batch: 420467

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			04/07/17 11:26	1

Lab Sample ID: LCS 490-420467/4

Matrix: Water

Analysis Batch: 420467

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	8.967		mg/L		90	90 - 110		

TestAmerica Nashville

QC Sample Results

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Lab Sample ID: LCSD 490-420467/5
Matrix: Water
Analysis Batch: 420467

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.111		mg/L	-	91	90 - 110	2	20

QC Association Summary

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

GC/MS VOA

Analysis Batch: 414181

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-123555-2	MW-4	Total/NA	Water	8260B	
490-123555-3	MW-2	Total/NA	Water	8260B	
490-123555-7	EQ Blank	Total/NA	Water	8260B	
490-123555-8	Dup	Total/NA	Water	8260B	
490-123555-9	Trip Blank	Total/NA	Water	8260B	
MB 490-414181/12	Method Blank	Total/NA	Water	8260B	
LCS 490-414181/8	Lab Control Sample	Total/NA	Water	8260B	
LCSD 490-414181/9	Lab Control Sample Dup	Total/NA	Water	8260B	
490-123595-B-4 MS	Matrix Spike	Total/NA	Water	8260B	
490-123595-C-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	

HPLC/IC

Analysis Batch: 417628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-123555-2	MW-4	Total/NA	Water	300.0	
490-123555-5	MW-3	Total/NA	Water	300.0	
490-123555-6	MW-5	Total/NA	Water	300.0	
490-123555-7	EQ Blank	Total/NA	Water	300.0	
MB 490-417628/3	Method Blank	Total/NA	Water	300.0	
LCS 490-417628/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-417628/5	Lab Control Sample Dup	Total/NA	Water	300.0	
490-123552-C-5 MS	Matrix Spike	Total/NA	Water	300.0	
490-123552-C-5 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 417639

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-123555-1	MW-1	Total/NA	Water	300.0	
490-123555-4	MW-6	Total/NA	Water	300.0	
490-123555-8	Dup	Total/NA	Water	300.0	
MB 490-417639/3	Method Blank	Total/NA	Water	300.0	
LCS 490-417639/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-417639/5	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 420467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-123555-3	MW-2	Total/NA	Water	300.0	
MB 490-420467/3	Method Blank	Total/NA	Water	300.0	
LCS 490-420467/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 490-420467/5	Lab Control Sample Dup	Total/NA	Water	300.0	

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: MW-1

Date Collected: 03/07/17 08:50

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2			417639	03/28/17 12:37	JHS	TAL NSH

Client Sample ID: MW-4

Date Collected: 03/07/17 10:25

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	414181	03/14/17 20:21	AK1	TAL NSH
Total/NA	Analysis	300.0		5			417628	03/28/17 01:54	JHS	TAL NSH

Client Sample ID: MW-2

Date Collected: 03/07/17 11:47

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	414181	03/14/17 21:17	AK1	TAL NSH
Total/NA	Analysis	300.0		10			420467	04/07/17 14:07	JHS	TAL NSH

Client Sample ID: MW-6

Date Collected: 03/07/17 13:20

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10			417639	03/28/17 13:13	JHS	TAL NSH

Client Sample ID: MW-3

Date Collected: 03/07/17 14:50

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2			417628	03/28/17 02:47	JHS	TAL NSH

Client Sample ID: MW-5

Date Collected: 03/07/17 16:15

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5			417628	03/28/17 03:05	JHS	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Client Sample ID: EQ Blank

Date Collected: 03/07/17 08:30

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	414181	03/14/17 17:33	AK1	TAL NSH
Total/NA	Analysis	300.0		1			417628	03/28/17 03:23	JHS	TAL NSH

Client Sample ID: Dup

Date Collected: 03/07/17 00:01

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	414181	03/14/17 19:53	AK1	TAL NSH
Total/NA	Analysis	300.0		10			417639	03/28/17 13:31	JHS	TAL NSH

Client Sample ID: Trip Blank

Date Collected: 03/07/17 00:01

Date Received: 03/10/17 10:05

Lab Sample ID: 490-123555-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	414181	03/14/17 16:10	AK1	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
300.0	Anions, Ion Chromatography	MCAWW	TAL NSH

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Accreditation/Certification Summary

Client: Enviro Clean Services LLC
Project/Site: STATE L-2

TestAmerica Job ID: 490-123555-1
SDG: Property ID 890293

Laboratory: TestAmerica Nashville

The accreditations/certifications listed below are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Oklahoma	State Program	6	9412	08-31-17

COOLER RECEIPT FORM



490-123555 Chain of Custody

Cooler Received/Opened On 3-10-17 @ 1005

Time Samples Removed From Cooler _____ Time Samples Placed In Storage _____ (2 Hour Window)

1. Tracking # 9326 (last 4 digits, FedEx) Courier: FedEx

IR Gun ID 14740456 pH Strip Lot HC693124 Chlorine Strip Lot 110116E

2. Temperature of rep. sample or temp blank when opened: 1.6 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO NA

4. Were custody seals on outside of cooler? YES...NO...NA

If yes, how many and where: one front + Back

5. Were the seals intact, signed, and dated correctly? YES...NO...NA

6. Were custody papers inside cooler? YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial) DA

7. Were custody seals on containers: YES NO and Intact YES...NO...NA

Were these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)? YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...NA

12. Did all container labels and tags agree with custody papers? YES...NO...NA

13a. Were VOA vials received? YES...NO...NA

b. Was there any observable headspace present in any VOA vial? YES...NO...NA

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence # NA

I certify that I unloaded the cooler and answered questions 7-14 (initial) EUA

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES..NO NA

b. Did the bottle labels indicate that the correct preservatives were used YES...NO...NA

16. Was residual chlorine present? YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) EUA

17. Were custody papers properly filled out (ink, signed, etc)? YES...NO...NA

18. Did you sign the custody papers in the appropriate place? YES...NO...NA

19. Were correct containers used for the analysis requested? YES...NO...NA

20. Was sufficient amount of sample sent in each container? YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) EA

I certify that I attached a label with the unique LIMS number to each container (initial) EUA

21. Were there Non-Conformance issues at login? YES..NO Was a NCM generated? YES..NO...#

1
2
3
4
5
6
7
8
9
10
11
12
13

ENVIRO CLEAN

SERVICES, LLC

(918) 794-7828

SAMPLER'S PRINTED NAME:

Terry Fisher

SAMPLER'S SIGNATURE:

Terry Fisher

CHAIN OF CUSTODY RECORD

No. 00908

PROJECT NUMBER:
CHKHSTL201

PROJECT NAME:
CHK STATE L-2

COG 1 of 1

SHIPPED TO:
TA NASHVILLE

PROJECT MANAGER:
BRUCE MCKENZIE

TAT:

ASOW:

STANDARD
GENSUB: 750-521
PROP ID: 890293

Sample Matrix
of Sample Containers
CHLORIDE (300)
BENZENE (8260C)

Loc: 490
123555

REMARKS

Date Time Sample ID

3-7-17 850 MW-1

W 1

X

3-7-17 1025 MW-4

W 4

X

3-7-17 1147 MW-2

W 4

X

3-7-17 1320 MW-6

W 1

X

3-7-17 1450 MW-3

W 1

X

3-7-17 1415 MW-5

W 1

X

3-7-17 830 EG Blank

W 4

X

3-7-17 --- D-p

W 4

X

--- Trip Blank

W 2

X

--- Temp Blank

W 1

X

TOTAL NUMBER OF CONTAINERS

23

RELINQUISHED BY:

Terry Fisher

DATE 3-9-17
TIME 1000

RECEIVED BY:

Julie Czech

DATE 3-10-17
TIME 1005

RELINQUISHED BY:

DATE
TIME

METHOD OF SHIPMENT:

FED-EX

RECEIVED IN LABORATORY BY:

DATE
TIME

LABORATORY CONTACT:

(815) 728-0177

LABORATORY ADDRESS:

2960 FOSTER CREIGHTON DR., NASHVILLE, TN 37204

Send PDF, EDD, and INVOICE (if applicable) to:

JULIE CZECH at jczech@envirocleans.com

AIRBILL NUMBER: 712208499326

1.4

POINT OF ORIGIN:

☐ OKLAHOMA CITY

☒ TULSA

☐ NORMAN

☐ WOODWARD

☐ ARLINGTON

☐ MIDLAND

☐ OTHER:

Login Sample Receipt Checklist

Client: Enviro Clean Services LLC

Job Number: 490-123555-1
SDG Number: Property ID 890293

Login Number: 123555

List Number: 1

Creator: Abernathy, Eric

List Source: TestAmerica Nashville

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	