



Regional Vicinity & Wellhead Protection Map
Rock Lake 15 #1-Marathon Oil
Sec. 15 T22S R35E, New Mexico

Figure 1

Revisions		
By: _____	Date: _____	Descr: _____
By: _____	Date: _____	Descr: _____

Date Saved:
7/3/2019

Copyright 2019 Souder, Miller & Associates - All Rights Reserved

Drawn	Heather Patterson
Date	7/3/2019
Checked	_____
Approved	_____



201 South Halaguena Street
Carlsbad, New Mexico 88221
(575) 689-7040
Serving the Southwest & Rocky Mountains

STATE ENGINEER OFFICE
WELL RECORD

475984

Section 1. GENERAL INFORMATION

(A) Owner of well Merchant Livestock Company Owner's Well No. _____
Street or Post Office Address Box 1115
City and State Funico, NM 88231

Well was drilled under Permit No. CP-753 and is located in the:
a. _____ ¼ _____ ¼ NE ¼ NE ¼ of Section 14 Township 22S Range 35 N.M.P.M.
b. Tract No. _____ of Map No. _____ of the _____
c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in Lea County.
d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in
the _____ Grant.

(B) Drilling Contractor W. L. VanNoy License No. WD_208
Address P.O. Box 7, Oil Center, NM 88266
Drilling Began 7-11-90 Completed 7-18-90 Type tools Cable Size of hole 10 in.
Elevation of land surface or _____ at well is _____ ft. Total depth of well 215 ft.
Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 185 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			
195	210	15	water bearing sand	23

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To
5"	PVC		0	215			201	211

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				

SEP 7 7 AM 10 02
STATE ENGINEER OFFICE
SANTA FE NEW MEXICO

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by: _____
State Engineer Representative

No.	Depth in Feet		Cubic Feet of Cement
	Top	Bottom	
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received July 23, 1990
Quad _____ FWL _____ FSL _____
File No. CP-753 Use STOCK Location No. 22.35.14.22131

[illegible]

'90 JUL 23 AM 8 31
STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO

Driller

INSTRUCTIONS: This form should be completed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired, or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.