



April 6, 2019

District 1
 New Mexico Energy, Minerals and Natural Resources Department
 Oil Conservation Division, District 1
 1625 French Drive
 Hobbs, NM 88240

Incident ID	pending
District RP	1RP-5410
Facility ID	fAB1908835112
Application ID	pAB1908835332

Re: Site Assessment Report and Proposed Remediation Plan
Site Name: 2C-3-4
GPS: Latitude: 32.1748 Longitude: -103.0959
Legals: UL "G", Sec. 31, T24S, R38E
Lea County, New Mexico
NMOCD Ref. No. 1RP-5410

Lowry Environmental & Associates, LLC (LEA), on behalf of ETC Texas Pipeline, Ltd., has prepared this Site Assessment Report and Proposed Remediation Plan for the Release Site known as the 2C-3-4. Details of the release are summarized on the table below:

Nature and Volume of Release	
Date Release Discovered	3/6/2019
Type of Release	Natural Gas Liquids
Source of Release	Pipeline
Volume Released (bbls)	9.4
Volume Recovered (bbls)	None
Cause of Release The release was attributed to the failure of a segment of buried natural gas pipeline as a result of corrosion.	
Affected Area The release saturated an area within a pipeline right-of-way and adjacent pasture land totaling approximately 2,490 sq. ft; a light mist affected an additional area measuring approximately 9,300 sq. ft.	
Was this a major release?	If YES, for what reasons (s) is this considered a major release?
No	N/A
If Yes, was immediate notice given to the OCD? By whom? To whom? When and by what means?	
N/A	

A copy of the Release Notification (NMOCD Form C-141) is provided as Attachment #8.

Incident ID	pending
District RP	1RP-5410
Facility ID	fAB1908835112
Application ID	pAB1908835332

Site Assessment/Characterization	
What is the shallowest depth to groundwater beneath the area affected by the release?	50-100 Ft.
Did this release impact groundwater or surface water?	No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	No
Are the lateral extents of the release within 300 feet of a wetland?	No
Are the lateral extents of the release overlying a subsurface mine?	No
Are the lateral extents of the release overlying an unstable area such as karst geology?	No
Are the lateral extents of the release within a 100-year floodplain?	No
Did the release impact areas not on an exploration, development, production or storage site?	Yes

A search of groundwater databases maintained by the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey was conducted in an effort to determine the depth to groundwater within a 1 Mile radius of the Site and identify any registered water wells within a 1/2 Mile radius of the Site. A search of the NMOSE and USGS databases suggested the presence of 1 water well (321017103060401) 0.42 Mi of the Site.

Based on the volume and nature of the release, inferred depth to groundwater and NMOCD Siting Criteria, the NMOCD Closure Criteria for the Site is as follows:

Closure Criteria for Soil Impacted by a Release	
Benzene	10 mg/kg
Benzene, Toluene, Ethylbenzene and Total Xylenes (BTEX)	50 mg/kg
Total Petroleum Hydrocarbons	2500 mg/kg
Combined GRO and DRO	1000 mg/kg
Chloride	10000 mg/kg

NMOCD Siting Criteria data was gathered from available resources including Bureau of Land Management (BLM) shapefiles; topographic maps; NMOSE and USGS databases; and aerial imagery. The results are depicted on Figures 1 & 2. Depth to groundwater information is provided as Attachment #4. A Photographic Log is provided as Attachment #7.

Incident ID	pending
District RP	1RP-5410
Facility ID	fAB1908835112
Application ID	pAB1908835332

INITIAL SITE ASSESSMENT

On **March 27, 2019**, LEA conducted an initial site assessment. During the initial site assessment, fourteen (14) representative soil samples (V-1 @ 0-6", V-1 @ 4', V-1 @ 6'-R V-2 @ 0-6", V-2 @ 2', NH-1 @ 0-6", NH-1 @ 20", NH-1b @ 0-6", NH-1b @ 12", EH-1 @ 0-6", EH-1 @ 24", SH-1 @ 0-6", SH-1 @ 24", WH-1 @ 0-6", WH-1 @ 24") were collected from the affected area in an effort to determine the vertical and horizontal extent of soil impacts. The collected soil samples were submitted to the laboratory for analysis of BTEX, TPH and chloride. Laboratory analytical results indicated BTEX, TPH and chloride concentrations were below the NMOCD Closure Criteria in each of the submitted soil samples with the exception of the TPH concentrations in soil samples V-1 @ 0-6", V-1 @ 4', V-2 @ 0-6" .

A table summarizing laboratory analytical results from soil samples collected during the initial site assessment is provided below:

Concentrations of BTEX, TPH and/or Chloride in Soil - Initial Assessment											
Sample ID	Date	Depth	Soil Status	SW 846 8021B		SW 846 8015M Ext.					4500Cl
				Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈ (mg/kg)	ORO C ₂₈ -C ₃₆ (mg/kg)	TPH C ₆ -C ₃₆ (mg/kg)	Chloride (mg/kg)
V-1 @ 0-6"	3/27/19	0-6"	In-Situ	<0.050	<0.300	<50.0	5,380	5,380	1,240	6,620	80.0
V-1 @ 4'	3/27/19	4'	In-Situ	<0.500	11.2	651	29,600	30,251	7,660	37,911	480
V-1 @ 6'-R	3/27/19	6'	In-Situ	<0.500	<0.300	<10.0	334	334	88	422	16.0
V-2 @ 0-6"	3/27/19	0-6"	In-Situ	<0.050	<0.300	<50.0	5,860	5,860	1,640	7,500	80.0
V-2 @ 2'	3/27/19	2'	In-Situ	<0.050	<0.300	<10.0	29.7	29.7	<10.0	29.7	16.0
NH-1 @ 0-6"	3/27/19	0-6"	In-Situ	<0.050	<0.300	<10.0	819	819	170	989	16.0
NH-1 @ 20"	3/27/19	20"	In-Situ	<0.050	<0.300	<10.0	26.5	26.5	<10.0	26.5	16.0
NH-1b @ 0-6"	3/27/19	0-6"	In-Situ	<0.050	<0.300	<10.0	18.1	<10.0	18.1	18.1	16.0
NH-1b @ 12"	3/27/19	12"	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
EH-1 @ 0-6"	3/27/19	0-6"	In-Situ	<0.050	<0.300	<10.0	16.2	16.2	<10.0	16.2	16.0
EH-1 @ 24"	3/27/19	24"	In-Situ	<0.050	0.405	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
SH-1 @ 0-6"	3/27/19	0-6"	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
SH-1 @ 24"	3/27/19	24"	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
WH-1 @ 0-6"	3/27/19	0-6"	In-Situ	<0.050	<0.300	<10.0	19.9	19.9	<10.0	19.9	16.0
WH-1 @ 24"	3/27/19	24"	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
Closure Criteria				10	50	-	-	1,000	-	2,500	10,000

A "Site & Sample Location Map" is provided as Attachment #3. Field Data, if applicable, is provided as Attachment #9. Soil profile observations are provided on Attachment #5. Laboratory analytical reports are provided as Attachment #6.

Incident ID	pending
District RP	1RP-5410
Facility ID	fAB1908835112
Application ID	pAB1908835332

PROPOSED REMEDIATION PLAN

Based on laboratory analytical results, site characteristics and field observations made during the initial site assessment, ETC Texas Pipeline, Ltd. proposes the following remediation activities designed to advance the Site toward an approved closure:

- Utilizing mechanical equipment, excavate impacted soil in the area characterized by sample point V-1 to a depth beyond 4 Ft. bgs, the area characterized by sample point V-2 to a depth of approximately 2 ft. bgs and the area characterized by sample point NH-1 to a depth of approximately 20 inches (in.).
- The floor and sidewalls of the excavation will be advanced until laboratory analytical results from confirmation soil samples indicate concentrations of BTEX, TPH and chloride are below the NMOCD Closure Criteria
- Vegetation within the "lightly misted area" will be monitored for "die off". In the event vegetation is lost, affected areas will be excavated and/or in accordance with the landowner. ETC maintains scraping the affected pasture poses a risk to the existing grass stand.
- Excavated soil will be temporarily stockpiled on-site, atop an impermeable liner, pending transportation under manifest to an NMOCD-approved disposal facility.
- Upon excavating impacted soil affected above the NMOCD Closure Criteria and receiving laboratory analytical results from confirmation soil samples, the excavated area will be backfilled with locally sourced, non-impacted "like" material. Excavation backfill will be placed at or near original relative positions. The affected area will be contoured and/or compacted to achieve erosion control, stability and preservation of surface water flow to the extent practicable.

Incident ID	pending
District RP	1RP-5410
Facility ID	fAB1908835112
Application ID	pAB1908835332

SAMPLING PLAN

Upon completion of excavation activities, representative five-point composite excavation confirmation soil samples will be collected from the excavation sidewalls in each cardinal direction, representing no more than **50 linear ft**. A minimum of **one (1)** representative five-point composite excavation confirmation soil sample will be collected from the base of the excavated area representing every **500 square feet**. Additional, "discrete" confirmation soil samples will be collected from wet or visibly stained areas inferred to have been affected by the release, as necessary.

TIMELINE AND ESTIMATED VOLUME OF SOIL TO BE REMEDIATED

Remediation activities are expected to be completed **within 90 days** of receiving necessary approval(s) of this Site Assessment Summary and Proposed Remediation Plan. Based on laboratory analytical results, site characteristics and field observations made during the initial site assessment it is estimated that approximately **280 cubic yards** is in need of removal.

RESTORATION, RECLAMATION AND RE-VEGETATION PLAN

Areas affected by remediation and closure activities will be substantially restored to the condition that existed prior to the release, to the extent practicable. Excavated areas will be backfilled with locally sourced, non-impacted "like" material placed at or near original relative positions. The affected area will be contoured and/or compacted to achieve erosion control, stability and preservation of surface water flow to the extent practicable. Affected areas not on production pads and/or lease roads will be reseeded with an agency and/or landowner-approved seed mixture during the first favorable growing season following closure of the site.

If you have any questions, or need any additional information, please feel free to contact Dean Ericson or the undersigned by phone or email.

Respectfully,



Joel W. Lowry
Environmental Professional
Lowry Environmental & Associates, LLC

- Attachments:**
- Attachment #1- Figure 1 - Topographic Map
 - Attachment #2- Figure 2 - Aerial Map
 - Attachment #3- Figure 3 - Site & Sample Location Map
 - Attachment #4- Depth to Groundwater Information
 - Attachment #5- Soil Profile
 - Attachment #6- Laboratory Analytical Reports
 - Attachment #7- Photographic Log
 - Attachment #8- Release Notification (FORM C-141)
 - Attachment #9- Field Data


LIMITATIONS

This document has been prepared on behalf of ETC Texas Pipeline, Ltd.. Use of information contained in this report, including exhibits and attachments, by any other party without the consent of LEA and/or ETC Texas Pipeline, Ltd. is prohibited.

This document has been prepared in a professional manner, using the degree of skill and care exercised by similar environmental professionals. LEA notes that the facts and conditions referenced in this document may change over time and that the conclusions and recommendations are only applicable to the facts and conditions as described at the time this document was prepared.

LEA has prepared this report to the best of its ability. No other warranty, expressed or implied, is made or intended.

ATTACHMENT #1
Figure 1 - Topographic Map



LEGEND:

●	Site Location
------------------------------------	---------------

Figure 1
 Topographic Map
 ETC Texas Pipeline, Ltd.
 2C-3-4
 GPS: 32.1748, -103.0959
 Lea County, New Mexico



Drafted by: jwl Checked by: client Date: 4/6/2019

ATTACHMENT #2
Figure 2 - Aerial Map



LEGEND:

	Site Location		Non-Industrial Building
	Fresh Water Well		Subsurface Mine
	100-Year Floodplain		Playa Lake
	High/Critical Karst		1/2 Mi Radius


Figure 2
 Aerial Map
 ETC Texas Pipeline, Ltd.
 2C-3-4
 GPS: 32.1748, -103.0959
 Lea County, New Mexico

LOWRY
 environmental



Drafted by: jwl Checked by: client Date: 4/6/2019

ATTACHMENT #3
Figure 3 - Site & Sample Location Map



- LEGEND:**
- Sample Point
 - Affected Area
 - Buried Pipeline

Figure 3
 Site & Sample Location Map
 ETC Texas Pipeline, Ltd.
 2C-3-4
 GPS: 32.1748, -103.0959
 Lea County, New Mexico



Drafted by: jwl Checked by: client Date: 4/6/2019

ATTACHMENT #4
Depth to Groundwater Information



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,

O=orphaned,

C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Sub-basin	County	Q 6	Q 4	Q 4	Sec	Tw	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column
CP 00085 POD1	CP	LE	LE	4	2	2	36	24S	37E	678261	3561768*	1322	109	82	27
CP 00084 POD1	CP	LE	LE	2	2	2	36	24S	37E	678261	3561968*	1391	98	77	21
CP 00084 POD2	CP	LE	LE	2	4	36	24S	37E	678176	3561065*	1395	180	92	88	
Average Depth to Water:														83 feet	
Minimum Depth:														77 feet	
Maximum Depth:														92 feet	

Record Count: 3

UTMNAD83 Radius Search (in meters):

Easting (X): 679531.1

Northing (Y): 3561400.3

Radius: 1610

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/3/19 3:04 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER



National Water Information System Web Interface

USGS Water Resources

?	Water-level date-time accuracy	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	?	Water-level accuracy	?	Status	?	USGS Home Contact Search USGS Method of measurement	?	Meas agency
Data Category:					Geographic Area:							
Groundwater					United States							
												GO

Click to hide News Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#) 

Groundwater levels for the Nation

Search Results -- 1 sites found

Agency code = usgs
 site_no list =

- 321017103060401

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 321017103060401 24S.38E.31.142114

Lea County, New Mexico

Latitude 32°10'17", Longitude 103°06'04" NAD27

Land-surface elevation 3,102 feet above NAVD88

The depth of the well is 90 feet below land surface.

This well is completed in the Alluvium, Bolson Deposits and Other Surface Deposits (110AVMB) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	Water-level date-time accuracy	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Water-level accuracy	Status	Method of measurement	Measuring agency	Source of measurement
1968-02-22		D	63.96				2		U	
1970-12-04		D	66.95				2		U	
1976-01-14		D	71.44				2		U	

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level accuracy	2	Water level accuracy to nearest hundredth of a foot
Status		The reported water-level measurement represents a static level
Method of measurement	U	Unknown method.
Measuring agency		Not determined
Source of measurement	U	Source is unknown.
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

Date

Time

Water-level
date-time
access

Water level,
feet below
land surface

Water level,
feet above
specific
vertical
datum

Referenced
vertical
datum

?
Water-level
accuracy

?
Status

?
Method of
measurement

?
Meas
agen

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#)

[U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>

Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2019-04-03 17:21:56 EDT

0.64 0.61 nadww02





National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category: Geographic Area:

Click to hideNews Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#)

Groundwater levels for the Nation

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 320959103051901

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320959103051901 24S.38E.32.312331

Lea County, New Mexico
Latitude 32°09'59", Longitude 103°05'19" NAD27
Land-surface elevation 3,123 feet above NAVD88
The depth of the well is 824 feet below land surface.
This well is completed in the Santa Rosa Sandstone (231SNRS) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Water-level accuracy	? Status	? Method of measurement	? Measuring agency	? Source of measurement
1976-01-14		D	316.50			2		U		

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level accuracy	2	Water level accuracy to nearest hundredth of a foot
Status		The reported water-level measurement represents a static level
Method of measurement	U	Unknown method.
Measuring agency		Not determined
Source of measurement	U	Source is unknown.
Water-level approval status	A	Approved for publication -- Processing and review completed.

- [Questions about sites/data?](#)
- [Feedback on this web site](#)
- [Automated retrievals](#)
- [Help](#)
- [Data Tips](#)
- [Explanation of terms](#)
- [Subscribe for system changes](#)
- [News](#)





National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category: Geographic Area:

Click to hide News Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#)

Groundwater levels for the Nation

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 321011103045201

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 321011103045201 24S.38E.32.233411

Lea County, New Mexico
Latitude 32°10'11", Longitude 103°04'52" NAD27
Land-surface elevation 3,177 feet above NAVD88
The depth of the well is 845 feet below land surface.
This well is completed in the Santa Rosa Sandstone (231SNRS) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Water-level accuracy	? Status	? Method of measurement	? Measuring agency	? Source of measurement
1976-01-14		D	354.74				2		U	
1981-03-18		D	327.04				2		U	

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level accuracy	2	Water level accuracy to nearest hundredth of a foot
Status		The reported water-level measurement represents a static level
Method of measurement	U	Unknown method.
Measuring agency		Not determined
Source of measurement	U	Source is unknown.
Water-level approval status	A	Approved for publication -- Processing and review completed.

- [Questions about sites/data?](#)
- [Feedback on this web site](#)
- [Automated retrievals](#)
- [Help](#)
- [Data Tips](#)
- [Explanation of terms](#)
- [Subscribe for system changes](#)
- [News](#)



ATTACHMENT #5
Soil Profile

SOIL PROFILE

Site Name: 2C-3-4

Date: 3/27/2019

Description	Depth (ft. bgs)
Brownish / Red Topsoil	1
Reddish sand	2
	3
	4
	5
	6
Rock Refusal	7
	8
	9
	0
	1
	2
	3
	4
	5
	6
	7
	8
	9
	0
	1
	2
	3
	4
	5
	6
	7
	8
	9
	0
	1
	2
	3
	4
	5
	6
	7
	8
	9
	0

ATTACHMENT #6
Laboratory Analytical Reports

April 03, 2019

JOEL LOWRY
ENERGY TRANSFER
P. O. BOX 1226
JAL, NM 88252

RE: 2C - 3-4

Enclosed are the results of analyses for samples received by the laboratory on 03/28/19 14:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene
Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
V - 1 @ 0-6"	H901173-01	Soil	27-Mar-19 11:05	28-Mar-19 14:30
V - 1 @ 4'	H901173-02	Soil	27-Mar-19 11:07	28-Mar-19 14:30
V - 1 @ 6'R	H901173-03	Soil	27-Mar-19 11:10	28-Mar-19 14:30
V - 2 @ 0-6"	H901173-04	Soil	27-Mar-19 11:15	28-Mar-19 14:30
V - 2 @ 2'	H901173-05	Soil	27-Mar-19 11:18	28-Mar-19 14:30
NH - 1 @ 0-6"	H901173-07	Soil	27-Mar-19 11:25	28-Mar-19 14:30
NH - 1 @ 20"	H901173-08	Soil	27-Mar-19 11:28	28-Mar-19 14:30
NH - 1B @ 0-6"	H901173-09	Soil	27-Mar-19 11:30	28-Mar-19 14:30
NH - 1B @ 12"	H901173-10	Soil	27-Mar-19 11:34	28-Mar-19 14:30
EH - 1 @ 0-6"	H901173-11	Soil	27-Mar-19 11:36	28-Mar-19 14:30
EH - 1 @ 24"	H901173-12	Soil	27-Mar-19 11:39	28-Mar-19 14:30
SH - 1 @ 0-6"	H901173-13	Soil	27-Mar-19 11:42	28-Mar-19 14:30
SH - 1 @ 24"	H901173-14	Soil	27-Mar-19 11:45	28-Mar-19 14:30
WH - 1 @ 0-6"	H901173-15	Soil	27-Mar-19 11:48	28-Mar-19 14:30
WH - 1 @ 24"	H901173-16	Soil	27-Mar-19 11:51	28-Mar-19 14:30

Client added BTEX/TPH/CI to samples -03, -09 and -10 on 04/02/19. This is the revised report reflecting that addition. This report will replace the original sent on 04/02/19.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

V - 1 @ 0-6"
H901173-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	80.0		16.0	mg/kg	4	9032910	JH	01-Apr-19	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9032906	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9032906	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9032906	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9032906	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9032906	ms	01-Apr-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			94.9 %		73.3-129	9032906	ms	01-Apr-19	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID
S-06

GRO C6-C10*	<50.0		50.0	mg/kg	5	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	5380		50.0	mg/kg	5	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	1240		50.0	mg/kg	5	9032905	MS	29-Mar-19	8015B	

Surrogate: 1-Chlorooctane			90.7 %		41-142	9032905	MS	29-Mar-19	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			269 %		37.6-147	9032905	MS	29-Mar-19	8015B	
-------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

V - 1 @ 4'
H901173-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	480		16.0	mg/kg	4	9032910	JH	01-Apr-19	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.500		0.500	mg/kg	500	9032906	ms	30-Mar-19	8021B	
Toluene*	<0.500		0.500	mg/kg	500	9032906	ms	30-Mar-19	8021B	
Ethylbenzene*	2.09		0.500	mg/kg	500	9032906	ms	30-Mar-19	8021B	
Total Xylenes*	9.07		1.50	mg/kg	500	9032906	ms	30-Mar-19	8021B	
Total BTEX	11.2		3.00	mg/kg	500	9032906	ms	30-Mar-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			101 %	73.3-129		9032906	ms	30-Mar-19	8021B	
--	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID
S-06

GRO C6-C10*	651		100	mg/kg	10	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	29600		100	mg/kg	10	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	7660		100	mg/kg	10	9032905	MS	29-Mar-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			141 %	41-142		9032905	MS	29-Mar-19	8015B	
----------------------------------	--	--	-------	--------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			992 %	37.6-147		9032905	MS	29-Mar-19	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

V - 1 @ 6'R
H901173-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9040209	AC	03-Apr-19	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040202	ms	02-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			96.5 %		73.3-129	9040202	ms	02-Apr-19	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	
DRO >C10-C28*	334		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	
EXT DRO >C28-C36	87.9		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			82.8 %		41-142	9040206	MS	03-Apr-19	8015B	
----------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			101 %		37.6-147	9040206	MS	03-Apr-19	8015B	
--------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

V - 2 @ 0-6"
H901173-04 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	80.0		16.0	mg/kg	4	9032910	JH	01-Apr-19	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			94.7 %		73.3-129	9040102	ms	01-Apr-19	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID
S-06

GRO C6-C10*	<50.0		50.0	mg/kg	5	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	5860		50.0	mg/kg	5	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	1640		50.0	mg/kg	5	9032905	MS	29-Mar-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			87.7 %		41-142	9032905	MS	29-Mar-19	8015B	
----------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			283 %		37.6-147	9032905	MS	29-Mar-19	8015B	
--------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

V - 2 @ 2'
H901173-05 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032910	JH	01-Apr-19	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			96.4 %	73.3-129		9040102	ms	01-Apr-19	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	29.7		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			81.6 %	41-142		9032905	MS	29-Mar-19	8015B	
----------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			81.7 %	37.6-147		9032905	MS	29-Mar-19	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

NH - 1 @ 0-6"
H901173-07 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032910	JH	01-Apr-19	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			94.9 %	73.3-129		9040102	ms	01-Apr-19	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	816		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	170		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			85.2 %	41-142		9032905	MS	29-Mar-19	8015B	
----------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			112 %	37.6-147		9032905	MS	29-Mar-19	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

NH - 1 @ 20"
H901173-08 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032910	JH	01-Apr-19	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			96.4 %	73.3-129		9040102	ms	01-Apr-19	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	26.5		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			81.0 %	41-142		9032905	MS	29-Mar-19	8015B	
----------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			81.9 %	37.6-147		9032905	MS	29-Mar-19	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

NH - 1B @ 0-6"
H901173-09 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	9040209	AC	03-Apr-19	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040202	ms	02-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			97.3 %		73.3-129	9040202	ms	02-Apr-19	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	
DRO >C10-C28*	18.1		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			85.2 %		41-142	9040206	MS	03-Apr-19	8015B	
----------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			84.9 %		37.6-147	9040206	MS	03-Apr-19	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

NH - 1B @ 12"
H901173-10 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	9040209	AC	03-Apr-19	4500-CI-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040202	ms	02-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040202	ms	02-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			95.7 %		73.3-129	9040202	ms	02-Apr-19	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9040206	MS	03-Apr-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			83.8 %		41-142	9040206	MS	03-Apr-19	8015B	
----------------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			84.2 %		37.6-147	9040206	MS	03-Apr-19	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

EH - 1 @ 0-6"
H901173-11 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032913	JH	01-Apr-19	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			95.9 %	73.3-129		9040102	ms	01-Apr-19	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	13.2		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			80.4 %	41-142		9032905	MS	29-Mar-19	8015B	
----------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			83.1 %	37.6-147		9032905	MS	29-Mar-19	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

EH - 1 @ 24"
H901173-12 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032913	JH	01-Apr-19	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			96.6 %	73.3-129		9040102	ms	01-Apr-19	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	

Surrogate: 1-Chlorooctane			76.0 %	41-142		9032905	MS	29-Mar-19	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			77.3 %	37.6-147		9032905	MS	29-Mar-19	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

SH - 1 @ 0-6"
H901173-13 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032913	JH	01-Apr-19	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.6 %	73.3-129		9040102	ms	01-Apr-19	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9032905	MS	29-Mar-19	8015B	

Surrogate: 1-Chlorooctane			81.2 %	41-142		9032905	MS	29-Mar-19	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			82.1 %	37.6-147		9032905	MS	29-Mar-19	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

SH - 1 @ 24"
H901173-14 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032913	JH	01-Apr-19	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.6 %		73.3-129	9040102	ms	01-Apr-19	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	

Surrogate: 1-Chlorooctane			75.4 %		41-142	9032912	MS	29-Mar-19	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			75.8 %		37.6-147	9032912	MS	29-Mar-19	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

WH - 1 @ 0-6"
H901173-15 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032913	JH	01-Apr-19	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			96.8 %	73.3-129		9040102	ms	01-Apr-19	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	
DRO >C10-C28*	19.9		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	

<i>Surrogate: 1-Chlorooctane</i>			78.0 %	41-142		9032912	MS	29-Mar-19	8015B	
----------------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			79.4 %	37.6-147		9032912	MS	29-Mar-19	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

WH - 1 @ 24"
H901173-16 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories
Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9032913	JH	01-Apr-19	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9040102	ms	01-Apr-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9040102	ms	01-Apr-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			95.8 %	73.3-129		9040102	ms	01-Apr-19	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9032912	MS	29-Mar-19	8015B	

Surrogate: 1-Chlorooctane			84.4 %	41-142		9032912	MS	29-Mar-19	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			84.3 %	37.6-147		9032912	MS	29-Mar-19	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

Inorganic Compounds - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9032910 - General Prep - Wet Chem
Blank (9032910-BLK1)

Prepared & Analyzed: 29-Mar-19

Chloride ND 16.0 mg/kg

LCS (9032910-BS1)

Prepared & Analyzed: 29-Mar-19

Chloride 416 16.0 mg/kg 400 104 80-120

LCS Dup (9032910-BSD1)

Prepared & Analyzed: 29-Mar-19

Chloride 416 16.0 mg/kg 400 104 80-120 0.00 20

Batch 9032913 - General Prep - Wet Chem
Blank (9032913-BLK1)

Prepared & Analyzed: 29-Mar-19

Chloride ND 16.0 mg/kg

LCS (9032913-BS1)

Prepared & Analyzed: 29-Mar-19

Chloride 432 16.0 mg/kg 400 108 80-120

LCS Dup (9032913-BSD1)

Prepared & Analyzed: 29-Mar-19

Chloride 432 16.0 mg/kg 400 108 80-120 0.00 20

Batch 9040209 - General Prep - Wet Chem
Blank (9040209-BLK1)

Prepared & Analyzed: 02-Apr-19

Chloride ND 16.0 mg/kg

LCS (9040209-BS1)

Prepared & Analyzed: 02-Apr-19

Chloride 416 16.0 mg/kg 400 104 80-120

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

ENERGY TRANSFER P. O. BOX 1226 JAL NM, 88252	Project: 2C - 3-4 Project Number: NONE GIVEN Project Manager: JOEL LOWRY Fax To:	Reported: 03-Apr-19 13:51
--	---	------------------------------

Inorganic Compounds - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 9040209 - General Prep - Wet Chem
LCS Dup (9040209-BSD1)

Prepared & Analyzed: 02-Apr-19

Chloride	416	16.0	mg/kg	400		104	80-120	0.00	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

Volatile Organic Compounds by EPA Method 8021 - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9032906 - Volatiles
Blank (9032906-BLK1)

Prepared & Analyzed: 29-Mar-19

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>	<i>0.0923</i>		<i>mg/kg</i>	<i>0.100</i>		<i>92.3</i>	<i>73.3-129</i>			

LCS (9032906-BS1)

Prepared & Analyzed: 29-Mar-19

Benzene	2.13	0.050	mg/kg	2.00		107	72.2-131			
Toluene	2.01	0.050	mg/kg	2.00		100	71.7-126			
Ethylbenzene	2.09	0.050	mg/kg	2.00		104	68.9-126			
Total Xylenes	6.34	0.150	mg/kg	6.00		106	71.4-125			
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>	<i>0.0911</i>		<i>mg/kg</i>	<i>0.100</i>		<i>91.1</i>	<i>73.3-129</i>			

LCS Dup (9032906-BSD1)

Prepared & Analyzed: 29-Mar-19

Benzene	2.06	0.050	mg/kg	2.00		103	72.2-131	3.15	6.91	
Toluene	1.95	0.050	mg/kg	2.00		97.6	71.7-126	2.84	7.12	
Ethylbenzene	2.04	0.050	mg/kg	2.00		102	68.9-126	1.99	7.88	
Total Xylenes	6.19	0.150	mg/kg	6.00		103	71.4-125	2.45	7.46	
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>	<i>0.0902</i>		<i>mg/kg</i>	<i>0.100</i>		<i>90.2</i>	<i>73.3-129</i>			

Batch 9040102 - Volatiles
Blank (9040102-BLK1)

Prepared & Analyzed: 01-Apr-19

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>	<i>0.0954</i>		<i>mg/kg</i>	<i>0.100</i>		<i>95.4</i>	<i>73.3-129</i>			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

Volatile Organic Compounds by EPA Method 8021 - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9040102 - Volatiles
LCS (9040102-BS1)

Prepared & Analyzed: 01-Apr-19

Benzene	1.93	0.050	mg/kg	2.00		96.4	72.2-131			
Toluene	1.86	0.050	mg/kg	2.00		92.9	71.7-126			
Ethylbenzene	2.00	0.050	mg/kg	2.00		100	68.9-126			
Total Xylenes	6.14	0.150	mg/kg	6.00		102	71.4-125			
Surrogate: 4-Bromofluorobenzene (PID)	0.0956		mg/kg	0.100		95.6	73.3-129			

LCS Dup (9040102-BSD1)

Prepared & Analyzed: 01-Apr-19

Benzene	1.87	0.050	mg/kg	2.00		93.5	72.2-131	2.98	6.91	
Toluene	1.80	0.050	mg/kg	2.00		89.9	71.7-126	3.33	7.12	
Ethylbenzene	1.92	0.050	mg/kg	2.00		95.8	68.9-126	4.55	7.88	
Total Xylenes	5.85	0.150	mg/kg	6.00		97.4	71.4-125	4.85	7.46	
Surrogate: 4-Bromofluorobenzene (PID)	0.0929		mg/kg	0.100		92.9	73.3-129			

Batch 9040202 - Volatiles
Blank (9040202-BLK1)

Prepared & Analyzed: 02-Apr-19

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0955		mg/kg	0.100		95.5	73.3-129			

LCS (9040202-BS1)

Prepared & Analyzed: 02-Apr-19

Benzene	1.93	0.050	mg/kg	2.00		96.4	72.2-131			
Toluene	1.85	0.050	mg/kg	2.00		92.4	71.7-126			
Ethylbenzene	1.99	0.050	mg/kg	2.00		99.7	68.9-126			
Total Xylenes	6.16	0.150	mg/kg	6.00		103	71.4-125			
Surrogate: 4-Bromofluorobenzene (PID)	0.0946		mg/kg	0.100		94.6	73.3-129			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

Volatile Organic Compounds by EPA Method 8021 - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9040202 - Volatiles
LCS Dup (9040202-BSD1)

Prepared & Analyzed: 02-Apr-19

Benzene	1.73	0.050	mg/kg	2.00		86.3	72.2-131	11.0	6.91	QR-02
Toluene	1.67	0.050	mg/kg	2.00		83.7	71.7-126	9.88	7.12	QR-02
Ethylbenzene	1.81	0.050	mg/kg	2.00		90.3	68.9-126	9.83	7.88	QR-02
Total Xylenes	5.62	0.150	mg/kg	6.00		93.6	71.4-125	9.30	7.46	QR-02
<i>Surrogate: 4-Bromofluorobenzene (PID)</i>	<i>0.0949</i>		mg/kg	<i>0.100</i>		<i>94.9</i>	<i>73.3-129</i>			

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

Petroleum Hydrocarbons by GC FID - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9032905 - General Prep - Organics
Blank (9032905-BLK1)

Prepared & Analyzed: 29-Mar-19

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
<i>Surrogate: 1-Chlorooctane</i>	52.2		mg/kg	50.0		104	41-142			
<i>Surrogate: 1-Chlorooctadecane</i>	53.0		mg/kg	50.0		106	37.6-147			

LCS (9032905-BS1)

Prepared & Analyzed: 29-Mar-19

GRO C6-C10	180	10.0	mg/kg	200		90.2	76.5-133			
DRO >C10-C28	201	10.0	mg/kg	200		101	72.9-138			
Total TPH C6-C28	382	10.0	mg/kg	400		95.5	78-132			
<i>Surrogate: 1-Chlorooctane</i>	54.6		mg/kg	50.0		109	41-142			
<i>Surrogate: 1-Chlorooctadecane</i>	54.5		mg/kg	50.0		109	37.6-147			

LCS Dup (9032905-BSD1)

Prepared & Analyzed: 29-Mar-19

GRO C6-C10	180	10.0	mg/kg	200		90.2	76.5-133	0.0144	20.6	
DRO >C10-C28	194	10.0	mg/kg	200		97.2	72.9-138	3.58	20.6	
Total TPH C6-C28	375	10.0	mg/kg	400		93.7	78-132	1.87	18	
<i>Surrogate: 1-Chlorooctane</i>	52.5		mg/kg	50.0		105	41-142			
<i>Surrogate: 1-Chlorooctadecane</i>	49.9		mg/kg	50.0		99.9	37.6-147			

Batch 9032912 - General Prep - Organics
Blank (9032912-BLK1)

Prepared & Analyzed: 29-Mar-19

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
<i>Surrogate: 1-Chlorooctane</i>	51.4		mg/kg	50.0		103	41-142			
<i>Surrogate: 1-Chlorooctadecane</i>	53.6		mg/kg	50.0		107	37.6-147			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

Petroleum Hydrocarbons by GC FID - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9032912 - General Prep - Organics
LCS (9032912-BS1)

Prepared & Analyzed: 29-Mar-19

GRO C6-C10	205	10.0	mg/kg	200		102	76.5-133			
DRO >C10-C28	190	10.0	mg/kg	200		95.1	72.9-138			
Total TPH C6-C28	395	10.0	mg/kg	400		98.7	78-132			
Surrogate: 1-Chlorooctane	54.2		mg/kg	50.0		108	41-142			
Surrogate: 1-Chlorooctadecane	52.6		mg/kg	50.0		105	37.6-147			

LCS Dup (9032912-BSD1)

Prepared & Analyzed: 29-Mar-19

GRO C6-C10	213	10.0	mg/kg	200		107	76.5-133	4.05	20.6	
DRO >C10-C28	200	10.0	mg/kg	200		99.9	72.9-138	4.92	20.6	
Total TPH C6-C28	413	10.0	mg/kg	400		103	78-132	4.47	18	
Surrogate: 1-Chlorooctane	55.0		mg/kg	50.0		110	41-142			
Surrogate: 1-Chlorooctadecane	53.8		mg/kg	50.0		108	37.6-147			

Batch 9040206 - General Prep - Organics
Blank (9040206-BLK1)

Prepared & Analyzed: 02-Apr-19

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	43.2		mg/kg	50.0		86.4	41-142			
Surrogate: 1-Chlorooctadecane	42.0		mg/kg	50.0		84.1	37.6-147			

LCS (9040206-BS1)

Prepared: 02-Apr-19 Analyzed: 03-Apr-19

GRO C6-C10	166	10.0	mg/kg	200		83.2	76.5-133			
DRO >C10-C28	212	10.0	mg/kg	200		106	72.9-138			
Total TPH C6-C28	378	10.0	mg/kg	400		94.5	78-132			
Surrogate: 1-Chlorooctane	47.0		mg/kg	50.0		94.1	41-142			
Surrogate: 1-Chlorooctadecane	46.0		mg/kg	50.0		92.0	37.6-147			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 ENERGY TRANSFER
 P. O. BOX 1226
 JAL NM, 88252

 Project: 2C - 3-4
 Project Number: NONE GIVEN
 Project Manager: JOEL LOWRY
 Fax To:

 Reported:
 03-Apr-19 13:51

Petroleum Hydrocarbons by GC FID - Quality Control
Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 9040206 - General Prep - Organics
LCS Dup (9040206-BSD1)

Prepared & Analyzed: 02-Apr-19

GRO C6-C10	165	10.0	mg/kg	200		82.3	76.5-133	1.04	20.6	
DRO >C10-C28	205	10.0	mg/kg	200		102	72.9-138	3.29	20.6	
Total TPH C6-C28	369	10.0	mg/kg	400		92.3	78-132	2.29	18	
<i>Surrogate: 1-Chlorooctane</i>	<i>46.7</i>		<i>mg/kg</i>	<i>50.0</i>		<i>93.5</i>	<i>41-142</i>			
<i>Surrogate: 1-Chlorooctadecane</i>	<i>45.1</i>		<i>mg/kg</i>	<i>50.0</i>		<i>90.1</i>	<i>37.6-147</i>			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- QR-02 The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: ETC Texas Pipeline, Ltd. Project Manager: Joel Lowry Address: 600 N. Marland, St., Suite 700, Midland, TX 79701 Phone #: _____ Fax #: _____ Project Owner: ETC Texas Pipeline, Ltd. Project Name: 2C-3-4 Project Location: Lea Sampler Name: Jordyne Taylor <small>FOR LAB USE ONLY</small>		BILL TO P.O. #: _____ Company: _____ Owner: _____ Attn: Dean Ericson												
Lab I.D. H90178 Sample I.D.		ANALYSIS REQUEST TPH 8015 M. Ext (New Mexico) Chloride 4500 Cl-B BTEX 8021 TPH TX 1005 HOLD RUSH												
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX	PRESERV.	SAMPLING	DATE	TIME	TPH 8015 M. Ext (New Mexico)	Chloride 4500 Cl-B	BTEX 8021	TPH TX 1005	HOLD	RUSH
1	V-1 at 0-6"	G	1	SOIL			3/27/19	11:05	X	X	X			
2	V-1 at 4'	G	1	SOIL			3/27/19	11:07	X	X	X			
3	V-1 at 6'R	G	1	SOIL			3/27/19	11:10	X	X	X			
4	V-2 at 0-6"	G	1	SOIL			3/27/19	11:15	X	X	X			
5	V-2 at 2'	G	1	SOIL			3/27/19	11:18	X	X	X			
6	V-2 at 4'	G	1	SOIL			3/27/19	11:20	X	X	X			
7	NH-1 at 0-6"	G	1	SOIL			3/27/19	11:25	X	X	X			
8	NH-1 at 20"	G	1	SOIL			3/27/19	11:28	X	X	X			
9	NH-1b at 0-6"	G	1	SOIL			3/27/19	11:30	X	X	X			
10	NH-1b at 12"	G	1	SOIL			3/27/19	11:34	X	X	X			

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable services. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *Joyce Taylor*
 Date: 3/28/19
 Time: 1430
 Received By: *Juanara Alatorre*
 Date: _____
 Time: _____

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other: -1.3c
 Sample Condition: Cool Intact
 Yes No Yes No

REMARKS: * Samples on hold pending further analysis.
 Phone Result: Yes No No
 Add'l Phone #: _____
 Fax Result: Yes No No
 Add'l Fax #: _____
 CHECKED BY: (Initials) *TL*
 ioe@lowrenvironmental.com
 † Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: ETC Texas Pipeline, Ltd. Project Manager: Joel Lowry Address: 600 N. Marlenfeld, St., Suite 700, Midland, TX 79701 Phone #: _____ Fax #: _____ Project Owner: ETC Texas Pipeline, Ltd. Project Name: 2C-3-4 Project Location: Lea Sampler Name: Jordyne Taylor <small>FOR LAB USE ONLY</small>		P.O. #: _____ Company: _____ Owner: _____ Attn: _____ Dean Ericson		BILL TO		ANALYSIS REQUEST											
Lab I.D. H901178 Sample I.D.		(G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER : ACID/BASE: ICE / COOL OTHER :		MATRIX PRESERV. SAMPLING		TPH 8015 M. Ext (New Mexico) Chloride 4500 Cl-B BTEX 8021 TPH TX 1005 HOLD RUSH											
11	EH-1 at 0-6"	G	1	X		3/27/19	11:36	X	X	X							
12	EH-1 at 24"	G	1	X		3/27/19	11:39	X	X	X							
13	SH-1 at 0-6"	G	1	X		3/27/19	11:42	X	X	X							
14	SH-1 at 24"	G	1	X		3/27/19	11:45	X	X	X							
15	WH-1 at 0-6"	G	1	X		3/27/19	11:48	X	X	X							
16	WH-1 at 24"	G	1	X		3/27/19	11:51	X	X	X							
17	WH-1b at 0-6"	G	1	X		3/27/19	11:55	X	X	X							
18	WH-1b at 24"	G	1	X		3/27/19	11:59	X	X	X							

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *Joyne Taylor* **Date:** 3/28/19 **Time:** 1430
Received By: *Juanita S. [Signature]* **Date:** _____ **Time:** _____

Delivered By: (Circle One) **Sampler - UPS - Bus - Other:** -1.3c #97

Sample Condition: Cool Intact
 Yes No Yes No

CHECKED BY: (Initials) *JS*

Phone Result: Yes No **Add'l Phone #:** _____
Fax Result: Yes No **Add'l Fax #:** _____

REMARKS:

ioel@lowryenvironmental.com

† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476

ATTACHMENT #7
Photographic Log

PHOTOGRAPHIC LOG



Figure 1 View of surface staining from the initial release and sample location facing North.

PHOTOGRAPHIC LOG



Figure 2 View of surface staining from the initial release, facing Northwest.

PHOTOGRAPHIC LOG



Figure 3 View of surface staining from the initial release, facing North.

PHOTOGRAPHIC LOG



Figure 4 View of surface staining from the initial release, facing West.

ATTACHMENT #8
Release Notification (FORM C-141)

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy
Minerals and Natural Resources Department
Oil Conservation Division

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District Office

Incident ID	0
District RP	0 1RP-5410
Facility ID	0 fAB1908835112
Application ID	0 pAB1908835332

Release Notification
Responsible Party

Responsibly Party	ETC Texas Pipeline, Ltd.	OGRID	371183
Contact Name	Carolyn Blackaller	Contact Telephone	817-302-9766
Contact Email	carolyn.blackaller@energytransfer.com	Incident # (assigned by OCD)	0
Contact Mailing Address	600 N. Marienfeld. St., Suite 700, Midland, TX 79701		

Location of Release Source

Latitude 32.1748 Longitude -103.0959
(Nad 83 in decimal degrees to 5 decimal places)

Site Name	2C-3-4	Site Type	Pipeline
Date Release Discovered	03/06/19	API# (if applicable)	NA

Unit Letter	Section	Township	Range	County
G	31	T24S	38E	Lea

Surface Owner: State Federal Tribal Private (Name: Willis Family Trust)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Liquids **	Volume Released (bbls) ** 9.4	Volume Recovered (bbls) None
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

The release was attributed to the failure of a segment of buried natural gas pipeline as a result of corrosion.

****What type of liquids release above?**

AB

Incident ID	0 NAB1908835620
District RP	0 1RP-5410
Facility ID	0 fAB1908835112
Application ID	0 pAB1908835332

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means? (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury


<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Release materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11 (A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Carolyn Blackaller</u>	Title: <u>Sr. Environmental Specialist</u>
Signature: <u></u>	Date: <u>3/20/2019</u>
email: <u>carolyn.blackaller@energytransfer.com</u>	Telephone: <u>817-302-9766</u>
OCD Only	
Received by: <u></u>	Date: <u>3/29/2019</u>

ATTACHMENT #9
Field Data

FIELD NOTES

Site Name: 2C-3-4

Date: 3/27/2019



Map / Measure affected Area
Delaware Site Hit Rock @ 6'
Field Screen Samples

Field ID	Odor/PID	Chloride

Field ID	Odor/PID	Chloride

Field ID	Odor/PID	Chloride

Field ID	Odor/PID	Chloride

Field ID	Odor/PID	Chloride

Field ID	Odor/PID	Chloride

