

Incident ID	NRM1925542327
District RP	1RP-5655
Facility ID	fRM1925541519
Application ID	pRM1925539397

Release Notification

Responsible Party

Responsible Party: Advance Energy Partners Hat Mesa LLC	OGRID: 372417
Contact Name: David Harwell	Contact Telephone: 281-235-3431
Contact email: DHarwell@advanceenergypartners.com	Incident # (assigned by OCD)
Contact mailing address: 11490 Westheimer Rd. Suite 950. Houston, TX 77077	

Location of Release Source

Latitude 32.44597Longitude -103.60411

(NAD 83 in decimal degrees to 5 decimal places)

Site Name: Mesa Water System	Site Type: Produced Water Transfer Line
Date Release Discovered: July 31, 2019 (19:00 hrs)	API#

Unit Letter	Section	Township	Range	County
I, P	30	T21S	R33E	Lea

Surface Owner: State Federal Tribal Private (Merchant Livestock)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls):
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 80	Volume Recovered (bbls) 48
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release: Valve left open during flushing of the produced water line with clean water that exhibits a chloride concentration of 650 mg/L.


Volume of release calculated by Select Energy during line flushing operations. Volume recovered calculated by totaling meter on vac truck.

Incident ID	NRM1925542327
District RP	1RP-5655
Facility ID	fRM1925541519
Application ID	pRM1925539397

Was this a major release as defined by 19.15.29.7(A) NMAC? ✓ Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? > 25 bbls.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Immediate notice was giving via phone to Bureau Chief Jim Griswold on August 1, 2019 by Andrew Parker of R.T. Hicks Consultants on the behalf of Advance Energy Partners Hat Mesa, LLC.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Andrew Parker</u> Title: <u>Sr. Env. Specialist</u> Signature: <u></u> Date: <u>August 8, 2019 (16:45 hrs)</u> email: <u>andrew@rthicksconsult.com</u> Telephone: <u>970-570-9535</u>
<u>OCD Only</u> Received by: <u>Ramona Marcus</u> Date: <u>09/12/2019</u>