

HBP - 7

MONITORING REPORTS

YEAR(S):

2006 - 1991

PNM
Alvarado Square
Albuquerque, NM 87158-2104
505 241-2031
Fax 505 241-2376
www.pnm.com

2006 NOV 6 AM 11 30

CERTIFIED MAIL
RETURN RECEIPT REQUESTED



*A personal commitment
to New Mexico*

November 3, 2006

Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Subject: Public Service Company of New Mexico
Discharge of Hydrostatic Test Waters Permit HBP-NM-007

Dear Mr. Jones,

As required by Condition 8 of Permit HBP-NM-007, Public Service Company of New Mexico hereby submits a report summarizing all tests of new pipe with less than 100,000 gallons each. The reporting period is from November 10, 2005 through November 9, 2006. Please feel free to call me at (505) 241-0665 if you have any questions.

Sincerely,

Marcelle Fiedler
Environmental Scientist

Enclosure

cc: DCC
ESD Files

Public Service Company of New Mexico
Discharges from hydrostatic Tests under Permit HBP-NM-007
Report for November 10, 2005 through November 9, 2006

Section	Location of Test		Date of Test	Volume of Discharge	Source and Quality of Test Water
	Township	Range			
20	19N	7E	11/11/2005	92,000	City of Los Alamos
7	17	27	4/21/2006	64,000	Fresh water well
7,8,9,15,16	11N	4E	12/15/2005	57,790	COA Municipal water
8,9,16,21	9 North	3 East	5/11/2006	60,000	COA Municipal water

PNM
Alvarado Square
Albuquerque, NM 87158-2104
505 241-2031
Fax 505 241-2376
www.pnm.com

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

November 8, 2005

Mr. Roger Anderson
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505


Subject: Public Service Company of New Mexico
Discharge of Hydrostatic Test Waters Permit HBP-NM-007

Dear Mr. Anderson,

As required by Condition 8 of Permit HBP-NM-007, Public Service Company of New Mexico hereby submits a report summarizing all tests of new pipe with less than 100,000 gallons each. The reporting period is from November 10, 2004 through November 9, 2005.

Please call me at (505) 241-2016 if you have any questions.

Sincerely,



Robin K. DeLapp
Senior Environmental Scientist

Enclosure

cc: DCC
ESD Files

RECEIVED

NOV 11 2005

OIL CONSERVATION
DIVISION



*A personal commitment
to New Mexico*

Public Service Company of New Mexico
Discharges from Hydrostatic Tests under Permit HBP-NM-007
Report for November 10, 2004 through November 9, 2005

Section	Location of Test		Date of Test	Volume of Discharge	Source and Quality of Test Water
	Township	Range			
27	11 North	2 East	10/23/2004	34,039	City of Albuquerque Municipal Water
27	11 North	2 East	11/13/2004	11,908	City of Albuquerque Municipal Water
21	T29N	R13W	1/7/2005	57,000	Farmington Municipal Water
28	T21S	R6E	6/2/2005	175	City of Alamogordo Municipal Water
11	T17S	R5W	6/22/2005	4,300	Arrey Fire Hydrant
11	10 North	2 East	6/27/2005	9,220	City of Albuquerque Municipal Water
11	10 North	2 East	6/27/2005	3,123	City of Albuquerque Municipal Water
16	11 North	2 East	9/22/2005	3,068	City of Albuquerque Municipal Water
16	11 North	2 East	9/22/2005	1,080	City of Albuquerque Municipal Water
11	9 North	2 East	9/30/2005	5,727	City of Albuquerque Municipal Water
3	29N	11W	9/30/2005	1,550	Bloomfield Water Tap

PNM
Alvarado Square
Albuquerque, NM 87158-2104
505 241-2031
Fax 505 241-2376
www.pnm.com

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

November 8, 2004

Mr. Roger Anderson
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505


Subject: Public Service Company of New Mexico
Discharge of Hydrostatic Test Waters Permit HBP-NM-007

Dear Mr. Anderson,

As required by Condition 8 of Permit HBP-NM-007 Public Service Company of New Mexico hereby submits a report summarizing all tests of new pipe with less than 100,000 gallons each. The reporting period is from November 10, 2003 through November 9, 2004.

Please call me at (505) 241-2016 if you have any questions.

Sincerely,



Robin K. DeLapp
Senior Environmental Scientist

rkd
Enclosures

cc: DCC
ESD Files



*A personal commitment
to New Mexico*

Public Service Company of New Mexico
 Discharges from Hydrostatic Tests under Permit HBP-NM-007
 Report for November 10, 2003 through November 9, 2004

Section	Location of Test		Date of Test	Volume of Discharge	Source and Quality of Test Water
	Township	Range			
15	20S	7E	2/1/2004	100 gallons	Alamogordo Municipal Public Water
4	18S	32E	4/6/2004	421 gallons	Otis Water System; Public Water
9	9N	2W	5/26/2004	3,107 gallons	City of Albuquerque Municipal Water
27	14N	5E	8/25/2004	8,800 gallons	San Felipe; Fresh Water
11 (Town of Alameda Grant)	T12N	R03E	10/20/2004	water saved for second discharge	City of Rio Rancho Fire hydrant
11 (Town of Alameda Grant)	T12N	R03E	10/25/2004	10990 gallons	City of Rio Rancho Fire hydrant

PNM
Alvarado Square
Albuquerque, NM 87158-2101
505 241-4440
Fax 505 241-2376
www.pnm.com

RECEIVED

NOV 13 2003

OIL CONSERVATION
DIVISION



*A personal commitment
to New Mexico*

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

November 7, 2003

Mr. Roger Anderson
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Subject: Public Service Company of New Mexico
Discharge of Hydrostatic Test Waters Permit HBP-NM-007

Dear Mr. Anderson,

As required by Condition 8 of Permit HBP-NM-007, Public Service Company of New Mexico hereby submits a report summarizing all tests of new pipe with less than 100,000 gallons each. The reporting period is from November 10, 2002 through November 9, 2003.

Please call me at (505) 241-2016 if you have any questions.

Sincerely,

Robin K. DeLapp
Senior Environmental Scientist

rkd
Enclosures

cc: DCC
ESD Files

Public Service Company of New Mexico
 Discharges from Hydrostatic Tests under Permit HBP-NM-007
 Report for November 10 2002 through November 9, 2003

Section	Location of Test		Date of Test	Volume of Discharge (Gallons)	Source and Quality of Test Water
	Township	Range			
27	14N	5E	6/29/2003	1,703	Fire hydrant San Felipe Casino
8	11N	3E	9/1/2003	2,185	City of Albuquerque Municipal Water

PNM
Alvarado Square
Albuquerque, NM 87158-2104
Fax 505 241-2376
www.pnm.com

RECEIVED

NOV 08 2002
Environmental Bureau
Oil Conservation Division

CERTIFIED MAIL -- 7099 3220 0005 5958 4378
RETURN RECEIPT REQUESTED

November 5, 2002

Mr. Roger Anderson
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Subject: Public Service Company of New Mexico
Discharge of Hydrostatic Test Waters Permit HBP-NM-007

Dear Mr. Anderson,

As required by Condition 8 of Permit HBP-NM-007, Public Service Company of New Mexico hereby submits a report summarizing all tests of new pipe with less than 100,000 gallons each. The reporting period is from November 10, 2001 through November 9, 2002.

Please call me at (505) 241-2016 if you have any questions.

Sincerely,

Robin K. DeLapp

Robin K. DeLapp
Senior Environmental Scientist

rkd
Enclosures

cc: DCC
ESD Files



*A personal commitment
to New Mexico*

Public Service Company of New Mexico
 Discharges from Hydrostatic Tests under Permit HBP-NM-007
 Report for November 10 2001 through November 9, 2002

Section	Location of Test		Date of Test	Volume of Discharge (Gallons)	Source and Quality of Test Water
	Township	Range			
16	29N	13W	1/15/2002	980	City of Farmington
16	29N	13W	1/15/2002	776	City of Farmington
4 & 9	23S	18W	3/21/2002	47,000	City water
21	25S	1E	4/24/2002	1,167	Well water
2	11N	2E	5/5/2002	26,838	NM Utilities
24	10N	2W	7/2/2002	3,659	COA Fire Hydrant

Public Service Company
of New Mexico
Alvarado Square MS 2104
Albuquerque, NM 87158
Fax 241-2376

RECEIVED
JAN 29 2002
Environmental Bureau
Oil Conservation Division

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

January 23, 2002



Mr. Roger Anderson
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Subject: Public Service Company of New Mexico
Discharge of Hydrostatic Test Waters Permit HBP-NM-007

Dear Mr. Anderson,

Attached are 12-month reports for 1996, 1997, 1998, 1999, 2000, and 2001 as required by permit condition 5 (five) of Hydrostatic Test Waters Permit HBP-NM-007 for the Public Service Company of New Mexico (PNM). PNM apologizes for the tardiness of the reports for 1996 through 2000 and sincerely hopes this oversight has not caused the OCD any inconvenience. Please feel free to call me at (505) 241-2016 if you need additional information or if you have any questions.

Sincerely,

A handwritten signature in black ink that reads "Robin K. DeLapp". The signature is written in a cursive, flowing style.

Robin K. DeLapp
Senior Environmental Scientist

rkd
Enclosures

cc: Jean Arya, PNM
Scott Berger, PNM
DCC

Public Service Company of New Mexico
Discharges from Hydrostatic Tests under Permit HBP-NM-007
Report for 1996

Location of Test	Township	Range	Date of Test	Volume of Discharge (Gallons)	Source and Quality of Test Water
16	29 North	13 West	07/26/1996	60	City of Farmington
16	29 North	13 West	07/26/1996	136	City of Farmington
16	29 North	13 West	07/26/1996	242	City of Farmington
16	29 North	13 West	08/01/1996	20	City of Farmington
16	29 North	13 West	08/01/1996	81	City of Farmington
16	29 North	13 West	08/01/1996	136	City of Farmington
16	29 North	13 West	08/01/1996	242	City of Farmington
5	16 North	9 East	09/07/1996	4,593	City Water System

Public Service Company of New Mexico
Discharges from Hydrostatic Tests under Permit HBP-NM-007
Report for 1997

Section	Location of Test		Date of Test	Volume of Discharge (Gallons)	Source and Quality of Test Water
	Township	Range			
33	17 North	9 East	04/18/1997	770	City Water System
3	21 South	27 East	08/28/1997	2,300	Irrigation Well
1	17 South	9 East	09/25/1997	3,376	City Potable Water
2	15 North	18 West	09/25/1997	5,376	City of Farmington
16	29 North	13 West	11/18/1997	1,037	City of Farmington
16	29 North	13 West	11/18/1997	844	City of Farmington
16	29 North	13 West	11/18/1997	3,612	City of Farmington
16	29 North	13 West	11/18/1997	247	City of Farmington
16	29 North	13 West	11/18/1997	260	City of Farmington

[illegible]

Public Service Company of New Mexico
Discharges from Hydrostatic Tests under Permit HBP-NM-007
Report for 1999

Section	Location of Test		Date of Test	Volume of Discharge (Gallons)	Source and Quality of Test Water
	Township	Range			
1	17 South	9 East	03/15/1999	6,812	City Potable Water
30	12 North	2 East	04/23/1999	2,577	NM Utilities
30	12 North	2 East	04/23/1999	6,239	NM Utilities
30	12 North	2 East	05/01/1999	5,908	NM Utilities
30	12 North	2 East	05/13/1999	660	NM Utilities
30	12 North	2 East	05/14/1999	5,807	NM Utilities
30	12 North	2 East	05/18/1999	5,602	NM Utilities
30	12 North	2 East	05/19/1999	11,545	NM Utilities
14	23 North	7 West	08/18/1999	6,925	City of Farmington
14	29 North	13 West	08/20/1999	39,844	City of Farmington
30	12 North	2 East	08/29/1999	2,490	NM Utilities
14	29 North	13 West	08/31/1999	8,056	City of Farmington
16	29 North	13 West	09/21/1999	228	City of Farmington
14	29 North	13 West	10/28/1999	28,014	City of Farmington

Public Service Company of New Mexico
Discharges from Hydrostatic Tests under Permit HBP-NM-007
Report for 2000

Section	Location of Test		Date of Test	Volume of Discharge (Gallons)	Source and Quality of Test Water
	Township	Range			
16	29N	13W	01/25/2000	3	City of Farmington
16	29N	13W	01/25/2000	27	City of Farmington
16	29N	13W	01/25/2000	40	City of Farmington
16	29N	13W	01/25/2000	242	City of Farmington
16	29N	13W	05/02/2000	1,089	City of Farmington
16	29N	18W	05/03/2000	1,270	City of Farmington
16	29N	13W	05/04/2000	27	City of Farmington
16	29N	13W	05/09/2000	1,349	City of Farmington
16	29N	13W	06/12/2000	1,016	City of Farmington
16	29N	13W	06/14/2000	1,863	City of Farmington
5	16 North	9 East	06/16/2000	2,977	City Water System
4	8 North	32 East	07/26/2000	23,000	City of Tucumcari
1	17 South	9 East	08/09/2000	46,976	City Potable Water
16	29N	13W	08/11/2000	484	City of Farmington
14	29N	13W	08/29/2000	576	City of Farmington
5	16 North	9 East	09/29/2000	486	City Water System
11	10 North	2 East	10/17/2000	30,299	City of Albuquerque

Public Service Company of New Mexico
Discharges from Hydrostatic Tests under Permit HBP-NM-007
Report for 2001

Section	Location of Test		Date of Test	Volume of Discharge (Gallons)	Source and Quality of Test Water
	Township	Range			
16	29N	13W	02/16/2001	659	City of Farmington
16	29N	13W	03/20/2001	3	City of Farmington
16	29N	13W	03/20/2001	27	City of Farmington
16	29N	13W	03/20/2001	40	City of Farmington
16	29N	13W	03/26/2001	1,089	City of Farmington
3	18 South	27 East	03/26/2001	2,310	Irrigation Well
2	11 North	2 East	03/27/2001	466	NM Utilities municipal water system
1	13 North	4 East	05/19/2001	14,795	Irrigation Well
5	23 South	29 East	07/09/2001	2,520	City of Farmington
16	29N	13W	07/19/2001	226	City of Albuquerque
2	10 North	2 East	08/10/2001	1,183	NM Utilities
1	11 North	2 East	09/18/2001	16,293	Uvas Dairy Irrigation Well - Good Quality
23	21 South	5 West	12/06/2001	74,571	

Public Service Company
of New Mexico
Alvarado Square MS. 0408
Albuquerque, NM 87158

OIL CONSERVATION DIVISION
RECEIVED

'96 APR 13 AM 8 52



April 1, 1996

Mr. Chris Eustace
New Mexico Energy, Minerals, and
Natural Resources Department
Oil Conservation Division
2040 South Pacheco Street
Santa Fe, New Mexico 87505

Bi-annual report of hydrostatic water discharge

Dear Mr. Eustace:

In accordance with Oil Conservation Division Guidelines for Hydrostatic Test Dewatering, and with Section 1-201 of the Water Quality Control Commission Regulations, Public Service Company of New Mexico, Gas Services, is reporting that no discharges have occurred from hydrostatic testing of new pipe in this reporting period.

The current report covers six months, from October 1995 to the present. If you have any questions about this information, please call me at 241-4954.

Sincerely,

A handwritten signature in cursive script that reads "Jean Arya".

Jean Arya
Environmental Scientist

Public Service Company
of New Mexico
Alvarado Square MS. 0408
Albuquerque, NM 87158

OIL CONSERVATION DIVISION
RECEIVED

95 NOV 4 AM 8 52



October 31, 1995

Mr. Chris Eustace
New Mexico Energy, Minerals, and
Natural Resources Department
Oil Conservation Division
P.O.Box 2088
Santa Fe, New Mexico 87504-2088

Dear Mr. Eustace:

In accordance with Oil Conservation Division Guidelines for Hydrostatic Test Dewatering, and with Section 1-201 of the Water Quality Control Commission Regulations, Public Service Company of New Mexico, Gas Services, is submitting a report documenting discharges that have occurred from hydrostatic testing of new pipe.

The current report covers six months, from April 1995 to the present. If you have any questions about this information, please call me at 241-4954.

Sincerely,

Jean Arya
Environmental Scientist

PUBLIC SERVICE COMPANY OF NEW MEXICO, GAS SERVICES
HYDROSTATIC TESTING DISCHARGE UPDATE
October 31, 1995

Project Tested	Test Date	Location of test	Source	Quality	Volume (gallons)
Rio Puero Washout 20" replacement	8.15.95	T16N R2W Sec 22	Town of Cuba water supply	Potable	12,338
Rio Puero Washout 14" replacement	8.21.95	T16N R2W Sec 22	Town of Cuba water system	Potable	5,686

Public Service Company of New Mexico

OIL CONSERVATION DIVISION
RECEIVED

'95 APR 25 AM 8 52

April 14, 1995

Mr. Chris Eustace
New Mexico Energy, Minerals, and
Natural Resources Department
Oil Conservation Division
P.O.Box 2088
Santa Fe, New Mexico 87504-2088

Dear Mr. Eustace:

In accordance with Oil Conservation Division Guidelines for Hydrostatic Test Dewatering, and with Section 1-201 of the Water Quality Control Commission Regulations, Gas Company of New Mexico (GCNM) is submitting a report documenting discharges that have occurred from hydrostatic testing of new pipe.

The current report covers six months, from October 1994 to the present. If you have any questions about this information, please call me at 241-4954.

Sincerely,



Jean Arya
Environmental Scientist

GAS COMPANY OF NEW MEXICO
HYDROSTATIC TESTING DISCHARGE UPDATE
April 14, 1995

Project Tested	Test Date	Location of test	Source	Quality	Volume (gallons)
24" Albq. Mainline	11.14.94	T26N, R10W, Sec 08	City of Bloomfield	Potable	792,320

GAS COMPANY OF NEW MEXICO
HYDROSTATIC TESTING DISCHARGE UPDATE
October 20, 1994

Project Tested	Test Date	Location of test	Source	Quality	Volume (gallons)
Red River Mainline	7/21/93	T29N, R13W, SEC 31&32 T28N, R13E, SECS 2,3,5,6,11,12	Molycorp	Potable	10,375
Farmington, Animas	7/21/93	T29N, R13W, SEC 15	San Juan River	Raw	222
Taos Mainline	8/5/93	T12N, R8E, SEC 22	City of Espanola	Potable	562
Palisades Block Valve	8/11/93	T29N, R13W, SEC 15	San Juan River	Raw	1,528
Las Campanas	8/11/93	T17N, R9E, SEC 15	City of Santa Fe	Potable	2,695
Unser Blvd.	9/23/93	T11N, R2E, SEC 34&35	City of Albuquerque	Potable	66,589
10" DOE Replacement	10/22/93	T29N, R13W, SEC 15	San Juan River	Raw	22,441
Chaco Compressor	10/22/93	T29N, R13W, SEC 15	San Juan River	Raw	264
Lybrook BK Pressure reg.	11/5/93	T23N, R9E, SEC 7&8	City of Bloomfield	Potable	188
6" Aztec PC Lowering	11/22/93	T29N, R13W, SEC 15	San Juan River	Raw	1,065
TW @ Rio Puerco	1/25/94	T8N, R3W, SEC 25	San Juan River	Raw	247
SF Mainline Lowering	6/8/94	T29N, R13W, SEC 15	San Juan River	Raw	264
Cottonwood Mall Relocation	10/3/94	T11N R3E S7&8	NM Utilities	Potable	26,426
Cottonwood Mall Relocation	10/13/94	T11N R3E S7&8	NM Utilities	Potable	24,500

Public Service Company of New Mexico

OIL CONSERVATION DIVISION
RECEIVED

94 OCT 28 AM 8 52

October 20, 1994

Mr. Chris Eustace
New Mexico Energy, Minerals, and
Natural Resources Department
Oil Conservation Division
P.O.Box 2088
Santa Fe, New Mexico 87504-2088

Dear Mr. Eustace:

In accordance with Oil Conservation Division Guidelines for Hydrostatic Test Dewatering, and with Section 1-201 of the Water Quality Control Commission Regulations, Gas Company of New Mexico (GCNM) is submitting a report documenting discharges that have occurred from hydrostatic testing of new pipe.

The current report covers eighteen months, from April 1993 to the present. GCNM's permit requires a semi-annual report. We apologize for the oversight in not sending interim reports, and have instituted a reminder system that should ensure that future reports are made on time.

If you have any questions about this information, please call me at 848-4954.

Sincerely,



Jean Arya
Environmental Scientist

Public Service Company of New Mexico

April 14, 1993

Mr. Roger Anderson
New Mexico Energy, Minerals, and
Natural Resources Department
Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

OIL CONSERVATION DIVISION
P.O. BOX 2088
SANTA FE, NM 87504
APR 19 1993

Dear Mr. Anderson,

In accordance with Oil Conservation Division (OCD) Guidelines for Hydrostatic Test Dewatering and Section 1-201 of the Water Quality Control Commission Regulations, Gas Company of New Mexico is submitting its semi-annual report documenting discharges that occur from hydrostatic testing of new pipe. The attached report summarizes testing of new pipe at the Gas Company of New Mexico's Kutz facility and the Lea-Eddy Mainline Replacement.

If you have any questions, please call me at 848-2659.

Sincerely,


Erick Seelinger
Environmental Engineer
Gas Company of New Mexico

cc: Steve Emrick
John Renner

GAS COMPANY OF NEW MEXICO
HYDROSTATIC TESTING DISCHARGE UPDATE
April 14, 1993

Date of Test	Location	Source	Quality	Volume
07/16/92	T27N R11W S12	Kutz Supply	Non-Potable	130 gallons
07/18/92	Same	Same	Same	5,880 gallons
09/04/92	Same	Same	Same	115 gallons
09/24/92	Same	Same	Same	300 gallons
10/07/92	Same	Same	Same	95 gallons
08/18/92	T29N R9W S6	Blanco Ditch	Same	34,300 gallons
12/19/93	T17S R28E S11	North Rack/ South Pit/IW Water Station	Potable	155,000 gallons

GAS COMPANY OF NEW MEXICO

OIL CONSERVATION DIVISION
RECEIVED

August 18, 1992

'92 AUG 20 PM 8 26

Mr. Roger Anderson
New Mexico Energy, Minerals, and Natural Resources Department
Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504


Dear Roger,

In accordance with Oil Conservation Division (OCD) Guidelines for Hydrostatic Test Dewatering and Section 1-201 of the Water Quality Control Commission Regulations, Gas Company of New Mexico is submitting its semi-annual report documenting discharges that occur from hydrostatic testing of new pipe. The attached report summarizes testing of new pipe at the Gas Company of New Mexico's Kutz facility only as our Permian facility had nothing to report.

Please take note that we are reporting a discharge that is over the 100,000 gallon limit. We realize that a specific permit is required for discharges of this volume and have, in turn, reviewed discharge requirements with field personnel so that future oversights can be avoided. I have included documentation indicating that the water was indeed potable and also that the disposal was handled in an appropriate manner.

If you have any questions, please call me at my new number, 848-4504.

Sincerely,



Paula Y. McAfee
Staff Engineer

cc:

Steve Emrick - GCNM
John Renner - GCNM
Gary Goss - GCNM

INTEROFFICE CORRESPONDENCE
GAS CO. OF NEW MEXICO
GTO-KUTZ

TO: PAULA McAFEE
FROM: GARY GOSS
SUBJ: HYDROTEST REPORT FOR OCD
DATE: JULY 1, 1992

DATE OF TEST	LOCATION	SOURCE	QUALITY	VOLUME
1/2/92	T27N R11W S12	KUTZ SUPPLY	POTABLE	48 GALLONS
2/27/92	SAME	SAME	SAME	1,555 GALLONS
4/22/92	SAME	SAME	SAME	286 GALLONS
4/30/92	SAME	SAME	SAME	647 GALLONS
5/19/92	SAME	SAME	SAME	374 GALLONS
5/20/92	SAME	SAME	SAME	1,213 GALLONS
6/10/92	SAME	SAME	SAME	835 GALLONS

2/3/92 T29N R11W S13 CITY WATER POTABLE 153,000 GALS.

WATER WAS DISPOSED OF AT BASIN DISPOSAL.

PAULA ALL TESTS BUT THE LAST ONE WERE MADE IN THE KUTZ YARD AND NO WATER LEFT THE FENCED AREA OF KUTZ.

JUL - 2 1992
ENGINEERING DEPT.

GAS COMPANY OF NEW MEXICO

OIL CONSERVATION DIVISION
RECEIVED

'92 FEB 7 AM 8 37

February 6, 1992


Mr. Roger Anderson
New Mexico Energy, Minerals, and
Natural Resources Department
Oil Conservation Division
P.O. Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Dear Mr. Anderson,

In accordance with Oil Conservation Division (OCD) Guidelines for Hydrostatic Test Dewatering and Section 1-201 of the Water Quality Control Commission Regulations, Gas Company of New Mexico is submitting its semi-annual report documenting discharges that occur from hydrostatic testing of new pipe. The attached reports summarize all tests of new pipe with less than 100,000 gallons per test. No tests were conducted using more than 100,000 gallons per test.

If you have any questions, please call me at 880-7966.

Sincerely,



Paula Y. McAfee
Staff Engineer
Gas Company of New Mexico

cc: Steve Emrick
John Renner

JAN 29 1992

Permian Basin

To: Paula McAfee
From: Gary Howard
Subj: Semi-annual hydrotest report
Date: January 25, 1992

Date of Test - November 14, 1991

Location of Test - Pig receiver at Amimo Plant, NW1/4 of the
NW1/4 of the SW1/4, Section 13, Township 21 South, Range
35 East

Source of Test Water - Carlsbad Water

Quality of Test Water - Drinking Water

Volume of Discharged Test Water - 35 barrels, disposed of
at Springs Disposal Well, Section 27, Township 20 South,
Range 26 East

INTEROFFICE CORRESPONDENCE
GAS CO. OF NEW MEXICO
GTO-KUTZ

JAN 10 1992

TO: PAULA McAFEE
FROM: GARY GOSS
SUBJ: HYDROTEST REPORT FOR OCD
DATE: JANUARY 8, 1992

DATE OF TEST	LOCATION	SOURCE	QUALITY	VOLUME
8/09/91	T27N R11W S12	KUTZ SUPPLY	POTABLE	1,175 GALLONS
8/13/91	SAME	SAME	SAME	1,015 GALLONS
8/21/91	SAME	SAME	SAME	10 GALLONS
8/30/91	SAME	SAME	SAME	265 GALLONS
9/12/91	SAME	SAME	SAME	90 GALLONS
10/01/91	SAME	SAME	SAME	290 GALLONS
10/02/91	SAME	SAME	SAME	400 GALLONS
10/15/91	SAME	SAME	SAME	3,520 GALLONS
10/16/91	SAME	SAME	SAME	12 GALLONS
10/24/91	SAME	SAME	SAME	280 GALLONS
11/04/91	SAME	SAME	SAME	175 GALLONS
11/21/91	SAME	SAME	SAME	372 GALLONS
11/22/91	SAME	SAME	SAME	133 GALLONS
12/19/91	SAME	SAME	SAME	85 GALLONS
12/27/91	SAME	SAME	SAME	30 GALLONS

PAULA ALL TESTS WERE MADE IN THE KUTZ YARD AND NO WATER LEFT
THE FENCED AREA OF KUTZ.

GAS COMPANY OF NEW MEXICO

OIL CONSERVATION DIVISION
RECEIVED

'91 AUG 23 AM 8 50

August 21, 1991

Mr. Roger Anderson
New Mexico Energy, Minerals, and
Natural Resources Department
Oil Conservation Division
PO Box 2088
State Land Office Building
Santa Fe, New Mexico 87504

Dear Mr. Anderson,

On April 24, 1991 the Oil Conservation Division authorized Gas Company of New Mexico (GCNM) to discharge hydrostatic test waters in accordance with OCD guidelines. Attached is a report listing all GCNM hydrostatic test dewaterings occurring between April 24, 1991 and August 7, 1991. All GCNM dewaterings during this period occurred at the Kutz Canyon gas processing facility. This report contains the following information.

1. Location of each test, including Section, Township, and Range.
2. Date of each test.
3. Volume of discharge from each test.
4. Source(s) and quality of water used for each test.

All dewaterings were from testing new pipe, and met OCD requirements as follows.

- A The volume of discharged water did not exceed 100,000 gallons per test.
- B Fresh water from a water supply system or potable water source was used for all tests.
- C The discharged water did not enter any lake, stream, or river; or their seasonal or perennial tributaries. All discharges were to pits, ponds, or trenches; or to treatment systems, with the authorization of the owner and/or operator of the treatment system.
- D Ground water was not less than 10 feet from the surface at the point of discharge.
- E The discharge did not impact adjacent property.
- F The discharge did not cause any fresh water supplies to be degraded or to exceed the standards of section 3-103 A, B, and C of the New Mexico Water Quality Control Commission Regulations.

Letter to Mr. Roger Anderson
August 21, 1991
Page 2

Thank you for your assistance with this matter. If I can be of assistance, please call me at 880 - 7966.

Sincerely,

A handwritten signature in cursive script, reading "Paula Y. McAfee". The signature is written in dark ink and is positioned above the printed name and title.

Paula Y. McAfee
Staff Engineer
Gas Company of New Mexico

INTEROFFICE CORRESPONDENCE
GAS CO. OF NEW MEXICO
GTO-KUTZ

RECEIVED

AUG 09 1991

TO: PAULA McAFEE
FROM: GARY GOSS
SUBJ: HYDROTEST REPORT FOR OCD
DATE: AUGUST 7, 1991

<u>DATE OF TEST</u>	<u>LOCATION</u>	<u>SOURCE</u>	<u>QUALITY</u>	<u>VOLUME</u>
6/15/91	T27N R11W S12	KUTZ SUPPLY	POTABLE	117 GALLONS
6/22/91	SAME	SAME	SAME	131 GALLONS
7/15/91	SAME	SAME	SAME	2,100 GALLONS
7/20/91	SAME	SAME	SAME	117 GALLONS
7/27/91	SAME	SAME	SAME	623 GALLONS
8/03/91	SAME	SAME	SAME	318 GALLONS
8/07/91	SAME	SAME	SAME	605 GALLONS

PAULA ALL TESTS WERE MADE IN THE KUTZ YARD AND NO WATER LEFT
THE FENCED AREA OF KUTZ.