

HBP - 16

MONITORING REPORTS

YEAR(S):

2004 -

RECEIVED

JAN 28 2004
Environmental Bureau
Oil Conservation Division



Flatrock Energy
PARTNERS

15600 San Pedro, Suite 100
San Antonio, Texas 78232
P: 210.494.6777
F: 210.494.6762

January 28, 2004

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation District, Environmental Division
1220 Saint Francis Drive
Santa Fe, New Mexico 87505
Attn: Roger Anderson

Re: Annual Hydrostatic Test Water Discharge Report
Discharge Permit # HBP-NM-016

Dear Mr. Anderson

Flatrock Energy Partners, on behalf of ConocoPhillips Midstream Operations, hereby submits the attached summary of all hydrostatic test water discharges to the environment during 2003, as required under Discharge Permit Number HBP-NM-016. These waters were used for verifying integrity on new pipelines.

Please contact me at 210 494 6777 if you have questions or require additional information.

Sincerely,

Clay Y. Smith, PE

cc: Joyce Miley – ConocoPhillips - Houston, TX
Phill Elliott – ConocoPhillips - Hobbs, NM
Marshall Honeyman – ConocoPhillips - Hobbs, NM

CONOCO INC.
SENMOU
Hydrostatic Test Discharge Report

Name of Project	Legal Description	Date	Volume of Discharge (Bbl)	Source of Water
Concho Fed. 2 Com. #2	Sec. 33, T17S, R27E	1/11/2003	1.00	Loco Hills
Oxy Freddie Fed. Com. #1	Sec. 26 & 35, T18S, R30E	1/23/2003	285.00	Maljamar
Gray Pennzoil 36 St. Com. #2	Sec. 36, T19S, R33E	1/24/2003	26.43	Maljamar
Oxy Cow Pony	Sec. 16, T18S, R29E	2/21/2003	3.30	Maljamar
Oxy Ivore	Sec. 35, T18S, R30E	2/26/2003	8.46	Maljamar
Pure Energy Geronimo 28 St. #1	Sec. 28, T22S, R35E	3/1/2003	3.22	Hobbs
Chevron Texaco 950 H.P.	Sec. 28, T17S, R31E	3/10/2003	19.92	Loco Hills
Marbob CCAP #3	Sec. 16, T22S, R27E	3/19/2003	4.96	Carlsbad
BP Amoco Red Lake 3 St. #1	Sec. 3, T18S, R28E	3/27/2003	2.31	Loco Hills
Marbob Fed. NM 32	Sec. 13, T23S, R26E	4/4/2003	25.24	Carlsbad
Ocean Energy Parkway 19	Sec. 21, T19S, R29E	4/10/2003	9.68	Loco Hills
4" Lateral Hydrotest	Sec. 33 & 29, T28S, R31E	4/23/2003	130.52	Loco Hills
Oxy Xica #2	Sec. 25, 26 & 35, T28S, R30E	4/28/2003	66.09	Loco Hills
Ocean Energy Parkway 20	Sec. 28, T19S, R29E	4/30/2003	16.32	Loco Hills
CHI Energy Porterhouse St. Com. #1	Sec. 32, T18S, R31E	7/11/2003	6.51	Loco Hills
Matador Riddle St. Com. #1	Sec. 36, T21S, R34E; Sec. 1, T22S, R34E	7/21/2003	32.35	Hobbs
Gray Mescalero 19 #1	Sec. 24, T19S, R33E; Sec. 19, T19S, R34E	7/30/2003	77.68	Hobbs
Gray Mescalero 30 Com. #2	Sec. 30 & 31, T19S, R34E	8/22/2003	39.34	Hobbs
Oxy Misty Fed. #2	Sec. 35, T18S, R30E	9/9/2003	4.00	Lovington
Amerada Hess Bell Lake #2	Sec. 5 & 6, T23S, R34E	9/26/2003	97.67	Hobbs
8" Catclaw Line Replacement	Sec. 16 & 17, T21S, R26E	10/14/2003	354.00	Carlsbad
South Carlsbad to Ryan Lateral	Sec. 31 & 32, T22S, R27E	11/20/2003	231.00	Carlsbad
Gray Chapparel 33 Fed. Com. 2	Sec. 33, T19S, R34E	12/4/2003	15.00	Lovington
Ricks Exploration Cardinez 28 #2	Sec. 28, T19S, R34E	12/5/2003	513.00	Hobbs
Chesapeak Merchant 8 Fed. #1	Sec. 8, T17S, R33E	12/16/2003	89.20	Loco Hills

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Cencho Fed 2 Com #2

LEGAL LOCATION
OF TEST:

Sec 33-17S-27E

DATE OF TEST:

1-11-03

VOLUME OF
DISCHARGE:

1 661

SOURCE OF
TEST WATER

Loco Hills

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Oxy Freddie Fed Com. #1

LEGAL LOCATION
OF TEST:

Sec 26+35 185-30E

DATE OF TEST:

1-23-03

VOLUME OF
DISCHARGE:

285 bbls

SOURCE OF
TEST WATER

Maljamar

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT: Gray Pennzoil 36 St. Com. #2

LEGAL LOCATION
OF TEST: Sec 36-19S-33E

DATE OF TEST: 1-24-03

VOLUME OF
DISCHARGE: 26.43 bbls

SOURCE OF
TEST WATER Maljamar

20- 1-04, 11:02AM, CONOCO
0000400

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Oxy Low Pory

LEGAL LOCATION
OF TEST:

Sec 16 - 185 - 29E

DATE OF TEST:

2-21-03

VOLUME OF
DISCHARGE:

3.3 bbls

SOURCE OF
TEST WATER

CONOCO INC.**SENMOU****Hydrostatic Test Discharge Report**NAME OF
PROJECT:Oxy IvoreLEGAL LOCATION
OF TEST:Sec 35-185-30E

DATE OF TEST:

2-26-03VOLUME OF
DISCHARGE:8.46 bblsSOURCE OF
TEST WATERMaljamar

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Pure Energy Geronimo 28 St. #1

LEGAL LOCATION
OF TEST:

Sec 28-22S-35E

DATE OF TEST:

3-1-03

VOLUME OF
DISCHARGE:

3.22 Gals

SOURCE OF
TEST WATER

Hobbs

20- 1-64, 11:02AM, CONOCO ,0000439 # 37 13

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Chevron Texaco 950 H.P.

LEGAL LOCATION
OF TEST:

Sec 28 - 17S - 31E

DATE OF TEST:

3-10-03

VOLUME OF
DISCHARGE:

19.92 BBLs

SOURCE OF
TEST WATER

Loco Hills

20- 1-04, 11:02AM, CONOCO, 0000439 # 97 13

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Marboby CCAP #3

LEGAL LOCATION
OF TEST:

Sec 16-22S-27E

DATE OF TEST:

3-19-03

VOLUME OF
DISCHARGE:

4.96 bbls

SOURCE OF
TEST WATER

Carlsbad

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of
Project: BP AMOCO RED LAKE 3 ST. #1

Legal Location
Of Test: SEC 5, T18, 28E Eddy Co.

Date if Test: 3-27-03

Volume of
Discharge: 2.31

Source of
Test Water: Loco Hills

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of
Project: MARBOB fed NM 32

Legal Location
Of Test: SEC 13 T23, R26 Eddy Co.

Date if Test: 4-4-03

Volume of
Discharge: 25.24

Source of
Test Water: Carlsbad

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of
Project: OCEAN ENERGY PARK WAY 19

Legal Location
Of Test: SEC 21, T19, R29 Eddy Co.

Date if Test: 4-10-03

Volume of
Discharge: 9.68

Source of
Test Water: Loco Hills

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project: 4" LATERAL Hydro Test

Legal Location

Of Test: SEC 33 1/2, T28S, R31E

Date of Test: 4-23-03

Volume of

Discharge: 130.52 BBLs

Source of

Test Water: Loco A.11s

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project:

OXY XICA #2

Legal Location

Of Test:

SEC 25, 26 & 35, T18, R30

Date of Test:

4-28-03

Volume of

Discharge:

66.09.

Source of

Test Water:

Loco Hills

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project:

OCEAN ENERGY AIRWAY 20

Legal Location

Of Test:

SEC 28, T19, R29 Eddy Co.

Date if Test:

4-30-03

Volume of

Discharge:

16.32

Source of

Test Water:

Loco Hills

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project: CHI ENERGY PORTERHOUSE ST CON #1

Legal Location

Of Test: SEC 32, T18S, R31

Date of Test: 07-11-03

Volume of

Discharge: 6.51

Source of

Test Water: Loco Hills

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project:

MATADOR Riddle ST. Con #1

Legal Location

Of Test:

Sec 36, T21, R34, Sec 1, T22, R34 LFA Co.

Date if Test:

07-21-03

Volume of

Discharge:

32.35

Source of

Test Water:

Xobbs

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project: GRUG MESA/ERO 19 #1

Legal Location

Of Test: SEC 24, T19, R33 & SEC 19, T19, R34 LFA CO.

Date if Test: 7-30-03

Volume of

Discharge: 77.68

Source of

Test Water: A/obbs

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project:

GRUY MESA/ENO 30 COM #2

Legal Location

Of Test:

SEC 30 & 31, T19, R34

Date if Test:

8-22-03

Volume of

Discharge:

39.34

Source of

Test Water:

Hobbs

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF

PROJECT:

Oxy Misty Fuel #2

LEGAL LOCATION

OF TEST:

Sec 35-185-30E

DATE OF TEST:

9-9-03

VOLUME OF

DISCHARGE:

221' x 4" .188 4 bbls

SOURCE OF

TEST WATER

Livingston NM

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project: AMERADA HESS BELL LAKE #2

Legal Location

Of Test: SEC 5 1/4, T23, R34 LLA CO.

Date if Test: 9-26-03

Volume of

Discharge: 97.67

Source of

Test Water: Abbs

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project: 8" CATCLAW LINE REPLACEMENT

Legal Location

Of Test: SEC 16 $\frac{1}{2}$, 17, T21, R24 Eddy CO.

Date of Test: 10-14-03

Volume of

Discharge: 354 BBLS

Source of

Test Water: CALISBAD, NM

CONOCO SENMOU

Hydrostatic Test Discharge Report

Name of

Project: SOUTH CARLSBAD TO RYAN LATERAL

Legal Location

Of Test: SEC 31. ¹/₂ 32, T22, R27

Date of Test: 11-20-03

Volume of

Discharge: 231 BBLS

Source of

Test Water: CARLSBAD, NM

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Gray Chaparral 33 Fed Cor 2

LEGAL LOCATION
OF TEST:

Sec 33-19S-34E

DATE OF TEST:

12-4-03

VOLUME OF
DISCHARGE:

6" .188 396' 15 bbls

SOURCE OF
TEST WATER

Lovington arm

CONOCO INC.**SENMOU****Hydrostatic Test Discharge Report**

NAME OF

PROJECT: Ricks Expl. Cordonia 28 #2

LEGAL LOCATION

OF TEST: Sec 28-19S-34EDATE OF TEST: 12-5-03

VOLUME OF

DISCHARGE: 13,515' 6" 182 513 6615

SOURCE OF

TEST WATER 740665

CONOCO INC.
SENMOU
Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Chesapeake Merchant 8 Fuel #1

LEGAL LOCATION
OF TEST:

Sec 8-175-38E
18

DATE OF TEST:

12-16-03

VOLUME OF
DISCHARGE:

4" 188 5,400'

89.2 6615

SOURCE OF
TEST WATER

Mark Bishop
Environmental Specialist
Southeast New Mexico Operating Unit
SH&E Services
Gas Gathering & Processing

ConocoPhillips Inc.
921 W. Sanger
Hobbs, NM 88240
Phone 505-391-1956
Cell (281) 380-0018
mark.a.bishop@conocophillips.com

RECEIVED

JAN 21 2003

OIL CONSERVATION
DIVISION

1/21/2003

Return Receipt Requested
Certified Mail No.
7099 3220 0001 4997 2493

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation District, Environmental Division
1220 Saint Francis Drive
Santa Fe, New Mexico 87505
Attn: Roger Anderson

Re: **Annual Hydrostatic Test Water Discharge Report**
Discharge Permit # HBP-NM-016

Dear Mr. Anderson:

Attached is a summary of all the hydrostatic test water discharges to the environment during 2002 used for testing new pipelines for integrity. If you have any questions please call me at 505-391-1956.

Sincerely,

Mark Bishop
Mark Bishop

CC: Joyce Miley
Phill Elliott

File: Env 2854

CONOCO INC.**SENMOU****Hydrostatic Test Dishcharge Report**

Name of Project	Legal Location	Date	Volume of Discharge	Source of Water
Marbob Lucky Lizard	Sec 6 18S 32E	9/24/2002	78 bbls	Hobbs
Marbob Fair 17 State #1	Sec 17,20 17S 31E	9/9/2002	117 bbls	Maljamar
Marbob Tres Elo Fed #1	Sec 19, 30 19S 32E	9/25/2002	112 bbls	Hobbs
Ocean Energy Parkway W. 15	Sec 28 19S 29E	8/29/2002	26 bbls	Lovington
Skelly 8" Replacement	Sec 10,11 17S 30E	9/24/2002	195 bbls	Lovington
Oxy Jamoca Fed #1	Sec 29 17S 31E	11/5/2002	6 bbls	Loco Hills
Kermac Lea Loop Replacement	Sec 13 20S 34E	12/11/2002	8 bbls	Carlsbad
Chevron Texaco 951	Sec 20,21 17S 31E	11/21/2002	30 bbls	Loco Hills
Timbersharp 21 Modifications	Sec 6 18S 32E	12/5/2002	3.3 bbls	Maljamar
Marbob Milkyway	Sec 4,9 22S 27E	12/18/2002	27 bbls	Carlsbad
Kermac Maneline Reroute	Sec 5 21S 31E	10/14/2002	124 bbls	Maljamar



Mark Bishop

Environmental Specialist

SH&E Services

Natural Gas & Gas Products

CONSERVATION DIV.

02 JAN 18 PM 12:38

Conoco Inc.

921 West Sanger

Hobbs, NM 88240

Phone 505-393-2153

Cell (281) 380-0018

E-mail mark.a.bishop@usa.conoco.com

January 11, 2002

RECEIVED

JAN 22 2002

**Environmental Bureau
Oil Conservation Division**

Return Receipt Requested

Certified Mail No.

7099 3220 0001 4997 0581

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation District, Environmental Division
1220 Saint Francis Drive
Santa Fe, New Mexico 87505
Attn: Roger Anderson

Re: **Annual Hydrostatic Test Water Discharge Report
Discharge Permit # HBP-NM-016**

Dear Mr. Anderson:

Attached is a summary of all the hydrostatic test water discharges to the environment during 2001 used for testing new pipelines for integrity. If you have any questions please call me at 505-391-1956.

Sincerely,

Mark Bishop

Mark Bishop

CC: Joyce Miley
Phill Elliott

File: Env 215-7

Conoco Inc.
SEMMOU
Hydrostatic Test Discharge Report

Name of Project	Legal Location of Test	Date of Test	Volume of Discharge	Source of Water Test
Cedar Line Replacement	Sec 32&29 17S 32E Lea Co.	10/5/2001 & 10/09/01	499.7 bbls	Maljamar Plant
Ocean Parkway West Unit 12	Sec 21 19S 29E Eddy Co.	10/11/2001	55 bbls	Hobbs City Water
Gruy Nest Kenwood 6 #1	Sec 5 & 6 18S 31E	9/14/2001	288 bbls	Hobbs City Water
EOG Oreo 25 Fed Com #1	Sec 25 18S 29E	9/14/2001	162 bbls	Lovington City Water
Louis Dreyfus N.G. Turkey Track 11 St. #4	Sec 11 19S 28E	8/31/2001	23.3 bbls	Carlsbad City Water
Devon Bell Lake 21	Sec 32 22S 34E	01/18/012	6.6 bbls	Lovington City Water
Devon Outland State #6	Sec 2 21S 34E	8/22/2001	3 bbls	Hobbs City Water
Marbob Watterthon #3	Sec 21 22S 27E	8/10/2001	11 bbls	Carlsbad City Water
EOG Lusk 22 Fed #1	Sec 15 & 22 18S 32E	8/22/2001	47.6 bbls	Hobbs City Water
Matador Mary State 12 com #1	Sec 12 21S 34E	7/26/2001	102.6 bbls	Eunice City Water
Mewbourn Fren 8 #2	Sec 8 18S 31E	8/8/2001	36 gallons	Lovington City Water
Llano Abo/Burton Flats Modifications	Sec 7 19S 29E	8/21/2001	10 bbls	Lovington City Water
Oxy Smokey #1	Sec 36 18S 30E	8/13/2001	14 bbls	Lovington City Water
Timbersharp 21 Fed com #1	Sec 7.8, 17.20 & 21 18S 32E	7/31/2001	805 bbls	Lovington City Water
Devon Outland State #7	Sec 1 21S 34E	6/11/2001	104 bbls	Lovington City Water
Devon Outland State #3	Sec 1 21S 34E	2/7/2001	8 bbls	Eunice City Water
Devon State R #3	Sec 1 21S 34E	6/26/2001	43.6 bbls	Eunice City Water
Devon Outland State #4	Sec 18&21S 34E	3/12/001	32.2 bbls	Eunice City Water
Phillips Butkus 2 State #1	Sec 2 21S 34E	5/8/2001	23.1 bbls	Lovington City Water
Barnaval Draw Line Replacement	Sec 1,2&3 17S 29E Sec 36 16S 29E	4/27/2001	1294 bbls	Lovington City Water
Gruy Palmillo 32 Com 2	Sec 28,29 32 18S 32E	5/31/2001	417 bbls	Maljamar Plant
Heyco Parker Deep 5 Fed Com 2	Sec 5 18S 31E	5/23/2001	45 bbls	Maljamar Plant
Oxy The Bug Fed #2	Sec 21 17S 28E Eddy co	6/18/2001	40 bbls	Maljamar Plant
Concho N. Anderson Ranch #7	Sec 33 15S 32E Lea Co.	5/15/2001	60 bbls	Maljamar Plant
Gruy Pet. Magnum 5 Com 2	Sec 5 & 8 18S 31E Eddy co	4/24/2001	85 bbls	Maljamar Plant
Lynx Radar 24	Sec 24 19S 31E	2/8/2001	25 bbls	Maljamar Plant
Enron Starbuck 19 Fed Com #1	Sec 19 & 20 17S 28E	3/7/2001	191 bbls	Maljamar Plant
Oxy Hackberry 6 Fed Com 2	Sec 6 19S 31E	3/29/2001	91 bbls	Maljamar Plant
Marbob CCAP St. Com #1	Sec 16 22S 27E Eddy co.	3/15/2001	148 bbls	Carlsbad Fresh Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Marbels CCAD St. Conn #1

LEGAL LOCATION
OF TEST:

Sec 16 285 47E City Co.

DATE OF TEST:

3-15-01

VOLUME OF
DISCHARGE:

148 BBLs

SOURCE OF
TEST WATER

Carlsbad Arch Water.

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Oxy Hachberg 6 Gal Can 2

LEGAL LOCATION
OF TEST:

Sec 6 19S 31E

DATE OF TEST:

3-29-01

VOLUME OF
DISCHARGE:

91 BBLs

SOURCE OF
TEST WATER

Maljamar Gas Plant

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT: Enron Starbuck 19 Fuel Con #1

LEGAL LOCATION
OF TEST: Sec 19+20 175 28E

DATE OF TEST: 3-7-01

VOLUME OF
DISCHARGE: 191 bbls.

SOURCE OF
TEST WATER Malgoma Gas Plant

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Lynx Radar 24

LEGAL LOCATION
OF TEST:

Sec 24 19S 31E

DATE OF TEST:

2-8-01

VOLUME OF
DISCHARGE:

25 bbls.

SOURCE OF
TEST WATER

Malvern Gas Plant

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Gray Port. Magnesium 5 Corr 2

LEGAL LOCATION
OF TEST:

Sec 518 18S 31E Polk Co.

DATE OF TEST:

4-24-01

VOLUME OF
DISCHARGE:

85 bbls

SOURCE OF
TEST WATER

Malgarn Gas Plant

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Concho W. Anderson Ranch #7

LEGAL LOCATION
OF TEST:

Sec 33 15S 32E Lea Co

DATE OF TEST:

5-15-01

VOLUME OF
DISCHARGE:

60 bbls

SOURCE OF
TEST WATER

Maljamar Gas Plant

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Oxy Tr. Sug. No. 2

LEGAL LOCATION
OF TEST:

Sec 21 17S 28E City Co.

DATE OF TEST:

6-18-01

VOLUME OF
DISCHARGE:

40 bbls

SOURCE OF
TEST WATER

Melrose Gas Dist.

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Hydrostatic Test 5' x 6' x 8' Con. 2

LEGAL LOCATION
OF TEST:

Sec 5 185 31E

DATE OF TEST:

5-23-01

VOLUME OF
DISCHARGE:

45 Gals

SOURCE OF
TEST WATER

Malvern Co. Plant

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Guy Palmito 32 Com 2

LEGAL LOCATION
OF TEST:

Sec 22, 27, 34 185 32E

DATE OF TEST:

5-31-01

VOLUME OF
DISCHARGE:

417 661s

SOURCE OF
TEST WATER

Poljanc Gas Plant

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Barnard Deep Line Hydrostatic

LEGAL LOCATION
OF TEST:

Sec 12 1/2 175 27E
Sec 36 165 27E

DATE OF TEST:

4-27-01

VOLUME OF
DISCHARGE:

1,294 bbls

SOURCE OF
TEST WATER

Surface Supply Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT: Whitish Lathas V State #1

LEGAL LOCATION
OF TEST: Sec 2 215 296

DATE OF TEST: 5-8-01

VOLUME OF
DISCHARGE: 22.1 Gals

SOURCE OF
TEST WATER: Lawton City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Seven Outland State "Y"

LEGAL LOCATION
OF TEST:

Sec 142 215 84R

DATE OF TEST:

3-01-77

VOLUME OF
DISCHARGE:

32.2 BBL

SOURCE OF
TEST WATER

Quincy City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Sevier State R #3

LEGAL LOCATION
OF TEST:

Sec 1 215 34E

DATE OF TEST:

6-26-01

VOLUME OF
DISCHARGE:

43.6 bbls

SOURCE OF
TEST WATER

Keokuk City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Seven Outland State #3

LEGAL LOCATION
OF TEST:

Sec 11 21S 34E

DATE OF TEST:

2-7-01

VOLUME OF
DISCHARGE:

8 661s

SOURCE OF
TEST WATER

Remic City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Liver Outland State #7

LEGAL LOCATION
OF TEST:

Sec 1 21S 34E

DATE OF TEST:

6-11-01

VOLUME OF
DISCHARGE:

104 BBL

SOURCE OF
TEST WATER

Louington City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT: Timbershops 2.1 Prod Conn #1

LEGAL LOCATION
OF TEST: Sec 7, 8, 17, 20, 21 18S 32E

DATE OF TEST: 7-31-01

VOLUME OF
DISCHARGE: 805 BBLs

SOURCE OF
TEST WATER Levington City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

**NAME OF
PROJECT:**

Oxy Smokey #1

**LEGAL LOCATION
OF TEST:**

Sec 36 185 30E

DATE OF TEST:

8-18-01

**VOLUME OF
DISCHARGE:**

14 BBls

**SOURCE OF
TEST WATER**

Louington City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Llano ABO / Benton Flats modifications

LEGAL LOCATION
OF TEST:

Sec 7 19S 29E

DATE OF TEST:

8-21-01

VOLUME OF
DISCHARGE:

10 bbls

SOURCE OF
TEST WATER

Lovington City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

**NAME OF
PROJECT:**

Meadowbourn Fren 8 #2

**LEGAL LOCATION
OF TEST:**

Sec 8 185 31E

DATE OF TEST:

8-8-01

**VOLUME OF
DISCHARGE:**

36 gallons

**SOURCE OF
TEST WATER**

Livingston City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT: Matador Mary State 12 Cor #1

LEGAL LOCATION
OF TEST: Sec 12 21S 34E

DATE OF TEST: 7-26-01

VOLUME OF
DISCHARGE: 102.6 BBLs

SOURCE OF
TEST WATER Ennis City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

EOG Lusk 22 Prod #1

LEGAL LOCATION
OF TEST:

Sec 15 + 22 19S 32E

DATE OF TEST:

8-22-01

VOLUME OF
DISCHARGE:

47.6 Bbls

SOURCE OF
TEST WATER

Hobbs City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Marbob Wa/Her then #3

LEGAL LOCATION
OF TEST:

Sec 21 22S 27E

DATE OF TEST:

8-10-01

VOLUME OF
DISCHARGE:

11 661s

SOURCE OF
TEST WATER

Carlsbad City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

Devon Outland State #6

LEGAL LOCATION
OF TEST:

Sec 2 21S 34E

DATE OF TEST:

8-22-01

VOLUME OF
DISCHARGE:

3665

SOURCE OF
TEST WATER

Hobbs City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

**NAME OF
PROJECT:**

Devon Bell/Lake 21

**LEGAL LOCATION
OF TEST:**

Sec 32 22S 34E

DATE OF TEST:

1-18-01

**VOLUME OF
DISCHARGE:**

6.6 BBLs

**SOURCE OF
TEST WATER**

Lawrence City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

**NAME OF
PROJECT:**

Louis Dumas N.C. Turkey Track 11 St. #4

**LEGAL LOCATION
OF TEST:**

Sec 11 19S 28E

DATE OF TEST:

8-31-01

**VOLUME OF
DISCHARGE:**

23.3 bbls

**SOURCE OF
TEST WATER**

Charlotte City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT:

EOG Oreo 25 Fed Com #1

LEGAL LOCATION
OF TEST:

Sec 25 18S 29E

DATE OF TEST:

9-14-01

VOLUME OF
DISCHARGE:

162 bbl/s

SOURCE OF
TEST WATER

Lovington City Water

CONOCO INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT: Gray Westra Kenwood 6 #1

LEGAL LOCATION
OF TEST: Sec 516, 18S 31E

DATE OF TEST: 9-14-01

VOLUME OF
DISCHARGE: 288661s

SOURCE OF
TEST WATER Hobbs City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

**NAME OF
PROJECT:**

Ocean Parkway West Unit 12

**LEGAL LOCATION
OF TEST:**

Sec 21 19 S 29 E Eddy Co.

DATE OF TEST:

10-11-01

**VOLUME OF
DISCHARGE:**

55 bbls

**SOURCE OF
TEST WATER**

Hobbs City Water

C O N O C O INC.

SENMOU

Hydrostatic Test Discharge Report

NAME OF
PROJECT: Cedar Lake Line Replacement

LEGAL LOCATION
OF TEST: Src 32+29 17S 32E Lra Co.

DATE OF TEST: 10/5/01 + 10/9/01


VOLUME OF
DISCHARGE: 499.7 bbls

SOURCE OF
TEST WATER Meljame Plant



Maljamar Gas Processing Plant
Natural Gas and Gas Products

Conoco Inc.
P.O. Box 90
Maljamar, NM 88264



Mr. William J. LeMay
Director
Oil Conservation Division

Re: Hydrostatic Test Water Discharge Permit #HBP-NM-015

Dear Mr. Lemay:

These test reports are being submitted as per permit requirements. Please advise me if additional information is needed.

Sincerely,

Ernest Medrano
Field Supervisor

Ernest Medrano
Field Maintenance Supervisor
Natural Gas & Gas Products
Maljamar Gas Plant



Conoco Inc.
1001 Conoco Road
P.O. Box 90
Maljamar, NM 88264
(505) 676-2967
Fax: (505) 676-2711
800-746-4610 OD=052966

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT:

OXY SPARK PLUG

LEGAL LOCATION OF
TEST:

SEC. T 19S R 29E

DATE OF
TEST:

12-30-97

VOLUME OF
DISCHARGE

40 BARRELS (1262 GALLONS)

SOURCE OF TEST
WATER

MALJAMAR GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT: TEXACO TEXMAC II FED#1

LEGAL LOCATION OF
TEST: TINS R31E SECTIONS 11, 14, 23 & 26

DATE OF
TEST: 10-31-97

VOLUME OF
DISCHARGE 614 BARRELS (25,788 GALS.)

SOURCE OF TEST
WATER MALJAMAR GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT:

UMC SHUGART 22 FED# 1

LEGAL LOCATION OF
TEST:

T. 18 S R 31 E SECTION 22

DATE OF
TEST:

9-5-97

VOLUME OF
DISCHARGE

4,032 GALLONS (96 BARRELS)

SOURCE OF TEST
WATER

MALJAMAR GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT:

TEXACO LOCO HILLS 25 FED #1

LEGAL LOCATION OF
TEST:

TOWNSHIP 17 S, RANGE 30 E, SEC. 25 + 36

DATE OF
TEST:

8-1-97

VOLUME OF
DISCHARGE

2760' 4,142 GAL (99 BBLS.)

SOURCE OF TEST
WATER

CONOCO MALJAMAR GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT: OXY MUSTANG

LEGAL LOCATION OF
TEST: TOWNSHIP 18 S, RANGE 29 E, SEC. 16 + 21

DATE OF
TEST: 8-14-97

VOLUME OF
DISCHARGE 5363⁰ 8048 gals. (191 BBLS)

SOURCE OF TEST
WATER CONOCO MALJAMAR GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT: OXY CHAMPION

LEGAL LOCATION OF
TEST: SEC. 9, TOWNSHIP 19 SOUTH, RANGE 29 EAST

DATE OF
TEST: 7 - 1 - 97

VOLUME OF
DISCHARGE 1544' 2,317 GAL. (55 BBLs)

SOURCE OF TEST
WATER CONOCO - MALJAMAR GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT:

MEWBOURNE SCANLAND DRAW 34-1

LEGAL LOCATION OF
TEST:

SECTIONS 3, 34 T18 R 28E + 3+10 T19 R28E

DATE OF
TEST:

7-11-97

VOLUME OF
DISCHARGE

9575' 14,369 GALS. (342 BBLs.)

SOURCE OF TEST
WATER

CONOCO - MALJAMAR GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT:

OXY AUTO STATE NO. 1

LEGAL LOCATION OF
TEST:

SEC. 8 T 19 South R 29 EAST

DATE OF
TEST:

6-19-97

VOLUME OF
DISCHARGE

1488' 2,233 GAL. (53 BALS.)

SOURCE OF TEST
WATER

MALJAMAR - CONOCO GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT: OXY CHECKER STATE #1

LEGAL LOCATION OF
TEST: SEC. 8 T 19 SOUTH RANGE 29 EAST

DATE OF
TEST: 5-28-97

VOLUME OF
DISCHARGE 200' 132 GALS. (3 BBLS.)

SOURCE OF TEST
WATER CONOCO - MALJAMAR GAS PLANT

CONOCO INC.

MALJAMAR GAS PLANT

HYDROSTATIC TEST DISCHARGE REPORT

NAME OF
PROJECT: TEXACO SKELLY UNIT 902

LEGAL LOCATION OF
TEST: SEC. 15 T 17 South R 31 EAST

DATE OF
TEST: 5-1-97

VOLUME OF
DISCHARGE 5,460 GALS (130 BARRELS)

SOURCE OF TEST
WATER CONOCO - MALJAMAR GAS PLANT