

GW -

73

MONITORING REPORTS

DATE:

2007

GW-073

Deuell Environmental, LLC

January 25, 2007

Mr. Ben Stone
Environmental Bureau
New Mexico Oil Conservation Division
2040 S. Pacheco
Santa Fe, New Mexico 87505

RE: 2006 Annual Report for the Schlumberger Technology Corporation (Dowell) Facility in Hobbs, New Mexico

Dear Mr. Stone:

On behalf of Schlumberger Technology Corporation (Dowell), enclosed are two copies of the 2006 Annual Report for the facility in Hobbs, New Mexico. The results of the fourth quarter ground-water monitoring event for 2006 are included in the annual report. An electronic version of the report is being sent via e-mail. If you have any questions concerning the results please feel free to contact me at (307) 760-3277 or John Miller at (281) 285-8498.

Sincerely,



Rick Deuell, P.E.

Enclosures:

cc: Paul Scheeley, NMOCD
John Miller
Carey Brannan

2006 ANNUAL REPORT
SCHLUMBERGER OILFIELD SERVICES
HOBBS, NEW MEXICO

January 13, 2007

Prepared For:

Schlumberger Oilfield Services
200 Gillingham Lane, MD7
Sugar Land, Texas 77478

Prepared By:

Deuell Environmental, LLC
1653 Diamond Head Ct.
Laramie, Wyoming 82072

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
2.0 GROUND-WATER MONITORING	2
2.1 Static Water Level	2
2.2 Ground-water Sampling	2
3.0 SOIL VAPOR EXTRACTION SYSTEM MONITORING	4
4.0 DISCUSSION	5
5.0 RECOMMENDATIONS	7

LIST OF FIGURES

Figure

- 1 – Monitoring Well Locations
- 2 – Site Map and Monitoring and Remediation Well Locations
- 3 – Potentiometric Surface Map (10/11/06)
- 4 – Total Halocarbons Concentration Map (10/11/06)
- 5 – SVE Operation Timeline (01/01/06 thru 06/30/06)
- 6 – SVE Operation Timeline (07/01/06 thru 12/31/06)

LIST OF TABLES

Table

- 1 – Static Water Level Elevations Data
- 2 – Summary of Laboratory Analytical Results – Ground-water Samples
- 3 – SVE System Air Sample Data from the Dowell Schlumberger Facility, Hobbs, New Mexico

LIST OF APPENDICES

Appendix

- A – Laboratory Analytical Reports
- B – Halocarbons and Ground-water Level Plots

1.0 INTRODUCTION

1.0 INTRODUCTION

This report documents monitoring and remedial activities performed in 2006 at the Schlumberger Oilfield Services Facility in Hobbs, New Mexico (Figures 1 and 2). Field work conducted by Deuell Environmental, LLC during the four quarters of 2006 consisted of air and ground-water monitoring, and routine remediation system operation and maintenance. The following sections provide an overview of the field work performed, discussion of the data, and recommendations for 2007.

2.0 GROUND-WATER MONITORING

2.0 GROUND-WATER MONITORING

Ground-water monitoring was performed quarterly in 2006 by Deuell Environmental, LLC. The fourth quarter monitoring event was performed October 11, 2006. Results of the previous sampling events for 2006 were presented in reports to the New Mexico Oil and Conservation Division (NMOCD) dated March 27, 2006; June 23, 2006; and September 26, 2006.

2.1 Static Water Level

Static water levels were measured quarterly in 2006 using a water level probe. The probe was decontaminated between wells with Simple Green and a distilled water rinse. Fourth quarter water level measurements are presented in Table 1, along with historic water level data for comparison. Free product has never been detected at this site.

A map of the potentiometric surface generated from the fourth quarter water level elevations is presented on Figure 3. The ground-water flow direction continues to flow to the east with a hydraulic gradient of 0.006 consistent with earlier determinations of ground-water flow. Ground-water elevations decreased 0.7 feet in the last year. This is continuing trend only reversed for short periods after large precipitation events.

2.2 Ground-water Sampling

Ground-water samples were collected from monitoring wells MW-2, 4, 6, 7, 8, 9, 13, 14, and 15 during the first three quarters in 2006. During the fourth quarter monitoring event, ground-water samples were collected from all monitoring wells. The Shell Station well was abandoned by the owner in 2005. A minimum of three well volumes of ground-water were purged from each well using a Redi-flow submersible pump where practicable. The submersible pump was decontaminated with a Simple Green solution and clean water rinse between wells. At wells where there is not sufficient submergence to operate the pump, the wells were bailed with dedicated bailers. Purge water was placed into two galvanized steel stock tanks on site and allowed to evaporate.

Ground-water samples were collected using disposable polyethylene bailers and analyzed for volatile organic compounds by EPA Method 8260. During the fourth quarter monitoring event duplicate samples were collected from MW-3 and MW-13. The analytical results for the fourth quarter monitoring event are provided in Table 2 along with historical data for comparison. Laboratory analytical reports for the fourth quarter monitoring event are presented as Appendix A.

***3.0 SOIL VAPOR EXTRACTION
SYSTEM MONITORING***

3.0 SOIL VAPOR EXTRACTION SYSTEM MONITORING

Air samples were collected quarterly from the three soil vapor extraction (SVE) systems in 2006 and analyzed for volatile organics by EPA Methods 8260. Results of the air quality monitoring are provided on Table 3 along with historical data for comparison. Laboratory data reports are presented as Appendix A. As expected, concentrations in the air being removed are declining. At the former UST System, halocarbons continue to be removed. At the former Waste Pond System, both aromatic and halocarbon compounds are removed though the concentrations were non-detect for the last quarter. Concentrations in the air at the Acid Dock System are below detectable levels.

The declining water levels have reduced the submergence of the air-sparge wells at the UST system. Due to this, the air-sparge blower has been operated outside of the blower design range which has put a lot of stress on the bearings. These bearings failed in October 2006. Due to the minimal amount of submergence left at the air-sparge wells it was decided to not replace the blower immediately and monitor the system to see if concentrations continue to decline.

4.0 DISCUSSION

4.0 DISCUSSION

Constituents detected in the ground-water at the Hobbs facility are declining. Each monitoring well that has had detections in the past now exhibits an overall downward trend. Concentrations of aromatic hydrocarbon have declined to the extent that no ground-water at monitoring wells now has any measurements of BTEX constituents above MCL's. The only well with any BTEX constituents is upgradient well MW-11.

As shown on Table 2, halocarbons continue to show declining trends in most monitoring wells. All wells declined in concentrations during the year with especially significant declines at MW-6 and MW-13. Halocarbon concentrations have declined in the ground-water such that only on-site wells MW-4, and MW-6 have any concentrations above MCL's. These are very low concentrations of halocarbons, only slightly above MCL's. MW-4 had PCE at 0.014 mg/l and MW-6 had PCE at 0.007 mg/l compared to the MCL of 0.005 mg/l for PCE. Plots were constructed for static water level versus various halocarbon concentrations to illustrate the declines of constituents at individual wells (Appendix B). An isoconcentration map for total halocarbons (Figure 4) was constructed with the fourth quarter water quality data. As shown the concentrations are declining significantly. .

SVE systems at the Hobbs facility have run almost 100 percent of the time during 2006 as shown on Figures 5 and 6. The blower for the air-sparge system failed in October. Ground water concentrations will be monitored to see if it needs to be replaced.

Air quality monitoring indicates both BTEX and halocarbon constituents continue to be removed in the former wastewater collection area. As shown on Table 3, total concentrations have declined from high levels of 425.8 parts per million (ppm) BTEX and 680.7 ppm halocarbons in 1995 to non-detect in October 2006. The decline of these constituents in air samples and in the water quality monitoring at MW-2 indicates the area is being successfully remediated. MW-2 is now non-detect for all constituents.

BTEX constituents detected in air samples from the former UST area remain at nondetect levels, while halocarbons have declined from a high level of 1379.58 ppm in 1995 to 1.1 ppm in October 2006 (Table 3). As shown on Table 2, halocarbons in MW-4 have declined from a high level of 5.9 mg/l in 1996 to a low of 0.008 mg/l in July 2005. There has been some rebound in 2006 with the total concentration being 0.014 mg/l in October 2006. Downgradient well MW-9 is now

non-detect for all constituents and well MW-8 only has 0.002 mg/l of PCE. Continued SVE and air sparging of the soil and water should facilitate further declines of halocarbon constituents in the ground-water at this area.

Air samples collected from the acid plant SVE system were nondetect for both BTEX and halocarbon constituents in 2005. However, constituents detected in the ground-water at monitoring wells MW-3, MW-5, MW-6, and MW-7 have either declined or remained relatively stable.

At the current rate it is anticipated that all monitoring wells will be below MCL's sometime in 2007.


5.0 RECOMMENDATIONS

5.0 RECOMMENDATIONS

As mentioned previously, hydrocarbons remain below MCL's in the ground-water at perimeter monitoring wells MW-13, MW-14 and MW-15. Dowell recommends that the quarterly ground-water monitoring schedule remain unchanged with monitoring wells MW-3, MW-5, MW-10, MW-11, and MW-12 to be sampled only during the fourth quarter. Static water levels are proposed to be collected from all monitoring wells on a quarterly basis. Operation of the Acid Dock SVE, Waste Pond SVE, and the UST SVE systems will continue.

As the concentrations at all wells fall below MCL's, it will be desirable to discuss the status of the site with NMOCID during 2007.

FIGURES



EXPLANATION


- MW-4 (circle) SHALLOW MONITORING WELL LOCATION AND IDENTIFICATION
- MW-1 (dot) ABANDONED MONITORING WELL
- MW-11 (triangle) DEEP MONITORING WELL LOCATION
- (MW-5*) SAMPLED DURING 4TH QUARTER ONLY

FIGURE 1


MONITORING WELL LOCATIONS

SCHLUMBERGER TECHNOLOGY CORPORATION
HOBBS, NM

Deuell Environmental, LLC
1653 Diamond Head Ct.
Laramie WY 82072
307-760-3277



Deuell Environmental, LLC
1653 Diamond Head Ct.
Laramie WY 82072
307-760-3277



EXPLANATION

MW-14 ● 3554.01
SHALLOW MONITORING WELL LOCATION,
IDENTIFICATION, AND POTENTIOMETRIC
SURFACE ELEVATION

MW-1 ● ABANDONED MONITORING WELL

MW-11 ▲ 3559.59
DEEP MONITORING WELL LOCATION,
IDENTIFICATION, AND POTENTIOMETRIC
SURFACE ELEVATION

— 3553.00
POTENTIOMETRIC SURFACE CONTOURS
AND ELEVATION (DASHED WHERE
INFERRRED)

→ GROUND-WATER FLOW DIRECTION





FIGURE 3
POTENTIOMETRIC SURFACE MAP
(10/11/06)

SCHLUMBERGER TECHNOLOGY CORPORATION
HOBBS, NM

Deuell Environmental, LLC
1653 Diamond Head Ct.
Paramie WY 82072
307-760-3277



NS%U EXPLANATION

MW-8 0.019 ● SHALLOW MONITORING WELL LOCATION, IDENTIFICATION AND TOTAL HALOCARBONS CONCENTRATIONS

MW-1 ● ABANDONED MONITORING WELL

MW-10 ND ▲ DEEP MONITORING WELL LOCATION, IDENTIFICATION AND TOTAL HALOCARBONS CONCENTRATIONS

-1.00/ TOTAL HALOCARBONS CONTOURS

NS NOT SAMPLED

TOTAL HALOCARBONS CONCENTRATIONS (mg/L)





FIGURE 4
TOTAL HALOCARBONS CONCENTRATION MAP
(10/11/06)

SCHLUMBERGER TECHNOLOGY CORPORATION
HOBBS, NM

Deuell Environmental, LLC
1653 Diamond Head Ct.
Laramie WY 82072
307-760-3277


FORMER WASTE WATER LAGOON, UNIT 1

(OPERATION PERCENTAGE 100%)



ACID DOCK, UNIT 2

(OPERATION PERCENTAGE 100%)



FORMER USTs, UNIT 3

(OPERATION PERCENTAGE 100%)



EXPLANATION

- UNIT IS RUNNING EXCEPT FOR BRIEF SHUTDOWNS FOR ROUTINE MAINTENANCE
- UNIT IS NOT OPERATING
- AIR SAMPLES COLLECTED

FIGURE 5
SVE OPERATION TIMELINE
01/01/06 THRU 06/30/06

SCHLUMBERGER OILFIELD SERVICES
HOBBS, NM

Deuell Environmental, LLC
1653 Diamond Head Ct.
Laramie WY 82072
307-760-3277


FORMER LAGOON, UNIT 1
 (OPERATION PERCENTAGE 100%)



ACID PLANT, UNIT 2
 (OPERATION PERCENTAGE 100%)



FORMER UST, UNIT 3
 (OPERATION PERCENTAGE 99%)



EXPLANATION

- UNIT IS RUNNING EXCEPT FOR BRIEF SHUTDOWNS FOR ROUTINE MAINTENANCE
- UNIT IS NOT OPERATING
- AIR SAMPLES COLLECTED

FIGURE 6
 SVE OPERATION TIMELINE
 07/01/06 THRU 12/31/06

SCHLUMBERGER OILFIELD SERVICES
 HOBBS, NM

Deuell Environmental, LLC
 1653 Diamond Head Ct.
 Laramie WY 82072
 307-760-3277

TABLES

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-2	3637.26	10/25/96	85	70.03	3567.23	
		11/21/96		70.03	3567.23	0.00
		01/22/97		70.26	3567.00	-0.23
		05/21/97		70.53	3566.73	-0.27
		07/28/97		70.69	3566.57	-0.16
		10/15/97		70.80	3566.46	-0.11
		01/05/98		71.05	3566.21	-0.25
		04/16/98		71.27	3565.99	-0.22
		07/16/98		71.61	3565.65	-0.34
		10/25/98		71.84	3565.42	-0.23
		02/10/99		72.02	3565.24	-0.18
		04/21/99		72.25	3565.01	-0.23
		07/13/99		72.50	3564.76	-0.25
		10/21/99		72.76	3564.50	-0.26
		01/25/00		72.92	3564.34	-0.16
		04/17/00		73.35	3563.91	-0.43
		07/25/00		73.71	3563.55	-0.36
		10/16/00		74.04	3563.22	-0.33
		01/16/01		75.04	3562.22	-1.00
		04/10/01		74.73	3562.53	0.31
		07/17/01		75.65	3561.61	-0.92
		10/16/01		75.57	3561.69	0.08
		01/13/02		76.00	3561.26	-0.43
		04/21/02		76.32	3560.94	-0.32
		07/23/02		76.76	3560.50	-0.44
		10/17/02		77.00	3560.26	-0.24
		01/21/03		77.15	3560.11	-0.15
		04/22/03		77.38	3559.88	-0.23
		07/15/03		77.64	3559.62	-0.26
		10/14/03		77.83	3559.43	-0.19
		01/27/04		78.13	3559.13	-0.30
		04/20/04		78.26	3559.00	-0.13
		07/17/04		78.36	3558.90	-0.10
		10/29/04		77.67	3559.59	0.69
		01/15/05		77.23	3560.03	0.44
		04/16/05		77.49	3559.77	-0.26
		07/09/05		77.79	3559.47	-0.30
		10/09/05		78.03	3559.23	-0.24
		01/16/06		78.22	3559.04	-0.19
		04/18/06		78.53	3558.73	-0.31
		07/12/06		78.68	3558.58	-0.15
		10/11/06		78.70	3558.56	-0.02
MW-3	3638.28	10/25/96	85	72.88	3565.40	
		11/21/96		72.89	3565.39	-0.01
		01/22/97		73.10	3565.18	-0.21
		05/21/97		73.40	3564.88	-0.30
		07/28/97		73.54	3564.74	-0.14
		10/15/97		73.67	3564.61	-0.13
		01/05/98		73.92	3564.36	-0.25
		04/16/98		74.13	3564.15	-0.21
		07/16/98		74.46	3563.82	-0.33
		10/25/98		74.74	3563.54	-0.28
		02/10/99		75.00	3563.28	-0.26
		04/21/99		75.21	3563.07	-0.21
		07/13/99		75.50	3562.78	-0.29
		10/20/99		75.67	3562.61	-0.17
		01/25/00		75.95	3562.33	-0.28
		04/17/00		76.26	3562.02	-0.31
		07/25/00		76.57	3561.71	-0.31
		10/16/00		76.88	3561.40	-0.31
		01/16/01		77.24	3561.04	-0.36
		04/10/01		77.59	3560.69	-0.35
		07/17/01		78.00	3560.28	-0.41
		10/16/01		78.39	3559.89	-0.39
		01/13/02		78.80	3559.48	-0.41
		04/21/02		79.21	3559.07	-0.41
		07/23/02		79.50	3558.78	-0.29
		10/17/02		79.78	3558.50	-0.28
		01/21/03		79.97	3558.31	-0.19
		04/22/03		80.19	3558.09	-0.22
		07/15/03		80.48	3557.80	-0.29
		10/14/03		80.73	3557.55	-0.25
		01/27/04		81.01	3557.27	-0.28
		04/20/04		81.19	3557.09	-0.18
		07/17/04		80.31	3557.97	0.88
		10/29/04		80.64	3557.64	-0.34

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-3 (Cont.)		01/15/05		80.14	3557.12	-0.52
		04/16/05		80.35	3556.91	-0.21
		07/09/05		80.66	3556.60	-0.31
		10/09/05		80.90	3556.36	-0.24
		01/16/06		81.11	3556.15	-0.21
		04/18/06		81.38	3555.88	-0.27
		07/12/06		81.57	3555.69	-0.19
		10/11/06		81.57	3555.69	0.00
MW-4	3639.20	10/25/96	85	72.41	3566.79	
		11/21/96		72.37	3566.83	0.04
		01/22/97		72.60	3566.60	-0.23
		05/21/97		72.87	3566.33	-0.27
		07/28/97		72.93	3566.27	-0.06
		10/15/97		73.03	3566.17	-0.10
		01/05/98		73.24	3565.96	-0.21
		04/16/98		73.67	3565.53	-0.43
		07/16/98		73.68	3565.52	-0.01
		10/25/98		74.21	3564.99	-0.53
		02/10/99		74.32	3564.88	-0.11
		04/21/99		74.58	3564.62	-0.26
		07/13/99		74.87	3564.33	-0.29
		10/21/99		75.08	3564.12	-0.21
		01/25/00		75.31	3563.89	-0.23
		04/17/00		75.75	3563.45	-0.44
		07/25/00		76.25	3562.95	-0.50
		10/16/00		76.52	3562.68	-0.27
		01/16/01		76.76	3562.44	-0.24
		04/10/01		77.27	3561.93	-0.51
		07/17/01		77.35	3561.85	-0.08
		10/16/01		77.71	3561.49	-0.36
		01/13/02		78.57	3560.63	-0.86
		04/21/02		78.89	3560.31	-0.32
		07/23/02		79.24	3559.96	-0.35
		10/17/02		79.54	3559.66	-0.30
		01/21/03		79.64	3559.56	-0.10
		04/22/03		79.77	3559.43	-0.13
		07/15/03		79.84	3559.36	-0.07
		10/14/03		80.24	3558.96	-0.40
		01/27/04		80.49	3558.71	-0.25
		04/20/04		80.66	3558.54	-0.17
		07/17/04		80.70	3558.50	-0.04
		10/29/04		79.96	3559.24	0.74
		01/15/05		79.59	3559.61	0.37
		04/16/05		79.71	3559.49	-0.12
		07/09/05		80.03	3559.17	-0.32
		10/09/05		80.26	3558.94	-0.23
		01/16/06		80.50	3558.70	-0.24
		04/18/06		80.82	3558.38	-0.32
		07/12/06		80.92	3558.28	-0.10
		10/11/06		81.00	3558.20	-0.08
MW-5	3637.70	01/22/97	85	71.90	3565.80	
		05/21/97		72.21	3565.49	-0.31
		07/28/97		72.36	3565.34	-0.15
		10/15/97		72.44	3565.26	-0.08
		01/05/98		72.71	3564.99	-0.27
		04/16/98		72.92	3564.78	-0.21
		07/16/98		73.25	3564.45	-0.33
		10/25/98		73.53	3564.17	-0.28
		02/10/99		73.77	3563.93	-0.24
		04/21/99		73.98	3563.72	-0.21
		07/13/99		74.15	3563.55	-0.17
		10/20/99		74.46	3563.24	-0.31
		01/25/00		74.72	3562.98	-0.26
		04/17/00		75.03	3562.67	-0.31
		07/25/00		75.35	3562.35	-0.32
		10/16/00		75.68	3562.02	-0.33
		01/16/01		76.04	3561.66	-0.36
		04/10/01		76.38	3561.32	-0.34
		07/17/01		76.82	3560.88	-0.44
		10/16/01		77.24	3560.46	-0.42
		01/13/02		77.62	3560.08	-0.38
		04/21/02		78.04	3559.66	-0.42
		07/23/02		78.30	3559.40	-0.26
		10/17/02		78.68	3559.02	-0.38
		01/21/03		78.85	3558.85	-0.17
		04/22/03		79.09	3558.61	-0.24

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-5 (Cont.)						
	07/15/03		79.30	3558.40	-0.21	
	10/14/03		79.58	3558.12	-0.28	
	01/27/04		79.82	3557.88	-0.24	
	04/20/04		80.00	3557.70	-0.18	
	07/17/04		80.11	3557.59	-0.11	
	10/29/04		79.40	3558.30	0.71	
	01/15/05		78.93	3558.77	0.47	
	04/16/05		79.13	3558.57	-0.20	
	07/09/05		79.50	3558.20	-0.37	
	10/09/05		79.20	3558.50	0.30	
	01/16/06		79.96	3557.74	-0.76	
	04/18/06		80.22	3557.48	-0.26	
	07/12/06		80.40	3557.30	-0.18	
	10/11/06		80.40	3557.30	0.00	
MW-6	3637.52	01/22/97	85	72.88	3564.64	
		05/21/97		73.22	3564.30	-0.34
		07/28/97		73.44	3564.08	-0.22
		10/15/97		73.48	3564.04	-0.04
		01/05/98		73.72	3563.80	-0.24
		04/16/98		73.94	3563.58	-0.22
		07/16/98		74.26	3563.26	-0.32
		10/25/98		74.55	3562.97	-0.29
		02/10/99		74.78	3562.74	-0.23
		04/21/99		75.04	3562.48	-0.26
		07/13/99		75.22	3562.30	-0.18
		10/20/99		75.46	3562.06	-0.24
		01/25/00		75.80	3561.72	-0.34
		04/17/00		76.06	3561.46	-0.26
		07/25/00		76.36	3561.16	-0.30
		10/16/00		76.64	3560.88	-0.28
		01/16/01		77.00	3560.52	-0.36
		04/10/01		77.34	3560.18	-0.34
		07/17/01		77.77	3559.75	-0.43
		10/16/01		78.16	3559.36	-0.39
		01/13/02		78.56	3558.96	-0.40
		04/21/02		78.90	3558.62	-0.34
		07/23/02		79.23	3558.29	-0.33
		10/17/02		79.49	3558.03	-0.26
		01/21/03		79.69	3557.83	-0.20
		04/22/03		79.93	3557.59	-0.24
		07/15/03		80.18	3557.34	-0.25
		10/14/03		80.47	3557.05	-0.29
		01/27/04		80.77	3556.75	-0.30
		04/20/04		80.92	3556.60	-0.15
		07/17/04		81.05	3556.47	-0.13
		10/29/04		80.31	3557.21	0.74
		01/15/05		79.86	3557.66	0.45
		04/16/05		80.11	3557.41	-0.25
		07/09/05		80.40	3557.12	-0.29
		10/09/05		80.61	3556.91	-0.21
		01/16/06		80.97	3556.55	-0.36
		04/18/06		81.18	3556.34	-0.21
		07/12/06		81.35	3556.17	-0.17
		10/11/06		81.30	3556.22	0.05
MW-7	3638.62	01/22/97	85	73.31	3565.31	
		05/21/97		73.63	3564.99	-0.32
		07/28/97		73.80	3564.82	-0.17
		10/15/97		73.93	3564.69	-0.13
		01/05/98		74.17	3564.45	-0.24
		04/16/98		74.39	3564.23	-0.22
		07/16/98		74.71	3563.91	-0.32
		10/25/98		74.98	3563.64	-0.27
		02/10/99		75.22	3563.40	-0.24
		04/21/99		75.47	3563.15	-0.25
		07/13/99		75.68	3562.94	-0.21
		10/20/99		75.94	3562.68	-0.26
		01/25/00		76.23	3562.39	-0.29
		04/17/00		76.53	3562.09	-0.30
		07/25/00		76.88	3561.74	-0.35
		10/16/00		77.16	3561.46	-0.28
		01/16/01		77.55	3561.07	-0.39
		04/10/01		77.88	3560.74	-0.33
		07/17/01		78.29	3560.33	-0.41
		10/16/01		78.68	3559.94	-0.39
		01/13/02		79.12	3559.50	-0.44
		04/21/02		79.48	3559.14	-0.36

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-7 (Cont.)						
	07/23/02		79.79	3558.83	-0.31	
	10/17/02		80.08	3558.54	-0.29	
	01/21/03		80.26	3558.36	-0.18	
	04/22/03		80.49	3558.13	-0.23	
	07/15/03		80.69	3557.93	-0.20	
	10/14/03		80.96	3557.66	-0.27	
	01/27/04		81.22	3557.40	-0.26	
	04/20/04		81.45	3557.17	-0.23	
	07/17/04		81.57	3557.05	-0.12	
	10/29/04		80.98	3557.64	0.59	
	01/15/05		80.47	3558.15	0.51	
	04/16/05		80.62	3558.00	-0.15	
	07/09/05		80.90	3557.72	-0.28	
	10/09/05		81.18	3557.44	-0.28	
	01/16/06		81.30	3557.32	-0.12	
	04/18/06		81.66	3556.96	-0.36	
	07/12/06		81.82	3556.80	-0.16	
	10/11/06		81.88	3556.74	-0.06	
MW-8	3638.71	01/22/97	85	72.78	3565.93	
		05/21/97		73.12	3565.59	-0.34
		07/28/97		73.31	3565.40	-0.19
		10/15/97		73.44	3565.27	-0.13
		01/05/98		73.63	3565.08	-0.19
		04/16/98		74.00	3564.71	-0.37
		07/16/98		74.21	3564.50	-0.21
		10/25/98		74.48	3564.23	-0.27
		02/10/99		74.72	3563.99	-0.24
		04/21/99		74.95	3563.76	-0.23
		07/13/99		75.19	3563.52	-0.24
		10/21/99		75.48	3563.23	-0.29
		01/25/00		75.76	3562.95	-0.28
		04/17/00		76.09	3562.62	-0.33
		07/25/00		76.48	3562.23	-0.39
		10/16/00		76.80	3561.91	-0.32
		01/16/01		77.18	3561.53	-0.38
		04/10/01		77.49	3561.22	-0.31
		07/17/01		77.92	3560.79	-0.43
		10/16/01		78.26	3560.45	-0.34
		01/13/02		78.74	3559.97	-0.48
		04/21/02		79.11	3559.60	-0.37
		07/23/02		79.42	3559.29	-0.31
		10/17/02		79.67	3559.04	-0.25
		01/21/03		79.91	3558.80	-0.24
		04/22/03		80.12	3558.59	-0.21
		07/15/03		80.32	3558.39	-0.20
		10/14/03		80.57	3558.14	-0.25
		01/27/04		80.83	3557.88	-0.26
		04/20/04		81.02	3557.69	-0.19
		07/17/04		81.16	3557.55	-0.14
		10/29/04		80.54	3558.17	0.62
		01/15/05		80.05	3558.66	0.49
		04/16/05		80.19	3558.52	-0.14
		07/09/05		80.45	3558.26	-0.26
		10/09/05		80.75	3557.96	-0.30
		01/16/06		80.92	3557.79	-0.17
		04/18/06		81.19	3557.52	-0.27
		07/12/06		81.38	3557.33	-0.19
		10/11/06		81.51	3557.20	-0.13
MW-9	3638.76	01/22/97	85	72.57	3566.19	
		05/21/97		72.89	3565.87	-0.32
		07/28/97		73.08	3565.68	-0.19
		10/15/97		73.24	3565.52	-0.16
		01/05/98		73.47	3565.29	-0.23
		04/16/98		73.70	3565.06	-0.23
		07/16/98		73.99	3564.77	-0.29
		10/25/98		74.27	3564.49	-0.28
		02/10/99		74.52	3564.24	-0.25
		04/21/99		74.74	3564.02	-0.22
		07/13/99		74.98	3563.78	-0.24
		10/21/99		75.30	3563.46	-0.32
		01/25/00		75.56	3563.20	-0.26
		04/17/00		75.90	3562.86	-0.34
		07/25/00		76.27	3562.49	-0.37
		10/16/00		76.62	3562.14	-0.35
		01/16/01		77.03	3561.73	-0.41
		04/10/01		77.34	3561.42	-0.31

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-9 (Cont.)	07/17/01	77.77	3560.99	-0.43		
	10/16/01	78.11	3560.65	-0.34		
	01/13/02	78.60	3560.16	-0.49		
	04/21/02	78.96	3559.80	-0.36		
	07/23/02	79.29	3559.47	-0.33		
	10/17/02	79.56	3559.20	-0.27		
	01/21/03	79.78	3558.98	-0.22		
	04/22/03	79.95	3558.81	-0.17		
	07/15/03	80.12	3558.64	-0.17		
	10/14/03	80.35	3558.41	-0.23		
	01/27/04	80.63	3558.13	-0.28		
	04/20/04	80.81	3557.95	-0.18		
	07/17/04	80.94	3557.82	-0.13		
	10/29/04	80.23	3558.53	0.71		
	01/15/05	79.89	3558.87	0.34		
	04/16/05	79.99	3558.77	-0.10		
	07/09/05	80.23	3558.53	-0.24		
	10/09/05	80.54	3558.22	-0.31		
	01/16/06	80.71	3558.05	-0.17		
	04/18/06	80.99	3557.77	-0.28		
	07/12/06	81.19	3557.57	-0.20		
	10/11/06	81.30	3557.46	-0.11		
MW-10	3638.86	05/27/97	130.5	73.33	3565.53	
		07/28/97		73.49	3565.37	-0.16
		10/15/97		73.61	3565.25	-0.12
		01/05/98		73.83	3565.03	-0.22
		04/16/98		74.08	3564.78	-0.25
		07/16/98		74.38	3564.48	-0.30
		10/25/98		74.64	3564.22	-0.26
		02/10/99		74.92	3563.94	-0.28
		04/21/99		75.14	3563.72	-0.22
		07/13/99		75.31	3563.55	-0.17
		10/18/99		75.65	3563.21	-0.34
		01/25/00		75.93	3562.93	-0.28
		04/17/00		76.26	3562.60	-0.33
		07/25/00		76.63	3562.23	-0.37
		10/16/00		76.97	3561.89	-0.34
		01/16/01		77.34	3561.52	-0.37
		04/10/01		77.68	3561.18	-0.34
		07/17/01		78.06	3560.80	-0.38
		10/16/01		78.42	3560.44	-0.36
		01/13/02		78.88	3559.98	-0.46
		04/21/02		79.31	3559.55	-0.43
		07/23/02		79.64	3559.22	-0.33
		10/17/02		79.93	3558.93	-0.29
		01/21/03		80.06	3558.80	-0.13
		04/22/03		80.29	3558.57	-0.23
		07/15/03		80.44	3558.42	-0.15
		10/14/03		80.70	3558.16	-0.26
		01/27/04		80.94	3557.92	-0.24
		04/20/04		81.2	3557.66	-0.26
		07/17/04		81.31	3557.55	-0.11
		10/29/04		80.66	3558.20	0.65
MW-11	3638.55	05/26/97	208	70.70	3567.85	
		07/28/97		70.89	3567.66	-0.19
		10/15/97		70.85	3567.70	0.04
		01/05/98		71.21	3567.34	-0.36
		04/16/98		71.45	3567.10	-0.24
		07/16/98		71.76	3566.79	-0.31
		10/25/98		71.95	3566.60	-0.19
		02/10/99		72.22	3566.33	-0.27
		04/21/99		72.47	3566.08	-0.25
		07/13/99		72.74	3565.81	-0.27
		10/18/99		73.03	3565.52	-0.29
		01/25/00		73.34	3565.21	-0.31
		04/17/00		73.65	3564.90	-0.31
		07/25/00		74.03	3564.52	-0.38
		10/16/00		74.44	3564.11	-0.41

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-11 (Cont.)						
	01/16/01		74.88	3563.67	-0.44	
	04/10/01		75.25	3563.30	-0.37	
	07/17/01		75.74	3562.81	-0.49	
	10/16/01		76.14	3562.41	-0.40	
	01/13/02		76.50	3562.05	-0.36	
	04/21/02		76.88	3561.67	-0.38	
	07/23/02		77.22	3561.33	-0.34	
	10/17/02		77.48	3561.07	-0.26	
	01/21/03		77.71	3560.84	-0.23	
	04/22/03		77.88	3560.67	-0.17	
	07/15/03		78.05	3560.50	-0.17	
	10/14/03		78.28	3560.27	-0.23	
	01/27/04		78.48	3560.07	-0.20	
	04/20/04		78.62	3559.93	-0.14	
	07/17/04		78.78	3559.77	-0.16	
	10/29/04		77.93	3560.62	0.85	
	01/15/05		77.54	3561.01	0.39	
	04/16/05		77.77	3560.78	-0.23	
	07/09/05		78.34	3560.21	-0.57	
	10/09/05		78.96	3559.59	-0.62	
	01/16/06		79.07	3559.48	-0.11	
	04/18/06		78.89	3559.66	0.18	
	07/12/06		78.96	3559.59	-0.07	
	10/11/06		79.08	3559.47	-0.12	
MW-12	3636.15	05/26/97	85	68.05	3568.10	
		07/28/97		68.14	3568.01	-0.09
		10/15/97		68.24	3567.91	-0.10
		01/05/98		68.52	3567.63	-0.28
		04/16/98		68.78	3567.37	-0.26
		07/16/98		69.10	3567.05	-0.32
		10/25/98		69.26	3566.89	-0.16
		02/10/99		69.53	3566.62	-0.27
		04/21/99		69.76	3566.39	-0.23
		07/13/99		69.95	3566.20	-0.19
		10/18/99		70.29	3565.86	-0.34
		01/25/00		70.57	3565.58	-0.28
		04/17/00		70.87	3565.28	-0.30
		07/25/00		71.28	3564.87	-0.41
		10/16/00		71.46	3564.69	-0.18
		01/16/01		72.00	3564.15	-0.54
		04/10/01		72.93	3563.22	-0.93
		07/17/01		72.92	3563.23	0.01
		10/16/01		73.32	3562.83	-0.40
		01/13/02		73.72	3562.43	-0.40
		04/21/02		74.08	3562.07	-0.36
		07/23/02		74.42	3561.73	-0.34
		10/17/02		74.72	3561.43	-0.30
		01/21/03		74.90	3561.25	-0.18
		04/22/03		75.14	3561.01	-0.24
		07/15/03		75.35	3560.80	-0.21
		10/14/03		75.55	3560.60	-0.20
		01/27/04		75.76	3560.39	-0.21
		04/20/04		75.93	3560.22	-0.17
		07/17/04		76.02	3560.13	-0.09
		10/29/04		75.17	3560.98	0.85
		01/15/05		74.77	3561.38	0.40
		04/16/05		75.04	3561.11	-0.27
		07/09/05		75.39	3560.76	-0.35
		10/09/05		75.69	3560.46	-0.30
		01/16/06		75.8	3560.35	-0.11
		04/18/06		76.07	3560.08	-0.27
		07/12/06		76.25	3559.90	-0.18
		10/11/06		76.28	3559.87	-0.03
MW-13	3635.39	05/21/97	84	72.31	3563.08	
		07/28/97		72.39	3563.00	-0.08
		10/15/97		72.63	3562.76	-0.24
		01/05/98		72.79	3562.60	-0.16
		04/16/98		72.93	3562.46	-0.14
		07/16/98		73.32	3562.07	-0.39
		10/25/98		73.62	3561.77	-0.30
		02/10/99		73.88	3561.51	-0.26
		04/21/99		74.11	3561.28	-0.23
		07/12/99		74.17	3561.22	-0.06
		10/20/99		73.88	3561.51	0.29
	3634.76	01/26/00		74.18	3560.58	-0.93
		04/17/00		74.43	3560.33	-0.25

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-13 (Cont.)		07/25/00		74.65	3560.11	-0.22
		10/16/00		74.95	3559.81	-0.30
		01/16/01		75.33	3559.43	-0.38
		04/10/01		75.65	3559.11	-0.32
		07/17/01		76.04	3558.72	-0.39
		10/16/01		76.42	3558.34	-0.38
		01/13/02		76.82	3557.94	-0.40
		04/21/02		77.11	3557.65	-0.29
		07/23/02		77.41	3557.35	-0.30
		10/17/02		77.72	3557.04	-0.31
		01/21/03		77.82	3556.94	-0.10
		04/22/03		78.07	3556.69	-0.25
		07/15/03		78.45	3556.31	-0.38
		10/14/03		78.74	3556.02	-0.29
		01/27/04		79.04	3555.72	-0.30
		04/20/04		78.96	3555.80	0.08
		07/17/04		79.28	3555.48	-0.32
		10/29/04		78.14	3556.62	1.14
		01/15/05		78.03	3556.73	0.11
		04/16/05		78.42	3556.34	-0.39
		07/09/05		78.75	3556.01	-0.33
		10/09/05		78.79	3555.97	-0.04
		01/16/06		79.19	3555.57	-0.40
		04/18/06		79.55	3555.21	-0.36
		07/12/06		79.79	3554.97	-0.24
		10/11/06		79.39	3555.37	0.40
MW-14	3637.19	05/21/97	85	74.86	3562.33	
		07/28/97		75.06	3562.13	-0.20
		10/15/97		75.28	3561.91	-0.22
		01/05/98		75.44	3561.75	-0.16
		04/16/98		75.61	3561.58	-0.17
		07/16/98		75.98	3561.21	-0.37
		10/25/98		76.26	3560.93	-0.28
		02/10/99		76.57	3560.62	-0.31
		04/21/99		76.81	3560.38	-0.24
		07/12/99		77.08	3560.11	-0.27
		10/20/99		77.35	3559.84	-0.27
		01/26/00		77.67	3559.52	-0.32
		04/17/00		77.94	3559.25	-0.27
		07/25/00		78.26	3558.93	-0.32
		10/16/00		78.51	3558.68	-0.25
		01/16/01		78.91	3558.28	-0.40
		04/10/01		79.24	3557.95	-0.33
		07/17/01		79.66	3557.53	-0.42
		10/16/01		80.06	3557.13	-0.40
		01/13/02		80.40	3556.79	-0.34
		04/21/02		80.78	3556.41	-0.38
		07/23/02		81.05	3556.14	-0.27
		10/17/02		81.36	3555.83	-0.31
		01/21/03		81.59	3555.60	-0.23
		04/22/03		81.77	3555.42	-0.18
		07/15/03		82.03	3555.16	-0.26
		10/14/03		82.27	3554.92	-0.24
		01/27/04		82.57	3554.62	-0.30
		04/20/04		82.77	3554.42	-0.20
		07/16/04		82.92	3554.27	-0.15
		10/29/04		82.67	3554.52	0.25
		01/15/05		82.17	3555.02	0.50
		04/16/05		82.03	3555.16	0.14
		07/09/05		82.28	3554.91	-0.25
		10/09/05		82.47	3554.72	-0.19
		01/16/06		82.77	3554.42	-0.30
		04/18/06		82.92	3554.27	-0.15
		07/12/06		83.18	3554.01	-0.26
		10/11/06		83.28	3553.91	-0.10
MW-15	3636.57	05/21/97	85	72.09	3564.48	
		07/28/97		72.28	3564.29	-0.19
		10/15/97		72.52	3564.05	-0.24
		01/05/98		72.70	3563.87	-0.18
		04/16/98		72.87	3563.70	-0.17
		07/16/98		73.24	3563.33	-0.37
		10/25/98		73.47	3563.10	-0.23
		02/10/99		73.76	3562.81	-0.29
		04/21/99		74.00	3562.57	-0.24
		07/12/99		74.27	3562.30	-0.27
		10/20/99		74.58	3561.99	-0.31

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-15 (Cont.)						
	01/26/00			74.92	3561.65	-0.34
	04/17/00			75.19	3561.38	-0.27
	07/25/00			75.50	3561.07	-0.31
	10/16/00			75.85	3560.72	-0.35
	01/16/01			76.27	3560.30	-0.42
	04/10/01			76.58	3559.99	-0.31
	07/17/01			77.01	3559.56	-0.43
	10/16/01			77.44	3559.13	-0.43
	01/13/02			77.87	3558.70	-0.43
	04/21/02			78.18	3558.39	-0.31
	07/23/02			78.53	3558.04	-0.35
	10/17/02			78.72	3557.85	-0.19
	01/21/03			79.00	3557.57	-0.28
	04/22/03			79.16	3557.41	-0.16
	07/15/03			79.36	3557.21	-0.20
	10/14/03			79.60	3556.97	-0.24
	01/27/04			79.83	3556.74	-0.23
	04/20/04			80.03	3556.54	-0.20
	07/16/04			80.14	3556.43	-0.11
	10/29/04			79.55	3557.02	0.59
	01/15/05			79.20	3557.37	0.35
	04/16/05			79.18	3557.39	0.02
	07/09/05			79.43	3557.14	-0.25
	10/09/05			79.70	3556.87	-0.27
	01/16/06			79.92	3556.65	-0.22
	04/18/06			80.12	3556.45	-0.20
	07/12/06			80.38	3556.19	-0.26
	10/11/06			80.52	3556.05	-0.14
Shell Station MW-4	3637.69	05/25/97	82.6	75.97	3561.72	
		07/28/97		76.15	3561.54	-0.18
		10/15/97		76.26	3561.43	-0.11
		01/05/98		76.52	3561.17	-0.26
		04/16/98		76.67	3561.02	-0.15
		07/16/98		78.03	3559.66	-1.36
		10/25/98		77.33	3560.36	0.70
		02/10/99		77.62	3560.07	-0.29
		04/21/99		77.48	3560.21	0.14
		07/12/99		78.08	3559.61	-0.60
		10/21/99		78.36	3559.33	-0.28
		01/26/00		78.65	3559.04	-0.29
		04/17/00		78.92	3558.77	-0.27
		07/25/00		79.18	3558.51	-0.26
		10/16/00		79.49	3558.20	-0.31
		01/16/01		79.83	3557.86	-0.34
		04/10/01		80.14	3557.55	-0.31
		07/17/01		80.53	3557.16	-0.39
		10/16/01		80.85	3556.84	-0.32
Shell Station		01/13/02		81.27	3556.42	-0.42
		04/21/02		81.61	3556.08	-0.34
		07/23/02		81.63	3556.06	-0.02
		10/17/02		81.69	3556.00	-0.06
		01/21/03		81.71	3555.98	-0.02
		04/22/03		81.77	3555.92	-0.06
		07/15/03		81.56	3556.13	0.21
		10/14/03		79.94	3557.75	1.62
		01/27/04		82.27	3555.42	-2.33

Note: Top of casing survey elevations are based on the "City of Hobbs Control Datum" and the North American Vertical Datum

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOTAL 1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,3-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-4 (Cont.)	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.017
Duplicate	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	0.015
01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.000	0.012
04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.008
07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	0.015
10/10/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	0.000	0.035
01/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.052	ND(0.001)	0.000	0.052
04/18/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.000	0.028
07/12/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	0.014
MW-5	01/23/97	0.018	0.004	ND(0.001)	0.001	0.180	0.002	0.020	0.036	0.001	0.012	0.023	0.023	0.251
Duplicate	05/23/97	0.018	0.004	ND(0.002)	0.001	0.190	0.002	0.018	0.034	0.001	0.009	0.023	0.023	0.254
07/28/97	0.051	0.023	ND(0.002)	0.007	0.241	0.004	0.072	0.051	0.002	0.058	0.081	0.029	0.389	
Duplicate	07/28/97	0.052	0.023	ND(0.005)	0.007	0.258	0.004	0.069	0.050	0.005	0.052	0.082	0.028	0.428
10/16/97	0.059	0.027	ND(0.01)	0.008	0.214	0.004	0.066	0.039	0.009	0.070	0.094	0.033	0.393	
01/06/98	0.048	0.016	ND(0.01)	0.006	0.215	0.004	0.060	0.029	0.011	0.055	0.070	0.030	0.363	
04/16/98	0.034	0.011	ND(0.005)	ND(0.01)	0.136	0.002	0.033	0.008	0.005	0.031	0.045	0.0210	0.210	
07/17/98	0.025	0.007	ND(0.002)	0.001	0.106	0.002	0.023	0.007	0.002	0.029	0.033	0.016	0.169	
Duplicate	10/27/98	ND(0.01)	ND(0.01)	ND(0.02)	0.001	0.080	ND(0.01)	0.042	0.016	ND(0.01)	0.033	0.000	0.171	
10/27/98	0.011	0.002	ND(0.002)	ND(0.004)	0.053	ND(0.002)	0.011	0.002	ND(0.002)	0.011	0.013	0.077	0.077	
10/20/99	0.027	0.009	ND(0.0025)	ND(0.005)	0.113	ND(0.0025)	0.022	ND(0.0025)	ND(0.0025)	0.005	0.036	0.140	0.036	
10/16/00	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.011	0.002	
06/01/01	0.006	0.001	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.039	0.039	
10/17/02	0.017	0.003	ND(0.001)	ND(0.001)	0.074	0.001	0.020	0.016	ND(0.001)	ND(0.001)	0.010	0.020	0.128	
10/14/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.071	0.002	0.010	0.002	ND(0.001)	ND(0.001)	0.005	0.028	0.118	
10/30/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.006	0.004	ND(0.001)	ND(0.001)	0.004	0.021	0.090	
10/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.049
07/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.013
10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.008
MW-6	01/23/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.041	0.001	0.004	0.004	ND(0.001)	0.003	0.001	0.001	0.053
05/22/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.085	0.002	0.034	0.017	0.002	0.023	0.004	0.004	0.163	
07/28/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.081	0.002	0.027	0.008	0.002	0.021	0.003	0.003	0.141	
10/16/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.082	0.002	0.025	0.006	0.002	0.019	0.003	0.003	0.136	
01/16/98	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.113	0.003	0.038	0.012	0.002	0.024	0.003	0.003	0.192	
04/16/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.088	0.003	0.027	0.008	0.002	0.017	0.002	0.002	0.145	
07/17/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.091	0.004	0.051	0.022	0.002	0.032	0.002	0.002	0.202	
10/26/98	0.011	ND(0.01)	ND(0.02)	ND(0.005)	0.085	ND(0.01)	0.011	ND(0.01)	ND(0.01)	ND(0.01)	0.011	0.013	0.077	
02/10/99	0.003	ND(0.025)	ND(0.025)	ND(0.005)	0.113	0.005	0.056	0.016	0.003	0.039	0.003	0.003	0.232	
04/21/99	0.003	ND(0.025)	ND(0.025)	ND(0.005)	0.133	0.006	0.061	0.023	0.003	0.047	0.003	0.003	0.273	
07/13/99	0.003	ND(0.025)	ND(0.025)	ND(0.005)	0.108	0.004	0.068	0.021	0.003	0.062	0.003	0.003	0.263	
10/20/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.046	ND(0.0025)	0.002	0.205	
01/16/00	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	0.066	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.032	ND(0.0025)	0.002	0.208	
04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.093	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	0.002	0.140	
07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.057	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	0.033	0.000	0.160
10/16/00	0.002	ND(0.001)	ND(0.002)	ND(0.002)	0.024	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.004	0.090	
Duplicate	10/16/00	0.002	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.061	0.005	0.035	0.004	0.013	ND(0.001)	0.004	0.090	
01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.063	ND(0.0025)	0.039	ND(0.0025)	ND(0.0025)	0.036	ND(0.0025)	0.000	0.145	
01/13/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.060	ND(0.0025)	0.030	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	0.000	0.146	
04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.001	0.144	
07/23/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.034	ND(0.001)	0.002	0.143	
10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.056	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.001	0.119	
01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.005	0.093	
04/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.077	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.007	0.153	

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	ETHYL BENZENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1,1-TCA (mg/L)	TOTAL 1,2-DCE (mg/L)	TCE (mg/L)	FCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-6 (Cont.)	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.021	0.002	0.006	ND(0.001)	0.029	ND(0.001)	0.000
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	0.053	0.004	0.003	0.006	ND(0.001)	0.032	ND(0.001)	0.000
	01/27/04	0.001	ND(0.001)	ND(0.001)	0.058	0.021	0.007	0.003	ND(0.001)	0.028	ND(0.001)	0.001
04/20/04	0.001	ND(0.001)	ND(0.001)	0.058	0.002	0.014	0.006	0.002	0.015	ND(0.001)	0.001	0.098
Duplicate	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	0.074	0.003	0.015	0.006	0.002	0.015	ND(0.001)	0.000
	07/17/04	0.001	ND(0.001)	ND(0.001)	0.076	0.003	0.017	0.008	0.001	0.013	ND(0.001)	0.001
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.002	0.008	0.001	0.002	ND(0.001)	0.014	ND(0.001)	0.000
01/17/05	ND(0.001)	ND(0.001)	ND(0.001)	0.048	0.002	0.009	0.003	0.002	0.002	ND(0.001)	0.000	0.082
Duplicate	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.001	0.005	ND(0.001)	0.001	0.009	ND(0.001)	0.000
	01/17/05	ND(0.001)	ND(0.001)	ND(0.001)	0.050	0.001	0.010	0.004	ND(0.001)	0.013	ND(0.001)	0.000
Duplicate	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	0.046	0.001	0.008	0.003	ND(0.001)	0.014	ND(0.001)	0.000
	04/19/06	ND(0.001)	ND(0.001)	ND(0.001)	0.040	0.001	0.007	0.003	ND(0.001)	0.002	ND(0.001)	0.012
Duplicate	07/21/06	ND(0.001)	ND(0.001)	ND(0.001)	0.056	0.001	0.009	0.005	ND(0.001)	0.004	ND(0.001)	0.000
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
MW-7	0.001	ND(0.001)	ND(0.001)	0.001	0.047	0.001	0.009	ND(0.001)	0.004	0.014	ND(0.001)	0.002
	05/22/97	0.003	ND(0.002)	ND(0.004)	0.087	0.002	0.056	0.002	0.014	0.116	ND(0.001)	0.003
	07/28/97	0.004	ND(0.002)	ND(0.004)	0.073	0.002	0.061	ND(0.002)	0.021	0.110	ND(0.001)	0.004
	10/16/97	0.003	ND(0.005)	ND(0.01)	0.065	ND(0.005)	0.050	ND(0.005)	ND(0.005)	0.018	ND(0.001)	0.003
	01/06/98	0.003	ND(0.005)	ND(0.01)	0.076	ND(0.005)	0.054	ND(0.005)	ND(0.005)	0.018	ND(0.001)	0.000
	04/16/98	0.003	ND(0.005)	ND(0.01)	0.055	ND(0.005)	0.035	ND(0.005)	ND(0.005)	0.020	ND(0.001)	0.000
	07/17/98	0.003	ND(0.005)	ND(0.01)	0.065	ND(0.005)	0.038	ND(0.005)	ND(0.005)	0.024	ND(0.001)	0.003
	10/26/98	ND(0.005)	ND(0.005)	ND(0.01)	0.047	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.019	ND(0.001)	0.000
	02/01/99	0.002	ND(0.001)	ND(0.002)	0.050	ND(0.001)	0.032	ND(0.002)	ND(0.002)	0.014	ND(0.001)	0.002
	04/21/99	ND(0.001)	ND(0.001)	ND(0.002)	0.047	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000
	07/13/99	ND(0.001)	ND(0.001)	ND(0.002)	0.034	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.000
	10/20/99	ND(0.001)	ND(0.002)	ND(0.002)	0.046	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002
	01/25/00	ND(0.0025)	ND(0.0025)	ND(0.005)	0.025	ND(0.0025)	0.020	ND(0.0025)	ND(0.0025)	0.003	ND(0.001)	0.000
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.005)	0.022	ND(0.0025)	0.020	ND(0.0025)	ND(0.0025)	0.003	ND(0.001)	0.000
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.005)	0.030	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.003	ND(0.001)	0.000
	10/16/00	ND(0.0025)	ND(0.0025)	ND(0.005)	0.036	ND(0.0025)	0.030	ND(0.0025)	ND(0.0025)	0.003	ND(0.001)	0.000
	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.005)	0.030	ND(0.0025)	0.021	ND(0.0025)	ND(0.0025)	0.003	ND(0.001)	0.000
	04/19/01	ND(0.0025)	ND(0.0025)	ND(0.005)	0.035	ND(0.0025)	0.020	ND(0.0025)	ND(0.0025)	0.004	ND(0.001)	0.000
	07/17/01	ND(0.005)	ND(0.005)	ND(0.0075)	0.046	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.005	ND(0.001)	0.000
	10/16/01	ND(0.0025)	ND(0.0025)	ND(0.005)	0.047	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	0.006	ND(0.001)	0.000
	01/13/02	ND(0.0025)	ND(0.0025)	ND(0.005)	0.036	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.004	ND(0.001)	0.000
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000
	07/21/02	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000
	04/22/04	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	10/09/05	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,2-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)	
MW-8	01/23/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.068	0.005	0.280	0.460	ND(0.01)	0.810	0.000	0.000	1.623		
	05/23/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.082	ND(0.01)	1.360	0.805	ND(0.01)	4.150	0.000	0.000	6.397		
	06/25/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.077	ND(0.02)	0.975	0.774	ND(0.02)	3.900	0.000	0.000	5.26		
	07/28/97	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	ND(0.1)	ND(0.1)	1.120	0.798	ND(0.1)	4.320	0.000	0.000	6.438		
	10/16/97	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	0.858	0.596	ND(0.2)	4.570	0.000	0.000	6.024		
	01/06/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.230	0.798	ND(0.2)	4.850	0.000	0.000	6.678		
	04/16/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.050	0.658	ND(0.2)	4.820	0.000	0.000	6.328		
	07/17/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.200	0.740	ND(0.2)	5.980	0.000	0.000	7.030		
	10/27/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	0.060	ND(0.2)	0.780	0.522	ND(0.2)	4.160	0.000	0.000	5.522		
	02/10/99	ND(0.025)	ND(0.025)	ND(0.050)	ND(0.025)	0.083	ND(0.025)	0.936	0.569	ND(0.025)	3.970	0.000	0.000	5.458		
	04/21/99	ND(0.025)	ND(0.025)	ND(0.050)	ND(0.025)	0.080	ND(0.025)	0.808	0.600	ND(0.025)	3.900	0.000	0.000	5.388		
	07/13/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.058	ND(0.025)	0.634	0.341	ND(0.025)	2.870	0.000	0.000	4.003		
	10/21/99	ND(0.025)	ND(0.025)	ND(0.050)	ND(0.025)	0.081	ND(0.025)	0.857	0.447	ND(0.025)	3.610	0.000	0.000	4.995		
	01/25/00	ND(0.025)	ND(0.025)	ND(0.050)	ND(0.025)	0.076	ND(0.025)	0.687	0.349	ND(0.025)	3.190	0.000	0.000	4.302		
	04/18/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.053	ND(0.01)	0.412	0.219	ND(0.01)	2.220	0.000	0.000	3.104		
	07/25/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.03)	ND(0.01)	ND(0.01)	0.422	0.238	ND(0.01)	2.140	0.000	0.000	2.800		
STL Duplicate	07/25/00	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	ND(0.1)	ND(0.1)	0.700	0.300	ND(0.1)	2.500	0.000	0.000	3.500		
	10/16/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.085	ND(0.01)	0.546	ND(0.01)	ND(0.01)	2.780	ND(0.01)	0.000	ND(0.01)	6.728	
	01/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.094	ND(0.01)	0.512	ND(0.01)	ND(0.01)	3.340	ND(0.01)	0.000	ND(0.01)	4.299	
	04/10/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.083	ND(0.01)	0.401	ND(0.01)	ND(0.01)	6.150	ND(0.01)	0.000	ND(0.01)	6.892	
	07/17/01	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.02)	0.076	ND(0.02)	0.350	ND(0.02)	ND(0.02)	2.900	ND(0.02)	0.000	ND(0.02)	3.266	
	10/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.048	ND(0.01)	0.17	ND(0.01)	ND(0.01)	1.700	ND(0.01)	0.000	ND(0.01)	2.085	
Duplicate	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.017	ND(0.01)	ND(0.01)	1.20	ND(0.01)	0.003	ND(0.01)	2.195	
	01/13/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.001)	0.011	ND(0.001)	ND(0.005)	0.060	ND(0.005)	0.000	ND(0.005)	1.190	
	04/21/02	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.032	ND(0.002)	0.013	ND(0.001)	ND(0.002)	0.059	ND(0.002)	0.000	ND(0.002)	0.634	
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	ND(0.001)	0.198	
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	ND(0.001)	0.183	
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	ND(0.001)	0.059	
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	0.037	
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.002)	0.000	ND(0.002)	0.039	
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	ND(0.001)	0.044	
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)	0.034	
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	ND(0.001)	0.023	
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	ND(0.001)	0.016	
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	ND(0.001)	0.019	
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	ND(0.001)	0.020	
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)	0.022	
Duplicate	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	ND(0.001)	0.022	
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000	ND(0.001)	0.016	
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	ND(0.001)	0.010	
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	ND(0.001)	0.007	
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	ND(0.001)	0.006	
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	ND(0.001)	0.002	
MW-9	01/23/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.02)	0.011	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.000	ND(0.001)	0.209	
	05/23/97	ND(0.01)	ND(0.02)	ND(0.02)	ND(0.04)	0.026	ND(0.01)	0.322	ND(0.01)	ND(0.02)	1.550	ND(0.01)	0.000	ND(0.01)	2.045	
	06/25/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.033	ND(0.02)	0.326	ND(0.02)	ND(0.02)	1.130	ND(0.02)	0.000	ND(0.02)	1.489	
	07/28/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.021	ND(0.02)	0.278	ND(0.02)	ND(0.02)	1.020	ND(0.02)	0.000	ND(0.02)	1.440	
	10/16/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.019	ND(0.02)	0.278	ND(0.02)	ND(0.02)	1.04	ND(0.02)	0.000	ND(0.02)	1.561	
Duplicate	10/16/97	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	0.033	ND(0.1)	0.502	ND(0.1)	ND(0.1)	1.41	ND(0.1)	0.000	ND(0.1)	1.645	
	01/06/98	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.1)	0.029	ND(0.05)	0.444	ND(0.05)	ND(0.05)	1.74	ND(0.05)	0.000	ND(0.05)	2.059	
	04/16/98	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	0.042	ND(0.1)	0.690	ND(0.1)	ND(0.1)	2.42	ND(0.1)	0.000	ND(0.1)	1.907	
	07/17/98	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	0.030	ND(0.1)	0.507	ND(0.1)	ND(0.1)	1.770	ND(0.1)	0.000	ND(0.1)	2.744	
	10/27/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.031	ND(0.01)	0.487	ND(0.01)	ND(0.01)	1.740	ND(0.01)	0.000	ND(0.01)	2.470	
	02/10/99	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.028	ND(0.01)	0.368	ND(0.01)	ND(0.01)	1.40	ND(0.01)	0.000	ND(0.01)	2.077	
	04/21/99	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.021	ND(0.01)	0.353	ND(0.01)	ND(0.01)	1.320	ND(0.01)	0.000	ND(0.01)	1.875	
	07/13/99	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.018	ND(0.01)	0.261	ND(0.01)	ND(0.01)	1.10	ND(0.01)	0.000	ND(0.01)	1.584	
	10/21/99	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.018	ND(0.01)	0.261	ND(0.01)	ND(0.01)	1.090	ND(0.01)	0.000	ND(0.01)	1.454	

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLEMES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)	
MW-9 (Cont.)	01/25/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.013	ND(0.01)	0.145	0.048	ND(0.01)	0.556	0.000	0.000	0.762		
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.005	ND(0.0025)	0.046	0.015	ND(0.0025)	0.235	0.000	0.000	0.302		
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	ND(0.0025)	0.012	0.007	ND(0.001)	0.228	ND(0.001)	0.027	ND(0.001)	0.346	
	10/16/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.028	ND(0.001)	0.001	ND(0.001)	0.036	
Duplicate	10/16/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.026	
	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.022	ND(0.001)	0.028	
	04/10/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	0.017	ND(0.001)	0.022	
	07/17/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	ND(0.002)	0.000	ND(0.002)	0.009	
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000	ND(0.001)	0.014
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	0.000	ND(0.001)
	01/13/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.000	ND(0.001)
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.000	ND(0.001)
Duplicate	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	ND(0.001)
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	ND(0.001)
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
Duplicate	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	0.016	ND(0.001)	0.000	ND(0.001)
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	ND(0.001)
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	0.000	ND(0.001)
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	10/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	0.000	ND(0.001)
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	ND(0.001)
	10/10/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	ND(0.001)
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.000	ND(0.001)
	04/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
MW-10	05/26/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.004	ND(0.002)	0.007	ND(0.002)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038
Duplicate	05/26/97	0.007	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.008	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.037
	07/28/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.009	ND(0.002)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028
	10/16/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	0.002	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010
	01/06/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.002)	ND(0.002)	0.002	ND(0.002)	0.002	ND(0.002)	0.008	ND(0.002)	0.001	ND(0.002)
	04/16/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.004	ND(0.002)	0.002	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010
	07/17/98	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	ND(0.001)
	10/26/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	10/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	ND(0.001)
MW-11	05/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003
	07/28/97	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.006	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010
	10/16/97	0.002	ND(0.002)	ND(0.002)	ND(0.001)	0.003	ND(0.002)	0.003	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006
	01/06/98	0.002	ND(0.002)	ND(0.001)	ND(0.001)	0.002	ND(0.002)	0.002	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005
	04/16/98	0.002	ND(0.002)	ND(0.001)	ND(0.001)	0.001	ND(0.002)	0.001	ND(0.002)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004
	07/17/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.004	ND(0.002)	0.008	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003
	10/26/98	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002
	10/18/99	0.001	ND(0.001)	ND(0.001)	ND(0.010)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000
Duplicate	10/16/00	0.001	ND(0.001)	ND(0.002)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	Ethyl-BENZENE (mg/L)	BENZENE (mg/L)	Toluene (mg/L)	Xylenes (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1,1-TCA (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)	
MW-15 (Cont.)	10/16/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
Duplicate	01/05/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
Duplicate	04/19/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	07/11/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	10/25/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	02/10/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.005)	ND(0.005)	<0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	
	02/10/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	04/21/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	
	04/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	07/12/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	
	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	04/18/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000	
	07/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.003)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	10/16/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	
	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	04/10/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	
	07/17/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000	
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	04/10/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	04/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	
	07/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	01/20/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.002	
	04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.004)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.002	
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002	
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
SO4	05/25/97	ND(0.01)	0.469	0.470	1.936	0.021	ND(0.01)	0.024	ND(0.01)	0.024	ND(0.01)	0.005	ND(0.01)	ND(0.01)	2.875	0.050
	07/28/97	ND(0.02)	0.411	0.138	0.905	0.020	ND(0.02)	0.020	ND(0.02)	0.022	ND(0.02)	0.004	ND(0.02)	ND(0.02)	1.454	0.040
	10/16/97	ND(0.02)	0.322	0.039	0.713	0.018	ND(0.02)	0.018	ND(0.02)	0.022	ND(0.02)	0.005	ND(0.02)	ND(0.02)	1.074	0.040
	01/05/95	0.002	0.042	0.007	0.019	0.051	ND(0.002)	0.075	ND(0.002)	0.087	ND(0.002)	0.014	ND(0.002)	ND(0.002)	0.064	0.144
	04/16/98	0.002	0.008	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.038	ND(0.005)	0.075	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.005	0.156
	07/17/98	ND(0.005)	0.016	ND(0.005)	ND(0.004)	0.030	ND(0.005)	0.010	ND(0.002)	0.024	ND(0.002)	0.013	ND(0.005)	ND(0.005)	0.005	0.133
	10/26/98	ND(0.002)	0.003	ND(0.002)	ND(0.004)	0.025	ND(0.002)	0.057	ND(0.002)	0.089	ND(0.002)	0.008	ND(0.002)	ND(0.002)	0.002	0.041
	02/10/99	0.001	0.013	ND(0.001)	ND(0.002)	0.025	ND(0.001)	0.025	ND(0.001)	0.079	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.014	0.125
	04/21/99	0.006	0.006	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.025	ND(0.001)	0.089	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.006	0.146
	07/12/99	ND(0.005)	0.003	ND(0.0025)	ND(0.0025)	0.021	ND(0.0025)	0.021	ND(0.0025)	0.096	ND(0.0025)	0.021	ND(0.0025)	ND(0.0025)	0.003	0.116
	10/16/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.020	ND(0.0025)	0.020	ND(0.0025)	0.073	ND(0.0025)	0.012	ND(0.0025)	ND(0.0025)	0.000	0.115
	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.085	ND(0.0025)	0.077	ND(0.0025)	0.102	ND(0.0025)	0.014	ND(0.0025)	ND(0.0025)	0.000	0.124
	04/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.083	ND(0.0025)	0.074	ND(0.0025)	0.077	ND(0.0025)	0.015	ND(0.0025)	ND(0.0025)	0.000	0.124
S11 Duplicate	10/16/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000
	01/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000
	04/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-OCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1-TCA (mg/L)	PCE (mg/L)	TCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
*S04 (Cont.)	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.076
	10/16/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.086	ND(0.0025)	0.055	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.134
01/13/02	0.003	0.007	ND(0.0025)	ND(0.0025)	0.055	ND(0.0025)	0.040	0.010	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.010	0.105
04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.018	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.052
07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.015	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.041
10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.005	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.014
01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.002
04/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/14/03	ND(0.0025)	0.003	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.000

Notes:

Only commonly detected compounds are listed. Other compounds that have been detected infrequently are included in the laboratory reports.

ND = Not Detected at detection limit shown in parentheses.

Italicized value - is below the method detection limit.

< - analysis detected above the method detection limit but table is reported only to 1 part per billion

*SO4 = Shell Service Station monitoring well MW-4

1,1-DCA - 1,1-Dichloroethane

1,2-DCA - 1,2-Dichloroethane

1,1-DCE - 1,1-Dichloroethene

PCE - Tetrachloroethane

TCA - 1,1,1-Trichloroethane

TCE - Trichloroethene

STL - Duplicate samples sent to STL, Corpus Christi, Texas

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.
FORMER LAGOON

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.											
FORMER LAGOON											
Sample I.D.	Date Sampled	Date	Sample Location	Benzene (mg/m ³)	Toluene (mg/m ³)	Ethyl-Xylene (mg/m ³)	1,1-DCE (mg/m ³)	Chloromethane (mg/m ³)	1,1,1-TCA (mg/m ³)	Vinyl Chloride (mg/m ³)	Total Halocarbons (mg/m ³)
007-AREA 1	11/02/94	Pilot	ND(0.1)	1	0.35	29.80	0.487	20.7	36.5	425.8	680.73
Unit 1 (7/95) Input	07/13/95	Input	28	256	30.6	111.2	46.2	48.3	ND(0.2)	1.23	135
Unit 1 (7/95) Exhaust	08/03	Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.83	0
Unit 1 (8/95) Input	08/12/95	Input	18.3	46.4	20	51.4	23.9	35.2	ND(0.2)	1.3	19
Unit 1 (8/95) Exhaust	19	Exhaust	ND(0.2)	ND(0.2)	5	ND(0.2)	12.8	ND(0.2)	35.7	ND(0.2)	1.9
Unit 1 Input 9/95-1	09/07/95	Input	19.1	118.3	16.6	91.2	56.7	34.8	ND(0.2)	2.73	111.8
Unit 1 Output 9/95-1	6.5	Exhaust	2.9	0.6	3.4	ND(0.2)	ND(0.2)	6.8	ND(0.2)	6	134.2
Unit 1 Output 9/95-2	1.3	Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	1.3	0
Unit 1 Int.	11/29/95	Before Cat	1.01	ND(0.43)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0
Unit 1 Output	After Cat	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0
93007-WATPDINP	04/11/96	Input	114	19.1	81.5	9.7	11.4	ND(0.2)	116	ND(0.2)	257.1
93007-WATPDINPExh 4/96	05/13/97	Exhaust	1	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	5.8
93007-WPINPUT-7/96	07/23/96	Input	2.8	49.5	2.6	11.2	6.9	6.1	ND(0.5)	0.4	17.9
93007-WPEXHST-7/96	07/24/96	Exhaust	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	95.9
WP-INPUT-10/96	04/21/99	Input	2.07	44	12.1	77.1	4.9	ND(0.2)	2.4	ND(0.3)	0
WP-OUTPUT-10/96	05/13/97	Exhaust	1.02	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	15.3
93-007-WP-IMP-5/97	10/14/97	Input	5.7	95.5	19.7	109.4	9.1	10.2	ND(0.2)	2.97	ND(0.2)
93007-WF-10/97	01/06/98	Input	10.6	90.2	26.4	150.4	5.4	9.05	ND(5.0)	74.1	ND(5.0)
93007-WF-10/98	01/06/98	Input	6.92	58	19.2	103.3	4.86	8.54	ND(5.0)	125	ND(5.0)
93007-WF-4/98	04/28/98	Input	10.9	73.6	20.7	114.6	7.2	12.6	ND(5.0)	125	ND(5.0)
93007-WF-7/98	07/16/98	Input	8.40J	66.5	19.5	116.3	ND(0.10)	ND(0.10)	ND(0.2)	228	ND(5.0)
93007-WF-10/98	10/28/98	Input	6.38	62.8	18	80.1	ND(2.5)	4.35	ND(2.5)	175	ND(10)
93007-WF-11/98	11/12/98	Input	7.0J	80.9	34.6	249	ND(10.0)	ND(10.0)	ND(10.0)	78.1	ND(2.5)
93007-WF-2/99	02/10/99	Input	4.35	68.8	42.8	270	ND(2.5)	ND(2.5)	ND(2.5)	72.7	ND(10)
93007-WF-4/99	04/21/99	Input	2.2J	39.2	19.2	114.3	ND(2.5)	ND(2.5)	ND(2.5)	43.9	ND(2.5)
93007-WF-7/99	07/12/99	Input	ND(2.5)	33.1	14.8	88.2	ND(2.5)	ND(2.5)	ND(2.5)	228	ND(5.0)
93007-WF-10/99	10/21/99	Input	ND(2.5)	22.9	11.7	67.3	ND(2.5)	ND(2.5)	ND(2.5)	175	ND(10)
93007-WP-1/00	01/25/00	Input	ND(2.5)	20.3	10.2	61.1	ND(2.5)	ND(2.5)	ND(2.5)	78.1	ND(10)
93007-WP-4/00	04/17/00	Input	ND(5.0)	14.1	7.45	41.1	ND(5.0)	ND(5.0)	ND(5.0)	125	ND(10)
93007-WP-7/00	07/25/00	Input	ND(2.5)	8.2	3.75	22.7	ND(2.5)	ND(2.5)	ND(2.5)	228	ND(5.0)
93007-WP-10/00	10/16/01	Input	ND(2.5)	9.3	5.75	67.3	ND(2.5)	ND(2.5)	ND(2.5)	14.5	ND(10)
93007-WP-1/01	01/16/01	Input	ND(1.0)	8.08	5.94	36.7	ND(1.0)	ND(1.0)	ND(1.0)	9.35	ND(2.5)
93007-WP-4/01	04/10/01	Input	ND(5.0)	63.5	51.1	27.8	ND(5.0)	ND(5.0)	ND(5.0)	6.9	ND(2.5)
93007-WP-7/01	07/17/01	Input	ND(2.0)	2.9	2.8	15.5	ND(2.0)	ND(2.0)	ND(2.0)	5	ND(5.0)
93007-WP-10/01	10/16/01	Input	ND(5.0)	ND(5.0)	7.6	ND(5.0)	ND(5.0)	ND(5.0)	3.25	ND(2.5)	87.3
93007-WP-01/02	01/14/02	Input	ND(1.5)	1.5	1.8	ND(1.5)	ND(1.5)	ND(1.5)	ND(2.5)	ND(2.5)	385.95
93007-WP-04/02	04/22/02	Input	ND(1.2)	1.3	1.9	9.8	ND(1.2)	ND(1.2)	ND(1.2)	172.7	ND(5.0)
93007-WP-07/02	07/23/02	Input	ND(1.0)	ND(1.0)	1.9	11.5	ND(1.0)	ND(1.0)	ND(1.0)	2.36	ND(1.0)
93007-WP-10/02	10/17/02	Input	ND(1.0)	ND(1.0)	6.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(2.0)	56.2
93007-WP-01/03	01/21/03	Input	ND(1.0)	1.5	9.2	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	31.2
93007-WP-04/03	04/22/03	Input	ND(1.0)	1.4	9.2	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	131.2
93007-WP-07/03	07/15/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	364.8
93007-WP-10/03	10/14/04	Input	ND(1.0)	ND(1.0)	1.2	8.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)
93007-WP-01/04	01/27/04	Input	ND(1.0)	1.1	8	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	280
93007-WP-4/04	04/20/04	Input	ND(1.0)	1	8.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	159.7
93007-WP-7/04	07/19/04	Input	ND(1.0)	ND(1.0)	4.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	220.45
93007-WP-10/04	11/01/04	Input	ND(1.0)	ND(1.0)	6.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	132.95
93007-WP-1/05	01/17/05	Input	ND(1.0)	ND(1.0)	9	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	44.25
93007-WP-4/05	04/18/05	Input	ND(1.0)	ND(1.0)	3.3	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	41.5
93007-WP-7/05	07/11/05	Input	ND(1.0)	ND(1.0)	3.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	193.7
93007-WP-10/05	10/10/05	Input	ND(1.0)	ND(1.0)	3.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	134.2
93007-WP-1/06	01/17/06	Input	ND(1.0)	ND(1.0)	1.0	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	134.2
93007-WP-4/06	04/19/06	Input	ND(1.0)	ND(1.0)	2.1	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	134.2
93007-WP-7/06	07/12/06	Input	ND(1.0)	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	134.2
93007-WP-10/06	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.5)	ND(2.5)	134.2

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico
ACID PLANT

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m ³)	Toluene (mg/m ³)	Ethyl-Benzene (mg/m ³)	Xylene (mg/m ³)	1,1-DCE (mg/m ³)	Chloromethane (mg/m ³)	1,1,1-TCA (mg/m ³)	Vinyl Chloride (mg/m ³)	TCE (mg/m ³)	PCE (mg/m ³)	Input BTEX (mg/m ³)	Output BTEX (mg/m ³)	Input Halocarbons (mg/m ³)	Output Halocarbons (mg/m ³)
007-AREA 2	11/02/94	Pilot	4.5	23.2	11.4	4.4	12.2		88.5		30.5					
Unit 2 (7/95) Input	07/13/95	Input	3.13	27.2	12.9	46.18	1.52	1.53	ND(0.2)	3.39	ND(0.2)	ND(0.2)	6.91	89.4	13.35	
Unit 2 (7/95) Exhaust		Exhaust	ND(0.2)	0.26	ND(0.2)	1.5	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0
Unit 2 (8/95) Input	08/12/95	Input	1.42	24.8	10.4	48.5	5.1	1.6	ND(0.2)	7	ND(0.2)	ND(0.2)	8.9	85.12	22.6	
Unit 2 (8/95) Exhaust		Exhaust	ND(0.2)	0.5	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0
Unit 2 Output 9/95	09/07/95	Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0
93007-ACDKNPT-4/96	04/11/96	Input	0.7	17.7	5.6	30.3	1.9	0.6	ND(0.2)	5.5	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
93007-ACDKErn.4/96		Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0
93007-ADINPUT-7/96	07/23/96	Input	ND(0.3)	1	ND(0.3)	1.1	0.8	ND(0.3)	ND(0.5)	0.9	ND(0.5)	ND(0.3)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)
93007ADEXH-ST-7/96		Exhaust	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.3)	ND(0.5)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	0
AD-INPUT-10/96	10/24/96	Input	0.61	4.51	0.88	5.62	1.69	0.55	ND(0.2)	1.48	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
AD-OUTPUT-10/96		Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	ND(0.2)	0.477	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
93007-AD-INP-1/97	01/12/97	Input	ND(1.0)	5.67	ND(1.0)	2.38	ND(1.0)	ND(1.0)	ND(1.0)	1.34	ND(1.0)	ND(1.0)	ND(1.0)	8.86	8.05	10.2
93007-AD-EXH-1/97		Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93-007-AD-INP-5/97	05/13/97	Input	ND(1.0)	4.06	ND(1.0)	3.88	2.19	ND(1.0)	ND(1.0)	2.09	ND(1.0)	ND(1.0)	ND(1.0)	10.3	2.1	3.3
93007-AD-10/97	10/14/97	Input	ND(1.0)	1.31	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-1/98	01/06/98	Input	ND(1.0)	6.4	2.46	16.36	ND(1.0)	ND(1.0)	ND(1.0)	3.98	ND(1.0)	ND(1.0)	ND(1.0)	1.74	1.74	0.477
93007-AD-4/98	04/28/98	Input	ND(1.0)	ND(1.0)	ND(1.0)	0.75J	ND(1.0)	ND(1.0)	ND(1.0)	0.56J	ND(1.0)	ND(1.0)	ND(1.0)	1.4	0	1.4
93007-AD-7/98	07/16/98	Input	ND(1.0)	2.08	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.68J	ND(1.0)	ND(1.0)	ND(1.0)	2.26	2.08	2.26
93007-AD-11/98	11/12/98	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-2/99	02/10/99	Input	ND(0.5)	2.38	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
93007-AD-4/99	04/21/99	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-7/99	07/12/99	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
93007-AD-10/99	10/21/99	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
93007-AD-1/00	01/25/00	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
93007-AD-4/00	04/17/00	Input	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
93007-AD-7/00	07/25/00	Input	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)
93007-AD-10/00	10/16/00	Input	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
93007-AD-1/01	01/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-4/01	04/10/01	Input	ND(5.0)	ND(6.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)
93007-AD-7/01	04/17/01	Input	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)
93007-AD-10/01	10/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-01/02	01/14/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-04/02	04/22/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-07/02	07/23/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-01/03	01/21/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-10/03	10/14/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-01/04	01/27/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-4/04	04/20/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-10/04	11/01/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-10/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-10/06	01/17/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-7/16	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
93007-AD-10/16	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)

Sample damaged during shipment.

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

FORMER UST																
Sample I.D.	Date Sampled	Location	Benzene (mg/m ³)	Toluene (mg/m ³)	Ethylbenzene (mg/m ³)	Total Xylene (mg/m ³)	1,1-DCE (mg/m ³)	Chloromethane (mg/m ³)	1,1,1-TCA (mg/m ³)	Vinyl Chloride (mg/m ³)	PCE (mg/m ³)	Input BTEX (mg/m ³)	Output BTEX (mg/m ³)	Input Halocarbons (mg/m ³)	Output Halocarbons (mg/m ³)	
007-AREA 3	11/02/94	Pilot Input	1.2	5.7	5.5	6.64	281	10.9	ND(0.1)	ND(0.1)	215	ND(0.2)	2.68	870	15.84	
Unit 3 (7/95) Input	7/13/95	Exhaust	2.89	1.41	0.72	7.88	0.27	ND(0.2)	17.2	ND(0.2)	0.87	ND(0.2)	2.76	12.9	21.1	
Unit 3 (7/95) Exhaust	8/12/95	Input	0.4	1.9	4.9	5.06	15.6	ND(0.2)	579	ND(0.2)	2.1	636	8.1	1738	7	
Unit 3 (8/95) Input	8/12/95	Exhaust	4.9	ND(0.2)	ND(0.2)	ND(0.2)	48	ND(0.2)	35	0.8	21.5	4.9	108.1			
Unit 3 (8/95) Exhaust	8/12/95	Input	ND(0.2)	ND(0.2)	ND(0.2)	593.4	13.3	ND(0.2)	492	ND(0.2)	2	444.4	0	1545.1		
Unit 3 Input 9/95-1	09/07/95	Exhaust	1.1	0.5	ND(0.2)	ND(0.2)	56.2	ND(0.2)	31.9	ND(0.2)	0.9	81.4	1.6	170.4		
Unit 3 Output 9/95-1	09/07/95	Exhaust	1.1	0.5	ND(0.2)	ND(0.2)	ND(0.2)	13	ND(0.2)	35.6	ND(0.2)	9.7	1.01	58.3		
Unit 3 Int	11/29/95	Before Cat	1.01	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	13	ND(0.2)	10.5	ND(0.2)	14.5	1.01	41.21		
Unit 3 Output	04/11/96	After Cat	1.01	ND(0.2)	0.9	ND(0.2)	3.21	ND(0.2)	ND(0.2)	254	ND(0.2)	1	611	4.8	965.4	
93007-TKSpExh 4/96	07/23/96	Input	ND(0.2)	ND(0.2)	0.9	ND(0.2)	10.1	ND(0.2)	6.8	ND(0.2)	0.4	8.5	0.6	26.7		
93007-TSExh 4/96	07/23/96	Input	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	47.1	4.8	ND(0.5)	ND(0.3)	0.5	46.2	0	98.6		
93007-TSEXh 4/96	07/23/96	Exhaust	0.4	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	6.6	ND(0.3)	2.2	ND(0.3)	2.8	0.4	12.9		
UST-INPUT-10/96	10/24/96	Input	0.35	0.35	0.24	1.01	57.6	4.37	ND(0.2)	97.7	ND(0.2)	179	1.95	338.67		
UST-OUTPUT-10/96	10/24/96	Exhaust	4.83	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	4.66	ND(0.2)	2.59	ND(0.2)	1.62	4.83	8.87		
93007-UST-1NP-1997	1/21/1997	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	30	2.8	ND(1.0)	63.3	ND(1.0)	0.58J	205	0	301.1	
93007-UST-EXH-1/97	1/21/1997	Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	6.19	0	8.69	
93-007-UST-1NP-5/97	05/13/97	Input	ND(25.0)	ND(25.0)	ND(25.0)	ND(25.0)	ND(25.0)	21.3J	ND(25.0)	41.8	ND(25.0)	155	0	196.8		
93007-UST-1/98	01/06/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	3.86J	ND(5.0)	8.25	ND(5.0)	102	0	110.25		
93007-UST-4/98	04/28/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	2.15J	ND(5.0)	4.15J	ND(5.0)	121	0	121		
93007-UST-10/98	10/28/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	2.80J	ND(5.0)	104	0	104		
93007-UST-2/99	02/11/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	46.8	46.8		
93007-UST-4/99	04/21/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	37.9	37.9		
93007-UST-7/99	07/12/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	36.6	36.6		
93007-UST-10/99	10/21/99	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	37	0	37	
93007-UST-1/00	01/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-4/00	04/17/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-7/00	07/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-10/00	10/16/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-1/01	01/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-7/01	07/17/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-10/01	10/16/01	Input	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	
93007-UST-01/02	01/14/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-04/02	04/22/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-07/02	07/23/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-01/03	01/21/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-04/03	04/22/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-10/03	10/14/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-01/04	01/27/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-4/04	04/20/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-10/04	11/01/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-1/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-1/06	01/17/16	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-7/06	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	
93007-UST-10/06	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	

Notes: mg/m³ = milligrams per cubic meter

ND=Not Detected at detection limit shown in parentheses.

DCA=Dichloroethane

DCE=Dichloroethene

TCE=Trichloroethene

PCE=Tetachloroethene

APPENDIX A

Laboratory Analytical Reports



ANALYTICAL SUMMARY REPORT

October 27, 2006

Deuell Environmental LLC

1653 Diamond Head Court

Laramie, WY 82072

Workorder No.: C06100585

Project Name: 93007 Hobbs

Energy Laboratories, Inc. received the following 17 samples from Deuell Environmental LLC on 10/12/2006 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C06100585-001	93007-14.10/06	10/11/06 8:00	10/12/06	Aqueous	SW8260B VOCs, Standard List
C06100585-002	93007-15.10/06	10/11/06 8:30	10/12/06	Aqueous	Same As Above
C06100585-003	93007-13.10/06	10/11/06 9:00	10/12/06	Aqueous	Same As Above
C06100585-004	93007-5.10/06	10/11/06 9:30	10/12/06	Aqueous	Same As Above
C06100585-005	93007-6.10/06	10/11/06 10:00	10/12/06	Aqueous	Same As Above
C06100585-006	93007-3.10/06	10/11/06 10:30	10/12/06	Aqueous	Same As Above
C06100585-007	93007-7.10/06	10/11/06 11:00	10/12/06	Aqueous	Same As Above
C06100585-008	93007-10.10/06	10/11/06 11:30	10/12/06	Aqueous	Same As Above
C06100585-009	93007-8.10/06	10/11/06 12:00	10/12/06	Aqueous	Same As Above
C06100585-010	93007-9.10/06	10/11/06 12:30	10/12/06	Aqueous	Same As Above
C06100585-011	93007-4.10/06	10/11/06 13:00	10/12/06	Aqueous	Same As Above
C06100585-012	93007-12.10/06	10/11/06 13:30	10/12/06	Aqueous	Same As Above
C06100585-013	93007-11.10/06	10/11/06 14:00	10/12/06	Aqueous	Same As Above
C06100585-014	93007-2.10/06	10/11/06 14:30	10/12/06	Aqueous	Same As Above
C06100585-015	93007-A.10/06	10/11/06 7:30	10/12/06	Aqueous	Same As Above
C06100585-016	93007-B.10/06	10/11/06 7:00	10/12/06	Aqueous	Same As Above
C06100585-017	Trip Blank	10/11/06 7:00	10/12/06	Aqueous	Same As Above

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative or Report.

If you have any questions regarding these tests results, please call.

Report Approved By:

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-001
Client Sample ID: 93007-14.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 08:00
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,1-Dichloroethene	1.3	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-001
Client Sample ID: 93007-14.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 08:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/13/06 18:47 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/13/06 18:47 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Tetrachloroethene	1.7	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/13/06 18:47 / jlr	
Surr: 1,2-Dichlorobenzene-d4	101	%REC		80-120	SW8260B	10/13/06 18:47 / jlr	
Surr: Dibromofluoromethane	93.0	%REC		70-130	SW8260B	10/13/06 18:47 / jlr	
Surr: p-Bromofluorobenzene	92.0	%REC		80-120	SW8260B	10/13/06 18:47 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/13/06 18:47 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-002
Client Sample ID: 93007-15.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 08:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,2-Dichloropropene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
2-Chlorotoluene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
4-Chlorotoluene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Benzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Bromobenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Bromochloromethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Bromodichloromethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Bromoform	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Bromomethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Carbon tetrachloride	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Chlorobenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Chlorodibromomethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Chloroethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Chloroform	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Chloromethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Dibromomethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Ethylbenzene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B		10/13/06 19:26 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-002
Client Sample ID: 93007-15.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 08:30
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/13/06 19:26 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/13/06 19:26 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/13/06 19:26 / jlr	
Surr: 1,2-Dichlorobenzene-d4	103	%REC		80-120	SW8260B	10/13/06 19:26 / jlr	
Surr: Dibromofluoromethane	96.0	%REC		70-130	SW8260B	10/13/06 19:26 / jlr	
Surr: p-Bromofluorobenzene	92.0	%REC		80-120	SW8260B	10/13/06 19:26 / jlr	
Surr: Toluene-d8	98.0	%REC		80-120	SW8260B	10/13/06 19:26 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-003
Client Sample ID: 93007-13.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 09:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-003
Client Sample ID: 93007-13.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 09:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/13/06 20:06 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/13/06 20:06 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/13/06 20:06 / jlr	
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC		80-120	SW8260B	10/13/06 20:06 / jlr	
Surr: Dibromofluoromethane	95.0	%REC		70-130	SW8260B	10/13/06 20:06 / jlr	
Surr: p-Bromofluorobenzene	91.0	%REC		80-120	SW8260B	10/13/06 20:06 / jlr	
Surr: Toluene-d8	99.0	%REC		80-120	SW8260B	10/13/06 20:06 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-004
Client Sample ID: 93007-5.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 09:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,1-Dichloroethane	5.7	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
2-Chlortoluene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
4-Chlortoluene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-004
Client Sample ID: 93007-5.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 09:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/13/06 20:46 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/13/06 20:46 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Tetrachloroethene	1.1	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Trichloroethene	1.4	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/13/06 20:46 / jlr	
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC		80-120	SW8260B	10/13/06 20:46 / jlr	
Surr: Dibromofluoromethane	92.0	%REC		70-130	SW8260B	10/13/06 20:46 / jlr	
Surr: p-Bromofluorobenzene	93.0	%REC		80-120	SW8260B	10/13/06 20:46 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/13/06 20:46 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-005
Client Sample ID: 93007-6.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 10:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,1-Dichloroethane	32	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,1-Dichloroethene	4.5	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,2-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
cis-1,2-Dichloroethene	1.4	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-005
Client Sample ID: 93007-6.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 10:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/13/06 22:05 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/13/06 22:05 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Tetrachloroethene	6.6	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Trichloroethene	2.0	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/13/06 22:05 / jlr	
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC		80-120	SW8260B	10/13/06 22:05 / jlr	
Surr: Dibromofluoromethane	97.0	%REC		70-130	SW8260B	10/13/06 22:05 / jlr	
Surr: p-Bromofluorobenzene	94.0	%REC		80-120	SW8260B	10/13/06 22:05 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/13/06 22:05 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-006
Client Sample ID: 93007-3.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 10:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,1-Dichloroethane	1.9	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-006
Client Sample ID: 93007-3.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 10:30
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 07:24 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 07:24 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 07:24 / jlr	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	10/14/06 07:24 / jlr	
Surr: Dibromofluoromethane	95.0	%REC		70-130	SW8260B	10/14/06 07:24 / jlr	
Surr: p-Bromofluorobenzene	92.0	%REC		80-120	SW8260B	10/14/06 07:24 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/14/06 07:24 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 93007 Hobbs
 Lab ID: C06100585-007
 Client Sample ID: 93007-7.10/06

Report Date: 10/26/06
 Collection Date: 10/11/06 11:00
 DateReceived: 10/12/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,1-Dichloroethane	4.0	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,1-Dichloroethene	1.2	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-007
Client Sample ID: 93007-7.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 11:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 08:03 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 08:03 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Tetrachloroethene	1.8	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Trichloroethene	1.1	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 08:03 / jlr	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	10/14/06 08:03 / jlr	
Surr: Dibromofluoromethane	90.0	%REC		70-130	SW8260B	10/14/06 08:03 / jlr	
Surr: p-Bromofluorobenzene	90.0	%REC		80-120	SW8260B	10/14/06 08:03 / jlr	
Surr: Toluene-d8	99.0	%REC		80-120	SW8260B	10/14/06 08:03 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-008
Client Sample ID: 93007-10.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 11:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-008
Client Sample ID: 93007-10.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 11:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 08:43 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 08:43 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 08:43 / jlr	
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120	SW8260B	10/14/06 08:43 / jlr	
Surr: Dibromofluoromethane	93.0	%REC		70-130	SW8260B	10/14/06 08:43 / jlr	
Surr: p-Bromofluorobenzene	93.0	%REC		80-120	SW8260B	10/14/06 08:43 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/14/06 08:43 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-009
Client Sample ID: 93007-8.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 12:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-009
Client Sample ID: 93007-8.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 12:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 09:22 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 09:22 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Tetrachloroethene	1.8	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 09:22 / jlr	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	10/14/06 09:22 / jlr	
Surr: Dibromofluoromethane	87.0	%REC		70-130	SW8260B	10/14/06 09:22 / jlr	
Surr: p-Bromofluorobenzene	90.0	%REC		80-120	SW8260B	10/14/06 09:22 / jlr	
Surr: Toluene-d8	98.0	%REC		80-120	SW8260B	10/14/06 09:22 / jlr	

Report Definitions: RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-010
Client Sample ID: 93007-9.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 12:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-010
Client Sample ID: 93007-9.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 12:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 02:05 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 02:05 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 02:05 / jlr	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	10/14/06 02:05 / jlr	
Surr: Dibromofluoromethane	97.0	%REC		70-130	SW8260B	10/14/06 02:05 / jlr	
Surr: p-Bromofluorobenzene	93.0	%REC		80-120	SW8260B	10/14/06 02:05 / jlr	
Surr: Toluene-d8	101	%REC		80-120	SW8260B	10/14/06 02:05 / jlr	

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-011
Client Sample ID: 93007-4.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 13:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-011
Client Sample ID: 93007-4.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 13:00
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 02:45 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 02:45 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Tetrachloroethene	14	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 02:45 / jlr	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	10/14/06 02:45 / jlr	
Surr: Dibromofluoromethane	102	%REC		70-130	SW8260B	10/14/06 02:45 / jlr	
Surr: p-Bromofluorobenzene	92.0	%REC		80-120	SW8260B	10/14/06 02:45 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/14/06 02:45 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-012
Client Sample ID: 93007-12.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 13:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-012
Client Sample ID: 93007-12.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 13:30
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 03:25 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 03:25 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 03:25 / jlr	
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120	SW8260B	10/14/06 03:25 / jlr	
Surr: Dibromofluoromethane	100	%REC		70-130	SW8260B	10/14/06 03:25 / jlr	
Surr: p-Bromofluorobenzene	89.0	%REC		80-120	SW8260B	10/14/06 03:25 / jlr	
Surr: Toluene-d8	99.0	%REC		80-120	SW8260B	10/14/06 03:25 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-013
Client Sample ID: 93007-11.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 14:00
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2,4-Trimethylbenzene	4.6	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,3,5-Trimethylbenzene	2.3	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Benzene	1.2	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Ethylbenzene	4.8	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-013
Client Sample ID: 93007-11.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 14:00
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	15	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
m+p-Xylenes	1.9	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 04:06 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 04:06 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
n-Propylbenzene	2.7	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
sec-Butylbenzene	2.1	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Xylenes, Total	1.9	ug/L		1.0	SW8260B	10/14/06 04:06 / jlr	
Surr: 1,2-Dichlorobenzene-d4	99.0	%REC		80-120	SW8260B	10/14/06 04:06 / jlr	
Surr: Dibromofluoromethane	95.0	%REC		70-130	SW8260B	10/14/06 04:06 / jlr	
Surr: p-Bromofluorobenzene	92.0	%REC		80-120	SW8260B	10/14/06 04:06 / jlr	
Surr: Toluene-d8	99.0	%REC		80-120	SW8260B	10/14/06 04:06 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 93007 Hobbs
 Lab ID: C06100585-014
 Client Sample ID: 93007-2.10/06

Report Date: 10/26/06
 Collection Date: 10/11/06 14:30
 Date Received: 10/12/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-014
Client Sample ID: 93007-2.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 14:30
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 05:25 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 05:25 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 05:25 / jlr	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	10/14/06 05:25 / jlr	
Surr: Dibromofluoromethane	92.0	%REC		70-130	SW8260B	10/14/06 05:25 / jlr	
Surr: p-Bromofluorobenzene	92.0	%REC		80-120	SW8260B	10/14/06 05:25 / jlr	
Surr: Toluene-d8	99.0	%REC		80-120	SW8260B	10/14/06 05:25 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-015
Client Sample ID: 93007-A.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 07:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 93007 Hobbs
 Lab ID: C06100585-015
 Client Sample ID: 93007-A.10/06

Report Date: 10/26/06
 Collection Date: 10/11/06 07:30
 DateReceived: 10/12/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 06:05 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 06:05 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 06:05 / jlr	
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC		80-120	SW8260B	10/14/06 06:05 / jlr	
Surr: Dibromofluoromethane	98.0	%REC		70-130	SW8260B	10/14/06 06:05 / jlr	
Surr: p-Bromofluorobenzene	88.0	%REC		80-120	SW8260B	10/14/06 06:05 / jlr	
Surr: Toluene-d8	99.0	%REC		80-120	SW8260B	10/14/06 06:05 / jlr	

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-016
Client Sample ID: 93007-B.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 07:00
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,1-Dichloroethane	1.8	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-016
Client Sample ID: 93007-B.10/06

Report Date: 10/26/06
Collection Date: 10/11/06 07:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 06:45 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 06:45 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 06:45 / jlr	
Surr: 1,2-Dichlorobenzene-d4	99.0	%REC		80-120	SW8260B	10/14/06 06:45 / jlr	
Surr: Dibromofluoromethane	93.0	%REC		70-130	SW8260B	10/14/06 06:45 / jlr	
Surr: p-Bromofluorobenzene	90.0	%REC		80-120	SW8260B	10/14/06 06:45 / jlr	
Surr: Toluene-d8	98.0	%REC		80-120	SW8260B	10/14/06 06:45 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100585-017
Client Sample ID: Trip Blank

Report Date: 10/26/06
Collection Date: 10/11/06 07:00
DateReceived: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,1,1-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,1,2-Trichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,1-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,1-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,1-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2,3-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2,3-Trichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2,4-Trichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2,4-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2-Dibromoethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2-Dichloroethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,3,5-Trimethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,3-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,3-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
1,4-Dichlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
2,2-Dichloropropane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
2-Chloroethyl vinyl ether	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
2-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
4-Chlorotoluene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Benzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Bromobenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Bromochloromethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Bromodichloromethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Bromoform	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Bromomethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Carbon tetrachloride	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Chlorobenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Chlorodibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Chloroethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Chloroform	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Chloromethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
cis-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
cis-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Dibromomethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Dichlorodifluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Ethylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Hexachlorobutadiene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 93007 Hobbs
 Lab ID: C06100585-017
 Client Sample ID: Trip Blank

Report Date: 10/26/06
 Collection Date: 10/11/06 07:00
 DateReceived: 10/12/06
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
m+p-Xylenes	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Methyl ethyl ketone	ND	ug/L		20	SW8260B	10/14/06 01:24 / jlr	
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0	SW8260B	10/14/06 01:24 / jlr	
Methylene chloride	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Naphthalene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
n-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
n-Propylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
o-Xylene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
p-Isopropyltoluene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
sec-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Styrene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
tert-Butylbenzene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Tetrachloroethene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Toluene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
trans-1,2-Dichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
trans-1,3-Dichloropropene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Trichloroethene	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Trichlorofluoromethane	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Vinyl chloride	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Xylenes, Total	ND	ug/L		1.0	SW8260B	10/14/06 01:24 / jlr	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	10/14/06 01:24 / jlr	
Surr: Dibromofluoromethane	95.0	%REC		70-130	SW8260B	10/14/06 01:24 / jlr	
Surr: p-Bromofluorobenzene	91.0	%REC		80-120	SW8260B	10/14/06 01:24 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/14/06 01:24 / jlr	

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 93007 Hobbs

Report Date: 10/26/06
Work Order: C06100585

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R74128
Sample ID: 13-Oct-06_LCS_3	Laboratory Control Sample								Run: GCMS1-C_TARGET_061013B 10/13/06 11:15
1,1,1,2-Tetrachloroethane	4.6	ug/L	1.0	91	70	130			
1,1,1-Trichloroethane	4.7	ug/L	1.0	94	70	130			
1,1,2,2-Tetrachloroethane	5.4	ug/L	1.0	108	70	130			
1,1,2-Trichloroethane	5.5	ug/L	1.0	110	70	130			
1,1-Dichloroethane	4.7	ug/L	1.0	94	70	130			
1,1-Dichloroethene	4.9	ug/L	1.0	98	70	130			
1,1-Dichloropropene	4.6	ug/L	1.0	91	70	130			
1,2,3-Trichlorobenzene	4.6	ug/L	1.0	91	70	130			
1,2,3-Trichloropropane	5.1	ug/L	1.0	102	70	130			
1,2,4-Trichlorobenzene	4.2	ug/L	1.0	85	70	130			
1,2,4-Trimethylbenzene	4.6	ug/L	1.0	91	70	130			
1,2-Dibromo-3-chloropropane	5.3	ug/L	1.0	106	70	130			
1,2-Dibromoethane	4.8	ug/L	1.0	97	70	130			
1,2-Dichlorobenzene	4.9	ug/L	1.0	98	70	130			
1,2-Dichloroethane	5.5	ug/L	1.0	110	70	130			
1,2-Dichloropropane	5.2	ug/L	1.0	103	70	130			
1,3,5-Trimethylbenzene	4.1	ug/L	1.0	82	70	130			
1,3-Dichlorobenzene	5.0	ug/L	1.0	100	70	130			
1,3-Dichloropropane	5.3	ug/L	1.0	106	70	130			
1,4-Dichlorobenzene	4.8	ug/L	1.0	96	70	130			
2,2-Dichloropropane	4.8	ug/L	1.0	97	60	140			
2-Chloroethyl vinyl ether	5.9	ug/L	1.0	118	70	130			
2-Chlorotoluene	4.8	ug/L	1.0	95	70	130			
4-Chlorotoluene	4.6	ug/L	1.0	93	70	130			
Benzene	5.2	ug/L	1.0	103	70	130			
Bromobenzene	4.9	ug/L	1.0	98	70	130			
Bromochloromethane	4.8	ug/L	1.0	96	70	130			
Bromodichloromethane	5.4	ug/L	1.0	107	70	130			
Bromoform	4.4	ug/L	1.0	87	70	130			
Bromomethane	4.3	ug/L	1.0	86	70	130			
Carbon tetrachloride	4.6	ug/L	1.0	93	70	130			
Chlorobenzene	5.0	ug/L	1.0	100	70	130			
Chlorodibromomethane	4.5	ug/L	1.0	90	70	130			
Chloroethane	5.2	ug/L	1.0	103	70	130			
Chloroform	4.7	ug/L	1.0	94	70	130			
Chloromethane	5.5	ug/L	1.0	110	70	130			
cis-1,2-Dichloroethene	4.7	ug/L	1.0	94	70	130			
cis-1,3-Dichloropropene	5.5	ug/L	1.0	110	70	130			
Dibromomethane	5.7	ug/L	1.0	114	70	130			
Dichlorodifluoromethane	5.8	ug/L	1.0	117	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 93007 HobbsReport Date: 10/26/06
Work Order: C06100585

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R74128
Sample ID: 13-Oct-06_LCS_3	Laboratory Control Sample								Run: GCMS1-C_TARGET_061013B 10/13/06 11:15
Ethylbenzene	4.5	ug/L	1.0	90	70	130			
Hexachlorobutadiene	4.4	ug/L	1.0	89	70	130			
Isopropylbenzene	4.8	ug/L	1.0	96	70	130			
m+p-Xylenes	10	ug/L	1.0	100	70	130			
Methyl ethyl ketone	59	ug/L	20	118	70	130			
Methyl tert-butyl ether (MTBE)	5.6	ug/L	2.0	111	70	130			
Methylene chloride	4.8	ug/L	1.0	95	70	130			
Naphthalene	4.2	ug/L	1.0	83	70	130			
n-Butylbenzene	4.6	ug/L	1.0	91	70	130			
n-Propylbenzene	4.3	ug/L	1.0	86	70	130			
o-Xylene	4.9	ug/L	1.0	98	70	130			
p-Isopropyltoluene	4.5	ug/L	1.0	90	70	130			
sec-Butylbenzene	4.7	ug/L	1.0	94	70	130			
Styrene	4.5	ug/L	1.0	90	70	130			
tert-Butylbenzene	4.6	ug/L	1.0	92	70	130			
Tetrachloroethene	4.6	ug/L	1.0	92	70	130			
Toluene	5.0	ug/L	1.0	101	70	130			
trans-1,2-Dichloroethene	4.7	ug/L	1.0	94	70	130			
trans-1,3-Dichloropropene	5.4	ug/L	1.0	108	70	130			
Trichloroethene	5.1	ug/L	1.0	102	70	130			
Trichlorofluoromethane	4.9	ug/L	1.0	98	70	130			
Vinyl chloride	5.4	ug/L	1.0	109	70	130			
Xylenes, Total	15	ug/L	1.0	99	70	130			
Surr: 1,2-Dichlorobenzene-d4			1.0	100	80	120			
Surr: Dibromofluoromethane			1.0	95	70	130			
Surr: p-Bromofluorobenzene			1.0	103	80	130			
Surr: Toluene-d8			1.0	100	80	120			
Sample ID: 13-Oct-06_MBLK_6	Method Blank								Run: GCMS1-C_TARGET_061013B 10/13/06 13:13
1,1,1,2-Tetrachloroethane	ND	ug/L	0.5						
1,1,1-Trichloroethane	ND	ug/L	0.5						
1,1,2,2-Tetrachloroethane	ND	ug/L	0.5						
1,1,2-Trichloroethane	ND	ug/L	0.5						
1,1-Dichloroethane	ND	ug/L	0.5						
1,1-Dichloroethene	ND	ug/L	0.5						
1,1-Dichloropropene	ND	ug/L	0.5						
1,2,3-Trichlorobenzene	ND	ug/L	0.5						
1,2,3-Trichloropropane	ND	ug/L	0.5						
1,2,4-Trichlorobenzene	ND	ug/L	0.5						
1,2,4-Trimethylbenzene	ND	ug/L	0.5						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 10/26/06

Project: 93007 Hobbs

Work Order: C06100585

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R74128
Sample ID: 13-Oct-06_MBLK_6	Method Blank						Run: GCMS1-C_TARGET_061013B		10/13/06 13:13
1,2-Dibromo-3-chloropropane	ND	ug/L	0.5						
1,2-Dibromoethane	ND	ug/L	0.5						
1,2-Dichlorobenzene	ND	ug/L	0.5						
1,2-Dichloroethane	ND	ug/L	0.5						
1,2-Dichloropropane	ND	ug/L	0.5						
1,3,5-Trimethylbenzene	ND	ug/L	0.5						
1,3-Dichlorobenzene	ND	ug/L	0.5						
1,3-Dichloropropane	ND	ug/L	0.5						
1,4-Dichlorobenzene	ND	ug/L	0.5						
2,2-Dichloropropane	ND	ug/L	0.5						
2-Chloroethyl vinyl ether	ND	ug/L	0.5						
2-Chlorotoluene	ND	ug/L	0.5						
4-Chlorotoluene	ND	ug/L	0.5						
Benzene	ND	ug/L	0.5						
Bromobenzene	ND	ug/L	0.5						
Bromochloromethane	ND	ug/L	0.5						
Bromodichloromethane	ND	ug/L	0.5						
Bromoform	ND	ug/L	0.5						
Bromomethane	ND	ug/L	0.5						
Carbon tetrachloride	ND	ug/L	0.5						
Chlorobenzene	ND	ug/L	0.5						
Chlorodibromomethane	ND	ug/L	0.5						
Chloroethane	ND	ug/L	0.5						
Chloroform	ND	ug/L	0.5						
Chloromethane	ND	ug/L	0.5						
cis-1,2-Dichloroethene	ND	ug/L	0.5						
cis-1,3-Dichloropropene	ND	ug/L	0.5						
Dibromomethane	ND	ug/L	0.5						
Dichlorodifluoromethane	ND	ug/L	0.5						
Ethylbenzene	ND	ug/L	0.5						
Hexachlorobutadiene	ND	ug/L	0.5						
Isopropylbenzene	ND	ug/L	0.5						
m+p-Xylenes	ND	ug/L	0.5						
Methyl ethyl ketone	ND	ug/L	0.5						
Methyl tert-butyl ether (MTBE)	ND	ug/L	0.5						
Methylene chloride	ND	ug/L	0.5						
Naphthalene	ND	ug/L	0.5						
n-Butylbenzene	ND	ug/L	0.5						
n-Propylbenzene	ND	ug/L	0.5						
o-Xylene	ND	ug/L	0.5						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 10/26/06

Project: 93007 Hobbs

Work Order: C06100585

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R74128
Sample ID: 13-Oct-06_MBLK_6	Method Blank						Run: GCMS1-C_TARGET_061013B		10/13/06 13:13
p-Isopropyltoluene	ND	ug/L	0.5						
sec-Butylbenzene	ND	ug/L	0.5						
Styrene	ND	ug/L	0.5						
tert-Butylbenzene	ND	ug/L	0.5						
Tetrachloroethene	ND	ug/L	0.5						
Toluene	ND	ug/L	0.5						
trans-1,2-Dichloroethene	ND	ug/L	0.5						
trans-1,3-Dichloropropene	ND	ug/L	0.5						
Trichloroethene	ND	ug/L	0.5						
Trichlorofluoromethane	ND	ug/L	0.5						
Vinyl chloride	ND	ug/L	0.5						
Xylenes, Total	ND	ug/L	0.5						
Surr: 1,2-Dichlorobenzene-d4				103	80	120			
Surr: Dibromofluoromethane				90	70	130			
Surr: p-Bromofluorobenzene				94	80	120			
Surr: Toluene-d8				98	80	120			
Sample ID: C06100585-005AMS	Sample Matrix Spike				Run: GCMS1-C_TARGET_061013B				10/13/06 22:45
1,1,1-Trichloroethane	170	ug/L	10	86	70	130			
1,1-Dichloroethene	180	ug/L	10	90	70	130			
1,2-Dichlorobenzene	190	ug/L	10	93	70	130			
1,2-Dichloroethane	200	ug/L	10	98	70	130			
1,2-Dichloropropane	190	ug/L	10	93	70	130			
1,4-Dichlorobenzene	190	ug/L	10	97	70	130			
Benzene	190	ug/L	10	95	70	130			
Bromodichloromethane	200	ug/L	10	99	70	130			
Bromoform	180	ug/L	10	88	70	130			
Carbon tetrachloride	180	ug/L	10	88	70	130			
Chlorobenzene	190	ug/L	10	97	70	130			
Chlorodibromomethane	180	ug/L	10	92	70	130			
Chloroform	170	ug/L	10	87	70	130			
cis-1,2-Dichloroethene	180	ug/L	10	89	70	130			
Ethylbenzene	180	ug/L	10	88	70	130			
m+p-Xylenes	370	ug/L	10	92	70	130			
o-Xylene	180	ug/L	10	92	70	130			
Styrene	170	ug/L	10	84	70	130			
Tetrachloroethene	180	ug/L	10	87	70	130			
Toluene	190	ug/L	10	96	70	130			
trans-1,2-Dichloroethene	180	ug/L	10	90	70	130			
Trichloroethene	190	ug/L	10	95	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 93007 Hobbs

Report Date: 10/26/06
Work Order: C06100585

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B									Batch: R74128
Sample ID: C06100585-005AMS	Sample Matrix Spike								Run: GCMS1-C_TARGET_061013B 10/13/06 22:45
Vinyl chloride	200	ug/L	10	100	70	130			
Xylenes, Total	550	ug/L	10	92	70	130			
Surr: 1,2-Dichlorobenzene-d4			1.0	104	80	120			
Surr: Dibromofluoromethane			1.0	89	70	130			
Surr: p-Bromofluorobenzene			1.0	105	80	120			
Surr: Toluene-d8			1.0	98	80	120			
Sample ID: C06100585-005AMSD	Sample Matrix Spike Duplicate								Run: GCMS1-C_TARGET_061013B 10/13/06 23:25
1,1,1-Trichloroethane	180	ug/L	10	89	70	130	3.7	20	
1,1-Dichloroethene	190	ug/L	10	92	70	130	1.7	20	
1,2-Dichlorobenzene	190	ug/L	10	95	70	130	2.1	20	
1,2-Dichloroethane	210	ug/L	10	106	70	130	7.4	20	
1,2-Dichloropropane	210	ug/L	10	103	70	130	10	20	
1,4-Dichlorobenzene	190	ug/L	10	94	70	130	2.5	20	
Benzene	200	ug/L	10	100	70	130	4.9	20	
Bromodichloromethane	210	ug/L	10	107	70	130	7.4	20	
Bromoform	200	ug/L	10	98	70	130	9.9	20	
Carbon tetrachloride	180	ug/L	10	91	70	130	2.7	20	
Chlorobenzene	200	ug/L	10	99	70	130	2.4	20	
Chlorodibromomethane	200	ug/L	10	99	70	130	7.5	20	
Chloroform	180	ug/L	10	92	70	130	4.9	20	
cis-1,2-Dichloroethene	180	ug/L	10	91	70	130	2.2	20	
Ethylbenzene	180	ug/L	10	91	70	130	4.0	20	
m+p-Xylenes	390	ug/L	10	97	70	130	5.3	20	
o-Xylene	190	ug/L	10	95	70	130	3.0	20	
Styrene	180	ug/L	10	90	70	130	7.3	20	
Tetrachloroethene	190	ug/L	10	93	70	130	6.0	20	
Toluene	200	ug/L	10	99	70	130	2.9	20	
trans-1,2-Dichloroethene	180	ug/L	10	91	70	130	1.3	20	
Trichloroethene	200	ug/L	10	99	70	130	3.7	20	
Vinyl chloride	210	ug/L	10	104	70	130	4.3	20	
Xylenes, Total	580	ug/L	10	97	70	130	4.5	20	
Surr: 1,2-Dichlorobenzene-d4			1.0	101	80	120	0.0	10	
Surr: Dibromofluoromethane			1.0	91	70	130	0.0	10	
Surr: p-Bromofluorobenzene			1.0	103	80	120	0.0	10	
Surr: Toluene-d8			1.0	100	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name: Delta Environmental	Project Name, PVN#, Permit #, Etc.: 93007 HesBBS	Contact Name, Phone, Fax, E-mail: Rick DeJesus	Sampler Name if other than Contact: 307 760 3277																																																																																																														
Report Mail Address: 1653 Diamond Head Ct Casper, WY 82672	Invoice Address: Shane	Invoice Contact & Phone #: 93007-4	Purchase Order #: 93007-4 ELI Quote #: 93007-7																																																																																																														
<table border="1"> <thead> <tr> <th colspan="3">ANALYSIS REQUESTED</th> <th>Comments:</th> </tr> </thead> <tbody> <tr> <td colspan="3"></td> <td>Notify ELI prior to RUSH sample submittal for additional charges and scheduling</td> </tr> <tr> <td colspan="3"></td> <td>RUSH Turnaround (TAT)</td> </tr> <tr> <td colspan="3"></td> <td>Normal Turnaround (TAT)</td> </tr> <tr> <td colspan="3"></td> <td>SEE ATTACHED</td> </tr> </tbody> </table>				ANALYSIS REQUESTED			Comments:				Notify ELI prior to RUSH sample submittal for additional charges and scheduling				RUSH Turnaround (TAT)				Normal Turnaround (TAT)				SEE ATTACHED																																																																																										
ANALYSIS REQUESTED			Comments:																																																																																																														
			Notify ELI prior to RUSH sample submittal for additional charges and scheduling																																																																																																														
			RUSH Turnaround (TAT)																																																																																																														
			Normal Turnaround (TAT)																																																																																																														
			SEE ATTACHED																																																																																																														
Report Required For: <input type="checkbox"/> POTW/WWTP <input type="checkbox"/> DW <input checked="" type="checkbox"/> Other _____	Special Report Formats - ELI must be notified prior to sample submittal for the following: <input type="checkbox"/> NELAC <input type="checkbox"/> A2LA <input type="checkbox"/> Level IV <input type="checkbox"/> Other _____ <input type="checkbox"/> EDD/EDT <input type="checkbox"/> Format _____	<table border="1"> <thead> <tr> <th colspan="4">SAMPLE IDENTIFICATION</th> <th>Collection Date</th> <th>Collection Time</th> <th>MATRIX</th> <th>Number of Containers</th> <th>Air/Water/Solids/Soils/Legebation</th> <th>Biosassay/Other</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>93007-14.10/06</td> <td>10/11/06</td> <td>06:00</td> <td>3:00</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>93007-15.10/06</td> <td></td> <td>06:30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>93007-13.10/06</td> <td></td> <td>09:00</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>93007-5.10/06</td> <td></td> <td>09:30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>93007-6.10/06</td> <td></td> <td>10:00</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>93007-3.10/06</td> <td></td> <td>10:30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td>93007-7.10/06</td> <td></td> <td>11:00</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>93007-10.10/06</td> <td></td> <td>11:30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>93007-5.10/06</td> <td></td> <td>12:00</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>93007-9.10/06</td> <td></td> <td>12:30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		SAMPLE IDENTIFICATION				Collection Date	Collection Time	MATRIX	Number of Containers	Air/Water/Solids/Soils/Legebation	Biosassay/Other	1	93007-14.10/06	10/11/06	06:00	3:00	X					2	93007-15.10/06		06:30							3	93007-13.10/06		09:00							4	93007-5.10/06		09:30							5	93007-6.10/06		10:00							6	93007-3.10/06		10:30							7	93007-7.10/06		11:00							8	93007-10.10/06		11:30							9	93007-5.10/06		12:00							10	93007-9.10/06		12:30						
SAMPLE IDENTIFICATION				Collection Date	Collection Time	MATRIX	Number of Containers	Air/Water/Solids/Soils/Legebation	Biosassay/Other																																																																																																								
1	93007-14.10/06	10/11/06	06:00	3:00	X																																																																																																												
2	93007-15.10/06		06:30																																																																																																														
3	93007-13.10/06		09:00																																																																																																														
4	93007-5.10/06		09:30																																																																																																														
5	93007-6.10/06		10:00																																																																																																														
6	93007-3.10/06		10:30																																																																																																														
7	93007-7.10/06		11:00																																																																																																														
8	93007-10.10/06		11:30																																																																																																														
9	93007-5.10/06		12:00																																																																																																														
10	93007-9.10/06		12:30																																																																																																														
Custody Record MUST be Signed	Relinquished by (print): Rick DeJesus	Date/Time: 9/10/06 10:30	Received by (print): John M	Date/Time: 9/10/06 10:30																																																																																																													
Sample Disposal:	Return to client: Rick DeJesus	Lab Disposal:	Sample Type: LABORATORY USE ONLY	# of fractions:																																																																																																													
In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.																																																																																																																	
Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.																																																																																																																	



Energy Laboratories, Inc.

Sample Receipt Checklist

Client Name Deuell Environmental LLC

Date and Time Received: 10/12/2006 9:40:00

Work Order Number C06100585

Received by Ic

Login completed by: LeaAnn Caulfield

Signature

10/12/2006 9:40:00

Date

Reviewed by

Initials

Date

Carrier name Next Day Air

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> 5.2 °C On Ice	
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/> No VOA vials submitted <input checked="" type="checkbox"/>	
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/> Not Applicable <input type="checkbox"/>	

Adjusted? _____ Checked by _____

Contact and Corrective Action Comments:

None



Date: 27-Oct-06

CLIENT: Deuell Environmental LLC
Project: 93007 Hobbs
Sample Delivery Group: C06100585

CASE NARRATIVE

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT

BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT
eli-f - Energy Laboratories, Inc. - Idaho Falls, ID
eli-g - Energy Laboratories, Inc. - Gillette, WY
eli-h - Energy Laboratories, Inc. - Helena, MT
eli-r - Energy Laboratories, Inc. - Rapid City, SD
eli-t - Energy Laboratories, Inc. - College Station, TX

ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package. A copy of the submittal(s) has been included and tracked in the data package.

SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

SAMPLE TEMPERATURE COMPLIANCE: 4°C ($\pm 2^\circ\text{C}$)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

ENERGY LABORATORIES, INC. - CASPER,WY certifies that certain method selections contained in this report meet requirements as set forth by NELAC. Some client specific reporting requirements may not require NELAC reporting protocol. NELAC Certification Number E87641.

PCB ANALYSIS USING EPA 505

Data reported by ELI using EPA method 505 reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page www.energylab.com.

The total number of pages of this report are indicated by the page number located in the lower right corner.



Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Page 1 of 2

Company Name:	Dowell ENVIRONMENTAL		Project Name, PWS #, Permit #, Etc.:	93007 40333	
Report Mail Address:	1653 DIAMOND HEAD CT LARAMIE, WY 82072		Contact Name, Phone, Fax, E-mail:	Rick Deuell 307 760 3277	
Invoice Address:	SOME		Invoice Contact & Phone #:	93007-4	
Report Required For:	<input type="checkbox"/> POTWWTP <input type="checkbox"/> DW <input type="checkbox"/> Other _____		ANALYSIS REQUESTED	Notify ELI prior to RUSH sample submittal for additional charges and scheduling Comments: <small>RUSH Turnaround (TAT) Normal Turnaround (TAT)</small>	
Special Report Formats - ELI must be notified prior to sample submittal for the following: <input type="checkbox"/> NELAC <input type="checkbox"/> A2LA <input type="checkbox"/> Level IV <input type="checkbox"/> Other _____ <input type="checkbox"/> EDD/EDT <input type="checkbox"/> Format _____		SEE ATTACHED		Shipped by: Cooler ID(s) <u>44</u> Receipt Temp <u>44</u> °C Custody Seal <u>N</u> Intact <u>Y</u> Signature Match <u>Y</u> Lab ID	
Number of Containers Sample Type: A W S V B O Air Water Solids/Solids/Vegetation Number of Containers <u>1</u> <u>EPIC 826 C</u> Borehole Other					
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)	Collection Date	Collection Time	MATRIX		
1 93007-14.10/06	10/11/06	08:00	300		
2 93007-15.10/06		08:30			
3 93007-13.10/06		09:00			
4 93007-5.10/06		09:30			
5 93007-6.10/06		10:00			
6 93007-3.10/06		10:30			
7 93007-7.10/06		11:00			
8 93007-10.10/06		11:30			
9 93007-8.10/06		12:00			
10 93007-9.10/06		12:30			
Custody Record MUST be Signed	Relinquished by (print): <u>Rick Deuell 10/11/06 16:30</u>	Date/Time: <u>10/11/06 16:30</u>	Received by (print): <u>Rick Deuell 10/11/06 16:30</u>	Date/Time: <u>10/11/06 16:30</u>	Signature: <u>Rick Deuell 10/11/06 16:30</u>
Sample Disposal:	Return to client:		Lab Disposal:	Sample Type: <u>LABORATORY USE ONLY</u>	
<small>In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.</small>					
<small>Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.</small>					



Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Page 2 of 2

Company Name: Dewey Environmental	Project Name, PWS #, Permit #, Etc.: 93007 H033S
Report Mail Address: 1653 Diamond Head Ct. Laramie, WY 82072	Contact Name, Phone, Fax, E-mail: Rick Dewey 307-740-3277
Invoice Address: SAME	Sampler Name if other than Contact: Purchase Order #: 930074
Report Required For: <input checked="" type="checkbox"/> POTW/WWTP <input type="checkbox"/> DW <input type="checkbox"/> Other _____	Notify ELI prior to RUSH sample submittal for additional charges and scheduling Comments: RUSH Turnaround (TAT) Normal Turnaround (TAT)
Special Report Formats - ELI must be notified prior to sample submittal for the following: <input checked="" type="checkbox"/> NELAC <input type="checkbox"/> A2LA <input type="checkbox"/> Level IV <input type="checkbox"/> Other _____ <input type="checkbox"/> EDDIEDT <input type="checkbox"/> Format _____	Notify ELI prior to RUSH sample submittal for additional charges and scheduling Comments: RUSH Turnaround (TAT) Normal Turnaround (TAT)
SEE ATTACHED	
Number of Containers Sample Type: A W S V B O Air/Water/Solids/Solids/Vegetation Biassay Other	EPA E26C
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)	Collection Date
1 93007-A.10/06	10/06/06 13:00
2 93007-B.10/06	13:30
3 93007-C.10/06	14:00
4 93007-D.10/06	14:30
5 93007-E.10/06	07:30
6 93007-F.10/06	07:00
7 TRIP BLANK	1:00
8	
9	
10	
LABORATORY USE ONLY	
Custody Record MUST be Signed	Return to client: Rick Dewey 10/06 16:30 Rick Dewey
Sample Disposal:	Lab Disposal: Reinstituted by (print): Rick Dewey Date/Time: 10/06 16:30
	Signature: Received by (print): Rick Dewey Date/Time: 10/06 16:30
	Signature: Received by (print): Rick Dewey Date/Time: 10/06 16:30
	Sample Type: LABORATORY USE ONLY
	# of fractions: 1

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested.

This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



ANALYTICAL SUMMARY REPORT

November 03, 2006

Deuell Environmental LLC
1653 Diamond Head Court
Laramie, WY 82072

Workorder No.: C06100574
Project Name: 93007 Hobbs

Energy Laboratories, Inc. received the following 4 samples from Deuell Environmental LLC on 10/12/2006 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C06100574-001	93007-WP.10/06	10/11/06 14:45	10/12/06	Air	SW8260B VOCs, Standard List
C06100574-002	93007-AD.10/06	10/11/06 15:00	10/12/06	Air	Same As Above
C06100574-003	93007-UST.10/06	10/11/06 15:15	10/12/06	Air	Same As Above
C06100574-004	Supplies (Tedlar Bags)	10/11/06 0:00	10/12/06	Air	Supplies

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative or Report.

If you have any questions regarding these tests results, please call.

Report Approved By:

Roger Garling
LABORATORY SUPERVISOR



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100574-001
Client Sample ID: 93007-WP.10/06

Report Date: 11/02/06
Collection Date: 10/11/06 14:45
Date Received: 10/12/06
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,1,1-Trichloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,1,2-Trichloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,1-Dichloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,1-Dichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,1-Dichloropropene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2,3-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2,3-Trichloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2,4-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2,4-Trimethylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2-Dibromoethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2-Dichloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,3,5-Trimethylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,3-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,3-Dichloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
1,4-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
2,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
2-Chlorotoluene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
4-Chlorotoluene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Benzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Bromobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Bromochloromethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Bromodichloromethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Bromoform	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Bromomethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Carbon tetrachloride	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Chlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Chlorodibromomethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Chloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Chloroform	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Chloromethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
cis-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
cis-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Dibromomethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Dichlorodifluoromethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Ethylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Hexachlorobutadiene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Isopropylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100574-001
Client Sample ID: 93007-WP.10/06

Report Date: 11/02/06
Collection Date: 10/11/06 14:45
Date Received: 10/12/06
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Methyl ethyl ketone	ND	mg/m3		20	SW8260B	10/12/06 13:55 / jlr	
Methylene chloride	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Naphthalene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
n-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
n-Propylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
o-Xylene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
p-Isopropyltoluene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
sec-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Styrene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
tert-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Tetrachloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Toluene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
trans-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
trans-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Trichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Trichlorofluoromethane	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Vinyl chloride	ND	mg/m3		1.0	SW8260B	10/12/06 13:55 / jlr	
Surr: 1,2-Dichlorobenzene-d4	100	%REC		80-120	SW8260B	10/12/06 13:55 / jlr	
Surr: Dibromofluoromethane	105	%REC		80-120	SW8260B	10/12/06 13:55 / jlr	
Surr: p-Bromofluorobenzene	92.0	%REC		80-120	SW8260B	10/12/06 13:55 / jlr	
Surr: Toluene-d8	101	%REC		80-120	SW8260B	10/12/06 13:55 / jlr	

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100574-002
Client Sample ID: 93007-AD.10/06

Report Date: 11/02/06
Collection Date: 10/11/06 15:00
Date Received: 10/12/06
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,1,1-Trichloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,1,2-Trichloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,1-Dichloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,1-Dichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,1-Dichloropropene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2,3-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2,3-Trichloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2,4-Trichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2,4-Trimethylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2-Dibromoethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2-Dichloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,3,5-Trimethylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,3-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,3-Dichloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
1,4-Dichlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
2,2-Dichloropropane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
2-Chlorotoluene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
4-Chlorotoluene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Benzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Bromobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Bromochloromethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Bromodichloromethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Bromoform	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Bromomethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Carbon tetrachloride	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Chlorobenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Chlorodibromomethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Chloroethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Chloroform	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Chloromethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
cis-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
cis-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Dibromomethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Dichlorodifluoromethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Ethylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Hexachlorobutadiene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Isopropylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100574-002
Client Sample ID: 93007-AD.10/06

Report Date: 11/02/06
Collection Date: 10/11/06 15:00
Date Received: 10/12/06
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Methyl ethyl ketone	ND	mg/m3		20	SW8260B	10/12/06 14:35 / jlr	
Methylene chloride	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Naphthalene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
n-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
n-Propylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
o-Xylene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
p-Isopropyltoluene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
sec-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Styrene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
tert-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Tetrachloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Toluene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
trans-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
trans-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Trichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Trichlorofluoromethane	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Vinyl chloride	ND	mg/m3		1.0	SW8260B	10/12/06 14:35 / jlr	
Surr: 1,2-Dichlorobenzene-d4	101	%REC		80-120	SW8260B	10/12/06 14:35 / jlr	
Surr: Dibromofluoromethane	98.0	%REC		80-120	SW8260B	10/12/06 14:35 / jlr	
Surr: p-Bromofluorobenzene	92.0	%REC		80-120	SW8260B	10/12/06 14:35 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/12/06 14:35 / jlr	

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100574-003
Client Sample ID: 93007-UST.10/06

Report Date: 11/02/06
Collection Date: 10/11/06 15:15
Date Received: 10/12/06
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2,4-Trimethylbenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,3,5-Trimethylbenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
2-Chlorotoluene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
4-Chlorotoluene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Benzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Bromobenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Bromochloromethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Bromodichloromethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Bromoform	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Bromomethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Carbon tetrachloride	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Chlorobenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Chlorodibromomethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Chloroethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Chloroform	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Chloromethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Dibromomethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Ethylbenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr
Isopropylbenzene	ND	mg/m3		1.0	SW8260B		10/12/06 15:26 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C06100574-003
Client Sample ID: 93007-UST.10/06

Report Date: 11/02/06
Collection Date: 10/11/06 15:15
DateReceived: 10/12/06
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Methyl ethyl ketone	ND	mg/m3		20	SW8260B	10/12/06 15:26 / jlr	
Methylene chloride	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Naphthalene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
n-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
n-Propylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
o-Xylene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
p-Isopropyltoluene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
sec-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Styrene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
tert-Butylbenzene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Tetrachloroethene	1.1	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Toluene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
trans-1,2-Dichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
trans-1,3-Dichloropropene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Trichloroethene	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Trichlorofluoromethane	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Vinyl chloride	ND	mg/m3		1.0	SW8260B	10/12/06 15:26 / jlr	
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC		80-120	SW8260B	10/12/06 15:26 / jlr	
Surr: Dibromofluoromethane	96.0	%REC		80-120	SW8260B	10/12/06 15:26 / jlr	
Surr: p-Bromofluorobenzene	91.0	%REC		80-120	SW8260B	10/12/06 15:26 / jlr	
Surr: Toluene-d8	100	%REC		80-120	SW8260B	10/12/06 15:26 / jlr	

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name:	Deuce Environmental		Project Name, PWS #, Permit #, Etc.:	73007 40335	
Report Mail Address:	1053 Diamond Head Ct		Contact Name, Phone, Fax, E-mail:	Rick Deuce 307.760.3277	
Invoice Address:			Invoice Contact & Phone #:	73007.5	
Report Required For:	POTW/WWTP <input type="checkbox"/>	DW <input type="checkbox"/>	ANALYSIS REQUESTED	Notify ELI prior to RUSH sample submittal for additional charges and scheduling	Shipped by:
Other _____			Comments:	N/A	
Special Report Formats - ELI must be notified prior to sample submittal for the following:			RUSH Turnaround (TAT)	Cooler ID(S) <i>10/8</i>	
NELAC <input type="checkbox"/>	A2LA <input type="checkbox"/>	Level IV <input type="checkbox"/>	Normal Turnaround (TAT)	Receipt Temp <i>N/A</i> °C	
Other _____			Sample Type: A/W S/V B/O	Custody Seal <i>Y</i>	
EDD/EDT <input type="checkbox"/>	Format _____	Number of Contaminants		Intact <i>Y</i>	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)			MATRIX	Signature <i>Y</i>	
1	73007-VR-1006	10/10/06	14:45	Lab ID <i>26</i>	Match <i>Y</i>
2	73007-AD-isole	1	15:00		
3	73007-US-T1006	1	15:15		
4					
5					
6					
7					
8					
9					
10					
Custody Record MUST be Signed	Relinquished by (print): <i>Rick Deuce</i>	Date/Time: 10/10/06 16:30:21	Received by (print): <i>John Branson</i>	Date/Time: 10/10/06 17:21:21	Signature: <i>John Branson</i>
Sample Disposal:	Return to client:	Lab Disposal:	Sample Type:	LABORATORY USE ONLY	# of fractions _____

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.

 Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Energy Laboratories, Inc.

Sample Receipt Checklist

Client Name	Deuell Environmental LLC	Date and Time Received:	10/12/2006 09:45:00
Work Order Number	C06100574	Received by	tb
Login completed by:	Edith McPike 	Reviewed by	
Signature	10/12/2006 09:45:00 Date	Initials	Date

Carrier name: Next Day Air

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A °C Tedlar
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Adjusted? _____ Checked by _____

Contact and Corrective Action Comments:

None



Date: 03-Nov-06

CLIENT: Deuell Environmental LLC
Project: 93007 Hobbs
Sample Delivery Group: C06100574

CASE NARRATIVE

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT

BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT
eli-f - Energy Laboratories, Inc. - Idaho Falls, ID
eli-g - Energy Laboratories, Inc. - Gillette, WY
eli-h - Energy Laboratories, Inc. - Helena, MT
eli-r - Energy Laboratories, Inc. - Rapid City, SD
eli-t - Energy Laboratories, Inc. - College Station, TX

ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package. A copy of the submittal(s) has been included and tracked in the data package.

SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

SAMPLE TEMPERATURE COMPLIANCE: 4°C ($\pm 2^\circ\text{C}$)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

ENERGY LABORATORIES, INC. - CASPER,WY certifies that certain method selections contained in this report meet requirements as set forth by NELAC. Some client specific reporting requirements may not require NELAC reporting protocol. NELAC Certification Number E87641.

PCB ANALYSIS USING EPA 505

Data reported by ELI using EPA method 505 reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page www.energylab.com.

The total number of pages of this report are indicated by the page number located in the lower right corner.



Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name:	Devel Environmental		Project Name, PWS #, Permit #, Etc.:	93007 H0335	
Report Mail Address:	1053 Diamond Head Ct Laramie WY 82072		Contact Name, Phone, Fax, E-mail:	Rick Devee 307 760 3277	
Invoice Address:			Invoice Contact & Phone #:	93007.S	
Report Required For:	<input type="checkbox"/> POTWWWWTP <input type="checkbox"/> DW <input type="checkbox"/> Other _____ Special Report Formats - ELI must be notified prior to sample submittal for the following: <input type="checkbox"/> NELAC <input type="checkbox"/> A2A <input type="checkbox"/> EDD/EDT <input type="checkbox"/> Format _____		ANALYSIS REQUESTED	Notify ELI prior to RUSH sample submittal for additional charges and scheduling Comments: _____	
			Number of Contaminers	RUSH Turnaround (TAT)	
			Sample Type: A W S V B O	Normal Turnaround (TAT)	
			Air/Water/Solids/Solids/Vegetation	RUSH Turnaround (TAT)	
			Biosolids/Other	Normal Turnaround (TAT)	
			Number of Collection Points	Comments: _____	
			MATRIX		
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)	Collection Date	Collection Time			
1 93007- WSP-10/06	10/06/06	14:45	<input checked="" type="checkbox"/>		
2 93007- AD-10/06	10/06/06	15:00	<input checked="" type="checkbox"/>		
3 93007- UST-10/06	10/06/06	15:15	<input checked="" type="checkbox"/>		
4					
5					
6					
7					
8					
9					
10					
Custody Record MUST be Signed	Relinquished by (print): Rick Devee	Date/Time: 10/10/06 16:30	Received by (print): John Bratton	Date/Time: 10/10/06 9:45	Signature:
Sample Disposal:	Return to client:	Lab Disposal:	Sample Type:	LABORATORY USE ONLY # of fractions	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.

Signature:
Date/Time: 10/10/06

Signature:
Date/Time: 10/10/06


Signature:
Date/Time: 10/10/06

Signature:
Date/Time: 10/10/06


APPENDIX B

Halocarbons and Ground-water Level Plots


Monitoring Well MW-2




Monitoring Well MW-3




Monitoring Well MW-4




Monitoring Well MW-5




Monitoring Well MW-6




Monitoring Well MW-7




Monitoring Well MW-8




Monitoring Well MW-9




Monitoring Well MW-10




Monitoring Well MW-11




Monitoring Well MW-12




Monitoring Well MW-13



Monitoring Well MW-14



Monitoring Well MW-15



Monitoring Well MW-SO4

