

GW - 89

**PERMITS,
RENEWALS,
& MODS**

**ATTACHMENT TO THE DISCHARGE PERMIT
TRANSWESTERN PIPELINE COMPANY, CORONA COMPRESSOR STATION
(GW-089)
DISCHARGE PERMIT APPROVAL CONDITIONS
June 13, 2007**

Please remit a check for \$1700.00 made payable to Water Quality Management Fund:

**Water Quality Management Fund
C/o: Oil Conservation Division
1220 S. Saint Francis Drive
Santa Fe, New Mexico 87505**

- 1. Payment of Discharge Plan Fees:** All discharge permits are subject to WQCC Regulations. Every billable facility that submits a discharge permit application will be assessed a filing fee of \$100.00, plus a renewal flat fee (*see* WQCC Regulation 20.6.2.3114 NMAC). The Oil Conservation Division (“OCD”) has received the required \$100.00 filing fee. However, the owner/operator still owes the required \$1700.00 renewal permit fee for a gas compressor station greater than 1001 horsepower.
- 2. Permit Expiration, Renewal Conditions and Penalties:** Pursuant to WQCC Regulation 20.6.2.3109.H.4 NMAC, this permit is valid for a period of five years. **The permit will expire on March 9, 2012** and an application for renewal should be submitted no later than 120 days before that expiration date. Pursuant to WQCC Regulation 20.6.2.3106.F NMAC, if a discharger submits a discharge permit renewal application at least 120 days before the discharge permit expires and is in compliance with the approved permit, then the existing discharge permit will not expire until the application for renewal has been approved or disapproved. *Expired permits are a violation of the Water Quality Act {Chapter 74, Article 6, NMSA1978} and civil penalties may be assessed accordingly.*
- 3. Permit Terms and Conditions:** Pursuant to WQCC Regulation 20.6.2.3104 NMAC, when a permit has been issued, the owner/operator must ensure that all discharges shall be consistent with the terms and conditions of the permit. In addition, all facilities shall abide by the applicable rules and regulations administered by the OCD pursuant to the Oil and Gas Act, NMSA 1978, Sections 70-2-1 through 70-2-38.
- 4. Owner/Operator Commitments:** The owner/operator shall abide by all commitments submitted in its February 12, 2007 discharge plan renewal application, including attachments and subsequent amendments and these conditions for approval. Permit applications that reference previously approved plans on file with the division shall be incorporated in this permit and the owner/operator shall abide by all previous commitments of such plans and these conditions for approval.

5. **Modifications:** WQCC Regulation 20.6.2.3107.C and 20.6.2.3109 NMAC addresses possible future modifications of a permit. The owner/operator (discharger) shall notify the OCD of any facility expansion, production increase or process modification that would result in any significant modification in the discharge of water contaminants. The Division Director may require a permit modification if any water quality standard specified at 20.6.2.3103 NMAC is being or will be exceeded, or if a toxic pollutant as defined in WQCC Regulation 20.6.2.7 NMAC is present in ground water at any place of withdrawal for present or reasonably foreseeable future use, or that the Water Quality Standards for Interstate and Intrastate streams as specified in 20.6.4 NMAC are being or may be violated in surface water in New Mexico.

6. **Waste Disposal and Storage:** The owner/operator shall dispose of all wastes at an OCD-approved facility. Only oil field RCRA-exempt wastes may be disposed of by injection in a Class II well. RCRA non-hazardous, non-exempt oil field wastes may be disposed of at an OCD-approved facility upon proper waste determination pursuant to 40 CFR Part 261. Any waste stream that is not listed in the discharge permit application must be approved by the OCD on a case-by-case basis.

A. **OCD Rule 712 Waste:** Pursuant to OCD Rule 712 (19.15.9.712 NMAC) disposal of certain non-domestic waste without notification to the OCD is allowed at NMED permitted solid waste facilities if the waste stream has been identified in the discharge permit and existing process knowledge of the waste stream does not change.

B. **Waste Storage:** The owner/operator shall store all waste in an impermeable bermed area, except waste generated during emergency response operations for up to 72 hours. All waste storage areas shall be identified in the discharge permit application. Any waste storage area not identified in the permit shall be approved on a case-by-case basis only. The owner/operator shall not store oil field waste on-site for more than 180 days unless approved by the OCD.

7. **Drum Storage:** The owner/operator must store all drums, including empty drums, containing materials other than fresh water on an impermeable pad with curbing. The owner/operator must store empty drums on their sides with the bungs in place and lined up on a horizontal plane. The owner/operator must store chemicals in other containers, such as tote tanks, sacks, or buckets on an impermeable pad with curbing.

8. **Process, Maintenance and Yard Areas:** The owner/operator shall either pave and curb or have some type of spill collection device incorporated into the design at all process, maintenance, and yard areas which show evidence that water contaminants from releases, leaks and spills have reached the ground surface.

9. **Above Ground Tanks:** The owner/operator shall ensure that all aboveground tanks have impermeable secondary containment (e.g., liners and berms), which will contain a volume of at least one-third greater than the total volume of the largest tank or all interconnected tanks. The owner/operator shall retrofit all existing tanks before discharge permit renewal. Tanks that contain fresh water or fluids that are gases at atmospheric temperature and pressure are exempt from this condition.

10. Labeling: The owner/operator shall clearly label all tanks, drums, and containers to identify their contents and other emergency notification information. The owner/operator may use a tank code numbering system, which is incorporated into their emergency response plans.

11. Below-Grade Tanks/Sumps and Pits/Ponds.

A. All below-grade tanks and sumps must be approved by the OCD prior to installation and must incorporate secondary containment with leak detection into the design. The owner/operator shall retrofit all existing systems without secondary containment and leak detection before discharge permit renewal. All existing below-grade tanks and sumps without secondary containment and leak detection must be tested annually or as specified herein. Systems that have secondary containment with leak detection shall have a monthly inspection of the leak detection system to determine if the primary containment is leaking. Small sumps or depressions in secondary containment systems used to facilitate fluid removal are exempt from these requirements if fluids are removed within 72 hours.

B. All pits and ponds, including modifications and retrofits, shall be designed by a certified registered professional engineer and approved by the OCD prior to installation. In general, all pits or ponds shall have approved hydrologic and geologic reports, location, foundation, liners, and secondary containment with leak detection, monitoring and closure plans. All pits or ponds shall be designed, constructed and operated so as to contain liquids and solids in a manner that will protect fresh water, public health, safety and the environment for the foreseeable future. The owner/operator shall retrofit all existing systems without secondary containment and leak detection before discharge permit renewal.

C. The owner/operator shall ensure that all exposed pits, including lined pits and open top tanks (8 feet in diameter or larger) shall be fenced, screened, netted, or otherwise rendered non-hazardous to wildlife, including migratory birds.

D. The owner/operator shall maintain the results of tests and inspections at the facility covered by this discharge permit and available for OCD inspection. The owner/operator shall report the discovery of any system which is found to be leaking or has lost integrity to the OCD within 15 days. The owner/operator may propose various methods for testing such as pressure testing to 3 pounds per square inch greater than normal operating pressure and/or visual inspection of cleaned tanks and/or sumps, or other OCD-approved methods. The owner/operator shall notify the OCD at least 72 hours prior to all testing.

12. Underground Process/Wastewater Lines:

A. The owner/operator shall test all underground process/wastewater pipelines at least once every five (5) years to demonstrate their mechanical integrity, except lines containing fresh water or fluids that are gases at atmospheric temperature and pressure. Pressure rated pipe shall be tested by pressuring up to one and one-half times the normal operating pressure, if possible, or for atmospheric drain systems, to 3 pounds per square inch greater than normal operating pressure, and

pressure held for a minimum of 30 minutes with no more than a 1% loss/gain in pressure. The owner/operator may use other methods for testing if approved by the OCD.

B. The owner/operator shall maintain underground process and wastewater pipeline schematic diagrams or plans showing all drains, vents, risers, valves, underground piping, pipe type, rating, size, and approximate location. All new underground piping must be approved by the OCD prior to installation. The owner/operator shall report any leaks or loss of integrity to the OCD within 15 days of discovery. The owner/operator shall maintain the results of all tests at the facility covered by this discharge permit and they shall be available for OCD inspection. The owner/operator shall notify the OCD at least 72 hours prior to all testing.

13. Class V Wells: The owner/operator shall close all Class V wells (e.g., septic systems, leach fields, dry wells, etc.) that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes unless it can be demonstrated that ground water will not be impacted in the reasonably foreseeable future. Leach fields and other wastewater disposal systems at OCD-regulated facilities that inject non-hazardous fluid into or above an underground source of drinking water are considered Class V injection wells under the EPA UIC program. Class V wells that inject domestic waste only, must be permitted by the New Mexico Environment Department (NMED).

14. Housekeeping: The owner/operator shall inspect all systems designed for spill collection/prevention and leak detection at least monthly to ensure proper operation and to prevent over topping or system failure. All spill collection and/or secondary containment devices shall be emptied of fluids within 72 hours of discovery. The owner/operator shall maintain all records at the facility and available for OCD inspection.

15. Spill Reporting: The owner/operator shall report all unauthorized discharges, spills, leaks and releases and conduct corrective action pursuant to WQCC Regulation 20.5.12.1203 NMAC and OCD Rule 116 (19.15.3.116 NMAC). The owner/operator shall notify both the OCD District Office and the Santa Fe Office within 24 hours and file a written report within 15 days.

16. OCD Inspections: The OCD may place additional requirements on the facility and modify the permit conditions based on OCD inspections.

17. Storm Water: The owner/operator shall implement and maintain run-on and runoff plans and controls. The owner/operator shall not discharge any water contaminant that exceeds the WQCC standards specified in 20.6.2.3101 NMAC or 20.6.4 NMAC (Water Quality Standards for Interstate and Intrastate Streams) including any oil sheen in any stormwater run-off. The owner/operator shall notify the OCD within 24 hours of discovery of any releases and shall take immediate corrective action(s) to stop the discharge.

18. Unauthorized Discharges: The owner/operator shall not allow or cause water pollution, discharge or release of any water contaminant that exceeds the WQCC standards listed in 20.6.2.3101 NMAC or 20.6.4 NMAC (Water Quality Standards for Interstate and Intrastate Streams) unless specifically listed in the permit application and approved herein. **An unauthorized discharge is a violation of this permit.**

19. Vadose Zone and Water Pollution: The owner/operator shall address any contamination through the discharge permit process or pursuant to WQCC 20.6.2.4000-.4116 NMAC (Prevention and Abatement of Water Pollution). The OCD may require the owner/operator to modify its permit for investigation, remediation, abatement, and monitoring requirements for any vadose zone or water pollution. Failure to perform any required investigation, remediation, abatement and submit subsequent reports will be a violation of the permit.

20. Additional Site Specific Conditions: N/A

21. Transfer of Discharge Permit (WQCC 20.6.2.3111) Prior to any transfer of ownership, control, or possession (whether by lease, conveyance or otherwise) of a facility with a discharge permit, the transferor shall notify the transferee in writing of the existence of the discharge permit, and shall deliver or send by certified mail to the department a copy of such written notification, together with a certification or other proof that such notification has in fact been received by the transferee.

Upon receipt of such notification, the transferee shall have the duty to inquire into all of the provisions and requirements contained in such discharge permit, and the transferee shall be charged with notice of all such provisions and requirements as they appear of record in the department's file or files concerning such discharge permit. The transferee (new owner/operator) shall sign and return an original copy of these permit conditions and provide a written commitment to comply with the terms and conditions of the previously approved discharge permit.

22. Closure: The owner/operator shall notify the OCD when operations of the facility are to be discontinued for a period in excess of six months. Prior to closure of the facility, the operator shall submit a closure plan for approval. Closure and waste disposal shall be in accordance with the statutes, rules and regulations in effect at the time of closure.

23. Certification: Transwestern Pipeline Company, (Owner/Operator), by the officer whose signature appears below, accepts this permit and agrees to comply with all submitted commitments, including these terms and conditions contained here. **Owner/Operator** further acknowledges that the OCD may, for good cause shown, as necessary to protect fresh water, public health, safety, and the environment, change the conditions and requirements of this permit administratively.

Conditions accepted by: "I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment."

TRANSWESTERN PIPELINE Co.
Company Name-print name above

LARRY CAMPBELL
Company Representative- print name

Larry Campbell
Company Representative- signature

Title District Env. Specialist

Date: 6/21/07



ENERGY TRANSFER PARTNERS

Transwestern Pipeline Company

June 6, 2007

UPS Confirmation No. 1Z 875 525 03 4560 8221

Mr. Wayne Price, Bureau Chief,
New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Re: Permit Renewal Fees, Transwestern Pipeline Company, Corona Compressor Station (GW-089) and P-1 Portales Compressor Station, (GW-090)

Dear Mr. Price:

Enclosed with this letter please find check no. 8000013322 in the amount of \$3,400.00 for the groundwater discharge permit renewal fees for the above referenced facilities

Also included with the permit renewal fees are signed copies of the Discharge Permit Approval Conditions for each facilities discharge plan.

Should your agency require additional information concerning this submittal, contact the undersigned at our Roswell Technical Operations office at (505) 625-8022.

Sincerely,

Larry Campbell
Division Environmental Specialist

xc: Corona Compressor Station
P-1 Compressor Station
Envisions file no. 205.1.20

RUIDOSO NEWS

CLASSIFIED INVOICE

Bill Date..... 03/28/07
 First Day In Newspaper 03/28/07
 Phone Number..... 505-476-3487
 Salesperson..... 772

Mail Payment To:
 P.O. BOX 1452
 EL PASO TX 79999-1452

RECEIVED

Thank You for advertising with the Ruidoso News
 Please take a moment and pay this invoice today.
 Thank You.

APR 10 2007

THIS INVOICE IS PAYABLE UPON RECEIPT.

NM OIL CONSERVATION DIVISION
 1220 S SAINT FRANCIS DR
 SANTA FE NM 87505-4000

Oil Conservation Division
 Payable To:
 1220 S. St. Francis Drive
 Ruidoso News
 Santa Fe, NM 87505

Ad Number	Amount
1000642112	113.13
Add Chrg/Crd	6.00
Box Chrg	
Sub Total	119.13
NM Tax	9.32
Please Pay This Amount >	128.45

000000001000642112000128456

Return This Portion With Payment

RETAIN THIS PORTION FOR YOUR RECORDS

Contact: NM OIL CONSERVATION

RUIDOSO NEWS

For Billing Inquiries Call: (505) 257-4001
 To Place an Ad Call: (505) 257-4001

PO #/Placed By: 52100-00000

Ad Number	First Day In Newspaper	Days In Newspaper	Number Of Lines	Key Word Description	Classification	Amount
1000642112	03/28/07	2	202.00	#7620 1T (3)28N/521	152	113.13
					Add Chrg/Crd.	6.00
					Box Charge	
					Sub Total	119.13
					NM Tax	9.32
TOTAL AMOUNT DUE >						128.45

** NOTE: You will receive a separate statement for each ad that you place.

Start Your Subscription! Call us at (505) 257-4001.

*OK to pay
 B...
 CW-89*

Thank You For Advertising With The Ruidoso News

AFFIDAVIT OF PUBLICATION

Ruidoso,
State of New Mexico
County of Lincoln ss.


2007 APR 2 PM 12 41

I, Glenas Orcutt, being duly sworn that I am the Publisher of the RUIDOSO NEWS, A newspaper of twice weekly circulation, published and printed in the English language At the town of Ruidoso, Lincoln County, State of New Mexico, that there is no daily paper published, in the said county, nor was there on the dates herein mentioned. That the RUIDOSO NEWS has been regularly published and issued for more than nine months prior to the dates of the first publication hereinafter mentioned.

That the attached notice was published 1 time(s) in 1 issue(s) of said newspaper and not in any supplement thereof, the last publication being on

March 28, 2007

That said notice was published in accordance with the laws of the State of New Mexico.


Publisher

Subscribed in my presence and sworn before me this 29 day of March 2007


OFFICIAL SEAL
Donna Brant
NOTARY PUBLIC
STATE OF NEW MEXICO
My Commission Expires: 1-10-2011

Donna Brant
Notary

My Commission Expires: Jan 10, 2011

Legal Notice # 7620

Requested By: NM Oil Conservation Division

Ad # 1000642112

Publication Fees: \$ 128.45

#7620 1T (3)28

NOTICE OF PUBLICATION

STATE OF NEW MEXICO
ENERGY, MINERALS AND
NATURAL RESOURCES
DEPARTMENT
OIL CONSERVATION
DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations (20.6.2.3106 NMAC), the following discharge permit application(s) has been submitted to the Director of the New Mexico Oil Conservation Division ("NMOCD"), 1220 S. Saint Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3440.

(GW-089) Transwestern Pipeline Company, Larry Campbell, Division Environmental Specialist, 6381 North Main Street, Roswell, New Mexico 88201, has submitted a renewal application for the previously approved discharge plan for their Corona Compressor Station located in the NW/4 of Section 36, Township 4, South, Range 15, East, NMPM, Lincoln County, New Mexico, off Highway 247 approximately fifteen miles north on County Road B007. Approximately 25 gallons per week of wash down water will be temporarily stored onsite in an aboveground storage tank within a bermed area prior to disposal or recycling at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 552 feet below the ground surface with a total dissolved solids concentration of approximately 1500 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

The NMOCD has determined that the application is administratively complete and has prepared a draft permit.

The NMOCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday, or may also be viewed at the NMOCD web site <http://www.emrd.state.nm.us/ocd/>. Persons interested in obtaining a copy of the application and draft permit may contact the NMOCD at the address given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this notice, during which interested persons may submit comments or request that NMOCD hold a public hearing. Requests for a public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at the hearing.

Para obtener mas informacion sobre esta solicitud en español, sirvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energia, Minerales y Recursos Naturales de Nuevo Mexico), Oil Conservation Division (Depto. Conservacion Del Petroleo), 1220 South St. Francis Drive, Santa Fe, New Mexico (Contacto: Dorothy Phillips, 505-476-3461).

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 22nd day of March 2007.

STATE OF NEW MEXICO
OIL CONSERVATION
DIVISION

SEAL
Mark Fesmire, Director



ENERGY TRANSFER PARTNERS

Transwestern Pipeline Company

April 12, 2007

UPS Tracking No.: 1Z 875 525 03 4330 8157

Mr. Wayne Price, Bureau Chief
New Mexico Oil Conservation Division
1220 South St. Francis
Santa Fe, New Mexico 87505

Re: Transwestern Pipeline Company, Corona Compressor Station, Submittal of Public
Notice and Affidavit of Publication Verification, Discharge Plan GW-089,
Lincoln County, New Mexico

Dear Mr. Price:

Enclosed with this letter, find the affidavit of publication and tear sheet presenting the public notice in English and Spanish for the discharge plan renewal requirements for the above referenced facility.

Should you have any questions or require any additional information concerning this information, contact the undersigned at our Roswell Technical Operations office.

Sincerely,

Larry Campbell
Division Environmental Specialist

Enclosure: Affidavit of Publication
Public notice in newspaper in English and Spanish

cc: Corona Compressor Station
Envision 205.1.20
File

2007 APR 13 PM 3 10

CW-89

AFFIDAVIT OF PUBLICATION

Ruidoso,
State of New Mexico
County of Lincoln. ss.

I, Glenas Orcutt, being duly sworn that I am the Publisher of the RUIDOSO NEWS, A newspaper of twice weekly circulation, published and printed in the English language At the town of Ruidoso, Lincoln County, State of New Mexico, that there is no daily paper published, in the said county, nor was there on the dates herein mentioned. That the RUIDOSO NEWS has been regularly published and issued for more than nine months prior to the dates of the first publication hereinafter mentioned.

That the attached notice was published 1 time(s) in 1 issue(s) of said newspaper and not in any supplement thereof, the last publication being on


April 4, 2007

That said notice was published in accordance with the laws of the State of New Mexico.



Publisher.

Subscribed in my presence and sworn before me this 4 day of April 2007



Notary

My Commission Expires: Jan 10, 2011

Legal Notice # _____

Requested By: Trans western Pipeline

Ad # _____

Publication Fees: \$498.09

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Revised June 10, 2003

Submit Original
Plus 1 Copy
to Santa Fe
1 Copy to Appropriate
District Office

RECEIVED

2007 SEP 28 PM 1:31

**DISCHARGE PLAN APPLICATION FOR SERVICE COMPANIES, GAS PLANTS,
REFINERIES, COMPRESSOR, GEOTHERMAL FACILITIES
AND CRUDE OIL PUMP STATIONS**

(Refer to the OCD Guidelines for assistance in completing the application)

New Renewal Modification

- Type: Compressor Station Corona Compressor Station
- Operator: TRANSWESTERN PIPELINE COMPANY
Address: Remote off Hwy 247 then south on CR 8007 15 miles
Contact Person: LARRY CAMPBELL Phone: (505) 625-8022
- Location: /4 NW /4 Section 36 Township 4S Range 15E
Submit large scale topographic map showing exact location.
- Attach the name, telephone number and address of the landowner of the facility site.
- Attach the description of the facility
- Attach a description of all materials
- Attach a description of present source of water. This description must be included.
- Attach a description of current liquid effluent discharge procedures.
- Attach a description of proposed monitoring and control systems.
- Attach a routine inspection and maintenance schedule.
- Attach a contingency plan for reoperation.
- Attach geological/hydrological information. Ground water must be included.
- Attach a facility closure plan, and other information as is necessary to demonstrate compliance with any other OCD rules, regulations and/or orders.

LEONARD - SORRY THIS IS LATE.
THE POST OFFICE KEEPS SENDING
IT BACK TO ME FOR INSUFFICIENT
POSTAGE. I HAD 58¢ + 39¢
BUT APPARENTLY THAT WASN'T
ENOUGH. I'LL TRY IT AGAIN.
LARRY CAMPBELL

14. CERTIFICATION I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

Name: LARRY CAMPBELL Title: DIVISION ENVIRONMENTAL SPECIALIST
Signature: LARRY CAMPBELL Date: AUG 9, 2007
E-mail Address: larry.campbell@energytransfer.com

PUBLIC NOTICE

Transwestern Pipeline Company, 6381 North Main Street, Roswell, New Mexico 88201, has submitted a renewal application to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division for the previously approved discharge plan (GW-089) for their Corona Compressor Station located in the NW of Section 36, Township 4 South, Range 15 East in Lincoln County, New Mexico. The physical location of this remote facility is off highway 247 then north onto County Road B007 for 15 miles. The mailing address of the facility is P.O. Box 710, Capitan, New Mexico, 88316.

Materials generated or used at the facility include pipeline condensate liquid, new and used compressor lubrication oil, gear oil and oily waste water from engine or scrubber wash down. The wash down water amounts to approximately 25 gallons per week. All liquids utilized at the facility are stored in dedicated above ground storage tanks prior to offsite disposal or recycling at an OCD approved site. All storage tanks are within properly engineered and OCD approved secondary containments. No onsite discharges are intentionally allowed to contact or enter surface or groundwater. The volume of discharges is zero and therefore, the quality of the discharges is not applicable.

The aquifer most likely to be affected is 552 feet in depth, and the total dissolved solids concentration of this aquifer is approximately 1500 mg/l.

Any interested person or persons may obtain information, submit comments or request to be placed on a facility-specific mailing list for future notices by contacting Brad Jones at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3487. The OCD will accept comments and statements of interest regarding the renewal and will create a facility-specific mailing list for persons who wish to receive future notices.



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

GARY E. JOHNSON
Governor
Betty Rivera
Cabinet Secretary

Lori Wrotenbery
Director
Oil Conservation Division

July 2, 2002

CERTIFIED MAIL
RETURN RECEIPT NO. 5357-7065

Mr. Larry Campbell
Transwestern Pipeline Co.
6381 North Main St.
Roswell, NM 88201

RE: Discharge Plan Renewal GW-89
Transwestern Pipeline Co.
Corona Compressor Station
Lincoln County, New Mexico

Dear Mr. Campbell:

The ground water discharge plan renewal of GW-89 for the Transwestern Pipeline Co. Corona Compressor Station located in the N/W/4 of Section 36, Township 4 South, Range 15 East, NMPM, Lincoln County, New Mexico, is hereby approved under the conditions contained in the enclosed attachment. Enclosed are two copies of the conditions of approval. **Please sign and return one copy to the New Mexico Oil Conservation Division (OCD) Santa Fe office within thirty (30) days of receipt of this letter.** Please note new mailing address below.

The discharge plan renewal application letter, dated December 2, 2001, submitted pursuant to Section 3106 of the New Mexico Water Quality Control Commission (WQCC) Regulations includes all earlier applications and approvals and all conditions later placed on those approvals. The discharge plan is renewed pursuant to Section 3109.C. Please note Section 3109.G, which provides for possible future amendment of the plan. Please be advised that approval of this plan does not relieve Transwestern Pipeline Co. of responsibility should operations result in pollution of surface water, ground water or the environment. Nor does it relieve Transwestern Pipeline Co. of its responsibility to comply with any other governmental authority's rules and regulations.


Please be advised that all exposed pits, including lined pits and open tanks (exceeding 16 feet in diameter) shall be screened, netted or otherwise rendered nonhazardous to wildlife including migratory birds.

Please note that Section 3104 of the regulations provides: "When a plan has been approved, discharges must be consistent with the terms and conditions of the plan." Pursuant to Section 3107.C, Transwestern Pipeline Co. is required to notify the Director

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7000 1670 0012 5357 7065

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$



Sent To **LARRY CAMPBELL / TRANSWESTERN**
Street, Apt. No., or PO Box No. **6381 NORTH MAIN**
City, State, ZIP+4 **ROSWELL, NM 88201**
PS Form 3800, May 2000 See Reverse for Instructions

Mr. Larry Campbell
GW-89
July 2, 2002
Page 2

of any facility expansion, production increase or process modification that would result in any change in the discharge of water quality or volume.

Pursuant to Section 3109.H.4, this renewal plan is for a period of five years. This renewal will expire on March 9, 2007, and Transwestern Pipeline Co. should submit an application in ample time before this date. Note that under Section 3106.F of the regulations, if a discharger submits a discharge plan renewal application at least 120 days before the discharge plan expires and is in compliance with the approved plan, then the existing discharge plan will not expire until the application for renewal has been approved or disapproved.

The discharge plan renewal application for the Transwestern Pipeline Co. Corona Compressor Station is subject to WQCC Regulation 3114. Every facility submitting a discharge plan application will be assessed a filing fee of \$100.00. There is a flat fee assessed for gas compressor station facilities with horsepower rating in excess of 1,000 horsepower of \$1,700.00.

On behalf of the staff of the OCD, I wish to thank you and your staff for your cooperation during this discharge plan review.

Sincerely,



Roger C. Anderson
Chief, Environmental Bureau
Oil Conservation Division

RCA/eem
Attachment

Xc: OCD Santa Fe Office

ATTACHMENT TO THE DISCHARGE PLAN RENEWAL GW-89
TRANSWESTERN PIPELINE CO.
CORONA COMPRESSOR STATION
DISCHARGE PLAN APPROVAL CONDITIONS
July 2, 2002

1. Payment of Discharge Plan Fees: Fees associated with this renewal are: filing fee of \$100.00 and flat fee of \$1,700.00. **Total due upon receipt of this approval is \$1,800.00.** All checks are to be made payable to Water Quality Management Fund and forwarded to the OCD Santa Fe Office. Please note the new mailing address on letterhead.
2. Commitments: Transwestern Pipeline Co. will abide by all commitments submitted in the discharge plan renewal application letter dated December 2, 2001 and these conditions for approval.
3. Waste Disposal: All wastes will be disposed of at an OCD approved facility. Only oilfield exempt wastes shall be disposed of down Class II injection wells. Non-exempt oilfield wastes that are non-hazardous may be disposed of at an OCD approved facility upon proper waste determination per 40 CFR Part 261. Any waste stream that is not listed in the discharge plan will be approved by OCD on a case-by-case basis. **Rule 712 Waste:** Pursuant to Rule 712, disposal of certain non-domestic waste is permitted at solid waste facilities permitted by the New Mexico Environment Department as long as:
 1. the waste stream is identified, and authorized, as such in the discharge plan, and;
 2. existing process knowledge of such waste streams does not change without notification to the Oil Conservation Division.
4. Drum Storage: All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums will be stored on their sides with the bungs in and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets will also be stored on an impermeable pad and curb type containment.
5. Process Areas: All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design.
6. Above Ground Tanks: All above ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new tanks or existing

tanks that undergo a major modification, as determined by the Division, must be placed within an impermeable bermed enclosure.

7. Above Ground Saddle Tanks: Above ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.
8. Labeling: All tanks, drums and containers will be clearly labeled to identify their contents and other emergency notification information.
9. Below Grade Tanks/Sumps: All below grade tanks, sumps, and pits must be approved by the OCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design. All below grade tanks and sumps must be tested annually. Results of such tests shall be maintained at the facility covered by this discharge plan and available for NMOCD inspection. Permit holders may propose various methods for testing such as pressure testing to 3 pounds per square inch above normal operating pressure and/or visual inspection of cleaned out tanks and/or sumps, or other OCD approved methods. The OCD will be notified at least 72 hours prior to all testing.
10. Underground Process/Wastewater Lines: All underground process/wastewater pipelines must be approved by the OCD prior to installation and must be tested to demonstrate their mechanical integrity every five (5) years. Results of such tests shall be maintained at the facility covered by this discharge plan and available for NMOCD inspection. Permit holders may propose various methods for testing such as pressure testing to 3 pounds per square inch above normal operating pressure or other means acceptable to the OCD. The OCD will be notified at least 72 hours prior to all testing.
11. Class V Wells: No Class V wells that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes will be approved for construction and/or operation unless it can be demonstrated that groundwater will be impacted in the reasonably foreseeable future. Leach fields and other wastewater disposal systems at OCD regulated facilities that inject non-hazardous fluid into or above an underground source of drinking water are considered Class V injection wells under the EPA UIC program. Class V wells that inject domestic waste only must be permitted by the New Mexico Environment Department.
12. Housekeeping: All systems designed for spill collection/prevention will be inspected weekly and after each storm event to ensure proper operation and to prevent overtopping or system failure. A record of inspections will be retained on site for a period of five years.

13. Spill Reporting: All spills/releases will be reported pursuant to OCD Rule 116 and WQCC 1203 to the OCD Santa Fe District Office.
14. Transfer of Discharge Plan: The OCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge plan. A written commitment to comply with the terms and conditions of the previously approved discharge plan must be submitted by the purchaser and approved by the OCD prior to transfer.
15. Storm Water Plan: Transwestern Pipeline Co. shall maintain storm water runoff controls. As a result of operations, if any water contaminant that exceeds the WQCC standards listed in 20 NMAC 6.2.3101 is discharged in any storm water run-off, then Transwestern Pipeline Co. shall: take immediate actions to mitigate the effects of the run-off, notify the OCD within 24 hours, and modify the discharge plan to include a formal storm water run-off containment plan and submit for OCD approval within 15 days.
16. Closure: The OCD will be notified when operations of the Corona Compressor Station are discontinued for a period in excess of six months. Prior to closure of the facility, the company will submit a closure plan for approval. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.
17. Conditions accepted by: Transwestern Pipeline Co., by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. Transwestern Pipeline Co. further acknowledges that the Division, for good cause shown as necessary to protect fresh water, human health and the environment, may change the conditions and requirements of this permit administratively.

Transwestern Pipeline Co.

Print Name: _____

Signature: _____

Title: _____

Date: _____



STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION

2040 S. PACHECO
SANTA FE, NEW MEXICO 87505
(505) 827-7131

December 23, 1996

CERTIFIED MAIL

RETURN RECEIPT NO. P-288-258-888

Mr. Larry Campbell
Transwestern Pipeline Company
6381 North Main Street
Roswell, New Mexico 88201

**RE: Discharge Plan GW-089
Corona Compressor Station
Lincoln County, New Mexico**

Dear Mr. Campbell:

The groundwater discharge plan renewal, GW-089, for the Transwestern Pipeline Company (Transwestern) Corona Compressor Station located in the NW/4 of Section 36, Township 4 South, Range 15 East, NMPM, Lincoln County, New Mexico, **is hereby approved** under the conditions contained in the enclosed attachment. The application consists of the original discharge plan as approved March 9, 1992, and the discharge plan renewal application dated September 30, 1996. Enclosed are two copies of the conditions of approval. **Please sign and return one copy to the New Mexico Oil Conservation Division (OCD) Santa Fe Office within 10 working days of receipt of this letter.**

The discharge plan was submitted pursuant to Section 3106 of the New Mexico Water Quality Control Commission (WQCC) Regulations. It is approved pursuant to Section 3109.A. Please note Sections 3109.E and 3109.F., which provide for possible future amendments or modifications of the plan. Please be advised that approval of this plan does not relieve Transwestern of liability should operations result in pollution of surface water, ground water, or the environment.

Please be advised that all exposed pits, including lined pits and open tanks (tanks exceeding 16 feet in diameter), shall be screened, netted, or otherwise rendered nonhazardous to wildlife including migratory birds.

Mr. Larry Campbell
December 23, 1996
Page 2


Please note that Section 3104 of the regulations require "When a facility has been approved, discharges must be consistent with the terms and conditions of the plan." Pursuant to Section 3107.C. Transwestern is required to notify the Director of any facility expansion, production increase, or process modification that would result in any change in the discharge of water quality or volume.

Pursuant to Section 3109.G.4., this plan is for a period of five years. This approval will expire on March 9, 2002, and Transwestern should submit an application in ample time before this date. Note that under Section 3106.F. of the regulations, if a discharger submits a discharge plan renewal application at least 120 days before the discharge plan expires and is in compliance with the approved plan, then the existing discharge plan will not expire until the application for renewal has been approved or disapproved. It should be noted that all discharge plan facilities will be required to submit plans for, or the results of, an underground drainage testing program as a requirement for discharge plan renewal.

The discharge plan renewal application for the Transwestern Pipeline Company Corona Compressor Station is subject to WQCC Regulation 3114. Every billable facility submitting a discharge plan renewal will be assessed a fee equal to the filing fee of \$50 plus a flat fee of \$690 for gas compressor stations. The \$50 filing fee and the \$690 flat fee were received by the OCD on September 17, 1996.

On behalf of the staff of the OCD, I wish to thank you and your staff for your cooperation during this discharge plan review.

Sincerely,



William J. LeMay
Director

WJL/mwa
Attachment

xc: OCD Artesia Office

ATTACHMENT TO THE DISCHARGE PLAN BW-089 RENEWAL
TRANSWESTERN PIPELINE COMPANY
CORONA COMPRESSOR STATION
DISCHARGE PLAN APPROVAL CONDITIONS
(December 23, 1996)

1. Transwestern Commitments: Transwestern will abide by all commitments submitted in the discharge plan renewal application dated September 30, 1996.
2. Drum Storage: All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums should be stored on their sides with the bungs in place and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets must also be stored on an impermeable pad with curbing.
3. Process Areas: All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design.
4. Above Ground Tanks: All above ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new facilities or modifications to existing facilities must place the tank on an impermeable type pad within the berm.
5. Above Ground Saddle Tanks: Above ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.
6. Labeling: All tanks, drums, and other containers should be clearly labeled to identify their contents and other emergency information necessary if the tank were to rupture, spill, or ignite.
7. Below Grade Tanks/Sumps: All below grade tanks, sumps, and pits must be approved by the OCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design. All pre-existing sumps and below-grade tanks must demonstrate integrity on an annual basis. Integrity tests include pressure testing to 3 pounds per square inch above normal operating pressure and/or visual inspection of cleaned out tanks and/or sumps, or other OCD approved methods. The OCD will be notified at least 72 hours prior to all testing.
8. Underground Process/Wastewater Lines: All underground process/wastewater, and brine transfer pipelines must be tested to demonstrate their mechanical integrity at present and

then every 5 years thereafter, or prior to discharge plan renewal. Permittees may propose various methods for testing such as pressure testing to 3 pounds per square inch above normal operating pressure or other OCD approved methods. The OCD will be notified at least 72 hours prior to all testing.

9. **Housekeeping:** All systems designed for spill collection/prevention, and leak detection will be inspected daily to ensure proper operation and to prevent overtopping or system failure.

Any non-exempt contaminated wastes that are collected at the facility will be tested for hazardous constituents, and after receiving OCD approval, will be disposed of at an OCD approved site.

10. **Spill Reporting:** All spills/releases shall be reported pursuant to OCD Rule 116. and WQCC 1203. to the OCD Artesia District Office.

11. **Transfer of Discharge Plan:** The OCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge plan. A written commitment to comply with the terms and conditions of the previously approved discharge plan must be submitted by the purchaser and approved by the OCD prior to transfer.

12. **Closure:** The OCD will be notified when operations of the facility are discontinued for a period in excess of six months. Prior to closure of the facility a closure plan will be submitted for approval by the Director. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.

13. **Certification:** Transwestern, by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. Transwestern further acknowledges that these conditions and requirements of this permit may be changed administratively by the Division for good cause shown as necessary to protect fresh water, human health and the environment.

P 288 258 888

Accepted:

TRANSWESTERN PIPELINE COMPANY

by _____
Title

US Postal Service
Receipt for Certified Mail
No insurance Coverage Provided.
Do not use for International Mail (See reverse)

Sent to	
Street & Number	
Post Office, State, & ZIP Code	
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

PS Form 3800, April 1995

01. ROUSER
FE

07 JUN 1997 8 52

ATTACHMENT TO THE DISCHARGE PLAN BW-089 RENEWAL
TRANSWESTERN PIPELINE COMPANY
CORONA COMPRESSOR STATION
DISCHARGE PLAN APPROVAL CONDITIONS
(December 23, 1996)

1. **Transwestern Commitments:** Transwestern will abide by all commitments submitted in the discharge plan renewal application dated September 30, 1996.
2. **Drum Storage:** All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums should be stored on their sides with the bungs in place and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets must also be stored on an impermeable pad with curbing.
3. **Process Areas:** All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design.
4. **Above Ground Tanks:** All above ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new facilities or modifications to existing facilities must place the tank on an impermeable type pad within the berm.
5. **Above Ground Saddle Tanks:** Above ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.
6. **Labeling:** All tanks, drums, and other containers should be clearly labeled to identify their contents and other emergency information necessary if the tank were to rupture, spill, or ignite.
7. **Below Grade Tanks/Sumps:** All below grade tanks, sumps, and pits must be approved by the OCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design. All pre-existing sumps and below-grade tanks must demonstrate integrity on an annual basis. Integrity tests include pressure testing to 3 pounds per square inch above normal operating pressure and/or visual inspection of cleaned out tanks and/or sumps, or other OCD approved methods. The OCD will be notified at least 72 hours prior to all testing.
8. **Underground Process/Wastewater Lines:** All underground process/wastewater, and brine transfer pipelines must be tested to demonstrate their mechanical integrity at present and

then every 5 years thereafter, or prior to discharge plan renewal. Permittees may propose various methods for testing such as pressure testing to 3 pounds per square inch above normal operating pressure or other OCD approved methods. The OCD will be notified at least 72 hours prior to all testing.

9. Housekeeping: All systems designed for spill collection/prevention, and leak detection will be inspected daily to ensure proper operation and to prevent overtopping or system failure.

Any non-exempt contaminated wastes that are collected at the facility will be tested for hazardous constituents, and after receiving OCD approval, will be disposed of at an OCD approved site.

10. Spill Reporting: All spills/releases shall be reported pursuant to OCD Rule 116. and WQCC 1203. to the OCD Artesia District Office.

11. Transfer of Discharge Plan: The OCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge plan. A written commitment to comply with the terms and conditions of the previously approved discharge plan must be submitted by the purchaser and approved by the OCD prior to transfer.

12. Closure: The OCD will be notified when operations of the facility are discontinued for a period in excess of six months. Prior to closure of the facility a closure plan will be submitted for approval by the Director. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.

13. Certification: Transwestern, by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. Transwestern further acknowledges that these conditions and requirements of this permit may be changed administratively by the Division for good cause shown as necessary to protect fresh water, human health and the environment.

Accepted:

TRANSWESTERN PIPELINE COMPANY

by Larry Campbell
Title

Division Environmental Specialist