

GW - 210

**GENERAL
CORRESPONDENCE**

YEAR(S):

2006 - 1995

2006 AUG 23 AM 11 44



Environmental Department
188 County Road 4900
Bloomfield, NM 87413
505/632-4606
505/632-4781 Fax

August 22, 2006

Mr. Wayne Price
New Mexico Oil Conservation Division
Environmental Bureau
1220 South St. Francis Drive
Santa Fe, NM 87505

Re: Change of Company Name

Dear Mr. Price;

In accordance with Conditions of Discharge Plan Approval attached to each discharge plan approved by the New Mexico Oil Conservation Division, we hereby provide notice of a change of ownership for the Williams facilities identified in the attached table to Williams Four Corners, LLC.

As a corporate strategy, Williams has created regional limited liability corporations for our assets. So, although a new corporation has been created, Williams Four Corners LLC is still a wholly-owned unit of Williams, and there is no change of corporate ownership for these facilities. Williams will continue to comply with the terms and conditions of all approved discharge plans. All other administrative items (responsible official, environmental contacts, mailing addresses, etc.) remain unchanged.

If you have any questions, please call David Bays, Senior Environmental Specialist, at (505) 632-4951 or Ingrid Deklau of Cirrus Consulting at (801) 583-3107.


Sincerely,

A handwritten signature in cursive script that reads "David Bays".

David Bays
Senior Environmental Specialist

Attachments

xc: Clara Cardoza
Monica Sandoval
WFS FCA file 210



RECEIVED
OIL CONSERVATION DIVISION
SEP 5 AM 8 52

P.O. Box 58900
Salt Lake City, UT 84158-0900
(801) 584-7033
FAX: (801) 584-6483

August 30, 1995

Mr. Pat Sanchez
New Mexico Oil Conservation Division
2040 South Pacheco
Santa Fe, New Mexico 87504

Re: Hampton Straddle Compressor Station Discharge Plan - San Juan County

Dear Mr. Sanchez:

Williams Field Services (WFS) is withdrawing the Discharge Plan application for the Hampton Straddle Compressor Station (GW-210). WFS was not able to obtain right-of-way for the originally proposed location. Another discharge plan application will be submitted when the new location has been chosen.

If you have any questions or require additional information, please do not hesitate to contact me at (801) 584-6543.

Sincerely,

Leigh E. Gooding
Leigh E. Gooding, P.G.
Environmental Specialist

RECEIVED
SEP 5 1995
Environmental Bureau
Oil Conservation Division

enclosure

cc: Denny Foust, OCD District III Office

*Asked RCA about this -
still No answer on 11/17/95.*

FLAT FEE

Facility Category	Flat Fee
Fuel Terminals	\$ 2300
Gas Compressor Stations	
0 to 1000 Horsepower	0
1001 to 3000 Horsepower	690 *
Greater than 3000 Horsepower	1380
Gas Processing Plants	3335
Injection Wells: Classes I & III and Geothermal	1380
In Situ Leach - except salt	3335
Leach Heaps - copper	3335
Leach Heaps - precious metals	3510
Mine Dewatering	1065
Oil & Gas Service Companies	1380
Refineries	7820
Remediations - discharge plan only	1380
Tailings - copper, uranium & molybdenum	4860
Uranium - ion exchange & evaporation pond	1210

(c) All billable facilities applying for a new discharge plan but which are not subject to a flat fee will pay the following fees according to their rate of effluent discharge:

DISCHARGE FEE

Average Discharge Gallons per Day	Fee
0 to 9,999	\$ 575
10,000 to 49,999	1150
50,000 to 99,999	1725
100,000 to 499,999	2300
500,000 to 999,999	2875
1,000,000 to 4,999,999	3450
5,000,000 to 9,999,999	4025
10,000,000 and greater	4600

~~2. Billable facilities applying for discharge plans which are subsequently withdrawn or denied shall pay one-half of the flat fee or discharge fee at the time of denial or withdrawal.~~

3. Every billable facility submitting a discharge plan modification or renewal will be assessed a fee equal to the filing fee plus one-half of the flat fee or the discharge fee, whichever is applicable. Applications for both renewal and a modification will pay a fee equal to that assessed a new discharge plan application.

WQCC 82-1
Amendment No. 9

* Facility would at had two
-33.2- 7042 GL Wankasha's.
1,000 < HP < 3000 HP.

OIL CONSERVATION DIVISION
RECEIVED
'95 SEP 5 AM 8 52



P.O. Box 58900
Salt Lake City, UT 84158-0900
(801) 584-7033
FAX: (801) 584-6483

August 30, 1995

Mr. Pat Sanchez
New Mexico Oil Conservation Division
2040 South Pacheco
Santa Fe, New Mexico 87504

Re: Hampton Straddle Compressor Station Discharge Plan - San Juan County

Dear Mr. Sanchez:

~~Williams Field Services (WFS) is withdrawing the Discharge Plan application for the Hampton Straddle Compressor Station (GW-210). WFS was not able to obtain right-of-way for the originally proposed location. Another discharge plan application will be submitted when the new location has been chosen.~~

If you have any questions or require additional information, please do not hesitate to contact me at (801) 584-6543.

Sincerely,

Leigh E. Gooding, P.G.
Environmental Specialist

enclosure

cc: Denny Foust, OCD District III Office

RECEIVED

SEP 5 1995

Environmental Bureau
Oil Conservation Division

AFFIDAVIT OF PUBLICATION

County of Chaves
State of New Mexico

I, Jean M. Pettit,
Bus. Manager,

Of the Roswell Daily Record, a daily newspaper published at Roswell, New Mexico, do solemnly swear that the clipping hereto attached was published once a week in the regular and entire issue of said paper and not in a supplement thereof for a period

of: one time weeks

beginning with issue dated
July 17th, 1995

and ending with the issue dated
July 17th, 1995

Jean M. Pettit
.....
Manager

Sworn and subscribed to before me

this 17th day of
July, 1995

Marydon S. [Signature]
.....
Notary Public

My Commission expires

July 25, 19*98*
(SEAL)

Publish July 17, 1995

NOTICE OF PUBLICATION

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations, the following discharge plan and renewal applications have been submitted to the Director of the Oil Conservation Division, 2040 South Pacheco, Santa Fe, New Mexico 87505, Telephone (505) 827-7131:

(GW-52)-TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Roswell Compressor Station located in the SW/4 SW/4, Section 21, Township 9 South, Range 24 East, NMPM, Chaves County, New Mexico. Approximately 1000 gallons per day of wastewater will be transferred to an offsite livestock watering tank. The wastewater has a total dissolved solids concentration of about 1250 mg/l. Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surfact is at a depth of approximately 240 feet with a total dissolved solids concentration of approximately 1,551 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-53)-TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Yates Plant located in the SW/4, Section 25, Township 18 South, Range 25 East, NMPM, Eddy County, New Mexico. Approximately 1000 gallons per day of wastewater is stored in closed top tanks and is transferred offsite to an OCD approved facility; Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surfact is at a depth of approximately 120 feet with a total dissolved solids concentration of approximately 850 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-210)-WILLIAMS FIELD SERVICE, Ms. Leigh Gooding, 801-584-6543, P.O. BOX 58900, M.S. 2G1, Salt Lake City, Utah 84158-0900 has submitted a discharge plan application for their Hampton Straddle Compressor station located in the SW/4 SE/4, Section 11, Township 30 North, Range 11, West NMPM, San Juan County, New Mexico. The total wastewater discharge will be about 138 gallons/day, this water will be collected in a closed top tank and transported offsite for disposal at an OCD approved facility; Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surfact is at a depth of approximately 50 feet with a total dissolved solids concentration of approximately 2,000 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surfact will be managed.

Any interested person may obtain further information from the Oil Conservation Division and may submit written comments to the Director of the Oil Conservation Division at the address given above. The discharge plan application may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday. Prior to the ruling on any proposed discharge plan or its modification, the Director of the Oil Conservation Division shall allow at least thirty (30) days after the date of publication of this notice during which comments may be submitted to him and public hearing may be requested by any interested person. Requests for public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed plan based on information available. If a public hearing is held, the director will approve or disapprove the proposed plan based on information in the plan and information submitted at the hearing.

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 10th day of July, 1995.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION
/S/ William J Lemay,

SEAL

WILLIAM J. LEMAY, Director

**NOTICE OF PUBLICATION
STATE OF NEW MEXICO
ENERGY, MINERALS AND
NATURAL RESOURCES**

DEPARTMENT

OIL CONSERVATION DIVISION
Notice is hereby given that pursuant to the New Mexico Water Quality Control Commission Regulations, the following discharge plan applications have been submitted to the Director of the Oil Conservation Division, 2040 South Pacheco, Santa Fe, New Mexico 87505, Telephone: (505) 827-7131.

(GW-82)-TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-825-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Roswell Compressor Station located in the SW/4 SW/4 Section 21 Township 9 South, Range 24 East, NMPM, Chaves County, New Mexico. Approximately 1000 gallons per day of wastewater will be transferred to an offsite livestock watering tank. The wastewater has a total dissolved solids concentration of about 1250 mg/L. Groundwater is not likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 240 feet with a total dissolved solids concentration of approximately 1,851 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-83)-TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-825-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Vista Plant located in the SW/4 Section 22 Township 18 South, Range 28 West, NMPM, Eddy County, New Mexico. Approximately 1000 gallons per day of wastewater is stored in closed top tanks and is referred offsite to an OCD provided facility. Groundwater is not likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 180 feet with a total dissolved solids concentration of approximately 850 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(W-210)-WILLIAMS FIELD OPERATIONS, Mr. Lyle Godding, 801-884-8000, P.O. BOX 88900, U.S. 201, Lake City, Utah, 84138-0800 has submitted a discharge plan application for their Hampton Wells Compressor station located in the SW/4 Section 11 Township 30 North, Range 11 NMPM, San Juan County, New Mexico. The wastewater discharge will be about 136 gal/day. This water will be stored in a closed top tank and referred offsite to an OCD provided facility. Groundwater is not likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of 50 feet with a total dissolved solids concentration of approximately 2,000 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

Any interested person may obtain further information from the Oil Conservation Division and may submit written comments to the Director of the Oil Conservation Division at the address given above. The discharge plan application may be viewed at the above address between 8:00 a.m. and 4:00 p.m. Monday through Friday. Prior to ruling on any proposed discharge plan or its modification, the Director of the Oil Conservation Division shall allow at least thirty (30) days after the date of publication of this notice during which comments may be submitted to him and public hearing may be requested by any interested person. Requests for public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines there is a significant public interest. If no public hearing is held, the Director will approve or disapprove the proposed plan based on information available. If a public hearing is held, the Director will approve or disapprove the proposed plan based on information in the plan and information submitted at the hearing. GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 10th day of July, 1995.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION
WILLIAM J. LEMAY, Director
Journal: July 15, 1995

OFFICIAL SEAL
Christina Duncan
NOTARY PUBLIC
STATE OF NEW MEXICO
My Commission Expires 12-3-99

Christina Duncan

STATE OF NEW MEXICO
County of Bernalillo

RECEIVED
AUG - 7 1995
OIL CONSERVATION DIVISION

Bill Tafoya being duly sworn and declared that he is Classified Advertising manager of The Albuquerque Journal, and that this newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Session Laws of 1937, and that payment therefore has been made of assessed as court cost; that the notice, copy of which is hereto attached, was published in said paper in the regular daily edition, for _____ times, the first publication being of the _____ day of July, 1995, and the subsequent consecutive publications on _____, 1995.

Bill Tafoya

Sworn and subscribed to before me, a notary Public in and for the County of Bernalillo and State of New Mexico, this 17 day of July, 1995

PRICE 54.00
Statement to come at end of month.

CLA-22-A (R-1/93) ACCOUNT NUMBER 197327

AFFIDAVIT OF PUBLICATION

No. 35064

STATE OF NEW MEXICO
County of San Juan:


ROBERT LOVETT being duly sworn says: That he is the Classified Manager of THE DAILY TIMES, a daily newspaper of general circulation published in English at Farmington, said county and state, and that the hereto attached Legal Notice was published in a regular and entire issue of the said DAILY TIMES, a daily newspaper duly qualified for the purpose within the meaning of Chapter 167 of the 1937 Session Laws of the State of New Mexico for publication on the following day(s):

Tuesday, July 18, 1995

and the cost of publication was: \$90.26



On 7/19/95 ROBERT LOVETT appeared before me, whom I know personally to be the person who signed the above document.


_____ My Commission Expires March 21, 1998

COPY OF PUBLICATION

Legals



NOTICE OF PUBLICATION
STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations, the following discharge plan and renewal applications have been submitted to the Director of the Oil Conservation Division, 2040 South Pacheco, Santa Fe, New Mexico 87505, Telephone (505) 827-7131:

(GW-52) - TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Roswell Compressor Station located in the SW/4 SW/4, Section 21, Township 9 South, Range 24 East, NMPM, Chaves County, New Mexico. Approximately 1000 gallons per day of wastewater will be transferred to an offsite live-stock watering tank. The wastewater has a total dissolved solids concentration of about 1250 mg/l. Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 240 feet with a total dissolved solids concentration of approximately 1,551 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-53) - TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Yates Plant located in the SW/4, Section 25, Township 18 South, Range 25 East, NMPM, Eddy County, New Mexico. Approximately 1000 gallons per day of wastewater is stored in closed top tanks and is transferred offsite to an OCD approved facility; Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 120 feet with a total dissolved solids concentration of approximately 850 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-210) - WILLIAMS FIELD SERVICE, Ms. Leigh Gooding, 801-584-6543, P.O. BOX 58900, M.S. 2G1, Salt Lake City, Utah, 84158-0900 has submitted a discharge plan application for their Hampton Straddle Compressor station located in the SW/4 SE/4, Section 11, Township 30 North, Range 11 West, NMPM, San Juan County, New Mexico. The total wastewater discharge will be about 138 gallons/day, this water will be collected in a closed top tank and transported offsite for disposal at an OCD approved facility; Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 50 feet with a total dissolved solids concentration of approximately 2,000 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

Any interested person may obtain further information from the Oil Conservation Division and may submit written comments to the Director of the Oil Conservation Division at the address given above. The discharge plan application may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday. Prior to ruling on any proposed discharge plan or its modification, the Director of the Oil Conservation Division shall allow at least thirty (30) days after the date of publication of this notice during which comments may be submitted to him and public hearing may be requested by any interested person. Requests for public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed plan based on information available. If a public hearing is held, the director will approve or disapprove the proposed plan based on information in the plan and information submitted at the hearing.

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 10th day of July, 1995.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

/s/ William J. LeMay
WILLIAM J. LEMAY, Director

SEAL

OIL CONSERVATION DIVISION
RECEIVED

'95 JUL 31 AM 8 52

WILLIAMS FIELD SERVICES
ONE OF THE WILLIAMS COMPANIES

P.O. Box 58900
Salt Lake City, UT 84158-0900
(801) 584-7033
FAX: (801) 584-6483

RECEIVED

JUL 31 1995

Environmental Bureau
Oil Conservation Division

July 25, 1995

Mr. Pat Sanchez
New Mexico Oil Conservation Division
2040 South Pacheco
Santa Fe, New Mexico 87504


Re: Hampton Straddle Compressor Station Discharge Plan - San Juan
County

Dear Mr. Sanchez:

I received your request for additional information concerning the above referenced Discharge Plan; however, the response will be delayed due to a right-of-way issue associated with the proposed site location. Once this issue has been resolved, I will either forward the information you requested or notify you of the facility relocation and withdraw our Discharge Plan Application.

If you have any questions or require additional information, please do not hesitate to contact me at (801) 584-6543.

Sincerely,



Leigh E. Gooding, P.G.
Environmental Specialist

Publish July 17, 1995

NOTICE OF PUBLICATION

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations, the following discharge plan and renewal applications have been submitted to the Director of the Oil Conservation Division, 2040 South Pacheco, Santa Fe, New Mexico 87505, Telephone (505) 827-7131:

(GW-52)-TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Roswell Compressor Station located in the SW/4 SW/4, Section 21, Township 9 South, Range 24 East, NMPM, Chaves County, New Mexico. Approximately 1000 gallons per day of wastewater will be transferred to an offsite livestock watering tank. The wastewater has a total dissolved solids concentration of about 1250 mg/l. Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 240 feet with a total dissolved solids concentration of approximately 1,551 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-53)-TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Yates Plant located in the SW/4, Section 25, Township 18 South, Range 25 East, NMPM, Eddy County, New Mexico. Approximately 1000 gallons per day of wastewater is stored in closed top tanks and is transferred offsite to an OCD approved facility. Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 120 feet with a total dissolved solids concentration of approximately 850 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-210)-WILLIAMS FIELD SERVICE, Ms. Leigh Gooding, 801-584-6543, P.O. BOX 58900, M.S. 2G1, Salt Lake City, Utah 84158-0900 has submitted a discharge plan application for their Hampton Straddle Compressor station located in the SW/4 SE/4, Section 11, Township 30 North, Range 11, West NMPM, San Juan County, New Mexico. The total wastewater discharge will be about 138 gallons/day, this water will be collected in a closed top tank and transported offsite for disposal at an OCD approved facility. Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 50 feet with a total dissolved solids concentration of approximately 2,000 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

Any interested person may obtain further information from the Oil Conservation Division and may submit written comments to the Director of the Oil Conservation Division at the address given above. The discharge plan application may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday. Prior to the ruling on any proposed discharge plan or its modification, the Director of the Oil Conservation Division shall allow at least thirty (30) days after the date of publication of this notice during which comments may be submitted to him and public hearing may be requested by any interested person. Requests for public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed plan based on information available. If a public hearing is held, the director will approve or disapprove the proposed plan based on information in the plan and information submitted at the hearing.

GIVEN under the Seal of New Mexico Oil Conservation Commission at Sante Fe, New Mexico, on this 10th day of July, 1995.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION
/S/ william j lemay,

SEAL

WILLIAM J. LEMAY, Director

Publish July 17, 24, 1995

FIFTH JUDICIAL DISTRICT
COUNTY OF CHAVES
STATE OF NEW MEXICO

IN THE MATTER OF THE ESTATE OF

KENNETH C. DENNIS, Deceased.

No. PB-94-79

DOROTHY C. DENNIS ANNA GALLUP LAURA GALLUP

Publish July 17, 24, 1995

IN THE PROBATE COURT
COUNTY OF CHAVES
STATE OF NEW MEXICO

IN THE MATTER OF THE
ESTATE

OF NO. 7996

ARTHUR T. FREUDENBERGER,
DECEASED.

NOTICE TO CREDITORS

The undersigned has been appointed Personal Representative of Arthur T. Freudenberger, deceased. All persons having claims against this estate are required to present their claims (i) within two months after the date of the first publication of this notice, or (ii) within two months after the mailing or delivery of this notice, whichever is later, or be forever barred.

/s/lima e freudenberger
Lilma E. Freudenberger
700 East Vista Parkway
Roswell, NM 88201

Publish July 13, 14, 16, 17, 1995

BID NOTICE

JANITORIAL SERVICE: The Chaves County Community Action Program is currently accepting bids for janitorial services for its facility located at 209 E. Hendricks, Roswell. Deadline for bids is July 20, 1995. Interested bidders may obtain bid information by contacting Sam Parker at 209 E. Hendricks or calling 623-1782 in Roswell.

DON'T THROW GOOD
MONEY AWAY.

Sell "DON'T NEEDS"

For cash with a
CLASSIFIED AD!

5. Special Notices

WITNESS WANTED! If you witnessed the accident at Lea and Second on Thursday 6/29/95 at 3:38PM, please call 623-3799

15. Personals
Special Notice

BANKRUPTCY

Free consultation, prompt filing. Payment terms, call for estimate.

Harry G. W. Griffith
Albuquerque
1-800-894-1018

MASSAGE THERAPY
A NEW YOU!

Great for stress-insomnia. Gift certificates available. Appointment only. 625-9420

HERBS REALLY WORK Natures remedy for every disease. Weight loss, no chemicals, income opportunity. 622-5999.

DIVORCE, BANKRUPTCY, case preparation, reasonable rates. 625-0059.

25. Lost and

SECURITY FINANCE
DUE TO RAPID EXPANSION
MANAGER TRAINEE'S
NEEDED

WE OFFER:
Competitive salary
Rapid Advancement
Opportunities in Eleven States
Paid Medical and Life Insurance
Paid Sick Days
Paid Holidays and Vacation Days
Optional Dental and Disability Insurance
Profit sharing Plan
Exceptional Employee Savings Plan

SEND RESUMES TO:
ATTN: JERRY TRIVINO
810 TRAILING HEART ROAD
ROSWELL, NM 88210



The values
you can find in the
classified pages.

JOURNEYMAN ELECTRICIAN.

We want an individual who wants a career, not just a job. License, Experience and tools a must. Need a self-starting individual who loves to work. Call Angelos Electric at 622-6637.

POSITION OPEN for a professional person as Sales/Marketing Representative in Roswell and in surrounding area. Sales and service experience required. Must be willing to travel. Professional appearance and attitude a must. Send resume to:

Record Reply Box 19599
Attention Sales
P.O. Box 1897
Roswell, NM 88202

EARN UP TO \$1,000 weekly stuffing envelopes at home. Start now, no experience, free supplies, INFORMATION, no obligation. Send self addressed stamped envelope to: BUCKS, Dept. 15, 8407 Bandera Road, Suite 133-217, San Antonio, TX 78250.

DOMINO'S PIZZA

Accepting applications for drivers and manager trainees. Have more fun and make more money (\$5-\$10 hourly) working for the leader in the pizza delivery business! Must have car, insurance and be at least 18. EOE. Apply in person:

1124 South Union
2417 North Main.

RN OR LPN, 25 hour per week for disabled 18 year old. Artesia loca-

Affidavit of Publication

No. 15183

Copy of Publication

STATE OF NEW MEXICO,

County of Eddy:

Gary D. Scott

being duly

sworn, says: That he is the Publisher of the

Artesia Daily Press, a daily newspaper of general circulation,

published in English at Artesia, said county and state, and that

the hereto attached Legal Notice

was published in a regular and entire issue of the said Artesia

Daily Press, a daily newspaper duly qualified for that purpose

within the meaning of Chapter 167 of the 1937 Session Laws of

the state of New Mexico for 1 consecutive weeks on

the same day as follows:

First Publication July 18, 1995

Second Publication

Third Publication

Fourth Publication

Subscribed and sworn to before me this 20th day

of July 19 95

Caroline Ann [Signature]
Notary Public, Eddy County, New Mexico

My Commission expires September 23, 1996

TRANSWESTERN PIPE-LINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. Box 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Yates Plant located in the SW/4, Section 25, Township 18 South, Range 25 East, NMPM, Eddy County, New Mexico. Approximately 1000 gallons per day of wastewater is stored in closed top tanks and is transferred offsite to an OCD approved facility; Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 120 feet with a total dissolved solids concentration of approximately 850 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 10th day of July, 1995.

STATE OF NEW MEXICO
OIL CONSERVATION
DIVISION
s-William J. Lemay
WILLIAM J. LEMAY
Director

SEAL
Published in the Artesia Daily Press, Artesia, New Mexico July 18, 1995.

Legal 15183
(GW-270) - WILLIAMS FIELD SERVICE, Ms. Leigh Gooding, 801-584-6543, P.O. Box 58900, M.S. 2G1, Salt Lake City, Utah, 84158-0900 has submitted a discharge plan application for their Hampton Straddle Compressor station located in the SW/4 SE/4, Section 11, Township 30 North, Range 11 West, NMPM, San Juan County, New Mexico. The total wastewater discharge will be about 138 gallons/day, this water will be collected in a closed top tank and transported offsite for disposal at an OCD approved facility; Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 50 feet with a total dissolved solids concentration of approximately 2,000 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

LEGAL NOTICE

NOTICE OF PUBLICATION
STATE OF NEW MEXICO
ENERGY, MINERALS AND
NATURAL RESOURCES
DEPARTMENT
OIL CONSERVATION
DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations, the following discharge plan and renewal applications have been submitted to the Director of the Oil Conservation Division, 2040 South Pacheco, Santa Fe, New Mexico 87505, Telephone (505) 827-7131.

(GW-52)
TRANSWESTERN PIPE-LINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. Box 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Roswell Compressor Station located in the SW/4 SW/4, Section 21, Township 9 South, Range 24 East, NMPM, Chaves County, New Mexico. Approximately 1000 gallons per day of wastewater will be transferred to an offsite livestock watering tank. The wastewater has a total dissolved solids concentration of about 1250 mg/l. Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 1,551 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.
(GW-53)

Any interested person may obtain further information from the Oil Conservation Division and may submit written comments to the Director of the Oil Conservation Division at the address given above. The discharge plan application may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday. Prior to ruling on any proposed discharge plan or its modification, the Director of the Oil Conservation Division shall allow at least thirty (30) days after the date of publication of this notice during which comments may be submitted to him and public hearing may be requested by any interested person. Requests for public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines there is significant public interest. If no public hearing is held, the Director will approve or disapprove the proposed plan based on information available. If a public hearing is held, the director will approve or disapprove the proposed plan based on information in the plan and information submitted at the hearing.
GIVEN under the Seal of New

NOTICE OF PUBLICATION

**STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION**

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations, the following discharge plan and renewal applications have been submitted to the Director of the Oil Conservation Division, 2040 South Pacheco, Santa Fe, New Mexico 87505, Telephone (505) 827-7131:

(GW-52) - TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Roswell Compressor Station located in the SW/4 SW/4, Section 21, Township 9 South, Range 24 East, NMPM, Chaves County, New Mexico. Approximately 1000 gallons per day of wastewater will be transferred to an offsite livestock watering tank. The wastewater has a total dissolved solids concentration of about 1250 mg/l. Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 240 feet with a total dissolved solids concentration of approximately 1,551 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-53) - TRANSWESTERN PIPELINE COMPANY, Mr. Larry Campbell, 505-625-8022, P.O. BOX 1717, Roswell, NM, 88202-1717 has submitted a Renewal discharge plan application for their Yates Plant located in the SW/4, Section 25, Township 18 South, Range 25 East, NMPM, Eddy County, New Mexico. Approximately 1000 gallons per day of wastewater is stored in closed top tanks and is transferred offsite to an OCD approved facility; Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 120 feet with a total dissolved solids concentration of approximately 850 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.

(GW-210) - WILLIAMS FIELD SERVICE, Ms. Leigh Gooding, 801-584-6543, P.O. BOX 58900, M.S. 2G1, Salt Lake City, Utah, 84158-0900 has submitted a discharge plan application for their Hampton Straddle Compressor station located in the SW/4 SE/4, Section 11, Township 30 North, Range 11 West, NMPM, San Juan County, New Mexico. The total wastewater discharge will be about 138 gallons/day, this water will be collected in a closed top tank and transported offsite for disposal at an OCD approved facility; Groundwater most likely to be affected by a spill, leak, or accidental discharge to the surface is at a depth of approximately 50 feet with a total dissolved solids concentration of approximately 2,000 mg/L. The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed.


Any interested person may obtain further information from the Oil Conservation Division and may submit written comments to the Director of the Oil Conservation Division at the address given above. The discharge plan application may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through

Friday. Prior to ruling on any proposed discharge plan or its modification, the Director of the Oil Conservation Division shall allow at least thirty (30) days after the date of publication of this notice during which comments may be submitted to him and public hearing may be requested by any interested person. Requests for public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed plan based on information available. If a public hearing is held, the director will approve or disapprove the proposed plan based on information in the plan and information submitted at the hearing.

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 10th day of July, 1995.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION



WILLIAM J. LEMAY, Director

S E A L

WILLIAMS FIELD SERVICES
ONE OF THE WILLIAMS COMPANIES 

P.O. Box 58900
Salt Lake City, UT 84158-0900
(801) 584-7033
FAX: (801) 584-6483

July 5, 1995

Mr. Roger Anderson
New Mexico Oil Conservation Division
2040 South Pacheco
Santa Fe, New Mexico 87504

Re: Discharge Plan for Hampton Straddle Compressor Station - San Juan County


GW-210

Dear Mr. Anderson:

Enclosed please find two copies of the Discharge Plan for Williams Field Services' Hampton Straddle Compressor Station located in San Juan County, New Mexico. Also enclosed, please find a check for \$50.00, payable to the New Mexico Water Quality Management Fund, to cover the application fee for the above referenced project.

If you have any questions or require additional information, please do not hesitate to contact me at (801) 584-6543.

Sincerely,



Leigh E. Gooding, P.G.
Environmental Specialist

enclosure

cc: Denny Foust, OCD District III Office (letter and enclosure)

RECEIVED

JUL 07 1995

Environmental Bureau
Oil Conservation Division

Received
July 10, 1995
by PWG
for Review