

**GW - 327**

**PERMITS,  
RENEWALS,  
& MODS  
Application**

ACKNOWLEDGEMENT OF RECEIPT  
OF CHECK/CASH

I hereby acknowledge receipt of check #16 \_\_\_\_\_ dated 11/25/10

or cash received on \_\_\_\_\_ in the amount of \$ 100<sup>00</sup>

from WILLIAMS FOUR CORNERS

for GW-327

Submitted by: LAWRENCE ROYERO Date: 12/16/10

Submitted to ASD by: JOURNAL TERRY Date: 12/16/10

Received in ASD by: \_\_\_\_\_ Date: \_\_\_\_\_

Filing Fee  New Facility \_\_\_\_\_ Renewal \_\_\_\_\_

Modification \_\_\_\_\_ Other \_\_\_\_\_

Organization Code 521.07 Applicable FY 2010

To be deposited in the Water Quality Management Fund.

Full Payment \_\_\_\_\_ or Annual Increment \_\_\_\_\_



**WILLIAMS FOUR CORNERS LLC**  
 PO Box 21218  
 Tulsa, OK 74121-1218  
 Customer Support 1-866-778-2665

CHECK NUMBER	PAY DATE	SUPPLIER NO.	SUPPLIER NAME	TOTAL AMOUNT
	11/25/2010	486235	WATER QUALITY MANAGEMENT FUND	*****300.00

INVOICE NUMBER	INV. DATE	INVOICE DESCRIPTION	NET AMOUNT
24-NOV-2010	20101124	OCD RENEWAL ADMINISTRATIVE FEES FOR CHACO, BLANCO & HARE COM  GW-327, Blanco C.S. GW-331, Chaco C.S. GW-343, Hare C.S.	300.00

THIS MULTI-TONE AREA OF THE DOCUMENT CHANGES COLOR GRADUALLY AND EVENLY FROM DARK TO LIGHT WITH DARKER AREAS BOTH TOP AND BOTTOM. IT ALSO HAS A REFLECTIVE WATERMARK ON THE BACK.



**WILLIAMS FOUR CORNERS LLC**  
 PO Box 21218  
 Tulsa, OK 74121-1218  
 Customer Support 1-866-778-2665

JPMorgan Chase Bank, N.A.  
 Chicago, IL

70-2322 /719  
 A/C 695208066

DATE: 11/25/2010

PAY TO THE ORDER OF:

WATER QUALITY MANAGEMENT FUND  
 C/O OIL CONSERVATION DIV  
 1220 S ST FRANCIS DR  
 SANTA FE, NM 87505  
 UNITED STATES

PAY →

\*\*\*\*\*300.00

USD

*Rodney J. Sisk*  
 Authorized Signer

SUPPLIER NUMBER  
 486235

## **Lowe, Leonard, EMNRD**

---

**From:** Dailey, Aaron [Aaron.Dailey@williams.com]  
**Sent:** Wednesday, December 01, 2010 5:04 PM  
**To:** Lowe, Leonard, EMNRD  
**Cc:** VonGonten, Glenn, EMNRD; Deklau, Ingrid  
**Subject:** Williams Four Corners Discharge Plan Renewal Applications--GW 343, 327, 331  
**Attachments:** Williams GW343 OCD Renewal Application -Hare 2010-11.pdf; Williams GW327 OCD Renewal Application; Blanco 2010-11.pdf; Williams GW331 OCD Renewal Application -Chaco 2010-11.pdf; Williams GW 061 OCD Renewal Application -Horse Canyon.pdf; Williams GW 330 OCD Renewal Application -Dogie.pdf

Leonard,

Please find the attached OCD discharge plan renewals for the following Williams facilities:

- GW 343 (Hare Compressor)
- GW 327 (Blanco Compressor)
- GW 331 (Chaco Compressor)
- GW 061 (Horse Canyon Compressor)
- GW 330 (Dogie Compressor)

The administrative filing fees have been sent to your attention via FEDEX, tracking # 794172289027

Please contact me if you have any questions.

Thank you,  
aaron

**Aaron Dailey**  
Environmental Specialist  
Williams Four Corners, LLC  
Office: (505)632-4708  
Cell: (505)787-0719  
Fax: (505)632-4781  
[aaron.dailey@williams.com](mailto:aaron.dailey@williams.com)



Aaron Dailey  
Williams Four Corners, LLC  
188 County Road 4900  
Bloomfield, NM 87413  
505-632-4708 (office)

December 1, 2010

Mr. Glen von Gonten  
New Mexico Oil Conservation Division  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

Subject: Discharge Plan Renewal Application  
Williams Four Corners, LLC Blanco Compressor (GW-327)

Dear Mr. von Gonten:

Williams Four Corners, LLC submitted the Discharge Plan renewal application for the Blanco Compressor (GW-327) to you via email on December 1, 2010. A copy of the email was also forwarded to Brandon Powell, OCD District 3.

Enclosed please find a check for \$100 to cover the filing fee for the application.

If any additional information is needed, please contact me at (505) 632-4708.

Sincerely,

A handwritten signature in black ink, appearing to be "A. Dailey". The signature is stylized with a large, sweeping 'A' and a 'D' that loops back.

Aaron Dailey  
Environmental Specialist

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Revised June 10, 2003

Submit Original  
Plus 1 Copy  
to Santa Fe  
1 Copy to Appropriate  
District Office

---

**DISCHARGE PLAN APPLICATION FOR SERVICE COMPANIES, GAS PLANTS, REFINERIES,  
COMPRESSOR, GEOTHERMAL FACILITIES  
AND CRUDE OIL PUMP STATIONS**

**(Refer to the OCD Guidelines for assistance in completing the application)**

New       Renewal       Modification

1. Type: Compressor Station (Blanco Compressor Station, GW-327)
2. Operator: Williams Four Corners, LLC  
Address: 188 CR 4900, Bloomfield, NM 87413  
Contact Person: Aaron Dailey      Phone: 505-632-4708
3. Location: NW/4 SW/4 Section 32      Township 30 North      Range 9 West  
Submit large scale topographic map showing exact location.
4. Attach the name, telephone number and address of the landowner of the facility site.
5. Attach the description of the facility with a diagram indicating location of fences, pits, dikes and tanks on the facility.
6. Attach a description of all materials stored or used at the facility.
7. Attach a description of present sources of effluent and waste solids. Average quality and daily volume of waste water must be included.
8. Attach a description of current liquid and solid waste collection/treatment/disposal procedures.
9. Attach a description of proposed modifications to existing collection/treatment/disposal systems.
10. Attach a routine inspection and maintenance plan to ensure permit compliance.
11. Attach a contingency plan for reporting and clean-up of spills or releases.
12. Attach geological/hydrological information for the facility. Depth to and quality of ground water must be included.
13. Attach a facility closure plan, and other information as is necessary to demonstrate compliance with any other OCD rules, regulations and/or orders.
14. CERTIFICATION: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

Name: Aaron Dailey      Signature:   
E-mail Address: aaron.dailey@williams.com

Title: Environmental Specialist  
Date: November 30, 2010



## **Blanco Compressor Station**

### **NMOCD Discharge Plan GW-327 Renewal**

**Williams Four Corners, LLC  
188 CR 4900  
Bloomfield, NM 87413**

November 2010

**Item 1**

*Indicate the major operational purpose of the facility. If the facility is a natural gas purification plant (CO<sub>2</sub> removal) and compressor station include the total combined site rated horsepower.*

The Blanco Compressor Station is owned and operated by Williams Four Corners, LLC (Williams). It is located approximately 11 miles northwest of Bloomfield, New Mexico. The station was constructed in 1971 to provide natural gas gathering, metering, compression, and delivery services through the Williams system to various producers. The air quality permit for this site has allowed the operation two 888-hp Solar turbines, one 968-hp Solar turbine, two generators, and one fuel gas dehydrator. The turbines are skid-mounted and housed within two buildings. Currently, three turbines exist at the site. In addition, there are various storage tanks, support structures and ancillary equipment.

**Item 2**

*Name of operator or legally responsible party and local representative.*

**Legally Responsible Party/  
Operator** Williams Four Corners, LLC  
188 County Road 4900  
Bloomfield, NM 87413  
(505) 632-4600/4634  
(800)-645-7400 (24 hour emergency notification)

**Local Representative** Aaron Dailey  
Williams Four Corners, LLC  
188 County Road 4900  
Bloomfield, NM 87413  
(505) 642-4708

**Item 3**

*Give a legal description of the location and county. Attach a large-scale topographic map.*

San Juan County, New Mexico  
Township 30 North, Range 9 West, NW/4 SW/4 Section 32  
The topographic map is attached as Figure 1.

**Item 4**

*Attach the name, telephone number and address of the landowner of the facility site.*

Williams is leasing the subject property from:

Bureau of Land Management  
1235 N. La Plata Highway  
Farmington, NM 87401  
(505) 599-8900

**Item 5**

*Attach a description of the facility with a diagram indicating location of fences, pits, dikes and tanks on the facility.*

There have been no modifications to this section. See information on-file at OCD. The facility plot plan has been updated and is included with this document as Figure 2.

**Item 6**

*Attach a description of all materials stored or used at the facility.*

Table 1 describes the transfer, storage and disposal of exempt and non-exempt process fluids, effluents, and waste solids expected to be generated at the site.

MSDSs for materials at the site will be maintained in Williams' corporate office and will be available upon request.

**Item 7**

*Attach a description of present sources of effluent and waste solids. Average quality and daily volume of wastewater must be included.*

The source, quantity, and quality of effluent and waste solids expected to be generated at the compressor station are summarized in Table 2.

**Item 8**

*Attach a description of current liquid and solid waste collection/treatment/disposal procedures.*

There have been no modifications except that used oil filters and oil soaked pads and socks will be recycled per OCD regulations. This is reflected in Table 1, which describes the transfer, storage and disposal of exempt and non-exempt process fluids, effluents, and waste solids expected to be generated at the site. See additional information on-file at OCD.

**Item 9**

*Attach a description of proposed modifications to existing collection/treatment/disposal systems.*

No modifications to the facility are necessary to meet NMOCD requirements.

**Item 10**

*Attach a routine inspection and maintenance plan to ensure permit compliance.*

There have been no modifications to this item. See information on-file at OCD.

**Item 11**

*Attach a contingency plan for reporting and clean up of spills or releases.*

There have been no modifications to this item. See information on-file at OCD.

**Item 12**

*Attach ecological/hydrological information for the facility. Depth to and quality of groundwater must be included.*

The table below has been updated in accordance with a current well search performed using the New Mexico Office of the State Engineer's WATERS Database(1) for this renewal application. Information on the water wells in the vicinity of the Blanco Compressor Station is presented in the table below. The ground water in the area is expected to have a total dissolved solids (TDS) concentration of approximately 200-2,000 mg/l. Depth to groundwater is expected range between 12 - 20 feet. See additional information on-file at OCD.

The table below presents available information provided for wells found between one-half and one mile from the site.

Township; Range; Section	Quarter <sup>a</sup>	Apx. Distanc e from Site (mi)	Well #	Use <sup>b</sup>	Well Depth (ft)	Water Bearing Stratifications (ft)	Description	Depth to Water (ft)
29N; 9W; 4	1	0.75-3	--	--	45	--	Alluvium; SPC apx 800 umhos in 1976 measurement	--
29N; 9W; 4	1411	~0.9	--	--	54	--	Alluvium; SPC apx 800 umhos in 1974 measurement	36
29N; 9W; 5	3212	~0.6	--	--	30	--	Nacimiento Formation	12.7
29N; 9W; 6	2412	~0.8	--	--	--	--	SP 12,000 umhos; well abandoned	--
29N; 9W; 4	311	0.5-0.75	SJ 03490	Stk	42	25-40	Sandstone/Gravel/ Conglomerate	20

Note a: 1=NW/4; 2=NE/4; 3=SW/4; 4=SE/4 from smallest to largest (eg. Q/64; Q/16; Q4)

Note b: Dom=domestic; Mul=multiple domestic households; stk=stock watering

"--" indicates information not provided

**References**


<sup>1</sup>Online Well Reports and Downloads, New Mexico Office of the State Engineer, search performed 11/7/2010.

<sup>2</sup>Stone, W.J., Lyford, F.P., Frenzel, P.F., Mizell, N.H., Padgett, E.T., 1983, Hydrology and Water Resources of San Juan Basin, New Mexico Bureau of Mines and Mineral Resources, Hydrologic Report 6.


**Item 13**

*Attach a facility closure plan, and other information as is necessary to demonstrate compliance with any other OCD rules, regulations and/or orders.*

There have been no modifications to this section. See information on-file at OCD.



Source: USGS Turley, NM Quadrangle




## Figure 1 Site Vicinity / Topographic Map

**Blanco Compressor Station**

Section 32, Township 30N Range 9W

San Juan County, New Mexico



**Facility Site Plan**  
**Blanco Compressor Station**

San Juan County, New Mexico

**Table 1  
Transfer, Storage and Disposal of Process Fluids, Effluent and Waste Solids**

PROCESS FLUID/WASTE	STORAGE	STORAGE CAPACITY (approximate)	CONTAINMENT/ SPILL PREVENTION	RCRA STATUS	DESCRIPTION OF FINAL DISPOSITION
Condensate/Produced Water	Above ground storage tank	2 @ 500 bbl 45 bbl 70 gal	Berm	Exempt	Saleable liquids may be sold to refinery. The remaining liquids may be transported to a Williams' evaporation facility or may be disposed at any facility permitted by any state, federal, or tribal agency to receive industrial solid waste. Any waste that is determined to be hazardous as defined by 40 CFR 260-265 will be disposed only at a facility permitted to accept such hazardous waste.
Produced Water	Above ground storage tank	75 bbl	Berm	Exempt	Saleable liquids may be sold to refinery. The remaining liquids may be transported to a Williams' evaporation facility or may be disposed at any facility permitted by any state, federal, or tribal agency to receive industrial solid waste. Any waste that is determined to be hazardous as defined by 40 CFR 260-265 will be disposed only at a facility permitted to accept such hazardous waste.
Used Oil/Blowdown	Above ground storage tank	45 bbl; 375 gal; 275 gal	Berm	Non-exempt	May be hauled to a Williams or contractor consolidation point before transport to EPA-registered used oil marketer for recycling.
Used Oil Filters, Oil Soaked Pads & Socks	Drum or other container	Varies	Transported to a Williams or contractor facility in drum or other container	Non-exempt	Used oil filters and oil soaked pads and socks will be recycled as required by OCD regulations.
Used Process Filters	Drum or other container	Varies	Transported to a Williams or contractor facility in drum or other container	Exempt	Transported to a Williams or contractor consolidation point, drained, and ultimately transported for disposal at any facility permitted by any state, federal, or tribal agency to receive industrial solid waste. Any waste that is determined to be hazardous as defined by 40 CFR 260-265 will be disposed only at a facility permitted to accept such hazardous waste. A Waste Acceptance Profile will be filed with the disposal facility as necessary. Recycling options may be considered when available.
Spill Residue (i.e., soil, gravel, etc.)	N/A	N/A	In situ treatment, land farm, or alternate method	Incident dependent	Per Section VI, Remediation, in 8/13/93 NMOCD Guidelines for Remediation of Leaks, Spills, and Releases.
Used Absorbents	Drum or other container	Varies	Transported in drum or other container	Non-exempt	Transported to a Williams or contractor consolidation point, drained, and ultimately transported for disposal at any facility permitted by any state, federal, or tribal agency to receive industrial solid waste. Any waste that is determined to be hazardous as defined by 40 CFR 260-265 will be disposed only at a facility permitted to accept such hazardous waste. A Waste Acceptance Profile will be filed with the disposal facility as necessary. Recycling options may be considered when available.
Empty Drums / Containers	N/A	N/A	Berm or transported to Williams' or contractor facility	Non-exempt	Barrels are returned to supplier or transported to a Williams or contractor consolidation point and ultimately recycled/dispersed consistent with applicable regulations.
Deionized Water	Above ground storage tank	300 gal	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.
Triethylene Glycol	Above ground storage tank	8820 gal	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.
Compressor Oil	Above ground storage tank	1000 gal	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.

PROCESS FLUID/WASTE	STORAGE	STORAGE CAPACITY (approximate)	CONTAINMENT/ SPILL PREVENTION	RCRA STATUS	DESCRIPTION OF FINAL DISPOSITION
Methanol	Above ground storage tank	100 bbl	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.
Diesel Fuel	Above ground storage tank	250 gal	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.

**Table 2**  
**Source, Quantity, and Quality of Effluent and Waste Solids**

PROCESS FLUID / WASTE	SOURCE	QUANTITY (Ranges)	QUALITY
Condensate/Produced Water	Scrubber, Gas Inlet Separator, Dehydrators Condensate Tank	1,000-10,000 bbl/yr	May contain trace lube oil
Produced Water	Scrubber, Drawn off condensate tank	100-300 bbl/yr	May contain trace lube oil
Used Solvent	Parts Cleaner; Pipeline Additive	0-500 gal/year	No additives
Used Oil	Turbines, Recips	1000-2000 gal/yr/unit	Used Oil w/ No Additives
Used Oil Filters	Turbines, Recips	50-500/year/unit	No Additives
Used Process Filters	Air, Inlet, Fuel, Fuel Gas, Glycol, Ambitrol	200-500 filters/year	No Additives
Empty Drums/Containers	Liquid Containers	20-100/year	No Additives
Spill Residue ( i.e. soil, gravel, etc)	Incidental Spill	Incident Dependent	Incident Dependent
Used Adsorbents	Incidental Spill/Leak Equipment Wipe-down	Incident Dependent	No Additives
Used/off-spec materials (eg. glycol, antifreeze, corrosion inhibitor, methanol, etc.)	Dehydration and compression	0-200 gal/yr/material	No Additives

See attached DRAFT Public Notice, to include the following:

- Newspaper notice published in Farmington Daily Times in English and Spanish
- Landowner notice

## PUBLIC NOTICE

Williams Four Corners, LLC, 188 County Road 4900, Bloomfield, New Mexico 87413, submitted a renewal application in November 2010 to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division for the previously approved discharge plan GW-327 for their Blanco Compressor Station. The facility is located in Section 32, Township 30 North, Range 9 West, San Juan County, New Mexico, approximately 11 miles northwest of Bloomfield. The facility provides natural gas compression and conditioning services.

The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed. Typical materials generated or used at the facility include natural gas condensate/produced water, new and used lube oil, oily waste water from equipment wash down, and glycol. The quantity of used oil generated is expected to be approximately 1000 – 2000 gallons per year per unit. The facility does not discharge to surface or subsurface waters. All waste generated will be temporarily stored in tanks or containers equipped with secondary containment. Waste shipped offsite will be disposed or recycled at a facility permitted by state, federal, or tribal agency to receive such waste. The estimated ground water depth at the site is expected to be 12-20 feet. The ground water in the area is expected to have a total dissolved solids concentration of approximately 200-2,000 mg/l.

Any interested person or persons may obtain information, submit comments or request to be placed on a facility-specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3492. The OCD will accept comments and statements of interest regarding the renewal and will create a facility-specific mailing list for persons who wish to receive future notices.

## ATENCIÓN PÚBLICA

Williams Four Corners, LLC, 188 County Road 4900, Bloomfield, New Mexico 87413, presentó una solicitud de renovación en noviembre de 2010 para el New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division para previamente aprobado Discharge Plan GW-327 para su Blanco Compressor Station. La planta está ubicada en la Sección 32, Municipio 30 Norte, Rango 9 West, en San Juan County, New Mexico, aproximadamente 11 millas al noroeste de Bloomfield, New México. La instalación dispone de compresión de gas natural y servicios de acondicionamiento.

El plan se aborda cómo derrames serán manipulados. Materiales típicos generados o utilizados en la instalación incluyen gas natural condensado, agua producida, aceite, glicol y aceitosos agua de equipo de lavado. La cantidad de aceite usado generados se espera sea de aproximadamente 1000-2000 galones por año por unidad. La instalación no libera los residuos líquidos a la superficie o las aguas subterráneas. Todos los desechos generados se temporalmente almacenados en tanques o contenedores equipados con contención secundaria. Residuos trasladados fuera será eliminado o reciclados en una instalación permitidas por estatales, federales, o tribales agencia para recibir esos residuos. La estimación de la profundidad del agua subterránea en el sitio se espera que sea por lo menos 12-20 pies. El total se disolvió se espera que la concentración de sólidos del agua subterránea de área esté en la variedad de 200-2000 partes por millón.

Cualquier persona interesada o personas pueden obtener la información, presentar comentarios o solicitar para ser colocado en una lista de direcciones para futuros avisos por ponerse en contacto con Leonard Lowe en el Nuevo México OCD en 1220 Sur San. Francis Drive, Santa Fe, Nuevo México 87505, Teléfono (505) 476-3492. El OCD aceptará comentarios y declaraciones del interés en cuanto a la renovación y creará una lista de direcciones específica de instalación para personas que desean recibir futuros avisos.

---



Four Corners Area  
Environmental Department  
#188 County Road 4900  
Bloomfield, N.M. 87413  
Phone: (505) 632-4708  
Fax: (505) 632-4781

November 18, 2010

**CERTIFIED MAIL – RETURN RECEIPT REQUESTED**

Bureau of Land Management  
1235 N. La Plata Highway  
Farmington, NM 87401

Dear Madam/Sir:

This letter is to advise you that Williams Four Corners, LLC submitted a Discharge Plan Renewal application to the Oil Conservation Division for the permitted Blanco Compressor Station (GW-327) in November 2010. This notice is a requirement pursuant to New Mexico Water Quality Control Commission Regulations.

The facility, located in Section 32, Township 30 North, Range 9 West, San Juan County, New Mexico, approximately 11 miles northwest of Bloomfield, provides natural gas compression and conditioning services.

The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed. Typical materials generated or used at the facility include natural gas condensate/produced water, new and used lube oil, oily waste water from equipment wash down, and glycol. The quantity of used oil generated is expected to be approximately 1000 – 2000 gallons per year per unit. The facility does not discharge to surface or subsurface waters, and therefore the quantity and quality of the discharges is not applicable. All wastes generated will be temporarily stored in tanks or containers equipped with secondary containment. Waste shipped offsite will be disposed or recycled at a facility permitted by state, federal, or tribal agency to receive such waste. The estimated ground water depth at the site is expected to be 12-20 feet. The ground water in the area is expected to have a total dissolved solids concentration of approximately 200-2,000 mg/l.

Comments or inquiries regarding this permit or the permitting process may be directed to:

Leonard Lowe  
New Mexico Oil Conservation Division  
1220 South Saint Francis Dr.  
Santa Fe NM 87505  
505-476-3492

Respectfully submitted,

Aaron Dailey  
Environmental Specialist



# NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

**BILL RICHARDSON**  
Governor  
**Joanna Prukop**  
Cabinet Secretary

March 3, 2006

**Mark E. Fesmire, P.E.**  
Director  
Oil Conservation Division

Mr. David Bays  
Williams Field Services, Inc.  
188 CR 4900  
Bloomfield, New Mexico 87413

**RE: Discharge Permit Renewal GW-327  
Williams Field Services, Inc.  
Blanco Compressor Station  
San Juan County, New Mexico**

Dear Mr. Bays:

The ground water discharge permit renewal application GW-327 for the Williams Field Services, Inc. Blanco Compressor Station located in the NW/4 SW/4 of Section 32, Township 30 North, Range 9 West, NMPM, San Juan County, New Mexico, **is hereby approved** under the conditions contained in the enclosed attachment. Enclosed are two copies of the conditions of approval. **Please sign and return one copy to the New Mexico Oil Conservation Division (OCD) Santa Fe Office within 30 days of receipt of this letter.**

The original discharge permit application was submitted on January 17, 2001 and approved April 13, 2001. The discharge permit renewal application letter, dated December 12, 2005, submitted pursuant to 20 NMAC 3106 of the New Mexico Water Quality Control Commission (WQCC) Regulations also includes all earlier applications and all conditions later placed on those approvals. The discharge permit is renewed pursuant to 20 NMAC 3106.A. Please note 20 NMAC 3109.E and 20 NMAC 3109.F, which provides for possible future amendment or modifications of the permit. Please be advised that approval of this permit does not relieve Williams Field Services, Inc. of liability should operations result in pollution of surface water, ground water, or the environment.

Please be advised that all exposed pits, including lined pits and open tanks (tanks exceeding 16 feet in diameter), shall be screened, netted, or otherwise rendered nonhazardous to wildlife including migratory birds.

Please note that 20 NMAC 3104 of the regulations provides: "When a permit has been approved, discharges must be consistent with the terms and conditions of the permit." Pursuant to 20 NMAC 3107.C., Williams Field Services, Inc. is required to notify the Director of any facility expansion, production increase, or process modification that would result in any change in the discharge of water quality or volume.

Mr. David Bays  
GW-327 Blanco Compressor Station  
March 3, 2006  
Page 2

Pursuant to 20 NMAC 3109.G.4., this renewal permit is for a period of five years. This renewal will expire on **April 13, 2011**, and Williams Field Services, Inc. should submit an application in ample time before this date. Note that under Section 3106.F. of the regulations, if a discharger submits a discharge permit renewal application at least 120 days before the discharge permit expires and is in compliance with the approved permit, then the existing discharge permit will not expire until the application for renewal has been approved or disapproved. It should be noted that all discharge permit facilities will be required to submit the results of an underground drainage testing program as a requirement for discharge permit .

The discharge permit renewal application for the Williams Field Services, Inc. Blanco Compressor Station is subject to WQCC Regulation 3114. Every billable facility submitting a discharge permit application will be assessed a fee equal to the filing fee of \$100.00. There is a renewal flat fee assessed for gas compressor station facilities with horsepower rating greater than 1001 horsepower equal to \$1,700.00. The OCD has not received the filing fee.

On behalf of the staff of the OCD, I wish to thank you and your staff for your cooperation during this discharge permit review.

Sincerely,



Wayne Price  
Chief, Environmental Bureau  
Oil Conservation Division

WP/wjf  
Attachment

xc: OCD Aztec Office

ATTACHMENT TO THE DISCHARGE PERMIT RENEWAL GW-327  
WILLIAMS FIELD SERVICES, INC.  
BLANCO COMPRESSOR STATION  
DISCHARGE PERMIT APPROVAL CONDITIONS  
(March 3, 2006)

1. Payment of Discharge Permit Fees: The \$100.00 filing fee has not been received by the OCD. There is a required flat fee equal to \$1,700.00 for compressor station facilities with horsepower rating over 1001 horsepower. The renewal flat fee required for this facility may be paid in a single payment due at the time of approval, or in equal annual installments over the duration of the discharge permit, with the first payment due upon receipt of this approval.
2. Williams Field Services Commitments: Williams Field Services will abide by all commitments submitted in the discharge permit renewal application dated December 12, 2005 and these conditions for approval.
3. Waste Disposal: All wastes will be disposed of at an OCD approved facility. Only oilfield exempt wastes shall be disposed of down Class II injection wells. Non-exempt oilfield wastes that are non-hazardous may be disposed of at an OCD approved facility upon proper waste characterization per 40 CFR Part 261.
4. Drum Storage: All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums will be stored on their sides with the bungs in and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets will also be stored on an impermeable pad and curb type containment.
5. Process Areas: All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design.
6. Above Ground Tanks: All above ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new tanks or existing tanks that undergo a major modification, as determined by the Division, must be placed within an impermeable bermed enclosure.
7. Above Ground Saddle Tanks: Above ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.
8. Labeling: All tanks, drums and containers will be clearly labeled to identify their contents and other emergency notification information.

9. Below Grade Tanks/Sumps: All below grade tanks, sumps, and pits must be approved by the OCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design. All pre-existing sumps and below-grade tanks must demonstrate integrity on an annual basis. Integrity tests include pressure testing to 3 pounds per square inch above normal operating pressure and/or visual inspection of cleaned out tanks and/or sumps, or other OCD approved methods. The OCD will be notified at least 72 hours prior to all testing.
10. Underground Process/Wastewater Lines: All underground process/wastewater pipelines must be tested to demonstrate their mechanical integrity a minimum of every 5 years. The permittee may propose various methods for testing such as pressure testing to 3 pounds per square inch above normal operating pressure or other means acceptable to the OCD. The OCD will be notified at least 72 hours prior to all testing.
11. Class V Wells: Leach fields and other wastewater disposal systems at OCD regulated facilities which inject non-hazardous fluid into or above an underground source of drinking water are considered Class V injection wells under the EPA UIC program. All Class V wells that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes will be closed unless it can be demonstrated that groundwater will not be impacted in the reasonably foreseeable future. Closure of Class V wells must be in accordance with a permit approved by the Division's Santa Fe Office. The OCD allows industry to submit closure permits which are protective of fresh waters, public health and the environment, and are cost effective. Class V wells that inject domestic waste only must be permitted by the New Mexico Environment Department.
12. Housekeeping: All systems designed for spill collection/prevention will be inspected weekly and after each storm event to ensure proper operation and to prevent overtopping or system failure. A record of inspections will be retained on site for a period of five years.
13. Spill Reporting: All spills/releases will be reported pursuant to OCD Rule 116 and WQCC 1203 to the OCD Aztec District Office.
14. Transfer of Discharge Permit: The OCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge permit. A written commitment to comply with the terms and conditions of the previously approved discharge permit must be submitted by the purchaser and approved by the OCD prior to transfer.
15. Storm Water Permit: Williams Field Services shall maintain storm water runoff controls. As a result of Williams Field Services's operations any water contaminant that exceeds the WQCC standards listed in 20 NMAC 6.2.3101 is discharged in any storm water runoff then Williams Field Services shall notify the OCD within 24 hours, modify the permit within 15 days and submit for OCD approval. Williams Field Services shall also take immediate corrective actions pursuant to Item 12 of these conditions.

16. Closure: The OCD will be notified when operations of the Blanco Compressor Station are discontinued for a period in excess of six months. Prior to closure of the Blanco Compressor Station a closure permit will be submitted for approval by the Director. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.
17. Certification: Williams Field Services, by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. Williams Field Services further acknowledges that these conditions and requirements of this permit may be changed administratively by the Division for good cause shown as necessary to protect fresh water, human health and the environment.

Accepted:

WILLIAMS FIELD SERVICES

by \_\_\_\_\_

\_\_\_\_\_  
Title



Environmental Affairs  
188 CR 4900  
Bloomfield, NM 87413  
505/632-4625  
505/632-4781 Fax

December 13, 2005

Mr. Jack Ford  
New Mexico Oil Conservation Division  
Water Quality Management Fund  
1220 S St. Francis Dr.  
Santa Fe NM 87505

**Re: Discharge Plan GW-331, GW-327, and GW-330 Application Renewal and Filing Fees**

Dear Mr. Ford:

Enclosed please find copies of Discharge Plan application renewals for the following Williams Field Services (WFS) Compressor Stations:

- **Blanco (GW-331)**
- **Chaco (GW-327)**
- **Dogie (GW-330)**

Williams Field Services appreciates your assistance in handling these applications and fees. If you have any questions or require additional information, please contact me at 505/632/4625.

Thank you,

A handwritten signature in black ink, appearing to read "MSandoval".

Monica Sandoval  
Environmental Compliance

Xc: Denny Foust, Aztec, OCD Dist III  
FCA Environmental File 220



**WILLIAMS FIELD SERVICES COMPANY**PO Box 21218  
Tulsa, OK 74121-1218  
Customer Support 1-866-778-2665

CHECK NUMBER	PAY DATE	SUPPLIER NO.	SUPPLIER NAME	TOTAL AMOUNT
	09/26/2005	403816	NEW MEXICO OIL CONSERVATION DIV	*****300.00
INVOICE NUMBER	INV. DATE	INVOICE DESCRIPTION		NET AMOUNT
22-SEP-2005	20050922	GROUND WATER DISCHARGE RENEWAL FILING FEE		300.00

2010

2010

2010

2010

2010

2010

2010

2010

2010

2010

2010

2010

2010

2010

1101711



# NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

**GARY E. JOHNSON**  
Governor  
**Jennifer A. Salisbury**  
Cabinet Secretary

**Lori Wrotenbery**  
Director  
Oil Conservation Division

January 4, 2002

**CERTIFIED MAIL**  
**RETURN RECEIPT NO. 3929 7044**

Mr. Mark J. Baretta  
Williams Field Services  
188 CR 4900  
Bloomfield, New Mexico 87413

**RE: Site Modification Notification  
GW-327, Blanco Compressor Station  
San Juan County, New Mexico**

Dear Mr. Baretta:

The OCD has received the site modification letter, dated December 19, 2001, from Williams Field Services for the Blanco Compressor Station GW-327 located in NW/4 SW/4 of Section 32, Township 30 North, Range 9 West, NMPM, San Juan County, New Mexico. **The site modifications are approved without modification to the discharge plan with the stipulation that all modifications comply with the discharge plan approved April 13, 2001.**

Please note that Section 3104 of the regulations requires that **“When a plan has been approved, discharges must be consistent with the terms and conditions of the plan.”** Pursuant to Section 3107.C Williams Field Services is required to notify the Director of any facility expansion, production increase, or process modification that would result in any change in the discharge of water quality or volume. Further, this approval does not relieve Williams Field Services from liability should operations result in contamination to the environment.

Sincerely,

W. Jack Ford, C.P.G.  
Environmental Bureau  
Oil Conservation Division

cc: Mr. Denny Foust - Aztec District Office

U.S. Postal Service <b>CERTIFIED MAIL RECEIPT</b> (Domestic Mail Only - No Insurance Coverage Provided)	
<b>OFFICIAL USE</b>	
Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$
Sent To <i>M. Baretta</i>	
Street, Apt. No.; or PO Box No. <i>WFS</i>	
City, State, ZIP+ 4 <i>GW-327</i>	
PS Form 3800, January 2001 See Reverse for Instructions	

ATTACHMENT TO THE DISCHARGE PLAN GW-327  
WILLIAMS FIELD SERVICES  
BLANCO COMPRESSOR STATION  
DISCHARGE PLAN APPROVAL CONDITIONS  
(April 13, 2001)

1. Payment of Discharge Plan Fees: The \$100.00 filing fee has been received by the OCD. There is a flat fee assessed for natural gas compressor stations with horsepower rating greater than 1001 horsepower equal to \$1,700.00. The required flat fee may be paid in a single payment due at the time of approval, or in equal annual installments over the duration of the plan, with the first payment due upon receipt of this approval.
2. Williams Field Services Commitments: Williams Field Services will abide by all commitments submitted in the discharge plan application dated January 17, 2001 and these conditions for approval.
3. Waste Disposal: All wastes will be disposed of at an OCD approved facility. Only oilfield exempt wastes shall be disposed of down Class II injection wells. Non-exempt oilfield wastes that are non-hazardous may be disposed of at an OCD approved facility upon proper waste determination per 40 CFR Part 261. Any waste stream that is not listed in the discharge plan will be approved by OCD on a case-by-case basis.
4. Drum Storage: All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums will be stored on their sides with the bungs in and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets will also be stored on an impermeable pad and curb type containment.
5. Process Areas: All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design.
6. Above Ground Tanks: All above ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new tanks or existing tanks that undergo a major modification, as determined by the Division, must be placed within an impermeable bermed enclosure.
7. Above Ground Saddle Tanks: Above ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.

8. Labeling: All tanks, drums and containers will be clearly labeled to identify their contents and other emergency notification information.
9. Below Grade Tanks/Sumps: All below grade tanks, sumps, and pits must be approved by the OCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design. All pre-existing sumps and below-grade tanks must demonstrate integrity on an annual basis. Integrity tests include pressure testing to 3 pounds per square inch above normal operating pressure and/or visual inspection of cleaned out tanks and/or sumps, or other OCD approved methods. The OCD will be notified at least 72 hours prior to all testing.
10. Underground Process/Wastewater Lines: All underground process/wastewater pipelines must be tested to demonstrate their mechanical integrity every 5 years. The permittee may propose various methods for testing such as pressure testing to 3 pounds per square inch above normal operating pressure or other means acceptable to the OCD. The OCD will be notified at least 72 hours prior to all testing.
11. Class V Wells: No Class V wells that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes will be closed unless it can be demonstrated that groundwater will not be impacted in the reasonably foreseeable future. Leach fields and other wastewater disposal systems at OCD regulated facilities which inject non-hazardous fluid into or above an underground source of drinking water are considered Class V injection wells under the EPA UIC program. Class V wells that inject domestic waste only must be permitted by the New Mexico Environment Department.
12. Housekeeping: All systems designed for spill collection/prevention will be inspected weekly and after each storm event to ensure proper operation and to prevent overtopping or system failure. A record of inspections will be retained on site for a period of five years.
13. Spill Reporting: All spills/releases will be reported pursuant to OCD Rule 116 and WQCC 1203 to the OCD Aztec District Office.
14. Transfer of Discharge Plan: The OCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge plan. A written commitment to comply with the terms and conditions of the previously approved discharge plan must be submitted by the purchaser and approved by the OCD prior to transfer.
15. Storm Water Plan: The facility will have an approved storm water run-off plan.

16. Closure: The OCD will be notified when operations of the Blanco Compressor Station are discontinued for a period in excess of six months. Prior to closure of the Blanco Compressor Station a closure plan will be submitted for approval by the Director. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.
17. Certification: Williams Field Services, by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. Williams Field Services further acknowledges that these conditions and requirements of this permit may be changed administratively by the Division for good cause shown as necessary to protect fresh water, human health and the environment.

Accepted:  
  
WILLIAMS FIELD SERVICES

by Environmental Compliance  
Title



# NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

**GARY E. JOHNSON**  
Governor  
**Jennifer A. Salisbury**  
Cabinet Secretary

April 13, 2001

**Lori Wrotenbery**  
Director  
Oil Conservation Division

**CERTIFIED MAIL**  
**RETURN RECEIPT NO. 5051 0272**

Ms. Clara L Garcia  
Williams Field Services  
188 CR 4900  
Bloomfield, New Mexico 87413

**RE: Discharge Plan Approval GW-327**  
**Williams Field Services**  
**Blanco Compressor Station**  
**San Juan County, New Mexico**

Dear Ms. Garcia:

The ground water discharge plan GW-327 for the Williams Field Services Blanco Compressor Station located in the NW/4 SW/4 of Section 32, Township 30 North, Range 9 West, NMPM, San Juan County, New Mexico, **is hereby approved** under the conditions contained in the enclosed attachment. Enclosed are two copies of the conditions of approval. **Please sign and return one copy to the New Mexico Oil Conservation Division (OCD) Santa Fe Office within 10 working days of receipt of this letter.**

The original discharge plan application was submitted on January 17, 2001 pursuant to Section 5101.B.3. of the New Mexico Water Quality Control Commission (WQCC) Regulations. Please note Section 3109.G., which provides for possible future amendment of the plan. Please be advised that approval of this plan does not relieve Williams Field Services of liability should operations result in pollution of surface water, ground water, or the environment.

Please be advised that all exposed pits, including lined pits and open tanks (tanks exceeding 16 feet in diameter), shall be screened, netted, or otherwise rendered nonhazardous to wildlife including migratory birds.

Please note that Section 3104 of the regulations provides: "When a plan has been approved, discharges must be consistent with the terms and conditions of the plan." Pursuant to Section 3107.C., Williams Field Services is required to notify the Director of any facility expansion, production increase, or process modification that would result in any change in the discharge of water quality or volume.

Ms. Clara L. Garcia  
GW-327 Blanco Compressor Station  
April 13, 2001  
Page 2

Pursuant to Section 3109.H.4., this discharge plan is for a period of five years. This plan will expire on **April 13, 2006**, and Williams Field Services should submit an application in ample time before this date. Note that under Section 3106.F. of the regulations, if a discharger submits a discharge plan renewal application at least 120 days before the discharge plan expires and is in compliance with the approved plan, then the existing discharge plan will not expire until the application for renewal has been approved or disapproved. It should be noted that all discharge plan facilities will be required to submit the results of an underground drainage testing program as a requirement for discharge plan .

Williams Field Services will submit a storm water run-off plan for approval by the OCD within six (6) months of the date of this approval letter for the Blanco Compressor Station.

The discharge plan application for the Williams Field Services Blanco Compressor Station is subject to WQCC Regulation 3114. Every billable facility submitting a discharge plan application will be assessed a non-refundable fee equal to the filing fee of \$100. There is a flat fee assessed for natural gas compressor stations with horsepower rating greater than 1001 horsepower equal to \$1,700.00. The OCD has received the filing fee.

**Please make all checks payable to: Water Management Quality Management Fund**  
**C/o: Oil Conservation Division**  
**1220 North St. Francis Drive**  
**Santa Fe, New Mexico 87505.**

If you have any questions please contact Mr. W. Jack Ford at (505) 476-3489. On behalf of the staff of the OCD, I wish to thank you and your staff for your cooperation during this discharge plan review.

Sincerely,



Roger C. Anderson  
Chief, Environmental Bureau  
Oil Conservation Division

RCA/wjf  
Attachment

xc: OCD Aztec Office

U.S. Postal Service	
CERTIFIED MAIL RECEIPT	
(Domestic Mail Only - No Insurance Coverage Provided)	
Article Sent To:	
Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$
Postmark Here	
Name (Please Print Clearly) (To be completed by mailer)	
C. GARCIA	
Street, Apt. No., or PO Box No.	
WFS	
City, State, ZIP+ 4	
GW-327	
PS Form 3800, July 1999	
See Reverse for Instructions	

7099 3220 0000 5051 0272

ATTACHMENT TO THE DISCHARGE PLAN GW-327  
WILLIAMS FIELD SERVICES  
BLANCO COMPRESSOR STATION  
DISCHARGE PLAN APPROVAL CONDITIONS  
(April 13, 2001)

1. Payment of Discharge Plan Fees: The \$100.00 filing fee has been received by the OCD. There is a flat fee assessed for natural gas compressor stations with horsepower rating greater than 1001 horsepower equal to \$1,700.00. The required flat fee may be paid in a single payment due at the time of approval, or in equal annual installments over the duration of the plan, with the first payment due upon receipt of this approval.
2. Williams Field Services Commitments: Williams Field Services will abide by all commitments submitted in the discharge plan application dated January 17, 2001 and these conditions for approval.
3. Waste Disposal: All wastes will be disposed of at an OCD approved facility. Only oilfield exempt wastes shall be disposed of down Class II injection wells. Non-exempt oilfield wastes that are non-hazardous may be disposed of at an OCD approved facility upon proper waste determination per 40 CFR Part 261. Any waste stream that is not listed in the discharge plan will be approved by OCD on a case-by-case basis.
4. Drum Storage: All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums will be stored on their sides with the bungs in and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets will also be stored on an impermeable pad and curb type containment.
5. Process Areas: All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design.
6. Above Ground Tanks: All above ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new tanks or existing tanks that undergo a major modification, as determined by the Division, must be placed within an impermeable bermed enclosure.
7. Above Ground Saddle Tanks: Above ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.

8. Labeling: All tanks, drums and containers will be clearly labeled to identify their contents and other emergency notification information.
9. Below Grade Tanks/Sumps: All below grade tanks, sumps, and pits must be approved by the OCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design. All pre-existing sumps and below-grade tanks must demonstrate integrity on an annual basis. Integrity tests include pressure testing to 3 pounds per square inch above normal operating pressure and/or visual inspection of cleaned out tanks and/or sumps, or other OCD approved methods. The OCD will be notified at least 72 hours prior to all testing.
10. Underground Process/Wastewater Lines: All underground process/wastewater pipelines must be tested to demonstrate their mechanical integrity every 5 years. The permittee may propose various methods for testing such as pressure testing to 3 pounds per square inch above normal operating pressure or other means acceptable to the OCD. The OCD will be notified at least 72 hours prior to all testing.
11. Class V Wells: No Class V wells that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes will be closed unless it can be demonstrated that groundwater will not be impacted in the reasonably foreseeable future. Leach fields and other wastewater disposal systems at OCD regulated facilities which inject non-hazardous fluid into or above an underground source of drinking water are considered Class V injection wells under the EPA UIC program. Class V wells that inject domestic waste only must be permitted by the New Mexico Environment Department.
12. Housekeeping: All systems designed for spill collection/prevention will be inspected weekly and after each storm event to ensure proper operation and to prevent overtopping or system failure. A record of inspections will be retained on site for a period of five years.
13. Spill Reporting: All spills/releases will be reported pursuant to OCD Rule 116 and WQCC 1203 to the OCD Aztec District Office.
14. Transfer of Discharge Plan: The OCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge plan. A written commitment to comply with the terms and conditions of the previously approved discharge plan must be submitted by the purchaser and approved by the OCD prior to transfer.
15. Storm Water Plan: The facility will have an approved storm water run-off plan.

16. Closure: The OCD will be notified when operations of the Blanco Compressor Station are discontinued for a period in excess of six months. Prior to closure of the Blanco Compressor Station a closure plan will be submitted for approval by the Director. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.
  
17. Certification: Williams Field Services, by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. Williams Field Services further acknowledges that these conditions and requirements of this permit may be changed administratively by the Division for good cause shown as necessary to protect fresh water, human health and the environment.

Accepted:

WILLIAMS FIELD SERVICES

by \_\_\_\_\_  
Title

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Revised June 10, 2003

Submit Original  
Plus 1 Copy  
to Santa Fe  
1 Copy to Appropriate  
District Office

**DISCHARGE PLAN APPLICATION FOR SERVICE COMPANIES, GAS PLANTS,  
REFINERIES, COMPRESSOR, GEOTHERMAL FACILITIES  
AND CRUDE OIL PUMP STATIONS**

(Refer to the OCD Guidelines for assistance in completing the application)

New       Renewal       Modification

1. Type: Compressor Station (Blanco Compressor Station, GW-327)
2. Operator: Williams Field Services Company  
Address: 188 CR 4900, Bloomfield, NM 87413  
Contact Person: David Bays      Phone: 505-634-4951
3. Location: Section 32      Township 30 North      Range 9 West  
Submit large scale topographic map showing exact location.
4. Attach the name, telephone number and address of the landowner of the facility site.
5. Attach the description of the facility with a diagram indicating location of fences, pits, dikes and tanks on the facility.
6. Attach a description of all materials stored or used at the facility.
7. Attach a description of present sources of effluent and waste solids. Average quality and daily volume of waste water must be included.
8. Attach a description of current liquid and solid waste collection/treatment/disposal procedures.
9. Attach a description of proposed modifications to existing collection/treatment/disposal systems.
10. Attach a routine inspection and maintenance plan to ensure permit compliance.
11. Attach a contingency plan for reporting and clean-up of spills or releases.
12. Attach geological/hydrological information for the facility. Depth to and quality of ground water must be included.
13. Attach a facility closure plan, and other information as is necessary to demonstrate compliance with any other OCD rules, regulations and/or orders.
14. CERTIFICATION: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

Name: David Bays

Title: Sr. Environmental Specialist

Signature: David Bays

Date: 12/13/2005

E-mail Address: david.bays@williams.com



## Blanco Compressor Station

### NMOCD Discharge Plan GW-327

Williams Field Services  
188 CR 4900  
Bloomfield, NM 87413



### Table of Contents

1.0	Type of Operation -----	2
2.0	Legally Responsible Party -----	2
3.0	Location of Facility -----	2
4.0	Landowner -----	2
5.0	Facility Description -----	2
6.0	Source, Quantity and Quality of Effluents and Waste Solids-----	2
7.0	Transfer, Storage and Disposal of Process Fluids, Effluents and Waste Solids -----	3
8.0	Storm Water Plan-----	3
9.0	Inspection, Maintenance, and Reporting-----	4
10.0	Spill/Leak Prevention and Reporting (Contingency Plans) -----	4
11.0	Site Characteristics -----	5
12.0	Facility Closure Plan -----	6

### List of Tables

Table 1 – Source, Quantity and Quality of Effluent and Waste Solids

Table 2 – Transfer, Storage and Disposal of Process Fluids, Effluents, and Waste Solids

### List of Figures

Figure 1 - Site Vicinity / Topographic Map

Figure 2 - Facility Plot Plan

### List of Appendices

Appendix A – WFS Spill Control Procedures

Appendix B – NMOCD Notification and Corrective Action

Appendix C – Public Notice



### 1.0 TYPE OF OPERATION

The Blanco Compressor Station was built in 1971 to provide metering and compression services to various producers for the gathering of natural gas for treatment and delivery through Williams Field Services (WFS) Kutz Plant.

### 2.0 LEGALLY RESPONSIBLE PARTY

Williams Field Services  
188 CR 4900  
Bloomfield, NM 87413  
(505) 634-4951

Contact Person:  
David Bays, Senior Environmental Specialist  
Phone and Address, Same as Above

### 3.0 LOCATION OF FACILITY

The Blanco Compressor Station is located in Section 32, Township 30 North, Range 9 West, in San Juan County, New Mexico, approximately 11 miles northwest of Bloomfield, New Mexico. A site location map is attached (USGS 7.5 Min. Quadrangle: Turley, New Mexico) as Figure 1. The facility layout is illustrated in Figure 2. All figures are attached following Section XI of the text.

### 4.0 LANDOWNER

Williams Field Services (WFS) is leasing the subject property from:

Bureau of Land Management  
1235 N. La Plata Highway  
Farmington, NM 87401  
(505) 599-8900

### 5.0 FACILITY DESCRIPTION

This facility is classified as a field compressor station and is unmanned. The air quality permit for this site has allowed the operation two 1100-hp Solar turbines and one 1200-hp Solar turbine. The turbines are skid-mounted and housed within two buildings. In addition, there are various storage tanks, support structures and ancillary equipment.

### 6.0 SOURCE, QUANTITY AND QUALITY OF EFFLUENTS AND WASTE SOLIDS

The source, quantity, and quality of effluent and waste solids generated at the plant are summarized in Table 1.



## 7.0 TRANSFER, STORAGE AND DISPOSAL OF PROCESS FLUIDS, EFFLUENTS AND WASTE SOLIDS

Wastes generated at this facility fall into two categories: exempt and non-exempt. Exempt wastes include, but may not be limited to, used process filters, certain absorbents, spill residues, and produced water with or without de minimus quantities of non-hazardous liquids. Non-exempt wastes include, but may not be limited to, used oil, used oil filters, laboratory waste, empty drums, and waste water. Table 2 describes the transfer, storage and disposal of exempt and non-exempt process fluids, effluents, and waste solids expected to be generated at the site.

Non-exempt waste management will be conducted in accordance with NMOCD requirements including the preparation of a Certificate of Waste Status for each non-exempt waste stream. Non-exempt wastes will be analyzed at a minimum for BTEX, TPH, RCRA D-List metals, ignitability, corrosivity, and reactivity to initially determine if such waste are hazardous as defined in 40 CFR Part 261. All wastes at the facility will be periodically surveyed for naturally occurring radioactive material (NORM) to determine if the concentrations of radium 226 exceed 30 picocuries per gram or if radiation exposure exceeds 50 microroentgens per hour. If affirmed, such materials will be handled and disposed in accordance with NMOCD NORM Regulations.

Barring facility modification and/or process changes, the classification of non-exempt wastes by laboratory analyses will be made once during the approval period of this plan. Subsequent laboratory analyses will be performed at the generator's discretion (minimum of once every five years), or more frequently to comply with waste acceptance procedures of the disposal facility.

## 8.0 STORM WATER PLAN

This storm water section was developed to provide a plan to monitor and mitigate impact to storm water runoff from the facility. It serves to satisfy storm water management concerns of the NMOCD. It is not intended to comply with 40 CFR Part 122, Storm Water Discharges as this facility is excluded in 122.26 (c) (1) (iii).

This section concentrates on the identification of potential pollutants, inspection and maintenance of the pollutant controls, and gives a description of structural controls to prevent storm water pollution.

### 8.1 Site Assessment and Facility Controls

An evaluation of the material used and stored on this site that may be exposed to storm water indicates that no materials would routinely be exposed to precipitation. There are no engineered storm water controls or conveyances; all storm water leaves the site by overland flow.

Any leakage or spill from the identified potential pollutant sources, if uncontained by existing berms, curbs, or emergency response actions, could flow overland to open off-site drainage ditches (arroyos) and thus impact storm water. In such an event, containment would occur by blocking the ditch or culvert downstream of the pollutant. Cleanup of the substance and implementation of mitigation measures could be conducted while protecting downstream storm watercourses.



## 8.2 Best Management Practices

Following are Best Management Practices (BMPs) to be implemented to prevent or mitigate pollution to storm water from facility operations:

- All waste materials and debris will be properly disposed of on an on-going basis in appropriate containers and locations for collection and removal from the site.
- Temporary storage of potential pollutant sources will be located in areas with appropriate controls for storm water protection. This would include ensuring all containers are sealed/covered and otherwise protected from contact with precipitation.
- Periodic inspection of channels and culverts shall be performed at least twice annually and after any major precipitation event.
- Sediment deposits and debris will be removed from the channels and culverts as necessary and any erosion damage at the outfall (if any) will be repaired or controlled.
- Conduct inspections of the facility on a regular basis as part of the preventive maintenance site check. Such inspections will include the visual assessment of corroded or damaged drums and tanks, broken or breached containment structures, collapsed or clogged drainages or drain lines.

Implementation of the BMPs will prevent or mitigate impact to storm water runoff from this facility.

## 9.0 INSPECTION, MAINTENANCE AND REPORTING

Williams personnel will operate and maintain the facility 24 hours per day, 7 days per week, 52 weeks per year. An operator will monitor the facility for equipment malfunctions. Regular inspections will be conducted throughout the facility. The above ground and below-grade tanks will be gauged regularly, and monitored for leak detection.

In the event of a release of a reportable quantity, the operator reports the release to a contracted spill notification service. The service immediately notifies the Williams Environmental Department and all appropriate agencies.

## 10.0 SPILL/LEAK PREVENTION AND REPORTING (CONTINGENCY PLANS)

Spill containment berms around above ground storage tanks will be designed to contain 133% of the tank capacity. The below-grade tanks will be constructed with a means of leak detection, and will either be double-walled tanks, double-bottomed tanks or a tank set on an impermeable pad.

Williams corporate policy and procedure for Release Reporting and Pollution Prevention and Control are included in Appendix A. Significant spills and leaks are reported to the NMOCD pursuant to NMOCD Rule 116 and WQCC 1-203 using the NMOCD form (see Appendix B).



## 11.0 SITE CHARACTERISTICS

The Blanco Compressor Station is located on an unnamed mesa. The site elevation is approximately 5,800 feet above mean sea level. The natural ground surface topography slopes downward toward the east, west and south. The maximum relief over the site is approximately 20 feet. Site drainage is generally to the south. Intermittent flow from the site will follow the unnamed drainage towards the south. The unnamed drainage meets the San Juan river approximately 1.5 miles south of the site. The San Juan River, at approximately 5,560 feet in elevation, is the nearest down-gradient perennial source of surface water to the site.

A review of the available hydrologic data<sup>1,2</sup> for this area revealed that there are no water wells within a one-half-mile radius of the Blanco Compressor Station. The closest wells found were approximately 0.6 miles from the site, with depth to water ranging between 12 and 20 feet. The Nacimiento Formation is the water-bearing unit underlying the site. This formation consists of a sequence of interbedded sandstone and mudstone. The total dissolved solids concentration of area ground water could not be determined, but is expected to range between 200 and 2000 ppm.

The table below presents available information provided for wells found between one-half and one mile from the site.

Township; Range; Section	Quarter <sup>a</sup>	Apx. Distance from Site (mi)	Well #	Use <sup>b</sup>	Well Depth (ft)	Water Bearing Stratifications (ft)	Description	Depth to Water (ft)
29N; 9W; 4	1	0.75-3	--	--	45	--	Alluvium; SPC apx 800 umhos in 1976 measurement	--
29N; 9W; 4	1411	~0.9	--	--	54	--	Alluvium; SPC apx 800 umhos in 1974 measurement	36
29N; 9W; 5	3212	~0.6	--	--	30	--	Nacimiento Formation	12.7
29N; 9W; 6	2412	~0.8	--	--	--	--	SP 12,000 umhos; well abandoned	--
29N; 9W; 5	411	~0.6	SJ 03092	Dom	40	38-40	Shallow Alluvium/ Basin Fill	16
29N; 9W; 5	411	~0.6	SJ 03182	Dom	42	24-42	Sand and Gravel	18
29N; 9W; 5	411	~0.6	SJ 03599	Dom	42	25-40	Sandstone/Gravel/conglomerate	20

Note a: 1=NW/4; 2=NE/4; 3=SW/4; 4=SE/4

Note b: Dom=domestic; Mul=multiple domestic households; stk=stock watering

"--" indicates information not provided

The 100-year 24-hour precipitation event at a regional weather station is 2.8 inches. This small amount of rainfall for the area should pose minimal flood hazards. When practical, surface water runoff from the area surrounding the site is to be diverted around the facility into the natural drainage path. Vegetation in the area consists predominantly of sagebrush and native grasses.

## References

<sup>1</sup>Stone, W.J., Lyford, F.P., Frenzel, P.F., Mizell, N.H., Padgett, E.T., 1983, Hydrology and Water Resources of San Juan Basin, New Mexico Bureau of Mines and Mineral Resources, Hydrologic Report 6.

<sup>2</sup>Online Well Reports and Downloads, New Mexico Office of the State Engineer, 2005.



Effective Date:

December 2005

## 12.0 FACILITY CLOSURE PLAN

All reasonable and necessary measures will be taken to prevent the exceedence of WCQQ Section 3103 water quality standards should Williams choose to permanently close the facility. Williams will submit a detailed closure plan to the NMOCD prior to closure.

Generally, closure measures will include removal or closure in place of underground piping and other equipment. All wastes will be removed from the site and properly disposed in accordance with the rules and regulations in place at the time of closure. When all fluids, contaminants, and equipment have been removed from the site, the site will be graded as close to the original contour as possible.

Should contaminated soil be discovered, any necessary reporting under NMOCD Rule 116 and WQCC Section 1203 will be made and clean-up activities will commence. Post-closure maintenance and monitoring plans would not be necessary unless contamination is encountered.

# TABLES


**TABLE 1**  
**SOURCE, QUANTITY AND QUALITY OF EFFLUENT AND WASTE SOLIDS**  
**BLANCO COMPRESSOR STATION**

PROCESS FLUID / WASTE	SOURCE	QUANTITY (Ranges)	QUALITY
Natural Gas Condensate/ Produced Water	Dehydrator, Scrubber, Gas Inlet Separator	4000-8000 bbl/year	No Additives
Used Oil	Compressor	1000-2000 gallons/year/engine	Used Motor Oil w/ No Additives
Used Oil Filters	Compressor	200-500/year/engine	No Additives
Used Process Filters	Dehydrator, Inlet, Fuel Gas	200-500/year	No Additives
Empty Drums/Containers	Liquid Containers	0-80/year	No Additives
Spill Residue ( i.e. soil, gravel, etc)	Incidental Spill	Incident Dependent	Incident Dependent
Used Adsorbents	Incidental Spill/Leak Equipment Wipe-down	Incident Dependent	No Additives


**TABLE 2**  
**TRANSFER, STORAGE AND DISPOSAL OF PROCESS FLUIDS, EFFLUENT AND WASTE SOLIDS**  
**BLANCO COMPRESSOR STATION**

PROCESS FLUID/WASTE	STORAGE	STORAGE CAPACITY (approximate)	CONTAINMENT/ SPILL PREVENTION	RCRA STATUS	DESCRIPTION OF FINAL DISPOSITION
Natural Gas Condensate	Above Ground Storage Tank	2 @ 500 bbl	Berm	Exempt	Saleable liquids may be sold to a refinery. Remaining liquids may be transported to a Williams evaporation facility or a NMOCD-approved disposal facility.
Produced Water	Above Ground Storage Tank	2 @ 3150 gal; 1890 gal	Berm	Exempt	Water may be transported to NMOCD-approved facility, or evaporation at WFS facility may be considered.
Used Oil	Above Ground Storage Tank	45 bbl; 375 gal; 275 gal	Berm	Non-exempt	Transported to a Williams or contractor consolidation point before transport to EPA-registered used oil marketer for recycling.
Used Oil Filters	Drum or other container	Varies	Transported to a Williams or contractor facility in drum or other container	Non-exempt	Transported to a Williams or contractor consolidation point, drained, and ultimately transported for disposal at an approved disposal facility. A Waste Acceptance Profile will be filed with the disposal facility. Recycling options may be considered when available.
Used Process Filters	Drum or other container	Varies	Transported to a Williams or contractor facility in drum or other container	Exempt	Transported to a Williams or contractor consolidation point, drained, and ultimately transported for disposal at an approved disposal facility. A Waste Acceptance Profile will be filed with the disposal facility. Recycling options may be considered when available.
Spill Residue (i.e., soil, gravel, etc.)	N/A	N/A	In situ treatment, land-farm, or alternate method	Incident dependent	Per Section VI, Remediation, in 8/13/93 NMOCD Guidelines for Remediation of Leaks, Spills, and Releases.
Used Absorbents	Drum or other container	Varies	Transported to a Williams or contractor facility in drum or other container	Non-exempt	Transported to a Williams or contractor consolidation point, drained, and ultimately transported for disposal at an approved disposal facility. A Waste Acceptance Profile will be filed with the disposal facility. Recycling options may be considered when available.
Empty Drums / Containers	N/A	N/A	Berm	Non -exempt	Barrels are returned to supplier or transported to a Williams or contractor consolidation point and ultimately recycled/dispensed consistent with applicable regulations.
Triethylene Glycol	Above Ground Storage Tank	8820 gal	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.
Compressor Oil	Above Ground Storage Tank	881 gal	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.
Methanol	Above Ground Storage Tank	100 bbl	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.
Diesel Fuel	Above Ground Storage Tank	150 gal	Berm	N/A	Off-spec material recycled or disposed consistent with applicable regulations.

# FIGURES



Source: USGS Turley, NM Quadrangle



### Figure 1 Site Vicinity / Topographic Map

#### Blanco Compressor Station

Section 32, Township 30N Range 9W

San Juan County, New Mexico



# APPENDICES

**Appendix A**  
**WFS Spill Control Procedures**

	<b>System Integrity Plan</b>	Element: <b>Environmental Protection</b>	Document No: <b>6.04-ADM-001</b>	
		Revision No: <b>7</b>	Revision Date: <b>01/01/06</b>	Page: <b>1 of 7</b>
Procedure: <b>POLLUTION PREVENTION AND CONTROL</b>				

## 1.0 PURPOSE

- 1.1 To determine conditions under which facilities are subject to the requirements of the EPA Oil Pollution Prevention program, specify the actions required at facilities to comply with pollution prevention and/or response plans, and to ensure facilities are in compliance with all applicable oil pollution prevention regulations.

## 2.0 PROCEDURE

### 2.1 Pollution Prevention Plans

- 2.1.1 The oil pollution prevention regulations include two plans related to non-transportation onshore facilities. The most common is the Spill Prevention Control and Countermeasure (SPCC) Plan. The second is the Facility Response Plan (FRP).

2.1.1.1 An SPCC Plan is a written document that describes the steps a facility takes to prevent oil spills and to minimize the risk of harm to the environment.

2.1.1.2 A Facility Response Plan is a written document that describes the procedures for responding to a spill.

- 2.1.2 The Environmental Specialist is responsible for:

2.1.2.1 Evaluating applicability of these plans for each facility and preparation of SPCC Plans or FRPs as required.

2.1.2.2 Evaluating approved plans and populating EMIS with all plan requirements and any associated best management practices.

2.1.2.3 Communicating plan requirements with Operations.

2.1.2.4 Providing site-specific training to Operations.

2.1.2.5 Scheduling and performing an Annual SPCC facility inspection.

**NOTE**

If your facility requires a Facility Response Plan (FRP), it will include an Emergency Response Plan (referred to as an Emergency Response Action Plan (ERAP) by the EPA regulations). A separate ERP specified by SIP-ADM-12.01 – Emergency Response and Planning is not required. See 6.04-ADM-003 – Plans Required for Facilities-Pipelines to determine the plans applicable to your facility/pipeline.

- 2.1.3 Operations is responsible for:**
- 2.1.3.1** Providing initial and Annual review of plan(s), providing comments to the Environmental Specialist (ES) and meeting published timeframes for reviews and comments.
  - 2.1.3.2** Ensuring it is capable of complying with Plan requirements, including monitoring, recordkeeping, and reporting.
  - 2.1.3.3** Performing inspections required by the plan(s).
  - 2.1.3.4** Maintaining documentation required by the plan(s) on the appropriate forms.
  - 2.1.3.5** Conducting annual drills if an FRP is in place for the facility.
  - 2.1.3.6** Ensuring adequate response contractors are available in the area.
  - 2.1.3.7** Performing visual inspections of oil storage tanks and containers (single containers with capacities >55 gallons) for signs of deterioration, discharges or accumulation of oil inside diked areas at least Annually. Document Inspections on 0019 – External Visual Tank Inspection form.
  - 2.1.3.8** Maintaining all inspection logs, secondary containment drainage logs, etc., for a period of 5 years. These records must be maintained in a centralized location at the facility and must be easily accessible to an inspector.
  - 2.1.3.9** Coordinating training for all personnel with the Environmental Specialist as part of the required annual review.
  - 2.1.3.10** Perform maintenance or repairs necessary to prevent or stop leaks or releases and document the work following company maintenance and repair procedures.

2.1.3.11 Documenting routine releases of storm water from containment areas shall be documented on WES-87 – Record of Secondary Containment Discharge. All other releases will be reported according to 6.04-ADM-002 – Release Reporting procedure.

### 3.0 REFERENCES

#### 3.1 Regulatory

- 3.1.1 Oil Pollution Prevention Act of 1990
- 3.1.2 40 CFR 112, Oil Pollution Prevention (EPA)
- 3.1.3 Applicable state, regional and local regulations

#### 3.2 Related Policies/Procedures

- 3.2.1 Training CD for SPCC Plans
- 3.2.2 SIP-ADM-7.15 - Aboveground Storage Tank Integrity

#### 3.3 Forms and Attachments

- 3.3.1 WES-87 – Record of Secondary Containment Discharge
- 3.3.2 WES-35 - Release Report Form
- 3.3.3 6.04-ADM-002 - Release Reporting
- 3.3.4 6.04-ADM-003 – Plans Required for Facilities-Pipelines
- 3.3.5 0019 – External Visual Tank Inspection
- 3.3.6 SIP-ADM-12.01 - Emergency Response and Planning
- 3.3.7 Spill Prevention Control and Countermeasure (SPCC) Plan
- 3.3.8 Facility Response Plan
- 3.3.9 SIP Feedback/Change Request

### 4.0 DEFINITIONS

- 4.1 **Aboveground Storage Tank (AST)** – A tank that has all its surfaces above the existing grade so as to allow visual inspection of all the tank surfaces.
- 4.2 **EPA** – Environmental Protection Agency
- 4.3 **Facility** – Any terminal, facility, pipeline, etc. owned or operated by Williams.

- 4.4 Facility Response Plan** - Required for any non-transportation related facility that could be expected to cause substantial harm to the environment by discharging oil into or on navigable waters or adjoining shorelines.
- 4.5 Oil** – Oil of any kind or any form, including, but not limited to, petroleum, fuel oil, sludge, oil refuse, and oil mixed with wastes other than dredged spoil. The EPA accepts the definition of oil as the list provided by the USCG at <http://www.uscg.mil/vrp/faq/oil.shtml>.
- 4.6 Oil Pollution Act (OPA) of 1990** – OPA 1990 requires regulated facilities to submit spill response plans that address the facility owner's or operator's ability to respond to a "worst-case discharge." OPA 90 is being implemented by EPA under 40 CFR 112, Oil Pollution Prevention, Section 112.20, Facility Response Plans.
- 4.7 Oil Spill Response Plan** – An Oil Spill Response Plan provides information on responding to a spill at a facility and is intended to satisfy the requirements of the Oil Pollution Act of 1990; Facility Response Plan requirements of 40 CFR 112, Oil Pollution Prevention (EPA); Pipeline Response Plan requirements of 49 CFR 194, Response Plans for Onshore Oil Pipelines (RSPA); Facility Response Plan requirements of 33 CFR 154 Subpart F, Response Plans for Oil Facilities (USCG); and 30 CFR 254, Oil-Spill Response Requirements for Facilities Located Seaward of the Coast Line (MMS).
- 4.8 Release** – synonymous with spill in this document. Williams' definition of a release is contained in the Release Reporting Guidelines which is maintained by the Environmental Group.
- 4.9 Spill Prevention, Countermeasures, and Control (SPCC) Plan** – An SPCC Plan provides information on spill prevention at a facility and is intended to satisfy the requirements of the SPCC Plan requirements in 40 CFR 112, Oil Pollution Prevention.
- 4.10 USCG** – United States Coast Guard

>>>End of Procedure<<<

**System Integrity Plan Change Log**

Date	Change Location	Brief Description of Change
9/15/04	2.1	Deleted for manned facilities Deleted daily facility Deleted for unmanned facilities perform daily inspections. Added Document Inspections on <del>0018</del> - Visual External Inspections
	2.2	New - Test each aboveground container for integrity on a regular schedule and whenever you make material repairs. These tests are performed in accordance with <u>SIP-ADM-7.15 - Aboveground Storage Tank Integrity</u> Renumbered
	2.5	New Routine releases of storm water from containment areas shall be documented on <u>WES-87 - Record of Secondary Containment Discharge</u> . All other releases will be reported according to 6.04-ADM-002 - Release Reporting procedure.
	2.5	<p><b>Deleted:</b></p> <p>When to Initiate</p> <p>2.5.1 The first person to discover a spill/release at a facility will immediately take appropriate action to protect life, and ensure safety of personnel. An attempt will be made to mitigate the effects of the spill by terminating operations, closing valves, or taking other measures to stop the leak or spill as long as personnel are not in danger.</p> <p>2.5.2 For onshore releases: If the spill is reportable (refer to <u>6.04-ADM-002 - Release Reporting</u> procedure), the appropriate person (usually person discovering the release) will immediately notify the 24 hour O&amp;TS release hotline at 1-888-677-2370 and, if necessary, local emergency response personnel/contractors.</p> <p style="text-align: center;"><b>NOTE</b></p> <p>The current 24 hour O&amp;TS release hotline is managed by a contractor, 3E. 3E provides 24-hour service/support, to include reporting major incidents and providing on-demand MSDSs.</p> <p>2.5.3 Offshore releases: If the spill creates a sheen (refer to <u>6.04-ADM-002 - Release Reporting</u> procedure), the appropriate person (usually person discovering the release) will immediately notify O'Brien's Oil Pollution Services (OOPS) at 985-781-0804 and the Environmental Specialist or</p>

		<p>his/her management team.</p> <p><b>2.5.4 Receiving and reviewing the initial release report</b></p> <p>2.5.4.1 Onshore releases: Within 24 hours, 3E will distribute an initial release report to the Area. The initial distribution will be made via Area e-mail boxes.</p> <p>2.5.4.2 Each person that receives an initial report is required to review the report for correctness and clarity. All corrections must be provided to 3E in a return e-mail within 4 working days of receipt.</p> <p>2.5.4.3 Offshore releases: The ES will complete the <u>WES-35 - Release Report Form</u> and distribute for review. All corrections must be provided to the ES in a return email within 4 working days of receipt.</p> <p><b>2.5.5 Receiving a final release report</b></p> <p>2.5.5.1 Onshore releases: 3E will gather the corrections from the initial release report and distribute a final report within 5 days of the release. The final report is sent to a distribution list controlled by Williams.</p> <p>2.5.5.2 Off-shore releases: The ES or Compliance Administrator will gather corrections and distribute the final report to all stakeholders using the appropriate area and final distribution lists.</p> <p><b>2.5.6 Providing Follow-up Information on the Release</b></p> <p>2.5.6.1 The Operations Manager or his/her designee shall notify the local Environmental Specialist of the specific response measures taken to respond to the release and all follow-up actions that were taken as a result of the spill or release, if this information was not reported to 3E. It is recommended that the update be provided within 2 workdays of the actions being completed.</p>
	2.6 Note Box	Added See <u>6.04-ADM-003 – Plans Required for Facilities-Pipelines</u> to determine the plans applicable to your facility/pipeline.
	2.6.6	Added This training may be coordinated with the Environmental Specialist as part of the required annual review.
	3.3.4	Added 0018 – Visual External Inspections Renumbered
	4.6	Deleted Hydrocarbons and Other Fluids definition
7-26-05	Entire document	Rearranged, renumbered, rewrote to clarify responsibilities
	Note	Shortened to clarify

4.0

Deleted definitions not associated with this procedure.

	<b>System Integrity Plan</b>	<b>System Integrity Plan</b>	Document No. <b>6.04-ADM-002</b>	
		Revision No: <b>8</b>	Effective Date: <b>01/01/06</b>	Page: <b>1 of 7</b>
Procedure: <p style="text-align: center;"><b>RELEASE REPORTING</b></p>				

## 1.0 PURPOSE

- 1.1 To define the process for reporting releases and certain other events. The terms "release" and "spill" may be used synonymously within this procedure.

**Note 1:**

Due to the rigid timeframes for reporting to regulatory agencies (usually within one hour of an event) and the possibility for penalties associated with delayed reporting, **it is imperative that releases and events requiring reporting by this procedure are reported immediately. If you are unsure of the release amount do not delay reporting by attempting to exactly determine the amount. Report immediately with an estimate, and correct later.**

**Note 2:**

Third parties operating Company facilities (i.e., Hanover / POI) are responsible for reporting in accordance with this procedure.

## 2.0 PROCEDURE

### 2.1 Offshore Release Reporting (w/sheen on water)

- 2.1.1 Immediately report to O'Brien's Oil Pollution Services (OOPS) at 985-781-0804, your Environmental Specialist, and the DOT Compliance Coordinator (Tulsa) the following type(s) of offshore release(s):

2.1.1.1 Any release that causes sheen on water.

- 2.1.2 OOPS will immediately make the required telephonic notifications and submit written reports to the appropriate regulatory agencies, the appropriate Qualified Individual (QI), and the Environmental Specialist.

### 2.2 Offshore Release Reporting (w/o sheen on water)

- 2.2.1 Immediately report to your Environmental Specialist and the DOT Compliance Coordinator (Tulsa) the following type(s) of offshore release(s) or event(s):

2.2.1.1 Any Gas release >50 MSCF;

2.2.1.2 Any event that involves a release of any amount of Gas or Hazardous Liquid from a DOT Jurisdictional Pipeline or Pipeline Facility and a death or personal injury necessitating in-patient hospitalization;

2.2.1.3 Any DOT Jurisdictional Pipeline or Pipeline Facility event that results in estimated property damage, including cost of Gas or Hazardous Liquids lost and/or, costs of clean up or recovery of the operator and/or others  $\geq$  \$50,000;

- 2.2.1.4 Any unintentional, non-maintenance related release  $\geq 5$  gallons of a Hazardous Liquid from a DOT Jurisdictional Pipeline or Pipeline Facility;
  - 2.2.1.5 Any release of Hazardous Liquid from a DOT Jurisdictional Pipeline or Pipeline Facility that results in explosion or fire not intentionally set by the operator; or
  - 2.2.1.6 Any DOT Jurisdictional Pipeline or Pipeline Facility event that is significant, in the judgment of the operator, even though it did not meet any of the criteria in 2.3.2.1 through 2.3.1.6.
- 2.2.2 The Environmental Specialist and the DOT Compliance Coordinator will determine reportability and, if required, perform telephonic notifications in accordance with applicable regulations.
- 2.2.3 The Environmental Specialist will complete the WES - 35 Release Report Form and forward to the Release Report Database Compliance Specialist in Tulsa within 10 working days.
- 2.2.4 The Environmental Specialist will complete any required follow-up written reports and/or documentation for non-transportation events within regulatory timeframes in accordance with the Telephonic and Written Release Reporting Requirements.
- 2.2.5 The DOT Compliance Coordinator will complete any required follow-up reports and/or documentation for transportation related events within regulatory timeframes in accordance with the Telephonic and Written Release Reporting Requirements.

### 2.3 Onshore Releases

- 2.3.1 Immediately report to 3E Company at 888-677-2370 (toll free) the following type(s) of onshore release(s) or event(s):
- 2.3.1.1 Any liquid release that enters, or is expected to enter, any waterway (i.e., ditch, arroyo, intermittent stream, etc.);
  - 2.3.1.2 Any individual liquid release (i.e., gasoline, diesel, MDEA, TEG, NGL, etc.)  $> 1$  gallon;
  - 2.3.1.3 Any cumulative liquid release (i.e., gasoline, diesel, MDEA, TEG, NGL, etc.)  $> 5$  gallons within a 24-hour period (drips, pinhole leaks, etc.). (NOTE: Report immediately upon determining, or suspecting that the 5 gallon/24 hour threshold will be met or exceeded);
  - 2.3.1.4 Any Gas release  $> 50$  MSCF;
  - 2.3.1.5 Any event that involves a release of any amount of Gas or hazardous liquid from a DOT Jurisdictional Pipeline or Pipeline Facility and a death or personal injury necessitating in-patient hospitalization;

- 2.3.1.6 Any DOT Jurisdictional Pipeline or Pipeline Facility event that results in estimated property damage, including cost of Gas or hazardous liquids lost and/or, costs of clean up or recovery of the operator **and/or others**  $\geq$  \$50,000;
  - 2.3.1.7 Any unintentional, non-maintenance related release  $\geq$ 5 gallons of a hazardous liquid from a DOT Jurisdictional Pipeline or Pipeline Facility;
  - 2.3.1.8 Any release of hazardous liquid from a DOT Jurisdictional Pipeline or Pipeline Facility that results in explosion or fire not intentionally set by the operator; or
  - 2.3.1.9 Any DOT Jurisdictional Pipeline or Pipeline Facility event that is significant, in the judgment of the operator, even though it did not meet any of the criteria in 2.4.1.1 through 2.4.1.8.
- 2.3.2 3E Company will immediately make the required telephonic notifications in accordance with the Telephonic and Written Release Reporting Requirements.
  - 2.3.3 Information that will be needed when reporting to 3E is on WES-35 - Release Report Form.
  - 2.3.4 Refer to the Onshore Release/Spill Notification Flowchart for more information regarding the onshore reporting workflow.
  - 2.3.5 The Environmental Specialist will follow-up with Operations to verify that adequate response and reporting measures have been taken for each release and track closure of each release report with appropriate regulatory agencies.

**Note:**

**Flares and Thermal Oxidizers**

Flares, thermal oxidizers and other pollution control devices typically have permit limits and conditions and may require tracking of flaring and/or other routine and/or non-routine events. Refer to your facility specific permit conditions. Immediately report any exceedance of permit limits or variance from permit to your Environmental Specialist, whom will notify the appropriate regulatory agency(s).

## **2.4 Planned / Scheduled Blowdowns**

- 2.4.1 Notify your Environmental Specialist as far as possible in advance of planned / scheduled blowdowns that are not an exception per 2.5 of this procedure.
- 2.4.2 Be prepared to provide to your Environmental Specialist a current extended chromatographic analysis of the product to be released.

2.4.3 The Environmental Specialist will:

- 2.4.3.1 Review information provided;
- 2.4.3.2 Notify appropriate agencies;
- 2.4.3.3 Obtain required permits or permissions;
- 2.4.3.4 Provide Operations with any special conditions and / or limitations to be observed before, during, and/or after the planned / scheduled blowdown event; and
- 2.4.3.5 Perform any required post event reporting or follow-up to agencies.

**2.5 Exceptions to Procedure:**

- 2.5.1 Sheen on rainwater within facilities, dikes, valve boxes, etc.. that is not the result of a release event. However, one must follow proper disposal and housekeeping practices for these cases.
- 2.5.2 Routine releases to pollution control devices (flares, thermal oxidizers, etc.) **in accordance with permit conditions or limitations.**
- 2.5.3 Site-specific procedures may qualify as an exception, if reviewed and approved by your Environmental Specialist.

**2.5 Post Report Follow-up (for Remediation and Cost Purposes)**

- 2.5.1 Within 45 days of any release that affected soil or water, Operations will submit to the Environmental Specialist the following information:
  - 2.5.1.1 Quantity of soil, water, or product removed as a result of a release;
  - 2.5.1.2 Disposition of soil, water, or product removed (i.e., land, farm, landfill, disposal, etc.);
  - 2.5.1.3 Update of costs incurred because of release. (Includes value of lost product, repair costs response costs, clean up costs, disposal costs, etc.)
  - 2.5.1.4 Environmental Specialist will update release database with additional information from 2.5.1.1 through 2.5.1.3.

**2.6 Release Database**

- 2.6.1 The Tulsa Release Reporting Compliance Specialist will maintain the release database and update with follow-up information from 2.5.1.1 through 2.5.1.3 above.

### 3.0 REFERENCES

#### 3.1 Regulatory

3.1.1 Various regulatory requirements at the State and Federal levels require reporting of releases and/or release events.

3.1.2 49 CFR 191, 192 and 195

#### 3.2 Related Policies/Procedures

3.2.1 SIP-ADM-6.04 - Pollution Prevention and Spill Response

3.2.2 5.05-ADM-002 - Accident Reporting

3.2.3 SIP-ADM-12.01 Emergency Response and Planning

#### 3.3 Forms and Attachments

3.3.1 WES-35 - Release Report Form

3.3.2 Onshore Release/Spill Notification Flow Chart

3.3.3 Telephonic and Written Release Reporting Requirements

3.3.4 SIP Feedback/Change Request

### 4.0 DEFINITIONS

**4.1 Liquid** - For the purposes of these reporting criteria, a substance should be considered a liquid if it is transported or stored in liquid form. Liquid releases should be reported using the measurement unit used when transporting the product (i.e., gallons/barrels).

**4.2 Gas** - For the purposes of these reporting criteria, a substance should be considered a gas if it is transported or stored in gaseous state. Gas releases should be reported using the measurement unit used when transporting the product (i.e., m.s.c.f.).

**4.3 Facility Boundary** - The Facility Boundary is the area within the fenced perimeter or the property line. If no fence or clear property line exists, then the facility boundary is that area clearly maintained by Operations (graveled, mowed, cleared, etc.), excluding pipeline rights-of-way.

**4.4 Offshore Release** - Any release that occurs seaward of the coastline or in an onshore Tidally Affected Zone.

- 4.5 Onshore Release** - Any release that does not occur offshore in a Tidally Affected Zone.
- 4.6 Tidally Affected Zone** - Relating to or affected by tides: *the tidal maximum; tidal pools; tidal waters.*
- 4.7 DOT jurisdictional Pipeline or Pipeline Facility** – Pipeline or pipeline facility subject to 49 CFR Parts 192 or 195.
- 4.8 Hazardous Liquid** – Per 49 CFR 195.2 - petroleum, petroleum products, or anhydrous ammonia.

>>>End of Procedure<<<

**System Integrity Plan Change Log**

<b>Date</b>	<b>Change Location</b>	<b>Brief Description of Change</b>
04/18/04	2.3.1.3 – 2.3.1.7 and 2.4.2.5 – 2.4.2.9; 4.0 – Definitions; and 2.4.4 Document Header  General	Added reporting requirements from 49 CFR 191, 192 & 195;  Added 4.6, 4.7 and 4.8; Changed "Title E" to "Tidally"; Established link to WES-35 – Release Report Form; Changed "Energy Services" to "System Integrity Plan," changed revision number from 5 to 6 and changed effective date to 04/19/04; and  Made miscellaneous obvious corrections.
09/15/04	Entire Document	Reordered and rewritten  Added Plans Required of Pipelines/Facilities  Clarified that 3E needs to be called as soon as possible and corrections made later.

**RELEASE/SPILL REPORTING**

**MATERIAL SAFETY DATA SHEETS**

**CHEMICAL EXPOSURES/POISONINGS**

**Dial**

**24HRS/DAY - 7DAYS/WEEK**

**1-888-677-2370**

Info you should have when calling:

- Time of Release/Spill
- Location of the Release
- Asset where Release Occurred
- Amount Released
- Name of Chemical or Product Released



**3E COMPANY**

1905 Aston Avenue, Carlsbad, CA 92008

Telephone: 760-602-8700

Fax: 760-602-8888

**Release/Spill Report Form**

Month  Day  Year   
 Release Verification Time:  Release Stop Time:   
 Region  District  Area   
 Location Name  Location Identifier   
 Mainline Name  Mainline Identifier   
 Area Manager  Company Asset  State   
 Address  County  Zip Code   
 Release Discovered by:  Time   
 Release Reported by:  Time   
 Section  Township  Range  Milepost  Tract #   
 Offshore  Latitude  Longitude   
 Release Reportable?  Waterway Affected?  Name   

Report	Date	Number	Time	Name	Title	City	State
<input type="checkbox"/> NRC							
<input type="checkbox"/> SERC							
<input type="checkbox"/> LEPC							
<input type="checkbox"/> TRRC							
<input type="checkbox"/> EPA							
<input type="checkbox"/> Other							

  
 Product Released:  Total BBL's Released   
 Cause of Release:  BBL's Recovered Wet   
 Released To:  Other:  BBL's Recovered Soil   
 BBL's Recovered   
 BBL's Not Recovered   
 Remarks:   
 Origin Of Release:   
 Temperature  Relative Humidity  Precipitation   
 Cloud Cover  Wind Speed  Wind Direction   
 Injury  Death  Fire  Explosion   
 Unconsciousness  Hospitalization   
 Loss/Damage Estimate   
 Incident Investigator:   
 Environmental Contact for this Release:   
 Safety Contact for this Release:   
 Compliance Administrator for this area:   
 Form completed by:   
 Completion Date:   
 Form was e-mailed to Williams on:

**Appendix B**  
**NMOCD Notification and Corrective Action**



**Appendix C**  
**Public Notice**

**PUBLIC NOTICE**

**Notice of Discharge Plan Renewal Application**

**Blanco Compressor Station**

Pursuant to the requirements of the New Mexico Water Quality Control Commission Regulation 20 NMAC 2.6.2 – GROUND AND SURFACE WATER PROTECTION, Williams Field Services Company of 188 County Road 4900, Bloomfield, NM 87413, hereby announces intent to apply to the New Mexico Oil Conservation Division to renew the Discharge Plan for the Blanco Compressor Station. Williams expects to submit the permit application to the Oil Conservation Division in December 2005.

The facility, located in Section 32, Township 30 North, Range 9 West, San Juan County, New Mexico, approximately 11 miles northwest of Bloomfield, provides natural gas compression and conditioning services.

The discharge permit addresses how spills, leaks, and other accidental discharges to the surface will be managed. The facility does not discharge wastewater to surface or subsurface waters. All wastes generated will be temporarily stored in tanks or containers. Waste shipped offsite will be disposed or recycled at an OCD approved site. In the event of an accidental discharge, ground water most likely will not be affected. The estimated ground water depth at the site is expected to be greater than 12 feet. The total dissolved solids concentration of area ground water is expected to be in the range of 200-2,000 parts per million.

Comments or inquiries regarding this permit or the permitting process may be directed to:

Director of the Oil Conservation Division  
1220 South Saint Francis Dr.  
Santa Fe NM 87505  
(505) 827-1464

Please refer to the company name and site name, as used in this notice, or send a copy of this notice when making inquiries, since the Department might not have received the application at the time of this notice.