

1R - 427 - 104

REPORTS

DATE:

12-3-2001

**RICE OPERATING COMPANY
JUNCTION BOX FINAL REPORT**

427-109

BOX LOCATION

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
EME	O-17-1	O	17	20S	37E	LEA	Length 10	Width 10	Depth 5

LAND TYPE: BLM _____ STATE X FEE LANDOWNER _____ OTHER _____

Depth to Groundwater 27 feet NMOCD SITE ASSESSMENT RANKING SCORE: 20

Date Started 08/17/2001 Date Completed 08/31/2001 OCD Witness NO

Soil Excavated 80 cubic yards Excavation Length 20 Width 15 Depth 8.5 feet

Soil Disposed 30 cubic yards Offsite Facility SOUTH MONUMENT Location MONUMENT, NM

FINAL ANALYTICAL RESULTS: Sample Date 08/24/2001 Sample Depth 8.5'

Procure 5-point composite sample of bottom and 4-point composite sample of sidewalls. TPH, BTEX and Chloride laboratory test results completed by using an approved lab and testing procedures pursuant to NMOCD guidelines.

Sample Location	Benzene mg/kg	Toluene mg/kg	Ethyl Benzene mg/kg	Total Xylenes mg/kg	GRO mg/kg	DRO mg/kg	Chlorides mg/kg
SIDEWALLS	<0.005	<0.005	<0.005	<0.015	<50	<50	112
BOTTOM	<0.005*	<0.005*	<0.005*	<0.015*	<50*	72.2*	384

General Description of Remedial Action: The site was delineated vertically and laterally and field tests indicated impact at 12' bgs was 80 ppm. Composite samples at 6.5' bgs were taken to a certified lab for analysis. The chloride results on the bottom composite was 3580 ppm. Another 2' of impacted soil was removed from the bottom and field tested at 300 ppm chloride. A compacted clay barrier to inhibit vertical transmissivity and water proof junction box was installed and backfilled with clean soil.

* TPH and BTEX were taken at 6.5' bgs.

CHLORIDE FIELD TESTS

LOCATION	DEPTH	mg/kg
SIDEWALLS	5'	100
BOTTOM	8.5	300
Vertical Trench	12'	80

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE December 3, 2001 PRINTED NAME D. E. Anderson
SIGNATURE *D. E. Anderson* TITLE Project Leader - Environmental



PHONE (915) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
RICE OPERATING CO.
ATTN: CHRIS RODRIGUEZ
122 W. TAYLOR
HOBBS, NM 88240
FAX TO:


Receiving Date: 08/17/01
Reporting Date: 08/20/01
Project Owner: RICE
Project Name: 0-17-1 BOX UPGRADE
Project Location: E.M.E.

Sampling Date: 08/17/01
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: AH
Analyzed By: BC/AH


LAB NUMBER	SAMPLE ID	GRO	DRO	CI*
		(C ₆ -C ₁₀) (mg/Kg)	(>C ₁₀ -C ₂₈) (mg/Kg)	(mg/Kg)
ANALYSIS DATE		08/17/01	08/17/01	08/20/01
H6094-1	WALL COMP.	<50	<50	112
H6094-2	BOTTOM COMP.	<50	72.2	3580
Quality Control		790	808	970
True Value QC		800	800	1000
% Recovery		98.7	101	97.0
Relative Percent Difference		1.4	3.0	3.2

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; CI: Std. Methods 4500-CI'B

*Analyses performed on 1:4 w:v aqueous extracts.


Chemist

8/20/01
Date



H6094A.XLS

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



PHONE (915) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240


ANALYTICAL RESULTS FOR
RICE OPERATING CO.
ATTN: CHRIS RODRIGUEZ
122 W. TAYLOR
HOBBS, NM 88240
FAX TO:

Receiving Date: 08/17/01
Reporting Date: 08/20/01
Project Owner: RICE
Project Name: 0-17-1 BOX UPGRADE
Project Location: E.M.E.


Sampling Date: 08/17/01
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: AH
Analyzed By: BC

LAB NO.	SAMPLE ID	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	ETHYL BENZENE (mg/Kg)	TOTAL XYLENES (mg/Kg)
ANALYSIS DATE		08/17/01	08/17/01	08/17/01	08/17/01
H6094-1	WALL COMP.	<0.005	<0.005	<0.005	<0.015
H6094-2	BOTTOM COMP.	<0.005	<0.005	<0.005	<0.015
Quality Control		0.106	0.099	0.105	0.310
True Value QC		0.100	0.100	0.100	0.300
% Recovery		106	98.6	105	103
Relative Percent Difference		6.8	8.5	11.6	11.6

METHOD: EPA SW-846 8260


Chemist

8/20/01
Date



H6094B.XLS

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

2111 Beechwood, Abilene, TX 79603 101 East Marland, Hobbs, NM 88240
(915) 673-7001 Fax (915) 673-7020 (505) 393-2326 Fax (505) 393-2476

Page _____ of _____

Company Name: <u>Rice Operating Company</u>		Project Manager: <u>Chris Rodriguez</u>		Address: <u>122 W. Taylor</u>		City: <u>Hobbs</u>		State: <u>N.M.</u> Zip: <u>88240</u>		Phone #: <u>373-9174</u>		Fax #: <u>373-1471</u>		Project #: <u>Box Upgrade</u>		Project Owner: <u>Rice</u>		Project Name: <u>0-17-1 Box Upgrade</u>		Project Location: <u>E. M.E.</u>		Sampler Name: _____							
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE:		ICE / COOL		OTHER:		PRESERV.		SAMPLING	
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE:		ICE / COOL		OTHER:		DATE		TIME	
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE:		ICE / COOL		OTHER:		DATE		TIME	
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE:		ICE / COOL		OTHER:		DATE		TIME	
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE:		ICE / COOL		OTHER:		DATE		TIME	
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE:		ICE / COOL		OTHER:		DATE		TIME	
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE:		ICE / COOL		OTHER:		DATE		TIME	
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE:		ICE / COOL		OTHER:		DATE		TIME	
Lab I.D.		Sample I.D.		# CONTAINERS		(G) RAB OR (C) COMP		GROUNDWATER		WASTEWATER		SOIL																	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476.



PHONE (915) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
RICE OPERATING CO.
ATTN: CHRIS RODRIGUEZ
122 W. TAYLOR
HOBBS, NM 88240
FAX TO: (505) 397-1471

Receiving Date: 08/21/01

Reporting Date: 08/21/01

Project Number: 0-17-1

Project Name: BOTTOM COMPOSITE OF 0-17-1 E.M.E

Project Location: E.M.E.

Analysis Date: 08/21/01

Sampling Date: 08/20/01

Sample Type: SOIL

Sample Condition: COOL & INTACT

Sample Received By: BC


Analyzed By: AH

LAB NUMBER	SAMPLE ID	Cl ⁻ (mg/Kg)
H6099-1	8 1/2' BGS BOTTOM COMPOSITE	384
Quality Control		970
True Value QC		1000
% Recovery		97.0
Relative Percent Difference		3.2


METHOD: Standard Methods

4500-Cl⁻B

NOTE: Analysis performed on a 1:4 w:v aqueous extract.


Chemist

8-21-01
Date



H6099A.XLS

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

ARDINAL LABORATORIES, INC.

Page _____ of _____

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476.

SOUTH MONUMENT SURFACE WASTE FACILITY

TICKET NO # 4450

LEASE OPERATOR

Rice Operating Corporation

ORIGINATING LOCATION: ~~P-26~~ ~~8-17~~

~~Sec 36 T19S R36E~~
~~SEC 20 T-20 R-37~~
57

TRANSPORTER NAME & ADDRESS

WALTON CONSTRUCTION CO., INC.
P. O. BOX 478
HOBBS, NM 88241-0478

Attn: KENA KAY COOPER

DESCRIPTION OF WASTE

Non-Hazardous Hydrocarbons

QUANTITY

1886

FACILITY CONTACT:

Dore D. Cogen
SIGNATURE OF CONTACT

8/31/01
DATE

CELL NUMBER MATERIAL WAS PLACED IN LANDFARM: B-1

NAME OF TRANSPORTER (DRIVER):

Dore D. Cogen
SIGNATURE OF DRIVER

8-31-2001
DATE

DISPOSAL SITE

South Monument Surface Waste Facility
P. O. Box 418
Hobbs, NM 88241-0418
Sec 25 T20S R36E N/2NE/4

"As a condition of acceptance for disposal, I hereby certify that this waste is an exempt waste as defined by the Environmental Protection Agency (EPA). The waste are: generated from oil and gas exploration and production operations; exempt from Resource Conservation and Recovery Act (RCRA) Subtitle C regulations; and not mixed with non-exempt waste."

Dore D. Cogen
FACILITY REPRESENTATIVE

8/31/01
DATE

SOUTH MONUMENT SURFACE WASTE FACILITY

TICKET NO #

4462
~~0156~~

LEASE OPERATOR

ORIGINATING LOCATION: ~~01 18~~ 0-17

~~WALTON CONSTRUCTION CO., INC.~~

Rice Operating

~~Sec 25 T20S R36E~~
Sec -17-T-20 R37

TRANSPORTER NAME & ADDRESS

WALTON CONSTRUCTION CO., INC.
P. O. BOX 478
HOBBS, NM 88241-0478

Attn: KENA KAY COOPER

DESCRIPTION OF WASTE

QUANTITY

Non-Hazardous Hydrocarbons

12

FACILITY CONTACT

SIGNATURE OF CONTACT

DATE

8/31/01

CELL NUMBER MATERIAL WAS PLACED IN LANDFARM:

B-1

NAME OF TRANSPORTER (DRIVER):

SIGNATURE OF DRIVER

DATE

DISPOSAL SITE

South Monument Surface Waste Facility
P. O. Box 418
Hobbs, NM 88241-0418
Sec 25 T20S R36E N/2NE/4

"As a condition of acceptance for disposal, I hereby certify that this waste is an exempt waste as defined by the Environmental Protection Agency (EPA). The waste are: generated from oil and gas exploration and production operations; exempt from Resource Conservation and Recovery Act (RCRA) Subtitle C regulations; and not mixed with non-exempt waste."

FACILITY REPRESENTATIVE

DATE

8/31/01

**RICE OPERATING COMPANY
JUNCTION BOX FINAL REPORT**

BOX LOCATION

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
EME	O-17-1	O	17	20S	37E	LEA	Length 10	Width 10	Depth 5

LAND TYPE: BLM _____ STATE X FEE LANDOWNER _____ OTHER _____

Depth to Groundwater 27 feet NMOCD SITE ASSESSMENT RANKING SCORE: 20

Date Started 08/17/2001 Date Completed 08/31/2001 OCD Witness NO

Soil Excavated 80 cubic yards Excavation Length 20 Width 15 Depth 8.5 feet

Soil Disposed 30 cubic yards Offsite Facility SOUTH MONUMENT Location MONUMENT, NM

FINAL ANALYTICAL RESULTS: Sample Date 08/24/2001 Sample Depth 8.5'

Procure 5-point composite sample of bottom and 4-point composite sample of sidewalls. TPH, BTEX and Chloride laboratory test results completed by using an approved lab and testing procedures pursuant to NMOCD guidelines.

Sample Location	Benzene mg/kg	Toluene mg/kg	Ethyl Benzene mg/kg	Total Xylenes mg/kg	GRO mg/kg	DRO mg/kg	Chlorides mg/kg
SIDEWALLS	<0.005	<0.005	<0.005	<0.015	<50	<50	112
BOTTOM	<0.005	<0.005	<0.005	<0.015	<50	72	384

General Description of Remedial Action: The site was delineated vertically and laterally

and field tests indicated impact was below NMOCD guidelines. Composite samples were taken to a certified lab for analysis. The chloride results on the bottom composite was 3580 ppm. Another 2' impacted soil was removed from the bottom and tested at 384 ppm chloride. A compacted clay barrier and water proof junction box was installed and backfilled.

CHLORIDE FIELD TESTS

LOCATION	DEPTH	mg/kg
SIDEWALLS	5'	100
BOTTOM	8.5	300

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE 12/03/2001 PRINTED NAME D. E. Anderson
SIGNATURE *D. E. Anderson* TITLE Project Leader - Environmental



PHONE (915) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
RICE OPERATING CO.
ATTN: CHRIS RODRIGUEZ
122 W. TAYLOR
HOBBS, NM 88240
FAX TO:


Receiving Date: 08/17/01
Reporting Date: 08/20/01
Project Owner: RICE
Project Name: 0-17-1 BOX UPGRADE
Project Location: E.M.E.

Sampling Date: 08/17/01
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: AH
Analyzed By: BC/AH

LAB NUMBER	SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/Kg)	DRO (>C ₁₀ -C ₂₈) (mg/Kg)	CI* (mg/Kg)
ANALYSIS DATE		08/17/01	08/17/01	08/20/01
H6094-1	WALL COMP.	<50	<50	112
H6094-2	BOTTOM COMP.	<50	72.2	3580
Quality Control		790	808	970
True Value QC		800	800	1000
% Recovery		98.7	101	97.0
Relative Percent Difference		1.4	3.0	3.2

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; CI: Std. Methods 4500-CIB

*Analyses performed on 1:4 w:v aqueous extracts.


Chemist

8/20/01
Date



H6094A.XLS

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



ARDINAL LABORATORIES

PHONE (915) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240


ANALYTICAL RESULTS FOR
RICE OPERATING CO.
ATTN: CHRIS RODRIGUEZ
122 W. TAYLOR
HOBBS, NM 88240
FAX TO:

Receiving Date: 08/17/01
Reporting Date: 08/20/01
Project Owner: RICE
Project Name: 0-17-1 BOX UPGRADE
Project Location: E.M.E.

Sampling Date: 08/17/01
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: AH
Analyzed By: BC

LAB NO.	SAMPLE ID	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	ETHYL BENZENE (mg/Kg)	TOTAL XYLENES (mg/Kg)
ANALYSIS DATE		08/17/01	08/17/01	08/17/01	08/17/01
H6094-1	WALL COMP.	<0.005	<0.005	<0.005	<0.015
H6094-2	BOTTOM COMP.	<0.005	<0.005	<0.005	<0.015
Quality Control		0.106	0.099	0.105	0.310
True Value QC		0.100	0.100	0.100	0.300
% Recovery		106	98.6	105	103
Relative Percent Difference		6.8	8.5	11.6	11.6

METHOD: EPA SW-846 8260


Chemist

8/20/01
Date



H6094B.XLS

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

ARDINAL LABORATORIES, INC.

2111 Beechwood, Abilene, TX 79603 101 East Marland, Hobbs, NM 88240
(915) 673-7001 Fax (915) 673-7020 (505) 393-2326 Fax (505) 393-2476

Page of [illegible]

+ Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476.



PHONE (915) 673-7001 • 2111 BEECHWOOD • ABILENE, TX 79603

PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
RICE OPERATING CO.
ATTN: CHRIS RODRIGUEZ
122 W. TAYLOR
HOBBS, NM 88240
FAX TO: (505) 397-1471


Receiving Date: 08/21/01
Reporting Date: 08/21/01
Project Number: 0-17-1
Project Name: BOTTOM COMPOSITE OF 0-17-1 E.M.E
Project Location: E.M.E.

Analysis Date: 08/21/01
Sampling Date: 08/20/01
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: BC
Analyzed By: AH


LAB NUMBER	SAMPLE ID	Cl ⁻ (mg/Kg)
H6099-1	8 1/2' BGS BOTTOM COMPOSITE	384
Quality Control		970
True Value QC		1000
% Recovery		97.0
Relative Percent Difference		3.2

METHOD: Standard Methods	4500-Cl ⁻ B
--------------------------	------------------------

NOTE: Analysis performed on a 1:4 w:v aqueous extract.


Chemist

8-21-01
Date



H6099A.XLS

PLEASE NOTE: **Liability and Damages.** Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.

2111 Beechwood, Abilene, TX 79603 101 East Marland, Hobbs, NM 88240
(915) 673-7001 Fax (915) 673-7020 (505) 393-2326 Fax (505) 393-2476

Page _____ of _____

[illegible]

+ Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476.

SOUTH MONUMENT SURFACE WASTE FACILITY

TICKET NO # 4450

LEASE OPERATOR

Rice Operating Corporation

ORIGINATING LOCATION: ~~P-26-1~~ ~~8-6~~ 0-17

~~Sec 36 T19S R36E~~
~~SCC~~ T-20 R-37
S7

TRANSPORTER NAME & ADDRESS

WALTON CONSTRUCTION CO., INC.
P. O. BOX 478
HOBBS, NM 88241-0478

Attn: KENA KAY COOPER

DESCRIPTION OF WASTE

Non-Hazardous Hydrocarbons

QUANTITY

1886

FACILITY CONTACT:

Dore D. Legu
SIGNATURE OF CONTACT

8/31/01
DATE

CELL NUMBER MATERIAL WAS PLACED IN LANDFARM: B-1

NAME OF TRANSPORTER (DRIVER):

Lupe L. Valenzuela
SIGNATURE OF DRIVER

8-31-2001
DATE

DISPOSAL SITE

South Monument Surface Waste Facility
P. O. Box 418
Hobbs, NM 88241-0418
Sec 25 T20S R36E N/2NE/4

"As a condition of acceptance for disposal, I hereby certify that this waste is an exempt waste as defined by the Environmental Protection Agency (EPA). The waste are: generated from oil and gas exploration and production operations; exempt from Resource Conservation and Recovery Act (RCRA) Subtitle C regulations; and not mixed with non-exempt waste."

Dore D. Legu
FACILITY REPRESENTATIVE

8/31/01
DATE

4462
~~4456~~

G-17

Sec -17- T-20 R37

12

8131/01

B-

831-01

8/31/01