1R - 425-20

REPORTS

DATE:

JAN 9, 2006

Final Report

RICE OPERATING COMPANY
JUNCTION BOX FINAL REPORT

BOX LOCATION

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
							Length	Width	Depth
Vacuum	Phillips 'B' Santa Fe EOL	O	30	17S	35E	Lea	System Abandonment--no box		

LAND TYPE: BLM _____ STATE _____ FEE LANDOWNER Duke Energy OTHER _____

Depth to Groundwater 117 feet NMOCD SITE ASSESSMENT RANKING SCORE: 0

Date Started 9/6/2005 Date Completed 12/23/2005 NMOCD Witness no

Soil Excavated 5 cubic yards Excavation Length 8 Width 3 Depth 6 feet

Soil Disposed 0 cubic yards Offsite Facility n/a Location n/a

FINAL ANALYTICAL RESULTS: **Sample Date** 9/6/2005 **Sample Depth** 6 ft

TPH and chloride laboratory test results completed by using an approved laboratory and testing procedures pursuant to NMOCD guidelines.

Sample Location	PID ppm	GRO mg/kg	DRO mg/kg	Chloride mg/kg
GRAB @ 6 ft BGS	0.0	<10.0	<10.0	25.7

CHLORIDE FIELD TESTS

LOCATION	DEPTH (ft)	ppm
vertical trench at junction	2	314
	3	93
	4	69
	5	100
	6	93
background	0	102

General Description of Remedial Action:

This junction box was addressed as part of the Vacuum SWD System Abandonment. After the box materials were removed, a delineation trench was made at the junction using a backhoe while soil samples were collected every ft of depth to 6 ft BGS. Chloride field tests conducted on the samples yielded low concentrations that exhibited a conclusive trend of decline with depth, indicative of unsaturated historical vadose conditions. PID screenings were also performed on the samples and yielded no VOC readings, all 0.0 ppm. The laboratory analysis of the deepest sample (6 ft) confirmed the field tests and TPH concentrations were not present within the lab's detection limits (<10.0 ppm), meeting NMOCD guidelines. The excavated soil was blended on site and then backfilled into the trench and contoured to the surrounding terrain. The disturbed surface was seeded with a blend of native vegetation and is expected to return to productive capacity at a normal rate. Since the SWD System is no longer active, a replacement box is not required at this site.

enclosures: chloride graph, photos, lab results, PID field screenings

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SITE SUPERVISOR Roy Rascon SIGNATURE Roy L. Rascon COMPANY RICE Operating Company

REPORT ASSEMBLED BY Kristin Farris Pope SIGNATURE Kristin Farris Pope

DATE 1/9/2006 TITLE Project Scientist

Vacuum Phillips 'B' Santa Fe EOL

Unit 'O', Sec. 30, T17S, R35E

undisturbed junction box 7/11/2005

junction box removed 9/2/2005

seeding backfilled site 12/23/2005

Vacuum Phillips 'B' Santa Fe EOL

Unit 'O', Sec. 30, T17S, R35E

Vertical Delineation at Junction

Depth bgs (ft)	[Cl⁻] ppm
2	314
3	93
4	69
5	100
6	93

Groundwater = 117 ft



ENVIRONMENTAL LAB OF

12600 West I-20 East - Odessa, Texas 79765

COPY

Analytical Report

Prepared for:

Roy Rascon
Rice Operating Co.
122 W. Taylor
Hobbs, NM 88240

Project: Vac. Phillips B Santa Fe EOL
Project Number: None Given
Location: None Given

Lab Order Number: 5I09002

Report Date: 09/15/05

Rice Operating Co.	Project: Vac. Phillips B Santa Fe EOL	Fax: (505) 397-1471
122 W. Taylor	Project Number: None Given	**Reported:**
Hobbs NM, 88240	Project Manager: Roy Rascon	09/15/05 15:50

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Vert.@ 6'	5109002-01	Soil	09/06/05 14:16	09/09/05 07:30

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Rice Operating Co.	Project: Vac. Phillips B Santa Fe EOL	Fax: (505) 397-1471
122 W. Taylor	Project Number: None Given	**Reported:**
Hobbs NM, 88240	Project Manager: Roy Rascon	09/15/05 15:50

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Vert.@ 6' (5109002-01) Soil									
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EI50912	09/09/05	09/11/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		*85.6 %*	*70-130*		"	"	"	"	
Surrogate: 1-Chlorooctadecane		*82.4 %*	*70-130*		"	"	"	"	

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Rice Operating Co.	Project: Vac. Phillips B Santa Fe EOL	Fax: (505) 397-1471
122 W. Taylor	Project Number: None Given	**Reported:**
Hobbs NM, 88240	Project Manager: Roy Rascon	09/15/05 15:50

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Vert.@ 6' (5I09002-01) Soil									
Chloride	**25.7**	5.00	mg/kg	10	EI51507	09/14/05	09/14/05	EPA 300.0	
% Moisture	**19.0**	0.1	%	1	EI51214	09/09/05	09/13/05	% calculation	

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EI50912 - Solvent Extraction (GC)										
Blank (EI50912-BLK1)				Prepared: 09/09/05 Analyzed: 09/11/05						
Gasoline Range Organics C6-C12	ND	10.0	mg/kg wet							
Diesel Range Organics >C12-C35	ND	10.0	"							
Total Hydrocarbon C6-C35	ND	10.0	"							
Surrogate: 1-Chlorooctane	*50.7*		*mg/kg*	*50.0*		*101*	*70-130*			
Surrogate: 1-Chlorooctadecane	*46.8*		*"*	*50.0*		*93.6*	*70-130*			
LCS (EI50912-BS1)				Prepared: 09/09/05 Analyzed: 09/11/05						
Gasoline Range Organics C6-C12	398	10.0	mg/kg wet	500		79.6	75-125			
Diesel Range Organics >C12-C35	379	10.0	"	500		75.8	75-125			
Total Hydrocarbon C6-C35	777	10.0	"	1000		77.7	75-125			
Surrogate: 1-Chlorooctane	*48.3*		*mg/kg*	*50.0*		*96.6*	*70-130*			
Surrogate: 1-Chlorooctadecane	*48.3*		*"*	*50.0*		*96.6*	*70-130*			
Calibration Check (EI50912-CCV1)				Prepared: 09/09/05 Analyzed: 09/12/05						
Gasoline Range Organics C6-C12	425		mg/kg	500		85.0	80-120			
Diesel Range Organics >C12-C35	412		"	500		82.4	80-120			
Total Hydrocarbon C6-C35	837		"	1000		83.7	80-120			
Surrogate: 1-Chlorooctane	*51.0*		*"*	*50.0*		*102*	*0-200*			
Surrogate: 1-Chlorooctadecane	*61.1*		*"*	*50.0*		*122*	*0-200*			
Matrix Spike (EI50912-MS1)	**Source: 5I09001-01**			Prepared: 09/09/05 Analyzed: 09/11/05						
Gasoline Range Organics C6-C12	403	10.0	mg/kg dry	533	ND	75.6	75-125			
Diesel Range Organics >C12-C35	406	10.0	"	533	ND	76.2	75-125			
Total Hydrocarbon C6-C35	809	10.0	"	1070	ND	75.6	75-125			
Surrogate: 1-Chlorooctane	*43.1*		*mg/kg*	*50.0*		*86.2*	*70-130*			
Surrogate: 1-Chlorooctadecane	*40.0*		*"*	*50.0*		*80.0*	*70-130*			
Matrix Spike Dup (EI50912-MSD1)	**Source: 5I09001-01**			Prepared: 09/09/05 Analyzed: 09/11/05						
Gasoline Range Organics C6-C12	403	10.0	mg/kg dry	533	ND	75.6	75-125	0.00	20	
Diesel Range Organics >C12-C35	402	10.0	"	533	ND	75.4	75-125	0.990	20	
Total Hydrocarbon C6-C35	805	10.0	"	1070	ND	75.2	75-125	0.496	20	
Surrogate: 1-Chlorooctane	*44.9*		*mg/kg*	*50.0*		*89.8*	*70-130*			
Surrogate: 1-Chlorooctadecane	*44.4*		*"*	*50.0*		*88.8*	*70-130*			

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EI51214 - General Preparation (Prep)										
Blank (EI51214-BLK1)				Prepared: 09/09/05 Analyzed: 09/13/05						
% Solids	100		%							
Duplicate (EI51214-DUP1)		**Source: 5I08021-02**		Prepared: 09/09/05 Analyzed: 09/13/05						
% Solids	95.3		%		95.5			0.210	20	
Duplicate (EI51214-DUP2)		**Source: 5I09013-05**		Prepared: 09/09/05 Analyzed: 09/13/05						
% Solids	99.2		%		99.0			0.202	20	
Duplicate (EI51214-DUP3)		**Source: 5I09010-03**		Prepared: 09/09/05 Analyzed: 09/13/05						
% Solids	90.9		%		90.2			0.773	20	
Batch EI51507 - Water Extraction										
Blank (EI51507-BLK1)				Prepared & Analyzed: 09/14/05						
Chloride	ND	0.500	mg/kg							
LCS (EI51507-BS1)				Prepared & Analyzed: 09/14/05						
Chloride	8.62		mg/L	10.0		86.2	80-120			
Calibration Check (EI51507-CCV1)				Prepared & Analyzed: 09/14/05						
Chloride	9.06		mg/L	10.0		90.6	80-120			
Duplicate (EI51507-DUP1)		**Source: 5I09001-01**		Prepared & Analyzed: 09/14/05						
Chloride	801	10.0	mg/kg		796			0.626	20	

12600 West I-20 East - Odessa, Texas 79705 - (432) 563-1800 - Fax (432) 563-1713

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
LCS	Laboratory Control Spike
MS	Matrix Spike
Dup	Duplicate

Report Approved By: Raland K. Tuttle Date: 9-18-05

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org. Tech Director
Peggy Allen, QA Officer
Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

Environmental Lab of Texas, Inc.

12600 West I-20 East
Odessa, Texas 79763
Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

ECL

Project Manager: Ray Rascon
Company Name: RICE Operating
Company Address: 122 W. Taylor
City/State/Zip: Hobbs, NM 88240
Telephone No: (505) 393-9174
Fax No: (505) 397-1471
Sampler Signature: Ray R. Rascon

Project Name: Vac Phillips B Santa Fe
Project #:
Project Loc:
PO #:

LAB # (lab use only)	FIELD CODE	Date Sampled	Time Sampled	No. of Containers	Preservative: Ice	HNO3	HCl	NaOH	H2SO4	None	Other (Specify)	Matrix: Water	Sludge	Soil	Other (specify)	Analyze For: TCLP: TDS (C) SAR / EC	TOTAL: TPH 418.1	TPH TX 1005/1006	TPH 8015M GRO/DRO	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030	RUSH TAT (Pre-Schedule)
27907-01	Vert. @ 6'	9-6-05	1410	1	✓									✓					✓					

Special Instructions:

Sample Containers Intact? Y N
Temperature Upon Receipt: 0.5 C
Laboratory Comments: 4oz glass on ice w/ labels + seals
Seals on cooler

Relinquished by:	Date	Time	Received by:	Date	Time
Ray R. Rascon	9-7-05	1621		9/8	8:3
Relinquished by:	Date	Time	Received by ELOT: Drop Box	Date	Time
	9/9	7:00		9-9-5	0730

Environmental Lab of Texas
Variance / Corrective Action Report – Sample Log-In

Client: Rice Op.

Date/Time: 9/9/05 7:30

Order #: 5I09002

Initials: CK

Sample Receipt Checklist

Temperature of container/cooler?	Yes	No	0.5 C
Shipping container/cooler in good condition?	Yes	No	
Custody Seals intact on shipping container/cooler?	Yes	No	Not present
Custody Seals intact on sample bottles?	Yes	No	Not present
Chain of custody present?	Yes	No	
Sample Instructions complete on Chain of Custody?	Yes	No	
Chain of Custody signed when relinquished and received?	Yes	No	
Chain of custody agrees with sample label(s)	Yes	No	
Container labels legible and intact?	Yes	No	
Sample Matrix and properties same as on chain of custody?	Yes	No	
Samples in proper container/bottle?	Yes	No	
Samples properly preserved?	Yes	No	
Sample bottles intact?	Yes	No	
Preservations documented on Chain of Custody?	Yes	No	
Containers documented on Chain of Custody?	Yes	No	
Sufficient sample amount for indicated test?	Yes	No	
All samples received within sufficient hold time?	Yes	No	
VOC samples have zero headspace?	Yes	No	Not Applicable

Other observations:

_____

_____

_____

Variance Documentation:

Contact Person: - _____ Date/Time: _____ Contacted by: _____

Regarding:

_____

_____

_____

Corrective Action Taken:

_____

_____

_____

_____

_____

_____

_____

_____

RICE OPERATING COMPANY

122 WEST TAYLOR
HOBBS, NEW MEXICO 88240
PHONE: (505) 393-9174 FAX: (505) 397-1471

VOC FIELD TEST REPORT FORM

MINI RAE PLUS CLASSIC PHOTOIONIZATION GAS DETECTOR

MODEL NO: PGM 761S
CALIBRATION GAS
GAS COMPOSITION: ISOBUTYLENE
AIR
LOT NO: 04-2747
EXP. DATE: 8-1-06
METER READING
ACCURACY: 100.6

SERIAL NO: 104412

100 PPM
BALANCE
FILL DATE: 2-1-05
ACCURACY: +/- 2%

SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE
VAC	Phillips "B" Santa FE EOL	O	30	17S	35E

Vertical @ Source Only

SAMPLE	PID RESULT	SAMPLE	PID RESULT
2'	0.0		
3'	0.0		
4'	0.0		
5'	0.0		
6'	[illegible]		

COPY

I certify that I have calibrated the above instrument in accordance to the manufacture operation manual.

Ray R. Rascon
Signature

9-6-05
Date