

1R - 267

REPORTS

DATE:

2001



Tipperary CORPORATION

633 Seventeenth Street
Suite 1550
Denver, Colorado 80202

November 14, 2001

VIA OVERNIGHT MAIL

Mr. William C. Olson
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

**RE: Progress Report for Year 2001
Tatum Pit Closure Project
Lea County, NM**

RECEIVED *mt*

NOV 16 2001 → 2001

ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION

Dear Mr. Olson:

Please find enclosed additional results from our monitor wells in the subject project area. This report summarizes the results from water samples taken on January 10, April 5, July 7, and September 26, 2001. These results represent the 17 quarters of monitoring. In general, we are continuing to observe decreasing levels of BTEX in the monitor wells.

The Executive Summary section contains the following:

- Summary of results by location.
- Procedure for obtaining water samples.
- Summary of water depths in each monitor well.
- Monitor well gradient chart.
- LNAPL depth chart.
- Maps of pit reclamation locations.
- Chain of custody records and lab results of the water samples by quarter.

Detailed results are presented in tabular and graphical format for each monitor well. The monitor well data is grouped by site location in the report. We will continue to sample the project quarterly and report the results to your office on an annual basis. If you have any questions, please call me at (303) 293-9379.

Very truly yours,

Larry G. Sugano
Vice President - Engineering

cc: NMOCD Hobbs Office

Enclosures



**Tipperary Corporation
September 2001
Sampling Results
Annual Report**

RECEIVED

NOV 16 2001

ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION



Whole Earth Environmental
19606 San Gabriel
Houston, Tx. 77084



Executive Summary Tipperary Corporation Water Monitoring Program

Site History

In response to a request by a 1996 request by the NMOCD, Tipperary Corporation began a program to close a series of ten surface impoundments located within their Bagley Field west of Tatum, New Mexico. The closure program consisted of excavating the impoundments and encapsulating the contaminant plume within high-density polyethylene. As part of the closure program, a groundwater investigation was conducted at each site. The investigation concluded that due to the relatively shallow depth to the surface of the aquifer, each site impacted the Ogallala Aquifer to varying degrees.

The remediation plan included passive monitoring of those sites showing no free product on the water table and active fluid removal by means of the erection of windmills at three sites found to have more significant concentrations. A series of water monitoring wells were placed down gradient of each location. Each such well has been sampled and tested on a quarterly basis with the results of each laboratory analyses provided to the NMOCD on an annual basis. To date, two sites have been remediated to closure and a third is pending final approval.

Individual Site Descriptions

Iva COM

The Iva site includes a recovery well. Criteria contaminant concentrations within the well have shown a 94% reduction since installation and a 48% reduction over the past year. A review of the test results over the past three years indicates that the contaminant concentrations appear to be reduced at the rate of approximately 50% per year. If the trend continues, the concentrations will be within NMWQCC standards within the next two years. Two down gradient monitor wells at the site have never shown concentrations in excess of standards.

Mable COM

The Mable site includes a recovery well. Criteria contaminant concentrations within the well have shown a 73% reduction since installation and a 50% reduction over the past year. The primary contaminant compounds within this well are benzene and xylene. Only the xylene and ethylbenzene fractions have shown any significant improvement over previous sampling periods within the source well. Both down-gradient monitor wells generally fall within NMWQCC standards but are subject to periodic spikes in all tested fractions. LNAPL's are present within both monitor wells but appear to have

the viscous appearance and odor characteristics of fatty acids resulting from the aerobic degradation of hydrocarbons.

Bell State "A"

This site has no active recovery well but does contain a series of four monitor wells. The criteria contaminant concentrations within these wells have collectively dropped 92% from the initial concentrations however have shown no significant improvement over the past year. Benzene is the only fraction falling outside of NMWQCC standards.

NBF

This site has no active recovery well but does contain a series of four monitor wells. The criteria contaminant concentrations within these wells have collectively dropped 16% from the initial concentrations however have shown no significant improvement over the past year. Monitor wells nos. 15 and 16 continue to show elevated benzene concentrations and occasional spikes of xylene.

G.S. State

The G.S. site has an active recovery well and four down gradient monitor wells. The contaminant concentrations within the recovery well have been reduced by 78% over the life of the installation however the concentrations within the monitor wells have remained somewhat static. We introduced a program last year of installing absorbent socks within those wells having LNAPL's. The program did show significant reductions within those bores in which they were used however the BTEX concentrations came back to previous levels when their use was discontinued.

Sohio # 1

This site has no active recovery well but does contain a series of five monitor wells. The general trend within these wells is for an overall reduction in BTEX values-especially if the most recent results within Monitor Well # 18 are ignored due to our inability to bail a sufficient volume of fluids as a result of silting. Once again the absorbent sock program introduced last year proved effective until discontinued.

Sohio "A"

This site has no active recovery well but does contain a series of five monitor wells. The site has a gradient of .58' per 100' distance and may be considered quite static hydrologically. The BTEX concentrations have once again increased with the cessation of the absorbent sock program.



QP-78

**WHOLE EARTH ENVIRONMENTAL
QUALITY PROCEDURE**

**Procedure for Obtaining Water Samples (Cased Wells)
Using Enviro-Tech ES-60 Pump**

Completed By: Approved By: Effective Date: / /

1.0 Purpose

This procedure outlines the methods to be employed in obtaining water samples from cased monitoring wells.

2.0 Scope

This procedure shall be used for developed, cased water monitoring wells. It is not to be used for standing water samples such as ponds or streams.

3.0 Preliminary

3.1 Obtain sterile sampling containers from the testing laboratory designated to conduct analyses of the water. The shipment should include a Certificate of Compliance from the manufacturer of the collection bottle or vial and a Serial Number for the lot of containers. Retain this Certificate for future documentation purposes.

3.2 The following table shall be used to select the appropriate sampling container, preservative method and holding times for the various elements and compounds to be analyzed.

Compound to be Analyzed	Sample Container Size	Sample Container Description	Cap Requirements	Preservative	Maximum Hold Time
BTEX	40 ml.	VOA Container	Teflon Lined	HCl	7 days
TPH	1 liter	clear glass	Teflon Lined	HCl	28 days
PAH	1 liter	clear glass	Teflon Lined	Ice	7 days
Cation / Anion	1 liter	clear glass	Teflon Lined	None	48 Hrs.
Metals	1 liter	HD polyethylene	Any Plastic	Ice / HNO ₃	28 Days
TDS	300 ml.	clear glass	Any Plastic	Ice	7 Days

4.0 Chain of Custody

- 4.1 Prepare a Sample Plan. The plan will list the well identification and the individual tests to be performed at that location. The sampler will check the list against the available inventory of appropriate sample collection bottles to insure against shortage.
- 4.2 Transfer the data to the Laboratory Chain of Custody Form. Complete all sections of the form except those that relate to the time of delivery of the samples to the laboratory.
- 4.3 Pre-label the sample collection jars. Include all requested information except time of collection. (Use a fine point Sharpie to insure that the ink remains on the label). Affix the labels to the jars.

5.0 Bailing Procedure

- 5.1 Identify the well from the site schematics. Place pre-labeled jar(s) next to the well. Remove the bolts from the well cover and place the cover with the bolts nearby. Remove the plastic cap from the well bore by first lifting the metal lever and then unscrewing the entire assembly.
- 5.2 Lower the ES-60 pump into the monitor well bore taking care to insure that the pump and first 10' of hose and cable does not touch the ground or become cross-contaminated by contact with anything containing hydrocarbon residues. When the pump reaches the bottom of the well bore you will feel the hose and cable assembly go slack. Lift the pump a minimum distance of 18" above the bottom of the well bore and clamp the hose assembly to the top of the well bore by means of vice grips. (Take care to insure that the vice grips are adjusted so as not to "choke" the hose.
- 5.3 Attach the electrical cable leads to an automobile battery and begin pumping the well bore. If the pump does not bring fluid to the surface within one minute, disconnect the electrical leads, and re-connect for four seconds three times to remove air cavitation.
- 5.4 The pump has a minimum volume of 2.8 gallons per minute at 60'. Purge the well by pumping for a minimum of 10 minutes before taking a sample.

6.0 Sampling Procedure

- 6.1 Once the well has been bailed in accordance with 5.2 of this procedure, a sample may be decanted into the appropriate sample collection jar directly from the bailer. The collection jar should be filled to the brim. Once the jar is sealed, turn the jar over to detect any bubbles that may be present. Add additional water to remove all bubbles from the sample container.

6.2 Note the time of collection on the sample collection jar with a fine Sharpie.

6.3 Place the sample directly on ice for transport to the laboratory. The preceding table shows the maximum hold times between collection and testing for the various analyses.

6.4 Complete the Chain of Custody form to include the collection times for each sample. Deliver all samples to the laboratory.

7.0 Decontamination

7.1 After removing the pump from the well, use an aerosol spray pump bottle filled with denatured isopropyl alcohol to clean the pump and first 10' of the cable and hose assembly. Rinse the sprayed portion with distilled water to remove the alcohol and dry with a clean rag. Discard the rag after each use. During transport, the pump assembly should be carried in a 2" PVC protective sleeve.

8.0 Documentation

8.1 The testing laboratory shall provide the following minimum information:

- A. Client, Project and sample name.
- B. Signed copy of the original Chain of Custody Form including data on the time the sample was received by the lab.
- C. Results of the requested analyses
- D. Test Methods employed
- E. Quality Control methods and results

Tipperary Corporation
Tatum Bagley Field
Monitor Well Depth to Water Chart

Well Name	Well No.	Water Depth 8/9/99	Water Depth 10/21/99	Water Depth 1/8/00	Water Depth 4/13/00	Water Depth 7/20/00	Water Depth 9/26/00	Water Depth 1/5/01	Water Depth 4/5/01	Water Depth 7/5/01	Water Depth 9/26/01
Iva COM	Source Well										
	1	48.8	51.8	51.7	51.6	51.7	51.8	51.8	51.7	51.8	51.7
Mable COM	2	49.2	51.5	51.4	51.5	51.6	51.7	51.8	51.7	51.8	51.8
	Source Well										
Bell State	3	48.8	52.5	52.4	53.7	53.7	53.7	51.6	51.7	51.8	51.9
	4	48.6	51.8	51.6	52.8	51.8	51.8	51.8	51.7	51.6	51.6
NBF	6	42.1	43.0	51.6	44.3	44.4	44.5	44.6	44.5	44.4	44.3
	13	40.8	43.7	43.7	44.0	43.9	44.0	44.1	44.0	44.0	43.9
Sohio A	14	43.0	43.5	44.2	44.2	44.3	44.2	44.3	44.2	44.1	44.1
	25	43.5	43.5	43.9	44.0	44.0	44.0	44.2	44.0	43.9	43.8
Sohio # 1	8	35.8	35.8	36.1	37.1	35.6	35.9	36.1	36.1	36.1	36.0
	15	34.8	37.0	37.1	37.9	37.5	36.3	36.3	36.1	36.2	36.0
G.S. State	16	36.0	36.1	36.2	36.2	36.2	36.2	36.2	36.1	36.2	36.0
	26	34.8	34.6	34.9	35.9	35.1	35.2	35.2	35.4	35.6	35.8
	11	38.3	38.5	37.8	38.3	38.3	38.8	38.7	37.5	36.8	35.6
	19	32.5	35.2	37.9	38.2	38.3	38.4	38.4	38.4	38.4	38.3
	20	38.0	38.7	38.0	38.4	38.5	38.4	38.5	38.5	38.6	38.6
	27	36.8	38.2	37.9	38.2	38.1	38.6	38.7	38.5	38.3	38.1
	31	37.5	38.9	39.7	38.5	38.5	38.1	38.4	38.6	38.6	38.8
	10	44.5	44.9	43.9	44.2	45.0	44.9	45.1	45.0	45.0	44.9
	17	44.0	44.5	44.4	44.7	44.5	44.7	44.8	44.6	44.5	44.4
	18	43.8	44.1	45.4	46.4	45.7	45.4	45.8	46.0	45.9	46.6
	28	35.0	44.2	45.8	44.9	44.9	45.1	45.1	45.1	45.2	45.0
	30	45.3	44.1	44.2	44.8	44.3	44.3	44.3	44.2	44.3	44.2
	Source Well										
	12	42.8	42.9	44.1	43.2	44.7	44.2	44.2	44.6	44.8	45.1
	21	43.3	43.7	43.9	44.0	44.2	44.3	44.3	44.2	44.3	44.2
	22	43.5	43.9	44.0	44.0	44.0	44.1	44.2	44.2	44.2	44.1
	29	44.0	44.3	44.2	44.3	44.7	44.7	44.7	44.5	44.6	44.4

Tipperary Corporation
Tatum Bagley Field
Monitor Well Gradient Chart

Well Name	Well No.	Surface Elevation	Water Elevation	Distance to Pit Center	Gradient (Ft. / Ft.)	Gradient (Ft. / 100Ft.)
Iva COM	Source Well	4,298.42	4,246.42			
	1	4,292.10	4,237.20	115.00	0.080174	8.02
Mable COM	2	4,291.93	4,238.93	140.00	0.053500	5.35
	Source Well	4,290.55	4,238.55			
	3	4,287.22	4,235.22	148.00	0.022500	2.25
	4	4,287.86	4,235.46	160.00	0.019313	1.93
Bell State	6	4,281.12	4,230.12	93.00	0.021183	2.12
	13	4,280.84	4,233.04	51.00	0.044118	4.41
	14	4,280.80	4,232.50	47.00	0.048723	4.87
	25	4,280.37	4,232.97	154.00	0.017662	1.77
NBF	8	4,259.41	4,211.41	165.00	0.045152	4.52
	15	4,259.68	4,212.68	198.00	0.036263	3.63
	16	4,259.06	4,211.96	247.00	0.031579	3.16
	26	4,258.04	4,215.04	387.00	0.022791	2.28
Sohio A	11	4,285.88	4,235.88	115.00	0.011835	0.83
	19	4,285.97	4,237.27	164.00	0.005305	0.53
	20	4,285.96	4,236.46	151.00	0.005822	0.58
	27	4,285.61	4,245.61	264.00	0.004659	0.47
	31	4,283.54	4,246.09	624.00	0.005288	0.53
	10	4,283.63	4,233.63	110.00	0.016273	1.63
Sohio # 1	17	4,283.31	4,233.91	262.00	0.000805	0.81
	18	4,283.59	4,234.99	176.00	0.010398	1.04
	28	4,283.21	4,236.96	552.00	0.004004	0.40
	30	4,281.13	4,235.82	776.00	0.005528	0.55
G.S. State	Source Well	4,307.00	4,259.00			
	12	4,303.27	4,255.27	52.00	0.071731	7.17
	21	4,303.08	4,255.08	151.00	0.025960	2.60
	22	4,302.77	4,255.27	148.00	0.025203	2.52
	29	4,303.20	4,254.14	295.00	0.016475	1.65



Calculation for Determining the Minimum Bailing Volume for Monitor Wells
Formula $V = (\pi r^2 h)$

V= volume

π = pi

r= inside radius of the well bore


h= maximum height of well bore in water table

π	r^2	h (in)	V (cu. in)	V (gal)	X 3 Volumes	Actual
3.1416	1	180	565.488	2.448	7.344	>10


Tipperary Corporation
Tatum Bagley Field
LPNAL / DNAPL Depth Chart

Well Name	Well No.	LNAPL Top	LNAPL Bottom	LNAPL Thickness	DNAPL Top	DNAPL Bottom
Iva COM	Source Well					
	1	N/A	N/A	N/A	N/A	N/A
Mable COM	2	N/A	N/A	N/A	N/A	N/A
	Source Well					
Bell State	3	51.90	52.60	0.70	N/A	N/A
	4	51.60	51.90	0.30	N/A	N/A
	6	N/A	N/A	N/A	N/A	N/A
	13	N/A	N/A	N/A	N/A	N/A
	14	N/A	N/A	N/A	N/A	N/A
	25	N/A	N/A	N/A	N/A	N/A
NBF	8	N/A	N/A	N/A	N/A	N/A
	15	36.00	36.15	0.15	N/A	N/A
	16	36.00	36.15	0.15	N/A	N/A
	26	N/A	N/A	N/A	N/A	N/A
	11	35.60	36.20	0.60	N/A	N/A
Sohio A	19	38.30	38.70	0.40	N/A	N/A
	20	38.60	38.70	0.10	N/A	N/A
	27	N/A	N/A	N/A	N/A	N/A
	31	N/A	N/A	N/A	N/A	N/A
	10	44.90	45.00	0.10	N/A	N/A
Sohio # 1	17	44.40	44.55	0.15	N/A	N/A
	18	46.60	46.70	0.10	N/A	N/A
	28	N/A	N/A	N/A	N/A	N/A
	30	N/A	N/A	N/A	N/A	N/A
	Source Well					
G.S. State	12	45.10	46.20	1.10	N/A	N/A
	21	44.20	45.10	0.90	N/A	N/A
	22	44.10	44.90	0.80	N/A	N/A
	29	44.40	44.55	0.15	N/A	N/A

WHOLE EARTH ENVIROMENTAL, INC.



WHOLE EARTH ENVIROMENTAL, INC.



2000 0 2000 4000

Environmental Lab of Texas, Inc.

**12600 West I-20 East
Odessa, Texas 79763**

Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

Elliot Werner

Company Name

Whole Earth

Company Address:

Project Loc:

City/State/Zip:

PO#:

Telephone No. _____

Fax No:

Sampler Signature:

30/06/2019

[illegible]

Environmental Lab of Texas, Inc.

12800 West 2nd East
Odessa, Texas 79783

Phone: 915-563-1800
Fax: 915-563-1713

Project Manager:

EULIOT WERNER

Project Name:

TIPPERARY

Company Name

Whole Earth Env

Project #:

Company Address:

Project Loc:


City/State/Zip:

PO #:

Telephone No:

Fax No:

Sampler Signature



LAB # (Tab Use Only)	FIELD CODE	Date Sampled	Time Sampled	No. of Containers	Preservative							Matrix				Analyze For:									
					ice	HNO ₃	HCl	NaOH	H ₂ SO ₄	None	Other (Specify)	Water	Sedg	Soil	Other (specify):	TDS / CL / SAR / EC	TPH 418.1	TPH TX 1005/1006	TPH 8015M GRO/DRO	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030		
36132	MW 3	1/5	8:25	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36133	MW 1	1/5	9:00am	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36134	MW 2	1/5	9:00am	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36135	MW 4	1/5	8:45am	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36136	MW 0	1/5	10:10am	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36137	Mable Source	1/5	9:00am	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36138	MW 9	1/5	3:00pm	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36139	MW 12	1/5	11:25am	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36140	MW 13	1/5	9:50am	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
36141	MW 14	1/5	10:00am	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				

Special Instructions:

Sample Containers intact? ☒
Temperature Upon Receipt: 2.5°C
Laboratory Comments:

Relinquished by:	Date	Time	Received by:	Date	Time
	11/06/01	11:00am			
Relinquished by:	Date	Time	Received by: ELOI	Date	Time
				01-10-01	11:20

Enviro-m
12800 West I-20 East
Odessa, Texas 79763

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Elliott Wenger

TIPPEAR V

White Earth Community Center

Project Loc:

PO#

Fax No:

No: _____
Signature: _____

[illegible]

Special Instructions:

Sample Containers (tagged)

Being justified by;

Date :	Time
--------	------

Received by:

Date	Time
------	------

Refrained by:

Received by ELDT

Date	Time
11/11/11	11:11

Game Measures

120/130

100

Phone: 915-563-1800

Fax: 915-563-1713

Project Manager:

Elliott Wagner

Project Name:

Tippereary

Company Name

Whole Earth Day

Project #:

Company Address:

Project Loc:

City/State/Zip:

PO #:

Telephone No:**Fax No:**

Sampler Signature:

io: _____
e: _____

[illegible]

Special Instructions:

Relinquished by: 	Date: 	Time	Received by:
--	---	------	--------------

Relinquished by:

Received by:

Date	Time
------	------

Time

Retired by:

Received by ELO 13

Date	Amount
10/1/78	100.00
10/2/78	200.00
10/3/78	300.00
10/4/78	400.00
10/5/78	500.00
10/6/78	600.00
10/7/78	700.00
10/8/78	800.00
10/9/78	900.00
10/10/78	1000.00
10/11/78	1100.00
10/12/78	1200.00
10/13/78	1300.00
10/14/78	1400.00
10/15/78	1500.00
10/16/78	1600.00
10/17/78	1700.00
10/18/78	1800.00
10/19/78	1900.00
10/20/78	2000.00
10/21/78	2100.00
10/22/78	2200.00
10/23/78	2300.00
10/24/78	2400.00
10/25/78	2500.00
10/26/78	2600.00
10/27/78	2700.00
10/28/78	2800.00
10/29/78	2900.00
10/30/78	3000.00
10/31/78	3100.00
11/1/78	3200.00
11/2/78	3300.00
11/3/78	3400.00
11/4/78	3500.00
11/5/78	3600.00
11/6/78	3700.00
11/7/78	3800.00
11/8/78	3900.00
11/9/78	4000.00
11/10/78	4100.00
11/11/78	4200.00
11/12/78	4300.00
11/13/78	4400.00
11/14/78	4500.00
11/15/78	4600.00
11/16/78	4700.00
11/17/78	4800.00
11/18/78	4900.00
11/19/78	5000.00
11/20/78	5100.00
11/21/78	5200.00
11/22/78	5300.00
11/23/78	5400.00
11/24/78	5500.00
11/25/78	5600.00
11/26/78	5700.00
11/27/78	5800.00
11/28/78	5900.00
11/29/78	6000.00
11/30/78	6100.00
12/1/78	6200.00
12/2/78	6300.00
12/3/78	6400.00
12/4/78	6500.00
12/5/78	6600.00
12/6/78	6700.00
12/7/78	6800.00
12/8/78	6900.00
12/9/78	7000.00
12/10/78	7100.00
12/11/78	7200.00
12/12/78	7300.00
12/13/78	7400.00
12/14/78	7500.00
12/15/78	7600.00
12/16/78	7700.00
12/17/78	7800.00
12/18/78	7900.00
12/19/78	8000.00
12/20/78	8100.00
12/21/78	8200.00
12/22/78	8300.00
12/23/78	8400.00
12/24/78	8500.00
12/25/78	8600.00
12/26/78	8700.00
12/27/78	8800.00
12/28/78	8900.00
12/29/78	9000.00
12/30/78	9100.00
12/31/78	9200.00

Summary

James McManus

LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
ATTN: MR. VICTOR A. VICE
P.O. BOX 857
TATUM, N.M. 88267
FAX: 505-398-6510
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 4.0 deg. C
Project #: Quarterly Sampling
Project Name: Tipperary
Project Location: None Given

Sampling Date: 01/10/01
Receiving Date: 01/11/01
Analysis Date: 01/11/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
36195	IUA Com. Source Well	0.533	0.168	0.015	0.067	0.044

%IA	87	87	86	91	88
%EA	86	87	87	93	91
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030


Raland K. Tuttle

1-11-01
Date

LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
ATTN: MR. VICTOR A. VICE
P.O. BOX 857
TATUM, N.M. 88267
FAX: 505-398-6510
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
Project #: None Given
Project Name: Tipperary
Project Location: None Given

Sampling Date: 01/05/01
Receiving Date: 01/10/01
Analysis Date: 01/11/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
36132	MW 3	<0.010	1.21	1.21	5.50	0.894

%IA	87	87	86	91	88
%EA	86	87	87	93	91
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030


Armando O. Gomez

1-16-01
Date

LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
ATTN: MR. VICTOR A. VICE
P.O. BOX 857
TATUM, N.M. 88267
FAX: 505-398-6510
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
Project #: None Given
Project Name: Tipperary
Project Location: None Given

Sampling Date: 01/05/01
Receiving Date: 01/10/01
Analysis Date: 01/12/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
36133	MW 1	<0.001	0.004	0.006	0.014	0.007
36134	MW 2	<0.001	0.003	0.005	0.011	0.005
36135	MW 4	<0.010	0.038	0.020	0.063	0.021
36136	MW 6	0.014	<0.001	0.005	0.007	0.003
36137	Mable Source	0.590	0.475	0.127	0.927	0.768
36138	MW 9	0.037	0.032	0.014	0.051	0.037
36139	MW 12	1.07	1.71	0.945	5.66	1.58
36140	MW 13	<0.001	0.002	0.004	0.009	0.004
36141	MW 14	0.024	<0.001	0.004	0.007	0.003
36142	MW 11	0.043	0.005	0.004	0.013	0.008
36143	MW 10	2.43	0.011	0.153	0.251	0.089
36144	MW 28	0.156	0.115	0.034	0.175	0.120
36145	MW 15	2.79	1.36	0.249	0.612	0.493
36146	MW 26	0.044	0.016	0.006	0.012	0.009
36147	MW 8	0.001	0.001	0.002	0.005	0.002
36148	MW 20	0.009	0.006	0.005	0.016	0.008
36149	MW 18	2.95	1.84	0.364	1.54	1.22
36150	MW 21	0.019	0.010	0.019	0.027	0.013
36151	MW 23	0.031	0.032	0.013	0.050	0.034
36152	MW 25	<0.001	<0.001	<0.001	<0.001	<0.001

%IA	103	100	101	96	101
%EA	105	98	100	97	103
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030


Armando O. Gomez

1-16-01
Date

LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
ATTN: MR. VICTOR A. VICE
P.O. BOX 857
TATUM, N.M. 88267
FAX: 505-398-6510
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
Project #: None Given
Project Name: Tipperary
Project Location: None Given

Sampling Date: 01/05/01
Receiving Date: 01/10/01
Analysis Date: 01/13/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
36153	MW 27	0.355	0.004	0.003	0.020	0.009
36154	MW 19	0.248	0.002	0.002	0.006	0.003
36155	MW 17	1.42	0.036	0.140	0.428	0.287
36156	MW 16	1.32	0.023	0.083	0.110	0.055
36157	MW 24	0.004	0.004	0.002	0.008	0.005
36158	MW 22	0.140	0.036	0.057	0.092	0.085
36159	MW 29	0.019	0.010	0.010	0.034	0.014
36160	GS Source	0.805	0.292	0.136	0.692	0.414
36161	MW 30	0.036	0.030	0.009	0.036	0.026
36162	MW 31	0.130	0.004	0.003	0.010	0.005

%IA	93	90	89	86	90
%EA	100	98	98	95	100
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030


Armando O. Gomez

1-16-01
Date

**12600 West I-20 East
Odessa, Texas 79763**

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Pg 1 of 4

Project Manager:

Project Name: Quarterly Sampling

Company Name **Whole Earth Environmental, Inc.**

Project #:

Company Address: 12808 San Gabriel

Project Log: Tatum, New Mexico

City/State/Zip: Houston, Tx. 77084

Telephone No: (800) 854-4358

Fax No: (281) 846-8996

Sampler Signature:[illegible]

Apr 11 01 08:06a

**12600 West I-20 East
Odessa, Texas 79763**

Phone: 915-563-1800
Fax: 915-563-1713

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 19808 San Gabriel

City/State/Zip: Houston, Tx. 77084

Telephone No: (800) 834-4368

Sampler Signature:

Fax No: (281) 648-8996

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: Quarterly Sampling

100fold

Project Loc: Tatum, New Mexico

POB:

FIELD CODE						Date Sampled	Time Sampled	No. of Containers	Preservative							Matrix					Analyze For:							
LAS # (No. use only)									HNO ₃	HCl	NaOH	H ₂ O ₂	None	Other (Specify)	Water	Sedg	Soil	Other (specify):	TDS / CL / SAR / EC	TPH 418.1	TPH TX 1005/1006	TPH 801SM GRO/DRO	Metal: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 90218/5030	RUSH TAT (Pre-Schedule Standard TAT)	
NBF MW 8					4-5	11:58	X	X	X						X									X				
NBF MW 15						12:20	X	X	X						X									X				
NBF MW 16						12:12	X	X	X						X									X				
NBF MW 26						11:45	X	X	X						X									X				
Sohio #1 MW 10						1:50	X	X	X						X									X				
Sohio #1 MW 17						1:27	X	X	X						X									X				
Sohio #1 MW 18						1:22	X	X	X						X									X				
Sohio #1 MW 28						1:10	X	X	X						X									X				
Sohio #1 MW 30						12:55	X	X	X						X									X				
Sohio "A" MW 11						2:20	X	X	X						X									X				

Special Instructions:

Relinquished by: [Signature]

Relinquished by: [Signature]

Received by: [Signature] Date: 4-6-01 Time: 9:25

Received by: [Signature] Date: 4-6-01 Time: 12:25

**12600 West I-20 East
Odessa, Texas 79763**

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 19806 San Gabriel

City/State/Zip: Houston, Tx. 77084

Telephone No: (800) 854-4368

Sampler Signature:

Fax No: (281) 648-8998

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: Quarterly Sampling - Tipton

Project 8:

Project Loc: Tatum, New Mexico

PO#:

[illegible]

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL INC.

ATTN: MR. MIKE GRIFFIN

19606 SAN GABRIEL

HOUSTON, TEXAS 77084

FAX: 281-646-8996

Sample Type: Water

Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C

Project #: None Given

Project Name: Quarterly Sampling

Project Location: Tatum, New Mexico

Sampling Date: 04/05/01


Receiving Date: 04/06/01

Analysis Date: 04/06/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
38917 ✓	Iva Source Well	0.666	0.599	0.141	1.05	0.824
38918 ✓	Iva MW 1	<0.001	<0.001	<0.001	<0.001	<0.001
38919 ✓	Iva MW 2	<0.001	<0.001	<0.001	<0.001	<0.001
38920 ✓	Mable Source Well	0.509	0.435	0.128	1.09	0.816
38921 ✓	Mable MW 3	<0.010	0.047	0.088	0.270	0.049
38922 ✓	Mable MW 4	<0.001	<0.001	0.006	0.015	0.004
38923 ✓	Bell MW 6	0.024	<0.001	0.002	0.001	<0.001
38924 ✓	Bell MW 13	<0.001	<0.001	<0.001	<0.001	<0.001
38925 ✓	Bell MW 14	0.047	<0.001	0.006	0.001	<0.001
38926 ✓	Bell MW 25	<0.001	<0.001	<0.001	<0.001	<0.001
38927 ✓	NBF MW 8	<0.001	<0.001	0.003	0.007	0.002

%IA	99	102	102	100	101
%EA	88	93	97	95	97
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030


Raland K. Tuttle

4-10-01
Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL INC.
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
Project #: None Given
Project Name: Quarterly Sampling
Project Location: Tatum, New Mexico

Sampling Date: 04/05/01
Receiving Date: 04/06/01
Analysis Date: 04/08/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
38928 ✓	NBF MW 15	2.57	1.46	0.308	0.821	0.481
38929 ✓	NBF MW 16	1.55	<0.005	0.101	0.104	0.039
38930 ✓	NBF MW 26	<0.001	<0.001	0.003	0.009	0.003
38931 ✓	Sohio #1 MW 10	2.08	0.031	0.179	0.342	0.074
38932 ✓	Sohio #1 MW 17	1.49	0.038	0.199	0.606	0.348
38933 ✓	Sohio #1 MW 18	1.41	0.179	0.095	0.449	0.306
38934 ✓	Sohio #1 MW 28	0.014	0.010	0.007	0.016	0.006
38935 ✓	Sohio #1 MW 30	0.007	0.008	0.005	0.010	0.004
38936 ✓	Sohio "A" MW 11	0.033	0.006	0.007	0.024	0.013
38937 ✓	Sohio "A" MW 19	0.325	0.007	0.009	0.030	0.016
38938 ✓	Sohio "A" MW 20	0.020	0.006	0.009	0.029	0.016
38939 ✓	Sohio "A" MW 27	0.324	0.012	0.016	0.069	0.035

%IA	90	93	94	93	93
%EA	88	92	91	89	94
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030


Roland K. Tuttle

4-11-01
Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL INC.
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
Project #: None Given
Project Name: Quarterly Sampling
Project Location: Tatum, New Mexico

Sampling Date: 04/05/01
Receiving Date: 04/06/01
Analysis Date: 04/09/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
38940	Sohio "A" MW 31	0.105	0.008	0.013	0.042	0.023
38941 ✓	GS Source Well	0.417	0.148	0.091	0.582	0.254
38942 ✓	GS MW 12	0.394	0.022	0.180	0.767	0.200
38943 ✓	GS MW 21	0.014	0.011	0.012	0.021	0.009
38944 ✓	GS MW 22	0.085	0.038	0.060	0.076	0.099
38945 ✓	GS MW 29	0.009	0.007	0.007	0.022	0.011
38946 ✓	Sat 4 MW 9	<0.001	<0.001	<0.001	<0.001	<0.001
38947 ✓	23	<0.001	<0.001	<0.001	<0.001	<0.001
38948 ✓	24	<0.001	<0.001	<0.001	<0.001	<0.001

%IA	93	98	100	99	100
%EA	102	106	106	104	105
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030


Raland K. Tuttle

4-11-01
Date

**West 1-20 East
sa, Texas 79763**

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: Quarterly Sampling

Project #:

Project Loc: Tatum, New Mexico

洋子

Fax No: (281) 646-8998

866-498 (0) M. J. A.

Instructions:

Time

Time

Date

Time

viromental Lab of Texas, Inc.

West I-20 East
 Suite 100
 Houston, Texas 77063
 Phone: 915-563-1800
 Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: _____
 Company Name: Whole Earth Environmental, Inc.
 Company Address: 19606 San Gabriel
 City/State/Zip: Houston, Tx. 77084
 Telephone No: (800) 854-4368
 Fax No: (281) 846-8996
 Sampler Signature: *M. J. J.*
 Project Name: Quarterly Sampling
 Project #: _____
 Project Loc: Tatum, New Mexico
 PO #: _____

FIELD CODE	Date Sampled	Time Sampled	No. of Containers	Preservative						Matrix				Analyze For:						
				HNO ₃	HCl	NaOH	H ₂ SO ₄	None	Other (Specify)	Water	Sludge	Soil	Other (Specify)	TDS / CL / SAR / EC	TPH 418.1	TPH TX 1005/1008	TPH 8015M GRO/DRO	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles
Sohio "A" MW 19	6/6/01			X	X							X								X
Sohio "A" MW 20	6/6/01			X	X							X							X	
Sohio "A" MW 27	6/6/01			X	X							X							X	
Sohio "A" MW 31	6/6/01			X	X							X							X	
GS Source Well	6/6/01			X	X							X							X	
GS MW 12	6/6/01			X	X							X							X	
GS MW 21	6/6/01			X	X							X							X	
GS MW 22	6/6/01			X	X							X							X	
GS MW 29	6/6/01			X	X							X							X	
Sat. 4 MW 9	6/6/01			X	X							X							X	
Standard TAT (Pre-Schedule) RUSH TAT (Pre-Schedule)																				

Instructions: _____

Shipped by: *M. J. J.* Date: 7-7-01 Time: 11:30
 Received by: _____ Date: _____ Time: _____

**0 West I-20 East,
Dallas, Texas 79763**

Project Manager:

Project Name: Quarterly Sampling

Company Name Whole Earth Environmental, Inc.

Project #:

Company Address: 19606 San Gabriel

Project Loc: Tatum, New Mexico

City/State/Zip: Houston, Tx. 77084

●

Telephone No: (800) 854-4358

Fax No: (281) 848-8996

Sampler Signature:

[illegible]

Instructions:

Shed by:

Received by:

Date _____

Time

Date

Time

Date _____

Abstract

1

by:

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"


WHOLE EARTH ENVIRONMENTAL
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 281-646-8996
FAX: 505-397-3591 (motel)

Sample Type: Water
Sample Condition: Intact/ Iced/ HCl 2 deg C
Project #: None Given
Project Name: Quarterly Sampling
Project Location: Tatum, N.M.

Sampling Date: See Below
Receiving Date: 07/07/01
Analysis Date: 07/07/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L	SAMPLE DATE
0101098-01	Iva Source Well	0.371	0.252	0.075	0.574	0.474	07/06/01
0101098-02	Iva MW 1	<0.001	<0.001	0.003	0.008	0.002	07/05/01
0101098-03	Iva MW 2	<0.001	<0.001	0.002	0.006	<0.001	07/05/01
0101098-04	Mable Source Well	0.459	0.343	0.118	0.928	0.735	07/05/01
0101098-05	Mable MW 3	0.003	0.007	0.025	0.057	0.021	07/05/01
0101098-06	Mable MW 4	0.004	0.014	0.006	0.014	0.005	07/05/01
0101098-07	Bell MW 6	0.056	<0.001	0.002	0.005	<0.001	07/05/01
0101098-08	Bell MW 13	0.001	<0.001	0.002	0.005	0.002	07/05/01
0101098-09	Bell MW 14	0.034	0.001	0.005	0.007	0.002	07/05/01
0101098-10	Bell MW 25	<0.001	<0.001	0.003	0.006	0.002	07/05/01
0101098-11	NBF MW 8	<0.001	<0.001	0.001	0.004	0.001	07/05/01
0101098-12	NBF MW 15	1.80	0.948	0.250	0.598	0.409	07/05/01
0101098-13	NBF MW 16	1.65	0.026	0.097	0.159	0.069	07/05/01
0101098-14	NBF MW 26	<0.001	<0.001	0.002	0.004	<0.001	07/05/01
0101098-15	Sohio #1 MW 10	2.20	<0.010	0.190	0.455	0.052	07/06/01
0101098-16	Sohio #1 MW 17	1.22	0.017	0.166	0.583	0.303	07/06/01
0101098-17	Sohio #1 MW 18	1.10	0.077	0.082	0.364	0.257	07/06/01
QUALITY CONTROL		0.110	0.108	0.112	0.224	0.114	
TRUE VALUE		0.100	0.100	0.100	0.200	0.100	
% INSTRUMENT ACCURACY		110	108	112	112	114	
SPIKED AMOUNT		0.100	0.100	0.100	0.200	0.100	
ORIGINAL SAMPLE		<0.001	<0.001	<0.001	<0.001	<0.001	
SPIKE		0.092	0.088	0.087	0.171	0.089	
SPIKE DUP		0.088	0.084	0.085	0.167	0.086	
% EXTRACTION ACCURACY		92	88	87	86	89	
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001	
RPD		4	4	2	2	3	

METHODS: EPA SW 846-8021B ,5030


Raland K. Tuttle

7-13-01
Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"


WHOLE EARTH ENVIRONMENTAL
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 281-646-8996
FAX: 505-397-3591 (motel)

Sample Type: Water
Sample Condition: Intact/ Iced/ HCl 2 deg C
Project #: None Given
Project Name: Quarterly Sampling
Project Location: Tatum, N.M.

Sampling Date: 07/06/01
Receiving Date: 07/07/01
Analysis Date: 07/09/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
0101098-18	Sohio #1 MW 28	0.009	0.002	0.006	0.025	0.007
0101098-19	Sohio #1 MW 30	0.005	0.001	0.004	0.017	0.005
0101098-20	Sohio "A" MW 11	0.035	0.002	0.005	0.018	0.007
0101098-21	Sohio "A" MW 19	0.307	0.001	0.004	0.017	0.005
0101098-22	Sohio "A" MW 20	0.005	<0.001	0.004	0.014	0.004
0101098-23	Sohio "A" MW 27	0.073	<0.001	0.004	0.012	0.004
0101098-24	Sohio "A" MW 31	0.275	0.003	0.007	0.039	0.014
0101098-25	GS Source Well	0.318	0.180	0.133	0.722	0.368
0101098-26	GS MW 12	0.350	0.026	0.150	0.483	0.150
0101098-27	GS MW 21	0.009	0.002	0.007	0.004	0.002
0101098-28	GS MW 22	0.062	0.020	0.046	0.047	0.069
0101098-29	GS MW 29	0.005	0.002	0.004	0.005	0.004
0101098-30	Sat. 4 MW 9	<0.001	<0.001	0.001	0.003	<0.001
0101098-31	Satellite #4 MW 23	<0.001	<0.001	<0.001	<0.001	<0.001
0101098-32	Satellite #4 MW 24	<0.001	<0.001	<0.001	<0.001	<0.001
0101098-33	Collier MW 32	0.537	0.054	0.073	0.077	0.078
0101098-34	Collier MW 33	0.043	0.003	0.005	0.007	0.005
QUALITY CONTROL		0.092	0.098	0.095	0.186	0.097
TRUE VALUE		0.100	0.100	0.100	0.200	0.100
% INSTRUMENT ACCURACY		92	90	95	93	97
SPIKED AMOUNT		0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE		0.005	0.001	0.004	0.017	0.005
SPIKE		0.097	0.090	0.098	0.202	0.101
SPIKE DUP		0.097	0.091	0.090	0.185	0.090
% EXTRACTION ACCURACY		92	89	94	93	96
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001
RPD		0	1	8	9	11

METHODS: EPA SW 846-8021B ,5030


Roland K. Tuttle

7-13-01
Date

Environmental Lab of Texas, Inc.

**12600 West I-20 East
Odessa, Texas 79763**

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

Project Name: Quarterly Sampling

Company Name Whole Earth Environmental, Inc.

Project #:

Company Address: 19606 San Gabriel

Project Log: Tatum, New Mexico

City/State/Zip: Houston, Tx. 77084

POB:

Telephone No: (800) 884-4368

Fax No: (281) 646-8998

Sampler Signature:

[illegible]

Special instructions:

Relinquished by:

Date	Time
------	------

Received by.

Time

~~Relinquished by:~~

Date	Time
------	------

XOXOXOXOXOXOXOXO

13

THE UNIVERSITY OF CHICAGO

**12600 West I-20 East
Odessa, Texas 79763**
Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

pg 2 of

Project Name: Quarterly Sampling

Project #:

Project Loc: Tatum, New Mexico

po:

Fax No: (281) 648-8986

Per Signature:

[illegible]

Environmental Lab of Texas, Inc.

12600 West I-20 East
Odessa, Texas 79763

Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

Project Name: Quarterly Sampling

Company Name Whole Earth Environmental, Inc.

Project #:

Company Address: 19806 San Gabriel

Project Loc: Tatum, New Mexico

City/State/Zip: Houston, Tx 77084

福

Telephone No: (800) 854-4388

Fax No: (281) 646-8856

Sample Signature:

[illegible]

Special Instructions:

<u>9/24/07</u>	Tipary Bay Field Coc 9/24/07
----------------	---------------------------------

Relinquished by:

Received by:

Date	Time
------	------

Date _____

Time

~~Relinquished by:~~

[illegible]

Date	Time
------	------

Date:

2019

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENATL
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 0.0 deg C
Project Name: Quarterly Sampling
Project #: None Given
Project Location: Tatum, NM

Sampling Date: 09/24/01
Receiving Date: 09/26/01
Analysis Date: 10/04/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
C101642-01	Iva Source Well	0.430	0.204	0.048	0.486	0.359
0101642-02	Iva MW 1	<0.001	<0.001	<0.001	0.003	<0.001
0101642-03	Iva MW 2	0.004	0.003	0.001	0.006	0.004
0101642-04	Mable Source Well	0.550	0.425	0.148	1.36	0.904
0101642-05	Mable MW 3	0.053	0.163	0.173	0.826	0.154
0101642-06	Mable MW 4	0.039	0.038	0.102	0.273	0.091
0101642-07	Bell MW 6	0.038	<0.001	<0.001	<0.001	<0.001
0101642-08	Bell MW 13	0.002	0.002	0.003	0.009	0.003
0101642-09	Bell MW 14	0.054	0.001	0.005	0.011	0.004

QUALITY CONTROL	0.091	0.090	0.088	0.170	0.087
TRUE VALUE	0.100	0.100	0.100	0.200	0.100
% IA	91	90	88	85	87
SPIKED AMOUNT	0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE	<0.001	<0.001	<0.001	<0.001	<0.001
SPIKE	0.093	0.089	0.082	0.160	0.077
SPIKE DUP	0.086	0.104	0.090	0.171	0.087
%EA	86	104	90	86	87
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001
RPD	4.51	0.79	2.97	1.26	1.69

METHODS: SW 846-8021B, 5030


Roland K. Tuttle

10-05-01
Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENATL
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 0.0 deg C
Project Name: Quarterly Sampling
Project #: None Given
Project Location: Tatum, NM

Sampling Date: 09/24/01
Receiving Date: 09/26/01
Analysis Date: 10/04/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
0101642-10	Bell MW 25	<0.001	<0.001	0.005	0.016	0.006
0101642-11	NBF MW 8	0.041	0.044	0.018	0.040	0.026
0101642-12	NBF MW 15	2.52	1.34	0.331	0.960	0.562
0101642-13	NBF MW 16	1.39	0.001	0.058	0.041	0.005
0101642-14	NBF MW 26	0.027	0.002	0.003	0.008	0.003
0101642-15	Sohio #1 MW 10	2.15	0.131	0.189	0.510	0.137
0101642-16	Sohio #1 MW 17	1.03	0.035	0.035	0.381	0.108
0101642-17	Sohio #1 MW 18	2.81	2.22	0.554	3.15	1.65
0101642-18	Sohio #1 MW 28	<0.005	0.031	0.010	0.020	0.014

QUALITY CONTROL	0.099	0.099	0.092	0.179	0.086
TRUE VALUE	0.100	0.100	0.100	0.200	0.100
% IA	99	99	92	90	86
SPIKED AMOUNT	0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE	<0.001	<0.001	0.005	0.016	0.006
SPIKE	0.093	0.092	0.089	0.181	0.087
SPIKE DUP	0.090	0.089	0.086	0.173	0.083
%EA	93	90	84	83	81
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001
RPD	4	4	4	5	5

METHODS: SW 846-8021B, 5030


Raland K. Tuttle

10-5-01
Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENATL
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 281-646-8996


Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 0.0 deg C
Project Name: Quarterly Sampling
Project #: None Given
Project Location: Tatum, NM

Sampling Date: 09/24/01
Receiving Date: 09/26/01
Analysis Date: 10/04/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
0101642-19	Sohio #1 MW 30	0.040	0.033	0.007	0.045	0.010
0101642-20	Sohio "A" MW 11	0.045	0.015	0.007	0.034	0.020
0101642-21	Sohio "A" MW 19	0.250	0.013	0.006	0.032	0.016
0101642-22	Sohio "A" MW 20	0.037	0.025	0.011	0.052	0.026
0101642-23	Sohio "A" MW 27	0.123	0.036	0.018	0.082	0.039
0101642-24	Sohio "A" MW 31	0.406	0.038	0.014	0.083	0.040
0101642-25	GS Source Well	0.350	0.141	0.097	0.430	0.226
0101642-26	GS MW 12	0.533	0.078	0.267	1.12	0.309
0101642-27	GS MW 21	0.016	0.009	0.012	0.015	0.006
0101642-28	GS MW 22	0.041	0.019	0.038	0.032	0.042
0101642-29	GS MW 29	0.016	0.007	0.007	0.015	0.007

QUALITY CONTROL	0.104	0.100	0.092	0.185	0.088
TRUE VALUE	0.100	0.100	0.100	0.200	0.100
% IA	104	100	92	92	88
SPIKED AMOUNT	0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE	0.037	0.025	0.011	0.052	0.026
SPIKE	0.155	0.130	0.111	0.270	0.126
SPIKE DUP	0.129	0.114	0.098	0.236	0.113
%EA	92	89	87	92	86
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001
RPD	25	16	14	17	15

METHODS: SW 846-8021B, 5030


Raland K. Tuttle


10-5-01
Date

Sohio 1

Monitor Well # 10
Sohio State # 1
Sampling Results

Lab. #	12483	13186	14066	14665	15597	16604	17437	18595	20601	22762	25154	28441	31508	36143	38931	0101098-15	0101642-15
Sample Date	9/5/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/14/99	10/6/99	1/8/00	4/18/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	2.559	2.148	1.301	1.313	2.541	1.000	2.340	2.340	2.040	2.350	2.360	1.860	1.620	2.430	2.080	2.200	2.150
Toluene	1.148	0.062	0.113	0.113	0.108	0.067	0.067	0.110	0.255	0.520	0.263	0.099	0.036	0.011	0.031	0.010	0.131
Ethylbenzene	0.243	0.173	0.209	0.206	0.182	0.156	0.168	0.243	0.157	0.187	0.195	0.132	0.127	0.153	0.179	0.190	0.189
m,p Xylene	1.257	0.930	0.490	0.611	0.167	0.214	0.203	0.343	0.261	0.586	0.421	0.391	0.308	0.251	0.342	0.455	0.510
o Xylene	0.081	0.313	0.179	0.180	0.098	0.095	0.100	0.136	0.200	0.329	0.216	0.186	0.109	0.089	0.074	0.052	0.137
Total Xylene	1.338	1.243	0.669	0.791	0.265	0.309	0.303	0.479	0.461	0.915	0.637	0.577	0.417	0.340	0.416	0.507	0.647
Total BTEX	5.288	3.626	2.292	2.423	3.096	1.532	2.878	3.172	2.913	3.972	3.455	2.668	2.200	2.934	2.706	2.907	3.117


Monitor Well # 10



Monitor Well # 17
Sohio State # 1
Sampling Results

Lab. #	12723	13187	14051	14671	15601	15587	17438	18605	20615	22790	25155	28446	31509	36143	38932	0101098-16	1010642-16
Sample Date	10/2/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/14/99	10/6/99	1/8/00	4/18/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	0.799	1.409	1.101	1.111	0.872	0.876	1.350	1.010	1.150	1.870	1.770	1.280	1.300	1.420	1.490	1.220	1.030
Toluene	0.128	0.053	0.108	0.138	0.105	0.193	0.092	0.205	0.206	0.353	0.209	0.203	0.291	0.036	0.038	0.017	0.035
Ethylbenzene	0.141	0.116	0.130	0.118	0.071	0.094	0.079	0.146	0.289	0.221	0.176	0.150	0.165	0.140	0.199	0.166	0.035
m,p Xylene	0.628	0.536	0.376	0.379	0.242	0.339	0.248	0.482	0.304	0.782	0.616	0.546	0.610	0.428	0.606	0.583	0.381
o Xylene	0.292	0.192	0.148	0.174	0.129	0.163	0.138	0.240	0.176	0.429	0.344	0.294	0.324	0.287	0.348	0.303	0.108
Total Xylene	0.920	0.728	0.524	0.553	0.371	0.502	0.386	0.722	0.480	1.211	0.960	0.840	0.934	0.715	0.954	0.886	0.489
Total BTEX	1.988	2.306	1.863	1.920	1.419	1.665	1.907	2.083	2.125	3.655	3.115	2.473	2.690	2.311	2.681	2.289	1.589


Monitor Well # 17



Monitor Well # 18
Sohio State # 1
Sampling Results

Lab. #	12724	13188	14052	14672	15609	16588	18606	20616	22760	25156	28447	31510	36149	38933	0101098-17	0101642-17
Sample Date	10/2/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	7/14/99	10/6/99	1/8/00	4/18/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	1.276	2.063	1.396	1.357	0.542	1.100	3.540	2.470	0.334	3.100	2.180	2.460	2.950	1.410	1.100	2.810
Toluene	0.614	0.178	0.269	0.272	0.072	0.247	0.553	0.486	0.186	3.110	0.643	0.432	1.840	0.179	0.077	2.220
Ethylbenzene	0.206	0.118	0.159	0.131	0.025	0.107	2.880	0.660	0.074	0.723	0.204	0.201	0.364	0.095	0.082	0.554
m,p Xylene	0.553	0.001	0.823	0.589	0.093	0.415	0.967	0.594	0.257	4.820	1.100	0.920	1.540	0.449	0.364	3.150
o Xylene	0.684	0.001	0.366	0.252	0.054	0.203	0.532	0.444	0.149	2.950	0.683	0.544	1.220	0.306	0.257	1.650
Total Xylene	1.237	0.002	1.189	0.841	0.147	0.618	1.499	1.038	0.406	7.770	1.783	1.464	2.760	0.755	0.621	4.800
Total BTEX	3.333	2.361	3.013	2.601	0.786	2.072	8.472	4.654	1.000	14.703	4.810	4.557	7.914	2.439	1.880	10.384


10/2/97 12/3/97 3/23/98 6/25/98 10/1/98 1/6/99 7/14/99 10/6/99 1/8/00 4/18/00 7/20/00 9/26/00 1/5/01 4/5/01 7/7/01 9/26/01



Monitor Well # 28
Sohio State # 1
Sampling Results

Lab. #	17267	17440	18607	20617	22781	25157	28457	31511	36144	38934	0101098-18	0101642-18
Sample Date	3/19/99	4/1/99	7/14/99	10/6/99	1/8/00	4/18/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	0.118	0.446	0.019	0.192	1.320	0.055	0.219	0.076	0.156	0.014	0.009	0.005
Toluene	0.019	0.065	0.003	0.042	0.954	0.026	0.180	0.041	0.115	0.010	0.002	0.031
Ethylbenzene	0.005	0.011	0.004	0.070	0.227	0.010	0.042	0.014	0.034	0.007	0.006	0.010
m,p Xylene	0.004	0.041	0.008	0.001	1.040	0.033	0.233	0.186	0.175	0.016	0.025	0.020
o Xylene	0.008	0.058	0.005	0.034	0.822	0.011	0.128	0.111	0.120	0.006	0.007	0.014
Total Xylene	0.012	0.099	0.013	0.035	1.862	0.044	0.361	0.297	0.295	0.022	0.032	0.034
Total BTEX	0.154	0.621	0.039	0.339	4.363	0.135	0.802	0.428	0.600	0.053	0.049	0.080

3/19/99	4/1/99	7/14/99	10/6/99	1/8/00	4/18/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
---------	--------	---------	---------	--------	---------	---------	---------	--------	--------	--------	---------



**Monitor Well # 30
Sohio State # 1
Sampling Results**

Lab. #	19165	20618	22776	25158	28459	31512	36161	38935	0101098-19	0101642-19
Sample Date	8/13/99	10/6/99	1/8/00	4/18/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	0.001	0.188	0.086	0.003	0.080	0.026	0.036	0.007	0.005	0.040
Toluene	0.001	0.087	0.095	0.005	0.100	0.016	0.030	0.008	0.001	0.033
Ethylbenzene	0.001	0.023	0.024	0.003	0.028	0.010	0.009	0.005	0.004	0.007
m,p Xylene	0.001	0.081	0.104	0.010	0.133	0.025	0.036	0.010	0.017	0.045
o Xylene	0.001	0.050	0.063	0.004	0.075	0.019	0.026	0.004	0.005	0.010
Total Xylene	0.002	0.131	0.167	0.014	0.208	0.044	0.062	0.014	0.022	0.055
Total BTEX	0.005	0.429	0.372	0.025	0.416	0.096	0.137	0.034	0.032	0.135

A bar chart titled "Benzene through Total BTEX" comparing concentrations over time. The y-axis ranges from 0.000 to 0.450. The x-axis lists seven categories: Benzene, Toluene, Ethylbenzene, m,p Xylene, o Xylene, Total Xylene, and Total BTEX. Each category has eight bars representing different dates: 8/13/99 (light blue), 10/6/99 (dark red), 1/8/00 (yellow), 4/18/00 (green), 7/20/00 (purple), 9/26/00 (orange-red), 1/5/01 (blue), 4/5/01 (grey-blue), 7/7/01 (dark blue), and 9/26/01 (magenta). Concentrations are highest for Total BTEX and Total Xylene, peaking around January 2000. Individual components like Benzene and Toluene show lower concentrations, generally below 0.100.



SOHIO STATE #1

