

1R -

269

REPORTS

DATE:

2001



Tipperary
CORPORATION

633 Seventeenth Street
Suite 1550
Denver, Colorado 80202

November 14, 2001

VIA OVERNIGHT MAIL

Mr. William C. Olson
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

RE: Progress Report for Year 2001
Tatum Pit Closure Project
Lea County, NM

RECEIVED

NOV 16 2001 → 2001

ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION

Dear Mr. Olson:

Please find enclosed additional results from our monitor wells in the subject project area. This report summarizes the results from water samples taken on January 10, April 5, July 7, and September 26, 2001. These results represent the 17 quarters of monitoring. In general, we are continuing to observe decreasing levels of BTEX in the monitor wells.

The Executive Summary section contains the following:

- Summary of results by location.
- Procedure for obtaining water samples.
- Summary of water depths in each monitor well.
- Monitor well gradient chart.
- LNAPL depth chart.
- Maps of pit reclamation locations.
- Chain of custody records and lab results of the water samples by quarter.


Detailed results are presented in tabular and graphical format for each monitor well. The monitor well data is grouped by site location in the report. We will continue to sample the project quarterly and report the results to your office on an annual basis. If you have any questions, please call me at (303) 293-9379.

Very truly yours,

Larry G. Sugano
Vice President - Engineering

cc: NMOCB Hobbs Office

Enclosures



Tipperary
CORPORATION

**Tipperary Corporation
September 2001
Sampling Results
Annual Report**

RECEIVED

NOV 16 2001

**ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION**



**Whole Earth Environmental
19606 San Gabriel
Houston, Tx. 77084**



Executive Summary Tipperary Corporation Water Monitoring Program

Site History

In response to a request by a 1996 request by the NMOCD, Tipperary Corporation began a program to close a series of ten surface impoundments located within their Bagley Field west of Tatum, New Mexico. The closure program consisted of excavating the impoundments and encapsulating the contaminant plume within high-density polyethylene. As part of the closure program, a groundwater investigation was conducted at each site. The investigation concluded that due to the relatively shallow depth to the surface of the aquifer, each site impacted the Ogallala Aquifer to varying degrees.

The remediation plan included passive monitoring of those sites showing no free product on the water table and active fluid removal by means of the erection of windmills at three sites found to have more significant concentrations. A series of water monitoring wells were placed down gradient of each location. Each such well has been sampled and tested on a quarterly basis with the results of each laboratory analyses provided to the NMOCD on an annual basis. To date, two sites have been remediated to closure and a third is pending final approval.

Individual Site Descriptions

Iva COM

The Iva site includes a recovery well. Criteria contaminant concentrations within the well have shown a 94% reduction since installation and a 48% reduction over the past year. A review of the test results over the past three years indicates that the contaminant concentrations appear to be reduced at the rate of approximately 50% per year. If the trend continues, the concentrations will be within NMWQCC standards within the next two years. Two down gradient monitor wells at the site have never shown concentrations in excess of standards.

Mable COM

The Mable site includes a recovery well. Criteria contaminant concentrations within the well have shown a 73% reduction since installation and a 50% reduction over the past year. The primary contaminant compounds within this well are benzene and xylene. Only the xylene and ethylbenzene fractions have shown any significant improvement over previous sampling periods within the source well. Both down-gradient monitor wells generally fall within NMWQCC standards but are subject to periodic spikes in all tested fractions. LNAPL's are present within both monitor wells but appear to have

the viscous appearance and odor characteristics of fatty acids resulting from the aerobic degradation of hydrocarbons.

Bell State "A"

This site has no active recovery well but does contain a series of four monitor wells. The criteria contaminant concentrations within these wells have collectively dropped 92% from the initial concentrations however have shown no significant improvement over the past year. Benzene is the only fraction falling outside of NMWQCC standards.

NBF

This site has no active recovery well but does contain a series of four monitor wells. The criteria contaminant concentrations within these wells have collectively dropped 16% from the initial concentrations however have shown no significant improvement over the past year. Monitor wells nos. 15 and 16 continue to show elevated benzene concentrations and occasional spikes of xylene.

G.S. State

The G.S. site has an active recovery well and four down gradient monitor wells. The contaminant concentrations within the recovery well have been reduced by 78% over the life of the installation however the concentrations within the monitor wells have remained somewhat static. We introduced a program last year of installing absorbent socks within those wells having LNAPL's. The program did show significant reductions within those bores in which they were used however the BTEX concentrations came back to previous levels when their use was discontinued.

Sohio # 1

This site has no active recovery well but does contain a series of five monitor wells. The general trend within these wells is for an overall reduction in BTEX values-especially if the most recent results within Monitor Well # 18 are ignored due to our inability to bail a sufficient volume of fluids as a result of silting. Once again the absorbent sock program introduced last year proved effective until discontinued.

Sohio "A"

This site has no active recovery well but does contain a series of five monitor wells. The site has a gradient of .58' per 100' distance and may be considered quite static hydrologically. The BTEX concentrations have once again increased with the cessation of the absorbent sock program.



QP-78

WHOLE EARTH ENVIRONMENTAL QUALITY PROCEDURE

Procedure for Obtaining Water Samples (Cased Wells) Using Enviro-Tech ES-60 Pump

Completed By: _____ Approved By: _____ Effective Date: / /

1.0 Purpose

This procedure outlines the methods to be employed in obtaining water samples from cased monitoring wells.

2.0 Scope

This procedure shall be used for developed, cased water monitoring wells. It is not to be used for standing water samples such as ponds or streams.

3.0 Preliminary

3.1 Obtain sterile sampling containers from the testing laboratory designated to conduct analyses of the water. The shipment should include a Certificate of Compliance from the manufacturer of the collection bottle or vial and a Serial Number for the lot of containers. Retain this Certificate for future documentation purposes.

3.2 The following table shall be used to select the appropriate sampling container, preservative method and holding times for the various elements and compounds to be analyzed.

Compound to be Analyzed	Sample Container Size	Sample Container Description	Cap Requirements	Preservative	Maximum Hold Time
BTEX	40 ml.	VOA Container	Teflon Lined	HCl	7 days
TPH	1 liter	clear glass	Teflon Lined	HCl	28 days
PAH	1 liter	clear glass	Teflon Lined	Ice	7 days
Cation / Anion	1 liter	clear glass	Teflon Lined	None	48 Hrs.
Metals	1 liter	HD polyethylene	Any Plastic	Ice / HNO ₃	28 Days
TDS	300 ml.	clear glass	Any Plastic	Ice	7 Days

4.0 Chain of Custody

- 4.1 Prepare a Sample Plan. The plan will list the well identification and the individual tests to be performed at that location. The sampler will check the list against the available inventory of appropriate sample collection bottles to insure against shortage.
- 4.2 Transfer the data to the Laboratory Chain of Custody Form. Complete all sections of the form except those that relate to the time of delivery of the samples to the laboratory.
- 4.3 Pre-label the sample collection jars. Include all requested information except time of collection. (Use a fine point Sharpie to insure that the ink remains on the label). Affix the labels to the jars.

5.0 Bailing Procedure

- 5.1 Identify the well from the site schematics. Place pre-labeled jar(s) next to the well. Remove the bolts from the well cover and place the cover with the bolts nearby. Remove the plastic cap from the well bore by first lifting the metal lever and then unscrewing the entire assembly.
- 5.2 Lower the ES-60 pump into the monitor well bore taking care to insure that the pump and first 10' of hose and cable does not touch the ground or become cross-contaminated by contact with anything containing hydrocarbon residues. When the pump reaches the bottom of the well bore you will feel the hose and cable assembly go slack. Lift the pump a minimum distance of 18" above the bottom of the well bore and clamp the hose assembly to the top of the well bore by means of vice grips. (Take care to insure that the vice grips are adjusted so as not to "choke" the hose).
- 5.3 Attach the electrical cable leads to an automobile battery and begin pumping the well bore. If the pump does not bring fluid to the surface within one minute, disconnect the electrical leads, and re-connect for four seconds three times to remove air cavitation.
- 5.4 The pump has a minimum volume of 2.8 gallons per minute at 60'. Purge the well by pumping for a minimum of 10 minutes before taking a sample.

6.0 Sampling Procedure

- 6.1 Once the well has been bailed in accordance with 5.2 of this procedure, a sample may be decanted into the appropriate sample collection jar directly from the bailer. The collection jar should be filled to the brim. Once the jar is sealed, turn the jar over to detect any bubbles that may be present. Add additional water to remove all bubbles from the sample container.

- 6.2 Note the time of collection on the sample collection jar with a fine Sharpie.
- 6.3 Place the sample directly on ice for transport to the laboratory. The preceding table shows the maximum hold times between collection and testing for the various analyses.
- 6.4 Complete the Chain of Custody form to include the collection times for each sample. Deliver all samples to the laboratory.

7.0 Decontamination

- 7.1 After removing the pump from the well, use an aerosol spray pump bottle filled with denatured isopropyl alcohol to clean the pump and first 10' of the cable and hose assembly. Rinse the sprayed portion with distilled water to remove the alcohol and dry with a clean rag. Discard the rag after each use. During transport, the pump assembly should be carried in a 2" PVC protective sleeve.

8.0 Documentation

- 8.1 The testing laboratory shall provide the following minimum information:
 - A. Client, Project and sample name.
 - B. Signed copy of the original Chain of Custody Form including data on the time the sample was received by the lab.
 - C. Results of the requested analyses
 - D. Test Methods employed
 - E. Quality Control methods and results

Tipperary Corporation
Tatum Bagley Field
Monitor Well Depth to Water Chart

Well Name	Well No.	Water Depth		Water Depth		Water Depth		Water Depth		Water Depth	
		8/9/99	10/21/99	1/8/00	4/13/00	7/20/00	9/26/00	1/5/01	4/5/01	7/5/01	9/26/01
Iva COM	Source Well										
	1	48.8	51.8	51.7	51.6	51.7	51.8	51.8	51.7	51.8	51.7
	2	49.2	51.5	51.4	51.5	51.6	51.7	51.8	51.7	51.8	51.8
Mable COM	Source Well										
	3	48.8	52.5	52.4	53.7	53.7	53.7	51.6	51.7	51.8	51.9
	4	48.6	51.8	51.6	52.8	51.8	51.8	51.8	51.7	51.6	51.6
Bell State	6	42.1	43.0	51.6	44.3	44.4	44.5	44.6	44.5	44.4	44.3
	13	40.8	43.7	43.7	44.0	43.9	44.0	44.1	44.0	44.0	43.9
	14	43.0	43.5	44.2	44.2	44.3	44.2	44.3	44.2	44.1	44.1
	25	43.5	43.5	43.9	44.0	44.0	44.0	44.2	44.0	43.9	43.8
NBF	8	35.8	35.8	36.1	37.1	35.6	35.9	36.1	36.1	36.1	36.0
	15	34.8	37.0	37.1	37.9	37.5	36.3	36.3	36.1	36.2	36.0
	16	36.0	36.1	36.2	36.2	36.2	36.2	36.2	36.1	36.2	36.0
	26	34.8	34.6	34.9	35.9	35.1	35.2	35.2	35.4	35.6	35.8
Sohio A	11	38.3	38.5	37.8	38.3	38.3	38.8	38.7	37.5	36.8	35.6
	19	32.5	35.2	37.9	38.2	38.3	38.4	38.4	38.4	38.4	38.3
	20	38.0	38.7	38.0	38.4	38.5	38.4	38.5	38.5	38.6	38.6
	27	36.8	38.2	37.9	38.2	38.1	38.6	38.7	38.5	38.3	38.1
	31	37.5	38.9	39.7	38.5	38.5	38.1	38.4	38.6	38.6	38.8
Sohio # 1	10	44.5	44.9	43.9	44.2	45.0	44.9	45.1	45.0	45.0	44.9
	17	44.0	44.5	44.4	44.7	44.5	44.7	44.8	44.6	44.5	44.4
	18	43.8	44.1	45.4	46.4	45.7	45.4	45.8	46.0	45.9	46.6
	28	35.0	44.2	45.8	44.9	44.9	45.1	45.1	45.2	45.0	45.0
	30	45.3	44.1	44.2	44.8	44.3	44.3	44.2	44.3	44.2	44.2
G.S. State	Source Well										
	12	42.8	42.9	44.1	43.2	44.7	44.2	44.2	44.6	44.8	45.1
	21	43.3	43.7	43.9	44.0	44.2	44.3	44.3	44.2	44.3	44.2
	22	43.5	43.9	44.0	44.0	44.1	44.2	44.2	44.2	44.1	44.1
	29	44.0	44.3	44.2	44.3	44.7	44.7	44.7	44.5	44.6	44.4

Tipperary Corporation
Tatum Bagley Field
Monitor Well Gradient Chart

Well Name	Well No.	Surface Elevation	Water Elevation	Distance to Pit Center	Gradient (Ft. / Ft.)	Gradient (Ft. / 100Ft.)
Iva COM	Source Well	4,298.42	4,246.42			
	1	4,292.10	4,237.20	115.00	0.080174	8.02
	2	4,291.93	4,238.93	140.00	0.053500	5.35
Mable COM	Source Well	4,290.55	4,238.55			
	3	4,287.22	4,235.22	148.00	0.022500	2.25
	4	4,287.86	4,235.46	160.00	0.019313	1.93
Bell State	6	4,281.12	4,230.12	93.00	0.021183	2.12
	13	4,280.84	4,233.04	51.00	0.041118	4.41
	14	4,280.80	4,232.50	47.00	0.048723	4.87
NBF	25	4,280.37	4,232.97	154.00	0.017662	1.77
	8	4,259.41	4,211.41	165.00	0.045152	4.52
	15	4,259.68	4,212.68	198.00	0.036263	3.63
Sohio A	16	4,259.06	4,211.96	247.00	0.031579	3.16
	26	4,258.04	4,215.04	387.00	0.022791	2.28
	11	4,285.88	4,235.88	115.00	0.011835	0.83
Sohio # 1	19	4,285.97	4,237.27	164.00	0.005305	0.53
	20	4,285.96	4,236.46	151.00	0.005822	0.58
	27	4,285.61	4,245.61	264.00	0.004659	0.47
G.S. State	31	4,283.54	4,246.09	624.00	0.005288	0.53
	10	4,283.63	4,233.63	110.00	0.016273	1.63
	17	4,283.31	4,233.91	262.00	0.000805	0.81
	18	4,283.59	4,234.99	176.00	0.010398	1.04
	28	4,283.21	4,236.96	552.00	0.004004	0.40
	30	4,281.13	4,235.82	776.00	0.005528	0.55
	Source Well	4,307.00	4,259.00			
	12	4,303.27	4,255.27	52.00	0.071731	7.17
	21	4,303.08	4,255.08	151.00	0.025960	2.60
	22	4,302.77	4,255.27	148.00	0.025203	2.52
	29	4,303.20	4,254.14	295.00	0.016475	1.65



Calculation for Determining the Minimum Bailing Volume for Monitor Wells
Formula $V = (\pi r^2 h)$

V= volume

π = pi

r= inside radius of the well bore


h= maximum height of well bore in water table

π	r^2	h (in)	V (cu. in)	V (gal)	X 3 Volumes	Actual
3.1416	1	180	565.488	2.448	7.344	>10


Tipperary Corporation
Tatum Bagley Field
LPNAL / DNAPL Depth Chart

Well Name	Well No.	LNAPL Top	LNAPL Bottom	LNAPL Thickness	DNAPL Top	DNAPL Bottom
Iva COM	Source Well					
	1	N/A	N/A	N/A	N/A	N/A
Mable COM	Source Well					
	3	51.90	52.60	0.70	N/A	N/A
Bell State	4	51.60	51.90	0.30	N/A	N/A
	6	N/A	N/A	N/A	N/A	N/A
Sohio A	13	N/A	N/A	N/A	N/A	N/A
	14	N/A	N/A	N/A	N/A	N/A
NBF	25	N/A	N/A	N/A	N/A	N/A
	8	N/A	N/A	N/A	N/A	N/A
Sohio # 1	15	36.00	36.15	0.15	N/A	N/A
	16	36.00	36.15	0.15	N/A	N/A
G.S. State	26	N/A	N/A	N/A	N/A	N/A
	11	35.60	36.20	0.60	N/A	N/A
G.S. State	19	38.30	38.70	0.40	N/A	N/A
	20	38.60	38.70	0.10	N/A	N/A
G.S. State	27	N/A	N/A	N/A	N/A	N/A
	31	N/A	N/A	N/A	N/A	N/A
G.S. State	10	44.90	45.00	0.10	N/A	N/A
	17	44.40	44.55	0.15	N/A	N/A
G.S. State	18	46.60	46.70	0.10	N/A	N/A
	28	N/A	N/A	N/A	N/A	N/A
G.S. State	30	N/A	N/A	N/A	N/A	N/A
	12	45.10	46.20	1.10	N/A	N/A
G.S. State	21	44.20	45.10	0.90	N/A	N/A
	22	44.10	44.90	0.80	N/A	N/A
G.S. State	29	44.40	44.55	0.15	N/A	N/A

WHOLE EARTH ENVIRONMENTAL, INC.



WHOLE EARTH ENVIRONMENTAL, INC.



Environmental Lab of Texas, Inc.

12800 West 1-20 East
Odessa, Texas 79763

Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: Elliot Werner

Company Name: Whole Earth

Company Address:

City/State/Zip:

Telephone No: (915) 854-4555

Fax No: _____

Sampler Signature: Elliot Werner

Project Name: Tiffenay

Project #: Quarterly Sample Log

Project Loc:

PO #:

RUSH/TAT (Pre-Schedule)			
Analyze For:			
TCLP	TOTAL		
		X	BTEX 8021B/5030
		X	Semivolatiles
		X	Volatile
		X	Metals: As Ag Ba Cd Cr Pb Hg Sb
		X	TPH 8015M GRO/DRD
		X	TPH TX 1005/1006
		X	TPH 4181
		X	TDS / CL / SAR / EC
		X	Other (Specify):
		X	Soil
		X	Sludge
		X	Water
		X	None
		X	H ₂ SO ₄
		X	NaOH
		X	HCl
		X	HNO ₃
		X	Ice
		X	No. of Containers
		X	Date Sampled
		X	Time Sampled
		X	FIELD CODE
36195		X	IUA Com. Source Well 1
		X	LAB # (Lab Test Only)
		X	Special Instructions:
Relinquished by: <u>Elliot Werner</u>		Date: <u>1/16/01</u>	Time: <u>9:45AM</u>
Received by ETC:		Date: <u>1/16/01</u>	Time: <u>9:45AM</u>

Environmental Lab of Texas, Inc.

Phone: 915-563-1800
Fax: 915-563-1713

1600 West 2nd East
Odessa, Texas 79763

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: Elliott Weenes

Company Name

Whole Earth GNU

Company Address:

Telephone No.: 1-800-555-0000

Sampler Signature: 

Project Name: **TIPPECARY**

Project #: _____

Project Loc: _____

PO #:

Fax No.: _____

Sampler Signature:

Sample Number	Field Location	Field Code	Date Sampled	Time Sampled	No. of Containers	Other (Specify)	Water	Sludge	Soil	TOTAL:	Analyze For:				
											Metals: As Ag Ba Cd Cr Pb Hg Se	Volatile	Semivolatiles	TPH 8015M GRO/DR0	
36132	MW 3	1/5	8:25	2	✓										
36133	MW 1	1/5	9:00am	2	✓										
36134	MW 2	1/5	9:00am	2	✓										
36135	MW 4	1/5	8:45am	2	✓										
36136	MW 6	1/5	10:10am	2	✓										
36137	Mobile Source	1/5	9:00am	2	✓										
36138	MW 9	1/5	3:00pm	2	✓										
36139	MW 12	1/5	11:15am	2	✓										
36140	MW 13	1/5	9:50am	2	✓										
36141	MW 14	1/5	10:00am	2	✓										

Special Instructions:

Relinquished by:	Date	Time	Received by:	Date	Time	Comments:
	10/16/94	11:00am	Received by EE on 10/16/94	10/16/94	11:20am	Sample Containers intact, prepared upon receipt.

Environmental Lab of Texas, Inc.

12600 West 120 East
Odessa, Texas 79763
Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: Elviont W. Gensee

Company Name Whole Earth Environmental

Company Address:

City/State/Zip:

Project Name: T-1000-A-C

Project #: _____

Project Loc: _____

PO #: _____

Telephone No.: 806-554-1800

Fax No.: _____

Sampler Signature: John Gensee

Sampler Signature:

S&P # (Date Sampled)	FIELD CODE	Date Sampled	Time Sampled	No. of Containers	Preservative	Matrix	Analyze For:		RUSH/TAT (Pre-Schedule)	
							TCLP:	TOTAL:	Volatile	Semivolatiles
1/10/01	MW 11	1/10/01	12:40	2						
1/10/01	MW 10	1/10/01	1:30	2						
1/10/01	MW 24	1/10/01	2:10	2						
1/10/01	MW 15	1/10/01	10:30	2						
1/10/01	MW 24	1/10/01	10:45	1						
1/10/01	MW 8	1/10/01	10:20	2						
1/10/01	MW 20	1/10/01	12:30	2						
1/10/01	MW 14	1/10/01	2:00	2						
1/10/01	MW 21	1/10/01	11:55	2						
1/10/01	MW 23	1/10/01	3:10	2						

Special Instructions:

Received by:	Date	Time	Received by:	Date	Time
<u>B. Gensee</u>	1/10/01	11:20 AM	<u>Elviont W. Gensee</u>	1/10/01	11:20 AM

Environmental Lab of Texas, Inc.

Phone: 915-563-1800

Fax: 915-563-1713

12800 Westgate East
Odessa, Texas 79763

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: Elliott Wierske

Company Name

Whole Earth Env.

Company Address:

City/State/Zip:

Telephone No:

Fax No:

Sampler Signature:

Project Name: Tipperry

Project #: _____

Project Loc: _____

PO #:

Analyze For:		RUSH/TAT (Pre-Schedule)											
TCLP:	TCPL	Metals: As Ag Ba Cd Cr Pb Hg Se		Organic: Benzene, Toluene, Xylenes, Ethylbenzene, Phenol, Styrene, Acetone, Methylbenzene, Acetophenone, Chloroform, Benzyl Alcohol, Ethyl Acetate, Propylene Glycol, Diethyl Ether, Acetone, Ethanol, Isopropanol, Acetone, Ethanol, Isopropanol		Volatile: Volatiles		Semivolatile: Semivolatile		Other: BTX 8021B/5030		TOTAL:	
Preservative:		No. of Containers:		Time Sampled:		Date Sampled:		Matrix:		Other (Specify):		Analyze For:	
1	MW 25	1	501	9:45	2	11/15	1:00	2	Soil				
2	MW 27	1	501	12:50	2	11/15	1:45	2	Sludge				
3	MW 19	1	501	10:35	2	11/15	1:45	2	Water				
4	MW 17	1	501	11:45	2	11/15	1:45	2	None				
5	MW 15	1	501	11:45	2	11/15	1:45	2	H ₂ SO ₄				
6	MW 13	1	501	11:45	2	11/15	1:45	2	NaOH				
7	MW 11	1	501	11:45	2	11/15	1:45	2	HCl				
8	MW 24	1	501	11:45	2	11/15	1:45	2	HNO ₃				
9	MW 22	1	501	11:45	2	11/15	1:45	2	Acetone				
10	MW 20	1	501	11:45	2	11/15	1:45	2	CH ₃ COOH				
11	GS SOURCE	1	501	11:45	2	11/15	1:45	2	Pyridine				
12	MW 30	1	501	2:20	2	11/15	2:20	2	Acetone				

Special Instructions:

Raised by:	Date:	Time:	Received by:	Date:	Time:
<u>Elliott Wierske</u>	01/09/01	11:20	<u>James McNamee</u>	01/09/01	11:20
Maintained by:					

Environmental Lab of Texas, Inc.

12800 West I-20 East
Odessa, Texas 79763
Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: Curator
Company Name: Whole Earth Env.

Project Name: TIPPERASY

Company Address:

City/State/Zip:

Telephone No:

Sampler Signature: J. Buff

Project Loc: _____
PO #: _____
Fax No: _____
Fax No: _____

RUSH TAT (Pre-Schedule)			
Analyze For:	TCIP:	TOTAL:	
Volatile	BTEX 8021B/5030		
Semivolatiles			
Metals: As Ag Ba Cd Cr Pb Hg Se			
TPH 8015M GRODR0			
TPH TX 1005/1006			
TPH 4181			
TDS / CL / SAR / EC			
Other (Specify):			
Soil			
Sludge			
Water			
Other (Specify):			
None			
H ₂ SO ₄			
NaOH			
HCl			
HNO ₃			
Ice			
No. of Containers			
Date Sampled			
Time Sampled			
FIELD CODE			
LAB # (Lab Use Only)			
35162	MW 31	1/5 1:15 2 ✓	
Special Instructions:			
Requisitioned by: <u>J. Buff</u>	Date: <u>1/10</u>	Time: <u>11:35</u>	Received by: <u>Patricia</u>
Requisitioned by: <u>J. Buff</u>	Date: <u>1/10</u>	Time: <u>11:35</u>	Date: <u>1/10</u> Time: <u>11:35</u>

Signature Upon Receipt ✓
Separately Certified ✓

LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
ATTN: MR. VICTOR A. VICE
P.O. BOX 857
TATUM, N.M. 88267
FAX: 505-398-6510
FAX: 281-646-8996

Sample Type: Water
Sample Condition: Intact/ Iced/ HCl/ 4.0 deg. C
Project #: Quarterly Sampling
Project Name: Tipperary
Project Location: None Given

Sampling Date: 01/10/01
Receiving Date: 01/11/01
Analysis Date: 01/11/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
36195	IUA Com. Source Well	0.533	0.168	0.015	0.067	0.044

%IA	87	87	86	91	88
%EA	86	87	87	93	91
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030

Raland K. Tuttle
Raland K. Tuttle

1-11-01
Date

LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
ATTN: MR. VICTOR A. VICE
P.O. BOX 857
TATUM, N.M. 88267
FAX: 505-398-6510
FAX: 281-646-8996

Sample Type: Water

Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C

Project #: None Given

Project Name: Tipperary

Project Location: None Given

Sampling Date: 01/05/01

Receiving Date: 01/10/01

Analysis Date: 01/11/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
36132	MW 3	<0.010	1.21	1.21	5.50	0.894
%IA		87	87	86	91	88
%EA		86	87	87	93	91
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030

Armando O. Gomez
Armando O. Gomez

1-16-01
Date

LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, N.M. 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
 Project #: None Given
 Project Name: Tipperary
 Project Location: None Given

Sampling Date: 01/05/01
 Receiving Date: 01/10/01
 Analysis Date: 01/12/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	<i>o</i> -XYLENE mg/L
36133	MW 1	<0.001	0.004	0.006	0.014	0.007
36134	MW 2	<0.001	0.003	0.005	0.011	0.005
36135	MW 4	<0.010	0.038	0.020	0.063	0.021
36136	MW 6	0.014	<0.001	0.005	0.007	0.003
36137	Mable Source	0.590	0.475	0.127	0.927	0.768
36138	MW 9	0.037	0.032	0.014	0.051	0.037
36139	MW 12	1.07	1.71	0.945	5.66	1.58
36140	MW 13	<0.001	0.002	0.004	0.009	0.004
36141	MW 14	0.024	<0.001	0.004	0.007	0.003
36142	MW 11	0.043	0.005	0.004	0.013	0.008
36143	MW 10	2.43	0.011	0.153	0.251	0.089
36144	MW 28	0.156	0.115	0.034	0.175	0.120
36145	MW 15	2.79	1.36	0.249	0.612	0.493
36146	MW 26	0.044	0.016	0.006	0.012	0.009
36147	MW 8	0.001	0.001	0.002	0.005	0.002
36148	MW 20	0.009	0.006	0.005	0.016	0.008
36149	MW 18	2.95	1.84	0.364	1.54	1.22
36150	MW 21	0.019	0.010	0.019	0.027	0.013
36151	MW 23	0.031	0.032	0.013	0.050	0.034
36152	MW 25	<0.001	<0.001	<0.001	<0.001	<0.001
%IA		103	100	101	96	101
%EA		105	98	100	97	103
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030

Armando O. Gomez
 Armando O. Gomez

1-16-04
 Date

LAB OF , INC.

"Don't Treat Your Soil Like Dint!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, N.M. 88267
 FAX: 505-398-6510
 FAX: 281-646-8996


Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
 Project #: None Given
 Project Name: Tipperary
 Project Location: None Given

Sampling Date: 01/05/01
 Receiving Date: 01/10/01
 Analysis Date: 01/13/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	<i>o</i> -XYLENE mg/L
36153	MW 27	0.355	0.004	0.003	0.020	0.009
36154	MW 19	0.248	0.002	0.002	0.006	0.003
36155	MW 17	1.42	0.036	0.140	0.428	0.287
36156	MW 16	1.32	0.023	0.083	0.110	0.055
36157	MW 24	0.004	0.004	0.002	0.008	0.005
36158	MW 22	0.140	0.036	0.057	0.092	0.085
36159	MW 29	0.019	0.010	0.010	0.034	0.014
36160	GS Source	0.805	0.292	0.136	0.692	0.414
36161	MW 30	0.036	0.030	0.009	0.036	0.026
36162	MW 31	0.130	0.004	0.003	0.010	0.005

%IA	93	90	89	86	90
%EA	100	98	98	95	100
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030


 Armando O. Gomez

1/16-01
 Date

Environmental Lab of Texas, Inc.

12800 West I-20 East
Odessa, Texas 79763
Phone: 915-553-1800
Fax: 915-553-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Pg 1 of 4

Project Manager: _____
Company Name Whole Earth Environmental, Inc.

Company Address: 1980 San Gabriel

City/State/Zip: Houston, Tx 77084

Telephone No: (800) 864-4368

Sampler Signature: _____

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tatum, New Mexico

PO #: _____

Fax No: (281) 646-3906

		Analyze For:		RUSH/TAT Pre-Schedule		Standard TAT	
		TCLP	Total				
Preservative	Water	X	X				
	H ₂ SO ₄	X	X				
	NaOH	X	X				
	HNO ₃	X	X				
	Acetone	X	X				
	Other (Specify):						
	SDI	X	X				
	Sludge	X	X				
	Water	X	X				
	Matrix						
Odds (specify):	TDS / CL / SAR / EC	X	X				
	TPH TX 1005/1006	X	X				
	TPH TX 418.1	X	X				
	TPH BOD5N GROWDR	X	X				
	Method: A4 Ag B6 Cd Cr Pb Hg Se	X	X				
	Vadose	X	X				
	Sand/bedrock	X	X				
	BTEX 802-1B/5000	X	X				
	ANALYST SIGNATURE						
	Date Sampled						
Time Sampled							
FIELD CODE	4-5	16:40					
Live Source Well							
Ira MW 1		10:45					
Ira MW 2		11:07					
Mable Source Well		11:17					
Mable MW 3		11:15					
Mable MW 4		11:26					
Bell MW 6		16:20					
Bell MW 13		9:59					
Bell MW 14		10:10					
Bell MW 25		9:44					
Special Instructions:							
Ratiuished by: <i>M. Ch. H. -</i>	Date 4/6/01	Time 9:21	Received by BRIAN D. BROWN	Date 4/6/01	Time 9:21	Date 4/6/01	Time 9:21
Re-requested by: <i>M. Ch. H. -</i>							

Environmental Lab of Texas, Inc.

12800 West I-20 East
Odessa, Texas 79763
Phone: 915-863-1800
Fax: 915-863-1713

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 18608 San Gabriel

City/State/Zip: Houston, Tx 77084

Telephone No: (800) 864-4888

Sampler Signature:

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Page 2 of 4

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tallum, New Mexico

PO #: _____

Fax No: (281) 645-5998

Special Instructions:

Analyze For:	TCIP:		Searched TAT	
	Total:			
STEX 8021B/S030	X	X	X	X
Standards				
Welders				
Methyls As Ag Ba Cd Cr Pb Hg S				
TPH 801SM GROUPD				
TPH TX 1005/T006				
TPH 4181				
TDS / CL / SAR / EC				
Other (Specify):				
SAs				
Sludge				
Water	X	X	X	X
NaOH				
H2SO4				
HCl				
HNO3				
No. of Containers				
Date Sampled				
Time Sampled				
FIELD CODE				
NBF MW 8	4:5	11:58	X	
NBF MW 15		12:20	X	
NBF MW 16		12:12	X	
NBF MW 26		11:45	X	
Sohio #1 MW 10		1:50	X	
Sohio #1 MW 17		1:27	X	
Sohio # 1 MW 18		1:12	X	
Sohio # 1 MW 28		1:10	X	
Sohio # 1 MW 30		12:56	X	
Sohio "A" MW 11		2:20	X	
Retain/Released by:	Date	Time	Received by:	Date
<i>M. J. M.</i>	4-6-01	9:25		
Retain/Released by:	Date	Time	Received by:	Date

Environmental Lab of Texas, Inc.

12600 West I-20 East
Odessa, Texas 79763
Phone: 915-533-1800
Fax: 915-533-1713

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 19006 San Gabriel

City/State/Zip: Houston, Tx. 77084

Telephone No.: (800) 854-4368

Sampler Signature:

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: Quarterly Sampling - Tipperary

Project #: _____

Project Loc: Tatum, New Mexico

PO #:

Fax No: (281) 666-6996

Date Sampled	Time Sampled	No. of Containers	HCl	HNO ₃	NaOH	H ₂ SO ₄	Nons	Water	Sludge	Soil	Other (Specify):	TCLP: TOTAL	Analyze For:		Push TAT (Pre-Schedule)		Standard TAT	
													TCPL	Total	Push TAT (Pre-Schedule)	Standard TAT		
3/20/93	Sohio "A" MW 19	4:5	X	X	X	X	X	X	X	X	X	X						
3/20/93	Sohio "A" MW 20																	
3/20/93	Sohio "A" MW 27																	
3/20/93	Sohio "A" MW 31																	
	GS Source Well																	
	GS MW 12																	
	GS MW 21																	
	GS MW 22																	
	GS MW 28																	
	Stat. 4 MW 9																	

Special Instructions:

Reinquished by:	Date	Time	Received by:	Date	Time
<u>M.J. J.</u>	<u>4/6/93</u>	<u>9:25</u>			

Environmental Lab of Texas, Inc.

12800 West 120 East
Odessa, Texas 79763

Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

PG 4 of 1

Project Manager:

Company Name Whale Earth Environments

Address: 19 LeClue San Gabriel

City/State/Zip: Houston, Tx. 77084

Telephone No: (800) 854-4358

Sampler Signature:

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tatum, NM

PO #:

Fax No: (281) 446-8996

Sampler Signature:

		Analyze For:		Standard TAT		PUSH TAT (Pre-Schedule)	
		TCLP	TOTAL				
Preservative	Matrix						
	Soil						
	Water						
	NaOH						
	H2SO4						
	K2O						
	No. of Containers	3	2				
	Time Sampled	9:10	9:20				
	Time Sampled	4:5	4:5				
	FIELD CODE	23	24				
LAB ID	2007	2008					

Special Instructions:

Sampling Criteria's Name: John P. Gandy
Sampling Criteria's Date: 10/22/98
Location: Groundwater
Depth: 10 ft
Time: 9:00 AM

Relinquished by: <u>M. J. J.</u>	Date: <u>4-6-01</u>	Time: <u>9:25</u>	Received by: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL INC.
 ATTN: MR. MIKE GRIFFIN
 19606 SAN GABRIEL
 HOUSTON, TEXAS 77084
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
 Project #: None Given
 Project Name: Quarterly Sampling
 Project Location: Tatum, New Mexico

Sampling Date: 04/05/01
 Receiving Date: 04/06/01
 Analysis Date: 04/06/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	<i>o</i> -XYLENE mg/L
38917 ✓	Iva Source Well	0.666	0.599	0.141	1.05	0.824
38918 ✓	Iva MW 1	<0.001	<0.001	<0.001	<0.001	<0.001
38919 ✓	Iva MW 2	<0.001	<0.001	<0.001	<0.001	<0.001
38920 ✓	Mable Source Well	0.509	0.435	0.128	1.09	0.816
38921 ✓	Mable MW 3	<0.010	0.047	0.088	0.270	0.049
38922 ✓	Mable MW 4	<0.001	<0.001	0.006	0.015	0.004
38923 ✓	Bell MW 6	0.024	<0.001	0.002	0.001	<0.001
38924 ✓	Bell MW 13	<0.001	<0.001	<0.001	<0.001	<0.001
38925 ✓	Bell MW 14	0.047	<0.001	0.006	0.001	<0.001
38926 ✓	Bell MW 25	<0.001	<0.001	<0.001	<0.001	<0.001
38927 ✓	NBF MW 8	<0.001	<0.001	0.003	0.007	0.002

%IA	99	102	102	100	101
%EA	88	93	97	95	97
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030

Raland K. Tuttle
 Raland K. Tuttle

4-10-01
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL INC.
 ATTN: MR. MIKE GRIFFIN
 19606 SAN GABRIEL
 HOUSTON, TEXAS 77084
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
 Project #: None Given
 Project Name: Quarterly Sampling
 Project Location: Tatum, New Mexico

Sampling Date: 04/05/01
 Receiving Date: 04/06/01
 Analysis Date: 04/08/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	<i>m,p</i> -XYLENE mg/L	<i>o</i> -XYLENE mg/L
38928 ✓	NBF MW 15	2.57	1.46	0.308	0.821	0.481
38929 ✓	NBF MW 16	1.55	<0.005	0.101	0.104	0.039
38930 ✓	NBF MW 26	<0.001	<0.001	0.003	0.009	0.003
38931 ✓	Sohio #1 MW 10	2.08	0.031	0.179	0.342	0.074
38932 ✓	Sohio #1 MW 17	1.49	0.038	0.199	0.606	0.348
38933 ✓	Sohio #1 MW 18	1.41	0.179	0.095	0.449	0.306
38934 ✓	Sohio #1 MW 28	0.014	0.010	0.007	0.016	0.006
38935 ✓	Sohio #1 MW 30	0.007	0.008	0.005	0.010	0.004
38936 ✓	Sohio "A" MW 11	0.033	0.006	0.007	0.024	0.013
38937 ✓	Sohio "A" MW 19	0.325	0.007	0.009	0.030	0.016
38938 ✓	Sohio "A" MW 20	0.020	0.006	0.009	0.029	0.016
38939 ✓	Sohio "A" MW 27	0.324	0.012	0.016	0.069	0.035
%IA		90	93	94	93	93
%EA		88	92	91	89	94
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B,5030

R.C. CK Jsd

Roland K. Tuttle

4-11-01

Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL INC.
 ATTN: MR. MIKE GRIFFIN
 19606 SAN GABRIEL
 HOUSTON, TEXAS 77084
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 2.5 deg. C
 Project #: None Given
 Project Name: Quarterly Sampling
 Project Location: Tatum, New Mexico

Sampling Date: 04/05/01
 Receiving Date: 04/06/01
 Analysis Date: 04/09/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
38940	Sohio "A" MW 31	0.105	0.008	0.013	0.042	0.023
38941 ✓	GS Source Well	0.417	0.148	0.091	0.582	0.254
38942 ✓	GS MW 12	0.394	0.022	0.180	0.767	0.200
38943 ✓	GS MW 21	0.014	0.011	0.012	0.021	0.009
38944 ✓	GS MW 22	0.085	0.038	0.060	0.076	0.099
38945 ✓	GS MW 29	0.009	0.007	0.007	0.022	0.011
38946 ✓	Sat 4 MW 9	<0.001	<0.001	<0.001	<0.001	<0.001
38947 ✓	23	<0.001	<0.001	<0.001	<0.001	<0.001
38948 ✓	24	<0.001	<0.001	<0.001	<0.001	<0.001

%IA	93	98	100	99	100
%EA	102	106	106	104	105
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B ,5030

Raland K. Tuttle
 Raland K. Tuttle

4-11-01
 Date

Enviro₁ntal Lab of Texas, Inc.

West 1-20 East
ss, Texas 78763

Phone: 915-663-1800
Fax: 915-663-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 1960 S San Gabriel

City/State/Zip: Houston, Tx 77094

Telephone No: (800) 864-4368

M. Jaff
Sampler Signature:

Fax No: (281) 646-8888

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tatum, New Mexico

PO #: _____

		Analyze For:		Standard TAT		RUSH TAT Pre-Schedule	
		TCLP:	TOTAL:	Semivolatiles		Volatile	
				Metals: As Ag Ba Ca Cr Pb Hg Se		TPH 80/50/1008	
				TPH 4181		TDS / CL / SAR / EC	
				Other (Specify):			
Preservative		Matrix:		Soil			
				Sludge			
				Water			
				Other (Specify):			
Time Sampled		No. of Contaminants					
Date Sampled							
FIELD CODE							
Iva Source Well		1 6/6/01		2 X		X X	
Iva MW 1		6/5/01		2 X		X X	
Iva MW 2		6/5/01		2 X		X X	
Mable Source Well		6/5/01		2 X		X X	
Mable MW 3		6/5/01		2 X		X X	
Mable MW 4		6/5/01		2 X		X X	
Bell MW 6		6/5/01		2 X		X X	
Bell MW 13		6/5/01		2 X		X X	
Bell MW 14		6/5/01		2 X		X X	
Bell MW 25		6/5/01		2 X		X X	

Instructions:

Entered by:	Date	Time	Received by:	Date	Time
<i>J. M.</i>	7-7-9	11:30			

Environmental Lab of Texas, Inc.

West I-20 East
IS, Texas 79763

Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 18608 San Gabriel

City/State/Zip: Houston, Tx. 77084

Telephone No: (800) 854-4368

Sampler Signature: M. Jaffi.

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tatum, New Mexico

PO #: _____

Fax No: (281) 646-8986

FIELD CODE	Date Sampled	Time Sampled	No. of Containers	Preservative	Matrix	Other (Specify):	TOTAL	TCP/L:	RUSH TAT (Pre-Schedule)	Standard TAT																							
											Solvent	Semivolatiles	Volatiles	Metals: As Ag Ba Cd Cr Pb Hg Se	TPH 8015M GRO/DRD	TPH TX 1005/1008	TPH 4181	TDS / CL / SAR / EC	BTEX 8021B/S030	Studge	Sof	None	NaOH	HCl	HNO ₃	Ice	Le	None	Other (Specify)	Water	Soil	TOTAL	TCPL:
NBF MW 8	1/5/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NBF MW 15	1/5/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NBF MW 16	1/5/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NBF MW 28	1/5/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Sohio #1 MW 10	1/6/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Sohio #1 MW 17	1/6/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Sohio #1 MW 18	1/6/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Sohio # 1 MW 28	1/6/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Sohio # 1 MW 30	1/6/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Sohio "A" MW 11	1/6/01	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

Instructions:
 Issued by: M. Jaffi.
 Issued by: _____

Date	Time	Received by:	Date	Time
7-2-01	11:30			

Viro~~ontal~~ Lab of Texas, Inc.

Phone: 915-563-1800
Fax: 915-563-1713

West I-20 East
a, Texas 79763

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 19808 San Gabriel

City/State/Zip: Houston, Tx. 77084

Telephone No: (800) 854-4358

Sampler Signature: M. J. H.

Fax No: (281) 646-8898

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tatum, New Mexico

PO #: _____

FIELD CODE	Date Sampled	Time Sampled	No. of Containers	Preservative	Matrix	Other (Specify):	TOTAL:	Analyze For:		RUSH/TAT (Pre-Schedule)	Standard TAT
								TCLP:	STELX 8021B/5020		
Sohio "A" MW 19	6/6/01	X	X	X	Water					X	
Sohio "A" MW 20	6/6/01	X	X	X	Soil					X	
Sohio "A" MW 27	6/6/01	X	X	X	Studge					X	
Sohio "A" MW 31	6/6/01	X	X	X	None					X	
GS Source Well	6/6/01	X	X	X	H ₂ SO ₄					X	
GS MW 12	6/6/01	X	X	X	NaOH					X	
GS MW 21	6/6/01	X	X	X	HNO ₃					X	
GS MW 22	6/6/01	X	X	X	lso					X	
GS MW 29	6/6/01	X	X	X	HCl					X	
Sat. 4 MW 9	6/6/01	X	X	X	Nox					X	

Instructions:

Entered by: <i>M. J. H.</i>	Date: <u>7-7-9</u>	Time: <u>11:30</u>	Received by:	Date: _____	Time: _____
Entered by: <i>M. J. H.</i>	Date: _____	Time: _____			

Environmental Lab of Texas, Inc.

0 West 1-20 East
Dallas, Texas 75263
Phone: 915-563-1800
Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 1800 San Gabriel

City/State/Zip: Houston, Tx. 77084

Telephone No.: (800) 854-4358

Sampler Signature: M. J. J.

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tatum, New Mexico

PO #:

Fax No: (281) 644-5996

FIELD CODE	Date Sampled	Time Sampled	No. of Containers	Other (Specify)	Soil	Sludge	Water	None	H ₂ SO ₄	NaOH	HCl	HNO ₃	I ₂	None	Other (Specify)	TOTAL	TCLP:	Analyze For:	RUSH TAT (Pre-Schedule)	Standard TAT	
Satellite # 4 MW 23	1/8/01	9/8/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Satellite # 4 MW24	1/8/01	9/8/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Collier MW 32	1/8/01	9/8/01	4	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Collier/MW 33	1/8/01	9/8/01	4	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Instructions:

shed by:	Date	Time	Received by:	Date	Time
<i>J. J.</i>	7-7-01	11:30			

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL
 ATTN: MR. MIKE GRIFFIN
 19606 SAN GABRIEL
 HOUSTON, TEXAS 77084
 FAX: 281-646-8996
 FAX: 505-397-3591 (motel)

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl 2 deg C
 Project #: None Given
 Project Name: Quarterly Sampling
 Project Location: Tatum, N.M.

Sampling Date: See Below
 Receiving Date: 07/07/01
 Analysis Date: 07/07/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L	SAMPLE DATE
0101098-01	Iva Source Well	0.371	0.252	0.075	0.574	0.474	07/06/01
0101098-02	Iva MW 1	<0.001	<0.001	0.003	0.008	0.002	07/05/01
0101098-03	Iva MW 2	<0.001	<0.001	0.002	0.006	<0.001	07/05/01
0101098-04	Mable Source Well	0.459	0.343	0.118	0.928	0.735	07/05/01
0101098-05	Mable MW 3	0.003	0.007	0.025	0.057	0.021	07/05/01
0101098-06	Mable MW 4	0.004	0.014	0.006	0.014	0.005	07/05/01
0101098-07	Bell MW 6	0.056	<0.001	0.002	0.005	<0.001	07/05/01
0101098-08	Bell MW 13	0.001	<0.001	0.002	0.005	0.002	07/05/01
0101098-09	Bell MW 14	0.034	0.001	0.005	0.007	0.002	07/05/01
0101098-10	Bell MW 25	<0.001	<0.001	0.003	0.006	0.002	07/05/01
0101098-11	NBF MW 8	<0.001	<0.001	0.001	0.004	0.001	07/05/01
0101098-12	NBF MW 15	1.80	0.948	0.250	0.598	0.409	07/05/01
0101098-13	NBF MW 16	1.65	0.026	0.097	0.159	0.069	07/05/01
0101098-14	NBF MW 26	<0.001	<0.001	0.002	0.004	<0.001	07/05/01
0101098-15	Sohio #1 MW 10	2.20	<0.010	0.190	0.455	0.052	07/06/01
0101098-16	Sohio #1 MW 17	1.22	0.017	0.166	0.583	0.303	07/06/01
0101098-17	Sohio #1 MW 18	1.10	0.077	0.082	0.364	0.257	07/06/01
QUALITY CONTROL		0.110	0.108	0.112	0.224	0.114	
TRUE VALUE		0.100	0.100	0.100	0.200	0.100	
% INSTRUMENT ACCURACY		110	108	112	112	114	
SPIKED AMOUNT		0.100	0.100	0.100	0.200	0.100	
ORIGINAL SAMPLE		<0.001	<0.001	<0.001	<0.001	<0.001	
SPIKE		0.092	0.088	0.087	0.171	0.089	
SPIKE DUP		0.088	0.084	0.085	0.167	0.086	
% EXTRACTION ACCURACY		92	88	87	86	89	
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001	
RPD		4	4	2	2	3	

METHODS: EPA SW 846-8021B, 5030

Roland K. Tuttle
 Roland K. Tuttle

7-13-01
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL
 ATTN: MR. MIKE GRIFFIN
 19606 SAN GABRIEL
 HOUSTON, TEXAS 77084
 FAX: 281-646-8996
 FAX: 505-397-3591 (motel)

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl 2 deg C
 Project #: None Given
 Project Name: Quarterly Sampling
 Project Location: Tatum, N.M.

Sampling Date: 07/06/01
 Receiving Date: 07/07/01
 Analysis Date: 07/09/01

ELT #	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	<i>o</i> -XYLENE mg/L
0101098-18	Sohio #1 MW 28	0.009	0.002	0.006	0.025	0.007
0101098-19	Sohio #1 MW 30	0.005	0.001	0.004	0.017	0.005
0101098-20	Sohio "A" MW 11	0.035	0.002	0.005	0.018	0.007
0101098-21	Sohio "A" MW 19	0.307	0.001	0.004	0.017	0.005
0101098-22	Sohio "A" MW 20	0.005	<0.001	0.004	0.014	0.004
0101098-23	Sohio "A" MW 27	0.073	<0.001	0.004	0.012	0.004
0101098-24	Sohio "A" MW 31	0.275	0.003	0.007	0.039	0.014
0101098-25	GS Source Well	0.318	0.180	0.133	0.722	0.368
0101098-26	GS MW 12	0.350	0.026	0.150	0.483	0.150
0101098-27	GS MW 21	0.009	0.002	0.007	0.004	0.002
0101098-28	GS MW 22	0.062	0.020	0.046	0.047	0.069
0101098-29	GS MW 29	0.005	0.002	0.004	0.005	0.004
0101098-30	Sat. 4 MW 9	<0.001	<0.001	0.001	0.003	<0.001
0101098-31	Satellite #4 MW 23	<0.001	<0.001	<0.001	<0.001	<0.001
0101098-32	Satellite #4 MW 24	<0.001	<0.001	<0.001	<0.001	<0.001
0101098-33	Collier MW 32	0.537	0.054	0.073	0.077	0.078
0101098-34	Collier MW 33	0.043	0.003	0.005	0.007	0.005
QUALITY CONTROL		0.092	0.098	0.095	0.186	0.097
TRUE VALUE		0.100	0.100	0.100	0.200	0.100
% INSTRUMENT ACCURACY		92	90	95	93	97
SPIKED AMOUNT		0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE		0.005	0.001	0.004	0.017	0.005
SPIKE		0.097	0.090	0.098	0.202	0.101
SPIKE DUP		0.097	0.091	0.090	0.185	0.090
% EXTRACTION ACCURACY		92	89	94	93	96
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001
RPD		0	1	8	9	11

METHODS: EPA SW 846-8021B ,5030

Roland K. Tuttle
 Roland K. Tuttle

7-13-01
 Date

Environmental Lab of Texas, Inc.

12000 West I-20 East
Odessa, Texas 79763
Phone: 915-883-1809
Fax: 915-883-1713

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 18606 San Gabriel
City/State/Zip: Houston, Tx 77064

Telephone No.: (800) 884-4958

Sampler Signature:

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: Quarterly Sampling

Project #:

Project Loc: Tatum, New Mexico

PO #:

Fax No.: (281) 844-9998

Analyze For:			
	TCLP	Total	
VOCs	X	X	BTEX 80218520
SVOCs	X	X	Styrene/DBP
Methane, Acetone, CD, CP, H2S, SO2	X	X	
TPH 8015M GRODRD	X	X	
TPH TX 10051006	X	X	
TPH 418.1	X	X	
TDS / CL / SR / EC	X	X	
Other (specify):	X	X	
SVL	X	X	
Starch	X	X	
Waste	X	X	
Other (specify):	X	X	
Nons	X	X	
H2SO4	X	X	
NaOH	X	X	
HCl as per M.G.M.F.A. 46	X	X	
Acetone, TMAm	X	X	
No. of Contaminants	2	2	
Date Sampled	9/24/01	2	
Time Sampled	10:00 AM	2	
FIELD CODE			
Lab Source Well	9/24/01	2	
Ma MW 1	9/24/01	2	
Ma MW 2	9/24/01	2	
Ma MW 3	9/24/01	2	
Ma MW 4	9/24/01	2	
Bell MW 6	9/24/01	2	
Bell MW 13	9/24/01	2	
Bell MW 14	9/24/01	2	
Bell MW 25	9/24/01	2	

Special Instructions:

Received by:	Date	Time	Received by:	Date	Time
<i>M. O.</i>	9-26	8:18			
Relinquished:	Date	Time	Received by:	Date	Time

Environmental Lab of Texas, Inc.

12800 West 1-20 East
Odessa, Texas 79763

Phone: 915-463-1600
Fax: 915-463-1713

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 18006 San Gabriel

City/State/Zip: Houston, Tx. 77066

Telephone No: (281) 864-4566

Fax No: (281) 864-4566

Sampler Signature:

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tatum, New Mexico

PO #: _____

Date Sampled		No. of Containers	HCl (as per M.G.R. 9/22)	HNO ₃ (Env)	H ₂ SO ₄	MnO ₂	Other (Specify)	SO ₂	Sulfide	Water	Other (Specify)	Soil	QA/QC	Other (Specify):	TPH GIBI	TPH TX 100S/100S	TPH 801SM GROUPR0	Reasons: As Ag Ba Cd Cr Pb Hg Sb	Volatile	Semivolatiles	BTX 8021R5000	TOTAL:	Analyze For:		LASH TAT (Pre-Schedule)		Standard TAT			
																									TCLP	TOTAL	TCLP	TOTAL		
1	NBF MW 8	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
2	NBF MW 15	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
3	NBF MW 16	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
4	NBF MW 28	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
5	Sohio #1 MW 10	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
6	Sohio #1 MW 17	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
7	Sohio #1 MW 18	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
8	Sohio #1 MW 28	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
9	Sohio #1 MW 30	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10	Sohio "A" MW 11	9/24/01	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Special Instructions:

Reinquished by	Date	Time	Received by	Date	Time
<i>M. Gaff</i>	9/26/01	8:18	Reinquished by		
	Date	Time			

Environmental Lab of Texas, Inc.

12600 West I-20 East
Odessa, Texas 79763

Phone: 915-633-1800
Fax: 915-633-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Pg. 3 of 4

Project Manager:

Company Name Whole Earth Environmental, Inc.

Company Address: 10808 San Gabriel

City/State/Zip: Houston, Tx. 77094

Telephone No: (800) 854-4368

Sampler Signature:

Project Name: Quarterly Sampling

Project #: _____

Project Loc: Tatum, New Mexico

PO #: _____

Fax No: (281) 846-0896

Time Sampled	Date Sampled	No. of Containers	HCl/HNO ₃ /H ₂ O ₂ /H ₂ S/DMW	Non	Other (Specify)	SFE	Water	Sulfate	Other (Specify)	TDS / CL / SAR / EC	TPH TX 1005/1006	TPH SO4/S GRD/BRO	Mercury As Ag Bi Cd Cr-Pb Hg Se	Volatile	Sulfide	BTEX 8021/BS000	TPH 618.1	TPH TX 1005/1006	TPH SO4/S GRD/BRO	Mercury As Ag Bi Cd Cr-Pb Hg Se	Volatile	Sulfide	BTEX 8021/BS000	Standard TAT	EPA/STAT Pre-Schedule	Analyze For:		
																										Total	TCU	TCU
Preservative																												
Matrix																												
Sampled																												
10/24/01	Sohio "A" MW 19	9/24/01																										
10/24/01	Sohio "A" MW 20	9/24/01																										
10/24/01	Sohio "A" MW 27	9/24/01																										
10/24/01	Sohio "A" MW 31	9/24/01																										
10/24/01	GS Source Well	9/24/01																										
10/24/01	GS MW 12	9/24/01																										
10/24/01	GS MW 21	9/24/01																										
10/24/01	GS MW 22	9/24/01																										
10/24/01	GS MW 29	9/24/01																										
10/24/01	Collector MW-22	9/24/01																										
Special Instructions: <i>On Tapway Bayley Field Co.</i>																												
Reinquished by:	Date	Time	Received by:	Date	Time	Received by:	Date	Time	Received by:	Date	Time	Received by:	Date	Time	Received by:	Date	Time	Received by:	Date	Time	Received by:	Date	Time	Received by:				
<i>M. Jeff.</i>	9-26-01	8:18																										
Reinquished by:																												

Special Instructions:
On Tapway Bayley Field Co.

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL
 ATTN: MR. MIKE GRIFFIN
 19606 SAN GABRIEL
 HOUSTON, TEXAS 77084
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 0.0 deg C
 Project Name: Quarterly Sampling
 Project #: None Given
 Project Location: Tatum, NM

Sampling Date: 09/24/01
 Receiving Date: 09/26/01
 Analysis Date: 10/04/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
C101642-01	Iva Source Well	0.430	0.204	0.048	0.486	0.359
0101642-02	Iva MW 1	<0.001	<0.001	<0.001	0.003	<0.001
C101642-03	Iva MW 2	0.004	0.003	0.001	0.006	0.004
0101642-04	Mable Source Well	0.550	0.425	0.148	1.36	0.904
0101642-05	Mable MW 3	0.053	0.163	0.173	0.826	0.154
0101642-06	Mable MW 4	0.039	0.038	0.102	0.273	0.091
0101642-07	Bell MW 6	0.038	<0.001	<0.001	<0.001	<0.001
0101642-08	Bell MW 13	0.002	0.002	0.003	0.009	0.003
0101642-09	Bell MW 14	0.054	0.001	0.005	0.011	0.004

QUALITY CONTROL	0.091	0.090	0.088	0.170	0.087
TRUE VALUE	0.100	0.100	0.100	0.200	0.100
% IA	91	90	88	85	87
SPIKED AMOUNT	0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE	<0.001	<0.001	<0.001	<0.001	<0.001
SPIKE	0.093	0.089	0.082	0.160	0.077
SPIKE DUP	0.086	0.104	0.090	0.171	0.087
%EA	86	104	90	86	87
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001
RPD	4.51	0.79	2.97	1.26	1.69

METHODS: SW 846-8021B, 5030

Roland K. Tuttle
Roland K. Tuttle

10-05-01
Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL
 ATTN: MR. MIKE GRIFFIN
 19606 SAN GABRIEL
 HOUSTON, TEXAS 77084
 FAX: 281-546-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 0.0 deg C
 Project Name: Quarterly Sampling
 Project #: None Given
 Project Location: Tatum, NM

Sampling Date: 09/24/01
 Receiving Date: 09/26/01
 Analysis Date: 10/04/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	<i>o</i> -XYLENE mg/L
0101642-10	Bell MW 25	<0.001	<0.001	0.005	0.016	0.006
0101642-11	NBF MW 8	0.041	0.044	0.018	0.040	0.026
0101642-12	NBF MW 15	2.52	1.34	0.331	0.960	0.562
0101642-13	NBF MW 16	1.39	0.001	0.058	0.041	0.005
0101642-14	NBF MW 26	0.027	0.002	0.003	0.008	0.003
0101642-15	Sohio #1 MW 10	2.15	0.131	0.189	0.510	0.137
0101642-16	Sohio #1 MW 17	1.03	0.035	0.035	0.381	0.108
0101642-17	Sohio #1 MW 18	2.81	2.22	0.554	3.15	1.65
0101642-18	Sohio #1 MW 28	<0.005	0.031	0.010	0.020	0.014

QUALITY CONTROL	0.099	0.099	0.092	0.179	0.086
TRUE VALUE	0.100	0.100	0.100	0.200	0.100
% IA	99	99	92	90	86
SPIKED AMOUNT	0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE	<0.001	<0.001	0.005	0.016	0.006
SPIKE	0.093	0.092	0.089	0.181	0.087
SPIKE DUP	0.090	0.089	0.086	0.173	0.083
%EA	93	90	84	83	81
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001
RPD	4	4	4	5	5

METHODS: SW 846-8021B, 5030

Raland K. Tuttle
 Raland K. Tuttle

10-5-01
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"


WHOLE EARTH ENVIRONMENTAL
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 0.0 deg C
 Project Name: Quarterly Sampling
 Project #: None Given
 Project Location: Tatum, NM

Sampling Date: 09/24/01
 Receiving Date: 09/26/01
 Analysis Date: 10/04/01

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	<i>o</i> -XYLENE mg/L
0101642-19	Sohio #1 MW 30	0.040	0.033	0.007	0.045	0.010
0101642-20	Sohio "A" MW 11	0.045	0.015	0.007	0.034	0.020
0101642-21	Sohio "A" MW 19	0.250	0.013	0.006	0.032	0.016
0101642-22	Sohio "A" MW 20	0.037	0.025	0.011	0.052	0.026
0101642-23	Sohio "A" MW 27	0.123	0.036	0.018	0.082	0.039
0101642-24	Sohio "A" MW 31	0.406	0.038	0.014	0.083	0.040
0101642-25	GS Source Well	0.350	0.141	0.097	0.430	0.226
0101642-26	GS MW 12	0.533	0.078	0.267	1.12	0.309
0101642-27	GS MW 21	0.016	0.009	0.012	0.015	0.006
0101642-28	GS MW 22	0.041	0.019	0.038	0.032	0.042
0101642-29	GS MW 29	0.016	0.007	0.007	0.015	0.007
<hr/>						
QUALITY CONTROL		0.104	0.100	0.092	0.185	0.088
TRUE VALUE		0.100	0.100	0.100	0.200	0.100
% IA		104	100	92	92	88
SPIKED AMOUNT		0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE		0.037	0.025	0.011	0.052	0.026
SPIKE		0.155	0.130	0.111	0.270	0.126
SPIKE DUP		0.129	0.114	0.098	0.236	0.113
%EA		92	89	87	92	86
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001
RPD		25	16	14	17	15

METHODS: SW 846-8021B, 5030


Raland K. Tuttle


10-5-01
Date

NBF

Monitor Well # 8
 State NBF # 1
 Sampling Results

Lab. #	12486	13175	14064	14663	15595	16602	17431	18594	20600	22761	25171	28463	31490	36147	38927	0101098-11	0101642-11
Sample Date	9/15/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/14/99	10/6/99	1/8/00	4/13/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	0.302	0.017	0.048	0.034	0.005	0.028	0.032	0.023	0.160	0.007	0.002	0.002	0.001	0.001	0.001	0.041	0.044
Toluene	0.208	0.002	0.036	0.003	0.004	0.001	0.002	0.001	0.214	0.008	0.003	0.001	0.001	0.001	0.001	0.001	0.026
Ethylbenzene	0.039	0.001	0.013	0.007	0.001	0.004	0.003	0.036	0.036	0.007	0.002	0.002	0.002	0.003	0.001	0.018	0.018
m,p Xylene	0.253	0.001	0.038	0.011	0.004	0.003	0.003	0.003	0.002	0.143	0.015	0.003	0.008	0.008	0.005	0.004	0.040
o Xylene	0.161	0.002	0.011	0.003	0.004	0.001	0.001	0.001	0.081	0.008	0.001	0.003	0.003	0.002	0.002	0.001	0.026
Total Xylene	0.414	0.003	0.049	0.014	0.008	0.004	0.004	0.003	0.224	0.023	0.004	0.011	0.011	0.007	0.009	0.005	0.066
Total BTEX	0.963	0.023	0.146	0.058	0.018	0.036	0.042	0.028	0.634	0.045	0.010	0.015	0.011	0.014	0.008	0.169	


Monitor Well # 8



Monitor Well # 15
 State NBF # 1
 Sampling Results

Lab. #	12/29	13/33	14/049	14/669	15/600	16/608	17/435	18/602	20/612	22/759	25/140	28/445	31/491	36/145	38/928	01/01098-12	01/01642-12
Sample Date	10/29/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/14/99	10/6/99	1/8/00	4/13/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	1.950	2.289	1.470	1.415	3.027	1.630	3.110	3.970	2.850	3.250	2.400	2.630	2.890	2.570	1.800	2.520	
Toluene	1.823	1.176	1.230	1.165	1.630	1.490	1.980	3.070	1.850	2.550	1.780	4.320	1.550	1.360	1.460	0.948	1.340
Ethylbenzene	0.381	0.338	0.364	0.270	0.225	0.182	0.214	0.436	0.303	0.335	0.254	0.655	0.239	0.249	0.308	0.250	0.331
m,p Xylene	1.506	1.285	1.058	0.927	0.811	0.728	0.767	1.610	1.050	1.240	1.080	3.680	0.750	0.612	0.821	0.598	
o Xylene	0.772	0.411	0.466	0.412	0.393	0.350	0.435	0.886	0.612	0.654	0.540	6.660	2.400	0.493	0.481	0.409	0.562
Total Xylene	2.278	1.696	1.524	1.339	1.204	1.078	1.202	2.496	1.662	1.894	1.620	10.340	3.150	1.105	1.302	1.007	1.522
Total BTEX	6.432	5.499	4.588	4.189	6.086	4.380	6.506	9.972	6.665	8.029	6.054	17.945	7.829	5.504	5.640	4.005	5.713


Monitor Well # 15



Monitor Well # 16
 State NBF # 1
 Sampling Results

Lab. #	12730	13176	14050	14670	15608	16609	17436	18603	20613	22772	25141	28437	31492	36156	38929	0101098-13	0101642-13
Sample Date	10/29/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/15/99	10/6/99	1/8/00	4/13/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	0.836	0.234	1.029	1.058	1.046	1.470	3.150	3.640	3.220	1.170	3.050	2.620	2.120	1.320	1.550	1.650	1.390
Toluene	0.111	0.003	0.086	0.113	0.065	0.122	0.164	0.116	0.776	0.122	0.226	0.278	0.092	0.023	0.005	0.026	0.001
Ethylbenzene	0.090	0.004	0.084	0.070	0.037	0.047	0.078	0.151	0.179	0.068	0.153	0.149	0.099	0.083	0.101	0.097	0.058
m,p Xylene	0.224	0.012	0.173	0.145	0.100	0.144	0.219	0.343	0.576	0.163	0.473	0.424	0.143	0.110	0.159	0.104	0.041
o Xylene	0.089	0.003	0.047	0.060	0.039	0.062	0.098	0.129	0.255	0.083	0.203	0.178	0.063	0.055	0.039	0.069	0.005
Total Xylene	0.313	0.015	0.220	0.205	0.139	0.206	0.317	0.472	0.841	0.246	0.676	0.602	0.206	0.143	0.228	0.046	
Total BTEX	1.350	0.256	1.419	1.446	1.287	1.845	3.709	4.379	5.016	1.606	4.105	3.649	2.517	1.591	1.799	2.001	1.495


Monitor Well # 16




Monitor Well # 26
State NBF # 1
Sampling Results

Lab. #	17266	18610	20614	22788	25142	28455	31493	36146	38930	0101098-14	0101098-14
Sample Date	4/1/99	7/14/99	10/6/99	1/8/00	4/13/00	7/20/00	9/26/00	1/5/01	4/5/01	7/7/01	9/26/01
Benzene	0.002	0.030	0.066	0.140	0.092	0.177	0.053	0.044	0.001	0.001	0.027
Toluene	0.003	0.024	0.059	0.158	0.108	0.230	0.022	0.016	0.003	0.001	0.002
Ethylbenzene	0.001	0.027	0.016	0.030	0.024	0.036	0.008	0.006	0.009	0.002	0.003
m,p Xylene	0.002	0.006	0.057	0.119	0.090	0.128	0.019	0.012	0.003	0.004	0.008
o Xylene	0.001	0.019	0.031	0.064	0.048	0.075	0.010	0.009	0.009	0.001	0.003
Total Xylene	0.003	0.025	0.088	0.183	0.138	0.203	0.029	0.021	0.012	0.005	0.011
Total BTEX	0.009	0.106	0.229	0.511	0.362	0.646	0.112	0.087	0.025	0.009	0.043

Monitor Well # 26



NBF





Tipperary
CORPORATION

**Tipperary Corporation
Tatum Pit Closure Project
Annual Sampling Summary**

RECEIVED

APR 30 2001

**ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION**



**Whole Earth Environmental
19606 San Gabriel
Houston, Tx. 77084**



Tipperary
CORPORATION

633 Seventeenth Street
Suite 1550
Denver, Colorado 80202

November 29, 1999

CERTIFIED MAIL

Mr. William C. Olson
New Mexico Oil Conservation Division
2040 South Pacheco
Santa Fe, NM 87505

**RE: July 1999 Progress Report
October 1999 Progress Report
Tatum Pit Closure Project
Lea County, NM**

Dear Mr. Olson:

Please find enclosed additional monitor well results from the subject project area. This data represents results from our eighth and ninth quarters of monitoring. We would like to request permission to submit our monitoring results annually to your office. Of course, we will continue to sample and monitor the project quarterly.

We have also addressed the requests and issues in your letter of August 6, 1999 correspondence (copy attached). Our responses are found in the Executive Summary section. Additional data included in the Executive Summary section is summarized below:

- Surveyed locations of each pit center and all recovery and monitor wells including surface elevations. The above information is plotted on a topographic base map. Individual site plat maps are included within each well/pit section.
- A table of monitor well water elevations. This table includes a calculation of the hydraulic gradient for each well/pit site.
- A graph of the depths to water in each monitor well. The data covers the last two sampling quarters and the depth of water when the monitor wells were drilled.
- A graph of the monthly rainfall totals as measured in Lovington, NM. Also included is a table of weather data recorded by Lea County Electric Co-Op.
- A graph comparing the average BTEX concentrations measured each quarter with the quarterly rainfall to establish a direct relationship with the amount of precipitation.
- A summary table of results from BTEX sampling with a plot of results.
- Copies of the BTEX analyses from Environmental Lab of Texas, Inc.
- A procedure for developing cased water monitoring wells.

Mr. William C. Olson
November 29, 1999
Page 2.

Data for each well/pit is summarized in its own section. The following data is included under each well/pit section.

- A summary of monitoring activity for each monitor well.
- A summary of BTEX results for each recovery and monitor well. A bar graph of this data is presented.
- A topographic map for each well/pit.
- A site map with the location of the pit and monitor wells including the surface elevations.
- A table of water elevations from the monitor wells along with a calculation of the hydraulic gradient for each well/pit.

We have also submitted formal closure reports for the Vera #1 and State NBN #1 sites under separate cover. If you have any questions, please call me at (303) 293-9379.

Very truly yours,



Larry G. Sugano
Vice President - Engineering

cc: NMOCB Hobbs Office
Enclosures



STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION
2040 S. PACHECO
SANTA FE, NEW MEXICO 87505
(505) 827-7131

August 6, 1999

CERTIFIED MAIL
RETURN RECEIPT NO. Z-274-520-689

Mr. Larry G. Sugano
Tipperary Corporation
633 Seventeenth St., Suite 1550
Denver, Colorado 80202

RE: TATUM PIT CLOSURES

Dear Mr. Sugano:

The New Mexico Oil Conservation Division (OCD) has reviewed Tipperary Corporation's (TC) April 27, 1999 "APRIL 1999 PROGRESS REPORT, TATUM PIT CLOSURE PROJECT, LEA COUNTY, NEW MEXICO". This document contains the results of TC's monitoring of ground water contamination related to the closure of 10 unlined pits west of Tatum, New Mexico. The document also requests final closure of the remedial actions related to unlined pits at the State NBN #1 and Vera #1 sites and proposes modifications to the ground water sampling program.

In order to complete a review of the above referenced closure requests and sampling modifications, the OCD requires that TC submit the following information, with all maps, tables and data segregated into separate case files for each site:

1. A water table potentiometric map for each site which shows the location of the pit and excavated areas, the surveyed locations of all monitor wells and recovery wells and any other pertinent site features as well as the direction and magnitude of the hydraulic gradient created using the water table elevation in each monitor well. On March 29, 1999, the OCD required that TC submit this information. The above referenced document states that TC was preparing the maps. To date the OCD has not received this required information.
2. Tables of water table elevations in each monitor well during each sampling event. The document discusses seasonal fluctuations in the water table as responsible for increases in contaminant concentrations in ground water. However, the supporting water table elevation vs. time data for each monitor well is not provided.
3. Tables of all past and present water quality sampling results for each ground water monitoring and recovery well as required in the OCD's January 15, 1999 conditions of approval. The document only contains analytical data for ground water monitoring wells that are currently being sampled.

Mr. Larry G. Sugano
August 6, 1999
Page 2

4. An explanation of the use of drill cuttings as backfill in the annular space above the bentonite plug in each newly constructed monitor well . This is a direct violation of the OCD's January 15, 1999 conditions of approval which required that the remainder of the annular space be grouted to the surface with cement containing 3-5% bentonite. As a result the monitor wells as constructed by TC are potentially direct conduits to ground water.
5. The monitor well development procedures and volumes for each monitor well. ✓
6. The volume of ground water and product recovered to date at all sites with fluid recovery as required in the OCD's January 15, 1999 conditions of approval. ✓ *January 15, 1999*
7. A completed OCD pit closure and remediation report form for each site requested for closure. Each form will contain a discussion and the results of all soil and ground water site closure activities including all soil analytical data from the excavations and the backfilled materials as well as figures showing all sample locations.

The above required information shall be submitted to the OCD Santa Fe Office by October 4, 1999 with a copy provided to the OCD Hobbs District Office. Submission of this information will allow the OCD to complete a review of TC's closure requests and proposed ground water sampling plan modifications.

If you have any questions or comments, please call me at (505) 827-7154.

Sincerely,



William C. Olson
Hydrologist
Environmental Bureau

xc: Chris Williams, OCD Hobbs District Office
Mike Matush, NM State Land Office
Mike Griffin, Whole Earth Environmental, Inc.



OCD 8/6/99 Request for Additional Data

Scope

This report addresses the August 6th request from Mr. Olson (enclosed) requesting additional information.

Request # 1

A water table potentiometric map for each site which shows the location of the pit and excavated areas, the surveyed locations of all monitoring wells and recovery wells and any other pertinent features as well as the direction and magnitude of the hydraulic gradient created using the water table elevation in each monitoring well.

Response

The locations of each pit center, and of all recovery and monitor wells was surveyed by Adkins Engineering on August 18, 1999 (see *Coordinate File: Tipperary.CRD* within this section). The data was incorporated into previously rendered plat AutoCad maps and overlaid atop USGS 7.5' maps by Basin Surveying. A copy of each site's plat map is enclosed within the appropriate section of this report. Similar maps are included within a final closure report for Vera and State NBN submitted under separate cover.

Request # 2

Tables of water table elevations in each monitor well during each sampling event. The document discusses seasonal fluctuations in the water table as responsible for increases in contaminant concentrations in ground water. However the supporting water table elevation vs. time data for each monitor well is not provided.

Response

We've only three data points for the water table elevations within the monitoring wells. The first is from the original drilling report when the well was first installed; the second, was measured on 8/9/99; the third, on 10/21/99. In the future, the elevations for each monitor well will be measured at the time of sampling and included within the annual report.

Included within this Executive Summary section are the following charts and graphs:

- A. Chart titled "*Tipperary Corporation Tatum Pit Closure Project Monitor Well Water Elevation Table*". This table summarizes the results of the original drillers log and the two sampling events. the chart also provides the calculated gradient for each monitor well.
- B. Line Graph titled "*Tipperary Corporation Monitor Well Depths*". This graph compares the depth to water during each sampling event.
- C. Chart titled "*Lea County Electrical Coop Weather Report 1998, 1999*". These are detailed daily measurements of the precipitation received at the LEACO Lovington, New Mexico plant located approximately twenty-five miles southeast of the Tatum Field.
- D. Line Graph titled "*Monthly Rainfall Totals*". This graph takes the detailed monthly total rainfall figures from the LEACO chart and plots the information into line form for comparison purposes. Included within the map is a line showing the average monthly rainfall for the Tatum area. This number was calculated by taking the average annual rainfall for Tatum and dividing by 12.

Request # 3

Tables of all past and present water quality sampling results for each ground water monitoring and recovery well as required in the OCD's January 15, 1999 conditions of approval.

Response

Each monitor well was generally sampled each quarter and the results of each test are summarized within the Sampling Results charts and graphs for each well. The only exceptions to this are Monitor Well #1 in which we had five consecutive quarters of acceptable concentrations, Monitor Well # 3 in which we encountered mechanical problems in removing a bailer, NBN and Vera in which we've requested final closure and the three recovery wells.

Each recovery and monitor well will be sampled each quarter and the results provided to the OCD on an annual basis.

Request # 4

An explanation of the use of drill cuttings in the annular space above the bentonite plug in each newly constructed monitor well.

Response

The error is a result of a lack of oversight of the completion of the wells by Whole Earth Environmental. We believed that the instructions were correctly conveyed to the driller. We did not directly supervise the final completion of the wells.

Request # 5

The monitor well development procedures and volumes for each monitoring well.

Response

Enclosed within this Executive Summary section is "*WEQP-28, Procedure for Developing Cased Water Monitoring Wells*". The procedure calls for the removal of three well casing volumes. The formula for determining casing volume is attached as a supplement to WEQP-28 and shows that with a water column height of 15', a total of 7.344 gallons of water must be bailed to achieve the minimum volume. In fact at least fifteen gallons of fluid were removed from each well in order to minimize turbidity. Neither Whole Earth nor Adkins Engineering maintained a log of the volumes of water removed however the procedure has been amended to insure that such information will be recorded and transmitted to the OCD in the future.

Request # 6

The volume of ground water and product recovered to date at all sites with fluid recovery as required in the OCD's January 15, 1999 conditions of approval.

Response

The fluids removed from each recovery well are pumped directly from the windmills into an open top fiberglass tank. Each tank is equipped with a liquid level controller which, when activated, engages an electric pump that sends the fluids to a steel water storage tank used in conjunction with the normal operations of the oil wells at each location. The water is subsequently pumped into the Burro Pipeline disposal system to the Satellite 5 facility. Satellite 5 is equipped with separation equipment that strips the hydrocarbons from the water through gravity separation. The eventual fate of the hydrocarbon fractions is to the sales line, and the water into a Burro Pipeline disposal well.

The fluid volumes are so low that they cannot be accurately measured by comparing "before" and "after" process volumes. However, each windmill has the capacity to produce up to 1,375 gallons per day. The approximate ratio of recovered oil to water is 1:100. The windmills are shut in during freezing weather, and otherwise operate at an estimated efficiency of between 25-75% of capacity. We therefore estimate that a liberal estimate of the total fluid removal would be in the range of 50% of the windmill's capacity or 687 gallons per day with a hydrocarbon fraction of up to 6.9 g/d.

Using these figures, we calculate that each windmill has produced a water volume of approximately 17,862 gallons and a hydrocarbon volume of 179 gallons in the time period between September, 1997, (the date of their erection), and October, 1999.

Request # 7

A completed pit closure and remediation report for each site requested for closure. Each form will contain a discussion of the results of all soil and ground water site closure activities including all soil analytical data from the excavations and the backfilled materials as well as figures showing all sample locations.

Response

As requested, the information is provided to you under separate cover.

COORDINATE FILE : TIPARARY.CRD


ST COORDINATES

	PT#	NORTH	EAST	ELEV
SOHIO A STATE 1 PIT	253	870084.293	760084.206	4286.84
SOHIO A STATE 1 MW11	254	869981.125	760134.902	4285.88
SOHIO A STATE 1 MW19	255	869974.033	760205.397	4285.97
SOHIO A STATE 1 MW28	256	869892.771	760255.240	4285.61
SOHIO A STATE 1 MW31	257	869667.200	760452.460	4283.54
SOHIO STATE 1 PIT	258	870105.632	761381.498	4285.42
SOHIO STATE 1 MW10	259	870027.049	761459.334	4283.63
SOHIO STATE 1 MW17	260	869969.168	761443.837	4283.31
SOHIO STATE 1 MW18	261	870017.865	761533.683	4283.59
SOHIO STATE 1 MW28	262	869892.594	761534.416	4283.21
SOHIO STATE 1 MW30	263	869677.360	761728.469	4281.13
VERA 1 PIT	264	846366.089	752525.766	4289.49
VERA #1 MW5	265	846217.026	752582.067	4298.90
STATE NBF 1 PIT	266	856893.939	764024.682	4266.86
STATE NBF 1 MW8	267	856806.388	764165.403	4259.41
STATE NBF 1 MW15	268	856747.667	764157.788	4259.68
STATE NBF 1 MW16	269	856774.041	764241.604	4259.06
STATE NBF 1 MW26	270	856658.728	764331.675	4258.04
BELL A 1 PIT	271	857796.692	758625.535	4279.64
BELL A 1 MW6	272	857857.556	758583.503	4281.12
BELL A 1 MW13	273	857754.617	758597.054	4280.84
BELL A 1 MW14	274	857821.944	758664.690	4280.80
BELL A 1 MW25	275	857614.080	758714.518	4280.37
GS STATE 1 SOURCE	276	867037.530	755087.975	4307.00
GS STATE 1 MW21	277	866953.249	755213.712	4303.08
GS STATE 1 MW22	278	866905.186	755154.733	4302.77
GS STATE 1 MW29	279	866798.038	755260.271	4303.20
GS STATE 1 MW?	280	867001.862	755131.639	4303.27
MABEL COM 1 SOURCE	281	852659.555	756329.277	4290.55
MABEL COM 1 MW3	282	852517.536	756370.356	4287.22
MABEL COM 1 MW4	283	852592.288	756473.774	4287.46
STATE NBN 1 PIT	284	859499.318	758793.854	4282.45
STATE NBN 1 MW7	285	859397.517	758825.203	4281.59
SATELLITE 4 MW9	286	866587.512	775890.421	4208.66
SATELLITE 4 MW23	287	866507.846	775901.105	4209.03
SATELLITE 4 MW24	288	866562.481	775964.699	4208.64
IVA COM 1 SOURCE	289	856721.216	756252.189	4298.42
IVA COM 1 MW1	290	856654.035	756344.507	4292.10
IVA COM 1 MW2	291	856695.146	756388.036	4291.93

HORIZONTAL DATUM NAD 83

VERTICAL DATUM NAD 88

WHOLE EARTH ENVIRONMENTAL, INC.






**Tipperary Corporation
Tatum Pit Closure Project
Monitor Well Water Elevation Table**


Well Name	Monitor Well No.	Surface Elevation	Date Well Drilled	Water Depth	Water Elevation @ 8388	Water Depth @ 8388	Water Elevation @ 102188	Depth Change Aug / Oct '98	Distance to Pit Center (ft)	Gradient (ft./100 ft.)	
Recovery Well	4-288.42	62.0	4-248.42	48.83	4,245.27	61.78	4,240.35	-2.92	116	0.06174	
1	4-292.10	64.9	4-237.20	49.17	4,242.76	61.50	4,240.43	-2.33	140	0.05350	
2	4-289.93	63.0	4-238.83	48.55	4,238.55	62.80	4,234.72	-3.75	148	0.07250	
Recovery Well	4-289.55	62.0	4-238.55	48.75	4,238.47	61.78	4,234.72	-3.17	160	0.019313	
3	4-287.22	62.0	4-238.22	48.58	4,238.58	61.78	4,234.71	-3.17	159	-0.03723	
4	4-287.48	62.0	4-236.48	48.68	4,236.80	61.50	4,234.71	-3.72			
Vern	Pit Center	4-292.96	62.0	4-236.90	61.60	4,237.40	61.50				
Bell	Pit Center	4-283.09	60.0	4-279.60	42.13	4,238.99	43.01	4,238.11	0.88	93	0.021183
6	4-281.12	61.0	4-230.12	47.0	4,233.04	40.83	4,240.61	43.89	4,237.14	2.12	
13	4-280.84	61.0	4-233.04	47.0	4,232.80	43.00	4,237.80	43.80	4,231.80	4.41	
14	4-280.80	61.0	4-232.80	47.0	4,236.46	43.50	4,236.37	0.00	4,236.46	4.87	
26	4-280.37	Mar-98	47.4	4-232.67	43.50	4,236.37	43.50				
HWB	Pit Center	4-282.46	60.0	4-282.46	43.60	4,238.09	43.60				
7	4-281.68	Aug-97	60.0	4-231.59	43.60	4,238.09	43.60				
NFB	Pit Center	4-285.88	60.0	4-285.88	43.60	4,238.09	43.60				
8	4-288.41	Aug-97	60.0	4-211.41	38.75	4,223.86	36.75	4,223.86	0.00	186	0.045152
15	4-289.88	Oct-97	47.0	4-212.68	34.75	4,224.83	37.00	4,222.88	2.25	198	0.036263
16	4-269.08	Oct-97	47.0	4-211.96	36.00	4,223.08	36.10	4,222.96	0.10	247	0.031679
26	4-258.04	Mar-98	43.0	4-216.04	34.75	4,223.28	34.80	4,223.44	-0.14	154	0.017882
Section #1											
10	4-283.83	Aug-97	60.0	4-233.63	44.50	4,238.13	44.90	4,238.73	0.40	110	0.016273
17	4-283.31	Oct-97	49.4	4-233.61	44.00	4,239.51	44.50	4,239.51	0.50	282	0.008653
18	4-283.69	Oct-97	48.8	4-234.98	43.76	4,239.84	44.10	4,239.48	0.36	178	0.010388
28	4-283.21	Mar-98	46.3	4-235.86	36.00	4,248.21	44.18	4,239.06	9.18	252	0.024004
30	4-281.13	Aug-98	45.3	4-235.92	45.51	4,235.92	44.10	4,237.93	-1.21	387	0.027791
Section "A"											
11	4-286.86	Aug-97	60.0	4-286.86	48.0	4,286.84	38.25	4,247.83	0.25	116	0.008348
18	4-286.97	Sep-97	48.7	4-237.27	32.80	4,283.47	36.18	4,280.82	2.88	184	0.006306
20	4-286.98	Sep-97	49.6	4-238.46	36.00	4,247.88	38.88	4,247.30	0.60	151	0.008289
27	4-285.81	Mar-98	40.0	4-246.81	36.83	4,246.78	36.20	4,247.41	1.37	284	0.004869
31	4-283.54	Aug-98	37.8	4-246.09	37.45	4,246.08	38.90	4,246.84	1.41	874	0.005288
Section Well											
12	4-303.27	Aug-97	48.0	4-268.27	42.76	4,280.82	42.90	4,280.37	0.15	62	0.071731
21	4-303.38	Oct-97	48.0	4-265.98	43.26	4,259.83	43.88	4,259.12	0.41	151	0.025880
22	4-302.77	Oct-97	47.6	4-268.27	43.80	4,258.27	43.80	4,258.87	0.40	148	0.026203
29	4-303.20	Mar-98	49.1	4-264.14	44.00	4,259.20	44.26	4,256.95	0.25	285	0.016475
Section #4											
9	4-208.86	Aug-97	31.0	4-177.66	26.17	4,182.49	26.75	4,181.91	0.53	80	0.035275
23	4-209.03	Oct-97	28.0	4-181.98	26.26	4,182.78	27.18	4,181.88	0.93	158	0.016570
24	4-208.84	Oct-97	28.9	4-179.74	26.08	4,182.66	26.46	4,182.19	0.37	160	0.016000

Note: Vern, Bell and Satellite 4 had significant subsidence within the pit area.
 The red elevations include an added 3.4P (Av. of seven other sites)
 Correct elevations noted in column 6.

Tipperary Corporation Monitor Well Depths



Monthly Rainfall Totals



Leounty Electric Co-Op Inc.
18 W. Washington; P.O. Dr. 1447
Lovington, N.M. 88260

Weather Report 1998

L=Lightning

W=Wind 35mph+

F=Fog

S=Snow

January	February						March						April						May						June									
	Day	Ht	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth						
1	59	26	1	57	20	1	51	12	1	74	21	W	1	87	48	1	103	52																
2	74	26	2	64	15	2	53	10	2	81	44	W	2	89	46	2	106	56																
3	64	31	3	59	28	3	68	23	3	69	34		3	83	47	3	104	62																
4	57	36	4	33	25	F	4	78	33	4	73	30		4	90	47	4	82	65															
5	58	29	5	45	31	6	62	29	5	78	32		5	87	50	5	83	54																
6	50	24	6	52	28	6	61	32	.05L	6	70	37	W	6	87	52	.	6	76	48														
7	46	26	7	61	23	7	58	33	S&W	7	68	32	W	7	84	46	7	79	56															
8	58	22	8	67	33	8	41	18	W	8	66	36		8	86	47	W	8	91	62														
9	59	22	9	63	31	9	47	10		9	72	24		9	83	45		9	95	54														
10	59	17	F	10	55	27	W	10	48	13	10	78	27		10	86	41	10	82	64	.2R													
11	61	26	11	55	17	11	44	15		11	79	38	W	11	89	51	W	11	86	51														
12	64	22	12	52	21	W	12	49	14	12	78	42	W	12	89	51		12	94	58														
13	50	25	13	61	15	13	67	22	F	13	76	35		13	93	48		13	97	65														
14	53	28	14	64	38	14	67	38		14	79	47		14	87	57	W	14	94	56														
15	57	15	15	64	42	L&W,1	15	61	44	.5R&W	15	74	33		15	81	46	W	15	88	54													
16	58	32	16	56	30	W	16	40	38		16	65	26		16	91	38		16	99	64													
17	66	29	17	56	24	17	67	32	.5L	17	66	28	.4R	17	97	60		17	99	64														
18	61	30	18	54	31	W	18	68	34	W	18	66	26		18	94	62	W	18	98	58													
19	64	27	19	56	28		19	54	28	W	19	70	27		19	97	63	RLW	19	102	53													
20	68	36	20	58	25	20	78	20		20	69	39		20	99	55		20	104	65														
21	49	31	21	53	37	21	76	40		21	69	27		21	92	59		21	104	59														
22	52	15	22	67	26	22	70	42		22	75	31		22	85	68		22	103	67														
23	55	28	23	71	28	23	68	38		23	86	38		23	91	61		23	102	68														
24	60	23	24	77	30	W	24	64	44		24	88	53	W	24	93	48		24	104	70													
25	64	24	25	61	39	W	25	75	39		25	81	48		25	89	53		25	106	70													
26	61	20	26	50	28	W	26	70	42	W	26	72	42	W	26	86	51	1RL	26	107	68													
27	70	21	27	50	20	27	73	44	W	27	59	38		27	91	54		27	109	68														
28	69	30	28	55	25	28	77	39	W	28	65	32		28	97	59		28	107	68														
29	62	17	29			29	78	40	W	29	73	31		29	98	58		29	99	68														
30	68	28	30			30	67	33	W	30	82	36		30	99	62		30	96	67														
31	63	27	31	63	30	31	63	30		31	89	31		31	99	60		31	99	67														
HL	74	18	HL	77	15	T	HL	78	10	1.05"	HL	88	21	4"	HL	99	38	1	H/L	109	48	.2"												

Loving County Electric Co-Op Inc.
18 W. Washington; P.O. Dr. 1447
Lovington, N.M. 88260

Weather Report 1998

L=Lightning I=Ice
W=Wind 35mph+ R=Rain
F=Fog

S=Snow

July				August				September				October				November				December			
Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth				
1	94	67	1	96	65	L	1	90	58	1	94	54	1	55	36	1	65	29					
2	91	68	2	98	69		2	90	57	2	86	60	2	80	34	2	70	40					
3	93	58	3	95	69		3	91	59	3	87	46	3	45	36	F	3	56	.4L				
4	88	66	4	82	59	W	4	92	59	4	86	61	W	4	42	37	F	4	70	.34			
5	100	68	L	6	77	61	1L&W	5	92	62	5	72	52		5	39	36	F	5	70	.36		
6	101	68	.15L	6	86	56		6	90	60	6	70	32		6	42	35	F	6	70	.36		
7	100	68	7	92	55		7	88	62	7	72	32		7	63	36	F	7	52	.26			
8	100	67	8	95	64		8	92	59	8	76	46		8	69	37		8	44	.12			
9	97	63	9	95	68		9	90	58	.5L	9	86	44		9	71	39	F&W	9	44	20		
10	100	63	10	95	65		10	82	61	.3L	10	89	44		10	53	27	W	10	48	.30		
11	104	69	11	98	65		11	92	54		11	92	44		11	65	24		11	44	.26		
12	108	70	12	88	66	.1L	12	84	56		12	78	49		12	56	31		12	54	.14		
13	100	63	L	13	79	60	.75L	13	91	58		13	87	44		13	56	38		13	60	.20	
14	102	62	L	14	85	58		14	90	60		14	85	52		14	71	32		14	60	.17	
15	99	64	L	15	80	57		15	83	61		15	86	52		15	70	29		15	54	.17	
16	92	64	L	16	91	62		16	83	56		16	84	57		16	72	35		16	65	.18	
17	94	62	L	17	89	59	F	17	84	54		17	74	42		17	71	29		17	52	.20	
18	95	61	.6RL	18	88	62	F	18	86	57		18	68	32		18	79	43		18	64	.36	
19	98	64	19	84	68	F	19	93	60		19	70	40		19	73	37		19	42	.25		
20	98	71	20	82	65		20	98	61		20	44	43	0.3	20	45	30		20	62	.33		
21	94	68	.1RL	21	88	62	F	21	94	64		21	50	42	0.8	21	64	30		21	49	.34	
22	95	60	22	89	59		22	84	57		22	57	45		22	75	33		22	20	.2		
23	93	62	23	89	59		23	84	52		23	59	48		23	69	38		23	28	.8		
24	95	63	L	24	91	58		24	92	63		24	70	41		24	74	25		24	36	.12	
25	96	62	25	86	63		25	68	63		25	76	44		25	68	34		25	56	.14		
26	98	65	L	26	89	65		26	94	62		26	74	55		26	74	28		26	62	.18	
27	92	66	L	27	93	66		27	94	65		27	63	57	.9L	27	75	35		27	59	.40	
28	95	63	28	81	63	.65" L	28	87	57		28	70	46		28	77	42		28	53	.24		
29	99	67	29	86	62		29	90	56		29	74	38		29	62	40		29	51	.27		
30	102	68	L	30	90	58		30	92	58		30	73	53	1.8LW	30	62	36	0.25	30	68	.26	
31	95	61	L	31	90	57		31	60			31	60	48	.1L	31	61	31		31	45	.27	
H/L	108	58	.85"	H/L	98	55	1.6"	H/L	98	.52	.8"	H/L	94	32	3.8"	H/L	79	24	.25"	H/L	70	.2	

Lea County Electric Co-Op Inc.
 18 Washington; P.O. Dr. 1447
 Lovington, N.M. 88260

Weather Report 1999

L=Lightning I=Ice
 W=Wind 35mph+ R=Rain
 F=Fog S=Snow


January			February			March			April			May			June							
Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth			
1	57	32	F	1	60	30		1	76	37		1	72	42	W	1	71	47	0.2			
2	35	19	2	53	27	2	67	43	2	76	39	W	2	75	35		2	90	62			
3	31	10	3	67	32	W	3	60	20	3	59	32	W	3	78	45		3	88	65		
4	43	5	4	60	26	W	4	75	34	4	74	34	W	4	73	45		4	89	54		
5	68	22	5	74	38	5	72	44	5	67	34	W	5	66	43		5	84	57			
6	64	25	6	63	35	6	53	32	6	78	47	W	6	66	31		6	89	50			
7	68	23	7	70	31		7	39	34	Z FL	7	84	54		7	80	32		7	90	56	
8	68	27	W	8	73	39	8	62	33	8	75	55		8	90	52		8	91	68		
9	67	28	9	73	40	9	68	29	9	79	43		9	88	55		9	88	58			
10	65	28	10	78	34	W	10	77	34	10	73	37		10	85	52		10	93	56		
11	66	33	11	47	15	W	11	40	32	F	11	67	36		11	78	43		11	87	59	
12	69	35	W	12	40	10	12	52	31	F	12	72	44		12	76	42		12	79	52	
13	70	36	13	60	14		13	47	19	W	13	79	55	W	13	90	49		13	63	51	
14	69	34	14	53	22		14	63	23		14	76	46	W	14	93	52		14	72	55	
15	70	29	15	73	31	W	15	79	40	15	64	30		15	91	53		15	78	50		
16	63	30	16	57	22		16	62	39	.8"	16	83	31		16	91	59		16	81	54	
17	68	28	17	67	30		17	70	31		17	87	51		17	78	53		17	76	51	
18	66	23	18	62	26		18	35	33		18	80	52		18	81	45		18	82	60	
19	74	35	19	70	27		19	48	28		19	96	54		19	85	48		19	83	60	
20	73	33	W	20	57	30		20	64	25		20	96	54		20	91	52		20	79	56
21	61	35	LW	21	69	23		21	70	33		21	91	55		21	86	53	L	21	80	62
22	43	25	1R,1SW	22	65	36		22	74	29		22	92	59		22	87	51	LW	22	85	58
23	63	23	23	65	23		23	78	33		23	64	49		23	86	53	.3RLW	23	91	59	
24	78	41	24	75	27		24	73	31		24	44	37		24	82	55	.9RLW	24	84	62	
25	72	35	25	76	30		25	60	41		25	73	41	0.2	25	66	52	LW	25	86	55	
26	68	31	W	26	74	45		26	52	46	.8"FL	26	76	35		26	68	50	F	26	96	64
27	67	29	27	64	31		27	62	37	FL	27	83	45		27	72	50	F	27	99	65	
28	43	27	1RF1SW	28	75	36		28	59	47	F	28	86	43	W	28	86	51	.5RL	28	100	69
29	48	24	1SF1W	29				29	56	42	F	29	60	52	W	29	90	60	1.7RL	29	93	68
30	42	23	30					30	66	43	F	30	63	56	.8LW	30	88	58		30	103	67
31	53	24	31					31	77	46		31	87	52		31	87	52		31		
H/L	78	51.181.1R	H/L	78	10			H/L	98	18	H/L	98	30	0.8	H/L	93	31	3.6	H/L	103	50	4.5

Washington; P.O. Dr. 1447
Lovington, N.M. 88260

Weather Report 1999
L=Lightning W=Wind 35mph+ F=Fog
R=Rain S=Snow

July			August			September			October			November			December				
Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth	Day	Hi	Lo	Wth
1	99	66	1	89	82	1	92	62	1	86	48	1				1			
2	98	71	2	80	62	.3"R	2	89	60	.1"RL	2	72	42	2				2	
3	92	68	3	84	66	.5"R	3	89	61		3	91	44	3				3	
4	87	64	4	85	62		4	92	58	.8"RL	4	72	43	4				4	
5	89	61	5	83	60	1.1"R	5	80	59		5	86	40	5				5	
6	89	63	6	88	62		6	83	56		6	84	51	6				6	
7	91	58	7	92	62		7	88	59	.2"RL	7	84	58	7				7	
8	95	63	8	92	65		8	82	63		8	87	44	8				8	
9	95	68	L	92	60		9	82	58		9	77	38	9				9	
10	66	60	.5"R	10	96	66		10	90	56		10	84	36	10				10
11	76	53	11	96	85		11	98	59		11	80	37	11				11	
12	82	50	12	97	60		12	82	58		12	83	40	12				12	
13	89	53	13	98	80		13	74	52		13	86	41	13				13	
14	93	52	Z LSW	14	95	64		14	82	53		14	82	39	14				14
15	88	87	15	95	61		15	78	57	.2"RL	15	50		15				15	
16	88	65	16	96	58		16	70	54	.8"RL	16			16				16	
17	87	64	17	98	61		17	78	53	.15"RL	17			17				17	
18	89	60	18	93	61		18	81	52		18			18				18	
19	88	59	19	93	57		19	89	52		19			19				19	
20	90	60	20	95	64		20	74	52	F	20			20				20	
21	91	61	21	99	61		21	68	48		21			21				21	
22	93	63	22	97	60		22	76	42		22			22				22	
23	95	61	23	93	62	.1"R	23	84	49		23			23				23	
24	99	66	24	85	61		24	89	54		24			24				24	
25	98	66	25	88	60		25	90	52		25			25				25	
26	94	60	26	91	60		26	93	56		26			26				26	
27	92	63	27	93	60		27	78	50		27			27				27	
28	94	60	28	97	59		28	58	41		28			28				28	
29	96	66	29	95	59		29	65	29		29			29				29	
30	97	66	30	95	58		30	81	39		30			30				30	
31	89	70	L	31	94	55		31			31			31				31	
H/L	98	60	H/L	99	55		H/L	98	29		H/L	91	38		H/L	0	0	H/L	0

**Comparison of Average BTEX
and Total Rainfall**






Tipperary Corporation
Tatum Pit Closure Project
Quarterly Sampling Comparison

Well #	9/5/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/14/99	10/5/99
4	0.031	1.501	0.047	0.049	0.013	0.019	0.038	0.034	0.025
6	0.790	0.068	0.281	0.249	0.141	0.137	0.175	0.232	0.175
8	1.377	0.023	0.146	0.058	0.018	0.036	0.042	0.028	0.634
9	0.285	0.123	0.007	0.081	0.050	0.049	0.042	0.090	0.080
10	6.626	3.626	2.292	2.423	3.096	1.532	2.878	3.172	2.913
11	0.122	0.124	0.184	0.141	0.108	0.105	0.084	0.091	0.143
13	1.245	0.010	0.037	0.056	0.017	0.007	0.057	0.045	0.007
14	0.005	1.183	0.918	0.764	0.184	0.161	0.141	0.146	0.155
15	6.432	5.499	4.588	4.189	6.086	4.380	6.506	9.972	6.665
16	1.662	0.256	1.419	1.446	1.287	1.845	3.709	4.379	5.016
17	2.908	2.305	1.863	1.920	1.419	1.665	1.907	2.083	2.125
18	4.498	2.361	3.013	2.601	0.786	2.072	4.544	8.472	4.060
19	0.011	0.875	0.184	0.079	0.082	0.094	0.068	0.579	0.432
20	0.454	0.345	0.658	0.604	0.539	0.390	0.100	0.065	0.110
21	0.287	0.953	0.554	0.198	0.238	0.259	0.193	0.272	0.227
22	0.152	0.200	0.195	0.344	0.144	0.134	0.141	0.396	0.184
23	0.009	0.122	0.106	0.008	0.078	0.014	0.014	0.018	0.051
	26.995	19.574	16.492	15.210	14.286	12.899	20.639	30.074	23.002

Quarterly BTEX Concentrations



ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water

Sample Condition: Intact/Iced

Project #: None Given

Project Name: None Given

Project Location: None Given

Sampling Date: 10/05/99

Receiving Date: 10/06/99

Analysis Date: 10/6-10/8/99

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	M,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
20597	Iva Com #1 S/W	0.001	<0.001	<0.001	<0.001	0.001
20598	Mable Com #3 S/W	0.003	0.021	0.010	0.038	0.020
20599	Bell A M/W #6	0.149	<0.001	0.015	0.008	0.002
20600	NBF M/W #8	0.160	0.214	0.036	0.143	0.081
20601	Sohio St #1 M/W	2.04	0.255	0.157	0.261	0.200
20602	Sohio Sta M/W #11	0.056	0.022	0.008	0.035	0.022
20603	GS State #M/W #21	0.116	0.018	0.053	0.027	0.015
20604	Satellite #9	0.034	0.008	0.009	0.019	0.010
20605	Iva Com S/W	1.67	1.80	0.126	1.42	1.03
20606	Iva Com #2	0.001	<0.001	<0.001	<0.001	<0.001
20607	Mable Com #4	0.002	0.005	0.002	0.010	0.008
20608	Mable Com #5/S/W	0.467	0.395	0.094	0.868	0.685
20609	Bell A M/W #13	0.003	<0.001	<0.001	0.001	<0.001
20610	Bell A M/W #14	0.109	0.005	0.004	0.024	0.013
20611	Bell A M/W #25	0.001	<0.001	<0.001	<0.001	<0.001
20612	NBF M/W #15	2.85	1.85	0.303	1.05	0.612
20613	NBF M/W #16	3.22	0.776	0.179	0.576	0.265
20614	NBF M/W #26	0.066	0.059	0.016	0.057	0.031
20615	Sohio St #1 M/W #17	1.150	0.206	0.289	0.304	0.176
20616	Sohio St #1 M/W #18	2.47	0.486	0.066	0.594	0.444
20617	Sohio St #1 M/W #28	0.192	0.042	0.070	<0.001	0.034
20618	Sohio St #1 M/W #30	0.188	0.087	0.023	0.081	0.050
% IA		98	92	94	96	95
% EA		91	90	87	86	88
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8020,5030


 Roland K. Tuttle

10-12-99
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water

Sample Condition: Intact/loosd

Project #: None Given

Project Name: None Given

Project Location: None Given

Sampling Date: 10/05/99

Receiving Date: 10/06/99

Analysis Date: 10/6-10/8/99

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
20618	Sohio Sta M/W #19	0.346	0.020	0.008	0.038	0.020
20620	Sohio Sta M/W #20	0.023	0.023	0.008	0.035	0.021
20621	Sohio Sta M/W #27	0.265	0.014	0.006	0.029	0.017
20622	Sohio Sta M/W #31	0.362	0.015	0.006	0.039	0.022
20623	GS State M/W #22	0.070	0.015	0.047	0.032	0.020
20624	GS State M/W #29	0.022	0.017	0.008	0.035	0.038
20625	GS State M/W #12	0.008	0.007	0.008	0.024	0.007
20626	Satelite #23	0.007	0.009	0.006	0.019	0.010
20627	Satelite #24	0.011	0.011	0.006	0.021	0.012

% IA	99	82	93	92	91
% EA	91	90	87	86	86
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8020,5030

Roland K. Teel
 Roland K. Teel

10-12-99

Date

Environmental Lab of Texas, Inc. 1200 West 120 East Odessa, Texas 79763

915-563-1369 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSES REQUEST

To:

V. A. Vice

Name & Address:

TIPPERARY OIL & GAS CORP

Project Name:

Whole Earth

Phone #: 565-398-6507
Fax #: 565-398-6510

Mile 0.2541W 1-800-854-4358

Location:

ANALYSIS REQUEST

292.

BTEX 8120/5030

TPH 418.1

TCLP Metals

Ag

As

Ba

Cd

Cr

Pb

Hg

Se

Tl

U

Zn

PCP

VOCs

TCPL VOCs

TCPL SEMI VOCs

TOS

RCI

Sampler Signature:

CONTAINERS	MATRIX	PRESERVATIVE	SAMPLING METHOD	TIME
------------	--------	--------------	-----------------	------

FIELD CODE

Lab #
only

Date

OTTER

None

ICE

INNO3

ICL

OTTER

SLUDGE

AIR

SOL

WATER

VOLUME/AMOUNT

RECEIVED BY:	DATE:	TESTED BY:	RECEIVED BY:
John	10/6/99	10:45 AM	John
John			

Project Manager:		Phone #:		Fax #:		ANALYSIS REQUEST					
Project Name:		Sampler Signature:									
Project Location:		Field Code		# CONTAINERS		VOLUME/AMOUNT		SAMPLE		TIME	
Lab Use Only	DATE	MATRIX	PRESERVATIVE	METHOD	OTTER	DATE	OTTER	ICL	HNO3	ICL	TDS
V.A. Vice		Tva Com # 2									RCI
10/10/02	10/10/02	Nable Com # 4									
10/08/02	10/08/02	Nable Com # Science well									
10/09/02	10/09/02	Bell A MW # 13									
10/10/02	10/10/02	" " # 14									
10/11/02	10/11/02	" " # 25									
10/12/02	10/12/02	NBF MW # 15									
10/13/02	10/13/02	" " # 16									
10/14/02	10/14/02	" " # 26									
10/15/02	10/15/02	Schlo ST # 1 MW # 17									
10/16/02	10/16/02	" " # 18									
Submitted by:		Date:									REMARKS
Submitted by:		Date:									Received by:
Submitted by:		Date:									Received by:
Submitted by:		Date:									Received by Laboratory:

Environmental Lab of Texas, Inc. 12500 West I-20 E., Dallas, Texas 75263
P(972) 563-1880 FAX (972) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS

(915) 563-1880 FAX (915) 563-1713

卷之三

四

11. 6

FAX

Tippe

Project Name:

1

89
PS

卷之三

Sample Signature

CONTAINERS		FIELD CODE
Volume/Amount		
MATRIX	PRESERVATIVE METHOD	SAMPLING
WATER	AIR	SOL
SLUDGE	DETERGENT	INNOS
HICL	ACCE	NONE
GLUCOSE	DITIILER	DTIILER
AIR	SLUDGE	DATE
SOL	DETERGENT	TIME
WATER		
Lab # (Lab Use)		

FIELD CODE

06/17	Schlo	ST #1	MW-28	2
06/18	Schlo	ST #1	MW-30	
06/19	Schlo Sta		MW-19	
06/20	"	"	20	
06/21	"	"	27	
06/22	"	"	31	
06/23	G S State		MW #22	
06/24	"	"	29	
06/25	"	"	12	
06/26	Satellite	#	23	
06/27	"		# 34	

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

WHOLE EARTH ENVIRONMENTAL
ATTN: MR. MIKE GRIFFIN
19606 SAN GABRIEL
HOUSTON, TEXAS 77084
FAX: 1-281-646-8996

Sample Type: Water
Sample Condition: Intact/ Iced/ HCl
Project #: Tatum Step-Out
Project Name: None Given
Project Location: 13 Miles West Tatum, N.M.

Sampling Date: 08/11/99
Receiving Date: 08/13/99
Analysis Date: 08/13/99

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
19165	MW-30	<0.001	<0.001	<0.001	0.001	<0.001
19166	MW-31	0.396	0.004	0.001	0.017	0.012

% IA	96	88	85	86	89
% EA	94	91	91	90	92
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8020,5030

Roland K. Tuttle
Roland K. Tuttle

8-16-99
Date

Environmental Lab of Texas, Inc.

12600 West I-20 Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

M. Griffen

Name & Address:

Circle Earth Environmental

Phone:

Phone #: (800) 854-4358

FAX #: (781) 644-6-8996

Facility:

Tatton Step-out

Field Location:

13 miles west, Tatton W.M., Mifflin Co.

Sampler Signature:

M. Griffen

Project Name:

Project Name:

CONTAINERS VOLUME/AMOUNT

FIELD CODE

LAB USE

ONLY

DATE

8-11

PRESERVATIVE

8-11

SAMPLING METHOD

8-11

TIME

8-11

OTHER

8-11

ICL

8-11

HNO3

8-11

SLUDGE

8-11

AIR

8-11

SOIL

8-11

WATER

8-11

REMARKS

Received by:

M. Griffen

Date:

8-13-99

Time:

10:50

Date:

Time:

Date:

Time:

Date:

Time:

Date:

Time:

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 281-846-8996 Mike Griffin

Sample Type: Water
 Sample Condition: Intact/Iced
 Project #: None Given
 Project Name: None Given
 Project Location: Tatum, New Mexico

Sampling Date: 07/14/99
 Receiving Date: 07/15/99
 Analysis Date: 07/16/99

ELTW#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
18590	Iva Com Source Well	4.46	6.85	1.24	8.16	5.57
18591	Mable Com Source Well	0.568	0.376	0.068	1.23	0.908
18592	Mable Com #4 MW	0.006	0.006	0.002	0.012	0.008
18593	Bell A #6	0.177	0.010	0.020	0.015	0.010
18594	NBF #8	0.023	0.001	0.001	0.002	0.001
18595	Sohio St #1 - #10	2.34	0.110	0.243	0.343	0.136
18596	Sohio St #A #11	0.060	0.008	0.003	0.011	0.009
18597	GS St #21	0.140	0.010	0.044	0.062	0.016
18598	Satellite #4 - MW #9	0.010	0.004	0.009	0.020	0.007
18599	Bell A #13	0.011	0.011	0.005	0.012	0.006
18600	Bell A #14	0.132	0.005	0.002	0.005	0.002
18601	Bell A #25	0.012	0.010	0.002	0.006	0.004
18602	NBF #15	3.97	3.07	0.438	1.61	0.886
18603	NBF #16	3.64	0.116	0.151	0.343	0.129
18604	NBF #26	0.030	0.027	0.006	0.019	0.011
18605	Sohio St. #1 - #17	1.01	0.205	0.146	0.482	0.240
18606	Sohio St. #1 - #18	3.54	0.553	0.288	0.867	0.532
18607	Sohio St. #1 - #28	0.019	0.003	0.004	0.008	0.005
18608	Sohio St. A - #19	0.532	0.009	0.004	0.026	0.006
18609	Sohio St. A #20	0.023	0.010	0.008	0.016	0.010
18610	Sohio St. A #27	0.268	0.024	0.008	0.030	0.024
18611	GS St. #22	0.109	0.017	0.085	0.144	0.041
18612	GS St. #29	0.014	0.007	0.019	0.125	0.062
18613	Satellite #4 MW #23	0.003	0.002	0.002	0.008	0.003
% IA		98	93	91	91	93
% EA		98	93	91	90	93
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8020,5030

Roland K. Tuttle
 Roland K. Tuttle

07-16-99

Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88287
 FAX: 505-398-6510
 FAX: 281-646-8996

Receiving Date: 04/02/99

Analysis Date: 4/05 & 4/06/99

Sample Type: Water

Sampling Date: 04/01/99

Project: None Given

Sample Condition: Intact/Iced

Project Location: None Given

ELT#	FIELD CODE	BENZENE (mg/l)	TOLUENE (mg/l)	ETHYLBENZENE (mg/l)	m,p-XYLENE (mg/l)	<i>o</i> -XYLENE (mg/l)
17428	Iva Com Source Well	2.05	4.15	0.902	5.50	3.80
17429	Mable Com Source Well	0.486	0.432	0.066	1.00	0.713
17430	Mable Com #4	0.012	0.008	0.002	0.010	0.006
17431	Bell A #8	0.139	0.013	0.006	0.011	0.006
17432	Bell A #13	0.021	0.018	0.003	0.009	0.006
17433	Bell A #14	0.108	0.015	0.004	0.009	0.005
17434	NBF #8	0.032	0.002	0.004	0.003	0.001
17435	NBF #15	3.11	1.98	0.214	0.767	0.435
17436	NBF #16	3.15	0.164	0.078	0.219	0.098
17437	Sohio St. #1- #10	2.34	0.067	0.168	0.203	0.100
17438	Sohio St. #1- #17	1.35	0.092	0.079	0.248	0.138
17439	Sohio St. #1- #18	3.35	0.331	0.114	0.469	0.280
17440	Sohio St. #1- #28	0.446	0.065	0.011	0.041	0.058
17441	Sohio St. A - #11	0.048	0.008	0.004	0.014	0.010
17442	Sohio St. A - #19	0.026	0.010	0.008	0.016	0.010
17443	Sohio St. A - #20	0.547	0.011	0.005	0.030	0.008
17444	Sohio St. A - #27	0.056	0.007	0.006	0.007	0.013
17445	G.S. State #21	0.124	0.008	0.042	0.012	0.007
17446	G.S. State #22	0.059	0.010	0.036	0.022	0.014
17447	G.S. State #29	0.004	<0.001	<0.001	0.035	<0.001
17448	Satellite #4 - #9	0.027	0.005	0.004	0.004	0.002
17449	Satellite #4 - #23	0.004	0.004	0.001	0.003	0.002
% IA		102	99	97	97	99
% EA		100	97	97	91	95
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8020,5030

Roland K. Tuttle
 Roland K. Tuttle

4-7-99
 Date

Environmental Lab of Texas, Inc. 12600 West I-20 East Odessa, Texas 79763
 (915) 563-1890 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Analyst:

118Cary Dickey A-S

Sampling Address:

Mike Brittain

Phone #: 503-398-6509

FAX#:

ANALYSIS REQUEST

11

Project Name:

Project #:

Project Dates:

Sampler Signature:

Sampler Name:

LIB USE Only	FIELD CODE	CONTAINERS	VOLUME/AMOUNT	MATRIX	PRESERVATIVE METHOD	SAMPLING TIME	DATE	OTTER	ICE	HNO3	HCl	SLUDGE	AIR	WATER	SOIL	CLAY	NONE	HNO3	TDS	RCI	REMARKS			
																					Project Name:	Sample ID:	Received by:	
1428	TVA Com Source	#11	2	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10
1429	Mable Com Source Well	#4	2	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10
1430	Mable Com # 4	#3	1	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10
1431	Bell A # 6 #13 #44	#2	2	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10
1432	BF # 8 #15 #16	#2	2	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10
1433	Coly OT #1 #10 #18 #28	#2	2	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10
1434	Solo ST # A #1 #10 #20 #27	#2	2	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10
1435	SS STAR # 21 # 22 #29	#2	2	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10
1436	Solo ST # C #2 - #11 #9 #23	#2	2	X	X	X	4-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	10/10	10/10	10/10

Environmental Lab of Texas, Inc. 12600 West I-20 • Dallas, Texas 75263
 (915) 563-1800 FAX (915) 563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:	Phone #:	FAX #:	ANALYSIS REQUEST										
			BTEX 81120/S030										
Company Name & Address: Tigerway	Project Name:	Sampler Signature:											
Project #: TPH 418.1													
Sample Location:													
LAB# (ONLY)	FIELD CODE BELL A # 6	# CONTAINERS VOLUME/AMOUNT	WATER SOIL AIR SLUDGE OTTER HCl HNO3 ICE NONE OTHER	TIME	DATE	SAMPLING METHOD	PRESERVATIVE	MATRIX	TESTS				
									TCLP Volatiles				
									Total Metals Ag As Ba Cd Cr Pb Hg Se				
									TCLP Semivolatiles				
									TDS				
									RCI				
									TPH 418.1				
									BTEX 81120/S030				
									TPH 418.1				
									BTEX 81120/S030				
Received by:	Date:	Time:	Received by:	Date:	Time:	Received by Laboratory:	Date:	Time:	Received by:	Date:	Time:	REMARKS	

Environmental Lab of Texas, Inc. 12600 West I-20 • Dallas, Texas 75263
 (915) 563-1880 FAX (915) 563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:	Phone #:	Fax #:	ANALYSIS REQUEST					
Company Name & Address:		Project Name:		Sampler Signature:				
Project Location:								
Lab # (use only)	Field Code	CONTAINERS		SAMPLING		TIME		
		Matrix	PRESERVATIVE	Method	Sample	Date	RCI	
1142	Sonic St. #A #19	WATER	AIR	SLUDGE	ICP	TDS		
1143		SOIL	OTHER	HCl	ICP	TCLP Semi Volatiles		
1144		SLUDGE	OTHER	HCl	TCLP Volatiles	Total Metals Ag As Ba Cd Cr Pb Hg Se		
1145	G.S. State #21	AIR	ICP	NH3	TCLP Volatiles	Total Metals Ag As Ba Cd Cr Pb Hg Se		
1146		OTHER	ICP		TDS			
1147		SLUDGE	ICP					
1148	Satellite #4 #9	SOIL	ICP					
1149		OTHER	ICP					
							REMARKS	
Received by:	Date:			Times:		Received by:		
Received by:	Date:			Times:		Received by:		
Received by:	Date:			Times:		Received by Laboratory:		

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY OIL & GAS
 633 17TH
 DENVER, COLORADO 80202
 FAX: 281-646-8993 (Mike Griffin)

Receiving Date: 03/17/99

Sample Type: Water

Project: Tatum Dileneation

Project Location: Tatum, N.M.

Analysis Date: See below

Sampling Date: 3/17/99

Sample Condition: Intact/loaded

ELT#	Field Code	Ca (mg/L)	Mg (mg/L)	Na (mg/L)	K (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	CO3 (mg/L)	HCO3 (mg/L)
17265	#25 Bell	189	46	281	8.7	851	300	0	159
17266	#26 NBF	31.4	16	65	6.4	53	175	0	159
17267	#27 Sohio A	144	78	377	16.2	1028	195	0	329
17268	#28 Sohio #1	715	140	4680	20.8	8685	195	0	329
17269	#29 G.S. State	178	44	102	8.1	487	150	0	281

ANALYSIS DATE 3/24/99 3/24/99 3/24/99 3/24/99 3/18/99 3/18/99 3/18/99 3/18/99

QUALITY CONTROL	53.9	5.1	55.9	5.2	5140	48	*	*
TRUE VALUE	50.0	5.0	50.0	5.0	5000	50	*	*
% PRECISION	108	102	111	104	103	96	*	*

METHODS: EPA 4.1.1, 215.1, 242.1, 273.1, 258.1, 325.3, 375.4, 310.2.

Roland K. Tuttle
 Roland K. Tuttle

3-26-99
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY OIL & GAS
633 17TH
DENVER, COLORADO 80202
FAX: 281-646-8996(Mike Griffin)

Receiving Date: 03/17/99
Sample Type: Water
Project: Tatum Dileneation
Project Location: Tatum, N.M.

Analysis Date: Hg 3/23/99
Analysis Date: 3/25/99
Sampling Date: 3/17/99
Sample Condition: Intact/Iced

TOTAL METALS (mg/L)

ELTP#	Field Code	Ag	As	Ba	Cd	Cr	Hg	Pb	Se
17265	#25 Bell	ND	ND	0.250	ND	0.0110	ND	ND	ND
17266	#26 NBF	ND	ND	0.201	ND	0.0060	ND	ND	ND
17267	#27 Sohio A	ND	ND	0.276	ND	0.0110	ND	ND	ND
17268	#28 Sohio #1	ND	0.028	0.709	ND	0.0220	ND	0.0080	ND
17269	#29 G.S. State	ND	ND	0.369	ND	0.0080	ND	ND	ND

REPORTING LIMIT 0.0050 0.005 0.010 0.0010 0.0050 0.00020 0.0030 0.0050

ND = Not detected at the reporting limit.

% INSTRUMENT ACCURACY	100	106	95	100	94	103	98	112
% EXTRACTION ACCURACY	96	104	97	100	96	96	99	102

METHODS: EPA 200.7, 245.2

Raland K. Tuttle
Raland K. Tuttle

3-26-99
Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY OIL & GAS
633 17TH
DENVER, COLORADO 80202
FAX: 281-646-8996 (Mike Griffin)

Receiving Date: 03/17/99
Sample Type: Water
Project: Tatum Dileneation
Project Location: Tatum, New Mexico

Analysis Date: 03/17/99
Sampling Date: 03/17/99
Sample Condition: Intact/Iced

ELT#	FIELD CODE	BENZENE (mg/l)	TOLUENE (mg/l)	ETHYLBENZENE (mg/l)	m,p-XYLENE (mg/l)	<i>o</i> -XYLENE (mg/l)
17265	#25 Bell	0.006	0.004	0.004	0.005	0.004
17266	#26 NBF	0.002	0.003	0.001	0.002	0.001
17267	#27 Sohio A	0.118	0.019	0.005	0.004	0.008
17268	#28 Sohio #1	0.156	0.008	0.003	0.010	0.005
17269	#29 G.S. State	0.012	0.012	0.004	0.021	0.041
% IA		104	100	99	98	99
% EA		108	104	101	102	103
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8020,5030

Roland K. Tuttle
Roland K. Tuttle

3-26-99
Date



GULF STATES ANALYTICAL

6310 Rothway, Houston, Texas 77040
(713) 690-4444, Fax (713) 690-5646

Company: Address: Denver, CO Tele #:

T. Orenay 086 633 1744 80203 Fax #:

PO #: Project #: Reports Sent To: [REDACTED]

Whale Earth

Project Name: Project Location:

Tatum Dissemination Tatum, NM

Sampler(s) Name: (Signature)

M. J. M.

Courier:

	Haz. Sample (Y/N)	# of Containers	Other	Oil	Sludge	Soil	Water	Date	Time
1. # 25 Bell (17265)	3-17	8:10	✓					3	✓ 1-1
2. # 26 NBF (17264)	3-17	8:26	✓					3	✓ 1-1
3. # 27 Sahia A (17267)	3-17	8:44	✓					3	✓ 1-1
4. # 28 Sahia #1 (17268)	3-17	9:05	✓					3	✓ 1-1
5. # 29 G.S. State (17269)	3-17	9:25	✓					3	✓ 1-1
6.									
7.									
8.									
9.									
10.									
11.									
12.									
13.									

Special Detection Limits

M. M. J.
GSAI Group:

- QC Package: (check one)
 CLP Site Specific
 Tier 1 Tier 2 QC Summary

Relinquished by Sampler: (Signature)

Date Time: Received by: (Signature)

Date Time:

3-17-99 1345

Ronald Judd

Relinquished by: (Signature)

Date Time: Received by: (Signature)

Date Time:

Relinquished by: (Signature)

Date Time: Received by Laboratory: (Signature)

Date Time:

Remarks:

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-388-6510
 FAX: 281-648-8996

Receiving Date: 01/08/99
 Sample Type: Water
 Project: None Given
 Project Location: Tatum, New Mexico 88237

Analysis Date: 01/08/99
 Sampling Date: 01/06 & 01/07/99
 Sample Condition: Intact/soil/HCl

ELT#	FIELD CODE	BENZENE (mg/l)	TOLUENE (mg/l)	ETHYLBENZENE (mg/l)	m-p-XYLENE (mg/l)	<i>o</i> -XYLENE (mg/l)
18587	Sohio St. #1 - #17	0.876	0.138	0.094	0.339	0.163
18588	Sohio St. #1 - #18	1.10	0.247	0.107	0.415	0.203
18589	Sohio Sta. MW #19	0.040	0.014	0.006	0.021	0.013
18590	Sohio Sta. MW #20	0.341	0.010	0.005	0.028	0.008
18591	GS State MW #21	0.133	0.010	0.054	0.058	0.006
18592	GS State MW #22	0.036	0.010	0.020	0.048	0.017
18593	Sat. #4 MW #23	0.004	0.003	0.001	0.004	0.002
18594	Sat. #4 MW #24	0.004	0.003	<0.001	0.002	<0.001
18595	Mo Corn. MW #1	0.003	0.001	<0.001	0.002	0.004
18596	Mo Corn. MW #2	0.004	0.001	<0.001	0.003	0.001
18597	Marble Corn. MW #3	<0.001	0.002	0.012	0.042	0.016
18598	Marble Corn. MW #4	0.007	0.002	0.002	0.006	0.002
18599	Vera MW #5	0.002	0.002	0.001	0.004	0.002
18600	Bell A MW #6	0.127	0.001	0.003	0.006	0.001
18601	NBN MW #7	0.003	<0.001	<0.001	0.002	<0.001
18602	NBF MW #8	0.026	0.001	0.008	0.003	<0.001
18603	Sat. 4 MW #10	0.034	0.003	0.008	0.006	0.001
18604	Sohio St. #1 MW #10	1.00	0.087	0.158	0.214	0.095
18605	Sohio Sta. MW #11	0.061	0.011	0.006	0.018	0.012
18606	Bell A MW #13	0.001	<0.001	<0.001	0.003	0.001
18607	Bell A MW #14	0.154	<0.001	0.002	0.003	0.001
18608	NBF MW #15	1.83	1.49	0.182	0.728	0.350
18609	NBF MW #16	1.47	0.122	0.047	0.144	0.082
% IA		88	88	87	85	87
% EA		90	90	89	88	90
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8020.5030

Roland K. Tatum

Roland K. Tatum

1-11-99

Date

Environmental Lab of Texas, Inc. 12608 West 128 East Odessa, Texas 79763

(915)553-1800 FAX (915)553-1713

V. A. Vice Jr. Whole Earth

Phone: 1-800-834-4358

FAX # 505-358-6501

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

ANALYSIS REQUEST

Project Name & Address	Project ID#	Project Name:	ANALYSIS REQUEST								
			Sample Signature:	Matrix	Preservative	Sampling Method	Time	Date	Other		
Tatum, N.Mex	M/W	C. A. S.	WATER	AR	SLUDGE	HCL	HNO3	ICP	TDS	RCI	
			SOIL	AR	SLUDGE	HCL	HNO3	ICP	TDS	RCI	
			VOLUME/LITER	WATER	AR	SLUDGE	HCL	HNO3	ICP	TDS	RCI
			# CONTAINERS	WATER	AR	SLUDGE	HCL	HNO3	ICP	TDS	RCI
			FIELD CODE	WATER	AR	SLUDGE	HCL	HNO3	ICP	TDS	RCI
Labs (LAB USE) ONLY											
16401	NBN M/W #7	2	2	2	2	2	2	2	2	2	2
16402	NBF M/W #8	2	2	2	2	2	2	2	2	2	2
16403	SATLITE #9	2	2	2	2	2	2	2	2	2	2
16404	SOLN STA - NY 10/10	2	2	2	2	2	2	2	2	2	2
16405	SOLN STA: M/24/11	2	2	2	2	2	2	2	2	2	2
16406	BELL R M/10/13 #14	2	2	2	2	2	2	2	2	2	2
16407	NBC M/W #15-16	2	2	2	2	2	2	2	2	2	2
			Date:	01-08-99	OSSS	Received by:	On Mac Murray	REMARKS			
			Date:			Received by:					
			Date:			Received by Laboratory:					

Environmental Lab of Texas, Inc. 12601 West 130 East Odessa, Texas 79763
 (915) 533-1866 FAX (915) 533-1713

Project Name: "Sod" - Whole Earth

Project ID: 044-5-GAS

Phone #: 1-800-854-4353

ANALYSIS REQUEST

Project Name: 88967

Sample Number:

Soil f. Cane

LAB # (LAB USE) ONLY	FIELD CODE	CONTRAINERS	VOLUME/MEASURED	SAMPLE			REMARKS
				MATRIX	PRESERVATIVE	TIME	
16381	SCH10 STB	* 17-18	2				
16382	Salvo STB	M/10 17-18	2				
16383	GS STATE M/10 17-18	2	2				
16384	SATELLITE #1 M/10 17-18	2	2				

Date	Date	Time	Received by Laboratory
01-08-99			Concurrent
			Positive
			Received by Laboratory



QP-28

WHOLE EARTH ENVIRONMENTAL QUALITY PROCEDURE

Procedure for Developing Cased Water Monitoring Wells

Completed By:	Approved By:	Effective Date:	/	/
---------------	--------------	-----------------	---	---

1.0 Purpose

This procedure outlines the methods to be employed to develop cased monitoring wells.

2.0 Scope

This procedure shall be used for developed, cased water monitoring wells. It is not to be used for standing water samples such as ponds or streams.

3.0 Preliminary

3.1 Prior to development, the static water level and height of the water column within the well casing will be measured with the use of an electric D.C. probe or a steel engineer's tape and water sensitive paste.

3.2 All measurements will be recorded within a field log notebook and subsequently reported within the driller's boring log report.

3.3 All equipment used to measure the static water level will be decontaminated after each use by means of Alconox, a phosphate free laboratory detergent, and water to reduce the possibility of cross-contamination. The volume of water in each well casing will be calculated.

4.0 Purging

4.1 Wells will be purged by removing a minimum of three well casing volumes by using a 2" decontaminated submersible pump or dedicated one liter Teflon bailer.

4.2 If a submersible is used the pump will be decontaminated prior to use by scrubbing the outside surface of tubing and wiring with an Alconox-water mixture, pumping an Alconox-water mixture through the pump, and a final flush with fresh water.

5.0 Water Disposal

5.1 All purge and decontamination water will be temporarily stored within a 60 gallon portable tank and then pumped into a permanent storage tank to be later disposed of in an appropriate manner.

6.0 Records

6.1 Whole Earth will record the amount of water removed from the well during development procedures. The purge volume will be reported to the appropriate regulatory authority when filing the closure report.



Calculation for Determining the Minimum Bailing Volume for Monitor Wells

$$\text{Formula } V = (\pi r^2 h)$$

V= volume


π = pi

r= inside radius of the well bore

h= maximum height of well bore in water table

π	r^2	h (in)	V (cu. in)	V (gal)	X 3 Volumes	Actual
3.1416	1	180	565.488	2.448	7.344	>10

NO =



State NBF # 1 1999 Activity Summary

Monitor Well # 8

This well also reflected the “summer spike” in BTEX concentrations and is now reflecting declining values as the water table subsides.

Monitor Well # 15

This well also reflected the “summer spike” in BTEX concentrations. Due to the comparatively shallow gradient, the down-gradient monitor wells at this location have historically been three months behind all of the other sites in reflecting changes in point source concentrations. We anticipate that the January 2000 sampling round will show lower results.

Monitor Well # 16

This well also reflected the “summer spike” in BTEX concentrations and is now showing declining values as the water table subsides.


Monitor Well # 26

This lateral delineation well was drilled and completed in March 1999. We anticipate that the January 2000 sampling round will show lower results.

Monitor Well # 8
State NBF # 1
Sampling Results

Lab. #	12486	13175	14064	14663	15595	16602	17431	18594	20600
Sample Date	9/5/97	12/3/97	2/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/14/99	10/6/99
Benzene	0.302	0.017	0.048	0.034	0.005	0.028	0.032	0.023	0.160
Toluene	0.208	0.002	0.036	0.003	0.004	0.001	0.002	0.001	0.214
Ethylbenzene	0.039	0.001	0.013	0.007	0.001	0.003	0.004	0.001	0.036
m,p Xylene	0.253	0.001	0.038	0.011	0.004	0.003	0.003	0.002	0.143
o Xylene	0.161	0.002	0.011	0.003	0.004	0.001	0.001	0.001	0.081
Total Xylene	0.414	0.003	0.049	0.014	0.008	0.004	0.004	0.003	0.224
Total BTEx	1.377	0.023	0.146	0.058	0.018	0.036	0.042	0.028	0.634

NBF MW #8




Monitor Well # 15

State NBF

Sampling Results

Lab #	12729	13133	14049	14669	15600	16608	17435	18602	20612
Sample Date	10/2/97	12/3/97	3/23/98	6/25/98	10/1/98	1/8/99	4/1/99	7/14/99	10/6/99
Benzene	1.950	2.289	1.47	1.415	3.027	1.630	3.110	3.970	2.850
Toluene	1.823	1.176	1.23	1.165	1.630	1.490	1.980	3.070	1.850
Ethylibenzene	0.381	0.338	0.364	0.270	0.225	0.182	0.214	0.436	0.303
m,p Xylene	1.506	1.285	1.058	0.927	0.811	0.728	0.767	1.610	1.050
o Xylene	0.772	0.411	0.466	0.412	0.393	0.350	0.435	0.886	0.612
Total Xylene	2.278	1.696	1.524	1.339	1.204	1.078	1.202	2.496	1.662
Total BTEX	6.432	5.499	4.588	4.189	6.086	4.380	6.506	9.972	6.665

NBF MW # 15




Monitor Well # 16
State NBF # 1

Sampling Results

Lab. #	12730	13176	14050	14670	15808	16609	17436	18603	20613
Sample Date	9/5/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/16/99	7/15/99	10/6/99
Benzene	0.835	0.234	1.029	1.058	1.046	1.470	3.150	3.640	3.220
Toluene	0.111	0.003	0.086	0.113	0.065	0.122	0.164	0.116	0.776
Ethylbenzene	0.090	0.004	0.084	0.070	0.037	0.047	0.078	0.151	0.179
m,p Xylene	0.224	0.012	0.173	0.145	0.100	0.144	0.219	0.343	0.576
o Xylene	0.089	0.003	0.047	0.060	0.039	0.062	0.098	0.129	0.265
Total Xylene	0.313	0.015	0.220	0.205	0.139	0.206	0.317	0.472	0.841
Total BTEX	1.662	0.256	1.419	1.446	1.287	1.845	3.709	4.379	5.016

NBF MW # 16




Monitor Well # 26

NBF


Sampling Results

Lab. #	17266	48610	20614
Sample Date	4/6/99	7/14/99	10/6/99
Benzene	0.002	0.030	0.066
Toluene	0.003	0.024	0.059
ethylbenzen	0.001	0.027	0.016
m,p Xylene	0.002	0.006	0.057
o Xylene	0.001	0.019	0.031
Total Xylene	0.003	0.011	0.011
Total BTEX	0.009	0.106	0.229


NBF MW # 26



WHOLE EARTH ENVIRONMENTAL, INC.



NBF





Tipperary Corporation
Tatum Pit Closure Project
Monitor Well Water Elevation Table

Well Name	Monitor Well No.	Surface Elevation	Date Well Drilled	Water Depth Drill	Water Depth	Water Elev. 8/9/99	Water Depth 10/21/99	Water Elev. Oct. 99	Depth Change Aug / Oct. 99	Distance to Pit Center (ft)	Gradient (Ft / 100 Ft.)
Iva Recovery Well	1	4,298.42	Aug-93	52.0	4,246.42	48.83	4,243.27	51.75	4,240.35	2,92	115 0.080174
	2	4,292.10	Aug-97	54.9	4,231.20	53.0	4,236.93	49.17	4,242.76	51.50	140 0.053500
Mable Recovery Well	3	4,290.55	Aug-97	52.0	4,238.55	47.8	4,235.22	48.75	4,238.47	52.0	140 0.053500
Vera Pit Center	4	4,287.22	Aug-97	52.0	4,235.46	48.58	4,238.50	51.75	4,236.71	3.75	146 0.022500
Bell Pit Center	5	4,287.46	Aug-97	52.0	4,238.50	48.50	4,236.88	51.75	4,236.71	3.17	160 0.019313
NBN Pit Center	6	4,298.80	Aug-97	63.0	4,235.90	61.50	4,237.40	61.50	4,236.87	0.00	159 -0.037233
NBF Pit Center	7	4,281.12	Aug-97	51.0	4,230.12	42.13	4,238.99	43.01	4,238.11	0.88	93 0.021183
	8	4,280.34	Oct-97	47.8	4,233.04	40.83	4,240.01	43.66	4,237.18	2.83	51 0.044118
	15	4,280.60	Oct-97	48.3	4,232.50	43.00	4,237.80	43.50	4,237.30	0.50	47 0.048723
	16	4,280.37	Mar-99	47.4	4,232.97	43.50	4,236.87	43.50	4,236.87	0.00	154 0.017657
Sohio "A" Pit Center	10	4,281.59	Aug-97	50.0	4,231.59	43.50	4,238.09	43.50	4,238.09	0.00	107 0.008037
	17	4,266.16	Aug-97	48.0	4,256.86	41.50	4,223.66	35.75	4,223.66	0.00	165 0.045152
	18	4,259.11	Aug-97	47.8	4,211.61	40.75	4,224.93	37.00	4,222.68	2.25	199 0.036253
	28	4,259.68	Oct-97	47.0	4,212.68	34.75	4,223.06	36.10	4,222.96	0.10	247 0.031519
	30	4,259.06	Oct-97	47.1	4,211.96	35.00	4,223.06	36.10	4,222.96	0.10	247 0.031519
	31	4,258.04	Mar-99	43.0	4,254.04	34.75	4,223.29	34.60	4,223.44	-0.15	387 0.022791
Sohio "B" Pit Center	11	4,263.53	Aug-97	50.0	4,233.63	44.50	4,239.13	44.90	4,238.73	0.40	110 0.016273
	19	4,283.31	Oct-97	49.4	4,233.91	44.00	4,239.31	44.50	4,238.81	0.50	262 0.008033
	20	4,283.59	Oct-97	48.6	4,234.99	43.75	4,239.84	44.10	4,239.49	0.35	176 0.010388
	27	4,283.21	Mar-99	46.3	4,236.96	35.00	4,248.21	44.15	4,239.06	9.15	552 0.004004
	31	4,281.13	Aug-99	45.3	4,235.82	45.31	4,235.82	44.10	4,237.03	.21	776 0.005528
Sohio "C" Pit Center	12	4,286.84	Aug-97	50.0	4,286.84	38.25	4,247.63	38.50	4,247.38	0.25	115 0.008348
	19	4,285.86	Aug-97	50.0	4,285.88	38.25	4,247.67	35.15	4,250.82	2.65	164 0.005305
	20	4,285.96	Sep-97	48.7	4,237.27	32.50	4,253.47	43.66	4,247.30	0.66	151 0.005828
	27	4,285.27	Oct-97	49.5	4,236.46	38.00	4,247.96	38.66	4,247.30	0.40	264 0.004639
	31	4,283.54	Aug-99	37.5	4,246.09	37.45	4,246.09	38.90	4,244.64	1.45	624 0.005248
Q.S. State Source Well	12	4,307.00	Sep-97	48.0	4,259.00	42.00	4,259.00	42.50	4,260.37	0.15	52 0.017131
	21	4,303.27	Aug-97	48.0	4,255.27	42.75	4,260.52	42.90	4,259.42	0.41	164 0.005305
	22	4,303.08	Oct-97	48.0	4,255.08	43.25	4,259.63	43.66	4,259.42	0.41	151 0.005960
	29	4,302.77	Oct-97	47.5	4,255.27	43.50	4,259.27	43.90	4,258.87	0.40	148 0.025203
Sat # 4 Pit Center	9	4,208.66	Aug-97	31.0	4,177.66	26.17	4,182.49	26.75	4,181.91	0.58	80 0.035315
	23	4,209.03	Oct-97	28.0	4,181.03	26.25	4,182.78	27.15	4,181.88	0.90	158 0.015510
	24	4,208.64	Oct-97	28.9	4,179.74	26.06	4,182.56	26.45	4,182.19	0.37	150 0.019000

Note Vera, Bell and Satellite 4 had significant subsidence within the pit area.
The red elevations include an added 3.4g (ave of seven other sites)
Correct elevations noted in column 6



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

GARY E. JOHNSON

Governor

Jennifer A. Salisbury

Cabinet Secretary

Lori Wrotenbery

Director

Oil Conservation Division

March 15, 2001

CERTIFIED MAIL

RETURN RECEIPT NO. 5051-4218

Mr. Larry Sugano
Tipperary Corporation
633 Seventeenth St., Suite 1550
Denver, Colorado 80202

**RE: TATUM PIT CLOSURE PROJECT
LEA COUNTY, NEW MEXICO**

Dear Mr. Sugano:

The New Mexico Oil Conservation Division (OCD) has reviewed Tipperary Corporation's (TC) December 7, 2000 "PROGRESS REPORT FOR YEAR 2000, TATUM PIT CLOSURE PROJECT, LEA COUNTY, NEW MEXICO". This document contains TC's annual report on the results of monitoring of ground water contamination related to the closure of 8 unlined pits west of Tatum, New Mexico.

The OCD has the following comments and requests for information regarding the above-referenced document:

1. A review of the OCD's files shows that TC has never responded to the OCD's August 6, 1999 correspondence requiring information related to the remediation and monitoring of contaminated ground water at TC's Tatum Pit closure sites. Please provide this information.
2. The report does not contain a water table potentiometric map for each sampling event at each site which shows the location of the pit and excavated areas, the surveyed locations of all monitor wells and recovery wells and any other pertinent site features as well as the direction and magnitude of the hydraulic gradient created using the water table elevation in each monitor well. This information has been required in prior correspondence and must be submitted with the annual reports in order to be able to evaluate the effectiveness of the monitoring system. Please provide this information.

Larry G. Sugano

March 15, 2001

Page 2

3. The report does not contain information on the quarterly volume of ground water and product recovered at each site nor the total volume recovered at each site to date. This information has been required in prior correspondence and must be included in the annual reports in order to evaluate the effectiveness of the remediation system. Please provide this information.
4. The report does not contain information on the free product thickness in all wells containing products. Please provide this information such that the OCD can evaluate the effectiveness of the remediation system. In addition please provide this information in all future annual reports.

The above required information shall be submitted to the OCD Santa Fe Office by April 15, 2001 with a copy provided to the OCD Hobbs District Office.

If you have any questions, please call me at (505) 476-3491.

Sincerely,



William C. Olson

Hydrologist

Environmental Bureau

xc: Chris Williams, OCD Hobbs District Office
Mike Griffin, Whole Earth Environmental, Inc.



Tipperary
CORPORATION

633 Seventeenth Street
Suite 1550
Denver, Colorado 80202

December 7, 2000

VIA FEDERAL EXPRESS

Mr. William C. Olson
New Mexico Oil Conservation Division
2040 South Pacheco
Santa Fe, NM 87505

**RE: Progress Report for Year 2000
Tatum Pit Closure Project
Lea County, NM**

RECEIVED
DEC 15 2000
ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION

Dear Mr. Olson:

Please find enclosed additional results from our monitor wells in the subject project area. This report summarizes the results from water samples taken on January 8, April 13, July 20, and September 26, 2000. These results represent the tenth through thirteenth quarters of monitoring. In general, we are continuing to observe decreasing levels of BTEX in the monitor wells.

The Executive Summary section contains the following:

- Observations by well of sampling results.
- Summary of water depths in each monitor well.
- Lab results and chain of custody records for the water samples.

Detailed results are presented in tabular and graphical format for each monitor well. The monitor well data is grouped by site location in the report.

We will continue to sample the project quarterly and report the results to your office on an annual basis. If you have any questions, please call me at (303) 293-9379.

Very truly yours,


Larry G. Sugano
Vice President - Engineering

cc: NMOCD Hobbs Office

Enclosures

RECEIVED

DEC 15 2000



Tipperary
CORPORATION

ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION

**Tipperary Corporation
Tatum Pit Closure Project
Monitor Wells
Sampling Results
For Year 2000**



Whole Earth Environmental
19606 San Gabriel
Houston, Tx. 77084

Bagley Field Water Sampling Results Summary

Iva COM

Monitor Wells # 1, 2

BTEX concentrations within the source well remain on a decline curve. They are approximately one half of the initial concentrations and one fifth of the peak concentrations. Monitor Well # 1 continues to show no criteria contaminant concentration exceeding NMWQCC standards however Monitor Well # 2 presented us with an unusual spike in the toluene and xylene concentrations. I'm certain that this is the result of cross contamination within the pump and tubing from Monitor Well # 3.

Mable COM

Monitor Wells # 3, 4

The BTEX concentrations within the source well continue to climb indicating that we are drawing free product. Monitor well # 3 pumped approximately 40% free product. We need to install a sock in the well bore to remove as much free oil as possible. Monitor Well # 4 shows the result of cross contamination from the Iva well # 3.

Bell

Monitor Wells # 6, 13, 14, 25

All wells within the Bell sample matrix continue to show a decline in BTEX concentrations. Two of the four wells are presently at acceptable levels and the other two very near. If this trend continues, we should show all four wells being at acceptable concentrations next year.

NBF

Monitor Wells # 8, 15, 16, 26

Well no. 8 (immediately adjacent to the pit site) continues to show acceptable concentrations. Wells # 15 & 26 have absorbent socks within the bores and resultantly showed a decline in BTEX concentrations of 58% over the last sampling round. Well # 16 shows large amounts of iron sulfide. I recommend that all three outlying wells be equipped with new absorbent socks.

Sohio State # 1

Monitor Wells # 10, 17, 18, 28, 30

Well # 10 continues to show modest declines over the last three sampling periods. Wells # 17 & 18 both have absorbent socks but still contain free product within the samples. I believe that the socks are now saturated beyond their useful lives and should be replaced. The two outermost wells both showed very significant reductions in concentrations. I hope that this is due to the upstream placement of the socks.

Sohio State "A"

Monitor Well # 11, 19, 20, 27, 31

The four nearest monitor wells show a 63% reduction in BTEX concentrations over the last sampling period. These four wells also showed the largest drop in the level of the water table. Only Well # 20 contains an absorbent sock but it registered an 87% reduction in BTEX concentrations. The outermost well, # 31 showed an increase in all BTEX concentrations.

GS State # 1

Monitor Wells # 12, 21, 22, 29

Wells # 12, 21, & 22 all contain absorbent socks and all showed a dramatic reduction in BTEX. Each well continues to contain free product and iron sulfide within the sample fluids. The outermost well, No. 29, also show a significant decline in concentrations over the previous sampling round.

Satellite # 4

Monitor Wells # 9, 23, 24

The Benzene concentrations within each of the three wells remain close to but above the water quality standards. Like Bell, we should have acceptable results next year.

Tipperary Corporation
Tatum Pit Closure Project
Depth to Water

Well Name	Monitor Well No.	Water Depth @ Drill Date	Water Depth 8/9/99	Water Depth 10/21/99	Water Depth 1/8/00	Water Depth 4/13/00	Water Depth 7/20/00	Water Depth 9/26/00
Iva	1	54.9	48.8	51.8	51.7	51.6	51.7	51.8
	2	53.0	49.2	51.5	51.4	51.5	51.6	51.7
Mable	3	52.0	48.8	52.5	52.4	53.7	53.7	53.7
	4	52.0	48.6	51.8	51.6	52.8	51.8	51.8
Bell	6	51.0	42.1	43.0	43.7	44.3	44.4	44.5
	13	47.8	40.8	43.7	44.2	44.0	43.9	44.0
	14	48.3	43.0	43.5	43.9	44.2	44.3	44.2
	25	47.4	43.5	43.5	43.9	44.0	44.0	44.0
NBF	8	48.0	35.8	35.8	36.1	37.1	35.6	35.9
	15	47.0	34.8	37.0	37.1	37.9	37.5	36.3
	16	47.1	36.0	36.1	36.2	36.2	36.2	36.2
	26	43.0	34.8	34.6	34.9	35.9	35.1	35.2
Sohio 1	10	50.0	44.5	44.9	43.9	44.2	45.0	44.9
	17	49.4	44.0	44.5	44.4	44.7	44.5	44.7
	18	48.6	43.8	44.1	45.4	46.4	45.7	45.4
	28	46.3	35.0	44.2	45.8	44.9	44.9	45.1
	30	45.3	45.3	44.1	44.2	44.8	44.3	44.3
Sohio A	11	50.0	38.3	38.5	37.8	38.3	38.3	38.8
	19	48.7	32.5	35.2	37.9	38.2	38.3	38.4
	20	49.5	38.0	38.7	38.0	38.4	38.5	38.4
	27	40.0	36.8	38.2	37.9	38.2	38.1	38.6
	31	37.5	37.5	38.9	39.7	38.5	38.5	38.1
G.S. State	12	48.0	42.8	42.9	44.1	43.2	44.7	44.2
	21	48.0	43.3	43.7	43.9	44.0	44.2	44.3
	22	47.5	43.5	43.9	44.0	44.0	44.0	44.1
	29	49.1	44.0	44.3	44.2	44.3	44.7	44.7
Sat. 4	9	31.0	26.2	26.8	26.8	27.1	27.0	27.0
	23	28.0	26.3	27.2	27.4	27.2	27.2	27.3
	24	28.9	26.1	26.5	26.8	26.9	26.8	26.8

Oct 13 00 09:35a

ENVIRONMENTAL LAB OF INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: VICTOR A. VICE
 P.O. BOX 857
 TATUM, N.M. 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water

Sample Condition: Intact/ Iced/ HCl/ -2 deg. C

Project #: None Given

Project Name: None Given

Project Location: Tatum, N.M.

Sampling Date: 09/26/00

Receiving Date: 09/28/00

Analysis Date: 10/06/00

ELTH#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L
31487	MW 13	0.003	0.004	0.003	0.011	0.004
31488	MW 14	0.024	<0.001	0.006	0.011	0.004
31489	MW 25	0.001	<0.001	0.003	0.010	0.004
31490	MW 8	<0.001	<0.001	0.002	0.008	0.003
31491	MW 15	2.89	1.55	0.239	0.750	2.42
31492	MW 16	2.12	0.092	0.099	0.143	0.063
31493	MW 26	0.053	0.022	0.008	0.019	0.010
31494	Iva Source	0.865	0.495	0.080	0.833	0.636
31495	Mable Source	0.980	1.45	0.141	2.36	1.53
31496	G. S. Source	0.415	0.136	0.070	0.391	0.185
31497	MW 21	0.017	0.011	0.014	0.026	0.013
31498	MW 22	0.171	0.022	0.062	0.051	0.099
31499	MW 29	0.016	0.008	0.006	0.020	0.011
31500	MW 9	0.017	0.008	0.004	0.017	0.010
31501	MW 23	0.014	0.007	0.003	0.014	0.008
31502	MW 24	0.009	0.005	0.003	0.012	0.007
% IA		95	95	96	100	92
% EA		92	90	89	95	85
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Raland K. Tuttle

Raland K. Tuttle

10-13-00

Date

Oct 13 00 09:35a

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: VICTOR A. VICE
 P.O. BOX 857
 TATUM, N.M. 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ -2 deg. C
 Project #: None Given
 Project Name: None Given
 Project Location: Tatum, N.M.

Sampling Date: 09/26/00
 Receiving Date: 09/28/00
 Analysis Date: 10/06/00

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	<i>o</i> -XYLENE mg/L
31503	MW 1	<0.001	0.003	0.006	0.020	0.008
31504	MW 2	<0.010	0.088	<0.010	0.072	0.019
31505	MW 3	<0.200	6.81	1.21	6.38	12.6
31506	MW 4	0.129	2.95	<0.005	1.76	<0.005
31507	MW 6	0.016	<0.001	0.010	0.006	0.002
31508	MW 10	1.62	0.036	0.127	0.308	0.109
31509	MW 17	1.30	0.291	0.165	0.610	0.324
31510	MW 18	2.46	0.432	0.201	0.920	0.544
31511	MW 28	0.076	0.041	0.014	0.186	0.111
31512	MW 30	0.026	0.016	0.010	0.025	0.019
31513	MW 11	0.043	0.009	0.007	0.013	0.008

% IA	109	110	110	111	111
% FA	103	94	99	94	93
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Roland K. Tuttle10-13-00
Date

Oct 13 00 09:36a

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: VICTOR A. VICE
 P.O. BOX 857
 TATUM, N.M. 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water

Sample Condition: Intact/ Iced/ HCl/ -2 deg. C

Project #: None Given

Project Name: None Given

Project Location: Tatum, N.M.

Sampling Date: 09/26/00

Receiving Date: 09/28/00

Analysis Date: 10/06/00

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	<i>o</i> -XYLENE mg/L
31514	MW 19	0.229	0.005	0.003	0.011	0.004
31515	MW 20	0.008	0.005	0.004	0.012	0.007
31516	MW 27	0.249	0.004	0.003	0.023	0.010
31517	MW 31	0.118	0.004	0.004	0.010	0.004
31518	MW 12	0.820	0.066	0.354	1.48	0.365

% IA	109	110	110	111	111
% EA	102	101	104	103	102
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Raland K. Tuttle
 Raland K. Tuttle

10-13-00
 Date

Environmental Lab of Texas, Inc. 12600 West I-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

Oct 13 00 09:36a

P.6

CHAIN-OFF-CUSTODY RECORD AND ANALYSIS REQUEST

Project Name:		Phone #:		Phone #:		ANALYSIS REQUEST	
Company Name & Address:		FAX #:					
<i>Highway Catcher C-16</i>							
Project #:		Project Name:					
<i>Tuff Recovery Company - San Angelo</i>		<i>M. Goff</i> Customer Signature:					
LAB # (LAB USE ONLY)	FIELD CODE	# COLLECTOR(S)	VOLUME/AMOUNT	SOLID/	LIQUID/	GAS/	TIME
31508	MW 10	8	✓	✓	✓	✓	9-26
31509	" 17						
31510	" 18						
31511	" 28						
31512	" 30						
31573	MW 11						
31574	19						
31575	20						
31576	27						
31577	31						
31578	12						
Relinquished by: <i>M. Goff</i>		Date: 9-28	Time: 0910		Received by: <i>J. memory</i>		REMARKS Rec. -2°C
Relinquished by:		Date:	Time:		Received by:		
Relinquished by:		Date:	Time:		Received by:		

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CONTACT RECORD AND ANALYSIS REQUEST

Project Name:		Phone #:		ANALYSIS REQUEST:	
Company Name & Address:		Fax #:			
Cibolo Creek Line					
Project #:		Project Name:			
T-1000000		Groundwater			
Project Director:		Sample Signature:			
M. J. H.					
USE	SAMPLE CODE	SUBSTANCES	VOLUME/AMOUNT	METHOD	PRESERVATIVE
ONE					
31497	MW 31		2	✓	✓
31498	27				9-26 ✓
31499	29				
31500	9				
31501	23				
31502	24				
31503	1				
31504	8				
31505	3				
31506	4				
31507	6				
Reinquainted by:		Date:	Time:	REMARKS	
M. J. H.		9-28	0910	Rec. - 2 OC	
Reinquainted by:		Date:	Time:	Received by:	
				Received by Laboratory:	
Reinquainted by:		Date:	Time:	Received by:	

Environmental Lab of Texas, Inc. 12600 West 1-30 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY REQUEST AND ANALYSIS REQUEST

Project Name:	Phone #: 800) 864-4358	ANALYSIS REQUEST:	
Company Name & Address:	FAX #: 800) 864-4358		
Project #: Whole Earth Enviro.	Project Name:		
Project Location:	Sampler Signature: M.G.H.		
Lab #:	Sample ID:	REMARKS	
LAB USE:			
ONE:			
FIELD CODE:			
Volume/Amount:			
CONTAINER:			
MATERIAL:			
WATER:			
AIR:			
SOIL:			
OTHER:			
HONEY:			
ICE:			
CORAL:			
SHIRT:			
PAPER:			
GLASS:			
PLASTIC:			
OTHER:			
QTY:			
WEIGHT:			
SIZE:			
TIME:			
DATE:			
METHOD:			
PRESERVATIVE:			
SAMPLING:			
RECEIVED BY:	Time:	Received by:	
RELEASER BY:	Date:	Time:	Received by:
RELEASER BY:	Date:	Time:	Received by Laboratory:

31487 MW 13 2 ✓ ✓ 9-26 ✓
 31488 14
 31489 25
 31490 8
 31491 15
 31492 16
 31493 24
 31494 lava sewage
 31495 Mable Sewage
 31496 G.S. Sewage

REMARKS: Rec. -2c

M. G.H. ~ 9-28 09/0

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-8510
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iodized HCl/ 34 deg. F
 Project #: Monitoring Well Quarterly Sampling
 Project Name: None Given
 Project Location: Tatum

Sampling Date: 07/20/00
 Receiving Date: 07/21/00
 Analysis Date: 07/24/00

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
28434	MW-9	0.047	0.081	0.026	0.126	0.061
28435	MW-4	0.002	0.006	0.008	0.028	0.016
28436	MW-2	<0.001	0.003	0.002	0.006	0.003
28437	MW-16	2.62	0.278	0.149	0.424	0.178
28438	MW-3	<0.001	<0.001	0.107	0.790	0.380
28439	MW-1	<0.001	<0.001	0.004	0.018	0.008
28440	MW-6	0.048	0.002	0.015	0.006	0.002
28441	MW-10	1.86	0.099	0.132	0.391	0.186
28442	MW-11	0.070	0.075	0.026	0.144	0.055
28443	MW-13	0.002	0.002	0.001	0.004	0.002
28444	MW-14	0.038	0.002	0.003	0.005	0.002
28445	MW-15	2.63	4.32	0.655	3.86	6.66
28446	MW-17	1.28	0.203	0.150	0.546	0.294
28447	MW-18	2.18	0.643	0.204	1.10	0.683
28448	MW-19	0.377	0.052	0.017	0.076	0.031
28449	MW-20	0.038	0.074	0.023	0.106	0.042
28450	MW-21	0.084	0.122	0.067	0.236	0.076
28451	MW-22	0.275	0.122	0.088	0.292	0.103
28452	MW-23	0.031	0.058	0.020	0.097	0.048

% IA	94	94	94	104	96
% EA	92	99	89	110	92
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Raland K. Tuttle
 Raland K. Tuttle

7-26-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water

Sampling Date: 07/20/00

Sample Condition: Intact/ Iced/ HCl/ 34 deg. F

Receiving Date: 07/21/00

Project #: Monitoring Well Quarterly Sampling

Analysis Date: 07/25/00

Project Name: None Given

Project Location: Tatum

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
28453	MW-24	0.021	0.046	0.018	0.083	0.041
28454	MW-25	<0.001	0.001	0.002	0.005	0.002
28455	MW-26	0.177	0.230	0.036	0.128	0.075
28456	MW-27	0.385	0.048	0.017	0.092	0.038
28457	WM-28	0.219	0.180	0.042	0.233	0.128
28458	MW-29	0.045	0.080	0.027	0.121	0.053
28459	MW-30	0.080	0.100	0.028	0.133	0.075
28460	MW-31	0.137	0.046	0.017	0.078	0.032
28461	GS Source	0.481	0.153	0.083	0.378	0.188
28462	MW-12	1.09	<0.025	1.37	10.5	2.28
28463	MW-8	0.002	0.003	0.002	0.008	0.003
28464	IVA Source	1.00	0.815	0.104	0.866	0.676
28465	Mabel Source	0.552	0.622	0.166	1.67	1.01
<hr/>						
% IA		94	94	94	104	96
% EA		92	99	89	110	92
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Roland K. Tuttle

Roland K. Tuttle

7-26-00

Date

Environmental Lab of Texas, Inc. 12600 West I-20 East Odessa, Texas 79763
 (915) 543-1800 FAX (915) 543-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager		Project Name & Address		ANALYSIS REQUEST		Page 2 of 3	
Elliott Jernet		Whole Earth/T Poco Y Monitor well Quarterly Sample, inc Project Location: Tatum		Project Name: <i>Sample of Groundwater</i>			
LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS	VOLUME/AMOUNT	MATRIX	PRESERVATIVE METHOD	SAMPLING TIME	REMARKS
284451	MW-15	1	X	AIR	ICL	20 AM	RCC 340F
284454	MW-17	1	X	WATER	ICL	20 PM	
284457	MW-18	1	X	SOLID	ICL	20 PM	
284458	MW-19	1	X	SOLID	ICL	20 PM	
284459	MW-20	1	X	SOLID	ICL	20 PM	
284500	MW-21	1	X	SOLID	ICL	20 PM	
284511	MW-22	1	X	SOLID	ICL	20 PM	
284522	MW-23	1	X	SOLID	ICL	20 PM	
284533	MW-24	1	X	SOLID	ICL	20 PM	
284544	MW-25	1	X	SOLID	ICL	20 PM	
284555	MW-26	1	X	SOLID	ICL	20 PM	
Submitted by: <i>Z. Jernet</i>		Date:	Time:	Received by: J. McCormick			
Submitted by: <i>Z. Jernet</i>		Date:	Time:	Received by: R. C. C.			
Submitted by: <i>Z. Jernet</i>		Date:	Time:	Received by: Laboratory			

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Project Name:		ANALYSIS REQUEST		3 of 3	
Elliott Werner / Tiffeney					
Monitored Well Quarterly Sampling					
Project Location:					
Tatum					
LAB # (USE ONLY)	FIELD CODE	# COLUMNS	MATRIX	PRESERVATIVE METHOD	SAMPLING TIME
28454	MW-27	1	X	X	1/20 3:00 PM
28457	MW-28	1			1/20 3:00 PM
28458	MW-29	1			1/20 3:00 PM
28459	MW-30	1			1/20 3:00 PM
28460	MW-31	1			1/20 3:00 PM
28461	Cas Source	1			1/20 3:00 PM
28462	MW-12	1			1/20 3:00 PM
28463	MW-8	1			1/20 3:00 PM
28464	TVA Source	1			1/20 3:00 PM
28465	Model Source	1			1/20 3:00 PM
Date Received by:		Time:		REMARKS	
2001-01-21		11:10 AM			
Date Received by:		Time:			
Date Received by Laboratory:		Time:			
Project Name:					
Elliott Werner / Tiffeney					
Monitored Well Quarterly Sampling					
Project Location:					
Tatum					
LAB # (USE ONLY)	FIELD CODE	# COLUMNS	MATRIX	PRESERVATIVE METHOD	SAMPLING TIME
28454	MW-27	1	X	X	1/20 3:00 PM
28457	MW-28	1			1/20 3:00 PM
28458	MW-29	1			1/20 3:00 PM
28459	MW-30	1			1/20 3:00 PM
28460	MW-31	1			1/20 3:00 PM
28461	Cas Source	1			1/20 3:00 PM
28462	MW-12	1			1/20 3:00 PM
28463	MW-8	1			1/20 3:00 PM
28464	TVA Source	1			1/20 3:00 PM
28465	Model Source	1			1/20 3:00 PM
Date Received by:		Time:		REMARKS	
2001-01-21		11:10 AM			
Date Received by:		Time:			
Date Received by Laboratory:		Time:			

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/Iced/HCl
 Project #: Tatum Water Samples
 Project Name: None Given
 Project Location: None Given

Sampling Date: See Below
 Receiving Date: 04/19/00
 Analysis Date: 04/25/00

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)	Sample Date
25151	MW #11	0.087	0.039	0.014	0.070	0.043	04/18/00
25152	MW #19	0.408	0.041	0.014	0.070	0.040	04/18/00
25153	MW #31	0.602	0.067	0.020	0.121	0.070	04/18/00
25154	MW #10	2.36	0.263	0.195	0.421	0.216	04/18/00
25155	MW #17	1.77	0.209	0.176	0.616	0.344	04/18/00
25156	MW #18 <i>Fairly Poor</i>	3.10	3.11	0.723	4.82	2.95	04/18/00
25157	MW #28	0.055	0.026	<0.010	0.033	0.011	04/18/00
25158	MW #30	0.003	0.005	0.003	0.010	0.004	04/18/00
25159	MW #2A	<0.001	0.011	0.005	0.014	0.006	04/13/00
25160	MW #20	0.025	0.030	0.012	0.057	0.033	04/18/00
25161	Mable Source	0.485	0.342	0.048	0.978	0.685	04/13/00
25162	MW #3	<0.001	0.030	0.022	0.062	0.023	04/13/00
25163	MW #4	0.006	0.009	0.004	0.011	0.005	04/13/00

% IA	99	96	96	103	96
% EA	103	94	98	112	97
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Raland K. Tuttle
 Raland K. Tuttle

4-27-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/Iced/HCl
 Project #: Tatum Water Samples
 Project Name: None Given
 Project Location: None Given

Sampling Date: See Below
 Receiving Date: 04/19/00
 Analysis Date: 04/24/00

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)	Sample Date
25140	MW #15	2.40	1.78	0.254	1.08	0.540	04/13/00
25141	MW #16	3.05	0.226	0.153	0.473	0.203	04/13/00
25142	MW #26	0.092	0.108	0.024	0.090	0.048	04/13/00
25143	MW #9	0.048	0.065	0.016	0.054	0.030	04/13/00
25144	MW #23	0.030	0.056	0.014	0.051	0.027	04/13/00
25145	MW #24	0.020	0.041	0.012	0.043	0.022	04/13/00
25146	G.S. Source	0.763	0.184	0.068	0.434	0.189	04/14/00
25147	MW #12	0.871	0.162	0.246	0.932	0.261	04/14/00
25148	MW # 21	0.085	0.009	0.054	0.015	0.006	04/14/00
25149	MW #22	0.413	0.057	0.017	0.082	0.048	04/14/00
25150	MW # 29	0.006	0.008	0.003	0.016	0.018	04/18/00

% IA	96	95	95	98	93
% EA	102	98	89	88	83
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Roland K. Tuttle
 Roland K. Tuttle

4-27-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/Iced/HCl
 Project #: Tatum Water Samples
 Project Name: None Given
 Project Location: None Given

Sampling Date: 04/13/00
 Receiving Date: 04/19/00
 Analysis Date: 04/26/00

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
25164	Iva Source	1.43	1.51	0.176	1.52	1.10
25165	MW #1	<0.001	0.006	0.005	0.015	0.007
25166	MW #2	<0.001	0.007	0.005	0.016	0.006
25167	MW #6	0.208	0.007	0.020	0.022	0.005
25168	MW #13	0.004	0.002	0.002	0.006	0.002
25169	MW #14	0.195	0.004	0.004	0.009	0.003
25170	MW #25	0.002	0.002	0.002	0.005	0.002
25171	MW #8	0.002	0.002	0.002	0.003	0.001
25172	Sohio B (Blank)	<0.001	0.001	<0.001	0.001	<0.001

% IA	100	98	100	107	99
% EA	102	97	98	106	95
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Roland K. Tuttle
 Roland K. Tuttle

4-27-00
 Date

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: <i>M. G. H.</i>	Phone #: (800) 3854-4358 Fax #: (281) 646-8996	ANALYSIS REQUEST									
Company Name & Address: <i>Whole Earth Environmental</i>	Project Name: <i>Tatum Water Samples</i>										
Project #: <i>25161</i>	Sampler Signature: <i>[Signature]</i>										
LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS		PRESERVATIVE METHOD	SAMPLING TIME	DATE	OTHER	HNO3	HCl	ICP	RCI
		VOLUME/AMOUNT	WATER								
25161	Marble Source	✓	1	✓	4-13	9:33	✓				
25162	MW 3	✓	1	✓	4-13	9:35	✓				
25163	" 4	✓	1	✓	4-13	9:35	✓				
25164	Iva Source	✓	1	✓	9:20	✓					
25165	MW 1	✓	1	✓	9:50	✓					
25166	" 2	✓	1	✓	10:33	✓					
25167	" 6	✓	1	✓	10:10	✓					
25168	" 13	✓	1	✓	11:15	✓					
25169	" 14	✓	1	✓	11:49	✓					
25170	" 25	✓	1	✓	11:32	✓					
25171	" 3	✓	1	✓	11:46	✓					
				Times:							REMARKS
Reinquainted by: <i>M. H.</i>	Date: <i>4-19-00</i>	Times: <i>6:04 P.M.</i>									Received by: <i>P. C. H.</i>
Reinquainted by: <i></i>	Date: <i></i>	Times: <i></i>									Received by: <i></i>
Reinquainted by: <i></i>	Date: <i></i>	Times: <i></i>									Received by Laboratory: <i></i>

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Request Number:

M. Griffis

Company Name & Address:

Whole Earth Environmental

Project Name:

Tatum Water Sampling

Sampler Signature:

Phone #: (800) 854-4358

FAX #: (281) 646-8996

ANALYSIS REQUEST

LAB USE (LAB USE ONLY)	FIELD CODE	VOLUME/AMOUNT # CONTAINERS	SAMPLING		
			MATRIX	PRESERVATIVE METHOD	TIME
25151	MW 11	✓	✓	V	4/18
25152	MW 19	✓	✓		11:15
25153	MW 207	✓	✓		11:00
25152	MW 31	✓			10:45
25154	MW 10	✓			10:30
25155	MW 17	✓			10:45
25156	MW 18	✓			9:50
25157	MW 23	✓			9:40
25158	MW 30	✓	✓		9:40
25159	MW-2A	✓	✓		4/3 10:33
25160	MW-2D	✓	✓		4:48

RECORDED BY:	DATE:	TIME:	REMARKS
M. Griffis	4-19-00	6:10 pm	Chloride not run because of HCl preservative
RECORDED BY:	DATE:	TIME:	MW-27 - Damaged in transport as per Mike W/100
RECORDED BY:	DATE:	TIME:	Received by Laboratory

* Also Fax Tipperary @ 303-291-0398 Attn: Lerry Sugano

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: <i>M. Gaff.</i>	Phone #: (800) 854-4358 FAX #: (281) 646-8996	ANALYSIS REQUEST											
Company Name & Address: Whole Earth Environmental	Project Name : Tatum Water Sampling												
Project #: 25140	Sampler Signature: <i>M. Gaff.</i>												
LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS	Volume/Amount	MATRIX	PRESERVATIVE METHOD	SAMPLING TIME	TESTS						
							DATE	OTHER	NONE	ICE	HNO3		
25140	MW15	1	1	✓	✓	4-13 2:31							
25141	MW16	1	1	✓	✓	2:47							
25142	" 26	1	1	✓	✓	3:05							
25143	" 9	1	1	✓	✓	3:28							
25144	" 23	1	1	✓	✓	3:44							
25145	" 24	1	1	✓	✓	4-13 4:08							
25146	65. Sample	1	1	✓	✓	4-14 8:15							
25147	Mud st 12	1	1	✓	✓	9:15							
25148	" 21	1	1	✓	✓	8:40							
25149	" 22	1	1	✓	✓	9:40							
25150	" 24	1	1	✓	✓	4-18 8:15							
Reinquished by:		Date:	Times:	REMARKS					Received by:				
<i>M. Gaff.</i>		4-19-00	1810	Check out									
Reinquished by:		Date:	Times:						Received by:				
Reinquished by:		Date:	Times:						Received by Laboratory:				

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

ANALYSIS REQUEST					
Project Number:	Phone #: (800) 8574-4358 FAX #: (281) 646-8096				
Company Name & Address:					
Project #:	Project Name : Tatun Int'l Sampling				
Project Location:	Sampler Signature: M. J. G.				
LAB # (LAB USE ONLY)	FIELD CODE	Volume/Amount	CONTAINERS		
			MATRIX	PRESERVATIVE	SAMPLING METHOD
TIME	DATE	OTHER	HNO3	ICP	TDS
SLUDGE	OTHER	AIR	HCL	TCLP Semi Volatiles	TCLP Volatiles
SOLID	WATER	SOIL	OTHER	Total Metals Ag As Be Cd Cr Pb Hg Se	TCLP Metals Ag As Be Cd Cr Pb Hg Se
BTX B11210/S030					
TPH 418.1					
RCI					
REMARKS #2A Same as MU-2A as per Note					
Requisitioned by: <i>M. J. G.</i>	Date: 4-19-00	Time: 6:15	Received by: <i>Blackhead</i>		
Requisitioned by: <i></i>	Date:	Time:	Received by: <i></i>		
Requisitioned by: <i></i>	Date:	Time:	Received by Laboratory: <i></i>		
<i>#2A Same as MU-2A as per Note</i>					
11/24/00					

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 201-646-8996


Sample Type: Water
 Sample Condition: Intact/Iced/HCl
 Project #: None Given
 Project Name: None Given
 Project Location: Tatum, N.M.

Sampling Date: 01/08/00
 Receiving Date: 01/13/00
 Analysis Date: 01/16/00

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
22776	130	0.086	0.095	0.024	0.104	0.063
22777	123	0.019	0.031	0.019	0.083	0.033
22778	124	0.016	0.030	0.016	0.071	0.030
22779	113	0.056	0.005	0.004	0.008	0.004
22780	#4 SOH # 27	0.080	0.056	0.016	0.064	0.038
22781	128	1.32	0.954	0.227	1.04	0.822
22782	G.S. SW	0.804	0.348	0.139	0.825	0.484
22783	122	0.204	0.058	0.108	0.294	0.083
22784	125	0.002	0.001	0.001	0.004	0.002
22785	121	0.069	0.041	0.091	0.131	0.046
22786	119	0.355	0.055	0.016	0.070	0.042
22787	131	0.383	0.044	0.013	0.072	0.040
22788	128	0.140	0.158	0.030	0.119	0.064
22789	MW-2	0.002	0.002	0.001	0.004	0.002
22790	117	1.87	0.353	0.221	0.782	0.429

% IA	92	90	86	88	86
% EA	90	86	86	84	85
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030


 Roland K. Tuttle

1-19-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-6510
 FAX: 201-846-8996

Sample Type: Water
 Sample Condition: Intact/Iced/HCl
 Project #: None Given
 Project Name: None Given
 Project Location: Tatum, N.M.

Sampling Date: 01/08/00
 Receiving Date: 01/13/00
 Analysis Date: 01/16/00

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
22759	115	3.25	2.55	0.335	1.24	0.654
22760	118	0.334	0.186	0.074	0.257	0.149
22761	18	0.007	0.008	0.007	0.015	0.008
22762	110	2.35	0.520	0.187	0.586	0.329
22763	111	0.088	0.075	0.035	0.086	0.054
22764	112	1.03	0.398	1.24	8.03	2.09
22765	18	0.170	0.007	0.026	0.022	0.008
22766	MW-3	0.022	0.032	0.046	0.215	0.131
22767	MW-1	0.002	0.002	<0.001	0.003	0.002
22768	MW-4	0.004	0.004	0.004	0.011	0.004
22769	120	0.064	0.064	0.019	0.075	0.044
22770	114	0.003	0.002	0.002	0.008	0.002
22771	G.S. Last H29	0.032	0.034	0.024	0.104	0.043
22772	116	1.17	0.122	0.068	0.163	0.083
22773	19	0.030	0.036	0.021	0.088	0.036
22774	IV-A Source	2.35	3.76	0.458	3.21	1.91
22775	Marble Source	0.534	0.548	0.136	1.03	0.946

% IA	92	90	86	88	86
% EA	90	86	86	94	85
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030

Roland K. Tuttle
 Roland K. Tuttle

1-19-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

TIPPERARY
 ATTN: MR. VICTOR A. VICE
 P.O. BOX 857
 TATUM, NM 88267
 FAX: 505-398-8510
 FAX: 281-646-8996

Sample Type: Water
 Sample Condition: Intact/ Iced/ HCl/ 34 deg. F
 Project #: Monitoring Well Quarterly Sampling
 Project Name: None Given
 Project Location: Tatum

Sampling Date: 07/20/00
 Receiving Date: 07/21/00
 Analysis Date: 07/24/00

ELTH	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
28434	MW-9	0.047	0.081	0.026	0.126	0.061
28435	MW-4	0.002	0.006	0.008	0.028	0.016
28436	MW-2	<0.001	0.003	0.002	0.006	0.003
28437	MW-16	2.62	0.278	0.149	0.424	0.178
28438	MW-3	<0.001	<0.001	0.107	0.790	0.380
28439	MW-1	<0.001	<0.001	0.004	0.018	0.008
28440	MW-6	0.048	0.002	0.015	0.006	0.002
28441	MW-10	1.86	0.099	0.132	0.391	0.186
28442	MW-11	0.070	0.075	0.026	0.144	0.055
28443	MW-13	0.002	0.002	0.001	0.004	0.002
28444	MW-14	0.038	0.002	0.003	0.005	0.002
28445	MW-15	2.63	4.32	0.655	3.86	6.66
28446	MW-17	1.28	0.203	0.150	0.546	0.294
28447	MW-18	2.18	0.643	0.204	1.10	0.683
28448	MW-19	0.377	0.052	0.017	0.076	0.031
28449	MW-20	0.038	0.074	0.023	0.106	0.042
28450	MW-21	0.084	0.122	0.067	0.236	0.076
28451	MW-22	0.275	0.122	0.088	0.292	0.103
28452	MW-23	0.031	0.058	0.020	0.097	0.048
<hr/>						
% IA		94	94	94	104	96
% EA		92	99	89	110	92
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: SW 846-8021B,5030


Roland K. Tuttle

7-26-00


Date

NBF

Monitor Well # 8
 State NBF # 1
 Sampling Results

Lab. #	12486	13175	14064	14663	15595	16602	17431	18594	20600	22761	25171	28463	31490
Sample Date	9/5/97	12/3/97	2/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/14/99	10/6/99	1/8/00	4/13/00	7/20/00	9/26/00
Benzene	0.302	0.017	0.048	0.034	0.005	0.028	0.032	0.023	0.160	0.007	0.002	0.002	0.001
Toluene	0.208	0.002	0.036	0.003	0.004	0.001	0.002	0.001	0.214	0.008	0.002	0.003	0.001
Ethylbenzene	0.039	0.001	0.013	0.007	0.001	0.003	0.004	0.001	0.036	0.007	0.002	0.002	0.002
m,p Xylene	0.253	0.001	0.038	0.011	0.004	0.004	0.003	0.003	0.002	0.143	0.015	0.003	0.008
o Xylene	0.161	0.002	0.011	0.003	0.004	0.004	0.001	0.001	0.081	0.008	0.001	0.003	0.003
Total Xylene	0.414	0.003	0.049	0.014	0.008	0.004	0.004	0.003	0.224	0.023	0.004	0.011	0.011
Total BTEX	1.377	0.023	0.146	0.058	0.018	0.036	0.042	0.028	0.634	0.045	0.010	0.018	0.015


Monitor Well # 8



Monitor Well # 15
State NBF
Sampling Results

Lab #	12729	13133	14049	14669	15600	16608	17435	18602	20612	22759	25140	28445	31491
Sample Date	10/2/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/14/99	10/6/99	1/8/00	4/13/00	7/20/00	9/26/00
Benzene	1.950	2.289	1.47	1.415	3.027	1.630	3.110	3.970	2.850	3.250	2.400	2.630	2.890
Toluene	1.823	1.176	1.23	1.165	1.630	1.490	1.980	3.070	1.850	2.550	1.780	4.320	1.550
Ethylbenzene	0.381	0.338	0.364	0.270	0.225	0.182	0.214	0.436	0.303	0.335	0.254	0.655	0.239
m,p Xylene	1.506	1.285	1.058	0.927	0.811	0.728	0.767	1.610	1.050	1.240	1.080	3.860	0.750
o Xylene	0.772	0.411	0.466	0.412	0.350	0.350	0.435	0.886	0.612	0.654	0.540	6.660	2.420
Total Xylene	2.278	1.696	1.524	1.339	1.204	1.078	1.202	2.496	1.862	1.894	1.620	10.520	3.170
Total BTEX	6.432	5.499	4.588	4.189	6.086	4.380	6.506	9.972	6.665	8.029	6.054	18.125	7.849


Monitor Well # 15



Monitor Well # 16
 State NBF # 1
 Sampling Results

Lab. #	12730	13176	14050	14670	15608	16609	17436	18603	20613	22772	25141	28437	31492
Sample Date	9/5/97	12/3/97	3/23/98	6/25/98	10/1/98	1/6/99	4/1/99	7/15/99	10/6/99	1/8/00	4/13/00	7/20/00	9/26/00
Benzene	0.835	0.234	1.029	1.058	1.046	1.470	3.150	3.640	3.220	1.170	3.050	2.620	2.120
Toluene	0.111	0.003	0.086	0.113	0.065	0.122	0.164	0.116	0.776	0.122	0.226	0.278	0.092
Ethylbenzene	0.090	0.004	0.084	0.070	0.037	0.047	0.078	0.151	0.179	0.068	0.153	0.149	0.099
m,p Xylene	0.224	0.012	0.173	0.145	0.100	0.144	0.219	0.343	0.576	0.163	0.473	0.424	0.143
o Xylene	0.089	0.003	0.047	0.060	0.039	0.062	0.098	0.129	0.265	0.083	0.203	0.178	0.063
Total Xylene	0.313	0.015	0.220	0.205	0.139	0.206	0.317	0.472	0.841	0.246	0.676	0.602	0.206
Total BTEX	1.662	0.256	1.419	1.446	1.287	1.845	3.709	4.379	5.016	1.606	4.105	3.649	2.517

Monitor Well # 16



Monitor Well # 26
NBF
Sampling Results

Lab. #	17266	18610	20614	22788	25142	28455	31493
Sample Date	4/1/99	7/14/99	10/6/99	1/8/00	4/13/00	7/20/00	9/26/00
Benzene	0.002	0.030	0.066	0.140	0.092	0.177	0.053
Toluene	0.003	0.024	0.059	0.158	0.108	0.230	0.022
Ethylbenzene	0.001	0.027	0.016	0.030	0.024	0.036	0.008
m,p Xylene	0.002	0.006	0.057	0.119	0.090	0.128	0.019
o Xylene	0.001	0.019	0.031	0.064	0.048	0.075	0.010
Total Xylene	0.003	0.025	0.088	0.183	0.138	0.203	0.029
Total BTEX	0.009	0.106	0.229	0.511	0.362	0.646	0.112

Monitor Well # 26

