


3R - 52

REPORTS

DATE:

1994

RANKING SCORE (TOTAL POINTS): 6



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|-----------------|---------------------|----------|
| Client: | Amoco | Project #: | 92140 |
| Sample ID: | Pit Water @ 6' | Date Reported: | 05-04-94 |
| Laboratory Number: | 7347 | Date Sampled: | 05-03-94 |
| Sample Matrix: | Water | Date Received: | 05-04-94 |
| Preservative: | HgCl and Cool | Date Analyzed: | 05-04-94 |
| Condition: | Cool and Intact | Analysis Requested: | BTEX |

| Parameter | Concentration (ug/L) | Det. Limit (ug/L) |
|--------------|-------------------------|-------------------------|
| Benzene | 6.9 | 1.0 |
| Toluene | 6.1 | 2.5 |
| Ethylbenzene | 38.5 | 1.5 |
| p,m-Xylene | 259 | 2.5 |
| o-Xylene | 24.4 | 2.5 |

| SURROGATE RECOVERIES: | Parameter | Percent Recovery |
|-----------------------|--------------------|------------------|
| | Trifluorotoluene | 101 % |
| | Bromofluorobenzene | 101 % |

Method: Method 5030A, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, July 1992


Method 8020, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Totah Vista GC #1E Separator Pit C4002

Dennis L. Cullen
Analyst

M. J. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

MODIFIED EPA METHOD 8015 NONHALOGENATED VOLATILE ORGANICS

| | | | |
|--------------------|-----------------|---------------------|----------|
| Client: | Amoco | Project #: | 92140 |
| Sample ID: | Pit Water @ 6' | Date Reported: | 05-04-94 |
| Laboratory Number: | 7347 | Date Sampled: | 05-03-94 |
| Sample Matrix: | Water | Date Received: | 05-04-94 |
| Preservative: | Cool - HCl | Date Analyzed: | 05-04-94 |
| Condition: | Cool and Intact | Analysis Requested: | TPH |

| Parameter | Concentration (mg/L) | Det. Limit (mg/L) |
|------------------------------|-------------------------|-------------------------|
| Gasoline Range (C5 - C10) | 44.1 | 0.1 |
| Diesel Range (C10 - C28) | 150 | 0.1 |
| C28 - C44 Range | ND | 0.1 |
| Total Petroleum Hydrocarbons | 195 | 0.1 |

Method: Method 8015, Nonhalogenated Volatile Organics,
Test Methods for Evaluating Solid Waste, SW-846, USEPA
July 1992.

ND - Parameter not detected at the stated detection limit.

Comments: Totah Vista GC #1E Separator Pit C4002

Dennis L. Spencer
Analyst

Morris D. Young
Review