

AP - 013

**ANNUAL
MONITORING REPORT**

YEAR(S):

2000

ANNUAL MONITORING REPORT

**EOTT ENERGY CORP.
TNM 97-18
LEA COUNTY, NEW MEXICO**

PREPARED FOR:

**EOTT PIPELINE COMPANY
P. O. BOX
MIDLAND, TEXAS 79704**

Ms. Lennah Frost

PREPARED BY:

**ENVIRONMENTAL TECHNOLOGY GROUP, INC.
4600 WEST WALL STREET
MIDLAND, TEXAS 79704**

March 2000

TABLE OF CONTENTS

INTRODUCTION

FIELD ACTIVITIES

GROUND WATER GRADIENT

LABORATORY RESULTS

SUMMARY

FIGURES

Figure 1 – Site Location Map

Figure 2 – Inferred Ground Water Gradient Map

TABLES

Table 1 – Ground Water Elevation

Table 2 – Ground Water Chemistry

APPENDICES

Appendix A – Laboratory Reports

INTRODUCTION

Environmental Technology Group, Inc. (ETGI), on behalf of EOTT Energy Corp. (EOTT), prepared this annual report in compliance with the New Mexico Oil Conservation Division (ODC) letter of May 1998, requiring submittal of an annual report by April 1 of each year. The report presents the results of the quarterly ground water monitoring events only. Additional site activities and remedial work is summarized in reports previously submitted to the OCD. For reference, a site location map is provided as Figure 1.

Ground water monitoring was conducted during four quarterly events in 1999 to assess the levels and extent of dissolved phase and free phase petroleum hydrocarbon constituents. The groundwater monitoring events consisted of measuring static water levels in the monitoring wells, checking for the presence of phase-separated hydrocarbons (PSH), and purging and sampling of each well exhibiting sufficient recharge. Monitoring wells containing measurable levels of PSH were not sampled.

FIELD ACTIVITIES

The site monitoring wells were gauged and sampled on February 3, May 13, August 24 and November 30, 1999. During each sampling event, the monitoring wells, designated to be sampled, were purged of approximately 3 well volumes of water or until the wells were dry using a PVC bailer or electrical Grundfos Pump. Groundwater was allowed to recharge and samples were obtained using disposable Teflon samplers. Monitoring wells with a measurable presence of PSH were not sampled. Water samples were stored in clean, glass containers provided by the laboratory and placed on ice in the field. Purge water was collected in a polystyrene tank and introduced into the existing ground water treatment system.

GROUNDWATER GRADIENT

Locations of the monitoring wells and the inferred ground water gradient, as measured on November 30, 1999, are depicted on Figure 2. The ground water elevation data are provided as Table 1. Groundwater elevation contours, generated from the final semi-annual event of 1999 water level measurements, indicated a general gradient of approximately 0.007 ft/ft to the south-southeast. The depth to groundwater, as measured from the top of the well casing, ranged between 28.34 to 32.05 feet.

On November 30, 1999, 2.20 feet of PSH was detected in monitoring well MW-4 and 3.61 feet of PSH was measured in monitoring well MW-5.. This was the first monitoring event for the recently completed wells. Recovery of PSH from the well will be implemented in early February 2000, utilizing a down-hole skimmer pump as described in the recently approved Abatement Plan.

LABORATORY RESULTS

Ground water samples obtained during the first two sampling events were mailed to Xenco Laboratories in San Antonio, Texas. Ground water samples collected during the latter two events were hand delivered to Environmental Laboratory of Texas, Midland, Texas for determination of benzene, toluene, ethylbenzene and total xylenes (BTEX) concentrations by EPA Method SW846-8020 and 8021B. The ground water chemistry data are provided as Table 2 and the Labatory Reports are provided as Appendix A.


Laboratory results for ground water samples collected from monitoring wells MW-2 and MW-3 indicate that benzene concentrations are consistently above MCLs. Benzene concentrations in samples from monitoring well MW-2 appear to be increasing, while benzene concentrations in samples from monitoring well MW-3 appear to be generally stable. Dissolved phase concentrations of BTEX were below detection limits in the samples collected from monitoring well MW-1.

SUMMARY

This report presents the results of monitoring activities for the annual monitoring period of calendar year 1999. On November 30, 1999, 2.20 feet of PSH was detected in monitoring well MW-4 and 3.61 feet of PSH was measured in monitoring well MW-5.. This was the first monitoring event for the recently completed wells. Recovery of PSH from the well will be implemented in early February 2000, utilizing a down-hole skimmer pump as described in the recently approved Abatement Plan.

Laboratory results for ground water samples collected from monitoring wells MW-2 and MW-3 indicate that dissolved phase benzene concentrations are consistently above MCLs. Benzene concentrations in samples from monitoring well MW-2 appear to be increasing, while benzene concentrations in samples from monitoring well MW-3 appear to be generally stable. Dissolved phase concentrations of BTEX were below detection limits in the samples collected from monitoring well MW-1.

FIGURES



**FIGURE
1**

Not To Scale

Site Location Map

**EOTT Energy Corp.
TNM 97-18
Lea County, NM**

**Environmental
Technology
Group, Inc.**

11 - 22 - 99 RS

ETGI Project # EOT 1025C

TABLES

TABLE 1
GROUNDWATER ELEVATION TABLE
TNM 97-18
LEA COUNTY, NM
ETGI PROJECT# EOT1015C

WELL NUMBER	DATE MEASURED	CASING WELL ELEVATION	DEPTH TO PRODUCT	DEPTH TO WATER	PSH THICKNESS	CORRECTED GROUNDWATER ELEVATION
MW-1	02/03/99	3,500.17	-	28.96	0.00	3,471.21
MW-1	05/13/99	3,500.17	-	28.48	0.00	3,471.69
MW-1	08/24/99	3,500.17	-	28.94	0.00	3,471.23
MW-1	11/05/99	3,500.17	-	28.39	0.00	3,471.78
MW-2	02/03/99	3,499.19	-	28.72	0.00	3,470.47
MW-2	05/13/99	3,499.19	-	28.34	0.00	3,470.85
MW-2	08/24/99	3,499.19	-	28.83	0.00	3,470.36
MW-2	11/05/99	3,499.19	-	28.26	0.00	3,470.93
MW-3	02/03/99	3,500.05	-	29.36	0.00	3,470.69
MW-3	05/13/99	3,500.05	-	29.99	0.00	3,470.06
MW-3	08/24/99	3,500.05	-	30.40	0.00	3,469.65
MW-3	11/05/99	3,500.05	-	29.87	0.00	3,470.18
MW-4	11/05/99	3,498.38	29.16	31.36	2.20	3,468.89
MW-5	11/05/99	3,500.12	28.44	32.05	3.61	3,471.14

TABLE 2
GROUND WATER CHEMISTRY
TNM 97-18
LEA COUNTY, NEW MEXICO
ETGI PROJECT # EOT1015C

SAMPLE	SAMPLE DATE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m-p-XYLENE (mg/L)	o-XYLENE (mg/L)
MW-1	02/03/99	<0.001	<0.001	<0.001	<0.002	<0.001
MW-1	05/13/99	<0.001	<0.001	<0.001	<0.002	<0.001
MW-1	08/24/99	<0.001	<0.001	<0.001	<0.001	<0.001
MW-1	11/30/99	<0.001	<0.001	<0.001	<0.001	<0.001
MW-2	02/03/99	0.017	0.004	0.029	0.010	0.006
MW-2	05/13/99	0.475	0.102	0.279	0.146	0.015
MW-2	08/24/99	0.980	0.592	0.676	0.423	0.083
MW-2	11/30/99	0.721	0.364	0.394	2.83	0.084
MW-3	02/03/99	0.512	<0.004	<0.264	0.071	<0.004
MW-3	05/13/99	0.276	<0.001	0.173	0.043	<0.001
MW-3	08/24/99	0.536	0.008	0.267	0.059	0.005
MW-3	11/30/99	0.582	0.009	0.321	0.067	<0.001

Methods: EPA SW 846-8020, 5030

APPENDIX A



11381 Meadowglen Suite L
Houston, Texas 77082-2647
(281) 589-0692 Fax: (281) 589-0695
Houston - Dallas - San Antonio - Latin America

February 8, 1999

Project Manager: S. Grover/T. Nix
KEI Consultants, Inc.
5309 Wurzbach Rd. Suite 100
San Antonio, TX 78238

Reference: XENCO Report No.: -90448
Project Name: TNMPL
Project ID: 810052-1-0
Project Address: Lea Co,NM

Dear S. Grover/T. Nix:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with XENCO Chain of Custody Number -90448.r All results being reported to you apply only to the samples analyzed, properly identified with a Laboratory ID number. This letter documents the official transmission of the contents of the report and validates the information contained within.

All the results for the quality control samples passed thorough examination. Also, all parameters for data reduction and validation checked satisfactorily. In view of this, we are able to release the analytical data for this report within acceptance criteria for accuracy, precision, completeness or properly flagged.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 3 years in our archives and after that time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in COC No. -90448r will be filed for 60 days, and after that time they will be properly disposed of without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

XENCO operates under the A2LA guidelines. Our Quality System meets ISO/IEC Guide 25 requirements which is strictly implemented and enforced through our standard QA/QC procedures.

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Sincerely,

A handwritten signature in black ink, appearing to read "Eddie L. Clemons, II".

Eddie L. Clemons, II

QA/QC Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY!



ANALYTICAL CHAIN OF CUSTODY REPORT
CHRONOLOGY OF SAMPLES

KEI Consultants, Inc.

Project ID: 810052-1-0

Project Manager: S. Grover/T. Nix

Project Location: Lea Co, NM

Project Name: TNMPL

XENCO COC#: -90448
Date Received in Lab: Feb 4, 1999 10:20 by LY
XENCO contact : Carlos Castro/Karen Olson

Date & id Time

Field ID	Lab. ID	Method Name	Method ID	Units	Turn Around	Sample Collected	Addition Requested	Extraction	Date & id Time	Analysis
1 MW-1	90448-001	BTEX	SW-846	ppm	10 days	Feb 3, 1999 11:00			Feb 6, 1999 21:40 by HL	Feb 6, 1999 21:40 by HL
2 MW-2	90448-002	BTEX	SW-846	ppm	10 days	Feb 3, 1999 11:30			Feb 6, 1999 00:53 by HL	Feb 7, 1999 00:53 by HL
3 MW-3	90448-003	BTEX	SW-846	ppm	10 days	Feb 3, 1999 12:00			Feb 6, 1999 by HL	Feb 7, 1999 01:16 by HL

CERTIFICATE OF ANALYSIS SUMMARY -90448

KEI Consultants, Inc.
Project Name: TNMPL

Project ID: 810052-1-0
Project Manager: S. Grover/T. Nix
Project Location: Lea Co, NM

Date Received in Lab : Feb 4, 1999 10:20

Date Report Faxed: Feb 8, 1999

XENCO contact : Carlos Castro/Karen Olson

Analysis Requested	<i>Lab ID: Field ID: Depth: Matrix: Sampled:</i>	90448 001 MW-1 Liquid 02/03/99 11:00	90448 002 MW-2 Liquid 02/03/99 11:30	90448 003 MW-3 Liquid 02/03/99 12:00	
BTEX EPA 8021B	Analyzed: Units:	02/06/99 ppm	R.L.	02/07/99 ppm	R.L.
Benzene		< 0.001 (0.001)	0.017 (0.004)	0.512 (0.004)	
Toluene		< 0.001 (0.001)	0.004 (0.004)	< 0.004 (0.004)	
Ethylbenzene		< 0.001 (0.001)	0.029 (0.004)	0.264 (0.004)	
m,p-Xylene		< 0.002 (0.002)	0.010 (0.008)	0.071 (0.008)	
o-Xylene		< 0.001 (0.001)	0.006 (0.004)	< 0.004 (0.004)	
Total BTEX		N.D.	0.066	0.847	

This report summary, and the entire report it represents, has been made for the exclusive and confidential use of KEI Consultants, Inc..

The interpretations and results expressed through this analytical report represent the best judgment of XENCO Laboratories. Xenco Laboratories, however, assumes no responsibility and makes no warranty to the end use of the data hereby presented.



Eddie L. Clemons, II
QA/QC Manager



Certificate Of Quality Control for Batch : 19A25A68

Date Validated: Feb 8, 1999 12:00
Date Analyzed: Feb 6, 1999 17:45

SW- 846 5030/3021B IRT/EX

Analyst: HL
Matrix: Liquid

BLANK SPIKE / BLANK SPIKE DUPLICATE AND RECOVERY

Parameter	Blank Result	[B] Blank Spike Result	[C] Blank Spike Duplicate Result	[D] Blank Spike Amount	[E] Detection Limit	Blank Limit	[F]		[G]		[H]		[I]	
							QC		QC		B.S.D.		Blank Spike Recovery Range	
							Spike Relative	Difference %	Blank Spike Recovery %	Difference %	Recovery %	Recovery %	Recovery %	Recovery %
Benzene	< 0.0010	0.1050	0.1040	0.1000	0.0010	20.0	1.0	104.9	1.0	103.9	1.0	103.9	65-135	
Toluene	< 0.0010	0.1050	0.1040	0.1000	0.0010	20.0	1.0	104.9	1.0	103.9	1.0	103.9	65-135	
Ethylbenzene	< 0.0010	0.1050	0.1030	0.1000	0.0010	20.0	1.9	104.9	1.9	102.9	1.9	102.9	65-135	
m,p-Xylene	< 0.0020	0.2140	0.2090	0.2000	0.0020	20.0	2.4	107.0	2.4	104.5	2.4	104.5	65-135	
o-Xylene	< 0.0010	0.1090	0.1070	0.1000	0.0010	20.0	1.9	103.9	1.9	106.9	1.9	106.9	65-135	

Spike Relative Difference [F] = $200 \cdot (B-C)/(B+C)$

Blank Spike Recovery [G] = $100 \cdot (B-A)/[D]$

B.S.D. = Blank Spike Duplicate

B.S.D. Recovery [H] = $100 \cdot (C-A)/[D]$

N.D. = Below detection limit or not detected

All results are based on MDL and validated for QC purposes

Eddie L. Clemons, II
QA/QC Manager

Company	Phone	Lab Only:	Standard TAT is 10 Working Days										
			TAT: 5h	12h	20h	24h	48h	3d	5d	7d	14d	21d	
unless otherwise agreed in writing. But often reported in 5-7 Working Days													
Remarks													
Hold Analysis													
Addn: PAH above mg/L/W, mg/kg's Highest Hit													
TAT 5h 12h 20h 24h 48h 3d 5d 7d 10d 14d 21d													
SVOCs by 8270 625 PAHS BN&A TCL PPs See last Call PM													
VOAs by 8260 624 BTEX MTBE PPs TCL See last Call PM													
METALS by 6010 8RCRA Tot Pb TCLP 13PP 23TAL See last Call PM													
PAHs by 8270 8100 8310													
TPH by TX1005 418.1 8015GRO 8015DRO 8015JEF													
BTEX-MTBE by 8020 8021 80260 602 624 Other													
Special Dis (RR) DW QAPP See Lab PM Call Proj. PM)													
Invoice to <input type="checkbox"/> Accounting <input type="checkbox"/> Include invoice with Final Report Attn PM <input type="checkbox"/> Invoice must have A.P.O. Bill to:													
Quote No. P.O. No 8/10/05 2-1-0 Call for a P.O.													
Specifications													
Sampler Name <i>Karen Deffenbacher</i> Signature <i>[Signature]</i>													
Sampling Date Time Depth ft. in. Matrix AP SW													
Composite Grab # Containers Container Size Type Preservatives													
1	MW-1	03/27/05	11:00	Y	CA H ₂ C ₆								
2	MW-2		11:30	2									
3	MW-2		12:45	2									
4													
5													
6													
7													
8													
9													
10													
Relinquished by (Initials and Signature)		Relinquished to (Initials and Signature)		Date & Time		Total Containers per COC:		Rush TAT's Fax Due:		Final Fax Due:		Final Report Data Package Due Date:	
1 <i>Karen Deffenbacher</i>		2 <i>John Deffenbacher</i>		8/10/05 15:50		6		8/10/05 15:50		8/10/05 15:50		8/10/05 15:50	
3 <i>Karen Deffenbacher</i>		4 <i>John Deffenbacher</i>		8/10/05 15:50		10		8/10/05 15:50		8/10/05 15:50		8/10/05 15:50	
Preservatives - Various (V), HCl pH<2 (H), H ₂ SO ₄ pH<2 (S), HNO ₃ +ASBC Acid (NAA), ZnCl ₂ +NaOH (ZA), (Cool, <4C) (CA), None (N), See Label (SL), Other (O) _____													
SIZE: 4oz (4), 8oz (8), 32oz (32), 40ml VOA (V), 1L (1), 500ml (.5), Tedlar Bag (B), Wipe (W), Other (O) _____													
TYPE Glass Amb (GA), Glass Clear (GC), Plastic (P), Other (O) _____													



11381 Meadowglen Suite L
Houston, Texas 77082-2647
(281) 589-0692 Fax: (281) 589-0695
Houston - Dallas - San Antonio - Latin America

May 20, 1999

Project Manager: Stan Grover
KEI Consultants, Ltd.
5309 Wurzbach Rd. Suite 100
San Antonio, TX 78238

Reference: XENCO Report No.: -91940
Project Name: EOTT
Project ID: 810052-1-0
Project Address: Lea County, New Mexico

Dear Stan Grover:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with XENCO Chain of Custody Number -91940.v All results being reported to you apply only to the samples analyzed, properly identified with a Laboratory ID number. This letter documents the official transmission of the contents of the report and validates the information contained within.

All the results for the quality control samples passed thorough examination. Also, all parameters for data reduction and validation checked satisfactorily. In view of this, we are able to release the analytical data for this report within acceptance criteria for accuracy, precision, completeness or properly flagged.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 3 years in our archives and after that time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in COC No. -91940v will be filed for 60 days, and after that time they will be properly disposed of without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

XENCO operates under the A2LA guidelines. Our Quality System meets ISO/IEC Guide 25 requirements which is strictly implemented and enforced through our standard QA/QC procedures.

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Sincerely,

A handwritten signature in black ink, appearing to read "Eddie L. Clemons, II".

Eddie L. Clemons, II
QA/QC Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY!



ANALYTICAL CHAIN OF CUSTODY REPORT

CHRONOLOGY OF SAMPLES

KEI Consultants, Ltd.

Project ID: 810052-1-0

Project Manager: Stan Grover

Project Location: Lea County, New Mexico

XENCO COC#: -91940

Date Received in Lab: May 14, 1999 09:45 by JO

XENCO Contact : Carlos Castro/Debbie Simmons

Project Name: EOTT

Field ID	Lab. ID	Method Name	Method ID	Units	Turn Around	Sample Collected	Date and Time		
							Requested	Extraction	Analysis
1 MW-1	91940-001	BTEX	SW-846	ppm	7 days	May 13, 1999 10:30		May 18, 1999 by MG/C	May 18, 1999 17:39 by MG
2 MW-2	91940-002	BTEX	SW-846	ppm	7 days	May 13, 1999 09:45		May 18, 1999 by MG/C	May 18, 1999 18:47 by MG
3 MW-3	91940-003	BTEX	SW-846	ppm	7 days	May 13, 1999 10:05		May 19, 1999 by MG/C	May 19, 1999 08:43 by MG

KEI Consultants, Ltd.

Project Name: EOTT

Project ID: 810052-1-0

Project Manager: Stan Grover

Project Location: Lea County, New Mexico

Date Received in Lab : May 14, 1999 09:45

Date Report Faxed: May 20, 1999

XENCO contact : Carlos Castro/Debbie Simmons

Analysis Requested	Lab ID: Field ID: Depth: Matrix: Sampled:	91940 001 MW-1	91940 002 MW-2	91940 003 MW-3	
BTEX EPA 8021B	Analyzed: Units:	05/18/99 ppm	R.L.	05/18/99 ppm	R.L.
Benzene		< 0.001 (0.001)	0.475 (0.005)	0.276 (0.001)	
Toluene		< 0.001 (0.001)	0.102 (0.005)	< 0.001 (0.001)	
Ethylbenzene		< 0.001 (0.001)	0.279 (0.005)	0.173 (0.001)	
m,p-Xylene		< 0.002 (0.002)	0.146 (0.010)	0.043 (0.002)	
o-Xylene		< 0.001 (0.001)	0.015 (0.005)	< 0.001 (0.001)	
Total BTEX		N.D.	1.017	0.492	

This report summary, and the entire report it represents, has been made for the exclusive and confidential use of KEI Consultants, Ltd..

The interpretations and results expressed through this analytical report represent the best judgment of XENCO Laboratories. Xenco Laboratories, however, assumes no responsibility and makes no warranty to the end use of the data hereby presented.


Eddie L. Clemons, II
QA/QC Manager

X

GENE

Laboratory

Certificate Of Quality Control for Batch #19A03C11**SW- 316 5030/3021R IRTIX**

Date Validated: May 19, 1999 14:00

Date Analyzed: May 18, 1999 12:23

Analyst: MG

Matrix: Liquid

BLANK SPIKE / BLANK SPIKE PURGE AND RECOVERY

Parameter	Blank Result	Blank Spike Result	[C]	[D]	[E]	Blank Limit	[F]	[G]	[H]	[I]	[J]
Benzene	< 0.0010	0.0961	0.0933	0.1000	0.0010	20.0	3.0	96.1	93.3	65-135	
Toluene	< 0.0010	0.0947	0.0920	0.1000	0.0010	20.0	2.9	94.7	92.0	65-135	
Ethylbenzene	< 0.0010	0.1030	0.1001	0.1000	0.0010	20.0	2.9	103.0	100.1	65-135	
m,p-Xylene	< 0.0020	0.1958	0.1907	0.2000	0.0020	20.0	2.6	97.9	95.4	65-135	
o-Xylene	< 0.0010	0.0922	0.0900	0.1000	0.0010	20.0	2.4	92.2	90.0	65-135	

Spike Relative Difference $[F] = 200 \cdot (B - C) / (B + C)$ Blank Spike Recovery $[G] = 100 \cdot (B - A) / B$

B.S.D. = Blank Spike Duplicate

B.S.D. Recovery $[H] = 100 \cdot (C - A) / C$

N.D. = Below detection limit or not detected

All results are based on MDL and validated for QC purposes

Eddie L. Clemons, II
QA/QC Manager

Houston - Dallas - San Antonio

GROUNDWATER MONITORING AND SAMPLING DATA

UOB NO.: TAH 97-18

FIELD TECHNICIAN: KD

DATE: 24 Feb 99

DRUMS ON SITE:

CARBON DRUM TRAILER: (yes/no) _____

DISCHARGE SAMPLE (time/date): _____

3

COMMENTS: _____

H 3 | [Sign up](#)

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

ENVIRONMENTAL TECHNOLOGY GROUP, INC.
ATTN: MR. JESSE TAYLOR
P.O. BOX 4845
MIDLAND, TEXAS 79704
FAX: 915-520-4310

Sample Type: Water
Sample Condition: Intact/ Iced/HCl
Project #: TNM 97-18
Project Name: None Given
Project Location: Lea County, N.M.

Sampling Date: 08/24/99
Receiving Date: 08/27/99
Analysis Date: 08/27/99

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	o-XYLENE (mg/L)
19618	MW-1	<0.001	<0.001	<0.001	<0.001	<0.001
19619	MW-2	0.980	0.592	0.676	0.423	0.083
19620	MW-3	0.536	0.008	0.267	0.059	0.005
% IA		97	92	93	91	92
% EA		97	89	85	86	86
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8020,5030

Raland K. Tuttle
Raland K. Tuttle

9-2-99
Date

Environmental Lab of Texas, Inc. 12600 West I-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager:

JESSE TAYLOR

Company Name & Address: E&T G.I.
 P. O. BOX 4845 MIDLAND TX 79709

Project #:

TNN 97-18

Project Location:

LEA COUNTY NM

Phone #: (915) 664-9166

FAX #:

Project Name:


 Sample Signature:

BTEX 8020/51130

RCI

TDS

TCLP Semi-Volatiles

TCLP Volatiles

Total Metals Ag As Ba Cd Cr Pb Hg Se

TCLP Metals Ag As Ba Cd Cr Pb Hg Se

TPI 418.1




ANALYSIS REQUEST

LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS Volume/Amount	WATER	SOIL	AIR	SLUDGE	HCl	HNO3	ICE	NONE	OTHER	DATE	TIME	SAMPLING			PRESERVATIVE METHOD	PROJECT NAME	SAMPLE NUMBER	Sample Signature:	
														CONTAINER	MATRIX	PRESERVATIVE	TIME				
19618	HW-1	2	V	X			X	X							8-24	1410	X				
19619	HW-2	2	V	X			X	X							8-24	1425	X				
19620	HW-3	2	V	X			X	X							8-24	1440	X				

P 1 of 1

REMARKS/HAZ RESULTS TO:

Kenneth A. Dutton
 1606 W. Calle Sur, Apt B
 Hobbs, NM 88240-0985

Received by: 	Date: 10 Aug 97	Times: 0845	Received by: 	Date: 10 Aug 97	Times: 0845
Received by: 	Date: 10 Aug 97	Times: 0845	Received by: 	Date: 10 Aug 97	Times: 0845
Received by: 	Date: 10 Aug 97	Times: 0845	Received by: 	Date: 10 Aug 97	Times: 0845

INVOICE TO: LENNAH FROST PO# 10151

GROUND WATER MONITORING AND SAMPLING DATA

JOB NO.: TW 97-18FIELD TECHNICIAN: SCDATE: 30 Nov 99

WELL NO.	TIME WELL PURGED	TOTAL WELL DEPTH (feet)	DEPTH TO WATER (feet)	HEIGHT WATER COLUMN (feet) [1-2]=3 [1-2]=3	WELL FACTOR 2"=1.6 4"=0.5 6"=1.5 4	CALC. WELL VOLUME (gal) (3x4)=5	TOTAL WATER PURGED (gal) 6	ESTIMATED NO. WELL VOLUMES PURGED @5	1999	DEPTH TO PSH (feet)	PSH THICKNESS (feet)	SAMPLE CHARACTERISTIC
MW-1	0915	42.10	28.39	13.71	.16	2.19	6.58	3.0	30 Nov 1033			
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
MW-2	0930	40.50	28.26	12.24	.16	1.95	5.87	3.0	30 Nov 1050			
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
MW-3	0950	39.60	29.87	9.73	.16	1.55	4.67	3.0	30 Nov 1012			
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
MW-4			31.36						29.16	2.20		
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
MW-5			32.05						28.44	3.61		
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
CONDITION:	Cover:	Cap:	Casing:	Lock:	Manway/Pad:							
									Total Removed: _____ gal.			

DRUMS ON SITE: _____

CARBON DRUM TRAILER: (yes/no) _____

DISCHARGE SAMPLE (line/date): _____

COMMENTS: Myron & P Engp

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

ENVIRONMENTAL TECHNOLOGY GROUP, INC.
 ATTN: MR. JESSE TAYLOR
 P.O. BOX 4845
 MIDLAND, TEXAS 79704
 FAX: 605-392-3760

Sample Type: Water
 Sample Condition: Intact/ Iodine/HCl
 Project #: TNM 97-18
 Project Name: EOT 1015C
 Project Location: Monument, N.M.

Sampling Date: 11/30/99
 Receiving Date: 12/02/99
 Analysis Date: 12/2 & 12/3/99

ELTN	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	<i>o</i> -XYLENE (mg/L)
21937	MW-1	<0.001	<0.001	<0.001	<0.001	<0.001
21938	MW-2	0.721	0.364	0.394	0.283	0.084
21939	MW-3	0.582	0.009	0.321	0.067	<0.001
% IA		101	98	97	97	96
% EA		98	95	96	97	98
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B,5030

Roland K. Tuttle
 Roland K. Tuttle

12-6-99
 Date

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763
 (915) 563-1868 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager	Jessie Taylor	ANALYSIS REQUEST	O 45				
Company Name & Address	P.O. Box 4845 Midland TX 79704						
Project Name	TNM 87-18	Project #	EDT 1015C				
Project Location:	Laramie Ranch						
Management #/M	FIELD CODE	VOLUME/AMOUNT	CONTAINERS	MATRIX	PRESERVATIVE	SAMPLING	REMARKS
LAB # (USE ONLY)				DATE	TIME		
21937 MW1	2	1/4	2	X	X	1/30	1033 X
21938 MW2	2	1/4	2	X	X	1/30	1050
21939 MW3	2	1/4	2	X	X	1/22	Y
Prepared by: Laramie Ranch	Date: 12-2-95	Time: 0900	Received by Laboratory: J. Cagle	Prepared by: J. Cagle	Date: 12-2-95	Time: 1320	Comments: Laramie Ranch Service. Laramie Ranch 1015C

Environmental Lab of Texas, Inc. 12600 West I-20 East Odessa, Texas 79763
(915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

ANALYSIS REQUEST						
Project Manager:	Phone #: (915) 664-9166 FAX #: (505) 392-3160					
Company Name & Address:	P.O. Box 4845 Midland TX 79704					
Project NAME:	Project # <u>EE</u> EOT 10/15C					
Project Location:	TNM 97-18					
Monument, NM	Lemon Lasas					
LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS	MATRIX	PRESERVATIVE METHOD	SAMPLING TIME	
21937	MW1	2	V X	X	X	1/30/03
21938	MW2	2	V X	X	X	1/05/03
21939	MW3	2	V X	X	X	1/02/03
Relinquished by:	Date:	12-2-99	Times:	0900	Received by:	<i>John Log</i>
Relinquished by:	Date:	12-2-99	Times:	1320	Received by Laboratory:	<i>John Log</i>
Relinquished by:	Date:	12-2-99	Times:	1320	Received by Laboratory:	<i>John Log</i>
REMARKS:	<i>Mail Result: K. Duran</i>					

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

ENVIRONMENTAL TECHNOLOGY GROUP, INC.

ATTN: MR. JESSE TAYLOR
P.O. BOX 4845
MIDLAND, TEXAS 79704
FAX: 505-392-3760

Sample Type: Water
Sample Condition: Intact/ Iced/HCl
Project #: TNM 97-18
Project Name: EOT 1015C
Project Location: Monument, N.M.

Sampling Date: 11/30/99
Receiving Date: 12/02/99
Analysis Date: 12/2 & 12/3/99

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m,p-XYLENE (mg/L)	o-XYLENE (mg/L)
21937	MW-1	<0.001	<0.001	<0.001	<0.001	<0.001
21938	MW-2	0.721	0.364	0.394	0.283	0.084
21939	MW-3	0.582	0.009	0.321	0.067	<0.001
% IA		101	96	97	97	95
% EA		96	95	96	97	96
BLANK		<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B,5030

Raland K. Tuttle
Raland K. Tuttle

12-6-99
Date

