

AP - 24

**STAGE 1 & 2
REPORTS**

DATE:

Nov. 2000

AP-24

PRELIMINARY SITE INVESTIGATION REPORT

~~INEX~~ PIT SITE
Eddy County, New Mexico

RECEIVED

Prepared For:

DEC 19 2000


Yates Petroleum Corporation
105 South Fourth Street
Artesia, New Mexico 88210

ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION

ETGI Project # YPC 2200D

Prepared By:
Environmental Technology Group, Inc.
2540 W. Marland
Hobbs, New Mexico 88240

November 2000



Jesse Taylor
Principal Geologist



Ken Dutton
Project Manager

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	SUMMARY OF FIELD ACTIVITIES	1
3.0	SITE DESCRIPTION	2
	3.1 Regional Geology/Hydrogeology	2
	3.2 Site Geology/Hydrogeology	2
	3.3 New Mexico Oil Conservation Division (NMOCD) Soil Classification	3
	3.4 Distribution of Hydrocarbons in the Unsaturated Zone	3
	3.5 Distribution of Hydrocarbons in the Saturated Zone	4
	3.6 Distribution of Chlorides in the Unsaturated Zone	4
	3.7 Distribution of Chlorides in the Saturated Zone	4
4.0	RECOMMENDATIONS	4
5.0	QA/QC PROCEDURES	5
	5.1 Soil Sampling	5
	5.2 Ground Water Sampling	6
	5.3 Decontamination of Equipment	7
	5.4 Laboratory Protocol	7
6.0	LIMITATIONS	7

Tables

- TABLE 1: Soil Chemistry
TABLE 2: Groundwater Chemistry

Figures

- FIGURE 1: Site Location Map
FIGURE 2: Site Map
FIGURE 3: Water Well Location Map

APPENDICES

- APPENDIX A:** Soil Boring Logs
- APPENDIX B:** Laboratory Reports
- APPENDIX C:** Water Well Reports
- APPENDIX D:** Water Well Chlorides Data

1.0 INTRODUCTION

Environmental Technology Group, Inc. (ETGI) conducted a subsurface investigation of this former pit location on behalf of Yates Petroleum Corporation (Yates). The investigation was conducted in order to document subsurface conditions resulting from operations at the former pit.

The site is located in the SE1/4 of the NW1/4 of Section 26, Township 18S, Range 26 East in Eddy County, New Mexico as depicted on Figure 1, the Site Location Map. The former pit measures approximately 45 feet by 84 feet and the boring locations are depicted on Figure 2, the site map.

2.0 SUMMARY OF FIELD ACTIVITIES

ETGI mobilized a rotary drilling rig to the site on October 19, 2000. Mr. Ken Dutton, Field Operations Manager and Camille Reynolds supervised the field activities. David Haggith, Environmental Coordinator for Yates and Mike Stubblefield, representative of the New Mexico Oil Conservation Division, were also present.

Atkins Engineering, of Roswell, New Mexico, performed the drilling with Mort Bates, Senior Driller, in charge of the drilling rig. Three soil borings were advanced at the site. Soil samples were collected from SB-1 at depths of 15-16.5, 19-21, 24-26 and 36-38 feet bgs. A ground water sample was collected from this boring at a depth of 70 feet bgs. The total depth of SB-1 was 70 feet bgs. Immediately after the soil and ground water samples were collected, the borings were backfilled with bentonite in order to prevent the potential for vertical migration of hydrocarbons or chlorides.

At SB-3, a sample was collected at 17-19 feet bgs. The total depth of this soil boring was 19 feet bgs. The third soil boring at the Inez Pit location was the final boring of the day. A soil sample was collected from SB-2 at a depth of 17.5-19.5 feet bgs. Total depth of this boring was 19.5 feet bgs. A background soil sample was collected at a point beyond any apparent impact from the site operations.

A chloride field test was conducted on each sample and a Photoionization Detector (PID) was utilized to screen Volatile Organic Compounds (VOCs). Proper QA/QC procedures were followed during all sampling procedures as described below. Each soil; and ground water sample was submitted to Environmental Lab of Texas to be tested for Benzene, Toluene, Ethyl Benzene and Xylenes (BTEX, EPA Method 8021B), Total Petroleum Hydrocarbons (TPH, EPA Method 8015 Modified GRO/DRO) as well as Chlorides (EPA Method 9253).

3.0 SITE DESCRIPTION

3.1 Regional Geology/Hydrogeology

The site is located approximately two miles west of the west channel of the Pecos River and one mile south of the intermittent stream, Rio Penasco. This places it in the geographic feature known as Orchard Park Terrace, which is only slightly dissected and slopes at about five degrees to the east. Surface drainage is to the east toward the west channel of the Pecos River.

The site is located on Quaternary alluvium associated with the Pecos River flood plain and drainages originating in the Sacramento Mountains to the west. The alluvium is underlain by the Triassic age Dockum Group which consists primarily of red silts and sands which are slightly to moderately indurated. The Dockum Group is approximately 1,000 feet thick in the site area and is divided into the Pierce Canyon redbeds and Santa Rosa sandstone in the site vicinity. These formations are unconformably underlain by the upper Permian Rustler Formation (gypsum, redbeds and dolomites) which is unconformably underlain by the middle Permian Chalk Bluff Formation (back reef deposits of dolomite, evaporites, redbeds and sandstone).

This area is located near the eastern margin of the Roswell Basin physiographic province, a north-south trending feature located between the Sacramento Mountains to the west and the Permian Basin to the east. Within this feature, ground water commonly occurs in the alluvium near the Pecos River and in the Permian formations throughout the feature. Aquifers within the Triassic Dockum group are usually thin and discontinuous resulting in poor quality and low volumes.

In the site vicinity, ground water generally flows to the southeast toward the downgradient direction of the west channel of the Pecos River, which joins the main channel at the confluence of Brantley Reservoir. The east-west trending intermittent streams appear to have little influence on the regional gradient, however local variations may occur in the vicinity of these drainages during precipitation events.

Data collected by the United States Weather Bureau indicate that the average annual precipitation in the site vicinity is approximately 12.4 inches. This amount occurs primarily as storm events during the period between June and October. Infiltration from these events are commonly minimal given the high rates of surface runoff and evaporation.

3.2 Site Geology/Hydrology

The soil borings indicate that the former pit area was excavated to a depth of approximately 16 feet below the ground surface (bgs) at which depth a discontinuous one-foot layer of caliche was present. The excavation was subsequently backfilled with silty clay and sand. With the exception of these back fill materials, the soil borings, completed at the site, penetrated unconsolidated sand with thin layers of caliche. The

sand was described as red-brown, very fine grained and well sorted. The caliche appears to occur as discontinuous layers and nodules as opposed to a continuous impenetrable layer.

The sand was dry to a depth of approximately 65 feet bgs where the capillary fringe was detected. Measurements taken in the uncompleted borehole indicate that the water table is located at approximately 67 feet bgs in the unconsolidated alluvial sand.

3.3 New Mexico Oil Conservation Division (NMOCD) Soil Classification

During the site investigation, soils that may be characterized by OCD guidelines as Highly Contaminated/Saturated Soils were observed in the interval immediately below the backfill material in borings SB-1 and SB-2. This material was present to a maximum depth of approximately 20 feet in these borings. No other Highly Contaminated/Saturated Soils were observed in any of the other borings.

The depth to groundwater, as measured from the lowermost zone of Highly Contaminated/Saturated Soils is approximately 47 feet. This interval is close to, but slightly less than, the 51 foot interval required for an OCD Ranking of less than 20 points.

The water well database, maintained by the state engineer's office, was accessed in order to determine the location and type of nearby water wells in the area. The data indicate that there are no water wells located within 1,000 feet of the site. This radius and the location of water wells in the vicinity are provided as Figure 3.

As depicted on Figures 1 and 2, there are no bodies of surface water located within 1,000 feet of the site. These site conditions result in an OCD Ranking of greater than 19 points. The action levels for a site with a Ranking Score of greater than 19 are as follows:

- Benzene - 10 ppm
- BTEX - 50 ppm
- TPH - 100 ppm

3.4 Distribution of Hydrocarbons in the Unsaturated Zone

Soils that may be characterized by OCD guidelines as Highly Contaminated/Saturated Soils were observed in the interval immediately below the backfill material in borings SB-1 and SB-2. This material was present to a maximum depth of approximately 20 feet in these borings. No other Highly Contaminated/Saturated Soils were observed in any of the other borings. The soil sample collected from 15 to 16.5 feet had a TPH

concentration of 1,004 mg/Kg. The sample also had a total BTEX concentration of 32.13 mg/Kg and a benzene concentration of 3.06 mg/Kg. Based on the OCD Ranking discussed above, this sample exceeds the allowable limits for TPH but is below the allowable limits for benzene and BTEX.

A correlation of the PID readings from this sample and the sample collected from the 20 to 21.5 interval indicate that the boundary between soils in excess of the limit and those below probably occur at about the 20 foot bgs point in both soil borings SB-1 and SB-3. Data collected from soil boring SB-2 indicate that there is no soil present in this area that could be characterized as exceeding the OCD limit.

The available data supports the assumption that two-thirds of the pit area is impacted to above OCD limits in the interval between 16 feet bgs to 20 feet bgs. Using these parameters, it is estimated that there are approximately 366 cubic yards of impacted soil at the site.

3.5 Distribution of Hydrocarbons in the Saturated Zone

The ground water sample collected from SB-1 was found to have a benzene concentration of 0.088 mg/L, which is above the OCD regulatory limit of 0.001 mg/L.

The concentrations of toluene, ethylbenzene and xylenes in the sample were below these regulatory limits.

3.6 Distribution of Chlorides in the Unsaturated Zone

In soil boring SB-1, the chlorides concentrations trended from 12,230 mg/Kg at 15 to 16.5 feet bgs to 2,623 mg/Kg at 24 to 26 feet bgs. However, the sample collected from 36 to 38 feet bgs had a chlorides concentration of 3,978 mg/Kg indicating that the decreasing trend did not continue in the downward direction. Elevated levels of chlorides concentrations were also detected in soil borings SB-2 and SB-3. Background soil chlorides concentration at the site were measured at 44 mg/Kg.

3.7 Distribution of Chlorides in the Saturated Zone

The ground water sample collected from soil boring SB-1 was found to have 17,725 mg/L chlorides concentration. Background data for chlorides concentrations in the area, as determined from the state engineers database (Appendix C), are in the range of 400 to 600 mg/L.

4.0 SUMMARY AND CONCLUSIONS

The site has an OCD Ranking Score of 20 points. The soil action levels for a site with this score are as follows:

- Benzene - 10 ppm

- BTEX - 50 ppm
- TPH - 100 ppm

Soils that exceed the limits for TPH and BTEX were detected below the former pit excavation in two of the three borings in the interval between 16 to 20 feet bgs. It is estimated that 366 cubic yards of impacted soil remain at the site below the former excavation.

The ground water sample collected from SB-1 was found to have a benzene concentration of 0.088 mg/L, which is in excess of OCD standards. The concentrations of toluene, ethylbenzene and xylenes were below regulatory limits and TPH concentrations were below the method detection limit.

Elevated levels of chlorides were detected throughout the unsaturated zone. The ground water sample, collected from SB-1, had a chlorides concentration of 17,725 mg/L, which appears to be elevated from background concentrations.

A search of the state engineer's data base indicate that there are no domestic water wells within 1,000 feet of the site. The only water well in the assumed downgradient direction of the southeast is located approximately 2,400 feet from the site. The well is listed as a domestic well and is completed in the shallow unconfined aquifer.

5.0 QA/QC PROCEDURES

5.1 Soil Sampling

Samples of subsurface soils were obtained utilizing either a split spoon sampler (air rotary drilling rig) or a two-inch, continuous sampling tube with a clean polybutyrate liner (Geo-Probe⁷). Representative soil samples were divided into two separate portions using clean, disposable gloves and clean sampling tools. One portion of the soil sample was placed in a disposable sample bag. The bag was labeled and sealed for headspace analysis using a photoionization detector (PID) calibrated to a 100 ppm isobutylene standard. Each sample was allowed to volatilize for approximately thirty minutes at ambient temperature prior to conducting the analysis.

The other portion of the soil sample was placed in a sterile glass container equipped with a Teflon-lined lid furnished by the analytical laboratory. The container was filled to capacity to limit the amount of headspace present. Each container was labeled and placed on ice in an insulated cooler. Upon selection of samples for analysis, the cooler was sealed for shipment to the laboratory. Proper chain-of-custody documentation was maintained throughout the sampling process.

Soil samples were delivered to Environmental Lab of Texas, Inc. in Midland, Texas for BTEX and TPH analyses using the methods described below. Soil samples were analyzed for BTEX and TPH-GRO/DRO within fourteen days following the collection date.

The soil samples were analyzed as follows:

- BTEX concentrations in accordance with EPA Method 8021B, 5030
- TPH concentrations in accordance with modified EPA Method 8015M GRO/DRO

5.2 Ground Water Sampling

Monitoring wells were developed and purged with a clean PVC bailer. The bailer was cleaned prior to each use with Liqui-Nox⁷ detergent and rinsed with distilled water. Monitoring wells with sufficient recharge were purged by removing a minimum of three well volumes. Monitoring wells that do not recharge sufficiently were purged until no additional ground water can be obtained.

After purging the wells, ground water samples were collected with a disposable Teflon sampler and polyethylene line by personnel wearing clean, disposable gloves. Ground water sample containers were filled in the order of decreasing volatilization sensitivity (i.e., BTEX containers will be filled first and polynuclear aromatic hydrocarbons (PAH) containers second).

Ground water samples collected for BTEX analysis were placed in 40 ml glass VOA vials equipped with Teflon lined caps. The containers were provided by the analytical laboratory. The vials were filled to a positive meniscus, sealed, and visually checked to ensure the absence of air bubbles.

Ground water samples collected for PAH analysis were filled to capacity in sterile, one liter glass containers equipped with Teflon lined caps. Ground water samples collected for metals analysis were filled to capacity in sterile, one liter plastic containers equipped with Teflon lined caps. The containers were provided by the analytical laboratory.

The filled containers were labeled and placed on ice in an insulated cooler. The cooler was sealed for transportation to the analytical laboratory. Proper chain-of-custody documentation was maintained throughout the sampling process.

The ground water samples were analyzed as follows:

- BTEX concentrations in accordance with EPA Method 8021B, 5030
- TPH concentrations in accordance with modified EPA Method 8015-GRO/DRO

5.3 Decontamination Of Equipment

Cleaning of drilling equipment was the responsibility of the drilling company. In general, the cleaning procedures consisted of using high pressure steam to wash the drilling and sampling equipment prior to drilling and prior to starting each hole. Prior to use, the sampling equipment was cleaned with Liqui-Nox⁷ detergent and rinsed with distilled water.

5.4 Laboratory Protocol

The laboratory was responsible for proper QA/QC procedures after signing the chain-of-custody form. These procedures were either transmitted with the laboratory reports or are on file at the laboratory.

6.0 LIMITATIONS

Environmental Technology Group, Inc. has prepared this Preliminary Investigation Report to the best of its ability. No other warranty, expressed or implied, is made or intended.

Environmental Technology Group, Inc. has examined and relied upon documents referenced in the report and has relied on oral statements made by certain individuals. Environmental Technology Group, Inc. has not conducted an independent examination of the facts contained in referenced materials and statements. We have presumed the genuineness of the documents and that the information provided in documents or statements is true and accurate. Environmental Technology Group, Inc. has prepared this report in a professional manner, using the degree of skill and care exercised by similar environmental consultants. Environmental Technology Group, Inc. also notes that the facts and conditions referenced in this report may change over time and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

This report has been prepared for the benefit of Yates Petroleum Corp. The information contained in this report including all exhibits and attachments, may not be used by any other party without the express consent of Environmental Technology Group, Inc. and/or Yates Petroleum Corp.

TABLES

Table 1

SOIL CHEMISTRY

YATES PETROLEUM CORPORATION
 INEZ PIT SITE
 ARTESIA, NEW MEXICO
 ETGI Project # YPC 2200D

All concentrations are in mg/L

SAMPLE NAME	SAMPLE DATE	SAMPLE DEPTH	SW 846-8021B, 5030					TPH 8015M			SW 846-9253
			BENZENE	TOLUENE	ETHYL-BENZENE	M,P-XYLENES	O-XYLENES	GRO C6-C10	DRO >C10-C28	TOTAL TPH	CHLORIDES
SB-1	10/19/00	15-16.5'	3.06	1.180	11.5	12.0	4.39	214	790	1004	12230
SB-1	10/19/00	19-21'									4372
SB-1	10/19/00	24-26'									2623
SB-1	10/19/00	36-38'									3978
SB-2	10/19/00	17.5-19.5'									1240
SB-3	10/19/00	17-19'									13471
Background	10/19/00	0-2'									44

TABLE 2

GROUND WATER CHEMISTRY

YATES PETROLEUM CORPORATION
INEZ PIT SITE
ARTESIA, NEW MEXICO
ETGI Project # YPC 2200D


All concentrations are in mg/L


SAMPLE NAME	SAMPLE DATE	SW 846-8021B, 5030					TPH 8015M			SW 846-9253	
		BENZENE	TOLUENE	ETHYL-BENZENE	M,P-XYLENES	O-XYLENES	GRO C6-C10	DRO >C10-C28	TOTAL TPH	CHLORIDES	
SB-1	10/19/00	0.088	0.007	0.056	0.056	0.026	<0.50	<0.50	<1.00	17725	

FIGURES

APPENDICES

APPENDIX A





**Environmental Technology
Group, Inc.**


Figure 2
Site Map

Yates Petroleum Corp.
Inez Pit
Artesia, NM



LEGEND:

Soil Boring Location



Environmental Technology Group, Inc.

Figure 3
Water Well Location Map

Yates Petroleum Corp.
Inez Pit
Artesia, NM

Scale: NTS	Prep By: JDU	Checked By: JT
October 20, 2000	ETGI Project # YPC 27000	

Shallow Monitoring


Shallow Domestic
Deep Domestic
Shallow Irrigation
Shallow Production

LEGEND:



Soil Boring SB-1

PID Head-space reading in ppm obtained with a photo-ionization detector.
O Indicates samples selected for laboratory analysis.



Soil Boring Details

Date Drilled 10 / 19 / 00
Plugged - Surface to TD with Bentonite
and hydrated with deionized
water.

Environmental Technology Group Inc.

Scale: NTS Prep By: RS Checked By: KD
November 2, 2000 ETG1 Order #: V001-22000




Soil Boring Log Details

Soil Boring SB-1

Yates Pet Comb Inez Pit Eddy NM

Soil Boring SB-2

Depth (feet)	Soil Columns	PID Reading	Petroleum Odor	Petroleum Stain	Soil Description
0					



Legend
PID Head-space reading in ppm obtained with a photo-ionization detector.
○ Indicates samples selected for laboratory analysis.

Backfill - Mixed, Sandy Loam/Sand

Caliche layer

(74) None None

TD

Soil Boring Details
Sand - (SP) - Brown-Black, very fine grained, well sorted.
Date Drilled 10 / 19 / 00
Plugged - Surface to TD with Bentonite and hydrated with deionized water.

Soil Boring Log Details

Soil Boring SB-2


Yates Pet Corp. Inez Pit Eddy, NM

Environmental Technology Group, Inc.

Scale: NTS Prep By: RS Checked By: KD
November 2, 2000 ETG Project # YPC 22000



Soil Boring SB-3



Backfill - Mixed, Sandy Loam/Sand

Legend

- PID Head-space reading in ppm obtained with a photo-ionization detector.
- () Indicates samples selected for laboratory analysis.

Soil Boring Details

Date Drilled 10 / 19 / 00
Plugged - Surface to TD with Bentonite and hydrated with deionized water.

Environmental Technology Group, Inc.

Scale: NTS	Prep By: RS	Checked By: NO
November 2, 2000	ETGI Project # WPC 2200D	

Soil Boring Log Details
Soil Boring SB-3

Yates Pet Corp. Inez Pit Eddy, NM



APPENDIX B

ENVIRONMENTAL LAB OF , Inc.

"Don't Treat Your Soil Like Dirt!"

ENVIRONMENTAL TECHNOLOGY GROUP, INC.
 ATTN: MR. JESSE TAYLOR
 254C W. MARLAND
 HOBBS, N.M. 86240
 FAX: 505-397-4701
 FAX: 915-520-4310

Sample Type: Soil
 Sample Condition: Intact/ Iced/ 1 deg. C
 Project #: YPC 22000
 Project Name: Yates Petroleum
 Project Location: Artesia, N.M.

Sampling Date: See Below
 Receiving Date: 10/23/00
 Analysis Date: 10/29/00

ELT#	FIELD CODE	BENZENE mg/kg	TOLUENE mg/kg	ETHYLBENZENE mg/kg	m,p-XYLENE mg/kg	<i>o</i> -XYLENE mg/kg	SAMPLE DATE
32918	Inez SB-1 15-16.5'	3.06	1.18	11.5	12.0	4.39	10/19/00
32929	Lattion SB-2 13-15'	<0.025	0.058	0.056	0.122	0.040	10/20/00
32941	Williams SB-5 10-12'	<0.025	<0.025	<0.025	<0.025	<0.025	10/21/00
32947	Scripp SB-2 30-33'	<0.025	<0.025	<0.025	<0.025	<0.025	10/21/00

%IA	104	105	105	105	100
%EA	95	95	96	96	92
BLANK	<0.025	<0.025	<0.025	<0.025	<0.025

METHODS: EPA SW 846-8021B ,5030

R. L. K. Tuttle
 Ralando K. Tuttle

11-2-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

ENVIRONMENTAL TECHNOLOGY GROUP, INC.
 ATTN: MR. JESSE TAYLOR
 2540 W. MARLAND
 HOBBS, N.M. 88240
 FAX: 505-397-4701
 FAX: 915-520-4310

Sample Type: Water
 Sample Condition: Intact/ Iced/ HC/ 1 deg. C
 Project #: YPC 2200D
 Project Name: Yates Petroleum
 Project Location: Artesia, N.M.

Sampling Date: See Below
 Receiving Date: 10/23/00
 Analysis Date: 10/24/00

ELT#	FIELD CODE	BENZENE mg/L	TOLUENE mg/L	ETHYLBENZENE mg/L	m,p-XYLENE mg/L	o-XYLENE mg/L	SAMPLE DATE
32922	Inez SB-1 67'	0.088	0.007	0.056	0.056	0.026	10/19/00
32935	Lation SB-2 47'	0.004	<0.001	<0.001	<0.001	<0.001	10/20/00
32944	Williams SB-5 30'	0.535	0.012	0.020	0.021	0.013	10/21/00
32950	Scripp SB-2 40'	0.015	<0.001	0.001	0.002	0.001	10/21/00

%IA	96	96	99	101	96
%EA	106	89	95	86	90
BLANK	<0.001	<0.001	<0.001	<0.001	<0.001

METHODS: EPA SW 846-8021B, 5030

Roland K. Tuttle
 Roland K. Tuttle

11-2-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

ENVIRONMENTAL TECHNOLOGY GROUP, INC.
 ATTN: MR. JESSE TAYLOR
 2540 W. MARLAND
 HOBBES, N.M. 88240
 FAX: 505-397-4701
 FAX: 915-520-4310

Sample Type: Soil
 Sample Condition: Intact/ Iced/ 1 deg. C
 Project #: YPC 22CCD
 Project Name: Yates Petroleum
 Project Location: Artesia, N.M.

Sampling Date: See Below
 Receiving Date: 10/23/00
 Analysis Date: 10/24/00

ELT #	FIELD CODE	GRO	DRO	SAMPLE DATE
		C6-C10 mg/kg	>C10-C7.8 mg/kg	
32918	Inez SB-1 15-16.5'	214	790	10/19/00
32929	Lattion SB-2 13-15'	<10	<10	10/20/00
32941	Williams SB-5 17-19'	<10	<10	10/21/00
32947	Scripp SB-2 30-33'	<10	<10	10/21/00

% INSTRUMENT ACCURACY	78	84
% EXTRACTION ACCURACY	78	68
BLANK	<10	<10

Methods: SW 846-8015M

Roland K. Tuttle
 Roland K. Tuttle

11-2-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

Sample Type: Water
 Sample Condition: Intact/ Iced/ HC/ 1 deg. C
 Project #: YPC 22000
 Project Name: Yates Petroleum
 Project Location: Artesia, N.M.


ENVIRONMENTAL TECHNOLOGY GROUP, INC.
 ATTN: MR. JESSE TAYLOR
 2540 W. MARLAND
 HCBS, N.M. 88240
 FAX: 505-397-4701
 FAX: 915-520-4310

Sampling Date: See Below
 Receiving Date: 10/23/00
 Analysis Date: 10/31/00

ELT#	FIELD CODE	GRO C6-C10 mg/L	DRO >C10-C28 mg/L	SAMPLE DATE
32922	Inez SB-1 67'	<0.50	<0.50	10/19/00
32935	Lattion SB-2 47'	<0.50	<0.50	10/20/00
32944	Williams SB-5 30'	<0.50	<0.50	10/21/00
32950	Scripp SB-2 40'	<0.50	<0.50	10/21/00

% INSTRUMENT ACCURACY	103	123
% EXTRACTION ACCURACY	115	147
BLANK	<0.50	<0.50

Methods: SW 846-8015M


 Ralanda K. Tuttle

11-2-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

ENVIRONMENTAL TECHNOLOGY GROUP, INC.
 ATTN: MR. JESSE TAYLOR
 2540 W. MARLAND
 HOBBES, N.M. 88240
 FAX: 505-397-4701
 FAX: 915-520-4310


Sample Type: Soil
 Sample Condition: Intact/ Iced/ 1 deg. C
 Project #: YPC 22000
 Project Name: Yates Petroleum
 Project Location: Artesia, N.M.

Sampling Date: See Below
 Receiving Date: 10/23/00
 Analysis Date: 10/25/00

ELT#	FIELD CODE	Chloride mg/kg	SAMPLE DATE
32918	Inez SB-1 15-16.5'	12230	10/19/00
32919	Inez SB-1 19-21'	4372	10/19/00
32920	Inez SB-1 24-26'	2623	10/19/00
32921	Inez SB-1 36-38'	3978	10/19/00
32923	Inez SB-2 17.5-19.5'	1240	10/19/00
32924	Inez SB-3 17-19'	13471	10/19/00
32925	Inez Background	44	10/19/00
32926	Lattion SB-1 8-9'	886	10/20/00
32927	Lattion SB-1 14-16'	886	10/20/00
32928	Lattion SB-2 8-9'	6736	10/20/00
32929	Lattion SB-2 13-15'	6381	10/20/00
32930	Lattion SB-2 20-21'	7267	10/20/00
32931	Lattion SB-3 12.5-14.5'	3722	10/20/00
32932	Lattion SB-4 13-15'	2304	10/20/00
32933	Lattion SB-5 13-15'	7445	10/20/00
32934	Lattion SB-6 14-16'	4538	10/20/00
32936	Lattion Background	18	10/20/00
32937	Williams SB-1 10-12'	7385	10/21/00
32938	Williams SB-2 10-12'	10706	10/21/00
32939	Williams SB-3 10-12'	10147	10/21/00
32940	Williams SB-4 17-19'	5405	10/21/00
32941	Williams SB-5 10-12'	3729	10/21/00
32942	Williams SB-5 17-19'	9040	10/21/00
32943	Williams SB-5 24-26'	11108	10/21/00
32945	Scripp SB-1 18.5-20.5'	8863	10/21/00
32946	Scripp SB-2 9-10'	886	10/21/00
32947	Scripp SB-2 30-33'	7550	10/21/00
32948	Scripp SB-2 35-37'	301	10/21/00
32949	Scripp SB-2 39-41'	1560	10/21/00
32951	Williams Background	142	10/21/00
32952	Scripp Background	35	10/21/00

QUALITY CONTROL	5140
TRUE VALUE	5000
% INSTRUMENT ACCURACY	103
BLANK	<10

Methods: SW 846-9253


 Roland K. Tuttle

11-2-00
 Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

Sample Type: Water
 Sample Condition: Intact/ Iced/ 1 deg. C
 Project #: YPC 2200D
 Project Name: Yates Petroleum
 Project Location: Artesia, N.M.


ENVIRONMENTAL TECHNOLOGY GROUP, INC.
 ATTN: MR. JESSE TAYLOR
 2540 W. MARLAND
 HOBBS, N.M. 88240
 FAX: 505-397-4701
 FAX: 915-520-4310

Sampling Date: See Below
 Receiving Date: 10/23/00
 Analysis Date: 11/02/00

ELT#	FIELD CODE	Chloride mg/L	SAMPLE DATE
32922	Inez SB-1 67'	17725	10/19/00
32935	Lattion SB-2 47'	81535	10/20/00
32944	Williams SB-5 30'	30842	10/21/00
32950	Scripp SB-2 40'	25170	10/21/00

QUALITY CONTROL	5140
TRUE VALUE	5000
% INSTRUMENT ACCURACY	103
BLANK	<10

Methods: SW 846-9253


Roland K. Tuttle 11-2-00
 Date

Environmental Lab of Texas, Inc. 12600 West I-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

COC: 264

Project Manager:

Jesse Taylor

Company Name & Address:

ET GT 254D West Maryland, Odessa, TX 79763

Phone #: 397-4882

FAX #: 397-4701

Project #: 1

VPC 22000

Project Name:

Yates Pet.

Sampler Signature:

Jesse Dittes

Project Location:

Circle Side, NM

ANALYSIS REQUEST

CHLORIDES

RCI

TDS

TCLP Semi Volatiles

TCLP Volatiles

TCLP Metals Ag, Cd, Cr, Pb, Hg, Se

Total Metals Ag, Cd, Cr, Pb, Hg, Se

BTEX 8120/5030

TPH

8015 EPC/DBD

RetainPublished by:

Jesse Dittes

Date:

23 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

RetainPublished by:

Jesse Dittes

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

RetainPublished by:

Jesse Dittes

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

RetainPublished by:

Jesse Dittes

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

RetainPublished by:

Jesse Dittes

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Memorandum

Date:

14 Oct 2001

Time:

14:05

Received by:

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

Nov 02 00 05:10P

P. 9

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST
 COC #264

Project Manager:		Phone #: 397-4882		FAX #: 397-4701		ANALYSIS REQUEST		3044	
Company Name & Address:		Project Name:		Sample Signature:		TESTS			
E&I 2540 W. Marland		WATERS ACT		<i>See J. G. J.</i>		TCLP Volatile			
WATER		WATER		WATER		TCLP Semi-Volatile			
LAB #		FIELD CODE		CONTAINERS		METHOD		REMARKS	
(LAB USE) ONLY				Volume/Amount		PRESERVATIVE			
				WATER		TIME			
				SOIL		DATE			
				SLUDGE		OTHER			
				AIR		ICP			
				HCl		HNO3			
				Glycerin		None			
				Sulfuric Acid		ICP			
				Acid		ICP			
				Water		ICP			
32940		Williams SB-4 17-19'		1		X		10/21/01	
32941		Williams SB-5 10-12'		1		X		9/30	
32942		Williams SB-5 17-19'		1		X		10/25	
32943		Williams SB-5 24-26'		1		X		10/22	
32944		Williams SB-5 20'		4		X		12/10	
32945		Scr. #P SB-1 18.5-20.5'		1		X		12/10	
32946		Scr. #P SB-2 9-10'		1		X		12/10	
32947		Scr. #P SB-2 30-33'		1		X		12/10	
32948		Scr. #P SB-2 35-37'		1		X		12/10	
32949		Scr. #P SB-2 39-41'		1		X		12/10	
32950		Scr. #P SB-2 40'		4		X		12/15	
Relinquished by:		<i>See J. G. J.</i>		Date: 23 Oct 00		Time: 1405		Received by:	
Relinquished by:				Date:		Time:		<i>J. G. J.</i>	
Relinquished by:				Date:		Time:		Received by Laboratory:	

Environmental Lab of Texas, Inc. 12600 West I-20 East Odessa, Texas 79763
 (915) 563-1800 FAX (915) 563-1713

No 02 00 05:11 p

p. 10

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

COC # 264

Printed Name:

Jesse Taylor

Company Name & Address:

ETI 2540 West Mainland, Hobbs, NM

Phone #: 397-47701

FAX #: 397-47701

Project Name:

YPC-2200D

Sample Signature:

Project Location:

Cartesia, NM

Relinquished by:

Jesse Taylor

Date:

10/21/95

Time:

1250

ANALYSIS REQUEST

4SfA

APPENDIX C

New Mexico Office of the State Engineer
Well Reports and Downloads

Township:	<input type="text" value="18S"/>	Range:	<input type="text" value="26E"/>	Sections:	<input type="text" value="23"/>
NAD27 X:	<input type="text"/>	Y:	<input type="text"/>	Zone:	<input type="text"/> ▶
County:	<input type="text" value="ED"/>	Basin:	<input type="text"/> ▶	Number:	<input type="text"/> ▶
Owner Name:	<input type="text"/> (Last)		<input type="checkbox"/> Non-Domestic <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> All <input type="button" value="Well Data Report"/> <input type="button" value="Avg Depth to Water Report"/> <input type="button" value="WATERS Menu"/> <input type="button" value="Water Column Report"/> <input type="button" value="Help"/>		
WELL DATA REPORT 11/15/2000					

(acre ft per annum)					
DB File Nbr	Use	Diversion	Owner	X	Y
RA 01296	IRR	9666	CHARLES R. MARTIN	18S	26E
RA 01296	CLW			18S	26E
RA 01296	COR			18S	26E
RA 01296	DRY	2		18S	26E
RA 01296	SUP			18S	26E
RA 01296	SUP	2		18S	26E
RA 02132	CLW-2			18S	26E
RA 05344	(1C)			18S	26E

(quarters are biggest to smallest)
Tws Rng Sec q q q Zone

Record Count : 8

New Mexico Office of the State Engineer
Transaction Summary

[Back](#)

CPPU Change Place & Purpose of Use (Ground)

Trn_nbr: 106247 Trn_desc: CONVERSION RA 01296 File Date: 09/25/1969

Primary status: PMT Permit

Secondary status: APR Approved

Person assigned:

Applicant: CHARLES R. MARTIN

Events

Date Type Description

09/25/1969 CHV Converted from Main Frame

Processed By
informix Ortega, Mercedes

DB_File_Nbr Acres Diversion Consumptive Purpose of Use

RA 01296 644.4 9666 IRR IRRIGATION

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	X	Y
RA 01296	18S	26E	23	1	3	0		

Driller Licence:

Driller Name: R. L. WILLSON
Drill Start Date: 11/01/1938
Log File Date:
Pump Type:
Casing Size:
Depth Well: 158

Source: Shallow
Drill Finish Date: 01/26/1939
PCW Received Date: 12/16/1939
Pipe Discharge Size:
Estimated Yield:
Depth Water:

New Mexico Office of the State Engineer
Point of Diversion Summary

Back

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 01296 CLW	18S	26E	23	1	3	2		

Driller Licence: 28 SNIRRH, A.F.

Driller Name:

Drill Start Date: 03/16/1954

Log File Date: 04/12/1954

Pump Type: TURBIN

Casing Size:

Depth Well: 150

Source: Shallow

Drill Finish Date: 03/18/1954

PCW Received Date: 10/05/1955

Pipe Discharge Size:

Estimated Yield:

Depth Water: 35

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number RA	Tws 18S	Rng 26E	Sec 23	q 3	q 1	Zone 1	X	Y
------------------	------------	------------	-----------	--------	--------	-----------	---	---

Driller Licence:

Driller Name: D. N. GRAY
Drill Start Date:
Log File Date:
Pump Type: TURBIN
Casing Size:
Depth Well: 150

Source: Shallow
Drill Finish Date: 04/01/1943
PCW Received Date: 08/28/1944
Pipe Discharge Size:
Estimated Yield:
Depth Water: 70

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	RA	Tws	Rng	Sec	q	q	Zone	x	y
01296	DRY	18S	26E	23	1	1	0		

Driller Licence:

Driller Name: R. L. WILLSON
Drill Start Date: 09/24/1935
Log File Date: 02/10/1959
Pump Type:
Casing Size:
Depth Well: 212

Source:

Drill Finish Date: 10/01/1935
PCW Received Date:
Pipe Discharge Size:
Estimated Yield:
Depth Water:

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 01296 DRY 2	18S	26E	23	1	1	0		

Driller Licence:

Driller Name: R. L. WILLSON
Drill Start Date: 03/01/1939
Log File Date: 02/10/1959
Pump Type:
Casing Size:
Depth Well:

Source:
Drill Finish Date: 03/30/1939
PCW Received Date:
Pipe Discharge Size:
Estimated Yield:
Depth Water:

New Mexico Office of the State Engineer
Point of Diversions Summary

Back

POD Number	Tws	Rng	Sec	q	q	Zone	X	Y
RA 01296 SUP	18S	26E	23	3	1	1		

Driller Licence:

Driller Name: D. N. GRAY

Drill Start Date:

Log File Date:

Pump Type: TURBIN

Casing Size:

Depth Well: 154

Source: Shallow

Drill Finish Date: 04/01/1943

PCW Received Date: 08/21/1943

Pipe Discharge Size:

Estimated Yield:

Depth Water: 110

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 01296 SUP 2	18S	26E	23	1	1	3		

Driller Licence:

Driller Name: DAVE GRAY

Drill Start Date:

Log File Date:

Pump Type: ROTARY

Casing Size:

Depth Well: 135

Source: Shallow

Drill Finish Date: 02/01/1948

PCW Received Date: 08/12/1948

Pipe Discharge Size:

Estimated Yield:

Depth Water: 100

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 02132 CLW-2

Primary Purpose: IRR IRRIGATION

Primary Status: ADJ Adjudicated

Total Acres: 254.9

Total Diversion: 3

Owner: JONNIE GOODEN & PAUL E ROGERS

Documents on File

Doc	File/Act	Status	1	2	3	trans	Desc	From/To	Acres	Diversion	Consumptive
APPRO	03/21/1959	ADJ	ADJ	CNV	CONVERSION	RA	021 T	254.9	3		

Point of Diversion

POD Number	Source	Tws	Rng	Sec	q	q	q	X	Y	UTM are in Meters)
RA 02132 CLW-2	Shallow	18S	26E	23	2	1	1	X	X	UTM Zone

RA 02132 CLW-2

Shallow

18S

26E

23

2

1

1

560798

13

3622405

I

32

4

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 02132 CLW-2	185	26E	23	2	1	1		

Driller Licence:

Driller Name: A. F. SMITH

Drill Start Date:

Log File Date:

Pump Type: TURBIN

Casing Size:

Depth Well: 200

Source: Shallow

Drill Finish Date: 01/08/1955

PCW Received Date: 08/15/1955

Pipe Discharge Size:

Estimated Yield:

Depth Water:

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 05344
 Primary Purpose: PRO 72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE
 Primary Status: FMT Permit
 Total Acres:
 Total Diversion: 60
 Owner: YATES PETROLEUM CORP

Documents on File

DOC	File/Act	status	1	2	3	Trans Desc	From/To	Acres	Diversion	Consumptive
CLWPU	01/31/1989	PMT APR CNV	CONVERSION	RA	053	T		60		

Point of Diversion

POD Number	Source	Tws	Rng	Sec	q	q	q	X	Y	UTM Zone	Easting	Northing
RA 05344	Shallow	18S	25E	26	4	4	0			13	551687	3619460
RA 05344 (1A)		18S	25E	35	0	0	0			13	551065	3618474
RA 05344 (1)		18S	25E	26	3	4	3			13	550782	3619349
RA 05344 (1B)		18S	26E	27	3	0	0			13	558699	3619680
RA 05344 (1C)		18S	26E	23	4	4	0			13	560501	3620690
RA 05344 (1D)		18S	25E	35	0	0	0			13	551065	3618474
RA 05344 (2)		18S	25E	35	0	0	0			13	551065	3618474
RA 05344 (2A)		18S	26E	31	3	0	0			13	553894	3618066
RA 05344 (2B)		18S	25E	34	0	0	0			13	549450	3618477
RA 05344 (2C)		18S	25E	34	0	0	0			13	549450	3618477
RA 05344 (3)		18S	25E	23	0	0	0			13	551075	3621665

Place of Use

Tws	Rng	Sec	q	q	q	q	Acres	Diversion	Consumptive	Use	Priority	Status	Other Location Description
			00							05/22/1967			

New Mexico State Engineer
Point of Diversion Summary

[Back](#)

POD Number Tws Rng Sec q q Zone x y
RA 05344 (1C) 18S 26E 23 4 4 0

Driller Licence:

Driller Name:

Drill Start Date:

Log File Date:

Pump Type:

Casing Size:

Depth Well:

Source:

Drill Finish Date:

PCW Received Date:

Pipe Discharge Size:

Estimated Yield:

Depth Water:

New Mexico Office of the State Engineer
Well Reports and Downloads

Township: [18S]	Range: [26E]	Sections: [24]
NAD27 X: []	Y: []	Zone: [] Search Radius: []
County: [ED] ▾	Basin: []	Number: [] Suffix: []
Owner Name: (First) [] (Last) [] <input type="checkbox"/> Non-Domestic <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> All		
Well Data Report Avg Depth to Water Report Water Column Report Clear Form WATERS Menu Help		

WELL DATA REPORT 11/15/2000

(acre ft per annum)
 Use Diversion Owner
 IRR 3 TERRY & JAMIE MARIE SANDERS

(quarters are biggest to smallest X Y are Zone)			
DB File Nbr	Tws	Rng	Sec q q q
RA 02132	RA 02132	RA 26E	2 4 1
	RA 02132 B	RA 26E	1 4 2
	RA 02132 B REPAR	RA 26E	1 2 3
	RA 02132 BS	RA 26E	1 2 2
	RA 02132 CIW	RA 26E	1 4 1
	RA 02132 REPAR	RA 26E	2 4 1
	RA 02132 B-2 REPAR	RA 26E	1 2 3
RA 02132 B-2 PRO	ANOCO PROD. CO.	RA 26E	2 4 2
RA 03409 REPAR DOM	3 SANDERS TERRY	RA 26E	1 3 1
RA 03900 DOM	3 PAUL & JOHNNIE ROGERS	RA 26E	1 3 1

Record Count: 9

New Mexico Office of the State Engineer
Water Right Summary

Back

DB File Nbr: RA 02132

Primary Purpose: IRR IRRIGATION
Primary Status: ADJ Adjudicated

Total Acres: 4.7

Total Diversion: 3

Owner: R.G. GOODEN

Owner: TERRY & JAMIE MARIE SANDERS

Documents on File

Doc	File/Act	Status	1	2	3	Trans Desc	From/To	Acres	Diversion	Consumptive
APPRO	05/05/1958	ADJ	CNV	CONVERSION	RA	021 T		4.7		3

Point of Diversion

POD Number	Source	Tws	Rng	Sec	q	q	q	X	Y	UTM are in Meters)
RA 02132	Shallow	18S	26E	24	2	4	1			I
RA 02132 B	Shallow	18S	26E	24	1	4	2			
RA 02132 B REPAR	Shallow	18S	26E	24	1	2	3			
RA 02132 BS	Shallow	18S	26E	24	1	2	2			
RA 02132 CLW	Shallow	18S	26E	24	1	4	1			
RA 02132 REPAR	Shallow	18S	26E	24	2	4	1			

Place of Use

Tws	Rng	Sec	q	q	q	Acres	Diversion	Consumptive	Use	Priority	Status
18S	26E	23				146.5	439.5			01/01/1908	
18S	26E	23				39.75	119.25			01/01/1908	
18S	26E	24				63.8	191.4			01/01/1925	
18S	26E	24				3.5	10.5			01/01/1925	

Other Location Description

UTM Zone	Eastng	Northing
13	562804	3622005
13	562201	3622003
13	562000	3622207
13	562200	3622407
13	562001	3622003
13	562804	3622005

New Mexico Office of the State Engineer
Transaction Summary

[Back](#)

[APPRO](#) [Application to Appropriate](#)

Trn_nbr: 107254 Trn_desc: CONVERSION RA 02132 File Date: 05/05/1958

Primary status: ADJ Adjudicated

Secondary status: ADJ

Person assigned:

Applicant: R.G. GOODEN

Applicant: TERRY & JAMIE MARIE SANDERS

Events

Date Type Description Comment

05/05/1958 CMV Converted from Main Frame

DB File Nbr	Acres	Diversion	Consumptive	Purpose of Use
RA 02132	4.7	3		IRR IRRIGATION

Processed By
informix Ortega, Mercedes

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 02132	18S	26E	24	2	4	1		

Driller Licence:

Driller Name:

Drill Start Date:

Log File Date:

Pump Type:

Casing Size:

Depth Well:

Source: Shallow
Drill Finish Date: 01/01/1912
PCW Received Date:
Pipe Discharge Size:
Estimated Yield:
Depth Water:

New Mexico Office of the State Engineer
Point of Diversion Summary

Back

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 02132 B	18S	26E	24	1	4	2		

Driller Licence:

Driller Name: D.N. GRAY
Drill Start Date: 12/06/1952
Log File Date: 01/06/1953
Pump Type: TURBIN
Casing Size:
Depth Well: 166

Source: Shallow
Drill Finish Date: 12/17/1952
PCW Received Date: 02/08/1955
Pipe Discharge Size:
Estimated Yield:
Depth Water:

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 02132 B REPAR	18S	26E	24	1	2	3		

Driller Licence: 28 SMITH, A.F.

Driller Name: A.F. SMITH

Drill Start Date: 12/03/1953

Log File Date: 12/23/1953

Pump Type:

Casing Size:

Depth Well: 140

Source: Shallow

Drill Finish Date: 12/04/1953

PCW Received Date: 02/08/1955

Pipe Discharge Size:

Estimated Yield:

Depth Water: 27

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 02132 BS	18S	26E	24	1	2	2		

Driller Licence:

Driller Name:
Drill Start Date:
Log File Date:
Pump Type: TURBIN
Casing Size:
Depth Well: 105

Source: Shallow
Drill Finish Date: 01/01/1938
PCW Received Date: 02/08/1955
Pipe Discharge Size:
Estimated Yield:
Depth Water:

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 02132 CLW	18S	26E	24	1	4	1		

Driller Licence:

Driller Name: D.N. GRAY
Drill Start Date: 12/06/1952
Log File Date: 01/06/1953
Pump Type:
Casing Size:
Depth Well: 166

Source: Shallow
Drill Finish Date: 12/17/1952
PCW Received Date:
Pipe Discharge Size:
Estimated Yield:
Depth Water:

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tw	s	Rng	Sec	q	q	Zone	x	y
RA 02132 REPAR	18S	26E	24	2	4	1			

Driller Licence:

Driller Name: R. I. WILLSON
Drill Start Date: 01/06/1953
Log File Date: 01/06/1956
Pump Type: TURBIN
Casing Size:
Depth Well: 60

Source:
Drill Finish Date: 03/01/1936
PCW Received Date:
Pipe Discharge Size:
Estimated Yield:
Depth Water:

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 02132 B-2
Primary Purpose: PRO 72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE
Primary Status: EXP Expired
Total Acres:
Total Diversion:
Owner: ANOCO PROD. CO.

Documents on File

Doc	File/Act	Status	1	2	3	Trans Desc	From/To	Acres	Diversion	Consumptive
APPRO	07/24/1980	EXP EXP CNV				CONVERSION	RA 021 T			
POD Number		Source	Tws	Rng	Sec	q q	Zone	X	Y	UTM are in Meters)
RA	02132 B-2 REPAR	Shallow	18S	26E	24	1 2 3				UTM Zone Easting Northing
							13	562000	3622207	I 32 4

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 02132 B-2 REPAR	18S	26E	24	1	2	3		

Driller Licence: 28 SMITH, A.F.

Driller Name: A. F. SMITH

Drill Start Date: 12/08/1953

Log File Date: 01/11/1954

Pump Type: TURBIN

Casing Size:

Depth Well: 105

Source: Shallow

Drill Finish Date: 12/10/1953

PCW Received Date: 02/08/1955

Pipe Discharge Size:

Estimated Yield:

Depth Water: 27

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 03409 REPAR
Primary Purpose: DOM 72-12-1 DOMESTIC ONE HOUSEHOLD
Primary Status: PMT Permit
Total Acres:
Total Diversions: 3
Owner: SANDERS TERRY

Documents on File

Doc	File/Act	status	1	2	3	Trans Desc	From/To	Acres	Diversion	Consumptive
72121	01/31/1956	PMT	APR	CNV	CONVERSION	RA	034 T			3

Point of Diversion (qtr are biggest to smallest X Y are in Feet UTM are in Meters)
POD Number Source Twp Rng Sec q q zone X Y UTM Zone Easting Northing
RA 03409 REPAR Shallow 18S 26E 24 2 4 2 13 563004 3622005 32 1

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back]

POD Number Tws Rng Sec q q
RA 03409 REPAR 18S 26E 24 2 4 2

Driller Licence: 28 Driller Name: SMITH, A. F.

Drill Start Date: 02/13/1956 Log File Date: 02/27/1956

Pump Type: Casing Size: Depth Well: 175

Source: Shallow
Drill Finish Date: 02/21/1956
PCW Received Date:

Pipe Discharge Size:
Estimated Yield:
Depth Water: 18

New Mexico Office of the State Engineer
Water Right Summary

[Back]

DB File Nbr: RA 03900

Primary Purpose: DOM 72-12-1 DOMESTIC ONE HOUSEHOLD
Primary Status: PMT Permit

Total Acres:

Total Diversions: 3

Owner: PAUL & JOHNNIE ROGERS

Documents on File

Doc	File/Act	Status	1	2	3	Trans Desc	From/To	Acres	Diversion	Consumptive
72121	07/17/1958	PMT APR CNV	CONVERSION	RA	039 T			3		
Point of Diversion										
POD Number	(qtr are biggest to smallest)	X Y are in Feet								UTM are in Meters)
RA 03900	Source Tws Rng Sec q q	Zone	X	Y						UTM Zone Easting Northing
	Artesian 18S 26E 24 1 3 1									13 561600 3622003 32 4

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 03900	18S	26E	24	1	3	1		

Driller Licence: 28 SMITH, A.F.

Driller Name: Drill Start Date: 07/17/1958
Log File Date: 08/11/1958
Pump Type:
Casing Size:
Depth Well: 845

Source: Artesian
Drill Finish Date: 08/08/1958
PCW Received Date:
Pipe Discharge Size:
Estimated Yield:
Depth Water: 90

New Mexico Office of the State Engineer
Well Reports and Downloads

Township:	<input type="text" value="18S"/>	Range:	<input type="text" value="26E"/>	Sections:	<input type="text" value="25"/>
NAD27 X:	<input type="text"/>	Y:	<input type="text"/>	Zone:	<input type="text"/> <input type="button" value="▼"/>
County:	<input type="text"/> <input type="button" value="ED"/> <input type="button" value="▼"/>	Basin:	<input type="text"/> <input type="button" value="▼"/>	Number:	<input type="text"/> <input type="button" value="▼"/>
Owner Name:	<input type="text"/>	(First)	<input type="text"/>	(Last)	<input type="checkbox"/> Non-Domestic <input type="checkbox"/> Domestic <input checked="" type="radio"/> All
<input type="button" value="Well Data Report"/>		<input type="button" value="Avg Depth to Water Report"/>		<input type="button" value="Water Column Report"/>	
<input type="button" value="Clear Form"/>		<input type="button" value="WATERS Menu"/>		<input type="button" value="Help"/>	

WELL DATA REPORT 11/15/2000

(acre ft per annum)
use Diversion Owner

(quarters are biggest to smallest
Tws Number Rng Sec q q q q
Zone

No Records found, try again

New Mexico Office of the State Engineer
Well Reports and Downloads

Township:	<input type="text" value="18S"/>	Range:	<input type="text" value="26E"/>	Sections:	<input type="text" value="26"/>
NAD27 X:	<input type="text"/>	Y:	<input type="text"/>	Zone:	<input type="text"/> <input type="button" value="▼"/>
County:	<input type="text"/> <input type="button" value="ED"/> <input type="button" value="▼"/>	Basin:	<input type="text"/> <input type="button" value="▼"/>	Number:	<input type="text"/> <input type="button" value="▼"/>
Owner Name:	(First)	<input type="text"/>	(Last)	<input type="checkbox"/> Non-Domestic	<input checked="" type="checkbox"/> Domestic
			<input type="checkbox"/> All		
<input type="button" value="Well Data Report"/>		<input type="button" value="Avg Depth to Water Report"/>		<input type="button" value="Water Column Report"/>	
<input type="button" value="Clear Form"/>		<input type="button" value="WATERS Menu"/>		<input type="button" value="Help"/>	

WELL DATA REPORT 11/15/2000

(acre ft per annum)

DB File Nbr	use	Diversions	Owner	BASSETT & BIRNEY ET AL
RA 01881	OBS			
RA 07242	-EXPL	DOM	3 HUBERT C. GREEN	
RA 07242	EXPL	OBS	3 HUBERT C. GREEN	
RA 07243	-EXPL	DOM	3 HUBERT C. GREEN	
RA 07243	EXPL	DOM	3 HUBERT C. GREEN	

Record Count: 5

(quarters are biggest to smallest)

Well Number	Tws	Rng	Sec	q	q	Zone
RA 01881	18S	26E	26	3	3	0
RA 07242	-EXPL					
RA 07242	EXPL					
RA 07243	-EXPL					
RA 07243	EXPL					

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 01881

Primary Purpose: OBS OBSERVATION

Primary Status: EXP Expired

Total Acres:

Total Diversion:

Owner: BASSETT & BIRNEY ET AL

Documents on File

Doc	File/Act	Status	1	2	3	trans Desc	From/To	Acres	Diversion	Consumptive
72121	01/27/1942	EXP	EXP	CNV	CONVERSIO	RA	018 T			

Point of Diversion (qtr are biggest to smallest)

POD Number	Source	Tws	Rng	Sec	q	q	Zone	X	Y	UTM are in Meters)
RA 01881	18S	26E	26	3	3	0	13	560105	3619478	UTM Zone Easting Northing I 32 4

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number
RA 01881 Tws Rng Sec q q zone x y
18S 26E 26 3 3 0

Driller Licence:

Driller Name:

Drill Start Date:

Log File Date:

Pump Type:

Casing Size:

Depth Well:

Source:

Drill Finish Date:

PCW Received Date:

Pipe Discharge Size:

Estimated Yield:

Depth Water:

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 07242 -EXPL
Primary Purpose: DOM 72-12-1 DOMESTIC ONE HOUSEHOLD
Primary Status: PMT Permit
Total Acres:
Total Diversions: 3
Owner: HUBERT C. GREEN

Documents on File

Doc	File/Act	Status	1	2	3	Trans	Desc	From/To	Acres	Diversions	Consumptive	
72121	09/15/1983	PMT AFR CNV	CONVERSATION	RA	072	T			3			
Point of Diversion (qtr are biggest to smallest X Y are in Feet UTM are in Meters)												
POD Number	Source	Tws	Rng	Sec	q	q	Zone	X	Y	UTM Zone	Easting	Northing
RA 07242 -EXPL	Shallow	18S	26E	26	4	3	13	560908	3619479	I	32	4

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 07242 -EXPL	18S	26E	26	4	3			

Driller Licence: 749 HUGHES, SAMUEL DALE

Driller Name: KUGHES DRILLING COMPANY

Drill Start Date: 09/20/1983

Log File Date: 11/08/1983

Pump Type:

Casing Size:

Depth Well: 102

Source: Shallow

Drill Finish Date: 10/30/1983

PCW Received Date:

Pipe Discharge Size:

Estimated Yield:

Depth Water: 55

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 07242 EXPL

Primary Purpose: OBS OBSERVATION

Primary Status: PMT Permit

Total Acres:

Total Diversions:

Owner: HUBERT C. GREEN

Documents on File

Doc	File/Act	Status	1	2	3	Trans Desc	From/To	Acres	Diversions	Consumptive
EXPL	09/15/1983	PMT	APR	CNV	CONVERSION	RA	07242 T			

Point of Diversion (qtr are biggest to smallest X Y are in Feet)

POD Number	Source	Tws	Rng	Sec	q	q	Zone	X	Y	UTM are in Meters)
RA 07242 EXPL	Shallow	18S	26E	26	4	3	13	560908	3619479	UTM Zone Easting Northing I 32 4

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number	Tws	Rng	Sec	q	q	Zone	x	y
RA 07242 EXPL	18S	26E	26	4	3			

Driller Licence: 749 HUGHES, SAMUEL DALE

Driller Name: Drill Start Date: 09/20/1983 Drill Finish Date: 10/30/1983
Log File Date: 11/08/1983 PCW Received Date:
Pump Type: Pipe Discharge Size:
Casing Size: Estimated Yield:
Depth Well: 102 Depth Water: 55

Source: Shallow

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 07243 -EXPL
Primary Purpose: DOM 72-12-1 DOMESTIC ONE HOUSEHOLD

Primary Status: PMT Permit

Total Acres:

Total Diversions: 3

Owner: HUBERT C. GREEN

Documents on File

Doc	File/Act	Status	1	2	3	Trans Desc	From/To	Acres	Diversions	Consumptive
72121	09/15/1983	PMT	APR	CNV	CONVERSATION	RA	072 T	3		

Point of Diversion {qtr are biggest to smallest X Y are in Feet
UTM are in Meters}

POD Number	Source	Tws	Rng	Sec	q	q	Zone	X	Y	UTM Zone	Eastng	Northng	I
RA 07243 -EXPL	Shallow	18S	26E	26	4	3				13	560908	3619479	32 4

New Mexico Office of the State Engineer
Point of Diversion Summary

[Back](#)

POD Number Tws Rng Sec q q Zone x y
RA 07243 -EXPL 18S 26E 26 4 3

Driller Licence: 749 HUGHES, SAMUEL DALE Source: Shallow
Driller Name: HUGHES DRILLING COMPANY Drill Finish Date: 07/25/1984
Drill Start Date: 07/01/1984 PCW Received Date:
Log File Date: 07/27/1984 Pipe Discharge Size:
Pump Type: Estimated Yield:
Casing Size: Depth Water: 50
Depth Well: 110

New Mexico Office of the State Engineer
Water Right Summary

[Back](#)

DB File Nbr: RA 07243 EXPL
Primary Purpose: DOM 72-12-1 DOMESTIC ONE HOUSEHOLD
Primary Status: PMT Permit
Total Acres:
Total Diversion: 3
Owner: HUBERT C. GREEN

Documents on File

Doc	File/Act	Status	1	2	3	Trans Desc	RA	From/To	Acres	Diversions	Consumptive
72121	09/15/1983	PMT	APR	CNV	CONVERSION	RA.	072 T		3		

Point of Diversion (qtr are biggest to smallest)
POD Number Source Twp Rng Sec q q q Zone X Y are in Feet
RA 07243 EXPL Shallow 18S 26E 26 4 3

UTM are in Meters)
UTM Zone Easting Northing
13 560908 3619479 32 4

New Mexico Office of the State Engineer
Point of Diversion Summary

Back

http://www.ose.state.../pod info.html?email address=etgi@leaco.net&pod basin=RA+&pod nbr=07243&pod suffix=EXPI+++++ 11/15/00

APPENDIX D

N	S	REF_NG	REF_SF	CHNREF_HF	DEPTH	WBF	DATECLD	CLTR USE	LOCATION	LSELEN	PT_CLTK	CHLDR3EE	CONNECT	TDS	TEHF	ADD_DATA	CAGE_DATE	SOURCE	DFN	R
0	01305				1032	351	72-04-26	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	27	0	0	0	0	0	0	15-10-35	0	
0	01305				1095	PSH 73-01-05	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	255	295	0	0	0	0	0	0	15-10-35	0	
0	01305				1095	PSH 74-01-27	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	248	297	0	0	0	0	0	0	15-10-32	0	
0	01305				1095	PSA 74-05-06	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	252	290	0	0	0	0	0	0	15-10-32	0	
0	01305				1095	PSA 78-07-24	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	254	291	0	0	0	0	0	0	15-10-32	0	
0	01305				0	PBR 28-05-07	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	250	297	0	0	0	0	0	0	15-10-32	0	
0	01305				0	PBS 39-02-06	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	462	364	0	0	0	0	0	0	15-10-32	0	
0	01305				0	FSA 59-07-11	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	127000	21476	0	0	0	0	0	0	15-10-32	0	
0	01305				0	PBL 72-03-20	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	327	0	0	0	0	0	0	0	15-10-32	0	
0	01614				162	DAL 28-05-21	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	408	408	0	0	0	0	0	0	15-71030	0	
0	00112				162	DAL 39-02-06	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	425	363	0	0	0	0	0	0	15-71030	0	
0	00112				162	PBL 40-07-23	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	402	277	0	0	0	0	0	0	15-71030	0	
0	00112				0	PBL 57-03-23	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	17600	0	0	0	0	0	0	0	15-71030	0	
0	00112				0	DAL 85-06-15	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	650	500	0	0	0	0	0	0	15-71030	0	
0	00112				0	PBR 85-07-15	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	24000	0	0	0	0	0	0	0	15-71030	0	
0	01683				744	PBR 64-03-25	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	20	1370	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 64-08-06	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	20	1350	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 65-03-10	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	11	1340	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBS 65-08-06	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	16	140	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBS 56-09-02	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	17	198	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBS 57-09-02	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	27	259	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 71-03-27	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	12	2097	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 76-08-21	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	13	1879	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 76-10-21	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	15	2100	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 77-04-10	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	19	2064	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 77-04-11	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	17	2046	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 77-04-26	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	19	2041	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 78-05-05	UGS	IAR 185, 245, 21, 233, 113	335E, 00 DF	36	1657	0	0	0	0	0	0	15-10-37	0	
0	01683				744	PBR 78-06-14	SED	IAR 185, 245, 21, 233, 113	335E, 00 DF	27	2440	0	0	0	0	0	0	15-10-37	0	
0	01683				160	DAL 93-04-10	SED	DON 185, 245, 26, 433, 333	335E, 00 DF	165	1560	0	0	0	0	0	0	15-10-40	0	
0	01683				152	DAL 76-08-21	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	70	1050	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 77-06-05	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	20	975	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 78-07-27	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	21	0	0	0	0	0	0	15-10-41	0	
0	01683				152	DAL 85-06-10	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	25	952	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-06-11	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	31	1045	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-06-12	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	20	950	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-06-13	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	21	0	0	0	0	0	0	15-10-41	0	
0	01683				152	DAL 85-06-14	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	25	950	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-06-15	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	31	1045	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-06-16	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	20	950	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-06-17	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	21	0	0	0	0	0	0	15-10-41	0	
0	01683				152	DAL 85-06-18	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	25	950	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-06-19	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	31	1045	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-06-20	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-01	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-02	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-03	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-04	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-05	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-06	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-07	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-08	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-09	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-10	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-11	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-12	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-13	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-14	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-15	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0	0	15-10-41	0
0	01683				152	DAL 85-07-16	UGS	E71	STK 185, 245, 21, 233, 113	335E, 00 DF	105	1702	0	0	0	0	0			