District I
1625 N French Dr., Hobbs, NM 88240
District II
811 S First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NCE2002433553
District RP	
Facility ID	
Application ID	

V9PQP-191122-C-1410

Release Notification

Responsible Party

Responsible Party OXY USA, Inc.	OGRID 16696
Contact Name Wade Dittrich	Contact Telephone (575)390-2828
Contact email Wade_Dittrich@oxy.com	Incident # *(assigned by OCD)*
Contact mailing address P.O. Box 4295; Houston, TX 77210	

Location of Release Source

Latitude 32.267222 Longitude -103.791389
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Pure Gold MDP1 29-17 Fed Com 3H	Site Type E&P
Date Release Discovered 6/25/2019	API# *(if applicable)* 30-015-45647

Unit Letter	Section	Township	Range	County
A	32	23S	31E	Lea

Surface Owner: ☐ State ☑ Federal ☐ Tribal ☐ Private (*Name:* _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☑ Produced Water	Volume Released (bbls) 204	Volume Recovered (bbls) Unknown
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☐ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release: A water line to a frac core ruptured due to over-pressurization caused by a closed valve on a manifold by the on-site tanks. This event resulted in two (2) produced water releases: approximately 4 bbls around the manifold, and approximately 200 bbls along the lease road (Pure Gold Road). The releases will be remediated concurrently.

Form C-141
Page 2

State of New Mexico
Oil Conservation Division

Incident ID	NCE2002433553
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☑ Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release? Release was >25 bbls.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

- ☑ The source of the release has been stopped.
- ☑ The impacted area has been secured to protect human health and the environment.
- ☑ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.
- ☑ All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Wade Dittrich
Title: Environmental Coordinator

Signature: 
Date: 7/30/2019

email: Wade_Dittrich@oxy.com
Telephone: (575)390-2828

OCD Only

Received by: Cristina Eads
Date: 01/24/2020

****** LIQUID SPILLS - VOLUME CALCULATIONS ******

NCE2002433553

Location of spill: Pure Gold MDP1 29-17 Fed Com 3H (32.267222,-103.791389)

Date of Spill: 6/25/2019

Site Soil Type: Berino complex, 0 to 3 percent slopes, eroded

Estimated Daily Production Loss: _____ BBL Oil _____ BBL Water

Total Area Calculations

Total Surface Area	width		length		wet soil depth	oil (%)
Rectangle Area #1	25.0 ft	X	200 ft	X	2.00 in	0%
Rectangle Area #2	0 ft	X	0 ft	X	0 in	0%
Rectangle Area #3	0 ft	X	0 ft	X	0 in	0%
Rectangle Area #4	0 ft	X	0 ft	X	0 in	0%
Rectangle Area #5	0 ft	X	0 ft	X	0 in	0%
Rectangle Area #6	0 ft	X	0 ft	X	0 in	0%
Rectangle Area #7	0 ft	X	0 ft	X	0 in	0%
Rectangle Area #8	0 ft	X	0 ft	X	0 in	0%

Porosity 0.16 gal per gal

Saturated Soil Volume Calculations:

		H2O	OIL
Area #1	5,000 sq. ft.	833 cu. ft.	cu. ft.
Area #2	0 sq. ft.	cu. ft.	cu. ft.
Area #3	0 sq. ft.	cu. ft.	cu. ft.
Area #4	0 sq. ft.	cu. ft.	cu. ft.
Area #5	0 sq. ft.	cu. ft.	cu. ft.
Area #6	0 sq. ft.	cu. ft.	cu. ft.
Area #7	0 sq. ft.	cu. ft.	cu. ft.
Area #8	0 sq. ft.	cu. ft.	cu. ft.
Total Solid/Liquid Volume:	**5,000 sq. ft.**	**833 cu. ft.**	**cu. ft.**

Estimated Volumes Spilled

	H2O	OIL
Liquid in Soil:	23.7 BBL	0.0 BBL
Liquid Recovered :	180.0 BBL	0.0 BBL
Spill Liquid	**203.7 BBL**	**0.0 BBL**
Total Spill Liquid:	**203.7**	

Recovered Volumes

Estimated oil recovered: 0.0 **BBL**

Estimated water recovered: 180.0 **BBL**

Soil Type	Porosity
Clay	0.15
Peat	0.40
Glacial Sediments	0.13
Sandy Clay	0.12
Silt	0.16
Loess	0.25
Fine Sand	0.16
Medium Sand	0.25
Coarse Sand	0.26
Gravely Sand	0.26
Fine Gravel	0.26
Medium Gravel	0.25
Coarse Gravel	0.18
Sandstone	0.25
Siltstone	0.18
Shale	0.05
Limestone	0.13
Basalt	0.19
Volcanic Tuff	0.20
Standing Liquids	