

January 3, 2020

Mr. Bradford Billings
New Mexico Oil Conservation Division
1220 South St. Francis Drive, #3
Santa Fe, New Mexico 87505

**RE: Closure Request
PLU CVX JV PC 003H
Remediation Permit Number 2RP-3153
Eddy County, New Mexico**

Dear Mr. Billings:

LT Environmental, Inc. (LTE), on behalf of XTO Energy, Inc. (XTO), presents the following Closure Request detailing site assessment, soil sampling, and excavation activities at the PLU CVX JV PC 003H (Site) in Unit P, Section 28, Township 24 South, Range 30 East, in Eddy County, New Mexico (Figure 1). The purpose of the site assessment, soil sampling, and excavation activities was to address impacts to soil after a release of crude oil and produced water at the Site.

The release is included in the Compliance Agreement for Remediation for Historical Releases (Compliance Agreement) between XTO and the New Mexico Oil Conservation Division (NMOCD) effective November 13, 2018. The purpose of the Compliance Agreement is to ensure reportable releases that occurred prior to August 14, 2018, where XTO is responsible for the corrective action, comply with Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) as amended on August 14, 2018. The release is categorized as a Tier IV site in the Compliance Agreement, meaning the release occurred prior to August 14, 2018, the effective date of 19.15.29 NMAC; however, remediation was ongoing.

RELEASE BACKGROUND

On July 20, 2015, a gasket on the free-water knock-out (FWKO) failed. Approximately 9 barrels (bbls) of crude oil and 19 bbls of produced water were released within the lined containment around the process equipment and sprayed onto the surface of the well pad surrounding the process equipment. All released fluids remained on the well pad. A vacuum truck recovered approximately 5 bbls of oil and 15 bbls of produced water from within the lined containment. The former operator reported the release to the New Mexico Oil Conservation Division (NMOCD) on a Release Notification and Corrective Action Form C-141 on July 24, 2015, and was assigned Remediation Permit (RP) Number 2RP-3153 (Attachment 1).

Although the release occurred while the facility was operated by the previous operator, XTO is the current operator and is committed to addressing any releases that remain unresolved. Based



on the site assessment activities and results of the soil sampling events, XTO is requesting no further action for this release.

SITE CHARACTERIZATION

LTE characterized the Site according to Table 1, *Closure Criteria for Soils Impacted by a Release*, of 19.15.29.12 of the NMAC. Depth to groundwater at the Site is estimated to be greater than 100 feet below ground surface (bgs) based on the nearest water well data. The nearest permitted water well with depth to water data is United States Geological Survey (USGS) well 321214103525501, located approximately 7,984 feet northwest of the Site. The water well has a depth to groundwater of 339 feet, the total depth is not specified. Ground surface elevation at the water well location is 3,371 feet above mean sea level (AMSL), which is approximately 79 feet higher in elevation than the Site. The closest continuously flowing water or significant watercourse to the Site is an intermittent stream located approximately 152 feet northeast of the Site. The Site is greater than 200 feet from a lakebed, sinkhole, or playa lake and greater than 300 feet from an occupied residence, school, hospital, institution, church, or wetland. The Site is greater than 1,000 feet to a freshwater well or spring and is not within a 100-year floodplain or overlying a subsurface mine. The Site is located in a low-potential karst area.

CLOSURE CRITERIA

Based on the results of the Site Characterization, the following NMOCD Table 1 Closure Criteria (Closure Criteria) apply:

- Benzene: 10 milligrams per kilogram (mg/kg);
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg;
- Total petroleum hydrocarbons (TPH): 100 mg/kg; and
- Chloride: 600 mg/kg.

SITE ASSESSMENT, EXCAVATION, AND DELINEATION SOIL SAMPLING ACTIVITIES

On October 12, 2018, LTE personnel inspected the Site to evaluate the release extent. Five preliminary soil samples (SS01 through SS05) were collected within and around the release area to assess the lateral extent of impacted soil. The soil sample locations, depicted on Figure 2, were selected based on information provided on the initial Form C-141 and field observations. To eliminate the effects from weathering and natural degradation of contaminants at the ground surface, the soil samples were collected from each sample location from a depth of 0.5 feet bgs.

The soil samples were placed directly into pre-cleaned glass jars, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The soil samples were shipped at or below 4 degrees Celsius (°C) under strict chain-of-custody (COC) procedures to





Xenco Laboratories (Xenco) in Midland, Texas, for analysis of BTEX following United States Environmental Protection Agency (USEPA) Method 8021B; TPH-GRO, TPH-DRO, and TPH-oil range organics (ORO) following USEPA Method 8015M/D; and chloride following USEPA Method 300.0.

During January and June 2019, LTE personnel returned to the Site to oversee site assessment and excavation activities.

Boreholes were advanced via hand-auger and backhoe at 3 locations around the process equipment containment to further assess the lateral and vertical extent impacted soil. Boreholes BH01 through BH03 were advanced to depths ranging from 4 feet to 8 feet bgs. Delineation soil samples were collected from each borehole from depths ranging from 2 feet to 8 feet bgs. Soil from the boreholes was field screened for volatile aromatic hydrocarbons and chloride utilizing a PID and Hach® chloride QuanTab® test strips, respectively. Field screening results and observations for the boreholes were logged on lithologic/soil sampling logs, which are included in Attachment 2. The delineation soil sample locations are depicted on Figure 3.

Impacted soil was excavated from the release area as indicated by visual observations, field screening activities, and laboratory analytical results for the preliminary and delineation soil samples. To direct excavation activities, LTE screened soil for volatile aromatic hydrocarbons and chloride utilizing a calibrated photoionization detector (PID) and Hach® chloride QuanTab® test strips, respectively. Impacted soil was excavated in two separate areas to depths ranging from 1.5 foot to 4.5 feet bgs. Following removal of impacted soil, LTE collected 5-point composite soil samples every 200 square feet from the sidewalls and floors of the excavations. The 5-point composite samples were collected by depositing five aliquots of soil into a 1-gallon, resealable plastic bag and homogenizing the samples by thoroughly mixing. Composite soil samples SW01 through SW04 were collected from the sidewalls of the excavations from depths ranging from the ground surface to 4.5 feet bgs. Composite soil samples FS01 through FS04 were collected from the floors of the excavations from depths ranging from 1.5 foot to 4.5 feet bgs. The excavation extents and excavation soil sample locations are depicted on Figure 4.

The delineation and excavation soil samples were collected, handled, and analyzed as described above and submitted to Xenco. Photographic documentation was conducted during the Site visits. Photographs are included in Attachment 3.

The combined excavations measured approximately 810 square feet in area and were completed to depths ranging from 1.5 feet bgs to 4.5 feet bgs. A total of approximately 85 cubic yards of impacted soil were removed from the excavations. The impacted soil was transported and properly disposed of at the R360 Landfill located in Hobbs, New Mexico.





ANALYTICAL RESULTS

Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were compliant with the Closure Criteria in preliminary soil samples SS04 and SS05 and delineation soil samples BH01/BH01A, BH02/BH02A, BH03/BH03B. Laboratory analytical results indicated that TPH or chloride concentrations exceeded the Closure Criteria in preliminary soil samples SS01 through SS03, collected at 0.5 feet bgs, and delineation soil sample BH03A, collected at 4 feet bgs. Based on the laboratory analytical results for the preliminary and delineation soil samples, excavation of impacted soil was conducted.

Laboratory analytical results for excavation soil samples SW01 through SW04 and FS01 through FS04 indicated that BTEX, TPH, and chloride concentrations were compliant with the Closure Criteria. Laboratory analytical results are summarized in Table 1 and the complete laboratory analytical reports are included as Attachment 4.

CLOSURE REQUEST

Impacted soil was excavated from the Site to address the July 20, 2015, release of oil and produced water at the Site. Laboratory analytical results for the excavation soil samples collected from the final excavation extents indicated that BTEX, TPH, and chloride concentrations were compliant with the Closure Criteria. Based on the excavation soil sample analytical results, no further remediation was required.

Initial response efforts, natural attenuation, and excavation of impacted soil have mitigated impacts at this Site. XTO requests no further action for RP Number 2RP-3153. XTO will backfill the excavation with material purchased locally and recontour the Site to match pre-existing site conditions. An updated NMOCD Form C-141 is included in Attachment 1.

If you have any questions or comments, please do not hesitate to contact Ms. Ashley Ager at (970) 385-1096.

Sincerely,

LT ENVIRONMENTAL, INC.

A handwritten signature in black ink that reads 'Aimee Cole'.

Aimee Cole
Project Environmental Scientist

A handwritten signature in black ink that reads 'Ashley L. Ager'.

Ashley L. Ager, P.G.
Senior Geologist





cc: Kyle Littrell, XTO
Bureau of Land Management
Mike Bratcher, NMOCD

Attachments:

Figure 1 Site Location Map
Figure 2 Preliminary Soil Sample Locations
Figure 3 Excavation Soil Sample Locations
Figure 4 Delineation Soil Sample Locations
Table 1 Soil Analytical Results
Attachment 1 Initial/Final NMOCD Form C-141 (2RP-3153)
Attachment 2 Lithologic / Soil Sample Logs
Attachment 3 Photographic Log
Attachment 4 Laboratory Analytical Reports





IMAGE COURTESY OF ESRI/USGS

LEGEND


○ SITE LOCATION



NOTE: REMEDIATION PERMIT
NUMBER 2RP-3153

FIGURE 1
SITE LOCATION MAP
PLU CVX JV PC 003H
UNIT P SEC 28 T24S R30E
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.





SAMPLE ID@DEPTH BELOW GROUND SURFACE (FEET)
SAMPLE DATE
NMOCD TABLE 1 CLOSURE CRITERIA (NMAC 19.15.29.12)
B = 10 mg/kg
BTEX = 50 mg/kg
TPH = 100 mg/kg
Cl = 600 mg/kg
ALL RESULTS IN MILLIGRAMS PER KILOGRAM (mg/kg)
<: INDICATES RESULT IS LESS THAN THE
LABORATORY REPORTING LIMIT
BOLD: INDICATES RESULT EXCEEDS THE
APPLICABLE REGULATORY CLOSURE CRITERIA

LEGEND

- X** RELEASE LOCATION
- SOIL SAMPLE WITH CONCENTRATIONS
EXCEEDING APPLICABLE CLOSURE CRITERIA
- SOIL SAMPLE IN COMPLIANCE
WITH APPLICABLE CLOSURE CRITERIA

 RELEASE EXTENT

B: BENZENE
BTEX: TOTAL BENZENE, TOLUENE, ETHYLBENZENE,
AND TOTAL XYLENES
TPH: TOTAL PETROLEUM HYDROCARBONS
Cl: CHLORIDE
NMAC: NEW MEXICO ADMINISTRATIVE CODE
NMOCD: NEW MEXICO OIL CONSERVATION DIVISION
NOTE: REMEDIATION PERMIT NUMBER 2RP-3153

IMAGE COURTESY OF GOOGLE EARTH 2017





FIGURE 2
SOIL SAMPLE LOCATIONS
PLU CVX JV PC 003H
UNIT P SEC 28 T24S R30E
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.





LEGEND

- X** RELEASE LOCATION
- DELINEATION SOIL SAMPLE WITH CONCENTRATIONS EXCEEDING APPLICABLE CLOSURE CRITERIA
- DELINEATION SOIL SAMPLE IN COMPLIANCE WITH APPLICABLE CLOSURE CRITERIA
- ELECTRIC LINE
- FLOW LINE
- EXCAVATION EXTENT

B: BENZENE
 BTEX: TOTAL BENZENE, TOLUENE, ETHYLBENZENE, AND TOTAL XYLENES
 TPH: TOTAL PETROLEUM HYDROCARBONS
 Cl: CHLORIDE
 NMAC: NEW MEXICO ADMINISTRATIVE CODE
 NMOCD: NEW MEXICO OIL CONSERVATION DIVISION
 NOTE: REMEDIATION PERMIT NUMBER 2RP-3153

IMAGE COURTESY OF GOOGLE EARTH 2017





FIGURE 3
DELINEATION SOIL SAMPLE LOCATIONS
 PLU CVX JV PC 003H
 UNIT P SEC 28 T24S R30E
 EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.





LEGEND

- RELEASE LOCATION
- FLOW LINE
- EXCAVATION SOIL SAMPLE IN COMPLIANCE WITH APPLICABLE CLOSURE CRITERIA
- EXCAVATION EXTENT
- ELECTRIC LINE

B: BENZENE
 BTEX: TOTAL BENZENE, TOLUENE, ETHYLBENZENE, AND TOTAL XYLENES
 TPH: TOTAL PETROLEUM HYDROCARBONS
 Cl: CHLORIDE
 NMAC: NEW MEXICO ADMINISTRATIVE CODE
 NMOC: NEW MEXICO OIL CONSERVATION DIVISION
 NOTE: REMEDIATION PERMIT NUMBER 2RP-3153

IMAGE COURTESY OF GOOGLE EARTH 2017




FIGURE 4
EXCAVATION SOIL SAMPLE LOCATIONS
 PLU CVX JV PC 003H
 UNIT P SEC 28 T24S R30E
 EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.



**TABLE 1
SOIL ANALYTICAL RESULTS**

**POKER LAKE UNIT CVX JV PC 003H
REMEDATION PERMIT NUMBER 2RP-3153
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.**

Sample Name	Sample Depth (feet bgs)	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
SS01	0.5	10/12/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	91.1	7,520	271	7,611	7,880	326
SS02	0.5	10/12/2018	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	616
SS03	0.5	10/12/2018	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	1,170
SS04	0.5	10/12/2018	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	132
SS05	0.5	10/12/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	92.6
BH01	2	01/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	<4.96
BH01A	4	01/15/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	11.4
BH02	2	01/15/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	14.6
BH02A	4	01/15/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	84.9
BH03	2	01/15/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	74.6	<15.0	74.6	74.6	237
BH03A	4	01/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<14.9	126	34.3	126	160	185
BH03B	8	06/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	201
SW01	0 - 1.5	01/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	51.3	<15.0	51.3	51.3	117
SW02	0 - 1.5	01/15/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	42.9	<15.0	42.9	42.9	96.3
SW03	0 - 1.5	01/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<14.9	50.4	<14.9	50.4	50.4	65.7
SW04	0-4.5	06/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<14.9	<14.9	<14.9	<14.9	<14.9	33.9
FS01	1.5	01/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	89.4
FS02	2	01/15/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	60.2
FS03	1.5	01/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	139
FS04	4.5	06/17/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	169
NMOCB Table 1 Closure Criteria			10	NE	NE	NE	50	NE	NE	NE	NE	100	600

Notes:

bgs - below ground surface

BTEX - benzene, toluene, ethylbenzene, and total xylenes

DRO - diesel range organics

GRO - gasoline range organics

mg/kg - milligrams per kilogram

ORO - motor oil range organics

NMAC - New Mexico Administrative Code

NMOCB - New Mexico Oil Conservation Division

TPH - total petroleum hydrocarbons

Bold - indicates result exceeds the applicable regulatory standard

< - indicates result is below laboratory reporting limits

Table 1 - closure criteria for soils impacted by a release per NMAC 19.15.29 August 2018

NE - not established



District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

0AB1520553647

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: BOPCO, L.P.	Contact: Bradley Blevins	
Address: 522 W. Mermod, Suite 704 Carlsbad, N.M. 88220	Telephone No. 575-887-7329	
Facility Name: PLU CVX JV PC 003H (AKA PLU PC 28)	Facility Type: Exploration and Production	
Surface Owner: Federal	Mineral Owner:	API No. 3001536830

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
P	28	24S	30E	350		850		Eddy

Latitude: 32.182164 Longitude: 103.879997

NATURE OF RELEASE

Type of Release: Oil and Produced water	Volume of Release: 9 barrels oil, 19 barrels PW	Volume Recovered: 5 barrels oil, 15 barrels PW
Source of Release: Gasket of FWKO failed	Date and Hour of Occurrence: 7-20-15 @ 12:30pm	Date and Hour of Discovery: 7-20-15 @ 12:56pm
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? Mike Bratcher, Heather Via email	
By Whom? Bradley Blevins	Date and Hour: 7-20-15 @ 4:31pm	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	

NM OIL CONSERVATION
ARTESIA DISTRICT

JUL 24 2015

RECEIVED

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

Gasket on FWKO failed and released oil and water to the lined containment and also sprayed the location surrounding the production equipment.

Describe Area Affected and Cleanup Action Taken.*

A vacuum truck and steam cleaner was called to location, the vacuum truck recovered 15 barrels of produced water and 5 barrels of oil from inside the lined containment. No fluid was recovered from the spray area on location.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature: *Bradley Blevins*

Printed Name: Bradley Blevins

Approved by Environmental Specialist: *[Signature]*

Title: Assistant Remediation Foreman

Approval Date: 7/24/15

Expiration Date: N/A

E-mail Address: bblevins@basspet.com

Conditions of Approval:

Attached ☐

Date: 7-24-15 Phone: 432-214-3704

Remediation per O.C.D. Rules & Guidelines
SUBMIT REMEDIATION PROPOSAL NO
LATER THAN: 8/27/15

* Attach Additional Sheets If Necessary

2RP-3153

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	2RP-3153
Application ID	

Release Notification

Responsible Party

Responsible Party: XTO Energy, Inc	OGRID: 5380
Contact Name: Kyle Littrell	Contact Telephone: (432)-221-7331
Contact email: Kyle_Littrell@xtoenergy.com	Incident #: 2RP-3153
Contact mailing address: 522 W. Mermod, Suite 704 Carlsbad, NM 88220	

Location of Release Source

Latitude N 32.182164 Longitude W -103.879997
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: PLU CVX JV PC 003H	Site Type: Production Well Facility
Date Release Discovered: 7/20/2015	API# (if applicable): 30-015-36830

Unit Letter	Section	Township	Range	County
P	28	24S	30E	Eddy

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☒ Crude Oil	Volume Released (bbls): 9	Volume Recovered (bbls): 5
☒ Produced Water	Volume Released (bbls): 19	Volume Recovered (bbls): 15
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☐ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

A gasket on the FWKO failed. Crude oil and produced were released within lined containment and sprayed the location surrounding the production equipment.

Incident ID	
District RP	
Facility ID	2RP-3153
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☒ Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release? Greater than 25 bbls was released.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Immediate notice was given by Bradley Blevins to Mike Bratcher via email on July 20, 2015 at 4:31 PM.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: N/A	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Kyle Littrell</u>	Title: <u>SH&E Supervisor</u>
Signature: 	Date: <u>1-2-2020</u>
email: <u>Kyle.Littrell@xtoenergy.com</u>	Telephone: <u>432-221-7331</u>
<u>OCD Only</u> Received by: _____ Date: _____	

Incident ID	
District RP	
Facility ID	2RP-3153
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>>100</u> (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☒ Yes ☐ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.


Characterization Report Checklist: <i>Each of the following items must be included in the report.</i> ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. ☒ Field data ☒ Data table of soil contaminant concentration data ☒ Depth to water determination ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release ☒ Boring or excavation logs ☒ Photographs including date and GIS information ☒ Topographic/Aerial maps ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	
Facility ID	2RP-3153
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 1-2-2020

email: Kyle_Littrell@xtoenergy.com Telephone: (432)-221-7331

OCD Only

Received by: _____ Date: _____

State of New Mexico
Oil Conservation Division

Incident ID	nAB1520553647
District RP	
Facility ID	2RP-3153
Application ID	

Closure


The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 1-2-2020

email: Kyle.Littrell@xtoenergy.com Telephone: 432-221-7331

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Bradford Billings Date: 03/02/2020

Printed Name: Bradford Billings Title: E.Spec.A.



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

BH01

Date:

1-15-19

Project Name:

PLU CVXSVPC #3

RP Number:

ZRP-3153

LITHOLOGIC / SOIL SAMPLING LOG

Logged By: Ben Belilly

Method: Hand Auger

Lat/Long:

Field Screening:

Hole Diameter:

4"

Total Depth:

4'

Comments:

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
M					0		SAND	Moist, brown-red, poorly graded m.-f. SAND, trace silt, (SP-SM) (Alluvium)
					1			
	<112	5.9	N	BH01	2	2'		
					3			
M							SAND	Moist, brown-red, poorly graded, m.-f. SAND, trace clay, (SP-SC) (Alluvium)
	<112	5.4	N	BH01A	4	4'		
					5			↑ Auger Refusal @ 4', Caliche
					6			
					7			
					8			
					9			
					10			
					11			
					12			



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier: BHO2

Date: 1-15-19

Project Name:
PLU CVX JV R#3

RP Number:
ZRP-3153

LITHOLOGIC / SOIL SAMPLING LOG

Logged By: Ben Belzil

Method: Hand Auger

Lat/Long:

Field Screening:

Hole Diameter:
4"

Total Depth:
4'

Comments:

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
M					0		SAND	Moist, brown-red, poorly graded m.-f. SAND, trace silt, (SP-SM) (Alluvium)
	<112	5.3	N	BHO2	2	2'		
					3			
M							SAND	Moist, brown-red, poorly graded m.-f. SAND, trace clay, (SP-SC) (Alluvium)
	<112	5.5	N	BHO2A	4	4'		
					5			↑ Auger Refusal @ 4', caliche
					6			
					7			
					8			
					9			
					10			
					11			
					12			



LT Environmental, Inc.
Analytical Services



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

BH03

Date:

1-15-19

Project Name:

PLU CUX JV PC #3

RP Number:

ZRP-3153

LITHOLOGIC / SOIL SAMPLING LOG

Logged By: Ben Bq. II

Method: Hand Auger

Lat/Long:

Field Screening:

Hole Diameter:

4"

Total Depth:

4'

Comments:

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
D					0		caliche	Dry, light brown-tan, mod. consolidated caliche, fill.
M	320	5.2	N	BH03	1		SAND	Moist, brown-red, poorly graded, m.-f. SAND, trace silt, (SP-SM)(Alluvium)
					2	2'		
					3			
M	412	0.0	N	BH03A	4	4'	SAND	Moist brown-red, poorly graded, m.-f. SAND, trace clay, (SP-SC)(Alluvium)
					5			↑ Auger Refusal @ 4', caliche
					6			
					7			
					8			
					9			
					10			
					11			
					12			



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

BH03

Date:

6/17/19

Project Name:

PLU CVX JV PC 003H

RP Number:

2RP-3153

LITHOLOGIC / SOIL SAMPLING LOG

Logged By: A Byers

Method: Track Hoe

Lat/Long:

32.1822086, -103.88008632

Field Screening:

PID / CI- test strips

Hole Diameter:

2.5' x 6'

Total Depth:

8'

Comments:

100% calc ppm CI-

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
					0			
					1			
					2			
					3			excavated
					4			
D					5		sm	poorly graded brown silt sand (m.) no plasticity
D	595.2	Ø	NO		6	6'	caliche	tan, sandy with gravel, no odor or stain, poorly sorted
D	345.6	Ø	NO	BH03B	8	8'		
					9			END BH
					10			
					11			
					12			



PHOTOGRAPHIC LOG



Photograph 1: Northwest facing view of lined process equipment containment.



Photograph 2: West facing view of excavation north of process equipment.



Photograph 3: East facing view of excavation north of process equipment.



Photograph 4: North facing view of excavation west of process equipment.



Analytical Report 602463

for
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV PC 003H

23-OCT-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429)
Xenco-Lakeland: Florida (E84098)



23-OCT-18

Project Manager: **Adrian Baker**
LT Environmental, Inc.
4600 W. 60th Avenue
Arvada, CO 80003

Reference: XENCO Report No(s): **602463**
PLU CVX JV PC 003H
Project Address: Carlsbad, NM

Adrian Baker:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 602463. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 602463 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer
Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS01	S	10-12-18 14:45	6 In	602463-001
SS02	S	10-12-18 14:55	6 In	602463-002
SS03	S	10-12-18 15:00	6 In	602463-003
SS04	S	10-12-18 15:10	6 In	602463-004
SS05	S	10-12-18 15:20	6 In	602463-005



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *PLU CVX JV PC 003H*

Project ID:
Work Order Number(s): 602463

Report Date: 23-OCT-18
Date Received: 10/16/2018

Sample receipt non conformances and comments:

PER CLIENTS EMAIL REQUEST, CORRECTED SAMPLE NAME JKR 10/23/18 NEW VERSION GENERATED

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3066898 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 602463-002.

Batch: LBA-3067142 Inorganic Anions by EPA 300

Lab Sample ID 602463-003 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 602463-003.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



Certificate of Analysis Summary 602463

LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV PC 003H



Project Id:

Contact: Adrian Baker

Project Location: Carlsbad, NM

Date Received in Lab: Tue Oct-16-18 01:15 pm

Report Date: 23-OCT-18

Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	602463-001	602463-002	602463-003	602463-004	602463-005	
	Field Id:	SS01	SS02	SS03	SS04	SS05	
	Depth:	6- In	6- In	6- In	6- In	6- In	
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	
	Sampled:	Oct-12-18 14:45	Oct-12-18 14:55	Oct-12-18 15:00	Oct-12-18 15:10	Oct-12-18 15:20	
BTEX by EPA 8021B	Extracted:	Oct-18-18 16:00	Oct-18-18 16:00	Oct-18-18 16:00	Oct-18-18 16:00	Oct-18-18 16:00	
	Analyzed:	Oct-19-18 08:06	Oct-19-18 08:27	Oct-19-18 08:48	Oct-19-18 09:09	Oct-19-18 09:30	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Benzene		<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	
Toluene		<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	
Ethylbenzene		<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	
m,p-Xylenes		<0.00398 0.00398	<0.00399 0.00399	<0.00402 0.00402	<0.00404 0.00404	<0.00398 0.00398	
o-Xylene		<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	
Total Xylenes		<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	
Total BTEX		<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	
Inorganic Anions by EPA 300	Extracted:	Oct-19-18 09:30	Oct-19-18 09:30	Oct-20-18 16:00	Oct-19-18 09:30	Oct-19-18 09:30	
	Analyzed:	Oct-19-18 14:19	Oct-19-18 14:29	Oct-20-18 21:15	Oct-19-18 15:01	Oct-19-18 15:14	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Chloride		326 5.00	616 4.96	1170 5.04	132 5.03	92.6 5.02	
TPH by SW8015 Mod	Extracted:	Oct-18-18 13:00	Oct-18-18 13:00	Oct-18-18 13:00	Oct-18-18 13:00	Oct-18-18 13:00	
	Analyzed:	Oct-19-18 07:07	Oct-18-18 22:45	Oct-18-18 23:04	Oct-18-18 23:22	Oct-18-18 23:41	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Gasoline Range Hydrocarbons (GRO)		91.1 74.8	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Diesel Range Organics (DRO)		7520 74.8	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Motor Oil Range Hydrocarbons (MRO)		271 74.8	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Total TPH		7880 74.8	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **SS01**
Lab Sample Id: 602463-001

Matrix: Soil
Date Collected: 10.12.18 14.45

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Tech: SCM

Analyst: SCM

Seq Number: 3066959

Date Prep: 10.19.18 09.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	326	5.00	mg/kg	10.19.18 14.19		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3066919

Date Prep: 10.18.18 13.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	91.1	74.8	mg/kg	10.19.18 07.07		5
Diesel Range Organics (DRO)	C10C28DRO	7520	74.8	mg/kg	10.19.18 07.07		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	271	74.8	mg/kg	10.19.18 07.07		5
Total TPH	PHC635	7880	74.8	mg/kg	10.19.18 07.07		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	109	%	70-135	10.19.18 07.07	
o-Terphenyl	84-15-1	103	%	70-135	10.19.18 07.07	



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **SS01**
Lab Sample Id: 602463-001

Matrix: Soil
Date Collected: 10.12.18 14.45

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: ALJ

Seq Number: 3066898

Date Prep: 10.18.18 16.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.19.18 08.06	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.19.18 08.06	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.19.18 08.06	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.19.18 08.06	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.19.18 08.06	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.19.18 08.06	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.19.18 08.06	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	92	%	70-130	10.19.18 08.06		
1,4-Difluorobenzene	540-36-3	128	%	70-130	10.19.18 08.06		



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: SS02
Lab Sample Id: 602463-002

Matrix: Soil
Date Collected: 10.12.18 14.55

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Tech: SCM

Analyst: SCM

Seq Number: 3066959

Date Prep: 10.19.18 09.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	616	4.96	mg/kg	10.19.18 14.29		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3066919

Date Prep: 10.18.18 13.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	10.18.18 22.45	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	10.18.18 22.45	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	10.18.18 22.45	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	10.18.18 22.45	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	10.18.18 22.45	
o-Terphenyl	84-15-1	100	%	70-135	10.18.18 22.45	



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: SS02
Lab Sample Id: 602463-002

Matrix: Soil
Date Collected: 10.12.18 14.55

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 10.18.18 16.00

Basis: Wet Weight

Seq Number: 3066898

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	10.19.18 08.27	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	10.19.18 08.27	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	10.19.18 08.27	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	10.19.18 08.27	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	10.19.18 08.27	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	10.19.18 08.27	U	1
Total BTEX		<0.00200	0.00200	mg/kg	10.19.18 08.27	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	360	%	70-130	10.19.18 08.27	**	
1,4-Difluorobenzene	540-36-3	127	%	70-130	10.19.18 08.27		



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: SS03
Lab Sample Id: 602463-003

Matrix: Soil
Date Collected: 10.12.18 15.00

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3067142

Date Prep: 10.20.18 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1170	5.04	mg/kg	10.20.18 21.15		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3066919

Date Prep: 10.18.18 13.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	10.18.18 23.04	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	10.18.18 23.04	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	10.18.18 23.04	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	10.18.18 23.04	U	1

Surrogate

1-Chlorooctane

o-Terphenyl

Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
111-85-3	100	%	70-135	10.18.18 23.04	
84-15-1	105	%	70-135	10.18.18 23.04	



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: SS03
Lab Sample Id: 602463-003

Matrix: Soil
Date Collected: 10.12.18 15.00

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 10.18.18 16.00

Basis: Wet Weight

Seq Number: 3066898

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	10.19.18 08.48	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	10.19.18 08.48	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	10.19.18 08.48	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	10.19.18 08.48	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	10.19.18 08.48	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	10.19.18 08.48	U	1
Total BTEX		<0.00201	0.00201	mg/kg	10.19.18 08.48	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	112	%	70-130	10.19.18 08.48		
4-Bromofluorobenzene	460-00-4	129	%	70-130	10.19.18 08.48		



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **SS04**
Lab Sample Id: 602463-004

Matrix: Soil
Date Collected: 10.12.18 15.10

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Tech: SCM

Analyst: SCM

Seq Number: 3066959

Date Prep: 10.19.18 09.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	132	5.03	mg/kg	10.19.18 15.01		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3066919

Date Prep: 10.18.18 13.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	10.18.18 23.22	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	10.18.18 23.22	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	10.18.18 23.22	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	10.18.18 23.22	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	10.18.18 23.22	
o-Terphenyl	84-15-1	98	%	70-135	10.18.18 23.22	



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **SS04**
Lab Sample Id: 602463-004

Matrix: Soil
Date Collected: 10.12.18 15.10

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 10.18.18 16.00

Basis: Wet Weight

Seq Number: 3066898

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	10.19.18 09.09	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	10.19.18 09.09	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	10.19.18 09.09	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	10.19.18 09.09	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	10.19.18 09.09	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	10.19.18 09.09	U	1
Total BTEX		<0.00202	0.00202	mg/kg	10.19.18 09.09	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	70-130	10.19.18 09.09		
1,4-Difluorobenzene	540-36-3	113	%	70-130	10.19.18 09.09		



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: SS05
Lab Sample Id: 602463-005

Matrix: Soil
Date Collected: 10.12.18 15.20

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Tech: SCM

Analyst: SCM

Seq Number: 3066959

Date Prep: 10.19.18 09.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	92.6	5.02	mg/kg	10.19.18 15.14		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3066919

Date Prep: 10.18.18 13.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	10.18.18 23.41	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	10.18.18 23.41	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	10.18.18 23.41	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	10.18.18 23.41	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	93	%	70-135	10.18.18 23.41	
o-Terphenyl	84-15-1	97	%	70-135	10.18.18 23.41	



Certificate of Analytical Results 602463



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: SS05
Lab Sample Id: 602463-005

Matrix: Soil
Date Collected: 10.12.18 15.20

Date Received: 10.16.18 13.15
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 10.18.18 16.00

Basis: Wet Weight

Seq Number: 3066898

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.19.18 09.30	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.19.18 09.30	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.19.18 09.30	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.19.18 09.30	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.19.18 09.30	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.19.18 09.30	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.19.18 09.30	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	117	%	70-130	10.19.18 09.30		
4-Bromofluorobenzene	460-00-4	97	%	70-130	10.19.18 09.30		

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 602463

LT Environmental, Inc.
PLU CVX JV PC 003H

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3066959

MB Sample Id: 7664459-1-BLK

Matrix: Solid

LCS Sample Id: 7664459-1-BKS

Prep Method: E300P

Date Prep: 10.19.18

LCSD Sample Id: 7664459-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	264	106	264	106	90-110	0	20	mg/kg	10.19.18 10:11	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3067142

MB Sample Id: 7664562-1-BLK

Matrix: Solid

LCS Sample Id: 7664562-1-BKS

Prep Method: E300P

Date Prep: 10.20.18

LCSD Sample Id: 7664562-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	269	108	264	106	90-110	2	20	mg/kg	10.20.18 21:04	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3066959

Parent Sample Id: 602835-001

Matrix: Soil

MS Sample Id: 602835-001 S

Prep Method: E300P

Date Prep: 10.19.18

MSD Sample Id: 602835-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	25.7	250	274	99	274	99	90-110	0	20	mg/kg	10.19.18 10:42	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3066959

Parent Sample Id: 602835-011

Matrix: Soil

MS Sample Id: 602835-011 S

Prep Method: E300P

Date Prep: 10.19.18

MSD Sample Id: 602835-011 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	17.0	249	244	91	244	91	90-110	0	20	mg/kg	10.19.18 13:07	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3067142

Parent Sample Id: 602356-006

Matrix: Soil

MS Sample Id: 602356-006 S

Prep Method: E300P

Date Prep: 10.20.18

MSD Sample Id: 602356-006 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	49.0	250	322	109	324	110	90-110	1	20	mg/kg	10.20.18 22:34	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 602463

LT Environmental, Inc.
PLU CVX JV PC 003H

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3067142

Parent Sample Id: 602463-003

Matrix: Soil

MS Sample Id: 602463-003 S

Prep Method: E300P

Date Prep: 10.20.18

MSD Sample Id: 602463-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	1170	252	1380	83	1380	83	90-110	0	20	mg/kg	10.20.18 21:20	X

Analytical Method: TPH by SW8015 Mod

Seq Number: 3066919

MB Sample Id: 7664441-1-BLK

Matrix: Solid

LCS Sample Id: 7664441-1-BKS

Prep Method: TX1005P

Date Prep: 10.18.18

LCSD Sample Id: 7664441-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	985	99	957	96	70-135	3	20	mg/kg	10.18.18 17:48	
Diesel Range Organics (DRO)	<8.13	1000	984	98	954	95	70-135	3	20	mg/kg	10.18.18 17:48	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	95		119		130		70-135	%	10.18.18 17:48
o-Terphenyl	101		104		106		70-135	%	10.18.18 17:48

Analytical Method: TPH by SW8015 Mod

Seq Number: 3066919

Parent Sample Id: 602472-001

Matrix: Soil

MS Sample Id: 602472-001 S

Prep Method: TX1005P

Date Prep: 10.18.18

MSD Sample Id: 602472-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	14.0	998	939	93	958	95	70-135	2	20	mg/kg	10.18.18 18:43	
Diesel Range Organics (DRO)	<8.11	998	953	95	959	96	70-135	1	20	mg/kg	10.18.18 18:43	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	117		128		70-135	%	10.18.18 18:43
o-Terphenyl	102		113		70-135	%	10.18.18 18:43

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 602463

LT Environmental, Inc.
PLU CVX JV PC 003H

Analytical Method: BTEX by EPA 8021B

Seq Number: 3066898

MB Sample Id: 7664468-1-BLK

Matrix: Solid

LCS Sample Id: 7664468-1-BKS

Prep Method: SW5030B

Date Prep: 10.18.18

LCSD Sample Id: 7664468-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.0998	0.120	120	0.120	120	70-130	0	35	mg/kg	10.18.18 23:53	
Toluene	<0.00200	0.0998	0.105	105	0.108	108	70-130	3	35	mg/kg	10.18.18 23:53	
Ethylbenzene	<0.00200	0.0998	0.114	114	0.122	122	70-130	7	35	mg/kg	10.18.18 23:53	
m,p-Xylenes	<0.00399	0.200	0.236	118	0.247	124	70-130	5	35	mg/kg	10.18.18 23:53	
o-Xylene	<0.00200	0.0998	0.115	115	0.121	121	70-130	5	35	mg/kg	10.18.18 23:53	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	100		116		116		70-130	%	10.18.18 23:53
4-Bromofluorobenzene	101		123		127		70-130	%	10.18.18 23:53

Analytical Method: BTEX by EPA 8021B

Seq Number: 3066898

Parent Sample Id: 602357-002

Matrix: Soil

MS Sample Id: 602357-002 S

Prep Method: SW5030B

Date Prep: 10.18.18

MSD Sample Id: 602357-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00201	0.100	0.0827	83	0.107	106	70-130	26	35	mg/kg	10.19.18 00:35	
Toluene	<0.00201	0.100	0.0736	74	0.0872	86	70-130	17	35	mg/kg	10.19.18 00:35	
Ethylbenzene	<0.00201	0.100	0.0883	88	0.0927	92	70-130	5	35	mg/kg	10.19.18 00:35	
m,p-Xylenes	<0.00402	0.201	0.177	88	0.183	91	70-130	3	35	mg/kg	10.19.18 00:35	
o-Xylene	<0.00201	0.100	0.0840	84	0.0889	88	70-130	6	35	mg/kg	10.19.18 00:35	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	103		123		70-130	%	10.19.18 00:35
4-Bromofluorobenzene	118		129		70-130	%	10.19.18 00:35

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



CHAIN OF CUSTODY

Page 1 of 1

Revision 2016.1

Setting the Standard since 1990

Stafford, TX (281) 240-4200
Dallas, TX (214) 902-0300

El Paso, TX (915) 585-3443
Lubbock, TX (806) 794-1296

Midland, TX (432) 704-5440
San Antonio, TX (210) 509-3334

Phoenix, AZ (480) 355-0900
Service Center - Baton Rouge, LA (832) 712-8143

Service Center - Amarillo, TX (806) 678-4514
Service Center - Hobbs, NM (575) 392-7550

www.xenoco.com

Xenoco Quote #

Xenoco Job #

10034103

Client / Reporting Information				Project Information				Analytical Information				Matrix Codes				
Company Name / Branch: LIFE				Project Name/Number: PLU LVA SVR C003H Tank Battery												
Company Address: Midland, TX 79705				Project Location: Carlsbad, NM												
3300 W.A. Street Building 1 Unit 103				Invoice To: Kyle Liffell												
Email: ABaker@LTennu.com (432) 704 5178				Phone No: 2RP 3153												
Project Contact: Adrian Baker				PO Number: 2RP 3153												
Sample's Name: Garrett Green																
No.	Field ID / Point of Collection	Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE	Field Comments	
1		SS01	6"	10/12/18	1445	5	1								X	BTEX 8021 (only BTEX)
2		SS02	6"	10/12/18	1455	5	1								X	TPH (MRO, GRO, PRO) 8015
3		SS03	6"	10/12/18	1500	5	1								X	Chlorides (300.00)
4		SS04	6"	10/12/18	1510	5	1								X	
5		SS05	6"	10/12/18	1520	5	1								X	
6																
7																
8																
9																
10																
Turnaround Time (Business days)																
Date Deliverable Information																
Notes:																
Same Day TAT ☒ 5 Day TAT ☐ Level II Std QC ☐ Level IV (Full Data Pkg / raw data) ☐																
Next Day EMERGENCY ☐ 7 Day TAT ☐ Level III Std QC+ Forms ☐ TRRP Level IV ☐																
2 Day EMERGENCY ☐ Contract TAT ☐ Level 3 (CLP Forms) ☐ UST / RG-411 ☐																
3 Day EMERGENCY ☐ Level II Report with TRRP checklist ☐																
TAT Starts Day received by Lab, if received by 5:00 pm																
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING ACQUAINTANCE DELIVERY																
FED-EX / UPS: Tracking # 7734611058181																
Relinquished by: [Signature] Date Time: 10/15/18 1200 Received By: [Signature] Date Time: 10/15/18 1300																
Relinquished by: [Signature] Date Time: 10/16/18 1315 Received By: [Signature] Date Time: 10/16/18 1300																
Relinquished by: [Signature] Date Time: 10/16/18 1315 Received By: [Signature] Date Time: 10/16/18 1300																
Custody Seal # 4 Preserved where applicable 8-28 1030 C																

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenoco. Its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenoco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client

ORIGIN ID:CAOA (575) 887-6245
XENCO
PAC N MAIL
910 W PIERCE ST
CARLSBAD, NM 88220
UNITED STATES US

SHIP DATE: 15OCT18
ACTWGT: 28.00 LB
CAD: 101813706/INET 4040
DIMS: 24x15x12 IN
BILL RECIPIENT

TO HOLD FOR XENCO

FEDEX EXPRESS SHIP CENTER
FEDEX SHIP CENTER
3600 COUNTY RD 1276 S

MIDLAND TX 79711

(806) 794-1296 REF:
INV:
PO: DEPT:




J152118001501uv

TRK# 7734 8165 8181
0201

TUE - 16 OCT HOLD
STANDARD OVERNIGHT

41 MAFA

HLD
MAFA
TX-US LBB



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



XENCO Laboratories
Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 10/16/2018 01:15:00 PM

Work Order #: 602463

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	Yes
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:	<u>Brianna Teel</u>	Date: <u>10/16/2018</u>
	Brianna Teel	
Checklist reviewed by:	<u>Jessica Kramer</u>	Date: <u>10/17/2018</u>
	Jessica Kramer	

Analytical Report 611647

for
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV PC #3

2RP-3153

22-JAN-19

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429)
Xenco-Lakeland: Florida (E84098)



22-JAN-19

Project Manager: **Adrian Baker**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **611647**

PLU CVX JV PC #3

Project Address: Delaware Basin

Adrian Baker:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 611647. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 611647 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
BH01	S	01-15-19 11:30	2 ft	611647-001
BH01A	S	01-15-19 11:35	4 ft	611647-002
BH02	S	01-15-19 11:40	2 ft	611647-003
BH02A	S	01-15-19 11:45	4 ft	611647-004
FS01	S	01-15-19 14:15	1.5 ft	611647-005
FS02	S	01-15-19 14:20	2 ft	611647-006
SW01	S	01-15-19 14:40	0 - 1.5 ft	611647-007
SW02	S	01-15-19 14:50	0 - 1.5 ft	611647-008
SW03	S	01-15-19 15:00	0 - 1.5 ft	611647-009
FS03	S	01-15-19 15:10	1.5 ft	611647-010
BH03	S	01-15-19 15:30	2 ft	611647-011
BH03A	S	01-15-19 15:35	4 ft	611647-012



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *PLU CVX JV PC #3*

Project ID: 2RP-3153
Work Order Number(s): 611647

Report Date: 22-JAN-19
Date Received: 01/17/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3076435 TPH by SW8015 Mod

Surrogate 1-Chlorooctane, Surrogate o-Terphenyl recovered below QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 611647-004.

Batch: LBA-3076530 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 611647

LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV PC #3



Project Id: 2RP-3153
Contact: Adrian Baker
Project Location: Delaware Basin

Date Received in Lab: Thu Jan-17-19 12:05 pm
Report Date: 22-JAN-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	611647-001	611647-002	611647-003	611647-004	611647-005	611647-006
	<i>Field Id:</i>	BH01	BH01A	BH02	BH02A	FS01	FS02
	<i>Depth:</i>	2- ft	4- ft	2- ft	4- ft	1.5- ft	2- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jan-15-19 11:30	Jan-15-19 11:35	Jan-15-19 11:40	Jan-15-19 11:45	Jan-15-19 14:15	Jan-15-19 14:20
BTEX by EPA 8021B	<i>Extracted:</i>	Jan-21-19 14:30	Jan-21-19 14:30	Jan-21-19 14:30	Jan-21-19 14:30	Jan-21-19 14:30	Jan-21-19 14:30
	<i>Analyzed:</i>	Jan-22-19 00:34	Jan-22-19 00:53	Jan-22-19 01:12	Jan-22-19 01:31	Jan-22-19 01:50	Jan-22-19 02:09
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201
Toluene		<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201
Ethylbenzene		<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201
m,p-Xylenes		<0.00400 0.00400	<0.00398 0.00398	<0.00403 0.00403	<0.00398 0.00398	<0.00400 0.00400	<0.00402 0.00402
o-Xylene		<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201
Total Xylenes		<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201
Total BTEX		<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00201 0.00201
Inorganic Anions by EPA 300	<i>Extracted:</i>	Jan-21-19 16:00	Jan-21-19 16:00	Jan-21-19 16:00	Jan-21-19 16:00	Jan-21-19 16:00	Jan-21-19 16:00
	<i>Analyzed:</i>	Jan-21-19 19:37	Jan-21-19 19:43	Jan-21-19 20:05	Jan-21-19 20:11	Jan-21-19 20:17	Jan-21-19 20:24
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		<4.96 4.96	11.4 4.98	14.6 4.97	84.9 5.00	89.4 4.99	60.2 4.99
TPH by SW8015 Mod	<i>Extracted:</i>	Jan-20-19 08:00	Jan-20-19 08:00	Jan-20-19 08:00	Jan-20-19 08:00	Jan-20-19 08:00	Jan-20-19 08:00
	<i>Analyzed:</i>	Jan-20-19 17:34	Jan-20-19 17:54	Jan-20-19 16:54	Jan-20-19 17:14	Jan-20-19 18:15	Jan-20-19 18:35
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Diesel Range Organics (DRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Total TPH		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 611647

LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV PC #3



Project Id: 2RP-3153
Contact: Adrian Baker
Project Location: Delaware Basin

Date Received in Lab: Thu Jan-17-19 12:05 pm
Report Date: 22-JAN-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	611647-007	611647-008	611647-009	611647-010	611647-011	611647-012
	<i>Field Id:</i>	SW01	SW02	SW03	FS03	BH03	BH03A
	<i>Depth:</i>	0-1.5 ft	0-1.5 ft	0-1.5 ft	1.5- ft	2- ft	4- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jan-15-19 14:40	Jan-15-19 14:50	Jan-15-19 15:00	Jan-15-19 15:10	Jan-15-19 15:30	Jan-15-19 15:35
BTEX by EPA 8021B	<i>Extracted:</i>	Jan-21-19 14:30	Jan-21-19 14:30	Jan-21-19 14:30	Jan-21-19 14:30	Jan-21-19 14:30	Jan-21-19 14:30
	<i>Analyzed:</i>	Jan-22-19 02:28	Jan-22-19 02:47	Jan-22-19 03:06	Jan-22-19 03:25	Jan-22-19 04:40	Jan-22-19 04:59
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200
Toluene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200
Ethylbenzene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200
m,p-Xylenes		<0.00401 0.00401	<0.00398 0.00398	<0.00400 0.00400	<0.00401 0.00401	<0.00398 0.00398	<0.00399 0.00399
o-Xylene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200
Total Xylenes		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200
Total BTEX		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200
Inorganic Anions by EPA 300	<i>Extracted:</i>	Jan-21-19 16:00	Jan-21-19 16:00	Jan-21-19 16:00	Jan-21-19 16:00	Jan-21-19 16:00	Jan-21-19 16:00
	<i>Analyzed:</i>	Jan-21-19 20:30	Jan-21-19 20:54	Jan-21-19 21:01	Jan-21-19 21:22	Jan-21-19 21:28	Jan-21-19 21:34
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		117 4.99	96.3 5.00	65.7 5.00	139 4.95	237 4.99	185 4.97
TPH by SW8015 Mod	<i>Extracted:</i>	Jan-21-19 14:00	Jan-21-19 14:00	Jan-21-19 14:00	Jan-21-19 14:00	Jan-21-19 14:00	Jan-21-19 14:00
	<i>Analyzed:</i>	Jan-21-19 21:05	Jan-21-19 22:04	Jan-21-19 22:24	Jan-21-19 22:44	Jan-21-19 23:03	Jan-21-19 23:23
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<15.0 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	<14.9 14.9
Diesel Range Organics (DRO)		51.3 15.0	42.9 15.0	50.4 14.9	<15.0 15.0	74.6 15.0	126 14.9
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0	<15.0 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	34.3 14.9
Total TPH		51.3 15.0	42.9 15.0	50.4 14.9	<15.0 15.0	74.6 15.0	160 14.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH01**
Lab Sample Id: 611647-001

Matrix: Soil
Date Collected: 01.15.19 11.30

Date Received: 01.17.19 12.05
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.96	4.96	mg/kg	01.21.19 19.37	U	1

Analytical Method: TPH by SW8015 Mod

Tech: ALJ

Analyst: ALJ

Seq Number: 3076435

Date Prep: 01.20.19 08.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.20.19 17.34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.20.19 17.34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.20.19 17.34	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.20.19 17.34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	101	%	70-135	01.20.19 17.34	
o-Terphenyl	84-15-1	104	%	70-135	01.20.19 17.34	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH01**
Lab Sample Id: 611647-001

Matrix: Soil
Date Collected: 01.15.19 11.30

Date Received: 01.17.19 12.05
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 01.21.19 14.30

Basis: Wet Weight

Seq Number: 3076530

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.22.19 00.34	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.22.19 00.34	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.22.19 00.34	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	01.22.19 00.34	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.22.19 00.34	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	01.22.19 00.34	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.22.19 00.34	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	105	%	70-130	01.22.19 00.34		
1,4-Difluorobenzene	540-36-3	108	%	70-130	01.22.19 00.34		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH01A**
Lab Sample Id: 611647-002

Matrix: Soil
Date Collected: 01.15.19 11.35

Date Received: 01.17.19 12.05
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.4	4.98	mg/kg	01.21.19 19.43		1

Analytical Method: TPH by SW8015 Mod

Tech: ALJ

Analyst: ALJ

Seq Number: 3076435

Date Prep: 01.20.19 08.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.20.19 17.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.20.19 17.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.20.19 17.54	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.20.19 17.54	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	01.20.19 17.54	
o-Terphenyl	84-15-1	105	%	70-135	01.20.19 17.54	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH01A**
Lab Sample Id: 611647-002

Matrix: Soil
Date Collected: 01.15.19 11.35

Date Received: 01.17.19 12.05
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3076530

Date Prep: 01.21.19 14.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.22.19 00.53	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.22.19 00.53	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.22.19 00.53	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.22.19 00.53	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.22.19 00.53	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	01.22.19 00.53	U	1
Total BTEX		<0.00199	0.00199	mg/kg	01.22.19 00.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	109	%	70-130	01.22.19 00.53		
4-Bromofluorobenzene	460-00-4	109	%	70-130	01.22.19 00.53		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH02**
Lab Sample Id: 611647-003

Matrix: Soil
Date Collected: 01.15.19 11.40

Date Received: 01.17.19 12.05
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	14.6	4.97	mg/kg	01.21.19 20.05		1

Analytical Method: TPH by SW8015 Mod

Tech: ALJ

Analyst: ALJ

Seq Number: 3076435

Date Prep: 01.20.19 08.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.20.19 16.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.20.19 16.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.20.19 16.54	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.20.19 16.54	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	99	%	70-135	01.20.19 16.54	
o-Terphenyl	84-15-1	101	%	70-135	01.20.19 16.54	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH02**
Lab Sample Id: 611647-003

Matrix: Soil
Date Collected: 01.15.19 11.40

Date Received: 01.17.19 12.05
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 01.21.19 14.30

Basis: Wet Weight

Seq Number: 3076530

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.22.19 01.12	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.22.19 01.12	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.22.19 01.12	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.22.19 01.12	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.22.19 01.12	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	01.22.19 01.12	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.22.19 01.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	109	%	70-130	01.22.19 01.12		
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.22.19 01.12		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH02A**
Lab Sample Id: 611647-004

Matrix: Soil
Date Collected: 01.15.19 11.45

Date Received: 01.17.19 12.05
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	84.9	5.00	mg/kg	01.21.19 20.11		1

Analytical Method: TPH by SW8015 Mod

Tech: ALJ

Analyst: ALJ

Seq Number: 3076435

Date Prep: 01.20.19 08.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.20.19 17.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.20.19 17.14	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.20.19 17.14	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.20.19 17.14	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	1	%	70-135	01.20.19 17.14	**
o-Terphenyl	84-15-1	4	%	70-135	01.20.19 17.14	**



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH02A**
Lab Sample Id: 611647-004

Matrix: Soil
Date Collected: 01.15.19 11.45

Date Received: 01.17.19 12.05
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3076530

Prep Method: SW5030B

% Moisture:

Date Prep: 01.21.19 14.30

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.22.19 01.31	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.22.19 01.31	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.22.19 01.31	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.22.19 01.31	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.22.19 01.31	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	01.22.19 01.31	U	1
Total BTEX		<0.00199	0.00199	mg/kg	01.22.19 01.31	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	110	%	70-130	01.22.19 01.31		
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.22.19 01.31		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **FS01**
Lab Sample Id: 611647-005

Matrix: Soil
Date Collected: 01.15.19 14.15

Date Received: 01.17.19 12.05
Sample Depth: 1.5 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	89.4	4.99	mg/kg	01.21.19 20.17		1

Analytical Method: TPH by SW8015 Mod

Tech: ALJ

Analyst: ALJ

Seq Number: 3076435

Date Prep: 01.20.19 08.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.20.19 18.15	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.20.19 18.15	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.20.19 18.15	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.20.19 18.15	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	103	%	70-135	01.20.19 18.15	
o-Terphenyl	84-15-1	105	%	70-135	01.20.19 18.15	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **FS01**
Lab Sample Id: 611647-005

Matrix: Soil
Date Collected: 01.15.19 14.15

Date Received: 01.17.19 12.05
Sample Depth: 1.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3076530

Prep Method: SW5030B

% Moisture:

Date Prep: 01.21.19 14.30

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.22.19 01.50	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.22.19 01.50	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.22.19 01.50	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	01.22.19 01.50	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.22.19 01.50	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	01.22.19 01.50	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.22.19 01.50	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.22.19 01.50		
1,4-Difluorobenzene	540-36-3	110	%	70-130	01.22.19 01.50		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **FS02**
Lab Sample Id: 611647-006

Matrix: Soil
Date Collected: 01.15.19 14.20

Date Received: 01.17.19 12.05
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	60.2	4.99	mg/kg	01.21.19 20.24		1

Analytical Method: TPH by SW8015 Mod

Tech: ALJ

Analyst: ALJ

Seq Number: 3076435

Date Prep: 01.20.19 08.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.20.19 18.35	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.20.19 18.35	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.20.19 18.35	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.20.19 18.35	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	103	%	70-135	01.20.19 18.35	
o-Terphenyl	84-15-1	104	%	70-135	01.20.19 18.35	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **FS02**
Lab Sample Id: 611647-006

Matrix: Soil
Date Collected: 01.15.19 14.20

Date Received: 01.17.19 12.05
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 01.21.19 14.30

Basis: Wet Weight

Seq Number: 3076530

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.22.19 02.09	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.22.19 02.09	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.22.19 02.09	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.22.19 02.09	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.22.19 02.09	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	01.22.19 02.09	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.22.19 02.09	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.22.19 02.09		
1,4-Difluorobenzene	540-36-3	109	%	70-130	01.22.19 02.09		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **SW01**
Lab Sample Id: 611647-007

Matrix: Soil
Date Collected: 01.15.19 14.40

Date Received: 01.17.19 12.05
Sample Depth: 0 - 1.5 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	117	4.99	mg/kg	01.21.19 20.30		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3076559

Date Prep: 01.21.19 14.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.21.19 21.05	U	1
Diesel Range Organics (DRO)	C10C28DRO	51.3	15.0	mg/kg	01.21.19 21.05		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.21.19 21.05	U	1
Total TPH	PHC635	51.3	15.0	mg/kg	01.21.19 21.05		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	107	%	70-135	01.21.19 21.05	
o-Terphenyl	84-15-1	110	%	70-135	01.21.19 21.05	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **SW01**
Lab Sample Id: 611647-007

Matrix: Soil
Date Collected: 01.15.19 14.40

Date Received: 01.17.19 12.05
Sample Depth: 0 - 1.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3076530

Date Prep: 01.21.19 14.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.22.19 02.28	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.22.19 02.28	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.22.19 02.28	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	01.22.19 02.28	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.22.19 02.28	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	01.22.19 02.28	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.22.19 02.28	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	108	%	70-130	01.22.19 02.28		
1,4-Difluorobenzene	540-36-3	109	%	70-130	01.22.19 02.28		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **SW02**
Lab Sample Id: 611647-008

Matrix: Soil
Date Collected: 01.15.19 14.50

Date Received: 01.17.19 12.05
Sample Depth: 0 - 1.5 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	96.3	5.00	mg/kg	01.21.19 20.54		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3076559

Date Prep: 01.21.19 14.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.21.19 22.04	U	1
Diesel Range Organics (DRO)	C10C28DRO	42.9	15.0	mg/kg	01.21.19 22.04		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.21.19 22.04	U	1
Total TPH	PHC635	42.9	15.0	mg/kg	01.21.19 22.04		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	97	%	70-135	01.21.19 22.04	
o-Terphenyl	84-15-1	99	%	70-135	01.21.19 22.04	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **SW02**
Lab Sample Id: 611647-008

Matrix: Soil
Date Collected: 01.15.19 14.50

Date Received: 01.17.19 12.05
Sample Depth: 0 - 1.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3076530

Date Prep: 01.21.19 14.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.22.19 02.47	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.22.19 02.47	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.22.19 02.47	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.22.19 02.47	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.22.19 02.47	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	01.22.19 02.47	U	1
Total BTEX		<0.00199	0.00199	mg/kg	01.22.19 02.47	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	121	%	70-130	01.22.19 02.47		
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.22.19 02.47		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **SW03**
Lab Sample Id: 611647-009

Matrix: Soil
Date Collected: 01.15.19 15.00

Date Received: 01.17.19 12.05
Sample Depth: 0 - 1.5 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	65.7	5.00	mg/kg	01.21.19 21.01		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3076559

Date Prep: 01.21.19 14.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	01.21.19 22.24	U	1
Diesel Range Organics (DRO)	C10C28DRO	50.4	14.9	mg/kg	01.21.19 22.24		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	01.21.19 22.24	U	1
Total TPH	PHC635	50.4	14.9	mg/kg	01.21.19 22.24		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	102	%	70-135	01.21.19 22.24	
o-Terphenyl	84-15-1	101	%	70-135	01.21.19 22.24	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **SW03**
Lab Sample Id: 611647-009

Matrix: Soil
Date Collected: 01.15.19 15.00

Date Received: 01.17.19 12.05
Sample Depth: 0 - 1.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3076530

Date Prep: 01.21.19 14.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.22.19 03.06	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.22.19 03.06	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.22.19 03.06	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	01.22.19 03.06	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.22.19 03.06	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	01.22.19 03.06	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.22.19 03.06	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	109	%	70-130	01.22.19 03.06		
4-Bromofluorobenzene	460-00-4	112	%	70-130	01.22.19 03.06		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **FS03**
Lab Sample Id: 611647-010

Matrix: Soil
Date Collected: 01.15.19 15.10

Date Received: 01.17.19 12.05
Sample Depth: 1.5 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	139	4.95	mg/kg	01.21.19 21.22		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3076559

Date Prep: 01.21.19 14.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.21.19 22.44	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.21.19 22.44	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.21.19 22.44	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.21.19 22.44	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	99	%	70-135	01.21.19 22.44	
o-Terphenyl	84-15-1	97	%	70-135	01.21.19 22.44	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **FS03**
Lab Sample Id: 611647-010

Matrix: Soil
Date Collected: 01.15.19 15.10

Date Received: 01.17.19 12.05
Sample Depth: 1.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 01.21.19 14.30

Basis: Wet Weight

Seq Number: 3076530

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.22.19 03.25	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.22.19 03.25	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.22.19 03.25	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	01.22.19 03.25	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.22.19 03.25	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	01.22.19 03.25	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.22.19 03.25	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.22.19 03.25		
1,4-Difluorobenzene	540-36-3	108	%	70-130	01.22.19 03.25		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH03**
Lab Sample Id: 611647-011

Matrix: Soil
Date Collected: 01.15.19 15.30

Date Received: 01.17.19 12.05
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	237	4.99	mg/kg	01.21.19 21.28		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3076559

Date Prep: 01.21.19 14.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.21.19 23.03	U	1
Diesel Range Organics (DRO)	C10C28DRO	74.6	15.0	mg/kg	01.21.19 23.03		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	01.21.19 23.03	U	1
Total TPH	PHC635	74.6	15.0	mg/kg	01.21.19 23.03		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	01.21.19 23.03	
o-Terphenyl	84-15-1	94	%	70-135	01.21.19 23.03	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH03**
Lab Sample Id: 611647-011

Matrix: Soil
Date Collected: 01.15.19 15.30

Date Received: 01.17.19 12.05
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 01.21.19 14.30

Basis: Wet Weight

Seq Number: 3076530

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.22.19 04.40	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.22.19 04.40	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.22.19 04.40	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.22.19 04.40	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.22.19 04.40	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	01.22.19 04.40	U	1
Total BTEX		<0.00199	0.00199	mg/kg	01.22.19 04.40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	105	%	70-130	01.22.19 04.40		
1,4-Difluorobenzene	540-36-3	107	%	70-130	01.22.19 04.40		



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH03A**
Lab Sample Id: 611647-012

Matrix: Soil
Date Collected: 01.15.19 15.35

Date Received: 01.17.19 12.05
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3076513

Date Prep: 01.21.19 16.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	185	4.97	mg/kg	01.21.19 21.34		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3076559

Date Prep: 01.21.19 14.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	01.21.19 23.23	U	1
Diesel Range Organics (DRO)	C10C28DRO	126	14.9	mg/kg	01.21.19 23.23		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	34.3	14.9	mg/kg	01.21.19 23.23		1
Total TPH	PHC635	160	14.9	mg/kg	01.21.19 23.23		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	99	%	70-135	01.21.19 23.23	
o-Terphenyl	84-15-1	99	%	70-135	01.21.19 23.23	



Certificate of Analytical Results 611647



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC #3

Sample Id: **BH03A**
Lab Sample Id: 611647-012

Matrix: Soil
Date Collected: 01.15.19 15.35

Date Received: 01.17.19 12.05
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 01.21.19 14.30

Basis: Wet Weight

Seq Number: 3076530

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.22.19 04.59	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.22.19 04.59	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.22.19 04.59	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	01.22.19 04.59	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.22.19 04.59	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	01.22.19 04.59	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.22.19 04.59	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	104	%	70-130	01.22.19 04.59		
4-Bromofluorobenzene	460-00-4	125	%	70-130	01.22.19 04.59		

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 611647

LT Environmental, Inc.

PLU CVX JV PC #3

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3076513

MB Sample Id: 7670156-1-BLK

Matrix: Solid

LCS Sample Id: 7670156-1-BKS

Prep Method: E300P

Date Prep: 01.21.19

LCSD Sample Id: 7670156-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	248	99	236	94	90-110	5	20	mg/kg	01.21.19 18:54	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3076513

Parent Sample Id: 611651-022

Matrix: Soil

MS Sample Id: 611651-022 S

Prep Method: E300P

Date Prep: 01.21.19

MSD Sample Id: 611651-022 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	122	249	378	103	344	89	90-110	9	20	mg/kg	01.21.19 19:12	X

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3076513

Parent Sample Id: 611651-024

Matrix: Soil

MS Sample Id: 611651-024 S

Prep Method: E300P

Date Prep: 01.21.19

MSD Sample Id: 611651-024 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	109	250	332	89	327	87	90-110	2	20	mg/kg	01.21.19 20:42	X

Analytical Method: TPH by SW8015 Mod

Seq Number: 3076435

MB Sample Id: 7670060-1-BLK

Matrix: Solid

LCS Sample Id: 7670060-1-BKS

Prep Method: TX1005P

Date Prep: 01.20.19

LCSD Sample Id: 7670060-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	836	84	849	85	70-135	2	20	mg/kg	01.20.19 10:40	
Diesel Range Organics (DRO)	<8.13	1000	939	94	955	96	70-135	2	20	mg/kg	01.20.19 10:40	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	92		129		129		70-135	%	01.20.19 10:40
o-Terphenyl	94		105		106		70-135	%	01.20.19 10:40

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 611647

LT Environmental, Inc.

PLU CVX JV PC #3

Analytical Method: TPH by SW8015 Mod

Seq Number: 3076559

MB Sample Id: 7670205-1-BLK

Matrix: Solid

LCS Sample Id: 7670205-1-BKS

Prep Method: TX1005P

Date Prep: 01.21.19

LCSD Sample Id: 7670205-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	949	95	954	95	70-135	1	20	mg/kg	01.21.19 20:25	
Diesel Range Organics (DRO)	<8.13	1000	1080	108	1070	107	70-135	1	20	mg/kg	01.21.19 20:25	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date			
1-Chlorooctane	90		123		122		70-135	%	01.21.19 20:25			
o-Terphenyl	90		96		96		70-135	%	01.21.19 20:25			

Analytical Method: TPH by SW8015 Mod

Seq Number: 3076435

Parent Sample Id: 611429-003

Matrix: Soil

MS Sample Id: 611429-003 S

Prep Method: TX1005P

Date Prep: 01.20.19

MSD Sample Id: 611429-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	18.8	1000	945	93	930	91	70-135	2	20	mg/kg	01.20.19 11:40	
Diesel Range Organics (DRO)	80.3	1000	1120	104	1090	101	70-135	3	20	mg/kg	01.20.19 11:40	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date			
1-Chlorooctane			135		138	**	70-135	%	01.20.19 11:40			
o-Terphenyl			112		137	**	70-135	%	01.20.19 11:40			

Analytical Method: TPH by SW8015 Mod

Seq Number: 3076559

Parent Sample Id: 611647-007

Matrix: Soil

MS Sample Id: 611647-007 S

Prep Method: TX1005P

Date Prep: 01.21.19

MSD Sample Id: 611647-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.99	999	916	92	920	92	70-135	0	20	mg/kg	01.21.19 21:25	
Diesel Range Organics (DRO)	51.3	999	1090	104	1110	106	70-135	2	20	mg/kg	01.21.19 21:25	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date			
1-Chlorooctane			129		121		70-135	%	01.21.19 21:25			
o-Terphenyl			112		110		70-135	%	01.21.19 21:25			

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 611647

LT Environmental, Inc.

PLU CVX JV PC #3

Analytical Method: BTEX by EPA 8021B

Seq Number: 3076530

MB Sample Id: 7670183-1-BLK

Matrix: Solid

LCS Sample Id: 7670183-1-BKS

Prep Method: SW5030B

Date Prep: 01.21.19

LCSD Sample Id: 7670183-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000385	0.100	0.121	121	0.126	126	70-130	4	35	mg/kg	01.21.19 22:42	
Toluene	<0.000456	0.100	0.107	107	0.111	111	70-130	4	35	mg/kg	01.21.19 22:42	
Ethylbenzene	<0.000565	0.100	0.102	102	0.105	105	70-130	3	35	mg/kg	01.21.19 22:42	
m,p-Xylenes	<0.00101	0.200	0.198	99	0.205	102	70-130	3	35	mg/kg	01.21.19 22:42	
o-Xylene	<0.000344	0.100	0.0985	99	0.102	102	70-130	3	35	mg/kg	01.21.19 22:42	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		105		105		70-130	%	01.21.19 22:42
4-Bromofluorobenzene	94		101		102		70-130	%	01.21.19 22:42

Analytical Method: BTEX by EPA 8021B

Seq Number: 3076530

Parent Sample Id: 611647-001

Matrix: Soil

MS Sample Id: 611647-001 S

Prep Method: SW5030B

Date Prep: 01.21.19

MSD Sample Id: 611647-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	0.000450	0.100	0.0965	96	0.109	109	70-130	12	35	mg/kg	01.21.19 23:20	
Toluene	<0.000457	0.100	0.0953	95	0.0979	98	70-130	3	35	mg/kg	01.21.19 23:20	
Ethylbenzene	<0.000566	0.100	0.0908	91	0.0924	93	70-130	2	35	mg/kg	01.21.19 23:20	
m,p-Xylenes	<0.00102	0.200	0.183	92	0.181	91	70-130	1	35	mg/kg	01.21.19 23:20	
o-Xylene	0.000430	0.100	0.0914	91	0.0899	90	70-130	2	35	mg/kg	01.21.19 23:20	


Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	103		104		70-130	%	01.21.19 23:20
4-Bromofluorobenzene	113		106		70-130	%	01.21.19 23:20

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Work Order No: 061647

Project Name:	PLU CVX JV PC #3	Turn Around	ANALYSIS REQUEST	Work Order Notes			
Project Number:	2RP-3153	Routine ☒					
P.O. Number:		Rush:					
Sampler's Name:	Benjamin Beill	Due Date:					
SAMPLE RECEIPT							
Temperature (°C):	0.56.2	Temp Blank:	Yes ☐ No ☒	Wet Ice:	Yes ☒ No ☐	Thermometer:	116
Received Intact:	Yes ☒ No ☐						
Cooler Custody Seals:	Yes ☒ No ☐	N/A	Correction Factor:	-0.1			
Sample Custody Seals:	Yes ☐ No ☒	N/A	Total Containers:				
Number of Containers							
EPA 8015)							
EPA 0-8021)							
e (EPA 300.0)							
TAT starts the day received by the lab, if received by 4:30pm							

[illegible]

Total 200.7 / 6010	200.8 / 6020:	
8RCRA	13PPM	Texas 11
		Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed	TCLP / SPLP 6010:	8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U
		1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/16/19 1155			1/17/19 1203



www.yanacn.com Page 2 of 7

Revised Date 051418 Rev. 2018 1



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 01/17/2019 12:05:00 PM

Work Order #: 611647

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 01/17/2019

Checklist reviewed by:

Jessica Kramer

Jessica Kramer

Date: 01/18/2019

Analytical Report 628183

for
LT Environmental, Inc.

Project Manager: Dan Moir

PLU CVX JV PC 003H

27-JUN-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-19-29), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-19-19), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-20)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)



27-JUN-19

Project Manager: **Dan Moir**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **628183**

PLU CVX JV PC 003H

Project Address: Delaware Basin

Dan Moir:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 628183. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 628183 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 628183



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SW04	S	06-17-19 14:17	0 - 4.5 ft	628183-001
FS04	S	06-17-19 14:15	4.5 ft	628183-002
BH03B	S	06-17-19 15:00	8 ft	628183-003



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *PLU CVX JV PC 003H*

Project ID:
Work Order Number(s): 628183

Report Date: 27-JUN-19
Date Received: 06/19/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3093110 TPH by SW8015 Mod

Surrogate o-Terphenyl recovered below QC limits. Matrix interferences is suspected.

Samples affected are: 628183-003,628183-002.

Batch: LBA-3093583 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 628183

LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV PC 003H



Project Id:

Contact: Dan Moir

Project Location: Delaware Basin

Date Received in Lab: Wed Jun-19-19 11:40 am

Report Date: 27-JUN-19

Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	628183-001	628183-002	628183-003			
	Field Id:	SW04	FS04	BH03B			
	Depth:	0-4.5 ft	4.5- ft	8- ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	Jun-17-19 14:17	Jun-17-19 14:15	Jun-17-19 15:00			
BTEX by EPA 8021B	Extracted:	Jun-24-19 23:00	Jun-24-19 23:00	Jun-24-19 23:00			
	Analyzed:	Jun-25-19 21:36	Jun-25-19 21:58	Jun-25-19 22:20			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Benzene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200			
Toluene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200			
Ethylbenzene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200			
m,p-Xylenes		<0.00399 0.00399	<0.00398 0.00398	<0.00400 0.00400			
o-Xylene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200			
Total Xylenes		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200			
Total BTEX		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200			
Chloride by EPA 300	Extracted:	Jun-19-19 15:50	Jun-19-19 15:50	Jun-19-19 16:10			
	Analyzed:	Jun-19-19 19:00	Jun-19-19 19:05	Jun-19-19 21:47			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Chloride		33.9 5.04	169 5.03	201 5.04			
TPH by SW8015 Mod	Extracted:	Jun-20-19 11:50	Jun-20-19 11:50	Jun-20-19 11:50			
	Analyzed:	Jun-21-19 08:13	Jun-21-19 08:38	Jun-21-19 09:04			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Gasoline Range Hydrocarbons (GRO)		<14.9 14.9	<15.0 15.0	<15.0 15.0			
Diesel Range Organics (DRO)		<14.9 14.9	<15.0 15.0	<15.0 15.0			
Motor Oil Range Hydrocarbons (MRO)		<14.9 14.9	<15.0 15.0	<15.0 15.0			
Total TPH		<14.9 14.9	<15.0 15.0	<15.0 15.0			
Total GRO-DRO		<14.9 14.9	<15.0 15.0	<15.0 15.0			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.0%

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 628183



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **SW04**
Lab Sample Id: 628183-001

Matrix: Soil
Date Collected: 06.17.19 14.17

Date Received: 06.19.19 11.40
Sample Depth: 0 - 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3092944

Date Prep: 06.19.19 15.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	33.9	5.04	mg/kg	06.19.19 19.00		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3093110

Date Prep: 06.20.19 11.50

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	06.21.19 08.13	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	06.21.19 08.13	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	06.21.19 08.13	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	06.21.19 08.13	U	1
Total GRO-DRO	PHC628	<14.9	14.9	mg/kg	06.21.19 08.13	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	83	%	70-135	06.21.19 08.13	
o-Terphenyl	84-15-1	85	%	70-135	06.21.19 08.13	



Certificate of Analytical Results 628183



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **SW04**
Lab Sample Id: 628183-001

Matrix: Soil
Date Collected: 06.17.19 14.17

Date Received: 06.19.19 11.40
Sample Depth: 0 - 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: DVM

Analyst: DVM

Seq Number: 3093583

Date Prep: 06.24.19 23.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	06.25.19 21.36	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	06.25.19 21.36	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	06.25.19 21.36	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	06.25.19 21.36	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	06.25.19 21.36	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	06.25.19 21.36	U	1
Total BTEX		<0.00200	0.00200	mg/kg	06.25.19 21.36	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	99	%	70-130	06.25.19 21.36		
1,4-Difluorobenzene	540-36-3	95	%	70-130	06.25.19 21.36		



Certificate of Analytical Results 628183



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **FS04**
Lab Sample Id: 628183-002

Matrix: Soil
Date Collected: 06.17.19 14.15

Date Received: 06.19.19 11.40
Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3092944

Date Prep: 06.19.19 15.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	169	5.03	mg/kg	06.19.19 19.05		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3093110

Date Prep: 06.20.19 11.50

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.21.19 08.38	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.21.19 08.38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	06.21.19 08.38	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.21.19 08.38	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	06.21.19 08.38	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	77	%	70-135	06.21.19 08.38	
o-Terphenyl	84-15-1	68	%	70-135	06.21.19 08.38	**



Certificate of Analytical Results 628183



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **FS04**
Lab Sample Id: 628183-002

Matrix: Soil
Date Collected: 06.17.19 14.15

Date Received: 06.19.19 11.40
Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: DVM

Analyst: DVM

Seq Number: 3093583

Date Prep: 06.24.19 23.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	06.25.19 21.58	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	06.25.19 21.58	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	06.25.19 21.58	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	06.25.19 21.58	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	06.25.19 21.58	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	06.25.19 21.58	U	1
Total BTEX		<0.00199	0.00199	mg/kg	06.25.19 21.58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	97	%	70-130	06.25.19 21.58		
4-Bromofluorobenzene	460-00-4	106	%	70-130	06.25.19 21.58		



Certificate of Analytical Results 628183



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **BH03B**
Lab Sample Id: 628183-003

Matrix: Soil
Date Collected: 06.17.19 15.00

Date Received: 06.19.19 11.40
Sample Depth: 8 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3092962

Date Prep: 06.19.19 16.10

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	201	5.04	mg/kg	06.19.19 21.47		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3093110

Date Prep: 06.20.19 11.50

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.21.19 09.04	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.21.19 09.04	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	06.21.19 09.04	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.21.19 09.04	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	06.21.19 09.04	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	77	%	70-135	06.21.19 09.04	
o-Terphenyl	84-15-1	69	%	70-135	06.21.19 09.04	**



Certificate of Analytical Results 628183



LT Environmental, Inc., Arvada, CO

PLU CVX JV PC 003H

Sample Id: **BH03B**
Lab Sample Id: 628183-003

Matrix: Soil
Date Collected: 06.17.19 15.00

Date Received: 06.19.19 11.40
Sample Depth: 8 ft

Analytical Method: BTEX by EPA 8021B

Tech: DVM

Analyst: DVM

Seq Number: 3093583

Date Prep: 06.24.19 23.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	06.25.19 22.20	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	06.25.19 22.20	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	06.25.19 22.20	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	06.25.19 22.20	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	06.25.19 22.20	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	06.25.19 22.20	U	1
Total BTEX		<0.00200	0.00200	mg/kg	06.25.19 22.20	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	106	%	70-130	06.25.19 22.20		
1,4-Difluorobenzene	540-36-3	95	%	70-130	06.25.19 22.20		

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 628183

LT Environmental, Inc.

PLU CVX JV PC 003H

Analytical Method: Chloride by EPA 300

Seq Number: 3092944

MB Sample Id: 7680338-1-BLK

Matrix: Solid

LCS Sample Id: 7680338-1-BKS

Prep Method: E300P

Date Prep: 06.19.19

LCSD Sample Id: 7680338-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	250	100	251	100	90-110	0	20	mg/kg	06.19.19 16:44	

Analytical Method: Chloride by EPA 300

Seq Number: 3092962

MB Sample Id: 7680340-1-BLK

Matrix: Solid

LCS Sample Id: 7680340-1-BKS

Prep Method: E300P

Date Prep: 06.19.19

LCSD Sample Id: 7680340-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.858	250	246	98	246	98	90-110	0	20	mg/kg	06.19.19 21:32	

Analytical Method: Chloride by EPA 300

Seq Number: 3092944

Parent Sample Id: 628030-008

Matrix: Soil

MS Sample Id: 628030-008 S

Prep Method: E300P

Date Prep: 06.19.19

MSD Sample Id: 628030-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	21.1	250	280	104	279	103	90-110	0	20	mg/kg	06.19.19 16:59	

Analytical Method: Chloride by EPA 300

Seq Number: 3092944

Parent Sample Id: 628181-002

Matrix: Soil

MS Sample Id: 628181-002 S

Prep Method: E300P

Date Prep: 06.19.19

MSD Sample Id: 628181-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<4.96	248	259	104	257	104	90-110	1	20	mg/kg	06.19.19 18:07	

Analytical Method: Chloride by EPA 300

Seq Number: 3092962

Parent Sample Id: 628183-003

Matrix: Soil

MS Sample Id: 628183-003 S

Prep Method: E300P

Date Prep: 06.19.19

MSD Sample Id: 628183-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	201	252	441	95	441	95	90-110	0	20	mg/kg	06.19.19 21:54	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 628183

LT Environmental, Inc.

PLU CVX JV PC 003H

Analytical Method: Chloride by EPA 300

Seq Number: 3092962

Parent Sample Id: 628185-006

Matrix: Soil

MS Sample Id: 628185-006 S

Prep Method: E300P

Date Prep: 06.19.19

MSD Sample Id: 628185-006 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	79.2	248	333	102	332	102	90-110	0	20	mg/kg	06.19.19 23:35	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3093110

MB Sample Id: 7680420-1-BLK

Matrix: Solid

LCS Sample Id: 7680420-1-BKS

Prep Method: TX1005P

Date Prep: 06.20.19

LCSD Sample Id: 7680420-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	964	96	922	92	70-135	4	20	mg/kg	06.21.19 00:52	
Diesel Range Organics (DRO)	<8.13	1000	953	95	926	93	70-135	3	20	mg/kg	06.21.19 00:52	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	93		102		99		70-135	%	06.21.19 00:52
o-Terphenyl	84		101		104		70-135	%	06.21.19 00:52

Analytical Method: TPH by SW8015 Mod

Seq Number: 3093110

Parent Sample Id: 628185-001

Matrix: Soil

MS Sample Id: 628185-001 S

Prep Method: TX1005P

Date Prep: 06.20.19

MSD Sample Id: 628185-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	808	81	858	86	70-135	6	20	mg/kg	06.21.19 02:05	
Diesel Range Organics (DRO)	10.7	1000	778	77	824	81	70-135	6	20	mg/kg	06.21.19 02:05	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	73		86		70-135	%	06.21.19 02:05
o-Terphenyl	71		87		70-135	%	06.21.19 02:05

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

LT Environmental, Inc.
PLU CVX JV PC 003H

Analytical Method: BTEX by EPA 8021B

Seq Number: 3093583

MB Sample Id: 7680657-1-BLK

Matrix: Solid

LCS Sample Id: 7680657-1-BKS

Prep Method: SW5030B

Date Prep: 06.24.19

LCSD Sample Id: 7680657-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0884	88	0.0870	87	70-130	2	35	mg/kg	06.25.19 07:06	
Toluene	<0.00200	0.100	0.0784	78	0.0868	87	70-130	10	35	mg/kg	06.25.19 07:06	
Ethylbenzene	<0.00200	0.100	0.0738	74	0.0925	93	70-130	22	35	mg/kg	06.25.19 07:06	
m,p-Xylenes	<0.00400	0.200	0.144	72	0.185	93	70-130	25	35	mg/kg	06.25.19 07:06	
o-Xylene	<0.00200	0.100	0.0707	71	0.0857	86	70-130	19	35	mg/kg	06.25.19 07:06	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	93		97		95		70-130	%	06.25.19 07:06
4-Bromofluorobenzene	97		102		97		70-130	%	06.25.19 07:06

Analytical Method: BTEX by EPA 8021B

Seq Number: 3093583

Parent Sample Id: 627969-001

Matrix: Soil

MS Sample Id: 627969-001 S

Prep Method: SW5030B

Date Prep: 06.24.19

MSD Sample Id: 627969-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.0998	0.0922	92	0.0999	100	70-130	8	35	mg/kg	06.25.19 11:37	
Toluene	<0.00200	0.0998	0.0882	88	0.0968	97	70-130	9	35	mg/kg	06.25.19 11:37	
Ethylbenzene	<0.00200	0.0998	0.0941	94	0.102	102	70-130	8	35	mg/kg	06.25.19 11:37	
m,p-Xylenes	<0.00399	0.200	0.187	94	0.205	103	70-130	9	35	mg/kg	06.25.19 11:37	
o-Xylene	<0.00200	0.0998	0.0868	87	0.0954	96	70-130	9	35	mg/kg	06.25.19 11:37	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	99		100		70-130	%	06.25.19 11:37
4-Bromofluorobenzene	108		104		70-130	%	06.25.19 11:37

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference $[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD ResultMS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Page of

Work Order Comments

Program: UST/ST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project:

Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRAP ☐ Level IV ☐

Deliverables: EDD ☐ ADAPT ☐ Other:

[illegible]

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number	THC	BTEX	Chloro	Sample Comments
SL004	S	6/17	1417	0-4.5'	1				
FS04	S	6/17	1415	4.5'	1				
BH03B	S	6/17	1500	8'	1				

[illegible]

induce, signature of this document shall constitute a relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 <i>Ann Rogers</i>	<i>[Signature]</i>	6/18/19 @ 0945	<i>[Signature]</i>	<i>Procter</i>	6/18/19 14:00
3				<i>[Signature]</i>	6/19/19
5					11:00



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 06/19/2019 11:40:00 AM

Work Order #: 628183

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.3
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 06/19/2019

Checklist reviewed by:

Jessica Kramer

Jessica Kramer

Date: 06/19/2019