



July 2, 2020

Mike Bratcher  
 New Mexico Energy, Minerals and Natural Resources Department  
 Oil Conservation Division, District 2  
 811 S. First Street  
 Artesia, NM 88210

**Re: Site Assessment Summary and Remediation Plan  
 Natural Gas Gathering Line #11117 Leak Location 1  
 GPS: Latitude 32.298043 Longitude -104.256508  
 UL "P", Sec. 14, T23S, R26E  
 Eddy County, NM  
 NMOCD Ref. No. NRM2016953070**

Tasman Geosciences, Inc. (Tasman), on behalf of DCP Operating Company, LP (DCP), has prepared this Site Assessment Summary and Remediation Plan for the condensate and natural gas Release Site known as the Natural Gas Gathering Line #11117 Leak Location 1. Details of the release are summarized below:

RELEASE DETAILS			
<b>Type of Release:</b>	Natural Gas, Condensate	<b>Volume of Release:</b>	Unknown
		<b>Volume Recovered:</b>	Unknown
<b>Source of Release:</b>	6" Steel Gas Gathering Pipeline	<b>Date of Discovery:</b>	7/19/19
<b>Was Immediate Notice Given?</b>	Not Required	<b>If, YES, to Whom?</b>	N/A
<b>Was a Watercourse Reached?</b>	No	<b>If YES, Volume Impacting the Watercourse:</b>	N/A
<b>Surface Owner:</b>	Montclair Development Corporation	<b>Mineral Owner:</b>	NA
<b>Describe Cause of Problem and Remedial Action Taken:</b>			
Seeping natural gas was discovered due to small pipeline failure (hole open under pressure). Initial field observations of the release suggested the volume of any associated hydrocarbon liquids was below NMOCD reporting thresholds. After further investigation and assessment of recent analytical data, the release has now been conservatively estimated to be equal to or somewhat greater than the minimum reportable quantity (minor release threshold).			

Site Characteristics Map is provided as Attachment #1. General Site Photographs are provided as Attachment #6. A Copy of the Initial Release Notification and Corrective Action (NMOCD Form C-141) is provided as Attachment #8.

### REGULATORY FRAMEWORK

Surface impacts from unauthorized releases of crude oil, gases, produced water, condensate or other oil field waste which occur during normal oilfield operations are generally regulated by the New Mexico Oil Conservation Division (NMOCD) in accordance with 19.15.29 of the New Mexico Administrative Code (NMAC). 19.15.29 NMAC establishes reporting, site assessment/characterization, remediation, closure, variance and enforcement procedures. Table I of 19.15.29.12 NMAC determines the closure criteria for soils impacted by a release based on the depth to groundwater and the following site characteristics:

Site Characteristics	
Approximate Depth to Groundwater	<b>~193 Ft.</b>
Within 300 ft. of any continuously flowing or significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 200 ft. of any lakebed, sinkhole, or playa lake?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 ft. of a spring or private, domestic fresh water well?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 1,000 ft. of any fresh water well?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Within the incorporated municipal boundaries or within a municipal well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 ft. of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

A search of a groundwater database maintained by The Office of the State Engineer (OSE) was conducted to determine the average depth to groundwater within a 1 Mile radius of the Release Site and identify any registered water wells within a 1/2 Mile of the Release Site. If none were identified, the approximate depth to groundwater was extrapolated from a Depth to Groundwater Map utilized by the NMOCD. Depth to groundwater information is provided as Attachment #5.

Based on the approximate depth to groundwater and site characteristics, the NMOCD Closure Criteria are as follows:

Minimum depth below any point within the horizontal boundary of the release to ground water less than 10,000 mg/l TDS	Constituent	Method*	Limit**
≤ 50 feet	Chloride***	EPA 300.0 or SM4500 Cl B	600 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

## SITE ASSESSMENT SUMMARY

From July 29, 2019 to July 31, 2019 Tasman personnel conducted oversight on initial remediation activities. Oversight included management of impacted soil within the relevant pipeline right-of-way that was previously excavated by DCP maintenance crew during line repair activities. A total of approximately 120 cubic yards of material was hauled, under manifest, to a NMOCD-approved disposal facility. Three (3) 5-point composite samples were taken from the base and sidewalls of the excavated area and submitted to the laboratory for analysis of total petroleum hydrocarbons (TPH) and chloride (Cl-) concentrations. Laboratory analytical results indicated that TPH and/or Cl- concentrations from the collected soil samples were above applicable NMOCD Closure Criteria (Table I).

Between October 22, 2019 and January 28, 2020, Tasman personnel revisited the Release Site three (3) additional times in an effort to complete additional site characterization, excavate identified hydrocarbon impacted soil, collect confirmation soil samples and transport/dispose of excavated soil to a NMOCD-approved disposal facility. During the assessment, eight (8) composite method soil samples were collected from the base and sidewalls of the open excavation and submitted to an NMOCD-approved laboratory for analysis of TPH, BTEX, and/or Chloride. Based on the remediation activities described above, the confirmation soil sample analytical results indicate that BTEX and Cl- concentrations are below the NMOCD Closure Criteria and are no longer a constituent of concern. TPH still remains above the NMOCD Closure Criteria of 100 ppm. A table summarizing laboratory analytical results from soil samples collected during the January 28, 2020 site assessment is provided below.

Concentrations of Benzene, BTEX, TPH, and/or Chloride in Soil											
Sample ID	Date	Depth	Soil Status	SW 846 8021B		SW 846 8015M Ext.					EPA 300
				Benzene (mg/kg)	BTEX (mg/kg)	GRO C <sub>6</sub> -C <sub>10</sub> (mg/kg)	DRO C <sub>10</sub> -C <sub>28</sub> (mg/kg)	GRO + DRO C <sub>6</sub> -C <sub>28</sub> (mg/kg)	MRO C <sub>28</sub> -C <sub>35</sub> (mg/kg)	TPH C <sub>6</sub> -C <sub>35</sub> (mg/kg)	Chloride (mg/kg)
Bottom-1 @ 3' 5pt.	1/28/2020	3'	In-Situ	<0.050	0.412	14.9	1,220	1,235	195	1,430	<16.0
Bottom-2 @ 3' 5pt.	1/28/2020	3'	In-Situ	<0.050	4.36	87.9	3,480	3,568	596	4,164	32.0
Bottom-3 @ 3' 5pt.	1/28/2020	3'	In-Situ	<0.050	<0.300	<10.0	2,460	2,460	488	2,948	64.0
Bottom-4 @ 8' 5pt.	1/28/2020	8'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
Bottom-5 @ 8' 5pt.	1/28/2020	8'	In-Situ	<0.050	1.38	65.3	2,370	2,435	399	2,834	16.0
Wall-1 5pt.	1/28/2020	1.5'	In-Situ	<0.050	<0.300	<10.0	392	392	88.9	481	176.0
Wall-2 5pt.	1/28/2020	4'	In-Situ	<0.050	<0.300	<10.0	217	217	51.1	268	16.0
Wall-3 5pt.	1/28/2020	4'	In-Situ	<0.050	<0.300	<10.0	36.8	36.8	<10.0	36.8	<16.0
<b>Closure Criteria</b>				<b>10</b>	<b>50</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>100</b>	<b>600</b>

A " Site Overview Map" is provided as Figure 2 (Attachment 2). Field Data, if applicable, is provided as Attachment #4. Laboratory analytical reports are provided as Attachment #7.

## SOIL BORE DELINEATION

In an effort to determine the vertical and horizontal extent of soil impacts, DCP proposes to install five (5) soil bores utilizing an air rotary drilling rig. Soil samples will be collected at equal intervals and field screened for chlorides and

hydrocarbons. Representative soil samples from each soil bore will be submitted to an NMOCD-approved laboratory for analysis of TPH.

A "Proposed Soil Bore Location Map" is provided as Figure 3 (Attachment 3).

## REMEDIATION PLAN

Based on laboratory analytical results, site characteristics and field observations made during the site assessment, DCP proposes the following remediation activities designed to advance the Release Site toward an NMOCD approved closure:

- Utilizing mechanical equipment, advance excavation vertically and horizontally in the areas exceeding a Total TPH of 100 mg/kg until laboratory analytical results from excavation confirmation soil samples indicate concentrations of TPH are below the NMOCD Closure Criteria.
- Excavated soil will be temporarily stockpiled on-site, atop a poly liner, pending transportation under manifest to an NMOCD-approved disposal facility.
- Upon receiving laboratory analytical results from confirmation soil samples below the NMOCD Closure Criteria, excavated areas will be backfilled with locally sourced, non-impacted "like" material. The affected area will be contoured and/or compacted to achieve erosion control, stability and preservation of surface water flow to the extent practicable.

## SAMPLING PLAN

Upon completion of remediation activities, representative five-point composite confirmation soil samples will be collected from the base of the remediated area, representing no more than 500 square feet. Confirmation grab soil samples will be collected from the sidewalls of the remediated area in each cardinal direction, representing no more than 50 linear ft. Additional "discrete" confirmation soil samples will be collected from any excavation grade changes and wet or visibly stained areas inferred to have been affected by the Release, if applicable.

## TIMELINE AND ESTIMATED VOLUME OF SOIL TO BE REMEDIATED

Remediation activities are expected to be completed within 90 days of receiving necessary approval(s) of this *Site Assessment Summary and Remediation Plan*. Based on laboratory analytical results, site characteristics and field observations made during the site assessment it is estimated approximately 200 cubic yards of soil has been affected above the NMOCD Closure Criteria.


If you have any questions, or if additional information is required, please feel free to contact Stephen Weathers or the undersigned by phone or email.

Kyle Norman  
Regional Project Manager  
Tasman Geosciences, Inc.  
Phone: 575-318-5017

Email: knorman@tasman-geo.com

**Attachments:**

- Attachment #1- Figure 1 - Site Characteristics Map
- Attachment #2- Figure 2 - Soil Impacts Map
- Attachment #3- Figure 3 - Proposed Soil Bore Location Map
- Attachment #4- Field Data
- Attachment #5- Depth to Groundwater Information
- Attachment #6- General Site Photographs
- Attachment #7- Laboratory Analytical Reports
- Attachment #8- Release Notification and Corrective Action (FORM C-141)



DATE: June 2020

DESIGNED BY: ZC

DRAWN BY: ZC




*Tasman Geosciences, Inc.*  
2620 W. Marland Blvd.  
Hobbs, NM 88240

**DCP Midstream**  
**1117 Leak Location 1**  
GPS: 32.298043, -104.256508  
UL "P", Section 14, Township 23 South, Range 26 East  
Eddy County, New Mexico

Site Characteristics  
Map

**Figure**  
**1**

Sample ID	Date Sampled	Field Cl-	PID Readings (ppm)	Benzene (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	GRO + DRO (mg/kg)	EXT DRO (mg/kg)	TOTAL TPH (mg/kg)	Chloride (mg/kg)
Bottom-1 @ 3' 5pt.	1/28/2020	-	67.0	<0.050	0.412	14.9	1,220	1,234.9	195	1,429.9	<16.0
Bottom-2 @ 3' 5pt.	1/28/2020	-	258.2	<0.050	4.36	87.9	3,480	3,567.9	596	4,163.9	32.0
Bottom-3 @ 3' 5pt.	1/28/2020	-	25.1	<0.050	<0.300	<10.0	2,460	2,460	488	2,948	64.0
Bottom-4 @ 8' 5pt.	1/28/2020	-	3.1	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
Bottom-5 @ 8' 5pt.	1/28/2020	-	122.5	<0.050	1.38	65.3	2,370	2,435.3	399	2,834.3	16.0
Wall-1 5pt.	1/28/2020	-	5.7	<0.050	<0.300	<10.0	392	392	88.9	480.9	176
Wall-2 5pt.	1/28/2020	-	1.4	<0.050	<0.300	<10.0	217	217	51.1	268.1	16.0
Wall-3 5pt.	1/28/2020	-	1.2	<0.050	<0.300	<10.0	36.8	36.8	<10.0	36.8	<16.0
NMOCD Action Levels - Soil (mg/kg) <sup>(1)</sup>				10	50	-	-	-	-	100	600



**LEGEND:**

- Excavated Area 3' (775 SqFt)
- Excavated Area 8' (415 SqFt)
- Wall Sample Location
- X 5pt. Composite Sample Location
- Below Surface Utility

DATE: January 2020  
 DESIGNED BY: B. Cooper  
 DRAWN BY: B. Cooper




**TASMAN**  
 GEOSCIENCES  
*Tasman Geosciences, Inc.*  
 2620 W. Marland Blvd.  
 Hobbs, NM 88240

**DCP Midstream**  
**11117 Leak Location 1**  
 GPS: 32.298043, -104.256508  
 Eddy County, New Mexico

Soil Impacts  
 Map

**Figure**  
**2**



**LEGEND:**

- Excavated Area 3' (775 SqFt)
- Excavated Area 8' (415 SqFt)
- X Proposed Soil Bore Location\*
- DCP Line 11117

\*Soil Bore locations are *approximate* and subject to change prior to installation

DATE: March 2020
DESIGNED BY: B. Cooper
DRAWN BY: B. Cooper



**TASMAN**  
GEOSCIENCES

*Tasman Geosciences, Inc.*  
2620 W. Marland Blvd.  
Hobbs, NM 88240

**DCP Midstream**  
**11117 Leak Location 1**  
GPS: 32.298043, -104.256508  
Eddy County, New Mexico

Proposed Soil Bore Location Map


**Figure 3**

Site Name: 11117 Fig 1

Date: 1-28-20

5-comp BOTTOMS  
5-comp WALLS

Field Observation Log



ID	Cl.	Odor/PID
WALL-1		5.7
GPS:		

ID	Cl.	Odor/PID
B-1		6.7
GPS:		

ID	Cl.	Odor/PID
B-4		3.7
GPS:		

ID	Cl.	Odor/PID
WALL-2		1.4
GPS:		

ID	Cl.	Odor/PID
B-2		258.2
GPS:		

ID	Cl.	Odor/PID
B-5		122.6
GPS:		

ID	Cl.	Odor/PID
WALL-3		1.2
GPS:		

ID	Cl.	Odor/PID
B-3		15.1
GPS:		

ID	Cl.	Odor/PID
GPS:		



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column	
<a href="#">C_01572</a>	C	ED		3	3	3	13	23S	26E	570245	3573761*	207	215			
<a href="#">C_02040</a>	C	ED		3	3	3	13	23S	26E	570245	3573761*	207	264	185	79	
<a href="#">C_02658 POD2</a>	C	ED		3	3	3	13	23S	26E	570245	3573761*	207	252	211	41	
<a href="#">C_01733</a>	C	ED		1	3	3	13	23S	26E	570245	3573961*	334	247	197	50	
<a href="#">C_01743</a>	C	ED		1	3	3	13	23S	26E	570245	3573961*	334	250	196	54	
<a href="#">C_02442</a>	C	ED		1	3	3	13	23S	26E	570245	3573961*	334	276	200	76	
<a href="#">C_04348 POD1</a>	C	ED		3	1	3	13	23S	26E	570224	3574192	532	260			
<a href="#">C_03348</a>	C	ED		1	3	3	13	23S	26E	570606	3573938	608	240	200	40	
<a href="#">C_01832</a>	C	ED		1	3	13	23S	26E	570345	3574268*	649	250	200	50		
<a href="#">C_01672</a>	C	ED		4	3	13	23S	26E	570750	3573861*	720	280	80	200		
<a href="#">C_03323 POD1</a>	C	ED		3	4	2	14	23S	26E	569909	3574479	802	275	205	70	
<a href="#">C_02052</a>	C	ED		3	3	1	13	23S	26E	570242	3574573*	904	290			
<a href="#">C_01905</a>	C	ED		2	3	13	23S	26E	570749	3574267*	906	300				
<a href="#">C_03071</a>	C	ED		2	3	13	23S	26E	570749	3574267*	906	250	204	46		
<a href="#">C_04201 POD1</a>	C	ED		4	4	2	14	23S	26E	569626	3574546	956	255	110	145	
<a href="#">C_01626</a>	C	ED		3	1	13	23S	26E	570343	3574674*	1027	246	198	48		
<a href="#">C_01822</a>	C	ED		3	1	13	23S	26E	570343	3574674*	1027	258	200	58		
<a href="#">C_01822 POD2</a>	C	ED		3	1	13	23S	26E	570343	3574674*	1027	228	212	16		
<a href="#">C_01857</a>	C	ED					13	23S	26E	570949	3574465*	1187	255	197	58	
<a href="#">C_02232</a>	C	ED					13	23S	26E	570949	3574465*	1187	240	200	40	
<a href="#">C_02484 EXPL</a>	CUB	ED		4	1	13	23S	26E	570747	3574672*	1204	280	175	105		
<a href="#">C_01968</a>	C	ED		1	4	1	13	23S	26E	570646	3574771*	1234	247	200	47	
<a href="#">C_02059</a>	C	ED					1	13	23S	26E	570544	3574875*	1284	282	190	92
<a href="#">C_01851</a>	C	ED		1	1	13	23S	26E	570341	3575080*	1420	258	207	51		
<a href="#">C_02260</a>	C	ED		1	1	13	23S	26E	570341	3575080*	1420	247	218	29		
<a href="#">C_02537</a>	C	ED		1	1	13	23S	26E	570341	3575080*	1420	280	210	70		
<a href="#">C_01825</a>	C	ED		3	2	13	23S	26E	571151	3574670*	1474	243	221	22		
<a href="#">C_01867</a>	C	ED		1	1	1	13	23S	26E	570240	3575179*	1501	250	212	38	
<a href="#">C_01762</a>	C	ED		2	1	13	23S	26E	570746	3575078*	1553	260	191	69		
<a href="#">C_01762 POD2</a>	C	ED		2	1	13	23S	26E	570746	3575078*	1553	250	203	47		
<a href="#">C_01765</a>	C	ED		2	1	13	23S	26E	570746	3575078*	1553	350				
<a href="#">C_02444</a>	C	ED		2	1	13	23S	26E	570746	3575078*	1553	250	177	73		
<a href="#">C_02205</a>	C	ED		1	2	1	13	23S	26E	570645	3575177*	1602	240	210	30	



Average Depth to Water:	<b>193 feet</b>
Minimum Depth:	<b>80 feet</b>
Maximum Depth:	<b>221 feet</b>

**Record** 33  
**Count:**

**UTMNAD83 Radius Search (in meters):**


**Easting (X):** 570050      **Northing (Y):** 3573689.36      **Radius:** 1610

**\*UTM location was derived from PLSS - see Help**

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/2/20 1:38 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER



DCP Midstream

11117 – Leak 1 1-28-20



North



North

DCP Midstream

11117 – Leak 1 1-28-20



South



East

DCP Midstream

11117 – Leak-1 1-28-20



West



West

DCP Midstream

11117 – Leak-1 1-28-20



Collecting Bottom Comp Samples



Collecting Wall Comp Samples



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

January 29, 2020

KYLE NORMAN  
TASMAN GEOSCIENCES  
6899 PECOS ST. UNIT C  
DENVER, CO 80221

RE: DCP

Enclosed are the results of analyses for samples received by the laboratory on 01/28/20 16:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-19-12. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene  
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: WALL - 1 5 PT. (H000265-01)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
Total Xylenes*	<0.150	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
Total BTEX	<0.300	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>176</b>	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469	
<b>DRO &gt;C10-C28*</b>	<b>392</b>	10.0	01/29/2020	ND	222	111	200	0.303	
<b>EXT DRO &gt;C28-C36</b>	<b>88.9</b>	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 67.4 % 41-142

Surrogate: 1-Chlorooctadecane 68.7 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: WALL - 2 5 PT. (H000265-02)**

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4		
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90		
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6		
Total Xylenes*	<0.150	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3		
Total BTEX	<0.300	0.300	01/29/2020	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>Chloride</b>	<b>16.0</b>	16.0	01/29/2020	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469		
<b>DRO &gt;C10-C28*</b>	<b>217</b>	10.0	01/29/2020	ND	222	111	200	0.303		
<b>EXT DRO &gt;C28-C36</b>	<b>51.1</b>	10.0	01/29/2020	ND						

Surrogate: 1-Chlorooctane 70.5 % 41-142

Surrogate: 1-Chlorooctadecane 85.8 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: WALL - 3 5 PT. (H000265-03)**

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4		
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90		
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6		
Total Xylenes*	<0.150	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3		
Total BTEX	<0.300	0.300	01/29/2020	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	01/29/2020	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469		
<b>DRO &gt;C10-C28*</b>	<b>36.8</b>	10.0	01/29/2020	ND	222	111	200	0.303		
EXT DRO >C28-C36	<10.0	10.0	01/29/2020	ND						

Surrogate: 1-Chlorooctane 77.0 % 41-142

Surrogate: 1-Chlorooctadecane 77.7 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM- 1 @ 3' 5 PT. (H000265-04)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
<b>Total Xylenes*</b>	<b>0.412</b>	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
<b>Total BTEX</b>	<b>0.412</b>	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>14.9</b>	10.0	01/29/2020	ND	204	102	200	0.469	
<b>DRO &gt;C10-C28*</b>	<b>1220</b>	10.0	01/29/2020	ND	222	111	200	0.303	
<b>EXT DRO &gt;C28-C36</b>	<b>195</b>	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 78.0 % 41-142

Surrogate: 1-Chlorooctadecane 89.3 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM- 2 @ 3' 5 PT. (H000265-05)**

BTEX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
<b>Toluene*</b>	<b>0.182</b>	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
<b>Ethylbenzene*</b>	<b>0.161</b>	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
<b>Total Xylenes*</b>	<b>4.02</b>	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
<b>Total BTEX</b>	<b>4.36</b>	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 173 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>32.0</b>	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>87.9</b>	10.0	01/29/2020	ND	204	102	200	0.469	
<b>DRO &gt;C10-C28*</b>	<b>3480</b>	10.0	01/29/2020	ND	222	111	200	0.303	
<b>EXT DRO &gt;C28-C36</b>	<b>596</b>	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 92.1 % 41-142

Surrogate: 1-Chlorooctadecane 141 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM- 3 @ 3' 5 PT. (H000265-06)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
<b>Total Xylenes*</b>	<b>0.193</b>	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
Total BTEX	<0.300	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>64.0</b>	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469	
<b>DRO &gt;C10-C28*</b>	<b>2460</b>	10.0	01/29/2020	ND	222	111	200	0.303	
<b>EXT DRO &gt;C28-C36</b>	<b>488</b>	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 75.7 % 41-142

Surrogate: 1-Chlorooctadecane 120 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM- 4 @ 8' 5 PT. (H000265-07)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
Total Xylenes*	<0.150	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
Total BTEX	<0.300	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.5 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>32.0</b>	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469	
DRO >C10-C28*	<10.0	10.0	01/29/2020	ND	222	111	200	0.303	
EXT DRO >C28-C36	<10.0	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 71.3 % 41-142

Surrogate: 1-Chlorooctadecane 72.1 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM- 5 @ 8' 5 PT. (H000265-08)**

BTEX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
<b>Toluene*</b>	<b>0.102</b>	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
<b>Ethylbenzene*</b>	<b>0.115</b>	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
<b>Total Xylenes*</b>	<b>1.16</b>	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
<b>Total BTEX</b>	<b>1.38</b>	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 135 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>16.0</b>	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>65.3</b>	10.0	01/29/2020	ND	204	102	200	0.469	
<b>DRO &gt;C10-C28*</b>	<b>2370</b>	10.0	01/29/2020	ND	222	111	200	0.303	
<b>EXT DRO &gt;C28-C36</b>	<b>399</b>	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 102 % 41-142

Surrogate: 1-Chlorooctadecane 110 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: WALL 5 PT. (H000265-09)**

BTEX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
<b>Ethylbenzene*</b>	<b>0.077</b>	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
<b>Total Xylenes*</b>	<b>0.544</b>	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
<b>Total BTEX</b>	<b>0.621</b>	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 140 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>32.0</b>	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>33.5</b>	10.0	01/29/2020	ND	204	102	200	0.469	
<b>DRO &gt;C10-C28*</b>	<b>3810</b>	10.0	01/29/2020	ND	222	111	200	0.303	
<b>EXT DRO &gt;C28-C36</b>	<b>875</b>	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 84.0 % 41-142

Surrogate: 1-Chlorooctadecane 154 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM - 1 @ 1' 5 PT. (H000265-10)**

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4		
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90		
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6		
Total Xylenes*	<0.150	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3		
Total BTEX	<0.300	0.300	01/29/2020	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	01/29/2020	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469		
DRO >C10-C28*	281	10.0	01/29/2020	ND	222	111	200	0.303		
EXT DRO >C28-C36	95.2	10.0	01/29/2020	ND						

Surrogate: 1-Chlorooctane 70.5 % 41-142

Surrogate: 1-Chlorooctadecane 81.8 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM - 2 @ 1' 5 PT. (H000265-11)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
Total Xylenes*	<0.150	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
Total BTEX	<0.300	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>48.0</b>	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469	
<b>DRO &gt;C10-C28*</b>	<b>3220</b>	10.0	01/29/2020	ND	222	111	200	0.303	
<b>EXT DRO &gt;C28-C36</b>	<b>947</b>	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 63.8 % 41-142

Surrogate: 1-Chlorooctadecane 144 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: WALL 5 PT. (H000265-12)**

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4		
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90		
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6		
Total Xylenes*	<0.150	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3		
Total BTEX	<0.300	0.300	01/29/2020	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>Chloride</b>	<b>16.0</b>	16.0	01/29/2020	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469		
<b>DRO &gt;C10-C28*</b>	<b>13.4</b>	10.0	01/29/2020	ND	222	111	200	0.303		
<b>EXT DRO &gt;C28-C36</b>	<b>11.6</b>	10.0	01/29/2020	ND						

Surrogate: 1-Chlorooctane 66.8 % 41-142

Surrogate: 1-Chlorooctadecane 67.0 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	01/28/2020	Sampling Date:	01/28/2020
Reported:	01/29/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	11117 FIG 1-3 LEAK 1-3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM @ 3' 5 PT. (H000265-13)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/29/2020	ND	1.98	98.9	2.00	10.4	
Toluene*	<0.050	0.050	01/29/2020	ND	2.02	101	2.00	9.90	
Ethylbenzene*	<0.050	0.050	01/29/2020	ND	2.00	100	2.00	10.6	
Total Xylenes*	<0.150	0.150	01/29/2020	ND	5.99	99.8	6.00	10.3	
Total BTEX	<0.300	0.300	01/29/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>16.0</b>	16.0	01/29/2020	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/29/2020	ND	204	102	200	0.469	
<b>DRO &gt;C10-C28*</b>	<b>117</b>	10.0	01/29/2020	ND	222	111	200	0.303	
<b>EXT DRO &gt;C28-C36</b>	<b>36.8</b>	10.0	01/29/2020	ND					

Surrogate: 1-Chlorooctane 74.6 % 41-142

Surrogate: 1-Chlorooctadecane 82.7 % 37.6-147

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- \*\* Samples not received at proper temperature of 6°C or below.
- \*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

*Celey D. Keene*

Celey D. Keene, Lab Director/Quality Manager



**ARDINAL LABORATORIES**  
 101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603  
 (505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

Rush

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

1 of 3

Company Name: Tasman Geosciences		P.O. #:		<b>BILL TO</b>		ANALYSIS REQUEST														
Project Manager: Kyle Norman		Company: Tasman Geo																		
Address: 2620 W. Marland Blvd.		City: Hobbs		State: NM		Zip: 88240														
Phone #: 575-318-5017		Fax #: 575-318-5017		Project Owner: DCP Midstream		City: Hobbs														
Project Name: DCP		State: NM		Zip: 88240		Phone #: 575-318-5017														
Project Location: 1117 F.g.-1 Leak 1		Fax #:																		
Sampler Name: Becky Giffis																				
FOR LAB USE ONLY																				
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	Chlorides	TPH 8015 M	BTEX	Texas TPH	Complete Cations/Anions	TDS
AD00205	1 DALL-1 5 FT	C 1	1										1-28-20	9:00	/	/	/	/		
	2 DALL-2 5 FT	C 1	1										9:15		/	/	/	/		
	3 DALL-3 5 FT	C 1	1										9:20		/	/	/	/		
	4 BOTTOM-1 @ 31 5 FT	C 1	1										9:30		/	/	/	/		
	5 BOTTOM-2 @ 31 5 FT	C 1	1										9:40		/	/	/	/		
	6 BOTTOM-3 @ 31 5 FT	C 1	1										9:50		/	/	/	/		
	7 BOTTOM-4 @ 81 5 FT	C 1	1										10:00		/	/	/	/		
	8 BOTTOM-5 @ 81 5 FT	C 1	1										10:10		/	/	/	/		

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *Becky Giffis* Date: 1-28-20 Time: 16:05  
 Received By: *Janina White*

Delivered By: (Circle One)  UPS - Bus - Other: #113 - 1.5°C

Sample Condition:  Intact  Damaged

CHECKED BY: *JS*

Phone Result:  Yes  No Add'l Phone #:  
 Fax Result:  Yes  No Add'l Fax #:  
 REMARKS:  
 email results: knorman@tasman-geo.com;  
 hconder@tasman-geo.com; bcooper@tasman-geo.com;  
 Cook, John W <JWCook@dcprmidstream.com>  
 Hyman, Albert L <ALHyman@dcprmidstream.com>  
 Hyman, Janice L <JHyman@dcprmidstream.com>

\* Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



**ARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603  
 (505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325)673-7020

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

2 of 3

Company Name: Tasman Geosciences

P.O. #: **BILL TO**

ANALYSIS REQUEST

Project Manager: Kyle Norman

Company: Tasman Geo

Address: 2620 W. Marland Blvd.

Attn: Kyle Norman

City: Hobbs

Address: 2620 W. Marland

Phone #: 575-318-5017

City: Hobbs

Project #:

Project Owner: DCP Midstream

Project Name: DCP

State: NM Zip: 88240

Project Location: 1117 Fg-2 Leak 2

Phone #: 575-318-5017

Sampler Name: Recy Drains

Fax #:

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	Chlorides	TPH 8015 M	BTEX	Texas TPH	Complete Cations/Anions	TDS
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :								
Hobbs	9 DALL 5 PT	C1	1	/	/	/	/	/	1-28-20	11:00	/	/	/	/	/	/	
	10 Bottom-101' 5 PT	C1	1	/	/	/	/	/	11:10	11:10	/	/	/	/	/	/	
	11 Bottom-201' 5 PT	C1	1	/	/	/	/	/	11:20	11:20	/	/	/	/	/	/	

PLEASE NOTE: Liability and Damages. Cardinal's liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature]

Received By: [Signature]

Date: 7-28-20

Date: 7/28/20

Time: 1605

Time: 1605

Relinquished By: [Signature]

Received By: [Signature]

Delivered By: (Circle One)

Sample Condition

CHECKED BY: [Signature]

Sampler - UPS - Bus - Other: #113 -1.5e

Cool Intact

Yes Yes

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

Phone Result:  Yes  No Add'l Phone #:  
 Fax Result:  Yes  No Add'l Fax #:

REMARKS:  
 email results: knorman@tasman-geo.com;  
 hconder@tasman-geo.com; bcooper@tasman-geo.com  
 Cook, John W <JWCook@dcpmidstream.com>  
 Hyman, Albert L <ALHyman@dcpmidstream.com>  
 Hyman, Janice L <JHyman@dcpmidstream.com>



**ARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603  
 (505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

3 of 3

Company Name: Tasman Geosciences

**BILL TO**

**ANALYSIS REQUEST**

Project Manager: Kyle Norman

P.O. #:

Address: 2620 W. Marland Blvd.

Company: Tasman Geo

City: Hobbs

State: NM Zip: 88240

Attn: Kyle Norman

Phone #: 575-318-5017

Fax #:

Address: 2620 W. Marland

Project #:

Project Owner: DCP Midstream

City: Hobbs

Project Name: DCP

State: NM Zip: 88240

Project Location: 1117 F10-3 Leakt 3

Phone #: 575-318-5017

Sampler Name: BECYA DUFFIN

Fax #:

FOR LAB USE ONLY

DATE TIME

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.	SAMPLING	DATE	TIME
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :				
H00265	USA 3 FT	C1	1								1-28-20	12:00	
13	Bottom 3' 5 FT	C1	1								1-28-20	12:20	

Chlorides	TPH 8015 M	BTEX	Texas TPH	Complete Cations/Anions	TDS
-----------	------------	------	-----------	-------------------------	-----

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:

Date: 1-28-20

Received By:

CHECKED BY: (Initials)

Relinquished By: [Signature]

Date: 1-28-20

Received By: [Signature]

Delivered By: (Circle One)

Sample Condition

CHECKED BY: [Signature]

Sampler - UPS - Bus - Other: #113 - 1.5c

Cool  Intact

Yes  No

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

Phone Result:  Yes  No Add'l Phone #:

Fax Result:  Yes  No Add'l Fax #:

REMARKS: email results: knorman@tasman-geo.com; hconder@tasman-geo.com; bcooper@tasman-geo.com; Cook, John W <JWCook@dcpmidstream.com> Hyman, Albert L <ALHyman@dcpmidstream.com> Hyman, Janice L <JHyman@dcpmidstream.com>

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District Office

Incident ID	
District RP	
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party	DCP Operating Company, LP	OGRID	36785
Contact Name	Stephen W Weathers	Contact Telephone	303-605-1718
Contact Email	SWWeathers@dcpmidstream.com	Incident # (assigned by OCD)	
Contact Mailing Address	370 17th Street, Suite 2500, Denver, CO 80202		

### Location of Release Source

Latitude 32.298043 Longitude -104.256508  
(Nad 83 in decimal degrees to 5 decimal places)

Site Name	Natural Gas Gathering Line #11117 Leak Location 1	Site Type	6" Steel Gas Gathering Pipeline
Date Release Discovered	07/19/19	API # (if applicable)	

Unit Letter	Section	Township	Range	County
P	14	23S	26E	Eddy County, NM

Surface Owner:  State  Federal  Tribal  Private (Name: Montclair Development Corporation)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
<input checked="" type="checkbox"/> Condensate	Volume Released (bbls) Unknown	Volume Recovered (bbls) Unknown
<input checked="" type="checkbox"/> Natural Gas	Volume Released (Mcf) Unknown	Volume Recovered (Mcf) Unknown
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Released (provide units)

**Cause of Release:**

Seeping natural gas was discovered due to small pipeline failure (hole open under pressure). Initial field observations of the release suggested the volume of any associated hydrocarbon liquids was below NMOCD reporting thresholds. After further investigation and assessment of recent analytical data, the release has now been conservatively estimated to be equal to or somewhat greater than the minimum reportable quantity (minor release threshold).



Incident ID	NRM2016953070
District RP	
Facility ID	
Application ID	

## Site Assessment/Characterization

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	~193 (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

**Characterization Report Checklist:** *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	NRM2016953070
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Norman Title: Regional Project Manager

Signature:  Date: 9/9/2020

email: knorman@tasman-geo.com Telephone: 575-318-5017

**OCD Only**

Received by: Cristina Eads Date: 09/09/2020

Incident ID	NRM2016953070
District RP	
Facility ID	
Application ID	

## Remediation Plan

**Remediation Plan Checklist:** *Each of the following items must be included in the plan.*

- Detailed description of proposed remediation technique
- Scaled sitemap with GPS coordinates showing delineation points
- Estimated volume of material to be remediated
- Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

**Deferral Requests Only:** *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- Extents of contamination must be fully delineated.
- Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name:  Kyle Norman  Title:  Regional Project Manager

Signature:    Date:  9/9/2020

email:  knorman@tasman-geo.com  Telephone:  575-318-5017

**OCD Only**

Received by:  Cristina Eads  Date:  09/09/2020

- Approved       Approved with Attached Conditions of Approval       Denied       Deferral Approved

Signature:    Date:  09/10/2020